

BellSouth Telecommunications, Inc.
150 South Monroe Street
Suite 400
Tallahassee, Florida 32301

marshall.criser@bellsouth.com

October 27, 2004

Marshall M. Criser III
Vice President
Regulatory & External Affairs

(850) 224-7798
Fax (850) 224-5073

Ms. Beth Salak
Director Of Competitive Markets and Enforcement
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399-0850

Dear Ms. Salak:

Pursuant to Florida Statue 364.051, we are filing herewith revisions to our General Subscriber Services Tariff (GSST). Following are the affected pages:

<i>General Subscriber Services Tariff</i>	
A12	- First Revised Page 133.1
	- First Revised Page 134
	- Third Revised Page 135
	- First Revised Page 142
	- Second Revised Page 143
	- Third Revised Page 144
	- First Revised Page 145
	- First Revised Page 146
	- First Revised Page 160
	- First Revised Page 162
	- First Revised Page 165

The purpose of this filing is to revise certain Centrex ISDN features and USOCs in the BellSouth Florida GSST in order to provide the appropriate provisioning.

Please acknowledge receipt of this tariff by signing and returning the second copy of this letter.

Yours very truly,

Marshall M. Marshall M. Criser III (slg)

Regulatory Vice President

Attachment(s)

EXECUTIVE SUMMARY

Introduction

The purpose of this filing is to revise certain Centrex ISDN features and USOCs in the BellSouth Florida GSST Tariff in order to provide the appropriate provisioning, as follows:

Current tariff language

Directed Call Pickup – Barge in	M2VPA
Directed Call Pickup – Barge in Terminating (5ESS)	CENLU

Proposed tariff language

Directed Call Pickup – Barge in for ISDN	DS1DC
Directed Call Pickup – Barge in Terminating for ISDN (5ESS)	DS1DT

In addition, this filing eliminates or modifies certain Centrex ISDN features and USOCs, as follows:

Removed from Standard Feature List (A.12.26.4)

Automatic Answer Back	M4EFP
Call Waiting Terminating incl. Cancel Call Waiting - Incoming only	M2LA6
Call Waiting Terminating including Cancel Call Waiting – All Calls	M2LCA
Conference, Drop, Hold & Transfer – EKTS	M61FW
Conference, Drop, Hold & Transfer – for use with non-EKTS CPE	DS1FV
Dial Call Waiting	M5CWC
<i>(should be removed from all)</i>	
Dial Call Waiting with Distinctive Tones	CENLT

Removed as DMS compatible in Standard Feature List (A.12.26.4):

Call Forwarding Multiple Simultaneous	M2JR4
<i>(changed to 5ESS and EWSD only)</i>	
Data Call Protection	M4YPG
<i>(changed to EWSD only)</i>	
Dial Call Waiting	M5CWC
<i>(removed from list completely)</i>	
Directed Call Park/Directed Call Retrieve	M5EDX
<i>(changed to 5ESS only)</i>	
Directed Call Pickup – Barge in	YYYYY
<i>(changed to EWSD, 5ESS only and replaced USOC)</i>	
Repeat Dialing	M5JRC
<i>(changed to EWSD, 5ESS only)</i>	

Removed as EWSD compatible in Standard Feature List (A.12.26.4):

Dial Call Waiting M5CWC
(removed)

Changed in DMS Standard Feature List (A.12.26.4):

Key Short Hunt (DMS-100) M46DE
(changed to M4GDE)

Customer Impact

There will be no customer impact with these changes.

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth[®] Centrex Service (Cont'd)

A12.25.21 Standard Features List (Cont'd)

K. BellSouth[®] Centrex Control - 5ESS - ISDN (Cont'd)

Feature Element

Conference, Drop, Hold & Transfer

Dial Call Waiting (~~DELETED~~)

Directed Call Pickup - Barge in for ISDN

Directed Call Pickup - Barge in Terminating for ISDN

Directed Call Pickup - Non-barge in

Directed Call Pickup - Non-barge in exempt

ISDN Intercom Calling - Automatic

ISDN Intercom Calling - Dial

Message Waiting Audible (Stutter Dial Tone)

Preferred Call Forwarding

Repeat Dialing

Secondary Only DN (Shared or Non-Shared) - First appearance (See Note 1)

Selective Call Acceptance

Shared Non-ISDN DN

Shared Primary DN - First appearances on each add'l terminal

Shared Secondary Only DN - First appearance on each additional terminal

Speed Calling Long - Per additional line

Speed Calling Long - Per controlling line (30 number Shared)

Speed Calling Short (6 Numbers)

Station Restriction - Full incoming - Per line

Station Restriction - Full incoming and outgoing - Per line

Station Restriction - Full outgoing - Per line

Station Restriction - Semi-incoming - Per line

Station Restriction - Semi-incoming and outgoing - Per Line

Station Restriction - Semi-outgoing

Visual Message Waiting Indicator

USOC

DS1FN (M)

M5CWC (D) (M)

DS1DCM2V (C) (M)

PA

DS1DTGEN (C) (M)

LU

M2VNA (M)

M2VC6 (M)

DS1FD (M)

DS1FE (M)

M3CAA (M)

M5HPC (M)

M5JRC (M)

LLDSF (T)(M)

M3JA6 (M)

DOE (M)

DS1FJ (M)

DS1F1 (M)

M3YAA (M)

M3Y30 (M)

M5KSC (M)

M3RC2 (M)

M3RF2 (M)

M3RG2 (M)

M3RH2 (M)

M3RJ2 (M)

M3RK2 (M)

LLAVP (M)

Note 1: The initial establishment of this feature must be provisioned by the Company. Service Charges in Section A4 will not apply.

ISSUED: ~~July 12, 1999~~ October 12, 2004

EFFECTIVE: ~~July 27, 1999~~ November 12, 2004

BY: Joseph P. Lacher, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth® Centrex Service (Cont'd)

(T) (S)

A12.25.21 Standard Features List (Cont'd)

(S)

K. BellSouth® Centrex Control - 5ESS - ISDN (Cont'd)

(T) (S)

Optional Features Controllable with BellSouth® Centrex Control:

(T) (S)

Feature Element

USOC

Authorization Codes - Per system (See Note 1)

CENCC (S)

Authorization Codes - Per line, each (See Note 1)

CENAC (S)

Six-Way Conference, Drop, Hold and Transfer

CENL6 (S)

L. BellSouth® Centrex Control - DMS-100 - ISDN

(T) (S)

Additional Call Appearance, PDN or DN

DS1FG (S)

Automatic Callback/Ring Again

M53AK (S)

~~Auto Answer Back (DELETED)~~

~~M4EFP (D) (S)~~

Auto Dial

M4DKB (S)

Automatic Line

M4BAC (S)

Call Block

M4HCC (S)

Call Forward Busy Line Fixed, internal/external source, internal/external destination

M6EBX (S)

Call Forwarding Busy Line Fixed (All calls unrestricted) (Forwards all calls)

M4JFC (S)

Call Forwarding Busy Line Fixed, External Source Denied

CENDA (S)

Call Forwarding Busy Line Fixed, Internal Source Denied

CENDB (S)

Call Forwarding Busy Line Programmable internal destination (All calls - Unrestricted)

CENF7 (S)

Call Forwarding Busy Line Programmable internal destination, internal source denied

CENDC (S)

Call Forwarding Busy Line Programmable internal destination, external source denied

CENDO (S)

Call Forwarding Busy Line Programmable unrestricted destination, external source denied

CENDP (S)

Call Forwarding Busy Line Programmable, internal/external source, internal/external destination
(Split destination programmable)

M4JSX (S)

Call Forwarding Busy Line Programmable, unrestricted destination, all calls

CENB7 (S)

Call Forwarding Busy Line Programmable, unrestricted destination, internal source denied

CENDF (S)

Call Forwarding Don't Answer Fixed (All calls unrestricted)

M4NFC (S)

Call Forwarding Don't Answer Fixed, external source denied

CENDH (S)

Call Forwarding Don't Answer Fixed, internal source denied

CENDJ (S)

Call Forwarding Don't Answer Fixed, internal/external source, internal/external destination (Split destination fixed)

M6FSX (S)

Call Forwarding Don't Answer Programmable internal destination, external source denied

CENDQ (S)

Call Forwarding Don't Answer Programmable internal/external source, internal/external destination
(Split destination programmable)

M4NSX (S)

Call Forwarding Don't Answer Programmable, unrestricted destination, external source denied

CENDR (S)

Call Forwarding Don't Answer Programmable, unrestricted destination all calls

CENDG (S)

Call Forwarding Don't Answer Programmable, unrestricted destination, internal source denied

CENDK (S)

Call Forwarding Don't Answer Programmable, internal destination all calls, unrestricted

CENDL (S)

Call Forwarding Don't Answer Programmable, internal destination, internal source denied

CENDM (S)

Call Forwarding Variable - Intragroup - With Ring Reminder

CENLO (S)

Call Forwarding Variable - With Ring Reminder (Intra & Inter)

M4QVC (S)

Call Park/Call Retrieve

M4SPX (S)

Call Pickup

M4UBC (S)

Call Tracing

M2KTA (S)

Call Transfer (System exception)

CENDS (S)

~~Call Waiting Termination incl Cancel Call Waiting - Incoming Only (DELETED)~~

~~M2LA6 (D) (S)~~

~~Call Waiting Termination incl Cancel Call Waiting - All Calls (DELETED)~~

~~M2LCA (D) (S)~~

Note 1: For additions, deletions, and/or changes required in the common block for Authorization Codes that must be performed by the Company, the charge indicated in A12.25.12.A.1.(e) of this Tariff will be applicable in lieu of the charge in A12.25.16.E.5.(b).

ISSUED: ~~October 9, 2003~~ October 27, 2004

EFFECTIVE: ~~October 24, 2003~~ November 12, 2004

BY: Joseph P. Lacher, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth[®] Centrex Service (Cont'd)

A12.25.21 Standard Features List (Cont'd)

L. BellSouth[®] Centrex Control - DMS-100 - ISDN (Cont'd)

Feature Element	USOC
Calling Name Display, Intragroup	M2NDD
Code Restriction of 011 - Per line ¹	M2POA ⊕
Code Restriction of 411 - Per line ¹	M2P4A ⊕
Code Restriction of 900 - Per line ¹	M2P9A ⊕
Code Restriction of N11 - Per line ¹	M2PN1 ⊕
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ¹	M2PCB ⊕
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCC ⊕
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCD ⊕
Conference, Drop, Hold, Transfer (4 features)	DS1FN
Data Call Protection	M4YPG
Dial Call Waiting (DELETED)	M5CWC (D)
Directed Call Park Directed Call Retrieve (DELETED)	M5EDX (D)
Directed Call Pickup - Barge in (DELETED)	M2VPA (D)
Directed Call Pickup - Barge in exempt	M2VBD
Directed Call Pickup - Non-barge in	M2VNA
Directed Call Pickup - Non-barge in exempt	M2VC6
Executive Busy Override	M2YED
Executive Busy Override Exempt	M64EX
ISDN Intercom Calling - Automatic	DS1FD
ISDN Intercom Calling - Dial	DS1FE
Key Short Hunt	M4GDE
Last Number Redial	M6SLX
Last Number Redial all DN's	CENEL
MADN - Secondary MADN call forwarding	M4FWN
MADN - Ring forward - Automatic	M4FTN
MADN - Ring forward - Manual	M4GDC
Make Set Busy - All Calls (Per DN)	M4FUN
Make Set Busy - All Calls (Per Key List)	M4EUP
Make Set Busy - Intragroup (Per DN)	CENEN
Make Set Busy - Intragroup (Per Key List)	CENEJ
Manual Exclusion	DS1FM
Preferred Call Forwarding	M5HPC
Privacy Release	DS1FU
Query Time and Date	M4DHz
Secondary Only DN (Shared or Non-Shared) - First appearance ²	LLDSF ⊕
Selective Call Acceptance	M3JA6
Shared Non-ISDN DN	DOE
Shared Primary DN - First appearance on each additional terminal	DS1FJ
Shared Secondary Only DN - First appearance on each additional terminal	DS1F1
Speed Calling Long - Per additional line	M3YAA
Speed Calling Long - Per controlling line (30 number shared)	M3Y30
Speed Calling Long - Per controlling line (50 number shared)	M3Y50
Speed Calling Long - Per controlling line (70 number shared)	M3Y70
Speed Calling Short (6 Numbers)	M5KSC
Station Restriction - Deny Incoming from Outside	M3RDE
Station Restriction - Full Denied Originating	M5ROC
Station Restriction - Full Denied Terminating	M5LTC
Visual Message Waiting Indicator	LLAVP

Note 1: Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.

Note 2: The initial establishment of this feature must be provisioned by the Company. Service Charges in Section A4 will not apply.

ISSUED: ~~July 12, 1999~~ October 27, 2004

EFFECTIVE: ~~July 27, 1999~~ November 12, 2004

BY: Joseph P. Lacher, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth® Centrex ISDN Service Cont'd

A12.26.3 Rates and Charges (Cont'd)

E. ISDN Basic Rate Digital Subscriber Line (DSL) Access Capability Charges (Cont'd)

3. Usage

a. Circuit Switching - Outside the Business Group

- (1) For fully Measured systems per minute usage rates, for all circuit switched services (voice and/or data) apply to the average local exchange use (rounded to the nearest second) and are defined in Section A3. of this Tariff. Usage rates are applicable for transmission outside of the subscriber's system or the subscriber's serving central office.

F. Standard Features

Customers are required to subscribe to BellSouth® Centrex ISDN service before ordering the Standard Features rate element. Calling/Called Number Delivery, Calling Name Delivery in equipped 5ESS and EWSD® switches, Intercom and Call Hold are provided with the service. BellSouth® Centrex ISDN Service Standard Features rate element will be required per user access for all B-channel access.

- (1) Rates as specified in A12.25.11 of this Tariff apply.

(a) Per User Profile

Nonrecurring Charge	Monthly Rate	USOC
-	-	CENAA

A12.26.4 Standard Features List

Features listed following are included as BellSouth® Centrex ISDN Service Standard Features. Subscribers may activate any of the features included in this rate element. Some features may be mutually exclusive. Some features may not be available in both Custom and National ISDN.

Feature Element	USOC
Additional Call Appearance, PDN or DN	DS1FG
Anonymous Call Rejection	M2HRL
Automatic Dial (DMS-100) (DELETED)	M4DKB (D)
Automatic Answer Back (DMS-100)	M4EFP
Automatic Callback/Ring Again	M53AK
Automatic Line/Direct Connect	M4BAC
Call Block	M4HCC
Call Forwarding Busy Line Fixed, internal/external source, internal/external destination (Split Destination Fixed) (DMS-100)	M6EBX
Call Forwarding Busy Line Fixed (All calls unrestricted) (Forwards all calls)	M4JFC
Call Forwarding Busy Line Fixed, External Source Denied (DMS-100)	CENDA
Call Forwarding Busy Line Fixed, Internal Source Denied (DMS-100)	CENDB
Call Forwarding Busy Line Fixed (Incoming only) (5ESS/EWSD®)	CENLJ
Call Forwarding Busy Line - Data (5ESS/EWSD®)	LLRCD
Call Forwarding Busy Line Programmable Internal dest. (All calls unrestricted) (DMS-100)	CENF7
Call Forwarding Busy Line Programmable Internal dest., internal source denied (DMS-100)	CENDC
Call Forwarding Busy Line Programmable Internal dest., external source denied (DMS-100)	CENDO
Call Forwarding Busy Line Programmable unrestricted destination, ext. source denied (DMS-100)	CENDP
Call Forwarding Busy Line Programmable internal/external source, internal/external dest. (Split destination programmable) (DMS-100)	M4JSX
Call Forwarding Busy Line Programmable, unrestricted dest. (All calls) (DMS-100)	CENB7

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth[®] -Centrex ISDN Service (Cont'd)

A12.26.4 Standard Features List (Cont'd)

Feature Element	USOC
Call Forwarding Busy Line Programmable, unrestricted dest., internal source denies (DMS-100)	CENDF
Call Forwarding Busy Line - Programmable (5ESS/EWSD [®])	M4JPF
Call Forwarding Busy Line - Programmable - Data (5ESS/EWSD [®])	M6ADF
Call Forwarding Don't Answer Fixed (All calls unrestricted)	M4NFC
Call Forwarding Don't Answer Fixed, external source denied (DMS-100)	CENDH
Call Forwarding Don't Answer Fixed, internal source denied (DMS-100)	CENDJ
Call Forwarding Don't Answer Fixed, internal/external source, internal/external dest. (Split destination programmable) (DMS-100)	M6FSX
Call Forwarding Don't Answer Fixed, Incoming Only (5ESS/EWSD [®])	CENLK
Call Forwarding Don't Answer - Data (5ESS/EWSD [®])	LLUCD
Call Forwarding Don't Answer Programmable internal dest., external source denied (DMS-100)	CENDQ
Call Forwarding Don't Answer Programmable, internal/external source, internal/external dest. (Split destination programmable) (DMS-100)	M4NSX
Call Forwarding Don't Answer Programmable unrestricted dest., external source denied (DMS-100)	CENDR
Call Forwarding Don't Answer Programmable, unrestricted destination (All calls) (DMS-100)	CENDG
Call Forwarding Don't Answer Programmable, unrestricted dest. internal source denied (DMS-100)	CENDK
Call Forwarding Don't Answer Programmable, internal dest., (All calls unrestricted) (DMS-100)	CENDL
Call Forwarding Don't Answer Programmable, internal dest., internal source denied (DMS-100)	CENDM
Call Forwarding Don't Answer - Programmable (5ESS/EWSD [®])	M4NPF
Call Forwarding Don't Answer - Programmable - Data (5ESS/EWSD [®])	M6BDF
Call Forwarding Multiple Simultaneous (5ESS/EWSD [®])	M2JR4
Call Forwarding Multiple Simultaneous - Data (5ESS/EWSD [®])	M6CD5
Call Forwarding Variable - Incoming only - With Ring Reminder (5ESS/EWSD [®])	CENLL
Call Forwarding Variable - Incoming only - Without Ring Reminder (5ESS/EWSD [®])	CENLM
Call Forwarding Variable - Intra/Intergroup over Pri. Fac.-With Ring Reminder (5ESS/EWSD [®])	CENLN
Call Forwarding Variable - Intra/Intergroup over Pri. Fac.-Without Ring Reminder (5ESS/EWSD [®])	CENLD
Call Forwarding Variable - Intragroup - With Ring Reminder	CENLO
Call Forwarding Variable - Intragroup - Without Ring Reminder	CENLF
Call Forwarding Variable - With Ring Reminder (Intra & Inter)	M4QVC
Call Forwarding Variable - Without Ring Reminder (Intra & Inter)	CENLP
Call Forwarding Variable - Data (5ESS/EWSD [®])	LLOC
Call Forwarding Variable - Feature Button - Voice (5ESS)	GJXCF
Call Forwarding Variable - Feature Button - Data (5ESS/EWSD [®])	LLPCD

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth[®] Centrex ISDN Service (Cont'd)

A12.26.4 Standard Features List (Cont'd)

Feature Element	USOC
Call Hold	N/A
Call Park/Call Hold/Answerback (5ESS)	M4TAY
Call Park/Call Retrieve (DMS-100)	M4SPX
Call Pickup	M4UBC
Call Pickup - With Secondary Group (5ESS)	CENLQ
Call Return (5ESS/EWSD [®])	M4VRC
Call Selector (5ESS/EWSD [®])	M4WSC
Call Tracing	M2KTA
Call Transfer - (System exception) (DMS-100)	CENDS
Call Waiting Terminating incl. Cancel Call Waiting - Incoming only (DMS-100) (DELETED)	M2LA6 (D)
Call Waiting Terminating incl. Cancel Call Waiting - (All calls) (DMS-100) (DELETED)	M2LCA (D)
Caller ID	N/A
Calling Name Display - Intragroup (DMS-100)	M2NDD
Calling Number Delivery Blocking - Permanent (Agency)	M2NFA
Code Restriction of 011 - Per line ¹	M2POA (⊕)
Code Restriction of 10XXX and 101XXXX - Per line ¹	M2P1A (⊕)
Code Restriction of 411 - Per line ¹	M2P4A (⊕)
Code Restriction of 900 - Per line ¹	M2P9A (⊕)
Code Restriction of N11 - Per line ¹	M2PN1 (⊕)
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ¹	M2PCB (⊕)
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCC (⊕)
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCD (⊕)
Conference, Drop, Hold & Transfer (5ESS/DMS-100)	DS1FN
Conference, Drop, Hold & Transfer - EKTS (EWSD[®]) (DELETED)	M61FW (D)
Conference, Drop, Hold & Transfer - for use with Non EKTS CPE on Centrex based system (EWSD) (DELETED)	DS1FV (D)
Data Call Protection (EWSD / DMS-100)	M4YPG (C)
Denial of Call Tracing - Per Successful Trace/Activation	M2TTA

Note 1: Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.

ISSUED: ~~July 12, 1999~~ October 27, 2004

EFFECTIVE: ~~July 27, 1999~~ November 12, 2004

BY: Joseph P. Lacher, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth® -Centrex ISDN Service (Cont'd)

A12.26.4 Standard Features List (Cont'd)

Feature Element

~~Dial Call Waiting (DELETED)~~
~~Dial Call Waiting with Distinctive Tones (5ESS) (DELETED)~~
 Directed Call Park/Directed Call Retrieve (5ESS/DMS-100)
 Directed Call Pickup - Barge in for ISDN (5ESS/EWSD®)

 Directed Call Pickup - Barge in exempt (DMS-100)
 Directed Call Pickup - Barge in Terminating for ISDN (5ESS)

 Directed Call Pickup - Non-barge in
 Directed Call Pickup - Non-barge in exempt (5ESS/DMS-100)
 Directed Call Pickup - Non-barge in Terminating (5ESS)
 Executive Busy Override (DMS-100)
 Executive Busy Override - Exempt (DMS-100)
 Hunting - MultiLine Hunt - Circular
 Hunting MultiLine Hunt - Distributed line (DMS-100)
 Hunting - MultiLine Hunt - Regular
 Hunting - Series Completion - Circular
 Hunting - Series ~~Completion~~ *Completion* - Regular
 ISDN Intercom Calling - Automatic (5ESS/DMS-100)
 ISDN Intercom Calling - Dial (5ESS/DMS-100)
 Intercom Calling - ISDN EKTS - Call Appearance (5ESS/EWSD®)
 Key Short Hunt (DMS-100)

 Last Number Redial (DMS-100)
 Last Number Redial - All DNs (DMS-100)
 MADN - Secondary MADN call forwarding (DMS-100)
 MADN - Ring forward - Automatic (DMS-100)
 MADN - Ring forward - Manual (DMS-100)
 Make Set Busy - all Calls (Per PDN) (DMS-100)
 Make Set Busy - Intragroup (Per Key List) (DMS-100)
 Make Set Busy - Intragroup (Per PDN) (DMS-100)
 Make Set Busy - Intragroup - (Per Key List) (DMS-100)
 Manual Exclusion

USOC
~~M5CWC (D) (S)~~
~~CENLT (D) (S)~~
~~M5EDX (C) (S)~~
~~DS1DCM2VP (C) (S)~~
~~A (S)~~
~~M2VBD (S)~~
~~DS1DTCENL (C) (S)~~
~~U (S)~~
~~M2VNA (S)~~
~~M2VC6 (S)~~
~~CENC7 (S)~~
~~M2YED (S)~~
~~M64EX (S)~~
~~N/A (S)~~
~~N/A (S)~~
~~N/A (S)~~
~~N/A (S)~~
~~N/A (C) (S)~~
~~DS1FD (S)~~
~~DS1FE (S)~~
~~M61FX (S)~~
~~M4GDEM46 (C) (S)~~
~~DE (S)~~
~~M6SLX (S)~~
~~CENEL (S)~~
~~M4FWN (S)~~
~~M4FTN (S)~~
~~M4GDC (S)~~
~~M4FUN (S)~~
~~M4EUP (S)~~
~~CENEN (S)~~
~~CENEJ (S)~~
~~DS1FM (S)~~

® Registered Trademark of Siemens Aktiengesellschaft

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation. BellSouth is a registered trademark of BellSouth Intellectual Property Corporation

ISSUED: ~~October 27, 2004~~ July 12, 1999

EFFECTIVE: ~~July 27, 1999~~ November 12, 2004

BY: Joseph P. Lacher, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth[®] Centrex ISDN Service (Cont'd)

A12.26.4 Standard Features List (Cont'd)

Feature Element	USOC
Message Waiting Audible (Stutter Dial Tone) (5ESS/EWSD [®])	M3CAA (T)
Preferred Call Forwarding	M5HPC (T)
Privacy Release (5ESS/DMS)	DS1FU (T)
Query Time and Date (DMS)	M4DHZ (T)
Repeat Dialing (5ESS/EWSD [®])	M5JRC (T)
Secondary Only DN (Shared or Non-Shared) - First appearance	LLDSF (T)
Selective Call Acceptance (5ESS/DMS-100)	M3JA6 (T)
Shared Non-ISDN DN	DOE (T)
Shared Primary DN - First appearance on each additional terminal	DS1FJ (T)
Shared Secondary Only DN - First appearance on each additional terminal	DS1F1 (T)
Speed Calling Long - Individual (30 number) (EWSD [®])	M3LL8 (T)
Speed Calling Long - Per additional line	M3YAA (T)
Speed Calling Long - Per controlling line (30 number shared)	M3Y30 (T)
Speed Calling Long - Per controlling line (40 number shared) (5ESS)	M3Y40 (T)
Speed Calling Long - Per controlling line (50 number shared) (5ESS/DMS-100)	M3Y50 (T)
Speed Calling Long - Per controlling line (60 number shared) (5ESS)	M3Y60 (T)
Speed Calling Long - Per controlling line (70 number shared) (5ESS/DMS-100)	M3Y70 (T)
Speed Calling Long - Per controlling line (80 number shared) (5ESS)	M3Y80 (T)
Speed Calling Short (6 Numbers)	M5KSC (T)
Station Restriction - Deny incoming from outside (DMS-100/EWSD [®])	M3RDE (T)
Station Restriction - Deny originating (EWSD [®])	M3RAE (T)
Station Restriction - Deny outgoing from inside (EWSD [®])	M3RBE (T)
Station Restriction - Deny terminating (EWSD [®])	M3REE (T)
Station Restriction - Full denied Origination	M5ROC (T)
Station Restriction - Full denied Termination	M5LTC (T)
Station Restriction - Full incoming (5ESS)	M3RC2 (T)
Station Restriction - Full incoming and outgoing (5ESS)	M3RF2 (T)
Station Restriction - Full outgoing (5ESS)	M3RG2 (T)
Station Restriction - Semi-incoming (5ESS)	M3RH2 (T)
Station Restriction - Semi-incoming and outgoing (5ESS)	M3RJ2 (T)
Station Restriction - Semi-outgoing (5ESS)	M3RK2 (T)
Toll Restriction	M3ORA (T)
Toll Restriction with Mandatory Expanded Local Call Area	M3OMA (T)
Visual Message Waiting Indicator	LLAVP (T)

[®] Registered Trademark of Siemens Aktiengesellschaft

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation. BellSouth is a registered trademark of BellSouth Intellectual Property Corporation

ISSUED: ~~December 15, 2003~~ October 27, 2004

EFFECTIVE: ~~December 30, 2003~~ November 12, 2004

BY: Joseph P. Lacher, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.27 BellSouth® Centrex IP Service (Cont'd)

A12.27.6 Standard Features (Cont'd)

E. BellSouth® Centrex Control ISDN/BellSouth® Centrex IP – 5ESS IP Keyset

Feature Element	USOC
Additional Call Appearance, PDN or DN	DS1FG
Automatic Callback/Ring Again ¹	M53AK
Call Block	M4HCC
Call Forwarding Busy Line Fixed (All Calls Unrestricted)(Forwards all calls)	M4JFC
Call Forwarding Busy Line Fixed (Incoming only)	CENLJ
Call Forwarding Don't Answer Fixed (All calls unrestricted)	M4NFC
Call Forwarding Don't Answer Fixed, incoming only	CENLK
Call Forwarding Variable - Incoming Only - With Ring Reminder	CENLL
Call Forwarding Variable - Intra/Intergroup over Private Facilities - With Ring Reminder	CENLN
Call Forwarding Variable - Intragroup - With Ring Reminder	CENLO
Call Forwarding Variable - With Ring Reminder (Intra & Inter)	M4QVC
Call Pickup	M4UBC
Call Pickup - with Secondary Group	CENLQ
Call Return	M4VRC
Call Selector	M4WSC
Call Tracing	M2KTA
Code Restriction of 011 - Per line ²	M2POA
Code Restriction of 411 - Per line ²	M2P4A
Code Restriction of 900/976 - Per line ²	M2P9A
Code Restriction of N11 - Per line ²	M2PN1
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ²	M2PCB
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ²	M2PCC
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ²	M2PCD
Conference, Drop, Hold & Transfer	DS1FN
Directed Call Pickup - Barge in <u>for ISDN</u>	DS1DCM2V (C)
	PA
Directed Call Pickup - Barge in Terminating <u>for ISDN</u>	DS1DT (C)
	LU
Directed Call Pickup - Non-barge in	M2VNA
Directed Call Pickup - Non-barge in exempt	M2VC6
ISDN Intercom Calling - Automatic	DS1FD
ISDN Intercom Calling - Dial	DS1FE
Message Waiting Audible (Stutter Dial Tone)	M3CAA
Message Waiting, Audible/Visual, Per line	M3CAK
Preferred Call Forwarding	M5HPC
Repeat Dialing	M5JRC
Note 1: Available on custom ISDN only.	
Note 2: Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.	

ISSUED: ~~December 15, 2003~~ October 27, 2004

EFFECTIVE: November 12, 2004 ~~December 30, 2003~~

BY: Joseph P. Lacher, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.27 BellSouth® Centrex IP Service (Cont'd)

A12.27.6 Standard Features (Cont'd)

F. BellSouth® Centrex Control ISDN/BellSouth® Centrex IP - DMS-100 IP Keyset

Feature Element

	USOC	
Call Forwarding Don't Answer Programmable internal destination, external source denied	CENDQ	(1) (3)
Call Forwarding Don't Answer Programmable internal/external source, internal/external destination (Split destination programmable)	M4NSX	(3)
Call Forwarding Don't Answer Programmable, unrestricted destination, external source denied	CENDR	(3)
Call Forwarding Don't Answer Programmable, unrestricted destination all calls	CENDG	(3)
Call Forwarding Don't Answer Programmable, unrestricted destination, internal source denied	CENDK	(3)
Call Forwarding Don't Answer Programmable, internal destination all calls, unrestricted	CENDL	(3)
Call Forwarding Don't Answer Programmable, internal destination, internal source denied	CENDM	(3)
Call Forwarding Variable - Intragroup - With Ring Reminder	CENLO	(3)
Call Forwarding Variable - With Ring Reminder (Intra & Inter)	M4QVC	(3)
Call Park/Call Retrieve	M4SPX	(3)
Call Pickup	M4UBC	(3)
Call Tracing	M2KTA	(3)
Call Transfer (System exception)	CENDS	(3)
Calling Name Display, Intragroup	M2NDD	(3)
Code Restriction of 011 - Per line ¹	M2POA	(3)
Code Restriction of 411 - Per line ¹	M2P4A	(3)
Code Restriction of 900/976 - Per line ¹	M2P9A	(3)
Code Restriction of N11 - Per line ¹	M2PN1	(3)
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ¹	M2PCB	(3)
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCC	(3)
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCD	(3)
Conference, Drop, Hold, Transfer (4 features)	DS1FN	(3)
Directed Call Park/Directed Call Retrieve	M5EDX	(3)
Directed Call Pickup - Barge in (DELETED)	M2VPA (D) (3)	
Directed Call Pickup - Barge in exempt	M2VBD	(3)
Directed Call Pickup - Non-barge in	M2VNA	(3)
Directed Call Pickup - Non-barge in exempt	M2VC6	(3)
Executive Busy Override	M2YED	(3)
Executive Busy Override Exempt	M64EX	(3)
ISDN Intercom Calling - Automatic	DS1FD	(3)
ISDN Intercom Calling - Dial	DS1FE	(3)
Key Short Hunt	M4GDE	(3)
Last Number Redial	M6SLX	(3)
Last Number Redial all DN's	CENEL	(3)
MADN - Secondary MADN call forwarding	M4FWN	(3)
MADN - Ring forward - Automatic	M4FTN	(3)
MADN - Ring forward - Manual	M4GDC	(3)

Note 1: Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.

ISSUED: ~~December 15, 2003~~ October 27, 2004

EFFECTIVE: ~~December 30, 2003~~ November 12, 2004

BY: Joseph P. Lacher, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.27 BellSouth® Centrex IP Service (Cont'd)

A12.27.6 Standard Features (Cont'd)

G. BellSouth® Centrex ISDN/BellSouth® Centrex IP – 5ESS IP Keyset (Cont'd)

Feature Element

Directed Call Park/Directed Call Retrieve

Directed Call Pickup - Barge in for ISDN

Directed Call Pickup - Barge in Terminating for ISDN

Directed Call Pickup - Non-barge in

Directed Call Pickup - Non-barge in exempt

Directed Call Pickup - Non-barge in Terminating

Hunting - MultiLine Hunt - Circular

Hunting - MultiLine Hunt - Regular

Hunting - Series Completion - Circular

Hunting - Series Completion - Regular

ISDN Intercom Calling - Automatic

ISDN Intercom Calling - Dial

Intercom Calling - ISDN EKTS - Call Appearance

Manual Exclusion

Message Waiting Audible (Stutter Dial Tone)

Message Waiting, Audible/Visual, Per line

Preferred Call Forwarding

Privacy Release

Repeat Dialing

Secondary Only DN (Shared or Non-Shared) - First appearance

Selective Call Acceptance

Shared Non-ISDN DN

Shared Primary DN - First appearance on each additional terminal

Shared Secondary Only DN - First appearance on each additional terminal

Speed Calling Long - Per additional line

Speed Calling Long - Per controlling line (30 number shared)

Speed Calling Long - Per controlling line (40 number shared)

Speed Calling Long - Per controlling line (50 number shared)

Speed Calling Long - Per controlling line (60 number shared)

Speed Calling Long - Per controlling line (70 number shared)

Speed Calling Long - Per controlling line (80 number shared)

Speed Calling Short (6 Numbers)

Station Restriction - Full denied Origination

Station Restriction - Full denied Termination

Station Restriction - Full incoming

Station Restriction - Full incoming and outgoing

Station Restriction - Full outgoing

Station Restriction - Semi-incoming

Station Restriction - Semi-incoming and outgoing

Station Restriction - Semi-outgoing

Toll Restriction

Toll Restriction with Mandatory Expanded Local Call Area

Visual Message Waiting Indicator

	(T)	(N)
		(N)
	(T)	(N)
USOC		(N)
M5EDX		(N)
DS1DCM2VP	(C)	(N)
A		
DS1DTCENL	(C)	(N)
U		
M2VNA		(N)
M2VC6		(N)
CENC7		(N)
N/A		(N)
DS1FD		(N)
DS1FE		(N)
M61FX		(N)
DS1FM		(N)
M3CAA		(N)
M3CAK		(N)
M5HPC		(N)
DS1FU		(N)
M5JRC		(N)
LLDSF		(N)
M3JA6		(N)
DOE		(N)
DS1FJ		(N)
DS1F1		(N)
M3YAA		(N)
M3Y30		(N)
M3Y40		(N)
M3Y50		(N)
M3Y60		(N)
M3Y70		(N)
M3Y80		(N)
M5KSC		(N)
M5ROC		(N)
M5LTC		(N)
M3RC2		(N)
M3RF2		(N)
M3RG2		(N)
M3RH2		(N)
M3RJ2		(N)
M3RK2		(N)
M3ORA		(N)
M3OMA		(N)
LLAVP		(N)

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd) (T)

A12.25.21 Standard Features List (Cont'd)

K. BellSouth Centrex Control - 5ESS – ISDN (Cont'd) (T)

Feature Element	USOC
Conference, Drop, Hold & Transfer	DS1FN
(DELETED)	
Directed Call Pickup - Barge in <i>for ISDN</i>	DS1DC (D)
Directed Call Pickup - Barge in Terminating <i>for ISDN</i>	DS1DT (C)
Directed Call Pickup - Non-barge in	M2VNA (C)
Directed Call Pickup - Non-barge in exempt	M2VC6
ISDN Intercom Calling - Automatic	DS1FD
ISDN Intercom Calling - Dial	DS1FE
Message Waiting Audible (Stutter Dial Tone)	M3CAA
Preferred Call Forwarding	M5HPC
Repeat Dialing	M5JRC
Secondary Only DN (Shared or Non-Shared) - First appearance (See Note 1)	LLDSF
Selective Call Acceptance	M3JA6
Shared Non-ISDN DN	DOE
Shared Primary DN - First appearances on each add'l terminal	DS1FJ
Shared Secondary Only DN - First appearance on each additional terminal	DS1F1
Speed Calling Long - Per additional line	M3YAA
Speed Calling Long - Per controlling line (30 number Shared)	M3Y30
Speed Calling Short (6 Numbers)	M5KSC
Station Restriction - Full incoming - Per line	M3RC2
Station Restriction - Full incoming and outgoing - Per line	M3RF2
Station Restriction - Full outgoing - Per line	M3RG2
Station Restriction - Semi-incoming - Per line	M3RH2
Station Restriction - Semi-incoming and outgoing - Per Line	M3RJ2
Station Restriction - Semi-outgoing	M3RK2
Visual Message Waiting Indicator	LLAVP

Note 1: The initial establishment of this feature must be provisioned by the Company. Service Charges in Section A4 will not apply.

ISSUED: October 27, 2004
 BY: Joseph P. Lacher, President -FL
 Miami, Florida

EFFECTIVE: November 12, 2004

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd)

A12.25.21 Standard Features List (Cont'd)

K. BellSouth Centrex Control - 5ESS - ISDN (Cont'd)

Optional Features Controllable with BellSouth Centrex Control:

Feature Element

Authorization Codes - Per system (See Note 1)

Authorization Codes - Per line, each (See Note 1)

Six-Way Conference, Drop, Hold and Transfer

USOC

CENCC

CENAC

CENL6

L. BellSouth Centrex Control - DMS-100 - ISDN

Additional Call Appearance, PDN or DN

Automatic Callback/Ring Again

(DELETED)

Auto Dial

Automatic Line

Call Block

Call Forward Busy Line Fixed, internal/external source, internal/external destination

Call Forwarding Busy Line Fixed (All calls unrestricted) (Forwards all calls)

Call Forwarding Busy Line Fixed, External Source Denied

Call Forwarding Busy Line Fixed, Internal Source Denied

Call Forwarding Busy Line Programmable internal destination (All calls - Unrestricted)

Call Forwarding Busy Line Programmable internal destination, internal source denied

Call Forwarding Busy Line Programmable internal destination, external source denied

Call Forwarding Busy Line Programmable unrestricted destination, external source denied

Call Forwarding Busy Line Programmable, internal/external source, internal/external destination
 (Split destination programmable)

Call Forwarding Busy Line Programmable, unrestricted destination, all calls

Call Forwarding Busy Line Programmable, unrestricted destination, internal source denied

Call Forwarding Don't Answer Fixed (All calls unrestricted)

Call Forwarding Don't Answer Fixed, external source denied

Call Forwarding Don't Answer Fixed, internal source denied

Call Forwarding Don't Answer Fixed, internal/external source, internal/external destination (Split
 destination fixed)

Call Forwarding Don't Answer Programmable internal destination, external source denied

Call Forwarding Don't Answer Programmable internal/external source, internal/external destination
 (Split destination programmable)

Call Forwarding Don't Answer Programmable, unrestricted destination, external source denied

Call Forwarding Don't Answer Programmable, unrestricted destination all calls

Call Forwarding Don't Answer Programmable, unrestricted destination, internal source denied

Call Forwarding Don't Answer Programmable, internal destination all calls, unrestricted

Call Forwarding Don't Answer Programmable, internal destination, internal source denied

Call Forwarding Variable - Intragroup - With Ring Reminder

Call Forwarding Variable - With Ring Reminder (Intra & Inter)

Call Park/Call Retrieve

Call Pickup

Call Tracing

Call Transfer (System exception)

(DELETED)

(DELETED)

DSIFG

M53AK

M4DKB

M4BAC

M4HCC

M6EBX

M4JFC

CENDA

CENDB

CENF7

CENDC

CENDO

CENDP

M4JSX

CENB7

CENDF

M4NFC

CENDH

CENDJ

M6FSX

CENDQ

M4NSX

CENDR

CENDG

CENDK

CENDL

CENDM

CENLO

M4QVC

M4SPX

M4UBC

M2KTA

CENDS

Note 1: For additions, deletions, and/or changes required in the common block for Authorization Codes that must be performed by the Company, the charge indicated in A12.25.12.A.1.(e) of this Tariff will be applicable in lieu of the charge in A12.25.16.E.5.(b).

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd)

(T)

A12.25.21 Standard Features List (Cont'd)

L. BellSouth Centrex Control - DMS-100 - ISDN (Cont'd)

(T)

Feature Element	USOC
Calling Name Display, Intragroup	M2NDD
Code Restriction of 011 - Per line ¹	M2POA
Code Restriction of 411 - Per line ¹	M2P4A
Code Restriction of 900 - Per line ¹	M2P9A
Code Restriction of N11 - Per line ¹	M2PN1
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ¹	M2PCB
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCC
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCD
Conference, Drop, Hold, Transfer (4 features)	DS1FN
Data Call Protection	M4YPG
(DELETED)	
(DELETED)	
(DELETED)	
Directed Call Pickup - Barge in exempt	M2VBD
Directed Call Pickup - Non-barge in	M2VNA
Directed Call Pickup - Non-barge in exempt	M2VC6
Executive Busy Override	M2YED
Executive Busy Override Exempt	M64EX
ISDN Intercom Calling - Automatic	DS1FD
ISDN Intercom Calling - Dial	DS1FE
Key Short Hunt	M4GDE
Last Number Redial	M6SLX
Last Number Redial all DN's	CENEL
MADN - Secondary MADN call forwarding	M4FWN
MADN - Ring forward - Automatic	M4FTN
MADN - Ring forward - Manual	M4GDC
Make Set Busy - All Calls (Per DN)	M4FUN
Make Set Busy - All Calls (Per Key List)	M4EUP
Make Set Busy - Intragroup (Per DN)	CENEN
Make Set Busy - Intragroup (Per Key List)	CENEJ
Manual Exclusion	DS1FM
Preferred Call Forwarding	M5HPC
Privacy Release	DS1FU
Query Time and Date	M4DHZ
Secondary Only DN (Shared or Non-Shared) - First appearance ²	LLDSF
Selective Call Acceptance	M3JA6
Shared Non-ISDN DN	DOE
Shared Primary DN - First appearance on each additional terminal	DS1FJ
Shared Secondary Only DN - First appearance on each additional terminal	DS1F1
Speed Calling Long - Per additional line	M3YAA
Speed Calling Long - Per controlling line (30 number shared)	M3Y30
Speed Calling Long - Per controlling line (50 number shared)	M3Y50
Speed Calling Long - Per controlling line (70 number shared)	M3Y70
Speed Calling Short (6 Numbers)	M5KSC
Station Restriction - Deny Incoming from Outside	M3RDE
Station Restriction - Full Denied Originating	M5ROC
Station Restriction - Full Denied Terminating	M5LTC
Visual Message Waiting Indicator	LLAVP

(D)

(D)

(D)

Note 1: Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.

Note 2: The initial establishment of this feature must be provisioned by the Company. Service Charges in Section A4 will not apply.

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth Centrex ISDN Service Cont'd

(T)

A12.26.3 Rates and Charges (Cont'd)

E. ISDN Basic Rate Digital Subscriber Line (DSL) Access Capability Charges (Cont'd)

3. Usage

a. Circuit Switching - Outside the Business Group

- (1) For fully Measured systems per minute usage rates, for all circuit switched services (voice and/or data) apply to the average local exchange use (rounded to the nearest second) and are defined in Section A3. of this Tariff. Usage rates are applicable for transmission outside of the subscriber's system or the subscriber's serving central office.

F. Standard Features

Customers are required to subscribe to BellSouth Centrex ISDN service before ordering the Standard Features rate element. Calling/Called Number Delivery, Calling Name Delivery in equipped 5ESS and EWSD[®] switches, Intercom and Call Hold are provided with the service. BellSouth Centrex ISDN Service Standard Features rate element will be required per user access for all B-channel access.

(T)

- (1) Rates as specified in A12.25.11 of this Tariff apply.

	Nonrecurring Charge	Monthly Rate	USOC CENAA
(a) Per User Profile	-	-	

A12.26.4 Standard Features List

Features listed following are included as BellSouth Centrex ISDN Service Standard Features. Subscribers may activate any of the features included in this rate element. Some features may be mutually exclusive. Some features may not be available in both Custom and National ISDN.

(T)

Feature Element	USOC
Additional Call Appearance, PDN or DN	DS1FG
Anonymous Call Rejection	M2HRL
(DELETED)	
Automatic Answer Back (DMS-100)	M4EFP
Automatic Callback/Ring Again	M53AK
Automatic Line/Direct Connect	M4BAC
Call Block	M4HCC
Call Forwarding Busy Line Fixed, internal/external source, internal/external destination (Split Destination Fixed) (DMS-100)	M6EBX
Call Forwarding Busy Line Fixed (All calls unrestricted) (Forwards all calls)	M4JFC
Call Forwarding Busy Line Fixed, External Source Denied (DMS-100)	CENDA
Call Forwarding Busy Line Fixed, Internal Source Denied (DMS-100)	CENDB
Call Forwarding Busy Line Fixed (Incoming only) (5ESS/EWSD [®])	CENLJ
Call Forwarding Busy Line - Data (5ESS/EWSD [®])	LLRCD
Call Forwarding Busy Line Programmable Internal dest. (All calls unrestricted) (DMS-100)	CENF7
Call Forwarding Busy Line Programmable Internal dest., internal source denied (DMS-100)	CENDC
Call Forwarding Busy Line Programmable Internal dest., external source denied (DMS-100)	CENDO
Call Forwarding Busy Line Programmable unrestricted destination, ext. source denied (DMS-100)	CENDP
Call Forwarding Busy Line Programmable internal/external source, internal/external dest. (Split destination programmable) (DMS-100)	M4JSX
Call Forwarding Busy Line Programmable, unrestricted dest. (All calls) (DMS-100)	CENB7

(D)

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth Centrex ISDN Service (Cont'd)

(T)

A12.26.4 Standard Features List (Cont'd)

Feature Element	USOC
Call Forwarding Busy Line Programmable, unrestricted dest., internal source denies (DMS-100)	CENDF
Call Forwarding Busy Line - Programmable (5ESS/EWSD [®])	M4JPF
Call Forwarding Busy Line - Programmable - Data (5ESS/EWSD [®])	M6ADF
Call Forwarding Don't Answer Fixed (All calls unrestricted)	M4NFC
Call Forwarding Don't Answer Fixed, external source denied (DMS-100)	CENDH
Call Forwarding Don't Answer Fixed, internal source denied (DMS-100)	CENDJ
Call Forwarding Don't Answer Fixed, internal/external source, internal/external dest. (Split destination programmable) (DMS-100)	M6FSX
Call Forwarding Don't Answer Fixed, Incoming Only (5ESS/EWSD [®])	CENLK
Call Forwarding Don't Answer - Data (5ESS/EWSD [®])	LLUCD
Call Forwarding Don't Answer Programmable internal dest., external source denied (DMS-100)	CENDQ
Call Forwarding Don't Answer Programmable, internal/external source, internal/external dest. (Split destination programmable) (DMS-100)	M4NSX
Call Forwarding Don't Answer Programmable unrestricted dest., external source denied (DMS-100)	CENDR
Call Forwarding Don't Answer Programmable, unrestricted destination (All calls) (DMS-100)	CENDG
Call Forwarding Don't Answer Programmable, unrestricted dest. internal source denied (DMS-100)	CENDK
Call Forwarding Don't Answer Programmable, internal dest., (All calls unrestricted) (DMS-100)	CENDL
Call Forwarding Don't Answer Programmable, internal dest., internal source denied (DMS-100)	CENDM
Call Forwarding Don't Answer - Programmable (5ESS/EWSD [®])	M4NPF
Call Forwarding Don't Answer - Programmable - Data (5ESS/EWSD [®])	M6BDF
Call Forwarding Multiple Simultaneous (5ESS/EWSD [®])	M2JR4
Call Forwarding Multiple Simultaneous - Data (5ESS/EWSD [®])	M6CD5
Call Forwarding Variable - Incoming only - With Ring Reminder (5ESS/EWSD [®])	CENLL
Call Forwarding Variable - Incoming only - Without Ring Reminder (5ESS/EWSD [®])	CENLM
Call Forwarding Variable - Intra/Intergroup over Pri. Fac.-With Ring Reminder (5ESS/EWSD [®])	CENLN
Call Forwarding Variable - Intra/Intergroup over Pri. Fac.-Without Ring Reminder (5ESS/EWSD [®])	CENLD
Call Forwarding Variable - Intragroup - With Ring Reminder	CENLO
Call Forwarding Variable - Intragroup - Without Ring Reminder	CENLF
Call Forwarding Variable - With Ring Reminder (Intra & Inter)	M4QVC
Call Forwarding Variable - Without Ring Reminder (Intra & Inter)	CENLP
Call Forwarding Variable - Data (5ESS/EWSD [®])	LLOCD
Call Forwarding Variable - Feature Button - Voice (5ESS)	GJXCF
Call Forwarding Variable - Feature Button - Data (5ESS/EWSD [®])	LLPCD

(C)

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth Centrex ISDN Service (Cont'd)

(T)

A12.26.4 Standard Features List (Cont'd)

Feature Element	USOC
Call Hold	N/A
Call Park/Call Hold/Answerback (5ESS)	M4TAY
Call Park/Call Retrieve (DMS-100)	M4SPX
Call Pickup	M4UBC
Call Pickup - With Secondary Group (5ESS)	CENLQ
Call Return (5ESS/EWSD®)	M4VRC
Call Selector (5ESS/EWSD®)	M4WSC
Call Tracing	M2KTA
Call Transfer - (System exception) (DMS-100)	CENDS
(DELETED)	
(DELETED)	
Caller ID	N/A
Calling Name Display - Intragroup (DMS-100)	M2NDD
Calling Number Delivery Blocking - Permanent (Agency)	M2NFA
Code Restriction of 011 - Per line ¹	M2POA
Code Restriction of 10XXX and 101XXXX - Per line ¹	M2P1A
Code Restriction of 411 - Per line ¹	M2P4A
Code Restriction of 900 - Per line ¹	M2P9A
Code Restriction of N11- Per line ¹	M2PN1
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ¹	M2PCB
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCC
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCD
Conference, Drop, Hold & Transfer (5ESS/DMS-100)	DS1FN
(DELETED)	
(DELETED)	
Data Call Protection (EWSD®)	M4YPG
Denial of Call Tracing - Per Successful Trace/Activation	M2TTA

(D)

(D)

(D)

(D)

(C)

Note 1: Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth Centrex ISDN Service (Cont'd)

(T)

A12.26.4 Standard Features List (Cont'd)

(T)

Feature Element	USOC	
(DELETED)		(D)
(DELETED)		(D)
Directed Call Park/Directed Call Retrieve (5ESS)	M5EDX	(C)
Directed Call Pickup - Barge in <i>for ISDN (5ESS/EWSD®)</i>	DS1DC	(C)
Directed Call Pickup - Barge in exempt (DMS-100)	M2VBD	
Directed Call Pickup - Barge in Terminating <i>for ISDN (5ESS)</i>	DS1DT	(C)
Directed Call Pickup - Non-barge in	M2VNA	
Directed Call Pickup - Non-barge in exempt (5ESS/DMS-100)	M2VC6	
Directed Call Pickup - Non-barge in Terminating (5ESS)	CENC7	
Executive Busy Override (DMS-100)	M2YED	
Executive Busy Override - Exempt (DMS-100)	M64EX	
Hunting - MultiLine Hunt - Circular	N/A	
Hunting MultiLine Hunt - Distributed line (DMS-100)	N/A	
Hunting - MultiLine Hunt - Regular	N/A	
Hunting - Series Completion - Circular	N/A	
Hunting - Series Completion - Regular	N/A	(T)
ISDN Intercom Calling - Automatic (5ESS/DMS-100)	DS1FD	
ISDN Intercom Calling - Dial (5ESS/DMS-100)	DS1FE	
Intercom Calling - ISDN EKTS - Call Appearance (5ESS/EWSD®)	M61FX	
Key Short Hunt (DMS-100)	M4GDE	(C)
Last Number Redial (DMS-100)	M65LX	
Last Number Redial - All DNs (DMS-100)	CENEL	
MADN - Secondary MADN call forwarding (DMS-100)	M4FWN	
MADN - Ring forward - Automatic (DMS-100)	M4FTN	
MADN - Ring forward - Manual (DMS-100)	M4GDC	
Make Set Busy - all Calls (Per PDN) (DMS-100)	M4FUN	
Make Set Busy - Intragroup (Per Key List) (DMS-100)	M4EUP	
Make Set Busy - Intragroup (Per PDN) (DMS-100)	CENEN	
Make Set Busy - Intragroup - (Per Key List) (DMS-100)	CENEJ	
Manual Exclusion	DS1FM	

® Registered Trademark of Siemens Aktiengesellschaft

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERING

A12.26 BellSouth Centrex ISDN Service (Cont'd)

(T)

A12.26.4 Standard Features List (Cont'd)

Feature Element	USOC
Message Waiting Audible (Stutter Dial Tone) (5ESS/EWSD®)	M3CAA
Preferred Call Forwarding	M5HPC
Privacy Release (5ESS/DMS)	DS1FU
Query Time and Date (DMS)	M4DHZ
Repeat Dialing (5ESS/EWSD®)	M5JRC
Secondary Only DN (Shared or Non-Shared) - First appearance	LLDSF
Selective Call Acceptance (5ESS/DMS-100)	M3JA6
Shared Non-ISDN DN	DOE
Shared Primary DN - First appearance on each additional terminal	DS1FJ
Shared Secondary Only DN - First appearance on each additional terminal	DS1F1
Speed Calling Long - Individual (30 number) (EWSD®)	M3LL8
Speed Calling Long - Per additional line	M3YAA
Speed Calling Long - Per controlling line (30 number shared)	M3Y30
Speed Calling Long - Per controlling line (40 number shared) (5ESS)	M3Y40
Speed Calling Long - Per controlling line (50 number shared) (5ESS/DMS-100)	M3Y50
Speed Calling Long - Per controlling line (60 number shared) (5ESS)	M3Y60
Speed Calling Long - Per controlling line (70 number shared) (5ESS/DMS-100)	M3Y70
Speed Calling Long - Per controlling line (80 number shared) (5ESS)	M3Y80
Speed Calling Short (6 Numbers)	M5KSC
Station Restriction - Deny incoming from outside (DMS-100/EWSD®)	M3RDE
Station Restriction - Deny originating (EWSD®)	M3RAE
Station Restriction - Deny outgoing from inside (EWSD®)	M3RBE
Station Restriction - Deny terminating (EWSD®)	M3REE
Station Restriction - Full denied Origination	M5ROC
Station Restriction - Full denied Termination	M5LTC
Station Restriction - Full incoming (5ESS)	M3RC2
Station Restriction - Full incoming and outgoing (5ESS)	M3RF2
Station Restriction - Full outgoing (5ESS)	M3RG2
Station Restriction - Semi-incoming (5ESS)	M3RH2
Station Restriction - Semi-incoming and outgoing (5ESS)	M3RJ2
Station Restriction - Semi-outgoing (5ESS)	M3RK2
Toll Restriction	M3ORA
Toll Restriction with Mandatory Expanded Local Call Area	M3OMA
Visual Message Waiting Indicator	LLAVP

(C)

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.27 BellSouth Centrex IP Service (Cont'd)

(T)

A12.27.6 Standard Features (Cont'd)

E. BellSouth Centrex Control ISDN/BellSouth Centrex IP – 5ESS IP Keyset

(T)

Feature Element	USOC
Additional Call Appearance, PDN or DN	DS1FG
Automatic Callback/Ring Again ¹	M53AK
Call Block	M4HCC
Call Forwarding Busy Line Fixed (All Calls Unrestricted)(Forwards all calls)	M4JFC
Call Forwarding Busy Line Fixed (Incoming only)	CENLJ
Call Forwarding Don't Answer Fixed (All calls unrestricted)	M4NFC
Call Forwarding Don't Answer Fixed, incoming only	CENLK
Call Forwarding Variable - Incoming Only - With Ring Reminder	CENLL
Call Forwarding Variable - Intra/Intergroup over Private Facilities - With Ring Reminder	CENLN
Call Forwarding Variable - Intragroup - With Ring Reminder	CENLO
Call Forwarding Variable - With Ring Reminder (Intra & Inter)	M4QVC
Call Pickup	M4UBC
Call Pickup - with Secondary Group	CENLQ
Call Return	M4VRC
Call Selector	M4WSC
Call Tracing	M2KTA
Code Restriction of 011 - Per line ²	M2POA
Code Restriction of 411 - Per line ²	M2P4A
Code Restriction of 900/976 - Per line ²	M2P9A
Code Restriction of N11 - Per line ²	M2PN1
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ²	M2PCB
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ²	M2PCC
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ²	M2PCD
Conference, Drop, Hold & Transfer	DS1FN
Directed Call Pickup - Barge in <i>for ISDN</i>	DS1DC (C)
Directed Call Pickup - Barge in Terminating <i>for ISDN</i>	DS1DT (C)
Directed Call Pickup - Non-barge in	M2VNA
Directed Call Pickup - Non-barge in exempt	M2VC6
ISDN Intercom Calling - Automatic	DS1FD
ISDN Intercom Calling - Dial	DS1FE
Message Waiting Audible (Stutter Dial Tone)	M3CAA
Message Waiting, Audible/Visual, Per line	M3CAK
Preferred Call Forwarding	M5HPC
Repeat Dialing	M5JRC

Note 1: Available on custom ISDN only.

Note 2: Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.27 BellSouth Centrex IP Service (Cont'd)

(T)

A12.27.6 Standard Features (Cont'd)

F. BellSouth Centrex Control ISDN/BellSouth Centrex IP - DMS-100 IP Keyset

(T)

Feature Element	USOC
Call Forwarding Don't Answer Programmable internal destination, external source denied	CENDQ
Call Forwarding Don't Answer Programmable internal/external source, internal/external destination (Split destination programmable)	M4NSX
Call Forwarding Don't Answer Programmable, unrestricted destination, external source denied	CENDR
Call Forwarding Don't Answer Programmable, unrestricted destination all calls	CENDG
Call Forwarding Don't Answer Programmable, unrestricted destination, internal source denied	CENDK
Call Forwarding Don't Answer Programmable, internal destination all calls, unrestricted	CENDL
Call Forwarding Don't Answer Programmable, internal destination, internal source denied	CENDM
Call Forwarding Variable - Intragroup - With Ring Reminder	CENLO
Call Forwarding Variable - With Ring Reminder (Intra & Inter)	M4QVC
Call Park/Call Retrieve	M4SPX
Call Pickup	M4UBC
Call Tracing	M2KTA
Call Transfer (System exception)	CENDS
Calling Name Display, Intragroup	M2NDD
Code Restriction of 011 - Per line ¹	M2POA
Code Restriction of 411 - Per line ¹	M2P4A
Code Restriction of 900/976 - Per line ¹	M2P9A
Code Restriction of N11 - Per line ¹	M2PN1
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ¹	M2PCB
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCC
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ¹	M2PCD
Conference, Drop, Hold, Transfer (4 features)	DS1FN
Directed Call Park/Directed Call Retrieve	M5EDX
(DELETED)	
Directed Call Pickup - Barge in exempt	M2VBD
Directed Call Pickup - Non-barge in	M2VNA
Directed Call Pickup - Non-barge in exempt	M2VC6
Executive Busy Override	M2YED
Executive Busy Override Exempt	M64EX
ISDN Intercom Calling - Automatic	DS1FD
ISDN Intercom Calling - Dial	DS1FE
Key Short Hunt	M4GDE
Last Number Redial	M6SLX
Last Number Redial all DNs	CENEL
MADN - Secondary MADN call forwarding	M4FWN
MADN - Ring forward - Automatic	M4FTN
MADN - Ring forward - Manual	M4GDC

(D)

Note 1: Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature.

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.27 BellSouth Centrex IP Service (Cont'd)

(T)

A12.27.6 Standard Features (Cont'd)

G. BellSouth Centrex ISDN/BellSouth Centrex IP – 5ESS IP Keyset (Cont'd)

(T)

Feature Element	USOC
Directed Call Park/Directed Call Retrieve	M5EDX
Directed Call Pickup - Barge in <i>for ISDN</i>	DS1DC (C)
Directed Call Pickup - Barge in Terminating <i>for ISDN</i>	DS1DT (C)
Directed Call Pickup - Non-barge in	M2VNA
Directed Call Pickup - Non-barge in exempt	M2VC6
Directed Call Pickup - Non-barge in Terminating	CENC7
Hunting - MultiLine Hunt - Circular	N/A
Hunting - MultiLine Hunt - Regular	N/A
Hunting - Series Completion - Circular	N/A
Hunting - Series Completion - Regular	N/A
ISDN Intercom Calling - Automatic	DS1FD
ISDN Intercom Calling - Dial	DS1FE
Intercom Calling - ISDN EKTS - Call Appearance	M61FX
Manual Exclusion	DS1FM
Message Waiting Audible (Stutter Dial Tone)	M3CAA
Message Waiting, Audible/Visual, Per line	M3CAK
Preferred Call Forwarding	M5HPC
Privacy Release	DS1FU
Repeat Dialing	M5JRC
Secondary Only DN (Shared or Non-Shared) - First appearance	LLDSF
Selective Call Acceptance	M3JA6
Shared Non-ISDN DN	DOE
Shared Primary DN - First appearance on each additional terminal	DS1FJ
Shared Secondary Only DN - First appearance on each additional terminal	DS1F1
Speed Calling Long - Per additional line	M3YAA
Speed Calling Long - Per controlling line (30 number shared)	M3Y30
Speed Calling Long - Per controlling line (40 number shared)	M3Y40
Speed Calling Long - Per controlling line (50 number shared)	M3Y50
Speed Calling Long - Per controlling line (60 number shared)	M3Y60
Speed Calling Long - Per controlling line (70 number shared)	M3Y70
Speed Calling Long - Per controlling line (80 number shared)	M3Y80
Speed Calling Short (6 Numbers)	M5KSC
Station Restriction - Full denied Origination	M5ROC
Station Restriction - Full denied Termination	M5LTC
Station Restriction - Full incoming	M3RC2
Station Restriction - Full incoming and outgoing	M3RF2
Station Restriction - Full outgoing	M3RG2
Station Restriction - Semi-incoming	M3RH2
Station Restriction - Semi-incoming and outgoing	M3RJ2
Station Restriction - Semi-outgoing	M3RK2
Toll Restriction	M3ORA
Toll Restriction with Mandatory Expanded Local Call Area	M3OMA
Visual Message Waiting Indicator	LLAVP