

Stan Greer Stan Greer Area Managerr External Affairs

AT&T Florida T: 850-577-5552 150 South Monroe St. F: 850-224-5073 sg7766@att.com Tallahassee, FL 32301

July 9, 2015

Beth Salak, Director **Division of Regulatory Analysis** Florida Public Service Commission Attn: Tariff Section 2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850

Dear Ms. Salak:

Attached for filing, please find the following revised page for the AT&T Florida Access Service Tariff. 

	Access Services Tariff			
Section E2.4	-	First Revised Page 45.3		
Section 7.2	-	Fourth Revised Page 27		

This filing introduces changes to AT&T's Dedicated Access Service specifically OC-3 + SmartRing Service.

Acknowledgment, date of receipt and authority number of this filing are requested.

Your consideration and approval will be appreciated.

Yours very truly,

Stan Greer

Area Manager

Attachments

BELLSOUTH	ACCESS SERVICES TAR	RIFF <u>F</u>	irst Revised Page 45.3 Original Page 45.3
TELECOMMUNICATIONS TELECOMMUNICATION	<del>NS, INC.</del>		Cancels Original Page 45.3
FLORIDA			
ISSUED: July 9, 2015 ISSUED: September 15, 1998	E	FFECTIVE: July 10	0, 2015EFFECTIVE: September 30, 1998
BY: Joe York, President -FLBY: Joseph P. Lacher, Pres	ident FL		
<u>Jacksonville, Florida</u> Miami, Florida			

# **E2. GENERAL REGULATIONS**

<del>(N)</del>

E2.4 P	ayr	ner	nt Ar	rrangements and Credit Allowances (Cont'd)	<del>(N)</del>	
E2.4.	9 Op	tion	al Pa	yment Plan (Cont'd)	<del>(N)</del>	
C.	C. Transport Payment Plan (Cont'd)					
	4. Disconnects (Cont'd)			ects (Cont'd)	<del>(N)</del>	
		f.	A change of jurisdiction from interstate to intrastate service constitutes a disconnection of service for which termination charges are applicable. However, if such service continues between the same serving locations, and the customer enters into a new TPP arrangement in the intrastate jurisdiction for the same or larger service capacity and associated rate elements for a service period equal to or greater than the service period remaining under the interstate TPP arrangement, no interstate termination liability charge will be applicable.			
		<u>(g)</u>		nination liability charge will not apply to any OC-3+ SMARTRing service (a.k.a. BellSouth SPA Dedicated ) disconnected on or after July 10, 2015.	(N) (N)	
	5. Moves of Service Under TPP				(14)	
cha				oves to a different building will be treated as a discontinuance and start of service and all associated nonrecurring arges will apply as stated in <u>Section</u> E7.4.5 except as provided in c. following. A four month minimum service iod must be satisfied for all service rate elements serving the original building location.		
		b.	appli	es of service within the same building will not constitute a disconnection of service for purposes of the ication of termination liability charges. Current month-to-month nonrecurring charges specified in <u>Section</u> .5 are applicable.	<u>(N)</u>	
		c.		nination Liability Charges will not apply to customer requests for moves of service to a different building subject e following conditions:	<del>(N)</del>	
			(1)	The move from the original location to the new location must be completed within thirty days of the original premises disconnect date. For LightGate <sup>®</sup> service systems (a.k.a. BellSouth SPA Point to Point Network), the new customer premises must be served by the same serving wire center as the original location.	( <del>N)</del> ( <del>N)</del>	
			(2)	No lapse in billing will occur for moves of service under a TPP arrangement.	(14)	
			(3)	Orders to disconnect the existing service and reestablish it at the new location must be related together and received by the Telephone Company at the same time.	( <del>N)</del> ( <del>N)</del>	
			(4)	Any additions made at the new location will be handled in accordance with (3) preceding.	(N)	
			(5)	All regulations and charges for changes made to the service coincident with the move will apply.	(11) (N)	
			(6)	All appropriate nonrecurring charges for moves of service as specified in <u>Section</u> E7.4.5 preceding will apply.	(T)	
the original location that				rate elements or quantities for local channels, interoffice channels, and/or optional features and functions from original location that are not reestablished at the new location will be subject to applicable Termination Liability	<del>(N)</del>	
	6	Da	Cha	- -	( <del>N)</del>	
	6.	<ul><li>Requests for Changes in Length of Service Period</li><li>a. Subsequent to the establishment of a TPP arrangement, and prior to the completion of the selected service period for that arrangement, the TPP arrangement may be replaced by a new TPP arrangement at rates and charges in effect on the first day of service under the new TPP arrangement, subject to the following conditions:</li></ul>		( <del>N)</del>		
			(1)	No credit will be given for payments made under the original TPP arrangement, except for credits allowed under 10.a. following.	<del>(N)</del>	
			(2)	The service period selected for the new TPP arrangement begins on the new TPP effective date but not later than the expiration date of the TPP being replaced.	( <del>N)</del> ( <del>N)</del>	
			(3)	Nonrecurring charges do not apply for existing services.	(14)	
			(4)	If the new TPP arrangement has a service period shorter in length than the time remaining under the service period for the existing TPP arrangement, the change to the new TPP arrangement constitutes a disconnection of the existing TPP arrangement for which termination liability charges apply.		

BELLSOUTH TELECOMMUNICATIONS FLORIDA ISSUED: July 9, 2015 BY: Joe York, President -FL Jacksonville, Florida

EFFECTIVE: July 10, 2015

### **E7. DEDICATED ACCESS SERVICES**

### E7.2 Service Description (Cont'd)

#### E7.2.15 Derived Data Channel (a.k.a. BellSouth SPA Derived Data Channel) Service (Cont'd)

- B. Channel Interfaces (Cont'd)
  - The following channel interface (CI) is available for DDCS (a.k.a. BellSouth SPA Derived Data Channel). (Cont'd) Compatible channel interface specifications are contained in BellSouth Technical Reference Publication 73548 for data/voice multiplexing equipment and BellSouth Technical Reference 73548, Addendum 1, for the DS0-B interface. These publications are available from the Information Exchange Manager, BellSouth Telecommunications, Inc., Documentations Operations, North W5A1, 3535 Colonnade Parkway, Birmingham, Alabama 35243.

### E7.2.16 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring)

- A. Self-healing Multi-nodal Alternate Route Topology Ring
  - 1. SMARTRing<sup>®</sup> service (a.k.a. Bellsouth Dedicated Ring) is a dedicated, high capacity, network designed to provide increased reliability and functionality via a self-healing ring topology between multiple customer designated locations and Telephone Company Central Offices where facilities can be made available as determined by the Company. This network consists of fiber routed through local, alternate central office, internodal and/or interoffice channel facilities that transmit DS1, DS3, STS-1, OC-3, OC-12, *OC-48* and/or *1000 Mbps* channel services simultaneously over primary and alternate paths between customer designated locations and Telephone Company Central Offices. This ring topology will continually monitor DS1, DS3, STS-1, OC-3, OC-12, *OC-48* and/or *1000 Mbps* service quality, detect any failure within the system, and automatically self-heal around a point of failure to ensure the flow of DS1, DS3, STS-1, OC-3, OC-12, *OC-48* and/or *1000 Mbps* service flow of DS1, DS3, STS-1, OC-3, OC-12, *OC-48* and/or *1000 Mbps* service quality, detect any failure within the system, and automatically self-heal around a point of failure to ensure the flow of DS1, DS3, STS-1, OC-3, OC-12, *OC-48* and/or *1000 Mbps* service quality.
  - 2. SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available at OC-1, OC-3, OC-3+ OC-12, OC-48, OC-48+, *OC-192* and *OC-192* + capacities.
  - OC-192 and OC-192+ capacities.
     OC-1 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available only in Overlay Ring Arrangements riding the customer's host OC-12, OC-48, or OC-48+ SMARTRing<sup>®</sup> service (a.k.a. BelSouth Dedicated Ring). The OC-1 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) shares the transport of its host SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring). OC-1 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent capacity of 28 DS1s or one STS-1. When an OC-1 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) overlays an OC-12, OC-48, or OC-48+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring), an OC-1 channel interface is required.
  - 4. OC-3 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual service or in an Overlay Ring Arrangement riding the customer's host OC-12, OC-48, OC-48+, *OC-192* or *OC-192*+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring). OC-3 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent capacity of 3 DS3s, or any combination thereof not to exceed an OC-3 capacity. Channel Interface Reallocation allows the customer to reallocate STS-1, DS3 and/or DS1 capacities to OC-3 nodes
  - subsequent to the initial configuration of an OC03 ring.
    OC-3+ SMARTRing<sup>®(1)</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual service, or in combination with OC-12 SMARTRing<sup>®</sup> service (a.k.a. BelSouth Dedicated Ring), or in an Overlay Ring Arrangement riding the customer's host OC-48, *OC-192 or OC-192*+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) not complex on the customer's host OC-48, *OC-192 or OC-192*+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent OC-3 capacity, not to exceed 3 DS3s at path and the right of the customer's host OC-48.
  - each node, with a maximum ring capacity of 12 DS3s, not to exceed an OC-12 ring capacity.
    6. When a customer orders OC-3+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) in combination with OC-12 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring), capacity and channel interface availability at each Customer Node and Central Office Node location is determined by the size node ordered by the customer.
  - 7. OC-12 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual service, or in combination with OC-3+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring), or in an Overlay Ring Arrangement riding the customer's host OC-48, OC-48+, OC-192 or OC-192+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring). OC-12 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent capacity of 12 DS3s.
  - 8. OC-48 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual service, *or in an Overlay Ring Arrangement riding the customer's host OC-192 or OC-192+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring)*, or with overlaying rings in capacities of OC-1, OC-3, OC-3+ and/or OC-12. OC-48 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent capacity of 48 DS3s.
  - 9. OC-48+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual bi-directional service, or in an Overlay Ring Arrangement riding the customer's host OC-192 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring), or with overlaying rings in capacities of OC-1, and/or OC-3. It provides equivalent capacity of 24 DS3s between consecutive node locations on the ring. The maximum capacity of the OC-48+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is determined by the number of Customer and Central Office nodes on the ring.
  - (1)
     Effective July 10, 2015, the Company will accept only disconnect order for OC-3+ SMARTRing service (a.k.a.
     (N)

     BellSouth SPA Dedicated Ring), including orders associated with existing service. Move, add or change orders will no longer be accepted.
     (N)

<del>(13)</del>

 $(\mathbf{C})$ 

(C)

 $(\mathbf{C})$ 

EFFECTIVE: July 4, 2015

# **E2. GENERAL REGULATIONS**

### E2.4 Payment Arrangements and Credit Allowances (Cont'd)

#### E2.4.9 Optional Payment Plan (Cont'd)

- C. Transport Payment Plan (Cont'd)
  - 4. Disconnects (Cont'd)
    - f. A change of jurisdiction from interstate to intrastate service constitutes a disconnection of service for which termination charges are applicable. However, if such service continues between the same serving locations, and the customer enters into a new TPP arrangement in the intrastate jurisdiction for the same or larger service capacity and associated rate elements for a service period equal to or greater than the service period remaining under the interstate TPP arrangement, no interstate termination liability charge will be applicable.
    - (g) Termination liability charge will not apply to any OC-3+ SMARTRing service (a.k.a. BellSouth SPA Dedicated Ring) disconnected on or after July 4, 2015.
- (N) (N)

(T)

(T)

(T)

- 5. Moves of Service Under TPP
  - a. Moves to a different building will be treated as a discontinuance and start of service and all associated nonrecurring charges will apply as stated in Section E7.4.5 except as provided in c. following. A four month minimum service period must be satisfied for all service rate elements serving the original building location.
  - b. Moves of service within the same building will not constitute a disconnection of service for purposes of the application of termination liability charges. Current month-to-month nonrecurring charges specified in Section E7.4.5 are applicable.
  - c. Termination Liability Charges will not apply to customer requests for moves of service to a different building subject to the following conditions:
    - (1) The move from the original location to the new location must be completed within thirty days of the original premises disconnect date. For LightGate<sup>®</sup> service systems (a.k.a. BellSouth SPA Point to Point Network), the new customer premises must be served by the same serving wire center as the original location.
    - (2) No lapse in billing will occur for moves of service under a TPP arrangement.
    - (3) Orders to disconnect the existing service and reestablish it at the new location must be related together and received by the Telephone Company at the same time.
    - (4) Any additions made at the new location will be handled in accordance with (3) preceding.
    - (5) All regulations and charges for changes made to the service coincident with the move will apply.
    - (6) All appropriate nonrecurring charges for moves of service as specified in Section E7.4.5 will apply.

Any rate elements or quantities for local channels, interoffice channels, and/or optional features and functions from the original location that are not reestablished at the new location will be subject to applicable Termination Liability Charges.

- 6. Requests for Changes in Length of Service Period
  - a. Subsequent to the establishment of a TPP arrangement, and prior to the completion of the selected service period for that arrangement, the TPP arrangement may be replaced by a new TPP arrangement at rates and charges in effect on the first day of service under the new TPP arrangement, subject to the following conditions:
    - (1) No credit will be given for payments made under the original TPP arrangement, except for credits allowed under 10.a. following.
    - (2) The service period selected for the new TPP arrangement begins on the new TPP effective date but not later than the expiration date of the TPP being replaced.
    - (3) Nonrecurring charges do not apply for existing services.
    - (4) If the new TPP arrangement has a service period shorter in length than the time remaining under the service period for the existing TPP arrangement, the change to the new TPP arrangement constitutes a disconnection of the existing TPP arrangement for which termination liability charges apply.

BELLSOUTH TELECOMMUNICATIONS FLORIDA ISSUED: July 3, 2015 BY: Joe York, President -FL Jacksonville, Florida

EFFECTIVE: July 4, 2015

## **E7. DEDICATED ACCESS SERVICES**

### E7.2 Service Description (Cont'd)

### E7.2.15 Derived Data Channel (a.k.a. BellSouth SPA Derived Data Channel) Service (Cont'd)

- B. Channel Interfaces (Cont'd)
  - The following channel interface (CI) is available for DDCS (a.k.a. BellSouth SPA Derived Data Channel). (Cont'd) Compatible channel interface specifications are contained in BellSouth Technical Reference Publication 73548 for data/voice multiplexing equipment and BellSouth Technical Reference 73548, Addendum 1, for the DS0-B interface. These publications are available from the Information Exchange Manager, BellSouth Telecommunications, Inc., Documentations Operations, North W5A1, 3535 Colonnade Parkway, Birmingham, Alabama 35243.

#### E7.2.16 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring)

- A. Self-healing Multi-nodal Alternate Route Topology Ring
  - 1. SMARTRing<sup>®</sup> service (a.k.a. Bellsouth Dedicated Ring) is a dedicated, high capacity, network designed to provide increased reliability and functionality via a self-healing ring topology between multiple customer designated locations and Telephone Company Central Offices where facilities can be made available as determined by the Company. This network consists of fiber routed through local, alternate central office, internodal and/or interoffice channel facilities that transmit DS1, DS3, STS-1, OC-3, OC-12, *OC-48* and/or *1000 Mbps* channel services simultaneously over primary and alternate paths between customer designated locations and Telephone Company Central Offices. This ring topology will continually monitor DS1, DS3, STS-1, OC-3, OC-12, *OC-48* and/or *1000 Mbps* service quality, detect any failure within the system, and automatically self-heal around a point of failure to ensure the flow of DS1, DS3, STS-1, OC-3, OC-12, *OC-48* and/or *1000 Mbps services* between locations within the network.
  - 2. SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available at OC-1, OC-3, OC-3+ OC-12, OC-48, OC-48+, *OC-192* and *OC-192*+ capacities.
  - OC-192 and OC-192+ capacities.
     OC-1 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available only in Overlay Ring Arrangements riding the customer's host OC-12, OC-48, or OC-48+ SMARTRing<sup>®</sup> service (a.k.a. BelSouth Dedicated Ring). The OC-1 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) shares the transport of its host SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring). OC-1 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent capacity of 28 DS1s or one STS-1. When an OC-1 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) overlays an OC-12, OC-48, or OC-48+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring), an OC-1 channel interface is required.
  - 4. OC-3 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual service or in an Overlay Ring Arrangement riding the customer's host OC-12, OC-48, OC-48+, OC-192 or OC-192+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring). OC-3 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent capacity of 3 DS3s, or any combination thereof not to exceed an OC-3 capacity. Channel Interface Reallocation ellows the avatement of reallocate STS 1, DS2, and/or DS1, approximation to C-2, medae

Channel Interface Reallocation allows the customer to reallocate STS-1, DS3 and/or DS1 capacities to OC-3 nodes subsequent to the initial configuration of an OC03 ring.

- 5. OC-3+ SMARTRing<sup>®(1)</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual service, or in combination with OC-12 SMARTRing<sup>®</sup> service (a.k.a. BelSouth Dedicated Ring), or in an Overlay Ring Arrangement riding the customer's host OC-48, *OC-192 or OC-192*+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring). OC-3+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent OC-3 capacity, not to exceed 3 DS3s at each node, with a maximum ring capacity of 12 DS3s, not to exceed an OC-12 ring capacity.
- each node, with a maximum ring capacity of 12 DS3s, not to exceed an OC-12 ring capacity.
  6. When a customer orders OC-3+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) in combination with OC-12 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring), capacity and channel interface availability at each Customer Node and Central Office Node location is determined by the size node ordered by the customer.
- 7. OC-12 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual service, or in combination with OC-3+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring), or in an Overlay Ring Arrangement riding the customer's host OC-48, OC-48+, OC-192 or OC-192+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring). OC-12 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent capacity of 12 DS3s.
- 8. OC-48 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual service, or in an Overlay Ring Arrangement riding the customer's host OC-192 or OC-192+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring), or with overlaying rings in capacities of OC-1, OC-3, OC-3+ and/or OC-12. OC-48 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) provides an equivalent capacity of 48 DS3s.
- 9. OC-48+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is available as an individual bi-directional service, or in an Overlay Ring Arrangement riding the customer's host OC-192 SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring), or with overlaying rings in capacities of OC-1, and/or OC-3. It provides equivalent capacity of 24 DS3s between consecutive node locations on the ring. The maximum capacity of the OC-48+ SMARTRing<sup>®</sup> service (a.k.a. BellSouth Dedicated Ring) is determined by the number of Customer and Central Office nodes on the ring.

(N)

(N) (N)

<sup>&</sup>lt;sup>(1)</sup> Effective July 4, 2015, the Company will accept only disconnect order for OC-3+ SMARTRing service (a.k.a. BellSouth SPA Dedicated Ring), including orders associated with existing service. Move, add or change orders will no longer be accepted.