
## ST. JOE NATURAL GAS COMPANY, INC. U

P.O. BOX 549 PHONE 229-8216 PORT ST. JOE, FLORIDA 32456 COMMISSION



MAILROOM

January 17, 1995

Blanca S Bayo, Director Division of Records and Reporting Florida Public Service Commission 101 East Gaines Street Tallahassee, Florida 32301-0850

Re: Docket No. 950002-EG

Dear Ms. Bayo,

Enclosed for filing in the above referenced docket is the original and fifteen (15) copies of St Joe Natural Gas Company's Petition for approval of its Conservation Cost Recovery Factor to be applied to customer bills during the twelve month period ending March 31, 1996.

0045HS (1. Schedules C-1 through C-3 2. Direct Testimony of Debbie Stitt

00649-953. Prehearing Statement and;

00650-15 4. List of Issues and Positions

Please acknowledge receipt of this document by stamping the extra copy of this letter which is also enclosed.

Thank you for your assistance.

Very truly yours,

elilue Stitt

Debbie Stitt

Energy Conservation Analyst

V. D. 1 -

## BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In Re: Conservation Cost Recovery Clause Docket No. 950002-EG Submitted for Filing January 17, 1995

## ST. JOE NATURAL GAS COMPANY'S PRELIMINARY LIST OF ISSUES AND POSITIONS

St. Joe Natural Gas Company, Inc. ("SJNG") by and through its undersigned officer, hereby submits its Preliminary List of Issues and Positions to be taken up at the Hearing now scheduled to begin March 8, 1995 in the above listed docket.

- What should the final conservation cost recovery amount be for the six month period ending September 30, 1994?
   SJNG's Position: \$5,188.00 overrecovery.
  - 2. What is the appropriate conservation cost recovery factor to be applied to customer bills during the twelve month period ending March 31, 1996?

SJNG's Position: \$0.03445 Residential, \$0.04794 for Commercial and \$0.03213 for Large Commercial.

Stuart L. Shoaf, President St. Joe Natural Gas Company, Inc. P.O. Box 549 Port St. Joe, Florida 32456-0549 (904) 229-8216

DOCUMENT NUMBER-DATE

00650 JAN 18 %

FPSC-RECORDS/REPORTING