

ORIGINAL FILE COPY

January 17, 1996

960073-WS

Director, Divisions of Records and Reporting Florida Public Service Commission 2540 Shumard Oak Blvd. Tallahassee, FL 32399-0850

RE: Application for Reseller Exemption for The Courtyards of Coral Springs Apartments

Dear Director:

Enclosed please find an original signed Application for Reseller Exemption and four (4) copies of the same for the above-referenced property.

Please let me know if you have any questions. Thank you,

Sincerely,

CONSERVATION BILLING SERVICES, INC.

1.8 OK. Wrane Joseph Stranen Comptroller

JS/ldm Enclosures



PSC-RECORDS/REPORTING

CORPORATE OFFICES 5452 W. Crenshaw St. • Ste. 4 • Tampa, FL 33634-3007 Tel (813) 889-7676 • Fax (813) 889-7881 Sales & Service 1-800-884-4885 CENTRAL PROCESSING CENTER 90 S. Newtown St. Rd. • Ste. 3 • Newtown Square, PA 19073-4035 Tel. (610) 356-8015 • Fax (610) 356-8625 Billing 1-800-466-6668 APPLICATION FOR RESELLER EXEMPTION SECTION 367.022(8), FLORIDA STATUTES RULE 25-30.060(3) (H), FLORIDA ADMINISTRATIVE CODE

960073-25

ONIGINAL FILE COPY

NAME OF SYSTEM: The Courtyards of Coral Springs Apartments

PHYSICAL ADDRESS OF SYSTEM: 8228 NW 24TH Street, Coral Springs, Florida

33065

MAILING ADDRESS (IF DIFFERENT): c/o Conservation Billing Services, Inc.

90 S. Newtown Street Road, Suite #3 Newtown Square, Pennsylvania 19073-4035

COUNTY: Broward

PRIMARY CONTACT PERSON:

NAME: Frank R. Manno c/o Conservation Billing Services, Inc.

ADDRESS: 90 S. Newtown Street Road, Suite #3 Newtown Square,

Pennsylvania 19073-4035

PHONE #: (610) 356-8015

NATURE OF APPLICANT'S BUSINESS ORGANIZATION: (CORPORATION, PARTNERSHIP, SOLE PROPRIETOR, ETC.) Limited Partnership

I believe this system to be exempt from the regulation of the Florida Public Service Commission pursuant to Section 367.022(8), Florida Statutes, for the following reasons;

- Service is provided at a rate or charge that does not exceed the actual purchase price.
- Reseller is aware of the requirements of Rule 25-30.111, Florida Administrative Code, regarding annual reporting requirements. (Rule Attached)
- Reseller is aware of the requirements of Section 367.122, Florida Statutes, which deals with examination and testing of meters; and Rules 25-30.262 through 25-30.267, Florida Administrative Code, which explains the responsibilities of the utility owner for insuring the accuracy of the meters. (Statutes and Rules attached)

DOCUMENT NUMBER-DATE 00695 JAN 22 # FPSC-RECORDS/REPORTING



 The utility services provided are: Water <u>YES</u> (Yes or No) Wastewater <u>YES</u> (Yes or No)

> For utility service not provided, state how handled: N/A

The service area is located at: 8228 NW 24TH Street, Coral Springs.

Florida 33065

<u>City of Coral Springs</u> (name of utility) provides service to the reseller.

7. Attached are current rates and charges of the provider in 6 above.

8. Attached is a schedule of the reseller's proposed rates and charges.

- Attached is an explanation of the proposed method of billing customers separately, for both water and wastewater
- Attached is a schedule showing that the amount billed will not exceed the amount paid for water, wastewater or both.
- Attached is an explanation of the agreement between the reseller and the billing company ensuring that the reseller controls customer deposits.
- Attached is an explanation of the reseller's policy for allocating the cost of water for the common areas.
- Attached is an explanation of the reseller's policy for miscellaneous fees and charges. If the reseller is using a billing company, specifically state how the costs for those services will be paid.
- Residents will be billed within <u>eight (8) business</u> days after the meters have been read.
- If the residential complex is still under construction, the expected occupancy date is on or before:

N/A

Attached is Rule 25-30.111, Florida Administrative Code, which explains the annual reporting requirement of resellers. Also, attached is Section 367.122, Florida Statutes, which explains the responsibility of the reseller to examine and test meters. Rules 25-30.262 through 25-30.267, Florida Administrative Code, expand on the reseller's responsibilities for meter accuracy, meter test methods, meter testing equipment, periodic meter tests, meter tests by request and recordation of meter tests. The attached rules should be read, as acknowledged on the application and retained by the Reseller.

I am aware that pursuant to Section 837.06, Florida statutes, whoever knowingly makes a false statement in writing with the intent to mislead a public servant in the performance of his official duty shall be guilty of a misdemeanor of the second degree, punishable as provided in S. 775.082, S. 775.083, S. 775.084.

Courtyards of Coral Springs Limited Partnership by: Richard Huff

(Applicant please print or type)

hund

(Signature)

(Date)

Managing General Partner (Title)

** If applicant if not the Owner of property for which the exemption is being requested, a Letter of Authorization from the Owner must be attached to application.

When you finish filling out the application, the original and four copies of the application and all attachments should be mailed to:

Director, Division of Records and Reporting Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850

ATTACHMENT NO. 7

City of Coral Springs uniform tariff rate for a General Service Customer with a 3" meter is as follows:

Base Charge Water (\$809.16 + 66 units) Water usage charge for the first 330,000 gallons Water usage charge for more than 330,000 gallons Tax of 10% on water \$12.26 \$.93/1000 gallons \$ 1.22/1000 gallons

Base Charge Sewer (\$1117.38 ÷ 66 units) Sewer usage charge \$16.93 \$ 1.35/1000 gallons

ATTACHMENT NO. 8

The Courtyards of Coral Springs will charge the following rate for the 3"

meter:

Base Charge Water (\$809.16 + 66 units)	\$12.26
Water usage charge for the first 330,000 gallons	\$.93/1000 gallons
Water usage charge for n ore than 330,000 gallons	\$ 1.22/1000 gallons
Tax of 10% on water	
Tax of 10% on water	

Base Charge Sewer (\$1117.38 + 66 units) Sewer usage charge \$16.93 \$ 1.35/1000 gallons

ATTACHMENT NO. 9

An individual Neptune T-10/8" ARB-6 water meter, or equivalent, will be installed in each apartment of each apartment building. The water base charge increased by 10% to cover the local water tax, will be divided on a pro rate basis among all apartments in each building with a master meter. The water gallonage charge, increased by 10% to cover the local water tax, will be based upon each apartment's metered amount of water usage. The sewer base charge will be divided on a pro rate basis among all apartments in each building with a master meter. The sewer gallonage charge will be based upon each apartment's metered amount of water usage.

Water Base Charge	\$809.16 divided by # units per master meter*
Water usage charge	\$.93 per 1000 gallons for the first 330,000 gallons*
Water usage charge	\$ 1.22 per 1000 gallons above 330,000 gallons*
Sewcr Base Charge	\$1,117.38 divided by # units per master meter
Sewer usage charge	\$ 1.35 per 1000 gallons

* Adjusted to recover the 10% water usage tax collected by the City of Coral Springs.

ATTACHMENT NO. 10

Individual customer usage of 6,000 gallons would produce a bill from the City of Coral Springs as follows:

Water Base Charge (\$809.16 + 66 units)	-	\$12.26
Water usage Charge (5,000 x .93/1000 gallons)	=	\$ 4.65
Water usage charge (1,000 x 1.22/1000 gallons)		\$ 1.22
Subtotal Water	=	\$18.13
Tax of 10% on water	-	\$ 1.81
TOTAL WATER	=	\$19.94
Sewer Base Charge (\$1117.38 + 66 units)	=	\$16.93
Sewer usage Charge (6,000 x 1.35/1000 gallons)	-	\$ 8.10
TOTAL SEWER	-	\$25.03

Individual customer usage of 6,000 gallons would produce a bill from CBSI for The Courtyards of Coral Springs Apartments as follows:

Water Base Charge (\$809.16 + 66 units)	=	\$12.26
Water usage Charge (5,000 x .93/1000 gallons)	- 15	\$ 4.65
Water usage charge (1,000 x 1.22/1000 gallons)	=	\$ 1.22
Subtotal Water		\$18.13
Tax of 10% on water		\$ 1.81
TOTAL WATER	-	\$19.94

Sewer Base Charge (\$1117.38 ÷ 66 units)	-	\$16.93
Sewer usage Charge (6,000 x 1.35/1000 gallons)	==	\$ 8.10
TOTAL SEWER	- 25	\$25.03

CHAPTER 25-30.111, F.A.C.

EXEMPTION FOR RESALE OF UTILITY SERVICE, ANNUAL REPORT

Any person who has been granted an exemption from regulation as a reseller of water or wastewater service provided for in subsection 367.922(8), F.S., shall file a report by March 31 of each year following the year for which the exemption is claimed. The report shall contain the following:

 A schedule, listing by month, the rates charged for and total revenue received from the water or wastewater service sold.

(2) A schedule, listing by month, the rates charged and total expense incurred for the purchase of the water and wastewater service.

(3) A statement listing the source from which the water or wastewater service was purchased.

Specific Authority: 367.121(1), F.S. Law Implemented: 367.022(8), F.S. History: New 3/26/81, Formerly 25-10.09, 25-10.009, Amended 11/9/86, 11/30/93.

SECTION 367.122, FLORIDA STATUTES EXAMINATION AND TESTING OF METERS

(1) The commission may provide for the examination and testing of all meters used for measuring any product or service of a utility.

(2) Any customer or user may have any such meter tested by the utility upon payment of the fee fixed by the commission.

(3) The commission shall establish reasonable fees to be paid for testing such meters on the request of the customers. Current utility customers or users may, at their discretion, pay the fee fixed by the commission at the time of the request or have the utility include the fee with their next regularly scheduled statement. However, the fee shall be paid by the utility and repaid to the customer or user if the meter is found defective or incorrect to the disadvantage of the customer or user in excess of the degree or amount of tolerance customarily allowed for such meters, or as may be provided for in rules and regulations of the commission. No fee may be charged for any such testing done by the commission or its representatives.

(4) The commission may purchase materials, apparatus, and standard measuring instruments for such examinations and tests.

History .-

s. 1, ch. 71-278; s. 100, ch. 73-333; s. 3, ch. 76-168; s. 1, ch. 77-457; ss. 16, 25, 26, 27, ch. 89-353; s. 4, ch. 91-429. 367.122

CHAPTER 25-30.262, F.A.C. METER ACCURACY REQUIREMENTS

Each utility shall employ water meters which register within the accuracy limits set forth in this chart:

Accuracy limits in percentages

	Maximum	Intermediate	Minimum Rate	
Meter Type	Rate	Rate	New	Repaired
Displacement	98.5 - 101.5	98.5 - 101.5	95 - 101.5	90 - 101.5
Current	97 - 102	None	95 - 102	90 - 102
Compound *	97 - 103	97 - 103	95 - 103	90 - 103

The minimum required accuracy for compound meters at any rate within the "changeover" range of flows shall be 85%.

General Authority: 367.121, F.S. Law Implemented: 367.122(1), F.S. History: Amended 9/12/74, formerly 25-10.92, Transferred from 25-10.092 and Amended 11/9/86. CHAPTER 25-30.263, F.A.C. METER TEST METHODS

(1) Each utility shall test its displacement type cold water meters on at least the three rates of flow set forth in the following chart:

Meter Normal Test Size Flow Limits		Test Flow Gallons Per Minute			
10.3	GF	M	Minimum	Median	Maximum
1		20	1/4	2	15
2		30	1/2	3	25
3	-	50	3/4	4	35
5	-	100	1-1/2	8	50
8	-	160	2	15	100
16		300	4	20	150
28		500	7	40	200
48	-	1000	12	60	500
	Flo 1 2 3 5 8 16 28	Flow I GF 1 - 2 - 3 - 5 - 8 - 16 - 28 -	Flow Limits <u>GPM</u> 1 - 20 2 - 30 3 - 50 5 - 100 8 - 160 16 - 300 28 - 500	$\begin{tabular}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $

(2) Each utility shall test its current, compound and fire-service type meters on at least three rates of flow: One at the minimum test flow and two or more within the normal test flow limits of the table set forth in subsection (1) of this rule, with the upper test flow to be at a rate as high as practicable.

(3) Each utility shall test its compound meters within the "changeover" range of flows to determine overall operational efficiency and accuracy of registration.

(4) A utility may test any displacement type meter after installation if the meter is three inches or larger. However, each utility shall test its current, compound and fireservice type meters in place to achieve maximum accuracy, and may install a test tee in the outlet piping to facilitate and reduce the cost of testing for meters which are three inches or larger.

(5) Each utility may affix a seal to each of its tested and adjusted meters. The utility may affix the seal in such manner that it would have to be broken before any adjustment to meter registration could be achieved.

General Authority: 367.121, F.S. Law Implemented: 367.122, F.S. History: Amended 9/12/74, formerly 25-10.90, Transferred from 25-10.090 and Amended 11/9/86.

CHAPTER 25-30.264, F.A.C. METER TESTING EQUIPMENT

- (1) (a) Each utility providing metered water service shall either provide the necessary standard facilities, instruments and other equipment for testing meters in compliance with rules 25-30.263, or enter into arrangements with other utilities or agencies for the testing of the utility's meters.
 - (b) When the utility opts to arrange for its testing to be performed by another utility or agency, that utility shall notify the Commission.
- (2) (a) Standard meters may be used by the utility for field tests of meter accuracy provided that they are tested and calibrated to permit the testing of meters within the limits of accuracy set out in Rule 25-30.263.
 - (b) Testing and calibration of the standard meters shall be done either by the utility with its volumetric or weight standard equipment, or by an approved laboratory.
 - (c) Testing and calibration of the standard meters shall be done at least once every sixty (60) days while the standard meter is in use.

General Authority: 367.121(1), F.S. Law Implemented: 367.12291), F.S.

History: Amended 9/12/74, formerly 25-10.89, Transferred from 25-10.89 and Amended 11/9/86.

CHAPTER 25-30.265, F.A.C. PERIODIC METER TESTS

Each utility shall inspect and test a representative sample of its meters in service at least once during the intervals set out in this rule.

Size of Meter	Maximum Interval Between Tests
5/8"	10 years
3/4"	8 years
1"	6 years
1-1/2"	4 years
2"	4 years
3"	3 years
4"	2 years
6"	1 year

General Authority: 367.121, F.S.

Law Implemented: 367.122, F.S.

History: Amended 9/12/74, formerly 25-10.93, Transferred from 25-10.093 and Amended 11/9/86.

CHAPTER 25-30.266, F.A.C. METER TEST BY REQUEST

- (a) Upon written request of any customer whose meter has not been tested within one-half the maximum interval provided in Rule 25-30.265, the utility shall make a field test for accuracy of that customer's meter.
 - (b) The utility may not charge for any field test performed pursuant to paragraph (a) of this subsection.
- (2) (a) The utility may require a deposit to defray cost of any bench test requested by any customer. However, the deposit may not exceed the following schedule:

Meter Size	
(inches)	Fee
5/8 and 3/4	\$20.00
1 and 1-1/2	\$25.00
2 and over	Actual Cost of Test

- (b) The utility may retain the deposit if the customer's meter is found to register accurately or below accuracy.
- (c) The utility shall refund the deposit if the customer's meter is found to register in excess of prescribed accuracy limits.

(3) The Commission may provide a representative to observe or supervise any bench test upon written request from the customer or utility. The utility shall advise the customer of the customer's right to witness the bench test.

(4) The utility shall provide the customer with a written report of the results of any test performed pursuant to this rule.

(5) A meter shall in no way be disturbed after the utility has received notice that application has been made for a test by the customer unless a representative of the Commission is present or unless authority to do so is first given in writing by the Commission or by the customer.



 Each utility shall preserve the original records of all meter tests at least until same meter is performed or until the meter is retired by a later test.

- (2) These records shall include

 (a) sufficient information to identify the meter;
 - (b) the reason for the test;
 - (c) date of test and reading of the meter,
 - (d) the computed accuracy before and after the repair; and
 - (e) any other data taken at the time of the test which would permit the convenient checking of the test results.

General Authority: 367.121, F.S. Law Implemented: 367.122, F.S. History: Amended 9/12/74, formerly 25-10.91, Transferred from 25-10.091 and Amended 11/9/86.