

SEBRING GAS SYSTEM INC

3515 U.S. Hwy. 27, South Sebring, FL 33870-5452 (941) 385-0194

January 22, 1998

Blanca S. Bayo, Director Division of Records and Reporting Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Fl 32399-0850

Docket No. 98003-GU RE: Petition for Approval of Purchased Gas Adjustment (PGA) Factor and Testimony for True-Up Projections for April 1998 through March 1999.

Dear Ms. Bayo:

Enclosed for filing in the above docket on behalf of Sebring Gas System, Inc., please find an original and fifteen of the following:

- 1 REsubmitted Petition of Sebring Gas System's Purchased Gas Adjustment True-Up Factor,
- REsubmitted Direct Testimony of Jerry H. Melendy, Jr. 2.

| Please replace the Origina Typegraphical errors. | Petition and pages 6 and 7 of the Testimony, due to |
|---|--|
| IPP | Singerely, |
| AF | |
| MU | January & Molerary 1 |
| TR ATT | 1 1500 |
| Maken | Jerry H. Melendy, Vice President |
| 7.1 av. 4- | Sebring Gas System, Inc |
| enclosures | reconstructive and the properties of the propert |

DOCUMENT NUMBER-DATE 01399 JAN 26 8,

| 1 | | transported. |
|----|----|---|
| 2 | Q. | How was the projected total firm sales determined? |
| 3 | A. | The company has only firm sales at this time. Subsequently, |
| 4 | | the total sales and firm sales are the same. The total sales were |
| 5 | | determined by using historical averages for both classes, residential |
| 6 | | and commercial, customers, with a growth factor added. The total |
| 7 | | sales are shown on Line 27 of Schedule E-1. The total estimated |
| 8 | | sales for the Projected period April 1998 through March 1999 is |
| 9 | | 650,662 therms. |
| 10 | Q. | What is the company's average cost per therm for the Projected |
| 11 | | period April 1998 through March 1999? |
| 12 | A. | Shown on Line 40 of Schedule E-1, the company's average cost |
| 13 | | of gas for the Projected period April 1998 through March 1999 |
| 14 | | is estimated to be 44.614 cents per therm. To arrive at the Total |
| 15 | | PGA Factor, the average cost of gas is adjusted for the estimated |
| 16 | | total true-up through March 1998, as shown on Schedule E-4, |
| 17 | | and for revenue-related taxes. |
| 18 | Q. | What is the projected PGA Factor for the Projected period |
| 19 | | April 1998 through March 1999? |
| 20 | A. | The projected PGA Factor for the projected period is 44.614 |
| 21 | | cents per therm, as shown on Line 45 of Schedule E-1. |
| 22 | Q. | The estimated total true-up for the period April 1997 through |
| 23 | | March 1998, as shown on Schedule E-4 is included in the |
| 24 | | projected PGA Factor for the period April 1998 through March |
| 25 | | 1999. How was the figure calculated? |

| 1 | A. | The final true-up amount for the period April 1996 through |
|----|----|--|
| 2 | | March 1997 is added to the estimated end of period net true-up |
| 3 | | for April 1997 through March 1998. The April 1997 through |
| 4 | | March 1998 estimated true-up is based on eight months' actual |
| 5 | | plus four months' projected data. |
| 6 | Q. | What is the impact of the total true-up for the period April 1997 |
| 7 | | through March 1998 on the projected PGA Factor for the |
| 8 | | Projected period April 1998 through March 1999? |
| 9 | A. | The projected true-up for the period, ending March 1998 is an |
| 10 | | underrecovery of \$4,621, which is shown on line 4, Column |
| 11 | | 4 of Schedule E-4. Dividing the underrecovery of \$13,952 by |
| 12 | | the projected therm sales of 650,662 therms results in a |
| 13 | | collection of 2.1443 cents per therm to be included in the propose |
| 14 | | PGA Factor. |
| 15 | Q. | What is the maximum levelized purchased gas factor (cap) |
| 16 | | that you are proposing for the projected period April 1998 |
| 17 | | through March 1999? |
| 18 | A. | The maximum levelized purchased gas factor (cap) that Sebring |
| 19 | | Gas is proposing for the period is 44.614 cents per therm. |
| 20 | Q. | Does this conclude your testimony? |
| 21 | A, | Yes, it does |
| 22 | | |
| 23 | | |
| 24 | | |
| 25 | 90 | |