BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Petition to adopt rules on margin reserve and imputation of contributions-in-aid-ofconstruction on margin reserve calculation, by Florida Waterworks Association. DOCKET NO. 960258-WS
ORDER NO. PSC-99-2297A-FOF-WS
ISSUED: December 14, 1999

The following Commissioners participated in the disposition of this matter:

JOE GARCIA, Chairman J. TERRY DEASON SUSAN F. CLARK E. LEON JACOBS, JR.

AMENDED NOTICE OF ADOPTION OF RULE

NOTICE is hereby given that the Florida Public Service Commission, pursuant to Section 120.54, Florida Statutes, has adopted the amendments to Rule 25-30.431, Florida Administrative Code, relating to margin reserve with changes.

The rule was filed with the Department of State on November 23, 1999 and will be effective on December 14, 1999. A corrected copy of the rule as filed with the Department is attached to this Notice.

This docket is closed upon issuance of this notice.

By ORDER of the Florida Public Service Commission, this <u>14th</u> day of <u>December</u>, <u>1999</u>.

BLANCA S. BAYÓ, Director

Division of Records & Reporting

(SEAL)

CTM

ORDER NO. PSC-99-2297A-FOF-WS DOCKET NO. 960258-WS PAGE 2

25-30.431 Used and Useful Consideration

- customers more than five full years after the end of the test period as provided by section 367.081(2)(a)2.c., Florida Statutes (1999), the Commission shall consider the rate of growth in the number of equivalent residential connections (ERCs); the time needed to meet the guidelines of the Department of Environmental Protection (DEP) for planning, designing, and construction of plant expansion; and the technical and economic options available for sizing increments of plant expansion.
- (2) (a) Property needed to serve customers after the end of the test year shall be calculated as follows:

$EG \times PT \times U = PN$

where:

- EG = Equivalent Annual Growth in ERCs determined

 pursuant to (b) or (c) below, not to exceed 5

 percent per year
- PT = Post Test Year Period determined pursuant to section

 367.081(2)(a)2.b. and c., Florida Statutes (1999)
- PN = Property needed expressed in the units of measurement
 utilized

ORDER NO. PSC-99-2297A-FOF-WS DOCKET NO. 960258-WS PAGE 3

- (b) The equivalent annual growth in ERCs (EG) is measured in terms of the projected annual growth and shall be calculated in Schedules F-9 and F-10 of Form PSC/WAW 19 for Class A utilities and Form PSC/WAW 20 for Class B utilities, incorporated by reference in Rule 25-30.437.
- (c) The utility shall also submit a linear regression analysis using average ERCs for the last 5 years. The utility may submit other information that will affect growth in ERCs.
- (3) As part of its application filed pursuant to Rule 25-30.437, the utility shall submit its most recent wastewater capacity analysis report, if any, filed with DEP.

Specific Authority: 367.121, F.S.

Law Implemented: 367.081(2)(a)2.b.c., F.S.

History--New 12/14/99.

MEMORANDUM

HECEIVED-HPSC

December 14, 1999

99 DEC 14 AM 9: 39

RECURDS AND

TO:

DIVISION OF RECORDS & REPORTING

REPORTING

FROM :

CHRISTIANA T. MOORE, ASSOCIATE GENERAL COUNSEL

RE:

DOCKET NO. 960258-WS - PETITION TO ADOPT RULES ON

MARGIN RESERVE AND IMPUTATION OF CONTRIBUTIONS-IN-AID-

OF-CONSTRUCTION ON MARGIN RESERVE CALCULATION, BY

FLORIDA WATERWORKS ASSOCIATION

2297A -FOF

Attached please find an Amended Notice of Adoption for distribution by your office.

Industry distribution is: ____ Electric (EI) _____ Electric (EM) _____ Electric (EC) ____ Gas (GU) ____ Gas (GS) ____ Gas Pipeline (GP) Telephone (TL)
Telephone (TI) Telephone (TC)
Telephone (TS) ___ Telephone (TX)
___ Telephone Alternate Access Vendors (TA) Water and Wastewater (WAW) This document has the following priority:

Self winder

Must be issued today. X Must be issued within 48 hours. Must be issued within 5 working days.

This docket will be closed upon issuance of the Notice.

AMNOA431.CTM Attachment

cc: File

Sandy Moses (w/o attach.)

W. Terrell