RECEIVED-FPSC

RECORDS AND

REPORTING



BellSouth Telecommunications, Inc. Suite 400 150 South Monroe Street Tallahassee, Florida 32301-1556

850 224-7798 UU APR 25 PH 41 38 Fax 850 224-5073

Marshall M. Criser III Regulatory Vice President

April 24, 2000

Mrs. Blanca S. Bayo Director, Division of Records and Reporting Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

000496-TP

Re: Approval of an Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. ("BellSouth") and IDS Long Distance, Inc. pursuant to Sections 251, 252 and 271 of the Telecommunications Act of 1996

Dear Mrs. Bayo:

Pursuant to section 252(e) of the Telecommunications Act of 1996, BellSouth and IDS Long Distance, Inc. are submitting to the Florida Public Service Commission an amendment to their negotiated agreement for the interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to IDS Long Distance, Inc. The Commission approved the initial agreement between the companies in Order No. 99-0660-FOF-TP issued April 6, 1999 in Docket 990148-TP.

Pursuant to section 252(e) of the Act, the Commission is charged with approving or rejecting the negotiated agreement between BellSouth and IDS Long Distance, Inc. within 90 days of its submission. The Act provides that the Commission may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity. Both parties aver that neither of these reasons exist as to the agreement they have negotiated and therefore, are very hopeful that the Commission shall approve their agreement.

Very truly yours,

Marshall M. CriserII

Regulatory Vice President

DOCUMENT NUMBER-DATE 05119 APR 258 EPSC-RECORDS/REPORTING

# ATTACHMENT TO TRANSMITTAL LETTER

The Agreement entered into by and between IDS Long Distance, Inc and BellSouth Telecommunications, Inc., dated 04/13/2000, for the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee consists of the following:

| ITEM      | NO.   |
|-----------|-------|
|           | PAGES |
| Amendment | 1     |
| Exhibit 1 | 67    |
| TOTAL     | 68    |

#### Amendment to the Interconnection Agreement By and Between BellSouth Telecommunications, Inc. And IDS Long Distance, Inc. Dated January 27, 1999

Pursuant to this Agreement, (the "Amendment"), IDS Long Distance, Inc. ("IDS Long Distance"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 27, 1999 ("Agreement").

WHEREAS, BellSouth and IDS Long Distance entered into an Interconnection Agreement on January 27, 1999, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Agreement entered into between BellSouth and IDS Long Distance is hereby amended to delete Attachment 4 in its entirety and replace it with a new Attachment 4, attached hereto as Exhibit 1, which incorporates the rules set forth by the FCC in its Decision 99-48, Docket No. 98-147.

2. All of the other provisions of the Agreement, dated January 27, 1999, shall remain in full force and effect.

3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

IDS Long Distance, Inc. Printed Name Title Date

| /                | BellSouth Telecommunications, Inc. |
|------------------|------------------------------------|
| $\left( \right)$ | Jon Zilo                           |
| -                | Signature                          |
|                  | Jemi Di Hendrice                   |
|                  | Printed Name                       |
|                  | St. Director                       |
|                  | Title                              |
|                  | 4/13/00                            |

Date

Amendment: Collocation (706) IDS Long Distance, Inc. Exhibit 1

.

-----

.

Amendment: Collocation (706) IDS Long Distance, Inc.

Attachment 4

.

.

**Physical Collocation** 

.

۰.

#### BELLSOUTH PHYSICAL COLLOCATION

#### 1. Scope of Attachment

1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when CLEC-1 is occupying the Collocation Space as a sole occupant or as a Host within a Premises location pursuant to Section 4.

All the negotiated rates, terms and conditions set forth in this Attachment pertain to collocation and the provisioning of Collocation Space.

- 12 Right to occupy. BellSouth shall offer to CLEC-1 collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to Section 4 of this Attachment, BellSouth hereby grants to CLEC-1 a right to occupy that certain area designated by BellSouth within a BellSouth Premises, of a size which is specified by CLEC-1 and agreed to by BellSouth (hereinafter "Collocation Space"). BellSouth Premises include BellSouth Central Offices and Serving Wire Centers, as well as all buildings or similar structures owned or leased by BellSouth that house BellSouth Network Facilities and all structures that house facilities on public rights-of-way, including but not limited to, vaults containing loop concentrators and other similar structures. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Premises other than BellSouth Central Offices, the Parties will negotiate said rates, terms, and conditions at the request for collocation at BellSouth Premises other than a Central Office. Notwithstanding the foregoing, BellSouth shall consider in its designation for cageless collocation any unused space within the BellSouth Premises. The size specified by CLEC-1 may contemplate a request for space sufficient to accommodate CLEC-1's growth within a two year period.
- 1.2.1 <u>Space Reclamation</u>. In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unused space in the Central Office Premises. CLEC-1 will be responsible for any justification of unused space within its space, if such justification is required by the appropriate state commission.
- 1.3 Use of Space. CLEC-1 shall use the Collocation Space for the purposes of installing, maintaining and operating CLEC-1's equipment (to include testing and monitoring equipment) used or useful to interconnect with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services. Pursuant to Section 5 following, CLEC-1 may at its option, place CLEC-1-owned fiber entrance facilities to the Collocation Space. In addition to, and not in lieu of, interconnection to BellSouth services and facilities, CLEC-1 may connect to other interconnectors within the designated BellSouth Premises (including to its other virtual or physical collocated arrangements) through

co-carrier cross connect facilities designated by CLEC-1 pursuant to section 5.6 following. The Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.

1.4 <u>Rates and charges</u>. CLEC-1 agrees to pay the rates and charges identified in Exhibit A attached hereto.

#### 2. Space Notification

- 2.1 <u>Availability of Space</u>. Upon submission of an application pursuant to Section 6, BellSouth will permit CLEC-1 to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Premises, unless BellSouth has determined that there is no space available due to space limitations or that physical collocation is not practical for technical reasons. BellSouth will respond to an application within ten (10) business days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify CLEC-1 of the amount of space that is available.
- 2.2 <u>Reporting</u>. Upon request from CLEC-1, BellSouth will provide a written report ("Space Availability Report") specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
- 2.2.1 The request from CLEC-1 for a Space Availability Report must be written and must include the Premises and Common Language Location Identification ("CLLI") code of the Premises. Such information regarding Premises and CLLI code is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.
- 2.2.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten business day response time, BellSouth shall notify CLEC-1 and inform CLEC-1 of the time frame under which it can respond.
- 2.3 <u>Denial of Application</u>. After notifying CLEC-1 that BellSouth has no available space in the requested Premises ("Denial of Application"), BellSouth will allow CLEC-1, upon request, to tour the entire Premises within ten (10) business days of such Denial of Application. In order to schedule said tour within ten (10) business days, the request for a tour of the Premises must be received by BellSouth within five (5) business days of the Denial of Application.

- 2.4 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6).
- 2.5 Waiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. CLEC-1 must submit an updated, complete, and correct application to BellSouth within 30 business days or notify BellSouth in writing that CLEC-1 wants to maintain its place on the waiting list either without accepting such space or accepting an amount of space less than its original request. If CLEC-1 does not submit such an application or notify BellSouth in writing list and remove CLEC-1 from the waiting list. Upon request, BellSouth will advise CLEC-1 as to its position on the list.
- 2.6 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) business days of the Denial of Application date. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5.
- 2.7 <u>State Agency Procedures</u>. Notwithstanding the foregoing, should any state regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all applications submitted for the first time after the effective date thereof.

#### 3. Collocation Options

3.1 Cageless. In accordance and compliance with local building code, BellSouth shall allow CLEC-1 to collocate CLEC-1's equipment and facilities without requiring the construction of a cage or similar structure and without requiring the creation of a separate entrance to the Collocation Space. BellSouth shall allow CLEC-1 to have direct access to its equipment and facilities but may require CLEC-1 to use a central entrance to the BellSouth Premises. BellSouth shall make cageless collocation available in single bay increments pursuant to Section 7. Except where CLEC-1's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, CLEC-1 must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6.5 following.

- 3.2 <u>Cages and Adjacent Arrangement Enclosures</u>. At CLEC-1's option and upon request, BellSouth shall construct enclosures in compliance with CLEC-1's collocation request and in accordance and compliance with local building code. At CLEC-1's request, BellSouth shall permit CLEC-1 to subcontract the construction of physical collocation arrangements with a contractor certified by BellSouth ("BellSouth Certified Contractor"), provided however, that BellSouth shall not unreasonably withhold approval of contractors.
- 3.3 When CLEC-1 subcontracts the construction, CLEC-1 must arrange with a BellSouth Certified Contractor to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications and at CLEC-1's sole expense. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, CLEC-1 and CLEC-1's BellSouth Certified Contractor must comply with local building code requirements. CLEC-1's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with CLEC-1 and provide, at CLEC-1's expense, the documentation, including architectural drawings, necessary for CLEC-1 to obtain the zoning, permits and/or other licenses. BellSouth shall pass on to CLEC-1 the costs of providing the documentation. The BellSouth Certified Contractor shall bill CLEC-1 directly for all work performed for CLEC-1 pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. CLEC-1 must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access CLEC-1's locked enclosure prior to notifying CLEC-1.
- 3.3.1 BellSouth has the right to review CLEC-1's plans and specifications prior to allowing construction to start. BellSouth has the right to inspect the enclosure after construction to make sure it is designed and constructed according to BellSouth's guidelines and specifications and to require CLEC-1 to remove or correct at CLEC-1's cost any structure that does not meet these standards.
- 3.4 <u>Shared (Subleased) Caged Collocation</u>. CLEC-1 may allow other telecommunications carriers to share CLEC-1's caged collocation arrangement pursuant to terms and conditions agreed to by CLEC-1 ("Host") and other telecommunications carriers ("Guests") and pursuant to this section in accordance and compliance with local building code, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. CLEC-1 shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) business days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the

agreement, and shall contain a certification by CLEC-1 that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and CLEC-1.

- 3.4.1 CLEC-1 shall be the sole interface and responsible Party to BellSouth for the purpose of submitting applications for initial and additional equipment placements of Guest; for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. In the event the Host and Guest jointly submit an initial Application, only one Application Fee will be assessed. A separate initial Guest application shall require the assessment of a Subsequent Application Fee, as set forth in Exhibit A, if this application is not the initial application made for the arrangement. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.
- 3.4.2 CLEC-1 shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of CLEC-1's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.5 Adjacent Collocation. BellSouth will provide adjacent collocation arrangements ("Adjacent Arrangement") where space within the Premises is legitimately exhausted, subject to technical feasibility, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property and where permitted by zoning and other applicable state and local regulations. The Adjacent Arrangement shall be constructed or procured by CLEC-1 and in conformance with BellSouth's design and construction specifications. Further, CLEC-1 shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Adjacent Arrangement.
- 3.4.1 Should CLEC-1 elect such option, CLEC-1 must arrange with a BellSouth Certified Contractor to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, CLEC-1 and CLEC-1's BellSouth Certified Contractor must comply with local building code requirements. CLEC-1's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. CLEC-1's BellSouth Certified Contractor shall bill CLEC-1 directly for all work performed for CLEC-1 pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. CLEC-1 must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in

cases of emergency, BellSouth shall not access CLEC-1's locked enclosure prior to notifying CLEC-1.

- 3.4.2 BellSouth maintains the right to review CLEC-1's plans and specifications prior to construction of an Adjacent Arrangement(s). BellSouth may inspect the Adjacent Arrangement(s) following construction and prior to the Commencement Date, as defined in Section 4.1 following, to ensure the design and construction comply with BellSouth's guidelines and specifications. BellSouth may require CLEC-1, at CLEC-1's sole cost, to correct any deviations from BellSouth's guidelines and specifications found during such inspection(s), up to and including removal of the Adjacent Arrangement, within five (5) business days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.
- 3.4.3 CLEC-1 shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of interconnection. At CLEC-1's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. CLEC-1's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.
- 3.5.1 BellSouth shall allow Shared (Subleased) Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.3 preceding.

#### 4. Occupancy

- 4.1 <u>Commencement Date</u>. The "Commencement Date" shall be the day CLEC-1's equipment becomes operational as described in Article 4.2, following.
- 4.2 <u>Occupancy</u>. BellSouth will notify CLEC-1 in writing that the Collocation Space is ready for occupancy. CLEC-1 must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. For purposes of this paragraph, CLEC-1's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.3 <u>Termination</u>. Except where otherwise agreed to by the Parties, CLEC-1 may terminate occupancy in a particular Collocation Space upon thirty (30) business days prior written notice to BellSouth. Upon termination of such occupancy, CLEC-1 at its expense shall remove its equipment and other property from the Collocation Space. CLEC-1 shall have thirty (30) business days from the termination date to complete such removal, including the removal of all equipment and facilities of CLEC-1's

Guests; provided, however, that CLEC-1 shall continue payment of monthly fees to BellSouth until such date as CLEC-1 has fully vacated the Collocation Space. Should CLEC-1 or CLEC-1's Guest fail to vacate the Collocation Space within thirty (30) business days from the termination date, BellSouth shall have the right to remove the equipment and other property of CLEC-1 or CLEC-1's Guest at CLEC-1's expense and with no liability for damage or injury to CLEC-1 or CLEC-1's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon expiration of this Attachment with respect to a Collocation Space, CLEC-1 shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by the CLEC-1 except for ordinary wear and tear unless otherwise agreed to by the Parties. CLEC-1 shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of an Adjacent Collocation arrangement at the termination of occupancy and restoring the grounds to their original condition.

#### 5. Use of Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment used or useful for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services. Such equipment used or useful for interconnection and access to unbundled network elements includes, but is not limited to transmission equipment including, but not limited to, optical terminating equipment and multiplexers, and digital subscriber line access multiplexers, routers, asynchronous transfer mode multiplexers, and remote switching modules. Nothing in this section requires BellSouth to permit collocation of equipment used solely to provide enhanced services; provided, however, that BellSouth may not place any limitations on the ability of requesting carriers to use all the features, functions, and capabilities of equipment collocated pursuant to this section.
- 5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards.
- 5.1.2 CLEC-1 shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Collocation Space or on the grounds of the Premises.
- 5.1.3 CLEC-1 shall place a plaque or other identification affixed to CLEC-1's equipment necessary to identify CLEC-1's equipment, including a list of emergency contacts with telephone numbers.

- 5.2 Entrance Facilities. CLEC-1 may elect to place CLEC-1-owned or CLEC-1-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of entrance in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault which are physically accessible by both Parties. CLEC-1 will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. CLEC-1 will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to CLEC-1's equipment in the Collocation Space. In the event CLEC-1 utilizes a non-metallic, riser-type entrance facility, a splice will not be required. CLEC-1 must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. CLEC-1 is responsible for maintenance of the entrance facilities. At CLEC-1's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions.
- 5.2.1 <u>Dual Entrance</u>. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide CLEC-1 with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to CLEC-1's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.2.2 <u>Shared Use</u>. CLEC-1 may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another CLEC-1 collocation arrangement within the same BellSouth Premises. CLEC-1 must arrange with BellSouth for BellSouth to splice the utilized entrance facility capacity to CLEC-1-provided riser cable.
- 5.3 <u>Splicing in the Entrance Manhole</u>. Although not generally permitted, should CLEC-1 request a splice to occur in the entrance manhole(s), BellSouth, at its sole discretion, may grant such a request. When the request for a splice is granted to CLEC-1 by BellSouth, CLEC-1 shall ensure its employees or agents entering and/or performing work in the entrance manhole(s) are trained and comply with BellSouth procedures and OSHA requirements regarding access to manholes and that BellSouth personnel are notified and present for all entrances and work performed in the entrance manhole(s). Manhole covers shall be properly closed and secured at the conclusion of entry and/or work. Advance notification to BellSouth shall occur at a minimum of 48 hours prior to desired entry for normal work activities and at a minimum of 2 hours prior to desired entry in an out of service condition.

- 5.4 Demarcation Point. BellSouth will designate the point(s) of interconnection between CLEC-1's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame. CLEC-1 shall be responsible for providing, and a supplier certified by BellSouth ("CLEC-1's BellSouth Certified Supplier") shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling pursuant to Section 6.4. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. CLEC-1 or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.5, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. At CLEC-1's option and expense, a Point of Termination ("POT") bay or frame may be placed in the Collocation Space, but will not serve as the demarcation point. CLEC-1 must make arrangements with a BellSouth Certified Supplier for such placement.
- 5.5 <u>CLEC-1's Equipment and Facilities</u>. CLEC-1, or if required by this Attachment, CLEC-1's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by CLEC-1. Such equipment and facilities may include but are not limited to cable(s); equipment; and point of termination connections.
- 5.6 <u>Co-carrier cross-connect</u>. In addition to, and not in lieu of, obtaining interconnection with, or access to, BellSouth's telecommunications services, unbundled network elements, and facilities, CLEC-1 may directly connect to other interconnectors within the designated BellSouth Premises (including to its other virtual or physical collocated arrangements) through facilities owned by CLEC-1 or through BellSouth facilities designated by CLEC-1, at CLEC-1's option. Such connections to other carriers may be made using either optical or electrical facilities. CLEC-1 may deploy such optical or electrical connections directly between its own facilities and the facilities of other interconnector(s) without being routed through BellSouth equipment.
- 5.6.1 If CLEC-1 requests a co-carrier cross-connect after the initial installation, CLEC-1 must submit an application with a Subsequent Application Fee. CLEC-1 must use a BellSouth Certified Supplier to place the co-carrier cross connect, except in cases where the CLEC-1 equipment and the equipment of the other interconnector are located within contiguous Collocation Spaces. In cases where CLEC-1's equipment and the equipment of the other interconnector are located in contiguous Collocation Spaces, CLEC-1 will have the option to deploy the co-carrier cross connects between the sets of equipment. Where cable support structure exists for such connection, there will be a recurring charge per linear foot of support structure used. When cable support structures do not exist and must be constructed, a pro-rated non-recurring charge for the individual case will be assessed to all that benefit from that construction.

- 5.7 <u>BellSouth's Access to Collocation Space</u>. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give reasonable notice to CLEC-1 when access to the Collocation Space is required. CLEC-1 may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that CLEC-1 will not bear any of the expense associated with this work.
- 5.8 <u>Access</u>. Pursuant to Section 11, CLEC-1 shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. CLEC-1 agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of CLEC-1 or CLEC-1's Guests provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys. Access Keys shall not be duplicated under any circumstances. CLEC-1 agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of CLEC-1 employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with CLEC-1 or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.8.1 Lost or Stolen Access Keys. CLEC-1 shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), CLEC-1 shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, 5.9 equipment and facilities placed in the Collocation Space shall not interfere with or impair service provided by BellSouth or by any other interconnector located in the Premises, shall not endanger or damage the facilities of BellSouth or of any other interconnector, the Collocation Space, or the Premises; shall not compromise the privacy of any communications carried in, from, or through the Premises; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of CLEC-1 violates the provisions of this paragraph, BellSouth shall give written notice to CLEC-1, which notice shall direct CLEC-1 to cure the violation within forty-eight (48) hours of CLEC-1's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement. If CLEC-1 fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or interference/impairment of the services provided by BellSouth or any other interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to CLEC-1's equipment. BellSouth will endeavor, but is not

required, to provide notice to CLEC-1 prior to taking such action and shall have no liability to CLEC-1 for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.10 Personalty and its Removal. Subject to requirements of this Attachment, CLEC-1 may place or install in or on the Collocation Space such facilities and equipment, including storage for spare equipment, as it deems desirable for the conduct of business, provided that such equipment is telecommunications equipment, does not violate floor loading requirements, nor imposes or could impose or contains or could contain environmental conditions or hazards. Personal property, facilities and equipment placed by CLEC-1 in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personalty and may be removed by CLEC-1 at any time. Any damage caused to the Collocation Space by CLEC-1's employees, agents or representatives during the removal of such property shall be promptly repaired by CLEC-1 at its expense.
- 5.11 <u>Alterations</u>. In no case shall CLEC-1 or any person acting on behalf of CLEC-1 make any rearrangement, modification, improvement, addition, repair, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by CLEC-1. Any material rearrangement, modification, improvement, addition, repair, or other alteration shall require a Subsequent Application and Subsequent Application Fee, pursuant to sub-section 6.2.2
- 5.12 Janitorial Service. CLEC-1 shall be responsible for the general upkeep and cleaning of the Caged Collocation Space and shall arrange directly with a BellSouth Certified Contractor for janitorial services. BellSouth shall provide a list of such contractors on a site-specific basis upon request.

#### 6. Ordering and Preparation of Collocation Space

- 6.1 Should any state regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all applications submitted for the first time after the effective date thereof.
- 6.2 <u>Application for Space</u>. CLEC-1 shall submit an application document when CLEC-1 or CLEC-1's Guest(s), as defined in Section 3.3, desires to request or modify the use of the Collocation Space.
- 6.2.1 <u>Initial Application</u>. For CLEC-1 or CLEC-1's Guest(s) initial equipment placement, CLEC-1 shall submit to BellSouth a Physical Expanded Interconnection Application

Document ("Application"), together with payment of the Application Fee as stated in Exhibit A. The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in CLEC-1's Collocation Space(s) and an estimate of the amount of square footage required.

622 Subsequent Application Fee. In the event CLEC-1 or CLEC-1's Guest(s) desire to modify the use of the Collocation Space, CLEC-1 shall complete an Application document detailing all information regarding the modification to the Collocation Space together with payment of the minimum Subsequent Application Fee as stated in Exhibit A. Said minimum Subsequent Application Fee shall be considered a partial payment of the applicable Subsequent Application Fee which shall be calculated as set forth below. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by CLEC-1 in the Application. Such necessary modifications to the Premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, and equipment additions. The fee paid by CLEC-1 for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application Fee will be required and the pre-paid fee shall be refunded to CLEC-1. The fee for an Application where the modification requested has limited effect (e.g., does not require assessment related to capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit A. If the modification requires capital expenditure assessment, a fee ranging from the minimum Subsequent Application Fee up to the full Application Fee for the appropriate state shall apply. In the event such modifications require the assessment of a full Application Fee as set forth in Exhibit A, the outstanding balance shall be due by CLEC-1 within 30 calendar days following CLEC-1's receipt of a bill or invoice from BellSouth.

6.3 Application Response. In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond within ten (10) business days of receipt of an Application stating whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a comprehensive written response ("Application Response") within thirty (30) business days of receipt of a Bona Fide Application. The Application Response will include the configuration of the space, the Cable Installation Fee, and the estimated Space Preparation Fee, as described in Section 7. When multiple applications are submitted within a fifteen (15) business day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) business days for Bona Fide Applications 1-5; within thirty-six (36) business days for Bona Fide Applications 6-10; within forty-two (42) business days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall

consider the total volume from all requests from telecommunications companies for collocation.

- Application Modifications. If a modification or revision is made to any information in 6.4 Sections 2 through 12 or 15 of a Bona Fide Application for Physical Collocation, or Sections 2 through 10 or 13 of a Bona Fide Application for Adjacent Collocation, either at the request of CLEC-1 or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) business days after BellSouth receives such application or at such other date as the Parties agree. If at any time, BellSouth needs to reevaluate CLEC-1's Bona Fide Application as a result of changes requested by CLEC-1 to CLEC-1's original application, then BeltSouth will charge CLEC-1 a fee based upon the additional engineering hours required to do the reassessment. Major changes such as requesting additional space or adding additional equipment may require CLEC-1 to resubmit the application with an Application Fee. CLEC-1 may modify or revise Section 1, 13, 14, or 16 of a Bona Fide Application for Physical Collocation, or Sections 1, 11, or 12 of a Bona Fide Application for Adjacent Collocation, without incurring additional expense or a longer Application Response interval.
- 6.5 <u>Bona Fide Firm Order</u>. CLEC-1 shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Bona Fide Firm Order to BellSouth. A Bona Fide Firm Order requires CLEC-1 to complete the Application/Inquiry process described in Section 6.2, preceding, and submit the Physical Expanded Interconnection Firm Order document (BSTEI-1P-F) indicating acceptance of the Application Response provided by BellSouth ("Bona Fide Firm Order") and all appropriate fees, as set forth in Section 7. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) business days after BellSouth's Application Response to CLEC-1's Bona Fide Application.
- 6.5.1 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of CLEC-1's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.
- 6.5.2 BellSouth will permit one accompanied site visit to CLEC-1's designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to CLEC-1.
- 6.5.3 Space preparation for the Collocation Space will not begin until BellSouth receives the Bona Fide Firm Order and all applicable fees.
- 6.5.4 CLEC-1 must submit to BellSouth the completed Access Control Request Form (RF-2906-C) for all employees or agents requiring access to the BellSouth Premises a

minimum of 30 calendar days prior to the date CLEC-1 desires access to the Collocation Space.

- 6.6 Construction and Provisioning Interval. BellSouth will negotiate construction and provisioning intervals on an individual case basis. Excluding the time interval required to secure the appropriate government licenses and permits. BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length.
- 6.6.1 <u>Joint Planning Meeting</u>. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and CLEC-1 will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order and the payment of agreed upon fees. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to CLEC-1 during the joint planning meeting or as soon as possible thereafter. BellSouth will complete all design work following the joint planning meeting.
- 6.6.2 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 6.6.3 <u>Acceptance Walk Through</u>. CLEC-1 and BellSouth will complete an acceptance walk through of each Collocation Space requested from BellSouth by CLEC-1. BellSouth will correct any deviations to CLEC-1's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 6.7 Use of BellSouth Certified Supplier. CLEC-1 shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work required in TR 73503 in the Collocation Space. In some cases, CLEC-1 must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide CLEC-1 with a list of

BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing CLEC-1's equipment and components, installing co-carrier cross connects, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and CLEC-1 upon successful completion of installation. The BellSouth Certified Supplier shall bill CLEC-1 directly for all work performed for CLEC-1 pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying CLEC-1 or any supplier proposed by CLEC-1.

- 6.8 <u>Alarm and Monitoring</u>. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. CLEC-1 shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service CLEC-1's Collocation Space. Upon request, BellSouth will provide CLEC-1 with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by CLEC-1. Both Parties shall use best efforts to notify the other of any verified environmental hazard known to that Party. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.
- 6.9 <u>Basic Telephone Service</u>. Upon request of CLEC-1, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.
- 6.10 <u>Space Preparation</u>. BellSouth shall pro rate the costs of any renovation or upgrade to Premises space or support mechanisms which is required to accommodate physical collocation, unless otherwise specified in Attachment A. CLEC-1's pro rated share will be calculated by multiplying such cost by a percentage equal to the amount of square footage occupied by CLEC-1 divided by the total Premises square footage receiving renovation or upgrade. For this section, support mechanisms provided by BellSouth may include, but not be limited to, HVAC equipment, HVAC duct work, cable support structure, fire wall(s), mechanical upgrade, asbestos abatement, or ground plane addition. Such renovation or upgrade will be evaluated and the charges assessed on a per Premises basis. BellSouth will reimburse CLEC-1 in an amount equal to CLEC-1's reasonable, demonstrative and mitigated expenditures incurred as a direct result of delays to the completion and turnover dates caused by BellSouth.
- 6.11 <u>Virtual Collocation Transition</u>. BellSouth offers Virtual Collocation pursuant to the rates, terms and conditions set forth in its F.C.C. Tariff No. 1. For the interconnection to BellSouth's network and access to BellSouth unbundled network elements, CLEC-1 may purchase 2-wire and 4-wire cross-connects as set forth in Exhibit A, and CLEC-1 may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5.1. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and that physical Collocation Space has subsequently become available, CLEC-1 may transition its virtual collocation arrangements to physical

collocation arrangements and pay the appropriate non-recurring fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by CLEC-1, such information will be provided to CLEC-1 in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to CLEC-1 within 180 calendar days of BellSouth's written denial of CLEC-1's request for physical collocation, and (ii) CLEC-1 was not informed in the written denial that physical Collocation space would become available within such 180 calendar days, then CLEC-1 may transition its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. CLEC-1 must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.

- 6.12 <u>Cancellation</u>. If, at anytime, CLEC-1 cancels its order for the Collocation Space(s), CLEC-1 will reimburse BellSouth for any expenses incurred up to the date that written notice of the cancellation is received. In no event will the level of reimbursement under this paragraph exceed the maximum amount CLEC-1 would have otherwise paid for work undertaken by BellSouth if no cancellation of the order had occurred.
- 6.13 <u>Licenses.</u> CLEC-1, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.

### 7. Rates and Charges

- 7.1 Non-recurring Fees. In addition to the Application Fee referenced in Section 6, preceding, CLEC-1 shall remit payment of a Cable Installation Fee and one-half (1/2) of the estimated Space Preparation Fee, as applicable, coincident with submission of a Bona Fide Firm Order. The estimated Space Preparation Fee and the Cable Installation Fee shall be included in the Application Response. The outstanding balance of the actual Space Preparation Fee shall be due thirty (30) calendar days following CLEC-1's receipt of a bill or invoice from BellSouth. Once the installation of the initial equipment arrangement is complete, a subsequent application fee may apply (as described in Section 6.2.2) if CLEC-1 requests a modification to the arrangement.
- 7.2 <u>Documentation</u>. Upon request following the receipt of a bill or invoice from BellSouth for the outstanding balance of the actual Space Preparation Fee, BellSouth shall provide documentation to establish the actual Space Preparation Fee. The Space Preparation Fee will be pro rated as prescribed in Section 6, preceding.

- 7.3 Space Preparation Fee in North Carolina. In North Carolina, the Space Preparation Fee is a monthly recurring charge, assessed per arrangement, per location, which is due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date CLEC-1 first occupies the Collocation Space, which include survey, engineering, design and modification costs for network, building and support systems. In the event CLEC-1 opts for cageless space, the space preparation charge will be assessed based on the total floor space dedicated to CLEC-1 as described in Section 7.5. The Space Preparation Fee always consists of charges for Firm Order Processing, Central Office Modifications, Power, and Common Systems Modifications. The charge for Common Systems Modification. The charge for Power will be assessed per the nominal -48V DC ampere requirements specified by CLEC-1 on the Bona Fide Application.
- 7.4 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance fiber placed.
- 7.5 Floor Space. The floor space charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include amperage necessary to power CLEC-1's equipment. When the Collocation Space is enclosed, CLEC-1 shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, CLEC-1 shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) +  $(0.5 \times \text{maintenance aisle depth}) +$ (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event CLEC-1's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, CLEC-1 shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement. Floor space charges are due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date CLEC-1 first occupies the Collocation Space, whichever is sooner.
- 7.6 <u>Power</u>. BellSouth shall make available -48 Volt (-48V) DC power for CLEC-1's Collocation Space at a BellSouth Power Board or BellSouth Batter Distribution Fuse Bay ("BDFB") at CLEC-1's option within the Premises.
- 7.6.1 Recurring charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to CLEC-1's equipment or space enclosure. When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by CLEC-1's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by CLEC-

1's BellSouth Certified power Supplier. CLEC-1's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date.

- 7.6.2 The non-recurring construction charge for construction of additional DC power plant or upgrade of the existing DC power plant in a Premises as a result of CLEC-1's request to collocate in that Premises ("Power Plant Construction"), will be assessed per the nominal -48V DC ampere requirements specified by CLEC-1 on the physical collocation application. BellSouth reserves the right to monitor actual usage to verify accuracy of CLEC-1's power requirements. CLEC-1 shall pay its pro-rated share of costs associated with the Power Plant Construction, including but not limited to, standby AC plant elements, DC power plant elements, and the BDFB, where applicable. If CLEC-1 does not require power feeders from a BDFB, the BDFB component will not be applied to the Power Plant Construction charge. If CLEC-1 requires power feeders from both a BellSouth power board and a BellSouth BDFB, the Power Plant Construction charge will include all three components for the amount of nominal current fed from the BDFB, but will only include the standby AC and DC power plant components for the amount of nominal current fed from the power board. BellSouth shall comply with all BellCore (Telcordia) and ANSI Standards regarding power cabling, including BellCore (Telcordia) Network Equipment Building System (NEBS) StandardGR-63-CORE. The costs of Power Plant Construction shall be prorated and shared among all who benefit from that construction. CLEC-1 shall pay BellSouth one-half of its prorata share of the estimated Power Plant Construction costs prior to commencement of the work. CLEC-1 shall pay BellSouth the balance due (actual cost less one-half of the estimated cost) within thirty (30) calendar days of completion of the Power Plant Construction.
- 7.6.3 If BellSouth has not previously invested in power plant capacity for collocation at a specific site, CLEC-1 has the option to add its own dedicated power plant; provided, however, that such work shall be performed by a BellSouth Certified Supplier who shall comply with BellSouth's guidelines and specifications. Where the addition of CLEC-1's dedicated power plant results in construction of a new power plant room, upon termination of this Agreement, CLEC-1 shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact. CLEC-1 is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to CLEC-1's equipment. When obtaining power from a BellSouth BDFB or miscellaneous fuse positions on a BellSouth power board, power cables must be engineered, furnished and installed by CLEC-1 using a BellSouth Certified power Supplier. Determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by CLEC-1 must provide BellSouth a copy of the engineering power specifications prior to the Commencement Date. BellSouth will provide the power feeder cable support structure between the BellSouth BDFB or power board and CLEC-1's arrangement area. CLEC-1 shall contract a BellSouth Certified Supplier who will be responsible for the following: power cable support structure within

CLEC-1's arrangement; power cable feeds; terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified power Supplier. CLEC-1 shall comply with all applicable National Electric Code (NEC), BellSouth TR-73503, BellCore (Telcordia) and ANSI Standards regarding power cabling.

- 7.6.4 If CLEC-1 elects to install its own DC Power Plant, BellSouth shall provide AC power to feed CLEC-1's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by CLEC-1's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. CLEC-1's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit A. AC power voltage and phase ratings shall be determined on a per location basis. At CLEC-1's option, CLEC-1 may arrange for AC power.
- 7.7 <u>Security Escort</u>. A security escort will be required whenever CLEC-1 or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 6.4.2 prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. Rates for a security escort are assessed in one-half (1/2) hour increments according to the schedule appended hereto as Exhibit A.
- 7.8 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by final order, including any appeals, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, CLEC-1 shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to CLEC-1. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.
- 7.9 <u>Other</u>. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all

other charges under this Attachment shall be due thirty (30) calendar days after receipt of the bill (payment due date). CLEC-1 will pay a late payment charge of one and one-half percent (1-1/2%) assessed monthly on any balance which remains unpaid after the payment due date.

#### 8. Insurance

- 8.1 CLEC-1 shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 8 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 8.2 CLEC-1 shall maintain the following specific coverage:
- 8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00).
   BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 8.2.3 All Risk Property coverage on a full replacement cost basis insuring all of CLEC-1's real and personal property situated on or within BellSouth's Central Office location(s).
- 8.2.4 CLEC-1 may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 8.3 The limits set forth in Section 8.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to CLEC-1 to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.4 All policies purchased by CLEC-1 shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all CLEC-1's property has been removed from BellSouth's Premises, whichever period is longer. If CLEC-1 fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from CLEC-1.

8.5 CLEC-1 shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. CLEC-1 shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from CLEC-1's insurance company. CLEC-1 shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

> BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 675 W. Peachtree Street Rm. 17H53 Atlanta, Georgia 30375

- 8.6 CLEC-1 must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 8.7 Self-Insurance. If CLEC-1's net worth exceeds five hundred million dollars (\$500,000,000), CLEC-1 may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 8.2.1 and 8.2.3. CLEC-1 shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to CLEC-1 in the event that self-insurance, status is not granted to CLEC-1. If BellSouth approves CLEC-1 for self-insurance, CLEC-1 shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of CLEC-1's corporate officers. The ability to self-insure shall continue so long as the CLEC-1 meets all of the requirements of this Section. If the CLEC-1 subsequently no longer satisfies this Section, CLEC-1 is required to purchase insurance as indicated by Sections 8.2.1 and 8.2.3.
- 8.8 The net worth requirements set forth in Section 8.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to CLEC-1 to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

#### 9. Mechanics Liens

9.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or CLEC-1), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

#### 10. Inspections

10.1 BellSouth shall conduct an inspection of CLEC-1's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between CLEC-1's equipment and equipment of BellSouth. BellSouth may conduct an inspection if CLEC-1 adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide CLEC-1 with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

#### 11. Security and Safety Requirements

- 111 The security and safety requirements set forth in this section are as stringent as the security requirements BellSouth maintains at its own premises either for their own employees or for authorized contractors. Only BellSouth employees, BellSouth Certified Contractors and authorized employees, authorized Guests, pursuant to Section 3.3, preceding, or authorized agents of CLEC-1 will be permitted in the BellSouth Premises. CLEC-1 shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the CLEC-1 name. BellSouth reserves the right to remove from its premises any employee of CLEC-1 not possessing identification issued by CLEC-1 or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. CLEC-1 shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. CLEC-1 shall be solely responsible for ensuring that any Guest of CLEC-1 is in compliance with all subsections of this Section 11.
- 11.1.1 CLEC-1 will be required, at its own expense, to conduct a statewide investigation of criminal history records for each CLEC-1 employee being considered for work on the BellSouth Premises, for the states/counties where the CLEC-1 employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable.

- 11.1.2 CLEC-1 will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 11.1.3 CLEC-1 shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. CLEC-1 shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any CLEC-1 personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the even that CLEC-1 chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, CLEC-1 may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 11.1.4 For each CLEC-1 employee requiring access to a BellSouth Premises pursuant to this Attachment, CLEC-1 shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, CLEC-1 will disclose the nature of the convictions to BellSouth at that time. In the alternative, CLEC-1 may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 11.1.5 At BellSouth's request, CLEC-1 shall promptly remove from the BellSouth's Premises any employee of CLEC-1 BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation in the event that an employee of CLEC-1 is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- 11.2 <u>Notification to BellSouth</u>. BST reserves the right to interview CLEC-1's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to CLEC-1's Security contact of such interview. CLEC-1 and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving CLEC-1's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill CLEC-1 for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that CLEC-1's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill CLEC-1 for BellSouth property which is stolen or damaged where an investigation determines the culpability of CLEC-1's employees, agents, or contractors and where CLEC-1 agrees, in good faith,

with the results of such investigation. CLEC-1 shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from the BellSouth Premises, any employee found to have violated the security and safety requirements of this section. CLEC-1 shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

- 11.3 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 11.4 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 11.5 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

#### 12. Destruction of Collocation Space

12.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for CLEC-1's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate this Attachment, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for CLEC-1's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to CLEC-1, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. CLEC-1 may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If CLEC-1's acceleration of the project increases the cost of the project, then those additional

charges will be incurred by CLEC-1. Where allowed and where practical, CLEC-1 may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, CLEC-1 shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for CLEC-1's permitted use, until such Collocation Space is fully repaired and restored and CLEC-1's equipment installed therein (but in no event later than thirty (30) business days after the Collocation Space is fully repaired and restored). Where CLEC-1 has placed an Adjacent Arrangement pursuant to section 3.4, CLEC-1 shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

#### 13. Eminent Domain

13.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and CLEC-1 shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

#### 14. Nonexclusivity

14.1 CLEC-1 understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – ALABAMA PHYSICAL COLLOCATION

| USOC  | Rate Element Description               | Unit                               | Recurring Rate     | Non-Recurring   |
|-------|----------------------------------------|------------------------------------|--------------------|-----------------|
|       |                                        | an a.                              | (RC)               | Rate (NRC)      |
| PEIBA | Application Fee                        | Per request                        | NA                 | \$7,124.00      |
|       |                                        |                                    |                    | Disconnect      |
|       | · ···································· |                                    |                    | Charge \$1.73   |
| PEICA | Subsequent Application Fee (Note       | Per request                        | NA                 | \$1,600.00      |
|       | 1)                                     |                                    |                    | Minimum         |
| PE1BB | Space Preparation Fee (Note 2)         |                                    |                    |                 |
| TEIDO | Mechanical / HVAC*                     | Per ton (one ton<br>minimum)       |                    | \$2,400.00      |
| PEISB | Ground Bar*                            | Per connection                     |                    | \$720.00        |
| PEISC | Project Management*                    | Per arrangement                    |                    | \$1,675.00      |
| PE1SD | Cable Racking / Fiber Duct             | Per arrangement, sq. ft.           |                    | ICB             |
| PEISE | Frame / Aisle Lighting                 | Per arrangement, sq.<br>ft.        | ,                  | ICB             |
| PEISG | Framework Ground Conductors            | Per arrangement                    |                    | ICB             |
| PEISH | Extraordinary Modifications            | Per arrangement                    |                    | ICB             |
|       | Space Enclosure (Note 3)               |                                    |                    | ··              |
| PE1BW | Welded Wire-mesh                       | Per first 100 sq. ft.              | \$136.64           | NA              |
| PEICW | Welded Wire-mesh                       | Per add'l 50 sq. ft.               | \$15.85            | NA              |
| PE1PJ | Floor Space                            | Per sq. ft.                        | \$3.85             | NA              |
| PE1BD | Cable Installation                     | Per cable                          | NA                 | \$2,335.00      |
|       | Calle Connect Structure                | Per entrance cable                 | \$23.23            | NA              |
| PEIPM | Cable Support Structure                | Per entrance cable                 | \$23,23            |                 |
|       | Power                                  |                                    | ¢7 14              | ICB             |
| PEIPL | -48V DC Power                          | Per amp                            | \$7.14             | ICB             |
| PEIFB | 120V AC Power single phase*            | Per breaker amp                    | \$5.50             | ICB             |
| PEIFD | 240V AC Power single phase*            | Per breaker amp                    | \$11.00<br>\$16.50 | ICB             |
| PEIFE | 120V AC Power three phase*             | Per breaker amp<br>Per breaker amp | \$38.20            | ICB             |
| PEIFG | 277 AC Power three phase*              | rer breaker amp                    | \$38.20            |                 |
|       | Cross Connects (Note 4)                | Per cross connect                  |                    | First/Add'l     |
| PE1P2 | 2-wire                                 |                                    | \$.28              | \$30.76/\$29.40 |
| PE1P4 | 4-wire                                 |                                    | \$.56              | \$31.01/\$29.58 |
| PE1P1 | DS-1                                   |                                    | \$2.14             | \$60.81/\$41.71 |
| PE1P3 | DS-3                                   |                                    | \$38.63            | \$57.80/\$39.81 |

# Rates marked with an asterisk (\*) are interim and are subject to true-up

Version 1Q00: 03/17/00

-

|                | ALABAMA (continued)                        |                      |                        |                             |  |
|----------------|--------------------------------------------|----------------------|------------------------|-----------------------------|--|
| USOC           | Rate Element Description                   | Unit                 | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |  |
|                | Cross Connects (continued)                 | Per cross connect    |                        | First/Add'l                 |  |
| PE1F2          | 2-fiber                                    |                      | \$12.10                | \$55.46/\$39.18             |  |
| PE1F4          | 4-fiber                                    |                      | \$21.75                | \$66.71/\$50.43             |  |
| 1              | 1 1100                                     |                      |                        | Disconnect                  |  |
|                |                                            |                      |                        | Charges                     |  |
|                |                                            |                      |                        | First/Add'l                 |  |
|                | 2-wire                                     |                      |                        | \$12,75/\$11.38             |  |
|                | 4-wire                                     |                      |                        | \$12.82/\$11.39             |  |
|                | DS-1                                       |                      |                        | \$12,85/\$11.50             |  |
|                | DS-3                                       |                      |                        | \$14.93/\$11.76             |  |
|                | 2-fiber                                    |                      |                        | \$16.83/\$13.27             |  |
|                | 4-fiber                                    |                      |                        | \$21.86/\$18.31             |  |
|                | Co-Carrier Cross-Connect (Note 5)          |                      | <u> </u>               | <u> </u>                    |  |
| PE1ES<br>Fiber | Fiber Cable Support Structure,<br>existing | Per linear ft.       | \$0.06                 | NA                          |  |
| PEIDS          | Copper or Coaxial Cable Support            | Per linear ft.       | \$0.03                 | NA                          |  |
| Copper         | Structure, existing                        |                      |                        |                             |  |
| (TBD)          | Cable Support Structure                    | Per new construction | NA                     | ICB                         |  |
|                | Construction, new                          | <b></b>              |                        |                             |  |
| PEIAX          | Security Access System Security<br>System* | Per central office   | \$52.00                |                             |  |
|                | New Access Card Activation*                | Per card             |                        | \$55,00                     |  |
| PEIAA          | Administrative change, existing card*      | Per card             |                        | \$35.00                     |  |
| PEIAR          | Replace lost or stolen card*               | Per card             |                        | \$250.00                    |  |
| PEISR          | Space Availability Report*                 | Per premises         |                        | \$550.00                    |  |
|                |                                            | requested            |                        |                             |  |
|                | POT Bay Arrangements                       | Per cross connect    |                        |                             |  |
|                | Prior to 6/1/99                            |                      |                        |                             |  |
| PEIPE          | 2-Wire Cross-Connect                       |                      | \$0.08                 | NA                          |  |
| PEIPF          | 4-Wire Cross-Connect                       |                      | \$0.17                 | NA                          |  |
| PE1PG          | DS1 Cross-Connect                          |                      | \$0.69                 | NA                          |  |
| PEIPH          | DS3 Cross-Connect                          |                      | \$4.74                 | NA                          |  |
| PE1B2          | 2-Fiber Cross-Connect                      |                      | \$32.02                | NA                          |  |
| PE1B4          | 4-Fiber Cross-Connect                      |                      | \$40.48                | NA                          |  |

| ALABAMA (continued) |                                        |                                                    |                        |                                                                             |  |
|---------------------|----------------------------------------|----------------------------------------------------|------------------------|-----------------------------------------------------------------------------|--|
| USOC                | Rate Element Description               | Unit                                               | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC)                                                 |  |
| AEH                 | Additional Engineering Fee (Note<br>6) | Per request, Fírst<br>half hour/add'l half<br>hour |                        | First/Add'1<br>Basic Time<br>\$31.00/\$22.00<br>Overtime<br>\$37.00/\$26.00 |  |
|                     | Security Escort                        | Per half hr/add'l half<br>hr                       |                        |                                                                             |  |
| PEIBT               | Basic Time                             |                                                    | NA                     | \$43.47/\$25.82                                                             |  |
| PEIOT               | Overtime                               |                                                    | NA                     | \$55.25/\$32.79                                                             |  |
| PEIPT               | Premium Time                           |                                                    | NA                     | \$67.03/\$39.76                                                             |  |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth assessment related to expenditure of capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, CLEC-1 will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Premises, which include survey, engineering, design and modification costs for network, building and support systems. In the event CLEC-1 opts for \_\_\_\_\_\_\_ non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to CLEC-1 as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure: The Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. CLEC-1 may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill CLEC-1 for the space enclosure, and this fee shall not be applicable.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – ALABAMA PHYSICAL COLLOCATION (continued)

(4) Cross Connects: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.
Disconnect Charges

|        |                    | Disconnect Charges |
|--------|--------------------|--------------------|
|        | First / Additional | First / Additional |
| 2-wire | \$34.03 / \$32.67  | \$14.48 / \$13.11  |
| 4-wire | \$34.28 / \$32.85  | \$14.55 / \$13.12  |
| DS-1   | \$64.08 / \$44.98  | \$14.58 / \$13.23  |
| DS-3   | \$61.07 / \$43.08  | \$16.66 / \$13.49  |
|        |                    |                    |

- (5) Co-Carrier Cross-Connect: As stated in Section 1.2 of the Collocation Attachment, CLEC-1 may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling CLEC-1-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, CLEC-1 agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – FLORIDA PHYSICAL COLLOCATION

| USOC    | Rate Element Description                             | Unit                                  | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|---------|------------------------------------------------------|---------------------------------------|------------------------|-----------------------------|
| PEIBA   | Application Fee                                      | Per request                           | \$15.53                | \$3,248.00                  |
| PEICA   | Subsequent Application Fee (Note                     | Per request                           | NA                     | \$1,600.00                  |
| PEICA   | 1)                                                   | I el request                          |                        | Minimum                     |
|         |                                                      |                                       |                        |                             |
| PE1BB   | Space Preparation Fee (Note 2)<br>Mechanical / HVAC* | Per ton (one ton minimum)             |                        | \$2,400.00                  |
| PE1SB   | Ground Bar*                                          | Per connection                        |                        | \$720.00                    |
| PE1SC   | Project Management*                                  | Per arrangement                       |                        | \$1,675.00                  |
| PE1SD   | Cable Racking / Fiber Duct                           | Per arrangement, sq. ft.              |                        | ICB                         |
| PE1SE   | Frame / Aisle Lighting                               | Per arrangement, sq.<br>ft.           |                        | ICB                         |
| PE1S    | Framework Ground Conductors                          | Per arrangement                       |                        | ICE                         |
| PEISH   | Extraordinary Modifications                          | Per arrangement                       | <u> </u>               | ICB                         |
|         | Space Enclosure (Note 3)                             | · · · · · · · · · · · · · · · · · · · |                        |                             |
| PEIBW   | Wire Cage                                            | Per first 100 sq. ft.                 | \$41.99                | NA NA                       |
| PEIBC   | Gypsum Board Cage                                    | Per first 100 sq. ft                  | \$84.10                | NA                          |
| PEIBF   | Fire Rated Cage                                      | Per first 100 sq. ft.                 | \$99.73                | NA                          |
| PEICW   | Wire Cage                                            | Per add'l 50 sq. ft.                  | \$4.14                 | NA                          |
| PEICC   | Gypsum Board Cage                                    | Per add'l 50 sq. ft.                  | \$9.35                 | NA                          |
| PEICF   | Fire Rated Cage                                      | Per add'1 50 sq. ft.                  | \$11.30                | NA                          |
| PE1PJ   | Floor Space                                          | Per sq. ft.                           | \$4.25                 | NA                          |
| PEIBD   | Cable Installation                                   | Per cable                             | \$2.77                 | \$1,056.00                  |
| PEIPM   | Cable Support Structure                              |                                       | \$22.94                | NA                          |
| <u></u> | Power                                                |                                       |                        |                             |
| PE1PL   | -48V DC Power                                        | Per amp                               | \$6.95                 | ICE                         |
| PEIFB   | 120V AC Power single phase*                          | Per breaker amp                       | \$5.50                 | ICE                         |
| PE1FD   | 240V AC Power single phase*                          | Per breaker amp                       | \$11.00                | ICE                         |
| PEIFE   | 120V AC Power three phase*                           | Per breaker amp                       | \$16.50                | ICE                         |
| PEIFG   | 277 AC Power three phase*                            | Per breaker amp                       | \$38.20                | ICE                         |
|         | Cross Connects (Note 4)                              | Per cross connect                     |                        |                             |
| PE1P2   | 2-wire                                               |                                       | \$.0524                | \$11.57                     |
| PE1P4   | 4-wire                                               |                                       | \$.0524                | \$11.57                     |

# Rates marked with an asterisk (\*) are interim and are subject to true-up

| <u> </u>        |                                                        | RIDA (continued)          |                        | N D :                       |
|-----------------|--------------------------------------------------------|---------------------------|------------------------|-----------------------------|
| USOC            | Rate Element Description                               | Unit                      | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
| ·····           | Cross Connects (continued)                             | Per cross connect         |                        |                             |
| PEIIS           | DS-1/DCS                                               |                           | \$8.085                | \$69.64                     |
| PE1P1           | DS-1/DSX                                               |                           | \$.4110                | \$69.64                     |
| PE13S           | DS-3/DCS                                               |                           | \$56.97                | \$528.00                    |
| PE13X           | DS-3/DSX                                               |                           | \$10.06                | \$528.00                    |
| PE1F2           | Optical Cross Connects                                 |                           | \$6.46                 | \$2,431.00                  |
|                 | Co-Carrier Cross-Connect (Note 5)                      |                           |                        |                             |
| PE1ES<br>Fiber  | Fiber Cable Support Structure,<br>existing             | Per linear ft.            | \$0.06                 | NA                          |
| PE1DS<br>Copper | Copper or Coaxial Cable Support<br>Structure, existing | Per linear ft.            | \$0.03                 | NA                          |
| (TBD)           | Cable Support Structure<br>Construction, new           | Per new construction      | NA                     | ICB                         |
| PEIAX           | Security Access System Security<br>System*             | Per premises              | \$52.00                |                             |
|                 | New Access Card Activation*                            | Per request 5 cards       | · NA                   | \$85.12                     |
| PEIAA           | Administrative change, existing card*                  | Per card                  |                        | \$35.00                     |
| PEIAR           | Replace lost or stolen card*                           | Per card                  |                        | \$250.00                    |
| PEISR           | Space Availability Report*                             | Per premises<br>requested |                        | \$550.00                    |
|                 | POT Bay (Note 6)                                       |                           | NA                     | NA                          |
| AEH             | Additional Engineering Fee (Note                       | Per request, First        |                        | First/Add'l                 |
|                 | 7)                                                     | half hour/add'l half      |                        | Basic Time                  |
|                 |                                                        | hour                      |                        | \$31,00/\$22.00             |
|                 | ~                                                      |                           |                        | Overtime                    |
|                 | ······································                 |                           |                        | \$37.00/\$26.00             |
|                 | Security Escort                                        | Per ¼ hour                |                        |                             |
| PEIBT           | Basic Time                                             |                           | NA                     | \$10.89                     |
| PE1OT           | Overtime                                               |                           | NA                     | \$13.64                     |
| PEIPT           | Premium Time                                           |                           | NA                     | \$16.40                     |

۰.

...

. . .

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – FLORIDA PHYSICAL COLLOCATION (continued)

#### Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, CLEC-1 will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers costs associated with the shared physical collocation area within a Premises, which include survey, engineering, design and modification costs for network, building and support systems. BellSouth will pro rate the total shared space preparation costs among the collocators at each location based on the amount of square footage occupied by each collocator. This charge may vary depending on the location and type of arrangement requested.
- (3) Space Enclosure Fee: The Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. CLEC-1 may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill CLEC-1 for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: Rates shown are the equivalent per cross connect rates based on the Florida PSC Ordered rates as follows:

| Cross Connects         | Per Cross Connect  | <u>RC</u> | <u>NRC</u> |
|------------------------|--------------------|-----------|------------|
| 2-wire                 | Per 100 X-Connects | \$5.24    | \$1,157.00 |
| 4-wire                 | Per 100 X-Connects | \$5.24    | \$1,157.00 |
| DS-1/DCS               | Per 28 X-Connects  | \$226.39  | \$1,950.00 |
| DS-1/DSX               | Per 28 X-Connects  | \$11.51   | \$1,950.00 |
| DS-3/DCS               | Per Cross Connect  | \$56.97   | \$ 528.00  |
| DS-3/DSX               | Per Cross Connect  | \$10.06   | \$528.00   |
| Optical Cross Connects | Per Cross Connect  | \$6.46    | \$2,431.00 |

#### EXHIBIT A: BELLSOUTH/CLEC-1 RATES – FLORIDA PHYSICAL COLLOCATION (continued)

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, CLEC-1 may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the direct connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the direct connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) POT Bays: BellSouth's Florida specific rates were established in the Florida Public Service Commission Docket No. 960833. The Commission did not set permanent rates for <u>POT</u> <u>Bays</u>, given the assumption by the Parties to the Proceeding that they will always provide their own POT Bays. It will be necessary for CLEC-1 to provide its own POT Bays per BellSouth specifications and provide the necessary information from which BellSouth can inventory.
- (7) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling CLEC-1-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, CLEC-1 agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – GEORGIA PHYSICAL COLLOCATION

| USOC           | arked with an asterisk (*) are int<br>Rate Element Description | Unit                   | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|----------------|----------------------------------------------------------------|------------------------|------------------------|-----------------------------|
| PEIBA          | Application Fee                                                | Per request            | NA                     | \$3,850.00                  |
| TEIDA          |                                                                |                        |                        |                             |
| PEICA          | Subsequent Application Fee (Note                               | Per request            | NA                     | \$1,600.00                  |
|                | 1)                                                             | •                      |                        | Minimum                     |
|                |                                                                |                        |                        |                             |
| PE1BB          | Space Preparation Fee (Note 2)                                 | Per sq. ft.            | NA                     | \$100.00                    |
|                | Space Enclosure (Note 3)                                       |                        |                        |                             |
| PEIBW          | Welded Wire-mesh                                               | Per first 100 sq. ft.  | \$170.64               | NA                          |
| PEICW          | Welded Wire-mesh                                               | Per add'l 50 sq. ft.   | \$17.33                | NA                          |
|                | Floor Space                                                    |                        |                        |                             |
| PEIPJ          | Zone A                                                         | Per sq. ft.            | \$7.50                 | NA                          |
| PEIPK          | Zone B                                                         | Per sq. ft.            | \$6.75                 | NA                          |
| PE1BD          | Cable Installation                                             | Per cable              | NA                     | \$2,750.00                  |
|                |                                                                |                        |                        |                             |
| PEIPM          | Cable Support Structure                                        | Per entrance cable     | \$13.35                | NA                          |
| • <b></b>      | Power                                                          | _                      | #£ 00                  | ICB                         |
| PEIPL          | -48V DC Power                                                  | Per amp                | \$5.00                 | ICB                         |
| PE1FB          | 120V AC Power single phase*                                    | Per breaker amp        | \$5.50                 | ICB                         |
| PE1FD          | 240V AC Power single phase*                                    | Per breaker amp        | \$11.00                | ICB                         |
| PEIFE          | 120V AC Power three phase*                                     | Per breaker amp        | \$16.50                | ICB                         |
| PE1FG          | 277 AC Power three phase*                                      | Per breaker amp        | \$38.20                |                             |
|                | Cross Connects                                                 | Per cross connect      |                        | First/Add'l                 |
| PE1P2          | 2-wire                                                         |                        | \$0.30                 | \$12.60/\$12.60             |
| PE1P4          | 4-wire                                                         |                        | \$0.50                 | \$12.60/\$12.60             |
| PE1P1          | DS-1                                                           |                        | \$8.00                 | \$155.00/\$27.00            |
| PE1P3          | DS-3                                                           |                        | \$72.00                | \$155.00/\$27.00            |
| PE1F2          | 2-fiber                                                        |                        | \$15.64                | \$41.56/\$29.82             |
| PE1F4          | 4-fiber                                                        |                        | \$28.11                | \$50.53/\$38.78             |
|                | Co-Carrier Cross-Connect (Note 4)                              |                        |                        |                             |
| PE1ES<br>Fiber | Fiber Cable Support Structure,<br>existing                     | Per linear ft.         | \$0.06                 | NA                          |
| PEIDS          | Copper or Coaxial Cable Support                                | Per linear ft.         | \$0.03                 | NA                          |
| Copper         | Structure, existing                                            | Der norre construction | NA                     | ICE                         |
| (TBD)          | Cable Support Structure<br>Construction, new                   | Per new construction   | INA                    |                             |

# Rates marked with an asterisk (\*) are interim and subject to true-up

Version 1Q00: 03/17/00

|       | GE                                         | ORGIA (continued)              |                        |                             |
|-------|--------------------------------------------|--------------------------------|------------------------|-----------------------------|
| USOC  | Rate Element Description                   | Unit                           | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
| PEIAX | Security Access System Security<br>System* | Per premises                   | \$52.00                |                             |
|       | New Access Card Activation*                | Per card                       |                        | \$55.00                     |
| PE1AA | Administrative change, existing card*      | Per card                       |                        | \$35.00                     |
| PEIAR | Replace lost or stolen card*               | Per card                       |                        | \$250.00                    |
| PEISR | Space Availability Report*                 | Per premises<br>requested      |                        | \$550.00                    |
|       | POT Bay Arrangements                       | Per cross-connect              |                        |                             |
|       | Prior to 6/1/99                            |                                |                        |                             |
| PEIPE | 2-Wire Cross-Connect                       |                                | \$0.40                 | NA                          |
| PE1PF | 4-Wire Cross-Connect                       |                                | \$1.20                 | NA                          |
| PE1PG | DS1 Cross-Connect                          |                                | \$1.20                 | NA                          |
| PE1PH | DS3 Cross-Connect                          |                                | \$8.00                 | NA                          |
| PE1B2 | 2 Fiber Cross-Connect                      |                                | \$38.79                | NA                          |
| PE1B4 | 4 Fiber Cross-Connect                      |                                | \$52.31                | NA                          |
| AEH   | Additional Engineering Fee (Note           | Per request, First             |                        | First/Add'l                 |
|       | 5)                                         | half hour/add'l half           |                        | Basic Time                  |
|       |                                            | hour                           |                        | \$31.00/\$22.00             |
|       |                                            |                                |                        | Overtime                    |
|       |                                            |                                |                        | \$37.00/\$26.00             |
|       | Security Escort                            | Per half hr./Add'l<br>half hr. |                        |                             |
| PE1BT | Basic Time                                 | * 100× 110 .                   | NA                     | \$41.00/\$25.00             |
| PEIOT | Overtime                                   |                                | NA                     | \$48.00/\$30.00             |
| PEIPT | Premium Time                               |                                | NA                     | \$55.00/\$35.00             |

#### Note(s)

17-

N/A refers to rate elements which do not have a negotiated rate.

(1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, CLEC-1 will be assessed the full Application Fee for all subsequent activity for completed arrangements.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – GEORGIA PHYSICAL COLLOCATION (continued)

- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers a portion of costs associated with the shared physical collocation area within a Premises, which include survey, engineering, design and modification costs for network, building and support systems. This is a set fee of \$100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7061-U. In the event CLEC-1 opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to CLEC-1 as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: The Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. CLEC-1 may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill CLEC-1 for the space enclosure, and this fee shall not be applicable.
- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, CLEC-1 may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling CLEC-1-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, CLEC-1 agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – KENTUCKY PHYSICAL COLLOCATION

#### **Rate Element Description** Unit **Recurring Rate** Non-Recurring USOC (RC) Rate (NRC) NA \$9,926.72 Per request **PE1BA Application Fee** \$1,600.00 NA Per request PE1CA Subsequent Application Fee (Note Minimum 1) PE1BB Space Preparation Fee (Note 2) \$2,400.00 Mechanical / HVAC\* Per ton (one ton minimum) \$720.00 Ground Bar\* Per connection PE1SB \$1,675.00 Per arrangement PE1SC Project Management\* ICB **PEISD** Cable Racking / Fiber Duct Per arrangement, sq. ft. Per arrangement, sq. ICB PE1SE Frame / Aisle Lighting ft. **ICB** PE1S Framework Ground Conductors Per arrangement ЮB Per arrangement PE1SH Extraordinary Modifications Space Enclosure (Note 3) NA Welded Wire-mesh Per first 100 sq. ft. \$201.02 **PE1BW** \$20.42 NA PEICW Welded Wire-mesh Per add'l 50 sq. ft. \$5.00 NA PEIPJ Floor Space Per sq. ft. NA \$2,327.08 Cable Installation Per cable PE1BD \$24.23 NA PE1PM Cable Support Structure Per entrance cable 1. au Power \$7.68 ICB<sup>•</sup> Per amp -48V DC Power PEIPL ICB Per breaker amp \$5,50 PE1FB 120V AC Power single phase\* \$11.00 ICB Per breaker amp 240V AC Power single phase\* **PE1FD** \$16.50 ICB 120V AC Power three phase\* Per breaker amp **PEIFE** \$38.20 ICB 277 AC Power three phase\* Per breaker amp PE1FG First/Add'l **Cross Connects** Per cross connect \$54.21/\$51.07 \$0.31 PE1P2 2-wire \$0.62 \$54.23/\$50.96 PE1P4 4-wire \$99.23/\$69.15 \$1.92 PE1P1 DS-1 \$39.94 \$97.48/\$66.90 DS-3 PE1P3 \$41.56/\$29.82 \$15.64 PE1F2 2-fiber \$50,53/\$38.78 \$28.11 PE1F4 4-fiber

#### Rates marked with an asterisk (\*) are interim and are subject to true-up.

Version 1Q00: 03/17/00

.

|                 | KEN                                                    | TUCKY (continued)              |                        |                                       |
|-----------------|--------------------------------------------------------|--------------------------------|------------------------|---------------------------------------|
| USOC            | Rate Element Description                               | Unit                           | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC)           |
|                 | Co-Carrier Cross-Connect (Note 4)                      |                                |                        | · · · · · · · · · · · · · · · · · · · |
| PE1ES<br>Fiber  | Fiber Cable Support Structure,<br>existing             | Per linear ft.                 | \$0.06                 | NA                                    |
| PE1DS<br>Copper | Copper or Coaxial Cable Support<br>Structure, existing | Per linear ft.                 | \$0.03                 | NA                                    |
| (TBD)           | Cable Support Structure<br>Construction, new           | Per new construction           | NA                     | ICB                                   |
| PEIAX           | Security Access System Security<br>System*             | Per premises                   | \$52.00                |                                       |
|                 | New Access Card Activation                             | Per card                       |                        | \$55.00                               |
| PEIAA           | Administrative change, existing card                   | Per card                       |                        | \$35.00                               |
| PEIAR           | Replace lost or stolen card                            | Per card                       |                        | \$250.00                              |
| PEISR           | Space Availability Report                              | Per premises                   |                        | \$550.00                              |
|                 |                                                        | requested -                    |                        |                                       |
|                 | POT Bay Arrangements<br>Prior to 6/1/99                | Per cross-connect              |                        |                                       |
| PEIPE           | 2-Wire Cross-Connect                                   |                                | \$0.06                 | NA                                    |
| PEIPF           | 4-Wire Cross-Connect                                   |                                | \$0.15                 | NA                                    |
| PE1PG           | DS1 Cross-Connect                                      |                                | \$0.58                 | NA                                    |
| PE1PH           | DS3 Cross-Connect                                      |                                | \$4.51                 | NA                                    |
| PE1B2           | 2 Fiber Cross-Connect                                  |                                | \$38.79                | NA                                    |
| PE1B4           | 4 Fiber Cross-Connect                                  |                                | \$52.31                | NA                                    |
|                 | Security Escort                                        | Per half hr./Add'l<br>half hr. |                        |                                       |
| PEIBT           | Basic Time                                             |                                | NA                     | \$56.09/\$31.99                       |
| PEIOT           | Overtime                                               |                                | NA                     | \$67.75/\$39.00                       |
| PEIPT           | Premium Time                                           |                                | NA                     | \$79.41/\$46.01                       |
| AEH             | Additional Engineering Fee (Note                       | Per request, first half        |                        | First/Add'l                           |
|                 | 5)                                                     | hr/add'l half hr.              |                        | Basic Time                            |
|                 |                                                        |                                |                        | \$31.00/\$22.00                       |
|                 |                                                        |                                |                        | Overtime                              |
|                 |                                                        |                                |                        | \$37.00/\$26.00                       |

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – KENTUCKY PHYSICAL COLLOCATION (continued)

#### Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, CLEC-1 will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Premises, which include survey, engineering, design and modification costs for network, building and support systems. In the event CLEC-1 opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to CLEC-1 as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: The Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. CLEC-1 may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill CLEC-1 for the space enclosure, and this fee shall not be applicable.
- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, CLEC-1 may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – KENTUCKY PHYSICAL COLLOCATION (continued)

(5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling CLEC-1-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, CLEC-1 agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – LOUISIANA PHYSICAL COLLOCATION

| USOC           | Rate Element Description         | Unit                                  | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|----------------|----------------------------------|---------------------------------------|------------------------|-----------------------------|
| PEIBA          | Application Fee                  | Per request                           | NA                     | \$4,910.00                  |
|                |                                  |                                       |                        |                             |
| PE1CA          | Subsequent Application Fee (Note | Per request                           | NA                     | \$1,600.00                  |
|                | 1)                               |                                       |                        | Minimum                     |
| PEIBB          | Space Preparation Fee (Note 2)   | · · · · · · · · · · · · · · · · · · · |                        |                             |
|                | Mechanical / HVAC*               | Per ton (one ton                      |                        | \$2,400.00                  |
|                |                                  | minimum)                              |                        |                             |
| PEISB          | Ground Bar*                      | Per connection                        |                        | \$720.00                    |
| PEISC          | Project Management*              | Per arrangement                       |                        | \$1,675.00                  |
| PEISD          | Cable Racking / Fiber Duct       | Per arrangement, sq.                  |                        | ICB                         |
| 12102          |                                  | ft.                                   |                        |                             |
| PE1SE          | Frame / Aisle Lighting           | Per arrangement, sq.                  |                        | ICB                         |
| 10102          |                                  | ft.                                   |                        |                             |
| PE1S           | Framework Ground Conductors      | Per arrangement                       | <b>`</b>               | ICB                         |
| PEISH          | Extraordinary Modifications      | Per arrangement                       |                        | ICB                         |
| I DIQII        |                                  |                                       | ·                      |                             |
|                | Space Enclosure (Note 3)         |                                       |                        |                             |
| PEIBW          | Welded Wire-mesh                 | Per first 100 sq. ft.                 | \$197.55               | NA                          |
| PEICW          | Welded Wire-mesh                 | Per add'l 50 sq. ft.                  | \$20.07                | NA                          |
|                |                                  |                                       |                        |                             |
| PE1PJ          | Floor Space                      | Per sq. ft.                           | \$4.01                 | NA                          |
| PE1BD          | Cable Installation               | Per cable                             | NA                     | \$1,706.00                  |
|                | Cubic Insultation                |                                       |                        | Disconnect charge           |
|                |                                  |                                       |                        | \$36.00                     |
| PEIPM          | Califa Summart Structure         | Per entrance cable                    | \$24.05                | NA                          |
| PEIPM          | Cable Support Structure          |                                       | ψ24.05                 |                             |
|                | Power                            | -                                     |                        |                             |
| PEIPL          | -48V DC Power                    | Per amp                               | \$7.15                 | ICB                         |
| PEIFB          | 120V AC Power single phase*      | Per breaker amp                       | \$5.50                 | ICB                         |
| PEIFD          | 240V AC Power single phase*      | Per breaker amp                       | \$11.00                | ICB                         |
| PEIFE          | 120V AC Power three phase*       | Per breaker amp                       | \$16.50                | ICB                         |
| PEIFG          | 277 AC Power three phase*        | Per breaker amp                       | \$38.20                | ICB                         |
|                | Cross Connects (Note 4)          | Per cross connect                     |                        | First/Add'l                 |
| PE1P2          | 2-wire                           |                                       | \$0.26                 | \$23.04/\$22.11             |
| PEIP2<br>PE1P4 | 2-wife<br>4-wire                 |                                       | \$0.52                 | \$23.23/\$22.24             |
| PEIP4<br>PEIP1 | DS-1                             |                                       | \$2.03                 | \$43.61/\$30.60             |
| PEIPI<br>PEIP3 | DS-1<br>DS-3                     |                                       | \$36.27                | \$41.46/\$29.20             |

# Rates marked with an asterisk (\*) are interim and are subject to true-up.

| USOC   |                                            | ISIANA (continued)   |                        |                             |
|--------|--------------------------------------------|----------------------|------------------------|-----------------------------|
|        | Rate Element Description                   | Unit                 | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|        | Cross Connects (continued)                 | Per cross connect    |                        | First/Add'l                 |
| PE1F2  | 2-fiber                                    |                      | \$19.13                | \$41.07/\$29.63             |
| PE1F4  | 4-fiber                                    |                      | \$34.38                | \$49.81/\$38.37             |
|        |                                            |                      |                        | Disconnect                  |
|        |                                            |                      |                        | Charges                     |
|        | ļ                                          |                      |                        | First/Add <sup>*</sup> l    |
|        | 2-wire                                     |                      |                        | \$9.48/\$8.54               |
|        | 4-wire                                     |                      |                        | \$9.53/\$8.55               |
|        | DS-1                                       |                      |                        | \$9.56/\$8.63               |
|        | DS-3                                       |                      |                        | \$11.06/\$8.86              |
|        | 2-fiber                                    |                      |                        | \$12.84/\$10.29             |
|        | 4-fiber                                    |                      |                        | \$16.75/\$14.20             |
|        |                                            |                      |                        |                             |
| PEIES  | Co-Carrier Cross-Connect (Note 5)          |                      | <b>1</b> 0000          |                             |
| Fiber  | Fiber Cable Support Structure,<br>existing | Per linear ft.       | \$0.06                 | NA                          |
| PEIDS  | Copper or Coaxial Cable Support            | Per linear ft.       | \$0.03                 | NA                          |
| Copper | Structure, existing                        | rei inicai it.       | \$0.05                 | INA                         |
| (TBD)  | Cable Support Structure                    | Per new construction | NA                     |                             |
| (עמו)  | Construction, new                          | rei new construction | NA                     | ICB                         |
|        | Construction, new                          |                      |                        |                             |
| PEIAX  | Security Access System Security            | Per premises         | \$52.00                | <u> </u>                    |
|        | System*                                    | •                    |                        |                             |
|        | New Access Card Activation*                | Per card             |                        | \$55.00                     |
| PEIAA  | Administrative change, existing            | Per card             | -                      | \$35.00                     |
|        | card*                                      |                      |                        |                             |
| PEIAR  | Replace lost or stolen card                | Per card             |                        | \$250.00                    |
| DELED  | Conner A Habilla Davast                    | Descusione           |                        | \$550.00                    |
| PEISR  | Space Availability Report*                 | Per premises         |                        | \$550.00                    |
|        |                                            | requested            |                        |                             |
|        | POT Bay Arrangements                       | Per cross-connect    |                        |                             |
|        | Prior to 6/1/99                            |                      |                        |                             |
| PEIPE  | 2-Wire Cross-Connect                       |                      | \$0.0776               | NA                          |
| PEIPF  | 4-Wire Cross-Connect                       |                      | \$0.1552               | NA                          |
| PEIPG  | DS1 Cross-Connect                          |                      | \$0.6406               | NA                          |
| PEIPH  | DS3 Cross-Connect                          |                      | \$4.75                 | NA                          |
| PE1B2  | 2 Fiber Cross-Connect                      |                      | \$47.44                | NA                          |
| PE1B4  | 4 Fiber Cross-Connect                      |                      | \$63.97                | NA                          |

| <b>.</b>  | LO                               | UISIANA (continued)            |                        |                             |
|-----------|----------------------------------|--------------------------------|------------------------|-----------------------------|
| USOC      | Rate Element Description         | Unit                           | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|           | Security Escort                  | Per half hr./Add'l<br>half hr. |                        |                             |
| PEIBT     | Basic Time                       |                                | NA                     | \$32.35/\$19.95             |
| PEIOT     | Overtime                         |                                | NA                     | \$40.50/\$25.00             |
| PEIPT     | Premium Time                     |                                | NA                     | \$48.66/\$30.05             |
| AEH       | Additional Engineering Fee (Note | Per request, first half        |                        | First/Add'l                 |
|           | 6)                               | hr/add'l half hr.              |                        | Basic Time                  |
|           |                                  |                                |                        | \$31.00/\$22.00             |
|           |                                  |                                |                        | Overtime                    |
| <b>NX</b> |                                  |                                |                        | \$37.00/\$26.00             |

#### Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, CLEC-1 will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Premises, which include survey, engineering, design and modification costs for network, building and support systems. In the event CLEC-1 opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to CLEC-1 as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: The Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. CLEC-1 may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill CLEC-1 for the space enclosure, and this fee shall not be applicable.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – LOUISIANA PHYSICAL COLLOCATION (continued)

(4) **Cross Connects**: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

|        |                    | Disconnect Charges |
|--------|--------------------|--------------------|
|        | First / Additional | First / Additional |
| 2-wire | \$24.92/\$23.99    | \$10.56/\$9.62     |
| 4-wire | \$25.11/\$24.12    | \$10.61/\$9.63     |
| DS-1   | \$45.49/\$32.48    | \$10.64/\$9.71     |
| DS-3   | \$43.34/\$31.08    | \$12.14/\$9.94     |

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, CLEC-1 may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling CLEC-1-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, CLEC-1 agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

÷...

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – MISSISSIPPI PHYSICAL COLLOCATION

# Rates marked with an asterisk (\*) are interim and are subject to true-up.

| USOC   | Rate Element Description                                  | Unit                               | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|--------|-----------------------------------------------------------|------------------------------------|------------------------|-----------------------------|
| PE1BA  | Application Fee                                           | Per request                        | NA                     | \$6,993.00                  |
|        |                                                           | 1                                  |                        | Disconnect                  |
|        |                                                           |                                    |                        | Charge                      |
| ······ |                                                           |                                    |                        | \$1.70                      |
| PEICA  | Subsequent Application Fee (Note                          | Per request                        | NA                     | \$1,600.00                  |
|        | 1)                                                        |                                    |                        | Minimum                     |
| PEIBB  | Space Preparation Fee (Note 2)                            |                                    |                        |                             |
|        | Mechanical / HVAC*                                        | Per ton (one ton                   |                        | \$2,400.00                  |
|        |                                                           | minimum)                           |                        |                             |
| PEISB  | Ground Bar*                                               | Per connection                     |                        | \$720.00                    |
| PEISC  | Project Management*                                       | Per arrangement                    |                        | \$1,675.00                  |
| PEISD  | Cable Racking / Fiber Duct                                | Per arrangement, sq.               |                        | ICB                         |
|        |                                                           | ft.                                |                        |                             |
| PE1SE  | Frame / Aisle Lighting                                    | Per arrangement, sq.               |                        | ICB                         |
| DE10   | Township Council Country town                             | ft.                                |                        | ICB                         |
| PE1S   | Framework Ground Conductors                               | Per arrangement                    |                        | ICB                         |
| PEISH  | Extraordinary Modifications                               | Per arrangement                    |                        |                             |
|        | Space Enclosure (Note 3)                                  | · · · ·                            |                        |                             |
| PEIBW  | Welded Wire-mesh                                          | Per first 100 sq. ft.              | \$205.08               | NA                          |
| PEICW  | Welded Wire-mesh                                          | Per add'l 50 sq. ft.               | \$20.83                | NA                          |
| PE1PJ  | Floor Space                                               | Per sq. ft.                        | \$3.45                 |                             |
| DELDD  |                                                           | Deceble                            | NA                     | \$2,419.00                  |
| PEIBD  | Cable Installation                                        | Per cable                          |                        | Disconnection               |
|        |                                                           |                                    |                        | charge \$53.24              |
| PEIPM  | Cable Support Structure                                   | Per entrance cable                 | \$22.90                | NA                          |
| PEIPM  | Cable Support Structure                                   |                                    |                        |                             |
| DEIDI  | Power<br>ANY DC Person                                    | Decomp                             | \$6.93                 | ICE                         |
| PEIPL  | -48V DC Power                                             | Per amp                            | \$5,50                 | ICE                         |
| PEIFB  | 120V AC Power single phase*                               | Per breaker amp<br>Per breaker amp | \$11.00                | ICE                         |
| PEIFD  | 240V AC Power single phase*<br>120V AC Power three phase* | Per breaker amp                    | \$16.50                | ICE                         |
| PEIFE  | -                                                         | Per breaker amp                    | \$38.20                | ICE                         |
| PE1FG  | 277 AC Power three phase*                                 | rei bicaker amp                    | \$36.20                |                             |
|        | Cross Connects (Note 4)                                   | Per cross connect                  |                        | First/Add'                  |
| PE1P2  | 2-wire                                                    |                                    | \$.3996                | \$30.93/\$29,59             |
| PE1P4  | 4-wire                                                    |                                    | \$.7992                | \$31.17/\$29.77             |

.

|                                       | MIS                               | SISSIPPI (continued) |                        | - <u> </u>                  |
|---------------------------------------|-----------------------------------|----------------------|------------------------|-----------------------------|
| USOC                                  | Rate Element Description          | Unit                 | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|                                       | Cross Connects (continued)        | Per cross connect    |                        | First/Add'l                 |
| PE1P1                                 | DS-1                              |                      | \$2.90                 | \$60.42/\$41.68             |
| PE1P3                                 | DS-3                              |                      | \$53.31                | \$57.45/\$39.81             |
| PE1F2                                 | 2-fiber                           |                      | \$15.64                | \$41.56/\$29.82             |
| PE1F4                                 | 4-fiber                           |                      | \$28.11                | \$50.53/\$38.78             |
|                                       |                                   |                      |                        | Disconnect                  |
|                                       |                                   | ł                    |                        | Charges                     |
|                                       |                                   |                      |                        | First/Add <sup>1</sup>      |
|                                       | 2-wire                            |                      |                        | \$12.76/\$11.43             |
|                                       | 4-wire                            |                      |                        | \$12.83/\$11.43             |
|                                       | DS-1                              |                      |                        | \$12.87/\$11.54             |
|                                       | DS-3                              |                      |                        | \$14.92/\$11.80             |
|                                       | 2-fiber                           |                      |                        | \$12.96/\$10.34             |
|                                       | 4-fiber                           |                      |                        | \$16.97/\$14.35             |
| · · · · · · · · · · · · · · · · · · · |                                   |                      |                        |                             |
|                                       | Co-Carrier Cross-Connect (Note 5) |                      |                        |                             |
| PEIES                                 | Fiber Cable Support Structure,    | Per linear ft.       | \$0.06                 | NA                          |
| Fiber                                 | existing                          | ·                    | ,                      |                             |
| PE1DS                                 | Copper or Coaxial Cable Support   | Per linear ft.       | \$0.03                 | NA                          |
| Copper                                | Structure, existing               |                      |                        |                             |
| (TBD)                                 | Cable Support Structure           | Per new construction | NA                     | ICB                         |
|                                       | Construction, new                 |                      |                        | _                           |
|                                       |                                   |                      |                        |                             |
| PEIAX                                 | Security Access System Security   | Per premises         | \$52.00                |                             |
|                                       | System*                           |                      |                        |                             |
|                                       | New Access Card Activation*       | Per card             |                        | \$55.00                     |
| PE1AA                                 | Administrative change, existing   | Per card             |                        | \$35.00                     |
|                                       | card*                             |                      |                        |                             |
| PEIAR                                 | Replace lost or stolen card       | Per card             |                        | \$250.00                    |
| DEICD                                 | Concert A 11 12 12 Process        | D                    |                        | 5550.00                     |
| PE1SR                                 | Space Availability Report*        | Per premises         |                        | \$550.00                    |
|                                       |                                   | requested            |                        |                             |
|                                       | POT Bay Arrangements              | Per cross-connect    |                        |                             |
|                                       | Prior to 6/1/99                   |                      |                        |                             |
| PEIPE                                 | 2-Wire Cross-Connect              |                      | \$0.1195               | NA                          |
| PEIPE                                 | 4-Wire Cross-Connect              |                      | \$0.2389               | NA                          |
| PEIPF                                 | DS1 Cross-Connect                 |                      | \$0.9862               | NA                          |
| PEIPG                                 | DS1 Cross-Connect                 |                      | \$0.9802               | NA                          |
|                                       | 2 Fiber Cross-Connect             |                      | \$38.79                | NA                          |
| PE1B2                                 |                                   |                      | ••••                   | NA<br>NA                    |
| PE1B4                                 | 4 Fiber Cross-Connect             |                      | \$52.31                | INA                         |

.

|       | MIS                              | SISSIPPI (continued)           |                        |                             |
|-------|----------------------------------|--------------------------------|------------------------|-----------------------------|
| USOC  | Rate Element Description         | Unit                           | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|       | Security Escort                  | Per half hr./Add'l<br>half hr. |                        |                             |
| PE1BT | Basic Time                       |                                | NA                     | \$42.87/\$25.54             |
| PEIOT | Overtime                         |                                | NA                     | \$54.43/\$32.41             |
| PEIPT | Premium Time                     |                                | NA                     | \$65.99/\$39.28             |
| AEH   | Additional Engineering Fee (Note | Per request, first half        |                        | First/Add'l                 |
|       | 6)                               | hr/add'l half hr.              | :                      | Basic Time                  |
|       |                                  |                                |                        | \$31.00/\$22.00             |
|       |                                  |                                |                        | Overtime                    |
|       |                                  |                                |                        | \$37.00/\$26.00             |

#### Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, CLEC-1 will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Premises, which include survey, engineering, design and modification costs for network, building and support systems. In the event CLEC-1 opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to CLEC-1 as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: The Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. CLEC-1 may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill CLEC-1 for the space enclosure, and this fee shall not be applicable.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – MISSISSIPPI PHYSICAL COLLOCATION (continued)

(4) **Cross Connects**: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

|        |                    | Disconnect Charges |
|--------|--------------------|--------------------|
|        | First / Additional | First / Additional |
| 2-wire | \$33.58 / \$32.24  | \$14.27 / \$12.94  |
| 4-wire | \$33.82 / \$32.42  | \$14.34 / \$12.94  |
| DS-1   | \$63.07 / \$44.33  | \$14.38 / \$13.05  |
| DS-3   | \$60.10 / \$42.46  | \$16.43 / \$13.31  |

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, CLEC-1 may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling CLEC-1-requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, CLEC-1 agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – NORTH CAROLINA PHYSICAL COLLOCATION

| USOC  | Rate Element Description            | Unit                  | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|-------|-------------------------------------|-----------------------|------------------------|-----------------------------|
| PE1BA | Application Fee                     | Per request           | NA                     | \$3,850.00                  |
| PEICA | Subsequent Application Eq. (Note    | Per request           | NA                     | \$1,600.00                  |
| ILICA | Subsequent Application Fee (Note 1) | refrequest            | INA                    | Minimum                     |
|       |                                     |                       |                        |                             |
|       | Space Preparation Fee               |                       |                        |                             |
|       | Central Office Modification         | Per sq. ft.           | \$1.57                 |                             |
|       | Common Systems Modification -       | Per sq. ft.           | \$3.26                 |                             |
|       | Cageless                            |                       | 6110.70                |                             |
|       | Common Systems Modification –       | Per cage              | \$110.79               |                             |
|       | Caged<br>Power                      | Per nominal -48v      | \$5.76                 |                             |
|       |                                     | DC Amp                | \$5.10                 |                             |
|       |                                     | <i>F</i>              |                        |                             |
|       | Space Enclosure (Note 2)            |                       |                        |                             |
| PE1BW | Welded Wire-mesh                    | Per first 100 sq. ft. | \$102.76               | NA                          |
| PEICW | Welded Wire-mesh                    | Per add'l 50 sq. ft.  | \$10.44                | NA                          |
| PE1PJ | Floor Space                         | Per sq. ft.           | \$3.45                 | NA                          |
| PEIBD | Cable Installation                  | Per cable             | NA                     | \$2,305.00                  |
|       |                                     |                       |                        |                             |
| PE1PM | Cable Support Structure             | Per entrance cable    | \$21.33                | NA                          |
|       | Power                               |                       |                        |                             |
| PE1PL | -48V DC Power                       | Per amp               | \$6.65                 | ICB                         |
| PEIFB | 120V AC Power single phase*         | Per breaker amp       | \$5.50                 | ICB                         |
| PEIFD | 240V AC Power single phase*         | Per breaker amp       | \$11.00                | ICB                         |
| PEIFE | 120V AC Power three phase*          | Per breaker amp       | \$16.50                | ICB                         |
| PEIFG | 277 AC Power three phase*           | Per breaker amp       | \$38.20                | ICB                         |
| _     | Cross Connects (Note 3)             | Per cross connect     |                        | First/Add'l                 |
| PE1P2 | 2-wire                              |                       | \$0.32                 | \$41.78/\$39.23             |
| PEIP2 | 4-wire                              |                       | \$0.64                 | \$41.91/\$39.25             |
| PEIPI | DS-1                                |                       | \$2.34                 | \$71.02/\$51.08             |
| PE1P3 | DS-3                                |                       | \$42.84                | \$69.84/\$49.43             |
| PE1F2 | 2-fiber                             |                       | \$15.99                | \$67.34/\$48.55             |
| PE1F4 | 4-fiber                             |                       | \$28.74                | \$82.35/\$63.56             |

# Rates marked with an asterisk (\*) are interim and are subject to true-up.

۰.

<u>,</u>...

| USOC   | NORTH CAROLINA (continued)        |                         |                        |                             |  |
|--------|-----------------------------------|-------------------------|------------------------|-----------------------------|--|
| USOC   | Rate Element Description          | Unit                    | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |  |
|        | Co-Carrier Cross-Connect (Note 4) |                         |                        |                             |  |
| PEIES  | Fiber Cable Support Structure,    | Per linear ft.          | \$0.06                 | NA                          |  |
| Fiber  | existing                          |                         |                        |                             |  |
| PEIDS  | Copper or Coaxial Cable Support   | Per linear ft.          | \$0.03                 | NA                          |  |
| Copper | Structure, existing               |                         |                        |                             |  |
| (TBD)  | Cable Support Structure           | Per new construction    | NA                     | ICB                         |  |
|        | Construction, new                 |                         |                        | <u></u>                     |  |
| PEIAX  | Security Access System Security   | Per premises            | \$52.00                |                             |  |
| ILIAA  | System*                           | T of profilisos         | \$52,00                |                             |  |
|        | New Access Card Activation*       | Per card                |                        | \$55.00                     |  |
| PE1AA  | Administrative change, existing   | Per card                |                        | \$35.00                     |  |
|        | card*                             |                         |                        |                             |  |
| PE1AR  | Replace lost or stolen card       | Per card                |                        | \$250.00                    |  |
|        |                                   | <u> </u>                |                        |                             |  |
| PEISR  | Space Availability Report*        | Per premises            |                        | \$550.00                    |  |
|        |                                   | requested               |                        | ·····                       |  |
|        | POT Bay Arrangements              | Per cross-connect       |                        | , <b></b>                   |  |
|        | Prior to 6/1/99                   |                         |                        |                             |  |
| PE1PE  | 2-Wire Cross-Connect              |                         | \$0.10                 | NA                          |  |
| PEIPF  | 4-Wire Cross-Connect              |                         | \$0.19                 | NA                          |  |
| PE1PG  | DS1 Cross-Connect                 |                         | \$0.79                 | NA                          |  |
| PEIPH  | DS3 Cross-Connect                 |                         | \$4.85                 | NA                          |  |
| PE1B2  | 2 Fiber Cross-Connect             |                         | \$39.67                | NA                          |  |
| PE1B4  | 4 Fiber Cross-Connect             |                         | \$53.49                | NA                          |  |
|        | Security Escort                   | Per half hr./Add'l      |                        |                             |  |
|        |                                   | half hr.                |                        |                             |  |
| PEIBT  | Basic Time                        |                         | NA                     | \$42.92/\$25.56             |  |
| PEIOT  | Overtime                          |                         | NA                     | \$54.51/\$32.44             |  |
| PEIPT  | Premium Time                      |                         | NA                     | \$66.10/\$39.32             |  |
|        |                                   | D                       |                        | First/Add'l                 |  |
| AEH    | Additional Engineering Fee (Note  | Per request, first half |                        | Basic Time                  |  |
|        | 5)                                | hr/add'l half hr.       |                        | \$31.00/\$22.00             |  |
|        |                                   |                         |                        | Overtime                    |  |
|        |                                   |                         |                        | \$37,00/\$26.00             |  |
|        |                                   |                         |                        | <i>457,007420.00</i>        |  |

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – NORTH CAROLINA PHYSICAL COLLOCATION (continued)

#### Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, CLEC-1 will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Enclosure Fee: The Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. CLEC-1 may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill CLEC-1 for the space enclosure, and this fee shall not be applicable.
- (3) Cross Connect: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

| First/Additional |
|------------------|
| \$46.53/\$43.98  |
| \$46.64/\$43.98  |
| \$75.72/\$55.78  |
| \$74.54/\$54.13  |
|                  |

(4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, CLEC-1 may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.

#### EXHIBIT A: BELLSOUTH/CLEC-1 RATES – NORTH CAROLINA PHYSICAL COLLOCATION (continued)

(5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling CLEC-1-requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, CLEC-1 agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – SOUTH CAROLINA PHYSICAL COLLOCATION

| USOC  | Rate Element Description                             | Unit                        | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|-------|------------------------------------------------------|-----------------------------|------------------------|-----------------------------|
| PEIBA | Application Fee                                      | Per request                 | NA                     | \$4,850.00                  |
| PEICA | Subsequent Application Fee (Note                     | Per request                 | NA                     | \$1,600.00                  |
|       | 1)                                                   |                             |                        | Minimum                     |
| PEIBB | Space Droportion For (Note 2)                        |                             |                        |                             |
| FEIDD | Space Preparation Fee (Note 2)<br>Mechanical / HVAC* | Per ton (one ton            |                        | <b>\$2,</b> 400.00          |
| PE1SB | Ground Bar*                                          | minimum)<br>Per connection  |                        | \$720.00                    |
| PE1SC | Project Management*                                  | Per arrangement             |                        | \$1,675.00                  |
| PE1SD | Cable Racking / Fiber Duct                           | Per arrangement, sq.<br>ft. |                        | ICB                         |
| PE1SE | Frame / Aisle Lighting                               | Per arrangement, sq.        |                        | ICB                         |
| PE1S  | Framework Ground Conductors                          | Per arrangement             |                        | ICB                         |
| PEISH | Extraordinary Modifications                          | Per arrangement             |                        | ICB                         |
|       |                                                      |                             |                        |                             |
|       | Space Enclosure (Note 3)                             |                             |                        |                             |
| PEIBW | Welded Wire-mesh                                     | Per first 100 sq. ft.       | \$224.60               | NA                          |
| PEICW | Welded Wire-mesh                                     | Per add'1 50 sq. ft.        | \$22.81                | NA                          |
| PE1PJ | Floor Space                                          | Per sq. ft.                 | \$3.90                 | NA                          |
| PE1BD | Cable Installation                                   | Per cable                   | NA                     | \$2,217.00                  |
| PE1PM | Cable Support Structure                              | Per entrance cable          | \$24.55                | NA                          |
|       | Power                                                |                             |                        |                             |
| PE1PL | -48V DC Power                                        | Per amp                     | \$7.09                 | ICB                         |
| PE1FB | 120V AC Power single phase*                          | Per breaker amp             | \$5.50                 | ICB                         |
| PE1FD | 240V AC Power single phase*                          | Per breaker amp             | \$11.00                | ICB                         |
| PE1FE | 120V AC Power three phase*                           | Per breaker amp             | \$16.50                | ICB                         |
| PE1FG | 277 AC Power three phase*                            | Per breaker amp             | \$38.20                | ICB                         |
|       | Cross Connects (Note 4)                              | Per cross connect           |                        | First/Add'l                 |
| PE1P2 | 2-wire                                               |                             | \$.3648                | \$41.50/\$38.94             |
| PE1P4 | 4-wire                                               |                             | \$.7297                | \$41.56/\$38.90             |
| PE1P1 | DS-1                                                 |                             | \$2.70                 | \$70.79/\$50.78             |
| PE1P3 | DS-3                                                 |                             | \$49.24                | \$69.60/\$49.14             |
| PE1F2 | 2-fiber                                              |                             | \$15.06                | \$69.28/\$48.89             |
| PE1F4 | 4-fiber                                              |                             | \$27.08                | \$84.07/\$63.68             |

# Rates marked with an asterisk (\*) are interim and are subject to true-up.

| USOC    | Rate Element Description          | Unit                    | Recurring Rate | Non-Recurring   |
|---------|-----------------------------------|-------------------------|----------------|-----------------|
| 0000    |                                   | Cint                    | (RC)           | Rate (NRC)      |
|         | Co-Carrier Cross-Connect (Note 5) |                         | <u></u>        |                 |
| PEIES   | Fiber Cable Support Structure,    | Per linear ft.          | \$0.06         | NA              |
| Fiber   | existing                          |                         |                |                 |
| PE1DS   | Copper or Coaxial Cable Support   | Per linear ft.          | \$0.03         | NA              |
| Copper  | Structure, existing               |                         |                |                 |
| (TBD)   | Cable Support Structure           | Per new construction    | NA             | ICB             |
|         | Construction, new                 |                         |                |                 |
| PEIAX   | Security Access System Security   | Per premises            | \$52.00        |                 |
| 101101  | System*                           |                         | 02.00          |                 |
|         | New Access Card Activation*       | Per card                |                | \$55.00         |
| PEIAA   | Administrative change, existing   | Per card                |                | \$35.00         |
|         | card*                             |                         |                |                 |
| PEIAR   | Replace lost or stolen card       | Per card                |                | \$250.00        |
|         |                                   |                         |                | \$550.00        |
| PEISR   | Space Availability Report*        | Per premises            |                | \$550.00        |
| ,       |                                   | requested               |                |                 |
| <b></b> | POT Bay Arrangements              | Per cross-connect       |                |                 |
|         | Prior to 6/1/99                   |                         |                |                 |
| PEIPE   | 2-Wire Cross-Connect              |                         | \$0.1091       | NA              |
| PEIPF   | 4-Wire Cross-Connect              |                         | \$0.2181       | NA              |
| PE1PG   | DS1 Cross-Connect                 |                         | \$0.9004       | NA              |
| PE1PH   | DS3 Cross-Connect                 | \$<br>                  | \$5.64         | NA              |
| PE1B2   | 2 Fiber Cross-Connect             |                         | \$37.36        | NA              |
| PE1B4   | 4 Fiber Cross-Connect             |                         | \$50.38        | NA              |
|         | Security Escort                   | Per half hr./Add'l      |                |                 |
|         | Scentry Escore                    | half hr.                |                |                 |
| PEIBT   | Basic Time                        |                         | NA             | \$43.00/\$25.57 |
| PEIOT   | Overtime                          |                         | NA             | \$54.62/\$32.46 |
| PEIPT   | Premium Time                      |                         | NA             | \$66.24/\$39.35 |
|         |                                   | D                       |                | First/Add'l     |
| AEH     | Additional Engineering Fee (Note  | Per request, first half |                | Basic Time      |
|         | 6)                                | hr/add'l half hr.       |                | \$31,00/\$22.00 |
|         |                                   |                         |                | Overtime        |
|         |                                   |                         |                | \$37.00/\$26.00 |

۰.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – SOUTH CAROLINA PHYSICAL COLLOCATION (continued)

# Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, CLEC-1 will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Premises, which include survey, engineering, design and modification costs for network, building and support systems. In the event CLEC-1 opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to CLEC-1 as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: The Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. CLEC-1 may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill CLEC-1 for the space enclosure, and this fee shall not be applicable.
- (4) **Cross Connects**: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

|        | <u>First / Additional</u> |
|--------|---------------------------|
| 2-wire | \$46.66 / \$44.10         |
| 4-wire | \$46.68 / \$44.02         |
| DS-1   | \$75.88 / \$55.87         |
| DS-3   | \$74.69 / \$54.23         |

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – SOUTH CAROLINA PHYSICAL COLLOCATION (continued)

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, CLEC-1 may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling CLEC-1-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, CLEC-1 agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – TENNESSEE PHYSICAL COLLOCATION

# \* Rates are interim and are subject to true-up.

| USOC          | Rate Element Description         | Unit                      | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC) |
|---------------|----------------------------------|---------------------------|------------------------|-----------------------------|
| PEIBA         | Application Fee                  | Per request               | NA                     | \$3,850.00                  |
| PEICA         | Subsequent Application Fee (Note | Per request               | NA                     | \$1,600.00                  |
|               | 1)                               |                           |                        | Minimum                     |
| PE1BB         | Space Preparation Fee (Note 2)   |                           |                        |                             |
| FEIDD         | Mechanical / HVAC*               | Per ton (one ton minimum) |                        | \$2,400.00                  |
| PE1SB         | Ground Bar*                      | Per connection            |                        | \$720.00                    |
| PE1SC         | Project Management*              | Per arrangement           |                        | \$1,675.00                  |
| PEISD         | Cable Racking / Fiber Duct       | Per arrangement, sq.      |                        | ICB                         |
| PEISE         | Frame / Aisle Lighting           | Per arrangement, sq.      |                        | ICB                         |
| PE1S          | Framework Ground Conductors      | Per arrangement           |                        | ICB                         |
| PE1SH         | Extraordinary Modifications      | Per arrangement           |                        | ICB                         |
|               |                                  |                           |                        |                             |
|               | Space Enclosure (Note 3)         |                           |                        |                             |
| PEIBW         | Welded Wire-mesh                 | Per first 100 sq. ft.     | \$190.79               | NA                          |
| PEICW         | Welded Wire-mesh                 | Per add'1 50 sq. ft.      | \$19.38                | NA                          |
| PE1 <b>PJ</b> | Floor Space                      | Per sq. ft.               | \$7.50                 | NA                          |
| DEIDD         | Calle Lastallation               | Dec ceblo                 | NA                     | \$2,750.00                  |
| PEIBD         | Cable Installation               | Per cable                 | NA NA                  | \$2,750.00                  |
| PEIPM         | Cable Support Structure          | Per entrance cable        | \$13.35                | NA                          |
| <u>_</u>      | Power                            |                           |                        |                             |
| PE1PL         | -48V DC Power                    | Per amp                   | \$5.00                 | ICB                         |
| PE1FB         | 120V AC Power single phase*      | Per breaker amp           | \$5.50                 | ICB                         |
| PEIFD         | 240V AC Power single phase*      | Per breaker amp           | \$11.00                | ICB                         |
| PEIFE         | 120V AC Power three phase*       | Per breaker amp           | \$16.50                | ICB                         |
| PE1FG         | 277 AC Power three phase*        | Per breaker amp           | \$38.20                | ICB                         |
| <u>.</u>      | Cross Connects                   | Per cross connect         |                        | First/Add'l                 |
| PE1P2         | 2-wire                           |                           | \$0.30                 | \$19.20/\$19.20             |
| PE1P4         | 4-wire                           |                           | \$0.50                 | \$19.20/\$19.20             |
| PE1P1         | DS-1                             |                           | \$8.00                 | \$155.00/\$27.00            |
| PE1P3         | DS-3                             |                           | \$72.00                | \$155.00/\$27.00            |
| PE1F2         | 2-fiber                          |                           | \$15.64                | \$41.56/\$29.82             |
| PE1F4         | 4-fiber                          |                           | \$28.11                | \$50.53/\$38.78             |

.

.

|                 | TENNESSEE (continued)                                  |                                |                        |                                       |  |
|-----------------|--------------------------------------------------------|--------------------------------|------------------------|---------------------------------------|--|
| USOC            | Rate Element Description                               | Unit                           | Recurring Rate<br>(RC) | Non-Recurring<br>Rate (NRC)           |  |
|                 | Co-Carrier Cross-Connect (Note 4)                      |                                |                        | · · · · · · · · · · · · · · · · · · · |  |
| PE1ES<br>Fiber  | Fiber Cable Support Structure,<br>existing             | Per linear ft.                 | \$0.06                 | NA                                    |  |
| PE1DS<br>Copper | Copper or Coaxial Cable Support<br>Structure, existing | Per linear ft.                 | \$0.03                 | NA                                    |  |
| (TBD)           | Cable Support Structure<br>Construction, new           | Per new construction           | NA                     | ICB                                   |  |
| PEIAX           | Security Access System Security<br>System              | Per premises                   | \$52.00                |                                       |  |
|                 | New Access Card Activation                             | Per card                       |                        | \$55.00                               |  |
| PEIAA           | Administrative change, existing card                   | Per card                       |                        | \$35.00                               |  |
| PEIAR           | Replace lost or stolen card                            | Per card                       |                        | \$250.00                              |  |
| PEISR           | Space Availability Report*                             | Per premises                   |                        | \$550.00                              |  |
|                 |                                                        | requested                      |                        |                                       |  |
|                 | POT Bay Arrangements<br>Prior to 6/1/99                | Per cross-connect              |                        |                                       |  |
| PEIPE           | 2-Wire Cross-Connect                                   |                                | \$0.40                 | NA                                    |  |
| PEIPF           | 4-Wire Cross-Connect                                   |                                | \$1.20                 | NA                                    |  |
| PE1PG           | DS1 Cross-Connect                                      |                                | \$1.20                 | NA                                    |  |
| PE1PH           | DS3 Cross-Connect                                      |                                | \$8.00                 | NA                                    |  |
| PE1B2           | 2 Fiber Cross-Connect                                  |                                | \$38.79                | NA                                    |  |
| PE1B4           | 4 Fiber Cross-Connect                                  |                                | \$52.31                | NA                                    |  |
|                 | Security Escort                                        | Per half hr./Add'l<br>half hr. |                        |                                       |  |
| PE1BT           | Basic Time                                             |                                | NA                     | \$41.00/\$25.00                       |  |
| PEIOT           | Overtime                                               |                                | NA                     | \$48.00/\$30.00                       |  |
| PE1PT           | Premium Time                                           |                                | NA                     | \$55.00/\$35.00                       |  |
| AEH             | Additional Engineering Fee (Note                       | Per request, first half        |                        | First/Add'l                           |  |
|                 | 5)                                                     | hr/add'l half hr.              |                        | Basic Time                            |  |
|                 |                                                        |                                |                        | \$31.00/\$22.00                       |  |
|                 |                                                        |                                |                        | Overtime                              |  |
|                 |                                                        |                                |                        | \$37.00/\$26.00                       |  |

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – TENNESSEE PHYSICAL COLLOCATION (continued)

#### Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, CLEC-1 will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Premises, which include survey, engineering, design and modification costs for network, building and support systems. In the event CLEC-1 opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to CLEC-1 as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: The Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. CLEC-1 may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill CLEC-1 for the space enclosure, and this fee shall not be applicable.
- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, CLEC-1 may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.

# EXHIBIT A: BELLSOUTH/CLEC-1 RATES – TENNESSEE PHYSICAL COLLOCATION (continued)

(5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling CLEC-1-requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, CLEC-1 agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

Ne 1

Attachment 4 Page 64

EXHIBIT B Page 1 of 4

#### ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

# 1. GENERAL PRINCIPLES

- 1.1 <u>Compliance with Applicable Law</u>. BellSouth and CLEC-1 agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 <u>Notice</u>. BellSouth and CLEC-1 shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. CLEC-1 should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 <u>Practices/Procedures</u>. BellSouth may make available additional environmental control procedures for CLEC-1 to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. CLEC-1 will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the CLEC-1 space with proper notification. BellSouth reserves the right to stop any CLEC-1 work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by CLEC-1 are owned by CLEC-1. CLEC-1 will indemnify BellSouth for claims, lawsuits or damages to persons or

property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by CLEC-1 or different hazardous materials used by CLEC-1 at BellSouth Facility. CLEC-1 must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by CLEC-1 to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and CLEC-1 will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and CLEC-1 will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, CLEC-1 must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and CLEC-1 shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

# 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, CLEC-1 agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. CLEC-1 further agrees to cooperate with BellSouth to ensure that CLEC-1's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by CLEC-1, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

.

| ENVIRONMENTAL<br>CATEGORIES                                                                                                  | ENVIRONMENTAL<br>ISSUES                                                           | ADDRESSED BY THE<br>FOLLOWING<br>DOCUMENTATION                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Disposal of hazardous material<br>or other regulated material<br>(e.g., batteries, fluorescent<br>tubes, columnts & cleaning | Compliance with all applicable<br>local, state, & federal laws and<br>regulations | <ul> <li>Std T&amp;C 450</li> <li>Fact Sheet Series 17000</li> </ul>                                                                           |
| tubes, solvents & cleaning materials)                                                                                        | Pollution liability insurance                                                     | • Std T&C 660-3                                                                                                                                |
|                                                                                                                              | EVET approval of contractor                                                       | Approved Environmental<br>Vendor List (Contact E/S<br>Management)                                                                              |
| Emergency response                                                                                                           | Hazmat/waste release/spill<br>firesafety emergency                                | <ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency<br/>Operations Plan (EOP)<br/>(specific to and located on<br/>Premises)</li> </ul> |
| Contract labor/outsourcing for<br>services with environmental<br>implications to be performed                                | Compliance with all applicable<br>local, state, & federal laws and<br>regulations | • Std T&C 450                                                                                                                                  |
| on BellSouth Premises<br>(e.g., disposition of hazardous                                                                     | Performance of services in                                                        | • Std T&C 450-B                                                                                                                                |
| material/waste; maintenance of storage tanks)                                                                                | accordance with BST's<br>environmental M&Ps                                       | • (Contact E/S for copy of appropriate E/S M&Ps.)                                                                                              |
|                                                                                                                              | Insurance                                                                         | • Std T&C 660                                                                                                                                  |
| Transportation of hazardous                                                                                                  | Compliance with all applicable                                                    | • Std T&C 450                                                                                                                                  |
| material                                                                                                                     | local, state, & federal laws and regulations                                      | Fact Sheet Series 17000                                                                                                                        |
|                                                                                                                              | Pollution liability insurance                                                     | • Std T&C 660-3                                                                                                                                |
|                                                                                                                              | EVET approval of contractor                                                       | Approved Environmental<br>Vendor List (Contact E/S<br>Management)                                                                              |
| Maintenance/operations work                                                                                                  | Compliance with all application                                                   | • Std T&C 450                                                                                                                                  |
| which may produce a waste                                                                                                    | local, state, & federal laws and regulations                                      |                                                                                                                                                |
| Other maintenance work                                                                                                       | -                                                                                 |                                                                                                                                                |
|                                                                                                                              | Protection of BST employees and<br>equipment                                      | <ul> <li>29CFR 1910.147 (OSHA<br/>Standard)</li> <li>29CFR 1910 Subpart O<br/>(OSHA Standard)</li> </ul>                                       |
| Janitorial services                                                                                                          | All waste removal and disposal                                                    | P&SM Manager -                                                                                                                                 |

. .

|                                                                           | must conform to all applicable federal, state and local regulations                                       | Procurement                                                                                                           |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|                                                                           | All Hazardous Material and Waste<br>Asbestos notification and<br>protection of employees and<br>equipment | <ul> <li>Fact Sheet Series 17000</li> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS<br/>(Hazcom)</li> </ul> |
| Manhole cleaning                                                          | Compliance with all applicable<br>local, state, & federal laws and<br>regulations                         | <ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR<br/>Issue A, August 1996</li> </ul>     |
|                                                                           | Pollution liability insurance                                                                             | • Std T&C 660-3                                                                                                       |
|                                                                           | EVET approval of contractor                                                                               | <ul> <li>Approved Environmental<br/>Vendor List (Contact E/S<br/>Management)</li> </ul>                               |
| Removing or disturbing<br>building materials that may<br>contain asbestos | Asbestos work practices                                                                                   | • GU-BTEN-001BT, Chapter 3                                                                                            |

# 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danser</u> Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

# 4. ACRONYMS

- -

 $\underline{E/S}$  – Environmental/Safety

ŝ

EVET - Environmental Vendor Evaluation Team

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

**<u>GU-BTEN-001BT</u>** - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std. T&C - Standard Terms & Conditions