

NOTICE IS HEREBY GIVEN by the Florida Public Service Commission that customer service hearings will be held in the following docket at the times and locations set forth below. All persons are invited to attend these hearings.

DOCKET NO. 000108-GU - Request for Rate Increase by Florida Division of Chesapeake Utilities Company.

TIMES AND LOCATIONS: (1) Thursday, August 31, 2000, 12:00 p.m. - 2:00 p.m., John Fuller Auditorium, City Commission Chambers, 451 3rd Street NW, Winter Haven, Florida; (2) Thursday, August 31, 2000, 6:00 p.m. - 8:00 p.m., City Council Chambers, 1300 9th Street, St. Cloud, Florida; (3) Wednesday, September 27, 2000, 10:00 a.m. - 12:00 p.m., Plant City Commission Chambers, Nettie Berry Draughon Municipal Building, 302 W. Reynolds Street, Plant City, Florida; and (4) Wednesday, September 27, 2000, 6:00 p.m. - 8:00 p.m., Plantation Inn and Golf Resort, 9301 West Fort Island Trail, Crystal River, Florida.

PURPOSE: To allow the public to present testimony concerning the quality of service provided by the Florida Division of Chesapeake Utilities Company, d/b/a Central Florida Gas Company, for consideration in this docket. All persons wishing to testify are urged to be present at the beginning of these service hearings, because the hearings may be adjourned early if no customers are present. The hearings will commence at the time and location shown above and will continue until all witnesses have been heard.

Any person requiring some accommodation at this hearing because of

- APP _____
- CAF _____
- CMP _____
- COM _____
- CTR _____
- ECR _____
- LEG _____
- OPC _____
- PAI _____
- RGO _____
- SEC I
- SER _____
- OTH _____

DOCUMENT NUMBER-DATE

09350 AUG-28

FPSC-RECORDS/REPORTING

a physical impairment should call the Division of Records and Reporting at (850) 413-6770 at least 48 hours prior to the hearing. Any person who is hearing or speech impaired should contact the Florida Public Service Commission by using the Florida Relay Service, which can be reached at 1-800-955-8771 (TDD).