## FRASER STRYKER MEUSEY OLSON BOYER & BLOCH, PC

500 Energy Plaza 409 South 17th Street Omaha, Nebraska 68102-2663 Telephone 402.341.6000 Telefax 402.341.8290. www.fraserstryker.com

PAUL M. SHOTKOSKI DIRECT DIAL: 402.978.5258 PSHOTKOSKI@FRASERSTRYKER.COM

February 25, 2004

## VIA HAND DELIVERY

Ms. Roberta Bass Office of Market Monitoring and Strategic Analysis Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850

## RE: High Capacity Loops and Transport Data Request for Docket No. 030852-TP **360networks (USA), Inc.**

Dear Ms. Bass:

Attached hereto please find the confidential responses of 360networks (USA), Inc. to the data requests served by you or your department on 360 on or about February 5, 2004. 360 has completed their responses to the supplemental requests in the form identified in the attachment to your original request. Furthermore, there are no spreadsheets attached to their responses for the reason they do not have operating high loop capacities at the sites identified in your request.

360networks (USA), Inc. is claiming confidentiality pursuant to Section 364.183(1) of the Florida statutes since the information relates to potentially sensitive competitive information regarding 360's operations. The following documents are subject to this request:

1. 360's responses to supplement requests for information regarding "deployed high capacity loops" at two specific sites located in Florida.

This information should be treated as confidential by operation of law.

I believe this letter, as well as the attached responses from 360networks (USA), Inc., completes 360's responses to the Commission's inquiry. However, should you have any additional questions, please contact me at your convenience.

Sincerely

Paul M. ShotkostioCUMENT NUMBER-DATE FOR THE FIRM

PMS/dmg Enclosure

**FPSC-COMMISSION CLERK** 

AUS

CAF CMP

COM CTR ECR

GCL

OPC

MMS SEC OTH