LAW OFFICES

ORIGINAL

ROSE, SUNDSTROM & BENTLEY, LLP

2548 Blairstone Pines Drive TALLAHASSEE, FLORIDA 32301

FREDERICK L. ASCHAUER, JR. CHRIS H. BENTLEY, P.A. ROBERT C. BRANNAN DAVID F. CHESTER F. MARSHALL DETERDING IOHN R. JENKINS, P.A. STEVEN T. MINDLIN, P.A. DAREN L. SHIPPY WILLIAM E. SUNDSTROM, P.A.

(850) 877-6555 FAX (850) 656-4029 www.rsbattorneys.com CENTRAL FLORIDA OFFICE 600 S. NORTH LAKE BLVD., SUITE 160 ALTAMONTE SPRINGS, FLORIDA 32701-6177 (407) 830-6331 FAX (407) 830-8522

DIANE D. TREMOR, P.A. JOHN L. WHARTON

REPLY TO ALTAMONTE SPRINGS

MARTIN S. FRIEDMAN, P.A. VALERIE L. LORD

ROBERT M. C. ROSE, OF COUNSEL WAYNE L. SCHIEFELBEIN, OF COUNSEL

June 22, 2004

Ms. Blanca S. Bayo Commission Clerk and Administrative Services Director Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850

Re:

Developer Agreement between Lake Utility Services, Inc., and Greater Construction

Corporation - The Overlook at Lake Louisa

Our File No.: 30057.82

Dear Ms. Bayo:

Pursuant to Commission Rule 25-30.550, Florida Administrative Code, enclosed is a copy of a Water Utility Agreement entered into between Lake Utility Services, Inc., and Greater Construction Corporation for water service to The Overlook at Lake Louisa. Lake Utility Services, Inc.'s water treatment plants have total permitted capacity of 10,790 ERCs. The connected load for the current treatment plants is approximately 8,270 ERCs and this Water Utility Agreement is for 200 ERCs. There is sufficient capacity in LUSI's existing plant to provide water service pursuant to this Water Utility Agreement. This Water Utility Agreement will have no noticeable impact on the Utility's rates due to the amount of demand being placed on the LUSI water system, and resultant revenues.

	In accordance with the aforementioned Rule, we will deem this Agreement approved if
CMP	we do not receive notice from the Commission of its intent to disapprove within thirty days. Should you have any questions regarding this Agreement, please do not hesitate to contact me.
COM	—
CTR	Very truly yours,
ECR)ALL	- With Sandu
GCL	MARTIN S. FRIEDMAN
OPC	For the Firm
MMS	MSF/mp

Enclosure RCA

cc:

Mr. Patrick Flynn, Regional Director (w/o enclosure)

Mr. Steve Lubertozzi (w/enclosure) SEC

M:\1 ALTAMONTE\UTILITIES INC\LUSI\((.82) MISC MATTERS\PSC Clerk 01 (The Overlook...)ltr.wpd OTH

DOCUMENT NUMBER-DATE 16919 JUN 23 8 FPSC-COMMISSION CLERK