BELLSOUTH

BellSouth Telecommunications, Inc.

150 South Monroe Street Suite 400 Tallahassee, FL 32303-1556

Marshall.criser@bellsouth.com

May 5, 2005

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

Mrs. Blanca S. Bayo
Director, Division of the Commission
Clerk and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399

050331 - TP

Re: Approval of the Resale Agreement by and between BellSouth Telecommunications, Inc. ("BellSouth") and Globcom, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval the original and two copies of BellSouth Telecommunications, Inc.'s Resale Agreement with Globcom, Inc.

If you have any questions please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Regulatory Vice President

mm Croser /11/PHJ

DOCUMENT NUMBER-DATE

04750 MAY 16 g

FPSC-COMMISSION CLERK

BELLSOUTH® / CLEC Agreement

Customer Name: Globcom, Inc.

Globcom, Inc. Resale Agreement	2
Table of Contents	3
General Terms and Conditions	4
Signature Page	24
Attachment 1 - Resale	25
Att 1 - Resale Discounts & Rates	49
Pre-Ordering, Ordering, Provisioning and Maintenance and Repair	58
Attachment 3 - Billing	66
Attachment 4 - Performance Measurements Introduction	76
Attachment 4 - Performance Measurements	78
Attachment 5 -Disaster Recovery Plan	290
Attachment 6 - BFR and NBR Process	299

Resale Agreement

Between

BellSouth Telecommunications, Inc.

And

Globcom, Inc.

TABLE OF CONTENTS

General Terms and Conditions

Definitions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Parity
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Non-Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- a Parally a Ola Force or Effect
- 22. Multiple Counterparts
- 23. Filing of Agreement
- 24. Compliance with Law
- 25. Necessary Approvals
- 26. Good Faith Performance
- 27. Rates
- 28. Rate True-Up
- 29. Survival
- ot. Enur Agreemen

Version: 4Q04 Resaie Agreement 12/14/04

TABLE OF CONTENTS (cont'd)

Attachment 1 - Resale

Attachment 2 - Pre-Ordering, Ordering, Provisioning and Maintenance and Repair

Attachment 3 - Billing

Attachment 4 – Performance Measurements

Attachment 5 - BellSouth Disaster Recovery Plan

Attachment 6 - Bona Fide Request and New Business Request Process

Version: 4Q04 Resale Agreement

12/14/04

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and Globcom, Inc. (Globcom), a Florida corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Globcom or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Globcom is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, pursuant to Sections 251 and 252 of the Act; Globcom wishes to purchase certain services from BellSouth; and

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Globcom agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is make a control of an area of control with, anothe person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Communities I on: Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Unite is defined as the date that the Agreement is effective for purposes and the first including the Agreement. Future amendments for rate changes will also the effective of the first include the amendment.

Version: 4Q04 Resale Agreement 12/14/04

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- 1.1 Globcom agrees to provide BellSouth in writing Globcom's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Globcom is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Globcom may not purchase services hereunder in that state. Globcom will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement and upon receipt thereof, Globcom may thereafter purchase services pursuant to this Agreement in that state. BellSouth will file this Agreement with the appropriate Commission for approva.
- 1.3 Should Globcom's certification in any state be rescinded or otherwise terminated, BellSouth may, at its election, terminate this Agreement immediately and all monies owed on all outstanding invoices shall become due, and BellSouth may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the initial term of this Agreement. Globcom shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

2. Term of the Agreement

Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida.

Georgi: Ventpoling Venicipal Micrograms Storth Seculiar Conth Conditions

remission. For the fact of the fact of

and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of the initial term of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- Globcom may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with 2.3 above, then BellSouth may terminate this Agreement upon sixty (60) days notice to Globcom. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Globcom pursuant to the rates, terminate and index set forth in EdlSouth's their current standard resale standalone agreement. In the event that BellSouth's standard resale standalone agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.3 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.2 above and BellSouth is not providing any services under this Agreement as of the date a expiration of the initial term of this Agreement, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.
- In addition to an otherwise set forth in this Apreement. BellSouth reserves the right to suspend access to ordering systems, retuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or

any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due.

If, at any time during the term of this Agreement, BellSouth is unable to contact Globcom pursuant to the Notices provision hereof or any other contact information provided by Globcom under this Agreement, and there are no active services being provisioned under this Agreement, then BellSouth may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to Globcom pursuant to the Notices section hereof.

3. Parity

When Globcom purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to others, including its End Users.

4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 4.1 <u>Subpoenas Directed to BellSouth.</u> Where BellSouth provides resold services for Globcom, or, if applicable under this Agreement, switching, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Globcom End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Globcom End Users for the same length of time it maintains such information for its own End Users.
- 4.2 <u>Subpoens Directed to Globcom</u>. Where BellSouth is providing resold services to Globcom, or, it applicable under this Agreement, switching, then Globcom agrees that in those cases where Globcom receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Globcom End Users, and where Globcom does not have the requested information. Globcom will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 4.1 above.
- 4.3 In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

5 Liability and Indemnification

5.1 Globcom Liability. In the event that Globcom consists of two (2) or more separate entities as yet forth in the Acres on the foreign Amendments proved the party praces orders under the Agricontenuing uncocomes company codes of

Version: 4Q04 Kesale Agreement 12/14/04

identifiers, all such entities shall be jointly and severally liable for the obligations of Globcom under this Agreement.

- 5.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Globcom for any act or omission of another entity providing any services to Globcom.
- 5.3 <u>Limitation of Liability.</u> Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to Globcom pursuant to Attachment 4 hereof shall be credited against any damages otherwise payable to Globcom pursuant to this Agreement.
- 5.3.1 Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first ramific and conveying the limited one. hability that such other Party included in its own tariffs at the time of such loss
- 5.3.2 Neither BellSouth nor Globcom shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software and the last of use of software an emission or necessories attached thereto, dead, cross or roce or data. In connection who are influence of nathity, each Party recognizes that the other Party may, from time to time, provide advice.

facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 5.3.4 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- Disclaimer. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM USAGES OF TRADE.

6 Intellectual Property Rights and Indemnification

No License. Except as expressly set forth in Section 6.2, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides separate and distinct service and agree that neith rare, may, expressly or imprecess, state, accordance or market may have or once on same service as the other Party or engage in any other activity that may result in a

- 6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 6.3 Intellectual Property Remedies
- 6.3.1 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 preceding.
- 6.3.2 <u>Claim of Infringement.</u> In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, and the said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:
- 6.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 6.3.2.2 obtain a license sufficient to allow such use to continue.
- 6.3.2.3 In the event Section 6.3.2.1 or 6.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- to the extent the infringement is caused by: (i) modification of the facilities or extenses a manufacture software) be used to emphasize the incommittee of the facilities or equipment (including software) in committee with equipment or

facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Section 6.1 and 6.2 shall be excluded from the dispute resolution procedures set forth in Section 8 and shall be brought in a court of competent jurisdiction.

7 Proprietary and Confidential Information

- Proprietary and Confidential Information. It may be necessary for BellSouth and Globcom, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within formative (45) days thereafter and shall be clearly marked with a confidential or proprietary legend.
- 17.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution. disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it
- 7.3 <u>Exceptions.</u> Recipient will not have an obligation to protect any portion of the Information which:

Agreement: (b) is lawfully obtained by Recipient from any source other than

confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.

- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 5.7 Survival of Confidentiality Obligations. The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

8 Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the metry proper implementation of this Agreement, the aggrieved Party, if it elects to pursue resolution of the dispute, shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

9 Taxes

Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like tees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise tees or otherwise) imposed, or sought to be imposed, on or with respect therefore, excluding any taxes levied on income.

- 9.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.1 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party. Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 9.3.1 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.2 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promothy furnish the providing Party with context of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- 9.3.3 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery
- 9.3.4 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

indemnify and hold harmless (and defend at the purchasing Party's expense) the environment, and have the expenses (including reasonable attorney tees, with or other enarges or payable expenses (including reasonable attorney tees, with

respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 9.3.6 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.4 <u>Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.</u>

 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.1 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.2 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided,

 Such contest up 11 parties the purchasing Party shall be at the purchasing Party's expense
- 9.4.3 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.4.4 If it is ultimately determined that are additional amount of such a tay or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.5 Notwithstanding any provision to the contrary, the purchasing Party shall protect, and providing Party from and against any such tax or fee, interest or penalties thereon, and the same providing Party from and against any such tax or fee, interest or penalties thereon,

fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 9.4.6 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.5 <u>Mutual Cooperation.</u> In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Globcom, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased):

provided, nowever that the arty so affected shall use unigent chorts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

11 Adoption of Agreements

Pursuant to 47 USC § 252(i) and 47 C.F.R. § 51.809, BellSouth shall make available to Globcom any entire resale agreement filed and approved pursuant to 47 USC § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

12 Modification of Agreement

12.1 If Globcom changes its name or makes changes to its company structure or makes changes to its company structu

notify the appropriate state commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, Globcom shall provide BellSouth with any necessary supporting documentation.

- 12.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- 12.3 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Globcom or BellSouth to perform any material terms of this Agreement, Globcom or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) days after such notice, and either Party elects to pursue resolution of such amendment such Party shall pursue the Dispute Resolution procedure set forth in this Agreement.

13 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

Indivisibility 14

Subject to Section 15 (Severability), the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services and on this Agreement and the neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further poknowies, that this Aureonem is monde constitute a single transaction, that Some of the state of the state of the state of

payment obligations under this Agreement are intended to be recouped against

15 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8.

16 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

17 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

18 Assignments and Transfers

Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each state that Globcom is entitled to provide Telecommunications Service. After BellSouth's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations

permitted to assign this Agreement in whole or in part to any entity unless either the Obstantia assigned with the large of a part of payment of the presence of the Giodecom's assigned expressive assumes habiting for payment of such offis.

In the event that Globcom desires to transfer any services hereunder to another provider of Telecommunications Service, or Globcom desires to assume hereunder any services provisioned by BellSouth to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

19 Notices

19.1 With the exception of billing notices, governed by Attachment 3, every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

Globcom, Inc.

Glenn Kofman President and CEO 2100 Sanders Road, Suite 150 Northbrook, IL 60062 glenn@globcom.com

and

Patti Lindahl
Treet Local Services
2100 Sanders Road, Suite 150
Northbrook, IL 60062
plindahl@globcom.com

by written notice to the other Party

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 19.3 Notwithstanding the above, BellSouth will post to BellSouth's Interconnection Web site changes to business processes and policies and shall post to BellSouth's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

20 Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

21 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

22 Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Globcom shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Globcom. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Globcom is duly certified as a local examing carrier in such state, except as otherwise required by a Commission.

24 Compliance with Law

The Farnes have negonated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is

rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. To the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

25 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

27. Rates

- Globcom shall pay the charges set forth in this Agreement. In the event that BellSouth is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement, BellSouth reserves the right to back bill Globcom for such rate or for the difference between the management and the rate of the extent a rate element is omitted or no rate is established, BellSouth has the right not to provision such service until the Agreement is amended to include such rate.
- To the extent Globcom requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement.

28 kate True-Op

- This section applies to rates that are expressly designated as subject to true-up under this Agreement.
- The designated truc-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and

comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of this Agreement.

A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Globcom specifically or upon all carriers generally, such as a generic cost proceeding.

29 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

30 Entire Agreement

30.1 This Agreement means the General Terms and Conditions, the Attachments identified in Section 30.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Globcom acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Kesaic

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

ونستات

Version: 4Q04 Resair Agreemen 12/14/04

Performance Measurements
BellSouth Disaster Recovery Plan
Bona Fide Request/New Business Request Process

Any reference throughout this Agreement to a tariff, industry guideline, BellSouth's technical guideline or reference, BellSouth business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference. References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Globcom, Inc.
By: Kuster Ekon	By: Al The
Name: Kristen E. Rowe	Name: Glenn Kotman
Title: Director	Title: CEO
Date: /p <	Date: 4/19/05

Resale Agreement Attachment 1 Page 1

Attachment 1

Resale

Table of Contents

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	4
4.	BellSouth's Provision of Services to Globcom	8
5.	Maintenance of Services	9
6.	Establishment of Service	10
7.	Discontinuance of Service	10
8	White Pages Listings	11
9.	Operator Services (Operator Call Processing and Directory Assistance)	13
10.	Line Information Database (LIDB)	15
11.	RAO Hosting	16
12.	Optional Daily Usage File (ODUF)	16
13.	Enhanced Optional Daily Usage File (EODUF)	16
Res	sale Restrictions	Exhibit A
Opt	tional Daily Usage File (ODUF)	Exhibit B
Enl	hanced Option Daily Usage File (EODUF)	Exhibit C
Das	sala Disagunts and Datas	Ewhibit D

RESALE

1. Discount Rates

- The discount rates applied to Globcom purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit D. Such discounts have been determined by the applicable Commission to
 reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- 1.2 The telecommunications services available for purchase by Globcom for the purposes of resale to Globcom's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit D to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Globcom, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

- All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Globcom for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When Globcom provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Globcom does not resell Lifeline service to any End Users, and if Globcom agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event Globcom resells Lifeline service to any End User in Tennessee,
 BellSouth will begin applying the 16% discount rate to all services. Upon Globcom
 and BellSouth's implementation of a billing arrangement whereby a separate
 Master Account (Q-account) associated with a separate Operating Customer
 Number (OCN) is established for billing of Lifeline service End Users, the discount
 shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master
 Account (Q-account).
- 3.1.2.2 Globcom must provide written notification to BellSouth within 30 days prior to either providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%
- 3.2 Globcom may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Globcom must resell services to other End Users.
- Globcom cannot be a competitive local exchange telecommunications company for the single purpose of selling to useff.
- Globcom will be the customer of record for all services purchased from BellSouth.

 Except as specified herein. BellSouth will take orders from bill and receive

- Globcom will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Globcom. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Globcom. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When an End User of Globcom or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Globcom will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Globcom to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of tervices through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- Where BellSouth provides resold services to Globcom, BellSouth will provide Globcom with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Globcom acknowledges that such access to numbers shall—accordance with the appropriate FCC rules and regulations. Globcom acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Globcom shall return unused intermediate telepho—where to BellSouth in BellSouth's request. BellSouth shan make that —cquests on a notice communication passe.

- BellSouth will allow Globcom to designate up to 100 intermediate telephone numbers per CLLIC, for Globcom's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Globcom acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Globcom's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Globcom or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Globcom has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Globcom remain the property of BellSouth.
- 3.15 White page directory listings for Globcom End Users will be provided in accordance with Section 8 below.
- 3.16 Service Ordering and Operations Support Systems (OSS)
- 3.16.1 Globcom must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has acveroped and made available the interactive interfaces by which Globcom may submit a Local Service Request (LSR) electronically as set forth in Attachment 2 of this Agreement. Service orders will be in a standard format designated by BellSouth
- 5.16.2 LSRs submitted by means of one of diese interactive interfaces win meth an OS. electronic charge as set forth in Exhibit D of this Attachment. An individual LSF

will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit D of this Attachment. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event Globcom provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge.</u> Globcom will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Globcom per the Bona Fide Request/New Business Request process as set forth in Attachment 6 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- In the event Globcom acquires an End User whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Globcom that Special Assembly at the wholesale discount at Globcom's option. Globcom shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable
- BellSouth shall provide 911/E911 for Globcom customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Globcom customer information to the PSAP. BellSouth shall use its service order the Globcom customer service information in the ALI/DaviS (Automatic Location Identification/Location Information) databases used to support 9 1/E911 services

- 3.22 BellSouth shall bill, and Globcom shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- Pursuant to 47 CFR Section 51.617, BellSouth shall bill to Globcom, and Globcom shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to Globcom

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Globcom to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Globcom shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Globcom for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- Subject to Exhibit A hereto, resold services can only be used in the same manner s specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when turnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- Giobeon may reselt services only within the specific area as defined in a certificate of operation approved by the Commission.
- 4.4 If Globcom cancels an order for resold services, any costs incurred by BellSouth

BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs

- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas.</u> BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.1 When Globcom assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.5.2 Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to Globcom.
- 4.5.3 Globcom must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an End User account where such circumstances apply.
- 4.5.4 Specific guidelines regarding such services are available on the BellSouth Web site at http://www.interconnection.bellsouth.com.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Globcom or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 Globcom accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 Globcom will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.5 For all repair requests. Globcom shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill Globcom for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to
- 5.7 BellSouth reserves the right to contact Globcom's End Users, if deemed necessary.

6. Establishment of Service

- After receiving certification as a local exchange carrier from the applicable regulatory agency, Globcom will provide the appropriate BellSouth Advisory team manager the necessary documentation to enable BellSouth to establish accounts for resold services ("master account"). Globcom is required to provide the following before a master account is established: blanket letter of authorization, misdirected number form, proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a deposit and tax exemption certificate, if applicable.
- Globcom shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Globcom will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Globcom's End User.
- 6.3 BellSouth will accept a request directly from the End User for conversion of the End User's service from Globcom to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Globcom to such other CLEC. Upon completion of the conversion BellSouth will notify Globcom that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Globcom's End User on behalf of, and at the request of. Globcom. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Globcom.
- 7.1.2 At the request of Globcom, BellSouth will disconnect a Globcom End User.
- All requests by Globcom for denial or disconnection lend User for nonpayment must be in writing.
- 7.1.4 Globcom will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Globcom when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held arising from providing this information to choosen. It is the responsibility of Globcom to take the corrective action necessary with its End Users who make

annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8 White Pages Listings

- 8.1 BellSouth shall provide Globcom and its End Users access to white pages directory listings under the following terms:
- 8.1.2 <u>Listings.</u> Globcom shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Globcom residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Globcom and BellSouth End Users. Globcom shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 8.1.3 <u>Unlisted/Non-Published End Users.</u> Globcom will be required to provide to BellSouth the names, addresses and telephone numbers of all Globcom End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff (GSST) and shall not be subject to wholesale discount.
- 8.1.4 <u>Inclusion of Globcom End Users in Directory Assistance Database.</u> BellSouth will include and maintain Globcom End User listings in BellSouth's Directory Assistance databases. Globcom shall provide such Directory Assistance listings to BellSouth at no charge.
- 8.1.5 <u>Listing Information Confidentiality.</u> BellSouth will afford Globcom's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 8.1.6 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST and shall not be subject to the wholesale discount.
- 8.1.7 Rates. So long as Globcom provides listing information to BellSouth as set forth in Section 8.1.2 above, BellSouth shall provide to Globcom one (1) basic White Pages directory listing per Globcom End User at no charge other than applicable service order enarges as set forth in BellSouth's tariffs. Except in the case of a local service request (LSR) submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as

request for service and the request for the directory listing. Where a subsequent

and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 2 of this Agreement.

- 8.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to Globcom End User at no charge or as specified in a separate agreement between Globcom and BellSouth's agent.
- 8.3 Procedures for submitting Globcom Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 8.3.1 Globcom authorizes BellSouth to release all Globcom SLI provided to BellSouth by Globcom to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), as the same may be amended from time to time. Such Globcom SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- 8.3.2 No compensation shall be paid to Globcom for BellSouth's receipt of Globcom SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Globcom's SLI, or costs on an ongoing basis to administer the release of Globcom SLI, Globcom shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Globcom's SLI, Globcom will be notified. If Globcom does not wish to pay its proportionate share of these reasonable costs, Globcom may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Globcom shall amend this Agreement accordingly. Globcom will be liable for all costs incurred until the effective date of the amendment.
- 8.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Globcom under this Agreement—Globcom shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Globcom listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Globcom any complaints received by BellSouth relating to the accuracy or quality of Globcom listings

changes and/or update scheduling requirements

9.	Operator Services (Operator Call Processing and Directory Assistance)
9.1	Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the End User has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
9.2	Upon request for BellSouth Operator Call Processing, BellSouth shall:
9.2.1	Process 0+ and 0- dialed local calls
9.2.2	Process 0+ and 0- intraLATA toll calls.
9.2.3	Process calls that are billed to Globcom End User's calling card that can be validated by BellSouth.
9.2.4	Process person-to-person calls.
9.2.5	Process collect calls.
9.2.6	Provide the capability for callers to bill a third party and shall also process such calls.
9.2.7	Process station-to-station calls.
9.2.8	Process Busy Line Verify and Emergency Line Interrupt requests.
9.2.9	Process emergency call trace originated by Public Safety Answering Points.
9.2.10	Process operator-assisted directory assistance calis.
9.2.11	Adhere to equal access requirements, providing Globcom local End Users the same IXC access that BellSouth provides its own operator service.
9.2.12	Exercise at least the same level of fraud control in providing Operator Service to Globcom that BellSouth provides for its own operator service.
9.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-3 o-7 mro-Party calls
9.2.14	Direct customer account and other similar inquiries to the customer service center designated by Globcom.
2	rig det den 1905 de de 2000 den in det staniët ville Dê de Staniët i

- 9.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
- 9.3 <u>Directory Assistance Service.</u> Directory Assistance Service provides local and non-local End User telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- 9.3.1 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Globcom's End User. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's General Subscriber Services Tariff to one of the provided listings.
- 9.4 <u>Directory Assistance Service Updates.</u> BellSouth shall update End User listings changes daily. These changes include:
- 9.4.1 New End User connections
- 9.4.2 End User disconnections
- 9.4.3 End User address changes
- 9.4.4 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 9.4.5 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Globcom to the BellSouth Tops. The calls are routed to "No Announcement."
- 10. Branding for Wholesale Operator Call Processing and Directory Assistance
- BellSouth's branding feature provides a definable announcement to Globcom End Users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such End Users in queue or connecting them to an available operator or automated operator system. This feature allows Globcom to have its calls custon branded with Globcom's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D of this Attachment.
- 10.2 BellSouth offers three branding options to Globcom when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding
- Upon receipt of the custom branding order from Globcom, the order is considered firm after ten (10) business days. Should Globcom decide to cancel the order.

 Globcom must provide written notification to Globcom's Local Contract Manager in Grobcom decide, to dance, they are more days a conference of the custom branding order. Globcom shall pay all charges per the order. For branding

- and unbranding via Originating Line Number Screening (OLNS), Globcom must contact its account team to initiate the order via the OLNS Branding Order form.
- Branding via Originating Line Number Screening (OLNS). BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, Globcom shall not be required to purchase dedicated trunking.
- BellSouth Branding is the default branding offering.
- 10.5.1 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Globcom must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's LIDB. To implement Unbranding and Custom Branding via OLNS software, Globcom must submit a manual order form which requires, among other things, Globcom's OCN and a forecast, pursuant to the appropriate BellSouth form provided, for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Globcom shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Globcom's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Globcom End Users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

11. Line Information Database (LIDB)

- The BellSouth Line Information Database (LIDB) stores current information on working telephone numbers and billing account numbers. LIDB data is used by providers of Telecommunications Services to validate billing of collect calls, calls billed to a third party number and nonproprietary calling card calls, to screen out attempts to bill calls to payphones, for billing and for fraud prevention
- Where Globcom is purchasing Resale services BellSouth shall utilize BellSouth's service order generated from Globcom LSR's to populate LIDB with Globcom's End User information BellSouth provides access to information in its LIDB, including Globcom End User information, to various providers of Telecommunications Services via queries to LIDB pursuant to applicable tariffs. Information stored for Globcom, pursuant to this Agreement, shall be available to those Telecommunications Service providers.
- When necessary for traud control measures, BellSouth may perform additions, updates and deletions of Globcom data to the LIDB (e.g., calling card deactivation).

- BellSouth will administer the data provided by Globcom pursuant to this Agreement in the same manner as BellSouth administers its own data.
- Globcom is responsible for completeness and accuracy of the data being provided to BellSouth.
- BellSouth shall not be responsible to Globcom for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

12. RAO Hosting

12.1 RAO Hosting is not required for resale in the BellSouth region.

13. Optional Daily Usage File (ODUF)

- The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D of this Attachment.
- 13.2 BellSouth will provide ODUF service upon written request.

14. Enhanced Optional Daily Usage File (EODUF)


- The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D of this Attachment.
- 14.2 BellSouth will provide EODUF service upon written request.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)

		JALO	,	AL		F	,	<u></u>		KY		LA	_	MS		NC		SC		TN
1			Resale	Discoun	nt Resalc	Discoun		Discount		Discount		Discount		Discount	Resale	Discount		Discount	Resale 1	Discount
Vest	7.2	=	7.cs			N.es	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Ycs	Yes	Yes	Yes	Yes	Yes
Ves	트 6년	3 6	N.cs		!	Y.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
1-22 1-22		5 %	× 28		Yes	9	Yes	oN	Yes	No	Ycs	oN O	Yes	No	Yes	No	Yes	No	Yes	No
Vest		1.9	\$3.7	Ž	Yes	5	Yes	Yes	ON	N _O	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ves	1 2.1] [2]	Yes	7.5	Yes	Y.Cs	Yes	Yes	Yes	Yes	°Z	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ser Yes Yes Yes No Ye			Ves	Ž	Yes	× 2	Yes	Yes	No	No	No	%	Yes	Yes	Yes	Yes	οN	No	Yes	Yes
Ves Ves Ves Ves Ves Ves No V	31 	Serv.	Yes		Yes	Z	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Ves	3	y.	so.	2	Yes	Уľ	Yes	oN	Yes	No	Yes	No	Yes	Š	Yes	No	Yes	Š	Yes	No.
Ves	ļ	.ipc	Yes		Yes	<u>,</u>	Yes	N _o	Yes	No	Yes	No	Yes	z	Yes	No	Yes	No	Yes	No
1	5		×.es	Ž	Yes	, so ,	Yes	Yes	Yes	Yes	Yes	Yes	Yes	\ ` \	Yes	Yes	Yes	Yes	Yes	No
Table Yes Nes No Yes No	è ‡	t ş	v.es		Yes	9	Yes	No	Yes	No	Yes	°N	Yes	Z	Yes	No	Yes	No	Yes	No
Table Yes No Yes		inc A.S.	\ es	2	Yes	N	Yes	Yes	Yes	Yes	Yes	Yes	Yes	, X	Yes	Yes	Yes	S _o	Yes	Yes
reable research be resold only to existing subseavable for resale, promotions will be made available only for the term set forth in	- :	alin alin	y.es	<u></u>	Yes	S S	Yes	No	Yes	No.	Yes	oZ Z	Yes	No	Yes	No	Yes	No	Yes	No
**************************************			:408:																-	
otions and be available only for the term set forth in			A servic	es can haale, pro	e resold o	will be m	isting surade avail.		of the gra to End U	Indfathere Isers who	ed servic would h	e. ave quali	fied for t	he promo	tion had	it been pr	ovided 1	by BellSon	th direct	tly.
	T		III be av	ailable o	ally for th	e term se	t forth in	the applic	sable tari	iff.				·						

Optional Daily Usage File

- 1. Upon written request from Globcom, BellSouth will provide the Optional Daily Usage File (ODUF) service to Globcom pursuant to the terms and conditions set forth in this section.
- 2. Globcom shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed provides Globcom messages that were carried over the BellSouth network and processed by BellSouth for Globcom.
- 4. Charges for ODUF will appear on Globcom's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D to this Attachment.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5.1 Messages that error in the billing system of Globcom will be the responsibility of Globcom. If, however, Globcom should encounter significant volumes of errored messages that prevent processing by Globcom within its systems, BellSouth will work with Globcom to determine the source of the errors and the appropriate resolution.
- 6. ODUF Specifications
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Globcom:
- 6.1.1.1 Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt. Call Return, etc.)
- 6.1.1.2 Measured local calls
- 6.1.1.3 Directory Assistance messages
- 6.1.1.4 IntraLATA Toll



- 6.1.1.7 Information Service Provider Messages
- 6.1.1.8 Operator Services Messages
- 6.1.1.9 Operator Services Message Attempted Calls
- 6.1.1.10 Credit/Cancel Records
- 6.1.1.11 Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Globcom.
- 6.1.4 In the event that Globcom detects a duplicate on ODUF they receive from BellSouth, Globcom will drop the duplicate message and will not return the duplicate to BellSouth.
- 6.2 ODUF Physical File Characteristics
- ODUF will be distributed to Globcom via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN. If BellSouth determine.

 Secure ETD Mailbox nearing capacity levels BellSouth may move the customer to CONNECT: Direct file delivery
- 6.2.2 If the customer is moved, CONNECT: Direct data circuits (private line or dial-up) will be required between BellSouth and Globcom for the purpose of data transmission. Where a dedicated line is required, Globcom will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Globcom will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an organic basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be Globcom's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Globcom. Additionally, all messages and successfully on an individual case basis between the Parties. All modern, will be negotiated on an individual case basis between the Parties.

equipment, including modems and software, that is required on Globcom end for the purpose of data transmission will be the responsibility of Globcom.

- 6.2.3 If Globcom utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Globcom.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Globcom which BellSouth RAO is sending the message. BellSouth and Globcom will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Globcom and resend the data as appropriate.
- 6.4 ODUF Pack Rejection
- 6.4.1 Globcom will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Globcom will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Globcom by BellSouth.
- 6.5 ODUF Control Data

Globcom will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Globcom's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Globcom for reasons stated in the above section.

- 6.6 ODUF Testing
- Upon request from Globcom, BellSouth shall send ODUF test files to Globcom. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, BellSouth shall request that Globcom set up a production (live) file. The live test consequence of The house and the type of services Globcom requests on ODUT. These test cans are logged by Globcom, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing

Attachment 1 Page 21 Exhibit B

will be completed within thirty (30) days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Globcom, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Globcom pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Globcom shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for EODUF will appear on Globcom's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Globcom will be the responsibility of Globcom. If, however, Globcom should encounter significant volumes of errored messages that prevent processing by Globcom within its systems, BellSouth will work with Globcom to determine the source of the errors and the appropriate resolution.
- 7 EODUF Specifications
- 7.1 EODUF Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Globcom:
- 7.1.1.1 Customer usage data for flat rated local call originating from Globcom's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 7.1.1.1.1 Date of Call
- 7.1.1.1.2 From Number
- 7.1.1.1.3 To Number

7.1.1.1.5	Conversation Time
7.1.1.1.6	Method of Recording
7.1.1.7	From RAO
7.1.1.1.8	Rate Class
7.1.1.1.9	Message Type
7.1.1.1.10	Billing Indicators
7.1.1.1.11	Bill to Number
7.1.2	BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to Globcom.
7.1.3	In the event that Globcom detects a duplicate on EODUF they receive from BellSouth, Globcom will drop the duplicate message and will not return the duplicate to BellSouth.
7.2	EODUF Physical File Characteristics
7.2.1	EODUF feed will be distributed to Globcom via Secure File Transfer Protocol (FTP). The EODUF messages will be intermingled among Globcom's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If BellSouth determines the Secure FTP mailbox is nearing capacity levels BellSouth may move the customer to CONNECT: Direct file delivery.
7.2.2	Data circuits (private line or dial-up) may be required between BellSouth and Globcom for the purpose of data transmission. Where a dedicated line is required. Globcom will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Globcom will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will negative and individual case base. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Globcom. Additionally, all message toll charges associated with the use of the dial circuit by Globcom will be the responsibility of Globcom.

عمانات فإكانا

material case of the section and the An equipment,

including modems and software, that is required on Globcom's end for the purpose of data transmission will be the responsibility of Globcom.

- 7.2.3 If Globcom utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Globcom.
- 7.3 EODUF Packing Specifications
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Globcom which BellSouth RAO is sending the message. BellSouth and Globcom will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Globcom and resend the data as appropriate.

Resale Di-	colle.	ates													Attachment:	1	Exhibit: D	
	Ī							1					Svc Order			Incremental		Incremental
							i							Submitted		Charge •	Charge -	Charge -
													Elec		Manual Svc			Manual Svc
CATEGOF			ATE ELEMENTS	Interi	Zone	BC.c	USOC			RATES(\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
				rr									per con	per Lore	Electronic-	Electronic-		Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	ļ				-						I 61	. 5:					L	I
	+				i			Rec	Nonrec First	arring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	+				+			-	FIISL	Audi	First	Auui	SOMIEC	SOMAN	SUMAN	JOMAN	SOMIAN	SOMAN
APPLICAP '	DISC	· · · S			1								<u> </u>			 		
	Res	1.57%			1			16.30								ļ		
		4.						16.30						T		 		
	CS/A							16.30										
OPERATION	SUF	5Y ST E	35) - "REGIONAL FATES"					ł -								1		
NC.	∵(1) €'	-hould	" its contract negrii dar if it															
elr	hither '	"hte spc	minission ordered lates for	the service order	ring cha	rges, or C' TC	may elect the re	gional service of	rdering charg	e, however, Cl	LEC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished ir
ea	of the	iles.																
	105"	remonic fire	Order Charge, Portinal Son	ice														
	Reco	1(LSR) - 11	- Chly				SOMEC		3.50	0.00	3.50	0.00						
	os:	Transl Sec	Har Charge, Per 11 Service	Request														
BRANDING -	(LSF)	ASSIS	75		ļ -		SOMAN	ļ	19.99	0.00	19.99	0.00						
Br		4331	-7		+ +												ļ	
B	Rec	no DA C	in Branded Announcement		1		_		3,000.00	3.000.00	-							
	Load	3A C I	anded Announce of per Sec	utch per	+ +			1	3,000.00	3,000.00		-				-		
	OC!		and the state of t	mon per					1,170.00	1,170.00		ļ			ļ			
Ur	anding	- TLNS for	*fesale CLEC		` 				1,170.00	1,170.00			 					
	Loar	S OA per	OCN per Order						420.00	420.00								
	Lose	Haf DA per f	the per OCN						16.00	16.00							1	
BRANDING	OPER	CALL	SSING										1					
Bres	Rec:																	
		n o <u>f Curr</u>	rended OA Announcement						7,000.00	7,000.00								
	Longit	*Custe:	Tot OA Announce: If necest	elf/NAV														
	per								500.00	500.00			ļ					
Uit	nding.	NS fc	esale CLEC														ļ	_
ODUF/EOD!	SEP	OA pe	(Regional)		+-+				1,200.00	1,200.00							ļ	
ODUF/EOI	NAL	USAG	(ODUF)		1			ļ										
- 0,	IODI:	cording	: (Odde)		+ +			0.000011				-	-					-
-	IOD!	193age	rang, per message		-			0.004101										
	1001		oring, per Magnelic Tana provis	ioned	1			42.67			 					 	 	
	ODI		(CONNECT:DIRECT), per m					0.000094										
EN	NCEL	TONAL	USAGE FILE (EOD 117)					5:300001					†					
	TECS	t-ssagr	. rsing, per message					0.22										
																		

Mersion (11 Resal comment 20/05/4)

Resale Dir	coun.	Rates	rida												Attachment:	1	Exhibit: D	
	Ī			T	T								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR			1TE ELEMENTS	m	Zone	BC?	USOC	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				1 '''	1										Electronic-	Electronic-	Electronic-	Electronic-
													1		1st	Add'l	Disc 1st	Disc Add'l
		· · -		-	-		-	 	Nonrec	urrina	Nonrecurring	Disconnect		L	OSS	Rates(\$)	J	
	+							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1								ļ				 	<u> </u>
APPLICAT	DISC	S		-				21.00					ļ			-		
	Res Bus CSA				+			21.83									.	
	Bush	³⁴ —			++			16.81	-					1				-
		·						16.81										
OPERATIO		SYSTF	SS) - "REGIONAL PATES"	1								L		L	L	<u>. </u>	L	
	7; (1) €1	apoille.	and its contract negotiator if it prefers the															
elne	oither "	thate spe	Commission ordered rates for the service	ice ord	ering cha	arges, or OFFO n	nay elect the re	egional service o	rdering charge	e, however, Cl	LEC can not ob	itain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished ir
ea.	of the fi	mes.																
	los:	firstronic 5	Order Charge, Per Local Service												I			
	Regu	(LSR) - F:	4's Only				SOMEC	1 1	3.50	0.00	3.50	0.00	1					
	085	mual Se	Charge, Per Let Service Request															
	(LSE)	Tenale On:					SOMAN	1	19.99	0.00	19.99	0.00	1					
BRANDING	TIRE	ASSIS	75										1					
Br	ing																	
	Rec	n of DA L	in Branded Announcement						3,000.00	3,000.00								
	Lozz	PA CU	"randed Announcement per Switch per	1														
	loc.								1,170.00	1,170.00			1					
Uni	ndin	NS for	Hesale CLEC							· · · · · · · · · · · · · · · · · · ·			1	· · · · · · · · ·		1		
	Loa	-LOApe	" (OCN per Order)						420.00	420.00			-					
	Load	of DA per-	of thipper OCN					1	16.00	16.00			1					
BRANDING	OPED	CALL	SSING	1	1			·					1			-		
Br	ling				1 1			 										
	Rec	a of Cust	Cranded OA Announcement						7,000.00	7,000.00			 					
	Rem	Custo:	od QA Announce per shelf/NAV	_	+		_		1,000.00	7,000.00			 					
	per	, ,,,,,,,,	STATE OF THE STATE		1 1				500.00	500.00			1			[
Uni	ndin	INS fc	fesale CLEC	 -	 				300.00	300.00								
-	Los	⊙A pc	Regional)	 	+			· · · · · · · · · · · · · · · · · · ·	1,200.00	1,200.00			1				_	
ODUF/EOD	SEP	pc	3.00.001	1	+ +		-	1	1,200.00	1,200.00			1					
OP	NAL	USAG	= (ODUF)		+			<u> </u>			 		 				-	
 	100	coording.	ressage	-				0.0000071			-		_	· · · · · · ·				
h	ÖDI:	ssage	15 ng, per message	-			-	0.002146								<u> </u>	1	
	1001	assage "	ansang, per Magnetic Labe provisioned	+	+			35.91				-	1				1	
	00''	rsta Trans	con (CONNECT:DIRECT) por message	1	1			0.00010375			ļ		 	-				
				-	+			0.00010375					1					
EN	MORE																	
EI''	NOES	SSag	PSAGE FILE (EOD!)	\vdash				0.080698				ļ					1	

forser (Poset) conent

Resale Dis	count	Pates	orgia						-						Attachment:	1	Exhibit: D	
	T		V	T								•	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
								1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Interi				1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOP*	Į		ATE ELEMENTS	Interi m	Zone	BC2	USOC	1		RATES(\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
				m				1							Electronic-	Electronic-	Electronic-	Electronic-
	1				1										1st	Add'l	Disc 1st	Disc Add'l
				<u> </u>									<u> </u>	L				
					ļ			Rec	Nonrec		Nonrecurring					Rates(\$)		
<u> </u>				_	-			1	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A DDI 10 A D	DISC	S		╄			-							 				
APPLICAGE	UISC	- 3 7.9 %					1	20.30								 		
<u> </u>	Resid Busin CSA	7.0 76			-			17.30									ļ	
	Busin	7/5		-				17.30										
					-			17.30						<u> </u>				
	SULL	SYSTE	(SS) - "REGIONAL PATES"					11				L			l	<u> </u>	I	01.50
1	는 (1) C'	-pould	and its contract negotiator if it prefers the															
	either	date speci	Commission ordered rates for the serv	ice orde	oring ch	narges, or C' TO ma	y elect the re	gional service o	rdering charge	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	established in
ear:	of the fire	r'es.														·		,
	OSC	Traffranic T	o Order Charge, Per Local Service					! !							ĺ	ŀ		
		1 (LSR) <u>-</u> P	mis Only				SOMEC		3.50	0.00	3.50	0.00						
	OSC	Johnson Ser	Charge, Per Local Service Request	t			1											ļ
	(LSF)	Pesale On!					SOMAN	1 1	19.99	0.00	19.99	0.00						
BRANDING -		ASSIC	TOF.															
Bran																		
	Reco:	ing of DA Co	Tim Branded Announcement						3,000.00	3,000.00								
	Loar	· · · DA Cur	Pranded Announcement per Switch per								-						i .	
	OCt:								1,170.00	1,170.00							L	
Unive	anding	OLNS for	lesale CLEC															
	Loadin	nof DA per	(1 OCN per Order)	T					420.00	420.00				-				
<u> </u>	Loading	g of DA per 3	tch per OCN		1		1		16.00	16.00		- "						T
BRANDING -	OPER^	CALL	SSSING	T														
Bran	ling				1													
		e of Cust	randed OA Announcement	1			1		7,000.00	7.000.00								
		Custo	on the door and per shelf/NAV				<u> </u>						i -					
	per ()								500.00	500.00								1
Until		LNS fo	niesale CLEC	1	1				222.00	222,00			·					1
	Loari	of OA per	(Regional)		+				1,200.00	1,200.00				-			1	1
ODUF/EOP!		- G	(33.3.101)		+-				1,200.00	,,200.00	-				·		1	
	ONAL	USAG	.5 (ODUF)	+					-									
 	TOD!	acording.	message	+	+		+	0.0000068	-								 	1
 	OD!	essage F	casing, per message	 	+		 	0.002167	-				-					<u> </u>
	ODU	-ssage F	tasing, per Magnelic Tage provisioned	+-	+		 	36.06										
	ODI."	ata Trans	raina (CONNECT:DIRECT), per message	 	+		-	0.00010856					 		 		† · · · ·	· · · · · · · · · · · · · · · · · · ·
ENT	NCED	10NAL F	USAGE FILE (EODITE)	+	+	-		0.00010056							-			
1			TISAGE FILE (EUDITE)	1		L	1							l	L	l		
	EOD	Message T	masing, per message		_			0.227409							1			

02/05/ns

Resale Ding	count Rates	entucky								-				Attachment:	1	Exhibit: D	
	T						T				•. •	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOP		PATE ELEMENTS	Interi	Zone	BCS	USOC	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			יח									per Lorr	per zerk	Electronic-	Electronic	Electronic-	Electronic-
						1								1st	Add'l	Disc 1st	Disc Add'l
				1		ł								151	Addi	DISC 1St	DISC Aud I
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	•	
					- "		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				1			· ·										
APPLICABLE	DISCOMME						<u> </u>		•					-			
1	Residence %	1 1114		1			16.79				1						
—	Busines 1/3			+			15.54			<u> </u>						 	
	CSA: 4			+			15.54				1		 				
OPERATIONS		'OSS) - "REGIONAL PATES"	_	+			10.04			-		-					<u> </u>
NC =		and its contract negotiator if it prefers the	- 11-4-4-		1-" OCC -L		h - C4-4- C	incine The	000				AL- Dalle		IIi		CLEC
1 1	* *																
eleni s		Commission ordered rates for the servi	ce orde	ering ch	larges, or C1 FC may	elect the re	gional service i	ordering charg	e, however, Cl	_EC can not of	otain a mixture	of the two	regardiess i	t CLEC has a	interconnect	ion contract e	stablished in
eachin																·	
		**** Order Charge, Per Local Service															
	Request (LSR) - Pre-			İ		SOMEC		3.50	0.00	3.50	0.00						
		Firster Charge, Per Local Service Request															
	(LSF) Casale Only		ĺ			SOMAN		19.99	0.00	19.99	0.00						
BRANDING -	DIREC ASSIS	ant.															
Brand	ing																
	Recommof DA C	m Branded Announcement		1				3,000.00	3,000.00			1					
	Load DA Curt	Pranded Announcement per Switch per		 											-		
	OCM							1,170.00	1,170.00		}						
Unica		slesale CLEC					 	1,110.00	1,170.00								
<u> </u>	Load DA per	(1 OCN per Order)		 			 	420.00	420.00			-				 	
	Load of DA per	ech per OCN						16.00	16.00		-						
BRANDING	OPER CALL	1ESSING	 -					10.00	10.00								
		-33ING										-	<u> </u>				
Brann	ing						 	7,000,00	7,000,00							-	
	Recommend of Cust	Pranded OA Announcement						7,000.00	7,000.00								ļ
	Loar Custo:	midd OA Announcement per shelf/NAV															
	per C							500.00	500.00								
Univa		alesale CLEC		<u> </u>												<u> </u>	<u> </u>
	Loaders of OA per	(Regional)			0.000			1,200.00	1,200.00						<u> </u>		
ODUF/EOD				1			1								L		
On	NAL " "USAG"	⊕ (ODUF)		1												L	
	ODI!! Becording, r	message					0.0000136										
	ODUIT Tessage F	assing, per message					0.002506										
	ODL assage F	sosing, per Magnetic Tape provisioned					35.90										
	ODI " ata Trans	connection (CONNECT:DIRECT), per message					0.00010372										
ENIT	NCED 'ONAL I	IISAGE FILE (EODIIE)										1	1			1	
	ECC 'lessage	assing, per message		1			0.235889										-
	1	31 bar maaaa 33	L	.1		I	1 0.200000				1	1	L	l		1	

Mersion World Reself Transment 12/05/71

																	r	
Resale Din	count	` Pates	misiana												Attachment:		Exhibit: D	
					1										Incremental			Incremental
								1						Submitted		Charge -	Charge -	Charge -
				Interi	i i								Elec		Manual Svc		Manual Svc	
			* TE ELEMENTS	ps.	Zone	BCs	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														!	Electronic-	Electronic-	Electronic-	Electronic-
				- 1			1	}					<u> </u>		1st	Addʻl	Disc 1st	Disc Add'l
							-		Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		
-	-			+	,			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				+	ļ				FIISt	Add I	FIISt	Addi	JONIEC	JOHAN	JOHAN	JOHAN	COMPAR	- COMPANY
APPLICAP	DISC				1-1		-	+	1									
AFFEICAL	Res	- 9 TL			l			20.72						i				1
	Busin	- 1		+				20.72										
	CSA-	·			1 -			9.05										
OPERATIO	SUF"	SYSTE	SS) - "REGIONAL FILTES"		1		_											
NC	(1) C	hould	its contract negotiator if it prefers	the "state	specifi	c" OSS charges as	ordered by	the State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit ar	the BellSo	uth "regional	service orde	ring charges	CLEC may
elc	either	clate spr	ammission ordered lates for the se															
1	of the	195.			3		,	3						•				
<u> </u>	los:	Tronic :	Order Charge, Personal Service	1	T T		T						I					
	Ren	:LSR) - F -	1 On'v				SOMEC		3.50	0.00	3.50	0.00					l	1
	OS:	nual Se	on Charge, Per Louil Service Reque	st														
	(LST	Preparte Or	,				SOMAN		19.99	0.00	19.99	0.00		1				
BRANDING	DIREC	ASSIS		Τ.	-		1							-				
Br. ···	ing																	
	Reco	a of DA C++	in Branded Announcement						3,000.00	3,000.00								
	Lord	HIDA CH	"manded Announcement per Switch pe		1		1						ļ					
	OCM.				<u> </u>				1,170.00	1,170.00								4
United	anding :	" "LNS fo	-lesale CLEC															
	Load	of <u>DA pe</u> r	(1 OCN per Order)						420.00	420.00								
	Load	and DA per to	-chiper OCN		1				16.00	16.00								
	OPER1	CALL	FASING		-		1										1	
Bro	"ing_				-		-		7,000.00	7,000.00		-						
	Rec	Control Custo	rended OA Announcement and OA Announcement on shelf/NAV	+	-		-		7,000.00	7,000.00						 		
	Lon	WISIO.	TO OA Announce: per speli/NAV		į				500.00	500.00								
Un	per '	V.NS fo	'esale CLEC		1				300.00	300.00		-				-		
Un.	anding :		(Regional)				-		1,200.00	1,200.00			-					
ODUF/EOC	C SEP	2A_ <u>p</u> e	. adiousi)				+		1,200.00	,,200.00							1	
IOF .	ONAL	USAG	= (ODUF)				+				-	-						1
O'	lon:	- cordina	nossage		1		-	0.0000117						1			1	1
	100	essage	rising, per message		\vdash		+	0.004641							1			
	ODI	assage	ring, per Magnetic Table provisioned					48.45						T				
	100	r'a Tran	CONNECT:DIRECTION per message	-			*****	0.00010568										
ENGLA	NCEL	ONAL	ISAGE FILE (EOD 'T)					***************************************										
	ECE	988806	assing, per message					0.250015					1	1				

Resale Dis	counte ? Ra	ates	ssissippi															
CATEGOP			PATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
	-				1 -		!		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
					-			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A DDL ICA DL	E DISC(115			├ ─	-							[
APPLICAR	Residence ?			\vdash			 	15.75				-						
-	Business %			-	+			15.75			_						-	
<u> </u>	CSAs			_			 	15.75					 				-	
OPERATION		YSTE!	'SS) - "REGIONAL RATES"	t	_			10.75	-									
		ould	act its contract negotiator if it prefers th	e "stat	e specif	fic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rate	exhibit are	the BellSo	uth "regional	" service orde	ring charges	CLEC may
elec'	either ** = tat	te spe	Commission ordered rates for the serv															
eac'	of the Comptes						,	g		.,,								
			on Order Charge, Per Local Service	T	1		1											I
	Request (LS	SR) - Rem	le Only				SOMEC		3.50	0.00	3.50	0.00						
	055 200	ral Ser	Ther Charge, Per Local Service Request		1													
	(LSF) Cost	ale Onto		1	1		SOMAN	1	19.99	0.00	19.99	0.00	ì	1	}	1	i	1
BRANDING		ASSIS	Price Land															
Bran	ling																	ļ
			Branded Announcement						3,000.00	3,000.00								
		DA ČIII	Pranded Announcement per Switch per								İ		i					
	loch:				-				1,170.00	1,170.00								
Uni		NS fo	ofesale CLEC	-					420.00	420.00			-				ļ	-
			tich per OCN	 			 		16.00	16.00								ļ
BRANDING		CALL	ESSING	-	+			-	16.00	16.00					<u> </u>		 	-
Bras	ring	MLL	ESSING													 		
		of Custon	Pranded OA Announcement	+-	+		 		7,000.00	7,000.00			-		-	 		
		Custor	ded OA Announcement per shelf/NAV		+-		+		7,000.00	7,000.00			 			 		
	per C TH				1				500.00	500.00								
Unto		NS fo	intesale CLEC		+-													i
	Loading of C		(Regional)				·	 	1,200,00	1,200.00							1	
ODUF/EOD!	E SEPVIN TO		Control of the contro	1														
OE.	ONAL DEST	USAG	E (ODUF)															
1 10	ODUF : Deco	ording.	message					0.0000063										
				_	_	1		0.004707										L
	ODI" '98	sage F	assing, per message															
	ODI " '98		assing, per message	_				49.04					i					
	ODI ' 'es: ODI ' 'es: ODI ' 'es:	a Trans	rasing, per Magnetic Tape provisioned					49.04 0.00010669										
ENU	ODI ' '98: ODI ' '98: ODI ' '1918	sage F	assing, per Magnetic Tape provisioned															

Version and Resets comment

Resale D	countr	Pates	Carolina					•				***************************************			Attachment:	1	Exhibit: D	
	Τ_								***********				Svc Order		Incremental		Incremental	Incrementa
													Submitted		Charge -	Charge -	Charge -	Charge -
				1				1					Elec				Manual Svc	
CATEGOP	.		TATE ELEMENTS	Interi	Zone	BC's	USOC	1		RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				ייו	1 1					. =			per Car	bei rak	Electronic-	Electronic-	Electronic-	Electronic
				.]	i]										1st	Add'I	Disc 1st	Disc Add'l
	-										,						Disc ist	Diac Add I
					\vdash			Rec	Nonrec		Nonrecurring					Rates(\$)		
				+					First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICAP	F DISC	S		_	1 1			 									 	-
	Resid			_				21.50									-	
		e - 1/4		-	1 -1			17.60									 	
	CSAr			+	1			17.60			 				-	 	 	
OPERATIO	'SUP'	SYSTE	(03S) - "REGIONAL DOTES"		1				-								 	-
NC.	T: (1) CT	- bould	tits contract negotiator if it prefers	the "state	specifi	ic" OSS charges	as ordered by	the State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the ReliSo	ith "regional"	" service orde	ring charges	CI EC man
elc-	nither "	tinte spe	ammission ordered ates for the se	vice or	ering ch	arges or C' TO r	nav elect the re	nional service	rdering charg	however Cl	FC can not ob	tain a mivture	of the two	anardlass if	CI EC bas a	interconnect	ion contract o	ctablished
eac	of the for	es.			9			9.5.1.0. 00, 1100	ridering energ	o, 11041C4C1, 01	LEO CUIT HOLOE	tain a mixture	Of the two	egaruless li	OLLO IIas a	mierconnect	ion contract e	Stablistieu
	OSS	instronic C	Order Charge, Per Local Service	T	\Box						Γ		Γ					I
	Region	(LSR) - Pri	de Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS	'anual Ser-	Triar Charge, Per Local Service Reque	st		··			0.00	5.55	0.00	- 0.00						
		Desale Onto					SOMAN		19.99	0.00	19.99	0.00						
BRANDING		ASSIS	*CE		1		.				10.00				-		-	
Bra																		
	Recom	ing of DA Cit	Branded Announcement						3,000.00	3,000.00						-	<u> </u>	
		DA Cur	Pranded Announcement per Switch pe															
	OCF.				L J				1,170.00	1,170.00	1							
Un'		∩LNS for:	indesale CLEC															
		of DA per	1 (1 OCN per Order)						420.00	420.00				-				
		of DA per l-	ritch per OCN		1 1				16.00	16.00								
BRANDING	- Obeb	DO CALL C																T
		MEL	ESSING													1		
	ding			_			-										-	
	Reco	o of Cust	randed OA Announcement						7,000.00	7,000.00								
	Reco-																	
Bra	Reco- Loar per (*)	o of Cust-	anded OA Announcement						7,000.00 500.00	7,000.00								
Bra	Reco	Gustor Custor	anded OA Announcement and OA Announcement per shelf/NAV						500.00	500.00								
Bra-	Reconstruction Per Conding	o of Cust-	anded OA Announcement															
Un!	Reconding Load	OLNS for of OA per	anded OA Announcement and OA Announcement per shelf/NAV sale CLEC (Pegional)						500.00	500.00			- COMM OF THE P.					
Un!	Recondend Load	Custor Custor Custor OA per	ended OA Announcement eled OA Announcement per shelf/NAV esale CLEC (Pegional) E (ODUF)						500.00	500.00								
Un!	Reconding Loading Loading SEPTIONAL TO	Custor Custor Custor Custor CNS for OA per USAGE	anded OA Announcement and OA Announcement ber shelf/NAV sale CLEC (Pegional) I (OOUF) massage					0.0003	500.00	500.00								
Un!	Recolors Loading Loading Loading Loading Loading Loading Loading Loading Loading SEP LONAL LOADING LOADIng LOA	CLNS for OA per USAGF	sale CLEC (Pegional) 1 (ODUF)					0.0032	500.00	500.00								
Un!	Recolors Loading Loadi	OLNS for OA per USAG ocording ossage for essage for ess	ended OA Announcement Ided OA Announcement per shelf/NAV sale CLEC (Pegional) F (ODUF) message ssing, per message ssing, per Magnetic Table provisioned					0.0032 54.61	500.00	500.00								
Un! ODUF/EOU	Recolumn Loading Loading Loading Loading Loading CONAL PODITION CONTROL TO CO	CLNS for OA per USAG conding cosage for sage for a sage	anded OA Announcement and OA Announcement ber shelf/NAV sale CLEC (Pegional) F (ODUF) message seing, per message seing, per Magnelic Table provisioned son (CONNECT-DIRECT), per message					0.0032	500.00	500.00								
Un! ODUF/EOU	Recolors Loading Loadi	OLNS for OA per USAG ocording ossage for sage for the sag	ended OA Announcement Ided OA Announcement per shelf/NAV sale CLEC (Pegional) F (ODUF) message ssing, per message ssing, per Magnetic Table provisioned					0.0032 54.61	500.00	500.00								

Resale Din	court ? Ra	tes Titth C	arolina												Attachment:	1	Exhibit: D	
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
				}				1						Submitted		Charge -	Charge -	Charge -
	ł			Interi				1					Elec	Manually	Manual Svc		Manual Svc	Manual Sy
CATEGOP		TE I	ELEMENTS	tn	Zone	BC8	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1			1	1								1 '	l '	Electronic-	Electronic-	Electronic-	Electronic
							1	Í							1st	Add'l	Disc 1st	Disc Add
	- -		1100-11	+	1		+		Nonred	urring	Nonrecurring	Disconnect	<u> </u>	Ĺ	OSS	Rates(\$)	l	L
		_						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
155110151				<u> </u>														
APPLICAP!																		
	Residence %				-			14.80										
	CSAs 13				ļ .			14.80										
OPERATIONS		OTEL (DOO)	UDFOIONIAL DATEOU		↓		.	8.98										
INC -			"REGIONAL PATES"		١						L						l	
		uld or of sof its	contract negotiator if it prefers t	he "star	e specif	ic" OSS charges a	as ordered by t	the State Comm	issions. The (OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ering charges.	. CLEC ma
- 1			ission ordered rates for the serv	vice orde	ering ch	narges, or CIFC m	nay elect the re	gional service o	ordering charg	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished
ear	of the sales											r-						
			er Charge, Per Local Service											ļ				
		R) - For alle Only			ļ		SOMEC		3.50	0.00	3.50	0.00	l					İ
	OSS Tanua	il Sermininder (Charge, Per Local Service Request	t			1	1 1										ŀ
DDANDING	(LSP) Pesa						SOMAN		19.99	0.00	19.99	0.00						
		SSIS												ļ				
Brand		D4 / D																<u> </u>
			ded Announcement						3,000.00	3,000.00								
		A Circ - Grande	ed Announcement per Switch per				1						1					1
	OCH			-					1,170.00	1,170.00								
Un'	anding in OLI			 														
	Load I D		N per Order)						420.00	420.00								
2241121112		Alper - High per			\vdash				16.00	16.00								
		ALL ESSI	1G															
Brand	'ing				\perp													
			OA Announcement		\perp				7,000.00	7,000.00								Ļ
1	Loar C	usto: " "ed C	A Announcement per shelf/NAV							_				i				
	per C			-	-				500.00	500.00								
Un'			CLEC		1													
00115/505	Loading of C	A per (Regi	onal)						1,200.00	1,200.00								L .
ODUF/EOU	CILI .			-	-								1					
Or "	NAL TOU				1													
	ODU Peco			-	\vdash			0.0000216										
			per message		ļ			0.004704										
			per Magnetic Table provisioned		-			48.87										
					1			0.00010863										
	ODI nata		ONNECT:DIREGT), per message					0.000.0000										
EM!'^	NCEL TOP	AL C USAC	GE FILE (EODITE) , per message					0.258301										

Resale Disc	our*- Pates	nnessee												Attachment:	1	Exhibit: D	
		- · · · · · · · · · · · · · · · · · · ·	T -	1			1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
						l l						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOP		TATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m									por con	Po. 20	Electronic-	Electronic-	Electronic-	Electronic-
			1											1st	Add'l	Disc 1st	Disc Add'l
-								, , , , , , , , , , , , , , , , , , , 					<u> </u>			J.SC 1SK	Disc rida i
——	 						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
			_					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICAR	DISC					+						 			<u> </u>	ļ	
	Residence %					+	16.00					 				 	
	Busin 1/4		-			+	16.00			-		 					
	CSA.		-			_	16.00					ļ			ļ		
OPERATIO 13		3S) - "REGIONAL PATES"	<u> </u>			-	10.00								_		.
NC -:		it's contract negotiator if it prefers the	ne "state	specif	ic" OSS charges a	s ordered by t	he State Comm	issions The C	SS charges c	urrently contai	l ned in this rat	e evhibit an	the BellSo	uth "regional	" service ord	l aring charges	CL EC may
elo		ammission ordered rates for the serv															
	of the " mas.	The services of the serv	ice (i	ing ca	larges, or to 15 ma	ny elect the re	gioriai service i	ndering charg	e, nowever, CL	LEC Can Hot of	nam a mixture	or the two	regardiess i	I CLEC has a	mierconneci	ion contract e	stablished in
		Order Charge, Per Local Service	_ 1			T										ı	
	Require (LSR) - Re-					SOMEC		3.50	0.00	3.50	0.00						
		- Order Charge, Per Local Service Request	 			SOMES		0.50	0.00	3.00	0.00					ł	
	(LSR) Resale Only					SOMAN		19.99	0.00	19.99	0.00		ŀ				
BRANDING D		70E	†~ i			1		10.00	0,00	70.00	0.00						!
Brand	ing																
		am Branded Announcement						3,000.00	3,000.00	7.03	7.03			20.35	10.54	13.32	1.40
	Loar! DA Cor	Pranded Announcement per Switch per															
	OCM.					1	1	1,170.00	1,170.00			1		20.35	10.54		
Unhear		Colesale CLEC				1					•						
	Loading of DA per	의 (1 OCN per Order)						420.00	420.00					20.35	10.54		
	Loading of DA per (in	ich per OCN						16.00	16.00				· · · · · ·	20.35	10.54		
BRANDING C		ESSING										1					
Brandi																	
	Recolling of Custon	randed OA Announcement						7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loads of Custor	reled OA Announce of per shelf/NAV															
	per C							500.00	500.00					19.99	19.99		
Unicar		Mesale CLEC															
	Loarling of OA per	트(Region al)						1,200.00	1,200.00				-	19.99	19.99		
ODUF/EODITE													i				
	NAL USAG	E (ODUF)						·									
	ODI!! Pecording	message					0.0000044										l
		ressing, per message					0.002446										†
		sasing, per Magnetic Tape provisioned					35.54										
	LODGE TO A TO	tion (CONNECT:DIRECT), per message	1			1	0.0000339									 	
	OD!!" Data Trans						0.0000339						1				
ENTRA	NCED ONAL I EOF Message	USAGE FILE (EODUE)					0.0000339		-							<u> </u>	

Page 9 of 9

Mersion, 1994 Resalt Impment 12/05/65

Attachment 2

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS
3.	MISCELLANEOUS

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

BellSouth shall provide to Globcom nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Globcom can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Globcom with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's Interconnection Web site and is incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate requests for both current and projected demands of Globcom and other CLECs in the aggregate.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Globcom nondiscriminatory access to its OSS and the necessary information contained therein in order that Globcom can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Globcom to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Globcom's access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference.
- 2.1.1 Globcom agrees to comply with the provisions of the Operations Support Systems (OSS) Interconnection Volume Guidelines as set forth at BellSouth's interconnection Web site, and incorporated harein by reference as amended from time to time.
- 2.2 Pre-Ordering. BellSouth will provide electronic access to its OSS and the information contained therein in order that Globeom can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's

by which BellSouth and Globcom will manage these electronic interfaces to

the change management process as described in Section 2.6 below. Globcom shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Globcom shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Globcom shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.2.1 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Globcom will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Globcom's access to customer record information. If a BellSouth audit of Globcom's access to customer record information reveals that Globcom is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Globcom may take corrective action, including but not limited to suspending or terminating Globcom's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.3 Ordering. BellSouth will make available to Globcom electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection were site and are incorporated nerem by reference as they are amended from time to time. The process by which BellSouth and Globcom will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described
- 2.3.1 Globcom shall place orders for services by submitting a local service request ("LSR") to BellSouth. BellSouth shall bill Globcom an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSK submitted by means of an electronic interface. BellSouth shall bill Globcom a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces to a mail, fax courier, etc. An individual LSR will be identified for

- 2.3.1.1 Globcom may submit an LSR to request that an End User's service be temporarily suspended, denied, or restored. Alternatively, Globcom may submit a list of such End Users if Globcom provides a separate PON for each location on the list. Each location will be billed as a separate LSR.
- 2.3.1.2 BellSouth will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.1.3 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 2.4 Provisioning. BellSouth shall provision services during its regular working hours. To the extent Globcom requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project managers to work outside of regular working hours, overtime charges set forth in BellSouth's State E Tariff, Section 13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Globcom, BellSouth will not assess Globcom additional charges beyond the rates and charges specified in this Agreement.
- 2.4.1 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Globcom (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Globcom for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance from BellSouth ariff: Section (E)
- 2.4.2 <u>Cancellation Charges.</u> If Globcom cancels an LSR for resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4.
- 2.5 Maintenance and Repair. BellSouth will make available to Globcom electronic interfaces for the purpose of reporting and monitoring strong troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference. The process by which BellSouth and Globcom will appropriately accommon action. The process by which BellSouth and Globcom mitodate non-or-new interfaces with the governed by the change management process as described below. Requests for trouble repair are billed in accordance with the

Version: 4Q04 Result Agreement

provisions of this Agreement. BellSouth and Globcom agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's Interconnection Web site.

- 2.5.1 If Globcom reports a trouble and no trouble actually exists on the BellSouth portion, BellSouth will charge Globcom for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 2.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Globcom (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Globcom for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1 (E).
- 2.6 <u>Billing.</u> BellSouth will provide Globcom nondiscriminatory access to billing information as specified in Attachment 3 to this Agreement.
- 2.7 Change Management. BellSouth and Globcom agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Globcom agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Globcom at BellSouth's Interconnection Web site.
- 2.8 Rates. Unless otherwise specified herein, charges for the use of BellSouth's Operations Support Systems (OSS), and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.

3. MISCELLANEOUS

3.1 Pending Orders. To the extent that Globcom submits an LSR with incomplete, incorrect or conflicting information. Beliffouth will return the LSR to Globcom for the first of the confliction within them;

(30) days by submitting a supplemental LSR. If Globcom does not submit a

supplement LSR within thirty (30) days, BellSouth will cancel the original LSR and Globcom shall be required to submit a new LSR, with a new PON.

- Single Point of Contact. Globcom will be the single point of contact with 3.2 BellSouth for ordering activity for resold services used by Globcom to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Globcom and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any resold service being used by Globcom to provide service to that End User and may reuse such facilities to enable such other carrier to provide service to the End User. BellSouth will notify Globcom that such a request has been processed but will not be required to notify Globcom in advance of such processing.
- 3.2.1 Neither BellSouth nor Globcom shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 The Parties shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification in accordance with the intervals specified in Attachment 4 of this Agreement.
- 3.2.3 <u>Use of Facilities.</u> When an End User of Globcom elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Globcom by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer service from an End User or from a CLEC. BellSouth will notify Globcom that such a request has been processed after the disconnect order has been completed.
- 23.3 Contact Numbers. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed 24 nours per day, 7 days per week. BellSouth will close trouble tickets after making a reasonable effort to contact Globcom for authorization to close a ticket. BellSouth will place trouble tickets in delayed maintenance status after making a reasonable effort to contact Globcom to request additional information

- 3.4 <u>Subscription Functions.</u> In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.4.1 When Globcom's End User, served by resale, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Globcom, which has the billing relationship with that End User, and Globcom may pass such charge to the End User.

Attachment 3

Billing

TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	4
2.	BILLING DISPUTES	10

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to Globcom under this Agreement. BellSouth will format all bills in CABS Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format may change in accordance with applicable industry standards.
- 1.1.1 For any service(s) BellSouth receives from Globcom, Globcom shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of Globcom's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in BellSouth's Non-Regulated Services Pricing List N6.
- 1.1.4 BellSouth will bill Globcom in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges which will be billed in arrears
- 1.1.4.1 For resold services, charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Globcom, and Globcom will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Globcom as a result of the execution of this Agreement.
- 1.2 Establishing Accounts. After submitting a credit profile and deposit, if required

Commission. Globcom will provide the appropriate BellSouth advisory team/local

accounts for resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Numbers (OCN) for each state as assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), if applicable, Access Customer Name and Abbreviation (ACNA), if applicable, Blanket Letter of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Globcom may not order services under a new account established in accordance with this Section 1.2 until thirty (30) days after all information specified in this Section 1.2 is received from Globcom.

- 1.2.1 Company Identifiers. If Globcom needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when Globcom has already been conducting business utilizing those Company Identifiers, Globcom shall pay all charges as a result of such change, addition, elimination or conversion to the new Company Identifiers. Such charges include, but are not limited to, all time required to make system updates to all of Globcom's End User records and any other changes to BellSouth systems or Globcom records, and will be handled in a separately negotiated agreement or as otherwise required by BellSouth.
- 1.2.2 Tax Exemption. It is the responsibility of Globcom to provide BellSouth with a properly completed tax exemption certificate at intervals required by the appropriate taxing authorities. A tax exemption certificate must be supplied for each individual Globcom entity purchasing Services under this Agreement. Upon BellSouth's receipt of a properly completed tax exemption certificate, subsequent billings to Globcom will not include those taxes or fees from which Globcom is exempt. Prior to receipt of a properly completed exemption certificate, BellSouth shall bill, and Globcom shall pay all applicable taxes and fees. In the event that Globcom believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to BellSouth's receipt of a properly completed exemption certificate, BellSouth shall assign to Globcom its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by BellSouth. BellSouth shall, after receiving a written request from Globcom and at Globcom's sole expense, pursue such refund claim on behalf of Globcom, provided that Globcom promptly reimburses BellSouth for any costs and expenses incurred by BellSouth in pursuing such refund claim, and provided further that BellSouth shall many the first as decided to such along costs and expenses from the amounof any refund obtained prior to remitting such refund to Globcom. Globcom shall be solely responsible for the computation, tracking, reporting and payment of all taxes and fees associated with the services provided by Globcom to its End Users

BellSouth's request. Globcom shall complete the BellSouth Credit Profile

credit and financial condition. Based on BellSouth's analysis of the BellSouth Credit Profile and other relevant information regarding Globcom's credit and financial condition, BellSouth reserves the right to require Globcom to provide BellSouth with a suitable form of security deposit for Globcom's account(s). If, in BellSouth's sole discretion, circumstances so warrant and/or Globcom's gross monthly billing has increased, BellSouth reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in Globcom's "accounts receivables and proceeds".

- 1.3.1 Security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by Globcom. Any such security deposit shall in no way release Globcom from its obligation to make complete and timely payments of its bill(s). If BellSouth requires Globcom to provide a security deposit, Globcom shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of BellSouth's request, as applicable. Deposit request notices will be sent to Globcom via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in BellSouth's General Subscriber Services Tariff (GSST).
- 1.3.2 Security deposits collected under this Section 1.3 shall not exceed two (2) months' estimated billing. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if Globcom has received service from BellSouth during such period at a level comparable to that anticipated to occur over the next six (6) months. If either Globcom or BellSouth has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months. Globcom and BellSouth shall agree on a level of estimated billings based on all relevant information.
- In the event Globcom fails to provide BellSouth with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to Globcom may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upor Termination of services, BellSouth shall apply any security deposit to Globcom's final bill for its account(s).
- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by Globcom as scenrity under this Agreemen. Globcom shall renew such letter of

replacement for the letter of credit. If Globcom fails to comply with the foregoing.

letter of credit and utilize the cash proceeds as security for Globcom accounts(s). If Globcom provides a security deposit or additional security deposit in the form of a surety bond as required herein. Globcom shall renew the surety bond or provide BellSouth with evidence that Globcom has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If Globcom fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for Globcom's account(s). If the credit rating of any bonding company that has provided Globcom with a surety bond provided as security hereunder has fallen below B, BellSouth will provide written notice to Globcom that Globcom must provide a replacement bond or other suitable security within fifteen (15) days of BellSouth's written notice. If Globcom fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for Globcom's account(s). Notwithstanding anything contained in this Agreement to the contrary, BellSouth shall be authorized to draw down the full amount of any letter of credit or take action on any surety bond provided by Globcom as security hereunder if Globcom defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein.

- 1.4 <u>Payment Responsibility.</u> Payment of all charges will be the responsibility of Globcom. Globcom shall pay invoices by utilizing wire transfer services or automatic clearing house services. Globcom shall make payment to BellSouth for all services billed including disputed amounts. BellSouth will not become involved in billing disputes that may arise between Globcom and Globcom's End User.
- 1.4.1 Payment Due. Payment for services provided by BellSouth, including disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify BellSouth of Billing Account Numbers (BAN) paid: invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by BellSouth. If the Remittance Information is not received with payment, BellSouth will be unable to apply amounts paid to Globcom's accounts. In such event, BellSouth does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.

<u>Due Days</u>— If the payment due date falls on a Sunday of an a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday. Wednesday. Thursday, or Friday, the payment of a single factor of the figure of the fi

- 1.4.1.2 <u>Late Payment.</u> If any portion of the payment is not received by BellSouth on or before the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment and/or interest charge shall be due to BellSouth. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, or pursuant to the applicable state law as determined by BellSouth. In addition to any applicable late payment and/or interest charges, Globcom may be charged a fee for all returned checks at the rate set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to Globcom.</u> The procedures for discontinuing service to Globcom are as follows:
- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.
- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's End Users or customers. Additionally, at the time of Discontinuance, BellSouth will remove any Local Service Freezes in place on the billed Party's End Users.
- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing harty to the billed Party.
- 1.5.2 BellSouth reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Globcom of the rules and regulations of BellSouth's tariffs.
- 1.5.3 Suspension. If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteeth (1.5.) days from the date of a deposit request in the case of security deposits, BellSouth will provide written notice to Globcom that services will be Suspended if payment of such amounts, and all other amounts that become past due before. Suspension, is not received by in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1: (1) within seven (7) days following such notice for

CABS billed services; (2) within fifteen (15) days following such notice for CRIS and IBS billed services; and (3) within seven (7) days following such notice for security deposit requests.

- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, , must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, BellSouth will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that BellSouth provides the Suspension notice.
- 1.5.4 <u>Discontinuance.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, BellSouth will provide written notice that BellSouth may Discontinue the provision of existing services to Globcom if payment of such amounts, and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1, within thirty (30) days following such written notice; provided, however, that BellSouth may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.5.
- 1.5.5 BellSouth may take the action to Discontinue the provision of existing service upon nineer (15) days from the day after BellSouth provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) Globcom has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:
 - (1) BellSouth has sent the subject bill(s) to Globcom within (7) business days of the bill date(s), verifiable by records maintained by BellSouth:
 - i. in paper or CDROM form via the United States Postal Service (USPS).
 - ii. in magnetic tape form via overnight delivery, or
 - iii. via electronic transmission; or

described in (1) above, more than thirty (50) days before notice to Discontinue service has been rendered

- 1.5.6 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.7 Globcom is solely responsible for notifying the End User of the Discontinuance of service. If, within seven (7) days after Globcom's services have been Discontinued, Globcom pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of the GSST, then BellSouth will reestablish service for Globcom.
- 1.5.7.1 <u>Termination.</u> If within seven (7) days after Globcom's service has been Discontinued and Globcom has failed to pay all past due charges as described above, then Globcom's service will be Terminated.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, disconnection of services for nonpayment of charges, and rejection of additional orders from Globcom, shall be forwarded to the individual and/or address provided by Globcom in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Globcom as the contact for billing. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from Globcom to BellSouth's billing organization, the notice of discontinuance of services purchased by Globcom under this Agreement provided for in Section 1.5.4 of this Attachment shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement.

2. BILLING DISPUTES

- Globcom shall electronically submit all billing disputes to BellSouth using the form specified by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of BellSouth's denial, or partial denial, of the billing dispute, if Globcom is not satisfied with BellSouth's resolution of the billing dispute or if no response to the billing dispute has been received by Globcom by such sixtieth (60th) day, Globcom must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix, set forth on BellSouth's Interconnector Cervices Web site, of the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue dispute resolution in accordance with the General Terms and Conditions of the Auragement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute

BellSouth. The billing dispute must be clearly explained by Globcom and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within BellSouth's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide complete information may be rejected by BellSouth. Claims by Globcom for damages of any kind will not be considered a billing dispute for purposes of this Section. If BellSouth resolves the billing dispute, in whole or in part, in favor of Globcom, any credits and interest due to Globcom as a result therof shall be applied to Globcom's account by BellSouth upon resolution of the billing dispute.

Attachment 4

Performance Measurements

Mersion 40004 Ressue Apreemen

12/14/04

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com.

The following Service Quality Measurements (SQM) plan as it presently exists and as it may be modified in the future, is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues a subsequent Order pertaining to Performance Measurements, such Performance Measurements shall supersede the SQM contained in the Agreement.

Version 4000 E. 12/14/04

BellSouth Service Quality Measurement Plan (SQM)

Tennessee Performance Metrics

Measurement Descriptions Version 2.00

Issue Date: July 1, 2003



Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and their Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Florida, Mississippi, and North Carolina have and continue to influence the SQM. Per the Order in Docket 01-00193, issued by the Tennessee Regulatory Authority on October 4, 2002, this version of the SQM reflects the Florida Public Service Commission Order Nos. PSC-02-1736-PAA-TP, issued December 10, 2002, PSC-03-0529-PAA-TP, issued April 22, 2003 and PSC-03-0603-CO-TP, issued May 15, 2003.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and the Florida PSC.

This document is intended for use by someone with knowledge of the telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: http://pmap.bellsouth.com in the Documentation/Exhibits folder.

Report Publication Dates

Each month, preimmary 1914 reports will be posted to Ecilcoutil's 2014, web site (http://pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. The validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. Validated SEEM

Version 2.00 Issue Date: July 1, 2003

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as



15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of the month. Final validated SEEM reports will be posted and payments mailed on the 15th of the following month. BellSouth shall retain the performance measurement raw data files for a period of 18 months and further retain the monthly reports produced in PMAP for a period of three years.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. The Tennessee Regulatory Authority has access to the web site. In addition, a copy of the SQM and Monthly State Summary reports will be filed with the TRA as soon as possible after the last day of each month.



Contents

Section 1	: Operations Support Systems (OSS)	
OSS-1:	Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)	
OSS-2:	OSS Availability (Pre-Ordering/Ordering)	
OSS-3:	OSS Availability (Maintenance & Repair)	
OSS-4:	Response Interval (Maintenance & Repair)	
PO-1:	Loop Makeup - Response Time - Manual	
PO-2:	Loop Makeup - Response Time - Electronic	15
Section 2	: Ordering	
O-1:	Acknowledgement Message Timeliness	12
O-2:	Acknowledgement Message Completeness	
O-3;	Percent Flow-Through Service Requests (Summary)	
0-4:	Percent Flow-Through Service Requests (Detail)	
0 .,	Flow-Through Error Analysis	
O-6:	CLEC LSR Information	
O-7:	Percent Rejected Service Requests	
O-8:	Reject Interval	
O-9:	Firm Order Confirmation Timeliness	
O-10:	Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
O-11:	Firm Order Confirmation and Reject Response Completeness.	
O-12:	Speed of Answer in Ordering Center	
	: Provisioning	
P-1:	Mean Held Order Interval & Distribution Intervals	
P-2:	(Deleted) Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-2A:	Jeopardy Notice Interval	
P-2B:	Percentage of Orders Given Jeopardy Notices	
P-3: P-3A:	Percent Missed Initial Installation Appointments	
P-3A: P-4:	(Deleted) Percent Missed Installation Appointments Including Subsequent Appointment	61
P-4A:	(Deleted) Average Order Completion Interval (OCI) & Order Completion Interval Distribution	64
P-5:	Average Completion Isource Interval	
P-6:	% Completions/Attempts without Notice or < 24 hours Notice	
P-7:	Coordinated Customer Conversions Interval	
P-7A:	Coordinated Customer Conversions – Hot Cut Timeliness% within Interval and Average Interval	
P-7B:	Coordinated Customer Conversions – Average Recovery Time	
P-7C:	Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order	
P-8:	Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing	
P-9:	% Provisioning Troubles within 30 Days of Service Order Completion	
P-10:	(Deleted) Total Service Order Cycle Time (TSOCT)	
P-11:	Service Order Accuracy	
P-11A:	Service Order Accuracy	
P-12:	(Deleted) LNP-A verage Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution	
	LNP-Fercent Out of Service < 60 Minutes	
P-13C: P-13D:	LNP-Average Disconnect Timeliness Interval Distribution (Non-Trigger)	
Section 4	Maintenance College.	
140 D. 2		100
	Customer Trouble Report Rate	
MO. K-1	Maintenance Average Duration	10.



Tennessee	Performance Metrics	Contents
140D 5	Out of Carrier (OOS) > 24 Harry	100
	Out of Service (OOS) > 24 Hours	
	Average Answer Time – Repair Centers	
M&K-/:	Mean Time To Notify CLEC of Network Outages	114
Section 5:	Billing	
B-1:	Invoice Accuracy	110
B-2:	Mean Time to Deliver Invoices	118
B-3:	Usage Data Delivery Accuracy	120
B-4:	Usage Data Delivery Completeness	122
B-5:	Usage Data Delivery Timeliness	124
B-6:	Mean Time to Deliver Usage	
B-7:	Recurring Charge Completeness	128
B-8:	Non-Recurring Charge Completeness	130
B-9:	Percent Daily Usage Feed Errors Corrected in "X" Business Days	132
B-10:	Percent Billing Errors Corrected in "X" Business Days	134
Section 6	Operator Services and Directory Assistance	
OS-1:	Speed to Answer Performance/Average Speed to Answer - Toll	13/
OS-1:	Speed to Answer Performance/Percent Answered within "X" Seconds – Toll	
DA-1:	Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)	
DA-2:	Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)	
D11-2.	Special of Aniswer Ferrormance of electric Aniswered within 12 Seconds Breeford Assistance (DA)	1 12
	Database Update Information	
D-1:	Average Database Update Interval	
D-2:	Percent Database Update Accuracy	
D-3:	Percent NXXs and LRNs Loaded by the LERG Effective Date	148
Section 8:	E911	
E-1:	Timeliness	150
E-2:	Accuracy	
E-3:	Mean Interval	
Section 0.	Trunk Group Performance	
	Trunk Group Performance-Aggregas	150
	Trunk Group Performance-CLEC Specific	
	Collocation Collocation Average Response Time	16
C-1. C-2:	Collocation Average Arrangement Time	
C-2. C-3:	Collocation Percent of Due Dates Missed	
C-31	Conocation Fercent of Due Dates Misseu	10.
Section 11	: Change Management	
CM-1:	Timeliness of Change Management Notices	167
CM-2:	Change Management Notice Average Delay Days	169
CM-3:	Timeliness of Documents Associated with Change	17
CM-4:	Change Management Documentation Average Delay Days	173
CM-5:	Notification of CLEC Interface Outages	
CM-6:	Percent of Software Errors Corrected in "X" (10. 30. 45) Business Days	
CM-7:	Percent of Change Requests Accepted of Rejected within 10 Day	17(
CM-9:	Number of Defects in Production Releases (Type o CR).	
CM-10:	Software Validations	
(T) (1)	For apply and Department to the property of the control of the con	



Tennessee Performance Metrics		Contents
Appendi	ix A: Reporting Scope	
A-1:	Standard Service Groupings Standard Service Order Activities	188
A-2:	Standard Service Order Activities	
Appendi	ix B: Glossary of Acronyms and Terms	
		189
Appendi	ix C: BellSouth Audit Policy	
C-1:	BellSouth's Internal Audit Policy	199
C-2:	BellSouth's External Audit Policy	199
Appendi	ix D: OSS Tables	
Annendi	ix E: Flow-Through Matrix	
ppendi	0	205
		200

BELLSOUTH®

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)

Definition

The average response interval and percent within the Interval is the average times and percent of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service and feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

- · Syntactically incorrect queries
- · Scheduled OSS Maintenance
- · Retail usage of LENS

Business Rules

The average response interval for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is received by the client application. The percent of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the percent of accesses which take more than 6 seconds, and the percent which are less than or equal to 6.3 seconds are also captured. BellSouth will not schedule maintenance during the hours from 8:00 a.m. until 9:00 p.m., Monday through Friday.

Calculation

Response Interval = (a - b)

- a = Date and Time of Legacy Response
- b = Date and Time of Legacy Request

Average Response Interval = c / d

- c = Sum of Response Intervals
- d = Number of Legacy Requests During the Reporting Period

Percent within Interval = $(e/f) \times 100$

- e = Count of requests within the designated Interval within the reporting period.
- f = Number of Legacy Requests during the Reporting Period for System for which a response was provided

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level



Data Retained

Relating to CLEC Experience

- Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- Regional Scope

Relating to BellSouth Performance

- Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- · Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- RSAG Address (Regional Street Address Guide-Address) stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.
- RSAG TN (Regional Street Address Guide-Telephone number) contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) acts as a warehouse for storing telephone
 numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve
 telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- CRIS (Customer Record Information System) Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.
- P/SIMS (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this legacy system

SQM Analog/Benchmark

• Parity + 2 seconds

See Appendix D: Tables SQM OSS Legacy Access Times

SEEM Measure

SEEM Tier I Tier II Tier III

SEEM Disaggregation - Analog/Denormark

SEEM Disaggregation

• RSAG – Address (Regional Street Address Guide-Address) - stores street address information used to validate customer

numbers working at a given address. CLECs and BellSouth query this legacy system.

ATLAS (Application for Telephone Number Load Administrator) and Selection—acts as a warehouse for storing telephone



- telephone numbers. CLECs and BellSouth query this legacy system.
- COFFI (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- CRIS (Customer Record Information System) Source of CSR (Customer Service Record) information. Contains information
 about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR
 information.
- P/SIMS (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this legacy system.

SEEM Analog/Benchmark

Parity + 2 Seconds

(See Appendix D: Tables for SEEM OSS Legacy Systems)



OSS-2: OSS Availability (Pre-Ordering/Ordering)

Definition

Percent of time OSS interface is functionally available compared to scheduled availability. Availability percentages for CLEC interface and for all Legacy systems accessed by them are captured. ("Functional Availability" is the amount of time in hours during the reporting period that the legacy systems are available to users. The planned System Scheduled Availability is the time in hours per day that the legacy system is scheduled to be available.)

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

Exclusions

- CLEC impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided
 by an application or system available to the CLEC, but with significantly reduced response or processing time.
- · Scheduled OSS Maintenance

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full and Loss of Functionality outages are included in the calculation for this measure. Full outages are defined as occurrences of either of the following:

- Application/Interface application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.
- · Loss of Functionality outages are defined as:
 - A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of pre-ordering and ordering systems.

(Note: Scheduled maintenance will not be performed between the hours of 8:00 a.m through 9:00 p.m. Monday through Friday.)

Calculation

OSS Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- · Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level



Data Retained

Relating to CLEC Experience

- Report Month
- Legacy Contract Type (per reporting dimension)
- · Regional Scope
- · Hours of Downtime

Relating to BellSouth Performance

- Report Month
- Legacy Contract Type (per reporting dimension)
- · Regional Scope
- Hours of Downtime

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for SQM OSS Availability)

SEEM Measure

Tier I Tier II SEEM Yes X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability)



OSS-3: OSS Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

Exclusions

- CLEC-impacting trouble caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided
 by an application or system available to the CLEC, but with significantly reduced response or processing time.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Loss of Functionality outages are defined as:

A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily
unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience

Availability of CLECT



• ECTA

Relating to BellSouth Performance

- Availability of BellSouth TAFI
- · Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for OSS Availability (M&R)

SEEM Measure

| SEEM | Tier I | Tier II | Yes X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability (M&R)

Issue Date: July 1, 2003



OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = (c / d) X 100

- • = Number of Response Intervals in category "Y"
- a = Number of Queries Submitted in the Reporting Period

where, "X" is
$$\leq 4$$
, $\geq 4 \leq 10$, ≤ 10 , ≥ 10 , or ≥ 30 seconds

Average Interval = (e / f)

- c = Sum of Response interval:
- f = Number of Queries Submitted in the Reporting Period

Report Structure

- Not CLEC Specific
- · Not Product/Service Specific
- Kegional Levei

Data Retained

Relating to CLFC Experience

Relating to BellSouth Performance



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

(See Appendix D: Tables for Legacy System Access Times for M&R)

Note: BellSouth's Appendix D lists the query functions and the appropriate legacy systems that the queries travel through to return a response.

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- · Inquiries, which are submitted electronically
- · Designated Holidays are excluded from the interval calculation
- Weekends are excluded from the interval calculation
- · Canceled Inquiries

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via E-mail or FAX to BellSouth's Complex Resale Support Group (CRSG)

This measurement combines three intervals:

- 1. From receipt of a valid Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date
- From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Makeup Service Inquiry Form does **not** require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a first sector of SE in submitted by the CLE.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

Calculation

Response Interval = (a - b)

- a = Date the LMUSI returned to CLEC
- b = Date the LMUSI is received

Average Interval = $\{c \mid G\}$

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = $(e \land f) \ge \exists 0 \in$

• 1 = Total Number of LMUSts processed within the reporting period



Report Structure

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - $0 \le 1 \text{ day}$
 - >1 -<= 2 days
 - >2 -<= 3 days
 - $0 \le 3 \text{ days}$
 - >3 <= 6 days
 - >6 <= 10 days
 - > 10 days
- · Average Interval in days

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of Inquiries
- SI Intervals
- State and Region

Relating to BellSouth Performance

SQM Disaggregation - Analog/Benchmark

@ BELLSOUTH

PO-2: Loop Makeup - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Manually submitted inquiries
- Canceled Requests

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, TAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via the TAG Interface. LSRs submitted via LENs will be reflected in the results for the TAG interface.

Note: The Loop Makeup Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time the LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average interva. = (c / a

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = $(e / f) \times 100$

- e = Total LMUSIs received within the interval
- \bullet f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specifi-
- Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:

C = <= 1 minute

0 - <= 5 minutes > 5 - <= 8 minutes

Same and war.



- > 15 minutes
- Average Interval in minutes

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of Inquires
- SI Interval
- · State and Region

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation Loop Benchmark: 95% <= 1 Minute SEEM Measure SEEM Tier I Tier II Yes X SEEM Disaggregation - Analog/Benchmark SEEM Disaggregation SEEM Analog/Benchmark



Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval and percent within the interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG until an acknowledgement notice is sent by the system.

Exclusions

- · Scheduled OSS Maintenance
- Manually Submitted LSRs

Business Rules

The process includes EDI and TAG system functional acknowledgements for all Local Service Requests (LSRs) which are electronically submitted by the CLEC. The start time is the receipt time of the LSR at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time Messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals for returned acknowledgements
- 1. G. Total number of electrolicitical submitted Messages/E.Sixs (ecc., e.g., via ED) of Love respectively, for which Acknowledgement Notices were returned in the Reporting Period.

Percent within Interval = $(e / f) \times 100$

- e = Total number of electronically submitted messages/LSRs received, from CLEC via EDI or TAG respectively, in the Reporting Period.
- f = Total number of electronically submitted messages/LSRs acknowledged in the Reporting Period.

Reporting Structure

- · CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region
- Electronically Submitted LSRs

0 - <=10 minutes

≥ 10 - ~ 20 minutes

> 30 - <= 45 minutes



- > 60 <= 120 minutes
- > 120 minutes
- Average interval for electronically submitted LSRs in minutes

Data Retained

Relating to CLEC Experience

- · Report Month
- Record of Functional Acknowledgements

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SEEM Disaggregation - Analog/Benchmark

SEEM [Disaggregation	SEEM Analog/Benchmark
•	EDI	EDI – 95% <= 30 Minutes
•	TAG	TAG - 95% <= 30 Minutes

BELLSOUTH®

O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of Messages/LSRs received via EDI or TAG, which are acknowledged electronically.

Exclusions

Manually submitted LSRs

Business Rules

EDI and TAG send Functional Acknowledgements for all LSRs, which are electronically submitted by a CLEC. For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = $(a / b) \times 100$

- a = Total number of Functional Acknowledgements returned in the reporting period for Messages/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted Messages/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region

Note: Acknowledgement message is generated before the system recognizes whether this message (LSR) will be partially or fully mechanized.

Data Retained

Relating to CLEC Experience

- · Report Month
- · Record of Functional Acknowledgements

Relating to BellSouth Ferromands

• Not Applicable

SQM Disaggregation - Analog/Benchmark

•	EDi	Benchmark: 99.9%
	TAG	Benchmark: 99.5%

Issue Date: July 1, 2003



SE	FΜ	Me	261	ır۵

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM D	Disaggregation	SEEM Ana	og/Benchmark
•	EDI	. Benchmark:	99.9%
•	TAG		

CCCS 100 of 305



O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- CLEC System Fallout
- Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- Special pricing plans
 - Some Partial migrations (All LNP Partial Migrations)
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- Expedites (requested by the CLEC)
- 8. Denials-restore and conversion, or disconnect and conversion orders. Class of service invalidation occurs states with some types of service.
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Identions and Captions)
- 14 LNP Only Supplement LSRs except supps of O-2 (Due Date Changes) on Rec Type CE

are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a service to flow through. The current version of the Flow-Through Matrix is on the PMAP website (http://pmap.bellsouth.com) in the



Commission approval

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- • e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

Percent Achieved Flow Through = a / [b - (c + d + e)] X 100

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

Report Structure

- · CLEC Aggregate
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- · Total Number of LSRs Received, by Interface, by CLEC
 - TA(
 - EDI
 - LENS
- Total Number of Errors by Type, by CLEC
 - Fatal Rejects
 - Auto Clarification
 - CLEC Caused System Fallout
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

Relating to BellSouth Performance

- Report Montl
- Total Number of Errors by Typc
 - BellSouth System Error

O-3: Percent Flow-Through Service Requests (Summary)

SQM Disaggregation - Analog/Benchmark

SQM Analog/Benchmark^a **SQM** Level of Disaggregation UNE - Loops Benchmark: 85% UNE-P....Benchmark: 90% LNP Benchmark: 85%

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Analog/Benchmark^a **SEEM Disaggregation** Residence Benchmark: 95% Business Benchmark: 90% UNE - Loops Benchmark: 85% UNE-P.....Benchmark: 90% • LNPBenchmark: 85%



O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2 Special pricing plans
- 3. Some Partial migrations (All LNP Partial Migrations)
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- Expedites (requested by the CLEC)
- 8. Denials-restore and conversion, or disconnect and conversion orders
- 5. Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Identions and Captions)
- 12 (No. Only) Supplement ISBs as perception for the larger of the present for the formal and

*Sec LSK move intrough wants in appendix r, to, it has o, services, incruding compresses acceptance vacance people is sectored are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a some of the property of th



Documentation/Exhibits folder. Any change in the flow-through order category from flow-through to non-flow-through shall require prior Commission approval.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

Percent Achieved Flow Through = a / [b - (c + d + e)] X 100

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- · Number of fatal rejects
- · Mechanized interface used
- Total mechanized LSRs
- Total manual fallout
- Number of auto clarifications returned to CLEC
- Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation
- Region

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Number of LSRs Received, by Interface, by CLEC
 - TAG ED
- Total Number of Errors by Type, by CLEC Fatal Rejects



- CLEC Errors
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

Relating to BellSouth Performance

- Report Month
- Total Number of Errors by Type
 - BellSouth System Error

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark ^a
Residence	Benchmark: 95%
Business	Benchmark: 90%
UNE - Loops	Benchmark: 85%
• UNE-P	Benchmark: 90%
• LNP	Benchmark: 85%

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation		SEEM Analog/Benchmark
•	Residence	Benchmark: 95%
•	Business	Benchmark: 90%
•	UNE- Loops	Benchmark: 85%
	UNE-P.	
•	I.NP	Benchmark: 85%



Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

Error Type (by error code)

Count of each error type

Percent of each error type

Cumulative percent

Error Description

CLEC Caused Count of each error code

Percent of aggregate by CLEC caused count

Percent of CLEC caused count

BellSouth Caused Count of each error code

Percent of aggregate by BellSouth caused count

Percent of BellSouth by BellSouth caused count

Data Retained

Relating to CLEC Experience

- Keport Monti
- Total Number of LSRs Received
- Total Number of Errors by Type (by Error Code)
 - CLEC caused error

Flow-Through Error Analysis

Tennessee Performance Metrics

Relating to BellSouth Performance

- Report Month
- Total Number of Errors by Type (by Error Code)
 - BellSouth System Error

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation Not Applicable		SQM Analog/BenchmarkNot Applicable	
SEEM Mease	ure		
SEEM	Tier I	Tier II	
No	***************************************		
SEEM Disag	gregation -	Analog/Benchma	ark
SEEM Disaggre	egation		SEEM Analog/Benchmark



O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- · LSRs Submitted Manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR

- CC
- PON
- Ver
- Timestamp
- Type
 - 171
- Note or Error Description

Data Retained

Relating to CLEC Experience

- Report Month
- · Record of LSRs Received by CC, PON and Ver
- Record of Timestamp. Type, Err # and Note or Error Description for Each LSR by CC, PON and Ver

Relating to BellSouth Performance

* - Мосыррисави

SQM Disaggregation - Analog/Benchmark

SOM Level of Disaggregation

SOM Analog/Benchmark





SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Service Requests [(Local Service Requests (LSRs)) or Access Service Requests (ASRs)] received which are rejected due to error or omission. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete.

Exclusions

- · Service Requests canceled by the CLEC prior to being rejected/clarified.
- · Fatal Rejects
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable
- · LSRs identified as "Projects"

Business Rules

Fully Mechanized: An LSR/Service Request is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, LENS, TAG, LESOG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A Fatal Reject occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG or LAUTO because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Non-Mechanized: LSRs which are naned or mailed to the ECSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Service Requests Rejected in the reporting period
- b = Total Number of Service Requests Received in the reporting nerior

Report Structure

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
- Trunks
- Geographic Scope
 Star



- Region
- · Product Specific percent Rejected
- · Total percent Rejected

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of LSRs
- Total Number of Rejects
- State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Mechanized, Partially Mechanized and Non-Mechanized

- Resale Business
- Resale Design (Special)
- Resale PBX
- · Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- · 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
 2W Analog Loop with LNP Non-Design

UNE Digital Loop < DS1

UNE Digital Loop >= DS1

UNE Loop + Port Combinations

UNE Combination Other

UNE ISDN Loop

UNE Other Design

UNE Other Non-Design

UNE Line Splitting

EELs

Switch Ports

UNE xDSL (ADSL, HDSL, UCL)

Line Sharing

Local Interoffice Transport

Local Interconnection Trunks

SEEM Measure

SEEM Tier! Tier!!

N.

(BELLSOUTH

0-7: Percent Rejected Service Requests

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of Service Requests [(Local Service Requests (LSRs) or Access Service Requests (ASRs)] to the distribution of a Reject. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete. When there are multiple rejects on a single version of an LSR, the first reject issued is used for the calculation of the interval duration.

Exclusions

- · Service Requests canceled by CLEC prior to being rejected/clarified.
- Fatal Rejects
- · Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- · LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

Local Interconnection Service Center (LISC) - Monday through Friday 4:30 PM until 8:00 AM
From 4:30 PM Friday until 8:00 AM Monday

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute

Business Rules

The Reject interval is determined for each rejected LSE processed during the reporting period. The Reject interval is the etapsed time from when BellSouth receives LSR (date and time stamps in EDI or TAG) until that LSR is rejected back to the CLEC. Elapsed time for each LSR (date and time stamps in EDI or TAG) is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until the LSR is rejected (date and time stamp or reject in EDI translator, or TAG). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via EDI translator, or TAG

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs), ASRs are submitted to and processed



Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = $(e/f) \times 100$

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
- · CLEC Specific
- CLEC Aggregate
- · Geographic Scope
 - State
 - Region
- · Fully Mechanized:
 - $0 \le 4$ minutes
 - > 4 <= 8 minutes
 - >8 <= 12 minutes
 - > 12 <= 60 minutes
 - 0 <= 1 hour
 - > 1 -<= 4 hours
 - > 4 <= 8 hours
 - > 8 <= 12 hours
 - > 12 <= 16 hours > 16 - <= 20 hours
 - > 10 <= 20 hours > 20 - <= 24 hours
 - > 24 hours
- Partially Mechanizes
 - 0 <= 1 hour
 - > 1 -<= 4 hours
 - > 4 <= 8 hours
 - > 8 <= 10 hours
 - 0 <= 10 hours
 - > 10 <= 18 hours
 - 0 <= 18 hours
 - > 18 <= 24 hours
 - > 24 hours
- · Non-mechanized:
 - (. <= 1 how-
 - > 1 <= 4 hours
 - > 4 <= 8 hours
 - > 8 <= 12 hours
 - > 12 <= 16 hours > to - <= 20 hours
 - The second of
 - 0 <= 24 hours
 - > 24 hours

Version 2.00

CCCS 115 of 305



- $0 \le 36 \text{ hours}$
- > 36 hours
- · Average Interval is reported in business hours.

Data Retained

Relating to CLEC Experience

- Report Month
- Reject Interval
- Total Number of LSRs

Total Number of Rejects

State and Region

Total Number of ASRs (Trunks)

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Resale - ResidenceFully Mechanized: 97% <= 1 Hour</th>Resale - BusinessPartially Mechanized: 95% <= 10 Hours</td>Resale - Design (Special)Non Mechanized: 95% <= 24 Hours</td>

- Resale PBX
- · Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Commutations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- Local Interconnection Trunks

Trunks: 95% - 36 Hour

-8: Reject Interval

Tennessee Performance Metrics

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM DisaggregationSEEM Analog/Benchmark• Fully Mechanized97% <= 1 hour</td>• Partially Mechanized95% <= 10 hours</td>• Non-Mechanized95% <= 24 hours</td>• Local Interconnection Trunks95% <= 36 hours</td>



O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR or ASR to distribution of a Firm Order Confirmation. The interval will include an electronic facilities check.

Exclusions

- Service Requests canceled by CLEC prior to being confirmed.
- Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- · LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

For ASRs processed in the Local Interconnection Service Center (LISC) - From 4:30 PM All hours outside of Monday – Friday 8:00 AM – 4:30 PM CST, should be excluded.

The hours excluded will be altered to reflect changes in the Center operating hours. The Centers will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI or TAG) until the LSR is processed, appropriate service occur, are personal or one of Confirmation is returned to the CLEC via ED* translator of TAG.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI translator, or TAG.

Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). The elapsed time is measured from receipt of a valid ASR (date and time stamp of a FAX or paper ASR received in the LISC) until the appropriate orders are issued by a BellSouth representative and a FOC issued in EXACT. Trunk data is reported as a separate category.

O-9: Firm Order Confirmation Time | ness

Tennessee Performance Metrics

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date and Time of Firm Order Confirmation
- b = Date and Time of Service Request Receipt

Average FOC Interval = (c/d)

- c = Sum of all Firm Order Confirmation Times
- d = Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution = (e / f) X 100

- e = Service Requests Confirmed in Designated Interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- · Geographic Scope
 - State
 - Region
- Fully Mechanized:
 - 0 <= 15 minutes
 - > 15 <= 30 minutes
 - > 30 ≤ 45 minutes
 - > 45 <= 60 minutes > 60 - <= 90 minutes
 - > 90 <= 120 minutes
 - > 120 <= 180 minutes
 - $0 \le 3 \text{ hours}$
 - > 3 <= 6 hours
 - > 6 <= 12 hours
 - > 12 <= 24 hours
 - > 24 <= 48 hours
 - 7 4.60
- · Partially Mechanized
 - 0 <= 4 hours
 - > 4 <= 8 hours
 - > 8 <= 10 hours
 - 0 = 10 hours
 - > 10 <= 18 hours
 - 0 <= 18 hours
 - > 18 <= 24 hours
 - > 24 <= 48 hours
 - > 48 hours
 - Nor-meeabali e.
 - 0 <= 4 hours
 - > 4 <= 8 hours
 - > 8 <= 12 hours
 - > 12 <= 16 hours
 - > 20 <= 24 hours > 24 - <= 36 hours



- > 36 <= 48 hours
- > 48 hours
- Trunks:
 - $0 \le 48 \text{ hours}$
 - > 48 hours
- · Average Interval is reported in business hours

Data Retained

Relating to CLEC Experience

- · Report Month
- Interval for FOC
- Total Number of LSRs
- State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale – BusinessPartially Mechanized: 95% <= 10 Hours
- Resale PBX
- Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design 2W Analog Loop with LNP Non-Design

UNE Digital Loop < DS i

UNE Digital Loop >= DS1

UNE Loop + Port Combinations

UNE Combination Other

UNE ISDN Loop

UNE Other Design

UNE Other Non-Design

UNE Line Splitting

EELs

Switch Ports

UNE xDSL (ADSL, HDSL, UCL)

Local Interoffice Transport

SEEM Measure

SEEM

Tier 716:1

O-9: Firm Order Confirmation Timeliness

Tennessee Performance Metrics

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation		SEEM Analog/Benchmark
•	Fully Mechanized	95% <= 3 Hours
•	Partially Mechanized	95% <= 10 Hours
	Non-Mechanized	
•	Local Interconnection Trunks	95% <= 48 Hours



O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual¹

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- · Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00 PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry.
- Canceled Requests
- Electronically Submitted Requests
- Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

Business Rules

This measurement combines four intervals:

- 1. From receipt of a valid Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of a valid SI/LSR in the LCSC to Firm Order Confirmation.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

Calculation

FOC Timeliness Interval with SI = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSK returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals with SI
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = $(e/f) \times 100$

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scop.





- Intervals
 - $0 \le 3 \text{ days}$
 - $> 3 \le 5 \text{ days}$
 - 0 <=5 days
 - $> 5 \le 7 \text{ days}$
 - $> 7 \le 10 \text{ days}$
 - $> 10 \le 15$ days
 - >15 days
- Average Interval measured in days

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of Requests
- SI Intervals
- · State and Region

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Unbundled Interoffice Transport

SEEM Measure

No......

SEEM Disaggregation - Analog/Benchmark



O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- Fatal Rejects
- · LSRs identified as "Projects"

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs.

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs which fall out for manual handling by the LCSC personnel.

Non-Mechanized: The number of FOCs or Rejects sent to the CLECs by FAX server.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

For CLEC Results:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Report Structure

Fully Mechanized, Partially Mechanized, Non-Mechanized and Interconnection Trunks

- State and Region
- CLEC Specific
- CLEC Aggregate

Data Retained

Clarament, All Colonial Co.

- Report Month
- Total Number of LSRs

The professional residence



Ordering

- Total Number of ASRs (Trunks)
- Total Number of FOCs

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- QIVI Level Of Disaggregation
 - Resale Business
 - Resale Design (Special)
 - Resale PBX
 - Resale Centrex
 - Resale ISDN
 - LNP (Standalone)
 - INP (Standalone)
 - 2W Analog Loop Design
 - 2W Analog Loop Non-Design
 - 2W Analog Loop with INP Design
 - 2W Analog Loop with INP Design
 2W Analog Loop with INP Non-Design
 - 2W Analog Loop with LNP Design
 2W Analog Loop with LNP Non-Design
 - 2W Analog Loop with LNP Non-Design UNE Digital Loop < DS1
 - UNE Digital Loop >= DS1
 - UNE Loop + Port Combinations
 - UNE Combination Other
 - UNE ISDN Loop
 - UNE Other Design
 - UNE Other Non-Design

 UNE Line Splitting
 - UNE Line Splitting
 - EELs
 - Switch Ports
 - UNE xDSL (ADSL, HDSL, UCL)
 Line Sharing
 - Local Interoffice Transport
 Local Interconnection Trunks

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

- Fully Mechanized
- Partially Mechanized
- · Non-Mechanizec
- Local Interconnection Trunks

SEEM Analog/Benchmark

95% Returned

Issue Date: July 1, 2003



O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC Local Carrier Service Center
- BellSouth
 - Business Service Cente
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

· Mechanized Tracking Through LCSC Automatic Call Distributor

Relating to BellSouth Performance

· Mechanized Tracking Through BellSouth Retail Center Support System

0-12: Speed of Answer in Ordering Center

Tennessee Performance Metrics

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Aggregate

SEEM Measure

SEEM Tier I Tier II Yes X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T
- Disconnect (D) & From (F) orders
- Orders with Appointment Code of 'A', i.e., orders for locations requiring special construction including locations where no address
 exists and a technician must make a field visit to determine how to get facilities to the location.

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order and identifying all orders that have been reported as completed in SOCS after the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a caregory is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is the carendar gays with no excussions for Frontays, or Sundays

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and > 90 days. (Orders counted in >90 days are also included in - 15 days.

Calculation

Mean Held Order Interval = a / b

- t = Sum of hele-over-days for all Past Day Orders Held with t Bellf out) Naissed approximation from the earliest Bellf out, masses appointment
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = $(c / d) \times 100$

c + # of Orders Held for 2 = 15 does or # of Orders Celebrate + 500 does

BELLSOUTH

CLEC Specific

Report Structure

- · CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON (PON)
- Order Submission Date (TICKET ID)
- Committed Due Date (DD)
- Service Type (CLASS SVC DESC)
- Hold Reason
- Total Line/Circuit Count
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

Relating to BellSouth Performance

Report Month BellSouth Order Number Order Submission Date

Committed Due Date

Service Type

Hold Reason

Total Line/Circuit Count

Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale Residence Retail Residence Resale Centrex Retail Centrex 153 (Finnuagous). In the interest of the inter Switch-Based Orders) 2W Analog Loop with LNP - Design... Retail Residence and Business Dispatch TWO Applies to Some with the Street Con- a P hesidence and busines — (POTS Excluding 2W Anatog Loop with 1NF-Design Ketail Kesidence and Business Dispatch



• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	
UNE Loop + Port Combinations	
- Dispatch In	Dispatch
- Switch Based	Switched Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	

SEEM Measure

 SEEM
 Tier I
 Tier II

 No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• Not Applicable.

Not Applicable

P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

(Deleted)



P-2A: Jeopardy Notice Interval

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the due date of the order.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) and From (F) orders
- Orders with Jeopardy Notice when jeopardy is identified on the due date. This exclusion only applies when the technician on premises has attempted to provide service but must refer to Engineer or Cable Repair for facility jeopardy.
- Orders issued with a due date of \leq = 48 hours.

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunk results are usually zero as these trunks seldom experience facility delays. The Committed Due Date is considered the Confirmed Due Date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Scheduled Due Date on Service Order
- b = Date and Time of Jeopardy Notice

Average Jeopardy Interval = c / d

- e = Sum of all Jeopardy Intervais
- d = Number of Orders Notified of Jeopardy in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- · Geographic Scor-
 - State
 - Region

Data Retained

Report Month
 (2) 24 (10 migs 2) pumps of prof. Dec.



- Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- · Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

SQM Disaggregation - Analog/Benchmark

SQM L	evel of Disaggregation	SQM Analog/Benchma
•	Resale Residence	
•	Resale Business	$95\% > = 48$ hours
•	Resale Design	
•	Resale PBX	95% > 48 hours
•	Resale Centrex	
•	Resale ISDN	$95\% > = 48$ hours
•	LNP (Standalone)	$95\% > = 48$ hours
•	INP (Standalone)	95% > 48 hours
•	2W Analog Loop Design	
•	2W Analog Loop Non-Design	
•	2W Analog Loop with LNP - Design	$95\% > = 48$ hours
•	2W Analog Loop with LNP- Non-Design	
•	2W Analog Loop with INP-Design	95% > = 48 hours
•	2W Analog Loop with INP-Non-Design	$95\% > = 48$ hours
•	UNE Digital Loop < DS1	
•	UNE Digital Loop >= DS1	
•	UNE Loop + Port Combinations	$95\% > = 48$ hours
	- Dispatch In	Dispatch In
	- Switch Based	Switch Based
•	UNE Switch Ports	95% > = 48 hours
•	UNE Combo Other	95% > = 48 hours
•	UNE xDSL (HDSL, ADSL and UCL)	
•	UNE ISDN (Includes UDC)	95% > = 48 hours
*	UNF, Lanc Snaring	State of Tiells house.
•	UNE Other Design	95% > -48 hours
•	UNE Other Non-Design	95% > = 48 hours
•	Local Transport (Unbundled Interoffice Transport)	95% > = 48 hours
•	Local Interconnection Trunks	
•	UNF Line Splitting	95% > = 48 hours
•	EELs	95% = – 48 hours

SEEM Measure

SEEM Tier! Tier!!

SEEM Disaggregation

Version 2.00

• Not Applicable.

SEEM Analog/Benchmark

Not Applicable



P-2B: Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC

The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) and From (F) orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Percent of Orders Given Jeopardy Notice = (a / b) X 100

- a = Number of Orders Given Jeopardy Notices in Reporting Period
- b = Number of Orders Confirmed (due) in Reporting Period

Percent of Orders Given Jeopardy Notice > = 48 hours = (c / d) X 100

- c = Number of Orders Given Jeopardy (Source >= 48 nours in Reporting Period (electronic only))
- d = Number of Orders Given Jeopardy Notices in Reporting Period (electronic only)

Report Structure

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Geograpic Scope
 - State
 - Region

Data Retained

- Report Month
- CLFC Order Number and PON



- Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	
Resale PBX	Retail PBX
Resale Centrex	
Resale ISDN	
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
2W Analog Loop with LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop with LNP - Non-Design	Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
2W Analog Loop with INP-Design	Retail Residence and Business Dispatch
2W Analog Loop with INP-Non-Design	Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
UNE Digital Loop < DS1	Retail Digital Loop <ds1< th=""></ds1<>
UNE Digital Loop >=DS1	Retail Digital Loop >=DS1
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch In	Dispatch In
- Switch Based	Switch Based
UNE Switch Ports	
UNE Combo Cine. DEL ADEL ADEL ALICE	
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Description of Description
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport) Transport	
Local Interconnection Trunks INTEL in a Solitain and American American American American American Solitain and American American American American American American American American Ame	
UNE Line Splitting	Parail DC1/DC2
• EELs	Ketan Den Des



SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation

SEEM Analog/Benchmark

ק



P-3: Percent Missed Initial Installation Appointments

Definition

"Percent missed initial installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- Orders canceled prior to the due date including orders that are to be provisioned on the same day they are placed. ("Zero Due Date Orders")
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc., Order types may be coded C, N, R or T)
- Disconnect (D) & From (F) orders
- · End User Misses

Business Rules

Percent Missed Initial Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be excluded and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = $(a / b) \times 100$

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- Dispatch/Non-Dispatch (except Trunks)
- Geographic Scope
 - Štac
 - Region

Data Retained

Relating to CLES Experience

- includes the own
- CLEC Order Number and PON (PON)
- Committed Due Date (PD)

® BELLSOUTH

Tennessee Performance Metrics

- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- · Standard Order Activity

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Committed Due Date (DD)
- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- Standard Order Activity

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	
Resale Design	Retail Design
Resale PBX	
Resale Centrex	Retail Centrex
Resale ISDN	
LNP (Standalone)	
INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
	Switch- Based Orders)
2W Analog Loop With LNP - Design	
 2W Analog Loop With LNP- Non-Design 	
	Switch-Based Orders)
2W Analog Loop With INP-Design	
2W Analog Loop With INP-Non-Design	
	Switch-Based Orders'
UNE Digital Loop < DS1	
UNE Digital Loop >= DS1	
UNE Loop + Port Combinations	
- Dispatch In	Dispatch In
- Switch Based	Switched Based
UNE Switch Ports	
UNE Combo Other	
UNE xDSL (HDSL, ADSL and UCL)	
- Without Conditioning	With Conditioning (BellSouth does not
with Conditioning	offer this service to Retail)
UNE ISDN	
UNE Line Sharing Without Conditioning	ADS1 Provided to Ketui
With Conditioning	ADSI Provided to Retail
UNE Other Design	
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	
on Therman ediar Transp	re with Kpg
Ar a surface of the control of the c	
With Conditioning	ADS1. Provided to Retail
• EELs	
12 12 12 12 12 12 12 12 12 12 12 12 12 1	

BELLSOUTH

Tennessee Performance Metrics

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
X

SEEM Disaggregation - Analog/Benchmark

EEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop >= DS1	Retail Digital Loop >=DS1
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch In	Dispatched In
- Switch Based	Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
- Without Conditioning	Without Conditioning
- With Conditioning	- With Conditioning (BellSouth does not offer this service to Retail)
UNE ISDN	
UNE Line Sharing Without Conditioning	ADSI Provided to Petail
Min Conditioning With Conditioning	
Local Transport (Unbundled Interoffice Transport)	Detail DC1/DC2 Interaffice
Local Transport (Unbundled Interoffice Transport) Local Interconnection Trunks	Posity with Dateil
3377.1 (3) 17.7	ADSL Provided to Retail
With Conditioning INTERCHARACTERS With Conditioning	Popul Dusies
UNE Other Design UNE Other Non-Design	Datail Decidence and Business
UNE Other Non-Design EELs	Retail DS1/DS3
UNE UDC/IDSL	KCIAH ISDN - DKI

P-3A: Percent Missed Installation Appointments Including Subsequent Appointments

(Deleted)



P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D & F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · End user-caused misses

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.45, 5.10 = 5.40, 10.15 = 10.41, 15.20 = 15.42, 20.20 = 20.42, 25.30 = 25.43, 25.30 = 25.43, 25.30 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = FOC/SOCS date time-stamp (application date)

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orden omnleted in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSonic Appropris
 Disposed to support to the contract of the contr
- Residence and Business reported in day intervals = 0,1,2,3,4,5 5+
- UNE and Design reported in day intervals =0-5.5-10 10-15 15 20.20 25 25-30 >=



- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name
- Order Number (PON)
- Application Date and Time
- Completion Date (CMPLTN DT)
- Service Type (CLASS_SVC_DESC)
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Order Submission Date and Time
- Order Completion Date and Time
- Service Type
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone	Fetall Kesidence and Fusiners (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop with LNP- Non-Design	Ketail Kesigence and Busmess – (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with INP-Design	Retail Residence and Business Dispatch
2W Analog Loop with INP-Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
 UNE Digital Loop < DS1 	Retail Digital Loop < DS1
• UNII Digital Loop 2 - DS	wetall fligital Lord 18 11.5
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch In	Dispatch ln
- Switch Based	Switch Based
UNE Switch Ports	Retail Residence and Basiness (POTS)
UNE Combo Other	Remil Residence, Business and Design Dispatel
and the second of the second o	
· Alloui Commonity	12.0
- With Conditioning	
• 11kz KzD	r ⁶¹⁹ 9 [519.] - 153

@ BELLSOUTH*

Tennessee Performance Metrics

	With Conditioning	<= 12 Days
•	Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•	Local Interconnection Trunks	Parity with Retail
•	UNE Line Splitting Without Conditioning	ADSL Provided to Retail
٠	With Conditioning	
•	UNE Other Design	Retail Design
	UNE Other Non-Design	
	EELs	
	UNE UDC/IDSL	

SEEM Measure

SEEM	Tier I	Tier I
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	Retail ISDN
LNP (Standalone)	
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding
• , •	Switch-Based Orders)
2W Analog Loop with LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop with LNP- Non-Design	Retail Residence and Business – (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with INP-Design	Retail Residence and Business Dispatch
2W Analog Loop with INP-Non-Design	Retail Residence and Business – (POTS Excluding
	Switch-Based Orders)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop >= DS1	Retail Digital Loop >=DS1
UNE Loop + Port Computation	Field Residence and Business
- Dispatch In	
- Switch Based	
UNE Switch Ports	Retail Residence and Business (PO18)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL) Without Conditioning	conf. Dans
- With Conditioning	
UNE ISDN	
UNE Line Sharing Without Conditioning	ADSL Provided to Retail
With Conditioning	
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunk:	
UNE Line Splitting Without Conditioning	ADS). Provided to Retain
With Conditioning	
UNE Other Design	
UNE Other Non-Design	
• EELs	
یاداری در مدا در سالط در در مدارد سالط در در مدارد سالط در در مدارد در مدا	(2015) Prof. (176)

P-4A: Average Order Completion and Completion Notice Interval (AOCCNI) Distribution

(Deleted)



P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was delivered to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders-the end time will be date and timestamp of order update from the FAX record via LON or C-SOTS system. For the retail analog, the start time is when the technician completes the order and the end time is when the order status is changed to complete in SOCS.

Calculation

Completion Notice Interval = (a - b)

- p = Date and Time of Notice of Completion
- b = Date and Time of Work Compretion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Grae-
- · Non-Mechanized Orders
- · Dispatch/Non-Dispatch
- Reporting intervals in Hours; 0,1-<= 2, > 2 <= 4, > 4 <= 8, > 8 <= 12, > 12- <= 24, > 24 plus Overall Average Hour Interval
- Reported in categories of <10 line / circuits; >= 10 line/circuits (except trunks)
- Geographic Scool

Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (so_nbr)
- Work Completion Date (cmpltn dt)
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number (so nbr)
- Work Completion Date (cmpltn dt)
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale Design Retail Design Resale Centrex Retail Centrex LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders) Switch-Based Order Retail Residence and Business Dispatch 2W Analog Loop with INP-Design..... 2W zmatog noop with BJP-Non-Design iketali kesidence and busines 1978, axetuding Switch-Based Orders UNE Loop Port Combinations Retail Residence and Business ... - Hispatch a Dispatch b. ... UNE Combo Other Retail Residence, Business and Design Dispatch



P-5: Average Completion Notice Interval

Tennessee Performance Metrics

٠	UNE ISDN (Includes UDC)	Retail ISDN - BRI
	UNE Line Sharing	
	Local Transport (Unbundled Interoffice Transport)	
•	Local Interconnection Trunks	Parity with Retail
•	UNE Line Splitting	ADSL to Retail
•	UNE Other Design.	Retail Design
•	UNE Other Non-Design	Retail Residence and Business
	CEL	Dotail DC1/DC2

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • Not Applicable Not Applicable



P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

- · Canceled Orders
- Expedited Orders
- ""0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of Original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Committed Due Date (DD)
- FOC End Timestamp
- Report Month

Relating to BellSouth Performance

Not Annlied



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale Residence<= 5%
- Resale Business
- Resale Design
- Resale PBX
- Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop Design with LNP
- 2W Analog Loop Non-Design with LNP
- 2W Analog Loop Design with INP
- 2W Analog Loop Non-Design with INP
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
 - Dispatch In
 - Switch Based
- UNE Switch Ports
- UNE Combo Other
- UNE xDSL (HDSL, ADSL and UCL)
- UNE ISDN (Includes UDC)
- UNE Line Sharing
- UNE Line Splitting
- Local Transport (Unbundled Interoffice Transport)
- Local Interconnection Trunks
- EELS

SEEM Measure

SE	:EM	Heri	Her II	
	No			
SEEN	/ Disaggreg	ratior -	Indeg/Penchm	arl
SEEM	Disaggregation	on		SEEM Analog/Benchmark
•	Not Applicable	le		Not Applicable

Issue Date: July 1, 2003

@ BELLSOUTH

P-7: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and LNP, and where the CLEC has requested BellSouth to provide a coordinated cutover.

Exclusions

- · Any order canceled by the CLEC will be excluded from this measurement.
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.

Business Rules

Where the service order includes LNP, the interval includes the total time for the cutover including the translation time to place the line back in service on the ported line. When the service order includes INP, the interval includes the total time for the cutover including the translation time to place the link back in service on the ported line. The interval is calculated for the entire cutover time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- The interval breakout is 0.5 = 0.45, 5.15 = 5.45 = 15 and greater, plus Overall Average Interval
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- · Cutover Start Time
- Cutover Completion time

COURT COUNCISIONS VICTOR

Note: Code in parentheres is the corresponding keeper tound in the rewice:



Relating to BellSouth Performance

· No BellSouth Analog Exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark • Unbundled Loops with INP 95% <= 15 minutes</td> • Unbundled Loops with LNP 95% <= 15 minutes</td>

SEEM Measure

SEEM	Tier l	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

•	Unbundled Loops With INP	95% <= 1	5 minute	es
	Unbundled Loops With LNP			

P-7A: Coordinated Customer Conversions – Hot Cut Timeliness % within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- 'Any order canceled by the CLEC will be excluded from this measurement.
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.
- All unbundled loops on multiple loop orders after the first loop
- Test Orders

Business Rules

This report measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cutover start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 - 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time. If IDLC is involved, a four hour window applies to the start time. (8 A.M. to Noon or 1 P.M. to 5 P.M.) This only applies if BellSouth notifies the CLEC by 10:30 A.M. on the day before the due date that the service is on IDLC.

Calculation

% within interval = $(a \cdot b) \times 100$

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period

Report Structure

- · CLEC Specific
- CLEC Aggregate

Reported in intervals of early, on time and late cuts % <= 15 minutes; % >15 minutes, <= 30 minutes; % >30 minutes, plus Overall Average Interval

- Geographic Scope
 - State
 - Region
- Percentages are reported in intervals of early, on time and late cuts for IDLC and non-IDLC cuts

On Time (Non-IDLC)

<= 15 minutes

Note: This is a 30-minute bucket representing a cut that begins 15 minutes or less before or after the scheduled start time.

Early (Non-IDLC)

- >15 minutes <= 30 minutes
- >30 minutes <= 60 minutes
- >60 minutes <= 120 minutes
- >120 minutes <= 180 minutes
- >180 minutes <= 240 minutes
- <= 240 minutes

Late (Non-IDLC)

- >15 minutes <= 30 minutes
- >30 minutes <= 60 minutes
- >60 minutes <= 120 minutes
- >120 minutes <= 180 minutes
- >180 minutes <= 240 minutes
- >240 minutes

Overall Average Interval for non-IDLC

On Time (IDLC)

 ≤ 2 hours

Note: This is a 4-hour bucket representing a cut involving IDLC that begins 2 hours or less before or after the scheduled start

Early (IDLC)

>2 hours

Late (IDLC)

>2 hours

Overall Average Interval for IDLC

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (so nbr)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Cutover Scheduled Start Tana
- · Total Conversions Orders



Relating to BellSouth Performance

• No BellSouth Analog exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- - SL1 Non-Time Specific

SEEM Measure

SEEM	Tierl	Tier II
Ýes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- ... 95% within + or 15 Minutes of Scheduled Start Time - SL1 Time Specific......
- SL1 IDLC
- SL1 Non-Time Specific

- SL2 IDLC

BELLSOUTH*

P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- Cutovers where service outages are due to CLEC caused reasons when the CLEC agrees
- · Cutovers where service outages are due to end-user caused reasons when the CLEC agrees
- Test Orders

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date and Time That Trouble is Closed by CLEC
- b = Date and Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times per circuit
- d = Number of Troubles per circuit Referred to BellSouth

Report Structure

- CLEC Specific
- CLEC Aggregate
- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEV Experien-

- · Report Month
- CLEC Company Name
- CLEC Order Number (so nbr)
- · Committed Due Date (DD)
- CLEC Conflict Resolved (CLEC_CON_RES)
- The Completive Control of the Park



Provisioning

• Total Conversion Orders

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

• None

Version 2.00


SQM Disaggregation - Analog/Benchmark

SEEM Disaggregation - Analog/Benchmark

SEEM D	Disaggregation	SEEM Analog/Benchmark
•	Not Applicable	Not Applicable

@ BELLSOUTH*

0



P-7C: Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order

Definition

The Percent Provisioning Troubles received within 7 days of a completed service order associated with a Hot Cut Conversion (CCC) measures the quality and accuracy of Coordinated Customer Conversion Activities.

Exclusions

- Any order cancelled by the CLEC.
- Troubles caused by Customer Provided Equipment
- · Test Orders

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-coordinated Customer Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated Customer Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = (a / b) X 100

- a = The sum of all CCC Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of CCC service order circuits completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispaten/Non-Dispater
- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (so_nbr)
- POF
- Order Submission Date (TICKET_ID)
- Order Submission Time (TICKET_ID)
- · Status Type
- Status Notice Date
- Standard Order Activus
- Total Conversion Circuits

Version 2.00 77 Issue Date: July 1, 2003



Relating to BellSouth Performance

No BellSouth Analog exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark			
UNE Loop Design	<= 3%			
UNE Loop Non-Design				
SEEM Measure				
SEEM Tier I Tier II				
YesX				
CEEM Disagraphian Analog/Panahmark				
SEEM Disaggregation - Analog/Benchmark				
SEEM Disaggregation	SEEM Analog/Benchmark			
UNE Loop Design	<= 3%			
	00/			

• UNE Loop Non-Design....<= 3%



Definition

A loop will be considered successfully cooperatively tested when both the CLEC and BellSouth representatives agree that the loop meets the technical specifications set forth in TR 73600.

Exclusions

• Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)

Passing Cooperative Testing

- xDSL lines with no request for cooperative testing
- · Test Orders

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short. CLEC caused failures will be captured in the raw data files.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested = (a / b) X 100

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Type of Loop Tested
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name (OCN)
 CLL Order Names outs PON (PCN)
- Committed Due Date (DD)
- Service Type (CLASS SVC DESC)
- Acceptance Testing Completed (ACCEPT TESTING)
- Acceptance Testing Declined (ACCEPT TESTING) Total x DST, Order

Note: Code in parentheses is the corresponding header found in the raw data file

Issue Date: July 1, 2003



• No BellSouth Analog Exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- UNE xDSL......
 - ADSL
 - HDSL
 - UCL - OTHER

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

SQM Analog/Benchmark

. 95% of Lines Successfully Tested

- ADSL
- HDSL
- UCL
- Other

⊒.



P-9: % Provisioning Troubles within 30 Days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report received after service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100

- a = Trouble reports on all completed orders within 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <!!!! line/circuits: >= 10 line/circuits (except trunks
- Dispatch /Non-Dispatch (except trunks)
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and Pt
- process (managers)
- Status Type

Issue Date: July 1, 2003



SOM Langlogf Dineastopertion

SOM Analog/Renchmark

Note: Code in parentheses is the corresponding header found in the raw data file

Relating to BellSouth Performance

- · Report Month
- · BellSouth Order Number
- Order Submission Date
- · Order Submission Time
- Status Type
- Status Notice Date
- · Standard Order Activity
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

DAM FEACI OF DISABATEANTON	Own Analogischennark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with LNP Design	Retail Residence and Business Dispatch
2W Analog Loop with LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with INP Design	Retail Residence and Business Dispatch
2W Analog Loop with INP Non-Design	Retail Residence and Business (POTS - Excluding
	Switch-Based Orders)
 UNE Digital Loop ≤ DS 1 	Retail Digital Loop < DS
UNE Digital Loop >= DS (Retail Digital Loop >- DS+
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Loop + Port Combinations	Retail Residence and Business
Dispatch In	Dispatch In
Switch-Based	Switch Based
UNE Switch Ports	Retail Residence and Business (PO18)
UNE Combo Other	Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
Local Transport (Unbundled Interoffice Transport)	Relait DS1/DS3 interoffice
UNE Other Non-Design	
UNL Other Design	Ketan Design
Local Interconnection Trunks	
UNE Line Splitting	ADSL to Ketali
• EELs	Ketan Da I/Da3

Provisionina

Tennessee Performance Metrics

= 1) 1 march coop = to g	
2W Analog Loop Non-Design	

Ξ.

SEEM Tier I Tier II Yes X X

SEEM Disaggregation - Analog/Benchmark

SEEM Analog/Benchmark SEEM Disaggregation Resale Design Retail Design Resale PBX Retail PBX Resale Centrex Retail Centrex Resale ISDN Retail ISDN Retail Residence and Business Dispatch 2W Analog Loop Design Switch-Based Orders) Switch-Based Orders) Switch-Based Orders) Dispatch In....- Dispatch In Switch-Based- Switch-Based UNE Combo Other Retail Residence, Business and Design Dispatch (Including Dispatch Out and Dispatch In) Local Transport (Unbergles de coeffice Transport — Lotal DS 1/283 Joseph Local Interconnection Trunks — Parity with Ketair UNE Other Design Retail Design



P-10: Total Service Order Cycle Time (TSOCT) (Deleted)



P-11: Service Order Accuracy

Definition

The "service order accuracy" measurement measures the accuracy and completeness of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Service Order Accuracy Sampling Process: A list of all orders completed in the report month is generated. The orders are then listed by the disaggregations specified in the SQM. For each disaggregation, the quantity of completed orders and the error rate for each disaggregation from the previous month are entered into a "Stratified Random Sampling for Proportions" formula. This formula determines the number of orders that are to be reviewed for each disaggregation. Once the sample size for each disaggregation is determined, the specified quantity of orders for each disaggregation are pulled for review.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- Dispatch/Non-Dispatch

Data Retained

elating to CLEC Experie

- Report Month
- · CLEC Order Number and PON
- Local Service Request (LSR)
- · Order Submission Date
 - Civile of
- · Standard Order Activity

Provisioning

Tennessee	Performance	Metrics

No BellSouth Analog Exist

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- - Resale Business
- Resale Design (Specials)
- UNE Specials (Design)
- UNE (Non-Design)
- Local Interconnection Trunks

SEEM Measure

Yes X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

SQM Analog/Benchmark

Note: This measure to be replaced when P-11A is implemented

<u>•</u>



Tennessee Performance Metrics

- Lanceled Service Orders
- . Order Activities of Ball South or the CLEC accounted with internal or administrative use of local carriage (Decord Orders, Licting

<u>Note</u>: This measure becomes effective with September 2003 service orders. The Service Order Accuracy measure as defined in the previous SQM will be effective prior to that time.

P-11A: Service Order Accuracy

Definition

The Service Order Accuracy measurement measures the accuracy and completeness of CLEC requests for service by comparing the CLEC Local Service Request (LSR) to the completed service order after provisioning has been completed. Only electronically submitted LSRs that require manual handling by a BellSouth service representative in the LCSC are measured.

Exclusions

- Gruer helifyrings of delinouni of the Celec associated with internal of authinismative use of local services (necond Orders, Listing Orders, orders using test OCNs, which may be coded C, N, R or T etc.)
- Disconnect Orders
- CLEC LSRs submitted manually (FAX or Courier)
- CLEC LSRs submitted electronically that are not manually handled by BellSouth (Flow Through)

Business Rules

Only CLEC LSRs submitted electronically that fall out of the electronic system for manual processing (partially mechanized) by a BellSouth representative and the resulting service orders are selected for this measure. The CLEC requested services on the LSR are compared to the completed service order using the CLEC-Affecting Service Attributes shown below.

Selected CLEC-Affecting Service Attributes

The BellSouth Local Service Request (LSR) fields identified below will be used, as applicable, for this Service Order Accuracy review process.

BellSouth LSR Fields

The fields listed below would only be captured as a miss when they are service affecting. For the purpose of the Service Order Accuracy measure, if any of the fields listed below are populated on the LSR and do not match the corresponding field on the Service Order, but this mismatch does not affect the correct provisioning of the Service Order, the field is not considered to be service affecting and therefore will not be included as a miss in this measure. An example would be LCSC/System workarounds, which will be identified in a document posted on the Interconnection websit. LEES may discuss any of the posted LCSC/System Workarounds during the regular PMAI notification calls.

- Company Code
- PON
- Billed Telephone Numbe:
- Telephone Mambe
- Forted Telephone Number
- Circuit ID
- PIC
- LPIC
- Directory Listing
 - albinit Addis.
 - Alphanumeric Listing Identifier Code

ᇗ



Tennessee Performance Metrics

ranking . T.

- Hunt Group Astivity
- Listed Name, Last Name
- Listed Name, First Name
- Address Indicator
- Listed Address House Number
- Listed Address House Number Suffix
- Listed Address Street Directional
- Listed Address Street Name
- Listed Address Thoroughfare
- Listed Address Street Suffix
- Listed Address Locality
- Yellow Pages Heading
- Features
 - Feature Activity
 - Feature Codes
 - Feature Detail*
- Hunting. _____
- Hunt Group Identifier
 - Telephone Number Identifier
 - Hunt Type Code
 - Hunt Line Activity
 - Hunting Sequence
 - Number Type
 - Hunting Telephone Number
- E911 Listing
 - Service Address House Number
 - Service Address House Number Suffix
 - Service Address Street Directional
 - Service Address Street Name
 - Service Address Thoroughfare
 - Service Address Street Suffix
 - Service Address Descriptive Location
- EATN
- ATN
- · APO'i
- CFANC
- NCI

* Feature Detail will only be checked for the foffowing USOCs: GCE, GCE, GCE, GCE, GCE, GCE, DRS, VMSAX, S98VM, S98AF, SMBBX, MBBRX, USOCs and FIDs for Feature Detail will be posted on the Interconnection Website. Any changes to the USOCs and FIDs required to continue checking the identical service will be updated on this Website.

Calculation

Percent Service Order Accuracy = (1/4), F 40

- a = Applicable Orders Completed without Error
- b = Applicable Orders Completed in Reporting Period

Report Structure

-

- · CLEC Aggregate
- · Geographic Score

d



Tennessee Performance Metrics Provisioning Data Datained Relating to CLEC Experience • Report Month • CLEC Order Number (PON) • Local Service Request (LSR) Number • BellSouth Service Order Number • BellSouth Service Order Completion Date • Service Type (Resale, UNE, UNE-P) • Standard Order Activity Relating to BellSouth Performance • No BellSouth Analog Exists SQM Disaggregation - Analog/Benchmark SQM Analog/Benchmark **SQM** Level of Disaggregation • UNE 95% Accurate **SEEM Measure**

SEEM Disaggregation - Analog/Benchmark

Yes X X

Tier I

SEEM

SEEM I	Disaggregation	SEEM Analog/Benchmark
•	Resale	95% Accurate
•	UNE	95% Accurate
•	UNF_P	95% Accurate

Tier II Tier III

P-12: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

(Deleted)



Business Rules

P-13B: LNP - Percent Out of Service < 60 Minutes

Definition

The Number of LNP related conversions where the time required to facilitate the activation of the port in BellSouth's network is less than 60 minutes, expressed as a percentage of total number of activations that took place.

Exclusions

- CLEC-caused errors
- NPAC caused errors unless caused by BellSouth
- Standalone LNP orders with more than 500 number activations

The Start time is the Receipt of the NPAC broadcast activation message in BellSouth's LSMS. The End time is when the Provisioning event is successfully completed in BellSouth's network as reflected in BellSouth's LSMS. Count the number of activations that took place in less than 60 minutes.

Calculation

Percent Out of Service < 60 Minutes = (a / b) X 100

- a = Number of activations provisioned in less than 60 minutes
- b = Total LNP activations

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State

Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS completion Date and Time Dailing
- CLEC Activate Message

SQM Disaggregation - Analog/Benchmark

• 1NI >= 90.5%

Tennessee	Performance	Metrics
1 6111163366	r ci iui ilianice	MEUICS

Provisioning

DECIVI IVICABUIC

SEEM Tier I Tier II Tier III Yes X X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

킀

CCCS 172 of 305



Obtain number of LNP TNs where the 10-digit trigger was applicable prior to due date, and the total number of LNP TNs where the 10-

P-13C: LNP – Percentage of Time BellSouth Applies the 10-Digit Trigger Prior to the LNP Order Due Date

Definition

Percentage of time BellSouth applies 10-digit trigger for LNP TNs prior to the due date.

Exclusions

Excludes CLEC or Customer caused misses or delays.

Business Rules

digit trigger was applicable.

Calculation

Percentage of 10-Digit Applications = $(a/b) \times 100$

- a = Count of LNP TNs for which 10-digit trigger was applied prior to due date
- b = Total LNP TNs for which 10-digit triggers were applicable

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Order Number
- Telephone Number/Circuit Number
- · Committed Due Date
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

LNP (Standalone

SQM Analog/Benchmark

Benchmark: 95%

Issue Date: July 1, 2003

<u>o</u>

Tennessee Performance Metrics

Provisioning

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation

SEEM Analog/Benchmark

• LNP (Standalone) Benchmark: 95%



P-13D: LNP - Average Disconnect Timeliness Interval (Non-Trigger)

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable. Order types may be C, N, R, or T.
- CLEC-caused errors
- · NPAC-caused errors, unless caused by BellSouth
- Incomplete Ports where only a subset of activate messages have been received compared with the LSR and create messages.
- · Orders which are candidates for 10 digit triggers, except those that did not receive 10 digit triggers prior to the port out date.
- · LSRs where the CLEC did not contact BST within 30 minutes after Activate Message.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each number on the service order is disconnected in the Central Office switch. Elapsed time for each ported number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period. Non-Business hours will be excluded from the duration calculation for unscheduled after hours LNP ports. This will yield a benchmark equivalent to by 12:00 noon the next business day thus, keeping the benchmark at 4 hours.

Calculation

Элесопическа интенциес аптеры: ≡ q -

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date and time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timetiness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region



Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Receipt Date/Time (ESI Number Manager)
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- LNP (Normal Working Hours and Approved After Hours).......95% < = 4 Hours

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

- LNP (Normal Working Hours and Approved After Hours)....... 95% < = 4 Hours



Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of customer trouble reports not cleared by the committed date and time

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Rengin Amorbian or type (CARN 100)

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Customer Trouble reports closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
 - State
- Region



Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Company Name
- Submission Date and Time (TICKET ID)
- Completion Date (CMPLTN DT)
- Service Type (CLASS SVC DESC)
- Disposition and Cause (CAUSE CD & CAUSE DESC)

Note: Code in parentheses is the corresponding header found in the raw data file

Relating to BellSouth Performance

- · Report Month
- BellSouth Company Code
- · Submission Date and Time
- Completion Date
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM L	evel of Disaggregation	SQM Analog/Benchmark
•	Resale Residence	Retail Residence
•	Resale Business	
•	Resale Design	Retail Design
•	Resale PBX	
•	Resale Centrex	Retail Centrex
•	Resale ISDN	
•	2W Analog Loop Design	
•	2W Analog Loop Non – Design	
		Switch-based feature troubles)
•	UNE Digital Loop (DS)	Retail Digital Loor # DS '
•	UNE Digital Loop ≥ Dt	
•	UNE Loop + Port Combinations	Retail Residence and Business
•	UNE Switch ports	
•		
•	UNE xDSL (HDSL, ADSL and UCL)	
•	UNE ISDN	Retail ISDN – BR.
•	UNE Line Sharing	
•	UNE Other Design	Retail Design
•	UNE Other Non-Design	
•	Local Interconnection Trunks	
•	Local Transport (Unbundled Interoffice Transport)	

SEEM Measure

SEEM	Tier I	Tier II
Yes	. X	X



SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark Resale Design Retail Design Resale Centrex Retail Centrex Resale ISDN Retail ISDN Switch-based feature troubles) UNE Combo Other Retail Residence, Business and Design Dispatch UNE Line Sharing ADSL Provided to Retail UNE Other Design Retail Design



M&R-2: Customer Trouble Report Rate

Definition

Initial and repeated customer direct or referred customer troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = $(a / b) \times 100$

- a = Count of Initial and Repeated Customer Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN DT)
- Service Type (CLASS SVC DESC)
- Disposition and Cause (CAUSE CD & CAUSE DESC)
- # Service Access Lines in Service at the end of period

Note: Code in parentheses is the corresponding header found in the raw data file



Relating to BellSouth Performance

- Report Month
- BellSouth Company Code
- · Ticket Submission Date and Time
- Ticket Completion Date
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)
- # Service Access Lines in Service at the end of period

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non – Design	
	Switch-based feature troubles)
UNE Digital Loop < DS1	
UNE Digital Loop >= DS1	
 UNE Loop + Port Combinations 	Retail Residence and Business
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Interconnection Trunks	Parity with Retail
 Local Transport (Unbundled Interoffice Transport) 	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	
Resale Business Resale Design	Retail Business Retail Design
• Resale PBY	
Resale Centrex	
 Resale ISDN 	Retail ISDN
 2W Analog Loop Design 	Retail Residence and Business Dispatch
2W Analog Loop Non – Design	Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles)
Minter and Course of Cours	The street of th
- UNE Switch Ports	Femil Residence and Business (POTS

Issue Date: July 1, 2003

@ BELLSOUTH

Tennessee Performance Metrics

•	UNE xDSL (HDSL, ADSL and UCL)	. ADSL Provided to Retail
	UNE ISDN	
•	UNE Line Sharing	. ADSL Provided to Retail
	UNE Other Design	
	UNE Other Non-Design	
	Local Transport (Unbundled Interoffice Transport)	
	Local Interconnection Trunks	



M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

For Average Duration the clock starts on the date and time of the receipt of the correct report information, i.e. correct telephone number, correct circuit identification, trouble description, etc. for the repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Customer Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Customer Troubles in the reporting period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
 - CLE //serve
- · BellSouth Aggregate
- Geographic Scope
 - State
- Region

Data Retained

Relating to CLEC Experience

- Report Montia
- Total Tickets (LINE_NBR
- c'List' company Frame
- Ticket Submission Date and Time (TICKET ID)
- Ticket Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE OF & CAUSE DES)



Relating to BellSouth Performance

- · Report Month
- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion Date
- Ticket Completion Time
- Total Duration Time
- · Service Type
- Disposition and Cause (Non-Design/Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non – Design	Retail Residence and Business (POTS) (Exclusion of
	Switch-based feature troubles)
 UNE Digital Loop < DS1 	Retail Digital Loop < DS1
UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
UNE Switch ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM	Tier I	Tier II
Ves	7.	2.

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resair Residence	
Resale Business	
Resale Design Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
IV Failing Loop Froder CSq	Switch-based feature troubles)
 TINE Digital "now < DS 	Lend Digital Low CDS



•	UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
•	UNE Loop + Port Combinations	. Retail Residence and Business
•	UNE Switch ports	. Retail Residence and Business (POTS)
	UNE Combo Other	
•	UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
	UNE ISDN	
•	UNE Line Sharing	ADSL Provided to Retail
	UNE Other Design	
	UNE Other Non-Design	
	Local Transport (Unbundled Interoffice Transport)	
	Local Interconnection Trunks	



M&R-4: Percent Repeat Troubles within 30 Days

Definition

Percent Customer Repeat Troubles within 30 Days measures the percent of customer troubles, during the current reporting period, that had at least one prior trouble ticket on the same line/circuit, anytime in the proceeding 30 calendar days from the receipt of the current trouble report.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

This measure includes Customer trouble reports on the same line/circuit, received within 30 days of an original Customer trouble report, using the 'cleared date' of the first trouble and the 'received date' of the next trouble.

Calculation

Percent Repeat Customer Troubles within 30 Days = $(a/b) \times 100$

- a = Count of Customer Troubles using the 'received date' where more than one trouble report was logged for the same service line/circuit, within a continuous 30 days
- b = Count of Total Customer Trouble Reports using the 'cleared date', in the Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Tickets (LINE NBR)
- CLEC Company Name
- Ticket Submission Date and Time (TICKET ID)
- Ticket Completion Date (CMPLTN DT)
- Total and Percent Repeat Customer Eroupie Reports within 50 Days (TO)_REPEAT
- Service Type
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file

Relating to BellSouth Performance

Version 2.00 106 Issue Date: July 1, 2003



- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion DateTicket Completion Time
- Total and Percent Repeat Customer Trouble Reports within 30 Days
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	
Resale Centrex	
Resale ISDN	
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non – Design	
	Switch-based feature troubles)
UNE Digital Loop < DS1	
UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
UNE Switch ports	Retail Residence and Business (POTS)
UNE Combo Other	
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	
UNE Other Non-Design	Retail Residence and Business
 Local Transport (Unbundled Interoffice Transport) 	
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM	Tier I	Tier I
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence Resale Business Resale Design Resale PBY Resale Centrex	Retail Business Retail Design Retail PBY Ketail Centrex
Resale ISDN 2W Analog Loop Design 2W Analog Loop Non – Design This of the last transfer	
UNE Loop + Port Combinations UNE Switch ports	Ketail Residence and Business Ketail Residence and Business (POTS



•	UNE xDSL (HDSL, ADSL and UCL)	. ADSL Provided to Retail
	UNE ISDN	
•	UNE Line Sharing	. ADSL Provided to Retail
	UNE Other Design	
	UNE Other Non-Design	
•	Local Transport (Unbundled Interoffice Transport)	. Retail DS1/DS3 Interoffice
•	Local Interconnection Trunks	. Parity with Retail



M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Customer Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Customer Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- · BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the customer trouble report is created in LMOS/WFA and the customer trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = $(a/b) \times 100$

- a = Total Cleared Customer Troubles OOS > 24 Hours
- b = Total OOS Customer Troubles in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- BellSouth Aggregate
- CLEC Aggregate
- Geographic Scope

State

Region

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Tickets
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT
- Percentage of Customer Troubles out of Service 24 Hours (OOS>24_FLAG)
- Service type (CUASS SV DESC
- Disposition and Cause (CACS). CD & CAUST-DESC)

Note: Code in parentheses is the corresponding header found in the raw data file



Relating to BellSouth Performance

- Report Month
- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- · Ticket Submission time
- Ticket Completion Date
- Ticket Completion Time
- Percent of Customer Troubles out of Service > 24 Hours
- Service Type
- Disposition and Cause (Non-Design/Non-Special only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale ISDN Retail ISDN Switch-based feature troubles) Local Transport (Unbundled Interestics assess Retail DS1/DS3 Interestics

SEEM Measure

SEEM	Tierl	Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Kesate Kesitene Resale Business	Regal Rechtera Retail Business
Resale Design	
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
• Resale ISDN	Retail ISDN
Contracting above the Contraction	Switch-based feature troubles:
(TNP Digital Con	Application of the agencies that the second of the second

BELLSOUTH

Tennessee Performance Metrics

•	UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
•	UNE Loop + Port Combinations	Retail Residence and Business
•	UNE Switch Ports	Retail Residence and Business (POTS)
•	UNE Combo Other	Retail Residence, Business and Design Dispatch
•	UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•	UNE ISDN	Retail ISDN – BRI
•	UNE Line Sharing	ADSL Provided to Retail
•	UNE Other Design	Retail Design
•	UNE Other Non-Design	Retail Residence and Business
•	Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•	Local Interconnection Trunks	Parity with Retail

BELLSOUTH

Output

Description

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsouth

Bellsou

M&R-6: Average Answer Time - Repair Centers

Definition

This report measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

· Abandoned Calls

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call.

Note: The Total Column is a combined BcllSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- BellSouth Aggrega
- · Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

• CLEC Average Answer Time

Relating to BellSouth Performance

BellSouth Average Answer Tim

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

· Region CLEC/BellSouth Service Correr, and Pell-

ters pro negrou

M&R-6: Average Answer Time – Repair Centers

Tennessee Performance Metrics

SQM Analog/Benchmark

• For CLEC, Average Answer Times in UNE Center and BRMC are comparable to the Average Answer Times in the BellSouth Repair Centers.

SEEM Measure

SEEM	Tier I	Tier I
No		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation		SEEM Analog/Benchmark
•	Not Applicable	Not Applicable

@ BELLSOUTH*

M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

BellSouth will inform the CLEC and appropriate BellSouth personnel of any Network outages (customer impacting).

Exclusions

None

Business Rules

The time it takes for the Network Management Center (NMC) to notify the CLEC and appropriate BellSouth personnel of a customer impacting network incident in equipment that may be utilized by the CLEC. When BellSouth becomes aware of a network incident, the CLEC and appropriate BellSouth personnel will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. The CLECs will be notified the same way and at the same time as BellSouth personnel. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

Calculation

Time to Notify = (a - b)

- a = Date and Time NMC Notified
- b = Date and Time NMC detected network incident

Mean Time to Notify = (c / d)

- c = Sum of all Times to Notify
- d = Count of all Network Incidents

Report Structure

- · BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- Major Network Events
- Date/Time of Incident
- Date Time of Notification

Relating to BellSouth Performance

- Report Month
- Major Network Events

G. I



SQM Disaggregation - Analog/Benchmark

CLEC Aggregate	SQM Analog/Benchmark Parity with Retail Parity with Retail Parity with Retail			
SEEM Measure SEEM Tier I Tier II				
No SEEM Disaggregation - Analog/Benchmark				
SEEM Disaggregation	SEEM Analog/Benchmark			



Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes. The CLEC-specific raw data file (which is available on the PMAP web site) will contain the number of bills and adjustments for the reporting month. The number of bills and bill adjustments will be displayed by OCN and/or ACNA.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Total Billing Related Adjustments during current month

Measure of Adjustments = $[(c-d)/c] \times 100$

- c = Number of Blits in current monu
- d = Number of Billing-related Adjustments in current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Geographic Scope
 - State
 - Region
- Number of Adjustments

Data Retained

Relating to CLEC Experience

- Report Mont
 - UNE
 - Resalc



- · Total Billed Revenue
- Total Billing Related Adjustments
- · Number of Bills
- · Number of Adjustments

Relating to BellSouth Performance

- Report Month
- Retail Type
 - CRIS
 - CABS
- · Total Billed Revenue
- · Total Billing Related Adjustments

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- - Resale UNE

 - Interconnection

SEEM Measure

SEEM Tier I Tier II Yes X X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Resale......Parity with Retail
- UNE
- Interconnection



B-2: Mean Time to Deliver Invoices

Definition

This report measures the mean interval for timeliness of billing invoices sent to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Exclusions

None

Business Rules

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first workday. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region



Data Retained

Relating to CLEC Experience

- · Report Month
- Invoice Type
 - UNE
 - Resale
 - Interconnection
 - State
- Invoice Transmission Count
- Date of Scheduled Bill Close

Relating to BellSouth Performance

- Report Month
- Invoice Type
 - CRIS
 - CABS
- Invoice Transmission Count
- · Date of Scheduled Bill Close

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

Product/Invoice Type

- Resale
- UNE
- Interconnection
- State

SQM Analog/Benchmark

 CLEC Average Delivery Intervals for both CRIS and CABS Invoices are comparable to BellSouth Average delivery for both systems.

CLLM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



B-3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy (Packs) = (a - b) / a X 100 (This calculation not ordered by the FPSC)

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Usage Data Delivery Accuracy (Records) = $(c - d) / c \times 100$

- c = Total number of usage records sent during current month
- d = Total number of usage records requiring retransmission during current month

Report Structure

- CLEC Aggregat
- · BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type

BellSouth Recorded

Non-BellSouth Keeprace

- Number of Records
- Packs

Relating to BellSouth Performance

Number of Records

1

Packs

Billing

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

BellSouth Region



B-4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = (a / b) X 100

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- CLEC Specific
- CLEC Aggregate Region

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

rioz. •

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SOM Analog/Ecochmari





SEEM Measure

 SEEM
 Tier I
 Tier II

 No.....

SEEM Disaggregation - Analog/Benchmark

• Not Applicable.....

SEEM Analog/Benchmark

.Not Applicable

B-4: Usage Data Delivery Completeness



B-5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC

Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- Region

Data Retained

Relating to CLEC Experience

- · Report Month
- · Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

None

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

SEEM Measure

SEEM Tier I Tier II

Νο....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

CCCS 205 of 305



B-6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measure is to calculate the average number of days it takes BellSouth to deliver usage data to the appropriate CLEC. The calculation reflects the differences between the date the data is transmitted or mailed to the CLEC and the date the data is generated by Customer divided by the total record volume delivery.

Each delivery record is calculated as the time, in days, between when the customer generates the call and when BellSouth delivers the usage data to the CLEC. Each delivery record is categorized by the resulting number of days.

An estimated interval is calculated for each category by taking the total number of usage data records delivered for that period and multiplying it by the total number of days in that period. The mean (average) time to deliver the usage data is calculated by summing all estimated intervals and dividing by the total number of records delivered.

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days

Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Delivery Interval Record = (a - b)

- a = Date BellSouth delivers the usage data
- b = Date usage data is generated by the custome:

Estimated Interval = $(c \times d)$

- c = Number of records delivered in each category
- d = Number of days to deliver for the category

Mean Time to Deliver Usage = (e f)

- e = Sum of all estimated intervals
- f = Total number of records delivered

Report Structure

Madi appropri Nadi apolin

Region



Billing

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

• None

SQM Level of Disaggregation - Analog/Benchmark

• Region.....

SQM Level of Disaggregation

SQM Analog/Benchmark

...<= 6 Days

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

Not Applicable.....Not Applicable

Issue Date: July 1, 2003



B-7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of fractional recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total fractional recurring charges on the bill.

Calculation

Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the bill

¹Correct bill = next available bill

Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience

- · Report Month
- Invoice Type
- · Total Recurring Charges Billed
- Total Billed On Time

Relating to BellSouth Performance

- · Report Month
- Retail Analog
- · Youa kecurring Charges bilded
- Total Billed On Time

B-7: Recurring Charge Completeness

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Product/Invoice Type

•	Resale	Parity
•	UNE	Benchmark 90%
•	Interconnection	Benchmark 90%

SEEM Measure

SEEM Tier I Tier II No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Analog/Benchmark **SEEM Disaggregation**



B-8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of non-recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total non-recurring charges on the bill.

Calculation

Non-Recurring Charge Completeness = (a / b) X 100

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the bill

¹Correct bill = next available bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Geographic Scope

Stat

Data Retained

Relating to CLEC Experience

- · Report Month
- Invoice Type
- Total Non-Recurring Charges Billed
- Total Billed On Time

Relating to BellSouth Performance

- Kepori Ivionii.
- Retail Analog
- · Total Non-Recurring Charges Billed
- · Total Billed On Time

B-8: Non-Recurring Charge Completeness



SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Product/Invoice Type

•	Resale	Parity
•	UNE	Benchmark 90%
•	Interconnection	Benchmark 90%

SEEM Measure

SEEM	Tier l	Tier I
No		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



B-9: Percent Daily Usage Feed Errors Corrected in "X" Business Days

Definition

Measures the timely correction of Daily Usage Feed (DUF) errors in record information and Pack formats measured separately. Errors included (1) Pack Failure errors and (2) EMI content errors in records.

Exclusions

- Usage that cannot be corrected and resent or usage that the CLEC doesn't want Retransmitted.
- CLEC Problem/Issue/File Retransmission forms disputed by BellSouth SMEs that do not result in an EMI error.
- CLEC notification received by BellSouth > 10 business days from transmission date of errored messages or packs.

Business Rules

This measure will provide the % of errors corrected in "X" Business days.

Pack Failure errors are defined as a DUF header/trailer error containing one or more of the following conditions: Grand total records not equal to records in pack or sequence/invoice numbers for a from RAO is not sequential

EMI content errors are defined as those records with errors contained in the EMI detail records that cause a message to be unbillable by the CLEC

Only notification received via the CLEC Problem/Issue/File Retransmission form will be included in this measure. To locate the form, go to the PMAP web site (http://pmap.bellsouth.com/) and click the Documentation/Exhibits link, then select the "CLEC Problem/Issue/File Retransmission form."

When circumstances arise for multiple content errors it is not necessary for the form to be filled out in its entirety, the CLECs agree to provide sufficient information for content error research so that a thorough investigation and resolution can be completed.

For each type error condition, a new CLEC Problem/Issue/File Retransmission form should be submitted.

EMI content errors should be attached in a separate the from the City beforem issue/fine kettalismission for

Elapsed time is measured in business days.

The clock starts when BellSouth receives CLEC's Problem/Issue/File Retransmission form

The clock stops when BellSouth provides the corrected usage to the CLEC using the predesignated DUF delivery method

This measure applies only to CLECs that are ODUF and ADUF participants

Calculation

Timeliness of Daily Usage EM1 Content Errors Corrected = $(a/b) \times 100$

- a = Total number of Daily Usage Records with EMI Content Errors Corrected in the reporting month within 10 Business Days
- b = Total number of Daily Usage Records with EMI Content Errors corrected in reporting month.

Timeliness of Figure (up as by an enemy regrets of section is a section of the section)

- and a contemplate to only entity with the color allows to review the exporting the first with a content for
- d = Total number of Daily Usage Packs with Lormat Errors corrected in reporting month.



Report Structure

- · CLEC Specific
 - Total number of BST disputed Daily Usage Records with EMI Content Errors received in reporting month
 - Total number of Daily Usage Records with EMI Content Errors received in reporting month.
 - Total number of BST disputed Daily Usage Packs with Format Errors received in reporting month
 - Total number of Daily Usage Packs with Format Errors received in reporting month
- CLEC Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

ot /:ppiicabi

• None

SQM Level of Disaggregation - Analog/Benchmark

Version 2.00 133 Issue Date: July 1, 2003

La. zapplicabi

Termessee removinance metrics

@ BELLSOUTH*

B-10: Percent Billing Errors Corrected in "X" Business Days

Definition

Measures timely carrier bill adjustments

Exclusions

Adjustments that are initiated by BellSouth

Business Rules

This measure applies to CLEC wholesale bill adjustment requests. IXC Access billing adjustment requests are not reflected in this measure. Elapsed time is measured in business days. The clock starts when BellSouth receives the CLEC Billing Adjustment Request (BAR) form and the clock stops when BellSouth either makes an adjustment through BOCRIS or ACATS (generally next CLEC bill unless adjustment request after middle of the month) or BellSouth denies the request in BDATS or ACATS and BellSouth notifies the CLEC of the BAR resolution. BellSouth will report separately those adjustment requests that are disputed by BellSouth. (BAR form and instructions are found at www.interconnection.bellsouth.com/forms/html/billing&collections.html).

Calculation

Percent Billing Errors Corrected in 45 Business Days = (a / b) X 100

- a = Number of BAR resolutions sent in 45 Business Days
- b = Total Number of BAR resolutions due in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Number of BellSouth Adjustments in 45 Business Days
- Total number of Billing Adjustment Requests in Reporting Period
- Number of Adjustments disputed by BellSouth (reported separately)

Relating to BellSouth Performance

* None

SQM Disaggregation - Retail Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark



SF	FΝ	1 M	Pа	SII	re

SEEM	Tier I	Tier I
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark State 90% Billing Disputes <= 45 Business Days

Note: In order to set an appropriate penalty provision, staff recommends deferring implementation of the penalty until conclusion of the commission proceeding on the remedy structure of the SEEM Plan, or 120 days, whichever comes first.



Section 6: Operator Services and Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Toll = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- · Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• None

Parity by Design



SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



OS-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Lask)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:

SQM Analog/Benchmark

13%)

SEEM Measure

SEEM Tier! Tier!



Version 2.00

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
- NT-4 A1211 -	NI-A A1'1-1-



DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• None

Parity by Design

Version 2.00 140 Issue Date: July 1, 2003



SEEM Measure

SEEM Tier I Tier II

No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

@ BELLSOUTH*



DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Laste)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

101

SEEM Measure

SEEM Tier I Tier II

Issue Date: July 1, 2003

DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistan

Tennessee Performance Metrics

SEEM Disaggregation - Analog/Benchmark

SEEM	Disaggregation
------	----------------

SEEM Analog/Benchmark

Not Applicable......Not Applicable



Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings.

Exclusions

- · Updates Canceled by the CLEC
- Initial update when supplemented by CLEC
- · BellSouth updates associated with internal or administrative use of local services.

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system. This metric includes updates from stand-alone directory listing orders.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process
 makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

Update Interval = (a - b)

- i = Completion Date and Time of Datasas Consons
- b Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Lipdates Completed Furing Ecocuing



Report Structure

- CLEC Specific (Under development)
- · CLEC Aggregate
- BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- · Database File Submission Time
- Database File Update Completion Time
- · CLEC Number of Submissions
- Total Number of Updates

Relating to BellSouth Performance

- · Database File Submission Time
- Database File Update Completion Time
- BellSouth Number of Submissions
- Total Number of Updates

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Directory Listings
- · Directory Assistance

SEEM Measure

SEEM Tier I Tier II No.....

SELIVI DISAGGIEGATION - MILLIOGIDENCHIMATE

SEEM Disaggregation

• Not Applicable

SEEM Analog/Benchmark

Not Applicable



D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB) Directory Assistance and Directory Listings using a statistically valid sample of completed CLEC Service Orders in a manual review. This manual review is not conducted on BellSouth Service Orders.

Exclusions

- Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- · BellSouth updates associated with internal or administrative use of local services.

Business Rules

For each update reviewed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (e.g., orders) submitted by the CLEC. Each database (e.g., LIDB, Directory Assistance and Directory Listings) should be separately tracked and reported.

A statistically valid sample of completed CLEC Service Orders is pulled each month. This metric includes updates from stand-alone directory listing orders.

Calculation

Percent Update Accuracy = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- · CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)
- Geographic Scope Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (so_nbr) and PON (PON)
- Local Service Request (LSR)
- · Order Submission Date
- · Number of Orders Reviewed

D-2: Percent Database Update Accuracy

Tennessee Performance Metrics

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark - LIDB - Directory Listings - Directory Assistance **SEEM Measure** Tier I Tier II SEEM No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Analog/Benchmark SEEM Disaggregation

@ BELLSOUTH™



Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded and tested in new end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure BellSouth will identify whether or not a particular NXX has been flagged as LNF capable (set triggers for dips) by the LERG effective date.

Exclusions

- Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date.
- Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration - Dispatch In database.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth's Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NYX(s) including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, a established based on the information contained in the Advance Routing for instructions (TWINs) document.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs to be scheduled and loaded by the LERG effective date

Report Structure

- · CLEC Specific
- · CLEC Aggregate
- BellSouth (Not Applicable)
- Geographic Scope
 Region

(BELLSOUTH

Relating to CLEC Experience

- · Company Name
- Company Code
- NPA/NXX

Data Retained

- LERG Effective Date
- Loaded Date

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Analog/Benchmark **SQM** Level of Disaggregation **SEEM Measure** SEEM Tier I Tier II No.....

SEEM Disaggregation - Analog/Benchmark

SEEM [Disaggregation	SEEM Analog/Benchmark
•	Not Applicable	Not Applicable



Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- · Any resale order canceled by a CLEC
- Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- · Region

Data Retained

- · Report Month
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Family by Design

SEEM Measure

194

None

SEEM Tier I Tier II

Version 2.00 Issue Date: July 1, 2003

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmar	
Not Applicable	Not Applicable	



E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Ectainer

- · Report Month
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

Not Applicable

Not Applicable



E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resulc undates and BellSouth retail undates

- State
- Region

Data Retained

- · Report Montin
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SOM Analog/Benchmark

None
 Parity by Design

SEEM Measure

SEEM Tier! Tier!

Issue Date: July 1, 2003



E911

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

E-3: Mean Interval



Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- · Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- Orders that are delayed or refused by CLEC
- · Trunk Groups for which there was no valid data available for an entire study period
- · Duplicate trunk group information
- · Trunk Groups blocked due to CLEC network/equipment failure
- · Final Groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting
 cycle.

Aggregate Monthly Blocking

used to compare aggregate brocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches

Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follow:

CLEC Affecting Categories: Point A Point B Category 1: BellSouth End Office BellSouth Access Tandem : Category 4: BellSouth Local Tandem CLEC Switch



Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

BellSouth Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 9:	BellSouth End Office	BellSouth End Office
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- · The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Aggregate
- · BellSouth Aggregate
 - State
- With and Without Exclusion for Orders Delayed or Refused by CLEC

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Trunk Groups
- Number of Trunk Groups by CLFC
- Hourly Blocking Per Trunk Group
- · Hourly Usage Per Trunk Group
- · Hourly Call Attempts Per Trunk Group

Related to BellSouth Performance

- Report Month
- Total Trunk Groups
- Aggregate Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

• BellSouth Aggregate

SQM Analog/Benchmark

Any consecutive 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

SEEM Measure

SEEM Tier I Tier II Yes X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

BellSouth Aggregate

blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1,3,4,5,10,16 for CLECs and 9 for BellSouth



TGP-2: Trunk Group Performance – CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, CLEC specific, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- Orders that are delayed or refused by CLEC
- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information
- Trunk Groups blocked due to CLEC network/equipment failure
- Final Groups actually overflowing not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting
 cycle

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch



Category 16:	BellSouth Tandem	BellSouth Tandem
--------------	------------------	------------------

BellSouth Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 9:	BellSouth End Office	BellSouth End Office
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Specific
 - State
- With and Without Exclusion for Orders Delayed or Refused by CLEC

Data Retained

Relating to CLEC Experience

- Keport Ivroniti.
- · Total Trunk Groups
- Number of Trunk Groups by CLEC
- · Hourly Blocking Per Trunk Group
- · Hourly Usage Per Trunk Group
- Hourly Call Attempts Fer Trank Group

Relating to BellSouth Performance

- Report Month
- Total Trunk Groups
- · Aggregate Hourly Blocking Per Trunk Groun
- hourty usage beginning change
- Hourly Call Attempts Per Trunk Group

SQM Analog/Benchmark

blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SEEM Measure

SEEM	Tier 1	Tier II
Vec	v	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• BellSouth Trunk Group

blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth



Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within the number of calendar days as designated by the Collocation order after having received a bona fide application for physical collocation, BellSouth must respond with space availability and a price quote.

Exclusions

Any application canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period
- · Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- Geographic Scope
 State

Data Retained

- · Report period
- Aggregate data

SOM Disaddredation - Analog/Penchmark

SQM Level of Disaggregation

- State
- Virtual-Initia
- Physical Caged-Augment
- · Physical-Cageless-Initial

SQM Analog/Benchmark

Virtual - 15 Calendar Days Physical Caged - 15 Calendar Days





Collocation

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC. The cable assignments associated with the specific collocation request will be provided prior to completion of the arrangement.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- · Geographic Scope
 - State

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SOM Level of Disaggregation	SOM Analog/Benchmark
• State	
Virtual-Initial	
Virtual-Augment	Virtual-Augment - 60 Calendar Days (With Space Increase)
Physical Caged-Initial	Physical Caged - 90 Calendar Days (Ordinary)
Physical Caged-Angmen	Physical Caged-Augment - 45 Calendar Days (Without Space
against Lity and Sudan .	lncrease)
 Physical Capeless-Augmer 	Physical Cagores: 90 Calendar Davs
	the second of th

@ BELLSOUTH

Tennessee Performance Metrics

Space Increase)
Physical Cagedless-Augment - 90 Calendar Days (With Space Increase)

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = $(a/b) \times 100$

- a = Number of Completed Orders that were not completed by BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- Geographic Scope
 - State

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- State.....
- Virtual-InitialVirtual- Augment
- Physical Caged- Initial
- Physical Caged- Augment
- Physical Cageless- Initial
- · Physical Cageress- Augmen

SEEM Measure

SEEM

Tier

Tier II

SOM Analog/Benchmark

>= 95% on time

C-3: Collocation Percent of Due Dates Missed

Tennessee Performance Metrics

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• All Collocation Arrangements>= 95% on time



Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch
 to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Time frames
- b = Total Number of Change Management Notifications Sent

hopeth Silmine

- · BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SCM Disaggregation of the Manchiner

SQM Level of Disaggregation

· Region..

SQM Analog/Benchmark

.... 98% on time





SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- · Changes to release dates for reasons outside BellSouth control, such as the system vendor
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to compute the average delay days for change management notices sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

* Regini

SQM Analog/Benchmark

= 5 1



Change Management

SEEM Measure

SEEM No.....

Tier I

Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for a change mandated by regulatory or legal entities (Federal Communications Commission [FCC], a state commission/authority, or state and federal courts) or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Time frames after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

CM-3: Timeliness of Documents Associated with Change

Tennessee Performance Metrics

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X

SEEM Disaggregation - Analog/Benchmark

CM-4: Change Management Documentation Average Delay Days

CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to compute the average delay days for business rule documentation sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- 6 = Total Change Ivanagement Documents Sent

Report Structure

- · BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date

Kereasa Dan.

SQM Disaggregation - Analog/Benchmark

SOM Level of Disaggregation

SOM Analog/Benchmark



SEEM Disaggregation - Analog/Benchmark



CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface

Exclusions

None

Business Rules

This metric measures the process of notifying CLECs of an interface outage as defined by the Change Control Process Documentation. BellSouth has 15 minutes to notify the CLECs via email, once the Help Desk has verified the existence of an outage. An outage is verified to exist when on or more of the following conditions occur:

- 1. BellSouth can duplicate a CLEC reported error.
- 2. BellSouth finds an error message within the system error log that identifiably matches a CLEC reported outage.
- 3. When 3 or more CLECs report the identical type of outage.
- 4. BellSouth detects a problem due to the loss of functionality for users of a system.

Note: The 15 minute clock begins once a CLEC reported or a BellSouth detected outage has lasted for 20 minutes and has been verified. If the outage is not verified within 20 minutes, the clock begins at the point of verification.

This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECs are notified within 15 minutes
- b = Total Number of Interface Outages
- CLEC Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Number of Interface Outages
- Number of Notifications <= 15 minutes

Relating to BellSouth Performance

• Not Applicable



SQM Disaggregation - Analog/Benchmark

By interf	00 0		CLEC: 079/ <= 15 Minutes	ilinark
Interface	ace type for at	i interfaces accessed by	CLECs97% <= 15 Minutes Applicable to	
EDI			CLEC	
CSOTS			CLEC	
LENS	*******		CLEC	
TAG			CLEC	
ЕСТА			CLEC	
TAFI			CLEC/BellSouth	
SEEM Magazi	* •			
SEEM Measu				
SEEM No	Tier I	Tier II		
SEEM Disagg	regation -	Analog/Benchm	ark	
SEEM Disaggree Not Appl	-		SEEM Analog/Ben	chmark

BELLSOUTH

CM-6: Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days

Definition

Measures the percent of all outstanding Software Errors due and overdue to be corrected by BellSouth in "X" (10, 30, 45) business days within the monthly report period.

Exclusions

- Software Corrections having implementation intervals that are longer than those defined in this measure and agreed upon by the CLECs
- Rejected or reclassified software errors (BellSouth must report the number of rejected or reclassified software errors disputed by the CLECs)

Business Rules

This metric is designed to measure BellSouth's performance each month in correcting identified Software Errors within the specified interval. The clock starts when a Software Error validated per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html, and stops when the error is corrected and notice posted to the Change Control Website. The monthly report should include all defects due and overdue to be corrected within the report period. Software defects are defined as Type 6 Change Requests in the Change Control Process.

Calculation

Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days = (a / b) X 100

- a = Total number of Software Errors Corrected where "X" = 10, 30, or 45 Business Days.
- b = Total number of Software Errors requiring correction where "X" = 10, 30, or 45 Business Days.

Report Structure

- Severity 2 = 10 Business Day
- Severity 3 = 50 Business Days
- Severity 4 = 45 Business Days

Data Retained

- Report Period
- Total Completed
- Total Completed within "X" Business Days
- Disputed, Rejected or Reclassified Software Errors

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Change Management

Tennessee Performance Metrics

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

Region.......95% within interval



CM-7: Percent of Change Requests Accepted or Rejected within 10 Days

Definition

Measures the percent of Change Requests other than Type 1 or Type 6 Change Requests, submitted by CLECs that are Accepted or Rejected by BellSouth in 10 business days within the report period.

Exclusions

· Change Requests that are canceled or withdrawn before a response from BellSouth is due.

Business Rules

The Acceptance/Rejection interval starts when the acknowledgement is due to the CLEC per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. The clock ends when BellSouth issues an acceptance or rejection notice to the CLEC. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the reporting period.

Calculation

Percent of Change Requests Accepted or Rejected within 10 Business Days = (a / b) X 100

- a = Total number of Change Requests accepted or rejected within 10 business days
- b = Total number of Change Requests submitted in the reporting period

Report Structure

· BellSouth Aggregate

Data Retained

- Report Period
- · Requests Accepted or Rejecte.
- Fotal Requests

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SOM Analog/Benchmark
• Region....... 95% within interval

SEEM Measure

SEEM Tier !:

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



CM-8: Percent Change Requests Rejected

Definition

Measures the percent of Change Requests (other than Type 1 or Type 6 Change Requests) submitted by CLECs that are rejected by reason within the report period.

Exclusions

· Change Requests that are canceled or withdrawn before a response from BellSouth is due

Business Rules

This metric includes any rejected change requests in the reporting period, regardless of whether received early or late. The metric will be disaggregated by major categories of rejections per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. These reasons are: Cost, Technical Feasibility, and Industry Direction. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the same reporting period.

Calculation

Percent Change Requests Rejected = (a / b) X 100

- a = Total number of Change Requests rejected
- b = Total number of Change Requests submitted within the report period

Report Structure

- · BellSouth Aggregate
- Cost
- Technical Feasibility

Data Retained

- · Report Period
- Requests Rejected
- Total Requests

SQM Level of Disaggregation - Analog/Benchmark

Tier II

SQM Level of Disaggregation

Region.....

Reason – Cost

- Reasor Technical Feasibility
- Reason Industry Direction

SEEM Measure

SEEM Tier l

SQM Analog/Benchmark

Diagnostic

CM-8: Percent Change Requests Rejected

Tennessee Performance Metrics

SEEM Disaggregation - Analog/Benchmark

SEEM D	visaggregation	SEEM Analog/Benchmark
•	Not Applicable	Not Applicable



CM-9: Number of Defects in Production Releases (Type 6 CR)

Definition

Measures the number of defects in Production Releases. This measure will be presented as the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definition of Type 6 Change Requests (CR) and Severity 1, Severity 2, and Severity 3 defects can be found in the Change Control Process Document.

Exclusions

None

Business Rules

This metric measures the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definitions of Type 6 Change Requests (CR) and Severity 1, 2, and 3 defects can be found in the Change Control Process, which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html.

Calculation

The number of Type 6 Severity 1 Defects, the number of Type 6 Severity 2 Defects without a mechanized work around, and the number of Type 6 Severity 3 defects.

Report Structure

- Production Releases
- Number of Type 6 Severity 1 defects
- Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 dep-

Data Retained

- Region
- Report Period
- Production Releases
- Number of Type 6 Severity 1 defects
- Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 defects

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark • Region—Number of Type 6 Severity 1 Defects 0 Defects

- Region—Number of Type 6 Severity 3 Defects
 Defects

Change Management

Tennessee Performance Metrics

SEEM Measure

 SEEM
 Tier I
 Tier II

 No.....

SEEM Disaggregation

SEEM Analog/Benchmark



CM-10: Software Validation

Definition

Measures software validation test results for Production Releases of BellSouth Local Interfaces

Exclusions

None

Business Rules

BellSouth maintains a test deck of transactions that are used to validate that functionality in software Production Releases work as designed. Each transaction in the test deck is assigned a weight factor, which is based on the weights that have been assigned to the metrics. Within the software validation metric weight factors will be allocated among transaction types (e.g., Pre-Order, Order Resale, Order UNE, Order UNE-P) and then equally distributed across transactions within the specific type.

BellSouth will begin to execute the software validation test deck within one (1) business day following a Production Release. Test deck transactions will be executed using Production Release software in the CAVE environment. Within seven (7) business days following completion of the Production Release software validation test in CAVE, BellSouth will report the number of test deck transactions that failed. Each failed transaction will be multiplied by the transaction's weight factor.

A transaction is considered failed if the request cannot be submitted or processed, or results in incorrect or improperly formatted data

The test deck scenario weight table can be found in the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html.

Calculation

This software validation metric is defined as the ratio of the sum of the weights of failed transactions using Production Release software in CAME to the sum of the weights of all transactions using Production Release software in

- · Numerator = Sum of weights of failed transactions
- Denominator = Sum of weights of all transactions in the test deck

Report Structure

· BellSouth Aggregate

Data Retained

- Report Period
- · Production Release Number
- Test Deef: Weignis
- · % Test Deck Weight Failure

SQM Level of Disaggregation - Analog/Benchmark

POST FROM THE CONTRACTOR



SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation

SEEM Analog/Benchmark



CM-11: Percent of Change Requests Implemented within 60 Weeks of **Prioritization**

Definition

Measures whether BellSouth provides CLECs timely implementation of prioritized change requests

Exclusions

- Change requests that are implemented later than 60 weeks with the consent of the CLECs
- Change requests for which BellSouth has regulatory authority to exceed the interval

Business Rules

This metric is designed to measure BellSouth's monthly performance in implementing prioritized change requests. The clock starts when a change request has first been prioritized as described in the Change Control Process. The clock stops when the change request has been implemented by BellSouth and made available to the CLECs. BellSouth will begin reporting this monthly measure with the next release for diagnostic purposes, and will be measured for SEEM purposes 60 weeks from first prioritization meeting following Commission approval of this measure.

Calculation

Percent of Type 5 CLEC initiated Change Requests implemented on time = (a / b) X 100

- a = Total number of prioritized Type 5 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of their first prioritization plus all other prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = All entries in "a" above plus all Type 5 Change Requests prioritized more than 60 weeks before the end of the monthly reporting period.

Percent of Type 4 BellSouth infinites. The process of the state of the

- a = Total number of prioritized Type 4 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of the release prioritization list plus all other Type 4 prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = Alt entries in "a" above plus all Type 4 Change requests prioritized more than 60 weeks before the end of the monthly reporting period.

Report Structure

- BellSouth Aggregate
- Type 4 requests implemented
- Type 5 requests implemented
- % implemented within 16, 32, 48, and 60 weeks

Data Retained

- Total implemented by type
- · Topal immension within 60 week



SQM Level of Disaggregation - Analog/Benchmark

SQM Level of D	isaggregatio	n		SQM Analog/Benchmark
 Region. 				
• Type 4 1	equests implen	nented		95% within interval
				95% within interval
SEEM Measu SEEM	u re Tier I	Tier II	Tier III	
Yes		X		
SEEM Disaggre	gation			SEEM Analog/Benchmark
Region				95% within interval



Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- · Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- · Appointment Scheduling
- · Customer Service Record
- · Feature Availability
- · Service Inquiry

Maintenance Query Types

TAFI - TAFI queries the systems below

- CRIS
- · Marci
- Predictor
- LMOS
 - DLR DLETH LMOSupc
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- Aggregate CLEC State
- Part Lateran Like
- · BeltSouth Region



Appendix B: Glossary of Acronyms and Terms

Symbols used in calculations

A mathematical symbol representing the sum of a series of values following the symbol

A mathematical operator representing subtraction.

+ A mathematical operator representing addition

/ A mathematical operator representing division

< A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

<= A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

> A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right

>= A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right

()

Parentheses, used to prove that separatical operations which are complicted before operations of suiside the parentheses.

Α

ACD

Automatic Call Distributor - A service trial provines status monitoring or agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level

ALL

Alternative Local Exchange Company = FL CLEC

ADSL

Asymmetrical Digital Subscriber Lin

Access Service Kequest - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network



Appendix B: Glossary of Acronyms and Terms

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

В

BFR:

Bona Fied Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C

CABS

Carrier Access Billing System

CC

Coordinated Customer Conversions

CCF

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier to elements combined in a service contiguento

CLFC

Competitive Local Exchange Carrier

 CL^{\dagger}

CM

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/SONGS. It indicates all services available to a customer.

CRIS

Customer Record Information System - This system is used to retain customer information and render bills for telecommunications service.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

D

DA

Directory Assistance

DESIGN

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activitie.

DISPOSITION & CAUSE

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DUETE

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - A report that gives detailed line record information on records maintained in LMOS

DS-4

The worldwide standard speed for one digital voice signal (64000 bps)

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.



Appendix B: Glossary of Acronyms and Terms

DSAP

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI

DSAP software contract for schedule information.

DSI

Digital Subscriber Line

DUI

Database Update Information

Ε

E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F G

Fatal Reject

The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellScuth CCC without the submitted electronically via the CLEC mechanized ordering process that flow through to the BellScuth CCC without the submitted electronically via the CLEC mechanized ordering process that flow

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date

FΧ

Foreign Exchange

Н

HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRE

HDSI



IJK

HEC

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

L

LAN

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEC

ocal Evelange Orderic — Folls wit system which accesses—output of IDD conflict edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Coop Facilities Assessment and Tombe Corto-

LIDE

Line Information Database

1,340;

records and for emering, processing, and tracking trouble repore

LMOS host computer

LMOSupd

LMOS update allows trouble tickets on line records to be entered into LMOS.

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

LNP Gateway

Local Number Portability (gateway)- A system that provides both internal and external communications with various interfaces and process including:

- (1). Linking BellSouth to the Number Portability Administration Center (NPAC).
- (2). Allowing for inter-company communications between BellSouth and the CLECs for electronic ordering.
- (3). Providing interface between NPAC and AIN SMS for LNP routing processes.

LOOPS

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

A memory administration system that translates line-related service order data into switch provisioning messages and automatically transmits the messages to targeted stored program control system switches.

N

NBR

New Business Request

NO

"No Circuits" - All circuits busy announcemen

NIW

Network Information Warehouse - A system that stores central office blockage data for use in processing trouble reports



Appendix B: Glossary of Acronyms and Terms

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The "exchange" portion of a telephone number.

0

OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

Order Types

The following order types are used in this document:

- (1). T The "to" portion of a change of address. This Order Type is used to connect main service at a new address when a customer moves from one address to another in any of the nine states within the BellSouth region. A "T" Order Type is always pared with an "F" Order Type which will have the same telephone number following the "F" Order Type Code unless the orders are within different states.
- (2). N Orders establishing a new account. Also, this Order Type Code is occasionally used when changing from one type of system to another such as when changing from PBX to Centrex.
- (3). C Order Type used for the following conditions: changes or partial connections or disconnections of service or equipment: change of telephone number, grade or class of main line, additional lines, auxiliary lines, PBX trunks and stations; addition of trunks or lines to existing accounts; move of equipment (other than change of address); temporary suspension and restoration of service at customer's request.
- (4). R Order Type used for the following conditions: additions, removals or changes in directory listings; responsibility change orders, addition, removal or changes in directory and billing information; other record corrections where the rest wood at any other record

OSPCM

Outside Plant Contract Management System - A system that provides scheduling and completion information on outside plant construction activities

Ųδ,

Operations Support System - A support system or database which is used to mechanize the flow or performance of work



Appendix B: Glossary of Acronyms and Terms

application which is used to provide the support functions.

OUT OF SERVICE

Customer has no dial tone and cannot call out.

P Q

PMAP

Performance Measurement Analysis Platform

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

A system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups to Mechanized Loop Testing and switching system I/O ports.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORL

PSIMS software contract for feature/service

R

RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers

RS74

**Example of the state and local governments.

Appendix B: Glossary of Acronyms and Terms

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S

SAC

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - A system which routes service order images among BellSouth drop points and BellSouth OSS during the service provisioning process.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System

Syntactically Incorrect Query

A query that cannot be fulfilled due to insufficient or incorrect input data from the end user. For example, A CLEC would like to query the legacy system for the following address: 1234 Main ST. Entering "1234 Main ST" will be considered syntactically correct because valid characters were used in the address field. However, entering "AB34 Main ST" will be considered syntactically incorrect because invalid characters (i.e., alpha characters were entered in numeric slots) were used in the address field.

T

TAF

Trouble Analysis Enciliarly Theorems The Polls outh Open in taking and handling customer trouble reports.

Eystem that supports trouble receipt center personne!

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSFs where a consequence control but tect, or expansion and a service order generator

U V

1180

UCL.



Appendix B: Glossary of Acronyms and Terms

USOC

Universal Service Order Code

WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.

Appendix C: BellSouth Audit Policy

C-1: BellSouth's Internal Audit Policy

BellSouth's internal efforts to make certain that the reports produced by the PMAP platform are of the highest accuracy has been formalized into a Performance Measurements Quality Assurance Plan (PMQAP) that documents and augments existing quality assurance processes integral to the production and validation of Performance Measurements data.

The plan consists of three sections:

Change Control addresses the quality assurance steps involved in the introduction of new measurements and changes to existing
measurements.

Appendix C: Audit Policy

- 2. Production addresses the quality assurance steps used to create monthly SQM reports.
- 3. Monthly Validation addresses the quality assurance steps used to ensure accurate posting of monthly results.

The BellSouth PMQAP will ensure that BellSouth effectively and consistently provides accurate performance measurements data for the activities included in the SQM. The BellSouth Internal Audit department will audit this plan and its quality assurance steps annually, beginning in 4Q01.

C-2: BellSouth's External Audit Policy

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the current year aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years (2001 - 2005), to be conducted by an independent third party auditor jointly selected by BellSouth and the CLEC. The results of audits will be made available to all the parties subject to proper safeguards to protect proprietary information. Requested audits include the following specifications:

- 1. The cost shall be borne by BellSouth.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

These comprehensive audits are intended to provide the basis for the PSCs and CLECs to determine that the SQM, PMAP and SEEM produce accurate data that reflects each States Order for performance measurements. Once this has been verified by an initial audit, the BellSouth PMQAP will provide the basis for future audits.



Appendix D: OSS Tables

OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

Table 1: Legacy System Access Times For RNS

System	Contract RSAG-TN	Data Address			<= 6.3 sec.	_	
RSAG	RSAG-ADDR	R Address	x	x	x	×	×
ATLAS	ATLAS-TN	TN	x,,,	xx	X	x	x
DSAP	DSAP-DDI	Schedule	x	x	x	x	x
CRIS	CRSACCTS	CSR	X	x	x	x	x
OASIS	OASISBIG	Feature/Service	x	x	x	,x	x

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	x	xx	x	x	x
RSAG	RSAG-ADDR	Address	×	x	x,,,,,,,	x	×
ATLAS	ATLAS-TN	TN	x	xx	×	x	x
DSAP	DSAP-DDI	Schedule	×	xx	x	x	x
CRIS	CRSOCSR	CSR	x	xx	×	x	x
OASIS	OASISBIG	Feature/Service	x	xx	×	x	x

Table 3: Legacy System Access Times For LENS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Adares:					
RSAG	RSAG-ADDR	Address	x ,	xx	,,, X	X	X
ATLAS	ATLAS-TN	TN	x	xx	,,, x	x	x
DSAP	DSAP	Schedule	x	×	x	x	x
CRIS	CRSECSRL	CSR	x	xx	x	x	x
COFFL	COFFI/USOCF	eature/Service					
P/SIMS	PSIMS/ORB F	eature/Service	×	x	xx	x	x

Table 4: Legacy System Access Times For TAG

System RSAG RSAG ATLAS ATLAS	CONTRACT RSAG-TN RSAG-ADDR ATLAS-TN ATLAS-MLH	TN	xx	XX	xxx	x xx	×
CRIS P/SIMS		CSRFeature/Service					

Version 2.00 Issue Date: July 1, 2003 200

OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

SEEM OSS Legacy System

System	BellSouth	CLEC
	Telephone Number/Address	
RSAG-ADDR	RNS, ROS	TAG, LENS
RSAG-TN	RNS, ROS	TAG, LENS
Atlas	RNS,ROS	TAG. LENS
	Appointment Scheduling	
DSAP	RNS, ROS	TAG, LENS
	CSR Data	
CRSACCTS	RNS	
CRSOCSR	ROS	
CRSECSRL		LENS
TAG-CSR		TAG
	Service/Feature Availability	
OASISBIG	RNS, ROS	
PSIMS/ORB, COFFI		LENS, TAG

OSS-2: OSS Availability (Pre-Ordering/Ordering)

OSS Availability

OSS Interface	Applicable to	% Availability
EDI	CLEC	x
LENS	CLEC	X
LEO	CLEC	N
LESOG	CLEC	
PSIMS	CLEC	X
TAG	CLEC	X
£4,65		
SOr		



Appendix D: Tables

DOM	CLEC	X
DOE	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	х
ATLAS/COFFI	CLEC/BellSouth	х
BOCRIS		x
DSAP	CLEC/BellSouth	x
RSAG	CLEC/BellSouth	x
SOCS	CLEC/BellSouth	x
SONGS	CLEC/BellSouth	x
	BellSouth	
	BellSouth	

OSS-2: OSS Availability (Pre-Ordering/Ordering)

SEEM OSS Availability

OSS Interface	Applicable to	% Availability
EDI	CLEC	х
LENS	CLEC	x
LEO	CLEC	x
LESOG	CLEC	X
PSIMS	CLEC	x
TAG	CLEC	X
LNP Gateway	CLEC	
COG	CLEC	x
SOG	CLEC	x
DOM	CLEC	X

OSS-3: OSS Availability (Maintenance & Repair)

OSS Availability (M&R)

OSS Interface	% Availability
BellSouth TAFI	. x
CLEC TAFI	. x
CLEC ECTA	. X
BellSouth & CLEC	
CRIS	. x
LMOS HOST	. x
LNP Gateway	. x
MARCH	. x
OSPCM	. x
PREDICTOR	. x
SOCS	. x

OSS-3: OSS Availability (Maintenance & Repair)

SEEM OSS Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	x
CLECECTA	

OSS-4: Response Interval (Maintenance & Repair)

Legacy System Access Times for M&R

System CRIS DLETH	BellSouth			Count			
	& CLEC	<= 4	> 4 <= 10	<= 10	> 10	> 30	Avg. Int.
CRIS	У	У	X	X	X	X	X
DLETH	X	x	Χ	×	xx	×	×
DLF-						λ	
LMOS	X	λ	λ	x		x	×
LMOSupd	x	x	X 	X	X	x	x
LNP	×	x	X	X	X	x	x
MARCH	>		х	X		X	X
\sim t							
SUCE	λ	λ	λ	λ		λ	
MIW.	>	V	· · · · · · · · · · · · · · · · · · ·	Σ	Σ	×	У

Issue Date: July 1, 2003

TAFI

System	Open Trouble Ticket	Status Trouble Ticket	Mechanized Line Testing	Close Trouble Ticket
CRIS	X			
DLETH	X			
DLR	X			
LMOS	X	X		×
LMOSSupd	X	X	X	X
LNP	X			
MARCH	x			
OSPCM	X	X		
Predictor	X	x		
SOCS	X	x		
NIW	X			

Note: Depending on the type of customer report multiple systems maybe touched in one transaction.

6 3 LSOUTH

Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Tr erformance Metrics ess. PLANNED FALLOUT COMPLEX **PRODUCT COMPLEX** F/T³ EDI TAG² Pr REOTY" E **ACT TYPE** FOR MANUAL LENS' COMMENTS TYPF **SERVICE** ORDER HANDLING1 2 wire a 'rur' U No UNE Yes NA Ν N Ν Ν U N No UNE Υ Υ Υ 2 wire analog No Yes U 2 wire I DN d of line Α N.T Nο UNE Yes NA Ν Ν Ν 2 wire L⊃N ∂ of Joer U N,C,DYes UNE Yes No Υ Ν U Yes 2 wire 1' SNI · loc V,P,QUNE Υ Υ В Yes No Ν R,B N,C,V,W,P,Q,TΥ Υ Υ 3 Way ← Time E.MYes No No No 3rd Part R,BE,M Υ Υ Call N,C,V,W,D,P,Q,T Yes Υ Nο No No 4 wire a mlog U Α No UNE Υ Υ Ν e gra-Yes Yes U Υ 4 wire a glog Ν Yes UNE Yes No Υ Ν o grav Α U 4 wire ! □ & digit Α N,T No UNE Yes NA N Ν Ν U 4 wire 1 10 & N,T No UNE Yes NA Ν Ν ' digit Α Ν digita' U N,T 4 wire ISDN I " ports Λ No UNE Yes NA Ν Ν Ν 4-WIRL OST in It. MANNELIZ STON WITH ' -8.1C M N,C,D,VNo Yes Yes NA Ν Ν Ν $\Delta D = D$ 4-WIRT ST TIANNELIZ : TON WITH: -6.L ìΚ $H = \mathbb{R}$ CN,C,D,VNo Yes NA M Yes Ν Ν Ν R,B N,C,V,W,D,P,Q,T Υ Υ Υ 900 Car Block E,M Yes No No Nο C E N,C,T,V,W No Yes Yes NA Ν Ν Ν NOTE THIS **PRODUCT** CAN BE ORDERED OR RES/BUS AND ADSL V,W,D C/S Υ R,B.C Е Yes C/S No Υ Υ CENTREX C E N,C,T,V,W,DNo Analog Fata/P∈ de Lii Yes Yes NA Ν Ν Ν Area Pl-E,MΥ Υ R,BN,C,V,W,P,Q,TYes No No No ATM (7. YN) ONC RANFER MODE) С Е Ν Ν N,C,V,W,D No Yes Yes NA Ν U Basic Rate ISD *Unlum "ed-Α T No Yes Yes Yes Υ Υ Ν Basic Rate ISD "Unbur-Ted U N.V.D Yes Υ Υ Α UNE Yes Υ No U Basic Rate ISP "Unbur "od Α C,TNο Yes Υ Υ Υ UNE Yes Basic Rate ISI 2 Win CHE P C M N,C,D,V Nο Yes NA Ν Ν Yes Ν

on 2

` Win

Basic Rem IST

205

Ε

C.

Issue Date: July 1, 2003

Υ

Υ

Υ

Yes

Manual

Nο

Yes

Yes

N,C, D,T,V,P,Q

€ BE LSOUTH"

Tr esse Terformance Metrics

Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

	Pro	. ,	PRODUCT TYPE	REQTYME	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG²	LENS⁴	COMMENTS
BELLSCHITP	77N2	ED TRUNKS	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
Call Block			R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	7	Υ	Y	
Call For pardin			R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Reman			R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Se'- for			R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Traing			R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Walling			R,B	E.M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Walling !	me .		R.B	E.M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Caller I'			R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Y	
BELLS TO	NUR!		С	Þ	N,C,D,W,T,S,B,L,V,P	No	Yes	Yes	NA	N	N	N	
UNE P TENT			С	М	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Collect - II P			R ,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
DID			C	N	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Υ	Υ	Υ	
2-WIRL DIRE PORT * D V	a C. EVA	DIAL (DID) DUNK											
COMB: AT!			C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Digital ' ata T	port		U	Е	N,C,T,V,W	No	UNE	Yes	NA	N	N	N	
DIGIT/ DIF	. IV.	ATION											
TERMITTIC	TER'	(DDITS) DS '	C	M	N,C,D,V	No	Yes	Yes	NA .	N	N	N	
DIGIT/ DIF TERMI AT!	EB.	TATION TADDITS) TRANK											
SERVIC			C	М	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Director List	nden:		B,U	B,C,E,F.J.: '.N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Υ	Υ	Υ	
Director: List:	· (sim)		R,B,U	B,C,E,F,J,11.N	N,C,R,V,W,P,Q	Yes	No	No	No	Υ	Υ	Y	
Director: Listi	(sim:		R,B,I	B,C,E,F,J, MN	Т	No	No	No	Yes	Υ	Υ	N	
Director Listin	Capti		R,B,U	B,C,E,F.J.: N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Υ	Υ	Υ	
DIFFEU NT	1115	DRESS (DPA)	C	E	N,C,D,V,W,T	No	Yes	Yes	NA	N	Z	N	
DS1Lo			U	A	N,D,V	Yes	UNE	Yes	No	Υ	Υ	Υ	
DS3			U	Λ	N,C,V	No	UNE	Yes	NA	N	Ν	N	
DSO L			U	Α	N,D,V	Yes	UNE	Yes	No	Υ	Υ	Y	
DSO Le ··			U	Α	C,T	No	No	No	Yes	Υ	Υ	Y	
Enhance Call	`		R,B	Е	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	

/ on

Issue Date: July 1, 2003

HI NOST & D

Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

соммеи.	rens,	⁵ĐAT	EDI	PLANNED FALLOUT FOR MANUAL HANDLING'	СОМРLEX	SERVICE COMPLEX	E/T3	ACT TYPE	BEO TA₁ E	TODOOT TYPE	,-	-∤d		
	У	Т	Α	oN	οN	οN	SəY	C,D,N,T,V	V	n	(S'In.,	all po	iXd ,	рявсь
	N	N	N	AN	SЭД	SƏA	οN	C,D,T,V,S,B,W,L,P,Q	<u>d</u>	5	_		_	XS
		,	٨	oN	οN	oN	SƏA	C'D'A'A'M'L A'B'F'Z'D'L'b'Ğ	H M	В			gsñg	# <u>K</u> 9.
	٨	X	Т	οN	οN	οN	SəX	C,D,N,V,W,T Y,B,L,S,D,T,P,Q	E, M	Я		¥*	4855	€ K9.
	Ν	N	N	AN	SƏY	SЭД	οN	ŊĊŊŢŲŴŶ	Е	Э				SXE
	Ν	N	N	AN	sə\	Yes	οM	N'C'D'Λ'M	Е)				โอน
	Ν	N	N	AN	Yes	Yes	οN	у.е., т.с., т.е.	Е	Э				FC
											ANITYBEE HALLE ALIF	7.Ö., 7EST.) <u>4</u> /2	<u>d</u> :
	N	N	N	AN	Хех	SЭД	1	N,C,V,D,T,S,B,L,W,Y,P,Q) d d				
	N	N	N	AN	oN	oN	oN	C,D,N,V,W,P,Q		<u>8.8</u>		3 <u></u> [[e	.junc	
	N	<u>人</u>	\ \ \	SƏA	oN	ON	ON	7	<u>v</u>	8,8	<u> </u>	մարը.	, julio.	
	N		Α	SƏY	oN	JNN	ON	L		n			_	-
	\ \ \	$\frac{\lambda}{\lambda}$	人 人	oN	0N	ONE ONE	SƏA	N'C'D'A		<u> </u>				-
	N	 _	Х	S9Y	S/3	5/O	oN	C,D,N,T,V,W	– K. 3	8,A	<u> </u>	- Tollare		∄u
	\ \	$\frac{\lambda}{\lambda}$	λ	oN	S/S	S/O	Yes	C,D,N,V,W	M.3	8,8 - a a		.,əpdu.		∃u ∃u
	N	-^ -	\ \	S9Y	oN 20V	οN ⊒ινι ι	ON	L	C E' W	8,A U		ojdu.	· ib Co outo	. Su
	N		\ \ \	S9Y	SƏY	NNE	ON	C	E	2		aoIsaa		de T
	N		N	AN	S9Y	S 9 Y	oN	0,9,W,V,T,O,N	<u>∀</u>	<u>n</u>	· · · · · · · · · · · · · · · · · · ·		ฮีน:	
	<u>,</u> Д		\ \ \	oN oN	ON ON	NNE	S9Y	И,С,D,V,Р,Q И С D		<u>n</u>			ີ່ສີແມ _້ .	
	N	<u> </u>	<u> </u>	oN səY	No Ves	ONE	οN	ν,ς,D P,V,Q	0	<u>n</u>			- doj G	
	Ν	Y	٨	Yes	Дes	NNE	οN	Q,V,q	0	n		uss x	<u>Cob</u>	
	7	,	Т	89¥	Υes	NNE	oN	D,V,Q	О	n		្មស្រីប	րու	įΔ
	N	Х	٨	oN	S9Y	JNE	SƏY	Q,V,q	Э	n				
	N	Y	٨	Yes	οN	NNE	οN	Э		n	- (AL) OI dK.	ifidei	. rəquin	$\overline{\lambda}$
	N	Α	, ,	SƏY	· oN	NNE	οN	а	B'C	n	1 10			_
	N	Τ.	人	oN	oN	NNE	SƏA	Ω,q,V	 	<u> </u>			—— d13	1-
	^	Х	λ	οN	oN	οN	səд	C,D,N,V,W,P,Q,T Y,B,L,S,D	M,3	В,Я		\$	18,≸L±	щ

702



Tomesso Performance Metrics

Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Pro -t	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	SERVICE	ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
			C,D,N,V,W,P,Q,T								
Measured Rated ins	R,B	E,M	Y,B,L,S,D	Yes	No	No	No	Y	Y	Υ	
Megalin's POD TO Process	С	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N	
Megalin' CHA FELIZ	С	<u>E</u>	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA NA	N	N	N_	
Memory Call	R,B	E, M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Υ	Υ	
Memory Call Arra, Svc.	R,B	E, M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Y	
Multise	<u> </u>	P	N,C,D,T,V,S,B,W,L,P,Q	No	Yes	Yes	NA	N	N	N	
Native linde I inter- rection (NMLI)	С	E	N,C,D,V,W	No	Yes	Yes	NA	N	N	N	
Off-Prem Staff	<u> </u>	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N	
Optional Callin Clan	R,B	E, M	N,V,P,Q,W	Yes	No	No	No	Υ	_ Y	Υ	
Package Compared Choise and Area Plus	R,B	E, M	N,C,V,W,P,Q	Yes	No	No	No	Υ	Υ	Y	
Package Compare Choice and Area Plus	R,B	E, M	ΤΤ	No	No	No	Yes	Υ	Υ	N	
Pathlink Prime Pate 17 11	С	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
4-WIRE ISDN TUNE MBO	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Pay Phone Promier	В	E,M	C,D,T,N,V,W,P,Q	Yes	No	No	No.	Υ	Υ	Υ	
PBX Standalone Fort	C	. F	N,C,D	No	Yes	Yes	Yes	Υ	Υ	N	
PBX Turnks	С	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Υ	Υ	N	-
PIC/LP** Charries	R,B,C	E,M	C,V,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
PIC/LP* Free*	R,B,C	E,M	N,C,V,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
PORT/I OOP C 1BQ RE PBX	С	M	N,C,D,V	No	No	No	Yes	Υ	Υ	N	
Port/Loc Sign	U	М	N,C,D,V	Yes	No	No	No	Υ	Υ	Υ	
Preferred Call award	R,B,U	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
RCF Barrie	R,B	E,M	N,D,W,V,P,Q,T	No	No	No	Yes	Υ	Υ	N	
Remote / ccess CF	R,B	E,M	C,D,N,V,W,P,Q,T	No	No	No	NA	Υ	Υ	N	
Repeat faling	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Ringmation	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Y	
Smartpe ¹	R,B	E	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N	
SmartR :: G	С	E	N,D,C,V,W	No	Yes	Yes	NA	N	N	N	
Speed Colling	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Synchronet	C	E	N,D,C,V,W	No	Yes	Yes	Yes	Υ	Y	N	
Three Var Carallock	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No .	Υ	Υ	N	

(B LSOUTH

Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Tie Line							(as o	f May 1	3, 2003)
TOLL 1 TEF 1 LNG 101 C R,B Touchtone R,B Unbund of Lee Inales SL1, SL2 U A Unbund of Lee Inales Inales In Leop U A Inales SL1, SL2 U A Unbund of Lee Inales Inales In Leop U A Inales Inales Inales In Leop U A Inales Inales Inales In Leop U A Inales Inales Inales In Leop U A Inales Inales Inales In Leop U A Inales Inales In Leop U A Inales Inales In Leop U A Inales Inales In Leop U A Inales Inales In Leop U A Inales Inales In Leop U A Inales Inales In Leop U A Inales Inales In Leop U A Inales Inales In Leop U A Inales Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A Inales In Leop U A	TY' E ACT TYPE	F/T	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
Touchtone Unbund of Lee Inales SL1, SL2 U A Unbund of Lee Inales SL1, SL2 U A Unbund of Lee Inales SL1, SL2 U A Unbund of Liee Inales SL1, SL2 U A WATS' XDSL U A XDSL U A Produc U-1 C-C Text; B-Busineen: R-Residence Reqty: A-1 or B-1 critical relation of the Complex C Reqty: A-1 or B-1 critical relation of the Complex C Note: The Text of the Complex Text of Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC of the Calls option for CLEC o	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N	
Unbund of Lee Inade SLI, SL2 U A Unbund of Lee Inade SLI, SL2 U A Unbund of Lee Inade SLI, SL2 U A Unbund of Lie Inade SLI, SL2 U A Unbund of Lie Inade SLI, SL2 U A Unbund of Lie Inade SLI, SL2 U A Unbund of Lie Inade SLI, SL2 U A Unbund of Lie Inade SLI, SL2 U A Unbund of Lie Inade SLI, SL2 U A Unbund of Lie Inade SLI, SL2 U A UNBAL U A XDSL	N,C,D,V,W	No	Yes	Yes	NA	N	N	N	
Unbund of Lee and I SL1,SL2 U A Unbund of Lie and I Shannel (UT Loop U WATS' C C XDSL U A XDSL U A Product U-1 C-C for; B-Businest R-Residence Reqty: A-1 and B-1 could be consistent accord D-Direction; T-Out ide move of end user location to new CP to CLSC before the B-Restore M-Deny; L-Scasenal Suspensions, Orticle plans, orticle columns and the columns and the Complex C before the form of the Complex C before the forming the following the	C,D,N,V,W,P,Q,T	Yes	<u>No</u>	No	No	Υ	Υ	Y	
Unbund of the malf to bannel (UT to Loop U	,B D,N,V	Yes	UNE	No	No	Υ	Υ	Y	
Note 2 Tor 2 micro government, with m hiple listing with a micro with m hiple listing with a more a flower mind with m hiple listing with a mind with a mind with m hiple listing with a mind wi	.B C**	Yes	UNE	No	Yes	Υ	Υ	Υ	
Note 3 Tor all matter government, a condition with more listing with a matter with more listing with a matter with more listing with a matter with more a flow matter with more more matter with more more matter with more matter with more matter with more matter with more matter with more matter with more matter with more matter with more matter matter with more matter matter matter with more matter matter matter with more matter matter with more matter ma	N,D	Yes	UNE	No	No	Υ	Υ	Y	
Product U-1 (C-6) Reqty: (A-1) or B-1 cristing accord (D-Direction) T-Out side move of end user location to new (CP to CES) to the United B-Restore (1-Deny) L-Seasonal Suspen (Mote 2) the United Color color character (Mote 2) the United Color character (Mote 3) to color character (Mote 3) to correct control character (Mote 4) to correct control character (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 4) to correct (Mote 5) the following (Mote 5) the f	W,D,N,C,V	No	Yes	Yes	NA	N	N	N	
Product U-1 17. C-6 Reqty: (A-1) or B-1 existing accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: C-LNP/INP: E-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: L-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: L-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: L-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: L-Resale; F-Potentian accord (D-Di) or file in the LNP/INP: L-Resale; F-Potentian acc	B N,C,V,D	Yes	UNE	No	No	Y	Υ	Υ	
existing account D-Dig to new 17P to 17:8.7 mote 2 The Tilder Colling Plant Solution of the Complex Collisting with the Tilder Collisting with the Tilder Collisting with the Tilder Collisting with the Tilder Collisting with the Tilder Collisting with the Tilder Collisting with the Tilder Collisting with the Tilder Collisting with the Tilder Collisting with the Tilder Collisting the Complex Collisting to the Collisting to the Complex Collisting to the Collisting to the Complex Collisting to the Collisting to t	,B <u>T</u>	No	No	No	Yes	Υ	Υ	N	
SL2 **EQT* A, AC ** LNA C REQT* P.B. C **CT P for migrating main telephone number REQT* P.B. C **ACT V** ob Complex REQT* P.E. ** ** and ** **CT = V**, LNA ** V** (LNP to Resale/UNE Sw	are Pectronically submitted and are an electronically submitted and are are consequently submitted and are successed unless migrating the main TN at the ding order review required (Exagein 1), more than 25 business lines a miditer—new TN not yet posted to order olumns can be either complex of	admir artial e not i ervice and a xampl and r	istrative change Migration (substantended to flow s or complex or new TN must e: Any pending more than 15 looks.	es; V-Conversi sequent) v-through due t rder, also prom be assigned), a s service order (on of service to new LSP at to the complexity of the ser pt manual handling: Expediclass of service invalid in control (PSO) not related to curren	s spectivice. lites fretain t PON	ified; W om CLE states w. , pendin	Cs, speci ith some g service	al pricing TOS c.g. order (PSO)

Vs. ion 2 2 209 Issue Date: July 1, 2003

Attachment 5

BellSouth Disaster Recovery Plan

CON	<u>rents</u>		PAGE
1.0	Purpos	se	2
2.0	-	Point of Contact	2
3.0		fying the Problem	2
2.0	3.1	Site Control	3
	3.2	Environmental Concerns	4
4.0	The E	mergency Control Center (ECC)	4
5.0		ery Procedures	5
	5.1	ČLEC Outage	5
	5.2	BellSouth Outage	5
		5.2.1 Loss of Central Office	C
		5.2.2 Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3 Loss of a Central Office with Tandem Functions	6
		5.2.4 Loss of a Facility Hub	A Me
	5.3	Combined Outage (CLEC and BellSouth Equipment	-
6.0	T1 Ide	entification Procedures	7
7.0	Acron	yms	8

12/14/04

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the Federal Communications Commission to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available at the following website: http://interconnection.bellsouth.com/products/vertical/tsp.html. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergence of once 1900, and relinquing one of the reservery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Tetcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catashophe. Further analysis and of first nand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected

NMC with initiate resources and/or transfers that are jointly agreed upon by the affected CLECs' Morogody Management of error and the BellSouth D14. The true push percentage of controls used

will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confiner of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and repinced. A priority for the equipment man use to jointly established a fit chains overall surrestoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

eite Aill vol decommodali — Camae, serection (damino) — serbbie modecini

options available

12/14/04

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach takes, deadys in the restoration of several hours to several days may occur

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (FCC)

The ECC is located in the Midtown I Building in Atlanta. Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice



during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster in a Central Office (CO) would only impact the derivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building traffic from even could be accessed.

equipment may be unaffected

Vernaut: 4€04 Elescar Agreeman 12/14/04 The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth Tower's Tepural Office building that serves as an Access Tandem and as a SWC the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary:
- d) Begin reconnecting service on a parity basis for Hospitan. Poince and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency

delivery to those CLECs utilizing a different location as a SWC;

f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster. BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process. T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited. BallSouth may be force to "packaga" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

Facility that earnies 24 birent

TSP - Telecommunications Service Priority

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Resale Agreement Attachment 6 Page 1

Attachment 6

Bona Fide Request and New Business Request Process

BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

1. **BONA FIDE REQUEST**

- The Parties agree that Globcom is entitled to order any service option required to be made available by FCC or Commission requirements pursuant to the Act. A Bona Fide Request (BFR) is to be used when Globcom makes a request of BellSouth to provide a new or modified service option pursuant to the Act that was not previously provided for in this Agreement.
- 1.2 A BFR shall be submitted in writing by Globcom and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include Globcom's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e. a BFR). The request shall be sent to Globcom's designated BellSouth Sales contact or Local Contract Manager (LCM).
- 1.3 Within two (2) business days of receipt of a BFR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from Globcom at any time during the processing of the BFR.

With many (For business acrys of Economics receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR. BellSouth shall respond to Globcom by providing a preliminary analysis of the new or modified interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the new or modified service option or confirm that BellSouth will not offer the new or modified service option.

For any new or modified service option not ordered by the FCC or Commission, if the preliminary analysis states that BellSouth will offer the new or modified service option, the preliminary analysis will include an systeme, in the development including, but not ambien to, request parameter analysis determination of impacted BellSouth departments

determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the service option and the date the request can be met. If the preliminary analysis states that BellSouth will not offer the new or modified service option, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified service option, should actually be submitted as a NBR or is otherwise not required to be provided under the Act. If BellSouth cannot provide the service option by the requested date, BellSouth shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet Globcom's requested date.

1.6 For any new or modified service option not ordered by the FCC or Commission, if BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall notify Globcom within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to. expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of sach costs. It disocom accepts the complex request evaluation fee proposed by BellSouth, Globcom shall submit such fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required. Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to Globcom by providing a preliminary analysis, consistent with Section 1.4 of this Attachment 11.

Globcom may cancel a BFR at any time up until thirty (30) business days after receiving BellSouth's preliminary analysis. If Globcom cancels the BFR within thirty (30) business days after receipt of BellSouth's preliminary analysis, BellSouth shall be entitled to keep any complex request evaluation for submitted in accordance with Section 1.6 above

date of cancellation

- Globcom will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If Globcom fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified service option quoted in the preliminary analysis.
- Notwithstanding any other provision of this Agreement, BellSouth shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of Globcom's accurate BFR application for a service option that is operational at the time of the request; thirty (30) business days of receipt of Globcom's accurate BFR application for a new or modified service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of Globcom's accurate BFR application for a new or modified service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than 25%.
- 1.10 Globcom shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- Unless Globcom agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- If Globcom believes that BellSouth's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in the General Terms and Conditions of this Agreement.
- Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

2 New Business Request

Globcom also shall be permitted to request the development of new or which is the security of the security of the security and options are specified in this Attachment 11. A New Business

for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.

- An NBR shall be submitted in writing by Globcom and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to Globcom's designated BellSouth Sales contact or LCM.
- 2.3 Within two (2) business days of receipt of an NBR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from Globcom at any time during the processing of the NBR.
- If the preliminary analysis of the request NBR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, BellSouth shall respond to Globcom by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested NBR Services or confirm that BellSouth will not offer the Requested NBR Services.
- 2.5 If the preliminary analysis states that BellSouth will offer the Requested NBR Services the preliminary analysis will include an estimate of the Development Kate including a general breakdown of costs and the date the request can be met. If BellSouth cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet Globeom's requested date.
- 2.6 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend extraordinary resources to exclusive the NBP. BellSouth shall not it.

complex request evaluation fee is required prior to the evaluation of the

directly related to the complex request. If Globcom accepts the complex request evaluation fee amount proposed by BellSouth, Globcom shall submit such complex request evaluation fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required.

- 2.7 Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to Globcom by providing a preliminary analysis of such Requested NBR Services.
- Globcom may cancel an NBR at any time. If Globcom cancels the request more than ten (10) business days after submitting it, Globcom shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- 2.9 Globcom will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If Globcom fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- BellSouth shall propose a firm price quote including the firm
 Development Rate, the firm nonrecurring rate, and the firm recurring rate,
 and a detailed implementation plan within ten (10) business days of
 receipt of Globcom's accurate NBR application for a Requested NBR
 Service that is operational at the time of the request and within sixty (60)
 business days of receipt of Globcom's accurate NBR application for the
 Requested NBR Services not operational at the time of the request. The
 firm nonrecurring rate will not include any of the Development Rate or the
 complex request evaluation fee, if required, in the calculation of this rate.
 Such firm price quote shall not exceed the estimate provided with the
 preliminary analysis by more than 25%
- Globcom shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the fees are a constant is less than the manifestation work is less than the difference.

Resale Agreement Attachment 6 Page 7

Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.