

Dorothy Menasco

From: Dorothy Menasco
Sent: Thursday, July 02, 2009 10:56 AM
To: Katherine Fleming
Cc: Ann Cole; Kimberley Pena; Erik Sayler
Subject: RE: Docket Nos. 080407-080413

Hi Katherine,

The cover letters for DNs 05399-09 and 05415-09 reference Dockets 080409 and 080410, respectively, however, the attached pleadings are where we take the information from, and they both list all the dockets. Therefore, they are placed in all dockets.

Yes, please look at each document individually and advise which ones should be in certain dockets only. My advice to avoid further confusion would be to ask the companies to only include the one docket number on the pleading rather than the cover letter.

For now, based on your request below, we will reflect DN 05399-09 in Docket 080409 only, and DN 05415-09 in Docket 080410 only.

Thank you for your help.

Dorothy Menasco
Chief Deputy Commission Clerk
Florida Public Service Commission
Office of Commission Clerk
850-413-6770

From: Katherine Fleming
Sent: Thursday, July 02, 2009 10:27 AM
To: Dorothy Menasco
Cc: Ann Cole; Kimberley Pena; Erik Sayler
Subject: Docket Nos. 080407-080413

I just wanted to make you aware of a problem in docket nos. 080407 through 080413. I've noticed that some items are being scanned into all dockets when they should only be included in one docket.

For example, Document No. 05399-09, is TECO's direct testimony. The filing clearly states that it is for Docket No. 080409, but it's been placed in all dockets. Document No. 05415-09 is Gulf's direct testimony. The filing states that it is for Docket No. 080410, but it's been placed in all dockets. These are just two examples of many. It is getting really confusing for outside parties to follow. Is there a way that we can clean up the dockets and place the documents in the correct docket files? Do I need to go through each docket and identify the document numbers that are in the incorrect docket or is there a more efficient way to do this?

Please let me know.

Thanks.

DOCUMENT NUMBER-DATE

06676 JUL-28

FPSC-COMMISSION CLERK

7/2/2009