FPSC-COMMISSION CLERY

Diamond Williams

-	VANT DODVN (ATTO) (4.0500.0 - # 1
From:	YANT, ROBYN (ATTSI) [rh0582@att.com]
Sent:	Monday, June 06, 2011 11:44 AM
To:	Filings@psc.state.fl.us Jeff Bates
Cc: Subject:	Amendments Filing - Broadwing
-	
Attachments:	img-606103811-0001.pdf
PDF	
img-60610381 0001.pdf (3 ME	
Original Messa	σε
From: OMT	5 °
	e 06, 2011 11:38 AM
To: YANT, ROBY	
Subject: Scan from	a Xerox WorkCentre
Please open the atta	sched document. It was scanned and sent to you using a Xerox WorkCentre.
Number of Images:	
Attachment File Ty	pe: PDF
Device Name: Wor	kCentre 5225A
Device Location:	
Device Because.	
For more information	on on Xerox products and solutions, please visit http://www.xerox.com/
_	
M	
<u> </u>	
<u> </u>	
<u> </u>	DOCUMENT NUMBER - DAT
	. 03905 Jun -6 =
	1



AT&T Florida 150 South Monroe Street Suite 400 Tallahassee, FL 32301 T: 850.577.5555 F: 850.222.8640 www.att.com

June 6, 2011

110198-TP

Mrs. Ann Cole Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of two Amendments to the Interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast and Broadwing Communications, LLC f/k/a Focal Communications Corporation of Florida

Dear Mrs. Cole:

Please find enclosed for filing and approval, two originals and one copy of BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast Amendments to Interconnection, unbundling, resale and collocation Agreement with Broadwing Communications, LLC f/k/a Focal Communications Corporation of Florida

The underlying agreement was filed June 22, 2001 on in docket 010883-TP.

In docket 040823-TP Joint application for approval for name change and transfer of Certificate No. 5618 of Focal Communications Corporation of Florida to Broadwing Communications, LLC; approval for Focal Communications Corporation of Florida to abandon services; and notification of the transfer of assets and customers of Focal Communications Corporation of Florida to Broadwing Communications, LLC.

If you have any questions, please do not hesitate to call Robyn Yant at (850) 577-5551.

Very truly yours,

Jerry D. Hendrix

Regulatory Vice President

DOCUMENT NUMBER-CATE
03905 JUN-6=

Amendment to the Interconnection Agreement Between Focal Communications Corporation of Florida and BellSouth Telecommunications, Inc. Dated February 16, 2005

This Amendment is entered into by and between Broadwing Communications LLC. ("Broadwing"), on behalf of Focal Communications Corporation of Florida ("Focal Communications") and the successor in interest to Focal Communications, and BellSouth Telecommunications, Inc. ("BellSouth") hereinafter referred to collectively as the "Parties," to amend that certain Interconnection Agreement between BellSouth and Focal Communications dated February 16, 2005 ("Interconnection Agreement") to be effective as of the date of the last signature to the amendment.

WHEREAS, Focal Communications has assigned all of its rights, title and interest to its previously-held assets related to and purchased from BellSouth including any rights, title and interest to the Interconnection Agreement between Focal Communications and BellSouth to Broadwing Communications.

WHEREAS, BellSouth has consented to the assignment of the Interconnection Agreement to Broadwing Communications.

WHEREAS, the Parties desire that the Interconnection Agreement be amended to reflect the new corporate entity name.

NOW, THEREFORE, in consideration of the mutual promises and covenants contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The name of Focal Communications Corporation of Florida (Focal Communications) in the Interconnection Agreement is hereby deleted throughout the Interconnection Agreement and replaced with Broadwing Communications, LLC.
- 2005, shall remain in full force and effect.
- 2. All of the other provisions of the Interconnection Agreement, dated February 16, Finain in full force and effect.

 3. Either or both of the Parties is authorized to submit this Amendment to each Commission for approval subject to Section 252(e) of the Telecommunications Act Public Service Commission for approval subject to Section 252(e) of the Telecommunications Act of 1996.

9/15/02

General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Broadwing Communications, LLC as the successor in interest to Focal Communications Corporation of Florida		
By: Grat & Stine	By: Jamen of Strukler		
Name: Kristen E. Rowe	Name: Lawrence Strickling		
Title: Director	Title: Chief Regulatory Offices		
Date: //////	Date: 11/9/05		

AMENDMENT TO EXTEND TERM DATE/BELLSOUTH TELECOMMUNICATIONS, INC.

d/b/a AT&T ALABAMA, AT&T FLORIDA, AT&T GEORGIA

AT&T KENTUCKY, AT&T LOUISIANA, AT&T MISSISSIPPI,

AT&T NORTH CAROLINA, AT&T SOUTH CAROLINA

AND AT&T TENNESSEE ("AT&T")

AT&T/BROADWING COMMUNICATIONS, LLC.

022908

AMENDMENT TO

INTERCONNECTION AGREEMENT UNDER SECTIONS 251 AND 252 OF THE TELECOMMUNICATIONS ACT
OF 1996

BETWEEN

BELLSOUTH TELECOMMUNICATIONS, INC. d/b/a AT&T ALABAMA, AT&T FLORIDA, AT&T GEORGIA, AT&T KENTUCKY, AT&T LOUISIANA, AT&T MISSISSIPPI, AT&T NORTH CAROLINA, AT&T SOUTH CAROLINA AND AT&T TENNESSEE

AND

BROADWING COMMUNICATIONS, LLC.

The Interconnection Agreement dated February 16, 2005 by and between BellSouth Telecommunications, Inc. d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia, AT&T Kentucky, AT&T Louisiana, AT&T Mississippi, AT&T North Carolina, AT&T South Carolina and AT&T Tennessee ("AT&T") and Broadwing Communications, LLC. ("Broadwing") ("Agreement") effective in the state of Florida is hereby amended as follows:

- 1. Section 2.1 of the General Terms and Conditions is amended by adding the following section:
 - 2.1.1 Notwithstanding anything to the contrary in this section 2.1, the original expiration date of this Agreement, as modified by this Amendment, will be extended for a period of three (3) years from February 15, 2008 until February 15, 2011 (the "Extended Expiration Date"). The Agreement shall expire on the Extended Expiration Date; provided, however, that during the period from the effective date of this Amendment until the Extended Expiration Date, the Agreement may be terminated earlier either by written notice from Broadwing, by AT&T pursuant to the Agreement's early termination provisions, or by mutual agreement of the parties.
- The Agreement is also amended as follows to reflect prior changes of law, and (ii) Broadwing acknowledges and agrees that it will promptly amend the Agreement to reflect future changes of law as and when they may arise.
- The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit A, attached hereto and by reference incorporated into this Amendment.
- 4. EXCEPT AS MODIFIED HEREIN, ALL OTHER TERMS AND CONDITIONS OF THE UNDERLYING AGREEMENT SHALL REMAIN UNCHANGED AND IN FULL FORCE AND EFFECT.
- 5. In entering into this Amendment neither Party waives, and each Party expressly reserves, any rights, remedies or arguments it may have at law or under the intervening law or regulatory change provisions in the underlying Agreement (including intervening law rights asserted by either Party via written notice predating this Amendment) with respect to any orders, decisions, legislation or proceedings and any remands thereof, which the Parties have not yet fully incorporated into this Agreement or which may be the subject of further review.
- 6. This Amendment shall be filed with and is subject to approval by the Commission and shall become effective thirty (30) days after the date of the last signature executing the Amendment.

Version: 10/18/07

CCCS 553 of 611

[CCCS Amendment 1 of 59]

AMENDMENT TO EXTEND TERM DATE/BELLSOUTH TELECOMMUNICATIONS, INC.

d/b/a AT&T ALABAMA, AT&T FLORIDA, AT&T GEORGIA,
AT&T KENTUCKY, AT&T LOUISIANA, AT&T MISSISSIPPI,
AT&T NORTH CAROLINA, AT&T SOUTH CAROLINA
AND AT&T TENNESSEE ("AT&T")
AT&T/BROADWING COMMUNICATIONS, LLC
022908

Broadwing Communications, LLC.	BellSouth Telecommunications, Inc. d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia, AT&T Kentucky, AT&T Louisiana, AT&T Mississippi, AT&T North Carolina, AT&T South Carolina and AT&T Tennessee
By: Jamie Mojel	By: Kut E.Sh
Name: Janie Moyer	Name: Kristen E. Shore
	Title: Director
Date: 5-21-DB Services	Date: 5/30/08
FACILITIES-BASED OCN #	

Version: 10/18/07

Exhibit A
Attachment 2
Page 1
4Q07 STD ICA-12/18/07 revs.

Attachment 2

Network Elements and Other Services

Exhibit A
Attachment 2
Page 2
4Q07 STD ICA-12/18/07 revs.

TABLE OF CONTENTS

1	Introduction	** ***********************************
2	Loops	
3	Line Splitting	
4	Unbundled Network Element Combinations	3
5	Dedicated Transport and Dark Fiber Transport	
6	Automatic Location Identification/Data Management System (ALI/DMS)	40
7	White Pages Listings	4
Rat	es	Exhibit A
Rat	es	Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that AT&T offers to Broadwing for Broadwing's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services AT&T makes available to Broadwing (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Broadwing to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- The rates for Network Elements, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable AT&T tariff or as negotiated by the Parties upon request by either Party. If Broadwing purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- In some cases, Commissions have ordered AT&T to separate its disconnect costs and its installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by AT&T, regardless of whether or not a disconnect order is issued by Broadwing. Disconnect charges are set forth in the rate exhibit of this Attachment. Broadwing may purchase and use Network Elements and Other Services from AT&T in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Broadwing shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale

 Services. Upon request, AT&T shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Broadwing pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Broadwing pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by AT&T (collectively "Conversion"). AT&T shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. AT&T shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following AT&T's receipt of a complete and accurate Conversion request from Broadwing. A Conversion shall be

Exhibit A
Attachment 2
Page 4
4Q07 STD ICA-12/18/07 revs.

considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Broadwing and AT&T. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. AT&T will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, in all states, Broadwing may not maintain unbundled network elements or combinations of unbundled network elements that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event AT&T determines that Broadwing has in place any Arrangements after the Effective Date of this Agreement, AT&T will identify such Arrangements and provide Broadwing with thirty (30) days written notice to disconnect or convert such Arrangements. For orders submitted by Broadwing within such thirty (30) day period, AT&T will charge the applicable switch-as-is charge set forth in Exhibit A. If Broadwing fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, AT&T will transition such circuits to the equivalent tariffed AT&T service(s), and shall charge Broadwing all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. For all transitions pursuant to this Section 1.7 that require a physical rearrangement, AT&T shall charge any applicable nonrecurring installation charges. To the extent no tariff equivalent service exists, AT&T shall disconnect such facility or Arrangement. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.7.1 In addition to the foregoing, for the state of Florida, the applicable recurring tariff charges shall apply to each circuit beginning the day following the thirty (30) day notice period.
- 1.7.2 Notwithstanding the foregoing, for the state of Georgia, those circuits for which Broadwing failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by AT&T pursuant to this Section 1.7.2 shall be subject to the applicable switch as is charges set forth in Exhibit A. AT&T shall transition to the equivalent tariff service. To the extent no tariff equivalent service exists, AT&T shall disconnect such facility or Arrangement. The applicable recurring resale or tariffed charge shall apply to each circuit as of March 11, 2006.
- 1.7.3 Notwithstanding the foregoing, for the state of North Carolina, those circuits for which Broadwing failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by AT&T pursuant to this Section 1.7.3 shall be subject to applicable switch-as-is charges.
- 1.7.4 Notwithstanding the foregoing, for the state of Alabama, the written notice provided by AT&T, as described in Section 1.7, must identify by circuit identification number the specific Arrangements to be converted or disconnected. If Broadwing fails to dispute AT&T's identified Arrangements or fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day

Exhibit A
Attachment 2
Page 5
4Q07 STD ICA-12/18/07 revs.

period, AT&T will transition such circuits to the equivalent tariffed AT&T service(s) subject to the Commission-established switch-as-is rate. The full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs will not apply to such conversions. However, the applicable recurring tariff charges shall apply to each circuit upon conversion.

1.7.5

Notwithstanding the foregoing, for the state of Louisiana, AT&T will provide Broadwing with written notice identifying the specific Arrangements which must be converted or disconnected. Broadwing shall have thirty (30) days from the date of the notice to submit orders to disconnect or convert the Arrangements. Those circuits to be converted to other AT&T services shall be subject to nonrecurring charges associated with that conversion. If Broadwing disputes AT&T's identification of Arrangements to be disconnected or converted, Broadwing shall send written notice of its dispute within thirty (30) days of AT&T's notice. AT&T shall not disconnect the disputed Arrangements while the dispute is being resolved. If the Parties are unable to reach a voluntary resolution of the dispute, they may petition the Commission for assistance. If Broadwing does not dispute AT&T's identification of Arrangements and fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, AT&T will transition such circuits to the equivalent tariffed AT&T services subject to the full nonrecurring charges for installation of the equivalent tariffed AT&T services as set forth in AT&T's tariffs. The applicable recurring tariff charges shall apply to each circuit upon conversion.

1.8

AT&T's Master List of Unimpaired Wire Centers as Approved by State Commissions in its Region (Master List of Unimpaired Wire Centers), located on the AT&T Wholesale - Southeast Region Web site designates those wire centers that, in accordance with Commission orders, met the FCC's established criteria for non-impairment, as of March 11, 2005, where certain high capacity (DS1 and above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. AT&T's List of Unimpaired Wire Centers in Kentucky and Tennessee (AT&T's List of Unimpaired Wire Centers), also located on the AT&T Interconnection Web site, are those wire centers that AT&T proposed met the FCC's established criteria for non-impairment as of March 11, 2005 but have not yet been approved by these respective Commissions. AT&T's List of Unimpaired Wire Centers shall be subject to modification and/or approval without amendment to this Agreement upon rulings from the Kentucky Public Service Commission (KPSC) and the Tennessee Regulatory Authority (TRA) in Case No. 2004-00427 and Docket No. 04-00381, respectively. Once the KPSC and TRA approve the unimpaired wire centers in their respective states, such approved wire centers shall be added to the Master List of Unimpaired Wire Centers. The Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers shall be subject to the addition of wire centers without amendment to this Agreement upon subsequent order(s) from Commission(s). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List" and future orders in these wire centers shall be subject to the rates, terms and conditions in Sections 2.1.4.7, 5.2.2.6 and 5.8.1.5 and Exhibit B of this Attachment 2. Notification of such modification, addition or deletion of wire centers shall be made via AT&T's Accessible Letter on the AT&T CLEC Online Web site.

1.9

Upon the Effective Date of this Agreement, Broadwing may not place any new orders for high capacity Dedicated Transport or high capacity Loops, as applicable, in those wire centers listed on the Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers. To the extent Broadwing placed orders after March 10, 2005 for high capacity Loops or high capacity

Exhibit A
Attachment 2
Page 6
4Q07 STD ICA-12/18/07 revs.

Dedicated Transport in wire centers designated on the Master List of Unimpaired Wire Centers, or AT&T's List of Unimpaired Wire Centers, within thirty (30) days after the Effective Date of this Agreement, Broadwing shall submit an LSR(s) or spreadsheet(s), as applicable, identifying those non-compliant circuits to be disconnected or converted to the equivalent AT&T tariffed service. AT&T shall bill Broadwing the difference between the UNE recurring rates for such circuits pursuant to this Agreement and the applicable recurring charges for the equivalent AT&T tariffed service from the date UNE circuit was installed in the unimpaired wire center to the date the circuit is disconnected or transitioned to the equivalent AT&T tariffed service. If Broadwing fails to submit an LSR or spreadsheet identifying such de-listed circuits within thirty (30) days as set forth above, AT&T will identify such circuits and convert them to the equivalent AT&T tariffed service, and charge Broadwing applicable disconnect charges for the UNE circuit and the difference between the UNE recurring rate billed for such circuit and the full non-recurring and recurring charges for the tariffed service from the date the UNE circuit was installed in the unimpaired wire center to the date the circuit is transitioned to the equivalent AT&T tariffed service. To the extent there is no equivalent AT&T tariffed service for the de-listed UNE circuit, AT&T will disconnect the circuit and bill Broadwing full disconnect charges.

1.9.1

Prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, Broadwing shall undertake a reasonably diligent inquiry to determine whether Broadwing is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Broadwing self-certifies that to the best of Broadwing's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, except in wire centers set forth on the Master List of Unimpaired Wire Centers, or AT&T's List of Unimpaired Wire Centers, AT&T shall process the request in reliance upon Broadwing's self-certification. To the extent AT&T believes that such request does not comply with the terms of this Agreement, AT&T shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in AT&T's favor, AT&T shall bill Broadwing the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in AT&T's favor, Broadwing shall submit an LSR(s) or spreadsheet(s) identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.

1.9.2

In the event that (1) AT&T designated a wire center as unimpaired as set forth on the Master List of Unimpaired Wire Centers on the AT&T Wholesale – Southeast Region Web site, or AT&T's List of Unimpaired Wire Centers, (2) as a result of such designation, Broadwing converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop Network Elements subsequent to March 10, 2005, (3) Broadwing otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) AT&T acknowledges, or a state or federal regulatory body with authority determines, that, at the time AT&T designated such wire center as unimpaired, such wire center did not meet the FCC's unimpairment criteria, then upon request of Broadwing consistent with the applicable ordering processes as reflected in the Guides located on AT&T's Wholesale – Southeast

Exhibit A
Attachment 2
Page 7
4Q07 STD ICA-12/18/07 revs.

Region Web site no later than sixty (60) days after AT&T acknowledges or the state or federal regulatory body issues an order making such a finding, AT&T shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as unimpaired. In such instances, AT&T shall refund to Broadwing the difference between the rate paid by Broadwing for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above) from high capacity Dedicated Transport or high capacity Loops to other wholesale services, if applicable, for the period from the later of March 11, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section.

- 1.10 Broadwing may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable AT&T Technical References.
- 1.11 AT&T will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If AT&T has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then AT&T shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the service quality measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If AT&T has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. AT&T will provide a price quote for the request and, upon receipt of payment from Broadwing, AT&T shall perform the RNM.
- 1.11.1 Notwithstanding the foregoing, for the states of Alabama and Georgia, AT&T shall perform RNM at no additional charge, provided however, for any RNM performed by AT&T for which costs are not recovered through existing rates, AT&T can seek resolution from the Commission.

1.11 Commingling of Services

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Broadwing has obtained at wholesale from AT&T, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Broadwing must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, AT&T shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from AT&T; or (2) shares part of AT&T's network with access services or inputs for mobile wireless services and/or interexchange services.

1,11,3 Notwithstanding any other provision of this Agreement, AT&T shall not be obligated to commingle or combine, pursuant to this Agreement, Network Elements or Combinations with any service, network element or other offering that it is obligated to make available pursuant only to Section 271 of the Act. 1.11.4 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with AT&T's tariffed rates, rates set forth in a separate agreement between the Parties. 1.11.5 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit. 1.11.6 The Commingling process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below. 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A. 1.13 Ordering Guidelines and Processes 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Broadwing should refer to the "Guides" section of the AT&T Wholesale - Southeast Region Web site. 1.13.2 Additional information may also be found in the individual CLEC Information Packages, located at the "CLEC UNE Products" on AT&T's Wholesale - Southeast Region Web site. 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Broadwing's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Broadwing's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4. 1.13.4 Testing/Trouble Reporting 1.13.4.1 Broadwing will be responsible for testing and isolating troubles on Network Elements. Broadwing must test and isolate trouble to the AT&T network before reporting the trouble to the Network Elements Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request

Broadwing test which indicate a problem on the AT&T network.

from AT&T at the time of the trouble report, Broadwing will be required to provide the results of the

Exhibit A
Attachment 2
Page 9
4Q07 STD ICA-12/18/07 revs.

- 1.13.4.2 Once Broadwing has isolated a trouble to the AT&T network, and has issued a trouble report to AT&T, AT&T will take the actions necessary to repair the Network Element when trouble is found. AT&T will repair its network facilities to its wholesale customers in the same time frames that AT&T repairs similar services to its retail customers.
- 1.13.4.3 If Broadwing reports a trouble on an AT&T Network Element and no trouble is found in AT&T's network, AT&T will charge Broadwing a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by AT&T in order to confirm the Network Element's working status. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event AT&T must dispatch to the customer's location more than once due to incorrect or incomplete information provided by Broadwing (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill Broadwing for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that AT&T provides pursuant to this Attachment between a distribution frame (or its equivalent) in AT&T's central office and the loop demarcation point at a customer premises (Loop). Facilities that do not terminate at a demarcation point at a customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the customer's premises, including inside wire owned or controlled by AT&T. Broadwing shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, AT&T shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving a customer's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the customer's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective customer's premises.

Exhibit A
Attachment 2
Page 10
4Q07 STD ICA-12/18/07 revs.

- 2.1.2.1 In new build (Greenfield) areas, where AT&T has only deployed FTTH/FTTC facilities, AT&T is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each customer in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where AT&T also has copper Loops, AT&T will make those copper Loops available to Broadwing on an unbundled basis, until such time as AT&T chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, AT&T will offer a sixty-four (64) kilobits per second (kbps) voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Notwithstanding the foregoing, in the states of Alabama and Louisiana, AT&T shall make available DS1 and DS3 Loops in any wire center where AT&T is required to provide such Loop facilities. In the states of North Carolina and South Carolina, AT&T shall make available DS1 Loops in any wire center where AT&T is required to provide such Loop facilities.
- 2.1.2.4 Furthermore, in FTTH/FTTC overbuild areas where AT&T has not yet retired copper facilities, AT&T is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Broadwing. If a request is received by AT&T for a copper Loop, and the copper facilities have not yet been retired, AT&T will restore the copper Loop to serviceable condition if technically feasible. Except for the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, AT&T's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval. For the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, AT&T's standard Loop provisioning interval will apply.
- 2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. AT&T shall provide Broadwing access to hybrid Loops pursuant to the requirements of 47 C.F.R. § 51.319(a)(2). AT&T is not required to provide access to the packet switched features, functions and capabilities of its hybrid Loops.
- 2.1.3.1 AT&T shall not engineer the transmission capabilities of its network in a manner, or engage in any policy, practice, or procedure, that disrupts or degrades access to a local Loop or Subloop, including the time division multiplexing-based features, functions and capabilities of a hybrid Loop, for which a requesting telecommunications carrier may obtain or has obtained access pursuant to this Attachment.
- 2.1.4 DS1 and DS3 Loop Requirements
- 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.2 For purposes of this Section 2, a "Fiber-Based Collocator" is defined in 47 C.F.R. § 51.5.

2.1.4.3	Notwithstanding anything to the contrary in this Agreement, AT&T shall make available DS1 and DS3 Loops as described in this Agreement, except in any wire center meeting the criteria described below:
2.1.4.3.1	DS1 Loops at any location within the service area of a wire center containing sixty thousand (60,000) or more Business Lines and four (4) or more fiber-based collocators.
2.1.4.3.2	DS3 Loops at any location within the service area of a wire center containing thirty-eight thousand (38,000) or more Business Lines and four (4) or more fiber-based collocators.
2.1.4.4	The Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers as described in Section 1.8 sets forth the list of wire centers meeting the criteria set forth in Sections 2.1.4.3.1 and 2.1.4.3.2 above as of March 11, 2005.
2.1.4.5	Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.1 above, no future DS1 Loop unbundling will be required in that wire center.
2.1.4.6	Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.2 above, no future DS3 Loop unbundling will be required in that wire center.
2.1.4.7	Modifications and Updates to the Wire Center Lists and Subsequent Transition Periods
2.1.4.7.1	In the event AT&T identifies additional wire centers that meet the criteria set forth in Section 2.1.4.3 above but that were not included in the Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers, AT&T shall include such additional wire centers in an Accessible Letter. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". AT&T will follow any notification procedures set forth in applicable Commission orders.
2.1.4.7.2	Broadwing shall have thirty (30) business days to dispute the additional wire centers listed on AT&T's Accessible Letter. Absent such dispute, effective thirty (30) business days after the date of an AT&T Accessible Letter providing a Subsequent Wire Center List, AT&T shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
2.1.4.7.2.1	For purposes of Section 2.1.4.7 above, AT&T shall make available DS1 and DS3 Loops that were in service for Broadwing in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Transition Period).
2.1.4.7.2.2	The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
2.1.4.7.2.3	No later than one hundred eighty (180) days from AT&T's Accessible Letter identifying the Subsequent Wire Center List, Broadwing shall submit an LSR(s) or spreadsheet(s) as applicable,

Exhibit A
Attachment 2
Page 12
4Q07 STD ICA-12/18/07 revs.

identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other AT&T services.

- 2.1.4.7.2.3.1 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 2.1.4.7.2.3.2 If Broadwing fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List, AT&T will identify Broadwing's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed AT&T service(s). In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. In the states of Alabama, Georgia, and North Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by AT&T shall be subject to the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs.
- 2.1.4.7.2.3.3 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.7.2.3 above or transitioned pursuant to Section 2.1.4.7.2.3.2 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, AT&T will install Loops in compliance with AT&T's Products and Services Interval Guide available at AT&T's Wholesale Southeast Region Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the AT&T project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Broadwing in accordance with AT&T's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 AT&T will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When an AT&T technician is required to be dispatched to provision the Loop, AT&T will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, AT&T will tag the Loop on the next required visit to the customer's location. If Broadwing wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Broadwing may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.

Exhibit A
Attachment 2
Page 13
4Q07 STD ICA-12/18/07 revs.

- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Broadwing shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date. This applies to all conversions from one provider to another provider as well as Service Rearrangements as set forth in Section 2.1.12. Where Broadwing dial-tone is not available on the conversion date the Loop will not be cut over and the Loop order will be returned to Broadwing for rescheduling.
- 2.1.8 OC and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows AT&T and Broadwing to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Broadwing's facilities to limit customer service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the customer. OC for physical conversions will be scheduled at AT&T's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows Broadwing to order a specific time for OC to take place. AT&T will make commercially reasonable efforts to accommodate Broadwing's specific conversion time request. However, AT&T reserves the right to negotiate with Broadwing a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Broadwing may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Broadwing specifies a time outside this window, or selects a time or quantity of Loops that requires AT&T technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in AT&T's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	included	Charged for Dispatch outside Central Office

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for Loops may be used by Broadwing when converting an existing Loop from another CLEC for the same customer. The Loop type being converted must be included in Broadwing's Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same customer location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.10.3 The Loops converted to Broadwing pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.11 **Bulk Migration**

- 2.1.11.1 AT&T will make available to Broadwing a Bulk Migration process pursuant to which Broadwing may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the AT&T CLEC Information Package. The CLEC Information Package is located on AT&T's Wholesale – Southeast Region Web site. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.11.2 Should Broadwing request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Broadwing must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.1.12 Unbundled Loop (DS1 and below) Service Rearrangements
- 2.1.12.1 The Unbundled Loop Service Rearrangement processes will allow changes to be made to a working Loop facility assignment within the same end-user serving wire center. Service Rearrangements will result in service outages to the customer during the time the Loop is being moved.
- An Unbundled Loop Service Rearrangement connecting facility change (CFC) allows Broadwing to 2.1.12.2 change its installed Loop from one working facility assignment to another facility assignment. CFC includes Connecting Facility Assignment (CFA) and Cable ID & Pair changes within same collocation arrangement or from collocation to collocation. CFA changes are allowed within the same multiplexer or from one multiplexer to another multiplexer. For a CFC, the Loop class of service, Loop type and the customer must remain the same.
- 2.1.12.3 An Unbundled Loop Service Rearrangement connecting facility move (CFM) allows Broadwing to move the Loop facility assignment from a collocation arrangement to a multiplexer or from a multiplexer to a collocation arrangement. CFMs require a change to the Loop basic class of service. The Loop type and the customer must remain the same.
- 2.1.12.4 For Unbundled Loop Service Rearrangements, AT&T shall charge the applicable "Service Rearrangement change in Loop facility" rate found in Exhibit A.
- 2.1.12.5 The Unbundled Loop Service Rearrangement process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.

Exhibit A
Attachment 2
Page 16
4Q07 STD ICA-12/18/07 revs.

2.1.13	EEL to Loop Retermination
2.1,13,1	Broadwing may utilize the EEL to Loop Retermination process to disconnect an EEL circuit and reterminate the Loop portion of the former EEL circuit to a collocation arrangement in the enduser's Serving Wire Center (EU SWC).
2.1.13.2	This process is available when the existing Loop portion of the EEL will be re-used and the resulting Loop will be subject to the rates, terms and conditions for that particular Loop as set forth in this Attachment. This process will apply only to EELs that include as a part of its combination a DS1 Loop, UVL-SL2 Loop, 4-Wire UDL Loop (64, 56 kbs) and a 2-Wire ISDN Loop.
2.1.13.3	AT&T shall charge the applicable EEL to Loop Retermination rates found in Exhibit A. Broadwing shall also be charged applicable manual service order, collocation cross-connect and EEL (including the Transport and Loop portions of the EEL) disconnect charges as set forth in Exhibit A of this Attachment.
2.1.13.4	The EEL to Loop Retermination process is not available when a dispatch outside the serving wire center where the Loop terminates is required. If an outside dispatch is required, or if the Loop portion of the EEL is not one of the Loop types referenced in Section 2.1.13.2 above, or if Broadwing elects not to utilize the EEL to Loop Retermination process, Broadwing must submit an LSR to disconnect the entire EEL circuit, and must submit a separate LSR for the requested standalone Loop. In such cases, Broadwing will be charged the EEL disconnect charges and the full nonrecurring rates for installation of a new Loop, as set forth in Exhibit A.
2.1.13.5	The EEL to Loop Retermination process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.
2.2	Unbundled Voice Loops (UVLs)
2.2.1	AT&T shall make available the following UVLs:
2,2,1,1	2-wire Analog Voice Grade Loop – SL1 (Non-Designed);
2.2.1.2	2-wire Analog Voice Grade Loop – SL2 (Designed); or
2.2.1.3	4-wire Analog Voice Grade Loop (Designed).
2.2.2	UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. AT&T, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, AT&T will only ensure that the newly provided facility will support voice grade services. AT&T will not guarantee that Broadwing will be able to continue to provide any advanced services over the new facility.

Exhibit A
Attachment 2
Page 17
4Q07 STD ICA-12/18/07 revs.

AT&T will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Broadwing, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Broadwing may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that AT&T normally activates POTS-type Loops for its customers.
- 2.2.4 For an additional charge AT&T will make available Loop Testing so that Broadwing may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Broadwing. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Broadwing to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, AT&T will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 Unbundled Digital Loops
- 2.3.1 AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 AT&T shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop;
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop;
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop;
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop;
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop;
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below;
- 2.3.2.7 DS3 Loop; or

Exhibit A
Attachment 2
Page 18
4Q07 STD ICA-12/18/07 revs.

- 2.3.2.8 STS-1 Loop.
- 2.3.3

 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR.

 Broadwing will be responsible for providing AT&T with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and customer. With the SPID, AT&T will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to eighteen thousand (18,000) feet long and may have up to six thousand (6,000) feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5

 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to twenty-five hundred (2,500) feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the customer's location. For the purposes of AT&T's unbundling obligations pursuant to this Agreement, for the states of Alabama, Florida, Georgia, Mississippi and South Carolina, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops. For the state of Louisiana, DS1 Loops include 2-wire and 4-wire HDSL-Compatible Loops to which the necessary electronics have been added to provide service speeds of 1.544 megabytes per second.
- 2.3.6.2 AT&T shall not provide more than ten (10) unbundled DS1 Loops to Broadwing at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface. For the purpose of AT&T's unbundling obligations pursuant to this Agreement, DS3 Loops include STS-1 Loops.

Exhibit A
Attachment 2
Page 19
4Q07 STD ICA-12/18/07 revs.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. AT&T's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Broadwing may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL).</u>
- 2.4.1 AT&T shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR.
 OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Broadwing.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Broadwing to provide a wide-range of telecommunications services as long as those services do not adversely affect AT&T's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

Exhibit A
Attachment 2
Page 20
4Q07 STD ICA-12/18/07 revs.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from AT&T's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the customer's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using AT&T's assignment systems.

 Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Broadwing can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, AT&T also will make available Loop Testing so that Broadwing may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Broadwing to provide a wide-range of telecommunications services as long as those services do not adversely affect AT&T's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of AT&T facilities. OC-TS does not apply to this product.
- 2.4.3.6 Broadwing may use AT&T's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the AT&T network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

2.5.1 Line Conditioning is defined as routine network modification that AT&T regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the AT&T's TR 73600 Unbundled Local Loop Technical Specification. AT&T shall provide Line Conditioning on Loops, as requested by Broadwing, even in instances where AT&T does not provide advanced services to the end user on that Loop.

Exhibit A
Attachment 2
Page 21
4Q07 STD ICA-12/18/07 revs.

- AT&T will remove load coils only on copper Loops that are equal to or less than eighteen thousand (18,000) feet in length. AT&T will remove load coils on copper Subloops where the total loop distance (feeder plus distribution) from the AT&T central office to the end user is equal to or less than 18,000 feet or, if there is no copper feeder, the distance from the remote terminal (RT) to the end user is equal to or less than 18,000 feet.
- 2.5.3 For any copper loop being ordered by Broadwing which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Broadwing, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Broadwing. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Broadwing may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to AT&T's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 AT&T will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Broadwing requests ULM on a reserved facility for a new Loop order, AT&T may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Broadwing will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, AT&T will provide LMU detail of the Loop provisioned.
- 2.5.8 Broadwing shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Broadwing desires AT&T to condition.
- 2.5.9 When requesting ULM for a Loop that AT&T has previously provisioned for Broadwing, Broadwing will submit a SI to AT&T. If a spare Loop facility that meets the Loop modification specifications requested by Broadwing is available at the location for which the ULM was requested, Broadwing will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that AT&T changes the Loop facility in lieu of providing ULM, Broadwing will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 <u>Loop Provisioning Involving IDLC</u>
- 2.6.1 Where Broadwing has requested an Unbundled Loop and AT&T uses IDLC systems to provide the local service to the customer and AT&T has a suitable alternate facility available, AT&T will make such alternative facilities available to Broadwing. If a suitable alternative facility is not available, then to the extent it is technically feasible, AT&T will implement one of the following alternative arrangements for Broadwing (e.g., hairpinning):

Exhibit A
Attachment 2
Page 22
4Q07 STD ICA-12/18/07 revs.

- 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
- 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
- 3. If capacity exists, provide "side-door" porting through the switch.
- If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.2.1 If no alternate facility is available, and upon request from Broadwing, and if agreed to by both Parties, AT&T may utilize its SC process to determine the additional costs required to provision facilities. Broadwing will then have the option of paying the one-time SC rates to place the Loop.

2.7 <u>Network Interface Device</u>

- 2.7.1 The NID is defined as any means of interconnection of the customer's customer premises wiring to AT&T's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the customer's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the customer each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 AT&T shall permit Broadwing to connect Broadwing's Loop facilities to the customer's customer premises wiring through the AT&T NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Broadwing may access the customer's premises wiring by any of the following means and Broadwing shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 AT&T shall allow Broadwing to connect its Loops directly to AT&T's multi-line residential NID enclosures that have additional space and are not used by AT&T or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the customer's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Broadwing may request AT&T to make other rearrangements to the customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Broadwing's responsibility to ensure there is no safety hazard, and Broadwing will hold AT&T harmless for any liability associated with the removal of the AT&T Loop from the AT&T NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored. 2.7.3.3 Broadwing shall not remove or disconnect ground wires from AT&T's NIDs, enclosures, or protectors. 2.7.3.4 Broadwing shall not remove or disconnect NID modules, protectors, or terminals from AT&T's NID enclosures. 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, AT&T will work with Broadwing to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question. 2.7.4 **Technical Requirements** 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground. 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the customer's customer premises and the distribution media and/or cross-connect to Broadwing's NID. 2.7.4.3 Existing AT&T NIDs will be operational and provided in "as is" condition. Broadwing may request AT&T to do additional work to the NID on a time and material basis. When Broadwing deploys its own local loops in a multiple-line termination device, Broadwing shall specify the quantity of NID connections that it requires within such device. 2.8 Subloop Distribution Elements. 2.8.1 Where facilities permit, AT&T shall offer access to its Unbundled Subloop Distribution (USLD) elements in accordance with 47 C.F.R. § 51.319(b) as specified herein. 2.8.2 Unbundled Subloop Distribution 2.8.2.1 The USLD facility is a dedicated transmission facility that AT&T provides from a customer's point of demarcation to an AT&T cross-connect device. The AT&T cross-connect device may be located

Exhibit A
Attachment 2
Page 24
4Q07 STD ICA-12/18/07 revs.

within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. AT&T will make available the following subloop distribution offerings where facilities exist:

USLD - Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD - Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the customer's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the customer's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the customer and the cross-box.
- 2.8.2.3.1 If Broadwing requests a UCSL and it is not available, Broadwing may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by AT&T inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the customer's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Broadwing, AT&T will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. AT&T will place cross-connect blocks in twenty five (25) pair increments for Broadwing's use on this cross-connect panel. Broadwing will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Broadwing shall install a cable to the AT&T cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment
 4. This cable would be connected by an AT&T technician within the AT&T cross-box during the set-up process. Broadwing's cable pairs can then be connected to AT&T's USL within the AT&T cross-box by the AT&T technician.
- 2.8.2.6 Through the SI process, AT&T will determine whether access to USLs at the location requested by Broadwing is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Broadwing's request, then AT&T will perform the site set-up as described in the CLEC Information Package, located at AT&T's Wholesale Southeast Region Web site.
- 2.8.2.7 The site set-up must be completed before Broadwing can order Subloop pairs. For the site set-up in an AT&T cross-connect box in the field, AT&T will perform the necessary work to splice

Exhibit A
Attachment 2
Page 25
4Q07 STD ICA-12/18/07 revs.

Broadwing's cable into the cross-connect box. For the site set-up inside a building equipment room, AT&T will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.

- 2.8.2.8 Once the site set-up is complete, Broadwing will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when Broadwing requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Broadwing for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with AT&T's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the customer's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the customer's premises, where a third party owns the wiring to the customer's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Gardeπ Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which AT&T does not own or control wiring (INC/NTW) to the customers premises, and Broadwing does own or control such wiring, Broadwing will install UNTW Access Terminals for AT&T under the same terms and conditions as AT&T provides UNTW Access Terminals to Broadwing.
- 2.8.3.3.4 In situations in which AT&T activates a UNTW pair, AT&T will compensate Broadwing for each pair activated commensurate to the price specified in Broadwing's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access

Exhibit A
Attachment 2
Page 26
4Q07 STD ICA-12/18/07 revs.

Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the customer has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the customer is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that customer if a spare pair is available. In such cases, the Requesting Party will reterminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the customer began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

Exhibit A
Attachment 2
Page 27
4Q07 STD ICA-12/18/07 revs.

- 2.9 <u>Loop Makeup</u>
- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 AT&T shall make available to Broadwing LMU information with respect to Loops that are required to be unbundled under this Agreement so that Broadwing can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Broadwing intends to install and the services Broadwing wishes to provide. LMU is a preordering transaction, distinct from Broadwing ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 AT&T will provide Broadwing LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 AT&T's LMU information is provided to Broadwing as it exists either in AT&T's databases or in its hard copy facility records. AT&T does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 AT&T's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either AT&T or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless AT&T receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Broadwing may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular AT&T Loop as long as that equipment does not disrupt other services on the AT&T network. The determination shall be made solely by Broadwing and AT&T shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Broadwing's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to AT&T's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to AT&T's network and will remain on copper facilities until the Loop is disconnected by Broadwing or the customer, or until AT&T retires the copper facilities via the FCC's and any applicable Commission's requirements. Broadwing is fully responsible for any of its service configurations that may differ from AT&T's technical standard for the Loop type ordered.
- 2.9.1.6 If AT&T retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance

Exhibit A
Attachment 2
Page 28
4Q07 STD ICA-12/18/07 revs.

procedure, AT&T will notify Broadwing, according to the applicable network disclosure requirements. It will be Broadwing's responsibility to move any service it may provide over such facilities to alternative facilities. If Broadwing fails to move the service to alternative facilities by the date in the network disclosure notice, AT&T may terminate the service to complete the network change.

2.9.2 <u>Submitting LMUSI</u>

- 2.9.2.1 Broadwing may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on AT&T's Wholesale Southeast Region Web site. After obtaining the Loop information from the mechanized LMU process, if Broadwing needs further Loop information in order to determine Loop service capability, Broadwing may Initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by AT&T. Broadwing will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Broadwing does not reserve facilities upon an initial LMUSI, Broadwing's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Broadwing has reserved multiple Loop facilities on a single reservation, Broadwing may not specify which facility shall be provisioned when submitting the LSR. For those occasions, AT&T will assign to Broadwing, subject to availability, a facility that meets the AT&T technical standards of the AT&T type Loop as ordered by Broadwing.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from AT&T.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to customers over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. AT&T will provide Line Splitting over a Loop (UNE-L) purchased by Broadwing pursuant to this Agreement.
- 3.2 <u>Line Splitting UNE-L.</u> In the event Broadwing provides its own switching or obtains switching from a third party, Broadwing may engage in line splitting arrangements with another CLEC using a splitter, provided by Broadwing, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 AT&T must make all necessary network modifications, including providing nondiscriminatory access to OSS necessary for pre-ordering, ordering, provisioning, maintenance and repair, and

Exhibit A
Attachment 2
Page 29
4Q07 STD ICA-12/18/07 revs.

billing for Loops used in line splitting arrangements. The Parties may use the Change Control Process to address necessary OSS modifications.

3.4	Provisioning Line Splitting - UNE-L
3.4.1	The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When Broadwing owns the splitter, Line Splitting requires the following: a loop from NID at the customer's location to the serving wire center and terminating into a distribution frame or its equivalent.
3.4.2	An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
3.4.3	To order Line Splitting utilizing UNE-L on a particular Loop, Broadwing must have a DSLAM collocated in the central office that serves the customer of such Loop.
3.4.4	Broadwing may purchase, install and maintain central office POTS splitters in its collocation arrangements. Broadwing may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the high frequency spectrum of the UNE-L. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
3.5	Maintenance - Line Splitting - UNE-L
3.5.1	AT&T will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the customer's premises and the termination point.
3.5.2	Broadwing shall indemnify, defend and hold harmless AT&T from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by AT&T's gross negligence or willful misconduct.
3.5.3	For the state of Alabama, the following rights are in addition to the general indemnification rights set forth above:
3.5.3.1	PROVIDED, HOWEVER, that all amounts advanced in respect of such claims, losses and costs shall be repaid to Broadwing by AT&T if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that AT&T is not entitled to be indemnified for such claims, losses and costs because the Claims, Losses and Costs arose as a result of AT&T's gross negligence or willful misconduct.
3.5.3.2	AT&T will indemnify, defend and hold harmless Broadwing from and against any Claims, Losses and Costs which arise out of actions related to the other service provider (i.e. CLEC party to the line splitting arrangement who is not Broadwing brought against Broadwing to the extent such Claim alleges that the cause of Claim, Loss and Cost was found to be the result of AT&T's gross negligence or willful misconduct.

Exhibit A
Attachment 2
Page 30
4Q07 STD ICA-12/18/07 revs.

3.5.3.3 PROVIDED, HOWEVER, that AT&T shall have no obligation to indemnify Broadwing under this section unless Broadwing provides AT&T with prompt written notice of any such Claim; Broadwing permits AT&T to assume and control the defense to such action, with counsel chosen by AT&T; and AT&T does not enter into any settlement or compromise of such Claim. 3.5.3.4 PROVIDED, HOWEVER, that all amounts advanced in respect of such Claims, Losses and Costs shall be repaid to AT&T by Broadwing if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that Broadwing is not entitled to be indemnified for such Claims, Losses and Costs because the Claims, Losses and Costs did not arises as a result of AT&T's gross negligence or willful misconduct. 3.5.3.5 Definitions: 3.5.3.5.1 "Claim" means any threatened, pending or completed action, suit or proceeding, or any inquiry or investigation that AT&T or Broadwing in good faith believes might lead to the institution of any such action, suit or proceeding. 3.5.3.5.2 "Loss" means any and all damages, injuries, judgments, fines penalties, amounts paid or payable in settlement, deficiencies, and expenses (including all interest, assessments, and other charges paid or payable in connection with or respect of such Losses) incurred in connection with the Claim. 3.5.3.5.3 "Costs" means all reasonable attorney's fees and all other reasonable fees, expenses and obligations paid or incurred in connection with the Claim or related matters, including without limitation, investigating, defending, or participating (as a party, witness or otherwise) in (including on appeal), or preparing to defend or participate in any Claim. 3.6 Line Splitting - Loop and Port for the states of Georgia and North Carolina only 3.6.1 To the extent Broadwing is using a commingled arrangement that consists of a Loop purchased pursuant to this Agreement and Local Switching provided by AT&T pursuant to Section 271, AT&T will permit Broadwing to utilize Line Splitting. AT&T shall charge the applicable line splitting rates set forth in Exhibit A of this Agreement. 3.6.2 Broadwing shall provide AT&T with a signed LOA between it and the third party CLEC (Data CLEC or Voice CLEC) with which it desires to provision Line Splitting services, where Broadwing will not provide voice and data services. 3.6.3 Provisioning Line Splitting and Splitter Space - Loop and Port 3.6.3.1 The Data LEC, Voice CLEC, or a third party may provide the splitter. When Broadwing or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the customer's location; a collocation crossconnection connecting the Loop to the collocation space; and a second collocation cross-connection from the collocation space connected to a voice port.

Exhibit A
Attachment 2
Page 31
4Q07 STD ICA-12/18/07 revs.

- 3.6.3.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data CLEC is the point of termination on the MDF for the Data CLEC's cable and pairs.

 3.6.4 CLEC Provided Splitter Line Splitting Loop and Port
- 3.6.4.1 Broadwing or its authorized agent may purchase, install and maintain central office line splitters in its collocation arrangements. Broadwing or its authorized agent may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing collocation rules and procedures and the terms and conditions relating to collocation set forth in Attachment 4-Central Office shall apply.
- 3.6.4.2 Any splitters installed by Broadwing or its authorized agent in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter standards. Broadwing or its authorized agent may install any splitters that AT&T deploys or permits to be deployed for itself or any AT&T affiliate.
- 3.6.5 <u>Maintenance Line Splitting Loop and Port</u>
- 3.6.5.1 AT&T will be responsible for repairing troubles with the physical Loop between the NID at the customer's premises and the termination point.

4 Unbundled Network Element Combinations

- For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Broadwing are in fact already combined by AT&T in the AT&T network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Broadwing are not already combined by AT&T in the location requested by Broadwing but are elements that are typically combined in AT&T's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Broadwing are not elements that AT&T combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, AT&T shall perform the functions necessary to combine Network Elements that AT&T is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in AT&T's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with AT&T's network.
- 4.1.2 To the extent Broadwing requests a Combination for which AT&T does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.
- 4.2 Rates
- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the

Exhibit A
Attachment 2
Page 32
4Q07 STD ICA-12/18/07 revs.

sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.

- The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Broadwing.
- 4.3 Enhanced Extended Links (EELs)
- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. AT&T shall provide Broadwing with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated
 Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at
 the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, Broadwing thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a Network Element. AT&T shall have the right to audit Broadwing's high-capacity EELs as specified below.
- 4.3.4 Service Eligibility Criteria
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Broadwing must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 Broadwing has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each customer will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;

4.3,4,2.3 3) Each circuit to be provided to each customer will have 911 or E911 capability prior to provision of service over that circuit: 4.3.4.2.4 4) Each circuit to be provided to each customer will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c); 5) Each circuit to be provided to each customer will be served by an interconnection trunk over 4.3.4.2.5 which Broadwing will transmit the calling party's number in connection with calls exchanged over the trunk: 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Broadwing will have at least one (1) active DS1 local service interconnection trunk over which Broadwing will transmit the calling party's number in connection with calls exchanged over the trunk; and 4.3.4.2.7 7) Each circuit to be provided to each customer will be served by a switch capable of switching local voice traffic. 4.3.4.3 AT&T may, on an annual basis, audit Broadwing's records in order to verify compliance with the qualifying service eligibility criteria. To invoke the audit, AT&T will send a Notice of Audit to Broadwing. Such Notice of Audit will be delivered to Broadwing no less than thirty (30) days prior to the date upon which AT&T seeks to commence an audit. 4.3.4.3.1 Such Notice of Audit to Broadwing shall state AT&T's concern that Broadwing is not complying with the service eligibility requirements as set forth above and a concise statement of the reasons therefor. AT&T is not required to provide documentation, as distinct from a statement of concern, to support its basis for an audit, or seek the concurrence of the requesting carrier before selecting the location of the audit. AT&T may select the independent auditor without the prior approval of Broadwing or the Commission. Challenges to the independence of the auditor may be filed with the Commission only after the audit has been concluded. 4.3.4.3.2 For the state of Alabama, Broadwing may, however, challenge the legal qualifications of the auditor selected by filing an objection to that effect with the Commission within 10 days of receiving AT&T's Notice of Audit. 4.3,4.3.3 For the state of Louisiana, AT&T's notice to Broadwing shall include a listing of the circuits for which AT&T alleges noncompliance, including all supporting documentation and a list of three auditors from which Broadwing may choose one to conduct the audit. 4.3.4.4 The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue a report regarding Broadwing's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether Broadwing complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.

To the extent the independent auditor's report concludes that Broadwing failed to comply with the service eligibility criteria, Broadwing must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that Broadwing did not comply in any material respect with the service eligibility criteria, Broadwing shall reimburse AT&T for the cost of the independent auditor. To the extent the auditor's report concludes that Broadwing did comply in all material respects with the service eligibility criteria, AT&T will reimburse Broadwing for its reasonable and demonstrable costs associated with the audit. Broadwing will maintain appropriate documentation to support its certifications. The Parties shall provide such reimbursement within thirty (30) days of receipt of a statement of such costs. 4.3.4.5.1 For the state of Alabama, Broadwing will maintain appropriate documentation to support its certifications and may dispute any portion of the findings of an audit by petitioning the Commission for a review within twenty (20) days of receiving the reported findings of the auditor. 4.3.4.6 In the event Broadwing converts special access services to Network Elements, Broadwing shall be subject to the termination liability provisions in the applicable special access tariffs, if any. 5 **Dedicated Transport and Dark Fiber Transport** 5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as AT&T's transmission facilities between wire centers or switches owned by AT&T, or between wire centers or switches owned by AT&T and switches owned by Broadwing, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Broadwing. AT&T shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. 5.2 DS1 and DS3 Dedicated Transport Requirements 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5. 5.2.2 Notwithstanding anything to the contrary in this Agreement, AT&T shall make available Dedicated Transport as described in this Agreement, except in any wire center meeting the criteria described below: 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain thirty-eight thousand (38,000) or more Business Lines or four (4) or more fiber-based collocators. 5.2.2.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.

4.3.4.5

5.2.2.3

5.2.2.1 and 5.2.2.2 above as of March 11, 2005.

The Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Sections 5.2.2.4 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.1 above, no future DS1 Dedicated Transport unbundling will be required between that wire center and any other wire center exceeding these same thresholds. 5.2.2.5 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.2 above, no future DS3 Dedicated Transport will be required between that wire center and any other wire center meeting or exceeding these same thresholds. 5.2.2.6 Modifications and Updates to the Wire Center List and Subsequent Transition Periods 5.2.2.6.1 In the event AT&T identifies additional wire centers that meet the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above, but that were not included in the Master List of Unimpaired Wire Centers or AT&T's List of Unimpaired Wire Centers, AT&T shall include such additional wire centers in a Accessible Letter. Each such list of additional wire centers shall be considered a Subsequent Wire Center List. AT&T will follow any notification procedures set forth in applicable Commission orders. 5.2.2.6.2 Broadwing shall have thirty (30) business days to dispute the additional wire centers listed on AT&T's Accessible Letter. Absent such dispute, effective thirty (30) business days after the date of an AT&T Accessible Letter providing a Subsequent Wire Center List, AT&T shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment. 5.2.2.6.3 For purposes of Section 5.2.2.6 above, AT&T shall make available DS1 and DS3 Dedicated Transport that were in service for Broadwing in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Transition Period). 5.2.2.6,4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period. 5.2.2.6.5 No later than one hundred eighty (180) days from AT&T's Accessible Letter identifying the Subsequent Wire Center List, Broadwing shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other AT&T services. 5.2.2.6.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall 5.2.2.6.6.1 If Broadwing fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List, AT&T will identify Broadwing's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed AT&T service(s). In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by AT&T shall

be subject to the applicable disconnect charges as set forth in this Agreement and the full

Exhibit A
Attachment 2
Page 36
4007 STD ICA-12/18/07 revs.

nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. In the states of Alabama, Georgia and North Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. For the state of Louisiana, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in AT&T's tariffs.

- 5.2.2.6.7 For Subsequent Embedded Base circuits converted pursuant to Section 5.2.2.6.5 above or transitioned pursuant to Section 5.2.2.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
 5.2.3 AT&T shall:
 5.2.4 Provide Broadwing exclusive use of Dedicated Transport to a particular customer or carrier;
 5.2.5 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.2.6 Permit, to the extent technically feasible, Broadwing to connect Dedicated Transport to equipment designated by Broadwing, including but not limited to, Broadwing's collocated facilities; and
- 5.2.7 Permit, to the extent technically feasible, Broadwing to obtain the functionality provided by AT&T's digital cross-connect systems.
- 5.3 AT&T shall offer Dedicated Transport:
- 5.3.1 As capacity on a shared facility; and
- 5.3.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Broadwing.
- Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Broadwing may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each Route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport, but for which impairment exists for DS1 Dedicated Transport. For purposes of this Section 5, a "Route" is defined in 47 C.F.R. § 51.319 (e) as a transmission path between one of an incumbent LEC's wire centers or switches and another of the incumbent LECs wire centers or switches. A route between two (2) points (e.g. wire center or switch "A" and wire center or switch "Z") may pass through one or more intermediate wire centers or switches (e.g. wire center or switch "X"). Transmission paths between the same end points (e.g. wire center or switch "A" and wire center or switch "Z") are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

5.6	Technical Requirements
5.6.1	AT&T shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
5.6.2	AT&T shall offer the following interface transmission rates for Dedicated Transport:
5.6.2.1	DS0 Equivalent;
5.6.2.2	DS1;
5.6,2.3	DS3;
5.6.2.4	STS-1; and
5.6.2.5	SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
5.6.3	AT&T shall design Dedicated Transport according to its network infrastructure. Broadwing shall specify the termination points for Dedicated Transport.
5.6.4	At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and AT&T Technical References;
5.6.4.1	Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
5.6.4.2	AT&T's TR73501 LightGate@Service Interface and Performance Specifications, Issue D, June 1995.
5.6.4.3	AT&T's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
5.7	Unbundled Channelization (Multiplexing)
5.7.1	To the extent Broadwing is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at an AT&T central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of AT&T. Once UC has been installed, Broadwing may request channel activation on a channelized facility and AT&T shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

5.7.2	AT&T shall make available the following channelization systems and interfaces:
5.7.2.1	DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
5.7.2.2	DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
5.7.2.3	STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
5.7.3	<u>Technical Requirements.</u> In order to assure proper operation with AT&T provided central office multiplexing functionality, Broadwing's channelization equipment must adhere strictly to form and protocol standards. Broadwing must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
5.8	<u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.
5.8.1	Dark Fiber Transport Requirements
5.8.1.1	For purposes of this Section 5.8, a Business Line is as defined in 47 C.F.R. § 51.5.
5.8.1.2	Notwithstanding anything to the contrary in this Agreement, AT&T shall make available Dark Fiber Transport as described in this Agreement, except in any wire center meeting the criteria described below:
5.8.1.2.1	Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
5.8.1.3	The Master List of Unimpaired Wire Centers or AT&T's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Section 5.8.1.2.1 above as of March 11, 2005.
5.8.1.4	Once any wire center exceeds either of the thresholds set forth in Section 5.8.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.
5.8.1.5	Modifications and Updates to the Wire Center List and Subsequent Transition Periods
5.8.1.5.1	In the event AT&T identifies additional wire centers that meet the criteria set forth in Section 5.8.1.2.1 above, but that were not included in the Master List of Unimpaired Wire Centers or AT&T's List of Unimpaired Wire Centers, AT&T shall include such additional wire centers in an Accessible Letter. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". AT&T will follow any notification procedures in applicable Commission orders.

- Broadwing shall have thirty (30) business days to dispute the additional wire centers listed on AT&T's Accessible Letter. Absent such dispute, effective thirty (30) business days after the date of an AT&T Accessible Letter providing a Subsequent Wire Center List, AT&T shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- For purposes of Section 5.8.1.5 above, AT&T shall make available Dark Fiber Transport that was in service for Broadwing in a wire center on the Subsequent Wire Center List as of the thirtieth (30) business day after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.8.1.5.4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.8.1.5.5 No later than one hundred eighty (180) days from AT&T's Accessible Letter identifying the Subsequent Wire Center List, Broadwing shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other AT&T services.
- 5.8.1.5.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 5.8.1.5.6.1 If Broadwing fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of AT&T's Accessible Letter identifying the Subsequent Wire Center List, AT&T will identify Broadwing's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed AT&T service(s).
- In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. In the states of Alabama, Georgia and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by AT&T shall be subject to the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs.
- 5.8.1.5.6.3 For Subsequent Embedded Base circuits converted pursuant to Section 5.8.1.5.5 above or transitioned pursuant to Section 5.8.1.5.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

Exhibit A
Attachment 2
Page 40
4Q07 STD ICA-12/18/07 revs.

5.9 Rearrangements 5.9.1 A request to move a working Broadwing Dedicated Transport circuit or a Combination including Dedicated Transport from one connecting facility assignment (CFA) to another CFA in the same AT&T Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable Rearrangement rates for the Change in CFA are set forth in Exhibit A. 5.9.2 A request to reterminate one end of a Dedicated Transport facility that is not a Change in CFA and thus results in retermination in a different AT&T Central Office (Retermination) shall constitute disconnection of existing service and the establishment of new service. Disconnect charges and full nonrecurring charges for establishment of service, as set forth in Exhibit A, shall apply. 5.9,3 Upon request of Broadwing, AT&T shall project manage the Change in CFA or Retermination of Dedicated Transport and Combinations that include Dedicated Transport as described in Sections 5.9.1 and 5.9.2 above and Broadwing may request OC-TS for such orders. 5.9.4 AT&T shall accept a LOA between Broadwing and another carrier that will allow Broadwing, in connection with a Change in CFA or Retermination, to connect Dedicated Transport or a Combination that includes Dedicated Transport, via a CFA, to the other carrier's collocation space or to another carrier's Multiplexer. 6 Automatic Location Identification/Data Management System (ALI/DMS) 6.1 911 and E911 Databases 6.1.1 AT&T shall provide Broadwing with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f). 6.1.2 The ALI/DMS database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Broadwing will be required to provide the AT&T 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below. 6.2 **Technical Requirements** 6.2.1 AT&T's 911 database vendor shall provide Broadwing the capability of providing updates to the ALI/DMS database through a specified electronic interface. Broadwing shall contact AT&T's 911 database vendor directly to request interface. Broadwing shall provide updates directly to AT&T's 911 database vendor on a daily basis. Updates shall be the responsibility of Broadwing and AT&T shall not be liable for the transactions between Broadwing and AT&T's 911 database vendor. 6.2.2 It is Broadwing's responsibility to retrieve and confirm statistical data and to correct errors obtained from AT&T's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the AT&T Wholesale - Southeast Region Web site.

6.2.3 Broadwing shall conform to the AT&T standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the AT&T Wholesale - Southeast Region Web site. 6.2.4 Stranded Unlocks are defined as end user records in AT&T's ALI/DMS database that have not been migrated for over ninety (90) days to Broadwing, as a new provider of local service to the end user. Stranded Unlocks are those end user records that have been "unlocked" by the previous local exchange carrier that provided service to the end user and are open for Broadwing to assume responsibility for such records. 6.2.4.1 Based upon end user record ownership information available in the NPAC database, AT&T shall provide a Stranded Unlock annual report to Broadwing that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Broadwing shall review the Stranded Unlock report, identify its end user records and request to either delete such records or migrate the records to Broadwing within two (2) months following the date of the Stranded Unlock report provided by AT&T. Broadwing shall reimburse AT&T for any charges AT&T's database vendor imposes on AT&T for the deletion of Broadwing's records. 6.3 911 PBX Locate Service®. 911 PBX Locate Service is comprised of a database capability and a separate transport component. 6.3.1 Description of Product. The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate AT&T 911 tandem. 6.3.1.1 The database capability allows Broadwing to offer an E911 service to its PBX end users that identifies to the PSAP the physical location of the Broadwing PBX 911 end user station telephone number for the 911 call that is placed by the end user. 6.3.2 Broadwing may order either the database capability or the transport component as desired or Broadwing may order both components of the service. 6.3.3 911 PBX Locate Database Capability. Broadwing's end user or Broadwing's end user's database management agent (DMA) must provide the end user PBX station telephone numbers and corresponding address and location data to AT&T's 911 database vendor. The data will be loaded and maintained in AT&T's ALI database. 6.3.4 Ordering, provisioning, testing and maintenance shall be provided by Broadwing pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the AT&T Wholesale -Southeast Region Web site. 6.3.5 Broadwing's end user, or Broadwing's end user DMA must provide ongoing updates to AT&T's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of Broadwing to ensure that the end user or DMA maintain the data pertaining to each end user's extension managed by the 911 PBX Locate Service product. Broadwing should not submit telephone number updates for specific PBX station

telephone numbers that are submitted by Broadwing's end user, or Broadwing's end user DMA

under the terms of 911 PBX Locate product.

- 6.3.5.1 Broadwing must provision all PBX station numbers in the same LATA as the E911 tandem.
- 6.3.6 Broadwing agrees to release, indemnify, defend and hold harmless AT&T from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by Broadwing's end user or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by Broadwing or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by AT&T in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by AT&T's gross negligence or wilful misconduct. Broadwing is responsible for assuring that its authorized end users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to Broadwing's end user or DMA pursuant to these terms. Specifically, Broadwing's end user or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.
- 6.3.7 Broadwing may only use AT&T PBX Locate Service solely for the purpose of validating and correcting 911 related data for Broadwing's end users' telephone numbers for which it has direct management authority.
- 6.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires Broadwing to order a CAMA type dedicated trunk from Broadwing's end user premise to the appropriate AT&T 911 tandem pursuant to the following provisions.
- Except as otherwise set forth below, a minimum of two (2) end user specific, dedicated 911 trunks are required between the Broadwing's end user premise and the AT&T 911 tandem as described in AT&T's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the AT&T Wholesale Southeast Region Web site. Broadwing is responsible for connectivity between the end user's PBX and Broadwing's switch or POP location. Broadwing will then order 911 trunks from their switch or POP location to the AT&T 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a Broadwing purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). Broadwing is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the AT&T 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 6.3.9 Ordering and Provisioning. Broadwing will submit an Access Service Request (ASR) to AT&T to order a minimum of two (2) end user specific 911 trunks from its switch or POP location to the AT&T 911 tandem.

- 6.3.9.1 Testing and maintenance shall be provided by Broadwing pursuant to the 911 PBX Locate

 Marketing Service description that is located on the AT&T Wholesale Southeast Region Web site.
- 6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A.

 Trunks and facilities for 911 PBX Locate transport component may be ordered by Broadwing pursuant to the terms and conditions set forth in Attachment 3.

7 White Pages Listings

- 7.1 AT&T shall provide Broadwing and its customers access to white pages directory listings under the following terms:
- 7.1.1 Listings. Broadwing shall provide all new, changed and deleted listings on a timely basis and AT&T or its agent will include Broadwing residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Broadwing and AT&T customers. Broadwing shall provide listing information in accordance with the procedures set forth in The AT&T Business Rules for Local Ordering found at AT&T's Wholesale Southeast Region Web site.
- 7.1.2 <u>Unlisted/Non-Published Customers.</u> Broadwing will be required to provide to AT&T the names, addresses and telephone numbers of all Broadwing customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in AT&T's GSST and shall not be subject to wholesale discount.
- 7.1.3 Inclusion of Broadwing Customers in Directory Assistance Database. AT&T will include and maintain Broadwing customer listings in AT&T's DA databases. Broadwing shall provide such Directory Assistance listings to AT&T at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> AT&T will afford Broadwing's directory listing information the same level of confidentiality that AT&T affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by AT&T at tariffed rates as set forth in AT&T's GSST and shall not be subject to the wholesale discount.
- 7.1.6

 Rates. So long as Broadwing provides listing information to AT&T as set forth in Section 7.1.2
 above, AT&T shall provide to Broadwing one (1) basic White Pages directory listing per Broadwing customer at no charge other than applicable service order charges as set forth in AT&T's tariffs. Except in the case of a LSR submitted solely to port a number from AT&T, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in AT&T's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.

Exhibit A
Attachment 2
Page 44
4Q07 STD ICA-12/18/07 revs.

- 7.2 <u>Directories.</u> AT&T or its agent shall make available White Pages directories to Broadwing customer at no charge or as specified in a separate agreement between Broadwing and AT&T's agent.
- 7.3 Procedures for submitting Broadwing Subscriber Listing Information (SLI) are found in The AT&T Business Rules for Local Ordering found at AT&T's Wholesale Southeast Region Web site.
- 7.3.1 Broadwing authorizes AT&T to release all Broadwing SLI provided to AT&T by Broadwing to qualifying third parties. Such Broadwing SLI shall be intermingled with AT&T's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to Broadwing for AT&T's receipt of Broadwing SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent AT&T incurs costs to modify its systems to enable the release of Broadwing's SLI, or costs on an ongoing basis to administer the release of Broadwing SLI, Broadwing shall pay to AT&T its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Broadwing's SLI, Broadwing will be notified. If Broadwing does not wish to pay its proportionate share of these reasonable costs, Broadwing may instruct AT&T that it does not wish to release its SLI to independent publishers, and Broadwing shall amend this Agreement accordingly. Broadwing will be liable for all costs incurred until the effective date of the agreement.
- Neither AT&T nor any agent shall be liable for the content or accuracy of any SLI provided by Broadwing under this Agreement. Broadwing shall indemnify, except to the extent caused by AT&T's gross negligence or willful misconduct, hold harmless and defend AT&T and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from AT&T's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Broadwing listings or use of the SLI provided pursuant to this Agreement. AT&T may forward to Broadwing any complaints received by AT&T relating to the accuracy or quality of Broadwing listings.
- 7.3.4 Listings and subsequent updates will be released consistent with AT&T system changes and/or update scheduling requirements.

NBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Extr: A			
ATEGORY	rate elements	Interim	Zone	B¢\$	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs.	incramental Charge - Manual Svc Ordor vs.	Incremental Charge - hismusi Svc Order vs.	Incremen Charge Manual S
1200111											per Lor	per care	Electronic- 1st	Electronic- Addi	Electronic- Disc 1st	Order vi Electroni Disc Add
		├	-			Rec	Nonre First	Addit	Nonrecurring First	Disconnect Add1	BOMEC	SOMAN		Rates(\$)	6614411	BOMAN
		 	_			 	FERE	740031	FRAL	ALBO	SOMEC	SUMME	SURAN	SUMMAN	SOMAN	BOMA
Yhe "Ze	no" shown in the sections for stand-alone loops or loops as pa	et of a co	moina	ion refers to Geograp	phically Dear	reraged UNE Zo	nes. To view C	oographically	Deaveraged UN	E Zone Design	stions by G	ntral Office,	refer to intern	et Websito:		
	www.interconnection.bollsouth.com/become_a_clec/him/interco	errection	s-labe													
PERATIONS !	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	L			L	l					<u> </u>					
NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	state sc	ecfic"	OSS charges as orde	ered by the S	tate Commissio	ns. The OSS c	harges current	ty contained in :	this rate exhibit	t are the AT	LT "regional	" service orde	ring changes.	CLEC may el	oct either
state so	ecific Commission ordered rates for the service ordering charg	es, or Cl	LEC mi	y visci the regional s	ervice order	ing charge, how	ever, CLEC car	not obtain a s	nizhure of the tw	o regardess i	CLEC has	Intercorne	ation contract	established in	each of the S	states.
	 Arry element that can be ordered electronically will be billed electronically at present per the LOH, the listed SONEC rate in 															
	bill when it submits an LSR to ATAT.	TURN CHIK	Mes. A. s.	umers and estering aver	r modes se s	illed to a occo	CRECT CHECKGING	ordering separ	THE COURSE OF	acas ten nast die	ationir One	(Wide, Sig III	anua oroczny	i cuarde acu	ANY MANDO BE	ibinsa xo i
	OSS - Electronic Service Order Charge, Per Local Service		T		l											
	Request (LSR) - UNE Only	-	<u> </u>		SOMEC		3.50	0,00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only	1	l		SOMAN		11.90	0.00	1.83	0.00						
	DATE ADVANCEMENT CHARGE															
	The Expedite charge will be maintained commensurate with Ba	elSouth'	s FCC	No.1 Tariff, Section 5	as applicabl	ę.										
		İ		UAL, UEANL, UCL, UEF, UDF, UEQ,	l											
				UDL, UENTW, UDN.		l .										
			•	UEA, UHL. ULC.			1									
		1	1	USL, U1T12, U1T48,		1										
		1		U1TD1, U1TD3, U1TDX, U1TO3,												
		į		UITSI, UITVX,												
		1		UCIBC, UCIBL												
		l	ļ	UCICC, UCICL,	1											
		l		UC1DC, UC1DL, UC1EC, UC1EL	i	l										
1 1		l		UCIFC, UCIFL												l
		Ì		UC1GC, UC1GL,]											
		l	•	UC1HC, UC1HL, UDL12, UDL48,									l			
		1	l	UDLO3, UDLSX,	1											
			1	UE3, ULD12,	l	1										
1 1		1	l	ULD48, ULDD1.		1	i .									
		1		ULDDS, ULDOX, ULDOS, ULDS1.		1					1			Í		
			١.	ULDVX, UNC1X		l .					l l					
		1		UNC3X, UNCDX,												
		1		UNCNX, UNCSX,											[
		ļ	•	UNCVX, UNLD1, UNLD3, UXTD1,	1											
			l	UNCTOS, UXTS1,											l	
		l	l	UITUC, VITUD.									- 1			
		1		U1TUB.												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day	1		U ITUA,NTCVG. NTCDD, NTCD1	SDASP		200,00									
	CATION CHARGE						20020									
	Order Modification Clearge (OMC)						28.21	0.00	0.00	0.00						
	Order Modification Additional Dispetch Charge (OMCAD) XGHANGE ACCESS LOOP	├	-			-	150.00	0.00	0.00	0.00	 					
	ANALOG VOICE GRADE LOOP			L	<u> </u>						L					
	2-Wire Analog Voice Grade Loop - Service Level 1-Zona 1			UEANL.	UEAL2	10.69		22.83		6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANI.	UEAL2	15.20 26.97		22.83 22.83	25.62 25.62	6.57 8.57						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	 		UEANL UEANL	UEAL2 UEASL	28.97 10.89	49.57	22,83	25.62	8.57 8.57						
	2-Wire Analog Volce Grade Loop - Service Level 1-Zone 1 2-Wire Analog Volce Grade Loop - Service Level 1-Zone 2	1	1 2	UEANL	UEASL	15.20	49.57	22.83	25.62	8.57						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3			UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
	Tag Loop at End User Premise			UEANL	URETL		8.93	88.0								
	Loop Testing - Basic 1st Half Hour	-	<u> </u>	UEANL	URET 1		77.09	0.00								
	Loop Testing - Basic Additional Hatt Hour		├	UEANL UEANL	URETA	-	33.12 9.00	33.12 9.00		-	 					
	Manual Order Coordination for UVL-SL1s (per bop) Order Coordination for Specified Conversion Time for UVL-SL1	1	 	NINE.	PARTIES.	 	9.00	8,00								
	(per LSR)	1	1	UEANL	ocosi	1	23.02						1	1	1	

UNBUNDLE	D NETWORK ELEMENTS - Florida											-	Att: 2 Exh; A			
CATEGORY	RATE ELEMENTS	interim	Zono	BCS	usoc			RATES(S)				Svo Order Submitted Manually per LSR	Incremental Charge - Nanual Sve Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	herements Charge - Manual Sv Order vs. Electronic Disc Addit
						Rec	Nonre		Nonrecurring				053	Rates(\$)		
			Ь		1		First	Addi	First	Addī	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unburdled Non-Design Voice Loop, billing for AT&T providing make-up (Engineering Information - E.t.)	l	•	UEANL	UEANM		13.49				1 1					1
	Unbundled Loop Service Rearrangement, change in loop facility,		-	DENNE	DC/WW		10,40									
i	percincult	l .	l	UEANL	UREWO		15.78	8.94	25,62	6.57						1
	Buk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN		49.57	22.83	25.82	6.57						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		9.00	9.00								
2-94MCE	Unbundled COPPER LOOP [2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	IUEO	IUEO2X	7.69	44.98	20.90	24,88	8.43						
_	2 Wire Unbundled Copper Loop - Hon-Designed - Zone 2			UEQ	UEOZX	10.92	44.98	20.90	24,88	8.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEO2X	19.38	44.98	20.90	24.88	8.45						
	Teo Logo at End User Premise			UEQ	URETL		8.93	88.0								
	Loop Testing - Basic 1st Hati Hour		<u> </u>	UEQ	URET1 URETA		48.65 23.95	0.00								
	Loop Testing - Basic Additional Helf Hour Menual Order Coordination 2 Wire Unburded Copper Loop - Non-		-	UEO	UNEIA		23.95	23.95			 1					
1	Designed (per loop)	1		UED	USBMC	1	9.00	9.00								ł
	Unburdled Copper Loop - Non-Design, billing for AT&T providing															
	make-up (Engineering Information - E.I.)	ļ		UED	NEOWR		13.49							i		
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		l	VED	UREWO	1	14,27	7.43	24.88	6.45		1				1
	Buk Migration, per 2 Wire UCL-ND		-	UED	UREPN		14.27 44.98	20.90	24.88	6.45						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND	-	_	UEQ	UREPM		9.00	9.00	2720	0.40						
UNBUNDLED (EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 wilLoop or						405.75			40.04						
 	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 willoop or		-	UEA	UEAL2	12.24	135.75	82,47	63.53	12.01						
1	Ground Start Signaling - Zone 2		,	UEA	UEAL2	17.40	135.75	82.47	63,53	12.01	l	1	ı			1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			7-21	122											
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.A7	63.63	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signating - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 wifeverse			UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
1	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01		1	1	i		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	-		1											
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per											1		1		
	DSD) Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per		<u> </u>	UEA	URESL		89.8	8.98								
	DS0)			UEA	URESP		8.98	8.98				- 1			1	
	Unbundled Loop Service Reamangement, change in loop facility.							3.0.0								
	per circuit			UEA	UREWO		87.71	36.35								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2 Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		-	UEA	UREPM		135.75	82.47								
AMBE	ANALOG VOICE GRADE LOOP			loca	DISTE W		V.00 1	0.001								
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	157.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26.84	167.86	115,15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.82	167.86	115.15	67.08	15.56						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)			UEA	URESL		8.98	8.98	l	- 1	- 1	1	- 1	1		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		 	V-2/1	- Jonese		0.00	0.30								
	080)			UEA	URESP		6.98	8.98					1		I	
	Unbundled Loop Service Reamangement, change in loop facility.															
	per circuit		L	UEA	UREWO		87.71	35.35								
	ISDN DIGITAL GRADE LOOP Z-Wire ISDN Digital Grade Loop - Zone 1	_	1	UDN	U1L2X	19.28	147,69	94.41 (52.23	10.71				т		
	2-Wire ISON Digital Grade Loop - Zone 1			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71			+			
	2-Wire ISON Digital Grade Loop - Zone 3			UDN	U11,2X	48.62	147.69	94.41	62.23	10.71						
	Unbundled Loop Service Reamangement, change in toop facility,					···						7				
	per circuit ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA		000	UDN	UREWO		91.61	44.15		1			1			
	. AS TRIBLE I RICAL DESITAL SUBSCRIBER LINE (AUSL) COMPA	BLEL	-7UF		·					-						
	2 Wire Unbundled ADSL Loop including manual service inquiry &			1	, ,			4								

INBUNDLE	ED NETWORK ELEMENTS - Florida												Att: 2 Ext: A			
ATEGORY	RATE ELEMENTS	kriterim	Zane	BCS	USOC			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	thoremental Charge - Manual Svo Order vs. Electronic- Add'	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Charge Manual S Order v Electror Disc Ad
						Rec	Nonre		Nonrecurring			441111		Rates(\$)		
	2 Wire Unbundled ADSI, Loop Including manual service inquiry &	┼	-		 	-	First	Add1	Pirst_	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	fadility reservation - Zone 2	<u></u>	2	UAL	UALZX	11.80	149.53	103.85	75.05	15.53						
	2 Wire Unbundled ADSt, Loop including manual service inquiry & lacitly reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop without manual service inquiry & lacility reservation - Zone 1		1	UAL.	UAL2W	8.30	124.83	71.12	50,64	9.12			1			
_	2 Wire Unbundled ADSL Loop without manual service inquiry &	 	┝													
	facility reservation - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservators - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	T T		UAL	UREWO		86,19	40.39								
2-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE U	OP		12											
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7.22	159,09	113,41	75.05	15.83						
	2 Wire Unbunded HDSL Loop Including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15,63						
_	2 Wire Unbundled HDSL Loop including manual service inquiry &	†	3		UHLZX	18.21	159.09	113.41	75.05	15.63						
	tacility reservation - Zone 3 2 Wire Unbunded HDSL Loop without manual service inquiry and	\vdash	3	UHL	UNLZA	16.21	108,08	713.41	/5.05	15.63						
	facility reservation - Zone 1	<u> </u>	1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.25	134.40	80.69	80.64	9.12						
	2 Wire Unbunded HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80,69	50.64	9.12	_					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		Г	UHL.	UREWO		86.12	40.39								
4-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TIBLE L	OP	1015	(O.C.IVO		106.15.1	10,00								
	4 Wire Unburded HDSL Loop Including manual service inquiry and facility reservation - Zone 1		١,	UHL	UHL4X	10.88	193,31	138,98	77,15	12.61						
	4-Wire Unburdled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	1	UHL	UHL4X	15,44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including menual service inquiry and	1		On.												
	facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry and	┼	3	UHL	UHL4X	27.39	193,31	138,98	77,15	12.61						
	facility reservation - Zone 1		1	UHL	UHL4W	10.86	188.62	115.47	52,74	11.22						
	4-Wire Unbundled HDSI. Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168,62	115.47	62,74	11.22						
	4-Wire Unburdled HDSL Loop without manual service inquiry and		3	UHL	UHLAW	27.39	168.62	115.47	62.74	11.22						
_	lacility reservation - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility,		13	ONL		21.38			02.74	11.12						
	per circuit		<u> </u>	UHL	UREWO		86,12	40.39				1				
4-71970	E DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1	1	1 1	USL	USLXX	70.74	313.75	181,48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2	1	2	USL	USLXX	100.54	313,75	181,48	61.72	13.53						
	4-Wire OS1 Digital Loop - Zone 3		3		USLXX	178.39	313,75	181,48	61.22	13.53						
	Switch As-is Conversion rate per UNE Loop, Single LSR, (per DS1)			USL	URESL		8.98	8.98								
- 1					1	1										
\dashv	Switch-As-is Conversion rate per UNE Loop, Spreadsheel, (per			USL	URESP		8.98	8,98			1	1	٠ ١			
	Switch-As-is Conversion rate per UNE Loop, Spreadsheel, (per DS1) Unbundled Loop Service Rearrangement, change in loop facility,			USL	URESP		8,98	8.98 43.04								
A-yerki	Switch-As-Is Convension rate per UNE Loop, Spreadsheet, (per DS1) Unbunded Loop Service Rearrangement, change in toop facility, per circuit			nar	URESP		8,98 101.07	8.98 43.04								
4-WIRE	Switch-As-is Conversion rate per UNE Loop, Spreadsheel, (per DS1) Unbundled Loop Service Rearrangement, change in loop facility,			กลา	UREWO	22.20	101.07 151.58	43.04	67.08	15.50						
4-WIRE	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unburdled Loop Service Rearrangement, change in loop facility, per circuit E 18.2, 66 OR 64 KBP'S DIGHTAL GRADE LOOP 4 Wire Unburdled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unburdled Digital Loop 2.4 Kbps - Zone 2		2	nor nor	UREWO UDL2X UDL2X	31.56	101.07 161.58 161.56	43.04 108.85 106.85	67.08	15.58						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unburdled Loop Service Rearrangement, change in loop facility, per circuit. 19.2, 56 OR 84 KBPS DIGHTAL GRADE LOOP 4 Wire Unburdled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unburdled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unburdled Digital Loop 2.4 Kbps - Zone 3		3	INDIT INDIT INSIT	UREWO UDL2X UDL2X UDL2X	31.56 55.99	101.07 161.56 161.56 161.56	43.04 108.85 108.85 106.85	67.08 67.08	15.58 15.56			·			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unburdled Loop Service Rearrangement, change in loop facility, per circuit 19.2, 66 OR 64 KBPS DIGHTAL GRADE LOOP 4 Wire Unburdled Digital Loop 2.4 Ripps - Zone 1 4 Wire Unburdled Digital Loop 2.4 Ripps - Zone 2 4 Wire Unburdled Digital Loop 2.4 Ripps - Zone 3 4 Wire Unburdled Digital Loop 2.4 Ripps - Zone 3		3	USL UDL UDL UDL	UREWO UDL2X UDL2X UDL2X UDL2X UDL4X	31.56 55.99 22.20	101.07 161.56 161.56 161.58 161.58	43.04 108.85 108.85 106.85 108.85	67.08 67.08 67.08	15.58 15.56 15.58						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Lithburdled Loop Service Rearrangement, change in loop facility, per circuit E 19.2, 65 OR 64 KBPS DRISHTAL GRADE LOOP 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 1 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 2 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 3 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 1 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 1 4 Wire Linburdled Digital Loop 4.8 Kbps - Zone 1		2 3 1 2	UDL UDL UDL UDL	UREWO UDL2X UDL2X UDL2X UDL2X UDL2X UDL4X	31.56 55.99 22.20 31.58	101.07 161.58 161.58 161.58 161.58	43.04 108.85 106.85 106.85 108.85	67.08 67.08 67.08 57.08	15.58 15.56 15.58 15.58						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unburdled Loop Service Rearrangement, change in loop facility, per circuit. E18.2, 65 OR 84 KBPS DIGITAL GRADE LOOP 4 Wire Unburdled Digital Loop 2.4 Kpps - Zone 1 4 Wire Unburdled Digital Loop 2.4 Kpps - Zone 2 4 Wire Unburdled Digital Loop 2.4 Kpps - Zone 3 4 Wire Unburdled Digital Loop 4.8 Kpps - Zone 1 4 Wire Unburdled Digital Loop 4.8 Kpps - Zone 1 4 Wire Unburdled Digital Loop 4.8 Kpps - Zone 2 4 Wire Unburdled Digital Loop 4.8 Kpps - Zone 2 4 Wire Unburdled Digital Loop 4.8 Kpps - Zone 3		2 3 1 2 3	USL UDL UDL UDL UDL UDL	UREWO UDL2X UDL2X UDL2X UDL2X UDL2X UDL4X UDL4X UDL4X	31.56 55.99 22.20 31.58 55.99	101.07 161.56 161.56 161.56 161.58 161.58	43.04 108.85 108.85 108.85 108.85 108.85 108.85	67.08 67.08 67.08 67.08 57.08	15.58 15.56 15.58						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Lithburdled Loop Service Rearrangement, change in loop facility, per circuit E 19.2, 65 OR 64 KBPS DRISHTAL GRADE LOOP 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 1 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 2 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 3 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 1 4 Wire Linburdled Digital Loop 2.4 Kbps - Zone 1 4 Wire Linburdled Digital Loop 4.8 Kbps - Zone 1		2 3 1 2 3	UDL UDL UDL UDL	UREWO JUDI.2X JUDI.2X JUDI.2X JUDI.2X JUDI.4X JUDI.4X JUDI.4X JUDI.4X JUDI.4X JUDI.4X JUDI.4X	31.56 55.99 22.20 31.58 55.90 22.20 31.58	101.07 161.56 161.56 161.58 161.58 161.58 161.58 161.58	43.04 108.85 106.85 106.85 106.85 106.85 108.85 108.85	67.08 67.08 67.08 67.08 67.08 67.08 67.08	15.56 15.56 15.56 15.56 15.56 15.56						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unburnled Loop Service Reamangement, clarage in loop facility, per circuit 19.2, 86 OR 84 KBPS DIGHTAL GRADE LOOP 4 Wire Unburnled Digital Loop 2.4 Rbps - Zone 1 4 Wire Unburnled Digital Loop 2.4 Rbps - Zone 2 4 Wire Unburnled Digital Loop 2.4 Rbps - Zone 3 4 Wire Unburnled Digital Loop 4.8 Rbps - Zone 3 4 Wire Unburnled Digital Loop 4.8 Rbps - Zone 1 4 Wire Unburnled Digital Loop 4.8 Rbps - Zone 3 4 Wire Unburnled Digital Loop 4.8 Rbps - Zone 3 4 Wire Unburnled Digital Loop 8.8 Rbps - Zone 3 4 Wire Unburnled Digital Loop 8.8 Rbps - Zone 3		2 3 1 2 3	USL UDL UDL UDL UDL UDL UDL UDL UDL	UREWO UDL2X UDL2X UDL2X UDL2X UDL4X UDL4X UDL4X UDL4X UDL4X	31.58 55.99 22.20 31.58 55.99 22.20	101.07 161.56 161.56 161.56 161.58 161.58 161.58	43.04 108.85 106.85 106.85 108.85 108.85 106.85 106.85	67.08 67.08 67.08 57.08 57.08 67.08	15.56 15.56 15.56 15.56 15.56			•			

UNBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Inderina	Zona	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		incremental Charge - Manual Svc Order vs. Electronic- Addit	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add'
		<u> </u>										L				1
					 	Rec		cutting	Nonrecuming		44.00			Rates(\$)		
	4 Wire Unbunded Digital 19.2 Kbps - Zone 3		 	UDL	UDL19	55.99	First 161,56	Add1 108,85	First 67.06	Add1 15.56		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wike Unburdied Digital Long 58 Kbps - Zone 1	 		UDL	UDL56	22.20	161.58	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.58	161.56	108.85	67.08							
	4 Wire Unburdled Oligital Loop 58 Kbps - Zone 3			UDL	UDL56	55.99	161.58	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 84 Kbns - Zone 1		.1	UDL	UDL84	22.20	161.56	108.85	67.08	15,56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL84	31.58	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 84 Kbps - Zona 3		3	UDL	UOL64	55.90	161.58	108.85	67.08	15.58						
1 1 1	Switch-As-le Conversion rate per UNE Loop, Single LSR, (per DS0)			UDL	URESL		8.98	6.98		į						i
	DSUI Switch-As-le Conversion rate per UNE Loop, Spreadsheet, (per DSUI)	_	┢	UDL	URESP		8.98	8,98								<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility,	<u> </u>		UDL	UREWO		102.11	49.74								
	per circuit Unbundled COPPER LOOP	<u> </u>	Ь	IVUL	TOKENO		102.11	48.74		L	نــــــا	L				
	2-Wire Unbundled Copper Loop-Designed including manual		T	l	T					T						
	service inquiry & facility reservation - Zone 1	L	1	UCL	UCLP8	8.30	148.50	102.82	75.05	15.63					-	i
	2-Wire Unbundled Copper Loop-Designed including manual															
	service Inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.83						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	ucı	UCLPB	20.94	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed without manual service- inquiry and fadility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60,84	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60,64	9.12						
	CLEC to CLEC Conversion Charge without outside dispetch (UCL -Des)			UCL	UREWO		97.21	42,47								
	Urbundled Loop Service Rearrangement, change in loop facility, per circuit			UCL	UCLINC		9.00	9.00								
4-WIRE	COPPER LOOP				,											
	4-Wire Copper Loop-Designed including manual service impriry															
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.16	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73	1	1			- 1	
	4-Wire Copper Loop-Designed including manual service inquiry		-	000	10000	1 1	117.41	102.70	27.10	(7.70						
L	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	4-Wine Copper Loop-Designed without manual service inquiry and lacility reservation - Zone 1		1	UCL	UCLAW	11.83	153.18	100.03	62.74	11.22						
L!	4-Wire Copper Loop-Designed without menual service inquiry and lacility reservation - Zorus 2		2	UCL	UCL4W	16.61	153.18	100.03	52,74	11.22						
	4-Wire Copper Loop-Designed without micrual service inquiry and															
	lacility reservation · Zone 3		3	UCL	UCL4W UCLMC	29.62	153.18	100.03	62.74	11.22						
	Order Coordination for Unbundled Copper Loops (per loop) Unbundled Loop Service Reamangement, charge in loop lecility.		-	UCL	UCLMC	 	9,00	9.00								
	undunand Loop Servica Кеапапрелені, слагде ії якр несяту. per circuit			UCL	UREWO	1 1	97.21	42.47				- 1	l			
	p.,			UEA, UON, UAL,				74-77								
	Order Coordination for Specified Convention Time (per LSR)		<u> </u>	UHL UDLUSE	OCOSI.	<u> </u>	23.02									
Rearran	gements				·											
	EEI, to UNE-L Retermination, per 2 Wire Urbundled Voice Loop- SL2			UEA	UREEL		87,71	36.35								
1	EEL to UNE-L Returningtion, per 4 Wire Unbursted Voice Loop			UEA	UREEL		87.71	36.35			1	1		T	T	
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop		-	UDN	UREEL	 	91.61	44,15				+				-
	PART IN STREET LANGUE WASHING TO BE STREET STREET		 		1		91.01	19,0						 +		
; /	EEL to UNE-L Retermination, per 4 Wire Urbundled Digital Loop			UDL	UREEL		102.11	49.74								
	EEL to UNE-L Retermination, par 4 Wire Unbundled DS1 Loop			USL	UREEL		101.07	43.04								
THE FOOD CON	MMYGLNG											I	I			
	ANALOG VOICE GRADE LOOP - COMMINGLING 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1						—					
	Ground Start Signaling - Zone 1		1	NUCAG	UEAL2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.40	135,75	82.47	63.53	12.01	1					

INBUNDLED	NETWORK ELEMENTS - Florida												Att: 2 Exts A			
		T									Svc Order	Svc Order	incremental	Incremental	Incremental	Increm
1		[l	Ī	1	1					Submitted	Submitted	Chargo -	Charge -	Charge -	Chan
1		1	l	1	1	l					Eiec	Manualty	Manual Svc	Manual Svc	Manual Svc	Menus
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	!		RATES(S)			perLSR	per LSR	Order vs.	Orderva.	Order val	
			1		1						po wit	Name of Str.	Etectronic	Electronic-	Electronic-	Orde
		1	Ι.									1 3				Electr
		1			1	İ					1	1	fat	Addi	Disc 1st	Disc
					-		Nemes	griffing	Nonrecurring	Disconnect			OSS.	Rates(\$)		<u> </u>
		-	 			Rec	Fest	Add	First	Addi	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	
2.0	Wirs Analog Voice Grade Loop - Service Level 2 w/Loop or	_	_		1		13.50	- TAMI!	12.5		domeso	SOME	SUMME	SUMAN	30MAN	SON
	round Start Signaling - Zone 3	1	1 3	NTCVG	UEAL2	30.87	135.75	82.47	63.53	12.01		1 1				1
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			HICVG	ULALZ	30.07	133.75	DEA1	03,33	12.01						—
	attery Signating - Zone 1	1	١,	NTCVG	UEAR2	12.24	135.75	82.47	83.53	12.01	l i					ı
	Wire Analog Voice Grade Loop - Service Level 2 wifererse	+	 ' -	N:C10	OCRICE	1224	100.15	52,47	63,03	12.01		<u> </u>				
	attery Signating - Zone 2	1	2	NTCVG	UEAR2	17.40	135.75	82.47	83.53	12.01						l
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	-	HICVG	DEATA	12.50	133.73	96.97	63.53	12.01						<u> </u>
	atlary Signaling - Zone 3	1	3	NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01	1 1					ı
	witch As-Its Conversion rate per UNE Loop, Single LSR, (per	+		HILIYO	UCANZ	30.01	133.73	04.47	63.33	16.01						L
	S0)	1	l	NTCVG	URESL		8.98	88.8								
	so) witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	ļ	├	NICYG	UKESL		0.30	0,80								<u> </u>
		1	l	L	URESP			8.98		l						i
	S0)	├ ──		NTCVG	UNESP		8.96	5.98								L
	ribundled Loop Service Rearrangement, change in loop facility,	1	1	L						!				• •		_
	ar chroxit			NTCVG	UREWO		87.71	38.35								
	op Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.21	1.10								
	NALOG VOICE GRADE LOOP - COMMINGLING															
	Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	18.89	157.88	115,15		15.58						
	Wire Analog Voice Grade Loop - Zone 2			MCVG	UEAL4	26,84	157.86	115.15		15.56						
4-1	Wire Analog Voice Grade Lonp - Zone 3		3	NTCVG	UEAL4	47.62	157,86	115.15	67.08	15.56						
Sw	witch As is Conversion rate per UNE Loop, Single LSR, (per		1													
DS	S0)			NTCVG	URESL		8.98	5.98								i
5w	witch-As-le Conversion rate per UNE Loop, Spreadsheet, (per															
DS	SD)	l		NTCVG	URESP		8,98	8.98					· I			i
Lin	nbundled Loop Service Rearrangement, change in Isop facility,															
	er circuit	i		NTCVG	UREWO		87,71	36.35				l l	1			i
4-WIRE DS	S1 DIGITAL LOOP - COMMINGLING															
14-1	Wire OS1 Digital Loop - Zone 1		1	NTCD1	USLXX	70.74	313.75	161,48	61.22	13.53						
	Wire OS1 Digital Loop - Zone 2			NTCOS	USLXX	100.54	313.75	181,48	61.22	13.53						
	Wire OS1 Digital Loop - Zone 3		3	NTCD1	USLXX	178.39	313.75	181,48	61.22	13.53						
	witch-As-is Conversion rate per UNE Loop, Single LSR, (per	1	1													
	\$11	l	l	NTCD1	URESL	1	8.98	8.98				1				į
	witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	1			1											
	S11		l	NTCD1	URESP		8.98	8.96					ı	1		
	ricurdied Loop Service Rearrangement, change in loop facility,	 		11001	014,01		9.50	4.70								
	a clarig A clarig	•		NTCD1	UREWO	i i	101.07	43.04			1	- 1	1	- 1	- 1	
	12, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMUNGLING	<u> </u>		MICOI	IONEMO		(01.0)	70.07								
				NTCUO	UDL2X	22.20	151.56	108.85	67.06	15.56						
	Wire Unbunded Digital Loop 2.4 Kbps - Zone 1	 					181.56	108,85	67.08							
	Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	├		NTCUO	UOL2X	31.56	181.56		67.08	15.56						
	Wire Unbundled Digital Loop 2.4 Klops - Zone 3			NTCUO	UOL2X	55.99		108.85		15.56						
1 4	Wire Unbunded Digital Loop 4.8 Kbps - Zone 1			NTCUO	UOLAX	22,20	181.56	108.85	67.08	15.56						
1 147	Wire Unbundled Digital Loop 4.6 Kbps - Zone 2			NTCUO	UOL4X	31.56	181.58	108.85	67.08	15.58						
	Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	 		NTCUO	UDL4X	55.98	161.58	108.85	67.08	15.56						
	Wire Unbundled Digital Loop 9.5 Klops - Zone 1			NTCUD	NOTEX	22.20	181.58	108.85	67.08	15,56	1			I	T	
	Wire Unbunded Digital Loop 9.5 Rbps - Zone 2	L		MICUD	UDLAX	31.56	161.56	108.85	67.08	15.58						
44	Wire Unbunded Digital Loop 9.6 Khps - Zone 3		3	NTCUD	UDLEX	55.99	181.56	106.85	67.08	15.58						
4 1	Wire Unbunded Digital 19.2 Kbps - Zone 1	I	1	NTCUD	UOL19	22.20	161.56	106.85	67.08	15.56						
	Wire Unbunded Digital 19.2 Kbps - Zone 2			NTCUO	UDL19	31.56	181,56	106.85	67.08	15,56						
	Wire Unbunded Digital 19.2 Kbps - Zone 3			NTCUO	UDL19	55.99	161.56	106.85	67.08	15.56						
4 4	Wire Unbunded Digital Loop 56 Kbps - Zone 1			NTCUD	JUDI.56	22.20	151.58	106.65	67.08	15.56						
41	Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUO	UDL56	31.56	181.56	108.85	67.08	15.58						
4 1	Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UOL56	55,99	181.56	108.85	67.08	15.58						
4 4	Wire Unbundled Digital Loop 64 Ktips - Zone 1			NTCUD	UOL54	22.20	161,56	108.85	67.08	15.56						
	Wire Unbunded Digital Loop 84 Khps - Zone 2	T	2	NTCUD	UOL54	31.56	181,58	108.85	67.08	15.56						
	Wire Unbunded Digital Loop 84 Kbps - Zone 3	1		NTCUD	UOL64	55.99	181.58	108.85	67.06	15.56						
	elich-As-is Commission rate per UNE Loop, Single LSR, (per	 			1										t	^
DS		l		NTCUD	URESL		89.8	8,98			1	i	1		į	
	witch As-is Conversion rate per UNE Loop, Spreadsheet, (per	 			1-110-						+				 +	
DS				NTCUB	URESP		8.98	80.8		- 1	1	ľ	ı	1	ı	
	so) standled Loop Service Rearrangement, change in loop facility,	 	_		PAINT		5.00	V.20					+			
		1		NTCUD	UREWO		102.11	49.74				- 1	- 1	1	l	
	r ckrauli		-		UNCHO		104.11	99./4								
_		1		NTCVG, NTCUD.	lacer:			1			í	1	Į	i	1	
i iOn	der Coordination for Specified Conversion Time (per LSR) F SERVICE			NTCD1	OCOSI		23.02									

Versioπ 4067 Stal ICA 02/07/08

CCCS 603 of 611

[CCCS Amendment 51 of 59]

UNBUNDLE	D NETWORK ELEMENTS - Florida												Aft: 2 Extr A			
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order		incremental Charge - Manual Svo Order vs. Electronic- Addi	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
						Rec		auming .	Nonrecurring		<u> </u>			Rates(\$)		
				1100 150 100			First	Addi	First	Add1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDG, UEA, UDL, UDN, USL, UAL, UDN, USL, UAL, UTCU, NTCU1, NTCU1, VTTD1, UTTD1, UTTD3, UTTVX, UDF, UDFCX, UDLSX, UE3 ULD01, ULD03, ULD05, ULD05, ULD05, ULD05, ULD05, ULD05, UNCOX,												
- 1	Maintenance of Service Charge, Basic Time, per half hour	ı			MVVBT		80.00	55.00		i .		1	- 1			
	Maintenance of Service Charge, Oversime, per half hour			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, MTCVG, NTCUD, MTCD1, U1TD1, U1TD1, U1TD1, U1TD1, U1TD2, UDFCX, UDLSX, UEB, ULDD1, ULDS1, ULDDX, ULDS1, ULDVX, UNCDX, UNCSX, UNCDX, UTSA, UHL, UCL, NTCVG, NTCUD, NTCOI, UTTD1, UTTD3,	MVVQT		90.00	5 5.00								
OOP MODER	Maintenance of Service Charge, Premium, per helf hour			UTTEX, UTTS1, UTTVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULD23, ULDDX, ULD21, ULDVX, UNC1X, UNC3X, UNCDX, UNC5X,	M VVPT		190.00	75.00								
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			CEANL, UEPSR,								- 1	l			
	spair less than or equal to 18k ft, per Unbundled Loop			UEPS8	ULM2L		0.00	0.00	L							
	Unburided Loop Modification Removal of Load Colls - 4 Wire less					i						T		T		
	fram or equal to 18K ft. per Unbundled Losp	 	 	LAL LICE, UEA	TITMAT		0.00	00.0								
SUB-LOOPS	Unbundled Loop Modification Removal of Bildged Tap Removal, per unbundled toop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPS8	ULMST		10.52	10.52								,
	op Distribution		L		<u> </u>	L	·		L							
340-40	op Dearkstoon Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-							- 1				Т				
	Up	 	<u> </u>	UEANL, UEF	USBSA		487.23									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Sel-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			DEANL, UEF	USBSB		6.25									
	Sel-Up	├		UEANL	USBSC	ļ	189.25						<u></u>			
1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panet Set- Uo]		UEANL	USBSD		38.85						1		1	
	I-F															

Zone 1 Seb-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop Distribution Zone 1 Sub-Loop Distribution Zone 1 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop 2-Wire Int Order Coordination Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Unburndied Sub-Loop Beddi Unburndied Sub-Loop Beddi Unburndied Network Termin Unburndied Network Termin Unburndied Network Termin Unburndied Network Termin Unburndied Network Termin Network Interface Device (6)	RATE ELEMENTS Jion Per 2-Wire Analog Voice Grade Loop - ution Per 2-Wire Analog Voice Grade Loop - ution Per 2-Wire Analog Voice Grade Loop - ution Per 4-Wire Analog Voice Grade Loop - ution Per 4	antorion	1 2	BCS UEANL UEANL UEANL UEANL	USBN2 USBN2 USBN2	Rec 6,46	Nonre- First 60.19	RATES(\$) Surring Add1	Nonrecurring First	Disconnect Add'i	Svg Order Submitted Elec per LSR	Submitted Manually per LSR	Aft: 2 Exh: A Incremental Charge - Manual Sve Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(5)	incremental Chargo - Manual Sve Order vs. Electronic- Disc 1st	increments Charge - Manual Svi Onder vs. Electronic Disc Add'
Zone 1 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Sub-Loop 2-Wire Int Order Coordination Loop Testing 1-Basis Loop Test	ution Per 2-Wire Analog Voice Grade Loop - ution Per 2-Wire Analog Voice Grade Loop - ution Per 2-Wire Analog Voice Grade Loop - ution Per 4-Wire Analog Voice Grade Loop - ution Ter Unbundled Sub-Loops, per sub-loop pair Introbuilding Network Cable (INC)		1	UEANL UEANL UEANL	USBN2	6.46	First	Add1								1
Zone 1 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Sub-Loop 2-Wire Int Order Coordination Loop Testing 1-Basis Loop Test	ution Per 2-Wire Analog Voice Grade Loop - ution Per 2-Wire Analog Voice Grade Loop - ution Per 2-Wire Analog Voice Grade Loop - ution Per 4-Wire Analog Voice Grade Loop - ution Ter Unbundled Sub-Loops, per sub-loop pair Introbuilding Network Cable (INC)		1	UEANL UEANL UEANL	USBN2	6.46	First	Add1			ANALES I					
Zone 1 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop 2-Wire Int Order Coordination Sub-Loop 2-Wire Int Order Coordination Loop Testing - Basis Loop Testing - Basis Loop Testing - Sub-Loop Units 2 Wire Copper Units 2 Wire Copper Units 2 Wire Copper Units 4 Wire Copper Units 4 Wire Copper Units 4 Wire Copper Units 4 Wire Copper Units 14 Wire Copper Units 15 Units Copper Units 16 Units Copper Units 17 Units Copper Units 18 Units Copper Units 19 Units Copper Units 19 Units Copper Units 10 Units Copper Units 11 Units Copper Units 12 Units Copper Units 12 Units Copper Units 13 Units Copper Units 14 Units Copper Units 15 Units Copper Units 16 Units Copper Units 17 Units Copper Units 18 Units Copper Units Copper Units 18 Units Copper Unit	ution Per 2-Wire Analog Voice Grade Loop - ution Per 2-Wire Analog Voice Grade Loop - ution Per 2-Wire Analog Voice Grade Loop - ution Per 4-Wire Analog Voice Grade Loop - ution Ter Unbundled Sub-Loops, per sub-loop pair Introbuilding Network Cable (INC)		1	UEANL UEANL UEANL	USBN2		60,19				SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-Loop Distribution Zorne 2 Sub-Loop Distribution Sub-Loop Distribution Sub-Loop Distribution Zorne 3 Creter Coordination Sub-Loop Distribution Zorne 2 Sub-Loop Distribution Zorne 2 Sub-Loop Distribution Zorne 2 Sub-Loop Distribution Zorne 3 Order Coordination Sub-Loop 2-Wire Int Order Coordination Sub-Loop 2-Wire Int Loop Testing - Basis	ution Per 2-Wire Analog Voice Grade Loop - on for Unburded Sub-Loops, per sub-toop pair ution Per 4-Wire Analog Voice Grade Loop - ution Per 4-Wire Analog Voice Grade Loop - ution Per 4-Wire Analog Voice Grade Loop - on for Unburded Sub-Loops, per sub-toop pair Introbuilding Network Cable (INC)		1	UEANL UEANL UEANL	USBN2		90,79	21.78	47.50	5.26						
Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop Distribution Zone 1 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop 2-Wire int Order Coordination Sub-Loop 1-Wire int Order Coordination Loop 1-Testing - Basis Loop 1-Testing - Basis Loop 1-Testing - Basis Loop Testing - Basis Loop 1-Testing - Basi	in for Unbunded Sub-Loops, per sub-loop peir alion Per 4-Wire Analog Voice Grade Loop - alion Per 4-Wire Analog Voice Grade Loop - alion Per 4-Wire Analog Voice Grade Loop - an Ior Unbunded Sub-Loops, per sub-loop peir Introbuilding Network Cable (INC)		1	UEANL UEANL		918				9,25						
Zone 3 Order Coordination Sub-Loop Distribution Zone 1 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop 2-Wifer Int Order Coordination Sub-Loop 4-Wifer Int Order Coordination Sub-Loop 4-Wifer Int Loop Testing - Basis Loop Testing -	in for Unbunded Sub-Loops, per sub-loop peir alion Per 4-Wire Analog Voice Grade Loop - alion Per 4-Wire Analog Voice Grade Loop - alion Per 4-Wire Analog Voice Grade Loop - an Ior Unbunded Sub-Loops, per sub-loop peir Introbuilding Network Cable (INC)		1	UEANL	USBN2	71.14	60,19	21.78	47.50	5.28						
Sub-Loop Distribution Zone 1 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop 2-Wifer Int Order Coordination Sub-Loop 4-Wire Int Order Coordination Loop Testing - Basis Loop	ation Per 4-Wire Analog Voice Grade Loop - aften Per 4-Wire Analog Voice Grade Loop - aften Per 4-Wire Analog Voice Grade Loop - an for Unbundled Sub-Loops, per sub-loop pair introbuilding Network Cable (INC) an for Unbundled Sub-Loops, per sub-loop pair		1	UEANL		16.29	60,19	21.78	47.50	5.26						1
Sub-Loop Distribution Zone 1 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop 2-Wire Int Order Coordination Loop Teating - Basis L	ation Per 4-Wire Analog Voice Grade Loop - aften Per 4-Wire Analog Voice Grade Loop - aften Per 4-Wire Analog Voice Grade Loop - an for Unbundled Sub-Loops, per sub-loop pair introbuilding Network Cable (INC) an for Unbundled Sub-Loops, per sub-loop pair		 													
Zone 1 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 2 Sub-Loop Distribution Zone 3 Order Coordination Sub-Loop 2-Wire Int Order Coordination Sub-Loop 2-Wire Int Order Coordination Sub-Loop 4-Wire Int Cooper Unbution Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis 4 Wire Copper Unbution 4 Wire Copper Unbution 4 Wire Copper Unbution Corder Coordination Loop Testing - Basis Loop Testing - Basis Unbundled Sub-Loop Colffacius Removal Unbundled Sub-Loop Colffacius Removal Unbundled Nebuor 1	Alon Per 4-Wife Analog Voice Grade Loop Alon Per 4-Wife Analog Voice Grade Loop Intervention for Unbundled Sub-Loops, per sub-loop pair Introbuilding Network Cable (INC) Intervention for Unbundled Sub-Loops, per sub-loop pair		 	l	USBMC		9.00	9.00								
Zone 2 Sab-Loop Distribute Zone 3 Order Coordination Sub-Loop 2-Wire Int Order Coordination Sub-Loop 2-Wire Int Order Coordination Sub-Loop 4-Wire Int Order Coordination Loop Tealing - Basis Loop Tealing - Loop - Loop Loop Tealing - Loop Loo	ition Per 4-Wife Analog Voice Grade Loop in for Unbunded Sub-Loops, per sub-loop pair Introbuilding Network Cable (INC) in for Unbunded Sub-Loops, per sub-loop pair		2	UEANL	U58N4	7,37	68.83	30.42	49.71	6.60				. 1	. 1	ĺ
Sub-Loop Distribute Zone 3 Order Coordination Sub-Loop 2-Wire Int Order Coordination Sub-Loop 2-Wire Int Order Coordination: Sub-Loop Testing - Basis Loop Testing - Basis A Wire Copper Urbo Order Coordination: 4 Wire Copper Urbo 4 Wire Copper Urbo Order Coordination Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Urboundled Sub-Loop Modul (Introduced Sub-Loop Colfficular Removal Urboundled Sub-Loop Colfficular Removal Urboundled Nebvork Termin Urboundled Nebvork Termin Urboundled Nebvork Termin Urboundled Nebvork Termin Urboundled Nebvork Termin Urboundled Nebvork Termin	in for Unbundled Sub-Loops, per sub-loop pair introbuilding Network Cable (INC) in for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	US8N4	10,47	68,83	30.42	49.71	6.60						
Zone 3 Order Coordination Sub-Loop 2-Wire int Order Coordination Sub-Loop 2-Wire int Order Coordination: Sub-Loop 4-Wire Int Coder Coordination: Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Loop Testing - Basis Under Coordination: 4 Wire Copper Urbs 4 Wire Copper Urbs 4 Wire Copper Urbs 4 Wire Copper Urbs 1 Urbs Testing - Basis Loop Testing - Basis Loop Testing - Basis Urbsundled Sub-Loop Ideall Urbsundled Sub-Loop Col/Equip Removal Urbsundled Sub-Loop Col/Equip Removal Urbsundled Nebwork Termis Urbsundled Nebwork Termis Urbsundled Nebwork Termis	in for Unbundled Sub-Loops, per sub-loop pair introbuilding Network Cable (INC) in for Unbundled Sub-Loops, per sub-loop pair			VEANL	USBN4	10.47	58,63	30.42	49./1	6.60						
Sub-Loop 2-Wire Int Order Coordination: Sub-Loop 4-Wire Int Creder Coordination: Loop Tealing - Basis Loop Tealing - Basis Loop Tealing - Basis 2 Wire Copper Unbu 2 Wire Copper Unbu 2 Wire Copper Unbu 4 Wire Copper Unbu 4 Wire Copper Unbu 4 Wire Copper Unbu 4 Wire Copper Unbu 5 Wire Copper Unbu 6 Wire Copper Unbu 1 Unop Tealing Servi Deslymed and Distrit Loop Tealing - Basis Loop Tealing - Basis Loop Tealing - Basis Unbundfield Sub-Loop Golf-Equip Removal Unbundfield Sub-Loop Colf-Equip Removal Unbundfiel Copp Modified Unbundfiel Copp Modified Unbundfiel Copp Modified Unbundfiel Copp Modified Unbundfiel Copp Modified Unbundfiel Nebwork Teams Unbundfield Nebwork Teams	Intrabuilding Network Cable (INC) on for Unbundled Sub-Loops, per sub-loop pair		3	UEANL	USBN4	16.58	68.83	30.42	49.71	6.60						
Sub-Loop 2-Wire Int Order Coordination: Sub-Loop 4-Wire Int Creder Coordination: Loop Tealing - Basis Loop Tealing - Basis Loop Tealing - Basis 2 Wire Copper Unbu 2 Wire Copper Unbu 4 Wire Copper Unbu 4 Wire Copper Unbu 4 Wire Copper Unbu 4 Wire Copper Unbu 5 Wire Copper Unbu 6 Wire Copper Unbu 1 Wire Copper Unbu 2 Wire Copper Unbu 2 Wire Copper Unbu 2 Wire Copper Unbu 2	Intrabuilding Network Cable (INC) on for Unbundled Sub-Loops, per sub-loop pair	-		UEANL	USBMC		9,00	9.00					- 1			_
Sto-Loop 4-Wire Int Order Coordination: Loop Teating - Basis Loop Teating - Basis Loop Teating - Basis Loop Teating - Basis 2 Wire Copper Unb. 2 Wire Copper Unb. 2 Wire Copper Unb. 4 Wire Copper Unb. 4 Wire Copper Unb. 4 Wire Copper Unb. 4 Wire Copper Unb. 5 Wire Copper Unb. 6 Wire Copper Unb. 1 Wire Copper Unb. 1 Wire Copper Unb. 1 Unop Teaging Sewit Designed and Distint Loop Teaging Sewit Loop Teaging - Basis Unbundled Sub-Loop Coll/Equip Removal Unbundled Sub-Loop Coll/Equip Removal Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin				UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
Sto-Loop 4-Wire Int Order Coordination: Loop Teating - Basis Loop Teating - Basis Loop Teating - Basis Loop Teating - Basis 2 Wire Copper Unb. 2 Wire Copper Unb. 2 Wire Copper Unb. 4 Wire Copper Unb. 4 Wire Copper Unb. 4 Wire Copper Unb. 4 Wire Copper Unb. 5 Wire Copper Unb. 6 Wire Copper Unb. 1 Wire Copper Unb. 1 Wire Copper Unb. 1 Unop Teaging Sewit Designed and Distint Loop Teaging Sewit Loop Teaging - Basis Unbundled Sub-Loop Coll/Equip Removal Unbundled Sub-Loop Coll/Equip Removal Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin Unbundled Nebwork Termin		i					2.00									
Order Coordination: Loop Testing - Basis Loop Testing - Basis 2 Wire Copper Urbs. 2 Wire Copper Urbs. 2 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 5 Wire Copper Urbs. 6 Wire Copper Urbs. 7 Wire Copper Urbs. 9 Wire Copper Urbs. 1 Wi		+	-	UEANL UEANL	USBMC USBR4	9.37	9.00 55.91	9.00 17.51	49.71	6.60						
Loop Testing - Basis Loop Testing - Basis 2 Wire Copper Urbs. 2 Wire Copper Urbs. 2 Wire Copper Urbs. 2 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 5 Wire Copper Urbs. 6 Urbs - Copper Urbs. 6 Urbs - Copper Urbs. 6 Urbs - Copper Urbs. 6 Urbs - Copper Urbs. 6 Urbs - Copper Urbs. 7 Urbs - Copper Urbs. 8 Urbs - Copper Urbs. 8 Urbs - Copper Urbs. 8 Urbs - Copper Urbs. 9 Urbs - Copper Urbs - Copper Urbs. 9 Urbs - Copper Urbs - Copper Urbs. 9 Urbs - Copper Urbs - Copper Urbs - Copper Urbs. 9 Urbs - Copper Urbs - Copper		†				***										
Loop Teating - Beal 2 Wire Copper Urbs. 2 Wire Copper Urbs. 2 Wire Copper Urbs. 2 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. 5 Wire Copper Urbs. 6 Urbs. 6 Wire Copper Urbs. 6 Urbs	on for Unbundled Sub-Loops, per sub-bop pair	╄	<u> </u>	UEANL UEANL	USBMC URET1		9.00 77.09	9.00								
2 Wire Copper Urbs. 2 Wire Copper Urbs. Order Coordination (4 Wire Copper Urbs. 4 Wire Copper Urbs. 4 Wire Copper Urbs. (5 Wire Copper Urbs. (6 Wire Copper Urbs. (7 Wire Copper Urbs. (8 Wire Copper Urbs. (8 Wire Copper Urbs. (9 Wire Copper	sic Additional Half Hour	+	_	UEANL	URETA		33.12	33.12			-					
2 Wire Cooper Urbs. Order Coordination I 4 Wire Cooper Urbs. 4 Wire Cooper Urbs. 4 Wire Cooper Urbs. Urbs Tagging Servi Designed and Distrit Loop Tagging Servi Designed and Distrit Loop Tasling - Basis Loop Tasling - Basis Loop Tasling - Basis Loop Tasling - Basis Loop Tasling - Basis Urbsundled Sub-Loop Media Urbsundled Sub-Loop Ecological Removal Urbsundled Sub-Loop Col/Equip Removal Urbsundled Sub-Loop Col/Equip Removal Urbsundled Nebwork Tarmis Urbsundled Nebwork Tarmis Urbsundled Nebwork Tarmis Urbsundled Nebwork Tarmis	bunded Sub-Loop Disinbulian - Zone 1			VEF	UCS2X	5.15	60.19	21.78	47.50	5.28						
Order Coordination! 44 Wire Copper Units 44 Wire Copper Units 44 Wire Copper Units 44 Wire Copper Units 45 Wire Copper Units 45 Wire Copper Units 46 Units 47 Wire Copper Units 47 Wire Copper Units 48	bunded Sub-Loop Distribution - Zone 2 bundled Sub-Loop Distribution - Zone 3	-		UEF	UCS2X UCS2X	7.31 12.98	80.19 60.19		47.50 47.50	5.26 5.26						
4 Wire Copper Unbo. 4 Wire Copper Unbo. 4 Wire Copper Unbo. 4 Wire Copper Unbo. Description of Copper Unbo. Loop Tagging Servi Description of Copper Unbo. Loop Tagging Servi Loop Tagging - Basic Loop Tagging - Basic Loop Tagging - Basic Unboundled Sub-Loop Media Unboundled Sub-Loop Coll/Equip Removal Unboundled Sub-Loop Coll/Equip Removal Unboundled Loop Mo unbaundled Loop Mo unboundled Nebwork Tagmin Unboundled Nebwork Tagmin Network Interface Device (6)	DOMESTIC CONTRACTOR OF THE STREET	1	-			12.30			74.00	0.00						
4 Wire Copper Unbo 4 Wire Copper Unbo Cord Coordination Loop Togging Sawl Designed and Distrit Loop Talaing - Basis Loop Talaing - Basis Loop Talaing - Basis Unboundled Sub-Loop Model (Unboundled Sub-Loop Coll/Equip Removal Unboundled Sub-Loop Coll/Equip Removal Unboundled Sub-Loop Coll/Equip Removal Unboundled Sub-Loop Unboundled Nebwork Tormin Unboundled Nebwork Tormin Network Interface Davis of	n for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		9.00	9.00	49.71	8.60						
Order Cooper Unbe Order Coordination Loop Tagging Servit Designed and Distint Loop Tasling - Basis Loop Tasling - Basis Loop Tasling - Basis Urbundled Sub-Loop Modific Urbundled Sub-Loop Colf-Equip Removal Urbundled Sub-Loop Colf-Equip Removal Urbundled Loop but Urbundled Loop but Urbundled Nebwork Tarmis Urbundled Nebwork Tarmis Urbundled Nebwork Tarmis Network Interface De zwie of	bundled Sub-Loop Distribution - Zone 1 bundled Sub-Loop Distribution - Zone 2	+		UEF UEF	UCS4X UCS4X	5.36 7,61	68.83 68.83	30.42 30.42	49.71	8.60 8.60						
Luop Togging Servi Designed and Disidi Luop Tesling - Basic Luop Tesling - Basic Luop Tesling - Basic Luop Tesling - Basic Lubert - Luop Medil Lubundled Sub-Luop Medil Lubundled Sub-Luop Removal Lubundled Sub-Luop Colificatio Removal Lubundled Luop Mo unbandled Luop Mo unbandled Nebwork Termil Lubundled Nebwork Termil Lubundled Nebwork Termil	bended Sub-Loop Distribution - Zone 3			UEF	UCS4X	13.51	68.83	30.42	49.71	6.50						
Loop Togging Servi Designed and Disidi Loop Testing - Basic Loop Testing - Basic Loop Testing - Basic Loop Testing - Basic Lichtended Sub-Loop Medil Lichtended Sub-Loop Medil Lichtended Sub-Loop Colification Removal Unburdied Loop Mo unburdied Loop Mo unburdied Nebwork Termis Lichtended Nebwork Network Interface Devise (9	n for Unbundled Sub-Loops, per sub-loop pair	1		UFF	USBMC	,	9.00	9.00					1	ĺ		
Designed and Distrit Loop Testing - Basis Loop Testing - Basis Unbundled Sub-Loop Medic Unbundled Sub-Loop Medic Unbundled Sub-Loop Col/Equip Removal Unbundled Sub-Loop Col/Equip Removal Unbundled Sub-Loop Unbundled Nebwork Termin Unbundled Nebwork Network Interface Davis of Network Interface Davis of	rvice Level 1, Urbundled Copper Loop, Non-	 		UCF	OSUMO		3.00	320								
Loop T setting - Basic Urbundied Sub-Loop Medil Urbundied Sub-Loop Medil Urbundied Sub-Loop CoWEquip Removal Urbundied Sub-Loop CoWEquip Removal Urbundied Sub-Loop Urbundied Loop Mo urbundied Loop Mo Urbundied Nebwork Termin Urbundied Nebwork Weter Nebwork Interface D zer Neb 69	Inbution Subleops		<u> </u>	UEF, UEANL	URETL		8.93	88.0								
Unbundled Sub-Loop Medil Unbundled Sub-Loop CoWEgup Removal Unbundled Sub-Loop CoWEgup Removal Unbundled Loop Mo unbundled Loop Mo unbundled Network Tormit Unbundled Network Tormit Unbundled Network Tormit Network Interface Device (8		+	├	UEF UEF	URET1 URETA		48.85 23.95	0.00 23.95								
Col/Equip Removal Urituralled Sub-loop Col/Equip Removal Unburdied Loop Mo unburdied loop Urituralled loop Urituralled Network Termin Juhundled Network Network Interface Device (6	dification		<u> </u>	124)	10,12,		Z.L.QU						L			
Unburilled Sub-loop Colffiguip Removed Unburilled Loop Mo unburilled Loop Mo unburilled Network Termin Unburilled Network Network Interface Dayloo (8	op Modification - 2-W Copper Dist Load	1	Π	UEF	ULMZX		10.11	10.11								
Coll/Equip Removal Unburdled Loop Mo urburdled loop Urburdled Network Tornel Unburdled Network Network Interface Device (8	op Modification - 4-W Copper Dist Load	┪	-	UEF	ULMZX		7011	10.11						+		
Unbundled loop Unbundled Network Torrels Linbundled Network Network Interface Dayloo (1	reliper 4-W PR			UEF	ULMAX		10.11	10.11								
Unbundled Network Termin Unbundled Network Network Interface Device (I	Redification, Removal of Bridge Tap, per	1		UEF	ULMBT		15.58	15.58			1	1				
Network Interface Davice (ninating Wire (UNTW)													<u>i</u> ,		
	rk Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02									
Character Comments (Comments of Comments o	(MID) Device (MID) - 1-2 lines	_		UENTW	UND12		71,49	48.87	Т		— т		Т			
National Interface De	Device (NID) - 1-5 tres			UENTW	UND16		113.89	89.07							二二	
	Device Cross Cornect - 2 W Device Cross Cornect - 4W			UENTW UENTW	UNDC2		7.83 7.83	7,53 7,53								
NE OTHER, PROVISIONING ONL		1		CENTIN	URAN		7,43	7,203								
I take making Countries				UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00		,							
			 	USL, MICDI	CCOSF	0.00	0.00									
Unbundled DS1 Loo rate	:1 Name, Provisioning Only - no rate			USL, NTCO1	CCDEF		0.00									-
NID - Dispetch and S UNTW Circuit Estab	il Name, Provisioning Only - no rate pop - Superframe Format Option - no rate pop - Expanded Superframe Format option - no			UENTW	UNDBX	0.00	0.00									

UNBUNC	DLE	D NETWORK ELEMENTS - Florida												Att: 2 Exts: A			
					1								Svc Order	Incremental	Incremental		
	- 1		l		1	1							Submitted	Charge -	Charge -	Charge -	Chargo
	1		l		l	1	l					Elec	Manually	Marruel Svc	Mariual Svc	Martial Syc	
ATEGOR	*	rate elements	Interim	Zone	9CS	USOC	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Ordervs.	Order vi
	- 1		l			1	1							Electronie-	Electronic-	Electronic-	Electroni
	- 1		l			1								1st	Addi	Disc 1st	Disc Add
	-+		 	┼		 	ļ	Name	ourring i	Nonrecurring	Channan			500	Rates(\$)	l	<u> </u>
			-	┼		 	Rec	First	Addi	First	Addi	SOURCE.	SOMAN	SONAN	SOMAN	SOMAN	SOMAN
OOP MAX	(FJ)		┼──	+		 		FR#(70.01	(Ret	PAGE 1	JOHLO	JOHN	SCHOOL	SUMPLI	SUMMAN	acmen
1		Loop Makeup - Preordering Without Reservation, per working or	 	+		 							-				
- 1		spare facility queried (Manual).	l	1	UMK	UMKLW	1 1	52.17	52.17								
		Loop Makeup - Preordering With Reservation, per spare facility		1		1											
		quaded (Manual).	1	1	UMK	UMKLP		55.07	55.07								1
	1	Loop MakeupWith or Without Reservation, per working or spare				1						_					
		facility quoried (Mechanized)			UMK	UMKMO		0.6764	0.6784								<u>L</u>
INE SPLIT	TNE			T													
EN		ER ORDERING-CENTRAL OFFICE BASED					·					,	,				
		Une Splitting - per line activation DLEC owned splitter		—	UEPSR VEPS8	UREOS	0.61										
		Une Splitting - per line activation AT&T owned - physical	—	 	UEPSR UEPS8	UREBP	0.61	29.88	21.28	19.57	9.61						L
		Line Splitting - per line activation AT&T owned - virtual	<u> </u>	┸	UEPSR UEPSB	UREBY	1.134	29.88	21.28	19.57	9.61						
		ER ORDERING - REMOTE SITE LINE SPLITTING DLED EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
1274		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		T	r	7			·								
- 1		Zone 1	l	١,	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	┼──	 `	DEF GIVEL GO	1004	10.00	70.27		*****	9.57						-
- 1		Zone 1	1	1 1	UEPSR UEPS8	UEABS	10.69	49.57	22.83	25,82	6.57						l
_		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	T			T											
- 1		Zone 2	1	2	UEPSR UEPS8	UEALS	15.20	49.57	22.83	25.62	6.57	1 1					1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	,	1											
- 1		Zone 2	<u> </u>	2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	8.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		П		1											
		Zone 3		3	UEPSR UEPS8	UEALS	26.97	49.57	22.83	25.62	8.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	١		1											
		Zone 3		13	UEPSR UEPS8	WEARS	26.97	49.57	22.83	25.62	6.57			<u></u> -l		1	l
PH		AL COLLOCATION															
- 1		Physical Collocation-2 Wire Cross Connects (Loop) for Line	l	1	UEPSR UEPS8	PEILS	0.0276	8.22	7.22	5.74	4.58		- 1		1	- 1	l
140		Spiffing L COLLOCATION		ــــــــــــــــــــــــــــــــــــــ	UEFAR VEFSB	PEILS	0.0270	9.22	7.22	3.74	4.30						
VET	1100	LOGLOCATION		T		T							1		1		
- 1	- 1	Vinual Collection-2 Wire Cross Cornects (Loop) for Line Spitting	l		UEPSR UEPSB	VEILS	0.0502	11.57	11.57	0.00	0.00			- 1		1	l
MAUNIM		EDICATED TRANSPORT	 	1	OC VICE OF	+	1	1.172									
		FREE CHANNEL - DEDICATED TRANSPORT			1												
- 1		Interoffice Charmel - 2-Wire Voice Grade - per mile	T	T	UITVX	1L5XX	0.0091									1	
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination	1		UITVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0091										
		Interoffice Channel - 4-Wire Voice Grade - per mile			UTVX	1L5XX	0,0091										
T	1		1	1		1											
L		hteroffice Channel - 4- Wire Voice Grade - Facility Termination	1		UITVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - 56 kbps - per mile			UITOX	1L5XX	0.0091										
		Interoffice Channel - 56 tops - Facility Terminston		-	UNTOX	UITOS	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - 54 ldos - per mile	└	 	UITOX	1L5XX	0.0091										
		Interoffice Channel - 64 loos - Facility Termination		-	UTTOX	USTD6	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - DS1 - per mile		-	UITDI	1L5XX	0.1856	105.54	A 17		19.05						
		Interoffice Cherrol - DS1 - Facility Termination	├	₩	ומדונו	UITF1 1L5XX	3.87	100.54	98.47	21.47	19.05						
		Interoffice Chernel - DS3 - per mile			U1TD3 U1TD3	U1TF3	1,071,00	335.46	219.28	72.03	70.58						
-		Interoffice Channel - DS3 - Facility Termination Interoffice Channel - STS-1 - per mile	 		UITSI	1L5XX	3.67	333.46	4 (0.20	,2,00	14.30						
-		Interoffice Charmel - STS-1 - per nue Interoffice Charmel - STS-1 - Facility Termination	 	+	U1751	UITES	1,056.00	335.46	219.28	72.03	70.56						
11142		DLED DARK FIBER - Stand Alone or in Combination			141141	12,,,,0	-,00000	444.74	4 10 40	15.07]							
1014		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		T	ì	T	1					I		T	T		
1		Roule Mile Or Fraction Thereof	l	1	UDF, DOFCX	1L5DF	26.65			i				l	1		
		Dark Fiber - Interplace Transport, Per Four Fiber Strands, Per	T -	T		1											
- 1		Route Mile Or Fraction Thereof	1		UDF, UDFCX	UDF14	<u> </u>	751.34	193.88				I				
GH CAP		UNBUNDLED LOCAL LOOP				1											
		S-1 UNBUNDLED LOCAL LOOP - Stand Alone															
		DS3 Unbundled Local Loop - per mile			UE3	1L5ND	10.92							-			
	#1		1	T	UE3	LIE3PX	386.88	55£.37	343.01	139.13	96,84						
	1	DS3 Unbundled Lecal Loop - Facility Termination															
	1	STS-1Urbundled Local Loop - per mile			UDLSX	1L5ND	10.92			1					L		
DS-	- 1	STS-1Urbundled Local Loop - per mile STS-1 Urbundled Local Loop - Facility Termination		Ξ	UOLSX UOLSX	UDUS1	10.92 426.60	556.37	343.01	139.13	96.84						
DS-	D EX	STS-1Urbundled Local Loop - per mile						556.37	343.01	139.13	96.84						

UNBUNDL	ED NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interior	Zane	acs	USOC			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Maruel Svc Order vs.	Charge - Marual Svc Order vs.	Charge Manual St Order vs
													1st	Etectronic- Add'i	Electronic- Disc 1st	Electroni Disc Add
						Rec		turring	Nonrecurring	Disconnect			OSS	Rates(\$)		L
					<u> </u>		First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2	 	1 2	UNCVX	UEAL2 UEAL2	12.24	127.59 127.59	60.54 60.54	48.00	6.31						
	2-Wire VG Loop (SL2) in Combination - Zone 3	+		UNCVX	UEAL2	30.87	127.59	60.54	48.00 48.00	6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	+	1	UNCVX	UEAL4	18.89	127.59	80.54	48.00	6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	 	1 2	UNCVX	UEAL4	28.84	127.59	60.54	48.00	8.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	1	3	UNCVX	UEAL4	47.62	127.59	60.54	48.00	6.31						
	2-Wire ISDN Loop in Combination - Zone 1			UNCAX	U1L2X	19.28	127.59	60.54	48.00	6.31						
	2-Wire ISON Loop in Combination - Zone 2			UNCNX	U1L2X	27.40	127.50	60.54	48.00	8.31						
	2-Wire ISDN Loop in Combination - Zone 3	↓		UNCNX	U1L2X UDL56	48.62	127.59	80.54	48,00	6.31						
	4-Wire 55Kbps Digital Grade Loop in Combination - Zone 1	╂		UNCOX	UDLS6	22.20 31.56	127.5 0 127.59	60.54	48.00 48.00	6.31						
	4-Wire 55Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 55Kbps Digital Grade Loop in Combination - Zone 3	+		UNCOX	UDLS6	55.99	127.59	60.54	48.00	8.31 8.31	-					<u> </u>
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1		UNCOX	UDL64	22.20	127.50	60.54	48.00	8.31						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCOX	UDL64	31.56	127.59	60.54	48.00	8.31						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCOX	UDL64	55.99	127.59	60.54	48.00	6.31						
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121,62	51.44	14,45						
	4-Wire DS1 Digital Loop in Combination - Zone 2	-		UNC1X	USLXX	100.54	217.75	121,62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3	╄	3	UNCIX	USLXX	178.39	217.75	121.62	51.44	14.45						
	OS3 Local Loop in combination - per mile	┿		UNC3X UNC3X	1L5ND UE3PX	10.92 386.88	244.42	154.73	67,10	26.27						
	IDS3 Local Loop in combination - Facility Termination STS-1 Local Loop in combination - per mile	 	├	UNCSX	1L5ND	10.92	244.42	154.73	67.10	26.27						
	STS-1 Local Loop in combination - Facility Termination	 		UNCSX	UDLS1	426.60	244.42	154.73	87.10	26.27						<u> </u>
	Interoffice Charmel in combination - 2-wire VG - per mile	 		UNCVX	1L5XX	0.0091			97.10	20.27						
	interattice Channel in combination - 2-wire VG - Facility				1											
	Termination			UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03					1	
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	9,0091										
	Interoffice Channel in combination - 4-wire VG - Facility															
	Termination Interoffice Channel in combination - 4-wire 56 kbps - per mile	-	ļ	UNCVX	U1TV4	22.58 0.0091	94,70	52.59	45.28	18,03						
	Interoffice Channel in combination - 4-wire 56 kbps - Facility			UNGUX	IILDAA	0.0081										
	Termination			UNCOX	U1TD5	18.44	94,70	52.59	45.28	18.03		- 1		l	- 1	
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	1	 	UNCDX	1L5XX	0.0091	<u> </u>		10.20	70.00						
	Interoffice Channel in combination - 4-wire 64 kbps - Facility	1	_											-		
	Termination			UNCOX	UITDE	18.44	94.70	52.59	45.28	18.03		- 1		- 1	1	
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.1858										
	Interoffice Channel in combination - DS1 Facility Termination			UNCIX	U1TF1	88,44	174.46	122.46	45.61	17.95						
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	3.87	244.64									
	Interoffice Channel in combination - DS3 - Facility Termination interoffice Channel in combination - STS-1 - per mile	 		UNC3X UNCSX	U1TF3 1L5XX	1,071.00	320.00	138.20	38.60	18.81						
	Interoffice Channel in combination - STS-1 Facility Termination	ļ		UNCSX	UITES	1,056,00	320.00	138.20	38.60	18.81						
DOTTONAL A	NETWORK ELEMENTS	-	-	- Contract	1	1,000.00	40,00	13220		14.41						
	el Features & Functions:		L				·								ь	
		T		U1TD1,										T	- 1	
	Clear Channel Capability Extended Frame Option - per DS1			ULDO1.UNC1X	CCOEF		0.00									
1		l . I		U1TD1,					l	1	- 1			. 1		
	Clear Channel Capability Super FrameOption - per DS1			ULDD1.UNC1X	CCOSF		0.00									
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - oper DS1	١. ١	1	ULDD1, U1TO1, UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80	i	- 1	- 1	- 1		
	sper DS1	 '-		U1TD3, ULDO3,	MACCE		107.52	23.02	2.07	0.80						
	C-bit Parity Option - Subsequent Activity - per DS3	1		UE3, UNC3X	NRCC3		219.09	7.87	0.773	0.00			- 1	1		
	DS1/DS0 Chernel System	1		UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	DS3/DS1Chamel System			UNC3X, UNCSX	MO3	211.19	115,80	58.54	12.16	4.28						
J	Voice Grade COCI in combination			UNCVX	1D1VG	1.36	6.71	4.84								
	Voice Grade COC1- for 2W-SL2 & 4W Voice Grade Local Loop			UEA	1D1VG	1.38	6.71	4.84	00.0	0.00					T	
	Voice Grade COCI - for cornection to a channelized DS1 Local										7	-				
	Channel in the same SWC as collocation			UITUC	1D1VG	1.38	6.71	4.84	000	0.00						
	OCU-DP COCI (2.4-64kbs) in combination	1		UNCOX	10100	2.10		4.84	0.00	0.00						
	OCU-DP CGCI (2,4-84lids) - for Unbundled Digital Loop	-		NOT	10100	2.10	6.71	4.84	0.00	0.00						
	IOCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1			i	ì	1		1			- 1	- 1	i	1		
				I I I T I W	MOMO	1 3401	g 74 1		6001	0 00 1						
	Local Charmel in the same SWC as colocation 2-wire ISDN COCI (BRITE) in combination	 	_	U1TUD UNCNX	1D1D0 DC1CA	2.10 3.86	8.71 5.71	4.84	00.0	0.00						

UNBUNDL	ED NETWORK ELEMENTS - Florida												Att: 2 Extr: A			
		Γ	T								Syc Order		incremental	Incremental	incremental	Incremen
		l	1	l	ł						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		l	1		1						Elec	Manually	Manual Syc	Manual Svc	Manual Svc	Marguel 5
ATEGORY	RATE ELEMENTS	Interty	Zone	BCS	USOC			RATES(\$)			perLSR	per LSR				
	1917 8 8484741717			1	1						bearsk	perusk	Order vs.	Order vs.	Ondervs.	Order v
		1	1		1								Electronic-	Electronic-	Electronic-	Electron
		1	1		1						1		1st	Addfl	Disc 1st	Disc Ade
		↓	╀		<u> </u>											
		 	+		<u> </u>	Rec	Monrec		Nonrecurring		L			Rates(\$)		
		ļ			 	-	First	Addfl	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SONAN	SOMAN
- 1	2-wire ISDN COCI (8RITE) - for connection to a channelized DS1	ı	1	l	L	ii								1		
	Local Charnel in the same SWC as colocation	<u> </u>	-	U1TUB	UC1CA	3.66	6.71	4 B4	C.DG	0.00						
	DS1 COCI in combination		1	UNCIX	UC1D1	13,76	6.71	4.84	0.00	0.00						
	DS1 COCI - for Stand Alone Local Channel			ULDO1	UC101	13.76	6.71	4.84		0.00						
	DS1 COCI - for Stand Alone Intercifice Channel		1	UTTO1	UC1D1	13.76	8.71	4.84	0.00	0.00						
	DS1 COCI - for OS1 Local Loop	1	1	USL, NTCD1	UC1D1	13.76	6.71	4.84	0.00	0.00						
	IDS1 COCI - for connection to a charmelized DS1 Local Charmel in	_	1		1											
i	the same SWC as collocation	Į	1	UITUA	UCIDI	13.76	6.71	4.64	0.00	0.00	1					
	EN SKING OTTO AS CONDUCTOR	├──	┼──	UNCVX, UNCOX.	-	19.79		7407	0.00	020						
- 1	i e	1	1	UNCIX UNCIX	i	i .	- 1	1	1		l 1					
- 1	1	1	1	UNCSX, UDFCX		1 1	1				1 1					
		l			i											
ı		1	1	XDH1X, HFQC6,	I	1 1										
				XOO2X, XOV6X.	l											
	İ	l	1	XDDFX, XDD4X,	I	1 1	1	l				l			1	
	Wholesale - UNE, Switch-As-is Conversion Charge	ı	1	HFRST, UNCNX	UNCCC		8.96	8.98							ı	
	The state of the s		T	UITVX, UITDX.	T	T			-							
- 1	Unbundled Misc Rate Element, SNE SAI, Single Network Element	J	1	UITOI, UITOS.	1		i								1	
l l	Switch As is Non-requiring Charge, per circuit (LSR)	l	1	U1TS1, UDF, UE3	URESL		8.98	8.98			 	l			ì	
		┼	+		POVEOR	 	0.30	6.30								
1	Unbundled Misc Rate Element, SNE SAI, Single Network Element	1	1	UTTVX, UTTDX.	1	1	l	- 1				1		1		
- 1	Switch As is Non-recurring Charge, incremental charge per circuit	ı	1	UTTO1. UTTO3.	1	1								1		
	on a spreadsheet	<u> </u>		U1TS1, UDF, UE3	URESP		8.98	8.96								
Acces	s to DCS - Customer Reconfiguration (FloxSorv)															
	Customer Reconfiguration Establishment		T				1.63		1.63							
	IOS1 DCS Termination with DS0 Switching		1			27.39	32.89	23.58	16.98	12.77						
	OS1 OCS Termination with DS1 Switching		1			11,70	25.07	15.76	13.05	8.86						
	DS3 DCS Termination with DS1 Switching	1	1			146.81	32.89	23.58	16.96	12.77						
Morto i	(SynchroNet)	•		·												
11000	Node per month	1	T	UNCDX	UNCNT	18.35			1							
Carrie	e Regrangements			JULIU	14111111					•						
10076	a Comitanifications			USTVX, USTDX,												
- 1		1	1	UITUC, UITUD.	1	1 1					i 1					
- 1]	l	1		l											
- 1	1	l	1	UITUB, ULDVX,	I				1			- 1			- 1	
- 1	NRC - Change in Facility Assignment per circuit Service	l	1	ULDOX, UNCVX.	l	1 1								- 1		
	Rearrangement	<u> </u>		UNCDX, UNC1X	URETD		101.07	43.04								
		T	T	UITVX, UITDX,	1	1										
		l	1	UITUC, UITUD,	1	1 1			1		1	1	J]	
ı		l	1	UITUB, ULDVX	1	l I			1				- 1		- 1	
	NRC - Charge in Facility Assignment per circuit Project	ı	1	ULDOX, UNCVX.	l	l I			1			- 1	1		- 1	
- 1	Prince - Coloring in Facility Assignment per circuit riolpus	Ι.	1	UNCDX, UNCIX	URETB	l 1	3.67	3,67	- 1			- 1	- 1		- 1	
	Management (added to CFA per circuit if project managed)	 -	╀													
	NRC - Order Coordination Specific Time - Dedicated Transport			UNCTX, UNCTX	OCCSR		18.90	18.90								
MANING LINK			1													
			1	UNCVX. UNCDX,	I	1 T								T		
- 1		l	1	UNC1X, UNC3X,	I		i	i				l	i	1		
- 1		ı	1	UNCSX, UITDI,	I	1	ı	I	· 1		J	- 1	ſ	1	1	
1		I	1	UITDS, UITSI.	I	 	I	ı			1	1	- 1	1	1	
- 1		l	1	UE3, UDLSX	I	(I		1	1		1	1	- 1	1	i	
- 1		ı	1		I	[I	1	1	1			1	ı	1	1	
1		I	1	UITVX, UITDX,	ı	, I	I	1	I		1	1	I	l	1	
1	1	ı	1	U1TUB, ULDVX,	I	1	ı	1	i		ı	l	i	i		
1		l	1	ULDD1, ULDD3.	I	, I	1	. 1				l]	
	Commingling Authorization			บเอรา	CMGAU	0.00	0.00	0.00	0.00	0.00						
Comm	ringled (UNE part of single bandwidth circuit)															
	Committeed VG COCI		L	XDV2X	1D1VG	1,38	6.71	4.84	0.00	0.00				T		
	Commingled Digital COCI		1	XDV6X	10100	210	6.71	4.84	0.00	0.00						
	Commingled ISDN COCI	1	 	XDO4X	UCICA	3.68	6.71	4.84	0.00	0.00						
	Commingled 2-wire VG Interoffice Channel	 	+	XOV2X	U1TV2	25.32	94.70	52.59	45.28	18.03						
	Commission of the TO Internation Commission	+-	+	XOVEX	U1TV4	22.58	94.70	52.59	45.28	18.03		<u>-</u>				
	Commingled 4-wire VG Interphice Channel	⊢	┿						45.28	18.03						
		L		XDD4X	U1TD5	18.44	94.70	52.59								
	Commingled Stides Interoffice Channel			XDD4X	UNTOB	18.44	94.70	52.59	45.28	18.03						
	Commingled Stildgs Interoffice Channel Commingled 64/kbps Interoffice Channel								1							
	Commingled 64/sbps Interoffice Chennel		1	XDV2X, XDV6X,			1	ı	1	1	1			1	- 1	
	Commingled 64/sbps Interoffice Chennel				11.5XX	0.0091										
	Commingled 84/bps Interoffice Channel Commingled VG/DS0 Interoffice Channel Mileage			XDV2X, XOV6X, XDD4X			127.50	60.54	48.00	8.31						
	Commingled 84/bps Interoffice Channel Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1		1 2	XDV2X, XDV6X, XDD4X XDV2X	UEALZ	12.24					_				_	
	Commingled 84thps triscoffice Chemist Commingled VG/DS0 Injury/frigg Chairsel Mileage Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2		2	XDV2X, XDV6X, XDD4X XDV2X XDV2X	UEALZ UEALZ	12.24 17.40	127.59	80.54	48.00	6.31						
	Commingled 84/bps Interoffice Channel Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1		3	XDV2X, XDV6X, XDD4X XDV2X	UEALZ	12.24										

INBUNDLED NETWORK ELEMENTS - Florida												Att: 2 Ext: A			
		T	1	T						Svc Order	Svc Order	incremental		Incremental	Incremen
	1	1		1	l						Subcettled	Charge -	Charge -	Charge -	Charge
1	1	1	j	1	l					Elec	Manually	Manual Syc	Manual Svc	Manual Svc	
ATEGORY RATE ELEMENTS	irstories	7000	BCS	USOC	i		RATES(S)								Manual S
ALLOWN STATE CONTRACTOR	A DURK!	7	1	1 0000	l		tour made)			per LSR	per LSR	Electronic- Electr	Ordervs.	Order vs.	Order va
	1	1	i	1	l								Electronio-	Electronic-	Electronic
(İ	I	1	1	l							1st	Addi	Disc 1st	Disc Add
		₩	 	 	<u> </u>	Mana		Managara	. Diament		L			<u> </u>	
		╄			Rec	First	Addi	Nonrecurring First	Addi	SOMEC	SOMAN				
Commingled 4-wire Local Loop Zone 2		+-	XDV6X	UEAL4	26.84	127.59	60.54	48.00	6.31	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Commingled 4-wire Local Loop Zone 3			XDV6X	UEAL4	47,62	127,59	60.54	48.00	6.31	 					
			XDD4X			127,59					-				
Commingled Stikips Local Loop Zone 1				UOL56	22.20			48.00							
Commingled 55kbps Local Loop Zone 2			XDD4X	UOL56	31.56	127,59	50.54	48.00							
Commingled Stikips Local Loop Zone 3			XDD4X	DOL56	55.99	127,59		48.00	8.31						
Commingled Sriktops Local Loop Zone 1			XDD4X	UDL64	22.20	127,59	60.54	48.00	6.31	1					
Commingled 54kbps Local Loop Zone 2			XDD4X	UDL64	31.56	127.59	60.64	48.00							
Curreningled 54kbps Local Loop Zone 3			XDD4X	UDL64	55.99	127.59	60.54	48.00	5.31						
Commingled ISON Local Loop Zone 1			XDD4X	U1L2X	19.28	127.59	60.54	48.00	6.31						
Comminged ISON Local Loop Zone 2			XDD4X	U1L2X	27.40	127,59		48.00	8.31						
Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	48.62	127.59	50.54	48.00	5.31				T		
Commingled DS1 COCI		1	XDH1X	UC101	13.76	6.71	4.84	0.00	0.00						
Commingled DS1 Interoffice Channel			XDH1X	U1TF1	88.44	174.48	122.48	45.61	17.95						
Comminded DS1 Interoffice Channel Mileage		1	XDH1X	11L5XX	0.1856										
Commingled OS 1/OS0 Channel System		 	XDH1X	MQ1	146.77	57.28	14.74	1.50	1.34						
Commingled DS1 Local Loop Zone 1		1-	XDH1X	USLXX	70.74	217.75	121.62	51.44	14.46						
Commingled DS1 Local Loop Zone 2			XDH1X	USDOX	100.54	217.75	121,62	51.44	14.45						
Comminged DS1 Local Loop Zone 3			XDHIX	USLXX	178.39	217.75	121.62								
		-	HPQC6	UE3PX	385.88	244.42	154,73	67.1D							
Commingled DS3 Local Loop		ļ			10.92	enac	104.73	67.10	40.4						
Commingled DS3rSTS-1 Local Loop Mileage		1	HFQC8, HFRST	1L5ND		244.42	267.70								
Commingled STS-1 Local Loop		<u> </u>	HFRST	UDLS1	428.60	244.42	154.73 58.54								
Commingled DS3/DS1 Channel System		<u> </u>	HFGC6	MOB	211.19	115.60		12.16							
Commingled DS3 Interoffice Channel			HFQC6	U1TF3	1,071.00	320.00	138.20	38.60	18.81						
Commingled DS3 Interoffice Channel Mileage			HFQC8	1L5XX	3.87										
Commingled STS-1Interoffice Channel			HFRST	U1TFS	1,068.00	320.00	138.20	38.60	18.81						
Commingled STS-1Interoffice Charsel Mileage			HFRST	1L5XX	3.87										
Commingled Dark Fiber - Interattice Transport, Per Four	Fiber	1	1	1	1										
Strands, Per Route Mile Or Fraction Thereof		1	HEODL	11.50F	26.85										
Commirgled Dark Fiber - Interoffice Transport, Per Four	Fiber														
Strands, Per Routs Mile Or Fraction Thereo!		1	HEODL	UDF14		751.34	193.88		1						
UNE to Commingled Conversion Tracking			XOH1X, HFOCS	CMGUN	0.00	0.00	0.00	0.00	0.00						
SPA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
IP Query Service		1													
LNP Charge Per query				 	0.000852										
LNP Service Establishment Manual		├		 	0.00000	13.63	13.83	12.71	12,71						
LNP Service Provisioning with Point Code Establishment		 		-		855,50	334.88	297.03	218,40						
PRI LOCATE				 		900.00	337.00	251,203	210.40						
1911 PBX LOCATE DATABASE CAPABLITY		<u> </u>	L	<u></u>	L					L				L	
		_	Trans.	100000		1,820.00			,						
Service Establishment per CLEC per End User Account		<u> </u>	9PBDC	9PBEU											
Changes to YN Range or Customer Profile		┞	9PBDC	9PBTN		182.14									
Per Telephone Number (Montrly)		-	9PBDC	9PBMM	0.07	44.7									
Change Company (Service Provider) ID			9PBDC	9PBPC		534.66									
PBX Locate Service Support per CLEC (Monthl)			9PBDC	9PBMR	178.80										
Service Order Cherge			9PBDC	9PBSC		11,90									
911 PBX LOCATE TRANSPORT COMPONENT															
See Alt 3															
				1											
Note: Rates displaying an "T" in interim column are inferim as a	mount of a Com-	بمنوطو	Arrive	1											

	D NETWORK ELEMENTS - Florida												Attachmen	nt: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)						Submitted	Manual Svc Order vs. Electronic- ist	Charge - Menual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring		Disconnect	0.01112			Rates (\$)		
			+				First	Add'I	First	Add*1	SUMPC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INDIANI ED E	XCHANGE ACCESS LOOP	 	-	ļ	 				 			 				
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		+				 	 						
	2 Wire Unbundled HDSL Loop Including manual service inquiry	1	1		 								-	-		
	& facility reservation - Zone 1		1	UHL	UHL2X	8.30										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11.80										-
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	20.94			<u> </u>							
	2 Wire Unbundled HOSL Loop without manual service inquity and facility reservation - Zone 1	İ	۱,	UHL	UHL2W	8.30			l	Į į						1
	2 Wire Unbundled HDSL Loop without manual service inquiry	 	 	VI IL	101112	0.30				 					· · ·	——
	and facility reservation - Zone 2	L	2	UHL	UHLZW	11.80					L					
	2 Wire Unbundled HDSL Loop without manual service inquiry				I				I							
	and facility reservation - Zona 3			UHL	UHL2W	20.94				ļ						
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry	IBLE	LOOP		 				 	 	-					
	and facility reservation - Zone 1	1	1 1	UHL	UHL4X	12.49										
	4-Wire Unbundled HOSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	17.76										
	4-Wire Unbundled HOSL Loop including manual service inquiry	 	┢													
	and facility reservation - Zone 3	<u> </u>	3	UHL	UHL4X	31.50			<u> </u>							
	4-Wire Unbundled HDSL Loop without manual service inquiry		١.	l		40.40			l							
	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL4W	12.49				ļ						
	and facility reservation - Zone 2		2	UHL	UHL4W	17,76									į.	
	4-Wire Unbundled HDSL Loop without manual service inquity				1											
	and facility reservation - Zone 3		3	UHL	UHL4W	31.50										
	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USUXX	81.35 115.62			ļ							
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	-		USL	USLXX	205.15			 							
HIGH CAPACIT	Y UNBUNDLED LOCAL LOOP	 	<u> </u>		10001				·							
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12.58										
	High Capacity Unbundled Local Loop - DS3 - Facility		 		1											
	Termination per month		L	UE3	UE3PX	444.91										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per reports			UOLSX	1L5ND	12.56										
	High Capacity Unbundted Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	490.59										
UNBUNDLED C	PEDICATED TRANSPORT	-	1-		1	100,00										
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	11.5XX	0.21										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Terrateation			UITDI	U1TF1	101.71										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		Г	U1TD3	1L5XX	4.45										
	month Interoffice Channel - Dedicated Transport - DS3 - Facility	 	 	01103	1.000	7.40						-				
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	<u> </u>	 	UITO3	U1TF3	1231.65										
1 1	Interoffice Channel - Dedicated Transport - STS-1 - Facility	<u> </u>	<u> </u>	U1TS1	1L5XX	4.45										
	Interdace Channel - Decicated Transport - S15-1 * Facility Tambination		1	UITSI	U1TFS	1214.40								ľ		
UNBUN	DLED DARK FIBER - Stand Alone or In Combination															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1			1											
	Route Mile Or Fraction Thereof	l		UDF, UDFCX	1L5DF	30.88		l .	I] 1	ı		1			

Version: 4Q07 Standard ICA 11/13/07

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. 8		
CATEGORY		RATE ELEMENTS	Interi m	Zone	ne BCS	usoc							Submitted	Charge -	Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
 -							Nonrecurring Nonrecurring Disconnect							Rates (\$)	DISC 180	Disc Add 1	
			— —	+		-	Rec	First	Addi	First	Addi	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	od the	Switch-As-la Charon	will not an	ly for UNE com							- TOTAL OF			- GOMAIN
	NOTE:	The monthly recurring and the Switch-As-is Charge and not t	he non-	recum	ng charges below w	ill apply for	UNE combination	ns provision	d as ' Current	ly Combined'	Network Eleme	nts.					
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	T	T T										
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	81.35										
		4-Wise DS1 Digital Loop in Combination - Zone 2	<u> </u>	2	UNC1X	USLXX	115.62										
		4-Wire DS1 Digital Loop In Combination - Zone 3		3	UNC1X	USLXX	205.15										
	-	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1											
		per month	l	L	UNC1X	1L5XX	0.21										
		Interoffice Transport - Dedicated - DS1 combination - Facility		П													
1 1		Termination per month			UNC1X	U1TF1	101.71										
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC														
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.58										
		DS3 Local Loop in combination - Facility Termination per month			UNGSX	UE3PX	444.91										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	11.5XX	4,45										
		Interoffice Transport - Dedicated - DS3 combination - Facility		1		1	1					 					
l i		Termination per month	l	i	UNC3X	U1TF3	1231.55			l	1	1					
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Loop in combination - per mile per month	T		UNCSX	1L5ND	12.56				I						
		STS-1 Local Loop in combination - Facility Termination per	T	1													
I 1		manth	.	l	UNCSX	UDLS1	490.59			l		L					
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.45										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	Utifs	1214.40										