

## Angela Charles

---

**From:** Ruth McHargue  
**Sent:** Tuesday, May 26, 2015 10:50 AM  
**To:** Consumer Correspondence  
**Subject:** FW: To CLK Docket 150009

Customer correspondence

-----Original Message-----

**From:** Consumer Contact  
**Sent:** Tuesday, May 26, 2015 9:17 AM  
**To:** Ruth McHargue  
**Subject:** To CLK Docket 150009

Copy on file, see 1182159C. DHood

-----Original Message-----

**From:** Angela Charles On Behalf Of Records Clerk  
**Sent:** Friday, May 22, 2015 4:17 PM  
**To:** Consumer Contact  
**Subject:** FW: Do NOT confirm FPL request

-----Original Message-----

**From:** Maria Mussini [<mailto:mssi29@aol.com>]  
**Sent:** Friday, May 22, 2015 4:16 PM  
**To:** Records Clerk  
**Subject:** Do NOT confirm FPL request

Dear PSC Clerk,

I am a resident of the historic Miami Roads neighborhood where FPL wants to run high voltage transmission lines. I strongly object to this for the following reasons:

- transmission within 50 feet of homes in this coastal (Biscayne Bay) area that's more vulnerable to strong hurricane winds presents an unreasonable RISK,
- H2O - everyone knows about the mission to preserve our drinking water, and
- the ability of FPL to find other means like underground or plant relocation; company's stock has DOUBLED since 2010.

Seriously, is this even truly being considered? I think it's a NO brainer - NO! Please do not confirm FPL's request. Thank you.

Maria Mussini  
64 SW 18 Road  
Miami, Florida 33129  
305-986-6706