

Ashley Quick

Subject: APPROVED - request for oral modification to Item 7, Docket No. 150269-WS

From: Kathy Shoaf

Sent: Friday, September 09, 2016 1:40 PM

To: Commissioners & Staffs; Keith Hetrick; Mark Futrell; Apryl Lynn; Mary Anne Helton; Tom Ballinger; Greg Shafer; Andrew Maurey; Cheryl Bulecza-Banks; Jennifer Crawford; Kyesha Mapp; Laura King; Moni Mtenga; Charles Johnson; Shannon Hudson; Curt Mouring; Bart Fletcher; Dale Buys

Cc: Kate Hamrick; Jacqueline Moore; Nancy Harrison

Subject: APPROVED - request for oral modification to Item 7, Docket No. 150269-WS

Please see APPROVED - Request for Oral Modification to Item 7, Docket No. 150269-WS.

Kathy Shoaf

Executive Assistant to

Braulio Baez, Executive Director

Florida Public Service Commission

Telephone: (850)413-6053

kshoaf@psc.state.fl.us

From: Braulio Baez

Sent: Friday, September 09, 2016 9:44 AM

To: Andrew Maurey

Cc: Mark Futrell; Tom Ballinger; Greg Shafer; Mary Anne Helton; Cheryl Bulecza-Banks

Subject: RE: request for oral modification to Item 7, Docket No. 150269-WS

Approved. Thanks

From: Andrew Maurey

Sent: Friday, September 09, 2016 9:10 AM

To: Braulio Baez

Cc: Mark Futrell; Tom Ballinger; Greg Shafer; Mary Anne Helton; Cheryl Bulecza-Banks

Subject: request for oral modification to Item 7, Docket No. 150269-WS

Staff requests approval to make an oral modification to Item 7 scheduled for the September 13, 2016 Commission Conference (Docket No. 150269-WS, Application for limited proceeding water rate increase in Marion, Pasco, and Seminole Counties by Utilities, Inc. of Florida). Staff's proposed modification relates to three scrivener errors. Modifications are necessary to the Recommendation section on page 4, and Footnote 13, on page 6. The schedules attached to staff's recommendation do not require modification as the schedules contain the correct numbers.

Modification to the Recommendation section on page 4:

Issue 1:

Should the Utility's requested increase associated with the Pasco County Interconnect Phase II be approved?

Recommendation:

Yes, as modified by staff.

- The Commission should approve a water rate increase of ~~\$46,994~~ \$46,944 (or 5.35 percent) for Pasco County Phase II.
- In addition, the estimated \$200,000 net cost to retire the abandoned wells should be reviewed in the forthcoming consolidated rate case in Docket No. 160101-WS. ~~160161-WS~~.
- Further, UIF should be directed to provide secondary water quality results for portions of its Summertree distribution system at least every six months. Samples should be taken from the same sites labeled "nearby system site" shown in Appendix A of the CPH Engineering Report for consistency purposes. Such results should be filed with the Commission for informational purposes. The first report should be filed no later than two months after the completion of the interconnection with Pasco County.
- Pursuant to Order No. PSC-14-0025-PAA-WS, the 100-basis point reduction in return on equity and water testing requirement should remain in place until the water quality is deemed satisfactory by the Commission. (Slemkewicz, Mtenga, Hudson)

Modification to Footnote 13 on page 6:

¹³ Document No. 07147-16 ~~07078-16~~, p.4

Andrew L. Maurey
Director
Division of Accounting and Finance
Florida Public Service Commission
2540 Shumard Oak Blvd.
Tallahassee, FL 32399-0850
(850) 413-6465
amaurey@psc.state.fl.us