



(850) 521-1706  
bkeating@gunster.com

November 17, 2017

**BY E-PORTAL**

Ms. Carlotta Stauffer  
Commission Clerk  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, FL 32399-0850

**Re: DOCKET NO. 20170179-GU - Petition for rate increase and approval of depreciation study by Florida City Gas.**

Dear Ms. Stauffer:

Consistent with Staff's request, please accept for electronic filing Florida City Gas's amended Minimum Filing Requirements (MFR) Schedules E-4, F-10, and I. These schedules supersede the same individual schedules submitted with and included in the revised MFR filing made on November 6, 2017, and identified as Commission Document No. 09537-2017.

This filing is submitted solely for the purpose of correcting errors identified by Commission staff in these particular schedules.

Thank you for your assistance with this filing. Please do not hesitate to contact me if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read 'Beth Keating', written over a horizontal line.

Beth Keating  
Gunster, Yoakley & Stewart, P.A.  
215 South Monroe St., Suite 601  
Tallahassee, FL 32301  
(850) 521-1706

MEK

**ATTACHMENTS**

cc:// Staff Counsel (Trierweiler)  
Office of Public Counsel (Ponder)

FLORIDA PUBLIC SERVICE COMMISSION  
 COMPANY: CITY GAS COMPANY OF FLORIDA  
 A DIVISION OF NUI UTILITIES  
 DOCKET NO.: 20170179-GU

EXPLANATION: PROVIDE THE CALCULATION OF SYSTEM PEAK  
 MONTHLY SALES & TRANSPORTATION VOLUMES BY RATE CLASS.

TYPE OF DATA SHOWN:  
 HISTORIC BASE YEAR: 12/31/16  
 PROJECTED TEST YEAR: 12/31/18  
 WITNESS: D. NIKOLICH

**SYSTEM MONTHLY SALES & TRANSPORTATION VOLUMES  
 (THERMS)**

YEARS ENDED - 12/31/13 - 12/31/16

LINE NO.	MONTH	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018
1	January	12,475,340	13,170,951	12,977,890	13,248,055	12,202,714	12,966,029
2	February	11,972,332	11,540,147	12,513,675	13,056,544	11,523,699	12,054,013
3	March	13,397,504	11,433,975	12,891,296	13,898,146	12,594,360	12,676,666
4	April	10,292,560	10,131,824	10,019,408	13,208,191	10,834,242	10,782,078
5	May	9,596,919	9,763,899	9,822,540	10,948,653	10,163,856	10,026,562
6	June	8,730,284	8,311,118	8,920,651	9,590,126	9,460,497	9,348,990
7	July	8,674,904	8,738,855	8,838,378	9,630,699	9,057,482	9,310,629
8	August	8,583,891	8,497,835	9,010,126	10,350,485	10,266,930	9,321,751
9	September	8,310,951	8,913,723	8,962,841	10,156,396	10,172,247	9,352,546
10	October	10,948,316	11,192,644	11,661,840	12,571,402	11,296,346	10,763,456
11	November	10,900,459	11,937,480	11,923,450	11,994,124	11,176,959	10,933,548
12	December	12,289,648	12,918,603	11,771,431	11,573,367	11,966,152	11,837,447
13	TOTAL	126,173,108	126,551,054	129,313,526	140,226,186	130,715,484	129,373,714

**CONTRIBUTION TO THE SYSTEM PEAK MONTH SALES VOLUME BY RATE CLASS**

	RATE CLASS	JAN 2013	JAN 2014	JAN 2015	MAR 2016	MAR 2017	JAN 2018
14	GS-1	194,421	214,743	206,777	228,178	205,947	371,291
15	GS-100	681,738	689,277	822,179	819,587	717,059	1,003,372
16	GS-220	785,842	800,212	657,464	641,331	484,714	533,980
17	GS-600	107,156	106,187	106,194	122,783	115,706	139,847
18	GS-1.2k	801,926	847,183	844,733	946,206	1,003,718	1,040,100
19	GS-6k	2,074,617	2,186,965	2,193,473	2,332,113	2,310,044	2,590,486
20	GS-25k	854,034	900,887	916,197	978,851	977,899	1,015,463
21	GS-60k	374,536	439,596	827,412	702,472	670,268	583,611
22	GS-120k	1,029,597	771,924	614,402	651,376	837,953	807,999
23	GS-250k	1,956,955	1,847,662	1,769,611	2,123,629	2,439,711	2,404,810
24	GS-1,250k	973,740	1,649,638	1,492,143	1,608,794	1,090,544	991,600
25	LES	235,563	518,824	154,468	385,352	599,071	482,800
26	KDS	2,402,965	2,196,221	2,371,595	2,356,232	1,140,503	997,500
27	GL	1,296	1,316	1,242	1,242	1,224	3,169
28	NGV	956	315	0	0	0	0
29	TOTAL	12,475,340	13,170,951	12,977,890	13,898,146	12,594,360	12,966,029

(TOTAL EQUALS THE PEAK MONTH SALES FROM ABOVE)



COMPANY: FLORIDA CITY GAS PIVOTAL UTILITY HOLDINGS, INC.  
 A DIVISION OF NUI CORPORATION D/B/A FLORIDA CITY GAS  
 DOCKET NO. 2017179-GU

WITNESS: D. NIKOLICH

(1) RATE SCHEDULE	(2) BILLS	(3) THERM SALES	YEAR ENDED 12/31/16		(6) ENERGY CHARGE	(7) TOTAL (4+5+6)	(8) DOLLAR INCREASE	(9) % INCREASE	(10) INCREASE \$ PER THERM
			(4) CUSTOMER CHARGE	(5) SAFE					
GS-1	328,138	2,274,617	\$2,625,104	\$231,813	\$1,278,631	\$4,135,548	\$421,666	10.20%	\$0.18538
GS-100	604,822	7,691,925	\$5,745,809	\$427,281	\$4,018,877	\$10,191,967	\$1,039,188	10.20%	\$0.13510
GS-220	271,242	5,715,039	\$2,983,662	\$191,283	\$2,830,716	\$6,005,661	\$612,346	10.20%	\$0.10715
GS-600	15,895	1,173,620	\$190,740	\$11,200	\$512,438	\$714,378	\$72,839	10.20%	\$0.06206
GS-1.2K	36,059	10,344,031	\$540,885	\$25,426	\$3,280,609	\$3,846,920	\$392,238	10.20%	\$0.03792
GS-6K	28,807	25,735,468	\$864,210	\$37,474	\$7,073,908	\$7,975,593	\$813,203	10.20%	\$0.03160
GAS LIGHTING	2,373	14,854	\$0	\$0	\$8,843	\$8,843	\$902	10.20%	\$0.06070
GS-25K	3,880	10,518,645	\$310,400	\$5,052	\$2,905,039	\$3,220,492	\$328,366	10.20%	\$0.03122
GS-60K	854	7,753,377	\$128,100	\$1,114	\$2,130,395	\$2,259,609	\$230,393	10.20%	\$0.02972
GS-120K	507	8,079,386	\$126,750	\$517	\$1,610,247	\$1,737,514	\$177,159	10.20%	\$0.02193
GS-250K	555	23,876,304	\$166,500	\$607	\$4,681,307	\$4,848,413	\$494,351	10.20%	\$0.02070
GS-1,250K	98	20,598,129	\$49,000	\$66	\$2,995,329	\$3,044,395	\$310,411	10.20%	\$0.01507
NATURAL GAS VEHICLES	0	0	\$0	\$0	\$0	\$0	\$0	0.00%	\$0
CONTRACT DEMAND	156	16,450,792	\$4,800	\$0	\$781,546	\$786,346	\$0	0.00%	\$0
<b>TOTAL</b>	<b>1,293,386</b>	<b>140,226,187</b>	<b>13,735,960</b>	<b>931,833</b>	<b>34,107,885</b>	<b>48,775,678</b>	<b>4,893,061</b>	<b>10.03%</b>	<b>\$0.03489</b>



PIVOTAL UTILITY HOLDINGS, INC  
D/B/A FLORIDA CITY GAS  
DOCKET NO. 20170179-GU  
MINIMUM FILING REQUIREMENTS  
INDEX

ENGINEERING SCHEDULES

SCHEDULE Revised

<u>NO.</u>	<u>WITNESS</u>	<u>TITLE</u>	<u>PAGE</u>
I-1 p.1	E. K. IGWILO	CUSTOMER SERVICE - INTERRUPTIONS	290
I-2 p. 1	E. K. IGWILO	NOTIFICATION OF COMMISSION RULE VIOLATIONS	291-292
I-3(a) pp.1 and 2	E. K. IGWILO	METER TESTING - 250 CFH AND LESS	293
I-3(b) p. 1	E. K. IGWILO	METER TESTING - 251 CFH THROUGH 2500 CFH	294
I-3(c) p.1	E. K. IGWILO	METER TESTING - OVER 2500 CFH	295
I-4 pp.1-6	R. MULLER	RECORDS - VEHICLE ALLOCATION	296-301

FLORIDA PUBLIC SERVICE COMMISSION

EXPLANATION: PROVIDE A LIST OF ANY INTERRUPTIONS IN SERVICES AFFECTING THE LESSER OF TEN PERCENT OR 500 OR MORE OF DIVISION METERS.

TYPE OF DATA SHOWN:  
HISTORIC BASE YEAR DATA: 12/31/16

COMPANY: PIVOTAL UTILITY HOLDINGS, INC  
D/B/A FLORIDA CITY GAS  
DOCKET NO. 20170179-GU

WITNESS: E. K. IGWILO

DESCRIPTION	CAUSE	DATE	DURATION
1 Line damage 251 East Florida Avenue, Melbourne (950 accounts)	Third Party Damage (Dig-in/Outside Force)	Dec 9 - 11, 2016	39 hours for all accounts to be restored

SCHEDULE I-2	NOTIFICATION OF COMMISSION RULE VIOLATIONS	TYPE OF DATA SHOWN:
FLORIDA PUBLIC SERVICE COMMISSION	EXPLANATION: PROVIDE A SUMMARY OF NOTICES RECEIVED BACK TO THE LAST RATE CASE NOT TO EXCEED FIVE YEARS	HISTORIC BASE YEAR DATA: 12/31/16
COMPANY: PIVOTAL UTILITY HOLDINGS, INC D/B/A FLORIDA CITY GAS		WITNESS: E. K. IGWILO
DOCKET NO: 20170179-GU		

LINE	NOTICE NUMBER	DATE	SUMMARY	CURRENT STATUS
1	GS-1087 CGCHD	June 27, 2011	Grade 2 & Grade 3 leaks not repaired within rule timeframe.	Violation notice closed
2	GS-1122 CGCBD	December 13, 2011	Grade 3 leaks within rule timeframe.	Violation notice closed
3	GS-1106 CGC TC	September 14, 2011	Grade 2 & Grade 3 leaks not repaired within rule timeframe.	Violation notice closed
4	GS-1147 CGCHD	July 17, 2012	Grade 2 & Grade 3 leaks not repaired within rule timeframe.	Violation notice closed
5	GS-1149-CGCEW	September 14, 2012	Failure to comply with Valve Maintenance: Transmission lines	Violation notice closed
6	GS-1195 CGCHD	August 8, 2013	Grade 3 leaks not repaired within rule timeframe.	Violation notice closed
7	GS-1219 CGCBD	December 9, 2013	Grade 3 leaks not repaired within rule timeframe.	Violation notice closed
8	GS-1196 CGCTC	November 15, 2013	Grade 3 leaks not repaired within rule timeframe.	Violation notice closed
9	GS-1267 CGCHD	October 29, 2014	Failure to meet the criteria for Cathodic Protection of Buried or Submerged Steel, Cast Iron, and Ductile Iron Pipeline	Violation notice closed
			Failure to meet requirements for Distribution System Valves ahead of regulator stations	Violation notice closed
			Odorization testing not completed within rule timeline.	Violation notice closed
			Failure to pressure test new segment of pipe to substantiate MAOP	Violation notice closed
			Failure to comply with Leak Surveys, Procedures and Classification.	Violation notice closed
			Prohibited drug program not posted on bulletin boards	Violation notice closed
			Failure to comply with Facility Identification rules.	Violation notice closed
			Inactive Gas Service Lines not retired within rule timeframe.	Violation notice closed
			Coated pipe not cathodically protected	Violation notice closed
10	GS-1291 CGCBD	November 28, 2014	Stations.	Violation notice closed
			Atmospheric Corrosion Control not completed within rule timeframe	Violation notice closed
			Failure to comply with Leak Surveys, Procedures and Classification.	Violation notice closed
			Failure to comply with Facility Identification rules.	Violation notice closed
			Inactive Gas Service Lines not retired within rule timeframe.	Violation notice closed
			Electrofusion re-qualification test did not meet regulatory requirements	Violation notice closed



SCHEDULE I-2		NOTIFICATION OF COMMISSION RULE VIOLATIONS		
FLORIDA PUBLIC SERVICE COMMISSION		TYPE OF DATA SHOWN:		
COMPANY: PIVOTAL UTILITY HOLDINGS, INC D/B/A FLORIDA CITY GAS DOCKET NO. 20170179-GU		EXPLANATION: PROVIDE A SUMMARY OF NOTICES RECEIVED BACK TO THE LAST RATE CASE NOT TO EXCEED FIVE YEARS		HISTORIC BASE YEAR DATA: 12/31/16
		WITNESS: E. K. IGWILO		
LINE	NOTICE NUMBER	DATE	SUMMARY	CURRENT STATUS
11	GS-1271 CGCTC	October 20, 2014	Failure to meet requirements for Distribution System Valves identification.	Violation notice closed
			Failure to comply with Leak Surveys, Procedures and Classification.	Violation notice closed
			Failure to meet Excess flow valve installation requirements.	Violation notice closed
			Prohibited drug program not posted on bulletin boards	Violation notice closed
12	GS-1261 CGCPL	September 18, 2014	Public Awareness for HCAs did not meet regulatory requirements	Violation notice closed
			Odorization testing not completed within rule timeline	Violation notice closed
13	GS-1349 - FCGBD	December 2, 2015	Grade 3 leaks not repaired within rule timeframe.	Violation notice closed
14	GS-1322- CGCHD	June 18, 2015	Grade 2 & Grade 3 leaks not repaired within rule timeframe.	Violation notice closed
			Failure to appropriately mark facilities	Violation notice closed
15	GS-1325-CGCTC	July 20, 2015	Grade 2 leaks not repaired within rule timeframe.	Violation notice closed
16	FCGHD	May 5, 2016	Stations.	Violation notice closed
			Plastic pipe: Qualifying persons to make joints.	Violation notice closed
			observation of on-the-job performance may not be used as the sole method of evaluation.	Violation notice closed
			Atmospheric Corrosion Control not completed within rule timeframe	Violation notice closed
			Failure to comply with Facility Identification rules.	Violation notice closed
			Requirement for Distribution System Valves.	Violation notice closed
			Failure to comply with Leak Surveys, Procedures and Classification.	Violation notice closed
17	GS-1383 - FCGBD	October 7, 2016	Plastic pipe: Qualifying persons to make joints.	Violation notice closed
			Atmospheric Corrosion Control not completed within rule timeframe	Violation notice closed
			Failure to comply with Leak Surveys, Procedures and Classification.	Violation notice closed
18	GS-1382 - FCGPL	October 5, 2016	Failure to meet requirements for using External Corrosion Direct Assessment (ECDA)	Violation notice closed
			Did not take appropriate actions to address integrity issues	Violation notice closed
			Additional preventive and mitigative measures not taken by operator	Violation notice closed
			Continual process of evaluation and assessment to maintain a pipeline's integrity did not requirements	Violation notice closed
			compliance	Violation notice closed
19	GS-1370 - FCGPL	June 9, 2016	Failure to meet requirement for Distribution System Valves.	Violation notice closed
			Failure to comply with Leak Surveys, Procedures and Classification.	Violation notice closed
			Failure to maintain appropriate Records on pipeline patrols	Violation notice closed
			Public awareness message not sufficient	Violation notice closed

FLORIDA PUBLIC SERVICE COMMISSION	EXPLANATION: OF THOSE METERS WITH A RATED CAPACITY OF 250 cfm	TYPE OF DATA SHOWN:
COMPANY: PIVOTAL UTILITY HOLDINGS, INC	OR LESS AND NOT INCLUDED IN AN APPROVED STATISTICAL SAMPLING	HISTORIC BASE YEAR DATA: 12/31/16
D/B/A FLORIDA CITY GAS	PLAN, PROVIDE A LIST OF ALL METERS THAT HAVE NOT BEEN TESTED	WITNESS: E. K. IGWILO
DOCKET NO. 20170179-GU	FOR ACCURACY WITHIN 120 MONTHS. (AS OF TEST YEAR END)	

LINE	COMPANY IDENTIFICATION NUMBE	MANUFACTURER	TYPE	SIZE
------	------------------------------	--------------	------	------

All meters sized 250CFH or less are in a statistical sampling program.

FLORIDA PUBLIC SERVICE COMMISSION

EXPLANATION: PROVIDE A LIST OF ALL METERS WITH A RATED CAPACITY  
OF 251 cfh THROUGH 2500 cfh THAT HAVE NOT BEEN TESTED FOR  
ACCURACY WITHIN 120 MONTHS (AS OF TEST YEAR END)

TYPE OF DATA SHOWN:  
HISTORIC BASE YEAR DATA: 12/31/16

COMPANY: PIVOTAL UTILITY HOLDINGS, INC  
D/B/A FLORIDA CITY GAS

WITNESS: E. K. IGWILO

DOCKET NO. 20170179-GU

LINE	METER NO.	CO IDENTIFICATION NUMBER:	MANUFACTURER	TYPE	SIZE	LOCATION	STATUS
1	34353	2652341		AL425	425	FCG Miami	NOT TESTED
2	4E357557	2658202		AL425	425	FCG Pt. St. Lucie	NOT TESTED
3	4E618928	2661144		AL425	425	FCG Miami	NOT TESTED
4	5F264815	2671551		AL425	425	FCG Brevard	NOT TESTED
5	5F264859	2671595		AL425	425	FCG Brevard	NOT TESTED
6	5F443805	2675798		AL425	425	FCG Pt. St. Lucie	NOT TESTED
7	4E633832	2679176		AL1000	1000	FCG Miami	NOT TESTED
8	6F972581	2679672		AL425	425	FCG Pt. St. Lucie	NOT TESTED
9	6H038231	2680659		AL1000	1000	FCG Miami	NOT TESTED
10	5F443789	2682297		AL425	425	FCG Pt. St. Lucie	NOT TESTED
11	6338657	2684545		AL1000	1000	FCG Miami	NOT TESTED
12	5F443721	2684732		AL425	425	FCG Miami	NOT TESTED
13	6H223971	2684992		AL1000	1000	FCG Miami	NOT TESTED
14	6H523970	2700258		AL425	425	FCG Miami	NOT TESTED
15	6H382891	2705408		AL1000	1000	FCG Miami	NOT TESTED

SCHEDULE I-3 (c)

METER TESTING - PERIODIC TESTING

FLORIDA PUBLIC SERVICE COMMISSION

EXPLANATION: PROVIDE A LIST OF ALL METERS WITH A RATED CAPACITY  
OF OVER 2500 cfm THAT HAVE NOT BEEN TESTED FOR  
ACCURACY WITHIN 120 MONTHS (AS OF TEST YEAR END)

TYPE OF DATA SHOWN:  
HISTORIC BASE YEAR DATA: 12/31/16  
WITNESS: E. K. IGWILLO

COMPANY: PIVOTAL UTILITY HOLDINGS, INC  
D/B/A FLORIDA CITY GAS

DOCKET NO. 20170179-GU

LINE	COMPANY IDENTIFICATION NUMBER:	MANUFACTURER	TYPE /	SIZE
------	--------------------------------	--------------	--------	------

All meters sized above 2500 CFH have been tested within 120 months.

SCHEDULE I-4	RECORDS - VEHICLE ALLOCATION	
FLORIDA PUBLIC SERVICE COMMISSION	EXPLANATION: PROVIDE A LIST OF VEHICLES INCLUDING A DESCRIPTION AND ANY ALLOCATION OF USE TO NON-UTILITY ACCOUNTS.	TYPE OF DATA SHOWN: HISTORIC BASE YEAR DATA: 12/31/16 WITNESS: R. MULLER
COMPANY: PIVOTAL UTILITY HOLDINGS, INC D/B/A FLORIDA CITY GAS		
DOCKET NO. 20170179-GU		

Line No.	VEHICLE IDENTIFICATION (MAKE & MODEL)	DESCRIPTION OF USE	UTILITY NON UTILITY		NON UTILITY ACCOUNTS
			%	%	
1	2012 FORD FOCUS SE	SUPV, OPERATIONS	100	0	n/a
2	2012 FORD FUSION S	ACCOUNT EXEC	10	90	611042,611044,611049 and 611051
3	2013 FORD FUSION S	ACCOUNT EXEC	10	90	611042,611044,611049 and 611051
4	2014 CHEVROLET CRUZE	ACCOUNT EXEC	10	90	611042,611044,611049 and 611051
5	2014 CHEVROLET CRUZE	ACCOUNT EXEC	10	90	611042,611044,611049 and 611051
6	2014 CHEVROLET CRUZE	ACCOUNT EXEC	10	90	611042,611044,611049 and 611051
7	2014 CHEVROLET CRUZE	ACCOUNT EXEC	10	90	611042,611044,611049 and 611051
8	2014 CHEVROLET CRUZE	ACCOUNT EXEC	10	90	611042,611044,611049 and 611051
9	2015 CHEVROLET IMPALA	DIRECTOR, REGIONAL OPERATIONS	100	0	n/a
10	2009 HONDA CIVIC GX	ACCOUNT EXEC	10	90	611042,611044,611049 and 611051
11	2008 TOYOTA CAMRY LE	MGR, OPERATIONS	0	100	611049
12	2012 FORD FUSION S	MGR, OPERATIONS	100	0	n/a
13	2014 CHEVROLET CRUZE	SUPV, OPERATIONS	100	0	n/a
14	2014 CHEVROLET CRUZE	COORDINATOR, PROJECT	100	0	n/a
15	2014 CHEVROLET CRUZE	ENGINEER	100	0	n/a
16	2014 CHEVROLET CRUZE	TECH, PERMIT	100	0	n/a
17	2014 FORD F150 XCAB	SUPV, OPERATIONS	100	0	n/a
18	2014 FORD F150	TECH, AG/BG-GENERAL	100	0	n/a
19	2016 FORD F150	TECH, AG/BG-GENERAL	100	0	n/a
20	2016 FORD F150	TECH, AG/BG-GENERAL	100	0	n/a

SUPPORTING SCHEDULES:

RECAP SCHEDULES

FLORIDA PUBLIC SERVICE COMMISSION

EXPLANATION: PROVIDE A LIST OF VEHICLES INCLUDING A DESCRIPTION AND ANY ALLOCATION OF USE TO NON-UTILITY ACCOUNTS.

TYPE OF DATA SHOWN:  
HISTORIC BASE YEAR DATA: 12/31/16  
WITNESS: R. MULLER

COMPANY: PIVOTAL UTILITY HOLDINGS, INC  
D/B/A FLORIDA CITY GAS

DOCKET NO. 20170179-GU

Line No.	VEHICLE IDENTIFICATION (MAKE & MODEL)	DESCRIPTION OF USE	UTILITY %	NON UTILITY %	NON UTILITY ACCOUNTS
21	2016 FORD F150	TECH, AG/BG-GENERAL	100	0	n/a
22	2016 FORD F150	TECH, AG/BG-GENERAL	100	0	n/a
23	2016 FORD F150	TECH, AG/BG-GENERAL	100	0	n/a
24	2016 FORD F150	TECH, AG/BG-GENERAL	100	0	n/a
25	2013 FORD TRANSIT CONN	TECH, AG/BG-GENERAL	100	0	n/a
26	2013 FORD TRANSIT CONN	METER READER - MANUAL	100	0	n/a
27	2013 FORD TRANSIT CONN	METER READER - MANUAL	100	0	n/a
28	2012 CHEVROLET COLORADO 4 SUPV,	OPERATIONS	100	0	n/a
29	2013 CHEVROLET 1500XCAB4X4	SPECIALIST, DAMAGE PREVENT	100	0	n/a
30	2015 CHEVROLET 1500 REG CAI	TECH, AG/BG-GENERAL	100	0	n/a
31	2015 CHEVROLET 1500 REG CAI	TECH, METER REPAIR-AMR	100	0	n/a
32	2015 CHEVROLET 1500 REG CAI	TECH, METER REPAIR-AMR	100	0	n/a
33	2015 CHEVROLET 1500 REG CAI	TECH, AG/BG-GENERAL	100	0	n/a
34	2015 CHEVROLET 1500 REG CAI	TECH, AG/BG-GENERAL	100	0	n/a
35	2015 CHEVROLET 1500 REG CAI	TECH, AG/BG-GENERAL	100	0	n/a
36	2015 CHEVROLET 1500 REG CAI	TECH, AG/BG-GENERAL	100	0	n/a
37	2010 DODGE DAKOTA 4DR	SUPV, OPERATIONS	100	0	n/a
38	2011 DODGE DAKOTA XCAB	TECH, AG/BG-GENERAL	100	0	n/a
39	2011 DODGE DAKOTA XCAB	SUPV, OPERATIONS	100	0	n/a
40	2010 TOYOTA TACOMA4X2XCB	TECH, AG/BG-GENERAL	100	0	n/a
41	2013 CHEVROLET 1500XCAB4X4	TECH, CORROSION	100	0	n/a

SUPPORTING SCHEDULES:

RECAP SCHEDULES

FLORIDA PUBLIC SERVICE COMMISSION

EXPLANATION: PROVIDE A LIST OF VEHICLES INCLUDING A  
DESCRIPTION AND ANY ALLOCATION OF USE TO NON-UTILITY  
ACCOUNTS.TYPE OF DATA SHOWN:  
HISTORIC BASE YEAR DATA: 12/31/16  
WITNESS: R. MULLERCOMPANY: PIVOTAL UTILITY HOLDINGS, INC  
D/B/A FLORIDA CITY GAS

DOCKET NO. 20170179-GU

Line No.	VEHICLE IDENTIFICATION (MAKE & MODEL)	DESCRIPTION OF USE	UTILITY %	NON UTILITY %	NON UTILITY ACCOUNTS
42	2014 CHEVROLET 1500DBLCA4X TECH,	CORROSION	100	0	n/a
43	2016 CHEVROLET 1500DBLCA4X TECH,	CORROSION	100	0	n/a
44	2014 FORD F150 XCAB	MGR, ENGINEER	100	0	n/a
45	2014 FORD F150 XCAB	SUPV, CONSTRUCTION	100	0	n/a
46	2014 FORD F150 XCAB	COORDINATOR, PROJECT	100	0	n/a
47	2013 CHEVROLET 1500 XCAB	TECH, DESIGN	100	0	n/a
48	2013 CHEVROLET 1500 XCAB	COORDINATOR, PROJECT	100	0	n/a
49	2013 CHEVROLET 1500 XCAB	COORDINATOR, PROJECT	100	0	n/a
50	2010 TOYOTA TACOMA4X2XCB	COORDINATOR, PROJECT	100	0	n/a
51	2014 FORD F350SD	PRESSURE CONTROL	100	0	n/a
52	2015 DODGE RAM 4500	PRESSURE CONTROL	100	0	n/a
53	2015 FORD F250	SERVICE REP	100	0	n/a
54	2015 FORD F250	SERVICE REP	100	0	n/a
55	2015 FORD F250	SERVICE REP	100	0	n/a
56	2015 FORD F250	SERVICE REP	100	0	n/a
57	2015 FORD F250	SERVICE REP	100	0	n/a
58	2015 FORD F250	SERVICE REP	100	0	n/a
59	2015 FORD F250	FRMN, OPERATIONS	100	0	n/a
60	2015 FORD F250	SERVICE REP	100	0	n/a
61	2015 FORD F250	SERVICE REP	100	0	n/a
62	2015 FORD F250	SERVICE REP	100	0	n/a

SUPPORTING SCHEDULES:

RECAP SCHEDULES

FLORIDA PUBLIC SERVICE COMMISSION

EXPLANATION: PROVIDE A LIST OF VEHICLES INCLUDING A DESCRIPTION AND ANY ALLOCATION OF USE TO NON-UTILITY ACCOUNTS.

TYPE OF DATA SHOWN:  
HISTORIC BASE YEAR DATA: 12/31/16  
WITNESS: R. MULLER

COMPANY: PIVOTAL UTILITY HOLDINGS, INC  
D/B/A FLORIDA CITY GAS

DOCKET NO. 20170179-GU

Line No.	VEHICLE IDENTIFICATION (MAKE & MODEL)	DESCRIPTION OF USE	UTILITY %	NON UTILITY %	NON UTILITY ACCOUNTS
63	2015 FORD F250	SERVICE REP	100	0	n/a
64	2015 FORD F250	SERVICE REP	100	0	n/a
65	2015 FORD F250	SERVICE REP	100	0	n/a
66	2016 FORD F250	FRMN, OPERATIONS	100	0	n/a
67	2016 FORD F250	FRMN, OPERATIONS	100	0	n/a
68	2016 FORD F250	SERVICE REP	100	0	n/a
69	2016 FORD F250	SERVICE REP	100	0	n/a
70	2016 FORD F250	SERVICE REP	100	0	n/a
71	2016 FORD F250	SERVICE REP	100	0	n/a
72	2016 FORD F250	SERVICE REP	100	0	n/a
73	2016 FORD F250	SERVICE REP	100	0	n/a
74	2016 FORD F250	SERVICE REP	100	0	n/a
75	2016 FORD F250	SERVICE REP	100	0	n/a
76	2011 FORD F350SD	SERVICE REP	100	0	n/a
77	2014 FORD F350SD	SERVICE REP	100	0	n/a
78	2014 FORD F350SD	DIST MISC	100	0	n/a
79	2011 CHEVROLET 2500HD	SERVICE REP	100	0	n/a
80	2013 CHEVROLET 2500HD	SERVICE REP	100	0	n/a
81	2013 CHEVROLET 2500HD	SERVICE REP	100	0	n/a
82	2013 CHEVROLET 2500HD	SERVICE REP	100	0	n/a
83	2014 CHEVROLET 2500HD	SERVICE REP	100	0	n/a

SUPPORTING SCHEDULES:

RECAP SCHEDULES



FLORIDA PUBLIC SERVICE COMMISSION

EXPLANATION: PROVIDE A LIST OF VEHICLES INCLUDING A DESCRIPTION AND ANY ALLOCATION OF USE TO NON-UTILITY ACCOUNTS.

TYPE OF DATA SHOWN:  
HISTORIC BASE YEAR DATA: 12/31/16  
WITNESS: R. MULLER

COMPANY: PIVOTAL UTILITY HOLDINGS, INC  
D/B/A FLORIDA CITY GAS

DOCKET NO. 20170179-GU

Line No.	VEHICLE IDENTIFICATION (MAKE & MODEL)	DESCRIPTION OF USE	UTILITY		NON UTILITY ACCOUNTS
			%	%	
84	2015 CHEVROLET 2500HD	FRMN, OPERATIONS	10	90	Energy Conservation
85	2015 CHEVROLET	FRMN, OPERATIONS	100	0	n/a
86	2015 CHEVROLET 2500HD	SERVICE REP	100	0	n/a
87	2015 CHEVROLET 2500HD	SERVICE REP	100	0	n/a
88	2016 CHEVROLET 2500HD	SERVICE REP	100	0	n/a
89	2010 DODGE 2500	SERVICE REP	100	0	n/a
90	2011 DODGE RAM 2500	SERVICE REP	100	0	n/a
91	2011 DODGE RAM 2500	SERVICE REP	100	0	n/a
92	2011 DODGE RAM 2500	SERVICE REP	100	0	n/a
93	2011 DODGE RAM 2500	SERVICE REP	100	0	n/a
94	2012 DODGE 2500	SERVICE REP	100	0	n/a
95	2012 DODGE 2500	SERVICE REP	100	0	n/a
96	2012 DODGE 2500	SERVICE REP	100	0	n/a
97	2012 DODGE 2500	SERVICE REP	100	0	n/a
98	2015 DODGE RAM 4500	DIST OPERATOR	100	0	n/a
99	2014 DODGE RAM 4500	DIST CREW	100	0	n/a
100	2014 DODGE RAM 4500	DIST CREW	100	0	n/a
101	2009 CHEVROLET 2500 XCAB	TECH, INST	100	0	n/a
102	2015 CHEVROLET 2500HDDBLCL	TECH, INST	100	0	n/a
103	2013 CHEVROLET 2500 XCAB	SUPV, CONSTRUCTION	100	0	n/a
104	2010 FREIGHTLIN M2-106	DIST CREW	100	0	n/a

RECAP SCHEDULES

FLORIDA PUBLIC SERVICE COMMISSION

EXPLANATION: PROVIDE A LIST OF VEHICLES INCLUDING A DESCRIPTION AND ANY ALLOCATION OF USE TO NON-UTILITY ACCOUNTS.

TYPE OF DATA SHOWN:  
HISTORIC BASE YEAR DATA: 12/31/16  
WITNESS: R. MULLER

COMPANY: PIVOTAL UTILITY HOLDINGS, INC  
D/B/A FLORIDA CITY GAS

DOCKET NO. 20170179-GU

Line No.	VEHICLE IDENTIFICATION (MAKE & MODEL)	DESCRIPTION OF USE	UTILITY		NON UTILITY ACCOUNTS
			%	%	
105	2009 FREIGHTLIN M2-106	DIST CREW	100	0	n/a
106	2009 FREIGHTLIN M2-106	DIST CREW	100	0	n/a