

Antonia Hover

From: Antonia Hover on behalf of Records Clerk
Sent: Monday, April 8, 2024 10:31 AM
To: 'Gil Collver'
Cc: Consumer Contact
Subject: RE: Docket #20240032-SU

Good Morning, Gilbert and Lila Collver.

We will be placing your comments below in consumer correspondence in Docket No. 20240032, and forwarding them to the Office of Consumer Assistance and Outreach.

Thank you!

Toni Hover

*Commission Deputy Clerk I
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, FL 32399
Phone: (850) 413-6467*

PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are considered to be public records and will be made available to the public and the media upon request. Therefore, your email message may be subject to public disclosure.

From: Gil Collver <gil.collver@outlook.com>
Sent: Saturday, April 6, 2024 2:31 PM
To: Records Clerk <CLERK@PSC.STATE.FL.US>; Commissioner.LaRosa@pcs.state.fl.us; Office of Commissioner Clark <Commissioner.Clark@psc.state.fl.us>; Commissioner.Passidomo@pcs.state.fl.us; Commissioner.Fay@pcs.state.fl.us
Subject: Docket #20240032-SU

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

We have been notified that Environmental Utilities has applied again for authority to construct a sewer system on Don Pedro Island where our home at 380 Palm Harbor Drive is located. Their previous attempt at this same subject was rejected when the evidence at the hearing showed clearly that there was no need nor demand for this service. The large number of owners present at the hearing were unanimously opposed and there was no evidence of any environmental damage resulting from the septic systems currently in use on the island. The effort taken by the residents of all the islands to defend against this strictly for-profit motivated company with absolutely no experience in sewer systems was very costly and upsetting. In addition the charges proposed in the initial application were outrageous for any service that should in fact be provided as a public utility service by the county if there were either need or demand. As nothing has changed regarding either need nor demand it is perfectly clear that this application should be rejected.

Gilbert and Lila Collver
PO Box 3594
380 Kettle Harbor Drive
placida, Fl 33946
gil.collver@outlook.com