



Florida Power

A Progress Energy Company

JAMES A. MCGEE
ASSOCIATE GENERAL COUNSEL

July 26, 2001

Ms. Blanca S. Bayó, Director
Division of Records and Reporting
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399-0850

010000-PK

Re: Load Research Study Results for the period
April, 2000 through March, 2001.

Dear Ms. Bayó:

Pursuant to Rule 25-6.0437(7), F.A.C., enclosed for filing on behalf of Florida Power Corporation are an original and seven copies of the subject Load Research Study Results.

Please acknowledge your receipt of the above filing on the enclosed copy of this letter and return to the undersigned. Also enclosed is a 3.5 inch diskette containing the above-referenced document in Word format. Thank you for your assistance in this matter.

Very truly yours,

James A. McGee

JAM/scc
Enclosure

DOCUMENT NUMBER: 09161-JUL2705
FPCSC-2000-00000000000000000000000000000000

09161-JUL2705

FLORIDA POWER CORPORATION

**LOAD RESEARCH STUDY RESULTS
APRIL 2000 THROUGH MARCH 2001**

Prepared and Submitted Pursuant to Rule 25-6.0437, F.A.C.

July 26, 2001

Florida Power Corporation

**LOAD RESEARCH STUDY RESULTS
APRIL 2000 THROUGH MARCH 2001**

Submitted Pursuant to Rule 25-6.0437, F.A.C.

July 30, 2001

TABLE OF CONTENTS

STUDY BACKGROUND AND OBJECTIVES	1
REPORTING PERIOD	1
SAMPLING PLAN	1
RESIDENTIAL CLASS SAMPLE	2
GENERAL SERVICE NON-DEMAND CLASS SAMPLE	3
GENERAL SERVICE DEMAND CLASS	4
INTERRUPTIBLE CLASS	6
METERING OF SAMPLE MEMBERS	6
SELECTION OF REPLACEMENTS	6
STATISTICAL ACCURACY ACHIEVED	7
RESIDENTIAL CLASS HOURLY LOAD DATA	12

STUDY BACKGROUND AND OBJECTIVES

The purpose of this study is to meet the requirements of the Cost-of-Service Load Research Rule, Docket No. 820491-EU, Order No. 13026, adopted as Rule 25-6.0437 on February 23, 1984, by the Florida Public Service Commission.

The rule requires that every rate class which accounts for more than one percent of the utility's annual retail sales be sampled every two years. The load research studies must be designed to provide estimates within plus or minus 10% relative accuracy at the 90% confidence level for the summer and winter peak demands and the average of the twelve monthly coincident peaks. The rule, which applies to the 4 major investor owned utilities in the state, requires a sampling plan to be filed in advance and approved by the FPSC.

REPORTING PERIOD

The data summarized in this report covers the period from April 1, 2000 through March 31, 2001. The new sample points were selected during the fall of 1999 and recording meters were installed in 2000. Formal data collection began at that point and continued through March 31, 2001.

SAMPLING PLAN

The load research data summarized in this report is based on the Load Research Sampling Plan that was filed before the Florida Public Service Commission on December 17, 1999 and was later approved by the FPSC on April 12, 2000.

RESIDENTIAL CLASS SAMPLE

As described in the Load Research Sample Plan dated December 17, 1999, the residential sample was retained from the previous study. At the time of sample selection in 1997, the residential class consisted of over 1,155,000 customers. Over 518,000 were on the load management rate at that time. By April 2000 when data collection officially began, FPC had over 1,250,000 residential customers and the number on load management had declined to 475,000.

Due to the large number of residences on load management, independent and equal sized samples were drawn for both the load management residential rate and the standard residential rate. Past experience indicated that a residential sample of 350 would be more than enough to exceed the target accuracy goal. Combined ratio estimation was used for expansion to the class level.

The residential load management and non-load management samples were stratified by housing type:

- 1) single family detached,
- 2) multi-family (apartments, townhouses, condos etc)
- 3) mobile/manufactured homes.

The following table shows the stratum design for the residential class sample.

Stratum	Load	Non – Load
	Management	Management
Single Family Detached	85	85
Multi-Family (Apartments)	45	45
Mobile / Manufactured Home	45	45
Total	175	175

Table 1 - *Residential Sample Design*

GENERAL SERVICE NON-DEMAND CLASS SAMPLE

As described in the Load Research Sample Plan dated December 17, 1999, the general service class sample was retained from the previous study. Over time, the active sample had declined in size so the general service class was augmented to bring the sample size back to design criteria. At the time of sample selection in 1997, the general service class consisted of over 92,000 customers. By April 2000 when data collection officially began, FPC had over 112,000 general service customers.

Two dimensional stratification and combined ratio expansion were used for this rate class sample. The technique involved stratification using the winter peak month (January, 1997) and the summer peak month (July, 1997) billed kWh. The Dalenius-Hodges cumulative square root "uf" technique was applied to the class billed energy for the peak month to establish stratum boundaries.

Table 2 shows the stratum design for the General Service class sample.

Stratum	General Service
1 - January, 97 billing energy less than 1,401 kwh and July, 97 billing energy less than 2,001 kwh	175
2 - January, 97 billing energy more than 1,400 kwh and July, 97 billing energy less than 2,001 kwh	30
3 - January, 97 billing energy less than 1,401 kwh and July, 97 billing energy more than 2,000 kwh	30
4 - January, 97 billing energy more than 1,400 kwh and July, 97 billing energy more than 2,000 kwh	350
5 - Census Stratum consisting of the 42 largest customers	42
Total	627

Table 2 - *General Service Sample Design*

GENERAL SERVICE DEMAND CLASS

Two dimensional stratification and combined ratio expansion were used for this rate class sample.

The technique involved stratification using the summer peak month (June, 1999) billed kW and the revenue class data. The Dalenius-Hodges cumulative square root "uf" technique was applied to the class billed demand for the peak month to establish stratum (or cell) boundaries. All customers in

over 1000 kW did not require sampling because each customer in this stratum is metered with a survey meter for billing purposes. Table 3 outlines stratum design for the General Service Demand class sample.

Stratum	General Service Demand
1 – Commercial revenue class customers with a June 99 billing demand less than 201 kW	15
2 – Non-Commercial revenue class customers with a June 99 billing demand less than 201 kW	15
3 – Commercial revenue class customers with a June 99 billing demand between 200 kW and 1,000 kW	15
4 – Non-Commercial revenue class customers with a June 99 billing demand between 200 kW and 1,000 kW	15
5 – All customers having a June 99 billing demand of 1,000 kW and higher	491
Total	551

Table 3 - *General Service Demand Sample Design*

INTERRUPTIBLE CLASS

The Interruptible Class did not require sampling because each customer in this class is metered with a survey meter for billing purposes. At the beginning of data collection in April 2000, there were 131 customers in the Interruptible Class.

METERING OF SAMPLE MEMBERS

The sample customer's conventional kilowatt-hour meter was replaced with a solid-state survey recording meter to monitor electricity demand usage and record it every 15 minutes. The data from these survey meters were translated and validated to accuracy in the MV-90 software package. Load data was analyzed on a calendar month basis to derive the data contained in this report.

SELECTION OF REPLACEMENTS

During the course of the study, a small number of sample points had to be replaced for various reasons. To minimize the amount of replacement necessary, Florida Power's policy is not to request permission from the customer before survey meters are installed. The selection of replacements was handled differently depending on the rate class.

Replacements for the Residential class were picked from a list of randomly selected alternates that was generated at the same time the original sample was drawn. When a replacement was needed, it was selected as the first available alternate on the list from within the same stratum and district as the original sample.

Replacements for the General Service classes were taken from lists of all unselected commercial accounts that were generated for each rate class at the same time the original sample was drawn. The replacement selected was the first account from the appropriate rate class within the same stratum and district as the account being replaced.

STATISTICAL ACCURACY ACHIEVED

Tables 4 through 7 contain the estimated class demands for the coincident and non-coincident peaks for the Residential, General Service, General Service Demand, and Interruptible rate classes. Also included are the 90% confidence intervals around the monthly peak demands and their relative accuracy in percentage. The twelve coincident peak averages for all rate classes, their 90% confidence intervals, and their relative accuracy are computed for the twelve month period ending March, 2001. The statistics shown in tables 4-7 were obtained using MV90's Load Research software package.

The winter peak hour occurred at hour ending 0800 on Friday, January 5, 2001 and the summer peak hour occurred at hour ending 1800 on Tuesday, August 8, 2000. The target level of statistical accuracy of plus or minus 10% error at the 90% confidence level for the system summer peak was met for all rate classes. The system winter peak accuracy was met for the General Service Demand and Residential rate classes. The average of the twelve monthly coincident peaks accuracy was met for all rate classes.

TABLE 4

**FLORIDA POWER CORPORATION
LOAD RESEARCH DATA
TWELVE MONTHS ENDING MARCH 2001**

RESIDENTIAL (RS) CLASS

Month	KWH Sales	Class Coincident Peak					Coincident with System Peak					
		90%			Date	Time	90%			Date	Time	
		Estimated Peak (MW)	Confidence Interval (MW)	Relative Accuracy (%)			Estimated Peak (MW)	Confidence Interval (MW)	Relative Accuracy (%)			
[∞]	Apr-00	1,102,183,875	2,809.4	235.1	8.37	04/24/00	21:00	2,568.4	216.0	8.41	04/03/00	18:00
	May-00	1,235,979,693	3,756.6	269.0	7.16	05/26/00	18:00	3,618.9	268.5	7.42	05/26/00	17:00
	Jun-00	1,721,037,898	4,197.9	191.0	4.55	06/04/00	17:00	3,809.4	177.1	4.65	06/05/00	17:00
	Jul-00	1,830,665,145	3,992.2	185.6	4.65	07/11/00	18:00	3,956.6	183.6	4.64	07/12/00	18:00
	Aug-00	1,762,809,539	4,119.4	222.4	5.4	08/19/00	18:00	4,073.6	230.2	5.65	08/08/00	18:00
	Sep-00	1,867,507,772	4,070.9	195.8	4.81	09/4/00	17:00	4,019.8	173.3	4.31	09/14/00	18:00
	Oct-00	1,454,418,941	3,490.8	215.0	6.16	10/06/00	18:00	3,430.4	192.1	5.60	10/05/00	18:00
	Nov-00	1,115,977,064	4,600.8	405.8	8.82	11/22/00	08:00	4,600.8	405.8	8.82	11/22/00	08:00
	Dec-00	1,272,185,113	4,840.4	401.3	8.29	12/31/00	09:00	4,600.4	369.0	8.02	12/31/00	08:00
	Jan-01	1,962,581,682	5,425.6	353.2	6.51	01/05/01	09:00	5,302.8	333.5	6.29	01/05/01	08:00
	Feb-01	1,366,489,230	4,084.1	368.8	9.03	02/06/01	08:00	4,084.1	368.8	9.03	02/06/01	08:00
	Mar-01	1,073,665,722	3,147.8	378.1	12.01	03/08/01	07:00	3,030.5	288.2	9.51	03/08/01	08:00
TWELVE COINCIDENT PEAK STATISTICS: Twelve Months Ending March 2001								3,924.6	125.6	3.20%		

TABLE 5

**FLORIDA POWER CORPORATION
LOAD RESEARCH DATA
TWELVE MONTHS ENDING MARCH 2001**

GENERAL SERVICE (GS) CLASS

Month	KWH Sales	Class Coincident Peak					Coincident with System Peak					
		90%					90%					
		Estimated Peak (MW)	Confidence Interval (MW)	Relative Accuracy (%)	Date	Time	Estimated Peak (MW)	Confidence Interval (MW)	Relative Accuracy (%)	Date	Time	
6	Apr-00	95,505,912	260.5	37.8	14.52	04/20/00	16:00	176.0	18.4	10.48	04/03/00	18:00
	May-00	89,795,940	255.1	27.1	10.64	05/24/00	16:00	212.2	23.6	11.12	05/26/00	17:00
	Jun-00	111,725,223	271.1	30.7	11.31	06/07/00	16:00	223.4	20.6	9.21	06/05/00	17:00
	Jul-00	120,302,749	291.4	23.8	8.17	07/12/00	16:00	223.1	19.5	8.75	07/12/00	18:00
	Aug-00	107,391,387	273.2	33.6	12.29	08/23/00	15:00	196.2	17.3	8.84	08/08/00	18:00
	Sep-00	119,659,982	296.8	37.3	12.58	09/26/00	15:00	220.9	20.4	9.22	09/14/00	18:00
	Oct-00	95,448,285	248.5	25.7	10.36	10/06/00	14:00	194.3	20.8	10.73	10/05/00	18:00
	Nov-00	93,863,476	261.9	27.6	10.52	11/08/00	15:00	151.3	25.5	16.87	11/22/00	08:00
	Dec-00	87,220,973	292.7	39.3	13.43	12/20/00	11:00	193.0	46.6	24.15	12/31/00	08:00
	Jan-01	113,578,907	331.8	42.1	12.68	01/05/01	10:00	264.9	45.5	17.16	01/05/01	08:00
	Feb-01	90,012,099	258.4	29.8	11.55	02/27/01	15:00	169.7	26.4	15.58	02/06/01	08:00
	Mar-01	84,881,942	225.3	23.5	10.45	03/15/01	14:00	125.6	23.8	18.98	03/08/01	08:00
TWELVE COINCIDENT PEAK STATISTICS: Twelve Months Ending March 2001								195.9	15.2	7.74%		

TABLE 6

**FLORIDA POWER CORPORATION
LOAD RESEARCH DATA
TWELVE MONTHS ENDING MARCH 2001**

GENERAL SERVICE DEMAND (GSD) CLASS

Month	KWH Sales	Class Coincident Peak						Coincident with System Peak					
		90%			90%			90%			90%		
		Estimated Peak (MW)	Confidence Interval (MW)	Relative Accuracy (%)	Date	Time	Estimated Peak (MW)	Confidence Interval (MW)	Relative Accuracy (%)	Date	Time	Estimated Peak (MW)	Confidence Interval (MW)
10	Apr-00	1,071,255,791	2,057.3	51.8	2.52	04/03/00	15:00	1,921.7	43.4	2.26	04/03/00	18:00	
	May-00	1,108,853,628	2,255.6	57.5	2.55	05/25/00	15:00	2,097.4	50.3	2.40	05/26/00	17:00	
	Jun-00	1,271,668,641	2,386.5	48.2	2.02	06/06/00	15:00	2,282.5	45.9	2.01	06/05/00	17:00	
	Jul-00	1,312,234,711	2,400.2	59.8	2.49	07/20/00	15:00	2,194.0	42.6	1.94	07/12/00	18:00	
	Aug-00	1,265,953,845	2,343.5	53.9	2.3	08/08/00	15:00	2,170.3	41.7	1.92	08/08/00	18:00	
	Sep-00	1,341,733,779	2,385.0	57.7	2.42	09/26/00	15:00	2,180.0	39.7	1.82	09/14/00	18:00	
	Oct-00	1,191,514,553	2,330.9	56.6	2.43	10/05/00	15:00	2,170.1	45.6	2.10	10/05/00	18:00	
	Nov-00	1,085,259,775	2,173.6	56.3	2.59	11/08/00	15:00	1,543.9	65.8	4.26	11/22/00	08:00	
	Dec-00	984,968,492	1,955.8	53.2	2.72	12/14/00	14:00	1,376.3	72.4	5.26	12/31/00	08:00	
	Jan-01	1,054,496,489	1,934.1	61.7	3.19	01/10/01	10:00	1,776.2	65.2	3.67	01/05/01	08:00	
	Feb-01	959,019,546	2,071.9	67.1	3.24	02/27/01	15:00	1,585.7	54.1	3.41	02/06/01	08:00	
	Mar-01	1,021,371,868	2,144.2	59.4	2.77	03/01/01	15:00	1,533.9	52.9	3.45	03/08/01	08:00	
TWELVE COINCIDENT PEAK STATISTICS: Twelve Months Ending March 2001										1,902.7	31.6	1.66%	

TABLE 7

**FLORIDA POWER CORPORATION
LOAD RESEARCH DATA
TWELVE MONTHS ENDING MARCH 2001**

INTERRUPTIBLE (IS) CLASS

Month	KWH Sales	Class Coincident Peak					Coincident with System Peak					
		Estimated Peak (MW)	90% Confidence Interval (MW)	Relative Accuracy (%)	Date	Time	Estimated Peak (MW)	90% Confidence Interval (MW)	Relative Accuracy (%)	Date	Time	
=	Apr-00	218,604,571	383.7	N/A	N/A	04/20/00	08:00	307.3	N/A	N/A	04/03/00	18:00
	May-00	189,062,246	332.6	N/A	N/A	05/11/00	11:00	265.2	N/A	N/A	05/26/00	17:00
	Jun-00	218,353,483	356.1	N/A	N/A	06/07/00	08:00	303.3	N/A	N/A	06/05/00	17:00
	Jul-00	188,201,535	340.9	N/A	N/A	07/21/00	11:00	229.2	N/A	N/A	07/12/00	18:00
	Aug-00	173,362,448	301.9	N/A	N/A	08/17/00	08:00	245.8	N/A	N/A	08/08/00	18:00
	Sep-00	202,177,056	349.8	N/A	N/A	09/01/00	10:00	285.9	N/A	N/A	09/14/00	18:00
	Oct-00	184,436,186	327.9	N/A	N/A	10/03/00	11:00	234.1	N/A	N/A	10/05/00	18:00
	Nov-00	201,290,571	347.0	N/A	N/A	11/30/00	20:00	315.7	N/A	N/A	11/22/00	08:00
	Dec-00	187,259,464	326.8	N/A	N/A	12/08/00	16:00	204.4	N/A	N/A	12/31/00	08:00
	Jan-01	183,864,067	304.5	N/A	N/A	01/30/01	14:00	61.7	N/A	N/A	01/05/01	08:00
	Feb-01	182,623,990	324.0	N/A	N/A	02/15/01	15:00	290.0	N/A	N/A	02/06/01	08:00
	Mar-01	180,653,919	308.5	N/A	N/A	03/15/01	21:00	294.7	N/A	N/A	03/08/01	08:00
TWELVE COINCIDENT PEAK STATISTICS: Twelve Months Ending March 2001								253.1	N/A	N/A		

RESIDENTIAL CLASS HOURLY LOAD DATA

The following pages contain the hourly residential class load data required under Sections (7) and (8) of Rule 25-6.0437. This hourly data covers the 8,760 hours in the twelve month period of April, 2000 through March, 2001. The format of the data is the standard "EEI" format normally used in the electric utility industry.

EEI formatted Residential Load Profile based on Combined Ratio Estimation

.040100	1117	954	888	850	854	943	1097	1396	1689	1902	2100	2215
040100	2202	2384	2557	2520	2497	2596	2393	2498	2438	2153	1733	1485
040200	1178	1048	0	1032	916	979	1034	1120	1418	1564	1637	1990
040200	2087	2300	2384	2527	2577	2649	2688	2549	2728	2478	2031	1527
040300	1158	984	912	860	866	1042	1436	1580	1387	1323	1272	1422
040300	1530	1592	1792	1979	2160	2568	2539	2420	2679	2421	1959	1560
040400	1321	1081	1008	960	962	1268	1487	1595	1443	1237	1424	1489
040400	1549	1518	1460	1354	1594	1692	1816	1882	1820	1723	1463	1052
040500	906	829	825	772	865	1095	1504	1689	1339	1487	1318	1247
040500	1272	1149	1158	1197	1330	1593	1634	1797	2013	1666	1464	1213
040600	982	886	896	936	995	1450	1857	2118	1620	1448	1423	1207
040600	1248	1117	1176	1271	1500	1566	1794	1827	1869	1799	1475	1142
040700	920	880	792	787	899	1065	1539	1645	1383	1352	1321	1198
040700	1260	1240	1388	1423	1602	1603	1650	1743	1889	1900	1597	1198
040800	937	865	815	764	802	863	1082	1203	1472	1580	1558	1546
040800	1637	1793	1837	1848	1869	1888	2062	1860	1952	1812	1597	1134
040900	953	830	787	806	875	953	1229	1609	1988	1960	1995	2033
040900	1755	1643	1634	1591	1508	1456	1631	1911	2014	1832	1604	1246
041000	1142	1086	1076	1105	1079	1420	1974	2366	1968	1677	1371	1288
041000	1228	1175	1157	1322	1387	1477	1765	1864	1859	1723	1429	967
041100	932	769	734	704	755	1058	1449	1748	1407	1200	1206	1217
041100	1266	1322	1311	1397	1609	1816	2054	2052	1907	1698	1530	1150
041200	956	854	787	739	765	977	1415	1516	1244	1242	1284	1290
041200	1322	1459	1602	1799	1811	1995	2166	2096	2035	1900	1731	1345
041300	1086	986	898	816	834	1015	1455	1782	1541	1440	1432	1673
041300	1746	1855	1899	1890	1984	2166	2192	2161	2313	2054	1761	1435
041400	1220	1013	971	913	866	990	1414	1734	1408	1373	1259	1279
041400	1395	1303	1270	1262	1617	1736	1855	1830	1615	1534	1443	1198
041500	1031	879	824	806	880	872	939	1282	1678	1857	1998	1858
041500	1825	1947	1874	2140	2263	2292	2265	1932	1846	1930	1623	1425
041600	1106	1034	924	905	862	817	943	1270	1361	1646	1735	2008
041600	2221	2523	2578	2541	2746	2751	2701	2440	2302	2232	1877	1543
041700	1297	1047	919	888	848	948	1307	1450	1324	1476	1449	1684
041700	1641	1856	1987	2102	2319	2474	2556	2408	2422	2153	1837	1347
041800	1141	1008	899	941	953	1088	1399	1504	1279	1428	1430	1649
041800	1585	1561	1602	1872	1957	2173	2164	2102	2231	2030	1663	1451
041900	1052	986	893	856	875	1068	1281	1377	1251	1250	1387	1408
041900	1573	1538	1724	1882	2175	2299	2487	2303	2142	1880	1636	1277
042000	1086	919	889	830	801	994	1359	1435	1261	1324	1385	1468
042000	1607	1676	1803	1881	2307	2464	2705	2375	2351	2231	1857	1531
042100	1263	1150	1006	863	849	997	1253	1251	1359	1342	1503	1913
042100	1954	2037	2012	2187	2540	2349	2446	2303	2034	2077	1740	1568
042200	1431	1176	1047	990	890	881	969	1244	1451	1746	1919	1982
042200	1848	1727	1816	1970	1984	1926	1877	1822	1914	1855	1619	1282
042300	1102	895	810	812	807	872	991	1265	1626	1530	1646	1694
042300	1753	2003	1961	1987	2297	2339	2323	2260	2219	2003	1806	1379
042400	1081	973	902	854	822	964	1298	1474	1166	1260	1417	1632
042400	1715	1893	2043	2152	2314	2363	2602	2541	2809	2534	2164	1776
042500	1536	1403	1269	1181	1229	1346	1768	1902	1451	1520	1706	1873
042500	1875	1970	1973	2110	2156	2256	2463	2237	2351	2056	1717	1284
042600	1125	963	797	854	867	996	1296	1549	1198	1432	1309	1233
042600	1172	1358	1470	1664	1912	2019	2019	2023	2234	2020	1736	1259
042700	992	848	796	712	821	1126	1409	1458	1341	1216	1352	1492
042700	1540	1464	1698	1791	2059	2161	2251	2178	2414	2036	1840	1399
042800	1028	937	811	758	823	991	1302	1529	1452	1334	1468	1448
042800	1554	1670	1792	1913	2131	2108	2172	2269	2279	2051	1671	1351
042900	1171	991	932	902	850	954	1055	1159	1489	1737	1882	1899
042900	2016	1981	2260	2382	2440	2404	2337	2258	2304	2134	1666	1406
043000	1192	1020	953	895	851	809	923	1103	1346	1544	1645	1705
043000	1907	2037	2090	2257	2518	2478	2404	2292	2395	2317	1983	1494
050100	1088	914	844	746	778	947	1147	1327	1210	1253	1415	1417

EEI formatted Residential Load Profile based on Combined Ratio Estimation

,050100	1548	1544	1723	1943	2080	2065	2200	2097	2130	1954	1697	1316
050200	1144	954	847	782	765	938	1281	1294	1099	1265	1336	1361
050200	1550	1647	1627	1923	2189	2321	2288	2190	2100	2084	1676	1345
050300	1075	894	825	736	730	959	1194	1145	1172	1085	1351	1393
050300	1523	1662	1895	2082	2276	2365	2425	2266	2202	2076	1783	1410
050400	1203	1026	925	790	823	999	1264	1366	1287	1325	1335	1413
050400	1515	1692	1869	2169	2297	2443	2443	2328	2277	2209	1947	1467
050500	1286	1042	935	858	838	1058	1270	1324	1188	1246	1384	1435
050500	1582	1799	1997	2145	2320	2416	2480	2274	2263	2091	1765	1473
050600	1279	1100	1041	947	913	957	972	1186	1434	1526	1674	1843
050600	1918	2095	2232	2431	2511	2383	2221	2147	2124	1988	1722	1448
050700	1229	1015	976	871	831	870	919	1075	1412	1558	1789	1987
050700	2107	2363	2383	2562	2800	2741	2857	2608	2370	2244	1963	1497
050800	1177	1004	848	815	855	1016	1308	1392	1224	1220	1270	1422
050800	1662	1947	2157	2411	2568	2625	2540	2489	2320	2366	1961	1624
050900	1330	1135	971	896	938	1023	1334	1407	1349	1404	1684	1828
050900	1924	2150	2401	2543	2701	2770	2580	2392	2273	2186	1801	1463
051000	1234	1093	1010	944	951	1045	1313	1535	1493	1481	1681	1839
051000	1956	2185	2414	2833	2909	3019	2955	2780	2802	2586	2182	1729
051100	1508	1311	1147	1087	1061	1173	1486	1626	1507	1647	1793	1989
051100	2240	2477	2669	2891	3238	3385	3357	3070	2740	2640	2381	1960
051200	1579	1327	1195	1064	1010	1081	1248	1487	1589	1586	1937	2081
051200	2442	2718	2857	3139	3366	3556	3398	3115	2821	2717	2296	2014
051300	1692	1503	1342	1186	1109	1137	1160	1328	1613	1993	2294	2532
051300	2654	2982	3120	3421	3470	3445	3336	3071	2996	2764	2281	1983
051400	1721	1564	1368	1321	1241	1213	1219	1354	1698	2164	2316	2612
051400	2721	3017	3241	3308	3472	3398	3244	3214	3134	2816	2395	1863
051500	1545	1329	1184	1127	1127	1169	1459	1676	1546	1732	1818	2024
051500	2389	2551	2749	2819	2945	3040	3075	2957	2744	2641	2152	1734
051600	1337	1220	1081	1073	1003	1089	1390	1559	1513	1549	1637	1961
051600	2082	2416	2482	2666	2947	3003	2993	2800	2819	2521	2074	1632
051700	1319	1164	1091	1027	983	1078	1330	1593	1372	1461	1687	1775
051700	2079	2289	2431	2557	2755	3008	3009	2831	2621	2433	1993	1641
051800	1315	1172	1043	1017	982	1047	1282	1537	1436	1360	1417	1665
051800	1925	2129	2355	2542	2754	2982	2943	2859	2769	2509	2159	1765
051900	1403	1226	1049	1010	996	1056	1296	1455	1345	1399	1590	1802
051900	2102	2230	2579	2807	3211	3232	3147	2810	2555	2314	2061	1794
052000	1438	1167	1093	986	956	945	1014	1167	1419	1633	1926	2261
052000	2437	2621	2840	2946	3109	3200	3205	2901	2718	2520	2139	1811
052100	1571	1305	1218	1063	1029	1021	1068	1172	1546	1753	1979	2280
052100	2684	2922	3092	3218	3289	3339	3178	3022	2983	2645	2344	1980
052200	1591	1399	1229	1148	1095	1153	1275	1466	1510	1701	1935	2044
052200	2223	2333	2556	2656	2949	3053	3199	3001	2960	2681	2264	1741
052300	1561	1450	1184	1103	1070	1142	1382	1503	1377	1665	1835	2025
052300	2147	2522	2828	3003	3146	3446	3362	3163	3201	2846	2275	2025
052400	1693	1497	1334	1270	1209	1259	1456	1549	1544	1636	2017	2294
052400	2582	2796	2969	3051	3185	3480	3375	3371	3061	2747	2377	2051
052500	1752	1583	1466	1362	1320	1390	1611	1776	1678	1857	2082	2411
052500	2622	2758	2956	3186	3286	3489	3558	3235	3118	2868	2563	2078
052600	1722	1613	1476	1362	1327	1298	1479	1762	1691	1922	2239	2575
052600	2842	3221	3391	3486	3619	3756	3705	3461	3316	3116	2688	2273
052700	1895	1770	1621	1440	1385	1315	1321	1531	1953	2299	2672	2991
052700	3284	3383	3584	3591	3698	3583	3554	3360	3179	2974	2566	2205
052800	1926	1759	1560	1393	1295	1242	1274	1463	1910	2154	2572	2913
052800	3139	3239	3453	3581	3727	3653	3532	3333	3264	3089	2635	2269
052900	1989	1740	1617	1525	1511	1414	1461	1659	2051	2432	2750	2751
052900	2882	2927	2961	3127	3478	3457	3357	3251	3082	2769	2322	2017
053000	1605	1411	1249	1204	1144	1196	1418	1532	1456	1615	1976	2186
053000	2384	2457	2541	2740	2912	3090	3121	2954	2669	2585	2126	1692
053100	1447	1265	1070	1014	1027	1104	1296	1434	1371	1425	1561	1806
053100	2099	2319	2497	2863	3026	3139	2957	2867	2746	2631	2112	1728

EEI formatted Residential Load Profile based on Combined Ratio Estimation

060100	1510	1377	1258	1156	1170	1285	1522	1648	1541	1628	1907	2346
060100	2548	2803	2987	3166	3455	3582	3757	3647	3246	2970	2477	2146
060200	1789	1607	1375	1285	1176	1204	1421	1538	1470	1671	1988	2426
060200	2763	3035	3290	3496	3808	3687	3650	3444	3237	3170	2627	2283
060300	1883	1718	1504	1360	1304	1237	1342	1455	1900	2066	2667	3083
060300	3539	3531	3675	3811	3952	3917	3821	3682	3425	3173	2811	2455
060400	2053	1875	1686	1524	1509	1467	1505	1729	2054	2245	2919	3205
060400	3393	3558	3888	4083	4198	4164	3866	3615	3345	3159	2569	2188
060500	1780	1606	1444	1349	1297	1362	1564	1582	1733	1963	2359	2712
060500	2877	3292	3560	3705	3810	3928	3812	3679	3325	3209	2704	2208
060600	1920	1668	1564	1394	1367	1472	1754	1753	1767	2026	2239	2624
060600	2777	2991	3285	3329	3587	3680	3653	3565	3442	3150	2725	2383
060700	1944	1827	1609	1499	1487	1516	1843	1949	1799	2029	2396	2752
060700	2972	3082	3193	3250	3319	3462	3313	3079	3097	2918	2504	2102
060800	1725	1562	1465	1386	1377	1388	1604	1604	1650	1781	2119	2395
060800	2773	2933	3058	3042	3324	3457	3424	3361	3006	2875	2540	2008
060900	1609	1411	1278	1201	1165	1116	1425	1522	1537	1809	2054	2360
060900	2648	2872	2967	3089	3258	3359	3340	3195	2982	2644	2373	1980
061000	1684	1439	1272	1096	1058	1026	1125	1255	1441	1803	2199	2403
061000	2528	2837	3046	3102	3299	3142	3300	3054	2693	2602	2384	2046
061100	1767	1442	1393	1297	1175	1211	1246	1377	1657	1955	2335	2700
061100	2866	3008	2919	3055	3188	3192	2905	2813	2682	2580	2313	1918
061200	1671	1497	1265	1201	1131	1268	1489	1611	1497	1750	2021	2444
061200	2673	2767	2775	2961	3155	3356	3411	3151	2972	2773	2370	2167
061300	1826	1612	1436	1347	1270	1306	1605	1732	1705	1949	2383	2822
061300	3195	3224	3391	3657	3653	3924	3766	3582	3262	3024	2740	2253
061400	2032	1780	1564	1471	1422	1484	1643	1802	1890	2074	2475	2798
061400	3076	3237	3420	3579	3659	3848	3822	3602	3476	3302	2781	2440
061500	2166	1962	1642	1536	1556	1557	1775	1849	1885	2047	2461	2773
061500	2990	3253	3390	3525	3609	3753	3776	3554	3453	3343	2862	2309
061600	1956	1835	1549	1496	1480	1515	1775	1900	1993	2229	2486	2908
061600	3212	3196	3295	3570	3707	3846	3737	3618	3362	3182	3011	2575
061700	2231	1977	1758	1682	1511	1501	1542	1676	1949	2389	2867	3353
061700	3594	3566	3541	3461	3529	3487	3330	3105	3030	2848	2507	2166
061800	1891	1623	1519	1379	1343	1251	1427	1664	2031	2385	2793	3237
061800	3422	3605	3601	3759	3989	3880	3760	3470	3355	3186	2695	2336
061900	1929	1722	1599	1475	1390	1381	1716	1600	1671	2008	2369	2757
061900	2978	3302	3369	3539	3543	3625	3842	3977	3844	3365	2981	2504
062000	2084	1811	1667	1554	1471	1465	1792	1749	1890	2120	2265	2672
062000	2985	3191	3418	3555	3672	3821	3892	3754	3408	3253	2694	2337
062100	2029	1739	1633	1489	1450	1445	1649	1705	1776	2125	2183	2595
062100	2916	3129	3300	3413	3598	3587	3330	3109	3105	2959	2542	2182
062200	1832	1627	1482	1344	1408	1368	1729	1804	1728	2044	2294	2611
062200	2833	3017	3257	3301	3274	3374	3325	2971	2973	2915	2597	2212
062300	1912	1646	1548	1525	1449	1529	1748	1857	1804	2034	2314	2767
062300	2953	3010	2999	3151	3214	2966	2969	2771	2549	2485	2079	1918
062400	1668	1444	1384	1268	1296	1188	1314	1491	1635	2105	2259	2571
062400	2911	3081	3230	3164	3209	3076	2785	2634	2581	2353	2092	1976
062500	1669	1543	1411	1328	1297	1203	1248	1415	1623	1977	2134	2685
062500	3000	3370	3564	3554	3691	3376	2990	2971	2840	2755	2274	1820
062600	1550	1328	1249	1178	1132	1202	1513	1532	1547	1712	1957	2204
062600	2647	2694	2536	2178	2179	2344	2387	2225	2167	2111	2021	1672
062700	1394	1288	1114	1095	1112	1182	1336	1418	1512	1783	2094	2309
062700	2452	2450	2049	2148	2157	2443	2427	2241	2280	2427	1977	1559
062800	1373	1309	1166	1013	998	1088	1465	1405	1585	1628	2046	2364
062800	2652	2965	2856	2923	3083	3209	3013	2872	2826	2641	2208	1930
062900	1648	1468	1361	1291	1317	1293	1676	1679	1729	1832	2095	2348
062900	2501	2350	2372	2239	2445	2615	2671	2651	2667	2471	2319	1972
063000	1803	1568	1418	1373	1301	1372	1612	1798	1812	2000	2081	2137
063000	2058	2083	2104	2114	2032	2270	2228	2273	2332	2303	1957	1775
070100	1582	1338	1203	1132	1151	1172	1281	1420	1735	1997	2250	2305

EEI formatted Residential Load Profile based on Combined Ratio Estimation

070100	2807	2867	2987	2784	2701	2561	2557	2370	2226	2259	1850	1752
070200	1424	1200	1078	1005	954	918	1004	1155	1511	1916	2045	2235
070200	2570	2882	3028	3146	3321	3235	3232	3087	2885	2820	2540	2120
070300	1768	1534	1421	1294	1241	1243	1325	1362	1652	2011	2187	2621
070300	2824	2999	3051	3281	3453	3555	3535	3369	3100	3056	2667	2293
070400	1919	1760	1504	1418	1375	1345	1368	1497	1872	2281	2863	3030
070400	3467	3665	3661	3877	3837	3627	3467	3295	3087	2782	2629	2291
070500	1979	1775	1557	1439	1450	1440	1603	1651	1788	2151	2334	2606
070500	3015	3057	3115	3363	3505	3680	3848	3578	3382	3163	2850	2344
070600	2002	1846	1663	1518	1444	1414	1680	1740	1775	1932	2418	2715
070600	3056	3276	3536	3544	3519	3630	3813	3714	3476	3263	2893	2501
070700	2258	2030	1856	1732	1743	1696	1831	1983	2164	2419	2637	2881
070700	3217	3354	3443	3487	3509	3551	3420	3134	3197	2721	2488	2143
070800	1919	1770	1675	1563	1519	1508	1524	1693	2001	2316	2748	2913
070800	3005	3252	3426	3231	3117	3070	2836	2613	2600	2498	2237	1991
070900	1687	1592	1421	1366	1310	1319	1394	1523	1833	2288	2536	2819
070900	3074	3281	3389	3462	3620	3788	3599	3449	3217	2955	2670	2206
071000	1822	1662	1466	1381	1289	1252	1539	1596	1809	1955	2333	2703
071000	2893	3027	3390	3607	3762	3935	3897	3550	3465	3184	2806	2269
071100	1997	1718	1547	1442	1419	1363	1527	1600	1915	2071	2217	2630
071100	2954	3102	3429	3669	3812	3992	3965	3945	3734	3495	3045	2619
071200	2339	2097	1856	1701	1664	1648	1805	1845	2004	2207	2596	3030
071200	3269	3520	3637	3578	3773	3957	3983	3952	3646	3494	2989	2542
071300	2209	2005	1836	1706	1671	1725	1898	1963	2034	2302	2585	2752
071300	2760	2680	2670	2780	3055	3344	3392	3461	3133	3033	2729	2343
071400	2111	1911	1739	1667	1675	1687	1870	1911	1976	2300	2483	2755
071400	2803	2711	2664	2753	2762	2873	2699	2747	2565	2440	2177	1903
071500	1726	1611	1607	1493	1448	1518	1572	1773	2068	2166	2236	2309
071500	2555	2500	2334	2224	2134	2294	2422	2339	2312	2350	2225	1854
071600	1780	1515	1381	1261	1251	1269	1291	1583	2041	2414	2618	2894
071600	3254	3448	3649	3884	3918	3815	3837	3699	3405	3227	2753	2380
071700	2074	1995	1855	1785	1741	1817	1930	1925	2131	2423	2590	2906
071700	3217	3326	3430	3683	3730	3827	3985	3575	3460	3231	2885	2583
071800	2261	2170	2013	1900	1816	1876	2005	2111	2105	2215	2426	2750
071800	2979	3136	3315	3109	3402	3608	3593	3437	3296	2950	2579	2232
071900	1880	1686	1701	1581	1556	1536	1652	1815	1823	2072	2487	2833
071900	3178	3201	3364	3584	3574	3797	3759	3747	3417	3186	2774	2443
072000	2158	1985	1837	1717	1714	1745	1861	2064	1979	2191	2543	2937
072000	3158	3202	3358	3445	3509	3822	3797	3597	3325	3107	2746	2249
072100	2002	1760	1667	1562	1517	1490	1664	1757	1904	2191	2487	2715
072100	3024	3361	3377	3402	3214	3095	3034	2846	2765	2582	2271	1886
072200	1711	1570	1452	1346	1392	1402	1409	1611	1955	2122	2301	2572
072200	2717	2958	3064	3061	2897	2841	2716	2658	2505	2492	2192	1924
072300	1771	1638	1478	1448	1480	1391	1403	1569	1845	2237	2605	2768
072300	2991	3151	3058	2900	2925	2902	2766	2622	2629	2598	2376	1922
072400	1599	1438	1310	1234	1220	1298	1496	1509	1634	1946	2061	2283
072400	2309	2190	2042	2015	2071	2329	2293	2322	2324	2201	1859	1519
072500	1266	1161	1057	1007	1025	1107	1349	1376	1542	1563	1834	2016
072500	2357	2707	2772	2846	2988	2964	2828	2584	2615	2452	2089	1772
072600	1421	1288	1159	1081	1108	1156	1356	1397	1548	1788	1975	2458
072600	2672	2982	3211	3331	3521	3581	3454	3169	2701	2612	2342	1984
072700	1724	1459	1354	1252	1203	1268	1409	1481	1642	1765	2040	2321
072700	2664	3038	3443	3496	3603	3596	3640	3364	3339	3191	2758	2283
072800	1989	1804	1620	1489	1445	1421	1603	1690	1813	2216	2473	2820
072800	3156	3308	3443	3643	3695	3620	3567	3388	3278	3210	2969	2390
072900	2054	1775	1673	1542	1426	1422	1446	1735	1980	2469	2989	3138
072900	3307	3362	3386	3502	3615	3662	3649	3354	3015	2772	2461	2162
073000	1903	1674	1621	1511	1445	1363	1458	1588	1731	2130	2451	2786
073000	2999	3317	3390	3263	2920	3007	2708	2688	2527	2420	2199	1736
073100	1511	1369	1295	1194	1164	1258	1455	1536	1695	1991	2168	2479
073100	2790	3025	3109	3076	3290	3360	3437	3170	3153	2944	2402	2021

EEI formatted Residential Load Profile based on Combined Ratio Estimation

080100	1867	1661	1518	1416	1388	1524	1709	1880	1716	1993	2387	2620
080100	3082	3196	3334	3455	3316	3161	3246	3260	3023	2671	2411	2075
080200	1792	1601	1485	1372	1354	1362	1527	1668	1669	1957	2302	2560
080200	2748	3013	3074	3193	3260	3339	3231	3020	2849	2780	2456	2057
080300	1841	1506	1360	1291	1263	1328	1469	1659	1733	2042	2390	2610
080300	2933	3222	3471	3459	3428	3531	3441	3345	3179	2962	2655	2131
080400	1872	1622	1551	1437	1452	1376	1579	1683	1816	2257	2453	2663
080400	2885	3096	3309	3186	3108	3237	3127	3079	3147	2944	2641	2237
080500	1986	1686	1592	1516	1534	1442	1498	1673	2075	2496	2718	2911
080500	3187	3422	3667	3691	3851	3909	3683	3649	3365	3114	2781	2334
080600	2011	1780	1628	1509	1434	1412	1442	1584	1971	2421	2652	3116
080600	3412	3688	3811	3705	3577	3302	3011	3011	3043	2707	2330	1947
080700	1735	1527	1400	1331	1398	1520	1701	1638	1837	2263	2432	2710
080700	3028	3157	3255	3330	3488	3991	4041	3892	3659	3494	3000	2640
080800	2258	2149	1824	1724	1660	1747	1780	1835	1909	2132	2505	2728
080800	3201	3365	3483	3627	3718	4074	4023	3763	3648	3485	2958	2551
080900	2145	1991	1771	1581	1558	1597	1863	1861	2001	2265	2255	2739
080900	3048	2999	2992	3082	3053	3189	3144	3145	2879	2815	2463	1989
081000	1699	1529	1419	1327	1293	1414	1611	1669	1658	1928	2053	2543
081000	2885	3085	3159	3288	3437	3572	3578	3374	3121	3100	2495	2260
081100	1975	1762	1567	1527	1460	1514	1827	2054	2066	2175	2393	2856
081100	3082	3203	3466	3538	3844	3932	3749	3555	3433	3120	2785	2526
081200	2188	1980	1866	1725	1678	1538	1669	1802	1877	2150	2339	2578
081200	2762	2792	2374	2315	2346	2590	2625	2429	2366	2266	2115	1946
081300	1612	1569	1489	1387	1313	1220	1215	1456	1819	2197	2446	2558
081300	2786	3095	3359	3422	3650	3539	3298	3121	2976	2691	2527	2081
081400	1717	1547	1434	1409	1351	1454	1607	1800	1802	1961	2167	2367
081400	2536	2318	2259	2589	2931	3122	3249	3253	3103	2840	2400	2054
081500	1871	1573	1531	1396	1406	1432	1711	1675	1548	1769	1958	2481
081500	2889	3035	3000	3255	3399	3434	3652	3672	3595	3213	2705	2224
081600	1937	1752	1600	1527	1374	1453	1704	1809	1830	1911	2125	2511
081600	2852	3111	3390	3414	3490	3760	3582	3588	3314	3016	2536	2160
081700	1867	1824	1545	1382	1350	1382	1623	1723	1618	1718	2023	2368
081700	2598	2934	3186	3229	3489	3549	3744	3673	3451	3108	2632	2279
081800	1920	1567	1514	1411	1292	1302	1569	1776	1630	1698	1942	2389
081800	2845	3081	3296	3462	3622	3745	3835	3578	3598	3351	2896	2562
081900	2198	1935	1713	1600	1575	1496	1556	1712	1794	2310	2588	3143
081900	3354	3606	3690	3766	3970	4119	3957	3746	3491	3234	2904	2504
082000	2209	1914	1832	1703	1692	1536	1558	1690	2107	2473	2864	3166
082000	3508	3687	3683	3679	3623	3581	3426	3158	3106	2758	2439	2102
082100	1802	1659	1557	1432	1424	1392	1707	1812	1751	2014	2135	2483
082100	2942	3112	3364	3404	3549	3643	3664	3506	3388	3038	2716	2463
082200	2033	1826	1758	1606	1544	1584	1831	1953	1760	1978	2237	2405
082200	2623	2669	2710	2873	2851	2943	3061	2944	2900	2668	2319	2046
082300	1757	1616	1537	1411	1378	1480	1785	1820	1704	1940	2041	2491
082300	2878	3145	3248	3359	3325	3669	3729	3408	3295	2971	2694	2319
082400	2030	1748	1627	1488	1469	1528	1724	1836	1894	2138	2274	2600
082400	2998	3315	3450	3536	3737	3769	3949	3714	3394	3128	2721	2288
082500	2008	1790	1657	1555	1452	1494	1865	2057	1851	2032	2309	2538
082500	2848	3074	3334	3583	3743	3872	3694	3502	3293	3105	2763	2245
082600	1937	1769	1587	1525	1466	1345	1390	1555	1777	2088	2533	2848
082600	3232	3511	3706	3693	3884	3713	3523	3431	3068	2992	2558	2155
082700	1852	1670	1528	1368	1325	1241	1286	1482	1837	2311	2543	2895
082700	3221	3439	3603	3640	3740	3798	3690	3567	3267	3010	2804	2319
082800	1868	1806	1484	1410	1311	1400	1650	1938	1775	1851	2269	2563
082800	2895	3123	3420	3585	3683	3879	3731	3574	3414	3178	2545	2308
082900	1991	1891	1652	1651	1541	1593	1791	2020	1887	1896	1805	1959
082900	1966	2244	2609	2797	3059	3230	3228	3206	3132	2746	2252	1908
083000	1726	1511	1331	1229	1126	1319	1547	1811	1655	1924	2128	2402
083000	2701	3003	3227	3387	3464	3614	3651	3497	3243	3017	2595	2258
083100	1875	1739	1579	1454	1360	1487	1718	1760	1674	1975	2089	2322

EEI formatted Residential Load Profile based on Combined Ratio Estimation

,083100	2712	3076	3060	3242	3350	3488	3700	3717	3504	3161	2730	2366
090100	2106	1849	1726	1682	1560	1690	1914	2091	1946	2058	2329	2539
090100	2882	3134	3257	3636	3762	3614	3490	3128	3007	2994	2570	2293
090200	1975	1735	1618	1619	1487	1576	1631	1805	1900	2494	2970	3251
090200	3463	3701	3618	3701	3718	3745	3469	3204	3131	3051	2738	2259
090300	1994	1738	1613	1487	1454	1447	1451	1701	1918	2423	2881	3282
090300	3660	3848	3959	4019	4030	4048	3550	3501	3389	3093	2605	2318
090400	1918	1772	1741	1650	1604	1655	1687	1765	2059	2560	3183	3542
090400	3561	3735	3796	3968	4071	4034	3827	3538	3445	3227	2790	2394
090500	2043	1858	1661	1609	1590	1647	1988	2026	2020	2152	2394	2842
090500	2897	2779	2730	2779	2815	2959	3132	2856	2889	2750	2237	1932
090600	1758	1617	1489	1297	1353	1440	1693	1972	1728	1881	2213	2481
090600	2832	2888	2877	3020	2885	2888	2929	2964	2906	2720	2337	2006
090700	1638	1519	1497	1390	1341	1414	1751	1869	1771	1884	1991	2307
090700	2595	2779	2933	3093	3180	3220	3109	3110	3082	2716	2328	2042
090800	1772	1481	1402	1289	1337	1433	1716	1912	1829	1898	2046	2287
090800	2701	3006	3127	3261	3317	3340	3406	3347	3208	2910	2623	2281
090900	2007	1822	1752	1635	1597	1507	1644	1852	2237	2398	2637	2682
090900	2830	2819	2945	2766	2990	2945	2840	2701	2602	2553	2333	2075
091000	1802	1657	1561	1415	1391	1384	1472	1704	2025	2633	2924	3207
091000	3500	3702	3770	3671	3679	3629	3594	3409	3297	2842	2600	2187
091100	1864	1682	1513	1445	1410	1490	1795	1859	1716	1866	2143	2376
091100	2722	3035	3170	3282	3520	3586	3622	3471	3565	3062	2580	2118
091200	1795	1484	1427	1320	1347	1414	1683	1743	1612	1759	2010	2353
091200	2653	2903	3235	3369	3594	3825	3744	3537	3460	3160	2634	2222
091300	2038	1718	1623	1514	1501	1550	1943	1887	1863	2012	2366	2594
091300	2880	3093	3458	3462	3675	3871	3725	3744	3802	3279	2780	2435
091400	2034	1811	1657	1499	1436	1505	1742	1950	1782	1975	2308	2580
091400	2986	3106	3343	3528	3812	4020	3894	3705	3477	3205	2662	2319
091500	2021	1850	1687	1549	1434	1556	1872	2025	1870	2031	2195	2504
091500	2787	3001	3192	3359	3509	3658	3518	3427	3364	3085	2686	2391
091600	2086	1911	1766	1627	1572	1502	1586	1780	2063	2117	2531	2699
091600	2694	2550	2636	2590	2606	2704	2677	2583	2428	2311	2072	1805
091700	1481	1313	1214	1181	1093	1041	1098	1375	1554	1751	1968	2033
091700	2271	2140	2251	2241	2425	2547	2552	2482	2355	2228	1898	1661
091800	1381	1304	1170	1096	1098	1222	1598	1658	1549	1588	1771	1915
091800	2360	2477	2493	2754	3130	3346	3300	3132	2892	2756	2251	1850
091900	1589	1351	1271	1182	1179	1247	1749	1830	1621	1679	1822	2200
091900	2571	2953	3127	3237	3383	3333	3295	3187	2871	2614	2301	1902
092000	1640	1569	1390	1337	1361	1462	1942	1901	1706	1785	1951	2288
092000	2478	2691	2935	3039	3161	3229	3180	3166	3059	2777	2338	1963
092100	1717	1578	1479	1399	1373	1522	1876	1923	1882	1963	2107	2396
092100	2669	2827	3148	3322	3523	3686	3644	3432	3334	3025	2645	2157
092200	1857	1675	1531	1504	1500	1693	2033	2212	2049	1907	2223	2560
092200	2872	2948	2964	3136	3264	3231	3219	3192	3050	2818	2546	2110
092300	1789	1699	1615	1518	1505	1469	1570	1796	2066	2410	2572	2796
092300	3270	3428	3735	3787	3795	3798	3675	3455	3316	3104	2799	2475
092400	2096	1823	1753	1608	1595	1538	1616	1748	2049	2366	2756	3096
092400	3463	3689	3658	3879	3760	3890	3838	3673	3476	3104	2505	2093
092500	1871	1754	1511	1471	1423	1649	1818	2026	1878	1982	2115	2462
092500	2865	3088	3435	3548	3567	3743	3735	3827	3579	3256	2756	2296
092600	1885	1709	1607	1461	1490	1623	1945	1971	1843	1914	2255	2455
092600	2793	3041	3286	3316	3467	3464	3457	3479	3220	2944	2556	2072
092700	1829	1630	1514	1473	1445	1560	1839	1934	1867	1873	2179	2432
092700	2672	2939	3104	3138	3227	3330	3175	3278	3277	2794	2529	1959
092800	1722	1521	1438	1281	1301	1391	1780	1900	1676	1634	1948	2186
092800	2335	2488	2429	2576	2791	2917	2805	2811	2836	2615	2144	1702
092900	1437	1357	1234	1164	1174	1240	1613	1681	1489	1538	1555	1870
092900	2086	2267	2530	2645	3054	3209	3298	3004	2773	2556	2175	1844
093000	1614	1513	1328	1237	1255	1164	1269	1499	1768	2121	2257	2209
093000	2699	2807	3050	3093	3100	3176	2973	2792	2652	2466	2085	1697

EEI formatted Residential Load Profile based on Combined Ratio Estimation

100100	1450	1326	1215	1247	1154	1099	1157	1328	1681	2011	2159	2137
100100	2409	2598	2859	3057	3098	3180	3087	3013	2873	2626	2108	1674
100200	1375	1190	1144	1093	1071	1191	1507	1561	1424	1385	1495	1744
100200	1944	2247	2500	2688	2800	3183	3238	3194	2890	2561	2177	1739
100300	1533	1337	1282	1200	1185	1307	1707	1790	1504	1536	1807	1980
100300	2182	2270	2342	2355	2304	2410	2647	2760	2906	2641	2260	1873
100400	1583	1414	1305	1222	1223	1417	1595	1701	1622	1497	1727	1837
100400	2045	2331	2418	2712	2852	3088	3320	3310	3122	2689	2104	1819
100500	1576	1380	1248	1185	1215	1252	1637	1727	1752	1796	1870	2339
100500	2484	2734	3078	3174	3297	3430	3372	3380	3330	2846	2304	1965
100600	1774	1561	1397	1330	1298	1414	1738	1872	1719	1706	2005	2326
100600	2552	2913	3065	3250	3335	3491	3212	3225	2862	2800	2430	1966
100700	1796	1617	1504	1373	1390	1386	1504	1692	1851	2297	2389	2789
100700	2782	3100	3326	3246	3227	3161	2966	2782	2546	2248	2087	1775
100800	1506	1386	1223	1156	1087	1061	1114	1273	1594	1891	2172	2367
100800	2471	2540	2701	2705	2823	2802	2792	2841	2591	2184	1754	1390
100900	1082	941	832	823	858	1014	1325	1481	1330	1410	1337	1446
100900	1355	1496	1383	1270	1451	1625	1840	1905	1785	1591	1344	1173
101000	1048	1017	921	922	973	1169	1633	1784	1573	1414	1333	1336
101000	1360	1214	1293	1229	1344	1439	1645	2149	1718	1553	1364	992
101100	867	829	795	739	859	976	1473	1476	1375	1414	1258	1197
101100	1169	1259	1233	1329	1526	1591	1785	1840	1778	1614	1319	1120
101200	884	843	755	735	801	906	1228	1480	1290	1261	1359	1447
101200	1320	1323	1434	1544	1787	1802	1711	1919	1828	1732	1510	1146
101300	941	838	767	768	768	908	1345	1416	1325	1322	1369	1406
101300	1429	1618	1645	1834	2192	2094	2049	2082	1758	1578	1467	1253
101400	1029	909	834	740	768	842	932	1272	1463	1536	1495	1713
101400	1644	1660	1919	2095	2149	2115	2126	2238	2203	1758	1577	1305
101500	1088	952	880	825	863	835	1055	1251	1481	1502	1673	1687
101500	1697	1814	1911	2047	2091	2127	2229	2284	2145	1842	1458	1087
101600	883	774	788	771	789	1063	1493	1533	1368	1400	1456	1339
101600	1318	1298	1498	1686	1829	2012	2013	2204	1978	1667	1399	1117
101700	964	853	891	861	866	1017	1518	1571	1419	1308	1275	1239
101700	1250	1297	1448	1636	1826	1897	1925	2161	2194	1942	1536	1167
101800	1008	939	841	838	861	1094	1587	1492	1497	1230	1171	1212
101800	1286	1468	1561	1669	1919	1991	2053	2325	2160	1775	1484	1165
101900	965	827	797	790	838	947	1397	1488	1464	1373	1249	1355
101900	1502	1651	1637	1784	1971	2191	2174	2248	2130	1885	1526	1248
102000	994	889	938	821	889	1040	1287	1487	1490	1379	1296	1482
102000	1670	1695	1927	2061	2206	2203	2200	2191	1982	1779	1508	1178
102100	1018	935	859	814	829	816	901	1253	1336	1734	1889	1964
102100	1893	2163	2394	2411	2346	2386	2359	2234	2059	1828	1589	1359
102200	1199	951	933	847	824	865	1058	1178	1481	1735	1922	1905
102200	2063	2235	2272	2303	2361	2346	2221	2199	2256	1822	1529	1230
102300	1014	949	855	865	921	978	1360	1353	1314	1373	1505	1431
102300	1582	1605	1703	1832	1958	2235	2334	2368	2041	1839	1507	1259
102400	1054	955	906	885	880	1051	1331	1492	1279	1268	1297	1407
102400	1543	1537	1681	1825	1942	2300	2149	2322	2214	1801	1520	1275
102500	1104	990	875	828	828	944	1256	1458	1394	1421	1287	1390
102500	1468	1525	1600	1687	1898	2107	2156	1984	2072	1975	1725	1293
102600	998	869	801	813	854	973	1355	1555	1275	1393	1304	1514
102600	1577	1772	1751	1878	2077	2154	2079	2224	2166	1875	1522	1219
102700	995	881	811	829	857	951	1320	1440	1323	1374	1273	1407
102700	1378	1370	1480	1771	2013	2155	1877	1953	1912	1837	1639	1202
102800	929	872	838	837	900	859	1020	1222	1554	1660	1469	1886
102800	1863	1841	1972	2005	1951	2006	2061	2060	1893	1729	1487	1234
102900	923	851	786	831	820	947	1222	1468	1699	1734	1909	1908
102900	2027	2224	2390	2311	2294	2354	2630	2494	2099	1696	1400	1057
103000	847	836	758	801	803	999	1401	1544	1335	1401	1509	1585
103000	1777	1891	2004	1888	1952	2074	2317	2145	1957	1680	1387	1093
103100	883	713	705	733	778	1041	1392	1495	1318	1316	1307	1363

EEI formatted Residential Load Profile based on Combined Ratio Estimation

.103100	1439	1484	1667	1741	1866	2085	1849	1922	1657	1551	1210	975
110100	890	854	794	798	834	1062	1513	1501	1435	1431	1460	1453
110100	1449	1543	1609	1623	1719	1886	2124	2036	1926	1647	1385	1084
110200	945	873	792	818	877	1098	1483	1614	1496	1413	1456	1359
110200	1337	1315	1390	1545	1705	1896	1975	2116	1802	1759	1515	1171
110300	974	829	780	793	817	997	1534	1622	1439	1309	1310	1310
110300	1410	1459	1525	1726	1727	1869	2131	2003	1675	1596	1462	1153
110400	972	872	835	819	823	834	1135	1260	1508	1561	1673	1694
110400	1808	1798	1788	1891	1893	1949	2192	2079	1846	1598	1399	1194
110500	932	881	888	843	860	901	1076	1182	1288	1786	1838	1934
110500	2000	2083	2220	2162	2317	2400	2469	2595	2222	1858	1489	1098
110600	874	852	825	799	771	1035	1374	1473	1503	1538	1629	1644
110600	1782	1930	2052	2033	2071	2173	2555	2496	2202	1824	1479	1205
110700	987	856	815	869	858	1053	1585	1540	1427	1553	1535	1635
110700	1691	1822	1902	2218	2144	2537	2791	2625	2237	1897	1652	1370
110800	1128	1012	927	857	881	1012	1426	1495	1491	1351	1550	1606
110800	1785	1859	1953	2154	2148	2377	2649	2759	2347	2206	1926	1382
110900	1112	1040	930	902	880	1153	1476	1613	1560	1471	1435	1684
110900	1798	1813	1978	2035	1996	2121	2375	2387	2460	2094	1788	1558
111000	1231	1140	1071	1033	957	1120	1447	1662	1491	1634	1570	1737
111000	1773	1731	1909	1908	1947	1917	2088	1821	1696	1483	1359	1192
111100	965	824	751	784	790	884	1055	1245	1574	1757	1791	1747
111100	1591	1515	1514	1474	1572	1527	1676	1757	1435	1413	1286	1083
111200	969	865	855	861	818	877	1157	1316	1809	1910	1697	1642
111200	1575	1688	1736	1638	1795	2105	2127	2012	1849	1444	1267	1082
111300	877	818	850	919	886	1205	1616	1533	1266	1374	1471	1408
111300	1369	1300	1229	1438	1669	1845	2078	2136	1909	1713	1433	1129
111400	939	864	793	795	732	1085	1445	1379	1462	1318	1348	1392
111400	1374	1353	1303	1370	1597	1927	2083	2064	1821	1628	1266	1093
111500	909	886	894	886	1030	1367	1887	2151	1915	1630	1589	1493
111500	1312	1388	1358	1280	1454	1729	2046	2164	2342	2061	1831	1432
111600	1364	1369	1415	1443	1518	2126	2418	2409	1675	1532	1351	1312
111600	1369	1263	1154	1234	1362	1578	1899	1870	1749	1664	1375	1026
111700	929	821	782	743	833	1002	1591	1574	1221	1368	1437	1547
111700	1406	1526	1451	1520	1696	1767	1782	1820	1668	1507	1394	1157
111800	962	820	790	790	769	768	1140	1400	1652	1710	1528	1512
111800	1773	1666	1540	1679	1694	1931	1936	1770	1602	1574	1269	1171
111900	977	807	711	751	747	819	1013	1425	1591	1763	1708	1773
111900	1858	1993	2025	2099	2213	2483	2506	2477	2061	1826	1625	1277
112000	932	934	839	821	807	1234	1675	1822	1746	1656	1699	1667
112000	1623	1618	1735	1760	1996	2388	2684	2867	2778	2723	2382	2253
112100	2296	2161	2294	2292	2518	3009	3304	3436	2497	2463	1953	1948
112100	1734	1624	1616	1663	2052	2575	2665	3118	3102	3458	3041	2705
112200	2586	2705	2798	3026	3161	3671	4160	4601	3749	3123	2711	2526
112200	2235	1746	1740	1811	1870	2438	2694	2736	2587	3003	3443	3049
112300	2792	2851	2727	2653	2737	3012	3723	3917	3934	3797	3133	2973
112300	2690	2269	2161	1887	1918	2049	2131	2196	2231	1944	1983	1990
112400	1714	1623	1532	1724	1861	1968	2031	2159	2041	1806	1928	1597
112400	1556	1742	1579	1592	1618	1770	1829	1712	1548	1455	1400	1160
112500	984	827	793	741	712	737	930	1174	1489	1736	1704	1847
112500	1944	1873	1674	1754	1818	2036	2193	2079	1918	1692	1617	1344
112600	1187	930	840	835	807	1046	1145	1346	1579	1819	1996	1879
112600	2045	1902	1881	1927	1961	1985	2364	2343	2243	1794	1465	1266
112700	1167	1029	1196	1230	1521	1739	2356	2638	2170	1760	1701	1363
112700	1212	1287	1255	1348	1525	2015	2361	2388	2351	2120	1777	1612
112800	1385	1641	1749	1669	1862	2342	2930	2899	2309	1919	1683	1514
112800	1288	1389	1143	1389	1605	1887	2384	2406	2224	2262	1852	1690
112900	1641	1700	1478	1575	1669	1907	2402	2177	1795	1779	1621	1672
112900	1447	1508	1417	1536	1730	2131	2331	2481	2184	2269	2006	1777
113000	1668	1657	1669	1683	1880	2380	2733	2883	2443	1835	1861	1478
113000	1482	1442	1316	1501	1572	1989	2214	2544	2084	2297	2071	1929

EEI formatted Residential Load Profile based on Combined Ratio Estimation

.120100	1522	1474	1660	1786	1882	2424	2602	2892	2253	1862	1516	1418
120100	1288	1132	1050	1164	1182	1612	1869	1973	1862	1908	1656	1416
120200	1230	1084	1084	1177	1308	1555	1739	2097	2430	2134	1809	1470
120200	1408	1514	1340	1559	1488	1529	1707	1819	1917	1607	1403	1196
120300	1108	990	1005	894	957	977	1202	1569	1988	2185	1874	1691
120300	1895	1931	2027	1819	1938	2297	2754	2777	2773	2574	2288	2103
120400	2124	2062	2276	2088	2380	2805	3405	3667	3141	2632	2308	1809
120400	1636	1596	1541	1481	1869	2304	2694	2887	2515	2433	2218	1774
120500	1774	1826	1854	1966	2086	2343	2841	2910	2356	2181	1879	1551
120500	1433	1251	1288	1385	1561	2117	2609	2773	2921	2926	2593	2490
120600	2551	2398	2519	2498	2745	3119	3656	3624	3067	2772	2319	1852
120600	1678	1404	1403	1393	1826	2078	2537	2618	2666	2529	2344	1918
120700	1639	1711	1653	1732	1793	2236	2638	2922	2466	1947	1624	1655
120700	1448	1444	1371	1349	1433	1819	2079	2211	2110	1931	1913	1631
120800	1616	1458	1503	1459	1551	1907	2484	2481	2395	1692	1477	1224
120800	1152	1003	1038	1259	1364	1545	1766	1840	1725	1610	1320	1064
120900	956	932	838	809	846	924	1181	1400	1600	1589	1720	1680
120900	1569	1494	1376	1463	1587	1685	1941	1946	1787	1570	1362	1151
121000	1012	808	800	767	842	819	1027	1392	1591	1801	1637	1506
121000	1610	1695	1661	1528	1688	1961	2183	2134	1829	1762	1383	1062
121100	831	692	656	669	677	889	1440	1587	1416	1408	1142	1154
121100	1184	1257	1293	1386	1470	1815	2221	2160	2006	1647	1304	1011
121200	921	863	786	635	696	876	1281	1464	1273	1218	1265	1200
121200	1269	1276	1392	1564	1622	1805	2087	2189	2006	1696	1375	1075
121300	863	775	664	673	749	946	1350	1403	1175	1077	1262	1363
121300	1383	1360	1470	1553	1581	1800	1959	1949	2009	1868	1575	1141
121400	930	840	746	707	707	908	1267	1454	1291	1184	1162	1247
121400	1299	1384	1447	1445	1633	2169	2191	2322	2332	2194	1704	1270
121500	958	869	801	695	713	954	1276	1511	1286	1242	1328	1290
121500	1335	1613	1647	1695	1706	1942	2151	2117	1976	1810	1528	1266
121600	1016	930	833	744	810	782	925	1226	1325	1461	1771	1695
121600	1672	1705	1731	1867	1830	1981	2144	2041	1983	1937	1723	1508
121700	1134	878	774	797	743	736	781	1143	1348	1661	1709	1805
121700	1764	1516	1417	1674	1630	1915	2326	2393	2317	2247	2087	1837
121800	1690	1743	1951	2119	2183	2690	3437	3798	3277	2883	2648	2282
121800	1989	1650	1481	1499	1622	2029	2578	2604	2711	2592	2505	2176
121900	1934	2007	2017	1998	2140	2601	3100	3292	2536	2298	2182	2522
121900	2464	2338	2370	2503	2726	3443	3510	3482	3408	3163	3075	2859
122000	2808	3020	3041	3181	3316	3858	4010	4497	4201	4203	4202	3909
122000	3443	3127	2919	2863	2926	3576	3882	4000	4376	4285	4002	4115
122100	3805	3757	3661	3694	3826	3929	4346	4377	4540	4262	3597	3302
122100	2856	2373	2037	1833	2000	2495	2864	2946	2923	3010	2838	2520
122200	2215	2205	2117	2178	2420	2589	2878	3043	3260	2930	2440	2302
122200	2089	2028	1831	1922	2068	2343	2399	2605	2673	2762	2624	2426
122300	2253	2231	2442	2497	2616	2714	2979	3423	3486	3387	2707	2376
122300	2114	1643	1687	1627	1619	1805	1895	2184	2150	2113	2100	1846
122400	1665	1627	1551	1588	1715	1781	2013	2187	2554	2552	2412	2163
122400	2053	1960	1815	1786	1822	1988	2186	2151	2152	2333	2164	2038
122500	1716	1683	1730	1739	1960	2036	2294	2519	2853	2838	2435	2209
122500	1966	1880	1709	1624	1725	1821	1985	2107	2031	2165	1965	1647
122600	1506	1429	1534	1632	1751	1738	2089	2467	2343	2104	2032	1903
122600	1558	1564	1387	1349	1551	1733	2110	2106	2040	1887	1685	1593
122700	1254	1331	1366	1394	1456	1670	1847	2104	2273	1873	1772	1655
122700	1499	1305	1381	1291	1441	1466	1829	1879	1914	1724	1474	1274
122800	982	845	814	823	818	1005	1176	1356	1473	1548	1663	1825
122800	1714	1591	1370	1430	1579	1829	1997	2070	2034	1816	1735	1535
122900	1433	1324	1311	1348	1477	1538	1756	2220	2591	2619	2406	2472
122900	2597	2572	2428	2399	2517	2614	3078	3114	3062	2858	2802	2671
123000	2496	2456	2421	2488	2456	2779	3021	3294	3782	3868	3795	3351
123000	3186	3155	2928	2745	2800	3117	3246	3612	3740	3608	3698	3327
123100	3437	3260	3355	3634	3672	3970	4227	4601	4840	4417	4410	4146

EEI formatted Residential Load Profile based on Combined Ratio Estimation

123100	3776	3469	3080	3071	3086	3495	3853	4159	4058	3910	3954	4076
010101	4437	4452	4149	4271	4235	4291	4638	4697	5136	4876	4871	4458
010101	3845	3374	3096	3110	2964	3306	3385	3512	3473	3847	3840	3486
010201	3246	3173	3158	3085	3241	3297	3815	3900	3844	3761	3850	3747
010201	3500	3264	3090	3085	3297	3799	4159	3876	3842	3764	3475	3222
010301	3075	3069	3354	3415	3586	4098	4338	4866	4588	4497	3993	3769
010301	3175	2690	2381	2535	2903	3213	3777	3491	3613	3464	3286	3198
010401	3052	2892	3087	3312	3437	4028	4390	4873	4757	4471	3938	3645
010401	3502	3077	2943	2810	2980	3798	4311	3826	4056	4391	4142	4169
010501	4140	4106	4017	4293	4306	4559	4920	5303	5425	4993	4483	3432
010501	3020	2855	2363	2000	2315	2567	2985	3212	2879	2910	2491	2325
010601	2066	2062	2159	2142	2333	2457	2729	3031	3422	3239	3069	2671
010601	2453	2181	1954	1971	2052	2313	2736	2992	2837	2914	3036	2751
010701	2802	2867	2942	3195	3237	3437	3678	4281	4821	4332	3490	3117
010701	2660	2248	2285	1929	2138	2204	2481	2838	2799	2602	2130	1925
010801	1967	1831	1849	1851	1916	2142	2754	2635	2504	2192	2024	2096
010801	1967	1656	1565	1508	1824	1948	2357	2281	2155	1930	1677	1472
010901	1377	1351	1560	1661	1930	2377	3120	3454	3367	2939	3014	2913
010901	2640	2746	2621	2423	2625	3590	3692	3986	4339	4029	3786	3567
011001	3550	3675	3562	3770	3912	4399	4895	5030	4809	4596	3907	3357
011001	2969	2588	2226	2356	2314	2838	3309	3399	3398	3395	3186	2781
011101	2746	2761	2887	2831	2945	3315	3829	4140	3555	2906	2538	2116
011101	1814	1632	1574	1484	1681	1939	2073	2327	2226	2257	2015	1742
011201	1404	1459	1586	1248	1380	1781	2242	2314	2131	2008	1662	1742
011201	1565	1495	1467	1439	1679	1760	2117	2089	2412	2152	1963	1833
011301	1792	1749	1841	1911	1966	2196	2339	2764	3069	3245	3188	3065
011301	2529	2137	1945	1901	1943	2105	2624	2583	2621	2736	2531	2271
011401	2043	1994	1929	1895	2114	1991	2232	2540	2898	2948	2423	2206
011401	2023	2017	1742	1781	1889	2048	2237	2295	2297	2061	1754	1529
011501	1355	1307	1309	1355	1488	1740	2107	2105	2287	2160	2010	1924
011501	1787	1374	1342	1508	1677	1854	2003	1928	1779	1658	1413	1258
011601	1106	989	1061	1132	1133	1347	1715	2029	1676	1467	1337	1358
011601	1248	1206	1312	1260	1435	1665	2080	2047	1831	1621	1378	1108
011701	1063	956	920	914	940	1111	1622	1828	1472	1450	1355	1514
011701	1444	1288	1372	1485	1383	1535	1839	1935	1824	1681	1337	1124
011801	871	850	796	799	767	1079	1528	1620	1415	1429	1373	1383
011801	1418	1288	1351	1318	1344	1733	1845	1907	1727	1579	1469	1098
011901	960	909	816	801	788	966	1464	1627	1427	1436	1431	1446
011901	1401	1276	1345	1428	1610	1713	1702	1870	1688	1491	1413	1204
012001	992	910	856	793	803	849	1042	1352	1640	1932	1973	1940
012001	1945	2030	2062	2166	1935	2190	2803	2971	2939	2887	2832	2888
012101	2753	2855	3004	2965	3236	3308	3510	4066	4381	4525	3883	3584
012101	3269	3094	2736	2679	2625	2973	3228	3610	3464	3576	3410	3024
012201	2951	2926	2969	2974	2998	3329	3577	4038	3539	3257	2756	2341
012201	2425	2210	2112	2122	2435	2719	3024	3566	3219	2921	2746	2351
012301	2300	2230	2282	2405	2567	2987	3648	3734	3334	3008	2774	2399
012301	2281	2103	2065	2055	2172	2746	3203	3057	3201	3328	3092	2633
012401	2613	2544	2654	2792	2848	3231	3839	4227	3526	2903	2460	2166
012401	2036	1784	1734	1519	1755	2017	2748	3117	3010	2957	2733	2392
012501	2244	2384	2309	2441	2412	2934	3415	3556	3252	2766	2458	2231
012501	1998	1612	1688	1579	1833	2078	2827	2993	2930	3078	3084	2902
012601	2618	2511	2687	2867	3070	3648	4174	4625	4250	3201	2818	2327
012601	1938	2004	1858	1868	1968	2101	2630	2601	2654	2727	2643	2659
012701	2536	2353	2409	2521	2763	2759	3103	3841	3972	3612	2904	2336
012701	2025	1882	1857	1686	1823	1741	2152	2215	2034	2058	1946	1917
012801	1948	1877	2027	1900	2068	2105	2357	3054	3212	3004	2878	2311
012801	2138	2028	1858	1741	1779	1928	2200	1935	1902	1886	1793	1419
012901	1198	1175	1223	1512	1545	1819	2342	2642	2430	1954	1593	1500
012901	1401	1385	1388	1299	1569	1634	2134	2075	1781	1627	1326	1018
013001	900	813	851	825	897	1156	1482	1771	1486	1406	1232	1348
013001	1294	1231	1281	1345	1381	1598	1914	1957	1920	1634	1310	1005

EEI formatted Residential Load Profile based on Combined Ratio Estimation

.013101	833	781	723	695	756	935	1297	1609	1456	1462	1478	1471
013101	1427	1434	1317	1490	1598	1726	2007	2088	1940	1829	1602	1100
020101	961	834	827	727	751	974	1380	1753	1536	1463	1353	1366
020101	1452	1312	1465	1452	1681	1679	1897	1934	1922	1862	1511	1287
020201	1072	936	856	851	878	1136	1606	1814	1745	1703	1405	1612
020201	1543	1483	1765	1901	1880	2151	2558	2422	2345	2220	2323	1956
020301	1825	1671	1569	1520	1771	1751	1825	2381	2740	2859	2771	2799
020301	2786	2620	2634	2541	2568	2335	2823	2527	2385	2460	2152	2007
020401	1814	1739	1842	1829	1691	1950	2018	2057	2565	2783	2691	2648
020401	2399	2878	2636	2391	2422	2803	2799	2726	2608	2454	1980	1752
020501	1509	1380	1582	1447	1630	1899	2256	2469	2322	2100	1991	1933
020501	1825	1686	1483	1498	1633	1868	2369	2601	2335	2464	2308	2311
020601	2356	2363	2504	2499	2797	3356	4078	4084	3448	2493	2186	1860
020601	1531	1416	1308	1343	1535	1794	2298	2913	2535	2606	2392	1936
020701	1771	1847	2026	2120	2179	2755	3157	3133	2673	2047	1646	1354
020701	1239	1298	1221	1295	1393	1690	2009	1847	1949	1816	1393	1219
020801	1180	1063	1206	1117	1389	1577	2341	2532	1881	1710	1364	1456
020801	1431	1285	1282	1444	1476	1518	1819	1983	1872	1811	1404	1173
020901	915	893	879	922	987	1164	1883	2006	1719	1557	1364	1334
020901	1239	1317	1297	1398	1515	1659	1944	2119	1750	1671	1423	1158
021001	961	813	741	772	736	885	1134	1522	1846	1827	1969	1787
021001	1811	1883	1652	1888	1957	2021	2331	2141	1847	1777	1549	1191
021101	1110	959	849	718	730	782	976	1313	1707	2007	1829	1767
021101	1833	1870	2077	2023	1984	2309	2232	2306	2025	1759	1387	1093
021201	859	837	788	763	790	1062	1518	1795	1475	1416	1425	1525
021201	1445	1510	1580	1853	1922	2312	2459	2215	1993	1710	1525	1265
021301	978	848	783	748	752	1081	1609	1764	1441	1433	1405	1444
021301	1468	1581	1520	1593	1574	1740	2188	2231	2093	1876	1638	1163
021401	888	747	762	733	782	1034	1359	1678	1472	1502	1423	1531
021401	1577	1436	1848	1991	2060	1963	2305	2300	1998	1977	1480	1200
021501	1041	908	812	746	762	1035	1442	1771	1525	1333	1478	1384
021501	1522	1573	1648	1633	1897	2138	2350	2231	2061	1779	1550	1271
021601	986	825	771	711	698	901	1406	1686	1323	1333	1315	1486
021601	1339	1446	1761	2048	2182	2032	1981	2083	1867	1733	1496	1321
021701	1034	959	838	817	786	851	1058	1342	1634	1979	1977	1868
021701	1809	1717	1644	1640	1674	1897	1835	1614	1564	1539	1334	1192
021801	1025	942	886	937	918	1038	1170	1673	2179	2118	1897	1915
021801	1995	1836	1774	1909	1893	1694	1915	1946	1963	1740	1495	1102
021901	899	904	931	981	1036	1232	1670	2023	1725	1578	1503	1471
021901	1491	1455	1321	1470	1539	1674	1973	1972	1915	1512	1428	1073
022001	914	818	803	839	900	1106	1741	1779	1621	1520	1676	1590
022001	1507	1527	1598	1394	1519	1677	2052	2063	1817	1851	1377	1152
022101	941	871	761	767	762	1000	1418	1666	1291	1302	1331	1300
022101	1156	1379	1354	1520	1551	1672	1880	1993	1830	1588	1466	1202
022201	925	768	788	689	748	964	1512	1574	1140	1308	1172	1259
022201	1386	1391	1388	1490	1708	1703	2005	2081	1868	1774	1389	1054
022301	960	823	823	731	709	913	1565	1611	1419	1339	1405	1368
022301	1301	1303	1319	1476	1537	1509	1831	1781	1766	1570	1337	1045
022401	923	821	785	855	778	870	1055	1274	1531	1747	1641	1542
022401	1403	1632	1858	1772	1782	1912	2026	2112	2078	1711	1496	1366
022501	1123	981	850	810	768	782	1016	1306	1665	1712	1728	1934
022501	2141	2219	2396	2544	2316	2473	2793	2700	2334	1953	1768	1476
022601	1136	984	880	835	828	990	1451	1647	1466	1519	1574	1640
022601	1754	1679	1852	2104	2269	2256	2544	2548	2206	1961	1505	1369
022701	1105	930	909	833	818	1056	1469	1726	1489	1566	1622	1475
022701	1696	1851	1810	2025	2082	2067	2234	2492	2154	1826	1597	1242
022801	1017	897	889	868	858	1057	1394	1556	1446	1368	1380	1491
022801	1587	1677	1924	1851	2083	2141	2254	2282	2070	1725	1519	1116
030101	899	856	833	774	764	882	1459	1525	1293	1220	1247	1179
030101	1359	1486	1604	1801	1946	2177	2367	2390	2009	1740	1417	1268
030201	1027	894	852	782	796	932	1334	1538	1483	1532	1356	1538

EEI formatted Residential Load Profile based on Combined Ratio Estimation

.030201	1655	1755	1793	1868	2088	2039	2097	2193	1987	1942	1504	1317
030301	1047	955	870	824	783	827	1003	1553	1817	1924	1855	2057
030301	2059	2315	2425	2409	2459	2257	1979	2092	2033	1844	1609	1445
030401	1212	1110	1136	1024	960	904	1055	1333	1526	1987	1935	1841
030401	1979	1712	1709	1597	1646	1614	1658	1881	1615	1343	1142	985
030501	814	781	718	732	860	1036	1565	1612	1506	1557	1403	1408
030501	1427	1262	1211	1183	1215	1476	1764	2064	1781	1726	1627	1456
030601	1451	1365	1329	1392	1452	1835	2325	2545	2146	1935	1917	1746
030601	1598	1441	1475	1366	1590	1974	2307	2286	2097	1970	1714	1577
030701	1390	1383	1505	1670	1654	1994	2550	2638	2717	2259	2033	1673
030701	1485	1313	1266	1218	1358	1714	2010	2187	1907	1943	1604	1437
030801	1361	1486	1464	1541	1838	2502	3147	3031	2364	2022	1744	1452
030801	1471	1240	1180	1352	1381	1397	1598	1629	1577	1726	1492	1452
030901	1278	1290	1702	1692	1800	2214	2806	2826	2193	1876	1425	1452
030901	1323	1364	1245	1178	1277	1517	1627	1687	1568	1526	1379	1233
031001	953	919	915	909	883	1060	1306	1549	1863	1908	1954	1653
031001	1465	1585	1565	1352	1366	1394	1484	1524	1528	1549	1409	1185
031101	900	953	986	929	991	1144	1239	1630	1987	1778	1776	1680
031101	1531	1690	1615	1551	1498	1721	1965	1998	1788	1434	1163	929
031201	912	866	792	757	880	996	1401	1428	1220	1308	1254	1230
031201	1430	1387	1538	1598	1823	1962	2250	2287	2096	1914	1570	1241
031301	1115	983	972	975	1015	1135	1544	1700	1572	1735	1766	1622
031301	1565	1516	1537	1643	1620	1748	1784	2014	1975	1719	1347	1057
031401	996	816	797	830	792	917	1310	1443	1423	1406	1289	1345
031401	1302	1447	1315	1390	1415	1478	1731	1887	1846	1668	1388	1046
031501	810	794	744	741	763	941	1375	1643	1436	1461	1642	1799
031501	1810	1867	1987	1951	2049	2189	2112	2268	2137	1896	1632	1374
031601	1051	923	870	873	851	985	1417	1532	1469	1627	1772	1863
031601	1825	1698	1642	1756	1777	1784	1910	2105	1870	1694	1608	1334
031701	1114	934	879	868	862	908	1203	1424	1471	1763	1897	1852
031701	1579	1606	1671	1572	1643	1648	1700	1813	1500	1483	1244	1050
031801	1005	862	799	780	741	811	959	1295	1572	1842	1878	2037
031801	1774	1803	1748	1805	1867	1995	1907	1841	1807	1670	1417	1132
031901	1011	866	840	853	815	1050	1446	1595	1552	1549	1663	1592
031901	1453	1531	1324	1366	1649	1859	1913	2088	1732	1468	1216	1017
032001	892	787	800	802	853	1009	1488	1548	1416	1351	1593	1477
032001	1411	1398	1327	1342	1443	1594	1707	1884	1926	1655	1506	1301
032101	1118	1036	948	978	1189	1303	1682	2072	2084	1844	1910	1607
032101	1694	1567	1547	1522	1664	1944	2034	2324	2260	2164	1923	1534
032201	1416	1321	1534	1433	1542	1842	2332	2405	1765	1863	1690	1620
032201	1551	1304	1225	1219	1279	1496	1954	2314	1935	1935	1598	1264
032301	963	1077	1188	1144	1240	1554	2107	2005	1731	1441	1460	1448
032301	1380	1279	1112	1224	1379	1312	1558	2011	1898	1656	1214	1087
032401	855	771	876	888	912	1039	1463	1747	1683	1726	1820	1667
032401	1614	1401	1410	1464	1612	1805	1786	1801	1685	1347	1270	1066
032501	923	793	709	757	743	836	1056	1557	1574	1748	1883	1639
032501	1674	1503	1599	1585	1645	1612	1891	2069	1766	1603	1189	1059
032601	943	749	707	687	771	919	1392	1763	1435	1248	1442	1602
032601	1274	1206	1268	1321	1385	1373	1776	1937	1723	1664	1383	1096
032701	862	851	1007	914	1082	1187	2040	2050	1798	1462	1466	1361
032701	1390	1202	1153	1140	1416	1529	1650	1863	1723	1655	1310	1241
032801	1041	987	1036	1081	1146	1473	2058	2262	2102	1560	1474	1168
032801	1174	1210	1155	1340	1310	1548	1897	1964	1640	1461	1217	1081
032901	773	748	660	671	721	969	1310	1458	1349	1154	1286	1473
032901	1364	1342	1474	1612	1750	1765	1843	1820	1667	1511	1308	1037
033001	827	739	767	756	735	957	1451	1463	1390	1525	1438	1467
033001	1341	1507	1557	1501	1665	1698	1772	1920	1718	1566	1418	1178
033101	1013	857	813	763	777	819	1081	1384	1485	1669	1926	2021
033101	1970	1843	1758	1646	1856	1802	1881	1729	1699	1485	1230	1048