ORICINAL



BellSouth Telecommunications, Inc.
Regulatory & External Affairs
150 South Monroe Street
Suite 400

Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III Vice President Regulatory & External Affairs

840 224 7798 Fax 850 224 5073

April 29, 2004

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399 DI APR 29 PH 4: 22
COMMISSION
CLERK

Re: Approval of Amendment to the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Deland Actel, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, Unbundling, Resale and Collocation Agreement with Deland Actel, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Regulatory Vice President

FPSC-BUREAU OF RECORDS

O 4 9 8 2 APR 29 5

FPSC-COMMISSION CLERK

Amendment to the Agreement Between Deland Actel, Inc. and BellSouth Telecommunications, Inc. Dated December 17, 2001

Pursuant to this Amendment, (the "Amendment"), Deland Actel, Inc. (Deland Actel), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated December 17, 2001 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Deland Actel entered into the Agreement on December 17, 2001, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. The Parties agree to delete Deland Actel's information in Section 20.1 of General Terms and Conditions and replace as follows:

Deland Actel, Inc. Tommy Allen 125 Basin Street Suite 100 Daytona Beach, FL 32114

4. All of the other provisions of the Agreement, dated December 17, 2001, shall remain in full force and effect.

5. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal

Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

BellSouth Telecommunications, Inc.	Deland Actel, Inc.
By: Int I'm	By: Shel alle
Name KRISTEN E. ROWE	Name: Thomas E Avan
Title: DIRECTOR	Title: FRES
Date: /-/3-04	Date: 1-7-04

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

Ra	tesExhibit A
14	OPERATIONAL SUPPORT SYSTEMS (OSS)60
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS
12	CALLING NAME (CNAM) DATABASE SERVICE58
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 58
10	SIGNALING
9	LINE INFORMATION DATABASE (LIDB)49
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE
7	DATABASES
6	TRANSPORT, CHANNELIZATION AND DARK FIBER44
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS40
4	LOCAL SWITCHING
3	LINE SHARING
2	UNBUNDLED LOOPS5
1	INTRODUCTION

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Deland Actel in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Deland Actel (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Deland Actel to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Deland Actel used in the provision of a qualifying service, as defined by the FCC. Deland Actel may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Deland Actel, and to the extent technically feasible, provide to Deland Actel access to its Network Elements for the provision of Deland Actel's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- Deland Actel may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) (TRO), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element (UNE), or combination of elements that is available to Deland Actel under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring (NRC) switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be

considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Deland Actel and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Deland Actel will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required. Deland Actel will be charged a NRC switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, NRC charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Deland Actel may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Deland Actel may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Deland Actel, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

services or facilities that Deland Actel has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces (COCIs) will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Deland Actel reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Deland Actel for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.11 <u>Rates</u>
- 1.11.1 The prices that Deland Actel shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Deland Actel purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Deland Actel modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Deland Actel in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premise, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device (NID), and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. Deland Actel shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Deland Actel on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Deland Actel. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Deland Actel seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Deland Actel with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.

- 2.1.1.6 Deland Actel may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Deland Actel's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Deland Actel in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Deland Actel wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Deland Actel may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Deland Actel (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Deland Actel for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 Loop Testing/Trouble Reporting

2.1.6.1 Deland Actel will be responsible for testing and isolating troubles on the Loops. Deland Actel must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1,

UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Deland Actel will be required to provide the results of the Deland Actel tests which indicate a problem on the BellSouth provided Loop.

- Once Deland Actel has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Deland Actel reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Deland Actel for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Deland Actel (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Deland Actel for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 Order Coordination (OC) allows BellSouth and Deland Actel to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Deland Actel's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 Order Coordination Time Specific (OC-TS) allows Deland Actel to order a specific time for OC to take place. BellSouth will make every effort to accommodate Deland Actel's specific conversion time request. However, BellSouth reserves the right to negotiate with Deland Actel a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Deland Actel may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Deland Actel specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime

charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Deland Actel when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Deland Actel's Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Deland Actel pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office

Unbundled	Chargeable in	Not available	Included	Included	Charged for Dispatch
Copper Loop	accordance				outside Central Office
(Designed)	with Section 2				
For UVL-SL1 and UCLs, Deland Actel must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.9 **Bulk Migration**

2.1.9.1 If Deland Actel requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same CO on the same due date, Deland Actel must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the NRC rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Deland Actel should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at

any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Deland Actel will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.2.1 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Deland Actel. Deland Actel may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.2.2 For an additional charge BellSouth will make available Loop Testing so that Deland Actel may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.3 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Deland Actel. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Deland Actel to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop

- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Deland Actel will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Deland Actel or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Deland Actel may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second

(Mbps) that is dedicated to the use of Deland Actel in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.8.1 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.8.2 Deland Actel may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of Deland Actel for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Deland Actel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Deland Actel, BellSouth shall perform the routine network modifications.

2.4 <u>Unbundled Copper Loops (UCL)</u>

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18kft or less in length and is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Deland Actel.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Deland Actel to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Deland Actel or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premise (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18kft and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Deland Actel can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Deland Actel may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Deland Actel to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Deland Actel may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCLND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18kft in length.
- 2.5.3 For any copper loop being ordered by Deland Actel which has over 6kft of combined bridged tap will be modified, upon request from Deland Actel, so that the loop will have a maximum of 6kft of bridged tap. This modification will be performed at no additional charge to Deland Actel. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6kft will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Deland Actel may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Deland Actel requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Deland Actel will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Deland Actel shall request Loop make up information pursuant to this Attachment prior to submitting a SI and/or a LSR for the Loop type that Deland Actel desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Deland Actel, Deland Actel will submit a SI to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Deland Actel is available at the location for which the ULM was requested, Deland Actel will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Deland Actel will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Deland Actel has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Deland Actel. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Deland Actel (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Deland Actel, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Deland Actel will then have the option of paying the one-time SC rates to place the Loop.

2.7 <u>Network Interface Device</u>

- 2.7.1 The NID is defined as any means of interconnection of the End User's premise wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premise wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Deland Actel to connect Deland Actel's Loop facilities to the End User's premise wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Deland Actel may access the End User's premise wiring by any of the following means and Deland Actel shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Deland Actel to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premise wiring is present and environmental conditions permit, either Party may remove the premise wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the premise wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 Deland Actel may request BellSouth to make other rearrangements to the End User premise wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Deland Actel's responsibility to ensure there is no safety hazard, and Deland Actel will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Deland Actel shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Deland Actel shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments,
 BellSouth will work with Deland Actel to develop specific procedures to establish
 the most effective means of implementing this section if the procedures set forth
 herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to Deland Actel's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Deland Actel may request BellSouth to do additional work to the NID on a time and material basis. When Deland Actel deploys its own local Loops in a multiple-line termination device, Deland Actel shall specify the quantity of NID connections that it requires within such device.
- 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Deland Actel requests a UCSL and it is not available, Deland Actel may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Deland Actel, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Deland Actel's use on this cross-connect panel. Deland Actel will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Deland Actel shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Deland Actel's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Deland Actel is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Deland Actel's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Deland Actel can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Deland Actel's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Deland Actel will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Deland Actel requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Deland Actel for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, or where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Deland Actel will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Deland Actel for each pair activated commensurate to the price specified in Deland Actel's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for NRC and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a NRC charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Unbundled Sub-Loop Feeder

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Deland Actel will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90) day period, market-based rates have not been negotiated and Deland Actel has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Deland Actel any applicable disconnect charges.

2.8.5 **Unbundled Loop Concentration**

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Deland Actel, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Deland Actel to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Deland Actel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Deland Actel, BellSouth shall perform the routine network modifications.

2.8.6.3 Requirements

- 2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 Deland Actel is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Deland Actel information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Deland Actel.

2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Deland Actel within twenty (20) business days after Deland Actel submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Deland Actel to connect Deland Actel provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 Loop Makeup

- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to Deland Actel LMU information so that Deland Actel can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Deland Actel intends to install and the services Deland Actel wishes to provide. This section addresses LMU as a preordering transaction, distinct from Deland Actel ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Deland Actel LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Deland Actel as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Deland Actel may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Deland Actel and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any

requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Deland Actel's ability to provide advanced data services over the ordered Loop type. Further, if Deland Actel orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Deland Actel is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Deland Actel may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Deland Actel needs further Loop information in order to determine Loop service capability, Deland Actel may initiate a separate Manual SI for a separate NRC charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website: http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMU, Deland Actel may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Deland Actel may reserve up to three (3) Loop facilities.
- 2.9.3.2 Deland Actel may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Deland Actel. During and prior to Deland Actel placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Deland Actel does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Deland Actel will not be billed any additional

LMU charges for the Loop ordered on such LSR. If, however, Deland Actel does not reserve facilities upon an initial LMUSI, Deland Actel's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.

2.9.3.5 Where Deland Actel has reserved multiple Loop facilities on a single reservation, Deland Actel may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Deland Actel, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Deland Actel.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Deland Actel provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Deland Actel using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Deland Actel. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Deland Actel may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Deland Actel may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Deland Actel, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Deland Actel the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop

spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Deland Actel shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Deland Actel on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment.

 BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Deland Actel requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Deland Actel shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Deland Actel desires to continue providing xDSL service on such Loop, Deland Actel shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Deland Actel notice in a reasonable time prior to disconnect, which notice shall give Deland Actel an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Deland Actel purchases the full standalone Loop, Deland Actel may elect the type of Loop it will purchase. Deland Actel will pay the appropriate recurring and NRC rates for such Loop as set forth in Exhibit A to this Attachment. In the event Deland Actel purchases a voice grade Loop, Deland Actel acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Deland Actel reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Deland Actel for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 Provisioning of Line Sharing and Splitter Space

- 3.2.1 BellSouth will provide Deland Actel with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Deland Actel must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the CO that serves the End User of such Loop.
- 3.2.1.2 Deland Actel may provide its own splitters or may order splitters in a CO once it has installed its DSLAM in that CO. BellSouth will install splitters within thirty-six (36) calendar days of Deland Actel's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group (CRSG).
- 3.2.1.3 Once a splitter is installed on behalf of Deland Actel in a CO in which Deland Actel is located, Deland Actel shall be entitled to order the High Frequency Spectrum on lines served out of that CO. BellSouth will bill and Deland Actel shall pay the electronic or manual ordering charges as applicable when Deland Actel orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Deland Actel's data.

3.3 <u>BellSouth Provided Splitter – Line Sharing</u>

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Deland Actel access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Deland Actel's xDSL equipment in Deland Actel's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Deland Actel with a carrier notification letter, informing Deland Actel of change. Deland Actel shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Deland Actel shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Deland Actel's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Deland Actel's DS0 termination point as possible. Deland Actel shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the CO in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Deland Actel on the main distributing frame in the CO and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross connect the splitter data

ports to a specified Deland Actel DS0 at such time that a Deland Actel End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Deland Actel may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Deland Actel may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Deland Actel in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Deland Actel may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Ordering – Line Sharing

- 3.5.1 Deland Actel shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFAs) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Deland Actel the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Deland Actel access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Deland Actel shall pay the rates for such services, as described in Exhibit A.

3.6 Maintenance and Repair – Line Sharing

- 3.6.1 Deland Actel shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Deland Actel is using a BellSouth owned splitter, Deland Actel may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Deland Actel provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Deland Actel will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.6.3 Deland Actel shall inform its End Users to direct data problems to Deland Actel, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Deland Actel, BellSouth will notify Deland Actel. Deland Actel will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Deland Actel will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Deland Actel's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 <u>Line Splitting</u>

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Deland Actel provides its own switching or obtains switching from a third party, Deland Actel may engage in line splitting arrangements with another CLEC using a splitter, provided by Deland Actel, in a Collocation Arrangement at the CO where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Deland Actel is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Deland Actel shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Deland Actel will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Deland Actel or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.

3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Deland Actel for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Deland Actel or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Deland Actel or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Deland Actel or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Deland Actel or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering – Line Splitting

- 3.9.1 Deland Actel shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Deland Actel the LSR format to be used when ordering Line Splitting service.

- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Deland Actel access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Deland Actel shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Deland Actel on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: http://www.mterconnection.bellsouth.com/html/unes.html. NRC rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Deland Actel will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Deland Actel shall inform its End Users to direct all problems to Deland Actel or its authorized agent.
- 3.10.3 If Deland Actel is not the data provider, Deland Actel shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Deland Actel for the provision of a telecommunications service.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.

- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Deland Actel when Deland Actel: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Deland Actel is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Deland Actel or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Deland Actel's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Deland Actel purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Deland Actel local End User, or originated by a BellSouth local End User and terminated to a Deland Actel local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Deland Actel the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Deland Actel shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

- 4.2.8 Where Deland Actel purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Deland Actel End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Deland Actel the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Deland Actel shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Deland Actel the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 Unbundled Port Features

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Deland Actel selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Deland Actel will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 Remote Call Forwarding

- 4.2.11.1 As an option, BellSouth shall make available to Deland Actel an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Deland Actel will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);

- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Deland Actel the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 Provision for Local Switching

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Deland Actel all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Deland Actel.

4.2.13 Local Switching Interfaces.

4.2.13.1 Deland Actel shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:

- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Deland Actel who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Deland Actel shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Deland Actel shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Deland Actel will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for CLEC's End Users.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are

centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

- 4.3.1.1 Where Deland Actel utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.
- 4.3.2 <u>Technical Requirements</u>
- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Deland Actel and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Deland Actel.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Deland Actel's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Deland Actel's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Deland Actel's traffic overflowing from direct end office high usage trunk groups.

4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 Where BellSouth provides local switching to Deland Actel, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Deland Actel. AIN SCR will provide Deland Actel with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Deland Actel shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per CO per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Deland Actel, the routing of Deland Actel's End User calls shall be pursuant to information provided by Deland Actel and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each CO where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Deland Actel shall remit to BellSouth the Regional Service Order NRC charges set forth in Exhibit A of this Attachment. There shall be a NRC End Office Establishment Charge per office due at the addition of each CO where AIN SCR will be utilized. Said NRC charge shall be as set forth in Exhibit A of this Attachment. For each Deland Actel End User

activated, there shall be a NRC End User Establishment charge as set forth in Exhibit A of this Attachment. Deland Actel shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.

- 4.4.6 This Regional Service Order NRC charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Deland Actel's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Deland Actel, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the COs listed on the original order have been turned up for the service.
- 4.4.7 The NRC End Office Establishment Charge will be billed to Deland Actel following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The NRC End User Establishment Charges will be billed to Deland Actel following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Deland Actel following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 Selective Call Routing Using Line Class Codes

- 4.5.1 Where Deland Actel purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Deland Actel's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Deland Actel to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if LCC capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.

- Where available, Deland Actel specific and unique LCCs are programmed in each BellSouth end office switch where Deland Actel intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Deland Actel's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Deland Actel intends to provide Deland Actel-branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Deland Actel to order dedicated trunking from each BellSouth end office identified by Deland Actel, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Deland Actel Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Deland Actel to the BellSouth TOPS.
- 4.5.7 The rates for SCR-LCC are as set forth in this Attachment. There is a NRC charge for the establishment of each LCC in each BellSouth CO. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Deland Actel are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Deland Actel are not already combined by BellSouth in the location requested by Deland Actel but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Deland Actel are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine UNEs in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not

undermine the ability of other carriers to obtain access to UNEs or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links

- 5.2.1 Enhanced Extended Links (EELs) are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Deland Actel with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- 5.2.3 By placing an order for a high-capacity EEL, Deland Actel thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Deland Actel's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Deland Actel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Deland Actel, BellSouth shall perform the routine network modifications.
- 5.2.5 <u>Service Eligibility Criteria</u>
- 5.2.5.1 Deland Actel must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Deland Actel has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;

- 5.2.5.2.2 Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 Each circuit to be provided to each End User will be served by an interconnection trunk over which Deland Actel will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Deland Actel will have at least one (1) active DS1 local service interconnection trunk over which Deland Actel will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Deland Actel's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AJCPA). To the extent the independent auditor's report concludes that Deland Actel failed to comply with the service eligibility criteria. Deland Actel must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that Deland Actel did not comply in any material respect with the service eligibility criteria, Deland Actel shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Deland Actel did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Deland Actel for its reasonable and demonstrable costs associated with the audit. Deland Actel will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event Deland Actel converts special access services to UNEs, Deland Actel shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 UNE Port/Loop Combinations

5.3.1 Combinations of port and loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls.

Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.

- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as a UNE.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Deland Actel if Deland Actel's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Deland Actel is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Deland Actel or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Deland Actel's UNE port/Loop combinations. BellSouth will not bill Deland Actel for 911 surcharges. Deland Actel is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable NRC switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the NRC and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network

Elements shall be the sum of the recurring and NRC rates for those individual Network Elements as set forth in Exhibit A.

- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Deland Actel in addition to those specifically referenced in this Section 5 above, where available. To the extent Deland Actel requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 <u>Transport, Channelization and Dark Fiber</u>

6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Deland Actel for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Deland Actel uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 6.1.1.2 Dark Fiber Transport is defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport is defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Deland Actel.
- 6.1.2 BellSouth shall:

- 6.1.2.1 Provide Deland Actel exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Deland Actel to connect such interoffice facilities to equipment designated by Deland Actel, including but not limited to, Deland Actel's collocated facilities; and
- Permit, to the extent technically feasible, Deland Actel to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Deland Actel.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Deland Actel may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical

end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Deland Actel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Deland Actel, BellSouth shall perform the routine network modifications.
- 6.2.6 <u>Technical Requirements</u>
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Deland Actel designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Deland Actel shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 <u>BellSouth Technical References</u>:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth CO. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Deland Actel may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCIs are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- 6.3.3.1 In order to assure proper operation with BellSouth provided CO multiplexing functionality, Deland Actel's channelization equipment must adhere strictly to form and protocol standards. Deland Actel must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Deland Actel to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Deland Actel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Deland Actel, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 Deland Actel is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Deland Actel information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Deland Actel. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Deland Actel within twenty (20) business days after Deland Actel submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Deland Actel to connect Deland Actel provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 <u>Databases</u>

7.1 Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service.

Notwithstanding anything to the contrary herein, BellSouth shall only provide

unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Deland Actel.

7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AlN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and/or CNAM at market based rates pursuant to a separate agreement or tariff.

8. <u>BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service</u>

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Deland Actel's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Deland Actel.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 Line Information Database

Signaling (CCS) networks. For access to LIDB, Deland Actel must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

- 9.2 <u>Technical Requirements</u>
- 9.2.1 BellSouth will offer to Deland Actel any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Deland Actel's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions.
 BellSouth shall indicate to Deland Actel what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Deland Actel, BellSouth shall provide Deland Actel with a list of the customer data items, which Deland Actel would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Deland Actel data to the LIDB shall be solely at the direction of Deland Actel. Such direction from Deland Actel will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Deland Actel data upon Deland Actel's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Deland Actel customer records will be missing from LIDB, as measured by Deland Actel audits. BellSouth will audit Deland Actel records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Deland Actel contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Deland Actel within one (1) business day of audit. Once reconciled records are received back from Deland Actel, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact

Deland Actel to negotiate a time frame for the updates, not to exceed three (3) business days.

- 9.2.10 BellSouth shall perform backup and recovery of all of Deland Actel's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Deland Actel with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Deland Actel and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Deland Actel data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Deland Actel in writing.
- 9.2.13 BellSouth shall provide Deland Actel performance of the LIDB Data Screening function, which allows LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Deland Actel at least at parity with BellSouth Customer Data. BellSouth shall obtain from Deland Actel the screening information associated with LIDB Data Screening of Deland Actel data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Deland Actel under the BFR/NBR process.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Deland Actel customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 Interface Requirements
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.

- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Deland Actel shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Deland Actel shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 <u>Signaling</u>

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 Signaling Link Transport

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Deland Actel designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 <u>Technical Requirements</u>
- 10.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.2.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:

- 10.2.2.2.1 An A-link layer shall consist of two (2) links.
- 10.2.2.2.2 A B-link layer shall consist of four (4) links.
- 10.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.2.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.3 <u>Interface Requirements</u>
- There shall be a DS1 (1.544 Mbps) interface at Deland Actel's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

10.3 **Signaling Transfer Points**

- 10.3.1 A Signaling Transfer Point (STP) is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and STPSs.
- 10.3.2 <u>Technical Requirements</u>
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Deland Actel local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and

Screening List Editing) between Deland Actel local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Deland Actel or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Deland Actel database, then Deland Actel agrees to provide BellSouth with the Destination Point Code for Deland Actel database.
- STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Deland Actel or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 <u>SS7 AIN Access</u>

- 10.4.1 When technically feasible and upon request by Deland Actel, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Deland Actel's SS7 network to exchange TCAP queries and responses with a Deland Actel SCP.
- 10.4.2 SS7 AIN Access shall provide Deland Actel SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Deland Actel SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing

the Deland Actel SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

- 10.4.3 Interface Requirements
- BellSouth shall provide the following STP options to connect Deland Actel or Deland Actel-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Deland Actel local switching systems; and,
- 10.4.3.1.2 A B-link interface from Deland Actel local STPs.
- Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 Message Screening
- BellSouth shall set message screening parameters so as to accept valid messages from Deland Actel local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Deland Actel switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Deland Actel local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Deland Actel switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Deland Actel from any signaling point or network interconnected through BellSouth's SS7 network where the Deland Actel SCP has a valid signaling relationship.
- 10.5 Service Control Points/Databases
- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management

System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and DA.

- A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMSs provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 Local Number Portability Database

The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 <u>SS7 Network Interconnection</u>

- 10.7.1 SS7 Network Interconnection is the interconnection of Deland Actel local signaling transfer point switches or Deland Actel local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Deland Actel local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Deland Actel or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Deland Actel local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the

TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Deland Actel local signaling transfer point switches and BellSouth or other third-party local switch.

- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Deland Actel local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Deland Actel local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 <u>Interface Requirements</u>
- The following SS7 Network Interconnection interface options are available to connect Deland Actel or Deland Actel-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Deland Actel local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Deland Actel STPs.
- The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 10.7.9.3 BellSouth shall provide intraoffice diversity between the SPOI and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Deland Actel local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Deland Actel switching system has a valid signaling relationship.

11 Automatic Location Identification/Data Management System

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Deland Actel will be required to provide BellSouth daily updates to E911 database. Deland Actel shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 Technical Requirements

- 11.2.1 BellSouth shall provide Deland Actel the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Deland Actel after Deland Actel provides End User information for input into the ALI/DMS database.
- 11.2.2 Deland Actel shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Deland Actel the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Deland Actel shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Deland Actel's access to BellSouth's CNAM Database Services and shall be addressed to Deland Actel's Local Contract Manager.

- 12.3 BellSouth's provision of CNAM Database Services to Deland Actel requires interconnection from Deland Actel to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Deland Actel shall provide its own CNAM SSP. Deland Actel's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Deland Actel elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Deland Actel desires to query.
- 12.6 If Deland Actel queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Deland Actel for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Deland Actel in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Deland Actel to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Deland Actel CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- 13 <u>Service Creation Environment and Service Management System Advanced</u> <u>Intelligent Network Access</u>

- BellSouth's SCE/SMS AIN Access shall provide Deland Actel the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Deland Actel. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Deland Actel service logic and data from unauthorized access.
- When Deland Actel selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Deland Actel to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Deland Actel access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Deland Actel to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

- BellSouth has developed and made available electronic interfaces by which Deland Actel may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 Denial/Restoral OSS Charge
- 14.3.1 In the event Deland Actel provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Deland Actel will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive NRC charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

	. ==	ETIMORY ELEMENTS. Alabama													ment: 2	Exhi	
NBUND		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-	Charge -	Incremental Charge - Manual Svc Order vs Electronic-	Increment Charge - Manual Sy Order vs Electronic
														1st	Add'l	Disc 1st	Disc Add
				\longmapsto			<u> </u>	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
				-			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				1													
		" shown in the sections for stand-alone loops or loops as	nart of	a comb	ination refers to Ge	ographically	Deaveraged UN	NE Zones To	view Geograp	nically Deavera	ged UNE Zone	Designati	ons by Cent	ral Office, ref	er to internet	Website.	
The	e "Zone	winterconnection belisouth com/become a clec/html/interconnection	connec	tion bt	m	- g p			•	-							
htt	p'//www	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"	COMME	1									L	<u> </u>			CI EC m
ERATIO	TE. (1)	UPPORT SYSTEMS (OSS) - "REGIONAL RATES" CLEC should contact its contract negotiator if it prefers the	e "state	e specif	ic" OSS charges as	ordered by	he State Commi	ssions The C	SS charges c	rrently contain	red in this rate	e exhibit ar	e the BellSc	outh "regional	" service ora	ering charges	CLEC III
NO	11 == (1)	CLEC should contact its contract negotiator if it prefers the er the state specific Commission ordered rates for the service	ce orde	anna ch	arges, or CLEC may	elect the re	gional service o	rdering charge	, however, Cl	EC can not ob	taın a mixture	of the two	regardless	if CLEC has a	interconnect	on contract e	establishe
lele	ct eitne	er the state specific Commission ordered rates for the acritic		g			•										1
ead	ch of th	e 9 states Any element that can be ordered electronically will be bille	ed acco	ordina 1	o the SOMEC rate lis	sted in this	category Pleas	e refer to BellS	outh's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	ally Forthos	e element
NU) I E: (2)	Any element that can be ordered electronically will be bille of be ordered electronically at present per the LOH, the lists	NOS be	AEC rate	in this category ref	lects the ch	arge that would	be billed to a	CLEC once ele	ectronic orderii	ng capabilities	come on-l	ne for that	element. Oth	erwise, the m	anual orderin	g cnarge,
tha	at canno	of be ordered electronically at present per the Lon, the lists	المكالم	th	, iii tiiis catego. j . c.												т
so	MAN, w	will be applied to a CLECs bill when it submits an LSR to B	ensou	1										1			
	los	SS - Electronic Service Order Charge, Per Local Service				SOMEC		3 50	0 00	3 50	0 00					-	-
-	Re	equest (LSR) - UNE Only					1							1			
	108	SS - Manual Service Order Charge, Per Local Service Request SR) - UNE Only		1		SOMAN		15 66	0 00	1 97	0 00			1		1	+
1_		TE ADMANGEMENT CHARCE		_													
E SERV	ICE DA	TE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with the	BellSo	uth's FO	C No 1 Tariff, Section	n 5 as appl	cable.									-	
INC)IE: In	ne Expedite charge will be maintained commensurate with	1	1			1						1			1	
- 1			1	1	UAL, UEANL, UCL,								1	1	1		1
					UEF, UDF, UEQ,								1		1		
			i		UDL. UENTW. UDN.										1		
	- 1				UEA, UHL, ULC,		1				1						1
	- 1		ł		USL. U1T12, U1T48,					İ							1
			l .		U1TD1, U1TD3,		1 1			l				1			
					U1TDX, U1TO3,								1				
	- 1				U1TS1, U1TVX												1
	1				UC1BC, UC1BL,		!						ĺ		1		1
					UC1CC UC1CL.											1	
					UC1DC, UC1DL,							}	1				
					UC1EC, UC1EL,										1		
- 1				1	UC1FC UC1FL						Į.	ì					
- 1	- 1		i .		UC1GC, UC1GL,						į.	1					
- 1			1	1	UC1HC, UC1HL.										1		
- 1			1	1	UDL12, UDL48,	1										İ	
- 1					UDLO3, UDLSX.						1						
	- 1		1		UE3, ULD12,		1		1							1	
	- 1				ULD48, ULDD1,				1	1							
					ULDD3, ULDDX,			1			1						1
					ULDO3, ULDS1,											i	
	- 1				ULDVX, UNC1X,								1				
- 1					UNC3X, UNCDX.			i				1	l				
- 1	4				UNCNX UNCSX	1		1				1	İ		1		
					UNCVX UNLD1,							1	ŀ		t .		1
													ĺ		1		1
							1					1	1		i		
					UNLD3, UXTD1,					1							1
		The Franklic Change are Corolled at Line Assignable LISOC ner			UNLD3, UXTD1, UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UNLD3, UXTD1,	SDASP		200 00									+
		Day			UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD,	SDASP		200 00	·								-
	LED EX	Oay (CHANGE ACCESS LOOP	,		UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD,	SDASP											
	LED EX	OBY CCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP	,	1	UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD,	SDASP UEAL2	12 58	37 81									
	LED EX -WIRE A	Day CHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		1 2	UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA		21 05	37 81 37 81	17 56	23 49	5 30	0					
	LED EX -WIRE A	Oay CCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	UEAL2	21 05 34 34	37 81 37 81 37 81	17 56 17 56	23 49	5 3	0					
	LED EX -WIRE A	Oay CCHANGE ACCESS LOOP AMALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA UEANL UEANL UEANL	UEAL2 UEAL2	21 05	37 81 37 81 37 81 37 81	17 56 17 56	23 49 3 23 49 3 23 49	5 3 5 3 5 3	0					
	C LED EX -WIRE A 2 2 2	CHANGE ACCESS LOOP AWALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA UEANL UEANL UEANL UEANL	UEAL2 UEAL2 UEAL2	21 05 34 34	37 81 37 81 37 81 37 81 37 81	17 56 17 56 17 56 17 56	23 49 3 23 49 3 23 49 3 23 49	5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3	0					
	C LED EX -WIRE 2 2 2 2 2	Oay CCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2 3 1 2	UNLD3, UXTD1, UXTD3, UXTS1, U1TUG, U1TUB, U1TUB, U1TUB U1TUB UEANL UEANL UEANL UEANL UEANL UEANL UEANL	UEAL2 UEAL2 UEAL2 UEASL	21 05 34 34 12 58	37 81 37 81 37 81 37 81 37 81	17 56 17 56 17 56 17 56	23 49 3 23 49 3 23 49 3 23 49	5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3	0					
	C LED EX -WIRE / 2 2 2 2 2	Oay CHANGE ACCESS LOOP AMALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2 3 1 2	UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA UEANL UEANL UEANL UEANL	UEAL2 UEAL2 UEAL2 UEASL UEASL	21 05 34 34 12 58 21 05	37 81 37 81 37 81 37 81 37 81 37 81	17 56 17 56 17 56 17 56	23 49 3 23 49 3 23 49 3 23 49 5 23 49	5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3	0					
	2 2 2 2 2 2 2 2 2	Oay CCHANGE ACCESS LOOP AMALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Inbundled Miscellaneous Rate Element, Tag Loop at End User		2 3 1 2	UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUB, U1	UEAL2 UEAL2 UEAL2 UEASL UEASL UEASL	21 05 34 34 12 58 21 05	37 81 37 81 37 81 37 81 37 81	17 56 17 56 17 56 17 56 17 56	23 49 3 23 49 3 23 49 3 23 49 3 23 49	5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3	0					
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Oay CHANGE ACCESS LOOP AMALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2 3 1 2	UNLD3, UXTD1, UXTD3, UXTS1, U1TUG, U1TUB, U1TUB, U1TUB U1TUB UEANL UEANL UEANL UEANL UEANL UEANL UEANL	UEAL2 UEAL2 UEAL2 UEASL UEASL	21 05 34 34 12 58 21 05	37 81 37 81 37 81 37 81 37 81 37 81	17 56 17 56 17 56 17 56 17 56 0 8	23 49 23 49 3 23 49 3 23 49 3 23 49	5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3	0					

ONROND	LED NETWORK ELEMENTS - Alabama		,											ment. 2		ıbıt: B
CATEGORY	Y RATE ELEMENTS	Inters m	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	- Charge - vc Manual Svc . Order vs	Charge -
						Rec	Nonred			Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch				!											T
	(UVL-SL1)		L	UEANL	UREWO		15 78	8 94			1 .			1		
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	.						-								
	providing make-up (Engineering Information - E I)			UEANL	UEANM		13 44									1
	Manual Order Coordination for UVL-SL1s (per loop)		<u> </u>	UEANL	UEAMC		8 15	8 15								
	Order Coordination for Specified Conversion Time for UVL-SL1	i			- I i											
	(per LSR)	_		UEANL	OCOSL		18 09							L		
2-W	IRE Unbundled COPPER LOOP										L					
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11 20	34 14	15 10		4 15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	13 27	34 14	15 10		4 15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15 07	34 14	15 10	21 25	4 15						
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	r		1	1	- 1										
	Premise	-	—	UEQ	URETL		8 33	0 83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	ļ		1 1											
	Non-Designed (per loop)		ļ	UEQ	USBMC		8 15									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for		l		1 1											
	BST providing make-up (Engineering Information - E1)			UEQ	UEQMU		13 44									
	Loop Testing - Basic 1st Half Hour		<u> </u>	UEQ	URET1		34 16	34 16			İ					
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19 85	19 85								
	CLEC to CLEC Conversion Charge Without Outside Dispatch				1											İ
	(UCL-ND)			UEQ	UREWO		14 27	7 43								<u> </u>
	D EXCHANGE ACCESS LOOP															
2-W	IRE ANALOG VOICE GRADE LOOP	-			1											
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	ļ		1 1		1									
	Zone 1		1	UEPSR UEPSB	UEALS	12 58	37 81	17 56	23 49	5 30						l
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	İ								ł	i				
	Zone 1		1	UEPSR UEPSB	UEABS	12 58	37 81	17 56	23 49	5 30						ļ
1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	-	l		1 1											
	Zone 2	ļ.,,,	2	UEPSR UEPSB	UEALS	21 05	37 81	17 56	23 49	5 30						
l l	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	·			1 1								-	i		
	Zone 2		2	UEPSR UEPSB	UEABS	21 05	37 81	17 56	23 49	5 30						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					i							-			
	Zone 3	ļ	. 3	UEPSR UEPSB	UEALS	34 34	37 81	17 56	23 49	5 30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEABS	34 34	37 81	17 56	23 49	5 30						ĺ
	D EXCHANGE ACCESS LOOP															
2-W	IRE ANALOG VOICE GRADE LOOP	ļ														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l			1											
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14 38	88 00	55 00	47 24	7 44						<u> </u>
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	22 85	88 00	55 00	47 24	7 44						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					1										
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36 14	88 00	55 00	47 24	7 44						<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 09		i					, i	, , , , ,	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1														
	Battery Signaling - Zone 1		_1_	UEA	UEAR2	14 38	88 00	55 00	47 24	7 44						1
ł	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1	ŀ										
	Battery Signaling - Zone 2	1	2	UEA	UEAR2	22 85	88 00	55 00	47 24	7 44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	l	1		İ				1				· ·	1
	Battery Signaling - Zone 3	-	3	UEA	UEAR2	36 14	88 00	55 00	47 24	7 44						
	Order Coordination for Specified Conversion Time (per LSR)	+		UEA	OCOSL		18 09				1					
	CLEC to CLEC Conversion Charge without outside dispatch	+	<u> </u>	UEA	UREWO		87 72	36 36			ļ l					L
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11 21	1 10			ļl					\vdash
4-97	IRE ANALOG VOICE GRADE LOOP	+	<u> </u>	-	1											
	4-Wire Analog Voice Grade Loop - Zone 1	+		UEA	UEAL4	25 34	131 97	94 51	59 14	14 50	ļ <u> </u>					
	4-Wire Analog Voice Grade Loop - Zone 2	+		UEA	UEAL4	38 58	131 97	94 51	59 14	14 50	\sqcup					
+	4-Wire Analog Voice Grade Loop - Zone 3	+	_3	UEA	UEAL4	60 02	131 97	94 51	59 14	14 50	ļl					
	Order Coordination for Specified Conversion Time (per LSR)	-		UEA	OCOSL		18 09				ļ					
1	CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO	ľ	87 72	36 36			l i					1

UNBUND	DLEC	NETWORK ELEMENTS - Alabama												Attach	ment 2	Exhi	bit: B
CATEGOR	RY	RATE ELEMENTS	Inten m	Zone	всѕ	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
т								Nonrec	urning	Nonrecurring	Disconnect				Rates (\$)	Disc 1st	Disc Add 1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-V		ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21 88	117 24	79 77	52 88	10 54						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32 85	117 24	79 77	52 88	10 54						
		2-Wire ISDN Digital Grade Loop - Zone 3	-	3	UDN	U1L2X	48 55	117 24	79 77	52 88	10 54						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18 09								ļ	
2.1		CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE		UDN	UREWO		91 63	44 16						ļ		
2-4		2 Wire Unbundled ADSL Loop including manual service inquiry	AIIBLE	LOUP	1											-	
		& facility reservation - Zone 1		1	UAL	UAL2X	11 01	110 00	68 00	47 24	7 44						
		2 Wire Unbundled ADSL Loop including manual service inquiry		 		UNLER	11.01	110 00	00 00	77.27		·					
	l	& facility reservation - Zone 2	1	2	UAL	UAL2X	12 73	110 00	68 00	47 24	7 44					1	
		2 Wire Unbundled ADSL Loop including manual service inquiry				1	1							1		1	l
		& facility reservation - Zone 3		3	UAL	UAL2X	14 30	110 00	68 00	47 24	7 44				L		<u></u>
		Order Coordination for Specified Conversion Time (per LSR)	L	-	UAL	OCOSL		18 09									
		2 Wire Unbundled ADSL Loop without manual service inquiry &					ŀ										•
		facility reservation - Zone 1		1_1_	UAL	UAL2W	11 01	90 00	57 00	47 24	7 44						<u> </u>
		2 Wire Unbundled ADSL Loop without manual service inquiry &	l	_	ļ											1	
		facility reservation - Zone 2		2	UAL	UAL2W	12 73	90 00	57 00	47 24	7 44						
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	i	3	UAL	UAL2W	44.00	90 00	57.00	47.04	7 44					1	
				3	UAL	OCOSL	14 30	18 09	57 00	47 24	7 44					i	
		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		 	UAL	UREWO		86 20	40 40							 	
2.0		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	OOR		UNEVVO		00 20	40 40							1	ļ · · · · · · · · · · · · · · · · · · ·
2-4		2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOF											1	 	
		& facility reservation - Zone 1		1	UHL	UHL2X	8 74	110 00	68 00	47 24	7 44		[ļ
		2 Wire Unbundled HDSL Loop including manual service inquiry		 	0.12	JOINED!										 	1
		& facility reservation - Zone 2		2	UHL	UHL2X	10 17	110 00	68 00	47 24	7 44	[ì		
		2 Wire Unbundled HDSL Loop including manual service inquiry			-												
		& facility reservation - Zone 3		3	UHL	UHL2X	11 44	110 00	68 00	47 24	7 44						
		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		18 09									
		2 Wire Unbundled HDSL Loop without manual service inquiry		i										ĺ	1		
		and facility reservation - Zone 1		1	UHL	UHL2W	8 74	90 00	57 00	47 24	7 44			!		ļ	
		2 Wire Unbundled HDSL Loop without manual service inquiry	1	١	l		40.47		57.00	47.04	7.44			1			
		and facility reservaion - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	10 17	90,00	57 00	47 24	7 44				ļ	 	
1		and facility reservation - Zone 3	l	3	UHL	UHL2W	11 44	90 00	57 00	47 24	7 44					İ	
		Order Coordination for Specified Conversion Time (per LSR)	-		UHL	OCOSL	1144	18 09	37 00	47 24	1 49						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40 40	-							
4-4		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	T		+					<u> </u>				İ	
- 1.		4 Wire Unbundled HDSL Loop including manual service inquiry				1											
		and facility reservation - Zone 1	L	1	UHL	UHL4X	13 95	148 36	68 00	51 70	9 73					1	
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	15 56	148 36	68 00	51 70	9 73						
		4-Wire Unbundled HDSL Loop including manual service inquiry											1		1		i
		and facility reservation - Zone 3		3	UHL	UHL4X	15 25	148 36	68 00	51 70	9 73		ļ		ļ	-	ļ
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 09									
		4-Wire Unbundled HDSL Loop without manual service inquiry		1	1	LIBI AIM	12.05	04.00	57.00	E1 70	9 73				1		
		and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry	-	++	UHL	UHL4W	13 95	94 00	57 00	51 70	9/3	-	-	!		+	
		and facility reservation - Zone 2		2	UHL	UHL4W	15 56	94 00	57 00	51 70	9 73		1	1			
		4-Wire Unbundled HDSL Loop without manual service inquiry		Ť		10,12	.5 50	2.00	5. 00	3.70				i	1		1
		and facility reservation - Zone 3		3	UHL	UHL4W	15 25	94 00	57 00	51 70	9 73	1					<u></u>
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 09						L			
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40 40								
4-1		DS1 DIGITAL LOOP													ļ	1	.
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	82 55	252 47	157 54	44 70	11 71			ļ		+	
- 1		4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3		2		USLXX	154 18 314 52	252 47 252 47	157 54 157 54	44 70 44 70	11 71 11 71			ļ		 	
					USL	ILISLXX	314.52	252.47	157.54	1 44.70 1	11.71	1	ı		1		1

OMBONDER	ED NETWORK ELEMENTS - Alabama	1		1							Te 0	e 6-1		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (5)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
				-		Rec	Nonrec		Nonrecurring					Rates (\$)		
	OLFO to CLFO Comment Observe without a standard describe			USL	UREWO		101 09	Add'I 43 05	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4.WIE	CLEC to CLEC Conversion Charge without outside dispatch RE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKEWO		101 09	43 05				-		 	 	
4-1111	4 Wire Unbundled Digital 19 2 Kbps	-	1	UDL	UDL19	26 09	126 27	88 80	59 14	14 50		 				
	4 Wire Unbundled Digital 19 2 Kbps	1		UDL	UDL19	35 95	126 27	88 80	59 14	14 50				 		
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	37 88	126 27	88 80	59 14	14 50		 			1	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	26 09	126 27	88 80	59 14	14 50		1				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35 95	126 27	88 80	59 14	14 50				ļ		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37 88	126 27	88 80	59 14	14 50	I					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 09									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26 09	126 27	88 80	59 14	14 50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-	2	UDL	UDL64	35 95	126 27	88 80	59 14	14 50				ļ	1	-
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	37 88	126 27	88 80	59 14	14 50			-	1		
	Order Coordination for Specified Conversion Time (per LSR)	+	-	UDL UDL	OCOSL UREWO		18 09 102 13	49 75			·		-	-		
2 16/15	CLEC to CLEC Conversion Charge without outside dispatch RE Unbundled COPPER LOOP	1	-	JUUL	OKEWO	-	102 13	49 /5			-	 			+	
2-4416	2-Wire Unbundled Copper Loop-Designed including manual	 		l	 						 		 	 	 	
	service inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	11 01	112 46	65 30	47 24	7 44	1		į	1		
	2-Wire Unbundled Copper Loop-Designed including manual	1	† · · · ·		1-3-5		1.2.3	00 00		. 1-1		1	l	1	†	
	service inquiry & facility reservation - Zone 2		2	lucu	UCLPB	12 73	112 46	65 30	47 24	7 44	1		1			
	2 Wire Unbundled Copper Loop-Designed including manual				1											
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14 30	112 46	65 30	47 24	7 44			1			
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 15	8 15								
	2-Wire Unbundled Copper Loop-Designed without manual			1											i	
	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11 01	91 46	54 30	47 24	7 44						
	2-Wire Unbundled Copper Loop-Designed without manual	Ι.				40.70		54.00							1	
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12 73	91 46	54 30	47 24	7 44		-		-	 	
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	١.,	3	UCL	UCLPW	14 30	91 46	54 30	47 24	7 44		į		i		1
-	Order Coordination for Unbundled Copper Loops (per loop)	 - '-		UCL	UCLMC	14 30	8 15	8 15	47 24	/ 44	-			l	-	
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	OCL	COLING		0 13	0 10	1		·					
	(UCL-Des)	1	ļ	UCL	UREWO		97 23	42 48				i				1
4-WIF	RE COPPER LOOP	1										1				
	4-Wire Copper Loop-Designed including manual service inquiry	1	1													
	and facility reservation - Zone 1		1	UCL	UCL4S	17 36	135 21	88 05	51 70	9 73						
	4-Wire Copper Loop-Designed including manual service inquiry														1	
	and facility reservation - Zone 2		2	UCL	UCL4S	20 76	135 21	88 05	51 70	9 73					ļ	
	4-Wire Copper Loop-Designed including manual service inquiry		_	l						0.70					[
	and facility reservation - Zone 3	-	3	UCL	UCL4S	28 21	135 21	88 05	51 70	9 73						
	Order Coordination for Unbundled Copper Loops (per loop)	-		UCL	UCLMC		8 15	8 15			 					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4W	17 36	114 21	67 05	51 70	9 73			l		i	
-	4-Wire Copper Loop-Designed without manual service inquiry	+ '-	 '- -	UCL	UCL4VV	17 30	114 21	07 03	3170	313	 	 				+
	and facility reservation - Zone 2	١,	2	luct	UCL4W	20 76	114 21	67 05	51 70	9 73					i	i .
h	4-Wire Copper Loop-Designed without manual service inquiry	┿	-	JOE	DOLIN			0. 00	5	0.10	†					
	and facility reservation - Zone 3	1 1	3	UCL	UCL4W	28 21	114 21	67 05	51 70	9 73					1	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 15	8 15								
	CLEC to CLEC conversion Charge without outside dispatch		1	UCL	UREWO		97 23	42 48								
LOOP MODIF	TICATION															
				UAL UHL UCL,												1
		1	1	UEQ, ULS, UEA,	1 1										1	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1 .		UEANL, UEPSR,				^ ^ ^								
 	pair less than or equal to 18k ft per Unbundled Loop	+ '-	-	UEPSB	ULM2L		0 00	0.00	 		1	 	 	 	 	+
ł l	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop	1 .	1	UHL, UCL, UEA	ULM4L		0.00	0 00	}						ļ	
\vdash	ress trian or equal to Tok π, per Unbundled Loop	+ '	 	UAL UHL UCL	OLIM4L		0.00	0.00				+	1		1	
		1		UEQ,ULS,UEA,	i	į	İ								1	
}	Unbundled Loop Modification Removal of Bridged Tap Removal,	.1		UEANL, UEPSR,	1 1]			1				1
	per unbundled loop	1		UEPSB	ULMBT	j	32 41	32 41								
SUB-LOOPS		1	1									1		T	1	

OMBUNDLE	D NETWORK ELEMENTS - Alabama			· · · · · · · · · · · · · · · · · · ·			_				B C	Pun Cont		ment: 2		ibit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svo Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonre		Nonrecurring			·		Rates (\$)		
			-			1,55	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-L	oop Distribution		-													+
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	١		UEANL	USBSA		244 42		į l							
	ГОР			UEMNL	USBSA		244 42				_				-	+
1	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	i i	ŀ	UEANL	USBSB		22 64							1		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder		1													1
	Facility Set-Up	. 1	<u></u>	UEANL	USBSC		177 45									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel										1		l	i		
	Set-Up	1		UEANL	USBSD		55 15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	١,	LICANI	USBN2	11 21	65 80	30 96	45 25	6 70		1	Ì]		1
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		₩.	UEANL	USBNZ	1121	65 60	30 96	45 25	870					 	
	Zone 2		2	UEANL	USBN2	11 94	65 80	30 96	45 25	6 70						1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	†	1 ~	02/412	CODINE	1101			10 20							-
	Zone 3		3	UEANL	USBN2	16 86	65 80	30 96	45 25	6 70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 15	8 15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -												}	1		1
	Zone 1		1	UEANL	USBN4	8 46	79 03	44 19	49 71	9 07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	Į.			LIGHTIA	40.07	70.00	44 19	49 71	9 07	1		l			
	Zone 2		2	UEANL	USBN4	16 67	79 03	44 19	49 / 1	907	_	1	 			+
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN4	32 57	79 03	44 19	49 71	9 07	1	1		1		
 	2016 3	 	+ ۲	OLANE	COBIN	32 07		44 15		- 00.	_					1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	Ì		UEANL	USBMC		8 15	8 15				!		1		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	1	UEANL	USBR2	2 27	53 01	18 17	45 25	6 70						
			ì													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 15	8 15								1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-	ļ	UEANL	USBR4	5 16	59 25	24 41	49 71	9 07				ļ		4
		İ		CIE AND	USBMC		8 15	8 15								1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	-		UEANL UEANL	URET1		34 16	34 16			 	-			 	1
	Loop Testing - Basic 1st Half Hour	•	+	UEANL	URETA		19 85	19 85			-					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6 22	65 80	30 96	45 25	6 70		1		<u> </u>		1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	·	2	UEF	UCS2X	8 76	65 80	30 96	45 25	6 70						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11 27	65 80	30 96	45 25	6 70				l	I	
			T											1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	i	1	UEF	USBMC		8 15	8 15					<u> </u>	1		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ļ	1	UEF	UCS4X	6 11	79 03	44 19		9 07	ļ			ļ		_
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X UCS4X	12 61 15 36	79 03 79 03	44 19 44 19		9 07	-	 		-	 	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		1 3	UEF	00547	15 36	79 03	44 19	49 71	907	_	-		1	 	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		l	UEF	USBMC	į l	8 15	8 15	Į	ļ	į	į	ţ	Į.	Į.	1
	Loop Testing - Basic 1st Half Hour	 	+	UEF	URET1		34 16	34 16			 			i e		1
	Loop Testing - Basic Additional Half Hour		1	UEF	URETA		19 85	19 85				Ī				1
Unbur	ndled Network Terminating Wire (UNTW)		1													
	Unbundled Network Terminating Wire (UNTW) per Pair	ļ <u> </u>		UENTW	UENPP	0 40	30 01								ļ	ļ
Netwo	ork Interface Device (NID)	<u></u>		L										ļ <u></u>		ļ
—	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12 UND16		43 23 63 97	28 38 49 11	1	 				1	 	+
 	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	-	+	UENTW	UND16 UNDC2	-	63 97 5 87	49 11 5 87		 	 	 	 		 	+
	Network Interface Device Cross Connect - 2 W	-	+	UENTW	UNDC2		5 87	5 87	 	 	 	 	 		1	1
UNE OTHER.	PROVISIONING ONLY - NO RATE	 	+	32.11.11	0.400,			50,	<u> </u>		 			1		1
	NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0 00				T	1				
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	1		UENTW	UENCE	0.00	0 00							<u> </u>		
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0 00		<u> </u>					1		
UNE OTHER,	PROVISIONING ONLY - NO RATE	<u></u>										J	L	1		1

	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - C Manual Svc Order vs Electronic- Disc 1st	Charge -		
			1			Rec	First	curring Add'l		Disconnect	COME			Rates (\$)		
			+		Į		First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL UDC UDL					ļ							Ì
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0 00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no				· · ·					† -	· · · - · ·					
	rate			UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									<u></u>
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		1													
	Unbundled DS1 Loop - Superframe Format Option - no rate		├ ──	UEA USL,UCL UDL	CCOSF	0 00	0 00	·								
	Unbundled DS1 Loop - Expanded Superframe Format option -	<u> </u>	 	USL	CCUSF	0.00	0 00									
	no rate			USL	CCOEF	0.00	0 00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP		1			- 0 00	0.00									
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month		Ļ	UE3	1L5ND	8 38										
	High Capacity Unbundled Local Loop - DS3 - Facility		1													
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per		<u> </u>	UE3	UE3PX	308 98	451 52	263 94	119 49	83 58						
	month	•	į	UDLSX	1L5ND	8 38										
	High Capacity Unbundled Local Loop - STS-1 - Facility		<u> </u>	ODLOX	LEGIND	0.36										
	Termination per month			UDLSX	UDLS1	319 83	451 52	263 94	119 49	83 58						
LOOP MAKE-L						0,0,00	101 02	250 01	110 10	00 00		-				
	Loop Makeup - Preordering Without Reservation, per working or		1									i				
	spare facility queried (Manual)		ļ	UMK	UMKLW		20 00	20 00				ļ				
	Loop Makeup - Preordering With Reservation, per spare facility											Ī				
	queried (Manual) Loop MakeupWith or Without Reservation, per working or		ļ	UMK	UMKLP		21 00	21 00								
	spare facility queried (Mechanized)		!	UMK	UMKMQ		0 59	0 59								
LINE SHARING	G AND LINE SPLITTING		-	O.VIIV	Civiltivica		0.00	0.09								
NOTE 1	1: The Line Sharing monthly recurring rates for all installation	is com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
NOTE	1. 10/02/2003 - 10/01/2004. 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")											
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 – 10/01/2006; 75% of the rate for UCLND 1: Above will apply to USOCS, ULSDT and ULSCT		<u> </u>													
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d III SC	C applies only to cir	cute inetall	ad and income	a an ar bafara	October 1 201	0.3							
	HARING	SDC and	l	c applies only to cir	Cuits instair	ed and inservic	e on or before	October 1, 201	J3			-				-
	TERS-CENTRAL OFFICE BASED		!													
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155 97	188 79	0 00	177 98	0 00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB		400.70		177 98							
						38 99	188 79	0 00		0 00						
	Line Sharing Splitter Per System, 8 Line Capacity			ULS	ULSD8	38 99 12 73	377 58	0 00	355 96	0 00						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-			ULS	ULSD8		377 58	0 00	355 96	0 00						
END US	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)															
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSD8		377 58	0 00	355 96	0 00						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)			ULS	ULSD8		377 58 86 47	0 00	355 96 49 84	0 00						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter -			ULS ULS	ULSD8 ULSDG	12 73	377 58	0 00	355 96	0 00						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1			ULS ULS ULS	ULSD8 ULSDG ULSDC	12 73 0 61	377 58 86 47 18 51	0 00	355 96 49 84 10 01	0 00						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter— Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS ULS	ULSD8 ULSDG	12 73	377 58 86 47	0 00	355 96 49 84	0 00						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-			ULS ULS ULS	ULSD8 ULSDG ULSDC	12 73 0 61	377 58 86 47 18 51	0 00	355 96 49 84 10 01	0 00						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1			ULS ULS ULS	ULSDG ULSDC ULSDT	0 61	377 58 86 47 18 51	0 00 0 00 10 60	355 96 49 84 10 01	0 00 0 00 4 92 4 92						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS ULS ULS	ULSD8 ULSDG ULSDC	12 73 0 61	377 58 86 47 18 51	0 00	355 96 49 84 10 01	0 00						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1			ULS ULS ULS	ULSDG ULSDC ULSDT	0 61	377 58 86 47 18 51	0 00 0 00 10 60	355 96 49 84 10 01	0 00 0 00 4 92 4 92						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS ULS ULS	ULSDG ULSDC ULSDT	0 61	377 58 86 47 18 51	0 00 0 00 10 60	355 96 49 84 10 01	0 00 0 00 4 92 4 92						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service TRO per line activation, BST owned splitter Central Office Located (55% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service TRO per line activation, BST owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005) Line Sharing - per Subsequent Activity per Line			ULS ULS ULS ULS ULS	ULSDS ULSDC ULSDT ULSDT	0 61 2 80 5 60	377 58 86 47 18 51 18 51	0 00 0 00 10 60 10 60	355 96 49 84 10 01 10 01	0 00 0 00 4 92 4 92						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS ULS ULS ULS	ULSDS ULSDC ULSDT	0 61 2 80 5 60	377 58 86 47 18 51 18 51	0 00 0 00 10 60 10 60	355 96 49 84 10 01 10 01	0 00 0 00 4 92 4 92						
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line			ULS ULS ULS ULS ULS ULS	ULSDS ULSDC ULSDT ULSDT ULSDT ULSDT ULSDS	0 61 2 80 5 60	377 58 86 47 18 51 18 51 18 51 18 51 18 51	0 00 0 00 10 60 10 60 10 60 8 19	355 96 49 84 10 01 10 01	0 00 0 00 4 92 4 92		-				
	Line Sharing Splitter Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS ULS ULS ULS ULS	ULSDS ULSDC ULSDT ULSDT	0 61 2 80 5 60	377 58 86 47 18 51 18 51 18 51	0 00 0 00 10 60 10 60	355 96 49 84 10 01 10 01	0 00 0 00 4 92 4 92						

PINDUNDLE	D NETWORK ELEMENTS - Alabama			T										ment 2	· · · · · · · · · · · · · · · · · · ·	bit: B
ATEGORY	RATE ELEMENTS	Interr m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs.
			<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)	•	
	Line Share Service, TRO per line activation, CLEC owned		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	splitter - Central Office Located (25% of UCLND) - please see	ł	1						i							
1	NOTE 1 (E 10/2/2003)			ULS	ULSCT	2 80	47.44	40.04	00.00							1
	Line Share Service, TRO per line activation, CLEC owned		1	ULS	ULSCI	2 80	47 44	19 31	20 02	983					ļ	ļ
	splitter - Central Office Located (50% of UCLND) - please see		1	•					1	i						
	NOTE 1 (E 10/2/2004)		ı	ULS	ULSCT	5 60	47 44	19 31	20 02	983					1	1
	Line Share Service, TRO per line activation, CLEC owned									- 5 55						
1	splitter - Central Office Located (75% of UCLND) - please see		1		!										i	
	NOTE 1 (E 10/2/2005)		1	ULS	ULSCT	8 40	47 44	19 31	20 02	9 83		1				
	PLITTING															
END US	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0 61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0 61	37 01	21 19	20 02	9 83						
	Line Splitting - per line activation BST owned - virtual		ļ	UEPSR UEPSB	UREBV	0 61	37 01	21 19	20 02	9 83						
	ENANCE		├													
	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime				-		80 00	55 00								
	No Trouble Found - per 1/2 hour increments - Overtime		-				120 00	82 50	<u> </u>							
	DEDICATED TRANSPORT		1				160 00	110 00	 -							
	OFFICE CHANNEL - DEDICATED TRANSPORT		 													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	 	 						-						 	
	Per Mile per month	l	l	U1TVX	1L5XX	0 008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		!		1.20,01	0 000000										
-	Facility Termination			U1TVX	U1TV2	21 13	40 54	27 41	16 74	6 90						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat - Per Mile per month			U1TVX	1L5XX	0 008838										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat									·						
	Facility Termination			U1TVX	U1TR2	21 13	40 54	27 41	16 74	6 90						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1		l	}											
	Per Mile per month			U1TVX	1L5XX	0 008838										
ŀ	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			LIATIO		40.70		07.44								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		<u> </u>	U1TVX	U1TV4	18 73	40 54	27 41	16 74	6 90						
	per month		İ	U1TDX	1L5XX	0 008838					1					
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		 	UTIDA	ILSAA	0 000036										
	Termination			U1TDX	U1TD5	15 12	40 54	27 41	16 74	6 90						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		 	OTIDA	01100	13 12	40 34	2/4/	10 74	0 90						
	per month			UITDX	1L5XX	0 008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination	l		U1TDX	U1TD6	15 12	40 54	27 41	16 74	6 90						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	Ī														
	month			U1TD1	1L5XX	0 18										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	60 16	89 27	81 81	16 35	14 44					1	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	l	1										-			
	month		1	U1TD3	1L5XX	4 09										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month	1		LIATEDA	LIATES .	703.50	070 75	400.70	00.00					Ť	1	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-		U1TD3	U1TF3	703 52	278 75	162 76	60 20	28 46		-				
	month	i		U1TS1	1L5XX	4 09										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility		_		15000	4 08			-						-	
i	Termination	l	1	U1TS1	U1TFS	701 37	278 75	162 76	60 20	28 46						
RK FIBER					1			.02.10		20 40		-				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1	-										
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23 29								L	i	
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF 14		639 09	137 87	317 06	197 66						
	Dark Fiber Four Fiber Strands Per Route Mile or Fraction															
	Thereof per month - Local Loop	_		UDF, UDFCX	1L5DL	60 32										
1	NRC Dark Fiber - Local Loop	l		UDF, UDFCX	UDFL4		639 09	137 87	317 06	197 66					1	

ONBONDLE	D NETWORK ELEMENTS - Alabama		,											ment: 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
OVY ACCESS	TEN DIGIT CODEFMING						First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BXX ACCESS	EN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call			OHD		0 00056										
	8XX Access Ten Dgit Screening, Per Call 8XX Access Ten Dgit Screening, Reservation Charge Per 8XX		 	OHD _		0 00056										
	Number Reserved			OHD	N8R1X		2 58	0 44								
	8XX Access Ten Digit Screening Per 8XX No Established W/O POTS Translations			OHD			5 94	0.81	4 57	0 54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5 94	0.81	4 57	0 54						
	8XX Access Ten Dgit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2 58	1 29								
	BXX Access Ten Digit Screening, Multiple InterLATA CXR		_	0.15	1101 011		2 00		_					-		
	Routing Per CXR Requested Per 8XX No			ОНО	N8FMX		3 02	1 73								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3 02	0 44								
	8XX Access Ten Digit Screening Call Handling and Destination															
	Features		i .	OHD	N8FDX		2 58									
	8XX Access Ten Digit Screening w/ 8FL No Delivery			OHD		0 000565										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0 000565										
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query		├	OQT		0 00002										
	LIDB Validation Per Query		├	OQU		0 012002										
	LIDB Originating Point Code Establishment or Change		—	OQT, OQU	NRBPX		34 32		42 08							
SIGNALING (C			-					05.50								
	CCS7 Signaling Connection Per 56Kbps Facility			UDD	DERCY	15 46 130 83	35 53	35 53	16 44	16 44						
	CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX											
	CCS7 Signaling Usage, Per Call Setup Message CCS7 Signaling Usage, Per TCAP Message		 	UDB		0 0000142										
	CCS7 Signaling Osage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)		-	UDB	TPP++	15 46	35 53	35 53	16 44	16 44						
	CCS7 Signaling Connection Per link (A link) (also known as D		1	ODB	IFFTT	13 40	33 33	33 33	10 44	10 44						
1	link)		!	UDB	TPP++	15 46	35 53	35 53	16 44	16 44						
	CCS7 Signaling Usage, Per ISUP Message		-	UDB	IFFTT	0 0000142	30 33	33 33	10 44	10 44						
	CCS7 Signaling Usage Surrogate, per link per LATA		_	UDB	STU56	650 33										
	CCS7 Signaling Point Code, per Originating Point Code			000	0.000	000 00							_			
	Establishment or Change, per STP affected			UDB	CCAPO	l [29 01	29 01	35 57	35 57						
E911 SERVICE			1		00/10	-	2001	2001	00 01							
	Local Channel - Dedicated - 2-wr Voice Grade		 			13 97	193 10	33 17	36 64	3 20						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	-				0 008838			22.01							
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					21 13	40 54	27 41	16 74	6 90						
	Local Channel - Dedicated - DS1 - Zone 1					35 76	177 47	153 72	22 19	15 26						
	Local Channel - Dedicated - DS1 - Zone 2					49 98	177 47	153 72	22 19	15 26						
	Local Channel - Dedicated - DS1 - Zone 3					107 63	177 47	153 72	22 19	15 26						
. [Interoffice Transport - Dedicated - DS1 Per Mile					0 18										
			I -				·									
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		L			60 16	89 27	81 81	16 35	14 44						
CALLING NAM	E (CNAM) SERVICE		L													
	CNAM For DB Owners - Service Establishment			OQV	+		22 95		21 11							
	CNAM For Non D8 Owners - Service Establishment		_	OQV			22 95		21 11							
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			oqv			990 88	732 84	268 93	197 74						
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			OQV			342 33	245 14	275 25	197 74						
	CNAM for DB Owners, Per Query			OQV	1	0 000902										
	CNAM for Non DB Owners, Per Query			OQV	1	0 000902										
SELECTIVE RO					T- '											
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84 70	84 70	14 11	14 11						
VIRTUAL COLI							3,70	0.70		- 1711						
1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		-		1	-										
1	Splitting		1	UEPSR UEPSB	VE1LS	0 03	12 30	11 80	6 03	5 44	1	ı !		l	l	

DIADOIADEL	D NETWORK ELEMENTS - Alabama		T								Г			ment 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO			ļ													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0 03	12 30	11 80	6 03	5 44						1
AIN SELECTIV	E CARRIER ROUTING		ļ								ļ					
	Regional Service Establishment			SRC	SRCEC		101,098 91		8,590 70				_			
<u> </u>	End Office Establishment Query NRC, per guery			SRC SRC	SRCEO	0.0007/0	169 88	169 88	1 70	1 70	<u> </u>					
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE	<u> </u>	├	SKC		0 002749					ļ					1
AIN - BELLOO	AIN SMS Access Service - Service Establishment, Per State,		 								1					1
1 1	Initial Setup			A1N	CAMSE		39 44	39 44	40 69	40 69	1		ŀ			
	этны зецр		├	AIN	CAIVISE		39 44	39 44	40 69	40 69	 		<u> </u>			
]	AIN SMS Access Service - Port Connection - Dial/Shared Access	l	1	A1N	CAMPP		7 83	7 83	9 09	9 09			1		1	1
	AIN SMS Access Service - Port Connection - ISDN Access		 	A1N	CAM1P		7 83	7 83	9 09	9 09				 	 	
	AIN SMS Access Service - User Identification Codes - Per User				1 -7				2 05	2 03	<u> </u>					
	ID Code	l		A1N	CAMAU		35 00	35 00	27 06	27 06				1	1	1
	AIN SMS Access Service - Security Card, Per User ID Code,													i .		1
LL.	Initial or Replacement			A1N	CAMRC		41 88	41 88	11 71	11 71					1	1
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 002188					ļ					
	AIN SMS Access Service - Session, Per Minute				i	0 59					1					
	AIN SMS Access Service - Company Performed Session, Per										[
	Minute		ŀ			0 73					1					
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,		1							-	1					
	Initial Setup		<u> </u>	CAM	BAPSC		39 44	39 44	40 69	40 69						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202 17	4,202 17								
ł	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				I						1		!		F	
	DN Term Attempt	L	ļ		BAPTT		7 83	7 83	9 09	9 09	 					ļ
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				0.000		7.00	7.00	0.00	0.00			İ		ŀ	
	DN Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-	-		BAPTD		7 83	7 83	9 09	9 09	+		 			+
	DN, Off-Hook Immediate				ВАРТМ		7 83	7 83	9 09	9 09					İ	1
ļ	AlN Toolkit Service - Trigger Access Charge, Per Trigger Per				BAP IIVI		7 03	1 65	9 09	9 08	+					
	DN. 10-Digit PODP				BAPTO		34 47	34 47	14 36	14 36						1
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		 		DAI 10		5447	34 41	1430	17.50	 	-		i		
	DN. CDP				BAPTC		34 47	34 47	14 36	14 36		İ				1
	AIN Toolkit Service - Trigger Access Charge Per Trigger, Per				1		0.11									†
l i	DN, Feature Code				BAPTE		34 47	34 47	14 36	14 36	į.			1		
	AIN Toolkit Service - Query Charge, Per Query					0.05										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query	l			l	0 00582					}					
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1	1											1		
	Account, Per 100 kilobytes					0.05										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service]													1	
	Subscription	<u> </u>		CAM	BAPMS	10 17	7 83	7 83	5 50	5 50						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			ŀ					i				1		l	
	Subscription		1	CAM	BAPLS	2 87	8 66	8 66					ļ	ļ		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		1												ł	
-	Subscription		1	CAM	BAPDS	7 39	7 83	7 83	5 50	5 50	_					+
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit]	1	l											ļ	
ENUANCES	Service Subscription		1	CAM	BAPES	0 10	8 66	8 66					-	 	 	+
	XTENDED LINK (EELs)	<u> </u>	1	Eustah An In Ch		h, for UNE			Durden amiles C	nined' Netro-	k Elomonto				 	+
	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not the same second s												-	 		+
	The monthly recurring and the Switch-As-Is Charge and not I					UNE COMBINATE	ons provision	as Current	ly Combined I	TELWOIK EIEME	;;;t3		 	-	 	+
<u>-^'</u>	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1		UNCVX	UEAL2	14 38	88 00	55 00	47 24	7 44	 				+	+
	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2	1		UNCVX	UEAL2	22 85	88 00	55 00	47 24	7 44			 · · · · · · · · · · · · · · · · · · ·		-	+
 	First 2-Wire VG Loop (SL2) in Combination - Zone 2	1	3		UEAL2	36 14	88 00	55 00		7 44					t	+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	+ -	5.101/	00.782	30 14	00.00	33 00	+ 7, 24	, 44	+	 			t t	
1 1	per month	1	1	UNC1X	1L5XX	0 18						l	1		i	

NBUNDLED	NETWORK ELEMENTS - Alabama													ment: 2		ibit [.] B
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electron Disc Add
						Rec	Nonrecu		Nonrecurring					Rates (\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	Interoffice Transport - Dedicated - DS1 combination - Facility															1
	Termination per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79						
\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Voice Grade COCI - Per Month			UNCVX	1D1VG	0 53	6 58	4 72								
1 1			1								1					1
E	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14 38	88 00	55 00	47 24	7 44						1
			_	l							1					1
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22 85	88 00	55 00	47 24	7 44	-					
- I - I.					1	20.44	20.00	FF 00	47.04		1					
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	36 14	88 00	55 00	47 24	7 44						+
	Voice Grade COCI - Per Month		 	UNCVX	1D1VG	0 53	6 58	4 72	 					-		
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC1X	UNCCC	ļ	5 59	5 59	6 98	6 98					[
	s Charge						5 59	5 59	6 98	6 98						
EXTENU	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	TINIE	ROFFICE TRANSPO	JK I				 							+
.	Front A Miles Applies Verse Conductions in Complete Verse 7:11			LINGUA	luena I	25.24	121 07	94 51	59 14	14 50					l	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25 34	131 97	94 51	59 14	14 50						+
- I .			2	UNCVX	UEAL4	38 58	131 97	94 51	59 14	14 50						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		<u> </u>	UNCVX	UEAL4	38 38	13197	94 51	59 14	14 50						
- I .			١.			50.00	404.07	04.54	70.44	44.50						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60 02	131 97	94 51	59 14	14 50						+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAN	1L5XX	0.40									1	
	Per Month		-	UNC1X	1L5XX	0 18			ļ						-	
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44		i				
	Month B 10 Clares 1 C					101 06	91 04	62 57	10 54	9 79				l	-	
	1/0 Channel System in combination Per Month		 	UNC1X	MQ1			4 72	10 54	9 / 9						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 53	6 58	4 12								+
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25 34	131 97	94 51	59 14	14 50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	DINCVA	OEAL4	20.04	131 31	3431	33 14	14 30						+
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38 58	131 97	94 51	59 14	14 50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	ONCVA	ULAL4	30 30	131 37	3431	30 14	14 30						+
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60 02	131 97	94 51	59 14	14 50					ł	
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 53	6 58	4 72		17 00					· -	†
	Nonrecurring Currently Combined Network Elements Switch -As-		 -	UNOVA	10170	0 33	0 30	772							 	†
	Is Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98					ŀ	
	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				0.00	0.00	0.00	- 000	-		-			†
EXTEND	DED 4 MINE OF REI O EXTENDED BIOTIAL LOGI MITTOLESK	JAIL D	T	TEROTTICE TOWN	T CITT		-									†
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1 1	UNCDX	UDL56	26 09	126 27	88 80	59 14	14 50		l '				
	THE TYPE COMPANY SIGNATURE CONTRACTOR CONTRACTOR CONTRACTOR		 	GHOBA	10000		12021									\vdash
- 1 - 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35 95	126 27	88 80	59 14	14 50				1		
+ - '	spoeigner erder evep in sementation Edito E		✝−			22.00					 			1	1	1
<u> </u>	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37 88	126 27	88 80	59 14	14 50					1	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		 		1											
	Per Month		i	UNC1X	1L5XX	0 18										1
	Interoffice Transport - Dedicated - DS1 - combination Facility				1.2.2.		-									
	Termination Per Month	1	1	UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44						
1 1	1/0 Channel System in combination Per Month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79	1					
	OCU-DP COCI (data) per month (2 4-64kbs)			UNCDX	1D1DD	1 12	6 58	4 72								L
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1								1							
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26 09	126 27	88 80	59 14	14 50		<u> </u>				L
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1											l				Ι
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35 95	126 27	88 80	59 14	14 50		l	l			1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	37 88	126 27	88 80	59 14	14 50				1		<u> </u>
	Additional OCU-DP COCI (data) - in combination per month (2 4-	-									[
	64kbs)			UNCDX	1D1DD	1 12	6 58	4 72							l	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	l	1	UNC1X	UNCCC		5 59	5 59	6 98	6 98	1	I	1		1	1
	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDN	CATED	DC4 II	TERREFICE TRANS	RPORT							Ι		1	1	1

	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	Inten m	Zone	BCS	usoc	Rec		RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc	1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1_		usoc	Rec		RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Sv
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1_		usoc	Rec		RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1_		usoc	Rec		RATES (\$)								1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	m	1_		USOC	Rec		KAIES (3)			per LSR	160		Order	0-1	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		-	UNCDX		Rec						pertak	Order vs	OTUEL VS.	Order vs	Order vs
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		-	UNCDX		Rec					'		Electronic-	Electronic-	Electronic-	Electronic-
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		-	UNCDX		Rec										
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		-	UNCDX		Rec							1st	Add'i	Disc 1st	Disc Add'l
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		-	UNCDX		Rec	Nonrec		L 41	<u> </u>			L	<u></u> '	l	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		-	UNCDX					Nonrecurring					Rates (\$)		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		-	UNCDX			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		-	UNCDX	i l					·						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		-	0.110071	UDL64	26 09	126 27	88 80	59 14	14 50			!	1	ł	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	-	2	1	100201	20 00	12027		33 14	14 30	 					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	-	-	LINIOSY	1									1	Ì	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50				1		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1]											
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50				1		
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month										-					
	interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1	UNC1X	1L5XX	0 18								1		
	Termination Per Month		_	UNC IX	ILOXX	0.18										
			1			1										
	1/0 Channel System in combination Per Month		1	UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44			į	1		
	TO CHARLET STATELL III COMBUILDING FEI WORTH			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79						
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)		+	UNCDX	1010D				10 34	319	+					
			ļ	ONCDA	טטוטו	1 12	6 58	4 72			ļ			ļ'		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		ŀ		j									1		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50				1 '	1	1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1													†
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50	1			1 '		
			+ -	OWCDY	UDL64	35 95	126.27	88 80	59 14	14 50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1]										1		1
_ []'	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50				1 '	1	l .
	Additional OCU-DP COCI (data) - in combination - per month															
	(2 4-64kbs)			UNCDX	1D1DD	1 12	6 58	4 72						1 '		1
				UNCDX	טטרטו	1 12	6.58	4 /2								ļ
	Nonrecurring Currently Combined Network Elements Switch -As-			1		1	i							1 '	1	1
	Is Charge			UNC1X	UNCCC	1	5 59	5 59	698	6 98				1 '		1
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	D DS1	INTER	OFFICE TRANSP	ORT				_							
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71						
				UNC1X		02 33								─ ──	<u> </u>	
	4-Wire DS1 Digital Loop in Combination - Zone 2				USLXX	154 18	252 47	157 54	44 70	11 71						<u> </u>
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71				1 '	1	1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0 18								1 '		ı
	Interoffice Transport - Dedicated - DS1 combination - Facility		_	ONOIX	100700									 		
					I I									1 '		ľ
	Termination Per Month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44			l	1 '	1	İ
. ! I'	Nonrecurring Currently Combined Network Elements Switch -As-													1		ł
	Is Charge		ł	UNC1X	UNCCC		5 59	5 59	6 98	6 98				1 '		!
	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	U DES	INTER												 	
	First DS1Loop in Combination - Zone 1	_D D33		UNC1X	USLXX	82 55	250.47	757 57	44 70	11 71				 	 	
							252 47	157 54								
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71	1		l	1		1
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71			1			
\neg	Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ť			2		10. 54			t			 '	 	1
			1	LINCOV	41.500	4.00					1 1		}	1 '	1	1
	Per Month		!	UNC3X	1L5XX	4 09						L				<u> </u>
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		1		1 1								1	1 '		
1 1	month		1	UNC3X	U1TF3	703 52	278 75	162 76	60 20	58 46			l	1 '	1	1
\neg	3/1 Channel System in combination per month		1	UNC3X	MQ3	166 13	178 14	93 97	33 26	31 83						1
	DS1 COCI in combination per month		1	UNC1X	UC1D1	12 70	6 58	4 72	00 20	51.00	 					
			-	IONOIA	00101	12 /0	0 38	4 /2					ļ			
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1		1								İ	1 '	1	1
	Zone 1		1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71				<u> </u>	<u> </u>	
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		1 2	UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71			1	1 '		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		 	5.40 IX	100200	1,54 10	232 41	131 34	44 /0	117.1	+ · · · ·					
			1 .		1					<u>.</u>			1	1 '		
	Zone 3		3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71	L					
	Additional DS1 COCI in combination per month		1	UNC1X	UC1D1	12 70	6 58	4 72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		1	UNC3X	UNCCC		5 59	5 59	6 98	6 98	1			1 '	1	1
	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	E INTE				3 33	2.39	0.90	0.90						+
		GRAD												 '	 	
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14 38	88 00	55 00	47 24	7 44					L	
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22 85	88 00	55 00	47 24	7 44				(
	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	36 14	88 00	55 00	47 24	7 44				$\overline{}$		
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		 	1001/	00,00	00 14		55 00	7, 24	, 44	_		-			-
			1										1	1 '		
	Month		ļ	UNCVX	1L5XX	0 008838								L		
1	Interoffice Transport - 2-wire VG - Dedicated - Facility		1							-						
	Termination per month		1	UNCVX	U1TV2	21 13	40 54	27 41	16 74	6 90			1	1 '		1

													Attach	ment: 2	Exhi	ıbit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	
												Submitted	Charge -	Charge -	Charge -	Charge -
	<u> </u>		1								Elec	Manually	Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
		m			**-*						per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs
	\	ł	1										Electronic-	Electronic-	Electronic-	Electronic-
												ŀ	1st	Add'l	Disc 1st	Disc Add'l
	·· · · · · · · · · · · · · · · · · · ·	-	 -												L	
						Rec	Nonrec			Disconnect	l			Rates (\$)		
	- No						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	İ						İ			-			
	Is Charge		<u> </u>	UNCVX	UNCCC		5 59	5 59	6 98	698						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD			ORT						1				1	
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	25 34	131 97	94 51	59 14	14 50						1
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38 58	131 97	94 51	59 14	14 50	i		_			1
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60 02	131 97	94 51	59 14	14 50					 	
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per										<u> </u>					+
	Month			UNCVX	1L5XX	0 008838										1
	Interoffice Transport - 4-wire VG - Dedicated - Facility	_			1.20701	0 000000						-			1	+
1	Termination per month			UNCVX	U1TV4	18 73	40 54	27 41	16 74	6 90					1	
	Nonrecurring Currently Combined Network Elements Switch -As-	1		OHOVA	1011174	10 73	40 34	27 41	1074	0.90					ļ	
	Is Charge			UNCVX	LINICOC	i										
FVTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	ILITED C			UNCCC		5 59	5 59	6 98	6 98						
E^1E		INTERC														
$-\!\!\!\!-\!\!\!\!\!-$	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	8 38										
		ł	ŀ													
	DS3 Local Loop in combination - Facility Termination per month]		UNC3X	UE3PX	308 98	451 52	263 94	119 49	83 58	i					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4 09										†
	Interoffice Transport - Dedicated - DS3 combination - Facility				1											1
	Termination per per month		1	UNC3X	U1TF3	703 52	278 75	162 76	60 20	58 46	,					
	Nonrecurring Currently Combined Network Elements Switch -As-	 		CITOON	011110	100 02	2,0,0	102 10	00 20	30 40	1					
	Is Charge			UNC3X	UNCCC		5 59	5.50	0.00		į					1
EVE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	0.4.11.			UNCCC		5 59	5 59	6 98	6 98						<u> </u>
<u> </u>		5-1 INI			1						L					_
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	8 38										
	STS-1 Local Loop in combination - Facility Termination per		1											ĺ		1
	month			UNCSX	UDLS1	319 83	451 52	263 94	119 49	83 58						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month		l	UNCSX	1L5XX	4 09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility														j	†
1	Termination per month			UNCSX	U1TFS	701 37	278 75	162 76	60 20	58 46					İ	İ
	Nonrecurring Currently Combined Network Elements Switch -As-															+
	Is Charge			UNCSX	UNCCC		5 59	5 59	6 98	6 98					Ì	
FYTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	PODT		ONCCC .		335	3 33	0.50	0 30					 	+
	First 2-Wire ISDN Loop in Combination - Zone 1	110011		UNCNX	U1L2X	21 88	117 24	79 77	52 88	10 54						+
-+-																
	First 2-Wire ISDN Loop in Combination - Zone 2	-		UNCNX	U1L2X	32 85	117 24	79 77		10 54						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48 55	117 24	79 77	52 88	10 54						
1	Interoffice Transport - Dedicated - DS1 combination - per mile	l	1		1		- 1			1	I					
	per month			UNC1X	1L5XX	0 18										
	Interoffice Transport - Dedicated - DS1 combination - Facility	I -	1 7	I	1 1]					
	Termination per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44	1					
	1/0 Channel System in combination - per month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79						
	2-wire ISDN COCI (BRITE) - in combination - per month	Γ		UNCNX	UC1CA	2 41	6 58	4 72			Ī				1	1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	i			1		- 20									
1	Combination - Zone 1	İ	4	UNCNX	U1L2X	21 88	117 24	79 77	52 88	10 54					1	1
-+-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			2.1017	12.15	2100	111 24	1911	32 00	10 34	 	<u> </u>			 	+
1	Combination - Zone 2	l	2	UNCNX	U1L2X	33.05	447.04	79 77	52 88	10 54	1			l .	i	1
-+-		-	-	DIACIAY	101157	32 85	117 24	19 11	5∠ 88	10 54	_					+
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	Lincolny	1		4			l	1				I	1
$\!$	Combination - Zone 3	ļ	3	UNCNX	U1L2X	48 55	117 24	79 77	52 88	10 54						
1	Additional 2-wire ISDN COCI (BRITE) - in combination- per	1		1			1				1	1			I	1
	month	L		UNCNX	UC1CA	2 41	6 58	4 72	<u> </u>						<u> </u>	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	1		UNC1X	UNCCC		5 59	5 59	6 98	6 98					1	1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED STS	1 INTE	ROFFICE TRANSP		T t					† -					
	First DS1 Loop Combination - Zone 1			UNC1X	JUSLXX	82 55	252 47	157 54	44 70	11 71	1				1	1
	First DS1 Loop Combination - Zone 2	-		UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71					 	+
-+-	First DS1 Loop Combination - Zone 3	-		UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71						+
			3	UNUIX	USLAX	314 52	252 47	15/ 54	44 /0	13 /1						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	l		UNCSX	1		!		\		I				1	I
				H INI/ 'CY	1L5XX	4 09	1		: I	I	I				1	1
	Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOX	120701	7.00										+

NBUNDLE	ED NETWORK ELEMENTS - Alabama	,		,							,			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
			ļ			Rec	Nonrecu		Nonrecurring					Rates (\$)		
	0/4 0) 10		<u> </u>				First	Add'1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month DS1 COCI in combination per month		-	UNCSX UNC1X	MQ3 UC1D1	166 13 12 70	178 14 6 58	93 97	33 26	31 83						ļ
	Additional DS1Loop in the same STS-1 Interoffice Transport		-	UNCIX	UCIUI	12 /0	6 58	4 72								
	Combination - Zone 1		1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71						
	Additional DS1Loop in the same STS-1 Interoffice Transport		١.,	LINICAN	LIGILAN	244.50	250 47	457.54	44.70	44.74						
-	Combination - Zone 3	ļ	3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71				ļ. 		ļ <u>.</u>
	DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	12 70	6 58	4 72								
	Is Charge			UNCSX	UNCCC		5 59	5 59	6 98	6 98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26 09	126 27	88 80	59 14	14 50						L
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	35 95	126 27	88 80		14 50					, and	1
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37 88	126 27	88 80	59 14	14 50						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0 008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	15 12	40 54	27 41	16 74	6 90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5 59	5 59	6 98	6 98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT	EROF	ICE TRANSPORT												
	4-wire 64 kbps Looal Loop in Combination - Zone 1			UNCDX	UDL64	26 09	126 27	88 80		14 50						
	4-wire 64 kbps Looal Loop in Combination - Zone 2		2	UNCDX	UDL64	35 95	126 27	88 80		14 50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	L	3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0 008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	15 12	40 54	27 41	16 74	6 90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5 59	5 59	6 98	6 98						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14 38	88 00	55 00		7 44						
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	22 85	88 00	55 00	47 24	7 44						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36 14	88 00	55 00	47 24	7 44						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 18										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44	ļ					
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79						
	Per each Voice Grade COCI - Per Month per month		ļ	UNCVX	1D1VG	0 53	6 58	4 72								
	3/1 Channel System in combination per month		-	UNC3X	MQ3	166 13	178 14	93 97		31 83						
	Per each DS1 COCI in combination per month		 	UNC1X	UC1D1	12 70	6 58	4 72			ļ					
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14 38	88 00	55 00	47 24	7 44						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22 85	88 00	55 00	47 24	7 44						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36 14	88 00	55 00	47 24	7 44						
	Each Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0 53	6 58	4 72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 18										
	Each Additional DS1 Interoffice Channel Facility Termination in		F -													
	same 3/1 Channel System per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44						
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	12 70	6 58	4 72								ļ
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	i	1	UNC1X	UNCCC	I	5 59	5 59	6 98	6 98	i .	I	I	ı	1	1

DINDUNDE	ED NETWORK ELEMENTS - Alabama				, ,									ment; 2	Exhi	ıbit B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs	Charge
,		m									per Lak	per Cor	Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic Disc Add
			1	_		Rec	Nonrec			Disconnect				Rates (\$)		
	5-4146	ļ					First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1	i	1 .	LINOLOG		25.04										
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	25 34	131 97	94 51	59 14	14 50						
	Zone 2	ĺ	2	UNCVX	ا الحمام	20.50	404.07									
<u> </u>	First 4-Wire Analog Voice Grade Local Loop in Combination -		+	UNCVA	UEAL4	38 58	131 97	94 51	59 14	14 50						
	Zone 3		3	UNCVX	UEAL4	60 02	131 97	94 51	59 14	14 50	ĺ	ĺ				
i -	First Interoffice Transport - Dedicated - DS1 combination - Per	-	 			55 52	10.07	3101	35 14	14 50						
	Mile Per Month			UNC1X	1L5XX	0 18	ŀ		,							į.
T T	First Interoffice Transport - Dedicated - DS1 - Facility		1													
	Termination Per Month		i	UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44						
	Per each 1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79						
	Per each Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	0 53	6 58	4 72								
	3/1 Channel System in combination per month			UNC3X	MQ3	166 13	178 14	93 97	33 26	31 83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12 70	6 58	4 72								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		Ι.													
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25 34	131 97	94 51	59 14	14 50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UCAL 4	20.50	404.07	24.54	50.44							
-	Additional 4-Wire Analog Voice Grade Loop in same DS1		1 -	UNCVX	UEAL4	38 58	131 97	94 51	59 14	14 50						<u> </u>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60 02	131 97	94 51	5044	44.50						ĺ
•	Each Additional DS1 Interoffice Channel per mile in same 3/1		 	UNCVX	UEAL4	. 60 02	13197	94 51	59 14	14 50						-
	Channel System per month			UNC1X	1L5XX	0 18						1				ĺ
	Each Additional DS1 Interoffice Channel Facility Termination in		 	UNUIX	ILSAN.	0.10					-				-	
İ	same 3/1 Channel System per month		l	UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44						ĺ
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0 53	6 58	4 72	10 00					-		-
	Nonrecurring Currently Combined Network Elements Switch -As-		T			•										
	Is Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98						1
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	/1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	26 09	126 27	88 80	59 14	14 50						ł
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1 -													
— l	Zone 2		2	UNCDX	UDL56	35 95	126 27	88 80	59 14	14 50						1
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		١.	LANGEN												1
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL56	37 88	126 27	08 88	59 14	14 50						
1	Mile Per Month			UNC1X	1L5XX	0 18	I									1
	First Interoffice Transport - Dedicated - DS1 - combination		 	DINGIA	112000	0 18									 	
	Facility Termination Per Month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44			ſ	-		i
	Per each 1/0 Channel System in combination Per Month		†	UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79						
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)			UNCDX	1D1DD	1 12	6 58	4 72	1004							
	3/1 Channel System in combination per month			UNC3X	MQ3	166 13	178 14	93 97	33 26	31 83		i				
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12 70	6 58	4 72								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1 "											
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26 09	126 27	88 80	59 14	14 50					i	i
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					1										
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35 95	126 27	88 80	59 14	14 50						L
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		١ ,	LINGDY							- 1					i .
	OCU-DP COCI (data) COCI in combination per month (2 4-		3	UNCDX	UDL56	37 88	126 27	88 80	59 14	14 50						
1	64kbs)			UNCDX	1D1DD	1 12	6 58	4 72							ŀ	í
	Each Additional DS1 Interoffice Channel per mile in same 3/1		 	SHODA	10100	1 12	6 26	4 /2								
ļ	Channel System per month			UNC1X	1L5XX	0 18	l									i
	Each Additional DS1 Interoffice Channel Facility Termination in		\vdash		1.2075	0 10				-						
	same 3/1 Channel System per month		l	UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44				j	J	f
	Each Additional DS1 COCI in the same 3/1 channel system				1		55 2.	0.01	10 00	17 77						
	combination per month			UNC1X	UC1D1	12 70	6 58	4 72		İ				İ		i
	Nonrecurring Currently Combined Network Elements Switch -As-				1		- 1-2-									
	ls Charge			UNC1X	UNCCC	1	5 59	5 59	6 98	6 98	i			ļ	J	i
IFXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 I	NTERO	FFICE	TRANSPORT w/ 3	/1 MUX					-		- 1		-		

ONRONDLE	D NETWORK ELEMENTS - Alabama													ment 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	E AND DATE OF THE PROPERTY OF						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			LINGEN	lunia.							ŀ		ŀ	ļ	
	Transport Combination - Zone 1		1_1_	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50						
i	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35 95	400.07	80.00	5044	44.50						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-	-	UNCDX	UUL04	35 95	126 27	88 80	59 14	14 50					ļ	
	Transport Combination - Zone 3		1 3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50						
	First Interoffice Transport - Dedicated - DS1 combination - Per		 	O.TODX	I CDLOT	3, 00	12021	00 00	35 14	14 30						+
1	Mile Per Month		l	UNC1X	1L5XX	0 18										
	First Interoffice Transport - Dedicated - DS1 combination -		 					**							†	+
	Facility Termination Per Month		ŀ	UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79				-	<u>† </u>	<u> </u>
	Per each OCU-DP COCI (data) in combination - per month (2 4-															1
	64kbs)	<u> </u>	<u> </u>	UNCDX	1D1DD	1 12	6 58	4 72								1
	3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	166 13	178 14	93 97	33 26	31 83				<u> </u>		
	Per each DS1 COCI in combination per month		ļ	UNC1X	UC1D1	12 70	6 58	4 72								
1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	!		l	I I											
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY		05.05	400.07									
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50						ļ
	Interoffice Transport Combination - Zone 3		3	LINGBY	UDL64	27.00	400.07	00.00	50.44	44.50						i
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50						ļ
	combination - per month (2 4-64kbs)	İ		UNCDX	1D1DD	1 12	6 58	4 72								
—	Each Additional DS1 Interoffice Channel per mile in same 3/1		-	UNCUA	10100	1 12	0 30	4 /2								-
	Channel System per month		1	UNC1X	1L5XX	0 18										
	Each Additional DS1 Interoffice Channel Facility Termination in			dito ix	120700										-	
l i	same 3/1 Channel System per month		l	UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44						
	Each Additional DS1 COCt in the same 3/1 channel system															1
	combination per month			UNC1X	UC1D1	12 70	6 58	4 72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98						
EXTE	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
ŀ	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	21 88	117 24	79 77	52 88	10 54						
l	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	l												
	Transport - Zone 2		2	UNCNX	U1L2X	32 85	117 24	79 77	52 88	10 54						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	40.55	447.04	70.77								1
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCNX	UTLZX	48 55	117 24	79 77	52 88	10 54						
	Mile per month			UNC1X	1L5XX	0 18										
	First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILJAX	V 10										
	Facility Termination per month			UNC1X	U1TE1	60 16	89 27	81 81	16 35	14 44						1
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79					<u> </u>	
								02 01	10 04	010					-	-
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2 41	6 58	4 72	i							ļ
	3/1 Channel System in combination per month			UNC3X	MQ3	166 13	178 14	93 97	33 26	31 83	-					1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12 70	6 58	4 72								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1													
	Combination - Zone 1		1	UNCNX	U1L2X	21 88	117 24	79 77	52 88	10 54						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 2		2	UNCNX	U1L2X	32 85	117 24	79 77	52 88	10 54					<u> </u>	l
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			l	1 7											
	Combination - Zone 3	ļ	3	UNCNX	U1L2X	48 55	117 24	79 77	52 88	10 54						<u> </u>
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2 41	6 58	4 72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			LINIOAY	1.500											
	Each Additional DS1 Interoffice Channel Facility Termination in	-		UNC1X	1L5XX	0 18										
																1

ATTEMPT RATE BLEMENTS IN INTER CONTROL OF THE WASHINGTON TO ANY OF THE	NBUNDLE	NETWORK ELEMENTS - Alabama	_											Attach	ment. 2	Exhi	ibit; B
## RATE PLEMENTS Man Sum Bridge Sum Bridge Sum																	Incremental Charge -
March Marc		B.T. F	Inten			1/222			DATES (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Sept. Authorized SECTION IN SIGNAL AND SECTION Sept. Sep. Se	ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		ł .	1	Order vs
Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 31 channel system Second Color of the same 32 channel system Second Color of the			i													1	Electronic-
Each Additional DOT OCI I'M is save \$1 channel lystem						1										Disc 1st	Disc Add'l
Each Additional EST COCI in the same 31 chancel system Commonweal Common Release Sements Switch Age URC X							Per										
Description of the content of the							Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Noncentring Contrined Relation & Elements South - Apr UNION UNIO					1,0,0437	LIGARA	40.70	0.50	4.70								
ST-Rappe 1.000 WITH DESCRIPTION DISTRICTOR DES INTERSEPTIC WIGHTS 1.000 WITH DESCRIPTION DESCRIPTION 1.000 WITH D				-	UNC1X	UCIDI	12 /0	6 58	4 72								
EMPIRIODE JOWNE DEL LOP WITH DEDICATED DS1 INTERCOPTICE TRANSPORT with 3 MUX.	1		1		LINC1Y	LINCCC		5 50	5 50	808	6 98				1		
First sews DST Digital Local Loop in Committanian 2012 1 UNCIX USBAX 154 157 147 177	FXTEN		TRANS	PORT		UNCCC		0.00	3 35	0 30	0 30	 					+
Figs - www 0.5 Togital could supp in Combination - Zone 2 2 UNCTX USLXX 154 18 252 47 157 55 44 70 1171	LATEIT		110-110	_		USLXX	82 55	252 47	157 54	44 70	11 71						
First Investified Transport - Opticidate- DSI combination - Per Multi- Make Per Manin						USLXX	154 18	252 47			11 71					<u> </u>	
Mel Per Majorn Mel Per Majorn Mel Nort		First 4-wire DS1 Digital Looal Loop in Combination - Zone 3		3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71						
First Interdiffice Transport - Dedicates - DST combination - INICYX																I	
Facility Termination Per Month			ļ		UNC1X	1L5XX	0 18									ļ	
Micros			l		LINGEY			20.0-				ì				1	
Per each DSI COCI commentation per month UNCIX UCIDI 12 70 6.58 4.72				-								ļ				1	
Sach Additional PS Interrefice Channel per mide in semie 311											3183	ļ					
Channel System per month UNCIX 1.5xx 0.18					UNCIA	00101	12 70	0.30	4 12	-							
Each Addisoral IS1 Interdisc Channel Facility Termination in same 31 Channel System per month Lincit UTF1 60 16 89 27 81 81 16 35 14 44			l		UNC1X	1L5XX	0.18					1				1	1
Same 3/1 Channel System per month			-	<u> </u>		120/01						<u> </u>					
Each Additional CVIVED STD Option Local Loop in Combination - Zone 1 UNC1X USLXX					UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44						
Additional 4-Wire OS1 Digital Local Loop in Combination - Zone 1 UNCIX USLXX 154 4470 1171																	
1					UNC1X	UC1D1	12 70	6 58	4 72								
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2 UNCTX USLXX 154 18 252 47 157 54 44 70 1171 Additional - Wire DS1 Digital Local Loop in Combination - Zone 3 UNCTX USLXX 314 52 252 47 157 54 44 70 1171 Nonnecuming Currently Combined Network Elements Switch - As- In Charge EXTENDED 4-WIRE 58 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 56 ktps Local Loop in combination - Zone 1 UNCDX UDL56 25 09 126 27 88 80 59 14 14 50 First 4-wire 56 ktps Local Loop in combination - Zone 2 UNCDX UDL56 35 95 126 27 88 80 59 14 14 50 First 4-wire 56 ktps Local Loop in Combination - Zone 3 UNCDX UDL56 35 95 126 27 88 80 59 14 14 50 First 4-wire 56 ktps Local Loop in Combination - Zone 3 UNCDX UDL56 35 95 126 27 88 80 59 14 14 50 First 4-wire 56 ktps Local Loop in Combination - Zone 3 UNCDX UDL56 35 95 126 27 88 80 59 14 14 50 First 4-wire 56 ktps Interoffice Transport - Dedicated - Per Mile UNCDX UDL56 35 95 126 27 88 80 59 14 14 50 First 4-wire 56 ktps Interoffice Transport - Dedicated - Feathly UNCDX UTDS 15 12 40 54 27 41 18 74 6 90 UNCDX UTDS 15 15 12 40 54 27 41 18 74 6 90 EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT UNCDX UDL54 37 88 126 27 88 80 59 14 14 50 First 4-wire 64 ktps Local Loop in combination - Zone 1 UNCDX UDL54 37 88 126 27 88 80 59 14 14 50 First 4-wire 64 ktps Local Loop in combination - Zone 1 UNCDX UDL54 37 88 126 27 88 80 59 14 14 50 First 4-wire 64 ktps Local Loop in combination - Zone 3 3 UNCDX UDL54 37 88 126 27 88 80 59 14 14 50 First 4-wire 64 ktps Local Loop in combination - Zone 3 3 3 UNCDX UDL54 37 88 126 27 88 80 59 14 14 50 First 4-wire 64 ktps Local Loop in combination - Zone 3 3 3 UNCDX UDL54 37 88 126 27 88 80 59 14 14 50 First 4-wire 64 ktps Local Loop in combination - Zone 3 3 3 UNCDX UDL54 37 88 126 27 88 80 59 14 14 50 First 4-wire 64 ktps Local Loop in Combination - Zone 3 3 3 UNCDX UDL54 37 88 126 27 88 80 59 14 14 50 First 4-wire 64 ktps Local Loop in Combination - Zone 3		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone														I	
2		1		1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71	L					
Additional 4-Wire DST Digital Local Loop in Combination - Zone 3 UNC1X USLXX 314 52 25247 157 54 44 70 117 1 1		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	i														
S		2		2	UNC1X	USLXX	154 18	252 47	157 54	44 /0	11 /1						
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		Additional 4-wire DST Digital Local Loop in Combination - Zone	İ	٦	LINGIN	LICL VV	214.52	252.47	157 54	44.70	44.74						
SCharge UNCIX UNCCC 5.59 5.59 6.98 6.98		Nonrecurring Currently Combined Natural Elements Switch As		3	DNCIA	DOLAA	314 32	252 47	157 54	44 70	1771	-					
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH D50 INTEROFFICE TRANSPORT First 4-wire 56 kbps Local Loop in combination - Zone 1	l				UNC1X	UNCCC		5.59	5 59	6 98	698						
First 4-wre 56 kbps Local Loop in combination - Zone 2 2 UNCDX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UncdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UNcdX UncdX UNcdX UNcdX UncdX U	EXTEN		NTERO	FFICE		0.1000		- 000		1 300	- 000						
First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile DINCDX UNcdX UncdX UncdX UncdX UncdX UncdX UncdX UncdX UncdX UncdX UncdX UncdX						UDL56	26 09	126 27	88 80	59 14	14 50	1					
First 4-wire 68 kbps Interoffice Transport - Dedicated - Per Mile UNCDX				2	UNCDX		35 95	126 27	88 80	59 14	14 50						
Der month				3	UNCDX	UDL56	37 88	126 27	88 80	59 14	14 50						
First 4-wire 6 ktps Interoffice Transport - Dedicated - Facility UNCDX	į															1	
Termination per month					UNCDX	1L5XX	0 008838										
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			i		LINODY	LIATOS	45.40	40.54	07.44	40.74	0.00						
Is Charge UNCDX UNCCC 5.59 5.59 6.98 6.98					UNCDX	01103	15 12	40 54	27 41	16 74	6 90						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT]		UNCDX	UNCCC		5 59	5 59	6 98	698						
First 4-wire 64 kbps Local Loop in combination - Zone 1	EXTEN		NTERO	FFICE		UNGUS		0.00	0 00		0.50						
First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 37.88 126.27 88.80 59.14 14.50						UDL64	26 09	126 27	88 80	59 14	14 50						
First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First I4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX UITD6 Nonrecurring Currently Combined Network Elements Switch -Aslis Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -Aslis Charge - 2 wireI4-Wire VG Nonrecurring Currently Combined Network Elements Switch -Aslis Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -Aslis Charge - 56/64 kbps UNCDX UNCCC 5 59 5 59 6 98				2	UNCDX				88 80	59 14	14 50						
Der month				3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50						
First 4-wire 64 kbps interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps UNCOX UNCOX UNCOC 5 59 5 9 6 98 6 98 ONDITIONAL NETWORK Elements When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not UNCOX UNCOC 5 59 5 9 6 98 6 98 6 98 6 98 6 98 6 98 6 98 6			ŀ							}					ľ		
Termination per month				ļ	UNCDX	1L5XX	0 008838			ļ							
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX UNCCC 5.59 5.59 6.98 6.98			i		LAIGEV	LUTDS	45.40	40.54	^~		0.00						
Is Charge	_			-	UNCDX	01106	15 12	40 54	27 41	16 /4	6.90						
ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply When used as ordinantly combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG UNCVX UNCCC 5 59 5 59 6 98 6 98 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps UNCDX UNCCC 5 59 5 59 6 98 6 98			ł		LINCDX	UNCCC		5 50	5 50	6.08	6.09				ĺ	1	l
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VO Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps UNCVX UNCCC 5 5 9 5 5 9 6 98 6 98 UNCDX UNCCC 5 5 9 5 5 9 6 98 6 98	DDITIONAL N				ONOBA	ONGOO		3 3 3	3 33	0.30	0 30						
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VO Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps UNCVX UNCCC 5 5 9 5 5 9 6 98 6 98 UNCDX UNCCC 5 5 9 5 5 9 6 98 6 98			ng cha	ges do	not apply, but a	Switch As Is cl	harge does app	ily							 		
Nonrecurring Currently Combined Network Elements Switch -As- UNCVX UNCCC 5.59 5.59 6.98 6.98	When u	ised as ordinanly combined network elements in All States, the	he non-	recurri	ng charges apply	and the Switch				1					"		
Is Charge - 2 wire/4-Wire VG	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each co	mbination)											
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps UNCDX UNCCC 5.59 5.59 6.98 6.98		Nonrecurring Currently Combined Network Elements Switch -As-			[
Is Charge - 55/6/64 kbps UNCCV 559 559 698 698					UNCVX	UNCCC		5 59	5 59	6 98	6 98					L	L
			1												l		1
			ļ	<u> </u>	UNCDX	UNCCC		5 59	5 59	6 98	6 98				ļ	ļ	
Is Charge - DS1 UNC1X UNCCC 5 59 5 59 6 98 6 98			l		LINGIN	LINGGG		, l							1		1

BONDE	D NETWORK ELEMENTS - Alabama													ment 2		ıbıt: 8
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charg
-T			 				Nonro	curring	Monrocurrin	g Disconnect	1		066	Rates (\$)	L	
-			 	 		Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Nonrecurring Currently Combined Network Elements Switch -As-		\vdash	 			FIISL	Addi	First	Add I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMP
1	Is Charge - DS3		1	UNC3X	UNCCC		5 59	5 59	6 98	6 98		l		1		1
_	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCSA	DIVCCC		3 39	2 28	6 98	6 98						
	Is Charge - STS1		1	UNCSX	UNCCC		5 59	5 59	6 98							1
0-4	nal Features & Functions:		-	UNCSX	UNCCC		5 59	5 59	6 98	6 98						
Option	iai reatures & runctions;		├	U1TD1,					·	ļ						1
	010110114 5111501		1		00000	i	l.,			l.,						
	Clear Channel Capability Extended Frame Option - per DS1		i	ULDD1,UNC1X	CCOEF		01	OI	O!	01						-
			1	U1TD1,					į					ĺ		1
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		01	OI	01	01						1.
	Clear Channel Capability (SF/ESF) Option - Subsequent	l	1	ULDD1, U1TD1,			1							Í		1
	Activity - per DS1		1	UNC1X, USL	NRCCC		184 85S	23 81S	1 998	0 7741S		l		1		
			1	U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	- 1	1	UE3, UNC3X	NRCC3	ŀ	219 13S	7 67S	0 7355S	0S						
MULT	IPLEXERS		1													
	DS1 to DS0 Channel System per month		1	UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79					 	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		 						<u> </u>		-				1	†
	month (2 4-64kbs) used for a Local Loop		i	UDL	10100	1 12	6 58	4 72	0 00	0 00					l	ĺ
+	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		 	002	10.00			7/2	0 00	0.00		-			1	
	month (2 4-64kbs) used for connection to a channelized DS1		l							1					i	1
	Local Channel in the same SWC as collocation		1	U1TUD	1D1DD	4 42	6 58	4 72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	טווטט	טטוטון	1 12	6 56	4 / 2	0.00	0 00						├
			l									1				!
	month for a Local Loop		<u> </u>	UDN	UC1CA	2 41	6 58	4 72	0.00	0 00						ļ
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1		i											
	month used for connection to a channelized DS1 Local Channel		ĺ			ļ										
	in the same SWC as collocation			U1TUB	UC1CA_	2 41	6 58	4 72	0 00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month									i			1			
	used for a Local Loop			UEA	1D1VG	0 53	6 58	4 72	0 00	0 00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month		1													
	used for connection to a channelized DS1 Local Channel in the		1					1				l				
	same SWC as collocation		1	U1TUC	1D1VG	0 53	6 58	4 72	0 00	0 00		l				
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166 13	178 14	93 97	33 26	31 83						
	STS-1 to DS1 Channel System per month		1	UNCSX	MQ3	166 13	178 14								1	
	DS1 COCI used with Loop per month			USL	UC1D1	12 70	6 58	4 72	0 00	0.00	1			·		
	DS1 COCI (used for connection to a channelized DS1 Local									1						
1	Channel in the same SWC as collocation) per month	1		U1TUA	UC1D1	12 70	6 58	4 72	0 00	0 00		l			1	1
_	DS1 COCI used with Interoffice Channel per month		 	U1TD1	UC1D1	12 70	6 58	4 72				-		1	1	
-	DS3 Interface Unit (DS1 COCI) used with Local Channel per		1	51151	100.01	12 70	1 30	7 /2	1 000	1 000	<u> </u>		 	 	 	
	month	1		ULDD1	UC1D1	12 70	6 58	4 72	0.00	0.00			1		1	
LIND! ED	LOCAL EXCHANGE SWITCHING(PORTS)	1	+	OLDD1	OCIDI .	12 /0	0.36	4 /2	0.00	0.00		 	1	1	 	+
	nge Ports		 					.	 		-		 			+
			·		<u> </u>				-		-					
	Although the Port Rate includes all available features in GA, I	NY, LA	OLIN, I	ne desired feature	s will need to t	oe orgerea usi	ng retall USOC	s	+		ļ					+
2-WIR	E VOICE GRADE LINE PORT RATES (RES)								·	ļ						
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 38	2 38	2 27	1 42	1 33	<u> </u>					
		ŀ	1		1	Ī	1	l			1		1		1	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 38	2 38	2 27	1 42	1 33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 38	2 38	2 27	1 42	1 33						
	Exchange Ports - 2-Wire VG unbundled AL extended local							-								
	drating parity Port with Caller ID - Res		l	UEPSR	UEPAR	1 38	2 38	2 27	1 42	1 33			i			
	Exchange Ports - 2-Wire VG unbundled res, low usage line port		Γ					į .				T				
	with Caller ID (LUM)	1		UEPSR	UEPAP	1 38	2 38	2 27	1 42	1 33					i	
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan		1		1	1	1 - 30	T	† · · · · ·	1			1		† · · · · - · · · ·	1
1	without Caller Id			UEPSR	UEPWA	1 38	2 38	2 27	1 42	1 33			į .			
	2-Wire voice unbundled Low Usage Line Port without Caller ID		1		351 1171	1 30	 		172	1 33		 	 			
	Capability			UEPSR	UEPRT	1 38	2 38	2 27	1 42	1 33			1		1	
-	Subsequent Activity	-	_	UEPSR	USASC	0 00	0 00	0 00		1 33	 	 	 		 	+
FEATU		-	+	UEPSK	USASC	0 00	0.00	0 00	+	-	-			l	 	+
FEAT			-	UEBOD	UED C	· · · · · · · · · · · · · · · · · · ·	 		+	-	<u> </u>	 	1		+	+
	All Available Vertical Features	ı	1	UEPSR	UEPVF	1 98	0 00	0 00	1	1	1	1	1	1	1	1

BONDER	ED NETWORK ELEMENTS - Alabama												Attach	ment; 2	Exh	ıbıt B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order v
					ļ	Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Exchange Ports - 2-Wire Analog Line Port without Caller ID -										1			1		1
	Bus			UEPSB	UEPBL	1 38	2 38	2 27	1 42	1 33						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 38	2 38	2 27	1 42	1 33						
1					1										İ	
_	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 38	2 38	2 27	1 42	1 33						
I	Exchange Ports - 2-Wire VG unbundled AL extended local					1										
	dialing parity Port with Caller ID - Bus			UEPSB	UEPAW	1 38	2 38	2 27	1 42	1 33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with				1											
	Caller ID - Bus			UEPSB	UEPB1	1 38	2 38	2 27	1 42	1 33				l		
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan													İ		1
	without Catter ID			UEPSB	UEPWB	1 38	2.38	2 27	1 42	1 33						
	2-Wire voice unbundled incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1 38	2 38	2 27	1 42	1 33						
	Subsequent Activity			UEPSB	USASC	0.00	0 00	0 00					•			
FEAT																
	All Available Vertical Features			UEPSB	UEPVF	1 98	0 00	0 00	1					1		1
EXCH	ANGE PORT RATES (DID & PBX)														1	1
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 38	31 27	14 85	13 94	0 90						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 38	31 27	14 85	13 94	0 90						1
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 38	31 27	14 85	13 94	0 90						1
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 38	31 27	14 85	13 94	0 90						!
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 38	31 27	14 85	13 94	0 90						†
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1 38	31 27	14 85	13 94	0 90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 38	31 27	14 85	13 94	0 90					1	
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 38	31 27	14 85	13 94	0.90						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 38	31 27	14 85	13 94	0.90	1					+
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 38	31 27	14 85	13 94	0.90						
1	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 38	31 27	14 85	13 94	0 90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
- 1	Capable Port			UEPSP	UEPXE	1 38	31 27	14 85	13 94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				 											
- 1	Administrative Calling Port	1		UEPSP	UEPXL	1 38	31 27	14 85	13 94	0 90	į .					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1			11.00								
	Room Calling Port			UEPSP	UEPXM	1 38	31 27	14 85	13 94	0 90						1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		-			1 30	3121	14 00	10 54	- 0.00	 				<u> </u>	+
	Discount Room Calling Port			UEPSP	UEPXO	1 38	31 27	14 85	13 94	0 90						l
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 38	31 27	14 85	13 94	0 90	-				-	-
	Subsequent Activity			UEPSP	USASC	0 00	0 00	0.00	13 54	0 50						
FEATI				OLI OI	dondo	0 00		0 00								├─
	All Available Vertical Features			UEPSP UEPSE	UEPVE	1 98	0 00	0 00								
EXCH	ANGE PORT RATES (COIN)	_		OLF SF OLF SL	ULFVI	, 50	- 000	0 00				-				
- LXGII	Exchange Ports - Coin Port					1 38	2 38	2 27	1 42	1 33					ļ	
MOTE		المصطمعة		ll alaa aaali ta a								1000				
NOTE	Transmission/usage charges associated with POTS circuit sy	vitched	usage	will also apply to c	Cuit switche	d voice and/or	Circuit switche	o oata transm	ission by B-Ch	anneis associ	ated with 2-	MILE IZON D	ons			4
IIINDI ED	Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	avanap	ie oniy	through britinew	Dusiness Ke	quest Process	Rates for the	раскет сарари	ities will be de	termined via ti	ne Bona Fid	e Request/	lew Business	Request Pro	cess	·
	ANGE PORT RATES				 									ļ	ļ	ļ
		N Dect			- 41	1			A 51 41410.4 .:		L					
Regue	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	Stor the	offect	rate exhibit apply t	o me embedo	red base in pla	ce as or 10/2/03	until 4/1/04,	Arter 4/1/04 the	se rates snall	revert to tar	ıπ rates or a	separate ag	reement		
reque	Exchange Ports - 2-Wire DID Port	inter trie	enecti	VE date of this ame	UEPP2	pe provided pu	ITSUART TO A SE	parate agreem	ent or tann at E	seusoum's di	scretion.					1
_	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEFEA	UEPPZ	8 05	119 31	18 74	59 90	3 76	-					
- 1	capability (E 4/1/2004)			UEPDD	UEPDD	00.00	200.00	A				1			l	1
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPDD UEPTX, UEPSX		60 09	202 02	95 69	72 59	2 46						ļ
+	All Features Offered				U1PMA	9 79	72 77	52 99	47 79	10 74						
				UEPTX, UEPSX	UEPVF	1 98	0 00	0 00								
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0 00	0 00			لسيبا					
MO1E.	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be	vitched	usage	will also apply to ci	ircuit switche	a voice and/or	circuit switche	d data transm	ission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts	L	l	
HOTE																

NRONDL	ED NETWORK ELEMENTS - Alabama													ment: 2	+	ibit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
			T			Rec	Nonrec	umng	Nonrecurring	Disconnect			oss	Rates (\$)		
_		i				Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		1													1
	Locator Capability (E 4/1/2004)			UEPEX	UEPEX	84 32	203 81	101 56	79 18	20 06						
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPDX	UEPDX	84 32	203 81	101 56		20 06						
	Physical Collocation - DS1 Cross-Connects		 	UEPEX UEPDX	PE1P1	1 11	22 03	15 93	6 40	5 79					<u> </u>	<u> </u>
	Virtual collocation - Special Access & UNE, cross-connect per DS1		1	LIEBEV LIEBBY	laugus 1									İ		
Doto		1	├	UEPEX UEPDX	CNC1X	1 11	22 03	15 93	6 40	5 79						ļ
Detai	led E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1		+						-			 	 	
	Locator Capability - Initial Profile Establishment per CLEC per						1		i I						1	
	State		1	UEPEX	UEP1A	0 00	1 804 00		156 08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		 	OLI LX	OLI IA	0 00	1 004 00		130 00						 	
	Locator Capability - Subsequent Profile Changes, Additions,	ł			1										1	
	Deletions			UEPEX	UEP1B	0 00	175 14				{					
New	or Additional PRI Telephone Numbers				1				1							 -
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1			1			-			· · · ·				-	
-	Locator Capability 2-way Telephone Numbers, per number in					1					1			1		
	E911 profile [New or Additional]	ł		UEPEX	UEP1C	0 0697	0 49									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				1							-			1	l
	Locator Capability - Outdial Telephone Numbers, per number in	ĺ	1	}		l l	1		l 1							
	E911 profile [New or Additional]	İ	Ì	UEPEX	UEP1D	0 0697	11 51		l i						i	
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward		1								1					
	Telephone Numbers - Inward Data Only Option [New or		1				ŀ								ŀ	
	Additional)	L		UEPDX	UEP1E	0 00	0 049				1	1				
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		Ī							•						
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0 00	23 02		l l							
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1 75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0 00	0 00	0 00								
	Digital Data			UEPEX	PR71D	0 00	0 00	0 00								
	Inward Data		ļ	UEPDX	PR71E	0 00	0.00	0.00								
New	or Additional Channel				I											
	New or Additional - Voice/Data "B" Channel		ļ	UEPEX	PR78V	0 00	14 53									
	New or Additional - Digital Data "B" Channel			UEPEX	PR78F	0 00	14 53	· - ··								
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0 00	14 53							ļ		
-	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0 00	14 53				ļ					
	New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel			UEPEX UEPEX	PR78U PR7EX	0 00	14 53									
CALL	TYPES			UEPEX	PR/EX	0.00	14 53									
CALL	Inward		-	UEPEX UEPDX	PR7C1	0 00	0 00	0 00								
_	Outward			UEPEX	PR7CO	0 00	0 00	0.00								
	Two-way			UEPEX	PR7CC	0 00	0 00	0 00								!
UNBL	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	ļ	 	OLI LX	11000		0.00	0.00							-	
	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		_		+											
1	Unbundled Remote Call Forwarding Service, Area Calling, Res	t		UEPVR	UERAC	1 38	2 38	2 27	1 42	1 33					 	
	and the state of t		†		1-2.0.0	. 50	- 30		, 12	, 55					 	
	Unbundled Remote Call Forwarding Service, Local Calling - Res	1	1	UEPVR	UERLC	1 38	2 38	2 27	1 42	1 33					I	1
	Unbundled Remote Call Forwarding Service, InterLATA - Res	Γ		UEPVR	UERTE	1 38	2 38	2 27	1 42	1 33						
	Unbundled Remote Call Forwarding Service, InfraLATA - Res			UEPVR	UERTR	1 38	2 38	2 27	1 42	1 33						
Non-l	Recurring						-									İ
	Unbundled Remote Call Forwarding Service - Conversion -						1								1	
	Switch-as-is	L		UEPVR	USAC2		0 10	0 10							1	1
	Unbundled Remote Call Forwarding Service - Conversion with															1
	allowed change (PIC and LPIC)			UEPVR	USACC		0 10	0 10								Į.
UNBL	JNDLED REMOTE CALL FORWARDING - Bus															
1																
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	L		UEPVB	UERAC	1 38	2 38	2 27	1 42	1 33	l				<u> </u>	L
ı																
1	Unbundled Remote Call Forwarding Service, Local Calling - Bus	ĺ	l i	UEPVB	UERLC	1 38	2 38	2 27	1 42	1 33				l	1	I

													ment: 2		bit: B
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
	↓				Rec	Nonrec		Nonrecurring					Rates (\$)		
Unbundled Remote Call Forwarding Service, InterLATA - Bus		·	UEPVB	UEDTE	4.00	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTE	1 38 1 38	2 38 2 38	2 27 2 27	1 42 1 42	1 33						
Unbundled Remote Call Forwarding Service Expanded and	ł		OEF VB	DEKIK	1 36	2 30	221	142	1 33						
Exception Local Calling	1	1	UEPVB	UERVJ	1 38	2 38	2 27	1 42	1 33						
Non-Recurring			·												
Unbundled Remote Call Forwarding Service - Conversion -															
Switch-as-is		<u> </u>	UEPVB	USAC2		0 10	0 10			<u> </u>					
Unbundled Remote Call Forwarding Service - Conversion with				1											
allowed change (PIC and LPIC) INBUNDLED LOCAL SWITCHING, PORT USAGE	1		UEPVB	USACC		0 10	0 10								
End Office Switching (Port Usage)		1		-											
End Office Switching (Port disage) End Office Switching Function, Per MOU	+	+			0 0007025										
End Office Trunk Port - Shared, Per MOU	 	+		+	0 0007025								 	 	
Tandem Switching (Port Usage) (Local or Access Tandem)	 	t -		+	0 000 1000					-			-		
Tandem Switching Function Per MOU	T	1		<u> </u>	0 000095								†		
Tandem Trunk Port - Shared, Per MOU					0 0002015							-			
Tandem Switching Function Per MOU (Melded)					0 000040993										
Tandem Trunk Port - Shared, Per MOU (Melded)					0 000086947										
Melded Factor 43 15% of the Tandem Rate	ļ								_						
Common Transport				1											
Common Transport - Per Mile, Per MOU		-			0 0000023										
Common Transport - Facilities Termination Per MOU NBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES	-				0 0003224										
Cost Based Rates are applied where BellSouth is required by FCC a	ndiar Si	toto Co	mmississ rule to n	anda Habin	dlad Lagal Con	ahana aa Caal	6 D								
Features shall apply to the Unbundled Port/Loop Combination - Cos	et Bacac	I D-1-	andias a the seem	Ovide Oribur	idied Local Swi	criling or switch	in Ports						l		
				manner as the		o the Stand-Al	lone Unbundle	d Port section	of this Rate F	vhrhit)		
End Office and Tandem Switching Usage and Common Transport U	sage rat	tes in t	he Port section of t	manner as th	ney are applied to	o the Stand-Al	one Unbundle	d Port section	of this Rate E	xhibit or UNE Cou	n Port/Loon	Combination	15		
End Office and Tandem Switching Usage and Common Transport U	sage rat	tes in t	he Port section of t	nis rate exhib	out shall apply to	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	sage rat	tes in t	he Port section of t	nis rate exhib	out shall apply to	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates	sage rat	tes in t	he Port section of t	nis rate exhib	ort shall apply to ined Combos th	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1	sage rat	tes in to	he Port section of t	nis rate exhib	ort shall apply to nned Combos th 12 70	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2	sage rat	tes in toombin	he Port section of t	nis rate exhib	nt shall apply to nned Combos th 12 70 21 19	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	sage rat	tes in to	he Port section of t	nis rate exhib	ort shall apply to nned Combos th 12 70	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates	sage rat	ombin	he Port section of t	nis rate exhib rrently Comb	nt shall apply to ned Combos th 12 70 21 19 34 80	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Vaice Grade Loop (SL1) - Zone 1	sage rat	tes in to	he Port section of t ed Combos For Cu	nis rate exhib rrently Comb	12 70 21 19 34 80	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	sage rat	tes in tombin	he Port section of the ded Combos For Culture of the Combos For Combos	UEPLX UEPLX	12 70 21 19 34 80 11 55 20 04	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	sage rat	tes in tombin	he Port section of t ed Combos For Cu	nis rate exhib rrently Comb	12 70 21 19 34 80	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence	sage rat	tes in tombin	he Port section of the ded Combos For Culture of the Combos For Combos	UEPLX UEPLX	12 70 21 19 34 80 11 55 20 04	all combination	ons of loop/po	rt network elem	nents except 1	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Unbundled port with Caller ID - res	sage rat	tes in tombin	DEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	12 70 21 19 34 80 11 55 20 04 33 65	all combination	ons of loop/po g charges sha	rt network elem	nents except (or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res	sage rat	tes in tombin	LUEPRX LUEPRX LUEPRX LUEPRX LUEPRX LUEPRX LUEPRX LUEPRX LUEPRX LUEPRX LUEPRX LUEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	12 70 21 19 34 80 11 55 20 04 33 65	all combinations in a combination of the combinatio	ons of loop/po g charges sha	rt network elem I be those iden	nents except in the N	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE PortLoop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port dutgloing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	sage rat	tes in tombin	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	12 70 12 70 21 19 34 80 11 55 20 04 33 65 1 15 1 15	all combination in months and the monrecumin with the months and the months are the months and the months are t	ns of loop/po g charges sha 19 83 19 83	rt network elem I be those iden	nents except in the N	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cun 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence [2-Wire voice unbundled port - residence [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled Discalation of the part of the par	sage rat	tes in tombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	12 70 21 19 34 80 11 55 20 04 33 65 1 15 1 15	40 19 40 19 40 19	19 83 19 83 19 83	rt network elem I be those iden 24 91 24 91 24 91	6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Unbundled port of Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan	sage rat	tes in tombin	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	12 70 21 19 34 80 11 55 20 04 33 66 1 15 1 15 1 15	40 19 40 19 40 19 40 19 40 19	19 83 19 83 19 83	24 91 24 91 24 91	6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled sees, low usage line port with Caller ID (LUM) [2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID	sage rat	tes in tombin	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO	12 70 12 70 21 19 34 80 11 55 20 04 33 65 1 15 1 15 1 15	40 19 40 19 40 19	19 83 19 83	24 91 24 91 24 91	6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port of Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Nabama extended local dialing party port with Caller ID - res 2-Wire Voice Unbundled Riabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	sage rat	tes in tombin	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	12 70 21 19 34 80 11 55 20 04 33 66 1 15 1 15 1 15	40 19 40 19 40 19 40 19 40 19	19 83 19 83 19 83	24 91 24 91 24 91	6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port states (Res) [2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES	sage rat	tes in tombin	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAR UEPAR UEPAP UEPAP	12 70 12 70 12 70 12 19 34 80 11 55 20 04 33 65 1 15 1 15 1 15 1 15 1 15	40 19 40 19 40 19 40 19 40 19 40 19 40 19	19 83 19 83 19 83 19 83 19 83 19 83	24 91 24 91 24 91 24 91 24 91	6 63 6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outging only - res 2-Wire voice unbundled port outging only - res 2-Wire voice unbundled Port outging only - res 2-Wire voice unbundled Port outging only - res 2-Wire voice unbundled Port outging only - res 2-Wire voice unbundled Salabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID Capability FEATURES All Features Offered	sage rat	tes in tombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	12 70 21 19 34 80 11 55 20 04 33 65 1 15 1 15 1 15 1 15	40 19 40 19 40 19 40 19 40 19 40 19	19 83 19 83 19 83 19 83 19 83 19 83	24 91 24 91 24 91 24 91 24 91	6 63 6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Port with Caller ID - res 2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES [All Features Offered] LCCAL NUMBER PORTABILITY	sage rat	tes in tombin	DEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAP UEPAP UEPAP UEPWA	12 70 21 19 34 80 11 55 20 04 33 65 1 15 1 15 1 15 1 15 1 15 1 15 1 15 1	40 19 40 19 40 19 40 19 40 19 40 19 40 19	19 83 19 83 19 83 19 83 19 83 19 83	24 91 24 91 24 91 24 91 24 91	6 63 6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire voice unbundled port States (Res) [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res [2-Wire voice unbundled ses, low usage line port with Caller ID (LUM) [2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID [2-Wire voice unbundled Low Usage Line Port without Caller ID Capability [3-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability [4-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability [4-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability [4-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability Port Wire Voice Unbundled Low Usage Line Port Without Caller ID Capability [4-Wire Voice Unbundled Port Vire Voice Unbundled Low Usage Line Port Without Caller ID Capability [4-Wire Voice Unbundled Port Vire Voice Unbundled Low Usage Line Port Without Caller ID Capability Port Voice Unbundled Port Vire Voice Unbundled Port Vire Voice Unbundled Port Vire Voice V	sage rat	tes in tombin	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAR UEPAR UEPAP UEPAP	12 70 12 70 12 70 12 19 34 80 11 55 20 04 33 65 1 15 1 15 1 15 1 15 1 15	40 19 40 19 40 19 40 19 40 19 40 19 40 19	19 83 19 83 19 83 19 83 19 83 19 83	24 91 24 91 24 91 24 91 24 91	6 63 6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Nabama extended local dialing party port with Caller ID - res 2-Wire voice Unbundled Rabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	sage rat	tes in tombin	DEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAP UEPAP UEPAP UEPWA	12 70 21 19 34 80 11 55 20 04 33 65 1 15 1 15 1 15 1 15 1 15 1 15 1 15 1	40 19 40 19 40 19 40 19 40 19 40 19 40 19	19 83 19 83 19 83 19 83 19 83 19 83	24 91 24 91 24 91 24 91 24 91	6 63 6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port States (Res) [2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Alabama extended local dialing partly port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	sage rat	tes in tombin	DEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAP UEPAP UEPAP UEPWA	12 70 21 19 34 80 11 55 20 04 33 65 1 15 1 15 1 15 1 15 1 15 1 15 1 15 1	40 19 40 19 40 19 40 19 40 19 40 19 40 19	19 83 19 83 19 83 19 83 19 83 19 83	24 91 24 91 24 91 24 91 24 91	6 63 6 63 6 63	or UNE Cor					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Line Port Rates (Res) [2-Wire voice unbundled port of Caller ID - res 2-Wire voice unbundled port of Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port of Louging only - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice Unbundled Rabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability FEATURES [All Features Offered LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED [2-Wire Voice Grade Loop / Line Port Combination - Conversion -	sage rat	tes in tombin	DEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAP UEPAP UEPAP UEPWA	12 70 21 19 34 80 11 55 20 04 33 65 1 15 1 15 1 15 1 15 1 15 1 15 1 15 1	40 19 40 19 40 19 40 19 40 19 40 19 40 19 0 00	19 63 19 83 19 83 19 83 19 83 19 83 19 83	24 91 24 91 24 91 24 91 24 91	6 63 6 63 6 63	or UNE Cor					

MRONDE	ED NETWORK ELEMENTS - Alabama		1	_								- i ·		ment: 2		ibit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec First	arning Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
-	2-Wire Voice Grade Loop/Line Port Combination - Subsequent						11130	Addi	11131	Auu	OOMEO	COMAN	OUNTAIN	JOIN AN	COMPA	GOILLAN
	Activity			UEPRX	USAS2	0.00	0 00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User													l		
OFFI	Premise ON PREMISES EXTENSION CHANNELS		-	UEPRX	URETL		8 33	0 83						-		
OF T/C	2 Wire Analog Voice Grade Extension Loop – Non-Design	-	1	UEPRX	UEAEN	12 58	37 81	17 56	23 49	5 30					<u> </u>	+
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21 05	37 81	17 56	23 49	5 30	· · · ·		 			
-	2 Wire Analog Voice Grade Extension Loop – Non-Design	<u> </u>	3	UEPRX	UEAEN	34 34	37 81	17 56		5 30	 					
	2 Wire Analog Voice Grade Extension Loop - Design	i -	1	UEPRX	UEAED	14 38	88 00	55 00		7 44					1	
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22 85	88 00	55 00		7 44						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36 14	88 00	55 00	47 24	7 44						
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		•		l l							İ		1		
	Termination		ļ	UEPRX	U1TV2	21 13	40 54	27 41	16 74	6 90	-					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			HEBDY		0 008838	0 00	0.00			1		1	1		
2 1447	or Fraction Mile		1	UEPRX	U1TVM	0.008838	0 00	0.00			<u> </u>			-		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates	ļ		·	_						-			-		
UNE	2-Wire VG Loop/Port Combo - Zone 1	-	1			12 70					-			 		+
	2-Wire VG Loop/Port Combo - Zone 2	 	2	· · · · · ·	1	21 19		·	+		1					
- 	2-Wire VG Loop/Port Combo - Zone 3		3			34 80					1		-			1
UNE	Loop Rates		 			0.00				* **	1					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11 55		-			İ					
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20 04					1					
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33 65										
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 15	40 19	19 83	24 91	6 63						
	2-Wire voice unbundled port with Caller + E484 ID - bus	ļ <u>.</u>		UEPBX	UEPBC	1 15	40 19	19 83	24 91	6 63						
	2-Wire voice unbundled port outgoing only - bus		_	UEPBX	UEPBO	1 15	40 19	19 83	24 91	6 63					 	
	2-Wire voice Grade unbundled Alabama extended local dialing			UEPBX	UEPAW	1 15	40 19	19 83	24 91	6 63		ŀ			1	
	parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus	-	-	UEPBX	UEPB1	1 15	40 19	19 83	24 91	6 63					 	+
	2-Wire Voice Unbundled Alabama Business Dialing Plan without	 	+-	UEPBA	UEFBI	1 13	40 13	19 00	24 31	0 00	<u> </u>		-		· · · · · · · · · · · · · · · · · · ·	+
	Caller ID		l.	UEPBX	UEPWB	1 15	40 19	19 83	24 91	6 63	1	ļ				1
+-	2-Wire voice unbundled incoming Only Port without Caller ID		1	OLI DA	1027 110		10 10	10 00	2.0.		1			 		1
	Capability		1	UEPBX	UEPBE	1 15	40 19	19 83	24 91	6 63	i		ì		1	
LOC/	AL NUMBER PORTABILITY	1	† · · · · ·													
	Local Number Portability (1 per port)	 	1	UEPBX	LNPCX	0 35										
FEAT	TURES		1										I			İ
	All Features Offered			UEPBX	UEPVF	1 98	0 00	0 00						ļ		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		—									ļ		1		_
l	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1		1							i				
	Switch-as-is	<u> </u>	1	UEPBX	USAC2		0 10	0 10	ļ						-	
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	UEPBX	USACC		0 10	0 10	İ				1			
ADD	Switch with change	-	+	UEPBX	USACC		0 10		-			-	 	+	-	
ADDI	TIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1							1		+		 	-	 	+
	Activity			UEPBX	USAS2		0 00	0 00				ĺ				ŀ
-+-	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	+	JULI DA	- 00/102		0.00	0.00	 	1	_	t		1	1	†
1	Premise	1		UEPBX	URETL		8 33	0.83						1		
OFF/	ON PREMISES EXTENSION CHANNELS	1	 	1			- 20		 				1			
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1	1	UEPBX	UEAEN	12 58	37 81	17 56								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21 05	37 81	17 56								
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	34 34	37 81	17 56						1		
	2 Wire Analog Voice Grade Extension Loop – Design	<u> </u>	1	UEPBX	UEAED	14 38	88 00	55 00				L	ļ			
	2 Wire Analog Voice Grade Extension Loop – Design	1	2	UEPBX	UEAED	22 85	88 00	55 00	47 24	7 44			l	1		
	2 Wire Analog Voice Grade Extension Loop – Design	+		UEPBX	UEAED	36 14	88 00	55 00	47 24	7 44						

NBUNDLE	D NETWORK ELEMENTS - Alabama											0 0		ment: 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)	T	
						1,00	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l			40.54	07.44	40.74				ļ	l		İ
	Termination			UEPBX	U1TV2	21 13	40 54	27 41	16 74	6 90	ļ					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	LIEDDY		0.000000	0.00	0.00								
	or Fraction Mile		<u> </u>	UEPBX	U1TVM	0 008838	0 00	0 00			-					+
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		1													
UNE	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			12 70										
	2-Wire VG Loop/Port Combo - Zone 1		2			21 19										
_	2-Wire VG Loop/Port Combo - Zone 3		3			34 80										T
LINE I	oop Rates					0.00									-	1
3111	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11 55										
\neg	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20 04					I					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33 65			L							
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		Ι													1
	Res	İ		UEPRG	UEPRD	1 15	69 08	32 41	37 43	6 20						
LOCA	L NUMBER PORTABILITY												<u> </u>		<u> </u>	
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15	0 00	0.00	_							
FEAT											<u> </u>					
	All Features Offered		T	UEPRG	UEPVF	1 98	0 00	0 00								—
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED													ļ		↓
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1													
	Conversion - Switch-As-Is			UEPRG	USAC2		7 91	1 90					ļ			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			!			!			ŀ			1			
	Conversion - Switch with Change			UEPRG	USACC		7 81	1 90								₩
ADDIT	FIONAL NRCs									_						
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	ŀ	l					2.00							1	1
	Subsequent Activity	L	ļ	UEPRG	USAS2	0 00	0 00	0 00			 	-		ļ ———		—
ļ	PBX Subsequent Activity - Change/Rearrange Multiline Hunt]		ł.			7 00	7 32								
	Group	1					7 32	/ 32		-	 					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEBBO	uper 1	ĺ	8 33	0.83	}				}		į	
	Premise			UEPRG	URETL		0 33	0 03	_		+				<u> </u>	+
OFF/C	ON PREMISES EXTENSION CHANNELS	ļ	-	ÜEPRG	P2JHX	14 38	88 00	55 00	47 24	7 44					 	
	Local Channel Voice grade, per termination		1 2	UEPRG	P2JHX	22 85	88 00	55 00	47 24	7 44					1	\leftarrow
_	Local Channel Voice grade, per termination Local Channel Voice grade, per termination		3	UEPRG	P2JHX	36 14	88 00	55 00	47 24	7 44		†		<u> </u>		
_	Non-Wire Direct Serve Channel Voice Grade	<u> </u>	1	UEPRG	SDD2X	22 41	131 60	61 92	90 50	13 40					 	
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	23 88	131 60	61 92	90 50			 -		<u> </u>		
	Non-Wire Direct Serve Channel Voice Grade	 	3	UEPRG	SDD2X	33 72	131 60	61 92	90 50							
INTER	ROFFICE TRANSPORT		+	-	- 10002									-	_	
111121	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 	-						1						
	Termination	ļ	1	UEPRG	U1TV2	21 13	40 54	27 41	16 74	6 90			·			<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1									Ī		T		
	or Fraction Mile		1	UEPRG	U1TVM	0 008838	0 00	0 00			ł					1
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE I	Port/Loop Combination Rates										J			ļ		
	2-Wire VG Loop/Port Combo - Zone 1		1			12 70									<u> </u>	
	2-Wire VG Loop/Port Combo - Zone 2		2			21 19									ļ	
	2-Wire VG Loop/Port Combo - Zone 3		3			34 80			1		ļ		1	 	 	+
UNE	Loop Rates								<u> </u>		ļ		 	 	_	+
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEPPX	UEPLX	11 55			ļ	!	1	ļ	+	_	1	+
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEPPX	UEPLX	20 04			L				1	-	-	+
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33 65			ļ <u> </u>	_	1	1		├	 	+
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		1						<u> </u>			 	+		 	+
		1									. [1	l .	1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	↓	1	UEPPX	UEPPC	1 15	69 08	32 41	37 43	6 20		1	 	 		+
	Line Side Unbundled Outward PBX Trunk Port - Bus	1	1	UEPPX	UEPPO	1 15	69 08	32 41	37 43	6 20	'	1	l		<u> </u>	

DURONDE	D NETWORK ELEMENTS - Alabama			т										ment: 2	Exhil	
ATEGORY	RATE ELEMENTS	Inten m	Zone	всѕ	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring First		COMEC	SOMAN	OSS	Rates (\$) SOMAN	COMAN	COMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama		_				First	Add'l	FIRST	Add'l	SUMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
	Calling Port			UEPPX	UEPA2	1 15	69 08	32 41	37 43	6 20	1			1		
	2-Wire Voice Unbundled PBX LD Terminal Ports	-		UEPPX	UEPLD	1 15	69 08	32 41	37 43	6 20					-	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 15	69 08	32 41	37 43	6 20			-			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 15	69 08	32 41	37 43	6 20	1				-	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 15	69 08	32 41	37 43	6 20			-			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 15	69 08	32 41	37 43	6 20						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1 15	69 08	32 41	37 43	6 20]			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
	Administrative Calling Port		1	UEPPX	UEPXL	1 15	69 08	32 41	37 43	6 20						
- 1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
	Room Calling Port		1	UEPPX	UEPXM	1 15	69 08	32 41	37 43	6 20						
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			ľ					1 1							
	Discount Room Calling Port			UEPPX	UEPXO	1 15	69 08	32 41	37 43	6 20						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	ļ	UEPPX	UEPXS	1 15	69 08	32 41	37 43	6 20						
LOCA	L NUMBER PORTABILITY		<u> </u>													
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00								
FEAT			ļ													
	All Features Offered		ļ	UEPPX	UEPVF	1 98	0 00	0 00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED												1			
ł	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								} 							
	Conversion - Switch-As-Is			UEPPX	USAC2		7 91	1 90								
i	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		ļ		1				1 [!			
	Conversion - Switch with Change			UEPPX	USACC		7 91	1 90					L			
ADDIT	TONAL NRCs								ļ							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1										1			
	Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt							= 00	1							
	Group		ļ				7 32	7 32	ļ I				-			
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	LIEDDY	LIDET		0.00	0.00	† I				1			
055/0	Premise DI PREMISES EXTENSION CHANNELS			UEPPX	URETL		8 33	0 83								
OFF/C			1	UEPPX	P2JHX	14 38	00.00	EE 00	47 24	7 44						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX P2JHX	22 85	88 00 88 00	55 00 55 00	47 24	7 44			-			
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX P2JHX	36 14	88 00	55 00		7 44						
	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	22 41	131 60	61 92	90 50	13 40		 				
-	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	 	2	UEPPX	SDD2X SDD2X	23 88	131 60	61 92	90 50	13 40	-					
-	Non-Wire Direct Serve Channel Voice Grade	-		UEPPX	SDD2X SDD2X	33 72	131 60	61 92	90 50	13 40						
INTER	OFFICE TRANSPORT		١,	ULP'FA	3002^	33 72	131 60	0192	50 50	13 40				 		
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 	 	 				 		-			 		
	Termination	l		UEPPX	U1TV2	21 13	40 54	27 41	16 74	6 90				1		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLFTX	011102	21 13	40 34	2/ 4/	10,74	0.30	· · · · · · · · · · · · · · · · · · ·			 	-	-
	or Fraction Mile	l	1	UEPPX	U1TVM	0 008838	0.00	0 00			1	1	•	1		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	2T	 	OE11A	10114141	0.000000	0 00	0 00	 		—		<u> </u>			
	Port/Loop Combination Rates	ř –	 	†	1				 		+		 	 		
3.1.2.1	2-Wire VG Coin Port/Loop Combo – Zone 1	-	1	1		12 70			 		 		ļ	 		
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	21 19			 							
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			34 80					<u> </u>			· · · · · · · · · · · · · · · · · · ·		
UNE L	oop Rates		<u> </u>			2.50			 							
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11 55								1		· · · · · · · · · · · · · · · · · · ·
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20 04							1	 		
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33 65			 		<u> </u>		1			
2-Wire	Voice Grade Line Ports (COIN)				T							· ·	T			
	2-Wire Coin 2-Way without Operator Screening and without	1		1	1	-			 				1	1		
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1 15	40 19	19 83	24 91	6 63						
	2-Wire Corn 2-Way with Operator Screening (AL. KY)			UEPCO	UEPRE	1 15	40 19	19 83	24 91	6 63						
	2-Wire Corn 2-Way with Operator Screening and Blocking 011,	1			1				1		t					-
1	900/976 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1 15	40 19	19 83	24 91	6 63	I	l		1	l	

	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ıbıt. 🖪
	,		ī							_	Svc Order	Svc Order	Incremental	Incremental		
Į.	•		1	1		1					Submitted		Charge -	Charge -	Charge -	Charge
Į.																
EGORY	RATE ELEMENTS	Inter	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
LOURT	NATE ELEMENTO	m	Lone	603	0300			KATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
J													Electronic-	Electronic-	Electronic-	Electronic
1			1		1								1st	Add'l	Disc 1st	Disc Add'
			ļ										l		L	<u> </u>
-						Rec	Nonrec		Nonrecurring					Rates (\$)		
	- 11.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				1		l.								7.0.	
	(AL, LA MS)			UEPCO	UEPRB	1 15	40 19	19 83	24 91	6 63				1		
	2-Wire Coin 2-Way with Operator Screening & Blocking															†
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		ļ	UEPCO	UEPCD	1 15	40 19	19 83	24 91	6 63				l		
	2-Wire Coin Outward with Operator Screening and 011 Blocking						İ						_			
	(AL, FL)			UEPCO	UEPRK	1 15	40 19	19 83	24 91	6 63				İ		ŀ
	2-Wire Coin Outward with Operator Screening and Blocking								2.01	- 5 50						+
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1 15	40 19	19 83	24 91	6 63						
	2-Wire Coin Outward Operator Screening & Blocking 900/976.	-		00.00	- OCITICIT	1.13	40 13	15 63	24 31	0 03					ļ	
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	LIEBON	1 445	40.40	40.00					Į		İ	
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		<u> </u>		UEPCN	1 15	40 19	19 83	24 91	6 63						
			-	UEPCO	UEPCK	1 15	40 19	19 83	24 91	6 63						1
	2-Wire Coin Outward Smartline with 900/976 (all states except			1		ļ							}			
	LA)			UEPCO	UEPCR	1 15	40 19	19 83	24 91	6 63				I		i
	ONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 56	0 00	0.00	0.00	0 00				1		1
LOCAL	NUMBER PORTABILITY		T													t
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35					-		-			+
	CURRING CHARGES - CURRENTLY COMBINED			02, 00	Ern Ox	0,00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															+
	Switch-as-is		ŀ	UEPCO	USAC2		0.40	0.40							İ	
				DEFCO	USACZ	ļ	0 10	0 10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				i											
	Switch with change			UEPCO	USACC		0 10	0 10								
	ONAL NRCs					li										
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
- -	Activity			UEPCO	USAS2		0 00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User					i i						,				T
	Premise			UEPCO	URETL		8 33	0 83			ł					
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (RES)												+
	rt/Loop Combination Rates		<u> </u>	1				-								+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	l	+	15 76										+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			24 23										+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37 52				<u></u>						
			3			37 52										1
	op Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14 38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22 85										1
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36 14						·				
2-Wire \	Voice Grade Line Port Rates (Res)												,			
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 38	90 38	57 27	48 66	8 77				1		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1 38	90 38	57 27	48 66	8 77						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 38	90 38	57 27	48 66	8 77						
	2-Wire voice Grade unbundled Alabama extended local dialing		 	OLITIC	OCI ILO	1 50	- 50 00	0, 2,	70 00	0,,						+
	parity port with Caller iD - res		l	UEPFR	UEPAR	1 38	90 38	57 27	48 66	8 77						
			 	UEPFR	UEPAR	1 30	90.36	5/ 2/	48 00	877						
	2-Wire voice unbundles res, low usage line port with Caller ID		1	l	1											
	(LUM)			UEPFR	UEPAP	1 38	90 38	57 27	48 66	8 77						
	2-Wire Voice Unbundled Alabama Residence Dialing Plan		1								i					
	without Caller ID			UEPFR	UEPWA	1 38	90 38	57 27	48 66	8 77						
INTERC	FFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination		ļ	UEPFR	U1TV2	21 13	40 54	27 41	16 74 !	6 90						ł
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1	1											t
	or Fraction Mile			UEPFR	1L5XX	0 008838					i					1
FEATUR					120,00	0 000000	+									
	All Features Offered			UEPFR	UEPVF	1 98	0 00	0 00								-
	NUMBER PORTABILITY		-	ULFFR	UEFVF	198	0 00	0.00								—
				HEDED	LUBS	L										
- NOVE	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35										<u> </u>
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															<u> </u>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															

UNBUNDLED NE	TWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ıbit- 🖪
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					-		Nonrec	urana	Nonrecurring	Disconnect		<u> </u>	066	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-Wii	re Loop / Dedicated IO Transport / 2 Wire Line Port		<u> </u>					7.00	11100	Audi	COMEG	COMPAN	OOMAN	JOHAN	JOHIAN	JOHAN
	bination - Conversion - Switch-With-Change			UEPFR	USACC		8 48	1 87							1	
	undled Miscellaneous Rate Element, Tag Designed Loop at						- 0.0									+
	User Premise	ļ	j	UEPFR	URETN		11 21	1 10	1						Ì	1
2-WIRE VOIC	CE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT	BUS)				7.0					-	 		+
	oop Combination Rates	1	1	T										1		+
	re VG Loop/IO Tranport/Port Combo - Zone 1	1	1			15 76								 	 	+
	re VG Loop/IO Tranport/Port Combo - Zone 2		2			24 23					 		-			+
	re VG Loop/IO Tranport/Port Combo - Zone 3	 	3		+	37 52				-			-	 		
UNE Loop R		 	<u>~</u>		-	57 52					1		-			
	re Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14 38							 		-	-
	re Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22 85					 		 	-	1	+
	re Voice Grade Loop (SL2) - Zone 2	 	3	UEPFB	UECF2	36 14					 		 	-	 	+
	e Grade Line Port (Bus)			OLFFB	OEC Z	30 14		.					ļ			-
	re voice unbundled port without Caller ID - bus		_	UEPFB	UEPBL	1 38	90 38	57 27	48 66	8 77	 			-	—	+
	re voice unbundled port with Caller + E484 ID - bus	 -		UEPFB	UEPBC	1 38	90 38	57 27	48 66	877			·		-	+
	re voice unbundled port with Caller + E484 ID - bus		-													ļ
			-	UEPFB	UEPBO	1 38	90 38	57 27	48 66	8 77	<u> </u>					
	re voice Grade unbundled Alabama extended local dialing	Į.		l	l				ll				ł			
	y port with Caller ID - bus			UEPFB	UEPAW	1 38	90 38	57 27	48 66	8 77						
2-001	re voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1 38	90 38	57 27	48 66	8 77	<u> </u>					ļ
	re Voice Unbundled Alabama Business Dialing Plan without				İ						}			1		
Calle			L	UEPFB	UEPWB	1 38	90 38	57 27	48 66	8 77	<u> </u>					
	BER PORTABILITY										<u> </u>			<u> </u>		
	l Number Portability (1 per port)			UEPFB	LNPCX	0 35					L			<u> </u>		1
INTEROFFIC	CE TRANSPORT													ļ		
	office Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	nination			UEPFB	U1TV2	21 13	40 54	27 41	16 74	6 90						i
	office Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
	action Mile			UEPFB	1L5XX	0 008838										1
FEATURES			1													
	eatures Offered			UEPFB	UEPVF	1 98	0 00	0 00			T					
	RING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wii	re Loop / Dedicated IO Transport / 2 Wire Line Port				T											
Comi	bination - Conversion - Switch-as-is			UEPFB	USAC2		8 48	1 87	i l							1
2-Wii	re Loop / Dedicated IO Transport / 2 Wire Line Port															
	bination - Conversion - Switch with change			UEPFB	USACC		8 48	1 87								
	undled Miscellaneous Rate Element, Tag Designed Loop at															1
End	User Premise			UEPFB	URETN		11 21	1 10						l.		1
2-WIRE VOIC	CE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (PBX)				•					-			1
UNE Port/Lo	oop Combination Rates	T	T	T												<u> </u>
2-Wii	re VG Loop/IO Tranport/Port Combo - Zone 1		1			15 76										
	re VG Loop/IO Tranport/Port Combo - Zone 2		2			24 23										†
	re VG Loop/IO Tranport/Port Combo - Zone 3		3			37 52										
UNE Loop R			_ <u> </u>			- VI UZ					†					
	re Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14 38					<u> </u>				· · · · · · · · · · · · · · · · · · ·	+
	re Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22 85										+
	re Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	36 14										+
	e Grade Line Port Rates (BUS - PBX)		Ť	02.77	102012	00 14										+
12 11/10 11/10	S STORE EINS FOR FRANCO (DOS 1 DA)	_			+			·			-					
Line	Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l		UEPFP	UEPPC	1 38	119 27	69 85	61 18	8 34	1			I		1
	Side Unbundled Outward PBX Trunk Port - Bus		\vdash	UEPFP	UEPPO	1 38	119 27	69 85		8 34						
	Side Unbundled Incoming PBX Trunk Port - Bus	l		UEPFP	UEPP1	1 38	119 27	69 85		8 34	 			 		+
	re Voice Unbundled 2-Way Combination PBX Alabama	\vdash	1	02111	ULFFI	1 36	1192/	os 65	01 18	0.34	1			 		+
	ng Port		1	UEPFP	UEPA2	1 38	119 27	69 85	61 18	8 34	1			l		1
	re Voice Unbundled PBX LD Terminal Ports	-	-	UEPFP										-	-	
	re Voice Unbundled PBX LD Terminal Ports re Voice Unbundled 2-Way Combination PBX Usage Port	-	-	UEPFP	UEPLD	1 38	119 27	69 85		8 34					ļ	+
	re Voice Unbundled 2-Way Combination PBX Usage Port re Voice Unbundled PBX Toll Terminal Hotel Ports	—		UEPFP	UEPXA	1 38	119 27	69 85	61 18	8 34	-					₩
	re Voice Unbundled PBX Toll Terminal Hotel Ports re Voice Unbundled PBX LD DDD Terminals Port				UEPXB	1 38	119 27	69 85	61 18	8 34				ļ		+
				UEPFP	UEPXC	1 38	119 27	69 85	61 18	8 34						
1 12-VVIII	re Voice Unbundled PBX LD Terminal Switchboard Port	1	l	UEPFP	UEPXD	1 38	119 27	69 85	61 18	8 34			I	Į.	1	1

UNBU	NDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Order vs	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
				-	-		Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXE	1 38	119 27	69 85	61 18	8 34						
		Administrative Calling Port			UEPFP	UEPXL	1 38	119 27	69 85	61 18	8 34						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															-
		Room Calling Port		<u></u>	UEPFP	UEPXM	1 38	119 27	69 85	61 18	8 34						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1 38	119 27	69 85	61 18	8 34						İ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		 	UEPFP	UEPXS	1 38	119 27	69 85		8 34						
	LOCĂL	NUMBER PORTABILITY	-														
		Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00								
	INTER	OFFICE TRANSPORT		ļ													
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	21 13	40 54	27 41	16 74	6 90	1					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile								1011							
		or Fraction Mile			UEPFP	1L5XX	0 008838										
!	FEATU	All Features Offered			UEPFP	UÉPVF	1 98	0 00	0 00						ļ		
		ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	1 98	0 00	0 00							 	
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8 48	1 87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFP	USACC		8 48	1 87			-					
		End User Premise			UEPFP	URETN		11 21	1 10							1	i
		PORT/LOOP COMBINATIONS - COST BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	UNE P	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			22 40			·							
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30 88			1							· · · · · · · · · · · · · · · · · · ·
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44 17	-									
		oop Rates							•								
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14 38										ļ
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1 UECD1	22 85 36 14										
 		pri Rate		-	DEFFX	DECD	30 14						·				
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8 02	207 31	73 74	107 14	11 20						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		7 31	1 87								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			J. 1 A	30,00		, 31	107	<u> </u>		 				-	<u> </u>
		with BellSouth Allowable Changes			UEPPX	USA1C		7 31	1 87	1		l					<u> </u>
	ADDITI	ONAL NRCs			LIE GOV	110701		60.50	20.00								
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPPX	USAS1		26 78	26 78	 			ļ				
		End User Premise			UEPPX	URETN		11 21	1 10	1							
		one Number/Trunk Group Establisment Charges															
\Box		DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0.00	0 00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4 ND5	0 00	0.00	0 00	-							
+		DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0 00	0 00		 			-		-	
<u> </u>		Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00								
		NUMBER PORTABILITY								L							
		Local Number Portability (1 per port)	IF AIF-		UEPPX	LNPCP	3 15	0 00	0 00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN ort/Loop Combination Rates	NE SIDE	: PORT	I					-	ļ	-				-	
	ONL FO	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		\vdash		 				 							
		UNE Zone 1		1	UEPPB UEPP	R	27 28					l	<u></u>				<u></u>

INBONDE	D NETWORK ELEMENTS - Alabama	Γ.	1	1	···	1						Svc Order	Svc Order	Incremental	ment: 2	Incremental	locrement
ATEGORY	RATE ELEMENTS	Inten m	Zone	E	scs	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
							Rec	Nonre		Nonrecurring					Rates (\$)		
	CHANGE AND AND AND AND AND AND AND AND AND AND			<u> </u>			1	First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR	ł	37 86					!					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLI I D	OLITIN	1	0, 00			-							
	UNE Zone 3	1	3	UEPPB	UEPPR		53 84										
UNE L	oop Rates		-														Ī
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19 03										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		29 62							ļ	<u>-</u>		ļ
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45 60										
UNE P	Port Rate	-	-	UEPPB	UEPPR	UEPPB	8 24	190 01	132 76	100 67	21 28					 	-
NOND	Exchange Port - 2-Wire ISDN Line Side Port		 	TOCHER	UEPPK	JUEFFB	0 24	190 01	132 76	100 67	2126			 		 	1
NONKI	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		<u> </u>	1		 	 									†	
	Combination - Conversion			UEPPB	UEPPR	USACB	0 00	38 51	27 02						1		
ADDIT	FIONAL NRCs			0=110													1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1			1											
	End User Premise			UEPPB	UEPPR	URETN		11 21	1 10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User														l		
	Premise		L	UEPPB	UEPPR	URETL		8 33	0 83		_						
LOCA	L NUMBER PORTABILITY														<u></u>		<u> </u>
	Local Number Portability (1 per port)	ļ		UEPPB	UEPPR	LNPCX	0 35	0 00	0 00								1
B-CHA	ANNEL USER PROFILE ACCESS:		<u> </u>														
	CVS/CSD (DMS/5ESS)	ļ	<u> </u>	UEPPB	UEPPR	U1UCA	0 00	0 00	0 00								-
	CVS (EWSD)	ļ	ļ	UEPPB	UEPPR	U1UCB	0 00	0 00	0 00					ļ			
	CSD	0.840		UEPPB	UEPPR	U1UCC	0 00	0 00	0 00							-	
B-CHA	ANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS S	C,MS, a	LIN)	UEPPB	UEPPR	U1UCD	0 00	0 00	0.00	-							
	CVS/CSD (DMS/5ESS) CVS (EWSD)	 	 	UEPPB	UEPPR		0.00	0 00	0 00	-							
	CSD CSD	i e		UEPPB	UEPPR		0 00	0 00	0 00						·	t e	
USER	TERMINAL PROFILE		 	OCITE	OLITIN	01001	1	0 00	0 00							1	
BOLIK	User Terminal Profile (EWSD only)	 	+	UEPPB	UEPPR	U1UMA	0 00	0 00	0 00								
VERTI	ICAL FEATURES						1										
	All Vertical Features - One per Channel B User Profile		i –	UEPPB	UEPPR	UEPVF	1 98	0.00	0 00	1							
INTER	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and		T														1
	facilities termination				UEPPR	M1GNC	21 13	40 54	27 41	16 74	6 90						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0 008838	0 00	0 00	_							.
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	K PORT	1	<u> </u>		1	L		<u> </u>	<u></u>			1410416		<u> </u>		1
	NE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	p with 4	-Wire I	ISDN DS1	Digital Tru	ink Port in th	is rate exhibit a	pply to the en	nbedded base	in place as of 1	0/2/03 until 4/	I/U4 After 4	/1/04 these	rates shall re	vert to tarim r	ates or a sepa	arate
agreer	ment ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	F			-1	-41	tarant aball be -				or touff at Dal	Cauthia du	oorotion	T	1		_
	ests for 4-wire DS1 Digital Loop with 4-wire ISDN DS1 Digital I	Tunk P	ort arte	er the ene	ctive date	or this amend	ment snati be	provided purs	uant to a sepa	Tate agreement	ortann at bei	isouth's di	Lieuon		-		
UNEF	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	1						 	+						<u> </u>	
	Zone 1		1	UEPPP			166 87									1	
_	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	<u> </u>	<u> </u>	OEI I I		 	10001			†						-	
	Zone 2		2	UEPPP			238 50										
$\overline{}$	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	<u> </u>		1	***	1											T
	Zone 3		3	UEPPP			398 85										
UNE L	Loop Rates	Ī															
$\overline{}$	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	82 55								1		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154 18							ļ		ļ	
			3	UEPPP		USL4P	314 52			L						1	<u> </u>
	4-Wire DS1 Digital Loop - UNE Zone 3		٦														1
UNE P	4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate		3														-
	4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)		,	UEPPP		UEPPP	84 32	456 28	259 10	123 88	31 77						
	4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED		,	UEPPP		UEPPP	84 32	456 28	259 10	123 88	31 77						
	4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)		,	UEPPP		UEPPP	84 32	456 28 119 07	259 10 78 56	123 88	31 77						

NBUNDLED NE	ETWORK ELEMENTS - Alabama										T===:-			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonre		Nonrecurring					Rates (\$)		
- 							First	Addʻi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	/ire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- ard/two way Tel Nos (except NC)			UEPPP	PR7TF		0 49									
	/ire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP	PR/IF		049									
	ward Tel Numbers (All States except NC)			UEPPP	PR7TO		11 51									
	/re DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		\vdash		1						 					
Sub	sequent Inward Tel Numbers			UEPPP	PR7ZT		23 02									
	MBER PORTABILITY		1													
	al Number Portability (1 per port)			UEPPP	LNPCN	1 75										
	E (Provsioning Only)		<u> </u>													
	ce/Data			UEPPP	PR71V	0 00	0 00	0 00								
	ital Data		 -	UEPPP	PR71D	0 00	0 00	0 00			ļ					
	ard Data ditionat "B" Channel	-		UEPPP	PR71É	0 00	0 00	0 00			1					
	v or Additional - Voice/Data B Channel	 	 	UEPPP	PR78V	0 00	44.50								 	
	v or Additional - Voice/Data B Channel v or Additional - Digital Data B Channel	 	├	UEPPP	PR7BF	0 00 1	14 53 14 53				ļ .					
	v or Additional Inward Data B Channel		\vdash	UEPPP	PR7BD	0 00	14 53									
CALL TYPE			+		117,00		14 55									
Inwa			 	UEPPP	PR7C1	0.00	0.00	0 00			 					
	ward		 	UEPPP	PR7CO	0 00	0 00	0 00								
	o-way			UEPPP	PR7CC	0.00	0 00	0 00				•				
Interoffice C	Channel Mileage										1					
	ed Each Including First Mile			UEPPP	1LN1A	60 34	89 27	81 81	16 35	14 44						
	h Airline-Fractional Additional Mile			UEPPP	1LN1B	0 18										
	1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	<u> </u>													
	DS1 combination rates below for 4-Wire DS1 Digital Loop										4/1/04 these	rates shall	revert to tanf	frates or a se	eparate agreer	nent
	or 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effi oop Combination Rates	ective o	ate of	tnis amendment s	nali be provide	d pursuant to a	separate agre	ement or tariff	at Bell South's	discretion						
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		142 64		-			-					
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214 26					-					-
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	_	374 61					 			_		
UNE Loop F			۱Ť	02,00		0.,0,					 					
	/ire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82 55										
4-W	/ire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	1 54 1 8										
	/ire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	314 52										
UNE Port R	tate															
	/ire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC	UDD1T	60 09	454 49	253 23	117 29	14 17						
	RRING CHARGES - CURRENTLY COMBINED		L													
	/ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	vitch-as-is (E 4/1/2004)	ļ	↓	UEPDC	USAC4		129 49	67 02								
	/ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			HEDDO		ļ	400.40									
- Co	onversion with DS1 Changes (E 4/1/2004) /ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		 	UEPDC	USAWA		129 49	67 02			 				<u> </u>	
	onversion with Change - Trunk (E 4/1/2004)			UEPDC	USAWB		129 49	67 02								
ADDITIONA			\vdash	OLPDO	USAVVD		129 49	67 02			 					
	/ire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		\vdash			-					 				 	
	osequent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA	ŀ	14 48	14 48							1	
4-W	/ire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		<u> </u>													
	nnel Activation/Chan - 1-Way Outward Trunk	L		UEPDC	UDTTB		14 48	14 48							ļ	
	/ire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
4-W	vation/Chan_inward Trunk w/out DID		L	UEPDC	UDTTC		14 48	14 48			<u> </u>					
4-W Activ			1													
4-W Activ 4-W	/ire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1					14 48	14 48						1	I	
4-W Activ 4-W Activ	vation Per Chan - Inward Trunk with DID		L	UEPDC	UDTTO		14 40									
4-W Activ 4-W Activ 4-W	vation Per Chan - Inward Trunk with DID /ire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-													
4-W Activ 4-W Activ 4-W Activ	vation Per Chan - Inward Trunk with DID Are DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan vation / Chan - 2-Way DID w User Trans			UEPDC UEPDC	UDTTE		14 48	14 48								
4-W Activ 4-W Activ 4-W Activ BIPOLAR 8	vation Per Chan - Inward Trunk with DID fire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan vation / Chan - 2-Way DID w User Trans ZERO SUBSTITUTION			UEPDC	UDTTE		14 48	14 48								
4-W Activ 4-W Activ 4-W Activ BIPOLAR 8 B8Z	vation Per Chan - Inward Trunk with DID //re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan vation / Chan - 2-Way DID w User Trans // ZERO SUBSTITUTION // S-Superframe Format			UEPDC UEPDC	UDTTE		14 48 0 00ı	14 48 600 00s				_				***
4-W Activ 4-W Activ 4-W BIPOLAR 8 B8Z B8Z	vation Per Chan - Inward Trunk with DID fire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan vation / Chan - 2-Way DID w User Trans ZERO SUBSTITUTION			UEPDC	UDTTE		14 48	14 48								

IDOND	DLED NETWORK ELEMENTS - Alabama												Attach			bit B
TEGOR	RY RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
		1	ļ			Rec		curring		Disconnect				Rates (\$)		
	AMI - Extended SuperFrame Formal			LUEDDO			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Tal	lephone Number/Trunk Group Establisment Charges	-		UEPDC	мсоро		0.00	0 00			ļ					
Tel	Telephone Number for 2-Way Trunk Group			UEPDC	UPTOV											
-+-	Telephone Number for 1-Way Outward Trunk Group	-		UEPDC	UDTGX	0 00			ļ <u>.</u> .							
_	Telephone Number for 1-Way Inward Trunk Group Without DID		 	UEPDC	UDTGY	0 00			<u> </u>							
	DID Numbers for each Group of 20 DID Numbers	_		UEPDC	ND4	0 00	0 00			-						
-	DID Numbers, Non- consecutive DID Numbers , Per Number	 -		UEPDC	ND5	0.00	0.00						_			
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0 00	0.00								
-+	Reserve DID Numbers	+		UEPDC	NDV	0.00	0 00	0 00								
Der	dicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	LLoop			0.00	0 00	0.00			 		-			
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Tigita	I	With 4-Wile DDITE	J Hulle Folk	_					 -					
	Termination)		<u> </u>	UEPDC	1LNO1	60 16	89 27	81 81	16 35	14 44						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 18	0 00	0 00								
\top	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
+	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25	 	 	UEPDC	1LNO2	0.00	0 00	0 00		_						
-	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	-		UEPDC	1LNOB	0 18	0 00	0 00								
\perp	Termination)	<u> </u>		UEPDC	1LNO3	0 00	0 00	0 00	0 00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 18	0 00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0.00	0.00	0 00							
	Central Office Termininating Point			ÜEPDC	CTG	0 00										
	WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	stem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
Eac	ch System can have up to 24 combinations of rates depending or	type a	nd num	ber of ports used												
I he	e UNE-P DS1 combination rates below for 4-Wire DS1 Loop with (Channel	ızation	with Port in this i	rate exhibit app	ly to the ember	dded base in p	lace as of 10/2	/03 until 4/1/04	After 4/1/04	these rates s	hall revert t	o tariff rates	or a separate	agreement.	
Rec	quests for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendme	ent shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discreti	on					
UNI	IE DS1 Loop		ļ.,													
	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	82 55	0 00	0 00	_							
_	4-Wire DS1 Loop - UNE Zone 2		_2	UEPMG	USLDC	154 18	0 00	0 00								
1180	4-Wire DS1 Loop - UNE Zone 3	٠,	3	UEPMG	USLDC	314 52	0 00	0 00								
UNI	IE DSO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	ns)		UEPMG	VUM24	404.40		0.00								
	48 DSO Channel Capacity - 1 per DS1	ļ	├	UEPMG	VUM24 VUM48	101 40 202 80	0 00	0 00								
	96 DSO Channel Capacity - 1 per 2 DS1s	1	-	UEPMG	VUM48	405 60	0 00	0 00		_						
	144 DS0 Channel Capacity - 1 per 6 DS1s	 		UEPMG	VUM14	608 40		0 00								
	192 DS0 Channel Capacity -1 per 8 DS1s	<u> </u>	_	UEPMG	VUM19	811 20	0 00	0 00								
	240 DS0 Channel Capacity - 1 per 10 DS1s	 		UEPMG	VUM2O	1,014 00	0 00	0 00		-						
-	288 DS0 Channel Capacity - 1 per 12 DS1s	 	-	UEPMG	VUM28	1,216 80	0 00	0.00								
+					VUM38		0 00	0.00	_			_				
	384 DS0 Channel Canacity - 1 per 16 DS1s	 		LIEPMG												
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG		1,622 40		0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,028 00	0 00	0.00			 i					
	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG	VUM4O VUM57	2,028 00 2,433 60	0 00	0 00								
Nor	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s	h Chanr	eliztio	UEPMG UEPMG UEPMG	VUM4O VUM57 VUM67	2,028 00 2,433 60 2,839 20	0 00 0 00 0 00									
Nor A M	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chan	eliztio	UEPMG UEPMG UEPMG n with Port - Conv	VUM4O VUM57 VUM67 version Charge	2,028 00 2,433 60 2,839 20 Based on a Sy	0 00 0 00 0 00	0 00								
AM	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit Minimum System configuration is One (1) DS1, One (1) D4 Channel	el Bank,	eliztio	UEPMG UEPMG UEPMG In with Port - Conv	VUM4O VUM57 VUM67 version Charge with Feature A	2,028 00 2,433 60 2,839 20 Based on a System	0 00 0 00 0 00	0 00								
AM	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s on-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Winimum System configuration is One (1) DS1, One (1) D4 Channe particles of this configuration functioning as one are considered Air NRC - Conversion (Currently Combined) with or without	el Bank,	eliztio	UEPMG UEPMG UEPMG n with Port - Convo	VUM4O VUM57 VUM67 version Charge with Feature A	2,028 00 2,433 60 2,839 20 Based on a Sy ctivations counted	0 00 0 00 0 00 stem	0 00								
Mul	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s 673 DS1s DS1s DS1s DS1s DS1s DS1s DS1s DS1s	el Bank, dd'I afte	and Up	UEPMG UEPMG UEPMG IN with Port - Convo	VUM4O VUM57 VUM67 Version Charge with Feature A Infiguration is	2,028 00 2,433 60 2,839 20 Based on a Sy cetivations counted	0 00 0 00 0 00 stem	0 00								
A Mul	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with winimum System configuration is One (1) DS1, One (1) D4 Channe utilities of this configuration functioning as one are considered Ar NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes stem Additions at End User Locations Where 4-Wire DS1 Loop with the configuration of the control of the configuration of the configurati	el Bank, dd'I afte th Chan	neliztio and Up r the m	UEPMG UEPMG UEPMG TO 24 DSO Ports Innimum system co	VUM4O VUM57 VUM67 Version Charge with Feature A Infiguration is	2,028 00 2,433 60 2,839 20 Based on a Sy cetivations counted	0 00 0 00 0 00 stem	0 00								
A Mul	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s on-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Minimum System configuration is One (1) DS1, One (1) D4 Channel uitiples of this configuration functioning as one are considered Ar NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes stem Additions at End User Locations Where 4-Wire DS1 Loop wit w (Not Currently Combined) in all states, except in Density Zone 1	el Bank, dd'I afte th Chan	neliztio and Up r the m	UEPMG UEPMG UEPMG TO 24 DSO Ports Innimum system co	VUM4O VUM57 VUM67 Version Charge with Feature A Infiguration is	2,028 00 2,433 60 2,839 20 Based on a Sy cetivations counted	0 00 0 00 0 00 stem	0 00								
Sys	480 DS0 Channel Capacity - 1 per 20 DS1s	el Bank, dd'I afte th Chan	neliztio and Up r the m	UEPMG UEPMG UEPMG TO 24 DSO Ports Innimum system co	VUM4O VUM57 VUM67 Version Charge with Feature A Infiguration is	2,028 00 2,433 60 2,839 20 Based on a Sy cetivations counted	0 00 0 00 0 00 stem	0 00	148 75	17 65						
Sys	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s on-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Minimum System configuration is One (1) DS1, One (1) D4 Channel Bitles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes stem Additions at End User Locations Where 4-Wire DS1 Loop with (Not Currently Combined) in all states, except in Density Zone 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E4/1/2004)	el Bank, dd'I afte th Chan	neliztio and Up r the m	UEPMG UEPMG UEPMG IN with Port - Convo To 24 DSO Ports Innimum system or UEPMG ION with Port Com Vs	VUM4O VUM57 VUM67 Version Charge with Feature A configuration is USAC4	2,028 00 2,433 60 2,839 20 Based on a Sy cetivations counted 0 00 ntly Exists and	0 00 0 00 0 00 stem	0 00 0 00 8 36	148 75	17 65						
Sys	480 DS0 Channel Capacity - 1 per 20 DS1s	el Bank, dd'I afte th Chan	neliztio and Up r the m	UEPMG UEPMG UEPMG IN with Port - Convo To 24 DSO Ports Innimum system or UEPMG ION with Port Com Vs	VUM4O VUM57 VUM67 Version Charge with Feature A configuration is USAC4	2,028 00 2,433 60 2,839 20 Based on a Sy cetivations counted 0 00 ntly Exists and	0 00 0 00 0 00 stem	0 00 0 00 8 36	148 75	17 65						

ONRONDE	ED NETWORK ELEMENTS - Alabama					,					,			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						1	Nonrec	urring	Nonrecurring	g Disconnect		L	OSS	Rates (\$)	1	
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Alter	mate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0 00							·	
	Extended Superframe Format			UEPMG	MCOPO	0 00	0 00	0 00								I
	nange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exch	range Ports				_											
	Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	UEPCX	1 15	0 00	0 00	0 00	0.00	}					
	Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	UEPOX	1 15	0 00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID					†										
	(E 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEP1X	1 15	0 00	0 00	0 00	0 00			-			
	(E 4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			UEPPX	UEPDM	8 05	0.00	000	0 00	0 00						
	(AL, KY LA MS, & TN)(Conversion from Network Access Service) (E 4/1/2004)			UEPPX	UEPCY	1 15										
	Unbundled Exchange Ports, 2-Wire Channelized - Combination .			OEFFX	I DEFO	1,5										
	(AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E 4/1/2004)			UEPPX	UEPCT	1 15								l .		
	2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) (E 4/1/2004)			UEPPX	UEPA4	1 15	0 00	0 00								
	2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E 4/1/2004)			UEPPX	UEPA3	1 15	0 00	0 00		-						
Feat	ure Activations - Unbundled Loop Concentration			OLFF A	OLFAU	113		0 00								
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0 56	54 55									
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0 56	77 03									İ
Tele	phone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00	0 00	0.00			1					
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0 00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0 00	0 00								
Loca	Number Portability			HEDDY	LUDOD	245	0.00	0.50								
FEAT	Local Number Portability - 1 per port TURES - Vertical and Optional			UEPPX	LNPCP	3 15	0.00	0 00								
	Switching Features Offered with Line Side Ports Only															
Luca	All Features Available			UEPPX	UÉPVE	1 98	0 00	0 00								-
UNBUNDI FO	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	-		ULFFA	DEPVE	1 98	0 00	0 00								
	ost Based Rates are applied where BellSouth is required by FCC		State /	Commission rule to	o provide Unbi	undled Local Sy	utching or Sw	utch Borte			-					
	atures shall apply to the Unbundled Port/Loop Combination - Co								fled Port section	on of this Rate	Exhibit					
3 En	d Office and Tandem Switching Usage and Common Transport	lleane r	ates in	the Port section of	of this rate exh	uhit shall anniv	to all combina	tions of loop/	oort network e	lemente evcen	for UNE C	oin Port/Lo	on Combinat	ione		
4 Th	e first and additional Port nonrecurring charges apply to Not Cu	rrently	Comb	ned Combos. Fo	r Currently Co	mbined Combo	s. the nonrecu	rring charges	shall be those	identified in t	ne Nonrecu	ring - Curre	ntly Combine	ed sections	Additional NE	Cs may
	v also and are categorized accordingly.	,					0,	ining changes	onan bo mood	raonimos m a		my cane	may combine		- authorial ini	
	arket Rates for Unbundled Centrex Port/Loop Combination will be	be nego	trated	on an Individual C	Case Basis, uni	til further notice	,									Γ
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)				T											
2-Wii	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)												-			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP91		12 70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Čentrex)Port Combo - Non-Design		2													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP91	-	21 19										
UNE	Non-Design Port/Loop Combination Rates (Design)		3	UEP91	 	34 80	-									
———	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					 										
					1		ı					٠ ا				1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment. 2	Exhi	ıbıt; B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'I	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'i	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP91		24 00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-		OLI 31		24 00				****	1					+
1	Design		3	UEP91		37 29					į.		ľ]		
UNE	oop Rate		Ť	04.0.	1		-							1		
5.12.2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11 55								1		+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20 04					 					+
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33 65								-	-	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14 38										+
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		1 2	UEP91	UECS2	22 85									<u> </u>	+
			3	UEP91		36 14			 		_				}	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		1 3	locka1	UECS2	30 14			 					-	+	
UNE P			+	 									ļ	 	 	+
All Sta	ites (Except North Carolina and Sout Carolina)			LIEBOA	LIEDVA		40.40	40.55	24.51	0.00	ļ	 	-			1
	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP91	UEPYA	1 15	40 19	19 83	24 91	6 63		<u> </u>		-	-	+
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															1
	Area		_	UEP91	UEPYB	1 15	40 19	19 83	24 91	6 63						↓
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic				1								ŀ			1
	Local Area			UEP91	UEPYH	1 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEP91	UEPYM	1 15	90 38	57 27	48 66	8 77			į			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		 	OLI 3.	OLI III	1.0	00.00			011		-				+
	Term - Basic Local Area			UEP91	UEPYZ	1 15	90 38	57 27	48 66	8 77	1					
	2-Wire Voice Grade Port ferminated in on Megalink or equivalent		+	OEFSI	OCF 12	1 13	30 30	31 21	40 00	077	 			 		+
			1	UEP91	UEPY9	1 15	40 19	19 83	24 91	6 63	i		•			
	- Basic Local Area		┼	UEP91	UEFTS	113	40 13	19 03	24 31	0.03	+			 		
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1		UEPY2	1 15	40 19	19 83	24 91	6 63					1	
	Basic Local Area		1	UEP91	UEPYZ	1 15	40 19	19 83	2491	0 03					<u> </u>	+
AL, K	r, LA, MS, & TN Only		↓				40.40	10.00	24.04	2.00	+				<u> </u>	+
	2-Wire Voice Grade Port (Centrex)		1	UEP91	UEPQA	1 15	40 19	19 83	24 91	6 63					 	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1		J	UEP91	UEPQH	1 15	40 19	19 83	24 91	6 63				ļ <u>.</u>		
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire						1		1 1						1	
	Center)2,3			UEP91	UEPQM	1 15	90 38	57 27	48 66	8 77	<u> </u>					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800		T									1		1		
	Service Term		ļ	UEP91	UEPQZ	1 15	90 38	57 27	48 66	8 77		<u> </u>		-		-
	2 Mars Varia Goods Bod towns at all a se Mars lists at assumpted			UEP91	UEPQ9	1 15	40 19	19 83	24 91	6 63		İ	[1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		 		UEPQ2		40 19	19 83	24 91	6 63			 			+
	2-Wire Voice Grade Port Terminated on 800 Service Term		+	UEP91	DEPUZ	1 15	40 19	19 63	24 91	0 03	+		-		-	+
Local	Switching				LIBERR	0 5488						-		-		+
	Centrex Intercom Funtionality, per port		+	UEP91	URECS	0.5488					+				· · · · ·	
Local	Number Portability		1		-						-	 		-		+
	Local Number Portability (1 per port)		1	UEP91	LNPCC	0 35					ļ				-	
Featur			⊥	<u> </u>					ļ							
	All Standard Features Offered, per port			UEP91	UEPVF	1 98					<u> </u>				-	
	All Select Features Offered, per port			UEP91	UEPVS	0 00	405 52									
	All Centrex Control Features Offered, per port	l	1	UEP91	UEPVC	1 98					1				ļ	₩
NARS			1	1							1					↓
	Unbundled Network Access Register - Combination		1	UEP91	UARCX	0 00	0 00	0 00		0 00					L	
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0 00	0 00	0 00		0 00				ļ	<u> </u>	1.
	Unbundled Network Access Register - Outdial		1	UEP91	UAROX	0 00	0 00	0 00	0 00	0 00						
	lianeous Terminations															
2-Wire	: Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8 05	119 31	18 74	59 90	3 76						
Intero	ffice Channel Mileage - 2-Wire		T												L	
	Interoffice Channel Facilities Termination - Voice Grade		1	UEP91	M1GBC	21 13	40 54	27 41	16 74	6 90	T					
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP91	M1GBM	0 008838			1		1	T		1	1	1
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	:e	1	1	1				1		1			1	1	1
	annel Bank Feature Activations	Ī	1		1						1			1	1	1

OMBONDE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
			<u> </u>			Rec	Nonre			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	İ	UEP91	1PQW6	0.56			i							ŀ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<u> </u>	 	OLFBI	TIP CLAVO	0.36										ļ
	Slot	ł	İ	UEP91	1PQW7	0.56				l					ŀ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-	†	02.0.	1. 4,	- 0.00		-			+				-	
	Different Wire Center	ŀ	ļ	UEP91	1PQWP	0 56					1			1		
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		l	UEP91	1PQWV	0 56					!			1		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0 56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 56										1
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed	l					_			1						
	changes, per port		ļ	UEP91	USAC2		0 10	0 10								
	Conversion of Existing Centrex Common Block New Centrex Standard Common Block		-	UEP91	USACN		37 75	16 58								
	New Centrex Standard Common Block New Centrex Customized Common Block		├	UEP91 UEP91	M1ACS M1ACC	0 00	667 21									
	Secondary Block, per Block		-	UEP91	M2CC1	0 00	667 21 78 02									
	NAR Establishment Charge, Per Occasion		-	UEP91	URECA	0 00	78 02									ļ
Addu	tional Non-Recurring Charges (NRC)	<u> </u>	i -	UEF91	UNECA	0.00	1213				-					-
1,00	Unbundled Miscellaneous Rate Element, Tag Loop at End Use										-					+
	Premise			UEP91	URETL		8 33	0.83				i l				1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			02.0	0.42.2	l	0.00	0.00		1						
	End Use Premise			UEP91	URETN		11 21	1 10								
UNE-	P CENTREX - 5ESS (Valid in All States)					1							-			
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1								1						
UNE	Port/Loop Combination Rates (Non-Design)										1	i l				†
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		12 70				<u> </u>	1	L_				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		21 19										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			İ		[!					[ĺ
LINIE	Non-Design Port/Loop Combination Rates (Design)		3	UEP95		34 80										
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															ļ
	Design	1	1	UEP95		15 53				[
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- '-	OLF 93		13.55										
1	Design		2	UEP95		24 00				ļ					ł	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.00							1				 	
- 1	Design		3	UEP95		37 29										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11 55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	33 65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14 38		•								
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	22 85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36 14										
	Port Rate															
All S																L
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	-	\vdash	UEP95 UEP95	UEPYA UEPYB	1 15 1 15	40 19 40 19	19 83 19 83	24 91	6 63		 				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UCERO	UEPYB	1 15	40 19	19 83	24 91	6 63						
	Area		1	UEP95	UEPYH	1 15	40 19	19 83	24.04	6 63						l
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			000	JEFTH	1 15	40 19	19 63	24 91							
	Center)2 3 Basic Local Area			UEP95	UEPYM	1 15	90 38	57 27	48 66	8 77						1
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				32, 110	113	20 30	5/ 2/	40 00	077						
	Service Term - Basic Local Area			UEP95	UEPYZ	1 15	90 38	57 27	48 66	8 77						1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1				30						-	
- 1	- Basic Local Area			UEP95	UEPY9	1 15	40 19	19 83	24 91	6 63						1

UNBL	INDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ıbıt B
-						T						Svc Order	Svc Order	Incremental		Incremental	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic-	Order vs Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEBOS			45.40	40.00]			
	AL KV	Basic Local Area , LA, MS, SC, & TN Only		-	UEP95	UEPY2	1 15	40 19	19 83	24 91	6 63	 					
	AL, NI	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1 15	40 19	19 83	24 91	6 63					 	-
	1	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPOB	1 15	40 19	19 83	24 91	6 63			-			
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1 15	40 19	19 83	24 91	6 63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire		ł	LIEBOS				57.07	40.00							
	-	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEP95	UEPOM	1 15	90 38	57 27	48 66	8 77					 -	
		Term 2,3			UEP95	UEPQZ	1 15	90 38	57 27	48 66	8 77			}			
							1	2000		10 30		t					†
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1 15	40 19	19 83	24 91	6 63						
		2-Wire Voice Grade Port Terminated on 800 Service Term		_	UEP95	UEPQ2	1 15	40 19	19 83	24 91	6 63						
	Local	Switching			UEP95	URECS	0.5400									i	
	Local I	Centrex Intercom Funtionality, per port Number Portability			UEP95	UREUS	0 5488										
	Locui	Local Number Portability (1 per port)		 	UEP95	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP95	UEPVF	1 98										
		All Select Features Offered, per port			UEP95	UEPVS	0 00	405 52			ļ <u> </u>						ļ
	NARS	All Centrex Control Features Offered, per port			UÉP95	UEPVC	1 98				ļ	ļ					·
	NAKS	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0 00	0 00	0 00	0 00	 					-
	 	Unbundled Network Access Register - Combination			UEP95	UAR1X	0.00	0 00	0 00	0 00	0 00					-	
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0 00	0.00	0.00						
		laneous Terminations															_
	2-Wire	Trunk Side															
	ļ	Trunk Side Terminations, each			UEP95	CEND6	8 05	119 31	18 74	59 90	3 76	ļ					
·	4-Wire	Digital (1 544 Megabits) DS1 Circuit Terminations, each		ļ. _	UEP95	M1HD1	60 09	202 02	95 69	72 59	2 46				-	 	
	 	DS0 Channels Activated, each		├──	UEP95	M1HDO	0.00	14 48	90 U9	12.39	240					 	
	Interof	fice Channel Mileage - 2-Wire			52,00												
	1	Interoffice Channel Facilities Termination			UEP95	M1GBC	21 13	40 54	27 41	16 74	6 90						
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0 008838										
		e Activations (DS0) Centrex Loops on Channelized DS1 Servic	e	ــــــ			 										-
	D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP95	1PQWS	0 56									-	
	1	readure Activation on 5-4 chainler bank centrex Loop Stot		 	OLF-53	TIPQVV3	0.50									 	
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop												1			ĺ
		Stot			UEP95	1PQW7	0 56					ļ.					
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1POWP	0.56				1						
	-	Different Wife Center			UEP95	IPOVP	0.56										-
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56				1					-	ļ
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1										1	
		Slot			UEP95	1PQWQ	0 56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 56										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed		 		+						1			ļ		
		changes, per port			UEP95	USAC2		0 10	0 10			1					
	1	Conversion of Existing Centrex Common Block, each		 	UEP95	USACN	† · · · · · · · · · · · · · · · · · · ·	37 75	16 58		· · · · · · · · · · · · · · · · · · ·	t		1			
		New Centrex Standard Common Block			UEP95	M1ACS	0 00	667 21	00			1					
		New Centrex Customized Common Block			UEP95	M1ACC	0 00	667 21									
	ļ	NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	72 73							-		
	Additio	onal Non-Recurring Charges (NRC)		ļ									ļ			ļ	
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8 33	0.83	[!		[1
	J	I remac		l	DEL AS	JUREIL		0 33	0.83	1	L	<u> </u>		<u> </u>	L		

JNBUND	LED	NETWORK ELEMENTS - Alabama													ment. 2		bit- B
ATEGORY	Y	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs, Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Order vs	Charge - Manual Sv Order vs
				-		-	Rec	Nonree First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	t	Inbundled Miscellaneous Rate Element Tag Design Loop at				+		Filst	Addi	First	Add I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		End Use Premise			UEP95	URETN		11 21	1 10								
		ENTREX - DMS100 (Valid in Alf States)															
		G Loop/2-Wire Voice Grade Port (Centrex) Combo		1													
UNI		t/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
- 1		Non-Design		1	UEP9D	1	12 70			İ							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 '	02.70	+	72.70										
		lon-Design		2	UEP9D		21 19										
	2	P-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	•							i							
		Non-Design		3	UEP9D		34 80									L.	l
UNI		t/Loop Combination Rates (Design)		<u> </u>		\perp											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		١. ٠	LIEBOD		T										
		Design		1	UEP9D		15 53				_	ļ					
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		24 00		İ						1	I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9D	+ +	24 00										
		Design		3	UEP9D		37 29				·			İ]		
UNI		pp Rate		-			5. 20							-	1		1
		-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11 55					ļ					İ
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20 04				-	1					
	2	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33 65				•				1		
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14 38										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	22 85										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UEC\$2	36 14								1		
		t Rate		-							-	<u> </u>		ļ <u></u>			ļ
ALI	LSTA	2-Wire Voice Grade Port (Centrex.) Basic Local Area		-	UEP9D	UEPYA	1 15	40 19	19 83	24 91	6 63	 					
_		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		 	UEP9D	DEPTA	1 13	40 19	19 63	24 91	603						
	Α	Vrea .			UEP9D	UEPYB	1 15	40 19	19 83	24 91	6 63						
	2	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		vea			UEP9D	UEPYC	1 15	40 19	19 83	24 91	6 63						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Vea		<u> </u>	UEP9D	UEPYD	1 15	40 19	19 83	24 91	6 63						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1 15	40 19	19 83	24 91	6 63					l	
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		<u> </u>	02.00	351.15	. 13	70 18	5 65	2-31							
		Vea			UEP9D	UEPYF	1 15	40 19	19 83	24 91	6 63					i	
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local							1								
	P	Vrea			UEP9D	UEPYG	1 15	40 19	19 83	24 91	6 63						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		1													
		Vrea			UEP9D	UEPYT	1 15	40 19	19 83	24 91	6 63				ļ	ļ	
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEBOD	Lucesa		40.10	40.00						1		
-		Vea		ļ	UEP9D	UEPYU	1 15	40 19	19 83	24 91	6 63	-			l	!	
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1 15	40 19	19 83	24 91	6 63					l	
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		 	OCT SD	DEFTY	1 13	40 19	19 03	24 91	0 63				 		
		Vea			UEP9D	UEPY3	1 15	40 19	19 83	24 91	6 63				l	1	
\neg		-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		 		102			10 00	2.31	- 555	 -				l	†
L	A	Vea			UEP9D	UEPYH	1 15	40 19	19 83	24 91	6 63						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		ndication))4 Basic Local Area		<u> </u>	UEP9D	UEPYW	1 15	40 19	19 83	24 91	6 63	L			_		ļ
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			LISTON											1	
		Basic Local Area		_	UEP9D	UEPYJ	1 15	40 19	19 83	24 91	6 63	ļ			-	_	ļ
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1 15	90 38	57 27	48 66	8 77						
+		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2 3 4		_	DEFBU	UEFTM	1 15	90.38	5/ 2/	46 00	8 //					 	1
	14	Basic Local Area		1	UEP9D	UEPYO	1 15	90 38	57 27	48 66	8 77	1		1	1	1	1

ART RELEMENTS and the property of the control of the property	UNBUNDLE	D NETWORK ELEMENTS - Alabama											Attach	ment: 2	Exhi	bit: B
No. No. No. Piret April Piret April SOME	CATEGORY	RATE ELEMENTS	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
Sylves Vision Crisine Pril Contensection Pril Con			<u> </u>			Rec										
Bear Lord Avea		2 Was Mars Conta Bot (Contacted of Fig. 445000) 2.4	-				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
State Cord Area 1.5 200 277 46 66 877 1.5 200 277 46 66 877 1.5 200 277 4.6 677 1.5 200 277 4.6 200 277		Basic Local Area		UEP9D	UEPYP	1 15	90 38	57 27	48 66	8 77						
Base Lord Area		Basic Local Area		UEP9D	UEPYQ	1 15	90 38	57 27	48 66	8 77						
Binsto Loval Area 2-Verv Voca Criste Part Centreworlfie SWC #EB M5098 2.44 UEPID UEPY4 115 90.38 57.27 48.66 8.77		Basic Local Area		UEP9D	UEPYR	1 15	90 38	57 27	48 66	8 77						
Basec Local Area		Basic Local Area		UEP9D	UEPYS	1 15	90 38	57 27	48 66	8 77						
Baset Local Area UEPSD UEPYS 115 90.38 97.72 49.66 8.77				UEP9D	UEPY4	1 15	90 38	57 27	48 66	8 77						
2-We Voca Grade Prof (Centres/EBS-ASST05)2.34 UEPND UEPY 1.15 60.38 57.27 48.66 9.77				UEP9D	UEPY5	1 15	90 38	57 27	48 66	8 77						
2-week Voca Grade Pot Centres (EBS-M0519)2.4 UEPD UEPT 115 90.98 97.27 48.66 8.77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4														
2-Wee Voca Grade Port, Diff Scrong Were Center - 690 Service UEPSD UEPVZ 115 90.38 57.27 49.66 8.77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4														
2-Vive Vote Grade Port Immunisted in on Mogelarik or activariation UEPBD UEPV9 115 40 19 18 83 24 91 6 63		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														
Control Print Control Prin		2-Wire Voice Grade Port terminated in on Megalink or equivalent	 													
AL, KY, LA, MS, SC, & TH Only		2-Wire Voice Grade Port Terminated on 800 Service Term Basic														
2-Wire Voce Grade Port (Centrex 800 termination)	AL, K	Y, LA, MS, SC, & TN Only						•								
2.Wire Voice Grade Port (Centrar / EBS-M5009)4 UEPOD UEPOD 115 40 19 19 83 24 91 6 63			 L													
2.Wire Voce Grade Port (Centrar / EBS-M6009)4 UEP9D UEPOD 115 40 19 19 83 24 91 6 63			 <u> </u>													├
E-Were Voice Grade Port (Centrex / EBS-M85/12)4 UEP9D UEPOE 1 15												ļ				
2-Wire Voice Grade Port (Centrex / EBS-M5112)4			-													\vdash
2-Wire Vote Grade Port (Centrex / EBS-M5008)4 UEPS0 UEPC0 115 40 19 19 83 24 91 6 63			 													
2-Wire Voice Grade Port (Centrex / EBS-M508)4 UEPRD UEPCU 115 40.19 19.83 24.91 6.63			<u> </u>													
2-Wire Voice Grade Port (Centrex/ EBS-M5208)4 UEP90 UEPQV 115 40 19 18 83 24 91 6 63 2 4 91 6 63 4 1 15 40 19 19 83 24 91 6 63 4 1 15 40 19 19 19 83 24 91 6 63 4 1 15 40 19 19 19 19 19 19 19 19 19 19 19 19 19			 													
2-Wire Voice Grade Port (Centrex / EBS-M5216)4 UEPDD UEPOV 1.15 40.19 19.83 24.91 6.63			 													t -
2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPD3																
2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wig Lamp Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQD 115 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQD 115 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQD 115 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQD 115 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 4			1													
Indication UEPO			ļ													
Indication UEPO																
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3 4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3.4 UEP9D UEPQD 1 15 90 38 57 27 48 66 8 77			 L													<u> </u>
2,3 UEP9D UEPOM 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2.3.4 UEP9D UEPOP 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2.3.4 UEP9D UEPOP 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4 UEP9D UEPOR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4 UEP9D UEPOR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77				UEP9D	UEPQJ	1 15	40 19	19 83	24 91	6 63						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3 4 UEP9D UEPQO 1 15 90 38 57 27 48 66 8 77				UEP9D	UEPQM	1 15	90 38	57 27	48 66	8 77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPQR 1 15 90 38 57 27 48 66 8 77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D	UEPQO	1 15	90 38	57 27	48 66	8 77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2.3.4 UEP9D UEPQ4 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2.3.4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3 4		UEP9D	UEPQP	1 15	90 38	57 27	48 66	8 77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3.4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3.4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3.4 UEP9D UEPQ4 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3.4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3.4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3.4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		UEP9D	UEPQQ	1 15	90 38	57 27	48 66	8 77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3.4 UEP9D UEPQS 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3.4 UEP9D UEPQ4 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3.4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3.4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQ6 1 15 90 38 57 27 48 66 8 77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		UEP9D	UEPQR	1 15	90 38	57 27	48 66	8 77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1 15 90 38 57 27 48 66 8 77																
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1 15 90 38 57 27 48 66 8 77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1 15 90 38 57 27 48 66 8 77																
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3.4 UEP9D UEPQ6 1 1 15 90 38 57 27 48 66 8 77																
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	<u> </u>	UEP9D	UEPQ7	1 15	90 38	57 27	48 66	877						

INBUNDLI	ED NETWORK ELEMENTS - Alabama										,			ment: 2		ibit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
		<u> </u>	ļ .			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMÁN	OSS	Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 			+		rirst	Addi	First	Auu i	SOMEC	SOWAN	SOMAN	SOWAN	SOMAN	SUMAN
	Term 2,3			UEP9D	UEPQZ	1 15	90 38	57 27	48 66	8 77	<u></u>					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port Terminated on 800 Service Term		L.,	UEP9D	UEPQ2	1 15	40 19	19 83	24 91	6 63						
Local	Switching	ļ .									ļ					
Local	Centrex Intercom Funtionality, per port Number Portability			UEP9D	URECS	0 5488										ļ
Local	Local Number Portability (1 per port)	-	 	UEP9D	LNPCC	0 35					ļ					
Featu		1	-	OLF 3D	LINECC	0.33			-		-					
	All Standard Features Offered, per port	1		UEP9D	UEPVF	1 98			-							
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	405 52									
	All Centrex Control Features Offered, per port	<u> </u>		UEP9D	UEPVC	1 98										
NARS		ļ								_						
	Unbundled Network Access Register - Combination	1	ļ	UEP9D	UARCX	0 00	0 00	0 00	0.00	0 00						
	Unbundled Network Access Register - Inward	ļ	ļ	UEP9D	UAR1X	0 00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Outdial		<u> </u>	UEP9D	UAROX	0 00	0 00	0 00	0 00	0 00						
	ellaneous Terminations e Trunk Side	 	 													
2-9011	Trunk Side Terminations, each	 	 	UEP9D	CEND6	8 05	119 31	18 74	59 90	3 76						
4-Wire	e Digital (1 544 Megabits)			OLFSD	CENDO	8.03	11931	10 /4	59 90	376						
1, 14,	DS1 Circuit Terminations, each		 	UEP9D	M1HD1	60 09	202 02	95 69	72 59	2 46						
- 1	DS0 Channels Activiated per Channel		 	UEP9D	M1HDO	0 00	14 48		12 50	2,40						
Intero	ffice Channel Mileage - 2-Wire		1									••				
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	21 13	40 54	27 41	16 74	6 90						
	Interoffice Channel mileage, per mile or fraction of mile	ļ		UEP9D	M1GBM	0 008838										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<u> </u>													
D4 Ch	Innel Bank Feature Activations			LIEBOD	Lancius .											↓
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1											
	Slot		ļ	UEP9D	1PQW7	0 56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 56										
]	i												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9D	1PQWV	0 56										
	Slot		l	UEP9D	1PQWQ	0 56										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP9D	1PQWA	0 56										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex			00.00	III GIVA	- 550										
	NRC Conversion Currently Combined Switch-As-Is with allowed	<u> </u>											_			
	changes, per port			UEP9D	USAC2		0 10	0 10								1
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37 75	16 58								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667 21									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667 21									
Additi	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)			UEP9D	URECA	0 00	72 73									├──
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				-					_						├──
1	Premise			UEP9D	URETL		8 33	0 83								í
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	!			J. L. I.		0.00	0 03								
	End Use Premise	l		UEP9D	URETN		11 21	1 10								1
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1			1			- 10						i		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)		oxdot													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		12 70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21 19										

UNBUNDLI	ED NETWORK ELEMENTS - Alabama								_				Attach	ment: 2	Exhi	ıbit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)					Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (S)		
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										İ					1
1	Non-Design		3	UEP9E	i	34 80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
1	Design		1	UEP9E		15 53										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1					
	Design		2	UEP9E	i	24 00										
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -]												
	Design		3	UEP9E		37 29										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11 55					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	33 65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14 38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2_	22 85					1				I	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36 14										
	Port Rate															
AL, F	L, KY, LA, MS, & TN only										1					
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1 15	40 19	19 83	24 91	6 63						
1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															ļ
	Area			UEP9E	UEPYB	1 15	40 19	19 83	24 91	6 63						
i	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															ł
	Area			UEP9E	UEPYH	1 15	40 19	19 83	24 91	6 63						ļ
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire													i		i
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1 15	90 38	57 27	48 66	8 77						<u> </u>
1	2-Wire Voice Grade Port, Diff Serving Wire Center 2 3 - 800				i l							1				1
	Service Term - Basic Local Area			UEP9E	UEPYZ	1 15	90 38	57 27	48 66	8 77				i		<u></u>
i	2-Wire Voice Grade Port terminated in on Megalink or equivalent]								l				Ì
	- Basic Local Area			UEP9E	UEPY9	1 15	40 19	19 83	24 91	6 63						
1	2-Wire Voice Grade Port Terminated on 800 Service Term -				i l										ļ.	
	Basic Local Area			UEP9E	UEPY2	1 15	40 19	19 83	24 91	6 63						
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1 15	40 19	19 83	24 91	6 63						ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1 15	40 19	19 83	24 91	6 63						<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1 15	40 19	19 83	24 91	6 63						
l	2-Wire Voice Grade Port (Centrex from diff Serving Wire		ļ		1						!					1
	Center)2,3			UEP9E	UEPQM	1 15	90 38	57 27	48 66	8 77	ļ					
ĺ	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800					1										
	Service Term			UEP9E	UEPQZ	1 15	90 38	57 27	48 66	8 77						ļ
			ł											ł		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1 15	40 19	19 83	24 91	6 63			. =			1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1 15	40 19	19 83	24 91	6 63						<u> </u>
Local	Switching															
	Centrex Intercom Funtionality, per port		l	UEP9E	URECS	0 5488										
Local	Number Portability		1													
	Local Number Portability (1 per port)	L	L	UEP9E	LNPCC	0 35										
Featu			ļ								ļ					
	All Standard Features Offered, per port			UEP9E	UEPVF	1 98					1					
	All Select Features Offered, per port	L	L	UEP9E	UEPVS	0 00	405 52		ļ		1					ļ
	All Centrex Control Features Offered per port		<u> </u>	UEP9E	UEPVC	1 98					1				ļ	
NARS		<u> </u>	<u> </u>	 	<u> </u>			L	ļ <u></u>		<u> </u>					.
	Unbundled Network Access Register - Combination		<u> </u>	UEP9E	UARCX	0.00	0 00	0 00	0 00	0 00						ļ
	Unbundled Network Access Register - Indial		L	UEP9E	UAR1X	0 00	0 00	0 00	0 00	0 00						ļ
<u> </u> _	Unbundled Network Access Register - Outdial	<u> </u>	<u> </u>	UEP9E	UAROX	0 00	0.00	0.00	0 00	0 00						ļ
	allaneous Terminations		 	L												ļ
2-Wir	e Trunk Side	ļ			-1							ļ		L	!	L
	Trunk Side Terminations, each		L	UEP9E	CEND6	8 05	119 31	18 74	59 90	3 76					1	<u> </u>
4-Wir	e Digital (1 544 Megabits)															
ı	DS1 Circuit Terminations, each	L		UEP9E	M1HD1	60 09	202 02	95 69	72 59	2 46						L

INBUNDL	-ED NET	WORK ELEMENTS - Alabama										,			ment: 2	 	bit. B
ATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
							Rec	Nonrec		Nonrecurring					Rates (\$)		
_	Den Ch	nannel Activated Per Channel			UEP9E	M1HDO	0 00	First 14 48	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Inter		innel Mileage - 2-Wire		├	UEP9E	MIHDO	0.00	14 48									
, , , tet		ice Channel Facilities Termination		-	UEP9E	M1GBC	21 13	40 54	27 41	16 74	6 90					 	
_		ice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0 008838	40 34	27 41	1074	0 80						
Feat		tions (DS0) Centrex Loops on Channelized DS1 Service	e			1	1										
	hannel Ba	ink Feature Activations															
	Feature	Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 56							****			
				T													
		Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 56										
		Activation on D-4 Channel Bank FX Trunk Side Loop		1													
	Stot	Advantage B 4 Charact Back Control Control			UEP9E	1PQW7	0 56										
		e Activation on D-4 Channel Bank Centrex Loop Slot - nt Wire Center			UEP9E	1PQWP	0 56										
	Dinerer	it while Certier			UEPSE	IPQWP	0.56									1	
- 1	Feature	Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
		Activation on D-4 Channel Bank Tire Line/Trunk Loop	_	_		11. 4111	0.50					 					
	Slot				UEP9E	1PQWQ	0.56						i				
	Feature	Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0 56										
Non-	-Recurring	Charges (NRC) Associated with UNE-P Centrex		1			ľ										
		onversion Currently Combined Switch-As-ls with allowed															
		s, per port			UEP9E	USAC2		0 10	0 10								
		sion of Existing Centrex Common Block, each			UEP9E	USACN		37 75	16 58								
_ _		entrex Standard Common Block			UEP9E	M1ACS	0 00	667 21									
		entrex Customized Common Block			UEP9E	M1ACC	0 00	667 21									
8.44.		stablishment Charge, Per Occasion n-Recurring Charges (NRC)			UEP9E	URECA	0 00	72 73									
Addi		dled Miscellaneous Rate Element, Tag Loop at End Use		ļ													
	Premise				UEP9E	URETL		8 33	0.83								
		dled Miscellaneous Rate Element Tag Design Loop at			OLI OL	- JOINETE		0.55	0.00								
		e Premise		[UEP9E	URETN		11 21	1 10			l					
UNE-		EX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-Wii	re VG Loo	p/2-Wire Voice Grade Port (Centrex) Combo															
UNE		Combination Rates (Non-Design)									-						
		VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-De			. 1	UEP93		12 70										
- 1		VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
_	Non-De			2	UEP93	1	21 19										
	Non-De	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP93		34 80										
LINE		Combination Rates (Design)		3	UEF93	+ +	34 00										
- Unit		VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1 1											
	Design	To deep 2 with told diado / dir (definition) for combo		1 1	UEP93	1	15 53					1					
	2-Wire V	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						-+									
	Design			2	UEP93		24 00										
		VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design			3	UEP93		37 29										
UNE	Loop Rate																
		Voice Grade Loop (SL 1) - Zone 1			UEP93	UECS1	11 55										
_		Voice Grade Loop (SL 1) - Zone 2 Voice Grade Loop (SL 1) - Zone 3		2	UEP93 UEP93	UECS1	20 04										
-		Voice Grade Loop (SL 1) - Zone 3 Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS1 UECS2	33 65 14 38										
		Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22 85										
		Voice Grade Loop (SL 2) - Zone 3	-	3	UEP93	UECS2	36 14										
UNE	Port Rate				-2,00		30 17			-							
AL, K	(Y, LA, MS	5, & TN only				1											
		Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1 15	40 19	19 83	24 91	6 63						
	2-Wire \	Voice Grade Port (Centrex 800 termination)Basic Local				T											
	Area	· ·			UEP93	UEPYB	1 15	40 19	19 83	24 91	6 63						

BUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
		ļ	——			Rec	Nonrec		Nonrecurring					Rates (\$)		
			-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															1
	Area		ļ	UEP93	UEPYH	1 15	40 19	19 83	24 91	6 63		_				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1								ļ	1				
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800		 	UEP93	UEPYM	1 15	90 38	57 27	48 66	8 77						
	Service Term - Basic Local Area		1	UEP93	UEPYZ	1 15	00.00	F7.07	40.00		1	ļ				
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent		+	DEP93	UEPTZ	1 15	90 38	57 27	48 66	8 77						
	- Basic Local Area	1		UEP93	UEPY9	1 15	40 19	19 83	24 91	6.63	l	1				
	2-Wire Voice Grade Port Terminated on 800 Service Term -		+	UEP93	UEPT9	1 13	40 19	19 63	24 91	6 63	ļ					
	Basic Local Area	1	1	UEP93	UEPY2	1 15	40 19	19 83	24 91	6 63	}					1
_	2-Wire Voice Grade Port (Centrex)	<u> </u>	+-	UEP93	UEPQA	1 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port (Centrex 800 termination)	 	 	UEP93	UEPOB	1 15	40 19	19 83	24 91	6 63	1					
_	2-Wire Voice Grade Port (Centrex with Caller ID)1	1	1	UEP93	UEPOH	1 15	40 19	19 83	24 91	6 63		 				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	+	ULF 53	OLF GIT	1 13	40 18	19 03	24 91	0 03						
	Center)2,3	1		UEP93	UEPQM	1 15	90 38	57 27	48 66	8 77		i				
	2-Wire Voice Grade Port Diff Serving Wire Center - 2,3 -800	1	 	021 00	DEI GIVI	1 10		31 21	40 00	077		<u> </u>			-	
	Service Term			UEP93	UEPOZ	1 15	90 38	57 27	48 66	8 77						
	OCTACE TERM			021 33	ULI GE	1 13	30 30	3/ 2/	40 00			l				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	.		UEP93	UEPQ9	1 15	40 19	19 83	24 91	6 63		1				
_	2-Wire Voice Grade Port Terminated on 800 Service Term	 	 	UEP93	UEPQ2	1 15	40 19	19 83	24 91	6 63						
Local	Switching		1	DEI 33	DLI GZ	1 13	40 19	19 03	24 51	0 03	-		-			
	Centrex Intercom Funtionality, per port		+	UEP93	URECS	0 5488										
Local	Number Portability	+	\vdash	021 00	DIVEOD	0.5400										
12000	Local Number Portability (1 per port)	1	+	UEP93	LNPCC	0 35										
Featur				02.00	2.1. 00	5.00										
1. 55.5	All Standard Features Offered, per port		 	UEP93	UEPVF	1 98										
	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	1 98		-								
NARS		 	†													
	Unbundled Network Access Register - Combination			UEP93	UARCX	0 00	0 00	0.00	0 00	0 00						
	Unbundled Network Access Register - Indial	 	 	UEP93	UAR1X	0 00	0 00	0.00	0 00	0 00		<u> </u>				
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0 00	0 00	0.00	0 00	0 00						
Miscel	laneous Terminations		1													
2-Wire	Trunk Side															
1"-	Trunk Side Terminations each		1	UEP93	ČEND6	8 05	119 31	18 74	59 90	3 76						
4-Wire	Digital (1 544 Megabits)															
	DS1 Circuit Terminations each			UEP93	M1HD1	60 09	202 02	95 69	72 59	2 46						
	DS0 Channels Activated, Per Channel	I	Ī	UEP93	M1HDO	0 00	14 48									
Intero	fice Channel Mileage - 2-Wire															
_	Interoffice Channel Facilities Termination			UEP93	M1GBC	21 13	40 54	27 41	16 74	6 90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0 008838										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce	<u> </u>									<u> </u>				
D4 Ch	annel Bank Feature Activations		ļ													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0 56										
			1								İ	ł				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	ļ	ļ	UEP93	1PQW6	0 56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop]								1					
			1	UEP93	1PQW7	0 56										
	Slot					i 1					1				ŀ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<u> </u>				1 1							1		1	
				UEP93	1PQWP	0 56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		!													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93 UEP93	1PQWP	0 56 0 56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEP93	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93 UEP93	1PQWV 1PQWQ	0 56 0 56										
Non P	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWV	0.56										
Non-R	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex			UEP93 UEP93	1PQWV 1PQWQ	0 56 0 56										
Non-R	Feature Activation on D-4 Channel Bank Centrex Loop Stot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Stot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Stot Feature Activation on D-4 Channel Bank WATS Loop Stot Feature Activation on D-4 Channel Bank WATS Loop Stot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed			UEP93 UEP93 UEP93	1PQWV 1PQWQ 1PQWA	0 56 0 56	0.40	0.40								
Non-R	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex			UEP93 UEP93	1PQWV 1PQWQ	0 56 0 56	0 10 37 75	0 10 16 58								

UNBUNDL	ED NETWORK ELEMENTS - Alabama				-								Attach	ment: 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge - Manual Svc Order vs	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
		_	t				Nonrec	urning	Nonrecurrin	g Disconnect			oss	Rates (\$)		
-						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP93	M1ACC	0 00	667 21									
	NAR Establishment Charge Per Occasion		ĺ	UEP93	URECA	0 00	72 73									
Addi	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise	ļ		UEP93	URETL		8 33	0 83								L
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP93	URETN		11 21	1 10								
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD										1				Ĺ	
Note	2 - Requres Interoffice Channel Mileage															
Note	3 - Installation is combination of Installation charge for SL2 Lo	op and	Port	I						1						
Note	4 - Requires Specific Customer Premises Equipment	1										1		1		1
	Rates displaying an "R" in Interim column are interim and sub	nect to	rate tru	ie-up as set forth ir	General Terr	ns and Condition	ons.									1

UNBL	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evh.	bit: B
0		The first control of the first		F	Τ΄	1	1					Sun Orden	Cup Order		Incremental		
				ŀ		1	1										Incremental
													Submitted	, ,	Charge -	Charge -	Charge -
			Interi	l_		1	i					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORT	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs	Order vs.	Order vs
				i .			1						· .	Electronic-	Electronic-	Electronic-	Electronic-
ľ			İ	1		1								1st	Add'l	Disc 1st	Disc Add'l
	т			<u> </u>											7.00	Disc 1st	Disc Add I
							Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		•
Ĺ				i			Lec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	l																
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	eographically	y Deaveraged U	NE Zones To	view Geograp	hically Deaver	ged UNE Zone	Designation	ns by Cent	ral Office, ref	er to internet	Nebsite:	
	http://v	www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.h	tm					-	•	_		-,			
OPER#	ATIONA	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		T	l	T						1				Γ''	ı
	NOTE.	(1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	fic" OSS charges as	ordered by	the State Comm	ussions The	OSS charges o	urrently conta	ned in this rati	e exhibit are	the BellSo	uth "regional	l" sendes orde	ring charges	CLEC may
	elect e	ither the state specific Commission ordered rates for the service	ce orde	rina c	narase or CLEC man	r alact the re	alonal convoc	redoring chara	a bawayar C	I EC non not of	Ann a	aftha for	ine Deniso	COLECTOR	Service orde	anny charges	occomay
	oach o	f the 9 states	ce orac	ing c	larges, or occoma	y elect the le	gional service (ordening charg	e, nowever, C	LEC Can not of	itain a mixture	or the two	regardiess i	r CLEC nas a	Interconnect	on contract e	stabiisned in
							_										
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	oraing	to the SOMEC rate II	isted in this	category. Pleas	se reter to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	illy Forthos	e elements
	that ca	innot be ordered electronically at present per the LOH, the list	ed SOM	IEC rat	e in this category re	flects the ch	arge that would	l be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that o	element Oth	erwise, the m	anual ordering	g charge,
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h													
	1	OSS - Electronic Service Order Charge, Per Local Service									Γ.	I	[
	Ш.	Request (LSR) - UNE Only	1	1		SOMEC		3 50	0 00	3 50	0 00						
	1	OSS - Manual Service Order Charge, Per Local Service Request						- 30		1	1				1		
İ		(LSR) - UNE Only				SOMAN		11 90	0 00	1 83	0 00		!		1		
UNE S	ERVICE	DATE ADVANCEMENT CHARGE		1		100		1100		1 00	0.00						-
		The Expedite charge will be maintained commensurate with	BellSon	th's F	C No 1 Tariff Section	on 5 as anni	cable	_	 								
		The Emporite Grange time be maintained detailed the	1	T	10 110 1 101111, 000110	оп о аз арра	Cabic			 	-		·		+		
	1				UAL, UEANL, UCL.						1						l
	1		ł		UEF, UDF, UEQ.		1			1							1
	į.]										
	i		1		UDL, UENTW, UDN,	-	1										
	!				UEA, UHL, ULC,												
	ĺ				USL U1T12, U1T48,	· [1 1		i	İ	i					l	
1	ŀ			1	U1TD1, U1TD3,	1											
1				1	U1TDX, U1TO3,		i l										
]	U1T\$1, U1TVX		1				i						
				l	UC1BC, UC1BL,	1	1				1						
i					UC1CC, UC1CL,	1	[1		
1				1	UC1DC, UC1DL,	1											
				1	UC1EC, UC1EL,							İ					
				1	UC1FC, UC1FL,		i										
1																	
1				1	UC1GC, UC1GL,	1						ļ					
					UC1HC, UC1HL,		1				1						
					UDL12, UDL48,		1										
1				i	UDLO3, UDLSX,	1	1										
1				1	UE3, ULD12,	1	i 1										
	İ		1		ULD48, ULDD1,		i l				!	ŀ					
			1	1	ULDD3, ULDDX						Ì		l i				
1			İ	1	ULDO3, ULDS1,												
					ULDVX, UNC1X,						1						
				1	UNC3X, UNCDX.						ŀ						
				1	UNÇNX, UNCSX,						ĺ						
					UNCVX, UNLD1,		i				i						
					UNLD3, UXTD1,		1				ŀ						
			1	1			1 1			i	l						
		LINE Franklis Character County 1		1	UXTD3, UXTS1,					1	l						
1		UNE Expedite Charge per Circuit or Line Assignable USOC, per		1	U1TUC, U1TUD]			1	i						
	ADL CC	Day	<u> </u>		U1TUB, U1TUA	SDASP		200 00			ļ				L		
UNBU		EXCHANGE ACCESS LOOP			L										ļ		
<u> </u>	2-WIRI	ANALOG VOICE GRADE LOOP		1		ļ					<u></u>				ļ		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10 69	49 57	22 83	25 62	6 57						
ļ	L	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15 20	49 57	22 83	25 62	6 57]					
L		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UÉAL2	26 97	49 57	22 83	25 62	6 57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	ÜEANL	UEASL	10 69	49 57	22 83		6 57	l					
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15 20	49 57	22 83	25 62	6 57	1	1				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26 97	49 57	22 83	25 62	6 57	1			 		
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		l 		Junul	20 31	49.37	22 00	20 02	0 37	-	-	ļ	 		-
	1	Premise		İ	UEANL	URETL		8 33	0.83	1		ĺ					
		Loop Testing - Basic 1st Half Hour		 	UEANL		 						ļ		 		
\vdash				\vdash		URET1		48 65	48 65			 			ļ		ļ
Ь	L	Loop Testing - Basic Additional Half Hour	1	1	UEANL	URETA	1	23 95	23 95	1	l .	I	ı	İ	1	ı	ì

UNBUNDLE	ED NETWORK ELEMENTS - Florida		,		т т									ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	вcs	USOC			RATES (\$)			l 1	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Order vs	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	T	T - 2
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)		ł	UEANL	UREWO		15 78	8 94				i			1	
	Unbundled Voice Loop Non-Design Voice Loop, billing for BST			UEANL	UREWO		15 76	0.54	 						+	
	providing make-up (Engineering Information - E I)	ļ		UEANL	UEANM		13 49					ŀ		ł	1	j
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9 00	9 00								†
	Order Coordination for Specified Conversion Time for UVL-SL1					~										
	(per LSR)			UEANL	ocosL		23 02		L					<u> </u>		
2-WIR	RE Unbundled COPPER LOOP															1
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1		UEQ	UEQ2X	7 69	44 98	20 90		6 45						
1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEO2X	10 92	44 98	20 90		6 45	.			1		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19 38	44 98	20 90	24 88	6 45	ļ				+	<u>+</u>
·	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8 33	0.83			[1	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	-	 	020	ONLIL		0.00	0 83			 			 	<u> </u>	\vdash
	Non-Designed (per loop)			UEQ	USBMC		9 00								1	1
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for				1									1	1	
	BST providing make-up (Engineering Information - E I)			UEQ	UEQMU		13 49								1	
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48 65	48 65								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 95	23 95								
	CLEC to CLEC Conversion Charge Without Outside Dispatch				1				ĺ							
	(UCL-ND)			UEQ	UREWO		14 27	7 43						Į		ļ
	EXCHANGE ACCESS LOOP														1	ļ
2-WIF	RE ANALOG VOICE GRADE LOOP		ļ													
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10 69	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10 69	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	15 20	49 57	22 83	25 62	6 57						T
	Zone 2		2	UEPSR UEPSB	UEABS	15 20	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	26 97	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1													
	Zone 3		3	UEPSR UEPSB	UEABS	26 97	49 57	22 83	25 62	6 57		-			-	
	EXCHANGE ACCESS LOOP		-								i 			-		+
2-7016	RE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		+								-	 		1	···	+
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12 24	135 75	82 47	63 53	12 01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
 	Ground Start Signaling - Zone 2	-	2	UEA	UEAL2	17 40	135 75	82 47	63 53	12 01	-			 		+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	30 87	135 75	82 47	63 53	12 01						
—	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL	30 67	23 02	02 47	03.33	12 01		 			<u> </u>	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	+	ULA	CCCGE		20 02								-	
	Battery Signaling - Zone 1		1	UEA	UEAR2	12 24	135 75	82 47	63 53	12 01					1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
	Battery Signaling - Zone 2		2	UEA	UEAR2	17 40	135 75	82 47	63 53	12 01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse											[
	Battery Signaling - Zone 3		3	UEA	UEAR2	30 87	135 75	82 47	63 53	12.01	L			ļ	1	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02				ļ	ļ			ļ	+
ļ	CLEC to CLEC Conversion Charge without outside dispatch		_	UEA	UREWO		87 71	36 35			-				 	+
	Loop Tagging - Service Level 2 (SL2)	ļ		UEA	URETL		11 21	1 10	-		_			 	+	
4-WIF	RE ANALOG VOICE GRADE LOOP	-	+-	LIEA	UEAL4	18 89	167 86	115 15	67 08	15 56	-	-	ļ	 		+
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2		1 2	UEA	UEAL4	18 89 26 84	167 86	115 15		15 56	ļ	 		-	1	+
 	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	<u> </u>	3	UEA	UEAL4	47 62	167 86	115 15		15 56	1			+	+	+
1 -	Order Coordination for Specified Conversion Time (per LSR)		+	UEA	OCOSL	41 02	23 02	110 10	0,00	15 50				 	†	†
 	CLEC to CLEC Conversion Charge without outside dispatch	 	+	UEA	UREWO		87 71	36 35			 	 				t

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit. B
		1		i							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
				i							Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs	Order vs.	Order vs	Order vs
		_ m]	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
											1		1st	Add'I	Disc 1st	Disc Add'l
		L									i				Disc 1st	Disc Add 1
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		ļ	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	RE ISDN DIGITAL GRADE LOOP	ļ	 		1111 011	10.00			***							
	2-Wire ISDN Digital Grade Loop - Zone 1	-		UDN	U1L2X	19 28	147 69	94 41	62 23	10 71						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27 40	147 69	94 41	62 23	10 71						
	2-Wire ISDN Digital Grade Loop - Zone 3	 	3	UDN	U1L2X	48 62	147 69	94 41	62 23	10 71		ļ				
	Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDN	OCOSL UREWO		23 02	17.45			 					
2 14/15	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	A TIDLE	1.000		UREWO		91 61	44 15								
Z-VVII	2 Wire Unbundled ADSL Loop including manual service inquiry	AHBLE	LOUP	, T												
1 1	& facility reservation - Zone 1			UAL	UAL2X	8 30	149 53	103 85	75 05	15 63				1		1
 	2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	UAL	UALZX	8 30	149 53	103 85	75.05	15 63		!				-
	& facility reservation - Zone 2		2	UAL	UAL2X	11 80	149 53	103 85	75 05	15 63	1			1		
\vdash	2 Wire Unbundled ADSL Loop including manual service inquiry	 	-	UAL	UALZX	1180	149 53	103 85	75 05	15 63	<u> </u>			1		
	& facility reservation - Zone 3	ļ.	3	UAL	UAL2X	20 94	149 53	103 85	75 05	15 63				ł		
<u> </u>	Order Coordination for Specified Conversion Time (per LSR)	-	3	UAL	OCOSL	20 94	23 02	103 85	75 05	15 63				-		
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	OCOSE		23 02					1				-
	facility reservation - Zone 1	1		UAL	UAL2W	8 30	124 83	71 12	60 64	0.13	}					
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	-	UAL	UALZVV	0.30	124 83	71.12	- BU 64	9 12			1			
	facility reservation - Zone 2		2	UAL	UAL2W	11.00	424.02	74.40	CO C4	0.10				ŀ		
—	2 Wire Unbundled ADSL Loop without manual service inquiry &	ļ	-	UAL	UALZW	11 80	124 83	71 12	60 64	9 12						
	facility reservation - Zone 3		3	UAL	UAL2W	20 94	404.00	71 12	20.01	5.40			ľ	1		
H	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UAL	OCOSL	20 94	124 83 23 02	71.12	60 64	9 12					-	
—				UAL				10.00				ļ			-	
2 14/15	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	1000	UAL	UREWO		86 19	40 39				1				
Z-WIF	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOUP													
1 1	& facility reservation - Zone 1		1	UHL	UHL2X	7 22	159 09	440.44	75 05	15 63						
	2 Wire Unbundled HDSL Loop including manual service inquiry	├	 '	UHL	UHLZX	1 22	159 09	113 41	75 05	15 63		-				
l	& facility reservation - Zone 2	į	2	UHL	UHL2X	10 26	159 09	113 41	75 05	15 63			1		1	
	2 Wire Unbundled HDSL Loop including manual service inquiry	 		IUHL	UHLZX	10 26	159 09	11341	75 05	15 63						
	& facility reservation - Zone 3	ŀ	3	UHL	UHL2X	18 21	159 09	113 41	75 05	15 63	ļ.				l	
\vdash	Order Coordination for Specified Conversion Time (per LSR)	 	_	UHL	OCOSL	10 21	23 02	11341	75 05	10 03		†				
	2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	1	IONL	OCOSL		23 02									
	and facility reservation - Zone 1	i	1	UHL	UHL2W	7 22	134 40	80 69	60 64	9 12					ŀ	
	2 Wire Unbundled HDSL Loop without manual service inquiry		⊢'-	OnL	Unicavv	1 22	134 40	60.09	60 64	9 12		 				
]	and facility reservation - Zone 2	ł	2	UHL	UHL2W	10 26	134 40	80 69	60 64	9 12					1	
}	2 Wire Unbundled HDSL Loop without manual service inquiry	1	 	OTIL	OTICZVV	10 20	134 40	00 05	00 04	3 12						
1	and facility reservation - Zone 3		3	UHL	UHL2W	18 21	134 40	80 69	60 64	9 12						
 	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL	10 21	23 02	00 03	- 00 04	3 12						
 	CLEC to CLEC Conversion Charge without outside dispatch		 	UHL	UREWO		86 12	40 39			-	 				
4-14/15	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	I OOP	U. IL	GILLAND			40.09			—	 		 		
	4 Wire Unbundled HDSL Loop including manual service inquiry		I		1						 	 		1		·
1 1	and facility reservation - Zone 1	1	1	UHL	UHL4X	10 86	193 31	138 98	77 15	12 61	1		1		I	
!	4-Wire Unbundled HDSL Loop including manual service inquiry	 	- ' -	OTTE.	OTICAX	10 00	130 31	130 30	77 13	12 01	····					
	and facility reservation - Zone 2	i	2	UHL	UHL4X	15 44	193 31	138 98	77 15	12 61						
 	4-Wire Unbundled HDSL Loop including manual service inquiry	1	1-	OFIL	OFFERA	13 44	193 31	130 30	77 13	12 01			-			
	and facility reservation - Zone 3		3	UHL	UHL4X	27 39	193 31	138 98	77 15	12 61			l			
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	۲	UHL	OCOSL	27 03	23 02	100 00	77 13	12 01						
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	┼─	O'IL	OCCOL		20 02									
	and facility reservation - Zone 1		1 1	UHL	UHL4W	10 86	168 62	115 47	62 74	11 22			1			
I	4-Wire Unbundled HDSL Loop without manual service inquiry	-	 '-		- OI 12-177	10 00	700 02	11547	02 /4	11 22		 	 		 	
1	and facility reservation - Zone 2		2	UHL	UHL4W	15 44	168 62	115 47	62 74	11 22			1			
	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>		J., ****	10 44	,00 02	11077	02 14	1122		—	t			
(l	and facility reservation - Zone 3	i	3	UHL	UHL4W	27 39	168 62	115 47	62 74	11 22	1				I	
	Order Coordination for Specified Conversion Time (per LSR)	 	 _	UHL	OCOSL	2, 39	23 02	11547	02.74	1122		 	 		<u> </u>	
	CLEC to CLEC Conversion Charge without outside dispatch	1	 	UHL	UREWO		86 12	40 39					t		l	
4-WIF	RE DS1 DIGITAL LOOP		t		5		. 00 12	70 05			 	 	 	 		
	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	70 74	313 75	181 48	61 22	13 53		 	 			
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	100 54	313 75	181 48	61 22	13 53	<u> </u>		 		 	
	4-Wire DS1 Digital Loop - Zone 3	1		USL	USLXX	178 39	313 75	181 48	61 22	13 53				· · · · · · ·		

ONRONDER	D NETWORK ELEMENTS - Florida													ment. 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	1	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	CLEC to CLEC Conversion Charge without outside dispatch	-	₩	USL	UREWÓ		First	Add'l 43 04	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WID	E 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP	 	 	USL	UREWO		101 07	43 04	-							
4-111	4 Wire Unbundled Digital 19 2 Kbps	 	1 -	UDL	UDL19	22 20	161 56	108 85	67 08	15 56	 					
	4 Wire Unbundled Digital 19 2 Kbps	 		UDL	UDL19	31 56	161 56	108 85		15 56		 				
	4 Wire Unbundled Digital 19 2 Kbps				UDL19	55 99	161 56	108 85		15 56					· · · · · ·	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22 20	161 56	108 85		15 56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 		UDL	UDL56	31 56	161 56	108 85		15 56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55 99	161 56	108 85		15 56						
	Order Coordination for Specified Conversion Time (per LSR)		1	UDL	OCOSL		23 02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22 20	161 56	108 85	67 08	15 56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31 56	161 56	108 85	67 08	15 56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55 99	161 56	108 85		15 56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	1	23 02									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 11	49 74								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8 30	148 50	102 82	75 05	15 63						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11 80	148 50	102 82	75 05	15 63						
	2 Wire Unbundled Copper Loop-Designed including manual				1 1	1										
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20 94	148 50	102 82	75 05	15 63						
i	Order Coordination for Unbundled Copper Loops (per loop)		ļ	UCL	UCLMC		9 00	9 00								
	2-Wire Unbundled Copper Loop-Designed without manual				1											
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8 30	123 81	70 09	60 64	9 12						
	2-Wire Unbundled Copper Loop-Designed without manual			Luci		44.00		70.75								
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11 80	123 81	70 09	60 64	9 12						
	2-Wire Unbundled Copper Loop-Designed without manual	Ì	3	UCL	UCLPW	20.04	122.01	70.00	00.04	0.10	i					
	service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL		20 94	123 81	70 09	60 64	9 12						
	CLEC to CLEC Conversion Charge without outside dispatch		+	UCL	UCLMC		9 00	9 00			ļ	ļ <u>.</u>				
	(UCL -Des)		1	UCL	UREWO		97 21	42 47				1				
4.WIR	E COPPER LOOP		 	UCL	DKEWO		9/ 21	42.47			ļ	ļ				
	4-Wire Copper Loop-Designed including manual service inquiry		 		1 1					_	-					
	and facility reservation - Zone 1	1	1	UCL	UCL4S	11 83	177 87	132 76	77 15	17 73	l					
	4-Wire Copper Loop-Designed including manual service inquiry		 '	001	00040	11 00		132 70	17 13	17.73	-					
1	and facility reservation - Zone 2	į.	2	UCL	UCL4S	16 81	177 87	132 76	77 15	17 73						
	4-Wire Copper Loop-Designed including manual service inquiry		 		1502.0	.0.01		, o. 70	1	75						
1	and facility reservation - Zone 3		3	UCL	UCL4S	29 82	177 87	132 76	77 15	17 73						
	Order Coordination for Unbundled Copper Loops (per loop)	T	<u> </u>	UCL	UCLMC		9 00	9 00			· · · · · ·					
	4-Wire Copper Loop-Designed without manual service inquiry	1		i	1											
	and facility reservation - Zone 1	f	1	UCL	UCL4W	11 83	153 18	100 03	62 74	11 22	1				.	
	4-Wire Copper Loop-Designed without manual service inquiry	1			1		1									
l	and facility reservation - Zone 2	l	2	UCL	UCL4W	16 81	153 18	100 03	62 74	11 22						
	4-Wire Copper Loop-Designed without manual service inquiry	F	-		1											
	and facility reservation - Zone 3		3	UCL	UCL4W	29 82	153 18	100 03	62 74	11 22						
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		9 00	9 00								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97 21	42 47								
LOOP MODIF	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop	l		UEPSB	ULM2L		0 00	0 00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		· · · ·				- 70				· · · · ·					
	less than or equal to 18K ft, per Unbundled Loop		l	UHL, UCL, UEA	ULM4L		0 00	0 00								
				UAL, UHL, UCL,						-						
- 1	Linkwadlad Leas Modification Research of Bushad Top Research			UEQ, ULS, UEA, UEANL UEPSR,												
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEPSB	ULMBT	l	10 52	10 52								

UNBUNDL	ED NETWORK ELEMENTS - Florida		,											ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interr m	Zone	BCS	usoc			RATES (\$)	-			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			1			T	Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates (\$)		I
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-l	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-									•••						
	Up	1		UEANL	USBSA		487 23									i
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1	ļ	UEANL	USBSB		6 25									
1	Sub-Loop - Per Building Equipment Room - CLEC Feeder													İ		
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	1	1	UEANL	USBSC		169 25							1		
1	Sel-Up	١,		UEANL	USBSD		38 65									ì
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	DEAINL	USBSD		38 65									
	Zone 1		1	UEANL	USBN2	6 46	60 19	21 78	47 50	5 26			ł			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	102.412	000.12	0.0	00 10	2110	47 00	320			·			
	Zone 2		2	UEANL	USBN2	9 18	60 19	21 78	47 50	5 26			l			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1													
	Zone 3		3	UEANL	USBN2	16 29	60 19	21 78	47 50	5 26]		}			
			1]]					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		9 00	9 00			L					ļ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		Ι.								1		1			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7 37	68 83	30 42	49 71	6 60						
	Zone 2		2	UEANL	USBN4	10 47	68 83	30 42	49 71	C CO	[1		1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		 	DEAINE	USBIN4	10 47	00 03	30 42	49 / 1	6 60		-				
	Zone 3		3	UEANL	USBN4	18 58	68 83	30 42	49 71	6 60				į.		i
-			 	02/11/2	I CODITY	10 00	40 00	00 42		- 000	-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		9 00	9 00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	-	UEANL	USBR2	3 96	51 84	13 44	47 50	5 26						
1					1 1											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00						Į.		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	ļ <u>.</u>	UEANL	USBR4	9 37	55 91	17 51	49 71	6 60						
1																
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00								ļ
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		-	UEANL	URET1 URETA		48 65 23 95	48 65 23 95								
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	5 15	60 19	23 95	47 50	5 26				-		
1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	7 31	60 19	21 78	47 50	5 26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i		UEF	UCS2X	12 98	60 19	21 78	47 50	5 26			-			
		<u> </u>	<u> </u>			12 00		20	77.00							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	1	9 00	9 00						ļ	1	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5 36	68 83	30 42	49 71	6 60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2				UCS4X	7 61	68 83	30 42	49 71	6 60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13 51	68 83	30 42	49 71	6 60						
	Order Orand and an facility and and O. b. bases and S.													1	1	1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	ļ. —	₩	UEF	USBMC		9 00	9 00						-		ļ
	Loop Testing - Basic 1st Hair Hour		+	UEF	URET1 URETA		48 65 23 95	48 65 23 95					-			1
Unhu	ndled Network Terminating Wire (UNTW)		_	OGF.	UNEIA	-	23 95	Z3 9 5								
	Unbundled Network Terminating Wire (UNTW) per Pair		 	UENTW	UENPP	0 4572	18 02							 	 	
Netwo	ork Interface Device (NID)		t –		1	5 .512	.502						 	1		
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71 49	48 87								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113 89	89 07					I		1	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7 63	7 63								
111111111111111111111111111111111111111	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7 63	7 63								
UNE OTHER,	PROVISIONING ONLY - NO RATE		ــــــ													
	NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0 00	0 00								ļ	
	UNTW Circuit Id Establishment Provisioning Only - No Rate		 	UENTW UEANL, UEF, UEQ, U	UENCE	0 00	0 00						 	-	ļ	
ŀ	Unbundled Contract Name, Provisioning Only - No Rate			IUEANL,UEF,UEQ,U	UNECN	0 00	0 00						I	1	1	I
	PROVISIONING ONLY - NO RATE		L	T-141AA	TOMEON	0001	0.00				1		1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Florida												 -	ment, 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		COMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
			}	UAL,UCL,UDC,UDL,		1							l			
	Unbundled Contact Name, Provisioning Only - no rate	<u> </u>		UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	LICES	0 00	0 00					ŀ				
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			DEA,UDIN,UCC,UDC	USBFQ	0.00	0 00									
	rate			UEA,USL,UCL,UDL	USBFR	0 00	0 00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0 00	0 00							_		
	Unbundled DS1 Loop - Expanded Superframe Format option -			1101	CCOEF	0 00	0 00							1		
HIGH CABAC	no rate	1	<u> </u>	USL	CCOEF	0 00	0.00				-					-
IIGH CAFAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per		t -			1										
	month			UE3	1L5ND	10 92					ļ		ļ	ļ		
	High Capacity Unbundled Local Loop - DS3 - Facility			1150	LIESEY	386 88	556 37	343 01	139 13	96 84			1			
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per		-	UE3	UE3PX	386 88	556 37	343 01	139 13	96 84						
- 1	month			UDLSX	1L5ND	10 92									!	
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	426 60	556 37	343 01	139 13	96 84						
LOOP MAKE-			ļ		ļ			· · · · · · · · · · · · · · · · · · ·			-			 		-
	Loop Makeup - Preordering Without Reservation, per working or spare facility gueried (Manual)			UMK	UMKLW		52 17	52 17						1]
	Loop Makeup - Preordering With Reservation, per spare facility	1									i					
	guened (Manual)			UMK	UMKLP	L	55 07	55 07								
	Loop MakeupWith or Without Reservation, per working or			UMK	UMKMQ		0 6784	0 6784]							
INE CHADIN	spare facility gueried (Mechanized)			UIVIK	UIVINIVIC		0.0704	0 0764			 					
NOTE	1: The Line Sharing monthly recurring rates for all installation	ns com	pleted	from October 02, 20	03 through m	idnight Octobe	r 01, 2004 shal	l be billed as	ollows:							
NOTE	1: 10/02/2003 - 10/01/2004 25% of the rate for an unbundled co	opper k	op no	n-designed ("UCLNI	D'')									ļ		ļ
	1: 10/02/2004 - 10/01/2005 50% of the rate for UCLND	ļ	ļ		ļ								 	-		
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT	 	┼		-						 				-	<u> </u>
**NOT	E 2. The Line Sharing monthly recurring rates with USOCs UL.	SDC an	d ULS	CC applies only to c	rcuits install	ed and inservice	e on or before	October 1, 20	03					l		
LINE	SHARING		l										<u> </u>			
SPLIT	TERS-CENTRAL OFFICE BASED	<u> </u>	ļ		ULSDA	119 72	379 13	0.00	347 90	0.00			1			-
	Line Sharing Splitter per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	-	1	ULS	ULSDB	29 93	379 13	0 00	347 90	0 00		-	1			
	Line Sharing Splitter Per System, 8 Line Capacity	 	+	ULS	ULSD8	8 33	379 13	0 00	347 90	0 00						
<u> </u>	Line Sharing-DLEC Owned Splitter in CO-CFA activation-		1													
	deactivation (per LSOD)	ļ	<u> </u>	ULS	ULSDG		173 66	0 00	97 42	0 00			<u> </u>			ļ
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) -				1						1		·	 		·
	OBSOLETE see **NOTE 2		İ	ULS	ULSDC	0.61	29 68	21 28	19 57	9 61				i		
	Line Share Service, TRO per line activation, BST owned splitter	_			1											
	Central Office Located (25% of UCLND) - please see NOTE 1			1	1				10.57							į
	(E 10/2/2003)	-	+	ULS	ULSDT	1 99	29 68	21 28	19 57	961	+		 		 	
	Line Share Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1	1	ĺ										1			1
	(E 10/2/2004)		l	ULS	ULSDT	3 98	29 68	21 28	19 57	9 61			<u> </u>			
	Line Share Service, TRO per line activation, BST owned splitter	-														
	Central Office Located (75% of UCLND) - please see NOTE 1				ULSDT	5 97	29 68	21 28	19 57	9 61						
	(E 10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement	-	+	ULS	ULSUI	39/	25 00	4120	1937	301	—	1	 	 	<u> </u>	†
	- (BST Owned Splitter)			uLS	ULSDS	<u> </u>	21 68	16 44						<u> </u>		ļ
	Line Sharing - per Subsequent Activity per Line Rearrangement	1														
	- (DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -		ļ	ULS	ULSCS		21 68	16 44			 			_	 -	-

UNBUNDLE	D NETWORK ELEMENTS - Florida										T-:			ment: 2		ibit, B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge - : Manual Svc Order vs.
					1	Rec	Nonrec	urring	Nonrecurring					Rates (\$)		
			i			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see															
	NOTE 1 (E 10/2/2003)			ULS	ULSCT	1 99	47 44	19 31	20 67	12 74						
	Line Share Service, TRO per line activation, CLEC owned	T	1										i			
	splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSCT	3 98	47 44	19 31	20 67	12 74						
	Line Share Service, TRO per line activation, CLEC owned												1			
	splitter - Central Office Located (75% of UCLND) - please see				1											
	NOTE 1 (E 10/2/2005)			ULS	ULSCT	5 97	47 44	19 31	20 67	12 74	<u> </u>		L			
	PLITTING	<u> </u>			1							-	 	ļ		
END U	SER ORDERING-CENTRAL OFFICE BASED										-			 		+
	Line Splitting - per line activation DLEC owned splitter		<u> </u>	UEPSR UEPSB	UREOS	0 61	29 68	21 28	19 57	9 61		!		 		
	Line Splitting - per line activation BST owned - physical		-	UEPSR UEPSB	UREBP	0 61 1 134	29 68	21 28		961	-					+
	Line Splitting - per line activation BST owned - virtual		ļ	UEPSR UEPSB	UREBV	1134	29 00	2126	19 57	901	-				+	
MAINI	ENANCE		 			-	80 00	55 00								
	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime		├──		-		120 00	82 50	-		-			l		
	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						160 00	110 00			_					
UNDUNDUED.	DEDICATED TRANSPORT					-	100 00	110 00								
	OFFICE CHANNEL - DEDICATED TRANSPORT															1
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -						-				-	-				1
	Per Mile per month			U1TVX	1L5XX	0 0091										ļ.——
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25 32	47 35	31.78	18 31	7 03						<u> </u>
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination	1		U1TVX	U1TR2	25 32	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0091										_
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22 58	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		<u> </u>	OTIDA	1123701	0 0001										
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	18 44	47 35	31 78	18 31	7 03						ļ
	per month			U1TDX	1L5XX	0 0091										<u> </u>
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18 44	47 35	31 78	18 31	7 03						<u> </u>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 1856				_						
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	88 44	105 54	98 47	21 47	19 05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3 87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1,071 00	335 46	219 28	72 03	70 56						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		 		1L5XX	3 87	333 40	213 20	12,03	70 30				-		
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1		1.77	205 :	240.55	70.00	70				<u> </u>		
DARK FIBER	Termination	 		U1TS1	U1TFS	1,056 00	335 46	219 28	72 03	70 56	-	-	 			+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 	 						 			·	 	†	—	
	Thereof per month - Interoffice Channel	İ	1	UDF, UDFCX	1L5DF	26 85			i						1	
	NRC Dark Fiber - Interoffice Channel	l	 	UDF, UDFCX	UDF14	20 35	751 34	193 88	356 21	230 11			t		 	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		\vdash	,	1			30	1 333 21	200 11	 	l				
	Thereof per month - Local Loop	l		UDF, UDFCX	1L5DL	55 04			ļ !						I	1 .
	NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		751 34	193 88	356 21	230 11		l				

UNBUND	LED	NETWORK ELEMENTS - Florida												Attach	ment 2	Exhi	bit: B
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonrec	RATES (\$)		ı Disconnect	Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	
						+	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
8XX ACCE	SS TE	EN DIGIT SCREENING						Luar	Auu	THISC	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		BXX Access Ten Digit Screening, Per Catl		 	OHD		0 0006252										
		BXX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved	l		OHD	N8R1X		4 15	0 70								!
		BXX Access Ten Digit Screening, Per 8XX No Established W/O															<u> </u>
		POTS Translations			OHD			8 78	1 18	5 77	0 70						L
1		BXX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		8 78	1 18	5 77	0 70						
1		BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number	İ		OHD	N8FCX	i					1					ĺ
		BXX Access Ten Digit Screening, Multiple InterLATA CXR		-	OHD	NBFCX		4 15	2 07								
		Routing Per CXR Requested Per 8XX No			OHD	NBFMX]	4 85	2 78								
		BXX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4 85	0 70								
	8	BXX Access Ten Digit Screening, Call Handling and Destination				110.101			0.70			_					
		eatures		1	OHD	N8FDX		4 15	4 15								
		3XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0 0006252										
		BXX Access Ten Digit Screening, w/ POTS No. Delivery, per															
		query			OHD		0 0006252										l <u>.</u> .
LINE INFO	KMA!	ION DATA BASE ACCESS (LIDB)															
		IDB Common Transport Per Query IDB Validation Per Query			OQT		0 0000203										
		IDB Originating Point Code Establishment or Change			OQU OQT, OQU	NRBPX	0 0136959	55.40	55.40	55.40							
SIGNALING					001,000	NRBPX		55 13	55 13	55 13	55 13						
SIGNALIN		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135 05										
	- 6	CCS7 Signaling Usage, Per TCAP Message			UDB	11000	0 0000607										
		CCS7 Signaling Connection Per link (A link)			UDB	TPP++	17 93	43 57	43 57	18 31	18 31						
		CCS7 Signaling Connection Per link (B link) (also known as D							10 07	1001	1001						
		ink)			UDB	TPP++	17 93	43 57	43 57	18 31	18 31						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0 0000152										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694 32										
i		CCS7 Signaling Point Code, per Originating Point Code	ĺ														
5544 555		stablishment or Change, per STP affected			UDB	CCAPO		46 03	46 03	46 03	46 03						
E911 SERV		and Observed Budgets and October 2014														_	
		ocal Channel - Dedicated - 2-wr Voice Grade - Zone 1 ocal Channel - Dedicated - 2-wr Voice Grade - Zone 2					21 94 29 62	265 84 265 84	46 97	37 63	4 00						
		ocal Channel - Dedicated - 2-wr Voice Grade - Zone 3			_		57 22	265 84	46 97 46 97	37 63 37 63	4 00						
		nteroffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0091	203 64	46 97	3/ 63	4 00						
		nteroffice Transport - Dedicated - 2-wr Voice Grade Per Facility				-	0 0001										
		ermination					25 32	47 35	31 78	18 31	7 03						
		ocal Channel - Dedicated - DS1 - Zone 1					35 28	216 65	183 54	21 47	19 05						
		ocal Channel - Dedicated - DS1 - Zone 2					47 63	216 65	183 54	21 47	19 05						
		ocal Channel - Dedicated - DS1 - Zone 3					92 01	216 65	183 54	21 47	19 05						
	lr	nteroffice Transport - Dedicated - DS1 Per Mile					0 1856										
	١	-to-ff T Diducted Box D. f. 14 f.															
CALLING	IA BAE	nteroffice Transport - Dedicated - DS1 Per Facility Termination (CNAM) SERVICE					88 44	105 54	98 47	21 47	19 05						
CALLING		NAM For DB Owners - Service Establishment			0014			05.05	25.05								
		NAM For Non DB Owners - Service Establishment			OQV			25 35 25 35	25 35 25 35	19 01 19 01	19 01						
	lo	NAM For DB Owners - Service Provisioning With Point Code						25 55	25 35	1901	19 01						
	ĮΕ	stablishment			OQV			1,592 00	1,177 00	352 36	259 09				l	l	
	Č	NAM For Non DB Owners - Service Provisioning With Point					l l	1,002.00	1,177 30	002 00	203 03					-	
	C	code Establishment			oqv			546 51	393 82	358 06	259 09			- 1	ſ	l	
	C	NAM for DB Owners, Per Query			OQV	1	0 001024			222.30	200 00						
	C	NAM for Non DB Owners, Per Query	1		ogv	1	0 001024										
BELECTIVE															-		
1		elective Routing Per Unique Line Class Code Per Request Per															
VIRTUAL C		witch						93 55	93 55	12 71	12 71						
	1 11 I C	CATION		Т													

					-			***				-	Attach	ment: 2	Evhi	bit: B
CATEGORY	RATE ELEMENTS	Inten	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge • Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge -
													1st	Add'l	DISC 1St	DISC Add I
						Rec	Nonrec			Disconnect				Rates (\$)		
						ļ I	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1	UEDOD HEDOD	VE41.6	0.0500	44.57	44.57	0.00	0.00		1				ĺ
	Splitting			UEPSR UEPSB	VE1LS	0 0502	11 57	11 57	0 00	0 00						
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line								ļ							-
	Splitting			UEPSR UEPSB	PE1LS	0 0276	8 22	7 22	5 74	4 58	1	J	į		ļ	{
AIN SELECTIV	VE CARRIER ROUTING			DEFOR DEFOR	FEILO	0 02/0	522	1 22	3 74	4 30	 	-				<u> </u>
W OLLLOW	Regional Service Establishment			SRC	SRCEC		193,444 00		7,737 00		-					· · · · · ·
	End Office Establishment			SRC	SRCEO	i ——	187 36	187 36	0.69	0.69						<u> </u>
	Query NRC, per query			SRC	67,020	0 0031868	12. 00	107 00		0.00	1					
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE	<u> </u>	43 56	43 56	44 93	44 93					<u> </u>	
1																
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP)	8 64	8 64	10 03	10 03	{	Į.				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8 64	8 64	10 03	10 03						1
	AIN SMS Access Service - User Identification Codes - Per User										[[1		ļ
	ID Code			A1N	CAMAU		38 66	38 66	29 88	29 88]				
	AIN SMS Access Service - Security Card, Per User ID Code,				1							ļ.		Į		Į.
	Initial or Replacement			A1N	CAMRC	1	75 10	75 10	12 93	12 93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0028							L			
	AIN SMS Access Service - Session, Per Minute					0 7809										ļ
	AIN SMS Access Service - Company Performed Session, Per					ļ .							1		ļ	ļ
	Minute					0 4609			<u> </u>						l	1
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE								i		1					i
	AiN Toolkit Service - Service Establishment Charge Per State,					l i					J			ļ		1
i	Initial Setup			CAM	BAPSC		43 56	43 56	44 93	44 93						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439 00	8,439 00	<u> </u>						ļ	
	AlN Toolkit Service - Trigger Access Charge, Per Trigger Per			!		1 1					\	\		ļ	1	1
	DN, Term Atlempt				BAPTT		8 64	8 64	10 03	10 03						
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger Per									1					1	ĺ
	DN, Off-Hook Delay				BAPTD		8 64	8 64	10 03	10 03				_	ļ	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				ļ <u>_</u>	1			40.00	40.00						1
	DN, Off-Hook Immediate		ļ		BAPTM		8 64	8 64	10 03	10 03						-
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				L					45.00						1
	DN, 10-Digit PODP				BAPTO		38 06	38 06	15 86	15 86		-				1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						20.00	00.00	45.00	45.00				1		
	DN, CDP				BAPTC		38 06	38 06	15 86	15 86	ļ			-	 	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	ĺ			BAPTE		38 06	38 06	15 86	15 86	j		1			
	DN, Feature Code AlN Toolkit Service - Query Charge, Per Query				DAPIF	0 0535927	36 00	30 00	13 00	13 80	 	1	· · · · · · · · · · · · · · · · · · ·			+
	AlN Toolkit Service - Query Charge, Per Query AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit				+	0 00000521					 	1				<u> </u>
	Subscription, Per Node, Per Query		1			0 0063698				1						
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				+	0.0003090						+	 			
1	Account, Per 100 Kilobytes	İ	ì		ì	0.06]	j	ı	l	i		(
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	··· ·· -	 		+	0.00			·		-					1
	Subscription			CAM	BAPMS	8 34	8 64	8 64	6 08	6 08	l	ł	l	1		1
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service	-		CAIVI	BAFINS	9.54	0.04	0 04	0 00	000	 	 	1			
	Subscription		i	CAM	BAPLS	3 73	9 56	9 56			ļ.	ļ	l .	ļ	ł	
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAUN	DAI LO	573	3 30	3.00	 		1		t e		<u> </u>	†
	Subscription	l	i	CAM	BAPDS	4 73	8 64	8 64	6 08	6 08			1	1	ĺ	1
	AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit		t		1-1-1-1	1	201	30.	1		 		j	_	1	
	Service Subscription	İ	1	CAM	BAPES	0 12	9 56	9 56	1	1		1	1	l	ł	l
ENHANCED F	XTENDED LINK (EELs)	t	t —		1	1 "	<u> u</u> b.						1		1	
	. The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Chare	e will not an	ov for UNE con	nbinations pro	visioned as '	Ordinarily Com	bined' Networl	k Elements.					1
	The monthly recurring and the Switch-As-Is Charge and not t												l			
	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT						,,		1	1	T					
1	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1		UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81					Ţ	
<u> </u>	First 2-Wire VG Loop (SL2) in Combination - Zone 2	1		UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81					j T	1
				UNCVX		30 87		60 54								7

INBUNDLE	D NETWORK ELEMENTS - Florida										<u> </u>	0 0 . 1		ment: 2		bit. B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring First	Disconnect Add'i	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		ļ				First	Add'l	First	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	per month		<u> </u>	UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
-	1/0 Channelization System in combination Per Month		<u> </u>	UNC1X	MQ1	146 77	101 42	71 62	4301	11 33				·	 	
	Voice Grade COCI - Per Month		 	UNCVX	1D1VG	1 38	10 07	7 08	0.00	0 00						
	Total diago de di 1 di manii		1		1.5.1.5											
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
				LINION	UEAL2	30 87	107.50	60 54	42 79	2 81						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month		3	UNCVX	1D1VG	1 38	127 59 10 07	7 08	42 79 0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As-		 	DINOVA	10146	1 30	10.07	, 00	000	0.00				· · · · · · · · · · · · · · · · · · ·		
	Is Charge			UNC1X	UNCCC	ĺ	8 98	8 98	8 98	8 98					-	
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE													
					1											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		,		1		127 38	00 04	72.73	201						
	Per Month		1	UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	1/0 Channel System in combination Per Month			UNC1X	MO1	146 77	101 42	71 62	4501	17 33						
	Voice Grade COCI in combination - per month		 	UNCVX	1D1VG	1 38	10 07	7 08	0.00	0.00						<u> </u>
	Additional 4-Wire Analog Voice Grade Loop in same DS1			0.1017	10110											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						-
ļ	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1					i								[ļ	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00			ļ <u>.</u>	.		├
1	Nonrecurring Currently Combined Network Elements Switch -As-						8 98	8 98	8 98	8 98				i		
EVTER	Is Charge NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	ATER	DC1 IA	UNC1X	UNCCC		0 90	0.90	0.90	0 90					-	1
CYIC	DED 4-WIRE 36 RBPS EXTENDED DIGITAL LOOP WITH DEDIC	AIED	T	I EROFFICE TRAN	I				1					-		-
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	281						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		۳	UNC1X	1L5XX	0 1856	127 55	300.								
	Interoffice Transport - Dedicated - DS1 - combination Facility		┼─													
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95		_				
	1/0 Channel System in combination Per Month		ļ	UNC1X	MQ1	146 77	101 42	71 62								
	OCU-DP COCI (data) per month (2 4-64kbs)		├	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81						
Ì	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		+ -	LOINCOX	UDESE	3130	127 59	5U 54	42 /9	∠ 61		 	 		-	— —
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81			-			
1	Additional OCU-DP COCI (data) - in combination per month (2 4-64kbs)		1	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00		ľ	I	ĺ		1

JNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		ibit; B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-										1			1		
	Is Charge		<u>L</u>	UNC1X	UNCCC		8.98	8 98	8 98	8 98	ļ					
EXTE!	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRA	NSPORT	<u></u>			-						-	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
										•						
1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856										İ
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	<u> </u>					1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62			1					<u></u>
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCOX	UDL64	22 20	127 59	60 54	42 79	2 81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1							· · · · · · · · · · · · · · · · · · ·								
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 <u>54</u>	42 79	2 81					<u> </u>	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	Additional OCU-DP COCI (data) - in combination - per month (2 4-64kbs)			UNCDX	10100	2 10	10 07	7 08	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As-												· ·			
	Is Charge		<u> </u>	UNC1X	UNCCC		8 98	8 98	8 98	8 98						1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	ED DS1	INTER													—
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45				-	-	+
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44 51 44	14 45 14 45			-			+
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45	 		 		-	
•	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Nonrecurring Currently Combined Network Elements Switch -As-		 	CHOIX	51117		17-7-0	122 40	1001	11 00						T
	Is Charge		<u> </u>	UNC1X	UNCCC		8 98	8 98	8 98	8 98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS3	INTER	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45		<u> </u>			 	
	First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62		14 45						
	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62		14 45			 	 -	-	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		 	ONO IX	OODOX	170 00		12.02	01,11		•			1		1
	Per Month			UNC3X	1L5XX	3 87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		1	UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18 23		1				
-	month 3/1Channel System in combination per month	-	1	UNC3X	MQ3	211 19	199 28	118 64		39 07			1	 	1	
	DS1 COCI in combination per month		-	UNC1X	UC1D1	13.76	10 07	7 08		0 00					1	†
	Additional DS1Loop in DS3 Interoffice Transport Combination -			551/	00101	,0 70	15 07	, 00	1 00	3 00	 		1			†
	Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination -		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						-
	Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45		İ				
	Additional DS1Loop in DS3 interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	Additional DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		8 98	8 98	8 98	8 98						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	EINTE				0.90	0.90	0.30	0 50		 	1			1
	2-WireVG Loop in combination - Zone 1	3,040		UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81	 			<u> </u>	 	1
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	17 40	127 59	60 54		281			1	1		
	2-WireVG Loop in combination - Zone 3	-		UNCVX	UEAL2	30 87	127 59	60 54		2 81			1		1	1

JNBUNDLE	D NETWORK ELEMENTS - Florida													ment· 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add't	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			ļ			Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)	COMAN	SOMAN
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0 0091	i									
	Interoffice Transport - 2-wire VG - Dedicated - Facility			GIGGYX	120/00	0 0001										
	Termination per month			UNCVX	U1TV2	25 32	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-									5.00				[
	Is Charge	CDAD	FINITE	UNCVX	UNCCC		8 98	8 98	8 98	8 98	-	-				
EXTEN	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81					-	+
	4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2	1		UNCVX	UEAL4	26 84	127 59	60 54	42 79	281						
_	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	47 62	127 59	60 54		2 81						1
_	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		- -	LONGVA	OCAL*		121 00		12.10							
	Month			UNCVX	1L5XX	0 0091			1		L					1
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month		İ	UNCVX	U1TV4	22 58	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		8 98	8 98	8 98	8 98						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	OFFICE													1
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10 92			 					-		
į		1				202.00	242.07	450.05	67.40	26.82	1	1	ł			
	DS3 Local Loop in combination - Facility Termination per month	<u> </u>	↓	UNC3X	UE3PX 1L5XX	386 88 3 87	249 97	162 05	67 10	26 82	 	-		-		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	-	1-	UNC3X	ILSXX	3 07									 	1
	Interoffice Transport - Dedicated - DS3 combination - Facility		1	UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18 23						
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		1	DNCSA	01113	1,07700	314 43	100 00	35 00	10 20						<u> </u>
	Is Charge			UNC3X	UNCCC		8 98	8 98	8 98	8 98						
FXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF												_	
	STS-1 Local Lolp in combination - per mile per month	T	Ī	UNCSX	1L5ND	10 92										
	STS-1 Local Loop in combination - Facility Termination per	T														
	month	<u> </u>	1	UNCSX	UDLS1	426 60	249 97	162 05	67 10	26 82						↓
	Interoffice Transport - Dedicated - STS-1 combination - per mile										1			1		
	per month		ļ	UNCSX	1L5XX	3 87					-				-	
	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINGON	LIATEO	4.056.00	314 45	130 88	38 60	18 23						
	Termination per month	-	+	UNCSX	U1TFS	1,056 00	314 40	130 00	36 60 1	10 23		<u> </u>	 		 	
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge	1		UNCSX	UNCCC		8 98	8 98	8 98	8 98						
EXTE	NDED 2-WIRE ISON EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		0.1000											1
EXIL.	First 2-Wire ISDN Loop in Combination - Zone 1	T	1 1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81	_	T				
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60 60		2 81					Ι	
	First 2-Wire ISDN Loop in Combination - Zone 3	<u>L</u>	3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81		ļ				
	Interoffice Transport - Dedicated - DS1 combination - per mile]]			_				1			
	per month	1	١	UNC1X	1L5XX	0 1856					ļ	ļ	ļ	 		1
	Interoffice Transport - Dedicated - DS1 combination - Facility		1				474.40	400.40	45.04	17.05	1	1			1	
	Termination per month	1	 	UNC1X	U1TF1 MQ1	88 44 146 77	174 46 101 42	122 46 71 62		17 95	 	 			 	+
	1/0 Channel System in combination - per month	-	1-	UNC1X	UC1CA	3 66	101 42	7 08		0 00	_	 			 	+
	2-wire ISDN COC! (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		UNCNX	OCICA	3 66	10 07	7 00	0 00		 	+		\		1
ŀ	Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	+ '-	DITCHA	U ILLX	10 20	12. 00	00 00			İ	<u> </u>			İ	1.
	Combination - Zone 2	1	2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1													
	Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81					ļ	
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month	<u> </u>	ļ	UNCNX	UC1CA	3 66	10 07	7 08	0 00	0 00		<u> </u>	1	ļ		-
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1									1		İ		1
	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		8 98	8 98	8 98	8 98			 	 	 	+-
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT First DS1 Loop Combination - Zone 1	ED ST	S-1 INT			70 74	217 75	121.62	51 44	14 45	 	+	1	+	+	+
		1	1 1	UNC1X	USLXX	10 14	211 15	121 62				- 			+	+
	First DS1 Loop Combination - Zone 2	+	2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45		ł		1	1	1

UNBUNE	DLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	brt: B
CATEGOR		RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							7100	First	Add'l	First	Ádďí	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	3 87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility		 	UNCOX	ILSAA.	301					-					
		Termination per month			UNCSX	U1TFS	1.056 00	314 45	130 88	38 60	18 23						
		3/1 Channel System in combination per month			UNCSX	MQ3	211 19	199 28	118 64	40 34	39 07	<u> </u>					1
		DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0.00	0 00						1
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
		Additional DS1Loop in the same STS-1 Interoffice Transport		_		1								i	1		
		Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						1
		Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
		DS1 COCI in combination per month		ا ا	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00	 					+
		Nonrecurring Currently Combined Network Elements Switch -As-			0.101A	COIDI	13 70	10 07	, 00	1 00	<u> </u>			 			1
1 1		Is Charge			UNCSX	UNCCC		8 98	8 98	8 98	8 98						
EX	XTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT	EROFI						1					l		
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81						
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
1		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			l					1							
		Per Mile per month			UNCDX	1L5XX	0 0091						<u> </u>		<u> </u>		
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		ì	LINGDY	U1TD5	18 44	94 70	52 59	50 49	21 53				1		İ
		Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	01105	18 44	94 70	52 59	50 49	21 53				-		1
		Is Charge		-	UNCDX	UNCCC		8 98	8 98	8 98	8 98				į		1
E)	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT	EROFI		GNOOD		0.50	0.00	0.50							1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81			1			1
		4-wire 64 kbps Looal Loop in Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		ļ.											Ì		
		Per Mile per month			UNCDX	1L5XX	0 0091										ļ
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LANGEN	LUTTO	40.44	04.70	52.50	50.40	24.52						
		Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	18 44	94 70	52 59	50 49	21 53	-		ļ			
		Is Charge		ŀ	UNCDX	UNCCC		8 98	8 98	898	8 98						1
E	XTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		DIVOCO		0.50	0.50				-				· · · ·
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	TUNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81		• •				
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	281			İ			
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81						
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile			UNC1X	1L5XX	0 1856			ļ							
		First Interoffice Transport - Dedicated - DS1 combination -		1					400 :-		47.05	1		[I	1	
\vdash		Facility Termination per month	-		UNC1X	U1TF1 MQ1	88 44 146 77	174 46	122 46	45 61	17 95	 		 	 	-	
\vdash		Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month		+	UNC1X UNCVX	1D1VG	146 //	101 42 10 07	71 62 7 08	0 00	0 00	-			 		
\vdash		3/1 Channel System in combination per month		 	UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07				 		
 		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00			1		1	
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1		1		155.51			. 30	1 330		 	l	1	1	1	1
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81			L	L	<u> </u>	
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		1										I			
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						1
		Each Additional 2-Wire VG Loop(SL2) in the same DS1											1			1	
\vdash		Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81				-		1
		Each Additional Voice Grade COCI in combination - per month		 	UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00	-			-		1
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1856	l								i	
\vdash		Each Additional DS1 Interoffice Channel Facility Termination in		<u> </u>	DINGIA	ILDAA	V 1000					 	 		-	 	<u> </u>
1 1		same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95					1	1
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	13 76	10 07	7 08		0.00			t		+	

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment, 2	Exh	ıbıt. B
CATEGORY	RATE ELEMENTS	Inter	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Manual Svc	Charge - Manual Svc	1	Charge - Manual Svo
	RATE ELEMENTS	m	Zone	BCS	0500			KA1E5 (3)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electronic- Disc Add'l
			1			Rec	Nonrec			Disconnect				Rates (\$)		
	Nonrecurring Currently Combined Network Elements Switch -As-		-				First	Add'l	Frrst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge		1	UNC1X	UNCCC		8 98	8 98	8 98	0.00						
EXT	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICE TE		MIIX		0.90	0 90	8 98	8 98	ļ					-
	First 4-Wire Analog Voice Grade Local Loop in Combination -	į	T	J. 101 Cit. 117 C/11								-			 	
	Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81					1	
	First 4-Wire Analog Voice Grade Local Loop in Combination -													-		
	Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1 _													
	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						
	Mile Per Month	1		UNC1X	1L5XX	0 1856									1	l
-	First Interoffice Transport - Dedicated - DS1 - Facility		 	ONC IX	123/01	0 1030										-
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95					ŀ	
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62	1							
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0.00						
	3/1 Channel System in combination per month	L	ļ	UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07					1	
	Per each DS1 COCI in combination per month	L	ļ	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00			** *			
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	407.50	20.51	40.70							1
	Additional 4-Wire Analog Voice Grade Loop in same DS1		 '	UNCVA	UEAL4	18 89	127 59	60 54	42 79	2 81						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1	0.1017	- 02/12/	2007	127 55	00 34	42.13	201	 					
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0 1856										1
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month											1				1
	Additional Voice Grade COCI - in combination - per month			UNC1X UNCVX	U1TF1 I	88 44 1 38	174 46 10 07	122 46 7 08	45 61	17 95	<u> </u>					
	Nonrecurring Currently Combined Network Elements Switch -As-			ONCVA	IDIVG	1 30	1007	7 00	0 00	0 00						
	Is Charge	}		UNC1X	UNCCC		8 98	8 98	8 98	8 98				1		l
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	/1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		_1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81		i				ı
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
	Zone 3		3	UNČDX	UDL56	55 99	127 59	60 54	40.70	0.04						ł
	First Interoffice Transport - Dedicated - DS1 combination - Per		-	UNCDX	ODE30	22 88	127 59	50 54	42 79	2 81						
1	Mile Per Month			UNC1X	1L5XX	0 1856										t
	First Interoffice Transport - Dedicated - DS1 - combination				-											
	Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						i
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC3X UNC1X	MQ3	211 19	199 28	118 64	40 34	39 07						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCIX	UC1D1	13 76	10 07	7 08	0.00	0 00						
	Interoffice Transport Combination - Zone 1		1 1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81		-				1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				100200		127 33	00 34	4219	201						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						1
j	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						1
	OCU-DP COC! (data) COCI in combination per month (2 4-64kbs)			LINCDY	IADADD		40.5									
	Each Additional DS1 Interoffice Channel per mile in same 3/1		-	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	Channel System per month			UNC1X	1L5XX	0 1856										1
	Each Additional DS1 Interoffice Channel Facility Termination in		\vdash			0 1000										,
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						ı
	Each Additional DS1 COCI in the same 3/1 channel system													-		
	combination per month			UNC1X_	UC1D1	13 76	10 07	7 08	0 00	0 00						1

UNBUNDLI	ED NETWORK ELEMENTS - Florida		1								10			ment: 2		bit E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring			,		Rates (\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
EVTE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	SEEICE				0 90	0.90	8 98	0.90					-	
EVIE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INIER	JEFICE	I KANSPORT W/ 3/	IMUX		-					-			 	
ŀ	Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	281					İ	ļ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		+	ONOE N	TODES!		12. 00	0001								
1	Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	First Interoffice Transport - Dedicated - DS1 combination - Per				1	[}		i		1
	Mile Per Month		ļ	UNC1X	1L5XX	0 1856									-	
	First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Facility Termination Per Month Per each Channel System 1/0 in combination Per Month	<u> </u>	-	UNC1X	MQ1	146 77	101 42	71 62	45 61	17 95	1		-			·
	Per each OCU-DP COCI (data) in combination - per month (2 4-		┼	UNCIX	IVIQT	140 / /	101 42	7102			+					
	64kbs)		ł	UNCDX	1D1DD	2 10	10 07	7 08	0.00	0 00				1		
	3/1 Channel System in combination per month	 	 	UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	Per each DS1 COCI in combination per month		 	UNC1X	UC1D1	13 76	10 07	7 08	0.00	0.00						
 -	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0.10.11	100.0			 								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	281				l	-	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1								1						l	
1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	281					1	L
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1							i						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81		L				
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System									1		,		1	1	1
	combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00	ļ. <u></u>					
j	Each Additional DS1 Interoffice Channel per mile in same 3/1			l		0.4050	İ					ļ			1	
	Channel System per month			UNC1X	1L5XX	0 1856			-						ļ	-
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95				1]	ļ
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNCIA	UIIFI	00 44	174 40	122 40	45 01	17 93						
]	combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00				Ì	1	!
	Nonrecurring Currently Combined Network Elements Switch -As-		 	DINOTA	GCIDI	10 10	10 01	, 00	0.00	- 000	+					
i	Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98		:			İ	1
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3	/I MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	T	T													
+	Transport - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	281			l			
i	First 2-Wire ISDN Loop in a DS1 Interoffice Combination											1		Į.		1
	Transport - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination									l		i		İ		
	Transport - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2.81	1				-	
	First Interoffice Transport - Dedicated - DS1 combination - Per		1	UNC1X	1L5XX	0 1856							l .	1		
	Mile per month First Interoffice Transport - Dedicated - DS1 combination -	 	+	UNCIX	ILSAA	0 1636			 					+		
	Facility Termination per month		1	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95			1		I	
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146 77	101 42	71 62			1					
	The state of the s	\vdash	†	1	1 - 1					i			1			
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0 00				<u> </u>		
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64		39 07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport								I	l .		1	1	1	1	
	Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81				1	ļ	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						407 =0	20.22	40.70							
	Combination - Zone 2	-	2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81	-		 	-	ļ	-
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81			1		1	
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		+ -	ONCINA	31121	40 02	121 59	00 00	42 /9	261	+		 	 		
	production at the local cool (DMTE) it salle to clidifie	1	1	UNCNX	UC1CA	3 66	10 07	7 08	0.00	0.00	1	1		ł	1	1

NRANDLE	D NETWORK ELEMENTS - Florida													ment. 2		ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic-	Charge
									T- 1						Disc 1st	DISC Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1	-	-	ļ <u> </u>			FIFSt	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SOWAN
	Channel System per month	İ	1	UNC1X	1L5XX	0 1856				İ			1		ĺ	
-	Each Additional DS1 Interoffice Channel Facility Termination in	-	┼	UNCIX	ILJAA	0 1030										
1	same 3/1 Channel System per month	ł	1	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Each Additional DS1 COCI in the same 3/1 channel system		 	0.10.01	3				1						_	
	combination per month		1	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00			1			
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1			UNC1X	USLXX	70 74	217 75	121 62		14 45						
	First 4-wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	100 54	217 75	121 62		14 45						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45					ļ	
	First Interoffice Transport - Dedicated - DS1 combination - Per			İ			i			!					Ì	
	Mile Per Month	<u> </u>	1	UNC1X	1L5XX	0 1856			ļ	ļ		<u> </u>	ļ			₩
1	First Interoffice Transport - Dedicated - DS1 combination -	l					,						1		l	1
	Facility Termination Per Month	—		UNC1X	U1TF1	88 44 211 19	174 46 199 28	122 46 118 64	45 61 40 34	17 95 39 07			 	ļ	 	
	3/1 Channel System in combination per month			UNC3X	MQ3	13 76	199 28	7 08	0 00	0 00						
	Per each DS1 COCI combination per month		-	UNC1X	UC1D1	13 /6	10 07	7 08	0.00	0.00	}				-	
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0 1856									ł	
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	-	+	DINCIA	ILSAA	0 1030					1					+
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
_	Each Additional DS1 COCI in the same 3/1 channel system			IONGIA	101111	00 44	174 40	122 40	4301	17.33						
	combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
-	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNUIX	00,01	10.0	10.01						-			
	1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1													
1	2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone								1	ĺ						
	3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	Nonrecurring Currently Combined Network Elements Switch -As-						- 1		1				İ		İ	
	Is Charge		L	UNC1X	UNCCC		8 98	8 98	8 98	8 98						
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO									ļ					
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81					ļ	₩
	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81					<u> </u>	+
_	First 4-wire 56 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
	First 4-wiree 56 kbps interoffice Transport - Dedicated - Per Mile per month	l		UNCDX	1L5XX	0 0091	1]	1					l	1
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		\vdash	ONCDA	ILOAA	0.0091				l			 	 	<u> </u>	
	Termination per month			UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-		 	UNODA	01100	10 44	37.70	02 00	00 10	2100	•					
	Is Charge		ļ	UNCDX	UNCCC	1	8 98	8 98	8 98	8 98		ì				
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE		0.1000											-
- LATE	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL64	22 20	127 59	60 54	42 79	281						
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		1	-												
	per month			UNCDX	1L5XX	0 0091										<u> </u>
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month		1	UNCDX	U1TD6	18 44	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-	ł		1		I	_	_				İ		1		1
	Is Charge	Ļ	<u> </u>	UNCDX	UNCCC		8 98	8 98	8 98	8 98			ļ			+
	NETWORK ELEMENTS	<u> </u>	<u></u>	1	- Curtab 1				ļ					ļ		
	used as a part of a currently combined facility, the non-recurr								+			1	ļ			+
	used as ordinantly combined network elements in All States, th					AS IS Unarge o	ives not.		-	-		 				+
Nonre	curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	Charge	(Une	applies to each c	ombination)				 	 			-			
		1	1	1	1 1				1	I	1	1		1	1	1

UNBUN	OLE	NETWORK ELEMENTS - Florida													ment: 2		bit B
CATEGOF	₹Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonre		Nonrecurring					Rates (\$)		
				ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- is Charge - 56/64 kbps			UNCDX	UNCCC		8 98	8 98	8 98	8 98						
		Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS1			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3			UNC3X	UNCCC		8 98	8 98	8 98	8 98						
		Nonrecurring Currently Combined Network Elements Switch -As- is Charge - STS1			UNCSX	UNCCC		8 98	8 98	8 98	8 98						
Oi	otion	al Features & Functions:		-	CHOCK	10.1000			0,00	0.00							
	_				U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	!	-	ULDD1,UNC1X U1TD1,	CCOEF		01	01	01	01	-					
ļ		Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF	}	OI .	01	OI	01				l		
		Clear Channel Capability (SF/ESF) Option - Subsequent	,		ULDD1, U1TD1,	NRCCC		184 92S	23 825	2 078	0.85						
		Activity - per DS1	- 1	-	UNC1X, USL U1TD3, ULDD3,	NRCCC		184 925	23 825	20/5	0.65					-	
.		C-bit Panty Option - Subsequent Activity - per DS3	1		UE3, UNC3X	NRCC3		219 098	7 67S	0 773S	os						
М	ULTII	PLEXERS						_									
		DS1 to DS0 Channel System per month		1	UNC1X	MQ1	146 77	101 42	71 62						ļ	-	
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1D0	2 10	10 07	7 08					ł	1		
		month (2 4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	 	1	ODL	טטוטו	2 10	10 07	7 00								
		month (2 4-64kbs) used for connection to a channelized DS1]								
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2 10	10 07	7 08	0 00	0 00	ļ					
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	3 66	10 07	7 08								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	·	 													
		month used for connection to a channelized DS1 Local Channel			LATE D	luovo.	2.00	40.07	7 08	0.00	0.00		ĺ				
-		in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month		 	U1TUB	UC1CA	3 66	10 07	7.08	0.00	0.00	Ì					1
		used for a Local Loop		l	UEA	1D1VG	1 38	10 07	7 08								ļ
		Voice Grade COCI - DS1 to DS0 Channel System - per month										1					
		used for connection to a channelized DS1 Local Channel in the	1	1		154140	4.00	40.07	7.00		0.00	ļ		į			
		same SWC as collocation DS3 to DS1 Channel System per month	-	₩	U1TUC UNC3X	1D1VG MQ3	1 38 211 19	10 07 199 28	7 08 118 64	0 00 40 34	0 00 39 07			-			
		STS-1 to DS1 Channel System per month		┼	UNXCS	MQ3	211 19	199 28	118 64	40 34	39 07	· · · · · · · · · · · · · · · · · · ·		1			
-		DS1 COCI used with Loop per month			USL	UC1D1	13 76	10 07	7 08								
		DS1 COCI (used for connection to a channelized DS1 Local											•				
		Channel in the same SWC as collocation) per month	ļ	<u> </u>	U1TUA	UC1D1	13 76	10 07	7 08	0 00	0 00				<u> </u>	ļ	
		DS1 COCI used with Interoffice Channel per month		 	U1TD1	UC1D1	13 76	10 07	7 08	0 00	0 00	ļ	-	-	ļ	1	
		DS3 Interface Unit (DS1 COCI) used with Local Channel per			ULDD1	UC1D1	13 76	10 07	7 08	0 00	0 00		1			1	
UNBUNDI	LED L	OCAL EXCHANGE SWITCHING(PORTS)		+	OCDD !	100101		10.07									
E	xchar	ige Ports		1	·								l				
N ¹	OTE.	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, 1	he desired features	will need to b	e ordered usi	ng retail USOC	s						ļ		
2-	WIRE	VOICE GRADE LINE PORT RATES (RES)		ļ						4.00	100	1.			-		
		Exchange Ports - 2-Wire Analog Line Port- Res		-	UEPSR	UEPRL	1 40	3 74	3 63	1 88	1 80				-	ļ	
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 40	3 74	3 63	1 88	1 80						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 40	3 74	3 63	1 88	1 80		<u> </u>				
		Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res			UEPSR	UEPAF	1 40	3 74	3 63	1 88	1 80						
		Exchange Ports - 2-Wire VG unbundled Florida Residence Area		1													
		Calling Plan, without Caller ID capability			UEPSR	UEPA9	1 40	3 74	3 63	1 88	1 80	1.		1	+		-
		Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1 40	3 74	3 63	1 88	1 80	ļ					
1		Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1 40	3 74	3 63	1 88	1 80						

BUNDLED NETWORK ELEMENTS - I	Toriua		T	,									ment: 2		bit B
				1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
i										Submitted	Submitted	Charge -	Charge -	Charge -	Charge
1	1	1		1 1						Elec		Manual Svc		Manual Svc	Manual S
EGORY RATE ELE	MENTS	Zone	BCS	usoc			RATES (\$)			1		l	1	1	1
LOOK!	m m	20116	000	0000			104120 (4)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
			1	1 1								Electronic-	Electronic-	Electronic-	Electronic
		ļ.		1								1st	Add'l	Disc 1st	Disc Add'
		ł		1						1				0.30 .50	Disc Add
						Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates (\$)		
		1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Exchange Ports - 2-Wire VG unbu	adiad ree low usage line ned	+		1		11131	Addi		Addi	COMEC	COMAN	GOMAN	JOHIAN	JOHAN	SOMAN
	ndled les, low usage line port			1		1								l	
with Caller ID (LUM)			UEPSR	UEPAP	1 40	3 74	3 63	1 88	1 80						
2-Wire voice unbundled Low Usag	e Line Port without Caller ID	1			ŀ										
Capability			UEPSR	UEPRT	1 40	3 74	3 63	1 88	1 80					ì	
Subsequent Activity			UEPSR	USASC	0 00	0 00	0.00						† · · · · · · · · · · · · · · · · · · ·		
FEATURES		+	OLI OIL	00/100	000	0.00	. 000						 	ļ	-
			1											<u> </u>	ļ
All Available Vertical Features			UEPSR	UEPVF	2 26	0.00	0 00								
2-WIRE VOICE GRADE LINE PORT RAT			1												
Exchange Ports - 2-Wire Analog L	ine Port without Caller ID -	T							i					1	
Bus			UEPSB	UEPBL	1 40	3 74	3 63	1 88	1 80					ł	
Exchange Ports - 2-Wire VG unbu	ndlad Line Port with	+-	02100	J., J.	140	374	3 03	100	1 00	-		—	 	 	
		1	LIEBOR		1						1	l			
unbundled port with Caller+E484	D - Bus	\bot	UEPSB	UEPBC	1 40	3 74	3 63	1 88	1 80	L					
Exchange Ports - 2-Wire Analog L	ine Port outgoing only - Bus	1	UEPSB	UEPBO	1 40	3 74	3 63	1 88	1 80	1		l	1	1	1
Exhange Ports - 2-Wire VG unbur		+	+	+		5,14	2 00	. 00	. 00				 	 	
Caller ID - Bus	a.ca mooning only port with	1	HEDED	UEPB1			2.00	4	4.00	1	1	l	1	1	1
		+	UEPSB	OF581	1 40	3 74	3 63	1 88	1 80				ļ		ļ
2-Wire voice unbundled Incoming	Only Port without Caller ID														
Capability			UEPSB	UEPBE	1 40	3 74	3 63	1 88	1 80						
Subsequent Activity			UEPSB	USASC	0.00	0 00	0 00						 	 	
FEATURES			CEI GE	COADO	0 00	0 00	0 00						 	 	
														<u> </u>	ļ
All Available Vertical Features			UEPSB	UEPVF_	2 26	0 00	0.00								
EXCHANGE PORT RATES (DID & PBX)															
2-Wire VG Unbundled 2-Way PB)	Trunk - Res	1	UEPSE	UEPRD	1 40	39 06	18 18	12 35	0.7187					l	
2-Wire VG Line Side Unbundled 2			UEPSP	UEPPC	1 40	39 06	18 18	12 35	0 7187						
															-
2-Wire VG Line Side Unbundled (UEPSP	UEPPO	1 40	39 06	18 18	12 35	0 7187						
2-Wire VG Line Side Unbundled I	ncoming PBX Trunk - Bus		UEPSP	UEPP1	1 40	39 06	18 18	12 35	0 7187					i .	
2-Wire Analog Long Distance Terr	ninal PBX Trunk - Bus		UEPSP	UEPLD	1 40	39 06	18 18	12 35	0.7187					l	
2-Wire Voice Unbundled PBX LD			UEPSP	UEPLD	1 40	39 06	18 18	12 35	0 7187					 	
				UEPXA	1 40				0 7 187				-		
2-Wire Vice Unbundled 2-Way PB			UEPSP			39 06	18 18	12 35						ļ	ļ
2-Wire Voice Unbundled PBX Toll			UEPSP	UEPXB	1 40	39 06	18 18	12 35	0 7187						L
2-Wire Voice Unbundled PBX LD	DDD Terminals Port		UEPSP	UEPXC	1 40	39 06	18 18	12 35	0 7187						
2-Wire Voice Unbundled PBX LD	Terminal Switchboard Port		UEPSP	UEPXD	1 40	39 06	18 18	12 35	0 7187						
2-Wire Voice Unbundled PBX LD		1 -	02. 0.	OLI NO		00 00	10 10	12 00	0 7 101						
	reminal switchboard IDD	1	1	l						1					1
Capable Port			UEPSP	UEPXE	1 40	39 06	18 18	12 35	0 7187						
2-Wire Voice Unbundled 2-Way P	BX Hotel/Hospital Economy		l.									1	ł		1
Administrative Calling Port	,		UEPSP	UEPXL	1 40	39 06	18 18	12 35	0 7187	1	1	1	1	1	1
2-Wire Voice Unbundled 2-Way P	BY Hotel/Hospital Economy		 	T		-1.00		1		 					1
	DATIOICA IOSPITAL ECONOMY		UEPSP	UEPXM		20.00	40.40	12 35	0 7187			I			I
Room Calling Port		+	UEPSP	DEPAM	1 40	39 06	18 18	12 35	0 / 18/	-		ļ	-		+
2-Wire Voice Unbundled 1-Way C	utgoing PBX Hotel/Hospital					!		ļ	I					1	I
Discount Room Calling Port			UEPSP	UEPXO	1 40	39 06	18 18	12 35	0 7187						L
2-Wire Voice Unbundled 1-Way C	utgoing PBX Measured Port		UEPSP	UEPXS	1 40	39 06	18 18	12 35	0 7187						
Subsequent Activity		-	UEPSP	USASC	0 00	0 00	0.00				i		1	· · · · ·	<u> </u>
FEATURES			100.01	00000	000	0.00	V 00				 		 		
								ļ		1	ļ	ļ		 	-
All Available Vertical Features			UEPSP UEPSE	UEPVF	2 26	0.00	0 00								
EXCHANGE PORT RATES (COIN)															
Exchange Ports - Coin Port		1			1 40	3 74	3 63	1 88	1.80	.			1		1
NOTE: Transmission/usage charges as	sociated with POTS circuit switcher	d uea~	uull alen anniv to c	rout ewitchs						sted with 3	WITE ISOM	norte	 		<u> </u>
														1	1
NOTE: Access to B Channel or D Chan		aple on	y inrough BFR/New	pusiness Re	quest Process.	Rates for the	packet capabi	inies will be de	remined via 1	ne Bona Fig	e kequest/	New Busines	s request Pro	pcess.	
UNDLED LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>						<u> </u>		l	L	L		<u> </u>
EXCHANGE PORT RATES									1					1	
The DS1 Port rates below for 4-Wire DD	ITS Trunk Port and 4-Wire ISDN Por	rt in the	s rate exhibit anniu t	o the embed	led base in pla	ce as of 10/2/0	3 until A/1/0A	After 4/1/04 th.	ese rates chall	revert to to	off rates or	a separate en	reement	1	1
											rates of	r scharars af	I	+	1
Requests for 4-Wire DDITS Trunk Ports	with 4-wire ISDN DS1 Ports after th	те ещес	tive date of this ame								ļ		 	+	-
Exchange Ports - 2-Wire DID Por		\bot	UEPEX	UEPP2	8 73	78 41	15 82	41 94	4 26						
Exchange Ports - DDITS Port - 4-	Vire DS1 Port with DID														
capability (E 4/1/2004)		1	UEPDD	UEPDD	54 95	151 11	77 75	48 81	3 10	Į.]	1	
Exchange Ports - 2-Wire ISDN Po	d (See Notes below)		UEPTX, UEPSX	U1PMA	8 83			27 64	11 93			 	 		
	((See NOTES DE!OW)					46 83	50 68	21 64	1193	1	ļ	ļ	 	-	+
All Features Offered			UEPTX, UEPSX	UEPVF	2 26	0 00	0 00			<u> </u>				L	
	ct Channel Brofiles		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00		I	1		1	1		
Exchange Ports - 2-Wire ISDN Po	Charklet Flollies	- 1													

1DUINDL	ED NETWORK ELEMENTS - Florida			· · · · · · · · · · · · · · · · · · ·	7						Cun Oud	Sun Ord	Attach			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec			g Disconnect		' 		Rates (\$)		
HOTE	F. Access to B.Channel and Barbara and barbara			At an and DEDAN	D		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMA
	E: Access to B Channel or D Channel Packet capabilities will be HANGE PORT RATES (continued)	avanar	ole oni	y through BFR/New	Business Re	quest Process	Rates for the	раскет саравн	ities will be d	etermined via	ne Bona Fit	ie Kequest/	New Business	Request Pro	cess	
- LXOI	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		1		1											
	Locator Capability (E 4/1/2004)	ŀ	l	UEPEX	UEPEX	82 74	174 61	95 17	49 80	18 23		1				
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)		1	UEPDX	UEPDX	82 74	174 61	95 17	49 80	18 23						
	Physical Collocation - DS1 Cross-Connects		İ	UEPEX UEPDX	PE1P1	1 32	27 77	15 52	5 93	4 77						
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	7 50	155 00	14 00								
Detai	led E911 with Locator Capability (required with UEPEX port)	ļ	L													
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		l]
	Locator Capability - Initial Profile Establishment per CLEC per State	i		UEPEX	UEP1A	0 00	1,809 00		151 12							}
-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<u> </u>		UEFEX	OEF IA	0 00	1,809 00		131 12	 	 				-	
	Locator Capability - Subsequent Profile Changes, Additions,	1	ł									i				
	Deletions	l	ļ	UEPEX	UEP1B	0 00	175 66									İ
New	or Additional PRI Telephone Numbers		†								1					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				-		**									
	Locator Capability 2-way Telephone Numbers, per number in		İ		1						1					
	E911 profile [New or Additional]			UEPEX	UEP1C	0 0699	0 5412				1					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	ł					Ì									
- 1	Locator Capability - Outdial Telephone Numbers, per number in			l	1											
	E911 profile [New or Additional]		⊢	UEPEX	UEP1D	0 0699	12 71	12 71			ļ					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			}						Ì						
1	Telephone Numbers - Inward Data Only Option [New or Additional]			UEPDX	UEP1E	0 00	0 5412			1						
_	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			UEPDX	UEFIE	0.00	0 3412				1			 		
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0 00	25 42	25 42								
LOCA	AL NUMBER PORTABILITY		†	OLI LA	11021	- 0 00	20,12				 					
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1 75				1	 					·
INTE	RFACE (Provisioning Only)															
	Voice/Data			UEPEX	PR71V	0 00	0 00	0.00								
	Digital Data			UEPEX	PR71D	0 00	0 00	0 00								
	Inward Data			UEPDX	PR71E	0 00	0 00	0 00								
New	or Additional Channel			LIEBEY	DOZD\/	0 00	45.40									
_	New or Additional - Voice/Data 'B" Channel New or Additional - Digital Data "B" Channel		-	UEPEX UEPEX	PR7BV PR7BF	0 00	15 48 15 48				-					
	New or Additional Inward Data "B" Channel		-	UEPDX	PR7BD	0 00	15 48			1		<u> </u>				
1	New or Additional Useage Sensitive Voice Data "B" Channel	1	<u> </u>	UEPEX	PR7BS	0 00	1340									
	New or Additional Useage Sensitive Digital Data "B" Channel	t	\vdash	UEPEX	PR7BU	0 00						l				
	New or Additional PRI "D" Channel	t	t	UEPEX	PR7EX	0 00	15 48						1			
CALI	L TYPES	<u></u>														
	Inward			UEPEX UEPDX	PR7C1	0 00	0 00	0.00								
	Outward			UEPEX	PR7CO	0.00	0 00	0 00								
	Two-way			UEPEX	PR7CC	0 00	0 00	0 00								
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBI	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-	LIEBI (C	115010	1.10	0.74	2.02		1.00	ļ					
_	Unbundled Remote Call Forwarding Service, Area Calling, Res		├	UEPVR	UERAC	1 40	3 74	3 63	1 88	1 80						
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 40	3 74	3 63	1 88	1 80		1		i		!
1	Unbundled Remote Call Forwarding Service, InterLATA - Res		 	UEPVR	UERTE	1 40	3 74	3 63	1 88	1 80	 		 			-
	Unbundled Remote Call Forwarding Service, IntelEATA - Res	1	<u> </u>	UEPVR	UERTR	1 40	374	3 63	1 88	1 80						
Non-	Recurring			1 = 111		. 10	-,,			1			1			
	Unbundled Remote Call Forwarding Service - Conversion -	1		İ	1					1						1 .
	Switch-as-is			UEPVR	USAC2		0 102	0 102				L				
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)		<u> </u>	UEPVR	USACC		0 102	0 102							ļ	
UNB	UNDLED REMOTE CALL FORWARDING - Bus	ļ	<u> </u>							ļ. ——-			-			
1	I .	1	1	UEPVB	1					1		1	1	1	1	1

NBUNDLED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
TEGORY RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge -	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Incremen Charge
	1				Rec	Nonrec			g Disconnect				Rates (\$)		
	1	-				First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Unbundled Remote Call Forwarding Service, Local Calling - Bus	.1	1	UEPVB	UERLC	1 40		0.00								
Unbundled Remote Call Forwarding Service, Local Calling - Bus	5		UEPVB	UERTE	1 40	3 74	3 63	1 88	1 80						
Unbundled Remote Call Forwarding Service, IntraLATA - Bus	+	1	UEPVB	UERTR	1 40	3 74	3 63 3 63	1 88	1 80						
Unbundled Remote Call Forwarding Service, IntlaEATA - Bus	+	1	OCF VB	- OEKIK	1 40	3 /4	3 63	1 88	1 80						
Exception Local Calling	1	1	UEPVB	UERVJ	1 40	3 74	3 63	1 88	1 80						
Non-Recurring	+	-	JOE! VD	GEITVS	1 40	374	. 3 63	1 00	1 60	 					
Unbundled Remote Call Forwarding Service - Conversion -	1	!	<u>†</u>	 	+					 					
Switch-as-is		1	UEPVB	USAC2		0 102	0 102				i l				ŀ
Unbundled Remote Call Forwarding Service - Conversion with	+	1		1001102		3 102	0 102								
allowed change (PIC and LPIC)	1	1	UEPVB	USACC		0 102	0 102				1				ł
BUNDLED LOCAL SWITCHING, PORT USAGE	1	1					0.02		 						
End Office Switching (Port Usage)	1	1				•									
End Office Switching Function, Per MOU				-	0 0007662				1			-			
End Office Trunk Port - Shared, Per MOU	1	1	1		0.0007664				l						-
Tandem Switching (Port Usage) (Local or Access Tandem)	1	1			2.505.04				t						
Tandem Switching Function Per MOU	1	1			0 0001319				-						-
Tandem Trunk Port - Shared Per MOU	1	 			0 000235										-
Tandem Switching Function Per MOU (Melded)	+			+	0.000027185										
Tandem Trunk Port - Shared, Per MOU (Melded)	-	1			0 000048434										ļ
Melded Factor 20 61% of the Tandem Rate	1	-			0 000040434										
Common Transport	 	+		+											
Common Transport - Per Mile, Per MOU		 			0 0000035										-
Common Transport - Facilities Termination Per MOU	+	1			0.0004372										
BUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES	† 	_			0 000 10.12										
Cost Based Rates are applied where BellSouth is required by FCC a	nd/or S	ate Co	mmission rule to r	vrovide Hobiro	dled Local Swit	ching or Swite	h Porte			 					
Features shall apply to the Unbundled Port/Loop Combination - Co.								d Port section	of this Pata E	yhihit					
End Office and Tandem Switching Usage and Common Transport U	sage rat	es in t	he Port section of	this rate exhib	it shall apply to	all combination	ns of loon/no	rt network eler	ments except	or UNE Coi	n Port/I con	Combination			
The first and additional Port nonrecurring charges apply to Not Cur	rently C	ombin	ed Combos, For Ci	rrently Comb	ined Combos th	e nonrecurring	n charnes shal	l he those ide	ntified in the N	OD COUL COL	- Currently	Combined se	ctione		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1	1		1	1		g Dilarged Sila		T T T T T T T T T T T T T T T T T T T	l	- Garrenny	Combined 30	cuons.		
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			10 94										
2-Wire VG Loop/Port Combo - Zone 2		2			15 05				-						
2-Wire VG Loop/Port Combo - Zone 3		3		_	25 80				•					-	
UNE Loop Rates	+	+ -	•		25 00										
2-Wire Voice Grade Loop (SL1) - Zone 1	+	1-	UEPRX	UEPLX	9 77										
2-Wire Voice Grade Loop (SL1) - Zone 2	+	2	UEPRX	UEPLX	13 88						-				
2-Wire Voice Grade Loop (SL1) - Zone 3	+	3	UEPRX	UEPLX	24 63			-						-	ļ
2-Wire Voice Grade Line Port Rates (Res)	+	+ -	OLI IX	- JULIELA	24 03										
2-Wire voice unbundled port - residence	+	 	UEPRX	UEPRL	1 17	53 31	26 46	27 50	8 37						
		 	UEPRX	UEPRC	1 17	53 31	26 46	27 50	8 37						
2-Wire voice unbundled port with Caller ID - res					1 1//		20 46								
2-Wire voice unbundled port with Caller ID - res	1	 	HEDDY	UEDDO											
2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 17	53 31	26 46	27 50	0.01						
2-Wire voice unbundled port outgoing only - res					1 17	53 31	26 46	·							
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF				27 50	8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAF	1 17	53 31 53 31	26 46 26 46	27 50	8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAF	1 17 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46	27 50 27 50	8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID			UEPRX	UEPAF	1 17	53 31 53 31	26 46 26 46	27 50	8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without			UEPRX UEPRX UEPRX	UEPAP UEPA1	1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability			UEPRX	UEPAF	1 17 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46	27 50 27 50	8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller			UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAP UEPA1 UEPA8	1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability			UEPRX UEPRX UEPRX	UEPAP UEPA1	1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPAP UEPA1 UEPA8 UEPA9	1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAP UEPA1 UEPA8	1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPA1 UEPA8 UEPA9 UEPRT	1 17 1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPAP UEPA1 UEPA8 UEPA9	1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered LOCAL NUMBER PORTABILITY			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPA1 UEPA8 UEPA9 UEPA9 UEPYF	1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37						
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID 2-pability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPA1 UEPA8 UEPA9 UEPRT	1 17 1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37						

UNBUNDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit [.] B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			.			Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-as-is		ł	UEPRX	USAC2		0 102	0 102							1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-	UEPRA	USACZ		0 102	0 102								
	Switch with change			UEPRX	USACC	ľ	0 102	0 102	ſ						1	
	NAL NRCs			OLITIKA	03,400		0 102	0 102	<u> </u>							
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		 				-									
	Activity		l	UEPRX	USAS2	0 00	0 00	0 00							į	
	Inbundled Miscellaneous Rate Element, Tag Loop at End User		-	DEFTON	OUAGE	0 00	0 00	0.00							l	
	Premise		l	UEPRX	URETL		8 33	0 83			Į.				Ì	
	PREMISES EXTENSION CHANNELS			OLI TOX	ONLIL		0 00				<u> </u>					
	Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	10 69	49 57	22 83	25 62	6 57	1					
	Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	15 20	49 57	22 83	25 62	6 57						
	Wire Analog Voice Grade Extension Loop - Non-Design		3	ÜEPRX	UEAEN	26 97	49 57	22 83	25 62	6 57						t
	Wire Analog Voice Grade Extension Loop - Design		1	UEPRX	UEAED	12 24	135 75	82 47	63 53	12 01						-
	Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17 40	135 75	82 47	63 53	12 01						
	Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30 87	135 75	82 47	63 53	12 01						
	FFICE TRANSPORT				100000			02	00.00				-			-
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1 1						·					
	[ermination			UEPRX	U1TV2	25 32	47 35	31 78								
- Ir	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					20 02	- 1, 00									
	or Fraction Mile			UEPRX	U1TVM	0 0091	0 00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				- 011111	0.0001										-
	1/Loop Combination Rates		-		 						 					
	2-Wire VG Loop/Port Combo - Zone 1		1		1	10 94					<u> </u>	l				
	2-Wire VG Loop/Port Combo - Zone 2		2		<u> </u>	15 05										
	2-Wire VG Loop/Port Combo - Zone 3		3		-	25 80					1					
UNE Loo			Ť	-			-				1					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9 77			-							
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13 88					 					
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24 63										
	oice Grade Line Port (Bus)		Ť	JOE, DX	- 02.7 2.1	2100										
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 17	53 31	26 46	27 50	8 37	1					
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 17	53 31	26 46	27 50	8 37	 					
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 17	53 31	26 46	27 50	8 37	1					
	2-Wire voice unbundled incoming only port with Caller ID - Bus		\vdash	UEPBX	UEPB1	1 17	53 31	26 46	27 50	8 37	1					
	2-Wire voice unbundled Incoming Only Port without Caller ID				152.2			20 10	2,7 500		 					
	Capability			UEPBX	UEPBE	1 17	53 31	26 46	27 50	8 37						
	NUMBER PORTABILITY				102.02		55 51	20 10	2,00		 -					
	ocal Number Portability (1 per port)			UEPBX	LNPCX	0.35				***************************************	····					
FEATUR																
A	VI Features Offered			UEPBX	UEPVF	2 26	0.00	0.00			· · · · · · · · · · · · · · · · · · ·					
NONREC	CURRING CHARGES (NRCs) - CURRENTLY COMBINED												-			
	-Wire Voice Grade Loop / Line Port Combination - Conversion -			•												
	Switch-as-is		ļ.	UEPBX	USAC2		0 102	0 102				i l		'		l
2	-Wire Voice Grade Loop / Line Port Combination - Conversion -										<u> </u>					
s	Switch with change			UEPBX	USACC		0 102	0 102	[[1
ADDITIO	NAL NRCs															
2	-Wire Voice Grade Loop/Line Port Combination - Subsequent															
A	Activity			UEPBX	USAS2		0 00	0.00	1			i l				ĺ
	Inbundled Miscellaneous Rate Element, Tag Loop at End User										t					
	Premise			UEPBX	URETL	1	8 33	0.83						'		1
	PREMISES EXTENSION CHANNELS				11111111						ľ					
	Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10 69	49 57	22 83	25 62	6 57	T					
	Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15 20	49 57	22 83	25 62	6 57						
2	Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26 97	49 57	22 83	25 62	6 57	İ					
2	Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12 24	135 75	82 47	63 53	12 01						
2	Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17 40	135 75	82 47	63 53	12 01					-	
2	Wire Analog Voice Grade Extension Loop - Design		3	UEPBX	UEAED	30 87	135 75	82 47	63 53	12 01						
INTEROS	FICE TRANSPORT			t		55 51	.5575	V. 47	00 00		 					

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment. 2	Exhi	ıbıt: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
		 	-	+		Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-		UEPBX	U1TV2	25 32	47 35	31 78			-					
	or Fraction Mile			UEPBX	U1TVM	0 0091	0 00	0 00			1					
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates		<u> </u>													
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	1 2			10 94										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3			15 05 25 80						l				
LINE	Loop Rates	 	3	1.		25 60		· · · · · · · · · · · · · · · · · · ·				ļ				
5.4 C	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9 77				 	 	ļ				-
	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEPRG	UEPLX	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24 63										
2-Wi	re Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1									-					
	Res		<u> </u>	UEPRG	UEPRD	1 17	174 81	100 65	75 88	12 73						
LOCA	AL NUMBER PORTABILITY			LIEBBC	LNPCP	2.45	0.00	0.00								ļ
FFΔ	Local Number Portability (1 per port) TURES		-	UEPRG	LNPCP	3 15	0 00	0 00								
1.50	All Features Offered		-	UEPRG	UEPVF	2 26	0 00	0 00			-	-				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			DEFINO	102. 1		0 00	0 00								
i	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		†								T					
	Conversion - Switch-As-ls			UEPRG	USAC2		8 45	1 91								[
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		8 45	1 91								
ADD	ITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0 00	0 00	0 00								ĺ
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			ULF ING	USAGZ	0.00	0.00	0.00								
	Group					1	7 86	7 86								1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															T
	Premise			UEPRG	URETL	i	8 33	0 83								
OFF/	ON PREMISES EXTENSION CHANNELS		L													
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12 24	135 75	82 47	63 53	12 01	ļ					ļ
	Local Channel Voice grade, per termination			UEPRG	P2JHX	17 40	135 75	82 47	63 53	12 01						-
	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade		3	UEPRG UEPRG	P2JHX SDD2X	30 87 12 92	135 75 120 38	82 47 43 56	63 53 95 00	12 01 10 54						-
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18 36	120 38	43 56	95 00	10 54						
1	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	32 58	120 38	43 56	95 00	10 54					· · · · · · · · · · · · · · · · · · ·	
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	25 32	47 35	31 78								<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															l .
2 14/17	or Fraction Mile		_	UEPRG	U1TVM	0 0091	0 00	0 00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates															
ONE	2-Wire VG Loop/Port Combo - Zone 1		1	-	++	10 94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15 05					<u> </u>					
	2-Wire VG Loop/Port Combo - Zone 3		3			25 80					1					
UNE	Loop Rates												· · · · · ·			
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UÉPPX	UEPLX	13 88										
2 141	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24 63					ļ					
2-9911	e Voice Grade Line Port Rates (BUS - PBX)		 -	-	_			_			1					
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1 17	174 81	100 65	75 88	12 73	1					1
	Line Side Unbundled Outward PBX Trunk Port - Bus		 	UEPPX	UEPPO	1 17	174 81	100 65	75 88	12 73			-			
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 17	174 81	100 65	75 88	12 73		-				
	2-Wire Voice Unbundled PBX LD Terminal Ports		l	UEPPX	UEPLD	1 17	174 81	100 65	75 88	12 73						

MRUNDLE	D NETWORK ELEMENTS - Florida		r									A A .		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		ļ	UEPPX	UEPXA	1 17	174 81	100 65	75 88	12 73						<u> </u>
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 17	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		<u> </u>	UEPPX	UEPXC UEPXD	1 17 1 17	174 81	100 65	75 88	12 73						
_	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		-	UEPPX	DEPAU	1 17	174 81	100 65	75 88	12 73	-			1	-	
	Capable Port			UEPPX	UEPXE	1 17	174.04	100 65	75.00	40.70	1			i		
+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	DEPAE	1 17	174 81	100 65	75 88	12 73						
	Administrative Calling Port		l	UEPPX	UEPXL	1 17	174 81	100 65	75 88	12 73						
_	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	UEPPA	DEPAL	1 17	1/4 6)	100 65	75.66	12/3	 			 		
	Room Calling Port		ŀ	UEPPX	UEPXM	1 17	174 81	100 65	75 88	12 73	ł					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		 	UEFFA	DEFAIN	' ' '	17401	100 65	73 00	12 / 3	i					
	Discount Room Calling Port			UEPPX	UEPXO	1 17	174 81	100 65	75 88	12 73					ł	
_	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPPX	UEPXS	1 17	174 81	100 65	75 88	12 73	 					
LOCAL	NUMBER PORTABILITY		├	OLFFA	ULFAS	, ,,	17401	100 03	73 00	12 / 3						
LOCAL	Local Number Portability (1 per port)		-	UEPPX	LNPCP	3 15	0.00	0 00						+		
FEATU			-	OLFFA.	LINEOF	3 13	0.00							· · · · · · · · · · · · · · · · · · ·		
	All Features Offered		+	UEPPX	UEPVF	2 26	0 00	0 00	·		<u> </u>			 		
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	OLI 7 X		2 20										
HONK	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			-					-		 					
	Conversion - Switch-As-Is			UEPPX	USAC2		8 45	1 91	})	
+	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEFFA	USACZ		043	191								
	Conversion - Switch with Change			UEPPX	USACC	:	8 45	1 91								
ADDITI	IONAL NRCs			UEFFA	USACC		0 43	1 31								
AUDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-								···					<u> </u>
	Subsequent Activity			UEPPX	USAS2	0.00	0 00	0 00							1	l
_	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLFFA.	USAGE	. 000	0.00	0 00						 		·
	Group			1			7 86	7 86								1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						- 7 00	7 00			1	 		 		
	Premise			UEPPX	URETL		8 33	0 83								
OFF/OI	N PREMISES EXTENSION CHANNELS		_	OLFFX	OKCIE		0 03	0.03				<u> </u>		1		
011701	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12 24	135 75	82 47	63 53	12 01						
+	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17 40	135 75	82 47	63 53	12 01					 	
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	30 87	135 75	82 47	63 53	12 01						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12 92	120 38	43 56	95 00	10 54				 		
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18 36	120 38	43 56	95 00	10 54	 					
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32 58	120 38	43 56	95 00	10 54	<u> </u>			·		
INTER	OFFICE TRANSPORT		۱Ť	OLI I A	ODD2A	52.50	120 00		33.00	10 04	ļ					
III LIX	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		-								1				 	
	Termination			UEPPX	U1TV2	25 32	47 35	31 78			l	1		1		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		<u> </u>	OLI I X	011172	20 02	47 03	0110								
	or Fraction Mile			UEPPX	U1TVM	0 0091	0 00	0 00]			1		
2.WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	т	1	OCT T X	10111111	0 0001	000	0 00			†			 		
	ort/Loop Combination Rates	·	 		 					_	 		-	 		
UNE I	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10 94					-					
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15 05		·			-					
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			25 80					 			1		
UNF L	pop Rates		1 -			20 00										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13 88			 				l			——
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24 63			1				1			
2-Wire	Voice Grade Line Ports (COIN)		· · · ·	1	1									t		
1	2-Wire Coin 2-Way with Operator Screening and Blocking 011,		†	 					t				1	1	1	
	900/976, 1+DDD (FL)			UEPCO	UEP2F	1 17	53 31	26 46	27 50	8 37			l	i	1	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		t —		100.0			20 10	1 2.00	30.						
	(FL)			UEPCO	UEPFA	1 17	53 31	26 46	27 50	8 37		1	l		1	1
	2-Wire Coin 2-Way with Operator Screening and Blocking		†		32,,,,	- ' ''	3531	20 40	2, 30	331	 	· · · · · · · · · · · · · · · · · · ·				-
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1 17	53 31	26 46	27 50	8 37		1	İ		I	1
+	2-Wire Coin Outward with Operator Screening and 011 Blocking		t -		102.00	· ' ' '	33,01	20 +0	2, 30	1 37		 	 		 	
1	(AL, FL)		ı	UEPCO	UEPRK	1 17	53 31	26 46	27 50	8 37	1	l	I	1		1

NBUNDLED NETWORK ELEMENT	S - Florida												Attach	ment: 2	Exh	ibit. B
	ELEMENTS	interi	Zone	BCS	USOC			RATES (\$)		-	Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs	Charge -	Incremental Charge - Manual Svc Order vs	Charge -
ATEGORY	ELEMENIS	m	Zone	500	0000			141120 (0)			per LSK	percan	Electronic-		Electronic- Disc 1st	Electronic- Disc Add'i
		t -	\vdash				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Coin Outward with Or	erator Screening and Blocking					·									1	1
900/976, 1+DDD, 011+ (FL)			ł	UEPCO	UEPOF	1 17	53 31	26 46	27 50	8 37		1		1		<u> </u>
2-Wire Coin Outward with Op	erator Screening and Blocking					ŀ										
900/976, 1+DDD, 011+, and		1	<u> </u>	UEPCO	UEPCO	1 17	53 31	26 46	27 50	8 37						
	900/976 (all states except LA)			UEPCO	UEPCK	1 17	53 31	26 46	27 50	8 37		-			-	ļ .
	ne with 900/976 (all states except						50.04	00.40	07.50	0.07						
LA)		_		UEPCO	UEPCR	1 17	53 31	26 46	27 50	8 37		+		ļ		+
ADDITIONAL UNE COIN PORT/LOG			<u> </u>		UDEO!	1 86	0 00	0.00	0 00	0.00	1	+	-			+
UNE Coin Port/Loop Combo	Usage (Flal Rate)	-	.	UEPCO	URECU	1 80	0 00	0.00	0.00	0.00	-				 	+
LOCAL NUMBER PORTABILITY				UEPCO	LNPCX	0 35					 -	+	 		 	
Local Number Portability (1 p	per pon)	+	+	UEPCO	LINECX	0.55		_			 	+			1	
NONRECURRING CHARGES - CUR	ne Port Combination - Conversion	1	1		 			*****			1	+		 	1	T
Switch-as-is	ne Fort Combination - Conversion	1	1	UEPCO	USAC2		0 102	0 102						1		
	ne Port Combination - Conversion	1	+-	OLF CO	USAGE		0.102						1		 	
Switch with change	ne i dit combination contarator		1	UEPCO	USACC	i	0 102	0 102					1			
ADDITIONAL NRCs		1	 						· · · · ·		1			_	T	
	e Port Combination - Subsequent	1											1			
Activity	5 / 5 / 5 5 / 5 / 5 / 5 / 5 / 5 / 5 / 5			UEPCO	USAS2		0 00	0 00								
	ate Element, Tag Loop at End User	1	1								7-					
Premise	, -3 ,		ł	UEPCO	URETL		8 33	0 83						<u> </u>		
2-WIRE VOICE LOOP/ 2WIRE VOICE	E GRADE IO TRANSPORT/ 2-WIR	E LINE	PORT (
UNE Port/Loop Combination Rates												1				
2-Wire VG Loop/IO Tranport		1	1			13 64						1	ļ		1	
2-Wire VG Loop/IO Tranport		T	2			18 80										
2-Wire VG Loop/IO Tranport	Port Combo - Zone 3		3			32 27										
UNE Loop Rates			I										-			
2-Wire Voice Grade Loop (S			1_1_	UEPFR	UECF2	12 24						-				
2-Wire Voice Grade Loop (S			2	UEPFR	UECF2	17 40							-	<u> </u>		+
2-Wire Voice Grade Loop (S			3	UEPFR	UECF2	30 87					 	 	 	-		+
2-Wire Voice Grade Line Port Rate		—	4			- 40	174 81	100 65	75 88	12 73	+	 			 	+
2-Wire voice unbundled port				UEPFR	UEPRL	1 40		100 65		12 73		-	1		+	-
2-Wire voice unbundled port		+	 	UEPFR	UEPRC	1 40	174 81 174 81			12 73		 			1	+
2-Wire voice unbundled port	outgoing only - res	-	1	UEPFR	UEPRO	1 40	174 61	100 65	/5 66	1273	<u>'</u>	 	+	 	1	+
	de Assa Callina with Callina ID	1	1	UEPFR	UEPAF	1 40	174 81	100 65	75 88	12 73	.	1				1
	ida Area Calling with Caller ID - res	+	+-	UCPER	UEPAP	1 40	174 61	100 03	13 36	12/3	+	 		 		
2-Wire voice unbundles res, (LUM)	low usage line port with Caller ID	1		UEPFR	UEPAP	1 40	174 81	100 65	75 88	12 73	ı I	1	1			1
INTEROFFICE TRANSPORT		+	+	OLF I I	OLI 74	1 10		100 00	1000	· ·			1	<u> </u>		1
	ated - 2 Wire Voice Grade - Facility	+	+	 			-	-			T	†	1	1		T
Termination	and 2 44mb voice Grade - 1 donly	1		UEPFR	U1TV2	25 32	47 35	31 78			1 .		1	<u>i</u>		
	ated - 2 Wire Voice Grade - Per Mile	<u>. </u>	†	1						<u> </u>	1	T				
or Fraction Mile		1	1	UEPFR	1L5XX	0 0091				<u></u>	1	1	.l	l	_	
FEATURES		1	1												ļ	
All Features Offered		1	1	UEPFR	UEPVF	2 26	0 00	0 00								
LOCAL NUMBER PORTABILITY													1	ļ		
Local Number Portability (1				UEPFR	LNPCX	0 35									_	+
NONRECURRING CHARGES (NRC	s) - CURRENTLY COMBINED								_				_	ļ <u>-</u>		
2-Wire Loop / Dedicated IO	Transport / 2 Wire Line Port									1		1		1		
Combination - Conversion -			1	UEPFR	USAC2		16 97	3 73			1	+	ļ	1	+	+
2-Wire Loop / Dedicated IO			1	l					ļ	I					1	
Combination - Conversion -	Switch-With-Change			UEPFR	USACC	ļ	16 97	3 73	ļ			+	+	+	+	+
	ate Element, Tag Designed Loop at	t	1	1					1	1				1	1	1
End User Premise		1		UEPFR	URETN		11 21	1 10	ļ			 	+	+	 	+
2-WIRE VOICE LOOP/ 2WIRE VOICE		RE LINE	PORT	(BUS)							+			+	+	+
UNE Port/Loop Combination Rate		+	 	 		10.01			 	-			+	+	+	+
2-Wire VG Loop/IO Tranport		+	1	-		13 64	-		+				+	+	1	+
2-Wire VG Loop/IO Tranport		1	2			18 80			-			+	+	+	+	+
2-Wire VG Loop/IO Tranport	/Port Combo - Zone 3		3			32 27		<u> </u>					1		٠	

NROND	LED	NETWORK ELEMENTS - Florida											[Attach	ment: 2	Exhi	ibit: B
ATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental	Incremental Charge -	Incremental Charge -	Increment Charge
							Rec	Nonre		Nonrecurring					Rates (\$)		L
1.060		. 0.1		ļ			100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNI		p Rates -Wire Voice Grade Loop (SL2) - Zone 1		1	HEBER												
	- 12	Wire Voice Grade Loop (SL2) - Zone 1 -Wire Voice Grade Loop (SL2) - Zone 2		<u> </u>	UEPFB	UECF2	12 24					1	ļ				<u> </u>
	- 2	-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB UEPFB	UECF2	17 40 30 87										-
2-W		Dice Grade Line Port (Bus)	1		UEFFB	UECFZ	30 67										
		Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 40	174 81	100 65	75 88	12 73						
		Wire voice unbundled port with Caller + E484 ID - bus	 -	_	UEPFB	UEPBC	1 40	174 81	100 65	75 88	12 73	-					ļ
		-Wire voice unbundled port outgoing only - bus	 	 	ÜEPFB	UEPBO	1 40	174 81	100 65	75 88	12 73						
		Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPFB	UEPB1	1 40	174 81	100 65	75 88	12 73						+
LO		UMBER PORTABILITY		1		02.0.			100 00	75 05	12 70						
		ocal Number Portability (1 per port)			UEPFB	LNPCX	0 35				•		-				
INT		FICE TRANSPORT		1													
		iteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	l											· · · · · · · · · · · · · · · · · · ·	† ·	
		ermination		ــــــــــــــــــــــــــــــــــــــ	UEPFB	U1TV2	25 32	47 35	31 78								
		teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		Fraction Mile	1	L	UEPFB	1L5XX	0 0091			L					1		1
FEA	ATURI			1													
		II Features Offered	ļ	<u> </u>	UEPFB	UEPVF	2 26	0 00	0.00								
NOI		URRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	<u> </u>													
		-Wire Loop / Dedicated fO Transport / 2 Wire Line Port	l	Ì		1											
		ombination - Conversion - Switch-as-is	ļ		UEPFB	USAC2		16 97	3 73								
		Wire Loop / Dedicated IO Transport / 2 Wire Line Port		ļ													
		ombination - Conversion - Switch with change		ļ	UEPFB	USACC		16 97	3 73								<u> </u>
		nbundled Miscellaneous Rate Element, Tag Designed Loop at	ŀ	ŀ		1									1		İ
2.160		nd User Premise	<u> </u>	<u> </u>	UEPFB	URETN		11 21	1 10		_						
		OICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE /Loop Combination Rates	LINE	ORT (PBX)												<u> </u>
ONE		-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			12.64				_						ļ
		-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	2		_	13 64 18 80										
		Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			32 27										
LINE		p Rates		3			32 21										
- 0,11		-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFP	UECF2	12 24										
		Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFP	UECF2	17 40										
		Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFP	UECF2	30 87										-
2-W		Dice Grade Line Port Rates (BUS - PBX)		<u> </u>	OC/11	OCOI E	00 01										├
				 -	-												
1	L	ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus	i		UEPFP	UEPPC	1 40	174 81	100 65	75 88	12 73						
		ne Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPFP	UEPPO	1 40	174 81	100 65	75 88	12 73						
	L	ne Side Unbundled Incoming PBX Trunk Port - Bus	1	1	UEPFP	UEPP1	1 40	174 81	100 65	75 88	12 73						
	2-	Wire Voice Unbundled PBX LD Terminal Ports	1		UEPFP	UEPLD	1 40	174 81	100 65	75 88	12 73						
	2-	Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 40	174 81	100 65	75 88	12 73						
		Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 40	174 81	100 65	75 88	12 73						
	2-	Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1 40	174 81	100 65	75 88	12 73						
		Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 40	174 81	100 65	75 88	12 73		-				
		Wire Voice Unbundled PBX LD Terminal Switchboard IDD							-								
		apable Port			UEPFP	UEPXE	1 40	174 81	100 65	75 88	12 73						1
- 1		Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		dministrative Calling Port			UEPFP	UEPXL	1 40	174 81	100 65	75 88	12 73						1
- 1		Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		com Calling Port	L		UEPFP	UEPXM	1 40	174.81	100 65	75 88	12 73						L
	2-	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		scount Room Calling Port	L		UEPFP	UEPXO	1 40	174 81	100 65	75 88	12 73						
-	2-	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 40	174 81	100 65	75 88	12 73						
Loc		UMBER PORTABILITY	<u> </u>														
10.174		ocal Number Portability (1 per port)		ļ	UEPFP	LNPCP	3 15	0.00	0 00								
DINT		FICE TRANSPORT teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility				_											

MOONINE	D NETWORK ELEMENTS - Florida			,			ı						,		ment: 2		bit: B
		1		l								Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		1		i									Submitted		Charge -	Charge -	Charge
		١	1									Elec					
EGORY	RATE ELEMENTS	Inten	Zone	l R	cs	usoc			RATES (\$)					Manual Svc			
LOOK	RATE ELLINEIVIS	m	Zone		C3	0300			NAILS (S)			per LSR	per LSR	Order vs.	Order vs	Order vs	Order vs
		1				1 1								Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
		ļ		F		1								131	Auu	DISC ISC	DISC Add I
			1					Nonrec	urnna	Nonrecurring	Disconnect	 		nee	Rates (\$)		1
			+				Rec	First	Add'l		Add'l	SOMEC	COMAN			000000	
	Interest Transport Destroyed 2000 No. 10 De 100							FIRST	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		1		1		1		1	ł						
	or Fraction Mile	1		UEPFP		1L5XX	0 0091					!					
FEATL	JRE\$																-
	All Features Offered			UEPFP		UEPVF	2 26	0.00	0.00			ļ					
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		+			Jul 11			0.00			-					
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		+	ļ		-											
			1			1											1
	Combination - Conversion - Switch-as-is		1	UEPFP		USAC2		16 97	3 73				1				1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
1	Combination - Conversion - Switch with change			UEPFP		USACC		16 97	3 73		l						ì
+		1	+	JULITE		Johnson		10 97	3/3		ļ	 					
1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	l							l						l
1	End User Premise	L		UEPFP		URETN		11 21	1 10	1	1						l
NDLED	PORT/LOOP COMBINATIONS - COST BASED RATES					1					·						l
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1								 						
	ort/Loop Combination Rates	FORT	+														
UNEP																	L
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				20 95										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				26 11										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	†			39 58										
LINE	oop Rates		+				05 00			ļ							
ONLL			+ .														
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12 24										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17 40			1							1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30 87										
UNF P	ort Rate		1														
01121	Exchange Ports - 2-Wire DID Port		+	UEPPX		UEPD1	8 71	04440				 					
			1	UEPPA		UEPUI	8/1	214 16	98 29								
NONR	ECURRING CHARGES - CURRENTLY COMBINED		1			L				L							ľ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	ł															
	Switch-as-is	ŀ		UEPPX		USAC1		7 85	1 87								
+	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1	OE. TA		00.101		1 00	101								
	with BellSouth Allowable Changes			UEPPX		USA1C	1	7.05	4.07								
				UEPPX		USAIC		7 85	1 87								
ADDIT	IONAL NRCs					l											
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32 26	32 26								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		T														
	End User Premise			UEPPX		URETN		11 21	1 10								
T			-	OLFFA.		URL, IN		1121	1 10								
rerepr	one Number/Trunk Group Establisment Charges		1	ļ													
	DID Trunk Termination (One Per Port)		1	UEPPX		NDT	0 00	0 00	0 00								
	DID Numbers Establish Trunk Group and Provide First Group	I	1	I													
1	of 20 DID Numbers	I	1	UEPPX		NDZ	0 00	0 00	0 00]				l
	Additional DID Numbers for each Group of 20 DID Numbers		+	UEPPX		ND4	0.00										
+		<u> </u>	1					0 00	0 00		•••						
1	DID Numbers, Non-consecutive DID Numbers , Per Number	L	1	UEPPX		ND5	0 00	0 00	0 00			L					
1	Reserve Non-Consecutive DID numbers	_	1	UEPPX		ND6	0 00	0 00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0 00	0.00			i					
LOCAL	NUMBER PORTABILITY		+	1		··	0.50		0.00								
LUCAL		 	1	LIEBEN		LNDOS			X -Z		<u> </u>						ļ
1	Local Number Portability (1 per port)	l	1	UEPPX		LNPCP	3 15	0 00	0 00								L
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF	NE SIDI	E PORT	Γ													
UNE P	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		 	1				-			_	 					
1	UNE Zone 1	l	1 .	LICES	HEDDO		00.00	I									
+		-	1	UEPPB	UEPPR		22 63										
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	1		1		I									
ı	UNE Zone 2	l	2	UEPPB	UEPPR		29 05	I									
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1					t		-							
1	UNE Zone 3	l	3	UEPPB	UEPPR		45 84	ļ									
+		L	1 3	DEPPB	UEPPR		45 84										
UNE L	pop Rates			L													
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15 25										
			1		-												
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	lusi 2y	21 67										
+	2-Wire ISDN Digital Grade Loop - UNE Zone 3																Ļ
1111			3_	UEPPB	UEPPR	USL2X	38 46						L				
UNE P	ort Rate			ł		∟Т		7									
. L.	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7 38	194 52	145 09								
T	CURRING CHARGES - CURRENTLY COMBINED		1	I			. 55					·					

	ED NETWORK ELEMENTS - Florida			,				_						Attach			bit; B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		1	1				Rec	Nonrec			g Disconnect				Rates (\$)		
		ļ	-	<u> </u>		1	1,00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			l		1				ŀ	1						
ADDI	Combination - Conversion FIONAL NRCs	<u> </u>	ļ	UEPPB	UEPPR	USACB	0.00	25 22	17 00								
ADDI	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1														
	End User Premise	1	1		UEDDD	UDETU										!	İ
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	+	UEPPB	UEPPR	URETN		11 21	1 10								
	Premise	1	1	UEPPB	UEPPR	URETL		8 33	0.83	1						i l	
LOCA	L NUMBER PORTABILITY		 	UEFFB	UEPPR	UKEIL		8 33	0.83	 							
	Local Number Portability (1 per port)	 		UEPPB	UEPPR	LNPCX	0 35	0.00	0 00			 					
в-сн	ANNEL USER PROFILE ACCESS:	-	1	OCI I D	OLITIK	LIVI OX	0.33	0.00	0.00			i					
	CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0 00	0 00	0 00			 					†
	CVS (EWSD)	1 -	1	UEPPB	UEPPR	U1UCB	0 00	0 00	0 00							 	
	CSD	1		UEPPB	UEPPR	U1UCC	0 00	0 00	0 00		T				-		
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)							T	† 						†
USER	TERMINAL PROFILE														1		
	User Terminal Profile (EWSD only)		L	UEPPB	UEPPR	U1UMA	0 00	0 00	0 00			1	i e				
VERT	ICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2 26	0.00	0 00								
INTE	ROFFICE CHANNEL MILEAGE	ļ	<u> </u>	ļ		.						1					
	Interoffice Channel mileage each, including first mile and	1		l								1			i		
	facilities termination		ļ		UEPPR	M1GNC	25 3291	47 35	31 78	18 31	7 03	1			ļ		
4 ,,,,,,,	Interoffice Channel mileage each, additional mile RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			UEPPB	UEPPR	M1GNM	0 0091	0 00	0 00								
4-VVIA	NE-P DS1 combination rates below for in this rate exhibit appl	PORT	<u> </u>	 		1				L		ļļ					L
UNE	Port/Loop Combination Rates		Ι .									South's dis			· · · · · · · · · · · · · · · · · · ·		
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			153 48										
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		1 2	UEPPP			153 48 · 183 28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		1 -	1													
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates		3	UEPPP			183 28 261 12										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1		3	UEPPP UEPPP		USL4P	183 28 261 12										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		3 1 2	UEPPP UEPPP UEPPP		USL4P	183 28 261 12 70 74 100 54										
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3 1 2	UEPPP UEPPP			183 28 261 12										
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate		3 1 2	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	183 28 261 12 70 74 100 54 178 38	100.00									
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 200		3 1 2	UEPPP UEPPP UEPPP		USL4P	183 28 261 12 70 74 100 54	488 36	276 65								
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2.00 PRates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)		3 1 2	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	183 28 261 12 70 74 100 54 178 38	488 36									
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	183 28 261 12 70 74 100 54 178 38 82 74		276 65								
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		3 1 2	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	183 28 261 12 70 74 100 54 178 38	488 36									
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2.00 A State		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	183 28 261 12 70 74 100 54 178 38 82 74		276 65								
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E 4/1/2004) TIONAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trik Port - Subsqt Actvy-		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	183 28 261 12 70 74 100 54 178 38 82 74	84 17	276 65								
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	183 28 261 12 70 74 100 54 178 38 82 74		276 65								
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E 4/1/2004) TIONAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trik Port - Subsqt Actvy-		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	183 28 261 12 70 74 100 54 178 38 82 74	84 17	276 65 61 38								
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	183 28 261 12 70 74 100 54 178 38 82 74	84 17 0 5412	276 65								
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E 4/1/2004) ITOMAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Activy-Inward/two way Tel Nos (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Tel Numbers		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	183 28 261 12 70 74 100 54 178 38 82 74	84 17 0 5412	276 65 61 38								
UNE I	AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) EECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E 4/1/2004) ITOMAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trik Port - Subsqt Actvy-Inward/two way Tel Nos (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Tel Numbers L NUMBER PORTABILITY		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT	183 28 261 12 70 74 100 54 178 38 82 74	84 17 0 5412 12 71	276 65 61 38								
UNE I UNE I NONE	AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E 4/1/2004) TIONAL NRCS 4-Wire DS1 Loop/4-W ISDN DIgit Trk Port - Subsqt Actvy-Inward/fivo way Tel Nos (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORTABILITY Local Number Portability (1 per port)		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO	183 28 261 12 70 74 100 54 178 38 82 74	84 17 0 5412 12 71	276 65 61 38								
UNE I UNE I NONE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) 4ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E 4/1/2004) FIONAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trik Port - Subsqt Activy-Inward/two way Tel Nos (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsquent Inward Tel Numbers L NUMBER PORTABILITY Looal Number Portability (1 per port) FACE (Provisioning Only)		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN	183 28 261 12 70 74 100 54 178 38 82 74 0 00	84 17 0 5412 12 71 25 42	276 65 61 38 12 71 25 42								
UNE I UNE I NONE	AWD S1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		3 1 2	UEPPP		USL4P USL4P USL4P USACP USACP PR7TF PR7TO PR7ZT LNPCN PR71V	183 28 261 12 70 74 100 54 178 38 82 74 0 00	84 17 0 5412 12 71 25 42	276 65 61 38 12 71 25 42								
UNE I UNE I NONE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		3 1 2	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D	183 28 261 12 70 74 100 54 178 38 82 74 0 00 1 75 0 00 0 00	0 5412 12 71 25 42 0 00 0 00	276 65 61 38 12 71 25 42 0 00 0 00								
UNE I UNE I NONE ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E 4/1/2004) ITONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trunk Port - Subsqt Actvy-Inward/two way Tel Nos (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsquent Inward Tel Numbers L NUMBER PORTABILITY Local Number Portability (1 per port) FACE (Provisioning Only) Voice/Data Inward Data		3 1 2	UEPPP		USL4P USL4P USL4P USACP USACP PR7TF PR7TO PR7ZT LNPCN PR71V	183 28 261 12 70 74 100 54 178 38 82 74 0 00	84 17 0 5412 12 71 25 42	276 65 61 38 12 71 25 42								
UNE I UNE I NONE ADDIT	AWD S1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USACP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E	183 28 261 12 70 74 100 54 178 38 82 74 0 00 1 75 0 00 0 00 0 00 0 00	0 5412 12 71 25 42 0 00 0 00 0 00	276 65 61 38 12 71 25 42 0 00 0 00								
UNE I UNE I NONE ADDI	AWD S1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E	183 28 261 12 70 74 100 54 178 38 82 74 0 00 1 75 0 00 0 00 0 00 0 00	84 17 0 5412 12 71 25 42 0 00 0 00 0 00 15 48	276 65 61 38 12 71 25 42 0 00 0 00								
UNE I UNE I NONE ADDI	AWD S1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USACP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E	183 28 261 12 70 74 100 54 178 38 82 74 0 00 1 75 0 00 0 00 0 00 0 00	0 5412 12 71 25 42 0 00 0 00 0 00	276 65 61 38 12 71 25 42 0 00 0 00								

NBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment 2	Exhi	bit: B
	T]									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		1			1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l]	!					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Syd
ATEGORY	RATE ELEMENTS	Inter	Zone	BCS	usoc			RATES (\$)			per LSR		Order vs	Order vs	Order vs	Order vs
AILGOITT		m									per Lon	per Lak			1	
													Electronic-	Electronic-	Electronic-	Electronic-
					1								1st	Add'l	Disc 1st	Disc Add'l
	 	-	 						T No	- B		L	l	1 D-4 (\$)	L	
	<u> </u>					Rec		curring		Disconnect				Rates (\$)		
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0 00	0 00								
	Outward		1	UEPPP	PR7CO	0 00	0 00	0.00								
	Two-way		T	UEPPP	PR7CC	0.00	0.00	0.00								
Interc	office Channel Mileage										i —					1
	Fixed Each Including First Mile		t	UEPPP	1LN1A	88 6256	105 54	98 47	21 47	19 05				<u> </u>		
$\overline{}$	Each Airline-Fractional Additional Mile	1	 	UEPPP	1LN1B	0 1856	100 01			- 10.00						1
4 14/15	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		+	OLI II.	TENTE	0 1030			-						_	
4-4416	INE-P DS1 combination rates below for in this rate exhibit appl	L			f 40/0/00	114/4/04 45	4 - 4/4/04 11	1				L			-	
											te commerc	ai agreeme	nτ		-	
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	late of	this amendment sh	all be provide	d pursuant to	a separate agr	eement or tarif	at BellSouth's	s discretion.	ļ					
UNE F	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		125 69		L		l						
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	2	UEPDC		155 49			· · · · · · · · · · · · · · · · · · ·						1	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC	1	233 33			i e		1	1		1	1	
LINE	Loop Rates	†	Ť						· · · · · · · · · · · · · · · · · · ·		1	1		1	1	
- June C	4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPDC	USLDC	70 74			 	 	 			 	 	
		+		UEPDC	USLDC	100 54		-		 	+		 	ł		
	4-Wire DS1 Digital Loop - UNE Zone 2	-	2		USLDC											
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178 38										
UNE F	Port Rate	L									<u> </u>		L			
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)		\	UEPDC	UDD1T	54 95	464 86	259 23					<u> </u>	·		
NONE	RECURRING CHARGES - CURRENTLY COMBINED				1				Ī					1		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1							· · · · · ·					_	
	- Switch-as-is (E 4/1/2004)			UEPDC	USAC4]	95 31	46 71		Ï					l	İ
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	-	02,00	00/104		3301									
		1					05.04	40.74					ł			
	- Conversion with DS1 Changes (E 4/1/2004)			UEPDC	USAWA		95 31	46 71						 		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	ļ.	ŀ											ı		l
	- Conversion with Change - Trunk (E 4/1/2004)	ļ	<u> </u>	UEPDC	USAWB		95 31	46 71			l	l				
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
ł	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15 69	15 69					l		ļ	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		†		100		10.00	10.00								
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15 69	15 69						1		I
-+-	A Mario DCA has a CAMA - DDITO Tarak Dark Calabara Channel	-	 	UEPDC	פווטט		15 09	15 69	ļ						_	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	İ	i		l											ł
	Activation/Chan Inward Trunk w/out DID	<u> </u>	L	UEPDC	UDTTC		15 69	15 69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan									[ł	
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15 69	15 69								l
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1													
ĺ	Activation / Chan - 2-Way DID w User Trans	1	1	UEPDC	UDTTE		15 69	15 69			1			1		
BIPOI	LAR 8 ZERO SUBSTITUTION	t	t —		T											1
	B8ZS -Superframe Format	 	 	UEPDC	CCOSF		0 001	655 00s			 			 		
	B8ZS - Extended Superframe Format	-	 	UEPDC	CCOEF		0 001	655 00s						 		
Alle	nate Mark Inversion	├	} −	OLF DO	COCE		0.001	000 000	 					 		
Altern				urano	110000					<u> </u>	 			 		
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0 00						L	ļ	ļ
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0.00	L		<u> </u>		L			
Telep	hone Number/Trunk Group Establisment Charges				L							L				
	Telephone Number for 2-Way Trunk Group	T		UEPDC	UDTGX	0 00										
	Telephone Number for 1-Way Outward Trunk Group	T	T	UEPDC	UDTGY	0.00										1
	Telephone Number for 1-Way Inward Trunk Group Without DID	t —	 	UEPDC	UDTGZ	0.00				t	 			ļ	 	
\rightarrow	DID Numbers, Establish Trunk Group and Provide First Group	+	 	DO	100,00			 	-	 				 	 	
	of 20 DID Numbers			UEPDC	NDZ	0 00	0 00	0 00		1					l	I
		 					0 00	0.00								!
	DID Numbers for each Group of 20 DID Numbers	├ ──		UEPDC	ND4	0 00				<u> </u>						
	DID Numbers, Non-consecutive DID Numbers , Per Number	Ļ		UEPDC	ND5	0 00				L						ļ
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00						i		
	Reserve DID Numbers	T		UEPDC	NDV	0 00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digital	Loop	with 4-Wire DDITS	runk Port									1		1
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				T				 	 	 			t		
		1	1	LIERDO	1LNO1	ا مم ما	405.64	00.47	21 47	40.05	1		ľ			1
	Termination)															
_ _	Termination)	ļ		UEPDC	TENOT	88 44	105 54	98 47	21 47	19 05						-

ONBONDE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	-		Submitted Elec	Submitted	Charge - Manual Svo Order vs Electronic-	Order vs Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sy Order vs Electronic
			<u></u> .						,				1st	Add'l	Disc 1st	Disc Add'
			1			Rec	Nonre	urnng	Nonrecurring					Rates (\$)		
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Termination)			UEPDC	1LNO2	0.00	0.00	0.00						i		l
	Interoffice Channel Mileage - Additional rate per mile - 9-25		 	UEFDC	ILINOZ	0.00	000	0.00								
	miles			UEPDC	1LNOB	0 1856	0.00	0 00	1			•				ĺ
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		<u> </u>	<u> </u>	12.102	0 1000	0.00	0 00			 					
	Termination)		1	UEPDC	1LNO3	0 00	0.00	0 00	0 00							1
						†							-		 	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0 1856	0 00	0 00								1
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0.00	0 00	0 00							
	Central Office Termininating Point			UEPDC	CTG	0 00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	System can have up to 24 combinations of rates depending on					l										
The U	INE-P DS1 combination rates below for 4-Wire DS1 Loop with C	hannel	ızatıon	with Port in this ra	ite exhibit app	ply to the embe	dded base in p	lace as of 10/2	2/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement	
Requ	ests for 4-Wire DS1 Loop with Channelization with Port after the	e effect	ive dat	e of this amendme	nt shall be pro	ovided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discretic	on					
UNE	D\$1 Loop		1													
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70 74	0.00	0 00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100 54	0 00	0 00								[
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178 38	0 00	0 00			1					
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	15)	1													
	24 DSO Channel Capacity - 1 per DS1		<u> </u>	UEPMG	VUM24	118 06	0 00	0 00								[
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236 12	0 00	0 00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472 24	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s		L	UEPMG	VUM14	708 36	0 00	0 00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944 48	0 00	0 00								
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180 60	0 00	0 00							·	
	288 DS0 Channel Capacity - 1 per 12 DS1s		↓	UEPMG	VUM28	1,416 72	0 00	0 00								
	384 DS0 Channel Capacity - 1 per 16 DS1s		ļ	UEPMG	VUM38	1,888 96	0.00	0.00			1					!
	480 DS0 Channel Capacity - 1 per 20 DS1s		ļ	UEPMG	VUM4O	2,361 20	0 00	0 00								
	576 DS0 Channel Capacity -1 per 24 DS1s		ļ	UEPMG	VUM57	2,833 44	0 00	0 00								
	672 DS0 Channel Capacity - 1 per 28 DS1s		L.,	UEPMG	VUM67	3,305 68	0 00	0.00			ļ					
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						/stem									
	nmum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	ples of this configuration functioning as one are considered Ad	d'i afte	r the m	inimum system co	ntiguration is	counted										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		l	UEPMG	USAC4	0.00	96 77									1
- C4-	m Additions at End User Locations Where 4-Wire DS1 Loop with		<u> </u>			0 00		4 24								
	Not Currently Combined) in all states, except in Density Zone 1				oination Curre	entiy Exists and	7									
New (1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	от гор	O MISA	\ S			·									
	and Assoc Fea Activation (E 4/1/2004)			UEPMG	VUMD4	0 00	726 11	468 21	145 32	17 24				1		1
Binol	ar 8 Zero Substitution			DEFINIG	VOIVID4	000	720 11	400 21	143 32	17 24						
Dipoi	Clear Channel Capability Format, superframe - Subsequent					-	 		_							—
1	Activity Only			UEPMG	CCOSF	0.00	0 001	655 00s								1
	Clear Channel Capability Format - Extended Superframe -		l	ULFINIG	CCOSF	0.00	0 001	000 008								
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0 001	655 00s								1
Alterr	nate Mark Inversion (AMI)		\vdash	OLI ING	COOL	0 00	0 001	033 008			 					
	Superframe Format			UEPMG	MCOSE	0.00	0 00	0 00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			 					
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port	=	1	1	1 200	0.00	† 		 					
	ange Ports		T			T			†							
	Line Side Combination Channelized PBX Trunk Port - Business		ļ			1						-				
	(E 4/1/2004)_		l	UEPPX	UEPCX	1 40	0 00	0 00	0 00	0 00						1
-	Line Side Outward Channelized PBX Trunk Port - Business				1	1	1			- 100						
	(E 4/1/2004)			UEPPX	UEPOX	1 40	0 00	0 00	0 00	0 00						i
	Line Side Inward Only Channelized PBX Trunk Port without DID					T										
	(E 4/1/2004)		L	UEPPX	UEP1X	1 40	0 00	0 00	0 00	0 00						1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port				1											
	(E 4/1/2004)		l	UEPPX	UEPDM	8 71	0 00	0 00	0 00	0 00						1
-	re Activations - Unbundled Loop Concentration	-				T			1 30					 		

UNBUNDLE	D NETWORK ELEMENTS - Florida					-								ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
			<u> </u>			Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	5 1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'I	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SUMAN
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0 6402	25 40	13 41	3 96	3 93						
	Feature (Service) Activation for each Trunk Port Terminated in						70.10	18 42	50.00	40.05			!		į	
<u>-</u>	D4 Bank	_	 	UEPPX	1PQWU	0 6402	78 16	18 42	56 03	10 95	 		-		 	
s elep	hone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)		 	UEPPX	NDT	0 00	0 00	0 00							-	
			-	LIEPPX	NDZ	0.00	000	0 00			-					
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)		1	LIEPPX	ND4	0.00	0 00	0 00						-	+	-
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0 00	0 00							+	
	Reserve Non-Consecutive DID Numbers		1	UEPPX	ND6	0.00	0 00	0 00	+						<u> </u>	
	Reserve DID Numbers	-	1	UEPPX	NDV	0.00	0.00	0 00			 		ļ		-	+
1		 	1	OLI'FA	1404	0.00	3 00	. 000			 				_	
Local	Number Portability Local Number Portability - 1 per port	-	+	UEPPX	LNPCP	3 15	0 00	0 00	· · · · · · · · · · · · · · · · · · ·		 		 	 	+	
			_	UEFFA	LINE CF	3 13	0 00	0 00					+		 	
	URES - Vertical and Optional								+		-	<u> </u>		ļ		
Local	Switching Features Offered with Line Side Ports Only	-		UÉPPX	UEPVF	2 26	0 00	0 00	-						1	
INDIANO, ED	All Features Available	Ļ	1	UEPPA	UEPVE	2 20	0 00				1				 	†
ONBONDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE st Based Rates are applied where BellSouth is required by FCC	3	04-1-			dlad Laast C		utab Darto					+		 	
1 00	st Based Rates are applied where Bellsouth is required by FCC	and/or	State	commission rule to	provide ond	thou are applie	of to the Stand	Alone Hohun	died Post section	on of this Pat	Exhibit				+	
2 Fea	atures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	seo Ra	e section in the sai	me manner as	they are applie	to the Stand	-Alone Unbun	alea Fort section	lomente even	t for like (orn Bortil (on Combinat	lone	+	+
3 En	d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not C	usage	rates II	i the Port Section of	Custontly Co	mon snair apply	to all combina	rring charges	shall be those	identified in	he Nonrecu	rring - Curr	ently Combin	ed sections	Additional N	Cs may
		urrentiy	Comb	ined Combos Fo	Currently Co	illibilied Combi	os, me nomecc	inning charges	silan be mose	identined in	ine Nomecu	iiiig - Gaii	cittly combine	ca sconons	Auditional (4)	,
apply	also and are categorized accordingly		 .	1 4 24 4 6	B				_			г			1	
5 M:	arket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual C	ase Basis, un	tii turtner notic	:e								+	·
UNE-	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	·	-								 				-	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	L	-											 	·	
UNE	Port/Loop Combination Rates (Non-Design)														·	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1				l					1	1				1
	Non-Design		1	UEP91		10 94					-					
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1					
	Non-Design		2	UEP91		15 05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						ļ		1				1			
	Non-Design		3	UEP91		25 80			L		ļ				ļ	
UNE	Port/Loop Combination Rates (Design)														1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	ł	1		i									ľ		
	Design		1	UEP91		13 41										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1	1	ļ	1		
i i	Design		2	UEP91		18 57			L				<u></u>			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	\top										ļ			
Į	Design		3	UEP91	1	32 04			<u>l</u>	<u> </u>				<u></u>	ļ	↓
UNE	Loop Rate									ĺ			1			
	2-Wire Voice Grade Loop (SL 1) - Zone 1	t	1	UEP91	UECS1	9 77					1		1			
	2-Wire Voice Grade Loop (SL 1) - Zone 2	+	2	UEP91	UECS1	13 88								-		T
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24 63						1				
	2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1 1	UEP91	UECS2	12 24			1		1		1			
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17 40					1	1				
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	30 87						 				1
LIME	Ports	 	۳	OLI 51	- 02002	1 00 01							· · · · ·	1	"	1
	tates (Except North Carolina and Sout Carolina)	1	+			 			-				1	 		
All S	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	+	UEP91	UEPYA	1 17	53 31	26 46	27 50	8 37	†	·	<u> </u>	†		
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	 	+	102101	05.10	+ '''	1	20.40	2.1 30				t	1		
	Area		<u> </u>	UEP91	UEPYB	1 17	53 31	26 46	27 50	8 37	ļ					ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1 17	53 31	26 46	27 50	8 37						1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEP91	UEPYM	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1 17	139 49	86 10		13 81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1														1
	- Basic Local Area	1		UEP91	UEPY9	1 17	53 31	26 46	27 50	8 37	1	<u> </u>	1			

BUNDLED	NETWORK ELEMENTS - Florida		,								T			ment: 2	1	bit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates (\$)		
	W // O I D / T / / 2000 T						First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	1		50.04	00.40				Į .		Ì		
	and Flonda Only	-	_	UEP91	UEPY2	1 17	53 31	26 46	27 50	8 37	 					
	-Wire Voice Grade Port (Centrex)	-	-+	UEP91	UEPHA	1 17	53 31	26 46	27 50	8 37			***			
	-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1 17	53 31	26 46	27 50	8 37					1	
	-Wire Voice Grade Port (Centrex with Caller ID)1	_		UEP91	UEPHH	1 17	53 31	26 46	27 50	8 37						
	-Wire Voice Grade Port (Centrex from diff Serving Wire				1											
	Center)2,3			UEP91	UEPHM	1 17	139 49	86 10	65 41	13 81						
	-Wire Voice Grade Port, Diff Serving Wire Center 2 3 - 800															
s	Service Term			UEP91	UEPHZ	1 17	139 49	86 10	65 41	13 81						
		I														
2-	-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1 17	53 31	26 46	27 50	8 37				ļ	L	
	-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1 17	53 31	26 46	27 50	8 37						
Local Sw				LIEBO4	UDEO0	0.7204					1					
	Centrex Intercom Funtionality, per port			UEP91	URECS	0 7384					-					
	ocal Number Portability (1 per port)	-	-	UEP91	LNPCC	0 35		<u> </u>			-					
Features				OLF 51	EINF CC						1					
	II Standard Features Offered, per port	_	-	UEP91	UEPVF	2 26										
	Il Select Features Offered, per port			UEP91	UEPVS	0 00	370 70			<u> </u>	1					
	I Centrex Control Features Offered, per port			UEP91	UEPVC	2 26					1					
NARS					1											
U	Inbundled Network Access Register - Combination			UEP91	UARCX	0.00	0 00	0 00	0.00	0 00						
	Inbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0 00	0 00	0 00	0 00						
U	Inbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0 00	0 00	0 00	0 00						
	neous Terminations															
	runk Side				<u> </u>											
	runk Side Terminations, each			UEP91	CENA6	8 73					L					
	ce Channel Mileage - 2-Wire			UEBO4	1	DF 30					1				ļ	
	nteroffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25 32					1					
	nteroffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service	_ +		UEP91	M1GBM	0 0091					 					
	nel Bank Feature Activations	-	\rightarrow		+ -						-				-	
	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 66					 				-	
1	oddie retration on B 1 oname. Bank odmick body old:			OL: J1	111 2110											
F	eature Activation on D-4 Channel Bank FX line Side Loop Slot		-	UEP91	1PQW6	0 66			İ			i				
	eature Activation on D-4 Channel Bank FX Trunk Side Loop				1						<u> </u>					
	siot			UEP91	1PQW7	0 66										
	eature Activation on D-4 Channel Bank Centrex Loop Slot -	1														
D	Oifferent Wire Center			UEP91	1PQWP	0 66						L				
			ı		1 1]					l		
	eature Activation on D-4 Channel Bank Private Line Loop Slot		_	UEP91	1PQWV	0 66					ļ					
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	- 1			1 1							i l				
	eature Activation on D-4 Channel Bank WATS Loop Slot	\rightarrow	-	UEP91 UEP91	1PQWQ 1PQWA	0 66				 				 	-	
	urring Charges (NRC) Associated with UNE-P Centrex	-+	\rightarrow	UEF91	IPUWA	0.66									-	
	Conversion - Currently Combined Switch-As-Is with allowed				+										 	
	hanges, per port	- 1		UEP91	USAC2	j	21 50	8 42		1				!		
	Conversion of Existing Centrex Common Block			UEP91	USACN		5 17	8 32								
N	lew Centrex Standard Common Block		$\neg \neg$	UEP91	M1ACS	0 00	618 82				1					
	lew Centrex Customized Common Block			UEP91	M1ACC	0 00	618 82							l		
	econdary Block, per Block			UEP91	M2CC1	0 00	71 31									
I N	IAR Establishment Charge Per Occasion			UEP91	URECA	0.00	66 48					ļ			ļ	
	ENTREX - 5ESS (Valid in All States)				 					ļ	ļ			 		
	G Loop/2-Wire Voice Grade Port (Centrex) Combo 1/Loop Combination Rates (Non-Design)				+										ļ	
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-+	-+		+	<u></u> -				-					 	
				UEP95	1	10 94					1	1		1	i .	1

NBUNDLE	ED NETWORK ELEMENTS - Florida				, ,									ment: 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC :			RATES (\$))	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					- 	100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		15 05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OEF30	+ +	15 05			-							
	Non-Design		3	UEP95		25 80										
UNE	Port/Loop Combination Rates (Design)				1											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								1						l	
	Design		1	UEP95		13 41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
	Design		2	UEP95	1	18 57										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP95		32 04										
LINE	Design Loop Rate	-	⊢ °	OLF 80	+	32 04									 	
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-		UEP95	UECS1	24 63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12 24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	17 40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30 87										
	Port Rate															
All St			ļ		<u> </u>						_					
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UÉPYB	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1 17	53 31	26 46	27 50	8 37						
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire			IUEP95	UEPTH	1 17	53 31	20 40	27 30	031						
- 1	Center)2,3 Basic Local Area			UEP95	UEPYM	1 17	139 49	86 10	65 41	13 81		ŀ				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		 	OLI 55	1027 1111		105 45	00 10	00 41	1001						
	Service Term - Basic Local Area			UEP95	UEPYZ	1 17	139 49	86 10	65 41	13 81	•	- 1				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
ŀ	- Basic Local Area		1	UEP95	UEPY9	1 17	53 31	26 46	27 50	8 37					i	i
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
l	Basic Local Area			UEP95	UEPY2	1 17	53 31	26 46	27 50	8 37					_	
	Y, LA, MS, SC, & TN Only															
FL & 4	GA Only				ļ				l							
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP95	UEPHB UEPHH	1 17	53 31	26 46 26 46	27 50 27 50	8 37 8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	UEP95	UEPHH	11/	53 31	∠6 46	27 50	8 37						
	(Center)2,3			UEP95	UEPHM	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		·	00	132	,	.00 49	55 10	17-00	13.01						
1	Term 2,3			UEP95	UEPHZ	1 17	139 49	86 10	65 41	13 81						
					1			•								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port Terminaled on 800 Service Term			UEP95	UEPH2	1 17	53 31	26 46	27 50	8 37						
Local	Switching	ļ			1											
Lacet	Centrex Intercom Funtionality, per port			UEP95	URECS	0 7384										ļ
rocal	Number Portability Local Number Portability (1 per port)			UEP95	LNPCC	0 35						-				
Featu			<u> </u>	OLF80	LINFOC	0.35										ļ
, catt	All Standard Features Offered, per port			UEP95	UEPVF	2 26					1	+				
	All Select Features Offered, per port			UEP95	UEPVS	0 00	370 70									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2 26										i
NARS					1 1											
	Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0 00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0 00	0.00	0 00						
	ellaneous Terminations e Trunk Side		<u> </u>		 											L.—
2 1845					i l											

NBUNDLED NET	WORK ELEMENTS - Florida													ment: 2		ıbit [.] B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
	w		-			Rec	Nonrec			g Disconnect	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		<u> </u>	ļ				Fırst	Add'l	First	Addʻl	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SUMAN
	(1 544 Megabits)		ļ	UEP95	M1HD1	54 95				ļ						ļ
	rcuit Terminations each			UEP95			15 69			ļ						├
	nannels Activated, each	<u> </u>		UEP95	M1HDO	0 00	15 69									ļ
	annel Mileage - 2-Wire			UEP95	M1GBC	25 32			-	 					-	
	ice Channel Facilities Termination		1	UEP95	M1GBC M1GBM	0 0091										
	ice Channel mileage per mile or fraction of mile		├	UEP95	WIGBM	0.0091			 	 						
	tions (DS0) Centrex Loops on Channelized DS1 Services (DS0) Centrex Loops on Channelized DS1 Services (DS0)	ie .	1							ļ				ļ		
	e Activation on D-4 Channel Bank Centrex Loop Slot	l		UEP95	1PQWS	0 66				 						
realuit	e Activation on D-4 Chailler Bank Centrex Loop Slot			UEF93	IFQWS	0 66				 						+
Factor	Astrophys on D. 4 Channel Beats EV line Side Loop State			LIEDOE	1PQW6	0 66	i		1						1	l
	e Activation on D-4 Channel Bank FX line Side Loop Slot e Activation on D-4 Channel Bank FX Trunk Side Loop	ļ		UEP95	IFGW6	800			-	1					 	+
Slot	e Activation on D-4 Channel Bank FX Trunk Side Loop		1	UEP95	1PQW7	0 66	1									ł
	Activation on D-4 Channel Bank Centrex Loop Slot -			UEF 93	IFGW/	0 66				1					<u> </u>	
			l	LIEBOE	1PQWP	0 66				i]	1
Dilleren	nt Wire Center			UEP95	IPQWP	0.00			1	-					 	
F	Actuation on D. A.Channel Book Berneta Long Lang Clat	1		LIEBOE	4001407	0.66				1						1
	Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>	-	UEP95	1PQWV	0 66									1	
	Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.00				1						
Slot	Activation on D-4 Channel Bank WATS Loop Slot		-			0 66									1.	
				UEP95	1PQWA	0 66					ļ					-
	Charges (NRC) Associated with UNE-P Centrex			ļ												
	onversion Currently Combined Switch-As-Is with allowed			LIEBOS		0.00	04.50	2.40								1
	es, per port sion of Existing Centrex Common Block, each		-	UEP95 UEP95	USAC2 USACN	0 00	21 50 5 17	8 42 8 32		_						
	entrex Standard Common Block, each		-	UEP95	MIACS	0 00	618 82	0.32			ļ				-	
						0 00				-						
	entrex Customized Common Block		ļ	UEP95 UEP95	M1ACC URECA		618 82								1	
	stablishment Charge, Per Occasion		-	UEP95	URECA	0 00	66 48		 							
	n-Recurring Charges (NRC) dled Miscellaneous Rate Element, Tag Loop at End Use															
Premis	е			UEP95	URETL		8 33	0 83								
	dled Miscellaneous Rate Element, Tag Design Loop at			İ		ļ										1
	se Premise			UEP95	URETN	i	11 21	1 10								
	EX - DMS100 (Valid in All States)															
	p/2-Wire Voice Grade Port (Centrex) Combo															ļ
	Combination Rates (Non-Design)															<u> </u>
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		j					ļ.							1
Non-De			1	UEP9D		10 94										ļ
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													i		1
Non-De			2	UEP9D		15 05	<u>.</u> .									
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					1			1							1
Non-De			3	UEP9D		25 80										
	Combination Rates (Design)		ļ. <u></u>							1						
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
Design			1	UEP9D		13 41										1
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					ľ			i			l				1
Design			2	UEP9D		18 57										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_											i		
Design			3	UEP9D		32 04					ļ				ļ <u> </u>	
UNE Loop Rat		<u> </u>	 	uenon					_		ļ			ļ		
	Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9 77			ļ <u> </u>	_		ļ				+
	Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UEC\$1	13 88			1	1						+
	Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	24 63			-	1	-				ļ	↓
	Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12 24				1	-					
	Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP9D	UECS2	17 40					1	-			ļ	
	Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UEC\$2	30 87			ļ		 				ļ	<u> </u>
UNE Port Rate			 								+	ļ		ļ_ _		ļ
ALL STATES	V 0 1 8 1/0 1 15		-	ļ						<u> </u>				ļ	 	1
Z-Wire	Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1 17						l		Į .	l	

UNBUNDL	D NETWORK ELEMENTS - Florida		,											ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonre			Disconnect				Rates (\$)		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYB	1 17	53 31	26 46	27 50	8 37						İ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		-	UEP9D	UEPYC	1 17	53 31	26 46	27 50	8 37						
	Area			UEP9D	UEPYD	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				11551/5	4.47	F0.04	20.40	67.50	0.07						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		-	UEP9D	UEPYE	1 17	53 31	26 46	27 50	8 37			_			-
	Area			UEP9D	UEPYF	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			LIEBOD		4.47	F0 04	20.40	07.50	0.27						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		_	UEP9D	UEPYG	1 17	53 31	26 46	27 50	8 37						
	Area			UEP9D	UEPYT	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYU	1 17	53 31	26 46	27 50	8 37						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OEF 3D	UEF 10	1.17	33 31	20 40	27 30	0.57						
	Area			UEP9D	UEPYV	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		<u> </u>	OLF 80	OLF 13		3331	20 40	27 50							
	Area			UEP9D	UEPYH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4				-											
	Basic Local Area			UEP9D	UEPYJ	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1 17	53 31	26 46	27 50	8 37		i]	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4													_		
	Basic Local Area			UEP9D	UEPYO	1 17	53 31	26 46	27 50	8 37						-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area		ļ	UEP9D	UEPYQ	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area		1	UEP9D	UEPYR	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPYS	1 17	139 49	86 10	65 41	13 81						
	Basic Local Area			UEP9D	UEPY4	1 17	139 49	86 10	65 41	13 81						İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3				T											
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		<u> </u>	UEP9D	UEPY5	1 17	139 49	86 10	65 41	13.81						├
	Basic Local Area			UEP9D	UEPY6	1 17	139 49	86 10	65 41	13.81	Ì					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		Ī		1											
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		 	UEP9D	UEPY7	117	139 49	86 10	65 41	13 81						
	Term 2,3			UEP9D	UEPYZ	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic		 	UEP9D	UEPY9	1 17	53 31	26 46	27 50	8 37						1
	Local Area			UEP9D	UEPY2	1 17	53 31	26 46	27 50	8 37						
FL &	GA Only			UEDOD	UEBUA	4.5	F0.04	00.40	07.50							<u> </u>
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		 	UEP9D UEP9D	UEPHA UEPHB	1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37		ļ			 	
	2-Wire Voice Grade Port (Centrex 650 termination)	_	 	UEP9D	UEPHC	1 17	53 31	26 46	27 50	8 37					l	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4	_	1	UEP9D	UEPHD	1 17	53 31	26 46		8 37					l	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	1 17	53 31	26 46		8 37					1	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		!	UEP9D	UEPHF	1 17	53 31	26 46		8 37					 	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Florida		,								1			ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		1	UEP9D	UEPHG	1 17	53 31	26 46	27 50	8 37	ļ			<u> </u>		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1 17	53 31	26 46	27 50	B 37						ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		1	UEP9D	UEPHU	1 17	53 31	26 46	27 50	8 37				L		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		-	UEP9D	UEPHV	1 17	53 31	26 46	27 50	8 37						-
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		_	UEP9D	UEPH3	1 17	53 31	26 46	27 50	8 37						ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)	-	-	UEP9D	UEPHH	1 17	53 31	26 46	27 50	8 37						
i	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPHW	1 17	53 31	26 46	27 50	8 37		İ				1
-	Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		+	UEP9D	UEPHJ	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/wsg Wig Lamp Indication)4		+	ULFBU	OLFIIS	' ' '	33 31	20 40	27.30	03/						
	2.3			UEP9D	UEPHM	1 17	139 49	86 10	65 41	13.81		ŀ			i	
	23	-	+	OEF 3D	OLFTIN	, ,,	13545	60 10	03 41	1361			-			
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2 3,4	l		UEP9D	UEPHO	1 17	139 49	86 10	65 41	13 81						
	2 Trile Voice Grade For (Germendine) GTTO (EBS FOE 1/2 0,4		 	021 32	- OLITIO	- ' ''	103 43	00 10	05 41	1301		1				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1 17	139 49	86 10	65 41	13 81		i			1	i
					1											†
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2 3,4			UEP9D	UEPHQ	1 17	139 49	86 10	65 41	13 81				ŀ		1
							-					 				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1 17	139 49	86 10	65 41	13 81				ļ	1	
							• •									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1 17	139 49	86 10	65 41	13 81				1		
			1		1											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1 17	139 49	86 10	65 41	13 81				ļ		
			T	1					i]
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1 17	139 49	86 10	65 41	13 81		1			l	
														ļ		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1 17	139 49	86 10	65 41	13 81				l .	L	
														-		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3 4			UEP9D	UEPH7	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service															
	Term 2 3			UEP9D	UEPHZ	1 17	139 49	86 10	65 41	13 81						
			1		1									ĺ		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9D	UEPH9	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9D	UEPH2	1 17	53 31	26 46	27 50	8 37						<u> </u>
Local	Switching															1
	Centrex Intercom Funtionality, per port		<u> </u>	UEP9D	URECS	0 7384										
Local	Number Portability	ļ		UEDOD.	1						ļ			ļ		
F	Local Number Portability (1 per port)		 	UEP9D	LNPCC	0 35						ļ		 .		
Featu	All Standard Features Offered, per port			UEP9D	UEPVF	2 26						1		ļ		
			-	UEP9D	UEPVS	0 00	370 70				 	ļ		 		
	All Select Features Offered, per port All Centrex Control Features Offered, per port		-	UEP9D	UEPVS	2 26	3/0 /0					ļ				ļ
NARS		_	 	UEFBD	DEFVC	2 20					-			ļ		
NARO	Unbundled Network Access Register - Combination		+	UEP9D	UARCX	0 00	0 00	0.00	0 00	0 00	-	1		ļ		
	Unbundled Network Access Register - Inward		+	UEP9D	UAR1X	0 00	0 00	0.00	0 00	0 00		ļ			-	
	Unbundled Network Access Register - Outdial		 	UEP9D	UAROX	0 00	0 00	0.00	0.00	0 00				1		
Misce	Ilaneous Terminations		 	OLI SD	UAITOX		0 00	0 00	0.00	0 00		! • • • • • • • • • • • • • • • • • • •				
	Trunk Side				1 1						ł					
	Trunk Side Terminations, each		1	UEP9D	CEND6	8 73					 				 	<u> </u>
4-Wire	Digital (1.544 Megabits)		1		1								i			
	DS1 Circuit Terminations, each	l	1	UEP9D	M1HD1	54 95			† · · · · ·	1	1	 		1	 	<u> </u>
	DS0 Channels Activiated per Channel		1 -	UEP9D	M1HDO	0 00	15 69			1					1	<u> </u>
Intero	ffice Channel Mileage - 2-Wire	T		· · · · · · · · · · · · · · · · · · ·					<u> </u>		<u> </u>			<u> </u>		
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	25 32					1	T	1			1
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0 0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	:e			1											
	annel Bank Feature Activations									T	T				1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1 -	UEP9D	1PQWS	0 66					Ì	l	1	i		1

INBUNDLED I	NETWORK ELEMENTS - Florida							,						ment: 2		bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-				LIEBOD	150145	0.00			ļ							ŀ
	eature Activation on D-4 Channel Bank FX line Side Loop Slot eature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP9D	1PQW6	0 66										
I I I I				UEP9D	1PQW7	0 66								1		
Fe	eature Activation on D-4 Channel Bank Centrex Loop Slot -		 		1			-								
	fferent Wire Center		<u> </u>	UEP9D	1PQWP	0 66										
	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 66										
	eature Activation on D-4 Channel Bank Trivate Line Loop Slot	-		UEF9D	IFQWV	0.00										
Sie				UEP9D	1PQWQ	0 66								1		1
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 66										
	irring Charges (NRC) Associated with UNE-P Centrex															
	RC Conversion Currently Combined Switch-As-Is with allowed															
ch	nanges, per port			UEP9D	USAC2		21 50	8 42								
Co	onversion of existing Centrex Common Block, each			UEP9D	USACN		5 17	8 32								
	ew Centrex Standard Common Block			UEP9D	M1ACS	0 00	618 82									
	ew Centrex Customized Common Block			UEP9D	M1ACC	0 00	618 82									
	AR Establishment Charge, Per Occasion		<u> </u>	UEP9D	URECA	0 00	66 48									
	il Non-Recurring Charges (NRC)		<u> </u>													
	nbundled Miscellaneous Rate Element, Tag Loop at End Use remise			UEP9D	URETL	[8 33	0 83								
	nbundled Miscellaneous Rate Element, Tag Design Loop at		†	DEFSD	OKETE		0 00	0.03								
Er	nd Use Premise		L	UEP9D	URETN		11 21	1 10								
	NTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	Loop/2-Wire Voice Grade Port (Centrex) Combo		↓													ļ
	/Loop Combination Rates (Non-Design)															
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.	LIEBOE		40.04										
	on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		10 94						-				
	on-Design		2	UEP9E		15 05									1	
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+-	ULFSL	-i	15 05			-							
	on-Design		3	UEP9E		25 80										
	/Loop Combination Rates (Design)		<u> </u>	02.02		40.00										
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1													
	esign	1	1 1	UEP9E		13 41					}					
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1					
	esign		2	UEP9E		18 57										
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	esign	.	3	UEP9E		32 04										ļ
UNE Loop			1						ļ							
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9 77										
	Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13 88			ļ	ļ					-	
	Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24 63 12 24				ļ	-					
	Wire Voice Grade Loop (SL 2) - Zone 1	-		UEP9E	UECS2	17 40			 		-				 	
	Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP9E	UECS2 UECS2	30 87					-					├──
UNE Port	Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECSZ	30 67					-				 -	
	Y, LA, MS, & TN only		+													
	Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP9E	UEPYA	1 17	53 31	26 46	27 50	8 37				-	-	
	Wire Voice Grade Port (Centrex 800 termination)Basic Local	 	+-	OLI SE	102.1.1.		00 0 1	20 10	2.00							
	rea	1	1	UEP9E	UEPYB	1 17	53 31	26 46	27 50	8 37				1		
	Wire Voice Grade Port (Centrex with Caller ID)1Basic Local													1		
	rea			UEP9E	UEPYH	1 17	53 31	26 46	27 50	8 37				ļ		
	Wire Voice Grade Port (Centrex from diff Serving Wire			Lieboe	lues a		400 :0	00:0	05::	40.54						1
	enter)2,3 Basic Local Area	-	1	UEP9E	UEPYM	1 17	139 49	86 10	65 41	13 81	-				 	
	Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 ervice Term - Basic Local Area			UEP9E	UEPYZ	1 17	139 49	86 10	65 41	13 81		ļ				
	Wire Voice Grade Port terminated in on Megalink or equivalent	T	1				10	22.10		.301		· · · · · ·				
	Basic Local Area	I	1	UEP9E	UEPY9	1 17	53 31	26 46	27 50	8 37				1		

	1															
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urnng	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -														•	
	Basic Local Area			UEP9E	UEPY2	1 17	53 31	26 46	27 50	8 37						1
Florid	la Only						-									t
	2-Wire Voice Grade Port (Centrex.)			UEP9E	UEPHA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPH8	1 17	53 31	26 46	27 50	8 37						†
	2-Wire Voice Grade Port (Centrex with Caller ID)1		l]	UEP9E	UEPHH	1 17	53 31	26 46	27 50	8 37						<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP9E	UEPHM	1 17	139 49	86 10	65 41	13.81						}
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3		1 1	UEP9E	UEPHZ	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1 17	53 31	26 46	27 50	8 37						1
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPH2	1 17	53 31	26 46	27 50	8 37						
Local	Switching				1		- 55 51	25 70	2: 50							
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0 7384								_		1
Local	Number Portability				- 17.1											
	Local Number Portability (1 per port)		T	UEP9E	LNPCC	0 35			-							
Featu					100				-							
	All Standard Features Offered, per port			UEP9E	UEPVF	2 26							-			
	All Select Features Offered, per port			UEP9E	UEPVS	0 00	370 70						-			
_	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2 26	370 70								 -	
NARS				OEFBE	UEFVC	2 20										 -
IVANO	Unbundled Network Access Register - Combination			UEP9E	UARCX	0 00	0 00	0 00	0 00	0.00						
		-		UEP9E												
-	Unbundled Network Access Register - Indial				UAR1X	0.00	0 00	0 00	0 00	0 00						
14	Unbundled Network Access Register - Outdial		-	UEP9E	UAROX	0 00	0 00	0 00	0 00	0 00						
	ellaneous Terminations				_ [
2-Wir	e Trunk Side															
	Trunk Side Terminations, each		l	UEP9E	CEND6	8 73										
4-Wire	e Digital (1 544 Megabits)				1						1					
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54 95										1
\bot	DS0 Channel Activated Per Channel		<u> </u>	UEP9E	M1HDO	0 00	15 69									
Intero	ffice Channel Mileage - 2-Wire										I					
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	25 32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0 0091					1					
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 66										1
																1
1	Feature Activation on D-4 Channel Bank FX line Side Loop Stot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			•												
1	Slot		l i	UEP9E	1PQW7	0 66							1			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02.02	- 111 2477											
- 1	Different Wire Center		łi	UEP9E	1PQWP	0 66									İ	
	Bittoront Tries Genter		1	021 02	11 2,11	0 00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		i l	UEP9E	1PQWV	0 66										1
	Feature Activation on D-4 Channel Bank Tille Line/Trunk Loop		\vdash	OLFBL	TIFQVVV	0 00										
	Slot			UEP9E	1PQWQ	0 66										1
_			├													
No. I	Feature Activation on D-4 Channel Bank WATS Loop Slot		\vdash	UEP9E	1PQWA	0 66										
NON-F	Recurring Charges (NRC) Associated with UNE-P Centrex		\vdash													-
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEBOE	Lucaco	I	04.55								1	
-	changes, per port		├ ─	UEP9E	USAC2		21 50	8 42								ļ
-	Conversion of Existing Centrex Common Block, each	L		UEP9E	USACN		5 17	8 32							ļ	
	New Centrex Standard Common Block			UEP9E	M1ACS	0 00	618 82									
-+-	New Centrex Customized Common Block			UEP9E	M1ACC	0 00	618 82									ļ
-	NAR Establishment Charge, Per Occasion ional Non-Recurring Charges (NRC)			UEP9E	URECA	0 00	66 48								ļ	
	IADAL NAD PAGUETERS Charges (NDC)		1		1 1		I			1	1	l	l	1	l	1
Addit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1 1													

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment. 2	Exhi	bit: B
							1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
						1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs.
			""									1	_	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	T			1			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ľ	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
1		End Use Premise		1	UEP9E	URETN	1	11 21	1 10	1						İ	
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD													L		
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth ii	General Ter	ms and Condition	ons									

UNBU	NDLE	D NETWORK ELEMENTS - Georgia	_											Attach	ment. 2	Exhi	ibit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incrementa Charge - Manual Svo Order vs Electronic-
													Ì	1st	Add'I	Disc 1st	Disc Add'i
							Rec	First	curnng Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Tho "7	one" shown in the sections for stand-alone loops or loops as			nunction refers to Co	a a ranh an ll	Degranad II	NE Zonos To		bisally Danie	and LINE 7am	. Daniman	- bu Canh			M-L-1	
		www.interconnection.belisouth.com/become_a_clec/html/inter				ograpincan	y Deaveraged O	NE ZONES. 10	view Geograp	nically Deaver	aged UNE ZOII	e Designano	ons by Cent	rai Onice, rer	er to internet	website:	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				I									I	L	<u> </u>
		(1) CLEC should contact its contract negotiator if it prefers the ther the state specific Commission ordered rates for the servi-															
	each of	f the 9 states		_			_		•				•				
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list N. will be applied to a CLECs bill when it submits an LSR to B			e in this category rel	lects the ch	arge that would	be billed to a	CLEC once el	ectronic order	ing capabilities	s come on-ti	ne for that e	element Oth	erwise, the m	anual orderini	g charge,
		OSS - Electronic Service Order Charge, Per Local Service		Ï		I	I I		}							I	
		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3 50	0.00	3 50	0.00	 	ļ <u>.</u>		ļ		<u> </u>
		(LSR) - UNE Only				SOMAN	1	11 73	0.00	6 13	0 00		!				
		DATE ADVANCEMENT CHARGE		L													
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff, Section	on 5 as appli	icable.										
					UAL UEANL UCL]				ì						
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,		1			ł	1						
					UDN, UEA, UHL, ULC. USL U1T12						1					1	
					U1T48, U1TD1,				ł		ļ					1	
					U1TD3, U1TDX,					ŀ						1	
					U1TO3, U1TS1,		1 1						ŀ			1	
					U1TVX, UC1BC, UC1BL, UC1CC.											1	
					UC1CL, UC1DC												
					UC1DL UC1EC,	l							ŀ				i
					UC1EL, UC1FC,											1	
					UC1FL UC1GC		1 1									1	
					UC1GL, UC1HC, UC1HL, UDL12,						İ					i	
					UDL48, UDLO3		1				ļ						
					UDLSX, UE3,		-		1							}	
		•			ULD12, ULD48,						i					ł	
					ULDD1, ULDD3, ULDDX, ULDO3,		1									1	
					ULDS1, ULDVX,												
					UNC1X, UNC3X,				ł							}	
				-	UNCDX, UNCNX,				ļ							į	
					UNCSX, UNCVX,											l	
				ļ	UNLD1, UNLD3, UXTD1, UXTD3		1									1	
	ĺ			ł	UXTS1, U1TUC,	1			[
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB,				l								
UNRIIA	DI FD F	Day EXCHANGE ACCESS LOOP		-	U1TUA	SDASP	ļ	200 00	-						-		
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10 51	40 02	9 99	5 61	1 72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEAL2	15 85 31 97	40 02 40 02	9 99	5 61 5 61	1 72 1 72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10 51	40 02	9 99	5 61	1 72				 		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15 85	40 02	9 99	5 61	1 72	<u> </u>					
ļ		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31 97	40 02	9 99	5 61	1 72						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8 33	0.83								1
		Loop Testing - Basic 1st Half Hour		l	UEANL	URET1		25 12	25 12	 -	 	 					
		Loop Testing - Basic Additional Half Hour			UEANL	URETA	T	13 62	13 62				1		1		

ONRONDLED N	ETWORK ELEMENTS - Georgia										,			ment; 2		ibit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	EC to CLEC Conversion Charge Without Outside Dispatch		-		+		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	L-SL1)			UEANL	UREWO		15 75	8 92			!					
	bundled Voice Loop, Non-Design Voice Loop, billing for BST			OLANE	IONEWO		13 / 3	0 92			t					-
	viding make-up (Engineering Information - E I)			UEANL	UEANM		7 30	7 30								ł
Mar	nual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18 92	18 92								
Ord	er Coordination for Specified Conversion Time for UVL-SL1				İ	- 1										
	r LSR)			UEANL	OCOSL		57 79									
	BUNDLED COPPER LOOP - NON-DESIGNED															
	/ire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11 02	44 69	22 40		0 00						
	/ire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12 72	44 69	22 40		0 00						
	/ire Unbundled Copper Loop Non-Designed-Zone 3		3	NEÖ	UEQ2X	20 22	44 69	22 40	0 00	0 00						
	oundled Miscellaneous Rate Element, Tag Loop at End User	ĺ	1	LIEO	luner.						1					
	mise	<u> </u>	-	UEQ	URETL		8 33	0 83	ļI							
	nual Order Coordination 2 Wire Unbundled Copper Loop - n-Designed (per loop)	l	1	UEQ	USBMC		18 92	18 92			[.				1	
	pundled Copper Loop, Non-Design Copper Loop, billing for		\vdash	OLU.	USBIVIC		10 92	10 92								
	F providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU		7 30	7 30								
	p Testing - Basic 1st Half Hour			UEQ	URET1		25 12	25 12								
	p Testing - Basic Additional Half Hour			UEQ	URETA		13 62	13 62					-			
	C to CLEC Conversion Charge Without Outside Dispatch			024	TOTAL TITLE	-	10 02	10 02								İ
	L-ND)			UEQ	UREWO		14 25	7 42			l [ĺ
NBUNDLED EXCH	HANGE ACCESS LOOP					i										
	ALOG VOICE GRADE LOOP															
	Rates for Line Splitting (In Ga PSC ordered the line split	ttıng lo														
	fire Voice Grade Loop (SL1) for Line Splitting - Zone 1	ı		UEPSR UEPSB	UEALS	9 56	10 05	7 36	1 37	1 28						
	/ire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1		UEPSR UEPSB	UEABS	9 56	10 05	7 36	1 37	1 28						
	/ire Voice Grade Loop (SL1) for Line Splitting - Zone 2			UEPSR UEPSB	UEALS	14 86	10 05	7 36	1 37	1 28						
	/re Voice Grade Loop (SL1) for Line Splitting - Zone 2	1		UEPSR UEPSB	UEABS UEALS	14 86 31 66	10 05 10 05	7 36 7 36	1 37	1 28	1					
	fire Voice Grade Loop (SL1)for Line Splitting - Zone 3 fire Voice Grade Loop (SL1)for Line Splitting - Zone 3	<u>-</u>		UEPSR UEPSB	UEABS	31 66	10 05	7 36	1 37 1 37	1 28 1 28						
	HANGE ACCESS LOOP		-	UEFAK UEFAB	UEABO	3166	10 05	7 30	1 37	1 20						⊢—
2-WIRE AN	ALOG VOICE GRADE LOOP		_		+ +											
	fire Analog Voice Grade Loop - Service Level 2 w/Loop or								l		1					
	und Start Signaling - Zone 1		1	UEA	UÉAL2	11 57	79 85	24 65	18 92	7 87						ĺ
2-W	ire Analog Voice Grade Loop - Service Level 2 w/Loop or									-						
Gro	und Start Signaling - Zone 2		2	UEA	UEAL2	16 95	79 85	24 65	18 92	7 87						1
2-W	Ire Analog Voice Grade Loop - Service Level 2 w/Loop or			1	1											
	und Start Signaling - Zone 3		3	UEA	UEAL2	33 08	79 85	24 65	18 92	7 87						1
	er Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57 79									
	/ire Analog Voice Grade Loop - Service Level 2 w/Reverse			1												1
	ery Signaling - Zone 1		1	UEA	UEAR2	11 57	79 85	24 65	18 92	7 87						
	ire Analog Voice Grade Loop - Service Level 2 w/Reverse		_			40.05										f
	ery Signaling - Zone 2		2	UEA	UEAR2	16 95	79 85	24 65	18 92	7 87						
	/ire Analog Voice Grade Loop - Service Level 2 w/Reverse lery Signaling - Zone 3		3	UEA	UEAR2	33 08	79 85	24 65	18 92	7 87						1
	er Coordination for Specified Conversion Time (per LSR)		J	UEA	OCOSL	33 00	57 79	24 00	10 92	/ 0/						
	C to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 72	36 36						· · · · · ·		t
	p Tagging - Service Level 2 (SL2)			UEA	URETL		11 19	1 10								t
	ALOG VOICE GRADE LOOP				10.12.2		***									
4-W	ire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17 80	93 01	28 17	19 52	8 12						
4-W	re Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21 68	93 01	28 17	19 52	8 12						
	ire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30 25	93 01	28 17	19 52	8 12						
	er Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57 79									
	C to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 72	36 36								
	N DIGITAL GRADE LOOP	_	ļ.,		1											
2-W	Ire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21 89	180 06	35 25	18 23	6 97						
2-W	re ISDN Digital Grade Loop - Zone 2 re ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	25 27	180 06	35 25	18 23	6 97						
	er Coordination For Specified Conversion Time (per LSR)		3_	UDN	U1L2X	40 17	180 06	35 25	18 23	6 97						└
Orac	ei Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		57 79			_						Ĺ

5,,00,,00	D NETWORK ELEMENTS - Georgia												Attach	ment· 2	Exhi	ıbıt: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	tncremental Charge - Manual Svc Order vs Electronic- Disc 1st	increment Charge - Manual Sy Order vs Electronic Disc Add
															Disc ist	DISC Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					1	1,00	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120 98	33 04								
2-WIRI	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													ļ
	2 Wire Unbundled ADSL Loop including manual service inquiry	Ι.				44.00	44.00								1	ľ
	& facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry	<u> </u>	_1	UAL	UAL2X	11 23	44 69	31 55	0 00	0 00						-
	& facility reservation - Zone 2	Ι.	2	UAL	UAL2X	12 97	44 69	31 55	0 00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry	- '-		UAL	UALZA	12.97	44 09	31 33	000	0.00						+
	& facility reservation - Zone 3	١,	3	UAL	UAL2X	20 62	44 69	31 55	0 00	0 00					l	
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	- <u>*</u> -	UAL	OCOSL	20 02	57 79	0.00	- 0 00	0.00						†
	2 Wire Unbundled ADSL Loop without manual service inquiry &		t —													
	facility reservation - Zone 1	1	1	UAL	UAL2W	11 23	44 69	31 55	0 00	0 00]		ŀ	
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1													1
	facility reservaton - Zone 2		2	UAL	UAL2W	12 97	44 69	31 55	0 00	0 00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservator - Zone 3	1	3	UAL	UAL2W	20 62	44 69	31 55	0 00	0 00						ļ
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57 79									
	CLEC to CLEC Conversion Charge without outside dispatch	!		UAL	UREWO		44 69	29 29								ļ
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry	Ι.	١.	l												
	& facility reservation - Zone 1		1	UHL	UHL2X	7 88	44 69	31 55	0 00	0 00						1
l	2 Wire Unbundled HDSL Loop including manual service inquiry	١.					44.00	04.55	0.00	0.00		l				1
-i $-$	& facility reservation - Zone 2	<u> </u>	2	UHL	UHL2X	9 09	44 69	31 55	0 00	0 00						+
1	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	١,	3	UHL	UHL2X	14 48	44 69	31 55	0 00	0 00	}	İ	:	1		1
	Order Coordination for Specified Conversion Time (per LSR)	· · · · ·	-3	UHL	OCOSL	14 40	57 79	3133	0 00	0.00	1	-				+
	2 Wire Unbundled HDSL Loop without manual service inquiry		 	One	OCOGL		31 13					 	 	 		+
	and facility reservation - Zone 1		1	UHL	UHL2W	7 88	44 69	31 55	0 00	0 00						
	2 Wire Unbundled HDSL Loop without manual service inquiry		 - ' -	OTTE	GILLETT		1100	0100	- 000		 					+
	and facility reservation - Zone 2		2	UHL	UHL2W	9 09	44 69	31 55	0 00	0.00			1			
-	2 Wire Unbundled HDSL Loop without manual service inquiry		-												 	1
	and facility reservation - Zone 3	- 1	3	UHL	UHL2W	14 48	44 69	31 55	0 00	0 00			l			
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57 79									
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		44 69	31 55								1
4-WIR	E HIGH BIT RATE DIGITAL SUBŠCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		T											
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL4X	10 39	44 69	31 55	0 00	0 00						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2	. 1	2	UHL	UHL4X	12 00	44 69	31 55	0 00	0 00						
	4-Wire Unbundled HDSL Loop including manual service inquiry				1.											
	and facility reservation - Zone 3	!_	3	UHL	UHL4X	19 07	44 69	31 55	0 00	0 00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57 79									
	4-Wire Unbundled HDSL Loop without manual service inquiry	١.				40.00	44.00	04.55		0.00					i	
\longrightarrow	and facility reservation - Zone 1	- 1	1	UHL	UHL4W	10 39	44 69	31 55	0 00	0 00						+
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	12 00	44 69	31 55	0 00	0.00		ľ				
	4-Wire Unbundled HDSL Loop without manual service inquiry		-	UnL	UHL4VV	12 00	44 09	31 35	0.00	0.00	-					+
	and facility reservation - Zone 3		3	UHL	UHL4W	19 07	44 69	31 55	0 00	0.00		Į.				
	Order Coordination for Specified Conversion Time (per LSR)		+ -	UHL	OCOSL	15 07	57 79	31 33	0.00						 	
	CLEC to CLEC Conversion Charge without outside dispatch	1	 	UHL	UREWO		44 69	31 55				-			 	+
4-WIR	E DS1 DIGITAL LOOP							0,00				l	· · · · · · · · · · · · · · · · · · ·		-	t
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41 02	211 93	72 49	38 24	7 20	<u> </u>	<u> </u>		1		†
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	46 41	211 93	72 49	38 24	7 20		l	1	_		T
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	62 03	211 93	72 49	38 24	7 20	_	l	T	T		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		57 79									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100 91	42 97								
4-WIR	E 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
1 -	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	21 86	196 66	37 00	18 82	7 20					L	1
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	28 36	196 66	37 00	18 82	7 20						

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs Electronic-	Order vs Electronic-	Charge - Manual Svo Order vs Electronic-
		ŀ											1st	Add'l	Disc 1st	Disc Add'i
						Rec	Nonrec	urnng	Nonrecurring	Disconnect				Rates (\$)	1	
							First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21 86	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28 36	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	UDL	UDL56	38 22	196 66	37 00	18 82	7 20						
	Order Coordination for Specified Conversion Time (per LSR)	l		UDL	OCOSL		57 79									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21 86	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	UDL	UDL64	28 36	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	38 22	196 66	37 00	18 82	7 20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	ocost.		57 79				ļ				ļ	
<u> </u>	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101 95	49 66								_
2-WI	RE Unbundled COPPER LOOP	1	ļ													
1 1	2-Wire Unbundled Copper Loop-Designed including manual	1 .	1	UCL	UCLPB	12 02	44 69	31 55	0 00	0 00				1	1	1
	service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual	 	+	JUCL	UCLPB	12 02	44 69	J1 55	0.00	0.00	-			 	+	
	service inquiry & facility reservation - Zone 2	1 .	2	UCL	UCLPB	13 88	44 69	31 55	0 00	0 00					1	1
\vdash	2 Wire Unbundled Copper Loop-Designed including manual	 	 	, UGL	JULFE	13 08	44 09	31 55	0 00	0.00	1				+	
	service inquiry & facility reservation - Zone 3	1 .	3	UCL	UCLPB	22 07	44 69	31 55	0 00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)	+ '-		UCL	UCLMC	22 07	18 92	18 92	0.00	0.00	+				+	+
	2-Wire Unbundled Copper Loop-Designed without manual	 	 	UCL	OCLIVIC		10 92	10 32			 					
	service inquiry and facility reservation - Zone 1	1 .	1	UCL	UCLPW	12 02	44 69	31 55	0 00	0 00						1
	2-Wire Unbundled Copper Loop-Designed without manual	 	+	002	002, 11	12.02	44 03	31 30	0 00	0.00	ì					t
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13 88	44 69	31 55	0 00	0 00						
	2-Wire Unbundled Copper Loop-Designed without manual	<u> </u>	1	002	COE,	10 00	77.00		0 00	0.00	<u> </u>				 	
	service inquiry and facility reservation - Zone 3	1 1	3	UCL	UCLPW	22 07	44 69	31 55	0 00	0 00	İ			i		
	Order Coordination for Unbundled Copper Loops (per loop)	 	1 -	UCL	UCLMC		18 92	18 92	5 50		<u> </u>					
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		18 92	18 92		-						
	CLEC to CLEC Conversion Charge without outside dispatch	T	1													
	(UCL-Des)		1	UCL	UREWO		44 69	31 55								
4-WI	RE COPPER LOOP	T									,					
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16 65	44 69	31 55	0 00	0 00	<u> </u>			l		
	4-Wire Copper Loop-Designed including manual service inquiry														T	
	and facility reservation - Zone 2		2	UCL	UCL4S	19 22	44 69	31 55	0 00	0 00						
<u> </u>	4-Wire Copper Loop-Designed including manual service inquiry						}							· ·		
	and facility reservation - Zone 3	1	3	UCL	UCL4S	30 55	44 69	31 55	0 00	0 00	ļ					
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		18 92	18 92			ļ					ļ. <u>.</u>
İ l	4-Wire Copper Loop-Designed without manual service inquiry			1												
	and facility reservation - Zone 1		. 1	luct	UCL4W	16 65	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed without manual service inquiry	1 .	1 _													
	and facility reservation - Zone 2	1	.2	UCL	UCL4W	19 22	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed without manual service inquiry	1	3	UCL	UCL4W	30 55	44 69	31 55	0.00							
	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	+ -	3	UCL	UCL4W UCLMC	30 33	18 92	18 92	0 00	0 00	 					
<u> </u>	CLEC to CLEC conversion Charge without outside dispatch	+	 	UCL	UREWO		44 69	31 55			-					
LOOP MODI		 	1	UCL	DREWO		44 69	3133								-
LOOP MODI	FICATION	 	┼	UAL UHL UCL	-						-			· · · · · · · · · · · · · · · · · · ·		
			1	UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UEPSR,												İ
	pair less than or equal to 18k ft, per Unbundled Loop	1 ,	1	UEPSB	ULM2L		0 00	0.00								ļ.
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	 '-	†	102100	OLIVIZE		0 00	0.00			+					
	less than or equal to 18K ft, per Unbundled Loop	1 1		UHL, UCL, UEA	ULM4L		0 00	0 00							1	1
	The state of the s	T .		UAL, UHL, UCL.			0.30	- 500						 	+	
		1	1	UEQ, ULS, UEA,										1	1	1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL UEPSR			}							1		1
	per Unbundled Loop	1		IUEPSB	ULMBT		17 91							l .	1	1
SUB-LOOPS		1		1		· ·					t					
Sub-	-Loop Distribution	1														
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			1												
1	Up '	1	ì	UEANL	USBSA		255 76		1		1	1		i		1

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit 🖪
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge - Manual Svo Order vs
		<u> </u>	1			Rec	Nonrec		Nonrecurring					Rates (\$)		
		ļ	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7 29		1							l
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			OEAINE	USBSB		129									
1	Facility Set-Up	1	1	UEANL	USBSC		175 09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		1													
İ	Set-Up	i		UEANL	USBSD		51 61				<u>.</u>					
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working	i														
	and Spare Loop Activation		ļ	UEANL	USBRC	3 61	28 46	3 85	2 20	0 01	ļ					<u> </u>
	Unbundled Sub-Loops Riser Cable, 4-Wire per Loop, Working	l	l	1.45 00.11	HODER	7.07	31 07	4 79	2 27	0 01			i			
	and Spare Loop Activation Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-	 	UEANL	USBRD	7 67	3107	4 /9	221	001				.		
	Zone 1	İ	1	UEANL	USBN2	6 52	28 46	3 85	2 20	0.01			1	1		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		+ '-	O	CODINE	332	20 40	0.00	- 20	501						
	Zone 2	l	2	UEANL	USBN2	10 18	28 46	3 85	2 20	0 01	!			1		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -											_				
	Zone 3		3	UEANL	USBN2	19 51	28 46	3 85	2 20	0 01						ļ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -													i		ļ
	Zone 1		1	UEANL	USBN4	5 93	31 07	4 79	2 27	0 01						
[Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9 71	31 07	4 79	2 27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1 -	UEANL	USBN4	971	3107	4 79	221	0.01						
	Zone 3	Į.	3	UEANL	USBN4	18 85	31 07	4 79	2 27	0 01						i
	Edite V	l	╁╌	OL/WIL	CCDIV	10 00	0.07				-					·
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	}	1	UEANL	USBMC		18 92	18 92					i	1		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3 61	28 46	3 85	2 20	0 01						L
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		18 92	18 92					<u> </u>			
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	7 67	31 07	4 79	2 27	0 01				-	-	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18 92	18 92								
l	Loop Testing - Basic 1st Half Hour	-	1	UEANL	URET1		25 12	25 12								
	Loop Testing - Basic Additional Half Hour		+	UEANL	URETA		13 62	13 62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5 94	28 46	3 85	2 20	0 01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	7 51	28 46	3 85	2 20	0 01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ŀ	3	UEF	UCS2X	9 22	28 46	3 85	2 20	0 01						
!			1	l]			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	USBMC UCS4X	6 37	18 92 31 07	18 92 4 79	2 27	0 01				 		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	H		UEF	UCS4X	6 32	31 07	4 79	2 27	0.01					+	
1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 		UEF	UCS4X	9 10	31 07	4 79	2 27	0.01				 		1
				_		- 10	2.07							 	 	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<u></u>	UEF	USBMC		18 92	18 92								1
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25 12	25 12		•						
<u> </u>	Loop Testing - Basic Additional Half Hour			UEF	URETA		13 62	13 62								
Unbu	Indied Network Terminating Wire (UNTW)		<u> </u>	UENTA	HENDD	0.500	05.40	40.00	ļ <u>.</u>		ļ				-	
Natu	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)	-	<u> </u>	UENTW	UENPP	0 533	25 12	12 28		-					 	+
Netw	Network Interface Device (NID) - 1-2 lines	-	 	UENTW	UND12	 	32 86	20 69				 		 	 	
	Network Interface Device (NID) - 1-5 lines	H		UENTW	UND16		56 03	43 86				ļ	 	 	 	—
	Network Interface Device Cross Connect - 2 W		 	UENTW	UNDC2		2 45	2 45						1		
	Network Interface Device Cross Connect - 4W		I	UENTW	UNDC4		2 45	2 45								
UNE OTHER,	PROVISIONING ONLY - NO RATE															<u> </u>
	NID - Dispatch and Service Order for NID installation	ļ		UENTW	UNDBX	0 00	0.00				-					
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	<u> </u>		UENTW UEANL,UEF,UEQ,U	UENCE	0 00	0 00				ļ	ļ	<u> </u>		1	
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0 00	0 00							1	1	

UNBU	NDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
							Rec	Nonre			g Disconnect				Rates (\$)		
			ļ				7.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		 	UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0 00 :			İ						
-		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0 00	0 00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
HIGH C	ADACI	no rate TY UNBUNDLED LOCAL LOOP		 	USL	CCOEF	0.00	0 00									
ingn C	AFAUI	High Capacity Unbundled Local Loop - DS3 - Per Mile per	-	 						 							
		month		Ì	UE3	1L5ND	10 97				1						
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month		<u> </u>	UE3	UE3PX	253 38	1,753 23	131 90	112 91	75 88						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10 97										
		High Capacity Unbundled Local Loop - STS-1 - Facility		— —	OBEOX	TESINO	10 51										
		Termination per month			UDLSX	UDL\$1	305 42	1 753 23	131 90	112 91	75 88						
LOOP N	AKE-L			1													
- 1		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW	·	15 19	15 19								
		Loop Makeup - Preordering With Reservation, per spare facility	-		UWIK	UMIKEW		15 19	15 19								
		queried (Manual)			UMK	UMKLP		19 85	19 85		ŀ		}				
		Loop MakeupWith or Without Reservation, per working or						7-1-1									
INECL	JA DING	spare facility queried (Mechanized) AND LINE SPLITTING		-	UMK	UMKMQ		0 82	0.82								
		The Line Sharing monthly recurring rates for all installation	15 COMP	leted t	from October 02, 200	3 through m	Idnight Octobe	r 01 2004 ebal	he billed as f	ollows:	-						
		1 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co						01, 2004 Shar	, be billed us i	onows.							
		1. 10/02/2004 - 10/01/2005; 50% of the rate for UCLND															
		1· 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		Above will apply to USOCS: ULSDT and ULSCT The Line Sharing monthly recurring rates with USOCs ULS	CDC and	1111 60	C annius aniu ta au	ata raatall			Ostat 1 200					-			
		HARING	SDC aric	JULSC	applies only to cir	cuits instan	ed and inservic	e on or before	October 1, 200	13							
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131 00	0.00	0 00	0 00	0 00						
		Line Sharing Splitter per System 24 Line Capacity			ULS	ULSDB	32 00	0 00	0 00	0 00	0 00						
		Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-			ULS	ULSD8	11 00	0 00	0 00	0 00	0 00						
		deactivation (per LSOD)			ULS	ULSDG		66 34	0 00	51 20	0 00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING								0.25							
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -		<u> </u>	ULS	ULSDC	0 61	10 51	7 70	7 00	4 20						
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E 10/2/2003)		١,	ULS	ULSDT	2 76	10 51	7 70	7 00	4 20						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1										İ]				
		(E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	5 51	10 51	7 70	7 00	4 20						-
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E 10/2/2005)			ULS	ULSDT	8 27	10 51	7 70	7 00	4 20						
		Line Sharing - per Subsequent Activity per Line											1				
		Rearrangement(BST Owned Splitter			ULS	ULSDS		36 23	13 23	16 94	1 69				_		
		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36 23	13 23	16 94	1 69	I	J				
		Line Sharing - per Line Activation (DLEC owned Splitter) -			0.0	02000		30 23	13 23	10 94	1 69						
		OBSOLETE see **NOTE 2		1	ULS	ULSCC	0 61	17 82	9 36	8 53	4 30						

HOUNDL	ED NETWORK ELEMENTS - Georgia	т		1										ment; 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned			1												
	splitter - Central Office Located (25% of UCLND) - please see										i l					
	NOTE 1 (E 10/2/2003)			ULS	ULSCT	2 76	17 82	9 36	8 53	4 30						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see	-			1										ł	
	NOTE 1 (E 10/2/2004)	1	1	ULS	ULSCT	5 51	17 82	9 36	8 53	4 30						
	Line Share Service, TRO per line activation, CLEC owned	 	 	ULS	OLSC1	331	17 02	9.30	0 53	4 30						-
	splitter - Central Office Located (75% of UCLND) - please see				1 [
	NOTE 1 (E 10/2/2005)			ULS	ULSCT	8 27	17 82	9 36	8 53	4 30	i l					
	SPLITTING														 	
END	USER ORDERING-CENTRAL OFFICE BASED				1											
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0 61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0 6297	20 10	12 40	7 68	4 30						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0 6288	20 10	12 40	7 68	4 30					L	
MAIN	TENANCE	L			1										l	
	No Trouble Found - per 1/2 hour increments - Basic						80 00	55 00								
	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium		_				120 00	82 50								
DUMDI ED	DEDICATED TRANSPORT						160 00	110 00								
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
HAIL	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month		1	U1TVX	1L5XX	0 0057						ı				
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	-	_	UTIVA	ILSAA	0 0057										
	Facility Termination			U1TVX	U1TV2	12 87	48 46	19 48	16 58	5 00					1	
_	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			571VX	011142	12.07	40 40	19 40	10 30	3 00					 	
	Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0057			! !							Į.
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			01147	120/01	0 0001										
	Facility Termination			U1TVX	U1TR2	12 87	48 46	19 48	16 58	5 00						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade							15 15								
	Per Mile per month			U1 T VX	1L5XX	0 0057			:							
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															•
	- Facility Termination			U1TVX	U1TV4	10 78	48 46	19 48	16 58	5 00						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0 0057			<u> </u>			i				
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		i													
_	Termination			U1TDX	U1TD5	7 83	48 46	19 48	16 58	5 00						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		•	TDV	1		1					ľ				
_	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0 0057							-			
	Termination			U1TDX	U1TD6	7 83	48 46	19 48	40.50	5 00						ĺ
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	_		UTIDA	UTIDO	1 63	40 40	19 48	16 58	5 00						ļ
	month			U1TD1	1L5XX	0 1154	1								1	ŀ
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTIDI	TLS//	0 1134										
	Termination			U1TD1	U1TF1	34 19	111 03	80 28	31 36	21 73		1			ŀ	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				10	0.10	111 00		0100							
	month			U1TD3	1L5XX	2 53							İ			
	Interoffice Channel - Dedicated Transport - DS3 - Facility			_												-
\perp	Termination per month			U1TD3	U1TF3	342 02	320 47	86 32	66 77	52 81						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per						1									i .
	month			U1TS1	1L5XX	2 53										
1	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			LIATOA												
RK FIBER				U1TS1	U1TFS	358 67	320 47	86 32	66 77	52 81						
- I IDEN	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			 -	+											
	Thereof per month - Interoffice Channel	l		UDF, UDFCX	1L5DF	23 29	1		1							l
	NRC Dark Fiber - Interoffice Channel	-		UDF, UDFCX	UDF 14	50.58	1,776 53	89 75	73 64	18 70						ļ
	Dark Fiber, Four Fiber Strands Per Route Mile or Fraction			COL, ODLOX	351 14	+	1,776 53	ga / 5	/3 64	18 70						
	Thereof per month - Local Loop	1		UDF, UDFCX	1L5DL	46 84	I	j								
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,745 99	87 54	73 64	18 70						

OMDONDED	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhr	bit, B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge -	Incremental Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge -	Incrementa Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
8XX ACCESS	TEN DIGIT SCREENING	 	 			 	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per Call			OHD	-	0 0008543										———
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	 -	· ·	0110		0 0000343										
	Number Reserved			ОНВ	N8R1X	1	2 50	0 43								
	8XX Access Ten Digit Screening, Per 8XX No Established W/O					1		- 0.0								
	POTS Translations			ОНО		1	5 65	0 76	4 24	0 51					ļ	
	8XX Access Ten Digit Screening Per 8XX No Established With		T		***											
	POTS Translations		1	OHD	N8FTX		5 65	0 76	4 24	0 51						
ĺ	BXX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number		ļ	OHD	N8FCX		2 50	1 25								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No	1		Lour					Ι Τ						1	
	8XX Access Ten Digit Screening, Change Charge Per Request		-	OHD	N8FMX N8FAX	l	2 93	1 68	<u> </u>							
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination	 	 	UNU	Narax	 	2 93	0 43							ļ <u> </u>	
	Features			ОНФ	N8FDX] [2 50	ļ	[
	8XX Access Ten Digit Screening, w/8FL No Delivery			OHD	NOFDA	0 0008543	2 50									
	8XX Access Ten Digit Screening, w/POTS No Delivery	 		OHD	 	0 0008543										
LINE INFORM.	ATION DATA BASE ACCESS (LIDB)			9.15		0 0000010										
	LIDB Common Transport Per Query			оат		0 0000682										
	LIDB Validation Per Query		1	OQU		0 0266962									-	
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33 24	33 24	39 35	39 35						
SIGNALING (C															-	
	CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8 73	34 77	34 77	16 91	16 91				•		
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108 80										
	CCS7 Signaling Usage, Per Call Setup Message			UDB		0 0000132										
	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link) (same as E 3 1)			UDB		0 0000527										
	CCS7 Signaling Connection, Per link (A link) (same as £ 3.1) CCS7 Signaling Connection, Per link (B link) (also known as D		-	UDB	TPP++	8 73	34 77	34 77	16 91	16 91						
j	link) (same as E 3.1)		!	UDB	TPP++	8 73	34 77	24.77								
<u> </u>	CCS7 Signaling Usage, Per ISUP Message (same as E 3 3)		-	UDB	IIPP++	0 0000132	34 //	34 77	16 91	16 91						
	CCS7 Signaling Usage Surrogate, per link		_	UDB	STU56	907 44				-		<u> </u>				
	CCS7 Signaling Point Code Establishment or Change, per STP	-		ODB	01000	307 44										
	affected			UDB	CCAPO		28 15	28 15	33 32	33 32						
E911 SERVICE							20.0	20.10		00 02						
	Local Channel - Dedicated - 2-wr Voice Grade					7 74	121 07	53 30	46 40	13 37						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0057										
1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		i					·								
	Termination					12 87	48 46	19 48	16 58	5 00						
	Local Channel - Dedicated - DS1 - Zone 1		<u> </u>			18 47	149 46	111 20	40 36	26 12						
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3					56 30	149 46	111 20	40 36	26 12						
	Interoffice Transport - Dedicated - DS1 - Zone 3					164 70	149 46	111 20	40 36	26 12						
	interonice transport - Dedicated - DST Per Mile				-	0 1154		i								
1	Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	34 19	111 03	80 28	31 36	24.72		į				
CALLING NAM	IE (CNAM) SERVICE				+ -	34 19	11103	8U 28	31 30	21 73	-	+				
	CNAM For DB Owners - Service Establishment		 	OQV	 	+ +	22 90	+	20 32							
	CNAM For Non DB Owners - Service Establishment			OQV	+		22 90		20 32	_						
	CNAM For DB Owners - Service Provisioning With Point Code					 			20 32							
	Establishment			oqv			959 77	709 83	251 47	184 91						
1	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV		L !	331 89	237 45	257 65	184 91		i				
	CNAM for DB Owners, Per Query			oqv		0 0009924										
	CNAM for Non DB Owners, Per Query			OQV		0 0009924										
	CNAM (Non-Databs Owner), NRC, applies when using the				J											
SELECTIVE RO	Character Based User Interface (CHUI)			OQV	CDDCH	ļ	595 00	595 00			i					
SELECTIVE RO	Selective Routing Per Unique Line Class Code Per Request Per	_														
1	Switch						100.10									
VIRTUAL COLI	LOCATION				 	-	102 19	61 15	12 68	6 34						

PHYSICAL COLL F S AIN SELECTIVE	RATE ELEMENTS Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	Inten m	Zone	BCS	11000						Svc Order Submitted		Incremental Charge -	Charge -	Charge -	Incremental Charge -
PHYSICAL COLL F S AIN SELECTIVE	Splitting				USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs Electronic- Disc Add'l
PHYSICAL COLL F S AIN SELECTIVE	Splitting					Rec	Nonrec		Nonrecurring					Rates (\$)	T	
PHYSICAL COLL F S AIN SELECTIVE	Splitting					1,00	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLL F S AIN SELECTIVE																
AIN SELECTIVE				UEPSR UEPSB	VE1LS	0 0188	0 00	0 00	0 00	0 00						
AIN SELECTIVE			ļ												-	
AIN SELECTIVE	Physical Collocation-2 Wire Cross Connects (Loop) for Line		ł	UEPSR UEPSB	PE1LS	0 0197	0.00	0 00								1
			-	UEPSK UEPSB	PEILS	0.0187		0 00			·					
	Regional Service Establishment			SRC	SRCEC		101,311 67	101,311 67	7.833 25	7,833 25				_		
	End Office Establishment		·	SRC	SRCEO		158 92	158 92	1 64	1 64	-					
	ine/Port NRC, per end user		 	SRC	SRCLP		2 06	2 06		·-						
	Query NRC, per query			SRC		0 0020368										
	TH AIN SMS ACCESS SERVICE							-	·							
	AIN SMS Access Service - Service Establishment, Per State,															1
Ir	nitial Setup			A1N	CAMSE		41 41	41 41	41 63	41 63						
l T				l			ا ا			0.10						1
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8 15	8 15	9 16	9 16						
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			A1N	CAM1P		8 15	8 15	9 16	9 16	_					
	AIN SMS Access Service - User Identification Codes - Per User D Code			A1N	CAMAU		35 29	35 29	26 50	26 50						ĺ
	AIN SMS Access Service - Security Card, Per User ID Code,		├	AIN	CAIVIAU		33 25	33 23	20 30	20 30			_			
	nitial or Replacement			A1N	CAMRC		40 24	40 24	11 72	11 72					l	[
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				OAMINO	0 0038	4024									
	AN SMS Access Service - Session Per Minute					1 81										
	AIN SMS Access Service - Company Performed Session, Per		 	-	<u> </u>		-									
	Minute		l			0 8323										
AIN - BELLSOU	TH AIN TOOLKIT SERVICE															
F	AIN Toolkit Service - Service Establishment Charge, Per State.		Г													1
	nitial Setup		ļ	CAM	BAPSC		41 41	41 41	41 63	41 63						
	AIN Toolkit Service - Training Session, Per Customer		ļ		BAPVX		4,236 62	4,236 62								
	AIN Toolkit Service - Trigger Access Charge Per Trigger, Per		l					2.45		0.40				ļ	1	ĺ
	DN, Term Attempt		├		BAPTT		8 15	8 15	9 16	9 16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		i		BAPTD		8 15	8 15	9 16	9 16						1
	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPIU		6 10	0 13	9 10	916						
	DN, Off-Hook Immediate			Ì	ВАРТМ		8 15	8 15	9 16	9 16			ļ			1
	AIN Toolkit Service - Trigger Access Charge Per Trigger, Per				DA 1101			0 13	3 10							
	DN, 10-Digit PODP				BAPTO		33 98	33 98	14 09	14 09						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-			10.0.0				17.55	,						
	ON, COP				BAPTC		33 98	33 98	14 09	14 09		i				ĺ
	AIN Toolkil Service - Trigger Access Charge Per Trigger, Per															
	DN, Feature Code				BAPTF		33 98	33 98	14 09	14 09						
/	AN Toolkil Service - Query Charge, Per Query					0 0271438										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															1
	Subscription, Per Node, Per Query		1			0 0059195										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access														Į.	1
	Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			-		0 04			<u> </u>							
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			САМ	BAPMS	14 78	8 15	8 15	5 71	5 71					1	1
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			Oravi	UAF WIS	14 (0	0 13	0 10								
	Subscription			CAM	BAPLS	6 46	8 98	8 98								1
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		T			- 10										
s	Subscription	L		CAM	BAPDS	8 54	8 15	8 15	5 71	5 71						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															1
	Service Subscription			CAM	BAPES	0 22	8 98	8 98								
	TENDED LINK (EELs)		L													
	he monthly recurring and non-recurring charges below will a													ļ <u></u>		
NOTE, T	he monthly recurring and the Switch-As-Is Charge and not the ED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ne non-	recurr	ing charges below	will apply for	UNE combinati	ons provisione	as ' Current	ly Combined' N	letwork Eleme	nts					
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	בט מצ		UNCVX	UEAL2	11 57	195 94	36 38	18 42	6 86	-				-	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16 95	195 94	36 38		6 86	-			-		-

UNBUNDLE	ED NETWORK ELEMENTS - Georgia			·	T						1 =	-		ment ⁻ 2		ibit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge • Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Sv Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33 08	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-3	DINCVX	UEALZ	33 08	195 94	36 38	18 42	6 86	-	-		<u> </u>		
	per month			UNC1X	1L5XX	0 1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility				120701	0 1101										
	Termination per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97					ļ	
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	69 75	86 10									
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11 57	195 94	36 38	18 42	6 86			ļ			ļ
l	Foot Additional 2 Mars VO Long (SL 2) or Combination 7 and 2		2	UNCVX	UEAL2	16 95	195 94	36 38	18 42	0.00				!		1
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		-	DINCVA	UEALZ	16.95	195 94	36 38	18 42	6 86						
1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33 08	195 94	36 38	18 42	6 86				ļ		1
	Voice Grade COCI - Per Month		⊢ Š	UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04		_		-		
	Nonrecurring Currently Combined Network Elements Switch -As-		1													
	is Charge		<u>L</u> .	UNC1X	UNCCC		5 70	5 70	6 61	6 61						1
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTE	ROFFICE TRANSPO	ORT											
i																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4_	17 80	195 94	36 38	18 42	6 86						ļ
	First A Was Applies Versa Conda Langua Combination 7 - 2		1			24.00	405.04	00.00	40.40	0.00						1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		. 2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86				ļ		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCVA	OLAL4	30 23	133 54	30 30	10 42	0.60						
	Per Month			UNC1X	1L5XX	0 1154										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				1.20.01					-	*******					
	Month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						
	1/0 Channel System in combination Per Month		i	UNC1X	MQ1	69 75	86 10									
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04					i .	
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86						
l	Additional 4-Wire Analog Voice Grade Loop in same DS1				l	04.55	405.04	20.25							İ	1
-	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86						-
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86						
	Additional Voice Grade COCI in combination - per month		-	UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04				-		
	Nonrecurring Currently Combined Network Elements Switch -As-	 	 	DIVOVA	10110	0 4003	27 33	2 30	10 00	104					 	
	Is Charge		ĺ	UNC1X	UNCCC		5 70	5 70	6 61	6 61					i	-
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
					T											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86						<u> </u>
	5		١	l	l									i	1	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	}	3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-3	DINCDA	IODE36	36 22	190 84	30 30	10 42	0 00						
	Per Month		1	UNC1X	1L5XX	0 1154			1							
	Interoffice Transport - Dedicated - DS1 - combination Facility				1.2074				<u> </u>							<u> </u>
	Termination Per Month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						
	1/0 Channel System in combination Per Month		Ī	UNC1X	MQ1	69 75	86 10									
	OCU-DP COCI (data) per month (2 4-64kbs)			UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04						
1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 1		_1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86						ļ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	LINCOV	LUDI EC	20.00	405.61	00.55	40.5	0.55						
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1 2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86	-		 	ļ	-	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86	1				1	
-	Additional OCU-DP COCI (data) - in combination per month (2.4-		-	0.1000	ODES	30 22	190 94	36 38	10 42	0 00	 		 	-	 	
		1	1	UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04	1		1	I	I	1

UNBUND	OLED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit B
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect	1			Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC1X	UNCCC		5 70	5 70	6 61	661					!	1
EVI	is Charge KTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN				370	370	001							
	TENDED TYME OF ICE OF EXPENDED BIOTIAL EGGS WITH DEBIC			TENOTITIES TO SE	1						-	 				
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21 86	195 94	36 38	18 42	686	l					
			Ï													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28 36	195 94	36 38	18 42	6 86					ļ. <u></u>	
					l	22.22	405.04	00.00	40.40							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38 22	195 94	36 38	18 42	6 86					<u></u>	
l i	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		1	UNC1X	1L5XX	0 1154					1					1
	Interoffice Transport - Dedicated - DS1 combination - Facility		<u> </u>	G.131A	1.20,00	0.1,54					1	 				
	Termination Per Month	1		UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97		L				
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69 75	86 10									
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)		1	UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21 86	195 94	36 38	18 42	6 86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١,	UNICDY	UD) C4	28 36	195 94	36 38	18 42	6 86						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28 36	195 94	36 38	18 42	0.00	 					+
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38 22	195 94	36 38	18 42	686				l .]	
	Additional OCU-DP COCI (data) - in combination - per month	<u> </u>	<u> </u>	ONCEA	ODEO	30 22	150 04	50 00			· · · · · · ·					
	(2 4-64kbs)	ļ	1	UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04			l			İ
	Nonrecurring Currently Combined Network Elements Switch -As-		1													
	Is Charge		<u> </u>	UNC1X	UNCCC		5 70	5 70	6 61	6 61	ļ					
EX.	XTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1							4-27							
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	41 02 46 41	209 45 209 45	70 44 70 44	37 91 37 91	6 86 6 86			-			
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86		 			-	
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		+ -	UNCIA	USLAN	02 03	203 40	1044	37 31	0.00						
	Per Month			UNC1X	1L5XX	0 1154								1		1
	Interoffice Transport - Dedicated - DS1 combination - Facility		1		1						1					
	Termination Per Month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						ļ
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5 70	5 70	6 61	6 61						
EX	XTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS	INTER				000 15	30.44	97.04	0.00	ļ .	<u> </u>				
	First DS1Loop in Combination - Zone 1	ļ	1-1	UNC1X	USLXX	41 02 46 41	209 45 209 45	70 44 70 44	37 91 37 91	6 86 6 86		<u> </u>			 	
	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	 	3	UNC1X UNC1X	USLXX	62 03	209 45	70 44		6 86					 	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	 	+	DINCIA	UGEA	02 00	200 40	1044	Ų. S.	3 33		 				
	Per Month	1	1	UNC3X	1L5XX	2 53									L	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per				1				T				Ī			
	month	L		UNC3X	U1TF3	342 02	325 91	77 07	49 56	32 88		ļ				<u> </u>
	3/1Channel System in combination per month	Γ.	1	UNC3X	MQ3	121 90							<u> </u>			
	DS1 COCI in combination per month	<u> </u>	_	UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04		ļ		1		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	١.	LINGAY	LICLYY	44.00	200.45	70.44	37.04	6 86	1		1			
	Zone 1	1	1	UNC1X	USLXX	41 02	209 45	70 44	37 91	0 80	 		 			
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	1	2	UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86	1		1			
	Additional DS1Loop in DS3 Interoffice Transport Combination -	┼──	+-	UITO IA	JOEAN	7041	200 40	,,,,,,,	5. 51	1	† ·			-		
	Zone 3		3	UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86		<u> </u>			1	
	Additional DS1 COCI in combination per month			UNC1X	UC1D1	7 35	27 33	2 90		1 04						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	ls Charge	<u> </u>		UNC3X	UNCCC		5 70	5 70	6 61	6 61	1		ļ	ļ — — —		+
EX.	XTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE				105 -		+				1			+
	2-WireVG Loop in combination - Zone 1	-	1 1	UNCVX	UEAL2	11 57	195 94 195 94	36 38 36 38		6 86		 	1	 		
\vdash	2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3	-	3	UNCVX	UEAL2 UEAL2	16 95 33 08	195 94 195 94	36 38		6 86		t	 	 	†	-
	Z-vviievo coop in comunication - zone 3		1 3	I DIACAY	JUENLE	1 33.00	190 94	1 30 30	10 42	1	1			J	<u></u>	

CATEGORY	RATE ELEMENTS				1 1						Svc Order	Svc Order	Incremental	Incremental	Incremental	1 1
		Inten m	Zone	BCS	USOC			RATES (\$)			Submitted Elec per LSR		Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
 						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per			 	+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Month			UNCVX	1L5XX	0 0057									ŧ	
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	12 87	66 53	33 61	43 42	27 60						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNGVA	UTIVZ	12 07	00 03	33 01	43 42	2/ 60						
	Is Charge			UNCVX	UNCCC		5 70	5 70	6 61	6 6 1						
	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI			ORT											
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86						
4	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per				41.570	0.0057										
	Month Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVX	1L5XX	0 0057	-									
	Termination per month			UNCVX	U1TV4	10 78	66 53	33 61	43 42	27 60						1
	Nonrecurring Currently Combined Network Elements Switch -As-			DITOTA	011111	1010	00 33	3001	4342	27 00						
	ls Charge		<u> </u>	UNCVX	UNCCC		5 70	5 70	6 61	6 61						ĺ
	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10 97										
	DC2 good good or combination Facility Tourseller combined			LINGSV	LUESON	252.00	4 000 47	000.04	44.50	00.30						1
	DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month		-	UNC3X UNC3X	UE3PX 1L5XX	253 38 2 53	1,260 47	628 84	41 53	20 76						←
	Interoffice Transport - Dedicated - DS3 combination - Facility		 	UNCSA	TIL5AA											
	Termination per month			UNC3X	U1TF3	342 02	325 91	77 07	49 56	32 88						1
	Nonrecurring Currently Combined Network Elements Switch -As-				10000		020 01		10 00	02.00						
	Is Charge			UNC3X	UNCCC	i	5 70	5 70	6 61	6 61		i				1
	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INTI	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10 97										
	STS-1 Local Loop in combination - Facility Termination per															1
	month Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	305 42	1,260 47	628 84	41 53	20 76						└
	per month			UNCSX	1L5XX	2 53										ĺ
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNUGA	ILJAA.	2 55						-				
	Termination per month			UNCSX	U1TFS	358 67	325 91	77 07	49 56	32 88						ĺ
١	Nonrecurring Currently Combined Network Elements Switch -As-			.,,	1	1										
	ls Charge			UNCSX	UNCCC		5 70	5 70	6 61	6 61						ĺ
	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS														Ĺ
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19 82	195 94	36 38	18 42	6 86						L
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	26 26	195 94	36 38	18 42	6 86						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42 17	195 94	36 38	18 42	6 86						
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0 1154										ĺ
	Interoffice Transport - Dedicated - DS1 combination - Facility		-	ONGIA	ILDA	0.1154										
	Termination per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97	-		l			i
	1/0 Channel System in combination - per month			UNC1X	MQ1	69 75	86 10	40 10	75 00	21 91						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1 66	27 33	2 90	16 86	1 04			•			
A	Additional 2-wire ISDN Loop in same DS1Interoffice Transport											1				
	Combination - Zone 1		_1_	UNCNX	U1L2X	19 82	195 94	36 38	18 42	6 86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		ایا	LINDAIN	LIMITON	20.00	105.5	20	40.5			İ				1
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	26 26	195 94	36 38	18 42	6 86						
	Combination - Zone 3	-	3	UNCNX	U1L2X	42 17	195 94	36 38	18 42	6 86	•					i
	Additional 2-wire ISDN COCI (BRITE) - in combination- per			J. 1011/1	12.12.	42 1/	150 54	<i>3</i> U 30	10 42	0 00						
r	month			UNCNX	UC1CA	1 66	27 33	2 90	16 86	1 04	ļ	ļ				i
	Nonrecurring Currently Combined Network Elements Switch -As-															
	s Charge		L	UNC1X	UNCCC		5 70	5 70	6 61	6 61	1					
	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	D STS														
	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2			UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86						
	First DS1 Loop Combination - Zone 2 First DS1 Loop Combination - Zone 3			UNC1X UNC1X	USLXX	46 41 62 03	209 45 209 45	70 44 70 44	37 91 37 91	6 86 6 86						

UNBUI	NDLE	D NETWORK ELEMENTS - Georgia							·					Attach	ment. 2	Exhi	bit: B
				<u> </u>								Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -	Charge -
						1						Elec	Manually	Manual Svc		Manual Svc	
CATEG	001	RATE ELEMENTS	Interi	Zопе	BCS	usoc			RATES (\$)								1
CATEG	ORY	KATE ELEMENTS	m	Z OПе	BCS	USUC			KAIES (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
				1		1 1								Electronic-	Electronic-	Electronic-	Electronic-
				ļ	•									1st	Add'l	Disc 1st	Disc Add'l
				ļ		1								l	L	L	
				L			Rec		urring	Nonrecurring					Rates (\$)		,
							1100	Fırst	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l i		Interoffice Transport - Dedicated - STS-1 combination - Per Mile	l	l		1 1	i										
		Per Month			UNCSX	1L5XX	2 53										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															İ
1		Termination per month		1	UNCSX	U1TFS	358 67	325 91	77 07	49 56	32 88						
		3/1 Channel System in combination per month			UNCSX	MQ3	121 90			i							
		DS1 COCI in combination per month		1	UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04					-	
		Additional DS1Loop in the same STS-1 Interoffice Transport	İ		1												1
		Combination - Zone 1		1	UNC1X	lustxx	41 02	209 45	70 44	37 91	6 86					-	
	-	Additional DS1Loop in the same STS-1 Interoffice Transport				1						•					
1		Combination - Zone 2	i	2	UNC1X	USLXX	46 41	209 45	70 44	37 91	6 8 6					i	
 		Additional DS1Loop in the same STS-1 Interoffice Transport	l -	<u> </u>	- 10	1222.31		200 70		0.07	1 30						
		Combination - Zone 3	l	3	UNC1X	USLXX	62 03	209 45	70 44	37 91	686			1			
 		DS1 COCI in combination per month	 	۲	UNC1X	UC1D1	7 35	27 33	2 90		1 04				-		
		Nonrecurring Currently Combined Network Elements Switch -As-	!	 	5.10 IX	100.01	, 55	21 00	230	10.00	1.54			 	 	1	
		Is Charge	l	1	UNCSX	UNCCC		5 70	5 70	6 61	661			İ		ļ	
	EYTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT	FROF		5,4000	- 1	370	370	001							
├	EXTEN	4-wire 56 kbps Local Loop in combination - Zone 1	er o inti		UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86	-		1		1	-
\vdash				1 2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86				 		-
		4-wire 56 kbps Local Loop in combination - Zone 2												ļ		-	
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86			ļ		<u> </u>	
1 1		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				l .											
		Per Mile per month		ļ	UNCDX	1L5XX	0 0057										
1 1		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	l.		İ		ŀ									1	
		Facility Termination per month			UNCDX	U1TD5	7 83	66 53	33 61	43 42	27 60						
l I		Nonrecurring Currently Combined Network Elements Switch -As-				1 1				1	İ					i	
		ls Charge		<u> </u>	UNCDX	UNCCC		5 70	5 70	6 6 1	6 61						
		DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT							j .		l					L
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	21 86	195 94	36 38	18 42	6 86						<u> </u>
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28 36	195 94	36 38	18 42	6 86				į.		
		4-wire 64 kbps Looal Loop in Combination - Zone 3	1	3	UNCDX	UDL64	38 22	195 94	36 38	18 42	6 86						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			1												1
		Per Mile per month		l	UNCDX	1L5XX	0 0057								1		1
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1													
l i		Facility Termination per month			UNCDX	U1TD6	7 83	66 53	33 61	43 42	27 60						
		Nonrecurring Currently Combined Network Elements Switch -As-		 		15.1.50				10.00		-					†
		Is Charge		1	UNCDX	UNCCC		5 70	5 70	6 61	6 61						
-	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORTW		10.11000							-				·
	CATEN	First 2-wire VG Loop (SL2) in Combination - Zone 1	1001101		UNCVX	UEAL2	11 57	195 94	36 38	18 42	6 86				 		
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16 95	195 94	36 38		6 86				1	 	
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33 08	195 94	36 38		6 86				-		<u> </u>
		First Interoffice Transport - Dedicated - DS1 combination - Per	-	-	ONGVA	OLAL	33 00	133 34	30 30	10 42	- 000			-	1	· · · · · · · · · · · · · · · · · · ·	
ŀ		Mile		i	UNC1X	1L5XX	0 1154					!		ł			
\vdash			-	-	UNCIA	ILDAA	0 1154							-			4
		First Interoffice Transport - Dedicated - DS1 combination -	1	l	LINIOAN	U1TF1	24.40	07.70	45 73	40.00	07.07			ĺ	1		
		Facility Termination per month		ļ	UNC1X		34 19	87 76	45 / 3	43 80	27 97					-	
		Per each DS1 Channelization System Per Month		ļ	UNC1X	MQ1	69 75	86 10							<u> </u>		1
l		Per each Voice Grade COCI - Per Month per month		↓	UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04				·		
 		3/1 Channel System in combination per month		_	UNC3X	MQ3	121 90			 							
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04				<u> </u>		ļ
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	l	Ι.	l	1									f	1	1
\longmapsto	-	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	11 57	195 94	36 38	18 42	6 86				<u> </u>	1	L
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	l	1 _	1	1	1								1	I	
 		Interoffice Transport Combination - Zone 2	ļ <u>-</u>	2	UNCVX	UEAL2	16 95	195 94	36 38	18 42	6 86						1
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	l -	1		1 7	7										1
L	L	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33 08	195 94	36 38	18 42	6 86	l		L	1		
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04				1	[
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0 1154							l			1
		Each Additional DS1 Interoffice Channel Facility Termination in		1	1	1											
		same 3/1 Channel System per month	l	1	UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97			1	1	1	1
1					UNC1X			27 33									

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	,		RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec First	umng Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	COMM	SOMAN	Rates (\$)	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-				-	-	FIISL	Add I	FIISt	Add I	SUMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
L	Is Charge			UNC1X	UNCCC		5 70	5 70	6 61	6 61	l i					
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	RANSPORT w/ 3/1 N	IUX									İ		
	First 4-Wire Analog Voice Grade Local Loop in Combination -					47.00	105.01								l	
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86			***		<u> </u>	
	Zone 2		2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86		ļ				
	First 4-Wire Analog Voice Grade Local Loop in Combination -						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	50 00	10 12							
	Zone 3		3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		İ								; I					
	First Interoffice Transport - Dedicated - DS1 - Facility			UNC1X	1L5XX	0 1154					·					ļ
1	Termination Per Month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97	l					ì
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69 75	86 10	10.10								
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121 90										
\vdash	Per each DS1 COCI in combination per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		- '	BINCVX	OLAL4	17 60	183 84	30 36	10 42	0 00						
1. 1	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1							-								
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			LINGAY	1L5XX	0 1154										1
 	Each Additional DS1 Interoffice Channel Facility Termination in		-	UNC1X	ILSXX	0 1154										
1	same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04						
1	Nonrecurring Currently Combined Network Elements Switch -As-															
EVTE	Is Charge	DO 1117		UNC1X	UNCCC		5 70	5 70	6 61	6 61						
	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	PS IN I	EKOFF	ICE TRANSPORT	W/ 3/1 MUX											
	Zone 1		1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86						-
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			0.10071	102200	2.50	10001	- 00 00	10 42	0.00						
	Zone 2		2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86						i
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86						
ı İ	Mile Per Month			UNC1X	1L5XX	0 1154	l									
i	First Interoffice Transport - Dedicated - DS1 - combination				1				_	-						
	Facility Termination Per Month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						
 	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69 75	86 10									
 	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs) 3/1 Channel System in combination per month			UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04						
- 	Per each DS1 COCI in combination per month			UNC3X UNC1X	MQ3 UC1D1	121 90 7 35	27 33	2 90	16 86	1 04						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONO IA	OCIDI	7 35	21 33	∠90	16 86	1 04						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1													-		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86						
ı	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODA	1101.50	20.55	40.5.5								-	
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) COCI in combination per month (2 4-		3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86						
ı	64kbs)	ı		UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1.2.25		2, 55	2 50	10 00	1,04						
	Channel System per month			UNC1X	1L5XX	0 1154										
	Each Additional DS1 Interoffice Channel Facility Termination in		"]		I											
	same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						ļ
\vdash	Each Additional DS1 COCI in the same 3/1 channel system				1	I	,				1					

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNC1X	UNCCC		5 70	5 70	6 61	6 61		ĺ				
EVT	Is Charge ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FEICE				370	370	001						i	
EAT	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	T	T	TRANSPORT OR WAY OF	T				1							
	Transport Combination - Zone 1		1	UNCDX	UDL64	21 86	195 94	36 38	18 42	6 86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_				405.04	20.00	40.40	0.00						
	Transport Combination - Zone 2		2	UNCDX	UDL64	28 36	195 94	36 38	18 42	6 86		-		 		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38 22	195 94	36 38	18 42	6 86		ì				ı
	First Interoffice Transport - Dedicated - DS1 combination - Per		۲	UNUDA.	0000											1
	Mile Per Month			UNC1X	1L5XX	0 1154										
	First Interoffice Transport - Dedicated - DS1 combination -				1				40.00	07.07						1
	Facility Termination Per Month	<u> </u>	<u> </u>	UNC1X UNC1X	MQ1	34 19 69 75	87 76 86 10	45 73	43 80	27 97	 					1
	Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2 4-		 	UNCIA	IVIQT	08 / 5	80 10									<u> </u>
	64kbs)	i		UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04		1	Į.			
	3/1 Channel System in combination per month		 	UNC3X	MQ3	121 90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						405.04		40.40	0.00					}	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21 86	195 94	36 38	18 42	6.86	1		-			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28 36	195 94	36 38	18 42	6 86			1			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	ONODA	OBEC-	20 00	100 01	00.00	10.2						-	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38 22	195 94	36 38	18 42	6 86						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System													1		1
	combination - per month (2 4-64kbs)		Ļ	UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month	1		UNC1X	1L5XX	0 1154							I		ļ	
	Each Additional DS1 Interoffice Channel Facility Termination in	f		UNCIA	ILJAA	0 1134						-				
	same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						
	Each Additional DS1 COCI in the same 3/1 channel system														!	
	combination per month		<u> </u>	UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04		ļ				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		5 70	5 70	6 61	6 6 1					1	
EVT	Is Charge ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	PT w/ 3	1 MUY		DINCCC		370	570		001						
	First 2-Wire ISBN Loop in a DS1 Interoffice Combination	1 11/0/	T		+		*								†"	
	Transport - Zone 1	l	1	UNCNX	U1L2X	19 82	195 94	36 38	18 42	6 86						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		Γ													
	Transport - Zone 2	ļ	2	UNCNX	U1L2X	26 26	195 94	36 38	18 42	6 86			1	-		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		3	UNCNX	U1L2X	42 17	195 94	36 38	18 42	6 86					i	
	Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNCIVA	UILZA	42 17	150 54	30 30	10 42	0.00	<u> </u>				 	1
	Mile per month			UNC1X	1L5XX	0 1154							•			
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month	<u> </u>	ļ	UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						
	Per each Channel System 1/0 in combination - per month	ļ	-	UNC1X	MQ1	69 75	86 10		ļ		_	 		 	1	
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	1 66	27 33	2 90	16 86	1 04						
	3/1 Channel System in combination per month	 	1	UNC3X	MQ3	121 90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19 82	195 94	36 38	18 42	6 86	-		 	ļ	+	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	26 26	195 94	36 38	18 42	6 86	İ		1		ĺ	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		+-	OHONA	UILEA	20 20	155 54	30 36	10.42	3 60	1			-	†	
	Combination - Zone 3	1	3	UNCNX	U1L2X	42 17	195 94	36 38	18 42	6 86						
1	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
1	system combination- per month			UNCNX	UC1CA	1 66	27 33	2 90	16 86	1 04		1	L		L	

UNBUNDLE	D NETWORK ELEMENTS - Georgia			,							T= = :			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			ļ			Rec	Nonrec		Nonrecurring		201150			Rates (\$)		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	-					First	l'bbA	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in		ļ	UNC1X	1L5XX	0 1154										ļ
	same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04						
	Nonrecurring Currently Combined Network Elements Switch -As-		†		1	1 00										
EVIE	Is Charge NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDAN	CDODI	UNC1X	UNCCC		5 70	5 70	661	6 61						
EXIE	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	IKAN	1	UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86						
$\overline{}$	First 4-wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86		 				
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2		3	UNC1X	USLXX	62 03	209 45	70 44		6 86	-	 		1		
- 	First Interoffice Transport - Dedicated - DS1 combination - Per		3				209 43	70 44	3/91	0.00			L			
	Mile Per Month First Interoffice Transport - Dedicated - DS1 combination -		+	UNC1X	1L5XX	0 1154										
l	Facility Termination Per Month		1	UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						1
	3/1 Channel System in combination per month		1	UNC3X	MQ3	121 90										
	Per each DS1 COCI combination per month	1	1	UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04			···			
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1154										
	Each Additional DS1 Interoffice Channel Facility Termination in		ļ				•						·			
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system		_	UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97						
	combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86						
-	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86						
-	Nonrecurring Currently Combined Network Elements Switch -As-		1	BINGIA	002	02 03	203 43		3, 91							
	Is Charge			UNC1X	UNCCC		5 70	5 70	6 61	6 61				1		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE										·			
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21 86	195 94	36 38		6 86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86						<u> </u>
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month		1.	UNCDX	1L5XX	0 0057										
	First 4-wire 56 kbps interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	7 83	66 53	33 61	43 42	27 60						
	Nonrecurring Currently Combined Network Elements Switch -As-		1			, 00										
EVE	is Charge	L		UNCDX	UNCCC		5 70	5 70	6 6 1	6 61	ļ					-
EXIE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NIERO	FFICE		1451.04	21 86	405.04	20.00	10.40		ļ					
— 	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL64 UDL64	28 36	195 94 195 94	36 38 36 38		6 86 6 86	 			-		
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38 22	195 94	36 38		6 86	-				ļ	
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		1 3	UNCDA	UDL64	30 22	193 94	36 36	10 42	0.00				-		
	per month		ļ	UNCDX	1L5XX	0 0057										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	7 83	66 53	33 61	43 42	27 60						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5 70	5 70	6 61	6 61						
ADDITIONAL	NETWORK ELEMENTS	— —	Τ		1		5.5	5,0	""	0.01				<u> </u>		
	used as a part of a currently combined facility, the non-recurr	ng cha	rges d	o not apply, but a	Switch As Is ch	harge does and	lý				-		1			
When	used as ordinanly combined network elements in All States, t	he non-	-recurr	ing charges apply	and the Switch	As Is Charge d	loes not.									
Nonre	curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	Charge	Une	applies to each co	mpination)									l		
	Is Charge - 2 wre/4-Wire VG			UNCVX	UNCCC		5 70	5 70	6 61	6 61						

UNB	UNDLE	D NETWORK ELEMENTS - Georgia													ment: 2	Exhi	bit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'i
	-				ļ	<u> </u>	Rec		curring		g Disconnect				Rates (\$)		
	+	Nonrecurring Currently Combined Network Elements Switch -As-			 			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Is Charge - 56/64 kbps			UNCDX	UNCCC		5 70	5 70	6 61	6 61						1
		Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	1	0.1000			370	- 001	1						
	<u> </u>	Is Charge - DS1			UNC1X	UNCCC	ł	5 70	5 70	6 61	6 61]			1
		Nonrecurring Currently Combined Network Elements Switch -As-									1						
	1	Is Charge - DS3 Nonrecurring Currently Combined Network Etements Switch -As-		1	UNC3X	UNCCC		5 70	5 70	6 6 1	6 61						<u> </u>
	1	Is Charge - STS1			UNCSX	UNCCC		5 70	5 70	6 61	0.01						1
	Option	al Features & Functions:			UNCOX	DINCCC		570	5 70	6.61	6.61						
	10,000	an i data da a la distributa.		 	U1TD1,				-								
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		01	OI .	oı	01				ŀ		1
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	ŀ	<u> </u>	ULDD1,UNC1X	CCOSF		OI	01	OI	01						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	1											
		Activity - per DS1	1	ļ	UNC1X, USL	NRCCC		184 62S	23 788	2 038	0 79S						-
	İ	C-bit Parity Option - Subsequent Activity - per DS3		l	U1TD3, ULDD3, UE3, UNC3X	NRCC3		218 74S	7 66S	0 7591\$	0\$	1					ĺ
	MULTI	PLEXERS		 	GES, GNGSA	INKCUS		210 /45	7 003	0.75912	05						·
	1	DS1 to DS0 Channel System per month		 	UNC1X	MQ1	69 75	86 10									l
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per						33.13									
		month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	0 9963	1198	11 39	6 61	6 61						i
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per														,	
		month (2 4-64kbs) used for connection to a channelized DS1			İ			f			1						ł
	-	Local Channel in the same SWC as collocation		1	U1TUD	1D1DD	0 9963	11 98	11 39	6 6 1	6 61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop				110101	4.00	45.54						1			ł
	+	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UDN	UC1CA	1 66	15 81	11 39	6 61	6 61						
	1	month used for connection to a channelized DS1 Local Channel					ľ					i		ŀ			í
		in the same SWC as collocation		1	U1TUB	UC1CA	1 66	15 81	11 39	6 61	6 61						í
	1	Voice Grade COCI - DS1 to DS0 Channel System - per month					· · · · · · · · · · · · · · · · · · ·		11.00								
	1	used for a Local Loop			UEA	1D1VG	0 4689	11 98	11 39	6 61	6 61			ļ			í
	1	Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the			•				1		:						í
	1	same SWC as collocation DS3 to DS1 Channel System per month			U1TUC	1D1VG	0 4689	11 98	11 39	6 61	6 61						
	╅	STS-1 to DS1 Channel System per month		-	UNC3X UNCSX	MQ3 MQ3	121 90 121 90										
	 - -	DS1 COCI used with Loop per month		-	USL	UC1D1	7 35	15 81	11 39	6 61	6.61	 		_			
	†	DS1 COCI (used for connection to a channelized DS1 Local		_	JOGE	COLD	/ 35	1001	11.39	0 61	8 8 1			·	-		
		Channel in the same SWC as collocation) per month		İ	U1TUA	UC1D1	7 35	15.81	11 39	6 61	661						ı
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7 35	15 81	11 39	6 61	6 61			-			·
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															i
IAID	MDL ED !	month			ULDD1	UC1D1	7 35	15 81	11 39	6 6 1	6 61						i
NRU		OCAL EXCHANGE SWITCHING(PORTS) age Ports			-	+											<u> </u>
		age Ports Although the Port Rate includes all available features in GA, F	(V I A	R TN 4	he desired features	Juli need to b	o ordered ::=1	an rotal HEAA	<u></u>			 					
		VOICE GRADE LINE PORT RATES (RES)	. ,	. 114, [ne desired readures	will lised to 0	e ordered USI	g retail USUC	э Г								
		Exchange Ports - 2-Wire Analog Line Port- Res		† —	UEPSR	UEPRL	1 09	2 42	2 31	1 37	1 28						
						1	. 30		231	1.57	1.20						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 09	2 42	2 31	1 37	1 28						i
		Fushers Bods 200 A. J. S. S. S.															i
	 	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res Exchange Ports - 2-Wire VG unbundled res, low usage line port		<u> </u>	UEPSR	UEPRO	1 09	2 42	2 31	1 37	1 28						
		exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEBER	UEDAD											i
	+	Exchange Ports - 2-Wire Voice Georgia basic dialing port			UEPSR	UEPAP	1 09	2 42	2 31	1 37	1 28						
		without Caller ID			UEPSR	UEPWC	1 09	2 42	2 31	1 37	1 28						i
	1	2-Wire voice unbundled Georgia basic dialing port for use with			0E, 0K	OLF WO	109	242	231	1 37	1 28						
	<u>L</u> .	Caller ID - res			UEPSR	UEPWQ	1 09	2 42	2 31	1 37	1 28						i
		2-Wire voice unbundled Georgia basic dialing port - outgoing							31		. 20		•				
	1.	only		<u>L_</u>	UEPSR	UEPWR	1 09	2 42	2 31	1 37	1 28						i

NBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment 2	Exhi	ıbıt: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1]	LIEBOD	UEDDT	4.00	0.40	0.04	4.07	4.00						
\longrightarrow	Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability,	 	 	UEPSR	UEPRT	1 09	2 42	2 31	1 37	1 28						
	Georgia	1	1	UEPSR	UEPRV	1 09	2 42	2 31	1 37	1 28						1
-+-	2-Wire Voice Grade Unbundled Port with Caller ID capability,		+	OLI GIX	OLI III	105	- 1-	201		120				 		+
	Georgia			UEPSR	UEPRU	1 09	2 42	2 31	1 37	1 28			l			
	Subsequent Activity			UEPSR	USASC	0 00	0 00	0 00								
FEAT	URES															
	All Available Vertical Features	I		UEPSR	UEPVF	0 775	0 00	0 00								
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			1		j ,					i					
	Bus	ļ	<u> </u>	UEPSB	UEPBL	1 09	2 42	2 31	1 37	1 28			 	 -		
	Exchange Ports - 2-Wire VG unbundled Line Port with					l i			i							
	unbundled port with Caller+E484 ID - Bus	-	1	UEPSB	UEPBC	1 09	2 42	2 31	1 37	1 28		-	1			+
l l	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability		1	UEPSB	UEPWP	1 09	2 42	2 31	1 37	1 28			1	1		
	Fort, with Galler ID capability	+		ULFOR	UEF WP	109	2 42	∠ 31	13/	128			 	 		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		1	UEPSB	UEPBO	1 09	2 42	2 31	1 37	1 28		1	1	1		
-+-	Exhange Ports - 2-Wire VG unbundled incoming only port with			OLI OB	OLI DO	100	2 72	2.51	131							
- 1	Caller ID - Bus		ļ	UEPSB	UEPB1	1 09	2 42	2 31	1 37	1 28						
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan			02. 02	102.01				-							1
	without Caller ID			UEPSB	UEPWD	1 09	2 42	2 31	1 37	1 28						
_	2-Wire voice unbundled Incoming Only Port without Caller ID				1											
	Capability			UEPSB	UEPBE	1 09	2 42	2 31	1 37	1 28						
	Subsequent Activity			UEPSB	USASC	0.00	0 00	0.00								
FEAT																
	All Available Vertical Features	ļ		UEPSB	UEPVF	0 775	0 00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)	ļ	ļ		1		20.00	40.00	44.40	0.00						ļ
	2-Wire VG Unbundled 2-Way PBX Trunk - Res	ļ		UEPSE	UEPRD UEPPC	1 09 1 09	28 88 28 88	13 63 13 63	11 48 11 48	0 83 0 83	-					
-+-	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	-	-	UEPSP UEPSP	UEPPO	1 09	28 88	13 63	11 48	0.83	_					1
-+-	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	1 09	28 88	13 63	11 48	0.83		<u> </u>				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	 	+	UEPSP	UEPLD	1 09	28 88	13 63	11 48	0 83						+
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 09	28 88	13 63	11 48	0.83						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 09	28 88	13 63	11 48	0.83						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 09	28 88	13 63	11 48	0.83						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UÉPSP	UEPXC	1 09	28 88	13 63	11 48	0 83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 09	28 88	13 63	11 48	0 83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD										}					
	Capable Port		<u> </u>	UEPSP	UEPXE	1 09	28 88	13 63	11 48	0.83				<u> </u>		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	ł		l	1				4	0.00	1					1
	Administrative Calling Port	<u> </u>	_	UEPSP	UEPXL	1 09	28 88	13 63	11 48	0 83			-	ļ <u>-</u>		+
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXM	1 09	28 88	13 63	11 48	0.83						
-+-	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		-	UEPSP	UEPAM	109	20 00	13 63	1140	0 03			1			+
	Discount Room Calling Port			UEPSP	UEPXO	1 09	28 88	13 63	11 48	0.83	1			ļ		
-+-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		 	UEPSP	UEPXS	1 09	28 88	13 63	11 48	0.83				-		+
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			02 , 0.		,	2000									1
	Oudial Trunk			UEPSP	UEPWS	1 09	28 88	13 63	11 48	0.83				1		
	2-Wire voice unbundled Georgia basic dialing port - 2-Way								Ī							
	Trunk	1		UEPSP	UEPWT	1 09	28 88	13 63	11 48	0.83					ļ	
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX								1						1	1
\perp	Trunk	<u> </u>		UEPSP	UEPPQ	1 09	28 88	13 63	11 48	0.83	<u> </u>	_				
	Subsequent Activity	_	J	UEPSP	USASC	0.00	0 00	0 00				ļ				
FEAT			 	LIEBOR LIEBOR	LIED T							-	ļ <u>-</u>	ļ		+
ı	All Available Vertical Features ANGE PORT RATES (COIN)	 		UEPSP UEPSE	UEPVF	0 775	0.00	0 00				-				
EVA.			1	1	1				1	1	İ	i	I .	1	1	+
EXCH	Exchange Ports - Coin Port		+			1 09	2 42	2 31	1 37	1 28	-					1

INBUNDLED N	ETWORK ELEMENTS - Georgia													ment: 2		bit: B
			1 7			_							Incremental		Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Inton				ì					Elec	Manually	Manual Svc		Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Inter	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs	Order vs.	Order vs	Order v
		m				1		• •			per con	per con	Electronic-	Electronic-	Electronic-	Electron
														1	1	1
		Ì											1st	Add'l	Disc 1st	Disc Ade
						 	Nonre	curring	Nonrecurrin	g Disconnect		<u> </u>	OSS	Rates (\$)	-	-
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
MOTE: A-	to B.Channel as B.Channel Bask to asset the same the		la a ale	. Abasa a b DEDAIsaa	D	l December										SUMAI
	cess to B Channel or D Channel Packet capabilities will be	availar	ne only	through BFR/New	Business Re	quest Process	Rates for the	packet capabi	ities will be d	etermined via t	ne Bona Fi	de Request	New Busines:	s Request Pro	cess	
	AL EXCHANGE SWITCHING(PORTS)															
	E PORT RATES		!			<u> </u>										ļ
	ort rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI											riff rates or	a separate ag	reement		
	for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	after the			idment shall	be provided p	ursuant to a se	eparate agreem	ent or tariff at	BellSouth's d	scretion				l	
Exc	change Ports - 2-Wire DID Port			UEPEX	UEPP2	5 50	122 26	18 65	54 82	3 45						
Exc	change Ports - DDITS Port - 4-Wire DS1 Port with DID					1										
	pability (E 4/1/2004)			UEPDD	UEPDD	41 20	200 96	93 00	65.81	2 33						
	change Ports - 2-Wire ISDN Port (See Notes below)		-	UEPTX, UEPSX	U1PMA	6 09	76 39	51 50	45 67	10 36	+					
		<u> </u>								10.36						<u> </u>
	Features Offered			UEPTX, UEPSX	UEPVF	0 775	0 00	0 00								ļ
	change Ports - 2-Wire ISDN Port - Channel Profiles			UEPTX, UEPSX	U1UMA	0 00	0 00	0.00		ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ	<u> </u>	l	<u> </u>	ļ	
NOTE: Tra	ansmission/usage charges associated with POTS circuit se	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-C	hannels assoc	ated with 2	wire ISDN	orts.	L	L	
	cess to B Channel or D Channel Packet capabilities will be	availat	le only	through BFR/New	Business Re	quest Process	Rates for the	packet capabi	lities will be d	etermined via t	he Bona Fie	de Request/	New Busines:	s Request Pro	ocess	
EXCHANG	E PORT RATES (continued)															[
	change Ports - 4-Wire ISDN DS1 Port with Detailed E911				1	T				1	1			T		
	cator Capability (E 4/1/2004)			UEPEX	UEPEX	65 13	198 74	97 29	72 95	17 69				1		
	change Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPDX	UEPDX	65 13	198 74	97 29	72 95		 	1				
	ysteal Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0 3726	130 / 4	31 23	12 33	17 03					 	-
				DEPEX DEPUX	PEIPI	0 3/20										
	tual collocation - Special Access & UNE, cross-connect per	1	1				ĺ									
DS				UEPEX UEPDX	CNC1X	0 3726					L					
	911 with Locator Capability (required with UEPEX port)															
Unt	bundled Exchange Ports, 4-Wire ISDN DS1 Port - E911									1						
Loc	cator Capability - Initial Profile Establishment per CLEC per					1		'							į	
Sta				UEPEX	UEP1A	0 00	1,818 00									
	bundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		-	OLF LX	OLF IA	000	1,010 00			 					l	
						1				•						
	cator Capability - Subsequent Profile Changes, Additions,	ļ														
	letions			UEPEX	UEP1B	0.00	176 57				ļ					
	Iditional PRI Telephone Numbers														L	
Uni	bundled Exchange Ports 4-Wire ISDN DS1 Port - E911															1
Loc	cator Capability 2-way Telephone Numbers, per number in															1
E9	11 profile [New or Additional]			UEPEX	UEP1C	0 0703	0.50			1		ľ				1
	bundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										†					
	cator Capability - Outdial Telephone Numbers, per number in				}											ļ
				UEPEX	LUEDAD.	0.0300	40.70	10 72								1
	11 profile [New or Additional]			UEPEX	UEP1D	0 0703	10 72	10 72		 	-	1				L
	bundled Exchange Ports 4-Wire ISDN DS1 Port - Inward	1			1					1				1		
	lephone Numbers - Inward Data Only Option [New or				1									1		
Add	ditional]			UEPDX	UEP1E	0 00	0.50			1	1			1		
	change Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		1		T	i		i								
	vard Tel Numbers [Customer Testing Purposes]	í		UEPEX	PR7ZT	0 00	21 43	21 43			[!			
	IMBER PORTABILITY		-		 	 				1		t		 	t	t
	cal Number Portability (1 per port)	 	 	UEPEX UEPDX	LNPCN	1 75	 	-			 	1		<u> </u>	 	+
				OEPEX DEPUX	LINPUN	1 /5				+	 	+		-		
	CE (Provsioning Only)	ļ	 	LIEBEN						+	+	-		+		
	ice/Data	1		UEPEX	PR71V	0 00	0.00	0 00		1	ļ		ļ	<u> </u>	ļ	
	gital Data			UEPEX	PR71D	0.00	0.00	0 00								
	vard Data			UEPDX	PR71E	0 00	0.00	0 00								
New or Ad	ditional Channel										1					
Ne	w or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28 71			1	1					1
	w or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0 00	28 71									
	w or Additional Inward Data "B" Channel			UEPDX	PR7BD	0 00	28 71			+	T	· · · · · ·		l	 	
	w or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0 00	2071			+	1	1			 	
	w or Additional Useage Sensitive Voice Data "B" Channel	-	-	UEPEX	PR7BU	0.00	-			-	+	+			 	+
I've	w or Additional Oscage Sensitive Digital Data B. Channel									-	-	-	l	-		-
	w or Additional PRI "D" Channel			UEPEX	PR7EX	0 00	28 71			1	i	<u> </u>				
CALL TYPI													l		1	
	vard			UEPEX UEPDX	PR7C1	0 00	0.00	0 00								
Ou	itward			UEPEX	PR7CO	0 00	0 00	0 00								
Twe	o-way			UEPEX	PR7CC	0 00	0.00	0 00		1	1					
	ED PORT with REMOTE CALL FORWARDING CAPABILITY	,			1	1 30	1 30	- 5 50	· · · · · ·	1	1		1	1		1
	ED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1	1			ļ. 	+	+	+		-	1	+
	LD REMOTE CALL FURWARDING SERVICE - RESIDENCE	I	1	UEPVR	l	I	2 42			1	1	1	I	1	1	1

UNBUNDLED NETV	VORK ELEMENTS - Georgia								_					ment: 2		bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
					 	1	Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						† · · · · ·										
Unbund	led Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 09	2 42	2 31	1 37	1 28						
	led Remote Call Forwarding Service, InterLATA - Res			UEPVR	VERTÉ	1 09	2 42	2 31	1 37	1 28						
	led Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 09	2 42	2 31	1 37	1 28						
Non-Recurring																
	led Remote Call Forwarding Service - Conversion -															
Switch-a				UEPVR	USAC2		2 01	0 31								
	led Remote Call Forwarding Service - Conversion with		1													
	change (PIC and LPIC)			UEPVR	USACC		2 01	0 31			ļ					
UNBUNDLED R	EMOTE CALL FORWARDING - Bus															
l	led December Call Franciscolory Control Acres Calls	ļ		UEPVB	UERAC	1 09	2 42	2 31	1 37	1 28	1			1		1
Unbund	led Remote Call Forwarding Service, Area Calling - Bus	-		UEPVB	UERAU	1 09	2 42	2 37	1 37	1 28	 			 		+
1,500	led Remote Call Forwarding Service, Local Calling - Bus	1		UEPVB	UERLC	1 09	2 42	2 31	1 37	1 28				1		1
	led Remote Call Forwarding Service, Local Calling - Bus led Remote Call Forwarding Service, InterLATA - Bus	 		UEPVB	UERTE	1 09	2 42	2 31	1 37	1 28			-	· · · · · · · · · · · · · · · · · · ·	 	
	led Remote Call Forwarding Service, IntelEATA - Bus	-		UEPVB	UERTR	1 09	2 42	2 31	1 37							
	led Remote Call Forwarding Service Expanded and			OLI VII	OLIVIN	100		201								
	on Local Calling	ĺ		UEPVB	UERVJ	1 09	2 42	2 31	1 37	1 28				1		
Non-Recurring	Tr Eddar Calling			041 10	OLIVIO	1 20										
	led Remote Call Forwarding Service - Conversion -			*********	 											
Switch-a				UEPVB	USAC2		2 01	0.31						l .		
	led Remote Call Forwarding Service - Conversion with				00,102							-				
	change (PIC and LPIC)		ŀ	UEPVB	USACC		2 01	0.31						į.		
	WITCHING, PORT USAGE															
	tching (Port Usage)					· · · ·										
	ice Switching Function, Per MOU				1	0 0006153									1	
	ice Trunk Port - Shared, Per MOU					0 0001226										
Tandem Switch	ing (Port Usage) (Local or Access Tandem)															
	Switching Function Per MOU					0 0000972										
	Trunk Port - Shared, Per MOU					0 0001557										
	Switching Function Per MOU (Melded)					0 000017904					ļ					
	Trunk Port - Shared, Per MOU (Melded)					0 00002868										
	Factor 18 42% of the Tandem Rate															
Common Trans																
	n Transport - Per Mile, Per MOU					0 0000027					ļ					
	n Transport - Facilities Termination Per MOU				 	0 0001914										
	OP COMBINATIONS - COST BASED RATES les are applied where BellSouth is required by FCC ar	alla a Ct	-1. 0.		l.	died I eest Con		- Dame			ļ. 					
Cost based Rai	apply to the Unbundled Port/Loop Combination - Cos	t Based	Boto o	nmission rule to pr	manner of the	ou are applied	oning or switt	in ruris	d Port soction	of this Bata E	vhibië.				-	
End Office and	Tandem Switching Usage and Common Transport Us	ane rat	oe in th	e Port section of the	ue rate evhih	it shall annly to	ell combination	one of loon/no	rt network eler	nents excent	for LINE Cou	Port/Loon	Combinatio	18		
	Iditional Port nonrecurring charges apply to Not Curr															
	GRADE LOOP WITH 2-WIRE LINE PORT (RES)	l l		d Combos i or Car	Tentily Como	Inca dellibes ti	ie nomecomin	g charges sha	I be those laci	Timed III LIIO II	l	00//0////		1		
	Combination Rates		-		1									l		
	/G Loop/Port Combo - Zone 1		1			10 46									<u> </u>	· · · · · · ·
	/G Loop/Port Combo - Zone 2		2		1	15 76								1	1	
	/G Loop/Port Combo - Zone 3		3			32 56									1	
UNE Loop Rate														1	1	
	/orce Grade Loop (SL1) - Zone 1	i	1	UEPRX	UEPLX	9 56										
	/oice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	14 86								L		
	/oice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31 66										
	rade Line Port Rates (Res)															
	oice unbundled port - residence			UEPRX	UEPRL	0 9019	10 05	7 36	1 37	1 28						
	oice unbundled port with Caller ID - res			UEPRX	UEPRC	0 9019	10 05	7 36	1 37	1 28						ļ
	oice unbundled port outgoing only - res			UEPRX	UEPRO	0 9019	10 05	7 36	1 37	1 28	L					ļ
	orce unbundles res, low usage line port with Caller ID				1										1	1
(LUM)				UEPRX	UEPAP	0 9019	10 05	7 36	1 37	1 28				ļ		<u> </u>
	oice unbundled Georgia basic dialing port without Caller				1		}								1	
	pility - res	ı		UEPRX	UEPWC	0 9019	10 05	7 36	1 37	1 28	1			I	1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
					 	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port for use with		-		+ +		FIISL	Addi	Filst	Auu i	JOHLC	JOHAN	JOHIAN	JOHIAN	JONIAN	JOHAN
	Caller ID - res			UEPRX	UEPWQ	0 9019	10 05	7 36	1 37	1 28						ļ
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only		ļ	UEPRX	UEPWR	0 9019	10 05	7 36	1 37	1 28						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPRT	0 9019	10 05	7 36	1 37	1 28]		
	Capability 2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0 9019	10 05	7 36	1 37	1 28						
FEAT					1											
	All Features Offered	İ		UEPRX	UEPVF	0 775	0 00	0 00								
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35							ļ			
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	₩										.			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USAC2		0 10	0 10	1			1			I	
-	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USACZ		0 10	0 10								
	Switch with change	1		UEPRX	USACC	l i	0 10	0 10								
ADDIT	TIONAL NRCs		1	021100	00/100		0.0	0.10			-					
710011	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		t —						<u> </u>							<u> </u>
	Activity			UEPRX	USAS2	0 00	0.00	0.00			_					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
1	Premise			UEPRX	URETL		8 33	0 83								Ļ
OFF/C	ON PREMISES EXTENSION CHANNELS															ļ
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	10 51	40 02	9 99	5 61	1 72						-
	2 Wire Analog Voice Grade Extension Loop Non-Design			UEPRX	UEAEN	15 85	40 02	9 99		1 72 1 72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ		UEPRX	UEAEN	31 97 11 57	40 02 79 85	9 99 24 65	5 61 18 92	7 87		 				
ļ	2 Wire Analog Voice Grade Extension Loop - Design	-	1	UEPRX UEPRX	UEAED	16 95	79 85	24 65	18 92	7 87						
ļ	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33 08	79 85	24 65	18 92	7 87		 			 	
INTES	ROFFICE TRANSPORT			OLF IXX	OLALD		7300	24 00	10 32							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1										t				
l 1	Termination	ļ		UEPRX	U1TV2	12 87	48 46	19 48	16 58	5 00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	ļ										1				
	or Fraction Mile	<u> </u>	l	UEPRX	U1TVM	0 0057	0.00	0 00								ļ
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															ļ <u>.</u>
UNE F	Port/Loop Combination Rates												!	-		-
	2-Wire VG Loop/Port Combo - Zone 1	-	1			10 46									<u> </u>	+
	2-Wire VG Loop/Port Combo - Zone 2	-	2			15 76 32 56			-				 		_	+
LINE	2-Wire VG Loop/Port Combo - Zone 3 Loop Rates	 	3	ļ 	+	32 36						 	+		 	
OINE I	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1 7	UEPBX	UEPLX	9 56	-									
	2-Wire Voice Grade Loop (SL1) - Zone 2	 		UEPBX	UEPLX	14 86			†							-
	2-Wire Voice Grade Loop (SL1) - Zone 3	t —		UEPBX	UEPLX	31 66									Ī	
2-Wire	e Voice Grade Line Port (Bus)									_						
	2-Wire voice unbundled port without Caller ID - bus		1	UEPBX	UEPBL	0 9019	10 05	7 36	1 37	1 28						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	0 9019	10 05	7 36		1 28						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	0 9019	10 05	7 36		1 28					ļ	
	2-Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPBX	UEPB1	0 9019	10 05	7 36	1 37	1 28	ļ	ļ				
	2-Wire voice unbundled Georgia basic dialing port, without	1			1			7.00	4.07			-				
 	Caller ID capability - bus		+	UEPBX	UEPWD	0 9019	10 05	7 36	1 37	1 28		 	 	-	 	
1 1	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus			UEPBX	UEPWP	0 9019	10 05	7 36	1 37	1 28		1			1	1
\vdash	2-Wire voice unbundled Incoming Only Port without Caller ID	 	+-	OCI.DV	DEFVYF	0.9019	10 03	1 30	131	. 20	 	1	<u> </u>	<u> </u>		
1 1	Capability			UEPBX	UEPBE	0 9019	10 05	7 36	1 37	1 28						1
LOCA	L NUMBER PORTABILITY	†	\vdash	0 = 1 U/N	JC. JC	3 30 19	1000	. 30	1 37	. 20		<u> </u>		<u> </u>	İ	
1	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEAT	URES															1
	All Features Offered			UEPBX	UEPVF	0 775	0 00	0.00				ļ			<u> </u>	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1 ~				I	_			1	1			1	

DOITEL	NETWORK ELEMENTS - Georgia													ment 2		ibit: B
TEGÓRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
[[2	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch-as-is	<u> </u>	Ì	UEPBX	USAC2		0 10	0 10					ŀ	ĺ		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-			1											
	Switch with change		1	UEPBX	USACC		0 10	0 10								
	DNAL NRCs	<u> </u>	1													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		j										ì	1		
	Activity		1	UEPBX	USAS2		0 00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				1	ì				1						
	Premise			UEPBX	URETL		8 33	0 83			1					
	PREMISES EXTENSION CHANNELS	ļ		U.S.D.D.							ļ					
	2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ		UEPBX	UEAEN	10 51	40 02	9 99		1 72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design	-	2	UEPBX	UEAEN	15 85	40 02	9 99		1 72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design	-	3	UEPBX	UEAEN	31 97	40 02	9 99		1 72					1	
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	-	1 2	UEPBX UEPBX	UEAED UEAED	11 57 16 95	79 85 79 85	24 65		7 87 7 87			 		1	-
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	-		UEPBX	UEAED	33 08	79 85	24 65						ļ		
	FFICE TRANSPORT	 	3	DEPBX	DEAED	33 08	79 85	24 65	18 92	7 87	ļ	-		ļ		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-	1		_						-					₩
	Interonice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		1	UEPBX	U1TV2	12 87	48 46	19 48	16 58	5 00	1					
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 	 	UEPBX	UTIVZ	12 87	48 46	19 48	16 58	5 00				 		+
	or Fraction Mile			UEPBX	U1TVM	0 0057	0 00	0.00						-		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 -		DEPBX	UTIVM	0.0057	0 00	0 00								+
	rt/Loop Combination Rates	1	1													+
	2-Wire VG Loop/Port Combo - Zone 1	 -	1	1		10 46			1		1				1	
	2-Wire VG Loop/Port Combo - Zone 2		2	1		15 76			-							
	2-Wire VG Loop/Port Combo - Zone 3	+	3			32 56					+	-				+
	op Rates		 			32 30			 	ł		-				1
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	9 56						-			-	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	14 86			 	t						
	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEPRG	UEPLX	31 66				_	·					
	/oice Grade Line Port Rates (RES - PBX)	 	1								1		ļ		Ť	1
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -					- *							1	-		
	Res			UEPRG	UEPRD	0 9019	10 05	7 36	1 37	1 28						
LOCAL	NUMBER PORTABILITY	1				İ										
1	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15	0 00	0.00								
FEATUR		1	1													
	All Features Offered			UEPRG	UEPVF	0 775	0 00	0 00	İ							
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	 													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										1					
	Conversion - Switch-As-Is			UEPRG	USAC2		0 10	0 10	ł				<u> </u>			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRĠ	USACC		0 10	0 10								
	DNAL NRCs															ــــــ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	ŀ												1	
	Subsequent Activity		<u> </u>	UEPRG	USAS2	0 00	0 00	0 00		l						
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						6 70	6 70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	l	l l											
	Premise	ļ	ļ	UEPRG	URETL		8 33	0.83			ļ					ļ
	PREMISES EXTENSION CHANNELS		.	UEBBO	150 000	44.5-	70.00		10.00	 			ļ		ļ	+
	Local Channel Voice grade, per termination	 	1	UEPRG	P2JHX	11 57	79 85	24 65		7 87					1	+
	Local Channel Voice grade, per termination	-	2	UEPRG	P2JHX	16 95	79 85	24 65		7 87				-	-	+
	Local Channel Voice grade, per termination	 	3	UEPRG	P2JHX	33 08	79 85	24 65		7 87			ļ	 	 -	+
	Non-Wire Direct Serve Channel Voice Grade	1	1	UEPRG	SDD2X	12 74	56 92	7 70		0 02			-	-	 	+
	Non-Wire Direct Serve Channel Voice Grade	1	2	UEPRG	SDD2X	19 76	56 92	7 70		0 02			 		1	+
	Non-Wire Direct Serve Channel Voice Grade	 	3	UEPRG	SDD2X	37 18	56 92	7 70	4 40	0 02	1	ļ	ļ		+	+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	-	 		-			-	-	+		 	 	+	+
															1	1

INBUNDLE	D NETWORK ELEMENTS - Georgia	,												ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1		1					!						
	or Fraction Mile		<u> </u>	UEPRG	U1TVM	0 0057	0 00	0 00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1			L										
UNEP	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	1	1			10 46										
	2-Wire VG Loop/Port Combo - Zone 1	-	1			15 76										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	2			32 56										
LINE			3			32 56					-				-	
UNEL	oop Rates	1	.	HEDDY	LIEDLY	2.50										ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	9 56 14 86					-					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX UEPPX	UEPLX	31 66										
- 10.144	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31 00					ļ					
2-vvire	Voice Grade Line Port Rates (BUS - PBX)		├								 					ļ
1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	0 9019	10 05	7 36	1 37	1 28	1					
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	0 9019	10.05	7 36	137	1 28	 					
_		-		UEPPX	UEPPO UEPP1	0 9019	10 05	7 36	1 37	1 28						
	Line Side Unbundled Incoming PBX Trunk Port - Bus	-		UEPPX	UEPLD	0 9019										
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0 9019	10 05 10 05	7 36 7 36	1 37 1 37	1 28 1 28					-	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	ļ			UEPXA	0 9019	10 05	7 36	1 37	1 28					-	
	2-Wire Voice Unbundled PBX Foli Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX UEPPX	UEPXB	0 9019	10 05	7 36	1 37	1 28	<u> </u>					
		-				0 9019	10 05							<u> </u>		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPPX	UEPXD	0 90 19	10.05	7 36	1 37	1 28				ļ <u> </u>		
i	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	LIEBYE	0.0040	40.05	7.00	4.07	4.00	ł .					
-	Capable Port			UEPPX	UEPXE	0 9019	10 05	7 36	1 37	1 28	!					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEBBY		0.0040	40.05	7.00	4.07	4.00						
	Administrative Calling Port		<u> </u>	UEPPX	UEPXL	0 9019	10 05	7 36	1 37	1 28	├					
- 1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		LIEBBY	LIEBUAA		40.05	7.00			İ					
	Room Calling Port		1	UEPPX	UEPXM	0.9019	10 05	7 36	1 37	1.28						
1	2-Wire Voice Unbundled 1-Way Oulgoing PBX Hotel/Hospital	1				0.0040	40.05	₹ 00			i					
	Discount Room Calling Port	1	1	UEPPX	UEPXO	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0 9019	10 05	7 36	1 37	1 28						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			LIEBBY	LIEBIAG	0.0040	40.05	7.00		4.00						
	Oudial Trunk			UEPPX	UEPWS	0 9019	10 05	7 36	1 37	1 28						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way		'									!				
	Trunk		_	UEPPX	UEPWT	0 9019	10 05	7 36	1 37	1 28					ļ	
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk		ļ	UEPPX	UEPPQ	0 9019	10 05	7 36	1 37	1 28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD											i l]	
	Terminal Ports			UEPPX	UEPPS	0 9019	10 05	7 36	1 37	1 28						
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll				1	!									ļ	
	Terminal Ports		-	UEPPX	UEPPT	0 9019	10 05	7 36	1 37	1 28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD											!			1	!
	DDD Terminal Port			UEPPX	UEPPU	0 9019	10 05	7 36	1 37	1 28					<u> </u>	ļ
	2-Wire voice unbundled Georgia basic dialing port - PBX LD											!		1	1	
	Terminal Switchboard Port			UEPPX	UEPPV	0 9019	10 05	7 36	1 37	1 28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD														Ì	ļ
	Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0 9019	10 05	7 36	1 37	1 28					<u> </u>	
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way									İ		i l			i	
	Trunk			UEPPX	UEPPC	0 9019	10 05	7 36	1 37	1 28						
LOCAL	NUMBER PORTABILITY	ļ	 							ļ	<u> </u>			<u> </u>		
	Local Number Portability (1 per port)		_	UEPPX	LNPCP	3 15	0 00	0 00	l							
FEATU			1						ļ	ļ	<u> </u>				1	
1101:-	All Features Offered	ļ	1	UEPPX	UEPVF	0 775	0 00	0 00		ļ						
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		_							1		ļ			ļ	
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1					1		j l		l		1
	Conversion - Switch-As-Is			UEPPX	USAC2		0 10	0 10							ļ	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -					1						"		_		
	Conversion - Switch with Change			UEPPX	USACC		0 10	0 10								
IADDIT	IONAL NRCs	1									1				1	

UNBUNDL	ED NETWORK ELEMENTS - Georgia	,									1-	1 -		ment· 2		ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zопе	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
· ·						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0 00	0 00								}
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UCFFA	USASZ	0.00	0.00	0.00								
	Group				i l		6 70	6 70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8 33	0 83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11 57	79 85	24 65	18 92	7 87						ļ <u>-</u>
_	Local Channel Voice grade, per termination		3	UEPPX UEPPX	P2JHX P2JHX	16 95 33 08	79 85 79 85	24 65 24 65	18 92 18 92	7 87 7 87						-
	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12 74	79 85 56 92	7 70	4 40	0 02						+
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19 76	56 92	7 70	4 40	0 02		· · · · · · · · · · · · · · · · · · ·				1
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37 18	56 92	7 70	4 40	0 02			-			
INTE	ROFFICE TRANSPORT		<u> </u>													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					i										
	Termination			UEPPX	U1TV2	12 87	48 46	19 48	16 58	5 00	ļ	1				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1													į
	or Fraction Mile	<u> </u>		UEPPX	U1TVM	0 0057	0 00	0 00								ļ
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	RT	<u> </u>													ļ
UNE	Port/Loop Combination Rates		1			10 46					ļ	1				
	2-Wire VG Coin Port/Loop Combo – Zone 1	-	2			15 76					-					
	2-Wire VG Coin Port/Loop Combo - Zone 2 2-Wire VG Coin Port/Loop Combo - Zone 3		3			32 56			-							
LINE	Loop Rates		-		+	32 30										
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9 56										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14 86										<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31 66										
2-Wir	e Voice Grade Line Ports (COIN)															
	2-Wire Corn 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	0 9019	10 05	7 36	1 37	1 28			,			
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	0 9019	10 05	7 36	1 37	1 28				•		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0 9019	10 05	7 36	1 37	1 28						
-	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0 9019	10 05	7 36	1 37	1 28						-
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	0 9019	10 05	7 36	1 37	1 28						
ADDI	TIONAL UNE COIN PORT/LOOP (RC)		<u> </u>	1	1			. 00								
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 59	0 00	0 00	0 00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										<u> </u>
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0 10	0 10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	UŞACC		0 10	0 10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8 33	0 83								
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (RES)						_	· · · · · · · · · · · · · · · · · · ·					

NBUNDLE	ED NETWORK ELEMENTS - Georgia	,		r-										ment: 2		ıbit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect		L	OSS	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE F	Port/Loop Combination Rates				1											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	-	1			25 53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	2			30 92									ļ <u>.</u>	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 Loop Rates	-	3			47 04								ļ		
ONE	2-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFR	UECF2	11 57					 					
	2-Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFR	UECF2	16 95						 				
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33 08						 	-	-	1	
2-Wire	e Voice Grade Line Port Rates (Res)			OLI TIK	OLOI Z	55 50						<u> </u>			-	
	2-Wire voice unbundled port - residence	†		UEPFR	UEPRL	1 09	166 05	43 66	41 89	15 44	 					-
	2-Wire voice unbundled port with Caller ID - res	1	<u> </u>	UEPFR	UEPRC	1 09	166 05	43 66	41 89	15 44						†
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 09	166 05	43 66	41 89	15 44	T	T				
	2-Wire voice unbundles res, low usage line port with Caller ID								T	-						
	(LUM)			UEPFR	UEPAP	1 09	166 05	43 66	41 89	15 44	L	L	L		L	
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller tD capability - res			UEPFR	UEPWC	1 09	166 05	43 66	41 89	15 44						
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res		<u> </u>	UEPFR	UEPWQ	1 09	166 05	43 66	41 89	15 44				l		
1	2-Wire voice unbundled Georgia basic dialing port - outgoing		1		1										1	
	only	ļ	ļ	UEPFR	UEPWR	1 09	166 05	43 66	41 89	15 44						
INTER	ROFFICE TRANSPORT		1													
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1			40.07										
	Termination	ļ		UEPFR	U1TV2	12 87	48 46	19 48	16 58	5 00						
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	LIEDED	41.500	0 0057	0.00	0.00								
CEAT	or Fraction Mile	 		UEPFR	1L5XX	0 005/	. 0 00	0 00								
FEAT	All Features Offered	1	 	UEPFR	UEPVF	0 775	0 00	0.00	 							
LOCA	AL NUMBER PORTABILITY	+		OCFTIX	OLF VI	0773	0.00	0.00	 		<u> </u>			-		+
- 12007	Local Number Portability (1 per port)	 	 	UEPFR	LNPCX	0.35					<u> </u>			 	 	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		OLI I I I	EIVI OX	- 000					1					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2	•	7 85	1 86]]			i			j	l
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	-		1											
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		7 85	1 86							1	I
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1								· ·		1			1	
	End User Premise			UEPFR	URETN		11 19	1 10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE F	ORT (BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25 53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30 92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47 04										<u> </u>
UNE	Loop Rates	ļ		LICES	UE O E O	4										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11 57										-
	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ	2	UEPFB	UECF2	16 95			ļ. 			ļ			<u> </u>	+
2 18/15/	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33 08									1	+
2-4411	e Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	+	-	UÉPFB	UEPBL	1 09	166 05	43 66	41 89	15 44	 			 	+	+
	2-Wire voice unbundled port with Caller 1D - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	+	-	UEPFB	UEPBC	1 09	166 05	43 66	41 89	15 44		 		 	1	+
	2-Wire voice unbundled port outgoing only - bus	+		UEPFB	UEPBO	1 09	166 05	43 66	41 89	15 44	 -		-	 	1	
	2-Wire voice unbundled incoming only port with Caller ID - Bus		 	UEPFB	UEPB1	1 09	166 05	43 66	41 89	15 44				 	 	·
	2-Wire voice unbundled Georgia basic dialing port, without	 	\vdash		1	. 30			1							
	Caller ID capability - bus			UEPFB	UEPWD	1 09	166 05	43 66	41 89	15 44		[1		
	2-Wire voice unbundled Georgia basic dialing port for use with	1			- 				1		†			1	1	1
	Caller ID - bus		1	UEPFB	UEPWP	1 09	166 05	43 66	41 89	15 44		l		1		1
LOCA	AL NUMBER PORTABILITY														I	
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35										
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
1	Termination	1	1	UEPFB	U1TV2	12 87	48 46	19 48	16 58	5 00	1	1	I	1	1	

MOONDLEL	NETWORK ELEMENTS - Georgia		-								Sun Ord	Sun O-de-	Incremental	ment 2	Incremental	bit: B Incremen
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec			g Disconnect				Rates (\$)		
						100	First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				l							ł				İ
	or Fraction Mile		.	UEPFB	1L5XX	0 0057	0 00	0 00							-	-
FEATU	All Features Offered			UEPFB	UEPVF	0 775	0.00	0 00			<u> </u>				 	
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPrB	UEPVF	0773	0.00	0 00			1				-	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		 							1					 -	
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7 85	1 86								1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLI I D	00/102											
	Combination - Conversion - Switch with change			UEPFB	USACC	-	7 85	1 86		l					ļ	İ
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		 								1					
	End User Premise			UEPFB	URETN	1	11 19	1 10								
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (PBX)									i			
	rt/Loop Combination Rates						·									L
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25 53										<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30 92										L
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47 04										ļ
	op Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	11 57					 					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	16 95				ļ <u> </u>	i					-
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33 08										├
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		├							-	-				ļ	-
			1	UEPFP	UEPPC	1 09	166 05	43 66	41 89	15 44						İ
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPFP	UEPPO	1 09	166 05	43 66	41 89	15 44						
	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus		 	UEPFP	UEPP0	1 09	166 05	43 66	41 89	15 44						
	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPFP	UEPLD	1 09	166 05	43 66	41 89	15 44						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 09	166 05	43 66	41 89	15 44						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		ł –	UEPFP	UEPXB	1 09	166 05	43 66	41 89	15 44			-			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		 	UEPFP	UEPXC	1 09	166 05	43 66	41 89	15 44			·		-	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 09	166 05	43 66	41 89	15 44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			-	102.7.2		100 00	10.00			1					
	Capable Port		i	UEPFP	UEPXÉ	1 09	166 05	43 66	41 89	15 44						İ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						,									
	Administrative Calling Port		l	UEPFP	UEPXL	1 09	166 05	43 66	41 89	15 44	ļ	1				İ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
	Room Calling Port			UEPFP	UEPXM	1 09	166 05	43 66	41 89	15 44	<u></u>				<u> </u>	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	Discount Room Calling Port		<u> </u>	UEPFP	UEPXO	1 09	166 05	43 66	41 89	15 44						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		L	UEPFP	UEPXS	1 09	166 05	43 66	41 89	15 44						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way				1							1				1
	Oudial Trunk		<u> </u>	UEPFP	UEPWS	1 09	166 05	43 66	41 89	15 44	ļ				-	
	2-Wire voice unbundled Georgia basic dialing port - 2-Way						400									1
	Trunk		_	UEPFP	UEPWT	1 09	166 05	43 66	41 89	15 44	ļ	ļ				
	NUMBER PORTABILITY	ļ	<u> </u>	UEPFP	LNPCP	3 15	0 00	0 00		1	 				ļi	₩
	Local Number Portability (1 per port) PFICE TRANSPORT			UEPFP	LNPCP	3 13	0 00	0.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										ļ				-	
	Termination			UEPFP	U1TV2	12 87	48 46	19 48	16 58	5 00			[]		!	1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-		OCFFF	01172	12 07	40 40	18 48	10 35	1 500	<u> </u>		 			
	or Fraction Mile			UEPFP	1L5XX	0 0057	0 00	0 00					[1
FEATU					1,50,01	0 0001	- 500	0.00			 					
	All Features Offered			UEPFP	UEPVF	0 775	0 00	0 00				<u> </u>			1	
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-				2.70		5.50							<u> </u>	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1			-		1	T				t -	
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		7 85	1 86			1				i	ĺ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										1			-		
	Combination - Conversion - Switch with change			UEPFP	USACC		7 85	1 86					1			İ
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise	1	1	UEPFP	URETN		11 19	1 10		1		l	1		1	1

UNB	JNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	ıbıt. B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs
	1							Rec	Nonrec			g Disconnect				Rates (\$)	1	
								100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES																
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK ort/Loop Combination Rates	PORT										<u> </u>					<u> </u>
	UNE PO	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				17 05				 -						
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	-	2				22 44				-	ļ					└
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				38 56			-	l	ļ <u></u> -					├
		pop Rates	 	۲				30 30				-						
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11 57				 	<u> </u>					
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX		UECD1	16 95				 -	t					
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		UECD1	33 08					i e		***			
	UNE Po	ort Rate							-		t	1	<u> </u>					t
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	5 48	174 55	13 64	59 31	4 27						
		CURRING CHARGES - CURRENTLY COMBINED										1	1					
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -										1						
		Switch-as-is			UEPPX		USAC1		6 66	1 86								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion					\Box	ľ										
	1	with BellSouth Allowable Changes		ļ	UEPPX		USA1C		6 66	1 86			<u> </u>				L	
		ONAL NRCs		L														
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	l	l														1
		End User Premise			UEPPX		URETN		11 19	1 10								L
	Telepho	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0 00	0 00								ļ
	1	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers										l					ì	
	+	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		NDZ ND4	0 00	0 00	0 00	<u> </u>							
		DID Numbers Non-consecutive DID Numbers , Per Number			UEPPX		ND5	0 00	0 00	0 00								
		Reserve Non-Consecutive DID numbers		-	UEPPX		ND6	0 00	0 00	0 00								ļ
		Reserve DID Numbers		_	UEPPX		NDV .	0 00	0 00	0 00								
		NUMBER PORTABILITY			OLFFX		NDV	0 00		0 00	 						l.	
		Local Number Portability (1 per port)	-		UEPPX		LNPCP	3 15	0.00	0 00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE				EITH OI		000	0.00								
		ort/Loop Combination Rates	1	1	l		1						· · · · · · · · · · · · · · · · · · ·					
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			†	-	1					l						
		UNE Zone 1		1	UEPPB	UEPPR		19 44				[
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															-	
		UNE Zone 2		2	UEPPB	UEPPR		24 45	j									
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		38 09										<u></u>
		op Rates					1											l
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14 25										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	Jueray	40.22										
	+	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB		USL2X USL2X	19 26 32 90					 					
		ort Rate		3	UCPPB	UEPPK	USLZA	32 90				 						
		Exchange Port - 2-Wire ISDN Line Side Port	-	 	UEPPB	UEPPR	UEPPB	5 19	161 36	141 68	43 68	8 37	-					
	NONRE	CURRING CHARGES - CURRENTLY COMBINED			JEFFD	OLFFR	OLFFB .	0 19	101.36	141 00	43 68	8 37	 					
	T 1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		_	-		 					l	 					
		Combination - Conversion			UEPPB	UEPPR	USACB	0 00	42 52	26 99		l						
		ONAL NRCs							72 32	20 09		 		-				
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy					1						·					
		Non Feature/Add Trunk		1	UEPPB	UEPPR	USASB		0 00			1		ŀ				1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise		1	UEPPB	UEPPR	URETN		11 19	1 10				ļ				
		Unbundled Miscellaneous Rate Element Tag Loop at End User					1											
		Premise		L	UEPPB	UEPPR	URETL		8 33	0 83		1	1					
		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0 00								
		INEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0 00	0 00	0.00								

NRONDL	ED NETWORK ELEMENTS - Georgia			,											ment· 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			1					First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0 00	0 00								
	CSD			UEPPB	UEPPR	U1UCC	0 00	0 00	0 00			i					
	HANNEL AREA PLUS USER PROFILE ACCESS: {AL,KY,LA,MS	SC,MS, 8	ĻTN)									Ĺ					
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)		1	UEPPB	UEPPR	U1UMA	0 00	0 00	0 00								
VER	TICAL FEATURES		ļ														
	All Vertical Features - One per Channel B User Profile		ļ	UEPPB	UEPPR	UEPVF	0 775	0 00	0 00								
INTE	ROFFICE CHANNEL MILEAGE		-													_	
	Interoffice Channel mileage each, including first mile and			l		I							i				
	facilities termination		ļ		UEPPR	M1GNC	12 8757	48 46	19 48	16 58	5 00	.					
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0 0057	0 00	0 00								
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUI			<u> </u>						L	l						
Ine	UNE-P DS1 combination rates below for in this rate exhibit ap	ply to the	embe	dded base	e in place a	is of 10/2/03 u	ntil 4/1/04. Afte	r 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerci	al agreemer	ıt			ļ
Requ	uests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Trunk P	ort atte	er the effec	ctive date o	of this amend	nent shall be p	rovided pursu	ant to a sepai	ate agreement	or tanff at Bel	South's di	cretion				
UNE	Port/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		+	 		 						1			ļ		
	Zone 1		1	UEPPP			100 15										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+	+-	DEPPP		 	106 15										
	Zone 2		2	UEPPP		1 1	111 54	•									-
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1 -	UCPPP		1	111 34			-		 					—
	Zone 3	l l		UEPPP		1	107.15										1
LINE	Loop Rates		3	UEPPP		1	127 15										
IONE	4-Wire DS1 Digital Loop - UNE Zone 1	_	1	UEPPP		USL4P	41 02										
	4-Wire DS1 Digital Loop - UNE Zone 2	-+	2	UEPPP		USL4P	46 41										-
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	62 03	~~									-
UNE	Port Rate	+	+ -	ULFFF		USL4F	02 03					-					-
UIVE	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)		 	UEPPP		UEPPP	65 13	365 73	187 42	73 41	21 80				·		
NON	RECURRING CHARGES - CURRENTLY COMBINED		 	I GETT T		102111	05 15	303 13	107 42	1341	2100	 					
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	+	1			1 -											
	Combination - Conversion -Switch-as-is (E 4/1/2004)		i .	UEPPP		USACP	0 00	122 56	77 97								i
ADDI	ITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digiti Trk Port - Subsqt Activy-	1															
- 1	Inward/two way Tel Nos (except NC)	Ì	1	UEPPP		PR7TF		0.50									ĺ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)	ł	l	UEPPP		PR7TO		10 72									İ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		21 43									İ
LOC	AL NUMBER PORTABILITY					T											
	Local Number Portability (1 per port)			UEPPP		LNPCN	1 75										
INTE	RFACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0 00	0 00	0 00								
	Digital Data			UEPPP		PR71D	0 00	0 00	0 00								
	Inward Data			UEPPP		PR71E	0 00	0 00	0 00								
New	or Additional "B" Channel		L				i										
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0 00	13 59									
	New or Additional - Digital Data B Channel		L	UEPPP		PR7BF	0 00	13 59									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0 00	13 59									
CALI	L TYPES			L													
	Inward	4	<u> </u>	UEPPP		PR7C1	0 00	0 00	0 00								
	Outward	J	1	UEPPP		PR7CO	0 00	0 00	0 00								
	Two-way		<u> </u>	UEPPP		PR7CC	0.00	0 00	0 00	!							
Inter	office Channel Mileage	+	!	ļ		1											ļ
	Fixed Each Including First Mile		!	UEPPP		1LN1A	34 31	111 03	80 28	31 36	21 73						
- 4	Each Airline-Fractional Additional Mile		├	UEPPP		1LN1B	0 1154										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	<u> </u>	1-14:		1. 1					L	L					
Pac	UNE-P DS1 combination rates below for in this rate exhibit applies for A Wire DS1 Digital Long with A Wire DDIES for the	pry to the	embe	dded base	in place a	s of 10/2/03 u	ntii 4/1/04. Afte	r 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerci	al agreemer	it.			
Requ	Jests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the e	Tective C	to erac	tnis amer	iament sha	ni pe provided	pursuant to a	separate agre	ement or tarif	r at BellSouth's	aiscretion.	ļ					-
UNE	r ore Ecop Compination Rates	1	1	1		1	i			1	i	1					1

UNBU	NDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGO	ÖRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'i
-							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87 61							1			
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103 22										
1	UNE L	oop Rates				1											
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	41 02									_	
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	46 41						 				
		4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate		3	UEPDC	USLDC	62 03										
	UNE P	4-Wire DDITS Digital Trunk Port (E 4/1/2004)		 	UEPDC	UDD1T	41 20	392 25	185 06	80 17	7.86						-
	NONDE	ECURRING CHARGES - CURRENTLY COMBINED		-	DEFDC	00011	4120	352 23	103 00	60 17	7 60		l				
'	NONKE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				+											
		- Switch-as-is (E 4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAC4		132 19	66 79								
		- Conversion with DS1 Changes (E 4/1/2004)			UEPDC	USAWA		132 19	66 79								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	UEPDC	USAWB		132 19	66 79							I	1
	ADDIT	- Conversion with Change - Trunk (E 4/1/2004)			DEPUC	USAVVB.		132 19	00 /9	-					 		
<u>'</u>	AUUII)	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1		 						-			 	 	
		Service Activity Per Service Order			UEPDC	USAS4		0 00	0 00								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			02.00	100,10											
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPOC	UDTTA		13 95	13 95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDĊ	ирттв		13 95	13 95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13 95	13 95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13 95	13 95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13 95	13 95								
ı	BIPOL	AR 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0 001	392 25s								
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 00ı	392 25s								
	Alterna	ate Mark Inversion		<u> </u>													
		AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00							-	
	-	AMI - Extended SuperFrame Format		ļ	UEPDC	мсоро		0 00	0 00			·					
\longrightarrow	Teleph	one Number/Trunk Group Establisment Charges		-	UEPDC	UDTGX	0 00					ļ .				ļ	
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGY	0 00					-		i -			-
		Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00			-		 					
		DID Numbers Establish Trunk Group and Provide First Group		 -	OLF BC	100102	0.00					 			 		
		of 20 DID Numbers			UEPDC	NDZ	0 00	0.00	0 00					i			
		DID Numbers for each Group of 20 DID Numbers		t	UEPDC	ND4	0 00										
_		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0 00										
		Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0 00	0 00	0.00								
	Dedica	ited DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	34 19	111 03	80 28	31 36	21 73						
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		ļ	UEPDC	1LNOA	0 1154	0 00	0 00								
		Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0 00	0 00	0 00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0 1154	0 00	0 00			_			ļ		
 		Termination)			UEPDC	1LNO3	0 00	0 00	0 00								
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 1154	0 00	0 00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15									ļ	
		Central Office Termininating Point			UEPDC	CTG	0 00			<u> </u>	<u> </u>	1	L .	l	<u> </u>	<u> </u>	<u> </u>

	D NETWORK ELEMENTS - Georgia												Attach	ment; 2	Exhi	bit. B
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted			Incremental Charge -	
			<u> </u>			Rec	Nonre	curring	Nonrecurring	Disconnect	-		oss	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act				1											
Each S	System can have up to 24 combinations of rates depending on	type ar	nd nur	nber of ports used												
I ne ur	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C	Channel	zation	with Port in this ra	te exhibit app	ly to the embe	dded base in p	place as of 10/2	/03 until 4/1/04	After 4/1/04	these rates	hall revert t	to tariff rates	or a separate	agreement.	
Reque	sts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive da	te of this amendmen	t shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discreti-	on.					
UNED	S1 Loop		-	ļ	ļ											
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	41 02	0 00	0 00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	46 41	0.00	0 00								
LINE D	4-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPMG	USLDC	62 03	0 00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	<u> </u>													
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	43 04	0 00	0 00								
+	48 DSO Channel Capacity - 1 per 2 DS1s	 	-	UEPMG	VUM48	86 06	0.00	0 00								
+	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172 16	0.00	0 00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	258 24	0 00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s		<u> </u>	UEPMG	VUM19	344 32	0 00	0 00								
	240 DS0 Channel Capacity - 1 per 10 DS1s		L .	UEPMG	VUM2O	430 40	0.00	0 00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	516 48	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	688 64	0.00	0 00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	860 80	0 00	0 00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,032 96	0 00	0 00							1	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	1,205 12	0 00	0 00				Ī				
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
A Minu	mum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and U	p To 24 DSO Ports w	ith Feature A	ctivations.										
Multipl	les of this configuration functioning as one are considered Ad	d'I afte	r the n	ınımum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without	, <u></u>														
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	153 24	8 37				- 1			ı .	
System	n Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	neliza	tion with Port Comb	ination Curre	ntly Exists and										-
New (N	lot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E 4/1/2004)			UEPMG	VUMD4	0 00	379 04	253 97	69 43	8 35						
Bipolai	r 8 Zero Substitution												-			
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only				l .							- 1				
				UEPMG	CCOSF	0 00 1	0.00	392 25s						1	١	
1	Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0 00	0 001	392 25s					-		-	
	Subsequent Activity Only						-		_							
Alterna				UEPMG UEPMG	CCOSF	0 00	-	392 25s 392 25s								
Alterna	Subsequent Activity Only						0 001	392 25s								
	Subsequent Activity Only Ite Mark Inversion (AMI)			UEPMG	CCOEF	0 00	-									
Exchar	Subsequent Activity Only te Mark Inversion (AMI) Superframe Format Extended Superframe Format the Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	UEPMG UEPMG	CCOEF	0 00	0 001	392 25s 0 00								
Exchar	Subsequent Activity Only te Mark Inversion (AMI) Superframe Format Extended Superframe Format	on with	Port	UEPMG UEPMG	CCOEF	0 00	0 001	392 25s 0 00								
Exchar	Subsequent Activity Only te Mark Inversion (AMI) Superframe Format Extended Superframe Format the Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	UEPMG UEPMG	CCOEF	0 00	0 001	392 25s 0 00								
Exchar	Subsequent Activity Only te Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelizations pe Ports	on with	Port	UEPMG UEPMG	CCOEF	0 00 0 00 0 00	0 00i 0 00 0 00	392 25s 0 00 0 00	0.00	0.00						
Exchar	Subsequent Activity Only te Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPMG UEPMG UEPPX	MCOSF MCOPO UEPCX	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 00	392 25s 0 00 0 00 0 00	0 00	0 00						
Exchar	Subsequent Activity Only te Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) (E 4/1/2004)	on with	Port	UEPMG UEPMG UEPMG	MCOSF MCOPO	0 00 0 00 0 00	0 00i 0 00 0 00	392 25s 0 00 0 00	0 00	0 00						
Exchar	Subsequent Activity Only te Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPMG UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX	0 00 0 00 0 00 1 09	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	392 25s 0 00 0 00 0 00 0 00	0 00	0 00						
Exchar	Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E. 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E. 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E. 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port	on with	Port	UEPMG UEPMG UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX UEP1X	0 00 0 00 0 00 1 09 1 09	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	392 25s 0 00 0 00 0 00 0 00 0 00 0 00	0 00	0 00						
Exchar Exchar	Subsequent Activity Only tte Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelizatio tipe Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E 4/1/2004)	on with	Port	UEPMG UEPMG UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX	0 00 0 00 0 00 1 09	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	392 25s 0 00 0 00 0 00 0 00	0 00	0 00						
Exchar Exchar	Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004) a Activations - Unbundled Loop Concentration	on with	Port	UEPMG UEPMG UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX UEP1X	0 00 0 00 0 00 1 09 1 09	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	392 25s 0 00 0 00 0 00 0 00 0 00 0 00	0 00	0 00						
Exchar Exchar	Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E. 4/1/2004) Line Side inward Channelized PBX Trunk Port - Business (E. 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E. 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E. 4/1/2004) a Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4	on with	Port	UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPCX UEPOX UEP1X UEPDM	0 00 0 00 0 00 1 09 1 09 1 09 5 50	0 000	392 25s 0 00 0 00 0 00 0 00 0 00 0 00	0 00 0 00 0 00	0 00						
Exchar Exchar	Subsequent Activity Only te Mark Inversion (AMI) Superframe Format [Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E 4/1/2004) Line Side inward Only Channelized DID Trunk Port (E 4/1/2004) a Activations - Unbundled Channelized DID Trunk Port Feature (Service) Activation for each Line Port Terminated in D4 Bank	on with	Port	UEPMG UEPMG UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX UEP1X	0 00 0 00 0 00 1 09 1 09	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	392 25s 0 00 0 00 0 00 0 00 0 00 0 00	0 00	0 00						
Exchar Exchar	Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004) a Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in	on with	Port	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM 1PQWM	0 00 0 00 0 00 1 09 1 09 5 50 0 4689	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	392 25s 0 00 0 00 0 00 0 00 0 00 0 00 6 80	0 00 0 00 0 00 1 96	0 00 0 00 0 00 1 95						
Exchar Exchar	Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Jextended Superframe Format Jeve Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID (E 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004) - activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank	on with	Port	UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPCX UEPOX UEP1X UEPDM	0 00 0 00 0 00 1 09 1 09 1 09 5 50	0 000	392 25s 0 00 0 00 0 00 0 00 0 00 0 00	0 00 0 00 0 00	0 00						
Exchar Exchar	Subsequent Activity Only te Mark Inversion (AMI) Superframe Format Extended Superframe Format 1ge Ports Associated with 4-Wire DS1 Loop with Channelization 1ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004) 2-Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank One Number/ Group Establishment Charges for DID Service	on with	Port	UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM 1PQWM	0 00 0 00 0 00 1 09 1 09 5 50 0 4689	0 000 0 00 0 00 0 00 0 00 0 00 0 00 12 90 38 09	392 25s 0 00 0 00 0 00 0 00 0 00 0 00 0 00 0	0 00 0 00 0 00 1 96	0 00 0 00 0 00 1 95						
Exchar Exchar	Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelizating ge Ports Associated with 4-Wire DS1 Loop with Channelizating ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004) a Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank	on with	Port	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEPTX UEPDM 1PQWM 1PQWU NDT	0 00 0 00 0 00 1 09 1 09 1 09 5 50 0 4689 0 4689	0 000 0 00 0 00 0 00 0 00 0 00 12 90 38 09	392 25s 0 00 0 00 0 00 0 00 0 00 0 00 6 80 9 18 0 00	0 00 0 00 0 00 1 96	0 00 0 00 0 00 1 95						
Exchar Exchar	Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Jevended Superframe Format Jevended Superframe Format Jevended Superframe Format Jevended Superframe Format Jevended Superframe Format Jevended Superframe Format Jevended Superframe Format Jevended Superframe Format Jevended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Inward Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID Jevended Side Unbundled Channelized DID Trunk Port (E 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Jevended Side Unbundled Channelized DID Trunk Port Jevended Side Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank One Numberf Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)	on with	Port	UEPMG UEPMG UEPPX X UEPDM 1PQWM 1PQWU NDT NDZ	0 00 0 00 0 00 1 09 1 09 1 09 5 50 0 4689 0 4689	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	392 25s 0 00 0 00 0 00 0 00 0 00 0 00 6 80 9 18 0 00 0 00	0 00 0 00 0 00 1 96	0 00 0 00 0 00 1 95							
Exchar Exchar Feature	Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelizating ge Ports Associated with 4-Wire DS1 Loop with Channelizating ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004) Line Side inward Only Channelized PBX Trunk Port without DID (E 4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004) a Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank Foolure (Service) Activation for each Trunk Port Terminated in D4 Bank	on with	Port	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEPTX UEPDM 1PQWM 1PQWU NDT	0 00 0 00 0 00 1 09 1 09 1 09 5 50 0 4689 0 4689	0 000 0 00 0 00 0 00 0 00 0 00 12 90 38 09	392 25s 0 00 0 00 0 00 0 00 0 00 0 00 6 80 9 18 0 00	0 00 0 00 0 00 1 96	0 00 0 00 0 00 1 95						

IBUNDLED NETWORK ELI	EMENTS - Georgia					·							Attach	ment: 2	Exhi	bit B
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs	Charge -	Incremental Charge - Manual Svc Order vs.	Charge
		m									po. 2011	po. 20.	Electronic- 1st	Electronic-	Electronic- Disc 1st	Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		<u> </u>			<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Reserve DID Numbe	rs			UEPPX	NDV	0.00	0 00	0 00								
Local Number Portability		!		UEPPX	LNPCP											
Local Number Porta FEATURES - Vertical and C			-	UEPPX	LNPCP	3 15	0 00	0 00								
	Offered with Line Side Ports Only	 	 		-	+										
All Features Available			 	UEPPX	UEPVF	0 775	0 00	0 00								
	OP COMBINATIONS - COST BASED RATES	5		ULI I A	OCI VI	0773	0.00	0.00	-						-	
	plied where BellSouth is required by FCC		State	Commission rule to	provide Unb	undled Local Sy	vitching or Su	utch Ports								
2. Features shall apply to t	the Unbundled Port/Loop Combination - C	Cost Bas	ed Rat	e section in the sai	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit					
3. End Office and Tandem	Switching Usage and Common Transport	Usage	rates II	the Port section o	f this rate exh	ubit shall apply	to all combina	tions of loon	port network e	lements excen	for UNE C	on Port/Lo	on Combinat	ions		
	Port nonrecurring charges apply to Not Co														Additional NE	Cs may
apply also and are categor							-,	and good	0.10m 20 1.1000			ing bank	and y combin	ca sconons	raditional m	(OS Mila)
	idled Centrex Port/Loop Combination will	be nea	otiated	on an Individual C	ase Basis un	til further notice				· · · · · · · · · · · · · · · · · · ·					1	
	6 - (Valid in AL,FL,GA,KY,LA,MS,&TN only		T	I III III III III III III III III III	T Dusis, un	I I I I I I I I I I I I I I I I I I I	•		ļ -				-	1		
	ice Grade Port (Centrex) Combo				1									1		
UNE Port/Loop Combination		 -			-	1									+	
	Vire Voice Grade Port (Centrex) Port Combo -	_	 		 	 							_	 	 	
Non-Design	ing to our product of the company		1	UEP91		10 46									1	
	/ire Voice Grade Port (Centrex)Port Combo -		2	UEP91	1	15 76										
	Vire Voice Grade Port (Centrex)Port Combo -	+		00131	+	1370								-		
Non-Design	The Voice Grade Fort (Certifex) Fort Combo -		3	UEP91		32 56				i					i	
UNE Port/Loop Combination	on Rates (Design)	1	-	OLI 81	+	32.30					-					
	Vire Voice Grade Port (Centrex) Port Combo -	}	_													
Design	The voice Grade For (German) For Combo		1	UEP91		12 47			1						1	
	/ire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02101	 	<u>'</u> -'										
Design			2	UEP91		17 85			ĺ							
	Vire Voice Grade Port (Centrex)Port Combo -	1	 -	02.0.		1 30						_				
Design			3	UEP91		33 98			l							
UNE Loop Rate		 												<u> </u>		
	Loop (SL 1) - Zone 1		1	UEP91	UECS1	9 56								1		
	Loop (SL 1) - Zone 2	1	2	UEP91	UECS1	14 86										
	Loop (SL 1) - Zone 3	1	3	UEP91	UECS1	31 66										† • • • •
	Loop (SL 2) - Zone 1		1	UEP91	UECS2	11 57										
2-Wire Voice Grade	Loop (SL 2) - Zone 2		2	UEP91	UECS2	16 95										
2-Wire Voice Grade	Loop (SL 2) - Zone 3		3	UEP91	UECS2	33 08								1		
UNE Ports				-												1
All States (Except North Ca	arolina and Sout Carolina)	T	T													
	Port (Centrex) Basic Local Area			UEP91	UEPYA	0 9019	10 05	7 36	1 37	1 28						
	Port (Centrex 800 termination)Basic Local															
Area				UEP91	UEPYB	0 9019	10 05	7 36	1 37	1 28				l	l	
	Port (Centrex with Caller ID)Note1 Basic			1		1				l				1		
Local Area				UEP91	UEPYH	0 9019	10 05	7 36	1 37	1 28						
2-Wire Voice Grade Note 2, 3 Basic Loca	Port (Centrex from diff Serving Wire Center)			UEP91	UEPYM	0 9019	82 27	26 96	20 29	9 15						
2-Wire Voice Grade Term - Basic Local A	Port, Diff Serving Wire Center - 800 Service Vea			UEP91	UEPYZ	0 9019	82 27	26 96	20 29	9 15						
2-Wire Voice Grade	Port terminated in on Megalink or equivalent															
- Basic Local Area		1	i	UEP91	UEPY9	0 9019	10 05	7 36	1 37	1 28					l	
2-Wire Voice Grade Basic Local Area	Port Terminated on 800 Service Term -			UEP91	UEPY2	0 9019	10 05	7 36	1 37	1 28						
Georgia and Florida Only		l -	!	GE. 31	100112	0 3019	10 03	1 30	13/	1 20				 		+
2-Wire Voice Grade	Port (Centrex.)	<u> </u>		UEP91	UEPHA	0 9019	10 05	7 36	1 37	1 28					 	-
	Port (Centrex 800 termination)	<u> </u>	 -	UEP91	UEPHB	0 9019	10 05	7 36	1 37	1 28			-	 	 	
	Port (Centrex with Caller ID)1	<u> </u>	 	UEP91	UEPHH	0 9019	10 05	7 36	137	1 28					 	
	Port (Centrex from diff Serving Wire	<u> </u>														
				HEPQ1	LIEDHW	0.0040	ו דר מם	25.00	20.20	0.45						
Center)2,3	Port Diff Serving Wire Center 2,3 - 800	-		UEP91	UEPHM	0 9019	82 27	26 96	20 29	9 15					<u> </u>	

NBUNDLED	NETWORK ELEMENTS - Georgia													ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		ļ	ـــــ			1400	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
,	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	0 9019	10 05	7 36	1 37	4.50						İ
	2-Wire Voice Grade Port Terminated in on Wegalink of equivalent		1	UEP91	UEPH2	0 9019	10 05	7 36	1 37	1 28 1 28	-					
Local Sv			 	OLFST	OEF HZ	0 90 19	10 03	, , 30	131	1 20						
	Centrex Intercom Funtionality, per port			UEP91	URECS	0 4237									l	
Local No	umber Portability				-											
	Local Number Portability (1 per port)		<u> </u>	UEP91	LNPCC	0 35										
Features			-													
	All Standard Features Offered, per port All Select Features Offered, per port		1	UEP91	UEPVF	0 775	0 00									
	All Centrex Control Features Offered, per port		1	UEP91 UEP91	UEPVS	0 00	0.00						· · · · ·			
NARS	an assumed control residence officially being built	l –	 	02101	JOLI VC	0 00								1	 	
	Unbundled Network Access Register - Combination	l		UEP91	UARCX	0 00	0 00	0 00	0 00	0 00						
i	Unbundled Network Access Register - Indial		1	UEP91	UAR1X	0 00	0.00	0 00	0 00	0 00						
l l	Unbundled Network Access Register - Outdial			UEP91	UAROX	0 00	0 00	0 00	0 00	0 00						
	ineous Terminations															
	runk Side		ļ		1											
	Trunk Side Terminations, each			UEP91	CENA6	5 50	122 26	18 65	54 82	3 45						
	ce Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade	-	-	UEP91	MIGBC	12 87	48 46	19 48	16 58	5 00						
	Interoffice Channel mileage, per mile or fraction of mile		 	UEP91	M1GBM	0 0057	40 40	15 40	10.00	3 00						ļ
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02.01		0 0001			1							
	nnel Bank Feature Activations														-	
F	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 4689	·									
1			Ī													
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0 4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			DEFSI	Trow/	0 4009										
	Different Wire Center			UEP91	1PQWP	0 4689										
					1											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 4689			i i							
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0 4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP91	1PQWA	0 4689										
	Conversion - Currently Combined Switch-As-Is with allowed		1-													
	changes, per port		1	UEP91	USAC2		0 10	0 10								
	New Centrex Standard Common Block		-	UEP91	M1ACS	0.00	317 90	37 59	48 99	5 92						
	New Centrex Customized Common Block		<u> </u>	UEP91	MIACC	0 00	317 90	37 59	48 99	5 92						
	Secondary Block, per Block			UEP91	M2CC1	0 00	77 10									
	NAR Establishment Charge, Per Occasion			UÉP91	URECA	0.00	0 00									
	nal Non-Recurring Charges (NRC)		<u> </u>													
	Unbundled Miscellaneous Rate Element Tag Loop at End Use			LIEBOA							1					
	Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at	-	-	UEP91	URETL		8 33	0 83								
	End Use Premise		1	UEP91	URETN		11 19	1 10								
	ENTREX - 5ESS (Valid in All States)	 	\vdash	OCI 31	OKEIN	+	11 19	1 10	 	-						
	G Loop/2-Wire Voice Grade Port (Centrex) Combo	 			 											
	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Non-Design	ļ	1	UEP95		10 46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	LIEBOE	1											
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	1	UEP95	+	15 76										
	Non-Design		3	UEP95]]	32 56										
	rt/Loop Combination Rates (Design)		 	JE: 33	+	J2 J0			 					 		
12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		1			-								
1 1	Design	1	1	UEP95	1 1	12 47			į l							

JNBUNDLED NETWORK ELEMENTS - Geo	rgia												ment. 2		ıbıt: B
ATEGORY RATE ELEMEN	TS Inter m	¹ Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
					Rec	Nonrec		Nonrecurring					Rates (\$)		
2-Wire VG Loop/2-Wire Voice Grade Po	1/0-1-18-10-1					First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Design	ort (Centrex)Port Combo -	2	UEP95		17 85						1		1		
2-Wire VG Loop/2-Wire Voice Grade Po	ort (Controy)Bort Combo		UEP90		17.85										
Design	on (Centrex)Port Combo -	3	UEP95		33 98										
UNE Loop Rate		+ -	OLF 33		33 30					ļ			ļ	 	-
2-Wire Voice Grade Loop (SL 1) - Zone	1	1	UEP95	UECS1	9 56									i	-
2-Wire Voice Grade Loop (SL 1) - Zone			UEP95	UECS1	14 86					1			-		-
2-Wire Voice Grade Loop (SL 1) - Zone	3	3	UEP95	UECS1	31 66										
2-Wire Voice Grade Loop (SL 2) - Zone			UEP95	UECS2	11 57					 	-		 		
2-Wire Voice Grade Loop (SL 2) - Zone	12		UEP95	UECS2	16 95					 					
2-Wire Voice Grade Loop (SL 2) - Zone			UEP95	UECS2	33 08										
UNE Port Rate			OLI 33	02002	33 00										-
All States		+								 		ļ 	 		
2-Wire Voice Grade Port (Centrex) Bas	sic Local Area	+	UEP95	UEPYA	0 9019	10 05	7 36	1 37	1 28	 					
2-Wire Voice Grade Port (Centrex) Bas 2-Wire Voice Grade Port (Centrex 800 I		+	UEP95	UEPYB	0 9019	10 05	7 36	1 37	1 28				ļ	 	-
2-Wire Voice Grade Port (Centrex with			OLF 53	OCFTB	0 3013	10 03	1 30	13/	1 20				1		
Area	Gairer ID) I Gasic Eccai		UEP95	UEPYH	0 9019	10 05	7 36	1 37	1 28	l i					1
2-Wire Voice Grade Port (Centrex from	diff Serving Wire	+	OLI 35	OCI III	0 30 13	10 00	7.30	1 37	1 20	 					
Center)2,3 Basic Local Area	diri derving vvire		UEP95	UEPYM	0 9019	82 27	26 96	20 29	9 15				i		ļ
2-Wire Voice Grade Port, Diff Serving V	Vire Center 2.3 - 800	+	OLF 33	OLF IN	0 30 19	02 21	20 90	20 29	9 13						1
Service Term - Basic Local Area	Ville Ceriter 2,3 - 600		UEP95	UEPYZ	0 9019	82 27	26 96	20.20	0.45					l	
2-Wire Voice Grade Port terminated in	an Manufusi as as malast	+	UEPSS	UEPYZ	0 90 19	82.27	26 96	20 29	9 15						
- Basic Local Area	on Megalink or equivalent		UEP95	UEPY9	0 9019	40.05	7.00	4.07	4.00					l	
2-Wire Voice Grade Port Terminated or	000 C T		INELA9	UEPY9	0 9019	10 05	7 36	1 37	1 28						
	1 800 Service Ferm -		LIEDOS	LIEBYO	2 2024	40.05	7.00	4.03						ŀ	
Basic Local Area			UEP95	UEPY2	0 9019	10 05	7 36	1 37	1 28						
FL & GA Only		+	LIEBOE .		2 22 42										ļ
2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	0 9019	10 05	7 36	1 37	1 28						.
2-Wire Voice Grade Port (Centrex 800 t			UEP95	UEPHB	0 9019	10 05	7 36	1 37	1 28						ļ
2-Wire Voice Grade Port (Centrex with			UEP95	UEPHH	0 9019	10 05	7 36	1 37	1 28						↓
2-Wire Voice Grade Port (Centrex from	diff Serving Wire		l <u>-</u>												
Center)2,3			UEP95	UEPHM	0 9019	82 27	26 96	20 29	9 15			_		_	
2-Wire Voice Grade Port, Diff Serving V	Vire Center - 800 Service	ı													
Term 2,3			UEP95	UEPHZ	0 9019	82 27	26 96	20 29	9 15	1					
			1												
2-Wire Voice Grade Port terminated in	on Megalink or equivalent		UEP95	UEPH9	0 9019	10 05	7 36	1 37	1 28						
2-Wire Voice Grade Port Terminated or	800 Service Term		UEP95	UEPH2	0 9019	10 05	7 36	1 37	1 28						
Local Switching		-													
Centrex Intercom Funtionality, per port			UEP95	URECS	0 4237										
Local Number Portability		ļ													
Local Number Portability (1 per port)		<u> </u>	UEP95	LNPCC	0 35										
Features															
All Standard Features Offered, per port			UEP95	UEPVF	0 775					<u> </u>					
All Select Features Offered, per port			UEP95	UEPVS	0 00	0 00				L					
All Centrex Control Features Offered, p	er port		UEP95	UEPVC	0 00								L		
NARS															
Unbundled Network Access Register -			UEP95	UARCX	0 00	0 00	0 00	0 00	0 00						
Unbundled Network Access Register -			UEP95	UAR1X	0.00	0 00	0 00	0 00	0 00	ļ					
Unbundled Network Access Register -	Outdial	_	UEP95	UAROX	0 00	0 00	0 00	0 00	0 00				l		
Miscellaneous Terminations		4													
2-Wire Trunk Side															
Trunk Side Terminations, each		1	UEP95	CEND6	5 50	122 26	18 65	54 82	3 45						
4-Wire Digital (1.544 Megabits)		+	L												L
DS1 Circuit Terminations each			UEP95	M1HD1	41 20	200 96	93 00	65 81	2 33						
DS0 Channels Activated, each			UEP95	M1HDO	0 00	13 95									
Interoffice Channel Mileage - 2-Wire															
Interoffice Channel Facilities Termination	П		UEP95	M1GBC	12 87	48 46	19 48	16 58	5 00						
Interoffice Channel mileage, per mile or	fraction of mile		UEP95	M1GBM	0 0057									-	
Feature Activations (DS0) Centrex Loops on	Channelized DS1 Service														
D4 Channel Bank Feature Activations															

AROND LED N	ETWORK ELEMENTS - Georgia		_											ment: 2		bit. B
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	5 4 6 to 1 5 4 6 to 1 5 to 1 6 to 1 6 to 1		ļ	LIEBOE	40040		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP95	1PQWS	0 4689	-									
Fea	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 4689										
	ature Activation on D-4 Channel Bank FX Trunk Side Loop															
Slo				UEP95	1PQW7	0 4689										
	ature Activation on D-4 Channel Bank Centrex Loop Slot - ferent Wire Center			UEP95	1PQWP	0 4689										
Fea	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 4689										
Fea	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		T .													
Slo				UEP95	1PQWQ	0 4689										
	ature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP95	1PQWA	0 4689			ļ		ļ				ļ	
	ring Charges (NRC) Associated with UNE-P Centrex C Conversion Currently Combined Switch-As-Is with allowed		-												ļ	
	anges, per port			UEP95	USAC2	l	0 10	0 10								
	w Centrex Standard Common Block		 -	UEP95	M1ACS	0 00	317 90	37 59	48 99	5 92						
Nev	w Centrex Customized Common Block			UEP95	M1ACC	0 00	317 90	37 59	48 99	5 92						
	R Establishment Charge, Per Occasion			UEP95	URECA	0 00	0 00									
	Non-Recurring Charges (NRC)		<u> </u>													
Pre	bundled Miscellaneous Rate Element Tag Loop at End Use emise			UEP95	URETL		8 33	0 83								
End	bundled Miscellaneous Rate Element Tag Design Loop at d			UEP95	URETN		11 19	1 10								
	NTREX - DMS100 (Valid in All States)															
	Loop/2-Wire Voice Grade Port (Centrex) Combo		↓													
	Loop Combination Rates (Non-Design) Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 -	 	-												
Nor	n-Design	}	1	UEP9D		10 46										
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	n-Desig n		2	UEP9D		15 76										
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ŀ				00.50										
	n-Design Loop Combination Rates (Design)	ļ	3	UEP9D	-	32 56					- · · · · · · · · · · · · · · · · · · ·					ļ
2-V	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ļ														
	sign		1	UEP9D		12 47										
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	sign		2	UEP9D		17 85										
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	UEBOD.												
UNE Loop	sign Pate		3	UEP9D		33 98										
	Vire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9 56										
	Vire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14 86			· · · · · · · · · · · · · · · · · · ·							
2-V	Vire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	31 66										
2-V	Vire Voice Grade Loop (St. 2) - Zone 1		1	UEP9D	UECS2	11 57										
2-W	Vire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16 95		-								
	Vire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33 08										
UNE Port F			ļ		i											
	Vire Voice Grade Port (Centrex) Basic Local Area		_	UEP9D	UEPYA	0 9019	10 05	7 36	1 37	1 28						
2-W	Vire Voice Grade Port (Centrex 800 termination)Basic Local															
	Vire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	0 9019	10 05	7 36	1 37	1 28						
Are 2-W	vire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		-	UEP9D	UEPYC	0 9019	10 05	7 36	1 37	1 28						
Are		ļ		UEP9D	UEPYD	0 9019	10 05	7 36	1 37	1 28						
Are	a			UEP9D	UEPYE	0 9019	10 05	7 36	1 37	1 28						
2-W Are	Vire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYF	0 9019	10 05	7 36	1 37	1 28						

UNBUNDLE	D NETWORK ELEMENTS - Georgia									_	,			ment: 2		ibit· B
CATEGORY	RATE ELEMENTS	Interr m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			ļ			Rec	Nonrec			Disconnect	201150	001111		Rates (\$)		T 6811411
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		ļ				First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Area			UEP9D	UEPYG	0 9019	10 05	7 36	1 37	1 28		ĺ			i	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		\vdash	52. 55	102.10	0,0010	10 00	, 00	1	123						1
	Area		ļ	UEP9D	UEPYT	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEBOD	LIEDVII.	0.0040	40.05	7 00	4.37	4.00						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	0 9019	10 05	7 36	1 37	1 28						
1 1	Area			UEP9D	UEPYV	0 9019	10 05	7 36	1 37	1 28	ļ					
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1		1											
\vdash	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	0 9019	10 05	7 36	1 37	1 28				-		ļ
l 1	Area			UEP9D	UEPYH	0 9019	10 05	7 36	1 37	1 28				İ		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			02.02	102. 7.7	0 00 10	70 00									
	Indication))4 Basic Local Area			UEP9D	UEPYW	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	0 9019	10 05	7 36	1 37	1 28]	į
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEF9D	DEFTS	0 90 19	10 05	7 30	13/	1 20				-		
L	2,3-Basic Local Area			UEP9D	UEPYM	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYO	0 9019	82 27	26 96	20 29	9 15			-			-
	Basic Local Area			UEP9D	UEPYP	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	-		IUEF 9D	DEFTR	0 90 19	02 21	20 90	20 29	913						
	Basic Local Area			UEP9D	UEPYS	0 9019	82 27	26 96	20 29	9 15						
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
<u> </u>	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	0 9019	82 27	26 96	20 29	9 15						
	Basic Local Area			UEP9D	UEPY5	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			1												
	Basic Local Area			UEP9D	UEPY6	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area		1	UEP9D	UEPY7	0.0040	02.27	20.00	00.00	0.45	Ì					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEP9D	UEP17	0 9019	82 27	26 96	20 29	9 15						
	Term 2,3		1	UEP9D	UEPYZ	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	0 9019	10 05	7 36	1 37	1 28						
	Local Area		1	UEP9D	UEPY2	0 9019	10 05	7 36	1 37	1 28						
FL &	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0 9019	10 05	7 36	1 37	1 28					· ·	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	0 9019	10 05	7 36	1 37	1 28						
ļ	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4		<u> </u>	UEP9D	UEPHC	0 9019	10 05	7 36	1 37	1 28						
 	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4		1	UEP9D UEP9D	UEPHD UEPHE	0 9019 0 9019	10 05 10 05	7 36	1 37	1 28						-
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		 	UEP9D	UEPHE	0 9019	10 05	7 36 7 36	1 37	1 28 1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		 	UEP9D	UEPHG	0 9019	10 05	7 36	1 37	1 28				 	 	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		t	UEP9D	UEPHT	0 9019	10 05	7 36	1 37	1 28		-		 		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		 	UEP9D	UEPHU	0 9019	10 05	7 36	1 37	1 28					 	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		T	UEP9D	UEPHV	0 9019	10 05	7 36	1 37	1 28				1		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	0 9019	10 05	7 36	1 37	1 28				-		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	0 9019	10 05	7 36	1 37	1 28				1		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPHW	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UÉPHJ	0 9019	10 05	7 36	1 37	1 28					<u> </u>	

NBUNDLE	D NETWORK ELEMENTS - Georgia													ment. 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs Electronic Disc Add'
	70.4 14.4 19					Rec	Nonrec		Nonrecurring					Rates (\$)		
-	311/ 1/ 01- 51/0 (1/0		<u>. </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPHM	0 9019	82 27	26 96	20 29	9 15]					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHÓ	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0 9019	82 27	26 96	20 29	9 15		-				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0 9019	82 27									
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-W5312/2, 3,4			UEP9D	UEPH4	0 9019	82 27	26 96	20 29	9 15 9 15						
-								26 96	20 29							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0 9019	82 27	26 96	20 29	9 15						
<u> </u>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPH7	0 9019	82 27	26 96	20 29	9 15						
-	Term 2,3	-		UEP9D	UEPHZ	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPH9 UEPH2	0 9019 0 9019	10 05 10 05	7 36 7 36	1 37 1 37	1 28 1 28						
Local S	Switching															
<u> </u>	Centrex Intercom Funtionality, per port			UEP9D	URECS	0 4237										
Local	lumber Portability Local Number Portability (1 per port)			UEP9D	LNPCC	0 35										
Feature				UCPSD	ENPCC	0.35			<u> </u>						-	
	All Standard Features Offered, per port			UEP9D	UEPVF	0 775										
	All Select Features Offered per port			UEP9D	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0 00										
NARS					1							İ				
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0 00	0.00	0 00	0 00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0 00	0 00	0 00	0 00						
	aneous Terminations															
2-Wire	Trunk Side				1 1											
	Trunk Side Terminations, each			UEP9D	CEND6	5 50	122 26	18 65	54 82	3 45						
4-Wire	Digital (1 544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	41 20	200 96	93 00	65 81	2 33						
1-4	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	13 95									
Interon	ice Channel Mileage - 2-Wire				1											
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	12 87	48 46	19 48	16 58	5 00						
Fasture	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0 0057										
reature	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
- D4 Clia	Feature Activation on D-4 Channel Bank Centrex Loop Slot				1.50000											
+	reactive Activation on D-4 Channel Bank Centrex Loop Stol			UEP9D	1PQWS	0 4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0 4689										
	Slot			UEP9D	1PQW7	0 4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 4689										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 4689										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0 4689										

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	<u> </u>						Nonrecu	ırrıng	Nonrecurring	Disconnect	1		oss	Rates (\$)		•
						Rec -	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0 10	0 10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317 90	37 59	48 99	5 92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0 00	317 90	37 59	48 99	5 92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00	0 00									l
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8 33	0 83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11 19	1 10								
Addıtı	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN											
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage														l	
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
Note 4	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in interim column are interim and sub	ject to	rate tru	e-up as set forth	ın General Term	s and Conditio	ns									

UNBI	JNDLEI	D NETWORK ELEMENTS - Kentucky												Attach	ment. 2	Exhi	bit: B
	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR			Incremental Charge -	Incrementa Charge -
							Rec		curring		g Disconnect				Rates (\$)		l
	1 1				ļ	-	1,60	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	l one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	eographicall	│ v Deaveraged U	INE Zones To	view Geograp	hically Deaver	aged UNE Zon	e Designatio	ns by Cent	al Office, refe	r to internet	Nehsite:	l
	http://w	ww.interconnection belisouth com/become_a_clec/html/inter													, to miorior i	TODONC.	
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	a l'adada		5-" OSC -b	a sed a see al ferror	 			L	[l					L
	elect en	 CLEC should contact its contract negotiator if it prefers the ther the state specific Commission ordered rates for the service. 	re state	e speci enna cl	harges or CLEC may	ordered by t	me State Comm	nissions The	USS charges c	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional"	' service orde	ring charges	CLEC may
	each of	the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate I	sted in this	category Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine i	f a product	can be ordere	ed electronica	lly. For those	e elements
	that car	nnot be ordered electronically at present per the LOH, the list I, will be applied to a CLECs bill when it submits an LSR to E	ed SOM	IEC rat	te in this category re	flects the ch	arge that would	d be billed to a	CLEC once el	ectronic order	ng capabilities	come on-li	ne for that e	lement. Othe	rwise, the ma	ınual ordering	g charge,
	SUMAN	OSS - Electronic Service Order Charge, Per Local Service	ensour	in,		1	1	T			1						
		Request (LSR) - UNE Only			_	SOMEC		3 50	0.00	3 50	0 00						
		OSS - Manual Service Order Charge, Per Local Service Request															
INE S	EDVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE			1	SOMAN		7 86	0 00	0 99	0 00						
UNE 3		The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No 1 Tariff Section	nn 5 as annli	cable										
		The Empound Strange Will be manifested Service Will		T	Tann, decire	ј за аррп	Labie.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UEF, UDF, UEQ, UDL, UENTW, UDN UEA, UHL, ULC, USL, U1T12, U1T03 U1TDX U1T03, U1TST, U1TVX, UC1BC, UC1BL, UC1CC, UC1DL, UC1CC, UC1BL, UC1CC, UC1EL, UC1CC, UC1EL, UC1CC, UC1EL, UC1CC, UC1EL, UC1CC, UC1EL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC												
JNBUI		Day XCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200 00									
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10 56	46 66	22 57	26 65	7 65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	15 34	46 66	22 57	26 65	7 65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL UEANL	UEAL2 UEASL	31 11 10 56	46 66 46 66	22 57 22 57	26 65 26 65	7 65 7 65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15 34	46 66	22 57	26 65	7 65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEASL	31 11	46 66	22 57	26 65	7 65						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
					l	ļ	'	1	3							- 1	
		Premise Loop Testing - Basic 1st Half Hour			UEANL UEANL	URETL URET1		8 33 46 88	0 83 46 88								

HOUNDL	ED NETWORK ELEMENTS - Kentucky		1		тт						Cur Our'	Cur Out	·	ment 2		Increment
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)		T
_	CLEC to CLEC Consumo Character Without Outside Broostoh				1 1		First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO	ł	15 78	8 94							ŀ	
_	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		-	CEANL	UKEWO		13 76	0.54								
	providing make-up (Engineering Information - E I)		1	UEANL	UEANM		13 49	13 49					1			
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9 00	9 00		-						
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	ocost		23 01	23 01								
2-WII	RE Unbundled COPPER LOOP		ļ													
_	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X UEQ2X	10 58 11 51	44 97 44 97	20 89	25 64	6 65					-	-
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	13 19	44 97	20 89	25 64 25 64	6 65 6 65	<u> </u>					
-+-	Unbundled Miscellaneous Rate Element, Tag Loop at End User	'		020	DEG2X		44 57	20 05	23 04	0 03	ļ					
	Premise			UEQ	URETL		8 33	0.83				1	[1	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)		<u> </u>	UEQ	USBMC		9 00	9 00								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for		1	l	1											
	BST providing make-up (Engineering Information - E1)		<u> </u>	UEQ	UEQMU		13 49	13 49								-
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		-	UEQ UEQ	URET1 URETA		46 88 24 16	46 88 24 16			ļ					<u> </u>
	CLEC to CLEC Conversion Charge Without Outside Dispatch		-	UEQ	URETA		24 16	24 16								
	(UCL-ND)			UEQ	UREWO	1	14 27	7 43								
BUNDLED	EXCHANGE ACCESS LOOP		 	024	O. L. L. L.											<u> </u>
	RE ANALOG VOICE GRADE LOOP					- i										
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1											
	Zone 1		1	UEPSR UEPSB	UEALS	10 56	46 66	22 57	26 65	7 65	ļ					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1			HIEDOD HEDOD	LIEADO	40.50	40.00	22 57	20.05	7.05						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	10 56	46 66	22 57	26 65	7 65						+
	Zone 2		2	UEPSR UEPSB	UEALS	15 34	46 66	22 57	26 65	7 65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI OKOLI OD	OLALO .	10 04	40.00	22.01	20 03	7 00	 		-			1
	Zone 2		2	UEPSR UEPSB	UEABS	15 34	46 66	22 57	26 65	7 65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1							,				
	Zone 3		3	UEPSR UEPSB	UEALS	31 11	46 66	22 57	26 65	7 65					1	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					-										
	Zone 3		3	UEPSR UEPSB	UEABS	31 11	46 66	22 57	26 65	7 65						<u> </u>
	D EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP	-			 	-									-	<u> </u>
Z-VVII	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+										-	-
	Ground Start Signaling - Zone 1	ŀ	1	UEA	UEAL2	12 67	134 89	81 87	73 65	14 88						}
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>		1			0.0.								—
	Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	17 45	134 89	81 87	73 65	14 88					1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33 22	134 89	81 87	73 65	14 88						
	Order Coordination for Specified Conversion Time (per LSR)		ļ	UEA	ocosr		23 01				ļ					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12 67	134 89	81 87	73 65	14 88						
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	UEA	ULARZ	12 07	134 69	0107	73 63	14 00					 	
	Battery Signaling - Zone 2		2	UEA	UEAR2	17 45	134 89	81 87	73 65	14 88					Ì	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1		T		15 1 00	3.01								†
	Battery Signaling - Zone 3		3	UEA	UEAR2	33 22	134 89	81 87	73 65	14 88					l	1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 01									
	CLEC to CLEC Conversion Charge without outside dispatch	ļ	<u> </u>	UEA	UREWO		87 72	36 36							L	
4 1871	Loop Tagging - Service Level 2 (SL2) RE ANALOG VOICE GRADE LOOP	-	 	UEA	URETL		11 21	1 10							1	
4-4411	4-Wire Analog Voice Grade Loop - Zone 1	-	1	LICA	III ALA	20.00	404.61	440.00	70.01							
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4 UEAL4	29 26 34 25	164 11 164 11	112 36 112 36	78 91 78 91	18 66 18 66	 	-	_			-
-	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4 UEAL4	85 06	164 11	112 36	78 91 78 91	18 66 18 66	 				 	-
-	Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL	65 06	23 01	112 35	10 91	10 00	 				 	
	CLEC to CLEC Conversion Charge without outside dispatch		+	UEA	UREWO	l	87 72	36 36							-	

UNBUNDI	ED NETWORK ELEMENTS - Kentucky													ment 2		bit: B
CATEGORY		Inten	Zone	BC\$	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
T					1	D	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	IRE ISDN DIGITAL GRADE LOOP	1 .														
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	18 44	146 77	95 02	71 38	13 83						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25 08	146 77	95 02	71 38	13 83						
	2-Wire ISDN Digital Grade Loop - Zone 3	<u> </u>	3	UDN	U1L2X	42 87	146 77	95 02	71 38	13 83						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	ocost		23 01				<u> </u>					
	CLEC to CLEC Conversion Charge without outside dispatch		1005	UDN	UREWO		91 63	44 16					-			
2-W	IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	,										ļ	-	+
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	IUAL2X	10 82	141 98	79 73	69 02	11 47	[ĺ	ĺ	[1	ı
	2 Wire Unbundled ADSL Loop including manual service inquiry	1	 '-	UAL	UALZA	10 02	141 50	(913	03 02	11 41		-			-	-
l i	& facility reservation - Zone 2		2	UAL	UAL2X	11 79	141 98	79 73	69 02	11 47						
	2 Wire Unbundled ADSL Loop including manual service inquiry	1	+	J. T.	- 0, 22	11119	141 30	,5,15	30 02	11-47			<u> </u>			1
	& facility reservation - Zone 3	1	3	UAL	UAL2X	12 87	141 98	79 73	69 02	11 47						
	Order Coordination for Specified Conversion Time (per LSR)	 	Ť	UAL	OCOSL	12 01	23 01		00.02				1	l		
\vdash	2 Wire Unbundled ADSL Loop without manual service inquiry &		 	†	1											
[facility reservation - Zone 1	ĺ	1	UAL	UAL2W	10 82	121 18	69 00	69 09	11 54	ł	í	ŕ	l	l	}
 	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>		-											
1 1	facility reservation - Zone 2	1	2	UAL	UAL2W	11 79	121 18	69 00	69 09	11 54			i			
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservator - Zone 3		3	UAL	UAL2W	12 87	121 18	69 00	69 09	11 54			1			
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	_	23 01									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO	-	86 20	40 40	Ī							
2-W	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													<u>L</u>
	2 Wire Unbundled HDSL Loop including manual service inquiry	1]								-	1		1		
	& facility reservation - Zone 1		1	UHL	UHL2X	8 75	151 54	89 29	69 09	11 54						
	2 Wire Unbundled HDSL Loop including manual service inquiry				1 1								•			
-	& facility reservation - Zone 2		2	UHL	UHL2X	9 56	151 54	89 29	69 09	11 54						
	2 Wire Unbundled HDSL Loop including manual service inquiry		١.	l	1	40.04	454.54	20.00	00.00	44.54		i		ļ		ŀ
	& facility reservation - Zone 3	-	3_	UHL	UHL2X	10 61	151 54	89 29	69 09	11 54						ļ
	Order Coordination for Specified Conversion Time (per LSR)		1 —	UHL	OCOSL		23 01	·	-			 		ļ		
l	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8 75	130 74	78 56	69 09	11 54	ì			İ		
	2 Wire Unbundled HDSL Loop without manual service inquiry	+	+-	UnL	UHLZVV	0 13	130 /4	78 30	0505	1134						
1	and facility reservation - Zone 2		2	UHL	UHL2W	9 56	130 74	78 56	69 09	11 54		ļ				
	2 Wire Unbundled HDSL Loop without manual service inquiry	+	+-	TOTAL .	O. ILLEVY		10074	10 00	55 55	1,01	<u> </u>					<u> </u>
	and facility reservation - Zone 3	l	3	UHL	UHL2W	10 61	130 74	78 56	69 09	11 54				Ì		1
	Order Coordination for Specified Conversion Time (per LSR)	1	+	UHL	OCOSL		23 01	1000							<u> </u>	† <u>-</u>
	CLEC to CLEC Conversion Charge without outside dispatch	1	+-	UHL	UREWO		86 14	40 40								
4-W	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
· · · · · ·	4 Wire Unbundled HDSL Loop including manual service inquiry		Ī													
l E	and facility reservation - Zone 1		1	UHL	UHL4X	13 95	185 75	123 50	74 95	14 <u>69</u>		l				
	4-Wire Unbundled HDSL Loop including manual service inquiry		1													ł
1	and facility reservation - Zone 2		2	UHL	UHL4X	15 68	185 75	123 50	74 95	14 69						ļ
1	4-Wire Unbundled HDSL Loop including manual service inquiry	i											l			
	and facility reservation - Zone 3	L	3	UHL	UHL4X	16 98	185 75	123 50	74 95	14 69		ļ				
	Order Coordination for Specified Conversion Time (per LSR)		1	UHL	OCOSL		23 01					<u> </u>	L			ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	1		1											1
\vdash	and facility reservation - Zone 1	↓	1	UHL	UHL4W	13 95	164 95	114 04	77 32	15 80	 	 	 			
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	1			4E 00	404.00	114 04	77 32	15 80				1		
\vdash	and facility reservation - Zone 2	+	2	UHL	UHL4W	15 68	164 95	114 04	11 32	19 80	 	 	 		 -	
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	3	UHL	UHL4W	16 98	164 95	114 04	77 32	15 80				1		
 	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+	1 3	UHL	OCOSL OCOSL	86 91	23 01	114 04	1132	15 60	 		-		 	
\vdash	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UHL	UREWO		86 14	40 40	 			 		 		
1.14	IRE DS1 DIGITAL LOOP	+	+	UTIL	UNEVVO		- 00 14	40 40	 		 	 	 			1
	4-Wire DS1 Digital Loop - Zone 1	+	1	USL	USLXX	86 47	306 69	174 44	65 83	14 55		 		·		<u> </u>
	4-Wire DS1 Digital Loop - Zone 2	+		USL	USLXX	114 10	306 69	174 44	65 83	14 55			t	-	-	
		+	3	USL	USLXX	297 76	306 69	174 44	65 83	14 55				<u> </u>		1
	4-Wire DS1 Digital Loop - Zone 3															

OMBONDE	D NETWORK ELEMENTS - Kentucky													ment: 2		ıbıt: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
I						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l	
						Rec	First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch		T	USL	UREWO		101 09	43 04					1			
4-WIR	E 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP			" '		· · · ·							1			
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	27 59	157 81	106 06	78 91	18 66						
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	32 48	157 81	106 06	78 91	18 66						
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	36 37	157 81	106 06	78 91	18 66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27 59	157 81	106 06		18 66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			ÜDL	UDL56	32 48	157 81	106 06	78 91	18 66						
t	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36 37	157 81	106 06	78 91	18 66		J				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23 01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27 59	157 81	106 06	78 91	18 66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	32 48	157 81	106 06	78 91	18 66]			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36 37	157 81	106 06	78 91	18 66		1	1	l	I	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23 01									1
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 13	49 75				1		Ī		
2-WIR	E Unbundled COPPER LOOP		Γ		1					1		1			1	
	2-Wire Unbundled Copper Loop-Designed including manual		1													
ļ.	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10 82	140 95	78 70	69 09	11 54					1	
	2-Wire Unbundled Copper Loop-Designed including manual		— —		1											
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11 79	140 95	78 70	69 09	11 54		ł			1	i
	2 Wire Unbundled Copper Loop-Designed including manual		i e						<u> </u>							
	service inquiry & facility reservation - Zone 3		3	lucu	UCLPB	12 87	140 95	78 70	69 09	11 54		ŀ				ŀ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								1
	2-Wire Unbundled Copper Loop-Designed without manual	—	 						ļ							1
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10 82	120 15	67 97	69 09	11 54					!	
	2-Wire Unbundled Copper Loop-Designed without manual		<u> </u>		12.22. 11				1 33 33							
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11 79	120 15	67 97	69 09	11 54		ł				I
	2-Wire Unbundled Copper Loop-Designed without manual		t -		15.55											1
ľ	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12 87	120 15	67 97	69 09	11 54					1	
	Order Coordination for Unbundled Copper Loops (per loop)		⊢Ŭ-	UCL	UCLMC	.20.	9 00	9 00	30 00							
	CLEC to CLEC Conversion Charge without outside dispatch	-	 	002	TOCEIVIC .		300	3 00								+
ı	(UCL-Des)		ŀ	UCL	UREWO		97 23	42 48						}		
4.WIR	E COPPER LOOP		<u> </u>	000	i inchio		07 E0	12 10								+
7-1111	4-Wire Copper Loop-Designed including manual service inquiry					-							· · · · · · · · · · · · · · · · · · ·			+
	and facility reservation - Zone 1	1	1	UCL	UCL4S	16 92	170 31	108 06	74 95	14 69						
	4-Wire Copper Loop-Designed including manual service inquiry		 -	OOL	OCL40	10.32	17031	100 00	14 33	14 03		-		•		+
1	and facility reservation - Zone 2	1	2	UCL	UCL4S	17 36	170 31	108 06	74 95	14 69			ļ		[
				OCL	UCL43	17 30	17031	100 00	74 33	14 08	1.					+
	4-Wire Copper Loop-Designed including manual service inquiry			u.c.	1101.40	20.40	470.04	108 06	74 95	14.00			1			
	and facility reservation - Zone 3		3	UCL	UCL4S UCLMC	28 10	170 31	9 00		14 69	 		1			+
	Order Coordination for Unbundled Copper Loops (per loop)	-		UCL	UCLMC		9 00	900				ļ				
	4-Wire Copper Loop-Designed without manual service inquiry		1			40.00		07.00	74.05	44.00						
	and facility reservation - Zone 1		1	UCL	UCL4W	16 92	149 52	97 33	74 95	14 69						
	4-Wire Copper Loop-Designed without manual service inquiry					47.00	440.50	07.00	74.05	14.00						
	and facility reservation - Zone 2		.2	UCL	UCL4W	17 36	149 52	97 33	74 95	14 69					ļ	+
	4-Wire Copper Loop-Designed without manual service inquiry		_	İ	1								1	İ	ı	
	and facility reservation - Zone 3		3	UCL	UCL4W	28 10	149 52	97 33	74 95	14 69	ļ					
	Order Coordination for Unbundled Copper Loops (per loop)	L	Ļ	UCL	UCLMC		9 00	9 00					L			
	CLEC to CLEC Conversion Charge without outside dispatch												1		ŀ	
	(UCL-Des)			UCL	UREWO		97 23	42 48								
OP MODIF	ICATION	1	Ь—													
İ				UAL, UHL, UCL,			i								ļ.	
ı	lun and war a second			UEQ, ULS, UEA,						1			1	1	1	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	i	1	UEANL, UEPSR,	1		l		1	l			1	1	1	1
	pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L		9 24	9 24		ļ		1		L		-
Į.	Unbundled Loop Modification Removal of Load Coils - 4 Wire	l	1	l <u>.</u>	1		. 1						1	1	!	
	less than or equal to 18K ft per Unbundled Loop	L	1	UHL, UCL, UEA	ULM4L		9 24	9 24				<u> </u>	1			<u> </u>
1			1	UAL, UHL, UCL,	1 7					!				_	1	1
1		1	1	UEQ ULS, UEA,	1					1		l .	1		1	
	Unbundled Loop Modification Removal of Bridged Tap Removal,	l	1	UEANL, UEPSR,						1						
	per unbundled loop	Į.	l	UEPSB	ULMBT		10 47	10 47	1	1		ŀ		I		1

UNBL	UNDLE	NETWORK ELEMENTS - Kentucky													ment. 2		ibit: B
ATE	GORY	RATE ELEMENTS	Intera m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)	T	
								Fırst	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L	OOPS			ļ	ļ							ļ			-		-
	Sub-Lo	op Distribution														-	
	ļ	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	1		UEANL	USBSA		207 91	207 91								
		2.1. D. 2. D. 12.11			I I E A LII	USBSB		12 50	12 50								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1	-	UEANL	USBSB		12 50	12 50						-		
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Sel-Up	1		UEANL	USBSC		80 87	80 87		_						
	1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															Į.
		Set-Up	Į.		UEANL	USBSD		45 04	45 04								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	IUSBN2	6 34	85 03	39 05	59 81	7 90						
	+	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	 -	+ •	OLAITE	OCD. 12	0.01	55 55	55 55	55 51							
		Zone 2	[2	UEANL	USBN2	9 06	85 03	39 05	59 81	7 90						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			LIEANI	LICENIA	14 82	85 03	39 05	59 81	7 90					1	
		Zone 3		3	UEANI,	USBN2	14 02	65 03	39 05	29 61	7 90	 					
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ŀ		UEANL	USBMC		9 00	9 00				 		ļ	1	<u> </u>
	1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					0.44	100.01	50.00	25.24	40.00						
	+	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		 ' -	UEANL	USBN4	8 14	102 31	56 32	65 24	10 88					 	
		Zone 2		2	UEANL	USBN4	8 63	102 31	56 32	65 24	10.88						
	1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1								T					
	-	Zone 3		3	UEANL	USBN4	25 60	102 31	56 32	65 24	10 88						-
		Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEANL	USBMC		9 00	9 00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2 57	68 35	22 36	59 81	7 90						<u> </u>
		1.5	-												l		1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL.	USBMC		9 00	9 00								 _
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4 98	76 49	30 51	65 24	10 88				ļ	-	ļ
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	[UEANL	USBMC		9 00	9 00								
	+	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1	-	46 88	46 88								-
	+	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		24 16	24 16						i		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5 45	85 03	39 05	59 81	7 90	1					
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	7 06	85 03	39 05	59 81	7 90						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	9 67	85 03	39 05	59 81	7 90	1					
					l	IT					_	1			1		1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	7.00	9 00	9 00	65 24	10 88				1		-
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>			UCS4X UCS4X	7 09 8 66	102 31 102 31	56 32 56 32	65 24	10 88		-			 	1
	+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 	2	UEF	UCS4X	19 40	102 31	56 32	65 24	10 88				1	-	
	+	4 Wire Copper Unburidled Sub-Loop Distribution - Zone 3	<u>'</u>		IDEF	00047	19 40	102.31	30 32	03 24	10 00				+		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		9 00	9 00							1	
	+	Loop Testing - Basic 1st Half Hour		†	UEF	URET1		46 88	46 88						1		
		Loop Testing - Basic Additional Half Hour		t	UEF	URETA		24 16	24 16			1			l		
	Unbun	dled Network Terminating Wire (UNTW)															<u> </u>
	1	Unbundled Network Terminating Wire (UNTW) per Pair		ļ	UENTW	UENPP	0 53	23 51	23 51			<u> </u>			<u> </u>	<u> </u>	_
	Networ	k Interface Device (NID)		-	LUCAL TRAIL	LINDAG		***	40.00	<u> </u>		<u> </u>	ļ		-	+	
	+-	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	<u> </u>	+	UENTW	UND12 UND16		73 53 115 96	49 47 91 91			-			 	 	
		Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	<u> </u>	\vdash	UENTW	UNDC2	-	8 56	8 56			 			1		
	+	Network Interface Device Cross Connect - 2 VV		+	UENTW	UNDC4		8 56	8 56	-					 		
UNE C	OTHER. P	ROVISIONING ONLY - NO RATE		† –						 		t			 		†
	1	NID - Dispatch and Service Order for NID installation	!	T	UENTW	UNDBX	0 00	0 00				<u> </u>			1	1	†
		UNTW Circuit Id Establishment, Provisioning Only - No Rate	<u> </u>		UENTW	UENCE	0.00	0.00	-						T		1
	T				UEANL, UEF, UEQ, U												
=	1	Unbundled Contract Name, Provisioning Only - No Rate	L		ENTW	UNECN	0 00	0 00									
	THED D	ROVISIONING ONLY - NO RATE	1	[1					I							

	IDLE	NETWORK ELEMENTS - Kentucky												Attach	ment. 2	Exhi	bit: B
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring		1			Rates (\$)		
			ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
										l :						İ	
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,	LINEON	0 00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	<u> </u>	+	UDN,UEA,UHL,ULC	UNECN	0.00	0 00									
		rate		1	UEA,UDN.UCL.UDC	LIEBEO	0 00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	├	 	OLA, ODIN, OCL, ODC	USBFQ		0 00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00		l i						•	
		Unbundled DS1 Loop - Superframe Format Option - no rate	 	 	USL	CCOSF	0 00	0 00			•						
		Unbundled DS1 Loop - Expanded Superframe Format option -									•						
		no rate			USL	CCOEF	0 00	0 00				†					
HIGH CA	PACIT	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per		1													
Ll		month		1	UE3	1L5ND	9 25										1
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month	l		UE3	UE3PX	308 31	551 38	338 08	173 00	120 42						
		High Capacily Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	9 25			li							Ī
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month		<u> </u>	UDLSX	UDLS1	320 51	551 38	338 08	173 00	120 42						
LOOP M	AKE-U						L										
		Loop Makeup - Preordering Without Reservation, per working or		1													
		spare facility queried (Manual)			UMK	UMKLW		23 40	23 40								
1		Loop Makeup - Preordering With Reservation, per spare facility	1	1						l f							
		queried (Manual)	ļ	<u> </u>	UMK	UMKLP		24 85	24 85								
		Loop MakeupWith or Without Reservation, per working or		1			i										
		spare facility queried (Mechanized)	ļ		UMK	UMKMQ		0 67	0 67								
		AND LINE SPLITTING	L.,	<u>. </u>			ll										
		: The Line Sharing monthly recurring rates for all installation					udnight Octobe	r 01, 2004 shal	l be billed as f	ollows.							
		1: 10/02/2003 – 10/01/2004, 25% of the rate for an unbundled co	opper ic	ор пог	i-designed ("UCLND	<u>") </u>											
		1 10/02/2004 - 10/01/2005; 50% of the rate for UCLND		-			-										
		I. Above will apply to USOCS: ULSDT and ULSCT		1						-							
		2. The Line Sharing monthly recurring rates with USOCs UL:	SDC an	411160	C applies only to an				Ostabar 4 300	ha		ļi					
		HARING	SDC all	T	c applies only to ch	Cuits mistail	eu anu mserviu	e ou or perore	October 1, 200	1					····		
		ERS-CENTRAL OFFICE BASED										-					
		Line Sharing Splitter, per System 96 Line Capacity	 	 	ULS	ULSDA	198 83	379 05	0.00	358 55	0.00						
		Line Sharing Splitter, per System 24 Line Capacity	 	+						358 55		t					
-			ł	1	IULS	lulsdb	49 71	379 05	0.00	1 338 35 1	0.00						1
1 1		Line Sharing Splitter, Per System, 8 Line Capacity	├			ULSDB ULSD8	49 71 16 94	379 05 377 7 1	0 00	357 29	0 00						
+		Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-															
		Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)												***			
E	ND US	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSD8		377 71	0 00	357 29	0 00						
E	ND US	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) -			ULS	ULSD8 ULSDG	16 94	377 71	0 00	357 29 100 40	0 00						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2			ULS	ULSD8		377 71	0 00	357 29	0 00						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSD8 ULSDG	16 94	377 71 173 62	0 00	357 29 100 40	0 00						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1			ULS ULS ULS	ULSD8 ULSDG	0 61	377 71 173 62 37 16	0 00	357 29 100 40 20 17	0 00						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSD8 ULSDG	16 94	377 71 173 62	0 00	357 29 100 40	0 00						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSQD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "*NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Line Share Service, TRO per line activation, BST owned splitter			ULS ULS ULS	ULSD8 ULSDG	0 61	377 71 173 62 37 16	0 00	357 29 100 40 20 17	0 00						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (55% of UCLND) - please see NOTE 1			ULS ULS ULS	ULSDG ULSDC ULSDT	0 61 2 65	377 71 173 62 37 16 37 16	0 00 0 00 21 28 21 28	357 29 100 40 20 17 20 17	0 00 0 00 9 90 9 90						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "MOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS ULS ULS	ULSD8 ULSDG	0 61	377 71 173 62 37 16	0 00	357 29 100 40 20 17	0 00						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSQD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter			ULS ULS ULS	ULSDG ULSDC ULSDT	0 61 2 65	377 71 173 62 37 16 37 16	0 00 0 00 21 28 21 28	357 29 100 40 20 17 20 17	0 00 0 00 9 90 9 90						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSQD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1			ULS ULS ULS ULS	ULSDS ULSDC ULSDT ULSDT	0 61 2 65 5 29	377 71 173 62 37 16 37 16	0 00 0 00 21 28 21 28	357 29 100 40 20 17 20 17	9 90 9 90						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS ULS ULS	ULSDG ULSDC ULSDT	0 61 2 65	377 71 173 62 37 16 37 16	0 00 0 00 21 28 21 28	357 29 100 40 20 17 20 17	0 00 0 00 9 90 9 90						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSQD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Sharing - per Subsequent Activity per Line			ULS ULS ULS ULS	ULSDS ULSDC ULSDT ULSDT	0 61 2 65 5 29	377 71 173 62 37 16 37 16 37 16 37 16	0 00 0 00 21 28 21 28 21 28	357 29 100 40 20 17 20 17	9 90 9 90						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSQD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS ULS ULS ULS	ULSDS ULSDC ULSDT ULSDT	0 61 2 65 5 29	377 71 173 62 37 16 37 16	0 00 0 00 21 28 21 28	357 29 100 40 20 17 20 17	9 90 9 90						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSQD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS ULS ULS ULS ULS ULS	ULSDS ULSDC ULSDT ULSDT ULSDT ULSDT	0 61 2 65 5 29	377 71 173 62 37 16 37 16 37 16 37 16 37 90	0 00 0 00 21 28 21 28 21 28 21 28 21 28	357 29 100 40 20 17 20 17	9 90 9 90						
E	END US	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSQD) SER ONDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS ULS ULS ULS	ULSDS ULSDC ULSDT ULSDT	0 61 2 65 5 29	377 71 173 62 37 16 37 16 37 16 37 16	0 00 0 00 21 28 21 28 21 28	357 29 100 40 20 17 20 17	9 90 9 90						

INBÚNE	DLE	NETWORK ELEMENTS - Kentucky										0 - 0 :	001		ment: 2		ibit: B
ATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)	1	
				<u> </u>			rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see	}	1													
1		NOTE 1 (E 10/2/2003)	1		ULS	ULSCT	2 65	47 44	19 31	20 67	12 74			Į.		!	
		Line Share Service, TRO per line activation, CLEC owned							1001								
1		splitter - Central Office Located (50% of UCLND) - please see						ļ									
		NOTE 1 (E 10/2/2004)			ULS	ULSCT	5 29	47 44	19 31	20 67	12 74						
		Line Share Service, TRO per line activation, CLEC owned										ļ					
ł		splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)]		ULS	ULSCT	7 94	47 44	19 31	20 67	12 74						
1.11	INE S	PLITTING	1	+	ULS	ULSCI	7 94	47 44	1931	20.67	12 /4						<u> </u>
		SER ORDERING-CENTRAL OFFICE BASED															1
		Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0 61	37 02	21 20	21 10	9 87						
		Line Splitting - per line activation BST owned - virtual		L	UEPSR UEPSB	UREBV	0 61	37 02	21 20	21 10	9 87						
M		ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic				-		80 00 120 00	55 00 82 50								
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						160 00	110 00								1
NBUNDL		DEDICATED TRANSPORT	_			-		100 00	110 00								
		OFFICE CHANNEL - DEDICATED TRANSPORT		 													
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															1
		Per Mile per month			U1TVX	1L5XX	0 01									!	
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -														1	
		Facility Termination			U1TVX	U1TV2	29 11	47 34	31 78	22 77	8 75					-	1
ŀ		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0.01										
-		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			UTIVA	ILSAA	001									 	+
		Facility Termination		ł	U1TVX	U1TR2	29 11	47 34	31 78	22 77	8 75					1	Į.
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															1
		Per Mile per month		İ	U1TVX	1L5XX	0 01									1	
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	25 86	47 34	31 78	22 77	8 75						ļ
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile	ļ	ł	LIATOV	11.577	0.0445										
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility		-	U1TDX	1L5XX	0.0115										1
		Termination			U1TDX	U1TD5	20 97	47 35	31 78	22 77	8 75					1	
_		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		 	01127	07700		1, 00	3, 10							-	-
		per month			U1TDX	1L5XX	0 0115						i				l
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility														1	
		Termination		 	U1TDX	U1TD6	20 97	47 35	31 78	22 77	8 75						
		Interoffice Channel - Dedicated Channel - D\$1 - Per Mile per month	1		U1TD1	1L5XX	0 23					İ				1	
-		Interoffice Channel - Dedicated Tranport - DS1 - Facility	+	_	וטווטו	ILSAA	0 23			-		 			L	+	
		Termination			U1TD1	U1TF1	96 04	105 52	98 46	23 09	20 49						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per								1							
		month			U1TD3	1L5XX	4 97										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month	1		U1TD3	U1TF3	1,175 15	335 40	219 24	89 57	87 75	ļ		ļ		-	-
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4 97					1				1	
-+		Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	1	0:101	1LOAA	4 97			l		 		 		t -	
		Termination	1		U1TS1	U1TFS	1,149 51	335 40	219 24	89 57	87 75			1		1	
ARK FIB	3ER						.,				3.70						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1											
		Thereof per month - Interoffice Channel	ļ <u>.</u>	ļ	UDF, UDFCX	1L5DF	30 74				L	ļ				<u> </u>	
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		732 53	192 67	377 27	241 67	-				-	
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop	1		UDF, UDFCX	1L5DL	47 01										
				1	IUDE, UDEUX	ITEUUL	4/U1/			1		1	1	1		1	4

UNBUN	DLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ıbit: B
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs Electronic-
														1st	Add'I	Disc 1st	Disc Add'i
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BXX ACC	ESS T	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call		ļ <u>.</u>	OHD		0 0006478										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			ОНО	N8R1X		4 14	0 70			}					
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8 78	1 18	7 08	0 86						
		8XX Access Ten Digit Screening, Per 8XX No. Established With		!	Orib	_		0.70	1 10	7 00	0.00	1		-	 		1
		POTS Translations			ОНВ	N8FTX		8 78	1 18	7 08	0 86						
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	NBFCX		4 14	2 07								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			UND	INDECX		4 14	207							1	
		Routing Per CXR Requested Per 8XX No			OHD	N8FMX		4 85	2 78								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4 85	0 70								1
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		4 14	4 14								
		8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD		0 0006478										
<u> </u>		8XX Access Ten Digit Screening, w/ POTS No. Delivery,			OHD		0 0006478					ļ					
LINE INFO	ORMA	TION DATA BASE ACCESS (LIDB)		<u> </u>													
		LIDB Common Transport Per Query		<u> </u>	OQU		0 000023										
		LIDB Validation Per Query	_			NRBPX	0 0137322	- 55 40				ļ			-		
SIGNALIN		LIDB Originating Point Code Establishment or Change			оот, оои	INKBPX		55 12		67 59		 			1	ļ	
SIGNALIN	NG (C	CCS7 Signaling Connection, Per 56 Kbps Facility		1	UDB	TPP++	20 71	43 56	43 56	22 45	22 45		ļ				
		CCS7 Signaling Connection, Per St Rops Facility	-		UDB	PT8SX	151 39	43 30	43 30	22 43	22 43				-		
		CCS7 Signaling Usage Per TCAP Message			UDB	F 105X	0 0000656										
		CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	20 71	43 56	43 56	22 45	22 45		-				+
		CCS7 Signaling Connection, Per link (B link) (also known as D				TPP++	1										
		link) CCS7 Signaling Usage, Per ISUP Message			UDB UDB	IPP++	20 71 0 0000164	43 56	43 56	22 45	22 45	ļ		ļ			
\vdash		CCS7 Signaling Usage Surrogate, per link per LATA		 	UDB	STU56	751 08				······································						
		CCS7 Signaling Osage Surrogale, per link per LATA CCS7 Signaling Point Code, per Originating Point Code		 	UUB	31036	/5100									-	
		Establishment or Change, per STP affected		1	UDB	CCAPO		46 02	46 02	56 43	56 43						
		CCS7 Signaling Point Code, per Destination Point Code			000	100/4/0	 		- 40 02	30 40	00 40	ł					
		Establishment or Change, Per Stp Affected			UDB	CCAPD		46 02	46 02	56 43	56 43					i	
E911 SER	RVICE																
T		Local Channel - Dedicated - 2-wr Voice Grade				+	18 57	265 78	46 96	46 79	4 98						T
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0115									1	
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															Ī
		Termination		l. _			29 11	47 34	31 78	22 77	8 75					<u> </u>	
		Local Channel - Dedicated - DS1 - Zone 1					40 46	209 60	176 51	30 21	21 07						
		Local Channel - Dedicated - DS1 - Zone 2		ļ			43 39	209 60	176 51	30 21	21 07					}	
		Local Channel - Dedicated - DS1 - Zone 3					164 50	209 60	176 51	30 21	21 07						
L		Interoffice Transport - Dedicated - DS1 Per Mile	L			1	0 23			ļ							
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					96 04	105 52	98 46	22.00	20.40					İ	
CALLING	NAM	E (CNAM) SERVICE		-		+	96 04	105 52	95 45	23 09	20 49	-					-
CALLING	1427141	CNAM For DB Owners - Service Establishment		 	ogv		· · · · · · · · · · · · · · · · · · ·	25 34	25 34	23 30	23 30					<u> </u>	
\vdash		CNAM For Non DB Owners - Service Establishment		 	ogv	 	 	25 34	25 34		23 30	-			-	 	
		CNAM For DB Owners - Service Provisioning With Point Code				 		2004	25 54	20 00	25 30		 			†	†
		Establishment	1		oav	1	i	1,591 54	1,177 08	431 95	317 61		1	1	1		İ
		CNAM For Non DB Owners - Service Provisioning With Point	T			T	1		39				† • • • • • • • • • • • • • • • • • • •		İ		1
$\sqcup \bot$		Code Establishment	<u> </u>	L_	OQV		1	546 40	393 74	438 93	317 61		<u> </u>	<u> </u>	<u> </u>		<u> </u>
\Box		CNAM for DB Owners, Per Query	Ĺ		OQV		0 0010348										
		CNAM for Non DB Owners, Per Query			OQV		0 0010348										
		CNAM (Non-Databs Owner), NRC, applies when using the					"1										
l		Character Based User Interface (CHUI)			ogv	CDDCH		595 00	595 00								<u> </u>
SELECTIV	VE RC		<u> </u>	_			\Box								L		
		Selective Routing Per Unique Line Class Code Per Request Per				1								!			1
		Switch		L	1		1 1	93 53	93 53	15 58	15 58	1	I	1	1	1	1

JNBUNDLED NET	WORK ELEMENTS - Kentucky													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svo Order vs, Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ	<u> </u>		_	Rec	Nonrec		Nonrecurring First		COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		1	L		+		First	Add'I	First	Add'I	SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SUMAN
IRTUAL COLLOCAT			┼──	<u> </u>												
Splittin	Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR UEPSB	VE1LS	0 0309	24 68	23 68	12 14	10 95				j		1
HYSICAL COLLOCA		 	 	OLFSK OLFSB	VEILS	0 0302	24 00	20 00		10 50				-		<u> </u>
	al Collocation-2 Wire Cross Connects (Loop) for Line	 	1		1											
Splittin		1		UEPSR UEPSB	PE1LS	0 0333	24 68	23 68	12 14	10 95]		
IN SELECTIVE CAR								•								
	nal Service Establishment	İ		SRC	SRCEC		193,401 00	193,401 00	9,483 34	9,483 34			1	Ι		
	ffice Establishment		1	SRC	SRCEO		194 09	194 09	0 85	0.85						
	ort NRC, per end user	İ	1	SRC	SRCLP		2 06	2 06								
	NRC, per query			SRC		0 0037502								-		
	N SMS ACCESS SERVICE		1													
	MS Access Service - Service Establishment, Per State,	· · · · · ·	+				_								T	
Initial S		l		A1N	CAMSE		43 55	43 55	44 93	44 93	1	l		<u> </u>	<u> </u>	
	Soldp	 	 													
MP MIA	AS Access Service - Port Connection - Dial/Shared Access	.[1	A1N	CAMDP		8 64	8 64	10 03	10 03	I	1	1	1		1
	AS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8 64	8 64	10 03	10 03						
	MS Access Service - User Identification Codes - Per User	-	 	7.117	Or anni											
ID Coo				A1N	CAMAU		38 65	38 65	29 88	29 88			1			
	MS Access Service - Security Card, Per User ID Code,		+	All V	ONWIND		00 00		20 00				t	-	 	
	or Replacement			A1N	CAMRC	ļ	75 08	75 08	12 93	12 93			1		Į.	
	MS Access Service - Storage, Per Unit (100 Kilobytes)	 	+	AIN	Chavirto	0 0025	70 00	10 00	12 00							
AIN SI	MS Access Service - Storage, Per Offic (100 Kilobytes)	 -	+		_	0 666						i .				
	MS Access Service - Session, Per Minute MS Access Service - Company Performed Session, Per		+			0 000										+
						0 4608										
Minute		1	-			0.4000					-	 				
	N TOOLKIT SERVICE polkit Service - Service Establishment Charge, Per State,	+	1		1								1		-	-
		Į.		CAM	BAPSC		43 55	43 55	44 93	44 93						
Initial		1		CAWI	BAPVX		8,436 93	8,436 93	- 44 30	47.00	-	-		-		
	oolkit Service - Training Session, Per Customer	1	+		DAFVA		0,450 35	0,450 25					1			
	polkit Service - Trigger Access Charge, Per Trigger, Per			i	BAPTT	į	8 64	8 64	10 03	10 03						
	erm Attempt	+	-		DAFII		0.04	0.04	10 00	10 00	 -		1			+
	oolkit Service - Trigger Access Charge Per Trigger, Per			•	BAPTD		8 64	8 64	10 03	10 03		l .			ļ	1
	ff-Hook Delay	1	 		BAFIU		0.04	0.04	10 05	10 00	 		 	_	1	
	oolkil Service - Trigger Access Charge Per Trigger, Per	i	1		ВАРТМ		8 64	8 64	10 03	10 03		1				
	ff-Hook Immediate	 	+		BAPTIVI		8 04	0.04	10 03	10 03	+	ļ	1	 		+
	polkit Service - Trigger Access Charge, Per Trigger Per	1	1		BAPTÓ	1	51 01	51 01	18 50	18 50	1					
	D-Digit PODP	 	+		BAPIO		3101	3101	10 30	10 30					 	
	polkit Service - Trigger Access Charge, Per Trigger, Per			1	BAPTC		51 01	51 01	18 50	18 50						
DN, C			-		BAPIC		3101	3101	10 30	10 30	-	-	 			
	oolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTF		51 01	51 01	18 50	18 50				ļ	1	
	eature Code	├	+		BAPIF	0 0549207	3101	3101	16 30	10 30	-			 	 	+
	polkit Service - Query Charge, Per Query	 	 		+	0.0549207						-	<u> </u>	 		
	polkit Service - Type 1 Node Charge, Per AlN Toolkit	1		1		0.0000400					ļ]		
	ription, Per Node, Per Query	1		L		0 0066492		-			-					+
	polkit Service - SCP Storage Charge, Per SMS Access												1		1	
	nt, Per 100 Kilobytes	<u> </u>				0 07					ļ		 		 	
	polkit Service - Monthly report - Per AIN Toolkit Service				L					5.00						
	ription			CAM	BAPMS	7 87	8 64	8 64	6 08	6 08		<u> </u>	+	 		
	polkit Service - Special Study - Per AIN Toolkit Service		i i									1		1		1
	ription	 	-	CAM	BAPLS	3 26	9 56	9_56			 	1		 	_	+
	polkit Service - Call Event Report - Per AlN Toolkit Service										1		i			
	ription	-	1	CAM	BAPOS	4 72	8 64	8 64	6 08	6 08			+	 -	 	+
	polkit Service - Call Event Special Study - Per AIN Toolkit	1	1	l									1		1	i
	e Subscription	+	1	CAM	BAPES	0 11	9 56	9 56	-			 	+	 	+	+
HANCED EXTEND		1	1	L		<u> </u>	<u> </u>	L	1		L		+	 	 	+
NOTE: The m	onthly recurring and non-recurring charges below will	apply a	and the	Switch-As-Is Charg	ge will not app	ply for UNE cor	nbinations pro	visioned as 'C	ordinarily Comb	oined Networ	k Elements.		 	+	+	+
NOTE: The m	onthly recurring and the Switch-As-Is Charge and not	the nor	-recurr	ing charges below	will apply for	UNE combinat	ions provision	ed as ' Curren	ny Combined' N	vetwork Eleme	ents	1	 	 		+-
EXTENTED 2	WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE	ROFFICE TRANSPO	ORT								4	 	 	+
I Frank 3	-Wire VG Loop (SL2) in Combination - Zone 1	1	1 1	UNCVX	UEAL2	12 67	125 22	60 48	59 69	7 84	1	1	l	<u> </u>		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment [.] 2		ıbıt: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		1	1		1 1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		١									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Inten	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs	Order vs	Order vs	Order vs
		m									per core	per core	Electronic-	Electronic-	Electronic-	Electronic-
		ļ									1		1st	Add'l	Disc 1st	Disc Add'i
			j		1								isi	Addi	DISCIST	Disc Add 1
							Nonrec	umna	Nonrecurring	Disconnect			OSS	Rates (\$)	I	
		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17 45	125 22	60 48	59 69	7 84						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	33 22	125 22	60 48		7 84					· ·	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				- 100,00	00 22	120 22	00 40	05 05	, , , ,	_				 	
	per month		İ	UNC1X	1L5XX	0 19										
	Interoffice Transport - Dedicated - DS1 combination - Facility			BITO III	1.2.7.51						i —				· · ·	
	Termination per month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32			ŀ			
	1/0 Channelization System in combination Per Month	 		UNC1X	MQ1	113 33	57 26	14 74		1 67	 				 	+
	Voice Grade COCI - Per Month		<u> </u>	UNCVX	1D1VG	0 62	671	4 84	1 00	107		· · · · · · · · · · · · · · · · · · ·				1
	Voice Grade COCI - Fei Moriti		├	DIVCVA	IDIVG	0 02	071	4 04					-		1	
	Fook Additional 2 Mars VC Lour (SL 2) in Combination 7 and 1		1	UNÇVX	UEAL2	12 67	125 22	60 48	59 69	7 84	i		i			
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1			UNCAX	UEALZ.	12 07	125 22	- 60 48	59 69	/ 84						
1			١.		1,1541.0		405.00		60.00			1			1	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2_	17 45	125 22	60 48	59 69	7 84	ļ	ļ			ļ	
		ŀ	1							_	i	1		1	1	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	ļ	3	UNCVX	UEAL2	33 22	125 22	60 48	59 69	7 84					ļ	
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0 62	6 7 1	4 84								
İ	Nonrecurring Currently Combined Network Elements Switch -As-	1			1 1											
j	Is Charge		İ	UNC1X	UNCCC		8 98	8 98	11 17	11 17						L
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	INTE	ROFFICE TRANSF	PORT											1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	1	UNCVX	UEAL4	29 26	125 22	60 48	59 69	7 84					l	
·												''''				
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	1	2	UNCVX	UEAL4	34 25	125 22	60 48	59 69	7 84	ļ		i			
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<u> </u>									_					
1	Per Month	l		UNC1X	1L5XX	0 19			İ		1					
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1						•							 	
1	Month			UNC1X	U1TE1	79 02	181 24	123 53	56 72	22 32	ĺ		1			
	1/0 Channel System in combination Per Month			UNC1X	MO1	113 33	57 26	14 74	1 86	1 67					†	
	Voice Grade COCI in combination - per month	1	-	UNCVX	1D1VG	0 62	6 71	4 84						·		
	Additional 4-Wire Analog Voice Grade Loop in same DS1			DIVOVA	10100	- 002	011	7.01	-		· · · · · ·				·	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29 26	125 22	60 48	59 69	7 84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		'	UNCVA	OEAL4	25 20	123 22	00 40	3505	7 04			-		<u> </u>	
			2	LINGLAY	UEAL4	34 25	125 22	60 48	59 69	7 84						
	Interoffice Transport Combination - Zone 2		4	UNCVX	UEAL4	34 23	125 22	60 46	59 69	7 04						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		1		405.00	00.40	50.00	7.04					ĺ	
	Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84					ļ	
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 62	6 71	4 84							ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-	1				ļ									•	
	Is Charge	L	L	UNC1X	UNCCC		8 98	8 98	11 17	11 17						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRAI	NSPORT											
					1 1				[
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84	L			ļ		
																1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<u></u>	2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84	<u></u>				L	
															I	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84			L			<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month	1	l	UNC1X	1L5XX	0 19			1		1	I	1	1	1	1
	Interoffice Transport - Dedicated - DS1 - combination Facility									·						
	Termination Per Month		l	UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32			l	l		!
	1/0 Channel System in combination Per Month	†	l	UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67		1			<u> </u>	
	OCU-DP COCI (data) per month (2 4-64kbs)		 	UNCDX	1D1DD	1 32	6 71	4 84	1	,	1	<u> </u>	1		 	1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1.0,00	. 02	511		_		1				· ·	
	Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84	i]	1]	1	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	- '-	GIAGON	ODESC	2, 39	120 22	00 40	33 03	1 04			 	-	 	+
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84			1		1	
-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		 -	DIACDY	UDLOG	32 48	125 22	5U 48	29 69	1 04	+	 	-		1	+
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84				1	1	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			1			Rec	Nonrec First	urring Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-						11130	Addi	1 1131	Audi	00.00.00	Commen	- John Par	1	1	
	64kbs)			UNCDX	1D1DD	1 32	6 71	4 84								ŀ
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17			ļ. 			
EXTE	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRAN	ISPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84						
	5 of AMIL CARL Date Control of		2	UNCDX	UDL64	32 48	125 22	60 48	59 69	7 84						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	 	-	UNCDA	UDL64	32 40	120 22	60.46	39 09	7 04				i		<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84						
ł	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	11.500/	2.42										
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	-	-	UNC1X	1L5XX	0 19			 				-			
	Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32		}		İ		
	1/0 Channel System in combination Per Month		1	UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67						
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 32	671	4 84	1		i					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84					ļ	<u> </u>
ł	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1					20.40	405.00	60.40	50.00	7 84	-		,	1		
	Interoffice Transport Combination - Zone 2	-	2	UNCDX	UDL64	32 48	125 22	60 48	59 69	7.84				 		
l	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84		į		1		
	Additional OCU-DP COCI (data) - in combination - per month		+ -	ONOEX	ODLOT	00.07	, EG EE	00 10	30.50							
	(2 4-64kbs)			UNCDX	1D1DD	1 32	6 71	4 84								<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8 98	8 98	11 17	11 17						
CYTE	IS Charge IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATION	ED DS1	INTER				0 90	0 80		11111	 			 		
EXIL	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97				-		
	4-Wire DS1 Digital Loop in Combination - Zone 2	<u> </u>	2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97				İ'		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										İ			1		
	Per Month			UNC1X	1L5XX	0 19										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32						
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>													
	Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17		,				
EXTE	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS:												-		
	First DS1Loop in Combination - Zone 1		1 1	UNC1X UNC1X	USLXX	86 47 114 10	210 70 210 70	114 60 114 60	63 96 63 96	17 97 17 97			-	<u> </u>	ļ	
	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	├	3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97			 	 	·	+
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	-	+ *	ONC IX	100000	25/ 10	21070	11400	55 56	17 01		····		1		
	Per Month			UNC3X	1L5XX	4 09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1											ľ			1
	month	Ĺ	1	UNC3X	U1TF3	966 89	350 56	141 58	48 00	23 39						↓
	3/1Channel System in combination per month	 	ļ	UNC3X	MQ3	158 20	115 48	56 53	15 12	5 30		<u> </u>	-	ļ		-
	DS1 COCI in combination per month Additional DS1Loop in DS3 Interoffice Transport Combination -	-	-	UNC1X	UC1D1	11 80	6 71	4 84			ļ			 	 	+
	Zone 1	!	1	UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97				1		1
	Additional DS1Loop in DS3 Interoffice Transport Combination -		†	5.15 11	302.01	55 47			55 50							
	Zone 2		2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97		<u> </u>	<u> </u>	ļ	ļ	ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97	İ		i	1		
	Additional DS1 COCI in combination per month	1	+ 3	UNC1X	UC1D1	11 80	671	4 84	03 96	11 91	<u> </u>			 	1	
	Nonrecurring Currently Combined Network Elements Switch -As-	!	1	5.10.17	33.51	11.50	071	04					t	1	l	
	is Charge			UNC3X	UNCCC		8 98	8 98	11 17	11 17						
EXTÉ	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD													ļ	
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	12 67	125 22	60 48		7 84			1	ļ	1	
	2-WireVG Loop in combination - Zone 2	L	1 2	UNCVX	UEAL2	17 45	125 22	60 48	59 69	7 84	1	L	1	L	L	

NRONDLED NETW	VORK ELEMENTS - Kentucky													ment 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		001150			Rates (\$)		
2-\Mire\/C	3 Loop in combination - Zone 3		3	UNCVX	UEAL2	33 22	First 125 22	Add'1 60 48	First 59 69	Add'l 7 84	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	e Transport - 2-wire VG - Dedicated- Per Mite Per			UNCVA	ULALZ	33 22	120 22	60 46	29 69	7.64						
Month	a manapan 2 ma 13 Dealeated 1 a ma 1 a			UNCVX	1L5XX	0 01										
Interoffic	e Transport - 2-wire VG - Dedicated - Facility					-	-									
	tion per month			UNCVX	U1TV2	23 95	98 09	53 67	56 31	22 42						
	rring Currently Combined Network Elements Switch -As-															
ls Charge				UNCVX	UNCCC		8 98	8 98	11 17	11 17						
	IRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADE				00.00	405.00									
	G Loop in combination - Zone 1 G Loop in combination - Zone 2			UNCVX	UEAL4 UEAL4	29 26 34 25	125 22 125 22	60 48 60 48	59 69 59 69	7 84 7 84	ļ					
	G Loop in combination - Zone 3	-		UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84						
	re Transport - 4-wire VG - Dedicated - Per Mile Per			U.107A	JULIA I	63 00	120 22	00 40	29 09	1 04	 					
Month				UNCVX	1L5XX	0 01	ļ				-					
	e Transport - 4-wire VG - Dedicated - Facility										 					
	tion per month		<u> </u>	UNCVX	U1TV4	21 28	98 09	53 67	56 31	22 42						
	rring Currently Combined Network Elements Switch -As-				1	[
Is Charge	e B DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NITERO	FFIOR	UNCVX	UNCCC		8 98	8 98	11 17	11 17						
	al Loop in combination - per mile per month	INTERU	FFICE	UNC3X	1L5ND	9 25										
U33 E00	ar 2005 in combination - per raile per month			UNCSA	ILDIAD	9 2 3										
DS3 Loca	al Loop in combination - Facility Termination per month			UNC3X	UE3PX	308 31	237 36	147 69	83 43	32 67						
	e Transport - Dedicated - DS3 - Per Mile per month		-	UNC3X	1L5XX	4 09	20, 50	.47 00	00 10	52 01						
	e Transport - Dedicated - DS3 combination - Facility				1											
	lion per month			UNC3X	U1TF3	966 89	350 56	141 58	48 00	23 39						
	rring Currently Combined Network Elements Switch -As-							·								
Is Charge				UNC3X	UNCCC		8 98	8 98	11 17	11 17						
	5-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST ocal Lolp in combination - per mile per month	S-1 IN I	EKUFF	UNCSX	1L5ND	9 25										
	ocal Loop in combination - Facility Termination per			UNCOX	TLOND	9 23										
month	cool coop in combination - racinty remination per			UNCSX	UDLS1	320 51	237 36	147 69	83 43	32 67						
Interoffice	e Transport - Dedicated - STS-1 combination - per mile				1000		201 00	777 00	00 .0	02.01		-				
per mont				UNCSX	1L5XX	4 09										
	e Transport - Dedicated - STS-1 combination - Facility															
	tion per month			UNCSX	U1TFS	945 79	350 56	141 58	48 00	23 39						
	rring Currently Combined Network Elements Switch -As-			LINION			0.00			4						
Is Charge	e TIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDANS	POPT	UNCSX	UNCCC		8 98	8 98	11 17	11 17						
	/ire ISDN Loop in Combination - Zone 1	IIVAIIS	1	UNCNX	U1L2X	18 44	125 22	60 48	59 69	7 84						
	/ire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	25 08	125 22	60 48	59 69	7 84						
	/ire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42 87	125 22	60 48	59 69	7 84						
	e Transport - Dedicated - DS1 combination - per mile															•
per mont				UNC1X	1L5XX	0 19										
	re Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	79 02	404.04	102.52	50.70	22.22						
	nnel System in combination - per month			UNC1X	MQ1	113 33	181 24 57 26	123 53 14 74	56 72 1 86	22 32 1 67						
	DN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2 84	6 71	4 84	1 00							
	al 2-wire ISDN Loop in same DS1Interoffice Transport															
	ation - Zone 1		1	UNCNX	U1L2X	18 44	125 22	60 48	59 69	7 84						
	al 2-wire ISDN Loop in same DS1Interoffice Transport							-								
	ation - Zone 2		2	UNCNX	U1L2X	25 08	125 22	60 48	59 69	7 84						
	al 2-wire ISDN Loop in same DS1Interoffice Transport		3	UNCNX	U1L2X	42 87	405.00	60.40	50.00	٠						
	al 2-wire ISDN COCI (BRITE) - in combination- per	-	3	UNCNA	UILZX	4287	125 22	60 48	59 69	7 84						
month	s. 2 (OO) (DIVITE) - IN COMBINATION - per			UNCNX	UC1CA	2 84	6 71	4 84								
Nonrecur	rring Currently Combined Network Elements Switch -As-			22	-5.5.			7.04								
Is Charge	e ¯	L I		UNC1X	UNCCC		8 98	8 98	11 17	11 17						
	IRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED STS-														
	1 Loop Combination - Zone 1			UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97						
	1 Loop Combination - Zone 2			UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97						

NBUNULE	D NETWORK ELEMENTS - Kentucky			 -	1						Cun Carte	Sun Cada	Incremental	ment: 2	Incremental	ibit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
					1	Rec	Nonreci		Nonrecurring		SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 3		2	UNC1X	USLXX	297 76	210 70	Add'l 114 60	First 63 96	Add'l 17 97		SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile		-	UNCIA	USLAA	25/ /0	21070	114 00	03 90	17 57						
1	Per Month		1	UNCSX	1L5XX	4 09			}							
	Interoffice Transport - Dedicated - STS-1 combination - Facility			0.100%	1.25701									***		T
	Termination per month		1	UNCSX	U1TFS	945 79	350 56	141 58	48 00	23 39					1	
	3/1 Channel System in combination per month			UNCSX	MQ3	158 20	115 48	56 53	15 12	5 30				·		
	DS1 COCI in combination per month			UNC1X	UC1D1	11 80	6 71	4 84								
	Additional DS1Loop in the same STS-1 Interoffice Transport		1			ľ										
	Combination - Zone 1		1_	UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97						
	Additional DS1Loop in the same STS-1 Interoffice Transport		l _				0.0.00			47.07						
	Combination - Zone 2		2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97						
	Additional DS1Loop in the same STS-1 Interoffice Transport		3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97					l	
	Combination - Zone 3		3	UNC1X	UC1D1	11 80	6 71	114 60	63 96	17 97						
	DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-	_	 	ONCIA	00101	1100	071	4 04	 			-		-	 	
	Is Charge		ļ	UNCSX	UNCCC	ł	8 98	8 98	11 17	11 17						
FYTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT	FROFE		00000			- 0 00								
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	32 48	125 22	60 48	59 69	784					_	
-	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1						1							
- 1	Per Mile per month		1	UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		l													
	Facility Termination per month			UNCDX	U1TD5	17 25	98 09	53 67	56 31	22 42						
	Nonrecurring Currently Combined Network Elements Switch -As-				i i											
	Is Charge			UNCDX	UNCCC		8 98	8 98	11 17	11 17					-	
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT					105.00	00.40	50.00	7 84						 _
	4-wire 64 kbps Looal Loop in Combination - Zone 1			UNCDX	UDL64	27 59	125 22	60 48 60 48	59 69 59 69	7 84 7 84	 					
	4-wire 64 kbps Local Loop in Combination - Zone 2			UNCDX UNCDX	UDL64 UDL64	32 48 36 37	125 22 125 22	60 48	59 69	7 84						
-	4-wire 64 kbps Looal Loop in Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	l -		UNCDA	UDL04	30 37	123 22	00 40	35 05	7 04						
	Per Mile per month		ł	UNCDX	1L5XX	0.01									İ	
-	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	TESAA .	- 001										
	Facility Termination per month			UNCDX	U1TD6	17 25	98 09	53 67	56 31	22 42						i .
+	Nonrecurring Currently Combined Network Elements Switch -As-			0110071			***						-			1
	Is Charge			UNCDX	UNCCC	1	8 98	8 98	11 17	11 17						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	3/1 MUX												
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12 67	125 22	60 48	59 69	7 84						
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17 45	125 22	60 48	59 69	7 84						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33 22	125 22	60 48	59 69	7 84						
	First Interoffice Transport - Dedicated - DS1 combination - Per										[j					1
	Mile			UNC1X	1L5XX	0 19										
	First Interoffice Transport - Dedicated - DS1 combination -		i .		1						!					1
	Facility Termination per month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32	ļ					
	Per each DS1 Channelization System Per Month		<u> </u>	UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67	<u> </u>					-
_	Per each Voice Grade COCI - Per Month per month		ļ	UNCVX UNC3X	1D1VG MQ3	0 62 158 20	6 71 115 48	4 84 56 53	15 12	5 30	 					+
	3/1 Channel System in combination per month		1		UC1D1	11 80	6 71	4 84	13 12	3 30	 					-
-	Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1	-	-	UNC1X	OC IDT		071	4 04	-		 					+
	Interoffice Transport Combination - Zone 1	ĺ	1	UNCVX	UEAL2	12 67	125 22	60 48	59 69	7 84						
_	Each Additional 2-Wire VG Loop(SL2) in the same DS1		<u> </u>			12 01		35 36	US 03		t			-	1 "	T
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17 45	125 22	60 48	59 69	7 84						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		T -													
	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	33 22	125 22	60 48	59 69	7 84			L			
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 62	6 71	4 84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1					1			1							1
	Channel System per month		<u> </u>	UNC1X	1L5XX	0 19						<u> </u>			_	ļ
	Each Additional DS1 Interoffice Channel Facility Termination in	l			1						1	1				
1	same 3/1 Channel System per month		l	UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32	L	l	l	l		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment. 2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-	Charge -	Incremental Charge - Manual Svc Order vs Electronic-	Charge -
	i		ì										1st	Add'l	Disc 1st	Disc Add'
						Dee	Nonrec	urnng	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11 80	6 71	4 84								
	Nonrecurring Currently Combined Network Elements Switch -As-	-												•		1
	Is Charge	l .		UNC1X	UNCCC		8 98	8 98	11 17	11 17				<u></u>		ļ
EXT	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	IUX								l			
	First 4-Wire Analog Voice Grade Local Loop in Combination -		١.								ļ					1
	Zone 1	<u> </u>	1	UNCVX	UEAL4	29 26	125 22	60 48	59 69	7 84					ļ	ļ
	First 4-Wire Analog Voice Grade Local Loop in Combination -		2	UNCVX	UEAL4	34 25	125 22	60 48	59 69	7 84	1			!		1
	Zone 2 First 4-Wire Analog Voice Grade Local Loop in Combination -	ļ	1 2	UNCVX	UEAL4	34 25	125 22	60 48	59 69	/ 84	ļ				ļ	
	Zone 3		3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84	1			i		
	First Interoffice Transport - Dedicated - DS1_combination - Per		-	DIVOVA	IUEAL4	83.00	123 22	60 48	39 69	7 64	 			 	 	1
	Mile Per Month			UNC1X	1L5XX	0 19								{	1	1
	First Interoffice Transport - Dedicated - DS1 - Facility		 	OHO IX	125701	0 13					 			ļ	 	
	Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32				ļ		1
	Per each 1/0 Channel System in combination Per Month		1	UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67				·		
	Per each Voice Grade COCI in combination - per month		1	UNCVX	1D1VG	0 62	6 71	4 84								
	3/1 Channel System in combination per month	· · · · · ·		UNC3X	MQ3	158 20	115 48	56 53	15 12	5 30						1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 80	6 71	4 84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29 26	125 22	60 48	59 69	7 84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	T	T													1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34 25	125 22	60 48	59 69	7 84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84				1		1
	Each Additional DS1 Interoffice Channel per mile in same 3/1	ŀ	1											1		1
	Channel System per month			UNC1X	1L5XX	0 19			_							1
1	Each Additional DS1 Interoffice Channel Facility Termination in	1	1	l .	1						1	1	ŀ			
	same 3/1 Channel System per month	ļ		UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32						
	Additional Voice Grade COCI - in combination - per month	<u> </u>	-	UNCVX	1D1VG	0 62	6.71	4 84			ļ			ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1			Į.		0.00	44.47	** **						
EVE	Is Charge ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INITED	 	UNC1X	UNCCC		8 98	8 98	11 17	11 17					ļ	-
EX I	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTER	FFICE	I RANSPORT W/ 3/	TIMUX								<u> </u>		ļ	ļ
	Zone 1		1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84			!			
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	-	F	UNCUA	ODLS6	27 39	123 22	00 40	29 68	7 04		<u> </u>				-
i	Zone 2		2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	<u> </u>	-	UNCOX	ODESO	32.40	123 22	00.40	35 05	7 0-4	1				 	
	Zone 3		3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	<u> </u>	O NODA	00200			00 10	00 00							
	Mile Per Month			UNC1X	1L5XX	0 19										1
	First Interoffice Transport - Dedicated - DS1 - combination						i									
ı	Facility Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32			l			1
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67						
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)	i -		UNCDX	1D1DD	1 32	671	4 84								1
	3/1 Channel System in combination per month			UNC3X	MQ3	158 20	115 48	56 53	15 12	5 30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 80	6 71	4 84								
1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1								i i			
	Interoffice Transport Combination - Zone 1	L	1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84						<u> </u>
1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	I _		ļ <u> </u>	1	l I										
	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84	ļ			ļ		ļ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1					,							I		
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84			ļ		ļ	_
	OCU-DP COCI (data) COCI in combination per month (2 4-64kbs)			LINGRY	40400	[ļ				
		-	-	UNCDX	10100	1 32	6 71	4 84			-	-	ļ	+		
											18	1		1	1	1
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINCAY	11.500	, ,,,					ļ					
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0 19										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky										,			ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		201150	0055441		Rates (\$)	SOMAN	SOMAN
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
1	Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	UC1D1	11 80	6 71	4 84						ŀ		
	combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	00101	11.00									<u> </u>	
	Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice												1			
	Transport Combination - Zone 1		í	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84	_				ļ	+
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				UDL64	32 48	125 22	60 48	59 69	7 84						
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	32 46	123 22	BU 40	35 05	7 04	-					
	Transport Combination - Zone 3	l	3	UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84		!	İ	!		
	First Interoffice Transport - Dedicated - DS1 combination - Per		+~	5.15 5 A	15550							1				
i	Mile Per Month		1	UNC1X	1L5XX	0 19									<u> </u>	
1	First Interoffice Transport - Dedicated - DS1 combination -												1			
	Facility Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32						
	Per each Channel System 1/0 in combination Per Month	ļ		UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67				-	ļ	
	Per each OCU-DP GOCI (data) in combination - per month (2.4-				10400	1 32	6 71	4 84							ļ	ļ
	64kbs)	-		UNCDX UNC3X	1D1DD MQ3	158 20	115 48	56 53	15 12	5 30	 			+	 	
ļ	3/1 Channel System in combination per month Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-	}	UNCOX	IVIQS	136 20	113 40	30 33	10 12	550	1					
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	O'10D/1	10000				·							
	Interoffice Transport Combination - Zone 2	ĺ	2	UNCDX	UDL64	32 48	125 22	60 48	59 69	7 84					<u></u>	1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1										1	1		ļ.		1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84	ļ		 			
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System				1						i					
	combination - per month (2 4-64kbs)	ļ		UNCDX	1D1DD	1 32	6 71	4 84			 					+
1	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0 19	1								ŀ	
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in		-	UNCIA	ILSAA	0 19			†		t ———					1
	same 3/1 Channel System per month		1	UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32						
	Each Additional DS1 COCI in the same 3/1 channel system		1						1							
	combination per month		1	UNC1X	UC1D1	11 80	671	4 84				<u> </u>				
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1										1			
	Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17					-	
EXTE	NDED 2-WIRE ISON LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3	/1 MUX										 	<u> </u>	-	+
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	l.	1	UNCNX	U1L2X	18 44	125 22	60 48	59 69	7 84		İ			1	
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	UILZX	16 44	123 22	00 40	39 09	7 04	 				1	+
	Transport - Zone 2	1	2	UNCNX	U1L2X	25 08	125 22	60 48	59 69	7 84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1		GROW	O IZEX	20 00							1			T
	Transport - Zone 3		3	UNCNX	U1L2X	42 87	125 22	60 48	59 69	7 84			<u> </u>			ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per				"									l		i
	Mile per month			UNC1X	1L5XX	0 19			ļ				ļ		+	+
	First Interoffice Transport - Dedicated - DS1 combination -							400.50	50.70	00.00		-		1		1
	Facility Termination per month	ļ		UNC1X	MQ1	79 02 113 33	181 24 57 26	123 53 14 74		22 32		-		+	+	+
	Per each Channel System 1/0 in combination - per month	-	+	UNC1X	MQ1	113 33	5/ 26	14 /4	1 00	10/		 			-	
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2 84	671	4 84					1			
	3/1 Channel System in combination per month	1	+	UNC3X	MQ3	158 20	115 48	56 53		5 30	1				1	
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	11 80	6 71	4 84								1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport											1				
I	Combination - Zone 1		1	UNCNX	U1L2X	18 44	125 22	60 48	59 69	7 84			ļ			+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport												1			
ļ	Combination - Zone 2	ļ	2	UNCNX	U1L2X	25 08	125 22	60 48	59 69	7 84	-	 		+	+	+
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINICHIY	1141.00	42 87	125 22	60 48	59 69	7 84			1			
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	-	3	UNCNX	U1L2X	42 87	125 22	5U 48	39 69		_	 	 	1	 	+
1 1	system combination- per month	1		UNCNX	UC1CA	2 84	671	4 84				1	1			1

UNBL	INDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	Exhi	ibit B
									-			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
						i l						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	-
CATEC	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	•	
			m									perLSK	perLak	L		Order vs.	Order vs
														Electronic-	Electronic-	Electronic-	Electronic-
		i										i		1st	Add'I	Disc 1st	Disc Add'l
	Τ							Nonrec		Nonroourmer	Disconnect	-		000	Dates (f)	1.	
				_		-+	Rec	First	Add'l	First		COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	COMAN
	+	Each Additional DS1 Interoffice Channel per mile in same 3/1		-			-	FIISL	Addi	First	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SOMAN
					LINGAN												1
	1	Channel System per month			UNC1X	1L5XX	0 19										
		Each Additional DS1 Interoffice Channel Facility Termination in				ŀ											
		same 3/1 Channel System per month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32						1
	İ	Each Additional DS1 COCI in the same 3/1 channel system													1		
		combination per month			UNC1X	UC1D1	11 80	671	4 84						l		
		Nonrecurring Currently Combined Network Elements Switch -As-												ĺ ·			T
	1	Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17					l	i .
	EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
		First 4-wire DS1 Digital Local Loop in Combination - Zone 1			UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97	-				1	+
	1	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2			UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97			 		 	+
	1	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3		3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97			 			
	1	First Interoffice Transport - Dedicated - DS1 combination - Per		+ - 3	SHOIX	HOSEAA -	291 10	21070	114 60	03.96	1/ 9/			 			+
	1	Mile Per Month			LINCAY	11.500				Į i							
	+			-	UNC1X	1L5XX	0 19									 	1.
		First Interoffice Transport - Dedicated - DS1 combination -		1	l	1	l								1		
	1	Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32						
	1	3/1 Channel System in combination per month			UNC3X	MQ3	158 20	115 48	56 53	15 12	5 30				1.		
		Per each DS1 COCI combination per month		i	UNC1X	UC1D1	11 80	671	4 84								1
		Each Additional DS1 Interoffice Channel per mile in same 3/1													1		
		Channel System per month		ĺ	UNC1X	1L5XX	0 19								ŀ		1
		Each Additional DS1 Interoffice Channel Facility Termination in		t		1.00.01				 						-	
		same 3/1 Channel System per month		ŀ	UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32				1		1
	+	Each Additional DS1 COCI in the same 3/1 channel system		<u> </u>	ONCIA	101111	1502	101 24	123 33	30 72	22.32				-	 	+
		combination per month			UNC1X	UC1D1	14.00	0.74	4.04								
	-				UNCIX	DCIDI	11 80	6.71	4 84								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.		I I											
		1		1	UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97						_
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97				[}
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone													·		
		[3		3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97						1
		Nonrecurring Currently Combined Network Elements Switch -As-															†
		Is Charge			UNC1X	UNCCC	i	8 98	8 98	11 17	11 17					i	l
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 IF	NTERO	FFICE	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84					-	
	† · · · · ·	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32 48	125 22	60 48		7 84						
	 	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36 37	125 22	60 48		7 84			-		 	
	+	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile		+ -	OHODA	JULJU	30 37	120 22	00 48	69 69	/ 64						
ł]			1	LINCDY	11.5	201			, 1					1	1	1
	+	per month			UNCDX	1L5XX	0 01	-									
	1	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		1	l	1		1		1	l					1	1
	 	Termination per month		ļ	UNCDX	U1TD5	17 25	98 09	53 67	56 31	22 42					L	<u> </u>
	1	Nonrecurring Currently Combined Network Elements Switch -As-			i	1	1	1		j							
	L	Is Charge			UNCDX	UNCCC		8 98	8 98	11 17	11 17	L		l	<u> </u>	<u> </u>	<u> </u>
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 IF	NTERO	FFICE													
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84						1
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32 48	125 22	60 48	59 69	7 84				İ		
		First 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84				i -	<u> </u>	
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		٣	1	1		.2022	55 40	55 55	1,04				 	t	
	į .	per month		i	UNCDX	1L5XX	0 01	I									l
	 	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		\vdash	UNOBA	1122	001				L				 	ļ	-
		Termination per month		1	LINCDY	Lutre	47.05	00.55	F0		20.10				1	1	
					UNCDX	U1TD6	17 25	98 09	53 67	56 31	22 42						
		Nonrecurring Currently Combined Network Elements Switch -As-		i		1	1	[
	1011	Is Charge		<u> </u>	UNCDX	UNCCC		8 98	8 98	11 17	11 17	,				ļ	↓
ADDIT		IETWORK ELEMENTS		J	l	1										L	ļ
	When	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a	Switch As Is ch	arge does app	ly									
	When	used as ordinarily combined network elements in All States, the	ne non-	recurn	ng charges apply a	and the Switch	As Is Charge d	oes not									
	Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each con	nbination)	Ť								İ		
		Nonrecurring Currently Combined Network Elements Switch -As-		Ι	T ,											· · ·	
	1	Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC	1	8 98	8 98	11 17	11 17					I	1

NBUND	DLED NETWORK ELEMENTS - Kentucky	,												ment: 2	Exhi	bit B
ATEGOR'	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
		ļ	<u> </u>			Rec		curring		Disconnect				Rates (\$)		
	Nonrecurring Currently Combined Network Elements Switch -As-	├──		-			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge - 56/64 kbps	1		UNCDX	UNCCC		8 98	8 98	11 17	11 17	į i					l .
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS1			UNC1X	UNCCC		8 98	8 98	11 17	11 17						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS3			UNC3X	UNCCC		8 98	8 98	11 17	11 17						
	Nonrecurring Currently Combined Network Elements Switch -As-	-	1	UNCSA	UNCCC		8 98	8 98	11.17	11 17						-
	Is Charge - STS1		ļ	UNCSX	UNCCC		8 98	8 98	11 17	11 17						į .
Up.	tional Features & Functions:		 	U1TD1												L
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		01	oı	ОІ	01						
	Clear Channel Capability Super FrameOption - per DS1	ı		U1TD1. ULDD1,UNC1X	CCOSF		OI	OI	OI	01						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	,		ULDD1 U1TD1, UNC1X USL	NRCCC		184 91S	23 828	1 99\$	0 78S						
	Tallity - per Bot	<u> </u>		U1TD3, ULDD3.	NACCC		104 913	23 023	1 995	10 765						l
	C-bit Parity Option - Subsequent Activity - per DS3		ļ	UE3, UNC3X	NRCC3		205 70S	7 20S	6924S	os						
MU	JLTIPLEXERS	ļ	↓	I II I CAN		110.00										ļ
_	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67						
	month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	1 32	10 07	7 08								Ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1						:									l
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1 32	10 07	7 08								1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
_	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UDN	UC1CA	2 84	10 07	7 08								
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		1													1
-	Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	2 84	10 07	7 08								
	used for a Local Loop		ļ	UEA	1D1VG	0 6228	10 07	7 08								<u> </u>
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															İ
-	same SWC as collocation		ļ	U1TUC	1D1VG	0 6228	10 07	7 08								
	DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month		-	UNC3X UNCSX	MQ3 MQ3	158 20 158 20	115 48	56 53	15 12	5 30						
_	DS1 COCI used with Loop per month	-	!	USL	UC1D1	11 80	115 48 10 07	56 53 7 08	15 12	5 30						
	DS1 COCI (used for connection to a channelized DS1 Local	-		030	00101	1100	1001	1.00								
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11 80	10 07	7 08	}							I
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11 80	10 07	7 08								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		-	ULDD1	UC1D1	11 80	10 07	7 08				-				I
	ED LOCAL EXCHANGE SWITCHING(PORTS)	_		OEDD1	00101	1100	1007	7 00								
	change Ports															
NO	TE: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usu	g retail USOC									
2-W	VIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res			LIEBOD												
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 49	3 74	3 63	2 23	2 13						
	Exchange Ports - 2-Wire Analog Line Port with Calter ID - Res		<u> </u>	UEPSR	UEPRC	1 49	3 74	3 63	2 23	2 13						-
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		L	UEPSR	UEPRO	1 49	3 74	3 63	2 23	2 13						ı
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res			UËPSR	UEPRM	1 49	3 74	3 63	2 23	2 13						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port		†			-								-		
+	with Caller ID (LUM) Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan			UEPSR	UEPAP	1 49	3 74	3 63	2 23	2 13						
-	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID		-	UEPSR	UEPWE	1 49	3 74	3 63	2 23	2 13						
	Capability			UEPSR	UEPRT	1 49	374	3 63	2 23	2 13						1

INBUNDLE	D NETWORK ELEMENTS - Kentucky													ment 2		ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Subsequent Activity		L	UEPSR	USASC	0 00	0 00	0 00								
FEAT	JRES															
	All Available Vertical Features			UEP\$R	UEPVF	0 00	0 00	0 00								L
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		ļ		1										1	1
	Bus		<u> </u>	UEPSB	UEPBL	1 49	3 74	3 63	2 23	2 13					ļ	ļ
İ	Exchange Ports - 2-Wire VG unbundled Line Port with				1				1 1							
_	unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 49	3 74	3 63	2 23	2 13						ļ
			1						1 1						1	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 49	3 74	3 63	2 23	2 13						
	Exchange Ports - 2-Wire VG unbundled KY extended local		ļ													
	dialing parity Port with Caller ID - Bus		-	UEPSB	UEPBM	1 49	3 74	3 63	2 23	2 13	ļ					
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	UEDD4	4 40	0.74	0.00		0.40						
	Caller ID - Bus	-	-	UEPSB	UEPB1	1 49	3 74	3 63	2 23	2 13						
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan without Caller ID	1		UEPSB	UEPWF	1 49	3 74	3 63	2 23	0.40	1					
_	2-Wire voice unbundled Incoming Only Port without Caller ID		ļ	UEPSB	DEPWE	1 49	3 /4	3 63	2 23	2 13	1					
	Capability	ĺ		UEPSB	UEPBE	1 49	3 74	3 63	2 23	2 13	1			i		
_	Subsequent Activity		 	UEPSB	USASC	0 00	0 00	0 00	2 23	2 13	-					├
FEAT			1	UEFOB	USASC	0 00	0.00	0.00								
PEAT	All Available Vertical Features		<u> </u>	UEPSB	UEPVF	0 00	0 00	0 00							-	
EVCU	ANGE PORT RATES (DID & PBX)			UEFSB	UEFVF	0 00	0.00	. 000			-				l	
- IEAUN	2-Wire VG Unbundled 2-Way PBX Trunk - Res		ļ.———	UEPSE	UEPRD	1 49	39 05	18 17	15 38	0.89	ļ					
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 49	39 05	18 17	15 38	0.89						
+	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		-	UEPSP	UEPPO	1 49	39 05	18 17	15 38	0.89					l	
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 49	39 05	18 17		0.89	+					
_	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		-	UEPSP	UEPLD	1 49	39 05	18 17		0.89						
+	2-Wire Voice Unbundled PBX LD Terminal Ports	-		UEPSP	UEPLD	1 49	39 05	18 17	15 38	0.89	-					
-	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 49	39 05	18 17	15 38	0.89	<u> </u>					
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		 	UEPSP	UEPXB	1 49	39 05	18 17	15 38	0 89	 				 	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		 	UEPSP	UEPXC	1 49	39 05	18 17	15 38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 49	39 05	18 17	15 38	0 89						†
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02.0.	021710		- 00 00		10 00		 				-	
	Capable Port		1	UEPSP	UEPXE	1 49	39 05	18 17	15 38	0 89						
_	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area			021 01	OLI AL	1 10	- 00 00	10 17	10 00	0 00						
	Calling Port Without LUD		1	UEPSP	UEPXF	1 49	39 05	18 17	15 38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1 49	39 05	18 17	15 38	0 89						
	2-Wire Voice Unbundled PBX Kentucky Premium Califying Port			UEPSP	UEPXH	1 49	39 05	18 17	15 38	0 89						—
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling				1											
	Port Without LUD		ł	UEPSP	UEPXJ	1 49	39 05	18 17	15 38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				† †					••						
	Administrative Calling Port		ł	UEPSP	UEPXL	1 49	39 05	18 17	15 38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1 49	39 05	18 17	15 38	0.89						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1 49	39 05	18 17	15 38	0 89						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 49	39 05	18 17	15 38	0.89						
	Subsequent Activity			UEPSP	USASC	0.00	0 00	0.00								
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0 00	0 00	0 00						· · · · · ·		
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1 49	3 74	3 63	2 23	2 13						
	Switching Features offered with Port		L 🗔													
NOTE	Transmission/usage charges associated with POTS circuit se	vitched	usage	will also apply to c	ircuit switched	d voice and/or	circuit switche	d data transm	nssion by B-Ch	annels associ	iated with 2-	wire ISDN p	orts			
NOTE	Access to B Channel or D Channel Packet capabilities will be	availat	le only	through BFR/New	Business Req	uest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	e Request/	New Business	Request Pro	cess	
	Exchange port - 4-wire ISDN trunk port -all available features															
	included				UEPEX	101 60	188 36	95 15	61 92	22 67						
	LOCAL EXCHANGE SWITCHING(PORTS)														L	
IEXCH.	ANGE PORT RATES		1 7		1 T											

NOLED NET	WORK ELEMENTS - Kentucky													ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
		l l			1						Submitted	Submitted	Charge -	Charge -	Charge -	Charg
i											Elec	Manually		Manual Svc	Manual Svc	
	DATE ELEMENTO	Interi	I	BCS	usoc			RATES (\$)								
ORY	RATE ELEMENTS	m l	Zone	BCS	0300			RAIES (#)			per LSR	per LSR	Order vs.	Order vs	Order vs.	Order
		··· [1	İ							Electronic-	Electronic-	Electronic-	Electron
		- 1	l										1st	Add'l	Disc 1st	Disc Ad
		Į.			ł								1		2.00 101	2.007.0
						_	Nonred	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)	•	
	11 1					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMA
The DS1 Pert	rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI	N Port i	in this	rato avhibit analy t	o the embedo	had baca in pla										
												III rates or	a separate ay	Teement.		-
	4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	mer me	enecti													
	nge Ports - 2-Wire DID Port			UEPEX	UEPP2	10 51	92 18	15 82	52 16	5 30			ļ			ļ
	nge Ports - DDITS Port - 4-Wire DS1 Port with DID	- 1	- 1			İ			i	1			1		1	
capabi	lity (E 4/1/2004)			UEPDD	UEPDD	74 77	164 86	77 74	60 69	3 86			ł			
Exchar	nge Ports - 2-Wire ISDN Port (See Notes below)			UEPTX, UEPSX	U1PMA	13 46	60 60	50 67	32 83	14 17						
	atures Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0 00								
	nge Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0 00	0 00	0 00		 	-				f	
											· · · · · · · ·		<u> </u>		1	
	mission/usage charges associated with POTS circuit sv													l	L	
	s to B Channel or D Channel Packet capabilities will be	availab	ie only	through BFR/New	Business Re	quest Process	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fig	le Request/	New Busines	s Request Pro	ocess	
EXCHANGE P	ORT RATES (continued)	Т												1	L	
	nge Ports - 4-Wire ISDN DS1 Port with Detailed E911												1	1		
	r Capability (E 4/1/2004)	- 1		UEPEX	UEPEX	101 60	188 36	95 15	61 92	22 67	İ	l	[1		1
	nge Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPDX	UEPDX	101 60	188 36	95 15	61 92				· · · · · · · · · · · · · · · · · · ·			1
											·			 	 	
	al Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1 48	44 23	31 98	12 81	11 57	ļ		-	 		ļ
	collocation - Special Access & UNE, cross-connect per		I		[1	l	l		!		1
DS1		L		UEPEX UEPDX	CNC1X	1 48	44 23	31 98	12 81	11 57	l	l				!
	with Locator Capability (required with UEPEX port)															
	idled Exchange Ports, 4-Wire ISDN DS1 Port - E911											-		-	-	
															1	
	r Capability - Initial Profile Establishment per CLEC per		1													
State				UEPEX	UEP1A	0 00	1,811 00		156 69						İ	
Unbun	idled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	r Capability - Subsequent Profile Changes, Additions,		- 1							1						
Deletio				UEPEX	UEP1B	0 00	175 82			l.						
				UEPEX	UEPIB	0 00	175 62									-
	onal PRI Telephone Numbers		[
Unbun	idled Exchange Ports, 4-Wire ISDN DS1 Port - E911	- 1									[1			
Locato	r Capability 2-way Telephone Numbers, per number in	1	- 1								!					
E911 p	profile [New or Additional]	- 1		UEPEX	UEP1C	0 07	0 54									
	idled Exchange Ports, 4-Wire ISDN DS1 Port - E911				i											
	r Capability - Outdial Telephone Numbers, per number in	ł			1						1					
		1	ŀ	===:	1						1		İ			
E911 p	profile [New or Additional]			UEPEX	UEP1D	0 07	12 71	12 71								
	died Exchange Ports, 4-Wire ISDN DS1 Port - Inward				1									1		1
Teleph	one Numbers - Inward Data Only Option [New or	i									ļ					1
Additio	onali ' ' '	i		UEPDX	UEP1E	0 00	0 54									1
	nge Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		-													
				UEPEX	PR7ZT	0 00	25 41	25 41						i		1
Inward	Tel Numbers [Customer Testing Purposes]			UEPEX	PR/ZI	0.00	25 41	25 41								1
	ER PORTABILITY															
	Number Portability (1 per port)	1		UEPEX UEPDX	LNPCN	1 75										I
INTERFACE (F	Provsioning Only)															
Voice/E				UEPEX	PR71V	0 00	0 00	0 00								
Digital		-+	-	UEPEX	PR71D	0 00	0 00	0 00		1					 	1
Inward		-		UEPDX	PR71E	0 00	0 00	0 00		+					 	
			\longrightarrow	UEFUX	FR/IE	0 00	0.00	0 00		-			-			
New or Addition										ļ					<u> </u>	-
	r Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0 00	15 48									1
New or	r Additional - Digital Data "B" Channel			UEPEX	PR7BF	0 00	15 48									1
New or	r Additional Inward Data "B" Channel			UEPDX	PR7BD	0 00	15 48				ļ					
	Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7B\$	0 00	15 48						l .			†
	Additional Useage Sensitive Voice Data 'B' Channel			UEPEX	PR7BU	0 00	15 48						1			t
										<u> </u>		 	-		 	+
	r Additional PRI "D" Channel			UEPEX	PR7EX	0 00	15 48						ļ			_
CALL TYPES																
Inward				UEPEX UEPDX	PR7C1	0 00	0.00	0.00								
Outwar	rd			UEPEX	PR7CO	0 00	0 00	0 00								
Two-wa				UEPEX	PR7CC	0 00	0 00	0 00		<u> </u>			-		 	+
				OPE EV	. R/OU	0 00	0.00	0.00		 		-	-		 	_
	PORT with REMOTE CALL FORWARDING CAPABILITY				Ļ	L							ļ	ļ		
	REMOTE CALL FORWARDING SERVICE - RESIDENCE				L										1	
Unbun	died Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 49	3 74	3 63								
"					T					1						1
i I	died Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 49	3 74	3 63		ł	l		I	1	1	l .

BUNDLED NE	TWORK ELEMENTS - Kentucky					,								ment 2		bit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order ve Electroni Disc Add
						Rec	Nonred		Nonrecurring					Rates (\$)		
Link	ndled Remote Call Forwarding Service, IntraLATA - Res		-	UEPVR	UERTR	1 49	First 3 74	Add'l 3 63	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-Recurrir		-	-	DEPVR	UERIR	149	374	3 63	1							
	ndled Remote Call Forwarding Service - Conversion -		 								+					
	h-as-is		l	UEPVR	USAC2		0 10	0 10	Ì						!	
Unbu	ndled Remote Call Forwarding Service - Conversion with											_				
	ed change (PIC and LPIC)			UEPVR	USACC		0 10	0 10								
UNBUNDLED	REMOTE CALL FORWARDING - Bus															
			i .		1						1		1			
Unbu	ndled Remote Call Forwarding Service, Area Calling - Bus	<u> </u>	<u>. </u>	UEPVB	UERAC	1 49	3 74	3 63	l							
l		ŀ		l									i		İ	
	ndled Remote Call Forwarding Service, Local Calling - Bus		ļ	UEPVB	UERLC	1 49	3 74	3 63			1					
	ndled Remote Call Forwarding Service InterLATA - Bus	ļ	-	UEPVB	UERTE	1 49	3 74	3 63			1		ļ	-	-	
	ndled Remote Call Forwarding Service, IntraLATA - Bus ndled Remote Call Forwarding Service Expanded and	 	ļ	UEPVB	UERTR	1 49	3 74	3 63			ļ		 			ļ
	ndled Remote Call Forwarding Service Expanded and obtion Local Calling		l	UEPVB	UERVJ	1 49	3 74	3 63					l			
Non-Recurrir		<u> </u>	\vdash	OEF VB	OERVS	1 45	314	3 03								
	ndled Remote Call Forwarding Service - Conversion -				-						+			1		
	h-as-is	1	ļ	UEPVB	USAC2		0 10	0 10								
	ndled Remote Call Forwarding Service - Conversion with		 	02, 10	00/102		0.10	0 10			1					
	ed change (PIC and LPIC)		1	UEPVB	USACC		0 10	0 10			1			1		
	SWITCHING, PORT USAGE										1			1		
	witching (Port Usage)										1					
	Office Switching Function, Per MOU					0 0011971										
End 0	Office Trunk Port - Shared, Per MOU					0 0002112										
	ching (Port Usage) (Local or Access Tandem)															
	em Switching Function Per MOU		L			0 000194					1			<u> </u>		
	em Trunk Port - Shared, Per MOU					0 0002416					ļ .					
	em Switching Function Per MOU (Melded)		├			0 000094381										
	em Trunk Port - Shared, Per MOU (Melded)	_	<u> </u>			0 000117538					 					
	ed Factor 48 65% of the Tandem Rate		 -								1					
Common Tra	non Transport - Per Mile, Per MOU		-			0 000003					1	•	l			
	non Transport - Facilities Termination Per MOU		 		+	0 000003					1					
	LOOP COMBINATIONS - COST BASED RATES		 			0.0007400					 			-		-
	Rates are applied where BellSouth is required by FCC ar	id/or St	ate Co	mmission rule to i	arovide Unbiin	dled Local Swi	ching or Swife	h Ports			t					
	If apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit					
	nd Tandem Switching Usage and Common Transport Us											n Port/Loop	Combination	ns,		
The first and	additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For C	urrently Comb	ned Combos th	ne nonrecurrin	g charges sha	ill be those idei	ntified in the h	ionrecuming	- Currently	Combined s	ections	1	
	E GRADE LOOP WITH 2-WIRE LINE PORT (RES)		L													
	op Combination Rates				1											
	e VG Loop/Port Combo - Zone 1		1			10 79										
	e VG Loop/Port Combo - Zone 2		2			15 52										
	e VG Loop/Port Combo - Zone 3	L	3			31 74		<u> </u>						ļ		
UNE Loop Ra			l .													
	e Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9 64										
	e Voice Grade Loop (SL1) - Zone 2 e Voice Grade Loop (SL1) - Zone 3		3	UEPRX UEPRX	UEPLX	14 37					 			 		
	Grade Line Port Rates (Res)	<u> </u>	1	ULPRA	UEPLA	30 59				 	1		-	-		
	e voice unbundled port - residence		 	UEPRX	UEPRL	1 15	21 29	15 49	2 85	2 67	+			-		
	e voice unbundled port vith Caller ID - res	l	\vdash	UEPRX	UEPRC	1 15	21 29	15 49		267		ļ. —		 	l -	—
	e voice unbundled port outgoing only - res			UEPRX	UEPRO	1 15	21 29	15 49		2 67			1	<u> </u>		
	e voice Grade unbundled Kentucky extended local dialing	i –			122.110				1		1		1	<u> </u>		
	port with Caller ID - res	l		UEPRX	UEPRM	1 15	21 29	15 49	2 85	2 67			1	1	1	
	e voice unbundles res, low usage line port with Caller ID			<u> </u>					1		·		1	1		
(LUM		L		UEPRX	UEPAP	1 15	21 29	15 49	2 85	2 67						L
	e Voice Unbundled Kentucky Residence Dialing Plan															
	ut Caller ID		<u> </u>	UEPRX	UEPWE	1 15	21 29	15 49	2 85	2 67					l	
2-Wire	e voice unbundled Low Usage Line Port without Caller ID		1													
Capal				UEPRX	UEPRT	1 15	21 29	15 49	2 85	2 67						

LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ADDITIONAL NRCs 1-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise OFF/ON PREMISES EXTENSION CHANNELS 1-Wire Analog Voice Grade Extension Loop - Non-Design 1-Wire Analog Voice Grade Extension Loop - Non-Design 2-Wire Analog Voice Grade Extension Loop - Non-Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Analog Voice Grade Extension Loop - Design 3-Wire Voice Grade Extension Loop - Design 3-Wire Voice Grade Extension Loop - Design 3-Wire Voice Grade Extension Loop - Design 3-Wire Voice Grade Extension Loop - Design 3-Wire Voice Grade Extension Loop - Design 3-Wire Voice Grade Extension Loop - Design 3-Wire Voice Grade Extension Loop - Design 3-Wire Voice Grade Extension Loop - Design 3-Wire Voice Grade Extension Loop - Design 3-Wire Voice Grade Loop With 2-Wire Voice Grade - Per Mile 4-Wire Voice Grade Loop With 2-Wire Voice Grade - Per Mile 5-Wire Voice Gra												ment· 2	Exhi	
All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UI ADDITIONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellaneous Rate Extension Loop - Non-Design 2 UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 4 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 5 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 5 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 7 UI 1 UI 1 UI 2 Wire Voice Grade Loop (Design Analog Ana	BCS	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submrtted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is UI 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UI ADDITIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Unbundled Miscellianeous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellianeous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellianeous Rate Element, Tag Loop at End User Premise UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 1 UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 4 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 5 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 5 UI 1 UI				Rec	Nonrec		Nonrecurring					Rates (\$)		
All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is UI 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UI ADDITIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Unbundled Miscellianeous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellianeous Rate Element, Tag Loop at End User Premise UI Unbundled Miscellianeous Rate Element, Tag Loop at End User Premise UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 1 UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 4 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 5 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 5 UI 1 UI				Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-as U.I.														
Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change Ui ADDITIONAL NRCs Ui 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Ui Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Ui OFF/ON PREMISES EXTENSION CHANNELS Ui 2 Wire Analog Voice Grade Extension Loop - Non-Design 1 Ui 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 Uire Analog Voice Grade Extension Loop - Non-Design 3 Ui 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 Uire Analog Voice Grade Extension Loop - Design 1 Uire Analog Voice Grade Extension Loop - Design 2 Uire Analog Voice Grade Extension Loop - Design 3 Uire Analog Voice Grade Extension Loop - Design 3 Uire Analog Voice Grade Extension Loop - Design 3 Uire Analog Voice Grade Extension Loop - Design 3 Uire Analog Voice Grade Extension Loop - Design 3 Uire Analog Voice Grade Extension Loop - Design 3 Uire Analog Voice Grade Extension Loop - Design 4 Uire Analog Voice Grade Extension Loop - Design 4 Uire Analog Voice Grade Extension Loop - Design 4 Uire Analog Voice Grade Extension Loop - Design 5 Uire Analog Voice Grade Extension Loop - Design 5 Uire Analog Voice Grade Extension Loop - Design 5 Uire Analog Voice Grade Extension Loop - Design 6 Uire Analog Voice Grade Extension Loop - Design 7 Uire Analog Voice Grade Extension Loop - Design 7 Uire Analog Voice Grade Extension Loop - Design 7 Uire Analog Voice Grade Extension Loop - Design 9 Uire Analog Voice Grade Loop WiTH 2-WiRe Voice Grade - Facility 1 Uire Analog Voice Grade Loop WiTH 2-WiRe Voice Grade - Facility 1 Uire Analog Voice Grade Loop WiTH 2-WiRe Voice Grade - Facility 1 Uire Analog Voice Grade Loop WiTH 2-WiRe Voice Grade - Facility 1 Uire Analog Voice Grade Loop (SL1) - Zone 1 1 Uire Analog Voice Grad	JEPRX	UEPRX	UEPVF	0 00	0 00	0 00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is Ui	JEPRX	UEPRX	LNPCX	0 35										
Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ADDITIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Premise UVI Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise 2 Wire Analog Voice Grade Extension Loop - Non-Design 1 Uii 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 Uii 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 Uii 2 Wire Analog Voice Grade Extension Loop - Design 1 Uii 2 Wire Analog Voice Grade Extension Loop - Design 2 Uii 2 Wire Analog Voice Grade Extension Loop - Design 2 Uii 2 Wire Analog Voice Grade Extension Loop - Design 2 Uii 2 Wire Analog Voice Grade Extension Loop - Design 2 Uii 1 Uii														
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ADDITIONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Unbundled Miscetlaneous Rate Element, Tag Loop at End User Premise OFF/ON PREMISES EXTENSION CHANNELS 12 Wire Analog Voice Grade Extension Loop - Non-Design 1 UII 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UII 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UII 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UII 2 Wire Analog Voice Grade Extension Loop - Design 3 UII 2 Wire Analog Voice Grade Extension Loop - Design 2 UII 2 Wire Analog Voice Grade Extension Loop - Design 3 UII 1 UII 2 Wire Analog Voice Grade Extension Loop - Design 3 UII INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UII Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UII 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) UNE PORT/Loop Combination Rates 1 UNE PORT/Loop Combination Rates 1 UNE Loop Rates 1 UNE Loop Rates 1 UNE Loop Rates 1 UNE Loop Rates 1 UNE Loop Rates 1 UNE Loop Carde Loop (SL1) - Zone 2 2 2 UII 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UINE Loop Grade Loop (SL1) - Zone 3 3 UINE Loop Carde Loop (SL1) - Zone 3 3 UINE Loop Carde Loop (SL1) - Zone 3 3 UINE VOICE Grade Loop (SL1) - Zone 3 3 UINE Loop Rates 1 UNE Loop Rates 1 UNE Loop Rates 1 UNE Loop Rates 1 UNE Loop Rates 1 UNE Loop Carde Loop (SL1) - Zone 3 3 UINE Loop Carde Loop (SL1) - Zone 3 3 UINE Voice Grade Loop (SL1) - Zone 3 3 UINE Voice Unbundled port without Caller ID - bus 2 UNE Voice Unbundled port without Caller ID - Bus 2 UNE Voice Unbundled port with Caller ID - Bus 2 UNE Voice Unbundled port with Caller ID - Bus 2 UNE Voice Unbundled Incoming Only Port without Caller ID UII 2-Wire voice unbundled Incoming Only Port without Caller ID UII 2-Wire voice Unbundled Kentucky Business Dialing Plan without Caller ID UII 2-Wire voice Unbundled Kentucky Business Dialing Plan Without Calle	IEDDY	UEPRX	USAC2	1	0 10	0 10								
Switch with change ADDITIONAL NRCS	JEPRA	UEPRX	USAC2	-	0 10	0 10								
ADDITIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Unious Rate Element, Tag Loop at End User Premise Unious Rate Element, Tag Loop at End User Premise Unious Rate Element, Tag Loop at End User Premise Unious Rate Element, Tag Loop at End User Premise Unious Rate Rate Rate Rate Rate Rate Rate Rate	IEDDY	UEPRX	USACC		0 10	0 10						i		
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Unbundled Rentucky extended Loop Non-Design 1 Ui 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 Ui 2 Wire Analog Voice Grade Extension Loop - Design 2 Uire Analog Voice Grade Extension Loop - Design 3 Ui 2 Wire Analog Voice Grade Extension Loop - Design 3 Ui INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Unbit Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile Uirermination	JEFRA	ULFRA	USACC		0.0	0.10					-			
Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise OFF/ON PREMISES EXTENSION CHANNELS 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design 3 Ui 2 Wire Analog Voice Grade Extension Loop – Design 3 Ui 2 Wire Analog Voice Grade Extension Loop – Design 1 Ui 2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design 3 Ui NTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile 2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) UNE Port/Loop Combination Rates 1 2-Wire VG Loop/Port Combo - Zone 1 1 2-Wire VG Loop/Port Combo - Zone 2 2 2-Wire VG Loop/Port Combo - Zone 3 3 UIE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2 2-Wire Voice Grade Loop (SL1) - Zone 2 3 2-Wire Voice Grade Loop (SL1) - Zone 2 3 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UIE Loop Rates 2-Wire voice Grade Loop (SL1) - Zone 3 3 UIE Loop Rates 2-Wire voice Grade Loop (SL1) - Zone 3 3 UIE Loop Rates 2-Wire voice Grade Loop (SL1) - Zone 3 3 UIE Loop Rates 2-Wire voice Grade Loop (SL1) - Zone 3 3 UIE Loop Rates 4-Wire voice Grade Loop (SL1) - Zone 3 3 UIE Loop Rates 4-Wire voice Grade Loop (SL1) - Zone 3 3 UIE Loop Rates 4-Wire voice Unbundled port without Caller ID - bus 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice Unbundled Port without Caller ID - Bus 4-Wire voice Unbundled Kentucky Business Dialing Plan without Caller ID - Uie										 				
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise OFFION PREMISES EXTENSION CHANNELS 12 Wire Analog Voice Grade Extension Loop — Non-Design 2 Ui 2 Wire Analog Voice Grade Extension Loop — Non-Design 3 Ui 2 Wire Analog Voice Grade Extension Loop — Non-Design 3 Ui 2 Wire Analog Voice Grade Extension Loop — Non-Design 1 Ui 2 Wire Analog Voice Grade Extension Loop — Design 1 Ui 2 Wire Analog Voice Grade Extension Loop — Design 2 Ui 2 Wire Analog Voice Grade Extension Loop — Design 2 Ui 2 Wire Analog Voice Grade Extension Loop — Design 3 Ui INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Ui Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile Or Fraction Mile 2-Wire Voice Grade - Der Mile Ui 2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) UINE PORT/Loop Combination Rates 12-Wire VG Loop/Port Combo - Zone 1 1 1 2-Wire VG Loop/Port Combo - Zone 2 2 2 2-Wire VG Loop/Port Combo - Zone 3 3 3 UINE Loop Rates 2 2-Wire Voice Grade Loop (SL1) - Zone 1 1 1 Ui 2-Wire Voice Grade Loop (SL1) - Zone 1 1 1 Ui 2-Wire Voice Grade Loop (SL1) - Zone 2 2 2 Ui 2-Wire Voice Grade Loop (SL1) - Zone 2 2 2 Ui 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UI 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UI 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UI 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus UI 2-Wire voice unbundled port without Caller ID - Bus 2-Wire voice unbundled Kentucky extended local dialing party port with Caller ID - bus 2-Wire voice unbundled Kentucky Business Dialing Plan without Caller ID - Ui 2-Wire voice unbundled Kentucky Business Dialing Plan without Caller ID - Ui 2-Wire voice unbundled Kentucky Business Dialing Plan without Caller ID - Ui 2-Wire voice unbundled Kentucky Business Dialing Plan Without Caller ID - Ui 2-Wire voice unbundled Kentucky Business Dialing Plan Without Caller ID - Ui 2-Wire voice Unbundled Kentucky Business D	JEPRX	UEPRX	USAS2	0 00	0 00	0 00						l		1
Premse Ul	JE: 1171	SE. 101	100.102											
OFF/ON PREMISES EXTENSION CHANNELS 2 Wire Analog Voce Grade Extension Loop — Non-Design 1 UI 2 Wire Analog Voce Grade Extension Loop — Non-Design 2 UI 2 Wire Analog Voce Grade Extension Loop — Non-Design 3 UI 2 Wire Analog Voce Grade Extension Loop — Design 1 UI 2 Wire Analog Voce Grade Extension Loop — Design 2 UI 2 Wire Analog Voce Grade Extension Loop — Design 2 UI 2 Wire Analog Voce Grade Extension Loop — Design 3 UI INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UI Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UI UI Extension Loop — Design 1 UI UI UI UI UI UI UI UI UI UI UI UI UI	JEPRX	UEPRX	URETL		8 33	0 83						ŀ]
2 Wire Analog Voice Grade Extension Loop - Non-Design 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Non-Design 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 2 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade Extension Loop - Design 3 UI 1 UI 2 Wire Analog Voice Grade - Per Mile 0 UI 1 UI			1						1					
2 Wire Analog Voice Grade Extension Loop - Non-Design 2 Uiver Analog Voice Grade Extension Loop - Non-Design 3 Uiver Analog Voice Grade Extension Loop - Design 1 Uiver Analog Voice Grade Extension Loop - Design 2 Uiver Analog Voice Grade Extension Loop - Design 2 Uiver Analog Voice Grade Extension Loop - Design 3 Uiver Analog Voice Grade Extension Loop - Design 3 Uiver Analog Voice Grade Extension Loop - Design 3 Uiver Analog Voice Grade Extension Loop - Design 3 Uiver Analog Voice Grade Extension Loop - Design 3 Uiver Analog Voice Grade - Paculity Termination Uiver Termination Uiver Termination Uiver Termination Uiver Termination Uiver Termination Uiver Termination Uiver Voice Grade - Per Mile or Fraction Mile Uiver Voice Grade - Der Mile or Fraction Mile Uiver Voice Grade Loop With 2-Wire Voice Grade - Per Mile Or Fraction Mile Uiver Voice Grade Loop With 2-Wire Line PORT (BUS) UNE Port/Loop Combination Rates 2 Uiver Voi Loop/Port Combo - Zone 1 1 1 Uiver Voice Grade Loop With Combo - Zone 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	JEPRX	UEPRX	UEAEN	10 56	46 66	22 57	26 65	7 65						
2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Design 1 UIVER Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design 3 UIVE Analog Voice Grade Extension Loop – Design 3 UIVE Analog Voice Grade Extension Loop – Design 3 UIVE CREAMSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) UNE Port/Loop Combination Rates 1 2-Wire VG Loop/Port Combo - Zone 1 1 1 2-Wire VG Loop/Port Combo - Zone 2 2 2 2-Wire VG Loop/Port Combo - Zone 3 3 UIVE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 1 1 UIVE LOOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 2 2 2 UIVE Voice Grade Loop (SL1) - Zone 2 3 3 UIVE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 2 2 2 UIVE Voice Grade Loop (SL1) - Zone 3 3 UIVE Loop Rates 2-Wire voice Grade Loop (SL1) - Zone 3 3 UIVE Loop Rates 2-Wire voice Grade Loop (SL1) - Zone 2 2 UIVE Voice Grade Loop (SL1) - Zone 3 3 UIVE Loop Rates 2-Wire voice Grade Loop (SL1) - Zone 3 3 UIVE Voice Grade Loop (SL1) - Zone 3 3 UIVE Voice Grade Loop (SL1) - Zone 3 3 UIVE Voice Grade Loop (SL1) - Zone 3 3 UIVE Voice Grade Loop (SL1) - Zone 3 3 UIVE Voice Unbundled port with Caller ID - bus UIVE Voice Unbundled port with Caller ID - Bus UIVE Voice Unbundled Kentucky extended local dialing panty port with Caller ID - bus UIVE Voice Unbundled Kentucky Business Dialing Plan without Caller ID UIVE CALL NUMBER PORTABILITY [Local Number Portability (1 per port) FEATURES [All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		ÚÉPRX	UEAEN	15 34	46 66	22 57	26 65	7 65						
2 Wire Analog Voice Grade Extension Loop – Design 2 Uire Analog Voice Grade Extension Loop – Design 3 Uire Analog Voice Grade Extension Loop – Design 3 Uire Analog Voice Grade Extension Loop – Design 3 Uire Analog Voice Grade Extension Loop – Design 3 Uire Analog Voice Grade Extension Loop – Design 3 Uire Analog Voice Grade Extension Loop – Design 3 Uire Analog Voice Transport – Dedicated – 2 Wire Voice Grade – Facility Termination Uirermination Uirerminat	JEPRX	UEPRX	UÉAEN	31 11	46 66	22 57	26 65	7 65						
2 Wire Analog Voice Grade Extension Loop - Design 3 UNTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Unteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile Unteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile Unteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile Unteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile Unteroffice Transport - Dedicated - 2 Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) UNE Loop Combination Rates 1	JEPRX	UEPRX	UEAED	12 67	134 89	81 87	73 65	14 88						
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	JEPRX	UEPRX	UEAED	17 45	134 89	81 87	73 65	14 88						
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Uli Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile Uli	JEPRX	UEPRX	UEAED	33 22	134 89	81 87	73 65	14 88						
Termination Ui Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UI														
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 1 2 2-Wire VG Loop/Port Combo - Zone 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2														1
or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	JEPRX	UEPRX	U1TV2	23 95	98 09	53 67	56 31	22 42						
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) UNE POrt/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1												İ		
UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2 2 2-Wire VG Loop/Port Combo - Zone 3 3 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 3 USE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 3 USE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 3 USE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 3 USE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 3 USE Loop Rates 2-Wire Voice Unbundled port without Calier ID - bus 2-Wire voice unbundled port without Calier ID - bus 2-Wire voice unbundled port without Calier ID - bus 2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled Kentucky extended local dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port) FEATIRES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-rs	JEPRX	UEPRX	U1TVM	0 0095	0 00	0 00								
12-Wire VG Loop/Port Combo - Zone 1 1 2-Wire VG Loop/Port Combo - Zone 2 2 2 2 2 2 2 2 2 2														
2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 3-UI 2-Wire Voice Grade Loop (SL1) - Zone 3 3-UI 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled Kentucky extended local dialing party port with Caller ID - bus 2-Wire voice unbundled kentucky extended local dialing party port with Caller ID - bus 2-Wire voice unbundled kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is														
2-Wwe VG Loop/Port Combo - Zone 3 3				10 79										
UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UI 2-Wire Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller ID - bus 2-Wire voice unbundled port with Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice Grade unbundled kentucky extended local dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice Unbundled Kentucky Business Dialing Plan without Caller ID 2-Wire voice Unbundled Kentucky Business Dialing Plan without Caller ID Capability LOCAL NUMBER PÖRTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			-	15 52										
2-Wire Voice Grade Loop (SL1) - Zone 1 1 1 UI 2-Wire Voice Grade Loop (SL1) - Zone 2 2 2 UI 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UI 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UI 2-Wire voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus UI 2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled port outgoing only - bus UI 2-Wire voice unbundled Kentucky extended local dialing party port with Caller ID - bus UI 2-Wire voice unbundled incoming only port with Caller ID - Bus UI 2-Wire Voice Unbundled Kentucky Busness Dialing Plan without Caller ID UI 2-Wire voice unbundled Incoming Only Port without Caller ID Capability LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is				31 74										
2-Wire Voice Grade Loop (SL1) - Zone 2 2 3 UI 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UI 2-Wire Voice Grade Lone Port (Bus) 2-Wire voice unbundled port without Caller ID - bus UI 2-Wire voice unbundled port with Caller ID - bus UI 2-Wire voice unbundled port outgoing only - bus UI 2-Wire voice unbundled port outgoing only - bus UI 2-Wire voice unbundled fentucky extended local dialing parity port with Caller ID - bus UI 2-Wire voice unbundled Kentucky extended local dialing parity port with Caller ID - bus UI 2-Wire voice unbundled kentucky Business Dialing Plan without Caller ID UI 2-Wire voice unbundled Incoming Only Port without Caller ID Capability UI LOCAL NUMBER PORTABILITY I Local Number Portability (1 per port) FEATURES All Features Offered UI NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			1								l			
2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Bus) 2-Wire Voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Kentucky extended local dialing panty port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice Unbundled Kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	UEPLX	9 64										ļ
2-Wire Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Calter ID - bus 2-Wire voice unbundled port with Calter ± E484 ID - bus 2-Wire voice unbundled port util Calter ± E484 ID - bus 2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Kentucky extended local dialing party port with Calter ID - bus 2-Wire voice unbundled incoming only port with Calter ID - Bus 2-Wire voice Unbundled Kentucky Business Dialing Plan without Calter ID 2-Wire voice unbundled Incoming Only Port without Calter ID Capability LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	UEPLX	14 37					1					
2-Wire voice unbundled port without Calter ID - bus 2-Wire voice unbundled port with Calter E484 ID - bus 2-Wire voice unbundled port outgoing only - bus 2-Wire voice Unbundled port outgoing only - bus 2-Wire voice Grade unbundled Kentucky extended local dialing party port with Calter ID - bus 2-Wire voice unbundled incoming only port with Calter ID - Bus 2-Wire voice unbundled Kentucky Business Dialing Plan without Celler ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability ULOCAL NUMBER FÖRTABILITY [Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	JEPBX	UEPBX	UEPLX	30 59					ļ					
2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Kentucky extended local dialing party port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire Voice Unbundled Kentucky Business Dialing Plan without Celler ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	IEDDY	UEPBX	UEPBL	1 15	21 29	15 49	2 85	2 67	1					-
2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Kentucky extended local dialing party port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	UEPBC	1 15	21 29	15 49	2 85	267						
2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability U LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	UEPBO	1 15	21 29	15 49	2 85	267			-			
panty port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice Unbundled Kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability U LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	JEPBA	UEPBA	UEPBO	1 15	2128	15 49	2 00	201	i 					
2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	JEPBX	HEDRY	UEPBM	1 15	21 29	15 49	2 85	2 67	ļ					
2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability UU LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	UEPB1	1 15	21 29	15 49	2 85	2 67						
without Celler ID 2-Wire voice unbundled Incoming Only Port without Caller ID Capability LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is U	JC, DA	GE, DA	- OLF DI	- 10	2129	15 48	2 00	207						
2-Wire voice unbundled Incoming Only Port without Caller ID UU LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	IEPBX	UEPBX	UEPWF	1 15	21 29	15 49	2 85	2 67					1	
Capability UI	J. J.	52. DA	32, 111	- 19	2123	15 43	2 00	201						
LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port) FEATURES [All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED [2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is U	JEPBX	UEPBX	UEPBE	1 15	21 29	15 49	2 85	2 67					l	
Local Number Portability (1 per port) U FEATURES			120,00				2 00	201						
FEATURES [All Features Offered U NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is U	JEPBX	UEPBX	LNPCX	0 35					 				1	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is U				- 1										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	JEPBX	UEPBX	UEPVF	0 00	0 00	0 00							T	1
Switch-as-is U													I	T
												1		
2 Mars Versa Conda Lana (Long Book Conda and an Conda and an	JEPBX	UEPBX	USAC2		0 10	0 10			<u> </u>		<u> </u>			
2-Wire Voice Grade Loop / Line Port Combination - Conversion -														
	JEPBX	UEPBX	USACC		0 10	0 10	<u> </u>							L
ADDITIONAL NRCs														
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2		0 00	0.00								

OMBONDEE	NETWORK ELEMENTS - Kentucky										Sun Order	Suo Order		ment. 2	Incremental	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually	Charge - Manual Svo Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscelfaneous Rate Element, Tag Loop at End User Premise	1	1	UEPBX	URETL		8 33	0.83								
OFFICE	N PREMISES EXTENSION CHANNELS	1	1 -	CLFBX	- OKL IL		0.55	0.00			···				 	· · · · · · · · · · · · · · · · · · ·
UFF/U	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10 56	46 66	22 57	26 65	7 65	<u> </u>			+	 	
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPBX	UEAEN	15 34	46 66	22 57	26 65	7 65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design	_	3	UEPBX	UEAEN	31 11	46 66	22 57	26 65	7 65						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12 67	134 89	81 87	73 65	14 88				!		
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17 45	134 89	81 87	73 65	14 88						—
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33 22	134 89	81 87	73 65	14 88						
INTER	DFFICE TRANSPORT		- · · ·	OLI DA	102,120	00		0.0.			l				<u> </u>	-
iii Lit	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
1	Termination	1	1	UEPBX	U1TV2	23 95	98 09	53 67	56 31	22 42		1	l	I		I
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 			1		55 00	55 51								
	for Fraction Mile		1	UEPBX	U1TVM	0 0095	0 00	0 00				i	1	1		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	t	 		1	, 5000	5 50	2.50				l	t		İ	
	ort/Loop Combination Rates		·									t		1	<u> </u>	
0.12	2-Wire VG Loop/Port Combo - Zone 1		1			10 79		-							 	
	2-Wire VG Loop/Port Combo - Zone 2		2			15 52										—
-	2-Wire VG Loop/Port Combo - Zone 3		3			31 74					i	1			· · · · · · · · · · · · · · · · · · ·	
	pop Rates		<u> </u>												1	†
ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEPRG	UEPLX	9 64					!	 				+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14 37					 					1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEPRG	UEPLX	30 59					1					+
	Voice Grade Line Port Rates (RES - P8X)	-	۲,	DEFRO	UEFLA	30 35		-			-	 		+		
Z-AAILE	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	-	-		-											+
	Res		1	UEPRG	UEPRD	1 15	21 29	15 49	2 85	2 67						
1.004	NUMBER PORTABILITY		1	UEFRG	ULFRU	1 13	2123	1349	2 00	207	-				1	
LOCAL	Local Number Portability (1 per port)	-		UEPRG	LNPCP	3 15	0 00	0 00					 		 	+
FEATU			 -	DEFRG	LINECE	3 13	0 00	0.00								_
	All Features Offered	-	+	UEPRG	UEPVF	0.00	0 00	0 00						+	 	+
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	OLFING	OCT VI	0.00	000	0.00	·		<u> </u>					
NONK	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	+									 				
	Conversion - Switch-As-is			UEPRG	USAC2		8 45	1 91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		+	DEFRO	USACZ			131			1	 	 		1	
1	Conversion - Switch with Change			UEPRG	USACC	1	8 45	1 91							1	
ADDIT	ONAL NRCs		1	DEFINO	DOACC		0 43	131								
AUUIII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 	-		-						ļ				
	Subsequent Activity	ŀ		UEPRG	USAS2	0 00	0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	 	†	OLI- NO	00002	- 00	3 00	0.00			+	1	1		1	
	Group	į.					7 86	7 86				İ	I	1		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	+-	<u> </u>	-+		, 50	1 30	 			 	 	 		
- 1	Premise	1	1	UEPRG	URETL		8 33	0 83			1				1	
OFF/O	N PREMISES EXTENSION CHANNELS	-	+	OLI ING	OKLIL		0.50	0.00	+		 		1	 		
- 01170	Local Channel Voice grade, per termination	 	1	UEPRG	P2JHX	12 67	134 89	81 87	73 65	14 88		l		 	· · · · ·	
	Local Channel Voice grade, per termination	-	2	UEPRG	P2JHX	17 45	134 89	81 87	73 65	14 88			 	-	<u> </u>	+
	Local Channel Voice grade, per termination	-	3	UEPRG	P2JHX	33 22	134 89	81 87		14 88		-			 	
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12 68	170 06	78 10		15 80				 	1	-
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18 12	170 06	78 10	119 62	15 80			 	 		
	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	 			SDD2X SDD2X	29 64	170 06	78 10 78 10		15 80				 		
INTER	OFFICE TRANSPORT		3	UEPRG	SUUZA	29 04	170 00	70 10	11902	13 00	+		+	 	+	+
INIER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-	+								1	-	 	 		+
	Termination		1	LIEBOC	LIATE OF	33.05	00.00	50.07	E 24	22 42						1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	+	UEPRG	U1TV2	23 95	98 09	53 67	56 31	22 42	 			-		+
ı			1	LUEDDO							l	1		1	1	
	or Fraction Mile			UEPRG	U1TVM	0 0095	0 00	0 00			-	 			+	+
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	-	1	1					-		-	-		1	1	+
UNE P	ort/Loop Combination Rates		1						1			 			+	+
$\overline{}$	2-Wire VG Loop/Port Combo - Zone 1	-	1			10 79			1			 	-		1	+
	2-Wire VG Loop/Port Combo - Zone 2		2			15 52					1		<u> </u>	<u> </u>		+
- 1	2-Wire VG Loop/Port Combo - Zone 3		3	1		31 74					l	L	L	<u>. </u>		

BUNDLE	D NETWORK ELEMENTS - Kentucky					*								ment: 2		bit. B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	·		RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					_		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE L	Loop Rates		ļ													
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	9 64										├
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEPPX	UEPLX	14 37 30 59										
2 18/5	2-Wire Voice Grade Loop (SL 1) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLA	30 59										
Z-VVIITE	e voice Grade Line Port Rates (805 - PBA)	_											-			
1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 15	21 29	15 49	2 85	2 67						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 15	21 29	15 49	2 85	2 67						
	Line Side Unbundled Incoming PBX Trunk Port - Bus		-	UEPPX	UEPP1	1 15	21 29	15 49	2 85	2 67						
<u> </u>	2-Wire Voice Unbundled OutDial Alabama NAR Area Calling		t													
- 1	Port			UEPPX	UEPOA											
	2-Wire Voice Unbundled PBX LD Terminal Ports		l	UEPPX	UEPLD	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		L	UEPPX	UEPXA	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		L	UEPPX	UEPXB	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		L	UEPPX	UEPXC	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 15	21 29	15 49	2 85	2 67						ļ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		l	l												
	Capable Port		ļ	UEPPX	UEPXE	1 15	21 29	15 49	2 85	2 67						ļ
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area		ŀ					45.40								
	Calling Port without LUD		ļ	UEPPX	UEPXF	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		-	UEPPX	UEPXG	1 15	21 29	15 49	2 85	2 67						
-	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPPX	UEPXJ	1 15	21 29	15 49	2 85	2 67						1
-	2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling		-	UEPPX	UEPAJ	1 15	21 29	15 49	2 63	267						
	Port			UEPPX	UEPOK	1 15	21 29	15 49	2 85	2 67						1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULI I A	OEI OK	110	2125	15 45	2 03	201						
	Administrative Calling Port		1	UEPPX	UEPXL	1 15	21 29	15 49	2 85	2 67						ĺ
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1		02.7.2			70.10								
- 1	Room Calling Port		1	UEPPX	UEPXM	1 15	21 29	15 49	2 85	2 67						ĺ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		i –													
	Discount Room Calling Port			UEPPX	UEPXO	1 15	21 29	15 49	2 85	2 67						İ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 15	21 29	15 49	2 85	2 67		-				
LOCA	L NUMBER PORTABILITY															L
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00								
FEAT					1											
	All Features Offered		<u> </u>	UEPPX	UEPVF	0 00	0 00	0 00								——
INONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		!													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBBY	LIGACO			4.0.								1
_	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-	UEPPX	USAC2		8 45	1 91			 					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		8 45	1 91	ĺ							1
ADDIT	FIONAL NRCs			DEPPA	USACC		6 45	191								
70011	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 		+ +											
	Subsequent Activity			UEPPX	USAS2	0 00	0.00	0 00								1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			==::::	100,102	0.00	0.00	0.00								
	Group						7 86	7 86				l				l .
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				··· - 			. 20								
	Premise			UEPPX	URETL		8 33	0 83								i
OFF/C	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination			UEPPX	P2JHX	12 67	134 89	81 87	73 65	14 88						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17 45	134 89	81 87	73 65	14 88						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33 22	134 89	81 87	73 65	14 88						
+-	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12 68	170 06	78 10	119 62	15 80						
+-	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18 12	170 06	78 10	119 62	15 80						
INTE-	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29 64	170 06	78 10	119 62	15 00						——
INTER	ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
			1	ı	1						r I					1

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec First		Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						First	Add'l	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
1	or Fraction Mile			UEPPX	U1TVM	0 0095	0 00	0 00								
2-Wi	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	रें														
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10 79										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15 52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31 74										
UNE	Loop Rates										L					
	2-Wire Voice Grade Loop (SL1) - Zone 1		_1_	UEPCO	UEPLX	9 64										<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14 37					·					ļ
2	2-Wire Voice Grade Loop (SL1) - Zone 3	\vdash	3	UEPCO	UEPLX	30 59					+				ļ	
Z-Wi	re Voice Grade Line Ports (COIN)	 			-			-			1				-	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA MS)			UEPCO	UEPRE	1 15	21 29	15 49	2 85	2 67					l	
	2-Wire Coin 2-Way with Operator Screening (AL, KY)	 		UEPCO	UEPRE	1 15	21 29	15 49	2 85	2 67	+				 	
	2-Wire Coin 2-Way with Operator Screening (AL, KT) [2-Wire Coin 2-Way with Operator Screening and Blocking 011,			UEPCO	UEFRE	1 13	21 29	15 49	200	207	+					
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1 15	21 29	15 49	2 85	2 67						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPCO	UEPKA	1 15	21 29	15 49	2 85	2 67						
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1 15	21 29	15 49	2 85	2 67						
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (KY, LA, MS) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPRN	1 15	21 29	15 49	2 85	2 67						
	(GA, KY, MS) 2-Wire Corn Outward with Operator Screening and Blocking			UEPCO	UEPRJ	1 15	21 29	15 49	2 85	2 67						
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1 15	21 29	15 49	2 85	2 67						
	2-Wire Coin Outward Operator Screening & Blocking 900/976 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1 15	21 29	15 49	2 85	2 67						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 15	21 29	15 49	2 85	2 67						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		,	UEPCO	UEPCR	1 15	21 29	15 49	2 85	2 67						
ADD	ITIONAL UNE COIN PORT/LOOP (RC)				1								•			
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2 57	0 00	0 00	0.00	0 00						İ
LOC.	AL NUMBER PORTABILITY				-1									· · · · · · · · · · · · · · · · · · ·		
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED	L														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0 10	0 10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0 10	0 10								
ADD	ITIONAL NRCs			021 00	- COAOO		- 0 10	0.10								
7.55	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User													_		
	Premise	<u> </u>		UEPCO	URETL		8 33	0 83							<u> </u>	ļ
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINEP	ORT (RES)												
UNE	Port/Loop Combination Rates					42.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	\vdash	1		+	13 90 18 68			 		 				-	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	\vdash	3		+	34 45					+			 		
IINE	Loop Rates		u		+ -	34 43									 	
0145	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12 67			 		+				<u> </u>	t
	2-Wire Voice Grade Loop (SL2) - Zone 2	-		UEPFR	UECF2	17 45							 		<u> </u>	
	2-Wire Voice Grade Loop (SL2) - Zone 3	1		UEPFR	UECF2	33 22			 							—
2-Wi	re Voice Grade Line Port Rates (Res)				122.2											
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 23	128 96	64 11	61 92	9 97				- -		†
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1 23	128 96	64 11	61 92	9 97						1
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 23	128 96	64 11		9 97						Ť .

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		ıbıt- 🖪
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ļ		\perp	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	2-Wire voice Grade unbundled Kentucky extended local dialing		-		 		First	Addi	First	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			UEPFR	UEPRM	1 23	128 96	64 11	61 92	9 97						
	(LUM)			UEPFR	UEPAP	1 23	128 96	64 11	61 92	9 97		!				
:	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID			UEPFR	UEPWE	1 23	128 96	64 11	61 92	9 97						
INTE	ROFFICE TRANSPORT				1 1											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	23 95	98 09	53 67	56 31	22 42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0 0095										
FEA	TURES			DEFT IN	- ILJAA	0 0033										
	All Features Offered	†	 	UEPFR	UEPVF	0 00	0 00	0 00								
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		Ļ													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		ļ	UEPFR	USAC2		9 03	1 87	-							
	Combination - Conversion - Switch-With-Change			UEPFR	USACC	i	9 03	1 87	1						j	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-		DEFIR	DOACC		3.00	1 07		-				· · · · · ·		-
1	End User Premise		1	UEPFR	URETN		11 21	1 10	1			1			ŀ	
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	LINE	PORT (BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13 90										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34 45										
UNE	Loop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12 67										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17 45								_	-	
	2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFB	UECF2	33 22										
2-Wi	re Voice Grade Line Port (Bus)		Ť	52.7.0	020.2	00 22										
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 23	128 96	64 11	61 92	9 97						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	ÜEPBC	1 23	128 96	64 11	61 92	9 97						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 23	128 96	64 11	61 92	9 97						
	2-Wire voice Grade unbundled Kentucky extended local dialing															
	parity port with Caller ID - bus		ļ	UEPFB	UEPBM	1 23	128 96	64 11	61 92	9 97						
	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire Voice Unbundled Kentucky Business Dialing Plan		-	UEPFB	ÜEPB1	1 23	128 96	64 11	61 92	9 97				<u> </u>		
	without Caller ID			UEPFB	UEPWF	1 23	128 96	64 11	61 92	9 97						1
LOC	AL NUMBER PORTABILITY		 	102110	1021 111	120	720 00			3 57						
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	ļ	ļ	UEPFB	U1TV2	23 95	98 09	53 67	56 31	22 42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0 0095										
FEA	TURES															
- 1	All Features Offered		<u> </u>	UEPFB	UEPVF	0 00	0 00	0 00								
INON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 		 	\perp									ļ		
- 1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is		1	UEPFB	USAC2		9 03	1 87								1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	+	DEFFE	USACZ		903	1 87	-					<u> </u>	-	
	Combination - Conversion - Switch with change	1	ļ	UEPFB	USACC		9 03	1 87								1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	l	T	1		2 00		1							
	End User Premise			UEPFB	URETN	[11 21	1 10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (PBX)												
UNE	Port/Loop Combination Rates		<u> </u>													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	I.	1	L		13 90										

INBUNDLED N	NETWORK ELEMENTS - Kentucky		_								,			ment: 2	<u> </u>	bit. B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect	ļ			Rates (\$)		
						l.	Fırst	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 68										
	Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34 45										
UNE Loop											L					
	Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12 67										
	Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17 45										
	Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33 22										<u> </u>
2-Wire Voi	ice Grade Line Port Rates (BUS - PBX)															
														l .		1
	ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 23	164 27	78 65	75 05	8 73						
	ne Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 23	164 27	78 65	75 05	8 73				L		
	ne Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 23	164 27	78 65	75 05	8 73						
2-1	Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 23	164 27	78 65	75 05	8 73						1
2-\	Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 23	164 27	78 65	75 05	8 73						
	Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 23	164 27	78 65	75 05	8 73						
2-1	Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1 23	164 27	78 65	75 05	8 73						
2-1	Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 23	164 27	78 65	75 05	8 73						
2-1	Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	apable Port	ĺ	i	UEPFP	UEPXE	1 23	164 27	78 65	75 05	8 73	1					
	Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	alling Port without LUD		}	UEPFP	UEPXF	1 23	164 27	78 65	75 05	8 73						
2-1	Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1 23	164 27	78 65	75 05	8 73						
	Wire Voice Unbundled PBX Kentucky Premium Calling Port		1	UEPFP	UEPXH	1 23	164 27	78 65	75 05	8 73						
	Wire Voice Unbundled 2-Way Kentucky Area Calling Port		 													
	thout LUD	ŀ	!	UEPFP	UEPXJ	1 23	164 27	78 65	75 05	8 73						
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	02	02.7.5				,,,,,		· -					
	dministrative Calling Port	1		UEPFP	UEPXL	1 23	164 27	78 6 5	75 05	8 73						
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	\vdash	 	OC. TT	OLI AL	. 20	10121		10.00		İ					
	com Calling Port		1	UEPFP	UEPXM	1 23	164 27	78 65	75 05	8 73						
	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	-		00.111	OL: /uv	120	10427		1000	0.0						
	scount Room Calling Port			UEPEP	UEPXO	1 23	164 27	78 65	75 05	8 73					ĺ	
	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		 	UEPFP	UEPXS	1 23	164 27	78 65	75 05	8 73					ļ	
	UMBER PORTABILITY	 	 	UEFFF	DEFAG	1 23	104 27	70 03	75 05	073					-	
	ocal Number Portability (1 per port)		 	UEPFP	LNPCP	3 15	0 00	0 00								
	FICE TRANSPORT		├	UEPFP	LNPCP	3 13	0 00	0 00								 -
	teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 			i			-	_						
		ł		UEPFP	U1TV2	22.05	98 09	53 67	56 31	22 42						
	ermination		+ -	UEPFP	01172	23 95	98 09	53 67	30.31	22.42	ļ				4	
	teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	41.500	0.0005										ŀ
	Fraction Mile		 	UEPFP	1L5XX	0 0095			ļ. 					1	ļ	
FEATURE				HEDED		2.00	0.00	0 00								ļ
	Features Offered		-	UEPFP	UEPVF	0.00	0 00	0 00								
	JRRING CHARGES (NRCs) - CURRENTLY COMBINED		↓												<u> </u>	
	Wire Loop / Dedicated IO Transport / 2 Wire Line Port					- 1				1					1	
	ombination - Conversion - Switch-as-is		-	UEPFP	USAC2		9 03	1 87			ļ				ļ	ļ
	Wire Loop / Dedicated IO Transport / 2 Wire Line Port	ŀ	ĺ											l		
	ombination - Conversion - Switch with change		_	UEPFP	USACC		9 03	1 87			i				<u> </u>	L
	bundled Miscellaneous Rate Element, Tag Designed Loop at	ŀ	1													
	nd User Premise		J	UEPFP	URETN		11 21	1 10						ļ <u>.</u>		
	RT/LOOP COMBINATIONS - COST BASED RATES															
	OICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														ļ
	Loop Combination Rates			ļ					L							
	Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		1	21 30										
	Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	L	2			26 08									L	
	Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			41 85									L	
UNE Loop									1	1						
	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	12 67										
	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	17 45								T		
	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	L	3	UEPPX	UECD1	33 22										
UNE Port		I				- 1			T							
Fx	schange Ports - 2-Wire DID Port		1	UEPPX	UEPD1	8 63	336 11	27 75	132 37	9 3 1				T		1

NBUNDLED	NETWORK ELEMENTS - Kentucky														ment: 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
1 1							_ [Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
NONREC	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		7 85	1 87						1		
	NAL NRCs		 	OLI I A		00,110						 					†
	2-Wire DID Subsequent Activity - Add Trunks Per Trunk		 	UEPPX		USAS1		32 25	32 25								
	Inbundled Miscellaneous Rate Element, Tag Designed Loop at		 	GEI I X		00/101		02.20				 		<u> </u>			
	End User Premise			UEPPX		URETN		11 21	1 10					1			
	ne Number/Trunk Group Establisment Charges		-	OLITA	•	GIVE 114						1				1	
	DID Trunk Termination (One Per Port)		1	UEPPX		NDT	0.00	0 00	0.00			<u> </u>		 	 		
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0 00	0 00	0.00						+		+
	DID Numbers, Non- consecutive DID Numbers, Per Number	 	+	UEPPX		ND5	0 00	0 00	0 00		l	<u> </u>		 	t	<u> </u>	
	Reserve Non-Consecutive DID numbers	-	 	UEPPX		ND6	0 00	0 00	0 00			 		-	+	<u> </u>	
	Reserve DID Numbers		1	UEPPX		NDV	0 00	0.00	0 00		 	 		 	 	1	+
		-	+	UEPPA		NOV	0 00		0.00			-	ļ	 	 	1	+
	NUMBER PORTABILITY	-	-	LIEDOV		LNPCP	0.45	0.00	0.00			 	ļ			<u> </u>	+
	ocal Number Portability (1 per port)	l	<u> </u>	UEPPX		LNPCP	3 15	0 00	0 00								├
	SDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORI												-		├ ──
	t/Loop Combination Rates		_									<u> </u>					↓
	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	ĺ	1			!											1
	JNE Zone 1		1	UEPPB	UEPPR		25 69										<u> </u>
2	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		I														
l lu	JNE Zone 2		2	UEPPB	UEPPR	i l	31 92					l					l
2	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					i											
	JNE Zone 3		3	UEPPB	UEPPR		50 21								1		1
UNE Loo																	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16 10									1	
	This is a transfer of the control of	 	+			1						1			1	i e	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22 33							l	1		Į.
	2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB	UEPPR	USL2X	40 63								 	-	
UNE Por		-	<u> </u>	OLI I D	OLITIK	OOLEA	70 00					1			1		
	exchange Port - 2-Wire ISDN Line Side Port		 	UEPPB	HEDDD	UEPPB	9 59	320 53	289 13	92 19	17 56	 					
	CURRING CHARGES - CURRENTLY COMBINED		ł	OLFFB	OLFFR	OLFFB	5 55	320 33	200 13	32 13	1, 30	 					
			 									-			 		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEBBB	HEDDD	LICAGE	0.00	22 77	17 00		l	Ì				1	
	Combination - Conversion		1	UEPPB	UEPPR	USACB	0 00	22 / /	17 00				<u> </u>	ļ			+
	NAL NRCs		_									ł				-	-
	Inbundled Miscellaneous Rate Element, Tag Designed Loop at						1			i						İ	1
	End User Premise		ļ	UEPPB	UEPPR	URETN		11 21	1 10								₩
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	l				i							İ				
	Premise			UEPPB	UEPPR	URETL		8 33	0 83				ļ				 _ _
	NUMBER PORTABILITY		<u> </u>														
	ocal Number Portability (1 per port)		ļ	UEPPB	UEPPR	LNPCX	0 35	0 00	0 00			1					
B-CHANI	NEL USER PROFILE ACCESS:		1														
	CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0 00	0.00	0 00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0 00	0 00								
	CSD	†	1	UEPPB	UEPPR	U1UCC	0 00	0 00	0.00								
	NEL AREA PLUS USER PROFILE ACCESS. (AL,KY,LA,MS S	C,MS. 8	(NT	T							1	1					T
	CVS/CSD (DMS/5ESS)	ľ	Τ΄.	UEPPB	UEPPR	U1UCD	0.00	0.00	0 00								
	CVS (EWSD)	†	1	UEPPB	UEPPR	U1UCE	0.00	0 00	0 00	<u> </u>							
	CSD CSD	 	†	UEPPB	UEPPR	U1UCF	0 00	0 00	0 00		 	†			1	1	
	ERMINAL PROFILE		+	 	32		- 00	- 5 00	0.00			 		1		†	†
	Jser Terminal Profile (EWSD only)	 	†	UEPPB	UEPPR	U1UMA	0 00	0 00	0.00			 			l	1	†
	AL FEATURES	 	+	120,10	52111	3.3	0.00	0.00	0.00		 	1			1	†	†
	All Vertical Features - One per Channel B User Profile	 	+	UEPP8	UEPPR	1)EDVE	0 00	0 00	0.00		 	+		t	 	t	+
	FFICE CHANNEL MILEAGE	 	+	UEPPB	UEPPK	UEFVF	0 00	0 00	0.00			 		1	 	+	+
		 	+	 		ļ				-	 		-		 	 	+
	nteroffice Channel mileage each including first mile and		1	LIEBER	HEDDO	Mens	00.40	47.0.	04.70	20.77		1				1	
	activities termination	<u> </u>	 -		UEPPR	M1GNC	29 12	47 34	31 78	22 77	8 75	+		1	 	 	+
	nteroffice Channel mileage each additional mile	<u> </u>	 	UEPPB	UEPPR	M1GNM	0 01	0 00	0 00			1	ļ	.	-	 	+
4-WIRE I	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			L		1				L	l	1	l	<u> </u>		ļ	+
	E-P DS1 combination rates below for in this rate exhibit appl																

UNBUNDLE	NETWORK ELEMENTS - Kentucky										1			ment. 2		bit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incrementa Charge - Manual Sv Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect				Rates (\$)	•	
		.				IXCC	Fırst	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates													ļ		1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP		170 06										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					77.000					ļ —					
	Zone 2		2	UEPPP		197 70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		381 35										
UNF	Loop Rates		- 3	OLFFF	+ +	301 33					1			-		
OIVE !	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	86 47		-			1					
	4-Wire DS1 Digital Loop - UNE Zone 2	<u> </u>	2	UEPPP	USL4P	114 10										
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP	USL4P	297 76			 	 	 			1	-	
LINE !	Port Rate		T .	JE 11	335541	20, 10			1					 		
ONE	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)		-	UEPPP	UEPPP	83 59	736 16	382 74	159 48	48 82	 				1	
NONE	RECURRING CHARGES - CURRENTLY COMBINED	 	 	VEFFF	UEFFF	03 28	01 001	302 /4	109 48	40.82	 		 	 	 	
NONE			 -						ļ		 		ļ		1	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E 4/1/2004)	l		UEPPP	USACP	0 00	81 70	61 37	i	1					1	1
4000	TIONAL NRCs		-	UEPPP	USACP	0.00	8170	6137		ļ 					 	-
ADDI																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos (except NC)			UEPPP	PR7TF		0 54								-	-
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -													ŀ		i
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12 71	12 71			L					ļ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -													l		1
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25 41	25 41						<u> </u>		ļ
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										
INTER	RFACE (Provisioning Only)													1		
	Voice/Data			UEPPP	PR71V	0 00	0 00	0 00								
	Digital Data			UEPPP	PR71D	0 00	0 00	0.00								
	Inward Data			UEPPP	PR71E	0 00	0 00	0 00								ļ
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0 00	15 48							l		
	New or Additional - Digital Data B Channel		1	UEPPP	PR7BF	0 00	15 48									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0 00	15 48								i	
CALL	TYPES															
	Inward			UEPPP	PR7C1	0 00	0 00	0 00								
	Outward			UEPPP	PR7CO	0 00	0 00	0 00								
	Two-way			UEPPP	PR7CC	0 00	0 00	0 00								
Interd	office Channel Mileage	1	1		1	İ		·								
	Fixed Each Including First Mile			UEPPP	1LN1A	96 27	105 52	98 46	23 09	20 49						T
	Each Airline-Fractional Additional Mile		1	UEPPP	1LN1B	0 23										
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT														1	
The 1	NE-P DS1 combination rates below for in this rate exhibit appl	v to the	embed	ded base in place	as of 10/2/03 u	ntil 4/1/04. Afti	er 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerci	ial agreeme	nt			
Regu	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective	late of	this amendment s	hall be provide	d pursuant to a	separate agre	ement or tarif	f at BellSouth's	s discretion	1				T	1
	Port/Loop Combination Rates	T			1 - 1 - 1	Table Tabl				T	1 -			ı	1	i
12.12	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		147 99			†	_				_	1	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	t		UEPDC		175 62					-				1	
-	4W D\$1 Digital Loop/4W DDIT\$ Trunk Port - UNE Zone 3			UEPDC		359 28										
UNF	Loop Rates		Ť			300 20				l	1			1	T	1
12	4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPDC	USLDC	86 47			†	1	1				1	i
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114 10						1	t		1	T
-	4-Wire DS1 Digital Loop - UNE Zone 3	†		UEPDC	USLDC	297 76			-							1
UNE	Port Rate		١Ť		-				t	†			1	1	†	T
- 15.12	4-Wire DDiTS Digital Trunk Port (E 4/1/2004)		<u> </u>	UEPDC	UDDIT	61 52	780 61	375 52	176 19	16 98	1		t		1	
NONE	RECURRING CHARGES - CURRENTLY COMBINED		 			0.02	,000,01	0.002	1,019	1	—	l	1		1	
110/11	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	t		+				 	 	+ -		 	 	 	
1	- Switch-as-is (E 4/1/2004)	1		UEPDC	USAC4	I	92 84	46 70		İ				1		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-	1	02,00	33704		3£ 04	40 70	 		+		 	 	+	
	The property of the property o	1	1	UEPDC	1 1				1	1	1	4	t .	1	1	1

NBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual S Order vs Electronic Disc Add
		L	<u> </u>												D130 131	Disc Add
			I			Rec		curring	Nonrecurring		L			Rates (\$)		
						, nee	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
į.	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1													}
	- Conversion with Change - Trunk (E 4/1/2004)			UEPDC	USAWB		92 84	46 70								
ADDIT	FIONAL NRCs		ļ													
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15 09	15 09								
-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		-	UEPDC	UUTTA		15 09	15 09			 					<u> </u>
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15 09	15 09								
-+-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		1	OLI DC	00110		13 08	10.09								· · · · · · · · · · · · · · · · · · ·
ŀ	Activation/Chan Inward Trunk w/out DID	ĺ		UEPDC	UDTTC		15 09	15 09		i						
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 50	1000		10.00									
	Activation Per Chan - Inward Trunk with DID	l	1	UEPDC	UDTTD		15 09	15 09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan					1										
	Activation / Chan - 2-Way DID w User Trans	<u></u>		UEPDC	UDTTE		15 09	15 09	L	<u></u>					<u> </u>	
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Formal			UEPDC	CCOSF		0 001	730 00s								
	B8ZS - Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0 001	730 00s								
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00								
	AMI - Extended SuperFrame Format		-	UEPDC	MCOPO		0.00	0 00								
Teleph	hone Number/Trunk Group Establisment Charges	-	-	LIEBBC	UDTGX	0.00	0 00	0 00			ļ					
	Telephone Number for 2-Way Trunk Group		-	UEPDC				0 00								
	Telephone Number for 1-Way Outward Trunk Group		-	UEPDC UEPDC	UDTGY	0 00		0 00			-					
	Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers	ļ		UEPDC	ND4	0.00	0.00	0.00			ļ .					
	DID Numbers for each Group of 20 DID Numbers DID Numbers , Non- consecutive DID Numbers , Per Number		-	UEPDC	ND5	0.00	0 00	0.00			-					
	Reserve Non-Consecutive DID Nos		 	UEPDC	ND6	0.00	0 00	0 00								
	Reserve DID Numbers	_	1	UEPDC	NDV	0.00	0 00	0 00							-	<u> </u>
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Digita	l Loon			- 000	- 000	0 00								
- Douis	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	l	Loop		I I											
	Termination)		ļ	UEPDC	1LNO1	96 04	105 52	98 46	23 09	20 49						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 23	0 00	0 00								!
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)	i	l	UEPDC	1LNO2	0 00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0 45	0 00	0 00		L						
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0 00	0 00	0 00						L. <u>_</u>		
		ĺ	i													
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 45	0 00	0 00			 					ļ <u>.</u>
	Local Number Portability, per DS0 Activated	1	1	UEPDC	LNPCP	3 15	0 00	0 00			ļ			ļ		
	Central Office Termininating Point	<u> </u>		UEPDC	CTG	0.00										<u> </u>
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	L	\vdash								1					
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act			 	.		-				-					ļ
	System can have up to 24 combinations of rates depending on NE-P DS1 combination rates below for 4-Wire DS1 Loop with 0					luto the emb-	ddad bass := =	lace as of 10/2	/03 upt-1 4/4/04	After 4/1/04	these rate-	hall revert	to tariff rates	or a consenta	agragmant	
	ests for 4-Wire DS1 Loop with Channelization with Port after th											siidli revert	C CONTINUATES	o a separate	agreement.	
	OS1 Loop	1		amendiii	brun be pro	ocu puradar	u separate	agreement of	ur Dellau	a distrett	i i					
	4-Wire DS1 Loop - UNE Zone 1	<u> </u>	1 1	UEPMG	USLDC	86 47	0 00	0 00			 					
				UEPMG	USLDC	114 10		0 00			t					
	4-Wire DS1 Loop - UNE Zone 2		1 2								 			.	t	
				UEPMG	USLDČ	297 76	0 00	0.00			1		1			
UNE D	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 DSO Channelization Capacities (D4 Channel Bank Configuration	ns)			USLDC	297 76	0 00	0 00								
UNE D	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 DSC Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	ns)			USLDC VUM24	297 76 111 16	0 00	0 00								
UNE D	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 DSO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s	ns)		UEPMG UEPMG UEPMG												
UNE D	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 3SO Channel Ization Capacities (D4 Channel Bank Configuration 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1per 4 DS1s	ns)		UEPMG UEPMG	VUM24	111 16	0 00	0 00								
UNE	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 98 DS0 Channel Capacity - 1per 4 DS1s 144 DS0 Channel Capacity - 1per 5 DS1s	ns)		UEPMG UEPMG UEPMG UEPMG UEPMG	VUM24 VUM48 VUM96 VUM14	111 16 222 32 444 64 666 96	0 00 0 00 0 00 0 00	0 00 0 00 0 00 0 00								
UNE	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 3SO Channel Ization Capacities (D4 Channel Bank Configuration 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1per 4 DS1s	ns)	3	UEPMG UEPMG UEPMG UEPMG	VUM24 VUM48 VUM96	111 16 222 32 444 64	0 00 0 00 0 00	0 00 0 00 0 00								

BUNDLE	NETWORK ELEMENTS - Kentucky										,	,		ment 2		ıbit B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order vs
					_	Rec		curring	Nonrecurring					Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778 56	0 00	0 00			1					
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,223 20	0.00	0 00							L	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667 84	0 00	0 00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,112 48	0 00	0 00							ļ	<u> </u>
Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann	eliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem							ļ		1
A Minin	num System configuration is One (1) DS1, One (1) D4 Channel	Bank,	and Up	To 24 DSO Ports v	with Feature A	Activations.			l		ļ					+
Multiple	es of this configuration functioning as one are considered Ad	d'I afte	the m	ınimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without				1				1		1	ŀ		1		
	BellSouth Allowed Changes			UEPMG	USAC4	0 00	94 30	4 24								
System	Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and	<u> </u>				ļ					+
New (N	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s							ļ					+
T	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port							100.55				1				
	and Assoc Fea Activation (E 4/1/2004)		ļ	UEPMG	VUMD4	0 00	718 89	469 86	149 83	17 77				-		+
Bipolar	8 Zero Substitution				1						-				 	+
	Clear Channel Capability Format, superframe - Subsequent							700.00-					1			1
	Activity Only			UEPMG	CCOSF	0 00	0 001	730 00s	 					-	-	+
	Clear Channel Capability Format - Extended Superframe -		ŀ	ļ			i							i		
	Subsequent Activity Only		_	UEPMG	CCOEF	0 00	0 001	730 00s				-				+
	te Mark Inversion (AMI)			ļ											-	+
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0 00					-		ļ	+
	Extended Superframe Format		<u>L</u>	UEPMG	мсоро	0 00	0 00	0 00			ļ			-	ļ 	
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port												ļ	+
Exchan	ge Ports										ļ				-	
	Line Side Combination Channelized PBX Trunk Port - Business										1					
	(E 4/1/2004)			UEPPX	UEPCX	1 15	0 00	0 00	0 00	0 00			ļ		<u> </u>	
	Line Side Outward Channelized PBX Trunk Port - Business												l		1	
	(E 4/1/2004)		_	UEPPX	UEPOX	1 15	0 00	0.00	0 00	0 00	ļ					+
	Line Side Inward Only Channelized PBX Trunk Port without DID							l							1	i
	(E 4/1/2004)			UEPPX	UEP1X	1 15	0 00	0 00	0 00	0 00			-			+
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port								0.00	0.00				l		
	(E 4/1/2004)			UEPPX	UEPDM	8 65	0 00	0 00	0 00	0 00			1	ļ	 	+
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			1			1		1							
	(AL, KY, LA, MS, & TN)(Conversion from Network Access		1						0.00			į		1		
	Service) (E 4/1/2004)			UEPPX	UEPCY	1 15	0 00	0.00	0 00	0 00		 				+
	Unbundled Exchange Ports, 2-Wire Channelized - Combination						1				1				ì	
	(AL, KY, LA, MS, & TN) (Conversion from Network Access							0.00	0.00		ł					
	Service) (E 4/1/2004)			UEPPX	UEPCT	1 15	0 00	0 00	0 00	0 00	ļ	ļ				
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			l					0.00	0.00					1	
	Kentucky Only – Calling Plan (E 4/1/2004)			UEPPX	UEPCV	1 15	0 00	0 00	0 00	0.00						+
- 1	Unbundled Exchange Ports, 2-Wire Channelized - Two Way -			HEDDY	LUEBOUL	4.45		0.00	0.00	0 00			l			l.
_	Kentucky Only - Calling Plan (E 4/1/2004)			UEPPX	UEPCW	1 15	0 00	0 00	0.00	0 00	 	ļ			<u> </u>	
	Activations - Unbundled Loop Concentration				+	}	_				-					+
	Feature (Service) Activation for each Line Port Terminated in D4	i		LIEBBY	1001101		05.40	40.44	4.47	4.45	1	1				1
	Bank			UEPPX	1PQWM	0 62	25 40	13 41	4 17	4 15		<u> </u>			<u> </u>	+
	Feature (Service) Activation for each Trunk Port Terminated in				4001441	0.00	70.45	40.00	59 05	11 54		l.				1
	D4 Bank	<u> </u>		UEPPX	1PQWU	0 62	78 15	19 68	29 05	11 54	 				<u> </u>	+
	one Number/ Group Establishment Charges for DID Service			UEDDV	- LUDT	0.00	0 00	0 00					 			+
	DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0 00		0 00	 		 		 	+	 	+
	DID Numbers - groups of 20 - Valid all States	ļ	<u> </u>	UEPPX	ND4	0 00		0 00	-		 		l — —		 	+
	Non-Consecutive DID Numbers - per number	-		UEPPX	ND5 ND6	0 00	0 00	0.00	 		+	 	 	1	 	+
	Reserve Non-Consecutive DID Numbers	-	-	UEPPX	NDV	0 00	0 00	0.00	ļ · · · · · · · · · · · · · · · · · · ·		 		 	 	 	+
	Reserve DID Numbers	-	-	UEPPA	ואטע	000	1 000	0 00			+	 		1	 	+
	Number Portability	-	<u> </u>	LIEDDY	LNPCP	245	0 00	0 00	-		+	 	ļ · · - · · · ·	 	 	+
	Local Number Portability - 1 per port		-	UEPPX	LNPOP	3 15	0.00	0.00		 	 	 	 	 	 -	+
	RES - Vertical and Optional				+		 	 	 		+	 	 	 	+	+
	Switching Features Offered with Line Side Ports Only	ļ	-	UEPPX	UEPVF	0 00	0.00	0 00	 	 	+		 	 	 	+
	All Features Available	I	1	UEPPX	UEPVE	0.00	0 00	J 000			+		 	 	+	+
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		Τ'													

UNDLED NE	TWORK ELEMENTS - Kentucky												Attach	ment 2	Exhi	ibit B
								· · · · · · · · · · · · · · · · · · ·				Svc Order Submitted	Incremental	Incremental Charge -		
SORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Elec per LSR		Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs Electronic- Add'I		Manu- Orde
1							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	L	ь
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SO
2 Features s	hall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sar	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port section	on of this Rate	Exhibit.					
3 End Office	and Tandem Switching Usage and Common Transport	Usage r	ates ir	the Port section o	f this rate exh	ibit shall apply	to all combina	ations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
4 The first ar	nd additional Port nonrecurring charges apply to Not Cu	rrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrect	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ntly Combin	ed sections.	Additional NF	€Cs ma
	nd are categorized accordingly.															
	ites for Unbundled Centrex Port/Loop Combination will		tiated	on an Individual C	ase Basis, un	til further notic	e									
	REX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	oop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loc	op Combination Rates (Non-Design)															1
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		10 79				_	L					
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l											1	
	Design		2	UEP91	_	15 52									<u>.</u>	
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١.													
	Design		3	UEP91	+	31 74					ļ <u> </u>	 			ļ	₩
	op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		+	1					 			-	ļ	
Desig			1	UEP91		13 82					1				ľ	
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OEF 91	-	13 02		· · · · · · · · · · · · · · · · · · ·			1					\vdash
Desig			2	UEP91	i	18 60										
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OCT 31		10 00										\vdash
Desig			3	UEP91	İ	34 37					i			1		
UNE LOOD Ra			۱Ť	DEI 01		0.0.										
	e Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9 64										\vdash
	e Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14 37										
2-Wire	e Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30 59										
2-Wire	e Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12 67										
	e Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17 45										
	e Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33 22										ļ
UNE Ports																↓
	cept North Carolina and Sout Carolina)				LIEBYA	4 45	01.00	45.40	2 85	2 67						
	e Voice Grade Port (Centrex) Basic Local Area e Voice Grade Port (Centrex 800 termination)Basic Local		_	UEP91	UEPYA	1 15	21 29	15 49	2 65	207						
4	e voice Grade Port (Centrex 800 termination)Basic Local			UEP91	UEPYB	1 15	21 29	15 49	2 85	2 67						
Area	e Voice Grade Port (Centrex with Caller ID)Note1 Basic		-	OEF 91	UEFTB	1 13	2123	13 43	2 0 3	201						┼
Local	• • • • • • • • • • • • • • • • • • • •			UEP91	UEPYH	1 15	21 29	15 49	2 85	2 67						
	e Voice Grade Port (Centrex from diff Serving Wire Center)			JE 7 0 1	102:			10 10	2 30				-			
	2, 3 Basic Local Area			UEP91	UEPYM	1 15	21 29	15 49	2 85	2 67					İ	
	e Voice Grade Port, Diff Serving Wire Center - 800 Service				1											
	- Basic Local Area			UEP91	UEPYZ	1 15	21 29	15 49	2 85	2 67	1			1		
	e Voice Grade Port terminated in on Megalink or equivalent															
	c Local Area			UEP91	UEPY9	1 15	21 29	15 49	2 85	2 67						
	e Voice Grade Port Terminated on 800 Service Term -					ł								ļ		
	Local Area			UEP91	UEPY2	1 15	21 29	15 49	2 85	2 67						
	MS, & TN Only						0.4.00	45.40	0.05	0.07						-
	e Voice Grade Port (Centrex)			UEP91	UEPQA	1 15	21 29 21 29	15 49 15 49	2 85 2 85	2 67 2 67		_				-
	e Voice Grade Port (Centrex 800 termination)	-		UEP91 UEP91	UEPQH	1 15	21 29	15 49		2 67						+
	e Voice Grade Port (Centrex with Caller ID)1 e Voice Grade Port (Centrex from diff Serving Wire		<u> </u>	ULFUI	DEFUR	1 15	2129	15 49	2 00	201				 		-
Cente				UEP91	UEPQM	1 15	21 29	15 49	2 85	2 67						
	e Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			02.01		 		.5 45			<u> </u>					-
	ce Term			UEP91	UEPQZ	1 15	21 29	15 49	2 85	2 67	1			l		L
1231																
	e Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1 15	21 29	15 49	2 85	2 67						ــــــ
	e Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1 15	21 29	15 49	2 85	2 67						_
Local Switch																₩
	ex Intercom Funtionality, per port			UEP91	URECS	0 8873										
Local Numbe	Profability Number Portability (1 per port)			UEP91	LNPCC	0 35					-			 		+-
																1

ומאטמאטו	LED NETWORK ELEMENTS - Kentucky										-r -	ı		ment 2		ibit B
ATEGORY	Y RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre		Nonrecurring					Rates (\$)		T
	All Standard Features Offered, per port	-		UEP91	UEPVF	0 00	First	Add'l	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Select Features Offered, per port	_	+	UEP91	UEPVS	0 00	405 66									
			 	UEP91	UEPVS	0 00	405 66									
	All Centrex Control Features Offered, per port		1	UEF91	UEPVC	0 00					+					
NAF	Unbundled Network Access Register - Combination		-	UEP91	UARCX	0 00	0 00	0.00	0 00	0.00						
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	-	1	UEP91	UAR1X	0 00	0 00	0.00		0.00					-	-
	Unbundled Network Access Register - Outdial	_	-	UEP91	UAROX	0 00	0 00	0.00	0 00	0 00						-
Man	scellaneous Terminations		!	UEF91	UARUX	0 00	0 00	0.00	0 00	0.00						
	Vire Trunk Side										-			-		
2-44	Trunk Side Terminations, each		-	UEP91	CENA6	10 51	92 18	15 82	52 16	5 30	+					
Into	eroffice Channel Mileage - 2-Wire		+	ULF 31	CLIVAO	1031	32 10	13 02	32 10	3 30						
Inte	Interoffice Channel Facilities Termination - Voice Grade		+	UEP91	M1GBC	29 11			-							
	Interoffice Channel mileage, per mile or fraction of mile	_	1	UEP91	M1GBM	0 01	· · · · · · · · · · · · · · · · · · ·							-		1
Foo	ature Activations (DS0) Centrex Loops on Channelized DS1 Se	rvice	+	02.0.	- 1						+			 		+
	Channel Bank Feature Activations	1 7100	-	 					-							+
1541	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP91	1PQWS	0 62										
	Salare Holleanon on D a Chainer Bank Centrex E00p Glot	-	1	<u>-</u> -		- 002					+	 				
	Feature Activation on D-4 Channel Bank FX line Side Loop S	iloi	1	UEP91	1PQW6	0 62								i		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1	OLI 31	11 0/10	0.02					+					
	Slot	´	1	UEP91	1PQW7	0 62								ļ		1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-	QLI 31	11 (2447)	- 002			1							
	Different Wire Center		1	UEP91	1PQWP	0 62								İ		1
	Different Wife Center		1	OLI 31	11 (314)	0.02					 					-
	Feature Activation on D-4 Channel Bank Private Line Loop S	lot	1	UEP91	1PQWV	0 62										
	Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop		+	GEI 31	11 2111	0 02										+
	Slot	'		UEP91	1PQWQ	0 62					!					
	Feature Activation on D-4 Channel Bank WATS Loop Slot		+	UEP91	1PQWA	0 62								-		· · · · ·
Non	n-Recurring Charges (NRC) Associated with UNE-P Centrex		1	GE: 01		0 02			 		····					
1101	Conversion - Currently Combined Switch-As-Is with allowed		+													
	changes, per port		i	UEP91	USAC2	1	0 102	0 102								
	Conversion of Existing Centrex Common Block			UEP91	USAÇN		18 95	8 32								1
	New Centrex Standard Common Block		1	UEP91	M1ACS	0 00	669 80	78 32	111 05	13 27	<u> </u>					
	New Centrex Customized Common Block		— —	UEP91	M1ACC	0 00	669 80	78 32		13 27						
	Secondary Block, per Block			UEP91	M2CC1	0 00	78 32	78 32		13 27						t
	NAR Establishment Charge, Per Occasion	1	1	UEP91	URECA	0 00	72 75									
Add	ditional Non-Recurring Charges (NRC)		1						•							İ
	Unbundled Miscellaneous Rate Element, Tag Loop at End U	se														i
	Premise		1	UEP91	URETL		8 33	0.83								ŀ
	Unbundled Miscellaneous Rate Element, Tag Design Loop a	t														
	End Use Premise		ŀ	UEP91	URETN		11 21	1 10	<u> </u>		1				<u> </u>	<u> </u>
	E-P CENTREX - 5ESS (Valid in All States)															
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		i i											
UNE	E Port/Loop Combination Rates (Non-Design)]					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Com	bo -		1												
	Non-Design		1	UEP95		10 79									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Com	bo -														
	Non-Design		2	UEP95		15 52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Com	bo -													1	
	Non-Design		3	UEP95		31,74									<u></u>	
UNE	E Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Com	bo -														
	Design		1_1_	UEP95		13 82										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Com	bo -													!	
	Design		2	UEP95		18 60	<u>.</u>				1			ļ		<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Com	bo -												İ	1	
	Design		3	UEP95		34 37					1			ļ	ļ	
UNE	E Loop Rate														!	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9 64									L	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	I	1 2	UEP95	UECS1	14 37						i .				1

JNBUNDL	LEC	NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
CATEGORY	,	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						+	Rec	Nonrec	urring	Nonrecurring	Disconnect	-			Rates (\$)		
		·						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	30 59					<u> </u>					
		2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	12 67						<u> </u>				
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17 45					-					
LINE		2-Wire Voice Grade Loop (SL 2) - Zone 3 rt Rate		3	UEP95	UECS2	33 22					<u> </u>					-
All S																	
711 0		2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP95	UEPYA	1 15	21 29	15 49	2 85	2 67			 		-	
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1 15	21 29	15 49	2 85	2 67		 				
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				1											
1		Area			UEP95	UEPYH	1 15	21 29	15 49	2 85	2 67		1				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1														
		Center)2,3 Basic Local Area		L	UEP95	UEPYM	1 15	21 29	15 49	2 85	2 67		L	<u> </u>			<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800					Τ										
		Service Term - Basic Local Area		<u> </u>	UEP95	UEPYZ	1 15	21 29	15 49	2 85	2 67		ļ	ļ	ļ	ļ	ļ
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEBOE	LIEDVO	4.45	24.20	45.40	2.05	0.07						
	\dashv	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	\vdash	 	UEP95	UEPY9	1 15	21 29	15 49	2 85	2 67	 	 	-	-	 -	
		Basic Local Area			UEP95	UEPY2	1 15	21 29	15 49	2 85	2 67	1	i				
AL.		LA, MS, SC, & TN Only		+-	02.00	- O.E. 1.E.	- ' ''	2125	10 -0	2 00	201		 				
		2-Wire Voice Grade Port (Centrex)		 	UEP95	UEPQA	1 15	21 29	15 49	2 85	2 67	1					
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1 15	21 29	15 49	2 85	2 67						<u> </u>
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1 15	21 29	15 49	2 85	2 67						†
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPQM	1 15	21 29	15 49	2 85	2 67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service												}			
		Term 2.3		ļ	UEP95	UEPQZ	1 15	21 29	15 49	2 85	2 67						
		0.W V O - 1 - B - 14 14 14 14	İ		LIEBOE	luenos			45.40	0.05	0.07						
	-	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95 UEP95	UEPQ9 UEPQ2	1 15 1 15	21 29 21 29	15 49 15 49	2 85 2 85	2 67 2 67						
Loca		witching			UEP95	UEPQZ	1 15	2129	15 49	2 65	267	-					
- 200		Centrex Intercom Funtionality, per port		1	UEP95	URECS	0 8873						-				-
Loca		umber Portability			02. 00	UNLOG	0.00.0		-								
		Local Number Portability (1 per port)			UEP95	LNPCC	0 35										
Feat	ture	s															
		All Standard Features Offered, per port		L	UEP95	UEPVF	0 00										
		All Select Features Offered, per port			UEP95	UEPVS	0 00	405 66									
		All Centrex Control Features Offered, per port		1	UEP95	UEPVC	0 00								ļ	·	1
NAR		Unbundled Network Access Register - Combination	-	1	UEP95	UARCX	0 00	0.00	0 00	0 00	0 00		ļ				
		Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	1	\vdash	UEP95	UARCX UAR1X	0 00	0 00	0 00	0.00	0.00	<u> </u>	 		 		1
		Unbundled Network Access Register - Intital Unbundled Network Access Register - Outdial		+	UEP95	UAROX	0 00	0 00	0 00	0 00	0.00		 	 	 	-	1
Misc		aneous Terminations		!		37,11,07	0.50	3 30	2 00	0.00	3.00	 	 		[
		Frunk Side			1	1										1	
		Trunk Side Terminations, each			UEP95	CEND6	10 51	92 18	15 82	52 16	5 30						
4-Wi		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	74 77	164 86	77 74	60 69	3 86						<u></u>
		DS0 Channels Activated, each		<u> </u>	UEP95	M1HDO	0 00	15 09									
Inter		ice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		-	UEP95	M1GBC	29 11						-				
+-		Interoffice Channel mileage, per mile or fraction of mile	+	-	UEP95	M1GBC M1GBM	0 01						-	-	 	-	-
Feat		Activations (DS0) Centrex Loops on Channelized DS1 Service	.e	 	OCF 85	IVITODIVI	0 01	-				-	 	 	 	1	+
		nnel Bank Feature Activations	ĩ –	+		 		+						 		-	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		t	UEP95	1PQWS	0 62	-								1	
				t													
L		Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<u>L</u>	UEP95	1PQW6	0 62					L					
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot	ļ <u>.</u>		UEP95	1PQW7	0 62					L	ļ				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -												1	1	I	1
		Different Wire Center		<u> </u>	UEP95	1PQWP	0 62				<u> </u>		L	<u> </u>	L		<u></u>

JNBUNDLED NETWORK ELEMENTS - Kentucky														ment 2		bit B
CATEGORY RATE ELEMENTS	ı	nteri m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates (\$)	COMAN	001141
					-		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature Activation on D-4 Channel Bank Priva Feature Activation on D-4 Channel Bank Tije I				UEP95	1PQWV	0 62								ļ		
Slot				UEP95	1PQWQ	0 62										l .
Feature Activation on D-4 Channel Bank WAT				UEP95	1PQWA	0 62					İ			İ		
Non-Recurring Charges (NRC) Associated with UN																
NRC Conversion Currently Combined Switch-	As-Is with allowed															ĺ
changes, per port				UEP95	USAC2		0 102	0 102							ļ	
Conversion of Existing Centrex Common Block New Centrex Standard Common Block	k, each			UEP95 UEP95	USACN M1ACS	0 00	18 95 669 80	8 32	111 05	13 27						
New Centrex Standard Common Block New Centrex Customized Common Block				UEP95	M1ACC	0.00	669 80	78 32 78 32	111 05	13 27						
NAR Establishment Charge, Per Occasion				UEP95	URECA	0 00	72 75	70 32	17103	13 27	 					<u> </u>
Additional Non-Recurring Charges (NRC)				02, 30	DINEON	0 00	12.10					1			i	
Unbundled Miscellaneous Rate Element, Tag	Loop at End Use			UEP95	URETL		8 33	0.83								
Unbundled Miscellaneous Rate Element, Tag	Design Loop at			OLI 90	OILLIE		0.30	0 03								· · · · · · · · · · · · · · · · · · ·
End Use Premise				UEP95	URETN		11 21	1 10							l	l .
UNE-P CENTREX - DMS100 (Valid in All States)													l			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)	Combo											1	1			
UNE Port/Loop Combination Rates (Non-Design)																
2-Wire VG Loop/2-Wire Voice Grade Port (Cei Non-Design	·		1	UEP9D		10 79										
2-Wire VG Loop/2-Wire Voice Grade Port (Cer Non-Design			2	UEP9D		15 52										
2-Wire VG Loop/2-Wire Voice Grade Port (Cer Non-Design	ntrex)Port Combo -	ľ	3	UEP9D		31 74										ĺ
UNE Port/Loop Combination Rates (Design)		Ì														
2-Wire VG Loop/2-Wire Voice Grade Port (Cei Design	ntrex) Port Combo -		1	UEP9D		13 82										
2-Wire VG Loop/2-Wire Voice Grade Port (Cer Design	ntrex)Port Combo -		2	UEP9D		18 60										
2-Wire VG Loop/2-Wire Voice Grade Port (Cer Design	ntrex)Port Combo -		3	UEP9D		34 37										
UNE Loop Rate					+	0.01								·		
2-Wire Voice Grade Loop (SL 1) - Zone 1			1	UEP9D	UECS1	9 64										
2-Wire Voice Grade Loop (SL 1) - Zone 2			2	UEP9D	UECS1	14 37										
2-Wire Voice Grade Loop (SL 1) - Zone 3				UEP9D	UECS1	30 59									1	
2-Wire Voice Grade Loop (SL 2) - Zone 1				UEP9D	UECS2	12 67										
2-Wire Voice Grade Loop (SL 2) - Zone 2				UEP9D	UECS2	17 45										
2-Wire Voice Grade Loop (SL 2) - Zone 3			3	UEP9D	UECS2	33 22										1
UNE Port Rate										<u> </u>		ļ	ļ	 		-
2-Wire Voice Grade Port (Centrex) Basic Loca	al Area			UEP9D	UEPYA	145	21 29	45.40	2 85	2 67						
2-Wire Voice Grade Port (Centrex 800 termina					UEPYB	1 15		15 49								
Area 2-Wire Voice Grade Port (Centrex / EBS-PSE	T)3Basic Local			UEP9D	UEPYC	1 15	21 29	15 49	285	2 67	-					
Area 2-Wire Voice Grade Port (Centrex / EBS-M50	09)3Basic Local			UEP9D UEP9D	UEPYD	1 15	21 29	15 49	2 85	2.67						
Area 2-Wire Voice Grade Port (Centrex / EBS-M52	09))3 Basic Local				T	1 15	21 29	15 49	2 85	2 67						
Area 2-Wire Voice Grade Port (Centrex / EBS-M51	12))3 Basic Local			UEP9D	UEPYE	1 15	21 29	15 49	2 85	2 67						
Area 2-Wire Voice Grade Port (Centrex / EBS-M53	12))3Basic Local			UEP9D	UEPYF	1 15	21 29	15 49	2 85	2 67						
Area 2-Wire Voice Grade Port (Centrex / EBS-M50	08))3 Basic Local			UEP9D	UEPYG	1 15	21 29	15 49	2 85	2 67	 					
Area 2-Wire Voice Grade Port (Centrex / EBS-M520	08))3 Basic Local			UEP9D	UEPYT	1 15	21 29	15 49	2 85	2 67	-				!	
Area				UEP9D	UEPYU	1 15	21 29	15 49	2 85	2 67	l	L		<u></u>		L

NBUNDLE	D NETWORK ELEMENTS - Kentucky													ment. 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	one (BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
		ł	İ		_								1st	Add'l	Disc 1st	Disc Add
T						Rec	Nonrec		Nonrecurring					Rates (\$)		1
						1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				LIEBNO.	4.45	24.00	15 49	2 85	2 67						
	Area		UEF	P9D	UEPYV	1 15	21 29	15 49	2 65	201	·					
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		LIFE	P9D	UEPY3	1 15	21 29	15 49	2 85	2 67		1				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		- 10		102110		2.20	10 10			-					
	Area		UEF	P9D	UEPYH	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					_										
	Indication))4 Basic Local Area		UEF	P9D	UEPYW	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4]		45.40		2 67						İ
	Basic Local Area	-	UEF	P9D	UEPYJ	1 15	21 29	15 49	2 85	267	-					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		lice	P9D	UEPYM	1 15	21 29	15 49	2 85	2 67						
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		- OL	- 30	- OLI TIW	1 13	2123	10 40	- 2 55		-					
İ	Basic Local Area		UEF	P9D	UEPYO	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	+					•									
	Basic Local Area		UEF	P9D	UEPYP	1 15	21 29	15 49	2 85	2 67	l					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area		UEF	P9D	UEPYQ	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4						04.00	45.40	2.05	0.03						
	Basic Local Area		UE	P9D	UEPYR	1 15	21 29	15 49	2 85	2 67	 	-				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		uer	P9D	UEPYS	1 15	21 29	15 49	2 85	2 67	ŀ					1
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	-	UEF	P9D	UEF 13	1 13	2129	10 48	205	20,						
	Basic Local Area		UEE	P9D	UEPY4	1 15	21 29	15 49	2 85	2 67						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		-													}
	Basic Local Area		UEF	P9D	UEPY5	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	1														
	Basic Local Area		UEF	P9D	UEPY6	1 15	21 29	15 49	2 85	2 67						-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			505	UEPY7	4.45	21 29	15 49	2 85	2 67						1
_	Basic Local Area	-	UEF	P9D	UEPY/	1 15	21 29	15 49	2 65	207	<u> </u>					-
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3		lue	P9D	UEPYZ	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		- 1021		- JOE . 1.E		2.20									
	Basic Local Area		UEF	P9D	UEPY9	1 15	21 29	15 49	2 85	2 67]
-	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area		UEF	P9D	UEPY2	1 15	21 29	15 49	2 85	2 67						
AL, K	Y, LA, MS, SC, & TN Only	L					21.00		0.05	0.07	<u> </u>					ļ
	2-Wire Voice Grade Port (Centrex)			P9D P9D	UEPQA UEPQB	1 15 1 15	21 29 21 29	15 49 15 49	2 85 2 85	2 67 2 67						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			P9D	UEPQE	1 15	21 29	15 49	2 85	2 67		 				
-	2-Wire Voice Grade Port (Centrex / EBS-PSE 1)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			P9D	UEPQD	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	-		P9D	UEPQE	1 15	21 29	15 49		2 67						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			P9D	UEPQF	1 15	21 29	15 49		2 67						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		UEF	P9D	UEPQG	1 15	21 29	15 49		2 67						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			P9D	UEPQT	1 15	21 29	15 49		2 67					<u></u>	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			P9D	UEPQU	1 15	21 29	15 49		2 67	Ļ					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			P9D	UEPQV	1 15	21 29	15 49		2 67 2 67	ļ	 				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4	 		P9D P9D	UEPQ3 UEPQH	1 15 1 1 5	21 29 21 29	15 49 15 49		2 67	 	 		 	 	1
_	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1051	F 3U	DEFUN	1 13	2129	- 1349	2 03						1	T
	Indication)4		UFF	P9D	UEPQW	1 15	21 29	15 49	2 85	2 67	i		L			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			P9D	UEPQJ	1 15	21 29	15 49	2 85	2 67	<u> </u>					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															1
	2,3		UE	P9D	UEPOM	1 15	21 29	15 49	2 85	_ 2 67		ļ <u> </u>	ļ. —		1	
							24.00	15.40	2 85	2 67			!			1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		JUEF	P9D	UEPQO	1 15	21 29	15 49	2 85	2 67	 					1
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	1	lue	P9D	UEPQP	1 15	21 29	15 49	2 85	2 67	i	1	1	1	1	

UNBUNDL	ED NETWORK ELEMENTS - Kentucky		-								4		Attachi	ment. 2	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec		Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
T						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		l	1			1	1		l							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UËP9D	UEPQ4	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1 15	21 29	15 49	2 85	2 67						
					UEPQ7							-				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D		1 15	21 29	15 49	2 85	2 67						
	Term 2,3		1	UEP9D	UEPQZ	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	!		UEP9D	UEPQ9	1 15	21 29	15 49	2 85	2 67				ļ	ļ	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1 15	21 29	15 49	2 85	2 67						
Loca	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0 8873								ļ	ļ	
Loca	Number Portability		↓													
	Local Number Portability (1 per port)			UEP9D	LNPCC	0 35										
Featu			├	UEP9D	UEPVF	0 00										
	All Standard Features Offered, per port All Select Features Offered, per port	-	1	UEP9D	UEPVS	0 00	405 66									
	All Centrex Control Features Offered, per port	_	1	UEP9D	UEPVC	0 00	403 00									
NARS			1	OLI SIS	OEI VO	0.00										†
117-011	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00	0.00	0 00					1	1
	Unbundled Network Access Register - Inward		†	UEP9D	UAR1X	0 00	0 00	0 00	0 00	0 00						
-	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0 00	0 00	0 00						
Misc	ellaneous Terminations															
2-Wir	e Trunk Side	I														
	Trunk Side Terminations, each			UEP9D	CEND6	10 51	92 18	15 82	52 16	5 30						
4-Wir	e Digital (1 544 Megabits)		ļ	l												
	DS1 Circuit Terminations, each			UEP9D	M1HD1	74 77	164 86	77 74	60 69	3 86					ļ	
	DS0 Channels Activated per Channel office Channel Mileage - 2-Wire	-	1	UEP9D	M1HDO	0 00	15 09				ļ					
interd	Interoffice Channel Facilities Termination	 	┼	UEP9D	M1GBC	29 11					-				<u> </u>	
+	Interoffice Channel mileage, per mile or fraction of mile	_	1	UEP9D	M1GBM	0 01		•			 				1	
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	:e	1													
D4 C	hannel Bank Feature Activations				T										†	İ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u></u>		UEP9D	1PQW6	0 62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0 62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 62					1					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9D	1PQWV	0 62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	 	t		-			_								:
	Slot		-	UEP9D	1PQWQ	0 62					-	ļ			 	-
	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	1	UEP9D	1PQWA	0 62						-				-
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed		 	ļ				<u> </u>	-		 				+	
	changes, per port	1		UEP9D	USAC2		0 102	0 102			1					1
\vdash	Conversion of existing Centrex Common Block, each	 -		UEP9D	USACN		18 95	8 32			l					<u> </u>
1																

MRONDLED NET	WORK ELEMENTS - Kentucky	,		,	<u> </u>									ment· 2		bit B
FEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec		urring	Nonrecurring					Rates (\$)		•
			ļ	LIEDOD			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	entrex Customized Common Block			UEP9D	M1ACC	0 00	669 80	78 32	111 05	13 27	ļ					
	stablishment Charge, Per Occasion		-	UEP9D	URECA	0 00	72 75									
	n-Recurring Charges (NRC)		_													
	dled Miscellaneous Rate Element, Tag Loop at End Use		1	LIEBOD	Uper.		0.00	0.00								
Premis	dled Miscellaneous Rate Element, Tag Design Loop at		-	UEP9D	URETL		8 33	0 83			ļ					
	se Premise		1	UEP9D	URETN		11 21	1 10								
	REX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		-	DEF9D	UREIN			1 10			ļ					
	pp/2-Wire Voice Grade Port (Centrex) Combo		├		+ +						 					
	p Combination Rates (Non-Design)		 													
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	<u> </u>													
Non-De		l	1 1	UEP9E		10 79			l		İ					
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>			- 10.15										
Non-De			2	UEP9E		15 52										1
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>	1		1			•	1							
Non-De		1	3	UEP9E		31 74										1
UNE Port/Loop	p Combination Rates (Design)		1													
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -														1"	
Design			1	UEP9E	. 1	13 82]	Ì
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T													
Design			2	UEP9E	1	18 60										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
Design			3	UEP9E	1	34 37										
UNE Loop Rat																
	Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9 64										
	Voice Grade Loop (SL 1) - Zone 2	<u> </u>		UEP9E	UECS1	14 37										
	Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30 59										
	Voice Grade Loop (SL 2) - Zone 1		,	UEP9E	UECS2	12 67										
	Voice Grade Loop (SL 2) - Zone 2 Voice Grade Loop (SL 2) - Zone 3			UEP9E UEP9E	UECS2	17 45 33 22										
UNE Port Rate			1 3	DEPSE	UECS2	33 22										
	A, MS, & TN only		<u>. </u>		1											
	Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1 15	21 29	15 49	2 85	2 67						
	Voice Grade Port (Centrex) Basic Local Area Voice Grade Port (Centrex 800 termination)Basic Local		 	DGF9E	DEFTA	1 13	2129	15 49	2 03	207						<u> </u>
Area	Voice Grade For (Germex Goo termination) Dasic Edda			UEP9E	UEPYB	1 15	21 29	15 49	2 85	2 67		- 1				
	Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI SE	CLFFD	1 13	2123	13 43	203	201		i				
Area	7000 0.000 1 0.1 (00.1101 1111 00.101 12) 12000 2000			UEP9E	UEPYH	1 15	21 29	15 49	2 85	2 67						
	Voice Grade Port (Centrex from diff Serving Wire		··		1021 111		2.20	70 70	200							
	2,3 Basic Local Area			UEP9E	UEPYM	1 15	21 29	15 49	2 85	2 67	1 1					
	Voice Grade Port, Diff Serving Wire Center 2,3 - 800				1						1					
Service	Term - Basic Local Area			UEP9E	UEPYZ	1 15	21 29	15 49	2 85	2 67			i			
	Voice Grade Port terminated in on Megalink or equivalent				T											
	Local Area			UEP9E	UEPY9	1 15	21 29	15 49	2 85	2 67						L
	Voice Grade Port Terminated on 800 Service Term -															
	ocal Area			UEP9E	UEPY2	1 15	21 29	15 49	2 85	2 67						
AL, KY, LA, M					1											
	Voice Grade Port (Centrex)			UEP9E	UEPQA	1 15	21 29	15 49	2 85	2 67						
	Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1 15	21 29	15 49	2 85	2 67					ļ	
	Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1 15	21 29	15 49	2 85	2 67						
(2-Wire Center)	Voice Grade Port (Centrex from diff Serving Wire			LIEBOE	UEPQM		04.00	45 40		0.67						
	Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP9E	DEPUM	1 15	21 29	15 49	2 85	2 67						
2-Wire Service				UEP9E	UEPQZ	4.45	21.00	45 40	30-	2.07						
Service	I LÉIM			OEFSE	UEPUZ	1 15	21 29	15 49	2 85	2 67						
2-Wire	Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1 15	21 29	15 49	2 85	2 67						
	Voice Grade Port Terminated in on Meganitik of equivalent			UEP9E	UEPQ9	1 15	21 29	15 49	2 85	2 67	 					
Local Switchin				J. J.	10-10-2	1 13	2123	15 45	203	207						
	x Intercom Funtionality, per port			UEP9E	URECS	0 8873										
	Portability				1	5 00.0			——		1					

BUNDLE	D NETWORK ELEMENTS - Kentucky	T											Attachi			bit. B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					1.0500		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)		ļ	UEP9E	LNPCC	0 35									1	
Featur		<u> </u>		LIEBOE	LIEDVE -											l
	All Standard Features Offered, per port All Select Features Offered, per port	-	-	UEP9E UEP9E	UEPVS	0 00	405 66		—							
_	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00	403 66									
NARS	Air Centrex Control Features Offered, per port	 		OEF9E	OLFVC	0.00			 							
IVARS	Unbundled Network Access Register - Combination	t		UEP9E	UARCX	0.00	0 00	0 00	0 00	0.00					-	
	Unbundled Network Access Register - Indial	 		UEP9E	UAR1X	0.00	0 00	0 00	0 00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0 00	0 00	0 00	0.00	0 00						
Miscel	Ianeous Terminations	-	-													
	Trunk Side				-											†
	Trunk Side Terminations, each	1		UEP9E	CEND6	10 51	92 18	15 82	52 16	5 30						1
4-Wire	Digital (1.544 Megabits)										-					
	DS1 Circuit Terminations, each	l	T	UEP9E	M1HD1	74 77	164 86	77 74	60 69	3 86						
	DS0 Channel Activated Per Channel		1	UEP9E	M1HDO	0.00	15 09									
Intero	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	29 11										
-	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.01										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 62										ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop													_		
	Slot	1		UEP9E	1PQW7	0 62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0 62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0 62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															Ī
	Slot		1	UEP9E	1PQWQ	0 62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0 62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed				1 1											
	changes, per port		L	UEP9E	USAC2		0 102	0 102								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18 95	8 32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0 00	669 80	78 32		13 27						
_	New Centrex Customized Common Block		 	UEP9E	M1ACC	0 00	669 80	78 32	111 05	13 27						
4 4 4 4 4	NAR Establishment Charge, Per Occasion	<u> </u>	ļ	UEP9E	URECA	0 00	72 75	 								
Additi	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	-			+				····						-	
	Premise	<u> </u>	<u> </u>	UEP9E	URETL		8 33	0 83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11 21	1 10								
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		_													
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	<u> </u>		1 1											ļ
UNE P	ort/Loop Combination Rates (Non-Design)	1	-		1						-				 	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	1	1	UEP93		10 79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		15 52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		31 74										
UNE P	ort/Loop Combination Rates (Design)														<u> </u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP93		13 82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		18 60										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		┼	 			First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Design		3	UEP93		34 37			1							
UNE L	oop Rate		<u> </u>											-		
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9 64		·								
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP93	UECS1	14 37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30 59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	1 2	UEP93 UEP93	UECS2 UECS2	12 67 17 45					ļ					
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP93	UECS2	33 22										
UNE F	Port Rate		+ -	021 33	UCCOZ	33 22										
	Y, LA, MS, & TN only										<u> </u>					
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UÉPYA	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1													
	Area			UEP93	UEPYB	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP93	UEPYM	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP93	UEPY9	1 15	21 29	15 49	2 85	2 67		-				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1 15	21 29	15 49		2 67					 	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1 15	21 29	15 49	2 85	2 67						-
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPOH	1 15	21 29	15 49	2 85	2 67				-		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPOM	1 15	21 29	15 49	2 85	2 67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Service Term			UEP93	UEPQZ	1 15	21 29	15 49	2 85	2 67						
\longrightarrow	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP93	UEPQ9	1 15	21 29	15 49	2 85	2 67						
Local	Switching		-	UEP93	UEPQ2	1 15	21 29	15 49	2 85	2 67						
Local	Centrex Intercom Funtionality, per port		 	UEP93	URECS	0 8873										
Local	Number Portability			02.700	UNLOG	0 00/3								_		
	Local Number Portability (1 per port)		†	UEP93	LNPCC	0 35										
Featur														-		
	All Standard Features Offered, per port		Ī	UEP93	UEPVF	0.00										
NARS	All Centrex Control Features Offered, per port		ļ	UEP93	UEPVC	0 00										
NAKS			_	HEDOS	LIADOV											
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		-	UEP93 UEP93	UARCX UAR1X	0 00	0 00	0 00	0 00	0 00				_	-	
	Unbundled Network Access Register - India Unbundled Network Access Register - Outdial		+	UEP93	UAROX	0 00	0 00	0 00	0 00	0 00						
Misce	Ilaneous Terminations		+	02: 80	JANOA	0.00	0 00	0.00	- 000	0.00	 					
	Trunk Side		 	 	+				 	-	-		-		 	
	Trunk Side Terminations, each			UEP93	CEND6	10 51	92 18	15 82	52 16	5 30	_					-
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	74 77	164 86	77 74	60 69	3 86						
	DS0 Channels Activated, Per Channel	ļ	<u> </u>	UEP93	M1HDO	0 00	15 09									
interol	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		-	UEP93	144000	20.41			<u> </u>							
	Interoffice Channel mileage, per mile or fraction of mile	-	+	UEP93	M1GBC M1GBM	29 11 0 01			 		ļ				-	 -
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service		+	021 00	IVITODIVI				+	-	 -				 	
	annel Bank Feature Activations	Ť									 					-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0 62			†-							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0 62										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment 2	Exhi	ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Sv Order vs.
	1	1					Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)		
		1	i .			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0 62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0 62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0 62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0 62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	T	I	UEP93	1PQWA	0 62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0 102	0 102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18 95	8 32								
	New Centrex Standard Common Block	1		UEP93	M1ACS	0 00	669 80	78 32	111 05	13 27						
	New Centrex Customized Common Block	1		UEP93	M1ACC	0.00	669 80	78 32	111 05	13 27		İ				
	NAR Establishment Charge, Per Occasion	1	· · · · ·	UEP93	URECA	0.00	72 75	•								
Addıti	onal Non-Recurring Charges (NRC)								Î							
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8 33	0 83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11 21	1 10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1	1									İ				1
Note:	2 - Requres Interoffice Channel Mileage	i														
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
Note 4	- Requires Specific Customer Premises Equipment											1				1
Note	Rates displaying an "R" in Interim column are interim and sul	bject to	rate tru	e-up as set forth	in General Terr	ns and Conditio	ns									1

NBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment 2	Exhi	ibit B
												Svc Order Submitted	Incremental Charge -		Incremental Charge -	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual Order v Electror Disc Ad
						+	Nonre	curring	Nonrecurring	Disconnect				Rates (\$)	Disc ist	DISC AC
		†				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	"Zone" shown in the sections for stand-alone loops or loops a: //www.interconnection belisouth com/become_a_clec/html/inte				ographicall	y Deaveraged U	NE Zones To	view Geograp	hically Deaveraç	ed UNE Zone	e Designatio	ns by Centi	ral Office, refe	er to internet	Vebsite	
PERATION.	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec	tion.m	in .											r -	
	E: (1) CLEC should contact its contract negotiator if it prefers t	he "state	speci	fic" OSS charges as	ordered by	the State Comm	issions, The	OSS charges c	urrently contain	ed in this rate	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	. CLEC r
elect	either the state specific Commission ordered rates for the serv	ice orde	ring cl	narges, or CLEC may	elect the re	egional service o	ordering charg	e, however, Cl	EC can not obt	ain a mıxture	of the two	egardless it	CLEC has a	interconnect	on contract e	establish
	of the 9 states.															
	E: (2) Any element that can be ordered electronically will be bil															
	cannot be ordered electronically at present per the LOH, the lis			e in this category ref	flects the ch	arge that would	l be billed to a	CLEC once el	ectronic orderin	g capabilities	come on-li	ne for that e	lement. Other	erwise, the m	anual orderin	g charge
SOM	AN, will be applied to a CLECs bill when it submits an LSR to I OSS - Electronic Service Order Charge, Per Local Service	BellSouti	n.	I	1										,	T
	Request (LSR) - UNE Only				SOMEC		3 50	0 00	3 50	0 00	İ					
	OSS - Manual Service Order Charge, Per Local Service Reques				SOIVIEC	 	3 30	0.00	3 30	0.00	<u> </u>					
	(LSR) - UNE Only	1			SOMAN		15 20	0 00	15 20	0 00						
	CE DATE ADVANCEMENT CHARGE			1												1
NOTE	E The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	on 5 as appl	icable										
																1
				UAL, UEANL, UCL,		1										1
				UEF, UDF, UEQ, UDL, UENTW, UDN,												1
				UEA, UHL, ULC,					1							ŀ
ĺ				USL, U1T12, U1T48,					1							
		1		U1TD1, U1TD3,												
				U1TDX, U1TO3.												
		ĺ		U1TS1, U1TVX,	ĺ	1										
				UC1BC, UC1BL,	ŀ]										ł
				UC1CC, UC1CL,												i
		1		UC1DC, UC1DL,		l i										i
				UC1EC, UC1EL,		1										
				UC1FC, UC1FL,								l				i
				UC1GC, UC1GL,											•	
				UC1HC, UC1HL,												
				UDL12, UDL48, UDLO3, UDLSX,											ř	
				UE3, ULD12,												ļ
				ULD48, ULDD1,		1			1							
				ULDD3, ULDDX,		1										l
				ULDO3, ULDS1,					' I							
				ULDVX, UNC1X,												
-	•			UNC3X, UNCDX,					ŀ							1
				UNCNX, UNCSX,												
				UNCVX, UNLD1,												
		ļ		UNLD3, UXTD1,												
	LINE Events Character Country Land Assess 11, 11000			UXTD3, UXTS1,	1											
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200 00									
IRLINDI ED	DEXCHANGE ACCESS LOOP	+		OTTOB, OTTOM	SUASP	+	200 00									
	RE ANALOG VOICE GRADE LOOP	1		-	 	 										
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12 90	36 54	16 87	+							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23 33	36 54	16 87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48 43	36 54	16 87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	L		UEANL	UEASL	12 90	36 54	16 87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<u> </u>		UEANL	UEASL	23 33	36 54	16 87		_						-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	48 43	36 54	16 87								\vdash
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1			URETL		8 33	0.83								
ļ	Promise															
	Premise Loop Testing - Basic 1st Half Hour	-	_	UEANL UEANL	URET1		33 17	33 17								

UNBUNE	JLE	D NETWORK ELEMENTS - Louisiana	т		ı							T= - ·			ment 2		ibit B
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
							Rec	Nonrec		Nonrecurring		00450	001441		Rates (\$)	0011411	T COMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch		<u> </u>		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		(UVL-SL1)	Į		UEANL	UREWO	l i	15 75	8 93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	i			0.1.2.1.0		10,10									
1		providing make-up (Engineering Information - E1)			UEANL	UEANM		13 04	13 04						<u> </u>		
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7 92	7 92						ļ		
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)	l		UEANL	OCOSL		17 56	17 56				ŀ				
2.1	WIDE	Unbundled COPPER LOOP	-	-	UEANL	OCOSL		17 30	17 30			 					+
2-1	WINE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>	1 1	UEQ	UEQ2X	12 40	35 27	15 60							+	1
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	14 32	35 27	15 60								1
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	16 87	35 27	15 60							İ	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8 33	0 83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		7 92	7 92								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for	T-	T .													
Ì		BST providing make-up (Engineering Information - E I)			UEQ	UEQMU		13 04	13 04								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33 17	33 17							ļ	
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19 28	19 28			1			ļ	<u> </u>	
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14 25	7 42								<u> </u>
		XCHANGE ACCESS LOOP		—		1										ļ	_
2-1	WIRE	ANALOG VOICE GRADE LOOP		-		1						-				1	+
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12 90	36 54	16 87	0 00	0 00				ļ	-	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1_	UEPSR UEPSB	UEABS	12 90	36 54	16 87	0 00	0 00				-		ļ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23 33	36 54	16 87	0 00	0 00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	23 33	36 54	16 87	0 00	0 00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	48 43	36 54	16 87	0 00	0 00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	48 43	36 54	16 87	0.00	0 00						
		XCHANGE ACCESS LOOP												:-			
2-1	WIRE	ANALOG VOICE GRADE LOOP	_	<u> </u>	ļ	1						1				1	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	ļ	1	UEA	UEAL2	14 93	102 10	65 72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	25 35	102 10	65 72						ļ		1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	50 46	102 10	65 72	ļ l							
		Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	+ 3	UEA	OCOSL	50 46	102 10	65 /2			+	<u> </u>	-	 	+	+
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		+		J000L		17 30				+			<u> </u>	<u> </u>	+
		Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	14 93	102 10	65 72						<u> </u>		1
		Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	25 35	102 10	65 72			<u> </u>					1
		Battery Signaling - Zone 3		3	UEA	UEAR2	50 46	102 10	65 72								1
		Order Coordination for Specified Conversion Time (per LSR)		 	UEA	UREWO		17 56	20.20			+	-	 	 	1	
		CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)	-	+	UEA UEA	URETL		87 59 11 20	36 30 1 10			+		-	1	+	+
4.1	WIRE	ANALOG VOICE GRADE LOOP		+	VLA.	UNEIL		11 20	1 10			+			†	t	+
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30 81	127 40	91 02					 		1	
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38 32	127 40	91 02			1					T
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60 39	127 40	91 02								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17 56				I					
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 59	36 30						1		

ONRONDI	ED NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	bit B
						T 1						Syc Order	Svc Order		Incremental		
			l														
			1										Submitted		Charge -	Charge -	Charge -
		Interi	l_									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svi
CATEGORY	RATE ELEMENTS	m	Zone		BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs	Order vs.
		l '''												Electronic-	Electronic-	Electronic-	Electronic-
		ł	-														1
				ŀ]								1st	Add'i	Disc 1st	Disc Add'l
				1		 		Nonrec	urrina	Managaratica	g Disconnect		L	000	Rates (\$)		
				-		 	Rec										
	RE ISDN DIGITAL GRADE LOOP							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W												i	L				1
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN		U1L2X	22 09	113 34	76 96								
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN		U1L2X	35 28	113 34	76 96								
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN		U1L2X	65 18	113 34	76 96								
	Order Coordination For Specified Conversion Time (per LSR)		Ť	UDN		OCOSL	30 10	17 56	70 00			-	 	-			
	CLEC to CLEC Conversion Charge without outside dispatch			UDN					11.00								
		L	L			UREWO		91 49	44 09								1
2-W	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	•													1
	2 Wire Unbundled ADSL Loop including manual service inquiry			j													
	& facility reservation - Zone 1		1	UAL		UAL2X	12 29	117 08	68 36					1			1
	2 Wire Unbundled ADSL Loop including manual service inquiry			T		1	12.20					1	-				
ł	& facility reservation - Zone 2		2	UAL		UAL2X	14 09	117 08	68 36			1	I	1			ſ
				UAL		UMLZA	14 09	117 08	05.36	-		 		 			
1	2 Wire Unbundled ADSL Loop including manual service inquiry			1		1	l l					I	1	i			1
i	& facility reservation - Zone 3		3	UAL		UAL2X	15 75	117 08	68 36	L			L	L		L	1
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		17 56		_				I			
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
1	facility reservation - Zone 1	}	1	UAL		UAL2W	12 29	92 83	56 02			i	l	l		Ì	ſ
	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	O7 12		C, LLL	,2.20	32 00	30 02	 							
l l			_	l							1		ľ				1
	facility reservation - Zone 2		2	UAL		UAL2W	14 09	92 83	56 02						L		L
	2 Wire Unbundled ADSL Loop without manual service inquiry &			ł		1				1	1						(
	facility reservation - Zone 3		3	UAL		UAL2W	15 75	92 83	56 02								ĺ
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		17 56									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL		UREWO		86 07	40 34								
0.184	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	T101 F 1	000	UAL		UNEVVO		00 07	40 34								-
2-VV		HBLE	.UOP														
1	2 Wire Unbundled HDSL Loop including manual service inquiry					1 1		Į.					1				1
	& facility reservation - Zone 1		1	UHL		UHL2X	9 79	125 50	76 77								1
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 2		2	UHL		UHL2X	11 52	125 50	76 77		i					1	i
	2 Wire Unbundled HDSL Loop including manual service inquiry			0,12		O. ILLX		120 00	1011								
			2				40.74	405 50	70.77								l .
	& facility reservation - Zone 3		3	UHL		UHL2X	12 74	125 50	76 77								
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		17 56									L
1	2 Wire Unbundled HDSL Loop without manual service inquiry			I				· · ·									í ———
i	and facility reservation - Zone 1		1	UHL		UHL2W	9 79	101 24	64 43								l .
	2 Wire Unbundled HDSL Loop without manual service inquiry					1 1					·	-				_	
	and facility reservation - Zone 2		2	UHL		UHL2W	11 52	101 24	64 43		!						ı
				UNL		UNLZW	11 32	101 24	04 43								i
	2 Wire Unbundled HDSL Loop without manual service inquiry					1											i
	and facility reservation - Zone 3		3	UHL		UHL2W	12 74	101 24	64 43		l						i
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		17 56									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO		86 00	40 34								
4-W1	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE I	OOP														
	4 Wire Unbundled HDSL Loop including manual service inquiry		· · ·														
							10.01	450.00	10151								i
	and facility reservation - Zone 1		1	UHL		UHL4X	16 24	153 26	104 54								
	4-Wire Unbundled HDSt, Loop including manual service inquiry			ŀ													i
	and facility reservation - Zone 2		2	UHL		UHL4X	16 65	153 26	104 54								1
	4-Wire Unbundled HDSL Loop including manual service inquiry					1											,
	and facility reservation - Zone 3		3	UHL		UHL4X	17 34	153 26	104 54				l i		i		
	Order Coordination for Specified Conversion Time (per LSR)						17 34		104 54								,
				UHL		OCOSL		17 56									
	4-Wire Unbundled HDSL Loop without manual service inquiry					1											i
	and facility reservation - Zone 1		1	UHL		UHL4W	16 24	129 00	92 20								
	4-Wire Unbundled HDSL Loop without manual service inquiry					1											
	and facility reservation - Zone 2		2	UHL		UHL4W	16 65	129 00	92 20								i
	4-Wire Unbundled HDSL Loop without manual service inquiry			T		1											
1	and facility reservation - Zone 3		3	ŲHL		UHL4W	17 34	129 00	92 20								ı
			3				17 34		92 20				 				
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		17 56									<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO		86 00	40 34								
4-Wi	RE DS1 DIGITAL LOOP																
	4-Wire DS1 Digital Loop - Zone 1		1	USL		USLXX	85 70	245 16	152 98		·						
-+	4-Wire DS1 Digital Loop - Zone 2			USL		USLXX	194 96	245 16	152 98				-				
	4-Wire DS1 Digital Loop - Zone 3		3			USLXX	491 94	245 16	152 98			L					
ı	Order Coordination for Specified Conversion Time (per LSR)			USL		OCOSL		17 56									

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana			,										ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
					1	742	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch		-	USL	UREWO		100 93	42 98							ļ	-
4-WIF	RE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP		-	UDL	UDL19	30 99	121 86	85 48						 	-	-
	4 Wire Unbundled Digital 19 2 Kbps		1 2	UDL	UDL19	36 78	121 86	85 48						 		
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	38 92	121 86	85 48		-	+			-		
	4 Wire Unbundled Digital 19 2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	30 99	121 86	85 48	 					 	 	
+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		2	UDL	UDL56	36 78	121 86	85 48						 		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-	3	UDL	UDL56	38 92	121 86	85 48		-	1	-		 	 	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	30 82	17 56	03 40			+	·		 		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30 99	121 86	85 48								
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	36 78	121 86	85 48								
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	 	3	UDL	UDL64	38 92	121 86	85 48			1	_				
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	<u> </u>	UDL	OCOSL		17 56				1					
	CLEC to CLEC Conversion Charge without outside dispatch		——	UDL	UREWO		101 97	49 67								
2-WIE	RE Unbundled COPPER LOOP		 	1	1011211											
	2-Wire Unbundled Copper Loop-Designed including manual			*	1		-									
	service inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	12 29	116 18	67 46					ļ			
	2-Wire Unbundled Copper Loop-Designed including manual		<u> </u>													
	service inquiry & facility reservation - Zone 2	ł	2	UCL	UCLPB	14 09	116 18	67 46								ı
	2 Wire Unbundled Copper Loop-Designed including manual	1	t -								-					
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15 75	116 18	67 46						-	1	1
	Order Coordination for Unbundled Copper Loops (per loop)		 	ÜCL	UÇLMC		7 92	7 92								
	2-Wire Unbundled Copper Loop-Designed without manual		1			-									1	i
1	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12 29	91 92	55 12						1		1
	2-Wire Unbundled Copper Loop-Designed without manual		1					-								
- 1	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14 09	91 92	55 12								
	2-Wire Unbundled Copper Loop-Designed without manual										i					
	service inquiry and facility reservation - Zone 3	l	3	UCL	UCLPW	15 75	91 92	55 12					ŀ		1	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7 92	7 92								
	CLEC to CLEC Conversion Charge without outside dispatch										1					
	(UCL-Des)	ì		UCL	UREWO		91 92	42 47				1				
4-WIF	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry		1													
	and facility reservation - Zone 1	1	1	UCL	UCL4S	22 27	139 69	90 96								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2	i	2	UCL	UCL4S	18 95	139 69	90 96								
	4-Wire Copper Loop-Designed including manual service inquiry		T''-										1			
- 1	and facility reservation - Zone 3	1	3	UCL	UCL4S	10 99	139 69	90 96					L			
	Order Coordination for Unbundled Copper Loops (per loop)			UCL.	UCLMC		7 92	7 92			L					l
1	4-Wire Copper Loop-Designed without manual service inquiry								1							
į	and facility reservation - Zone 1		1	UCL	UCL4W	22 27	115 43	78 63						<u> </u>	<u> </u>	
	4-Wire Copper Loop-Designed without manual service inquiry		T								-	1				
	and facility reservation - Zone 2		2	UCL	UCL4W	18 95	115 43	78 6 <u>3</u>								
	4-Wire Copper Loop-Designed without manual service inquiry															
i i	and facility reservation - Zone 3		3	UCL	UCL4W	10 99	115 43	78 63								ļ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7 92	7 92		ļ						
	CLEC to CLEC Conversion Charge without outside dispatch			İ									!			
	(UCL-Des)	L		UCL	UREWO		91.92	42 47			_		1			
LOOP MODIF	FICATION									<u> </u>					 	
		1	1	UAL, UHL, UCL,							1	l		1		
			1	UEQ, ULS, UEA,						1	1		I	1	1	1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR,				0.00		1	1		I			1
	pair less than or equal to 18k ft, per Unbundled Loop	-	1	UEPSB	ULM2L		0 00	0 00		 		1		+ -	+	+
}	Unbundled Loop Modification Removal of Load Coils - 4 Wire						200	0.00					1		1	1
	less than or equal to 18K ft, per Unbundled Loop	ļ	1	UHL, UCL, UEA	ULM4L		0 00	0 00		 	 		 			+
1		}		UAL, UHL, UCL,							1					
		1		UEQ, ULS, UEA,						1	1					
1	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,			40.45	12 15			1	1	1	1	1	1
1	per unbundled loop	I	1	UEPSB	ULMBT		12 15	12 15	L	L		<u></u>	L	i		

JNBUNDLE	D NETWORK ELEMENTS - Louisiana										,			ment 2		ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		001450	0011411		Rates (\$)	COMAN	COMAN
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOOPS			-		-									 		+
Sub-L	oop Distribution		├ ─									-	· · · · · 			+
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	1		UEANL	USBSA	_	144 09	144 09								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		10 99	10 99								<u> </u>
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			LIEAND	USBSC		86 16	86 16								
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	 -	1	UEANL	USBSC	-	80 10	. 00 10								1
	Set-Up	. !	<u> </u>	UEANL	USBSD		27 13	27 13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	7 57	63 89	30 06				<u> </u>				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	12 75	63 89	30 06			1	1				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		3	UEANL	USBN2	21 45	63 89	30 06								
	Zone 3	+ '-	1			2143										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		+	UEANL	USBMC		7 92	7 92								+
	Zone 1	ļ	1	UEANL	USBN4	11 76	76 75	42 92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	l	2	UEANL	USBN4	16 84	76 75	42 92						<u> </u>		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19 27	76 75	42 92								ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7 92	7 92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	T		UEANL	USBR2	2 91	51 48	17 65								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7 92	7 92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı	-	UEANL	USBR4	6 58	57 54	23 71			1					+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		UEANL	USBMC		7 92	7 92				1				
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33 17	33 17					İ	L		
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19 28	19 28				L			l	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	6 26	63 89	30 06								
1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	10 07	63 89	30 06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	12 70	63 89	30 06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7 92	7 92								
-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	— ,	1	UEF	UCS4X	8 03	76 75	42 92			+			•		+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i		UEF	UCS4X	10 71	76 75	42 92			 					+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	l i		UEF	UCS4X	6 08	76 75	42 92	+		 		 	1		
	4 Wike Copper Oribundied Sub-coop Distribution - Zone 3	<u> </u>	+		00047	0.00	1010									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	·		UEF	USBMC		7 92	7 92								
	Loop Testing - Basic 1st Half Hour		1	UEF	URET1		33 17	33 17			J					
	Loop Testing - Basic Additional Half Hour	Ţ		UEF	URETA		19 28	19 28			ļ			1		
Unbu	ndled Network Terminating Wire (UNTW)	<u> </u>	<u> </u>	LIEN TON	LUE NICH	0.045	77	4170			ļ	 	ļ	1	ļ	+
	Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0 3454	14 72	14 72	 	 		 -	-	+	1	+
Netwo	ork Interface Device (NID)	1	+	LICAIDA	UND12		40.00	27 83	-	-	 	 	 	+	 	+
	Network Interface Device (NID) - 1-2 lines	 	+	UENTW			42 26	27 83 48 43			1	 		+	1	+
	Network Interface Device (NID) - 1-6 lines	 	+	UENTW	UND16		62 86 5 73	5 73		ł	+	 	 	+	+	+
	Network Interface Device Cross Connect - 2 W	 	+	UENTW	UNDC2 UNDC4		5 73	5 73			+		 	+	1	+
 	Network Interface Device Cross Connect - 4W	+	+	UENTW	UNDU4	 	5/3	5/3	 		 	1	+	1	1	+
UNE OTHER,	PROVISIONING ONLY - NO RATE	_		LICATON C	UNDBX	0.00	0 00	_	+		-	 	+	+	 	+
	NID - Dispatch and Service Order for NID installation	1		UENTW		0 00	0 00		 		+	1	+	 -	 	+
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UEANL.UEF.UEQ.U	UENCE	0.00	0.00		-		+		 	 		+ -
	Unbundled Contract Name, Provisioning Only - No Rate	1	1	ENTW	UNECN	0 00	0 00	1	1	1	1	1	1	1	I	1

<u>JNBUND</u> LE	D NETWORK ELEMENTS - Louisiana													ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			<u> </u>			Rec	Nonrec			g Disconnect	221152			Rates (\$)	T	1
							First	Add'I	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		!													
	rate		ļ	UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									Ļ
İ	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			HEA HOLLIGH HOL	USBFR	0 00	0 00									
	rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	CCOSF	0.00	0 00								 	
	Unbundled DS1 Loop - Superifame Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	ccosr	000	0.00									-
1	no rate			USL	CCOEF	0 00	0 00								•	
IIGH CAPACI	TY UNBUNDLED LOCAL LOOP				0002.	- 000										†
	High Capacity Unbundled Local Loop - DS3 - Per Mile per										1					
	month			UE3	1L5ND	10 04] .					
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	362 34	438 46	256 30								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10 04										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	374 56	438 46	256 30								
OOP MAKE-L															Į	
	Loop Makeup - Preordering Without Reservation, per working or						20.00	00.00			:					
	spare facility queried (Manual) Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		23 29	23 29								
	queried (Manual) Loop MakeupWith or Without Reservation, per working or	-		UMK	UMKLP		24 70	24 70		-						-
	spare facility queried (Mechanized) 3 AND LINE SPLITTING			UMK	UMKMQ		0 19	0 19								
	The Line Sharing monthly recurring rates for all installation	10 com	alotod (from October 02, 200	2 through m	idnight Octobo	r 01 2004 chal	l he billed as f	ollowe							
NOTE	1, 10/02/2003 – 10/01/2004 25% of the rate for an unbundled co	opper lo	OD DOL	-designed ("UCLND	")	Idingiti Octobe	1 01, 2004 31121	i De Dilled as i	Ollows		ļ					
	1: 10/02/2004 - 10/01/2005 50% of the rate for UCLND	1	1		ľ											
	1 10/02/2005 - 10/01/2006 75% of the rate for UCLND															
NOTE	1 Above will apply to USOCS: ULSDT and ULSCT															
	E 2. The Line Sharing monthly recurring rates with USOCs UL	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							Ĺ
	HARING	ļ	<u> </u>			L					ļ					<u> </u>
SPLIT	TERS-CENTRAL OFFICE BASED	1	ļ			407.47	400.00	0.00								
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	 	ļ	ULS	ULSDA	187 17 46 79	183 33 183 33	0.00			ļ .					
	Line Sharing Splitter, Per System, 8 Line Capacity	1	1	ULS	ULSD8	15 59	183 33	0 00								
	Line Sharing-DLEC Owned Splitter in CO-CFA activator-	· · ·	-	000	CLODO	1000	100 00	- 000								
	deactivation (per LSOD)		ļ	ULS	ULSDG		83 98	0 00								
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING				ĺ										İ.,	
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0 61	17 97	10 29								
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSDT	3 10	17 97	10 29								
	Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSDT	6 20	17 97	10 29								
	Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	9 30	17 97	10 29								
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7 95								
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15 91	7 95								
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47 44	19 31								

UNBUNDL	LED NETWORK ELEMENTS - Louisiana							_					Attach	ment 2	Exhi	ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
γ		-			1		N		Name and	g Disconnect						
					+	Rec	Nonrec First	Add'I	First	Add'l	SOME	SOMAN	SOMAN	Rates (\$)	COMAN	201111
	Line Share Service, TRO per line activation, CLEC owned		 				FIISL	Add I	FIISt	Addi	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
l l	splitter - Central Office Located (25% of UCLND) - please see		i]					1	1				l		İ
	NOTE 1 (E 10/2/2003)		l	ULS	ULSCT	3 10	47 44	19 31		ł						Ì
	Line Share Service, TRO per line activation, CLEC owned				10000			700.	<u> </u>	-					 	1.
	splitter - Central Office Located (50% of UCLND) - please see		ŀ													
	NOTE 1 (E 10/2/2004)			ULS	ULSCT	6 20	47 44	19 31							1	
	Line Share Service, TRO per line activation, CLEC owned				1	-										
	splitter - Central Office Located (75% of UCLND) - please see										1					
	NOTE 1 (E 10/2/2005)		L	ULS	ULSCT	9 30	47 44	19 31			1		L			
	SPLITTING															
END	USER ORDERING-CENTRAL OFFICE BASED	ļ		UEDOD LIEBOD	LIDEGO					<u> </u>						1
	Line Splitting - per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS UREBP	0.61	47.07	40.00		_			ļ			
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	-	-	UEPSR UEPSB UEPSR UEPSB	UREBY	0 61 0 61	17 97 17 97	10 29 10 29	 	 	 			<u> </u>	1	
MAII	NTENANCE		-	UEPSK UEPSB	UKEBY	190	17 97	10.29	-							
MAII	No Trouble Found - per 1/2 hour increments - Basic		 		+		80 00	55 00	<u> </u>		 				 	l
	No Trouble Found - per 1/2 hour increments - Overtime		 		+ -		120 00	82 50		-						
	No Trouble Found - per 1/2 hour increments - Premium		1				160 00	110 00							-	
UNBUNDLEI	D DEDICATED TRANSPORT		†		+		.00.00	110 00	 	1						-
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>			-										†
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			·						1						
	Per Mile per month			U1TVX	1L5XX	0 013					i l					
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV2	22 60	39 36	26 62		-						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade														i i	
	Rev Bat - Per Mile per month			U1TVX	1L5XX	0 013				į						l
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -				1 1											
	Facility Termination			U1TVX	U1TR2	22 60	39 36	26 62								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		ł		1										ł	
	Per Mile per month			U1TVX	1L5XX	0 013					ļ					
1	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			11122 64		40.04										İ
	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile		-	U1TVX	U1TV4	19 81	39 36	26 62								
ı	per month			UITDX	1L5XX	0 013	i		ĺ							Ì
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			UTIDA	ILOAA	0.013				· · · · · · · · · · · · · · · · · · ·						
	Termination			U1TDX	U1TD5	15 61	39 37	26 62								
_	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	-	<u> </u>	5.1D/\	131,23	1301	39 37	20 02		1	 				-	
	per month			U1TDX	1L5XX	0 013										1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility									 						1
	Termination			U1TDX	U1TD6	15 61	39 37	26 62		1						
1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0 2652				L						
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	70 47	86 69	79 44								.
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						- - -									
	month			U1TD3	1L5XX	6 04			····							
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LUTDO		0=0.45	070.05	450.55								
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	850 45	270 69	158 05		-	\vdash					
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per Imonth			U1TS1	1L5XX	6 04										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			01191	IIF2VV	b U4				-	\vdash					
- 1	Termination			U1TS1	U1TFS	830 19	270 69	158 05								
OARK FIBER				01101	1011153	630 19	210 09	100 00								
PERSONAL PROPERTY	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1					 	$\vdash \vdash \vdash$					
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	25 28										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	20 20	620 60	133 88								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					- 1						***				
1	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	52 23	ĺ			1						
1																

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment. 2	Exhi	ıbıt. B
					T	[Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -
					1						Elec					
	DATE ELEMENTO	Interi	7	BCS	11000			DATES (E)								
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
											1		1st	Add'I	Disc 1st	Disc Add'l
											1		131	Auu	Disc 1st	DISC Add I
							Nonrec	urring	Nonrecurrin	g Disconnect	<u>† </u>	1	OSS	Rates (\$)		
					+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	TEN DIGIT SCREENING							A00 1	11131		JOHEC	SOMAN	JOHIAN	SOMAN	SOWAIT	SOMM
BXX ACCESS				0.15		0.0000007										
	8XX Access Ten Digit Screening, Per Call			OHD		0 0006387					<u> </u>					
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX								J							
	Number Reserved		ł	OHD	N8R1X		2 51	0 43		1	i	i		1		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															1
	POTS Translations			ОНО			5 77	0.78			1					
	8XX Access Ten Digit Screening, Per 8XX No Established With			OTID			· · · · ·	0.0		 	+	 		+		
				OUD	N8FTX	1	F 77	0.78	ł		I					
	POTS Translations			OHD	N8F1X		5 77	0 78								
1	8XX Access Ten Digit Screening, Customized Area of Service												1			
į.	Per 8XX Number			OHD	N8FCX		2 51	1 26			1					
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			·												
1	Routing Per CXR Requested Per 8XX No			ОНО	N8FMX		2 93	1 68			i	1				
	8XX Access Ten Digit Screening, Change Charge Per Request	\vdash		OHD	N8FAX		2 93	0 43		1	+	 	 	 	 	
				OND	INOFAX		2 83	043			-					
	8XX Access Ten Digit Screening, Call Handling and Destination				Luces					1	1	1		1	1	1
	Features			OHD	N8FDX		2 51				1					
1					1								1		Ι	
1	8XX Access Ten Digit Screening, w/ 8XX No Delivery, per query			OHD	1	0 0006387					1					
	8XX Access Ten Digit Screening, w/ POTS No Delivery, per							-		— ———						
	query			онр		0 0006387					1	1			1	
LUIE DIEGON	ATION DATA BASE ACCESS (LIDB)			One	+	0 0000000				+	+	 				
LINE INFORM						* * * * * * * * * * * * * * * * * * * *				-		ļ	ļ			ļ
	LIDB Common Transport Per Query			OQT		0 0000221						L				
	LIDB Validation Per Query			oqu		0 0135077					<u> </u>					
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	1	33 33				1					
SIGNALING (CCS7)															
1 '	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147 60				†	1					
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 000064					+					
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15 77	34 50	34 50			 	 				
				UUB	IPPTT	1377	34 30	34 30		 	+	ļ				+
	CCS7 Signaling Connection, Per link (B link) (also known as D				İ						1				ŀ	
	link)			UDB	TPP++	15 77	34 50	34 50		ļ						
ì	CCS7 Signaling Usage, Per ISUP Message			UDB		0 000016										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732 10										
	CCS7 Signaling Point Code, per Originating Point Code															
1	Establishment or Change, per STP affected			UDB	CCAPO		28 17	28 17			1	İ			1	
	CCS7 Signaling Point Code, per Destination Point Code				1001110			20 11	 	 	+	†		t		
	Establishment or Change, Per Stp Affected			UDB	CCAPD		28 17	28 17			1					
		\vdash		ODB	CCAPD	 	20 17	20 17		-	-	ļ				
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18 32	187 51	32 21			ļ					
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				_L	18 32	187 51	32 21								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18 32	187 51	32 21								
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.013	• • • • • • • • • • • • • • • • • • • •		1	1	1	1	· ·			
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility			-	1	22.0			<u> </u>	 	1-	l		t	 	
l	Termination				1	22 60	39 36	26 62		1	1		l	1	1	
					+					 		ļ				
	Local Channel - Dedicated - DS1 - Zone 1				<u> </u>	39 18	172 34	149 27		1	↓	ļ			ļ	
	Local Channel - Dedicated - DS1 - Zone 2			_		121 58	172 34	149 27			1				l	
	Local Channel - Dedicated - DS1 - Zone 3				_L	70 02	172 34	149 27								
	Interoffice Transport - Dedicated - DS1 Per Mile					0 2652								1		
					1						1				Γ'	1
1	Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	70 47	86 69	79 44]		i	I	l	1
CALLING MA	ME (CNAM) SERVICE				+	10 47	00 09	10 44		1	1	1	 	<u> </u>	 	
CALLING NA	CNAM For DB Owners - Service Establishment			logv	+	ļ . .	22 29		 	1	+	 	l	-		
		ļ			+				ļ	ļ		ļ	-		-	
	CNAM For Non DB Owners - Service Establishment			OQV			22 29				ļ	ļ		L		
	CNAM For DB Owners - Service Provisioning With Point Code	. 7			1	1									1	1
	Establishment	i I		oav			962 22	711 64	ļ					L		1
	CNAM For Non DB Owners - Service Provisioning With Point				T	l			· · · · · · · · · · · · · · · · · · ·	1	T					
1	Code Establishment			logv	1		332 43	238 05		1	1				l	
-+	CNAM for DB Owners, Per Query			ogv	+	0 0010217	JJZ 43	250 00	 	1	+	 			 	+
		ļI			+				 	+	1	 		+	 	+
	CNAM for Non DB Owners, Per Query			OQV	1	0 0010217				1	4	Ļ		-		
SELECTIVE F	OUTING			L		L				1					<u> </u>	1

UNDUNDE	ED NETWORK ELEMENTS - Louisiana		,	,										ment 2	Exhi	ıbit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Sv Order vs.
		1				Rec	Nonre		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
į	Selective Routing Per Unique Line Class Code Per Request Per]		·			
	Switch						82 25	82 25			1				l	
/IRTUAL COL			L													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			1												Ī
	Splitting		ļ	UEPSR UEPSB	VE1LS	0 0296	11 94	11 46	0.00	0 00					L	
PHYSICAL CO	DLLOCATION	<u> </u>														
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	1			1					•				•		
	Splitting			UEPSR UEPSB	PE1LS	0 0318	11 94	11 46	0 00	0 00						
AIN SELECTI	VE CARRIER ROUTING															
	Regional Service Establishment	ļ		UEBIB	SRCEC		100,209 33									
	End Office Establishment	<u> </u>		UEBIB	SRCEO		164 29	164 29								
, D=	Query NRC, per query			UEBIB	ļ <u>.</u>	0 0030293										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE		-			ļ										1
	AIN SMS Access Service - Service Establishment, Per State,					j										
	Initial Setup		ļ	A1N	CAMSE		38 30	38 30								
			1	1	1						•					
	AIN SMS Access Service - Port Connection - Dial/Shared Access		-	A1N	CAMDP	1	7 60	7 60								
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7 60	7 60								
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		33 99	33 99								
	AIN SMS Access Service - Security Card, Per User ID Code,	1														
	Initial or Replacement		ļ	A1N	CAMRC		41 39	41 39								
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0022										
	AIN SMS Access Service - Session, Per Minute		L .			0 5795								-		
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0 8104										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		38 30	38 30								
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,175 10	4,175 10								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	İ					•									
	DN, Term Attempt				BAPTT	-	7 60	7 60								
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, Off-Hook Delay				BAPTD		7 60	7 60								1
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7 60	7 60				i				1
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per					Ĭ	-								-	
	DN, 10-Digit PODP				BAPTO		33 47	33 47				1				
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	· ·														
	DN, CDP				BAPTC		33 47	33 47								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per											Ĭ				
	DN, Feature Code				BAPTF		33 47	33 47								
	AIN Toolkit Service - Query Charge, Per Query					0 0536446										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query		L			0 006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access									·						
	Account, Per 100 Kilobytes					0 06										
1	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				L										-	
	Subscription			CAM	BAPMS	10 90	7 60	7 60								
ı	AIN Toolkit Service - Special Study - Per AIN Toolkit Service				2.51.5							J	l			
	Subscription		\vdash	CAM	BAPLS	2 80	8 41	8 41			L					
	AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service						_	_								
	Subscription		\sqcup	CAM	BAPDS	8 20	7 60	7 60								
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit												l			
	Service Subscription		 	CAM	BAPES	0.09	8 41	8 41								ļ
	XTENDED LINK (EELs)		لبيا			<u> </u>										
INUIE.	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t	apply ar	nd the	Switch-As-Is Charg	e will not app	IY TOT UNE COM	binations pro	visioned as ' O	rdinarily Comb	ined' Network	Elements.					
																•

UNBUN	DLE	D NETWORK ELEMENTS - Louisiana											,		ment 2		ıbît B
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs
				-				Nonrec	urrina	Nonrecurrin	g Disconnect		L	oss	Rates (\$)	l	
-				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14 93	94 21	45 09								ļ
		First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25 35	94 21	45 09					ļ			
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50 46	94 21	45 09			-				1	
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				1L5XX	0.0050	l			1					1	
		per month		ļ -	UNC1X	11.588	0 2652				1	+					+
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		1	UNC1X	U1TF1	70 47	143 58	103 88	i	1						
		1/0 Channelization System in combination Per Month		 	UNC1X	MQ1	105 09	59 97	12 96		<u> </u>	1			-		
		Voice Grade COCI - Per Month		1	UNCVX	1D1VG	0 6497	5 91	4 26			1					<u> </u>
- 1		1555 5155 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		1					-	T		1					
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14 93	94 21	45 09								
				Ι.			05.05		45.00	1							1
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25 35	94 21	45 09		 	1	 	 		+	+
		 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	50 46	94 21	45 09			1		1			
		Voice Grade COCI - Per Month	-	1 3	UNCVX	1D1VG	0 6497	5 91	4 26			1					
		Nonrecurring Currently Combined Network Elements Switch -As-		1		1.2.1.2					-		ĺ				
		Is Charge	1		UNC1X	UNCCC		5 43	5 43			l	J		<u> </u>		
E	XTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE	ROFFICE TRANSF	PORT											
			I	1					45.00			+					
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30 81	94 21	45 09		1	ļ	 		 		
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38 32	94 21	45 09				ļ		ļ 		<u> </u>
			ļ		11110101	UEAL4	60 39	94 21	45 09			1		ļ			
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.38	94 21	45 09			+		 		 	+
-		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2652							1			
-		Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1	+	0140174	1.20701	J 2552				T			T	 		1
		Month			UNC1X	U1TF1	70 47	143 58	103 88	i		ļ					
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105 09	59 97	12 96								
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 6497	5 91	4 26				1		ļ		
		Additional 4-Wire Analog Voice Grade Loop in same DS1				1						1					
		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	30 81	94 21	45 09				 		<u> </u>		+
		Additional 4-Wire Analog Voice Grade Loop in same DS1	i	2	UNCVX	UEAL4	38 32	94 21	45 09								
		Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1	+	1 2	UNCVX	UEAL4	36 32	94 21	45 05		+	1			1	1	+
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60 39	94 21	45 09		1	1			1		
		Additional Voice Grade COCI in combination - per month		+	UNCVX	1D1VG	0 6497	5 91	4 26								1
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-		1													
		ts Charge	<u> </u>		UNC1X	UNCCC		5 43	5 43			1		Į	ļ <u>-</u>	ļ	<u> </u>
E	EXTEN	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	ITEROFFICE TRAI	NSPORT						4	-		 	ļ	
			1	١.	LINODY	UDL56	30 99	94 21	45 09					ļ	ł		
\vdash		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	-	1	UNCDX	UDL56	30 99	94 21	45 09		-	+			+		+
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36 78	94 21	45 09		Ì				1		
\vdash		First 4-Wife 35Kbps Digital Grade Loop in Combination • 20the 2		+-	ONODA	ODE50	30 70	3721	40 00		1	-	+	l		·	+
1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38 92	94 21	45 09		ļ		1				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		1												1	
		Per Month			UNC1X	1L5XX	0 2652									<u> </u>	
		Interoffice Transport - Dedicated - DS1 - combination Facility	1 -			U1TF1			400.00						1		1
\vdash		Termination Per Month	-	+	UNC1X	MQ1	70 47 105 09	143 58 59 97	103 88 12 96			+	 	-		 	+
		1/0 Channel System in combination Per Month OCU-DP COCI (data) per month (2 4-64kbs)	-	+-	UNC1X UNCDX	1D1DD	1 38	5 91	4 26		+	+				1	+
 		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	+	+	SHODA	10.00	1 38	- 331	7 20	<u> </u>	——	 	 		1	†	1
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30 99	94 21	45 09	<u> </u>		<u> </u>		<u> </u>		J.	
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36 78	94 21	45 09	L	1	ļ	1			<u> </u>	+
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1] _											1		
1		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38 92	94 21	45 09	1		1					

BUNDLED	NETWORK ELEMENTS - Louisiana												Attach	ment 2	Exhi	bit B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Sve Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-								1							ĺ
	64kbs)		ļ	UNCDX	1D1DD	1 38	5 91	4 26		1						
	Nonrecurring Currently Combined Network Elements Switch -As-													1		
	Is Charge			UNC1X	UNCCC		5 43	5 43								
EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D\$1 IN	TEROFFICE TRAN	ISPORT											
													1			
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNÇDX	UDL64	30 99	94 21	45 09								
		l							1				ł		1	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36 78	94 21	45 09								ļ. —
			١.		l			45.00	}	1				ĺ		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3_	UNCDX	UDL64	38 92	94 21	45 09	-	 				 	-	
1 1	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1,500	0.0050										
	Per Month		-	UNC1X	1L5XX	0 2652			 -	· · · · · · · · · · · · · · · · · · ·	+		-	 	 	
	interoffice Transport - Dedicated - DS1 combination - Facility				U1TF1	70 47	143 58	103 88								
	Termination Per Month	ļ	<u> </u>	UNC1X			59 97	12 96	_		+				 	
	1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	105 09	5997	4 26					1		1	
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 38	291	4 20		ļ						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١.		UDL64	30 99	94 21	45 09		1	ļ					
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDE64	30.89	94.21	45 09		<u> </u>	 					
1 1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١,	LINCOV	LUDI CA	36 78	94 21	45 09			1]				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	30 / 0	94 21	45 09			 				 	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	i	١.,	LINODY	UDL64	38 92	94 21	45 09								
	Interoffice Transport Combination - Zone 3		3	UNCDX	UUL64	36 92	94 21	45 08							· · · · · · · · · · · · · · · · · · ·	-
	Additional OCU-DP COCI (data) - in combination - per month	1		UNCDX	1D1DD	1 38	5 91	4 26		1						ļ
	(2 4-64kbs)	-	├	UNCOX	טטוטו	1 36	331	4 20	-	+	-	1		<u>† </u>	 	
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC1X	UNCCC		5 43	5 43		1	1	l				
	Is Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DC1	INTER				545	3 40		1				1		
EXIEN	4-Wire DS1 Digital Loop in Combination - Zone 1	ED 031	1	UNC1X	JUSLXX	85 70	169 22	100 89		 	1					
	4-Wire DS1 Digital Loop in Combination - Zone 1	 	2	UNC1X	USLXX	194 96	169 22	100 89	<u> </u>						· · · -	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491 94	169 22	100 89		1						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		۱Ť	CHOIX	OGE/OI							-	T	<u> </u>		
	Per Month	1	1	UNC1X	1L5XX	0 2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility	 -	+	ONO IX	- 1.20,01	0 2002				+				1		
	Termination Per Month		1	UNC1X	U1TF1	70 47	143 58	103 88								
	Nonrecurring Currently Combined Network Elements Switch -As-		+	0.1.0 1.7.							1		1			İ
	Is Charge			UNC1X	UNCCC		5 43	5 43							1	
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER												1	
EXTEN	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	85 70	169 22	100 89								ĺ
+	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	194 96	169 22	100 89								
_	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	491 94	169 22	100 89								
_	Interoffice Transport - Dedicated - DS3 combination - Per Mile	i —					-							T	Ĭ	
1	Per Month			UNC3X	1L5XX	6 04				1	1					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		—	ļ					1	1						
	month			UNC3X	U1TF3	850 45	296 68	121 16			1	1				
	3/1Channel System in combination per month			UNC3X	MQ3	201 48	107 05	91 25								
-	DS1 COCI in combination per month			UNC1X	UC1D1	11 78	5 91	4 26	T							
+	Additional DS1Loop in DS3 Interoffice Transport Combination -															
1	Zone 1		1	UNC1X	USLXX	85 70	169 22	100 89			_			ļ		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1						1	1			1	1	1	
	Zone 2	L	2	UNC1X	USLXX	194 96	169 22	100 89			1	l	 	-	+	
	Additional DS1Loop in DS3 Interoffice Transport Combination -								1	1	1	1		1	1	
	Zone 3		3	UNC1X	USLXX	491 94	169 22	100 89		_	ļ		-	+		1
	Additornal DS1 COCI in combination per month			UNC1X	UC1D1	11 78	5 91	4 26			-	-	+	+	1	
	Nonrecurring Currently Combined Network Elements Switch -As-	1		I					1	I		1	1			1
	ts Charge	<u> </u>	L	UNC3X	UNCCC		5 43	5 43	-	 		ļ <u> </u>	 	+	-	
EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	EINTE	ROFFICE TRANS	PORT		016:	15.00	+		+	<u> </u>		 		
	2-WireVG Loop in combination - Zone 1	<u> </u>		UNCVX	UEAL2	14 93	94 21	45 09			 		 	 -	 	+
	2-WireVG Loop in combination - Zone 2		1 2	UNCVX	UEAL2	25 35	94 21	45 09	1			<u> </u>	1			

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana											,	1	ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect	201150	001111		Rates (\$)	0011411	2001111
	0.W-1/0.L	ļ	1-	UNCVX	UEAL2	50 46	First 94 21	Add'I 45 09	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	 	J	UNCVX	UEALZ	50 46	94 21	45 09		+	 					
	Month Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	1L5XX	0 013				1	<u> </u>					
	Termination per month		<u> </u>	UNCVX	U1TV2	22 60	72 60	41 75		ļ	ļ. <u>.</u>					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		5 43	5 43								
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE					15.00		ļ						.
	4-WireVG Loop in combination - Zone 1	ļ	1	UNCVX	UEAL4	30 81	94 21	45 09		_	1		ļ		ļ	
	4-WireVG Loop in combination - Zone 2	ļ. —		UNCVX	UEAL4	38 32	94 21	45 09		-						ļ
	4-WireVG Loop in combination - Zone 3	-	3	UNCVX	UEAL4	60 39	94 21	45 09		ļ	+					
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	1	$oxed{oxed}$	UNCVX	1L5XX	0 013				ļ	1					
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	19 81	72 60	41 75			ļ					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5 43	5 43								
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10 04				-	 	-				
	DS3 Local Loop in combination - Facility Termination per month		<u> </u>	UNC3X	UE3PX	362 34	188 45	125 51								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6 04										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	850 45	296 68	121 16		L						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5 43	5 43			ļ					
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10 04								ļ		
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	374 56	188 45	125 51								
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6 04										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	830 19	296 68	121 16								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5 43	5 43								
EXTE	NDED 2-WIRE ISON EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT							I						
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22 09	94 21	45 09							1	ļ
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	35 28	94 21	45 09			-			ļ		
	First 2-Wire ISDN Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - per mile		3	UNCNX	U1L2X	65 18	94 21	45 09		-						
	per month Interoffice Transport - Dedicated - DS1 combination - Facility	ļ <u>-</u>	+-	UNC1X	1L5XX	0 2652				+	 					
	Termination per month	L	<u> </u>	UNC1X	U1TF1	70 47	143 58	103 88	ļ		<u> </u>		1		1	
	1/0 Channel System in combination - per month	ļ	_	UNC1X	MQ1	105 09	59 97	12 96		1			-			-
	2-wire ISDN COCI (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		UNCNX	UCICA	2 96	5 91	4 26								
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	1	UNCNX	U1L2X	22 09	94 21	45 09		-			 -		-	
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	2	UNCNX	U1L2X	35 28	94 21	45 09		+	-					
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	UNCNX	U1L2X	65 18	94 21	45 09		-						
	month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCNX	UC1CA	2 96	5 91	4.26		1				 	-	
EYTE	Is Charge ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT		S-1 INT	UNC1X	UNCCC		5 43	5 43		1	 		ļ		-	
	First DS1 Loop Combination - Zone 1	T 313		UNC1X	USLXX	85 70	169 22	100 89		+	1					
	First DS1 Loop Combination - Zone 2	+		UNC1X	USLXX	194 96	169 22	100 89	 	+	+	 		+	 	1

UNBUN	DLE	NETWORK ELEMENTS - Louisiana				_								Attach	ment: 2	Exhi	ibit B
				Г	<u> </u>							Svc Order	Svc Order		Incremental		
					1								Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc			
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	perLSR				
			m	ł								perLSR	perLSK	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	
													l	1st	Add'l	Disc 1st	Disc Add'I
						1	_	Nonrec	urnna	Nonrecurring D	Disconnect			220	Rates (\$)	L	
						1	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	491 94	169 22	100 89		nuu i	COMILO	CONTAIN	30111711	SOWAN	JOHAN	SUNIAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile				- Joseph	70101	100 22	100 00					-			
		Per Month	ļ	1	UNCSX	1L5XX	6 04	1									
		Interoffice Transport - Dedicated - STS-1 combination - Facility		<u> </u>		120701										**	
:		Termination per month			UNCSX	U1TFS	830 19	296 68	121 16								
		3/1 Channel System in combination per month	_	\vdash	UNCSX	MQ3	201 48	107 05	91 25						-		
		DS1 COCI in combination per month		t -	UNC1X	UC1D1	11 78	5 91	4 26						-		 -
		Additional DS1Loop in the same STS-1 Interoffice Transport		—													<u> </u>
		Combination - Zone 1		1	UNC1X	USLXX	85 70	169 22	100 89								
		Additional DS1Loop in the same STS-1 Interoffice Transport				1		- 100 22	100 00								
		Combination - Zone 2		2	UNC1X	lustxx	194 96	169 22	100 89								
		Additional DS1Loop in the same STS-1 Interoffice Transport							.50.00	-							
		Combination - Zone 3		3	UNC1X	lustxx	491 94	169 22	100 89		İ						
		DS1 COCI in combination per month			UNC1X	UC1D1	11 78	5 91	4 26								1
		Nonrecurring Currently Combined Network Elements Switch -As-				1											
		is Charge			UNCSX	UNCCC	1	5 43	5 43								Ī
E)		DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT	EROFF	ICE TRANSPORT	1000			0.0								
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30 99	94 21	45 09								
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36 78	94 21	45 09								
		4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	38 92	94 21	45 09								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		Ť	0.400%	10000	00 52	3421	+5 05								
		Per Mile per month			UNCDX	1L5XX	0 013			i							
	- 1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			CITODA	120,00	0 010			-							
	1	Facility Termination per month			UNCDX	U1TD5	15 61	72 60	41 75								
	$\overline{}$	Nonrecurring Currently Combined Network Elements Switch -As-		-	CHODA	01120	13 37	12.00	7173								
İ		Is Charge		!	UNCDX	UNCCC		5 43	5 43				ŀ				
E	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT	FROFF		UNIOU	····		0 40								
		4-wire 64 kbps Looal Loop in Combination - Zone 1			UNCDX	UDL64	30 99	94 21	45 09								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	36 78	94 21	45 09	+							
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	38 92	94 21	45 09							_	
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1											-
ľ		Per Mile per month			UNCDX	1L5XX	0 013	ľ					ľ				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1										-	
		Facility Termination per month			UNCDX	U1TD6	15 61	72 60	41 75								
		Nonrecurring Currently Combined Network Elements Switch -As-				101100	13,31										
		s Charge			UNCDX	UNCCC		5 43	5 43						1		
E)	KTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSPO	ORT w/	3/1 MUX	1		- 0.0	0.0								
		First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14 93	94 21	45 09								
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25 35	94 21	45 09			-	-				_
		First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	50 46	94 21	45 09								
		irst Interoffice Transport - Dedicated - DS1 combination - Per			·	1											
		Ville			UNC1X	1L5XX	0 2652	1				İ		l			
		First Interoffice Transport - Dedicated - DS1 combination -									- 1					-	
		acility Termination per month			UNC1X	U1TF1	70 47	143 58	103 88	į	İ	ĺ		1			
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	105 09	59 97	12 96		+	-			+		
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0 6497	5 91	4 26		-						
		3/1 Channel System in combination per month			UNC3X	MQ3	201 48	107 05	91 25		-					-	
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 78	5 91	4 26								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1				T					-						
		nteroffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14 93	94 21	45 09	ľ				ļ	1		
	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1				 					-	-			1		
		nteroffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25 35	94 21	45 09								
		ach Additional 2-Wire VG Loop(SL2) in the same DS1															
	1	nteroffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50 46	94 21	45 09		- 1	1		ļ	1		
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 6497	5 91	4 26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1	-		··· -										-		
- 1		Channel System per month			UNC1X	1L5XX	0 2652				- 1	1			- 1		
						f											
	1	ach Additional DS1 Interoffice Channel Facility Termination in		ı													

UNBUNDL	ED NETWORK ELEMENTS - Louisiana													ment 2		ıbit. B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Sv
ATEGORI	NATE EELINENTO	m	Zone	500	3300			(4)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs Electronic- Disc 1st	Order vs. Electronic Disc Add
						Rec	Nonrec			ng Disconnect				Rates (\$)		
		1	L				First	Add'!	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11 78	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-	ļ	1												
	Is Charge	<u></u>	<u>. </u>	UNC1X	UNCCC		5 43	5 43						<u> </u>		1
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT W/ 3/1	MUX						ļ					+
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	30 81	94 21	45 09			1					
	Zone 1 First 4-Wire Analog Voice Grade Local Loop in Combination -		 	UNCVA	UEAL4	30 61	94 21	45 09		+			<u> </u>		 	
	Zone 2		2	UNCVX	UEAL4	38 32	94 21	45 09			1		j			
	First 4-Wire Analog Voice Grade Local Loop in Combination -	 	<u> </u>	DITOTA	OLAL-	50.52	3421	40 03			 					
1	Zone 3		3	UNCVX	UEAL4	60 39	94 21	45 09					}			
	First Interoffice Transport - Dedicated - DS1_combination - Per		-		100.0											1
ļ	Mile Per Month			UNC1X	1L5XX	0 2652										
	First Interoffice Transport - Dedicated - DS1 - Facility															1
1	Termination Per Month	į.		UNC1X	U1TF1	70 47	143 58	103 88							1	
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105 09	59 97	12 96								
	Per each Voice Grade COCI in combination - per month	1	1	UNCVX	1D1VG	0 6497	5 91	4 26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201 48	107 05	91 25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 78	5 91	4 26								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		Γ													
1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30 81	94 21	45 09							1	
	Additional 4-Wire Analog Voice Grade Loop in same DS1														1	ŀ
	Interoffice Transport Combination - Zone 2	ļ	2	UNCVX	UEAL4	38 32	94 21	45 09								
	Additional 4-Wire Analog Voice Grade Loop in same DS1	į .													l	
	Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	60 39	94 21	45 09								.
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINDAY	41.5707	0.0050	-			1				ł	1	i
	Channel System per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0 2652				+	ļ				1	-
	Each Additional DS1 Interoffice Channel Facility Termination in	1		UNC1X	U1TF1	70 47	143 58	103 88					1	1		1
	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month		 	UNCVX	1D1VG	0 6497	5 91	4 26		+						
	Nonrecurring Currently Combined Network Elements Switch -As-	-	 	UNCVA	IDIVG	0 6497	281	4 20		+	1					
	Is Charge	1		UNC1X	UNCCC		5 43	5 43					1	Į.	1	
EYTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE					5 45		+	1			.	 	+
LAIL	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1	1												1
	Zone 1	1	1	UNCDX	UDL56	30 99	94 21	45 09							i	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	 													· · · · · · · · · · · · · · · · · · ·	1
	Zone 2	ł	2	UNCDX	UDL56	36 78	94 21	45 09					ļ	ŀ		
-	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	 	1													
	Zone 3	i	3	UNCDX	UDL56	38 92	94 21	45 09							1	
1	First Interoffice Transport - Dedicated - DS1 combination - Per								-				ĺ			
	Mile Per Month		l .	UNC1X	1L5XX	0 2652										
	First Interoffice Transport - Dedicated - DS1 - combination		Ι							·						
	Facility Termination Per Month			UNC1X	U1TF1	70 47	143 58	103 88								
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105 09	59 97	12 96							<u> </u>	1
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)			UNÇDX	1D1DD	1 38	5 91	4 26		<u> </u>						1
	3/1 Channel System in combination per month			UNC3X	MQ3	201 48	107 05	91 25			ļ.					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 78	5 91	4 26								1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	1	LINGER	LUDU					1		Ì		1		1
	Interoffice Transport Combination - Zone 1	├	1	UNCDX	UDL56	30 99	94 21	45 09		+	 			1		+
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	LINCOV	UDLES	20.70	94 21	45 09						1		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36 78	94 21	45 09		+	+		 	 	 	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	UNCDX	UDL56	38 92	94 21	45 09					1	1		
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) COCI in combination per month (2 4-		٦	UNCDA	ODES	30 92	94 21	45 09		+	+			t		+
l l	64kbs)			UNCDX	1D1DD	1 38	5 91	4 26					1	i	1	
-+	Each Additional DS1 Interoffice Channel per mile in same 3/1	 	 	U.10DX	10100	1 30	331	7 20		+	+	l				1
1	Channel System per month	}		UNC1X	1L5XX	0 2652						l		1		
- + -	Each Additional DS1 Interoffice Channel Facility Termination in	 		15.15.//	1.20.01	5 2552			•							1
	1=35.1. Indicate Do Finteronico Charner I donty Fernination III	1	1	UNC1X	U1TF1	70 47	143 58	103 88		1	1	1	1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana										_		Attach	ment. 2	Eule	bit. B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incrementa Charge - Manual Sv
JA1200K1	NATE ELEMENTS	m	20116	803	0300			,			per LSR	per LSR	Order vs. Electronic- 1st	Order vs Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
- +						Rec	Nonrec First	Add'I	Nonrecurrin First	g Disconnect	001150	DOMAN T		Rates (\$)		
	Each Additional DS1 COCI in the same 3/1 channel system				+ +		First	Add I	First	Add'I	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	combination per month	l		UNC1X	UC1D1	11 78	5 91	4 26			1					1
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
i	Is Charge		L.,	UNC1X	UNCCC		5 43	5 43			1				L	t
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
ļ	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		١.,	LINGS.V	1151.04						1				}	1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_ 1	UNCDX	UDL64	30 99	94 21	45 09		ļ	!					
	Transport Combination - Zone 2		2	UNÇDX	UDL64	36 78	94 21	45 09			1					1
T T	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			OTODX	OCEOT	3070	34 21	45 05			 					
	Transport Combination - Zone 3	İ	3	UNCDX	UDL64	38 92	94 21	45 09	i	1				1		
	First Interoffice Transport - Dedicated - DS1 combination - Per										 					1
j	Mile Per Month			UNC1X	1L5XX	0 2652										Ė
1	First Interoffice Transport - Dedicated - DS1 combination -										1				-	
	Facility Termination Per Month			UNC1X	U1TF1	70 47	143 58	103 88			<u> </u>					Ĺ
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	105 09	59 97	12 96								
}	Per each OCU-DP COCI (data) in combination - per month (2 4-64kbs)			UNCDX	I I I	4.00		4.00		-						ĺ
	3/1 Channel System in combination per month			UNC3X	1D1DD MQ3	1 38 201 48	5 91 107 05	4 26 91 25			ļ	_				
	Per each DS1 COCI in combination per month		 	UNC1X	UC1D1	11 78	5 91	4 26		ļ			-			-
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			014017	CCID!	1170	- 391	4 20								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30 99	94 21	45 09	ł							i
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36 78	94 21	45 09								ł
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				T									_		
	Interoffice Transport Combination - Zone 3	Ĺ	3	UNCDX	UDL64	38 92	94 21	45 09			1				<u> </u>	í
ł	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System			LINGSV							!					1
	combination - per month (2 4-64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	1D1DD	1 38	5 91	4 26								
	Channel System per month		1	UNC1X	1L5XX	0 2652	1]	1		j			i
	Each Additional DS1 Interoffice Channel Facility Termination in			ONCIX	I LOAA	0 2032										
	same 3/1 Channel System per month			UNC1X	U1TF1	70 47	143 58	103 88								i
	Each Additional DS1 COCI in the same 3/1 channel system		-													
	combination per month		L	UNC1X	UC1D1	11 78	5 91	4 26								i
	Nonrecurring Currently Combined Network Elements Switch -As-													-		i
	Is Charge			UNC1X	UNCCC		5 43	5 43								<u>i</u>
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/1	MUX													
1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	LIALOV	22 09	04.04	45.00			1 1	ľ				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCNA	U1L2X	22 09	94 21	45 09								,
	Transport - Zone 2		2	UNCNX	U1L2X	35 28	94 21	45 09			1					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		-	5110147	U ILLEN	33 20	3421	43 03								
	Transport - Zone 3		3	UNCNX	U1L2X	65 18	94 21	45 09								
	First Interoffice Transport - Dedicated - DS1 combination - Per		-													
	Mile per month			UNC1X	1L5XX	0 2652						l				
1	First Interoffice Transport - Dedicated - DS1 combination -				1											-
	Facility Termination per month			UNC1X	U1TF1	70 47	143 58	103 88								
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	105 09	59 97	12 96								
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2 96	5 91	4 26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201 48	107 05	91 25		-	 					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 78	5 91	4 26		 	1					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1-2.2.	*	55,	7 20								
	Combination - Zone 1		_ 1	UNCNX	U1L2X	22 09	94 21	45 09			1 1			-		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						İ	-			r 1					
	Combination - Zone 2		2	UNÇNX	U1L2X	35 28	94 21	45 09			<u> </u>					
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				l 1	1	`]]					
	Combination - Zone 3		3	UNCNX	U1L2X	65 18	94 21	45 09		l					i	

NBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment 2	Exhi	ibıt B
ATEGORY	RATE ÉLEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurrin	g Disconnect	1		oss	Rates (\$)	•	
			—			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2 96	5 91	4 26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0 2652										
	Each Additional DS1 Interoffice Channel Facility Termination in															ļ.
	same 3/1 Channel System per month			UNC1X	U1TF1	70 47	143 58	103 88				. :				
	Each Additional DS1 COCI in the same 3/1 channel system	i		l				4.00		1						1
	combination per month			UNC1X	UC1D1	11 78	5 91	4 26								+
1	Nonrecurring Currently Combined Network Elements Switch -As-	1]				5 43	5 43	ļ							
	Is Charge	TDANK	DODE	UNC1X	UNCCC	-	5 43	5 43		 	+			-		+
EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRAN		UNC1X	USLXX	85 70	169 22	100 89			+					+
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	<u> </u>	2	UNCIX	USLXX	194 96	169 22	100 89		1	1					+
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2 First 4-wire DS1 Digital Local Loop in Combination - Zone 3	1	3	UNC1X	USLXX	491 94	169 22	100 89	 	 	+					+
	First Interoffice Transport - Dedicated - DS1 combination - Per	+	-	ONOIX	1002/01	401.54	103 22	100 00			 					
	Mile Per Month			UNC1X	1L5XX	0 2652	i i			1						i
	First Interoffice Transport - Dedicated - DS1 combination -	1	i	0.10.11	1.20:21					T	-					
	Facility Termination Per Month			UNC1X	U1TF1	70 47	143 58	103 88		İ						
	3/1 Channel System in combination per month	<u> </u>	 	UNC3X	MQ3	201 48	107 05	91 25								
	Per each DS1 COCI combination per month		†	UNC1X	UC1D1	11 78	5 91	4 26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0 2652									<u> </u>	1
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	1	İ	UNC1X	U1TF1	70 47	143 58	103 88								
	Each Additional DS1 COCI in the same 3/1 channel system	1												l	1	
	combination per month			UNC1X	UC1D1	11 78	5 91	4 26						l		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1		T		ì							l		
	1		1 1	UNC1X	USLXX	85 70	169 22	100 89		.	<u> </u>					
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.					400.00			ł	!		1		
	2		2	UNC1X	USLXX	194 96	169 22	100 89			 					
1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١ ۾	LINGAN	LIELVY	491 94	169 22	100 89			1				ŀ	
	3	ļ	3	UNC1X	USLXX	49194	169 22	100 89		-	-			-		+
	Nonrecurring Currently Combined Network Elements Switch -As	1		UNC1X	UNCCC		5 43	5 43			ļ				ŀ	
EVTEL	Is Charge IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0	INTERA	EFICE		DINCCC		3 43	543			1	-				+
EXIEN	First 4-wire 56 kbps Local Loop in combination - Zone 1	INTERO	1	UNCDX	UDL56	30 99	94 21	45 09			 					
	First 4-wire 56 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL56	36 78	94 21	45 09			+					
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38 92	94 21	45 09		+						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	+	1							1						
	per month	1	Į.	UNCDX	1L5XX	0 013							1		1	
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1									1					1
	Termination per month			UNCDX	U1TD5	15 61	72 60	41 75				l				
	Nonrecurring Currently Combined Network Elements Switch -As	-	1	1												
	Is Charge		1	UNCDX	UNCCC		5 43	5 43								
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0	INTERO														
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	30 99	94 21	45 09							.	_
	First 4-wire 64 kbps Local Loop in combination - Zone 2	<u> </u>		UNCDX	UDL64	36 78	94 21	45 09	ļ		 	ļ			ļ	
	First 4-wire 64 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL64	38 92	94 21	45 09		ļ				ļ	 	
1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	1		LINICDY	1L5XX	0 013				ļ	1		I			
-+	per month	+	-	UNCDX	1L5XX	0.013			· · · · · · · · · · · · · · · · · · ·	+	+	 			 	+
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	1	-	UNCDX	U1TD6	15 61	72 60	41 75			1]	I			
	Nonrecurring Currently Combined Network Elements Switch -As		+	DIACDY	01100	1501	72 00	4,73	 	-	+		1	 		+
	Is Charge			UNCDX	UNCCC	ŀ	5 43	5 43		ĺ			I			1
DDITIONAL	NETWORK ELEMENTS	+	+	5.10DX	0.1000		3 40			1				1	1	1
	used as a part of a currently combined facility, the non-recur	rng cha	rges d	o not apply, but	a Świtch As Is cl	arge does and	ily			1						<u> </u>
	used as ordinarily combined network elements in All States,							-		1		1				
When																

UNBUNDL	D NETWORK ELEMENTS - Louisiana										1. 2.		Attach			bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring		g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCVX	UNCCC		5 43	5 43	1	ł	İ					1
	Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVX	UNCCC		543	5 43		ļ					+	ļ
ı - k	Is Charge - 56/64 kbps			UNCDX	UNCCC		5 43	5 43		1						
	Nonrecurring Currently Combined Network Elements Switch -As-		 	C. GEN	0.1000		0 10	5.15	1		<u> </u>					
	Is Charge - DS1			UNC1X	UNCCC		5 43	5 43								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge - DS3			UNC3X	UNCCC		5 43	5 43			<u> </u>					
	Nonrecurring Currently Combined Network Elements Switch -As-						- 40									
	Is Charge - STS1			UNCSX	UNCCC		5 43	5 43	-		 	ļ .				
Optio	nal Features & Functions	 -		U1TD1,	 					-					 	
	Clear Channel Capability Extended Frame Option - per DS1	1 1		ULDD1,UNG1X	CCOEF		OI.	loı	loi	OI						
	Glear Charmer Capability Extended Traine Option - per Bot	<u> </u>	 	U1TD1,				·	1	-						
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	01	OI	01						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184 65S	23 79S	1 97S	0 77S						
				U1TD3, ULDD3,			0.40 700		70000	00						
	C-bit Parity Option - Subsequent Activity - per DS3	١	<u> </u>	UE3, UNC3X	NRCC3		218 78S	7 66S	7263S	0S	-				-	
MUL	DS1 to DS0 Channel System per month			UNC1X	MQ1	105 09	59 97	12 96	+	+		-	l			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	-	-	UNCIA	WQI	103 08	39 87	12 30		-						
	month (2 4-64kbs) used for a Local Loop		1	UDL	1D1DD	1 38	6 39	4 58		1					1	ļ.
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	t			1											
i ł	month (2 4-64kbs) used for connection to a channelized DS1									1						
i l	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1 38	6 39	4 58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			l				1.50		1				ļ		
	month for a Local Loop		-	UDN	UC1CA	2 96	6 39	4 58	ļ	ļ		ļ			 	
i i	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel							ł	ĺ					1		
	in the same SWC as collocation			U1TUB	UC1CA	2 96	6 39	4 58			ŀ					
	Voice Grade COCI - DS1 to DS0 Channel System - per month		†	0.1.00	00,000				† · ·							
	used for a Local Loop			UEA	1D1VG	0 6497	6 39	4 58		1						
	Voice Grade COCI - DS1 to DS0 Channel System - per month				ľ											
	used for connection to a channelized DS1 Local Channel in the					1										
	same SWC as collocation		<u> </u>	U1TUC	1D1VG	0 6497	6 39	4 58			ļ					<u> </u>
	DS3 to DS1 Channel System per month			UNC3X UNCSX	MQ3 MQ3	201 48 201 48		91 25 91 25			 					
	STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			USL	UC1D1	11 78		4 58			 					
	DS1 COCI used for connection to a channelized DS1 Local	 	+	002	100101	1176	0.39	4.50	+	+	 					<u> </u>
	Channel in the same SWC as collocation) per month		1	U1TUA	UC1D1	11 78	6 39	4 58		1	1	1				
 	DS1 COCI used with Interoffice Channel per month		_	U1TD1	UC1D1	11 78				1						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per				1											
	month		<u> </u>	ULDD1	UC1D1	11 78	6 39	4 58			<u> </u>					↓
	LOCAL EXCHANGE SWITCHING(PORTS)	↓	1		ļ				+-	4	ļ					├
	ange Ports Although the Port Rate includes all available features in GA, I	107 1 1	0.711	h d l d & t		1		L								+
	E Although the Port Rate includes all available features in GA, I RE VOICE GRADE LINE PORT RATES (RES)	KY, LA	& IN, I	ne desired features	Wiff need to t	oe oraerea usi	ng retail USUC	5			 					·
2-9911	Exchange Ports - 2-Wire Analog Line Port- Res	<u> </u>	 	UEPSR	UEPRL	1 52	2 31	2 21				<u> </u>				-
 	Estationing of the Parity of t	<u> </u>	1 -					1	—							
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 52	2 31	2 21					1		ļ.	
			1													
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		<u> </u>	UEPSR	UEPRO	1 52	2 31	2 21	ļ		 	ļ				+
	Exchange Ports - 2-Wire VG unbundled LA extended local		1		Lucas	1					1				1	
 	dialing parity Port with Caller ID - Res	-	+	UEPSR	UEPAS	1 52	2 31	2 21	+	+	 	+			+	+
1	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL)		1	UEPSR	UEPAG	1 52	2 31	2 21						1		
 	Exchange Ports - 2-Wire VG unbundled res, low usage line port	-	+	OLI ON	GEFAG	1 32		† <u>**'</u>	 	+		†				
1 1	with Caller ID (LUM)			UEPSR	UEPAP	1 52	2 31	2 21	1					l	L .	

BUNDLED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit. B
TEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					Rec	Nonrec			g Disconnect				Rates (\$)		
					Nec	Fırst	Add*1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Exchange Ports - 2-Wire VG Louisiana Residence Dialing Pla	י ו			1										i	
without Caller ID	_		UEPSR	UÉPWG	1 52	2 31	2 21								
Exchange Ports - 2-Wire VG Louisiana Residence Area Plus	- 1		LIEDOD	LIEBBO	4.50										
without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller II	\leftarrow	-	UEPSR	UEPRQ	1 52	2 31	2 21							ļ	
Capability	'		UEPSR	UEPRT	1 52	2 31	2 21								1
Subsequent Activity			UEPSR	USASC	0 00	0 00	0.00	i	-				<u> </u>	-	-
FEATURES			OLI OIL	OUAUC	0.00	0.00	-0.00		-	1					
All Available Vertical Features	_		UEPSR	UEPVF	0 00	0 00	0 00	-		 	 				
2-WIRE VOICE GRADE LINE PORT RATES (BUS)		1		125.11		- 000	0.00				- -			1	
Exchange Ports - 2-Wire Analog Line Port without Caller ID -	-	1		1				 	+	 	l -				
Bus			UEPSB	UEPBL	1 52	2 31	2 21								
Exchange Ports - 2-Wire VG unbundled Line Port with		1		1					†						
unbundled port with Caller+E484 ID - Bus	- 1		UEPSB	UEPBC	1 52	2 31	2 21						}		l
Exchange Ports - 2-Wire Analog Line Port outgoing only - But	;		UEPSB	UEPBO	1 52	2 31	2 21								l
Exchange Ports - 2-Wire VG unbundled LA extended local								T		1					
dialing parity Port with Caller ID - Bus			UEPSB	UEPAX	1 52	2 31	2 21	1	İ				-		l
Exhange Ports - 2-Wire VG unbundled incoming only port wit	n														
Caller ID - Bus			UEPSB	UEPB1	1 52	2 31	2 21								
Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area									1	1	i -				
Calling Port with Caller ID - Bus (BUC)	i		UEPSB	UEPAA	1 52	2 31	2 21							1	
Exchange Ports - 2-Wire Voice Louisiana Business Dialing Pla	in	1													
without Caller ID			UEPSB	UEPWH	1 52	2 31	2 21							<u> </u>	
Exchange Ports - 2-Wire Voice Louisiana Business Area Callin	ıg									1					
Port without Caller ID			UEP\$B	UEPBA	1 52	2 31	2 21								
2-Wire voice unbundled incoming Only Port without Caller ID											i				
Capability			UEPSB	UEPBE	1 52	2 31	2 21								
Subsequent Activity			UEPSB	USASC	0 00	0 00	0 00								
FEATURES	_														
All Available Vertical Features			UEPSB	UEPVF	0 00	0 00	0 00			ļ					
EXCHANGE PORT RATES (DID & PBX)				I											
2-Wire VG Unbundled 2-Way PBX Trunk - Res		-	UEPSE	UEPRD UEPPC	1 52	30 37	14 42		- 	ļ				<u></u>	
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP		1 52	30 37	14 42		1	<u> </u>					
2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 52	30 37	14 42			ļ					
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 52	30 37	14 42		1	 					
2-Wire Analog Long Distance Terminal PBX Trunk - Bus		-	UEPSP	UEPLD	1 52	30 37	14 42		-	-					
2-Wire Voice Unbundled 2-Way PBX Loursiana Calling Port		1	UEPSP UEPSP	UEPL2	1 52 1 52	30 37 30 37	14 42 14 42		 	 					
2-Wire Voice Unbundled PBX LD Terminal Ports	-	1	UEPSP	UEPLD	1 52	30 37	14 42		- -	ļ	· · · · · · · · · · · · · · · · · · ·				
2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPSP	UEPXB	1 52	30 37	14.42	-	ļ	1					
2-Wire Voice Unbundled PBX Toti Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	_	1 1	UEPSP	UEPXC	1 52	30 37	14.42	 	ļ	<u> </u>	ļ				1
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		+	UEPSP	UEPXD	1 52	30 37	14 42		 						ļ
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	_	1	UEFSF	UEFAD	1 32	30 37	14 42			 					
Capable Port		1 1	UEPSP	UEPXE	1 52	30 37	14 42	ł	1	ŀ					
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optiona	_	1 1	UEFSF	UEPAE	1 52	30 31	14 42		 	<u> </u>					
Calling Port]	UEPSP	UEPXK	1 52	30 37	14 42		1						
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	021 01	JOE: AN	1 72	- 00 07	17.72			+					
Administrative Calling Port	-	1 1	ŲEPSP	UEPXL	1 52	30 37	14 42	Į.	1	1	1				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+-	1 1	 	150.70	, 02	30 07		 		1			-	1	†
Room Calling Port			UEPSP	UEPXM	1 52	30 37	14 42								
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	-	 		T						1					
Discount Room Calling Port	1	1	UEPSP	UEPXO	1 52	30 37	14 42			1					
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Loca	3	1		1					1	1					
Discount Calling Port			UEPSP	UEPXP	1 52	30 37	14 42								L
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Por	:		UEPSP	UEPXS	1 52	30 37	14 42	1		1					
Subsequent Activity		1	UEPSP	USASC	0 00	0 00	0 00			1					
FEATURES		1		1					1						
All Available Vertical Features	-	1 	UEPSP UEPSE	UEPVF	0 00	0 00	0 00		1	1				T	

MOONDEED NE	TWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit B
											Svc Order	Svc Order		Incremental		
			j i													1
												Submitted		Charge -	Charge -	Charge
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	11000			(A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual
RIEGORI	RATE ELEMENTS	l m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
					1						F		Electronic-		Electronic-	
																Electror
		!			1								1st	Add'I	Disc 1st	Disc Ad
					† 	·	Monro	curring	Managerial	ng Disconnect				L	L	
					+	Rec						,		Rates (\$)		
EVOLUNIOS	DODE BATER (COUNTY				ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	PORT RATES (COIN)								1	1						1
[Excha	ange Ports - Coin Port					1 52	2 31	2 21								
NOTE: Trans	smission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to c	ircuit switch	ed voice and/or	circuit switch	ed data transn	ission by B-C	hannels seen	istad with 2	wire ISDN -	oorte			
NOTE Acces	ss to B Channel or D Channel Packet capabilities will be	availab	le ont	through BER/New	Rusiness Re	Process	Pates for the	nacket canabi	litias will be s	Intermined via	ha Bana Fir	la Bassasti	Manu Buninan	- Daniel Daniel		
BUNDLED LOCAL	EXCHANGE SWITCHING(PORTS)	-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	mireagii Di Ititon	Lasinessin	Jucati ioceaa.	Trates for the	packet capabi	illies will be t	retermineu via	ine bona ric	e Requesu	New Busines	s Request Pro	cess.	
EXCHANGE F					ļ				_		ļ			<u> </u>		
EXCHANGE	PURI RATES								1							
The DS1 Port	t rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI	DN Port	in this	rate exhibit apply t	o the embed	lded base in pla	ice as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	nese rates shal	revert to tai	iff rates or	a separate ac	reement		
Requests for	4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	fter the	effecti	ve date of this ame	ndment shal	be provided pr	ursuant to a se	parate agreem	ent or tariff a	t BellSouth's o	iscretion		1			
Éxcha	ange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 29	115 85	18 20			1		·	-		
	ange Ports - DDITS Port - 4-Wire DS1 Port with DID			2.7		0.20	110 00	10 20		-	 					
	pility (E 4/1/2004)			UEPDD	UEPDD	1			1		1		1			
						68 47	196 18	92 92	l	J	L			1		
	ange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX, UEPSX	U1PMA	10 07	70 76	51 46		1						
	eatures Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0 00			1					
Excha	ange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	D1UMA	0.00	0.00	0.00		T						
NOTE Trans	smission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to c	rcuit switch	ed voice and/or	circuit switch	ed data transe	Jesion by 9 C	hannole again	isted with ?	wire ICDM -	l.			
NOTE Acces	es to B Channel or D Channel Dacket canabilities	availat	lo c=!	through DEDAL	Dunin	en voice and/or	Dates for all	au data transm	nasion by B-C	mairreis assoc	ateu with Z	MILE IONN D	JONES	<u> </u>		
EVOLUNIOS S	ss to B Channel or D Channel Packet capabilities will be	avallab	ie onry	arrough BFR/New	Dusiness Ke	quest Process.	reates for the	packet capabi	inies will be d	etermined via	ne Bona Fic	e Request/I	New Busines	s Request Pro	cess.	
	PORT RATES (continued)				1						1					
	ange Ports - 4-Wire ISDN DS1 Port with Detailed E911				i											
Locate	or Capability (E 4/1/2004)			UEPEX	UEPEX	94 82	197 92	98 62		1	1					
Excha	ange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			ÜEPDX	UEPDX	94 82	197 92	98 62		·	-					
	cal Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1 04	21 39	15 47			-					
1 Hysic	taribartar Caral Assar 0.1015			OEFEX OEFDX	PEIFI	1 04	21 39	15 47		<u> </u>						
	collocation - Special Access & UNE, cross-connect per		1													
DS1				UEPEX UEPDX	CNC1X	1 04	21 39	15 47			1					
Detailed E911	1 with Locator Capability (required with UEPEX port)					1										
	ndled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-				 				+						
	or Capability - Initial Profile Establishment per CLEC per					!						J		i l		
State	or Capability - initial infoline Establishment per CEEC per	- 1		· · · · · · · · · · · · · · · · · · ·												
		[UEPEX	UEP1A	0 00	1,792 00									
	ndled Exchange Ports, 4-Wire ISDN DS1 Port - E911	ŀ														
Locato	or Capability - Subsequent Profile Changes, Additions,		- 1		1						i					
Delete	ons			UEPEX	UEP1B	0 00	174 03							i l		
New or Additu	ional PRI Telephone Numbers				1 2	- ""				+					-	
	ndled Exchange Ports, 4-Wire ISDN DS1 Port - E911		-													
			1			1						!				
	or Capability 2-way Telephone Numbers, per number in				1						1					
	profile [New or Additional]			UEPEX	UEP1C	0 0692	0 48							i l		
Unbur	ndled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
Locato	or Capability - Outdial Telephone Numbers, per number in	1														
	profile [New or Additional]	i	- 1	UEPEX	UEP1D	0 0692	11 18	11 18		F		1		1		
	ndled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			OLF LX	OLF ID	0.0092	11 10	1 1 10								
			ĺ		1	1					j	İ			l	
	hone Numbers - Inward Data Only Option [New or				1]						l			ļ	
Additio				UEPDX	UEP1E	0 00	0 48			1		I			1	
Excha	inge Ports - 4-Wire ISDN DS1 Port - Subsequent [New]									1						
Inward	Tel Numbers [Customer Testing Purposes]	l	Į,	UEPEX	PR7ZT	0 00	22 35	22 35		f		- 1		i		
LOCAL NUMB	BER PORTABILITY	-				0.00	22 00			 -						
	Number Portability (1 per port)			UEDEV LIEDDY	LUBOU	. 75										
				UEPEX UEPDX	LNPCN	1 75										
	Provsioning Only)															
Voice/I		Т		JEPEX	PR71V	0 00	0 00	0.00								
Digital	Data			JEPEX	PR71D	0.00	0 00	0 00								
Inward				JEPDX	PR71E	0 00	0 00	0 00		 						
New or Additi		-+		<u> </u>	TATIL	0.00	0.00			-						
			1.	IEDEV	55751	0.55										
	r Additional - Voice/Data "B" Channel			JEPEX	PR7BV	0 00	14 11					1				
	r Additional - Digital Data "B" Channel			JEPEX	PR7BF	0 00	14 11			<u> </u>						
	r Additional Inward Data "B" Channel		T	JEPDX	PR7BD	0.00	14 11			1						
	r Additional Useage Sensitive Voice Data "B" Channel			JEPEX	PR7BS	0 00	14 11			1		i	-	- 		
	r Additional Useage Sensitive Digital Data "B" Channel			JEPEX	PR7BU	0 00	14 11			 	ļ	+				
	r Additional PRI "D" Channel									-	I			!		-11
	Audriional PRI D Channel			JEPEX	PR7EX	0 00	14 11									
CALL TYPES					L					1						
Inward	1		Ti	JEPEX UEPDX	PR7C1	0 00	0 00	0 00					-			
Outwa	erd			JEPEX	PR7CO	0 00	0 00	0 00								
	ay			JEPEX	PR7CC	0 00	0.00	0 00		 						

JNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Incremen Charge Manual S
		m						20 (4)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs Electronic- Disc 1st	Order vs Electroni Disc Add
				l ———			Nonrec	urring	Nonrecurring	Disconnect	-		OSS	Rates (\$)		L
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBL	INDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBU	INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 52	2 31	2 21								
					- 1											
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 52	2 31	2 21								
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR UEPVR	UERTE	1 52	2 31	2 21							.	
N F	Unbundled Remote Call Forwarding Service, InfraLATA - Res			UEPVR	UERTR	1 52	2 31	2 21								
Non-r	Recurring Unbundled Remote Call Forwarding Service - Conversion -					1										
	Switch-as-is		1	UEPVR	USAC2		0 10	0 10								
_	Unbundled Remote Call Forwarding Service - Conversion with			OCT VIC	100/102		0 10	0 10				-				
	allowed change (PIC and LPIC)		ļ	UEPVR	USACC		0 10	0 10]							
UNBU	INDLED REMOTE CALL FORWARDING - Bus		1			1										
						1 -			1							
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1 52	2 31	2 21	<u> </u>					L		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		ļ	UEPVB	UERLC	1 52	2 31	2 21								ļ
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTE	1 52	2 31	2 21								
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		<u>. </u>	UEPVB	UÉRTR	1 52	2 31	2 21								
	Unbundled Remote Call Forwarding Service Expanded and		ł		LIEDY /	4.50		201								
N	Exception Local Calling			UEPVB	UERVJ	1 52	2 31	2 21	-							
Non-F	Recurring Unbundled Remote Call Forwarding Service - Conversion -					-										
	Switch-as-is			UEPVB	USAC2		0 10	0 10							ļ	
-	Unbundled Remote Call Forwarding Service - Conversion with		1	02. 40	OOAGE		0.10	0.0			h					
	allowed change (PIC and LPIC)			UEPVB	USACC		0 10	0 10								
BUNDLED	LOCAL SWITCHING, PORT USAGE				00.100	 										
	Office Switching (Port Usage)															-
	End Office Switching Function, Per MOU					0 001868				_						
	End Office Trunk Port - Shared, Per MOU					0 00018										
Tande	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU		ļ			0 0001067										l
	Tandem Trunk Port - Shared, Per MOU		├			0 000222										
	Tandem Switching Function Per MOU (Melded)		ļ			0 000035296										
_	Tandem Trunk Port - Shared, Per MOU (Melded) Melded Factor 33 08% of the Tandem Rate		_			0 000073438										
Comp	non Transport		 		 -											
COIIII	Common Transport - Per Mile, Per MOU					0 0000032										
	Common Transport - Facilities Termination Per MOU					0 0003748										
IBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES		 		1	0 00007 10										
	Based Rates are applied where BellSouth is required by FCC an	d/or St	ate Co	mmission rule to p	rovide Unbun	dled Local Swit	ching or Switch	h Ports.				ľ				
Featu	res shall apply to the Unbundled Port/Loop Combination - Cost	t Based	Rate s	ection in the same	manner as th	ey are applied (to the Stand-Al	one Unbundle	d Port section	of this Rate E	xhibit.					-
End C	Office and Tandem Switching Usage and Common Transport Us	age rat	es in th	e Port section of t	his rate exhib	it shall apply to	all combination	ns of loop/po	rt network elem	ents except 1	or UNE Coi	n Port/Loop	Combination	15.		
The fi	rst and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	ed Combos. For Cu	irrently Combi	ined Combos th	ne nonrecurring	g charges sha	ll be those iden	tified in the N	onrecurring	 Currently 	Combined se	ctions.		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE F	ort/Loop Combination Rates		L													
	2-Wire VG Loop/Port Combo - Zone 1		1			13 13										
	2-Wire VG Loop/Port Combo - Zone 2		2		1	23 75				-						
J INIE 1	2-Wire VG Loop/Port Combo - Zone 3		3		-	49 62										-
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11 77										
-+-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	22 39										
_	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	48 26										
2-Wire	e Voice Grade Line Port Rates (Res)		Ť		1	t										
1	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 36	38 85	19 08								
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 36	38 85	19 08								
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 36	38 85	19 08								
	2-Wire voice Grade unbundled Louisiana extended local dialing															
1	parity port with Caller ID - res		1	UEPRX	UEPAS	1 36	38 85	19 08	1		l				l	I

			í										ment. 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec First		Nonrecurring Disconne		T		Rates (\$)		
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res		 				First	Add'I	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(RUL)			UEPRX	UEPAG	1 36	38 85	19 08							1
	2-Wire voice unbundles res, low usage line port with Caller ID				1		35 55		-						
	(LUM)			UEPRX	UEPAP	1 36	38 85	19 08					İ		1
İ	2-Wire Voice Unbundled Louisiana Residence Dialing Plan														
	without Caller ID 2-Wire voice unbundled Louisiana Area Plus Port without Caller			UEPRX	UEPWG	1 36	38 85	19 08			ļ				
	ID Capability		i :	UEPRX	UEPRQ	1 36	38 85	19 08							1
	2-Wire voice unbundled Low Usage Line Port without Caller ID			00.100	OLI III	, 50	30 03	19 00						-	
	Capability			UEPRX	UEPRT	1 36	38 85	19 08							ł
FEATU								···							
	All Features Offered			UEPRX	UEPVF	0 00	0 00	0 00							
LOCAL	NUMBER PORTABILITY			UEDDV.	1.155										
NONE	Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX	LNPCX	0 35									
NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				-					-					
	Switch-as-is			UEPRX	USAC2	i	0 10	0 10		İ					i
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			521101			0,10	0 10		-					i
	Switch with change			UEPRX	USACC		0 10	0 10							i .
ADDIT	IONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent					Ĭ									i
	Activity			UEPRX	USAS2	0 00	0.00	0 00							i
i	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL	i	0.00		İ			i		i	i
OFFIO	N PREMISES EXTENSION CHANNELS			UEPRX	UREIL		8 33	0 83							
017,01	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12 90	36 54	16 87							
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	23 33	36 54	16 87							
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	48 43	36 54	16 87							
	2 Wire Analog Voice Grade Extension Loop – Design		ī	UEPRX	UEAED	14 93	102 10	65 72							
	2 Wire Analog Voice Grade Extension Loop - Design			UEPRX	UEAED	25 35	102 10	65 72							
- INTER	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	50 46	102 10	65 72							
INTER	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility									-					
	Termination			UEPRX	U1TV2	22 60	39 36	26 62							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02.11.		22 00	55 50	20 02							
	or Fraction Mile			UEPRX	U1TVM	0 013	0 00	0 00							
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				i										
UNE Po	ort/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1		1			13 13									
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2			23 75 49 62									
UNEL	pop Rates		3			49 62	-								
- 10.1.2.2.	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11 77									
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	22 39									
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	48 26									
2-Wire	Voice Grade Line Port (Bus)			-											
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 36	38 85	19 08							
	2-Wire voice unbundled port with Caller + E484 ID - bus		\rightarrow	UEPBX	UEPBC	1 36	38 85	19 08							
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Louisiana extended local dialing			UEPBX	UEPBO	1 36	38 85	19 08							
	parity port with Caller ID - bus			UEPBX	UEPAX	1 36	38 85	19 08							
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1 36	38 85	19 08				-			
-	2-Wire voice unbundled Louisiana Bus Area Calling Port with				52. 51	1 55	30 33	15 05							
	Caller ID (BUC)			UEPBX	UEPAA	1 36	38 85	19 08							
	2-Wire Voice Unbundled Louisiana Business Dialing Plan														
Ι,	without Caller ID			UEPBX	UEPWH	1 36	38 85	19 08							
	2-Wire voice unbundled Louisiana Business Area Calling Port														

														1		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec			g Disconnect	001150	001111		Rates (\$)	001111	SOMAN
$-\!\!+\!\!-$	2-Wire voice unbundled Incoming Only Port without Caller ID				++		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Capability			UEPBX	UEPBE	1 36	38 85	19 08								
LOCA	L NUMBER PORTABILITY															<u> </u>
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEAT	All Features Offered			UEPBX	UEPVF	0.00	0.00	0 00						-	+	
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFBA	OLF VI	- 000	0.00	0.00			-			·	1	
- NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 	-										i		1
	Switch-as-is			UEPBX	USAC2		0 10	0 10								<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0 10	0 10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0 00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8 33	0 83								
OFF/C	ON PREMISES EXTENSION CHANNELS		İ													
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	12 90	36 54	16 87			1					<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	23 33	36 54	16 87							ļ	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	48 43	36 54	16 87			-					-
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14 93	102 10	65 72 65 72		· · · · · · · · · · · · · · · · · · ·	 					+
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	25 35 50 46	102 10 102 10	65 72		 	+		 -			_
INTER	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	30 46	102 10	05 72			1		-		 	
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 												 	1
	Termination	1	1	UEPBX	U1TV2	22 60	39 36	26 62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		 										·			
	or Fraction Mile		<u> </u>	UEPBX	U1TVM	0 013	0 00	0 00		4	+					
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	ļ .	ļ							1			+	l		
UNE	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1		1	13 13					+				 	
	2-Wire VG Loop/Port Combo - Zone 2		2			23 75									†	
	2-Wire VG Loop/Port Combo - Zone 3		3		1	49 62										
UNE	oop Rates					-						-				
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11 77										
- 1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	ÜEPRG	UEPLX	22 39										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48 26										↓
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															+
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1		UEPRG	UEPRD	1 36	66 91	31 29		1			1			1
1.004	Res	-	 	UEPKG	ÜEPKD	1 30	16 00	31 29		+	1	 	-	 	1	+
LOCA	L NUMBER PORTABILITY Local Number Portability (1 per port)	-	-	UEPRG	LNPCP	3 15	0 00	0 00		+			—			
EEAT	URES			OLI NO	EIN OI		0.00	0.00		+						
TEA.	All Features Offered		<u> </u>	UEPRG	UEPVF	0 00	0 00	0 00		+						1
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		·													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAC2		7 68	1 85								
-	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>							<u> </u>	1			<u> </u>		
	Conversion - Switch with Change		L	UEPRG	USACC		7 68	1 85		1				ļ	ļ	
ADDI	TIONAL NRCs									 	<u> </u>	ļ	 		ļ	+
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0 00	0 00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt							7 11								
	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u> </u>	 		+	-	7 11			-	 	-			<u> </u>	+
	Premise	ļ		UEPRG	URETL		8 33	0 83			ļ <u> </u>	ļ				+
IOEE/	ON PREMISES EXTENSION CHANNELS	l			P2JHX	14 93	102 10	65 72		1	 		 		+	+
UFFA	Local Channel Voice grade, per termination		1	UEPRG												

NRONDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment [.] 2	Exhi	ibit [,] B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Order vs
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	50 46	102 10	65 72			1					
INTE	ROFFICE TRANSPORT	<u> </u>														L
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	22 60	39 36	26 62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile]											
	or Fraction Mile			UEPRG	U1TVM	0 013	0 00	0 00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)									I						
UNE	Port/Loop Combination Rates												ļ. <u></u>			
	2-Wire VG Loop/Port Combo - Zone 1		1			13 13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23 75										
	2-Wire VG Loop/Port Combo - Zone 3	Ĺ	3			49 62										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	L	2	UEPPX	UEPLX	22 39										ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48 26										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)			<u>.</u> .												
		ĺ													1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ		UEPPX	UEPPC	1 36	66 91	31 29			1					
	Line Side Unbundled Outward PBX Trunk Port - Bus	1		ÜEPPX	UEPPO	1 36	66 91	31 29								
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 36	66 91	31 29								
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana															
	Calling Port		ľ	UEPPX	UEPL2	1 36	66 91	31 29								
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 36	66 91	31 29								
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 36	66 91	31 29								
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPPX	UEPXB	1 36	66 91	31 29								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	ÜEPXC	1 36	66 91	31 29]					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 36	66 91	31 29								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								i							
- 1	Capable Port	i		UEPPX	UEPXE	1 36	66 91	31 29								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional										1					
i	Calling Port		1	UEPPX	UEPXK	1 36	66 91	31 29	1							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			1												
- 1	Administrative Calling Port		1	UEPPX	UEPXL	1 36	66 91	31 29								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	T	1							T	ľ				1	
- 1	Room Calling Port		l	UEPPX	UEPXM	1 36	66 91	31 29	1						1	ľ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital														1	
	Discount Room Calling Port		i	UEPPX	UEPXO	1 36	66 91	31 29								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			I						1						
	Discount Calling Port			UEPPX	UEPXP	1 36	66 91	31 29	L	<u> </u>				L	L	<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 36	66 91	31 29								
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0.00	0 00								
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1									1					
ł	Conversion - Switch-As-Is		ļ	UEPPX	USAC2		7 68	1 85					1		1	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1													
	Conversion - Switch with Change	1		UEPPX	USACC		7 68	1 85		1						1
ADDI	TIONAL NRCs	T	1													1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														_	
	Subsequent Activity	1	1	UEPPX	USAS2	0.00	0 00	0.00		1	<u>i </u>			L		L
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1								1					
- 1	Group	[7 11	7 11	L		<u>L</u>					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	İ				ĺ		_								
	Premise	1		UEPPX	URETL		8 33	0 83		1	l		L			
OFF/	ON PREMISES EXTENSION CHANNELS					i i								1		
	Local Channel Voice grade, per termination	† · · · · ·	1	UEPPX	P2JHX	14 93	102 10	65 72			T					
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25 35	102 10	65 72	1	1					1	

BUNDLED NE	TWORK ELEMENTS - Louisiana												Attach	ment 2	Exhi	bit [,] B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Order v Electror Disc Ad
						D	Nonrec	urring	Nonrecurrin	g Disconnect				Rates (\$)		
				-		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Local	Channel Voice grade, per termination		3	UEPPX	P2JHX	50 46	102 10	65 72								
	E TRANSPORT			-												
	office Transport - Dedicated - 2 Wire Voice Grade - Facility										1	1				
	nination		1	UEPPX	U1TV2	22 60	39 36	26 62								
	office Transport - Dedicated - 2 Wire Voice Grade - Per Mile										1					
	raction Mile			UEPPX	U1TVM	0 013	0 00	0.00								
	CE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	rT														
	oop Combination Rates															
	re VG Coin Port/Loop Combo – Zone 1		1			13 13										
2-Wii	re VG Coin Port/Loop Combo – Zone 2		2		I	23 75				l						
2-Wii	re VG Corn Port/Loop Combo – Zone 3		3			49 62										
UNE Loop R																
	re Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11 77				1	1			1	ļ	
	re Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22 39					1					_
2-Wii	re Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48 26					1					
	e Grade Line Ports (COIN)										1		1			L
	re Coin 2-Way without Operator Screening and without														1	1
	king (AL, KY, LA, MS)			UEPCO	UEPRF	1 36	38 85	19 08								
2-Wii	re Coin 2-Way with Operator Screening and Blocking 011, 976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1 36	38 85	19 08								
	ire Coin 2-Way with Operator Screening and 011 Blocking			02.700	102.70							T .				
	LA, MS)			UEPCO	UEPRB	1 36	38 85	19 08								
	re Coin 2-Way with Operator Screening & Blocking			02.00	100.110					†	*			1		
	976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1 36	38 85	19 08					ļ		1	
	ire Coin Outward without Blocking and without Operator		+	02.00										1		
	ening (KY, LA, MS)	1		UEPCO	UEPRN	1 36	38 85	19 08					ļ		ĺ	
2-1/1	ire Corn Outward with Operator Screening and 011 Blocking		-		7									T		T
(LA)		l		UEPCO	UEPLA	1 36	38 85	19 08		ŀ			1			1
	ire Coin Outward with Operator Screening and Blocking			1										1		
	900/976, 1+DDD (AL, KY, LA, MS)		1	UEPÇO	UEPRH	1 36	38 85	19 08	1	ì					1	1
	re Coin Outward Operator Screening & Blocking 900/976,		!		-											1
1+0	DD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1 36	38 85	19 08		1				1		
	ire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1 36	38 85	19 08								
	ire Coin Outward Smartline with 900/976 (Louisiana only)		1	UEPCO	UEPCB	1 36	38 85	19 08								
	L UNE COIN PORT/LOOP (RC)		+													
	Coin Port/Loop Combo Usage (Flat Rate)		 	UEPCO	URECU	1 81	0.00	0 00	0.00	0.00)		Ĭ			
	MBER PORTABILITY									1			1			
	Number Portability (1 per port)	1		UEPCO	LNPCX	0 35	-									
NONRECUR	RING CHARGES - CURRENTLY COMBINED															
	ire Voice Grade Loop / Line Port Combination - Conversion -	1				-			}			1		1		
	ch-as-is	1		UEPCO	USAC2		0 10	0 10	1	L			l		L	
	ire Voice Grade Loop / Line Port Combination - Conversion -		T													
	ch with change		1	UEPCO	USACC		0 10	0 10	1	1		i .				
ADDITIONAL			 	·								T				
12-W1	ire Voice Grade Loop/Line Port Combination - Subsequent											1				
Activ				UEPCO	USAS2		0 00	0.00				<u> </u>				
	undled Miscellaneous Rate Element, Tag Loop at End User		T					·								i i
Prem	•			UEPCO	URETL		8 33	0 83	L	1				<u> </u>	1	1
2-WIRE VOI	CE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT ((RES)					T				1			<u> </u>
	pop Combination Rates	Γ.	Τ	T -	···				l							1
	ire VG Loop/IO Tranport/Port Combo - Zone 1		1			16 45										
	ire VG Loop/IO Tranport/Port Combo - Zone 2		2			26 87										1
	ire VG Loop/IO Tranport/Port Combo - Zone 3		3			51 98									<u> </u>	1
UNE LOOP F			T -													
	ire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14 93										+
	ire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25 35				1				<u> </u>		+-
	ire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFR	UECF2	50 46								1		-l
	e Grade Line Port Rates (Res)		T	†										1	ļ	+
	ire voice unbundled port - residence		1-	UEPFR	UEPRL	1 52	104 41	67 93		T					L	

BONDLED &	NETWORK ELEMENTS - Louisiana												Attach	ment 2	Exhi	bit. B
											Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremen Charge
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual S Order ve Electroni Disc Add
							Nonrec	urrina	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-V	Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1 52	104 41	67 93								
	Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 52	104 41	67 93								
	Wire voice Grade unbundled Louisiana extended local dialing						_									
pa	arity port with Caller ID - res			UEPFR	UEPAS	1 52	104 41	67 93			1					
	Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEPFR	UEPAG	1 52	104 41	67 93								
2-V	Wire voice unbundles res, low usage line port with Caller ID UM)			UEPFR	UEPAP	1 52	104 41	67 93								
	Wire Voice Unbundled Louisiana Residence Dialing Plan			DEF T T	1027711	. 02	10441	0, 50	· · · · · · · · · · · · · · · · · · ·	·						····
	thout Caller ID			UEPFR	UEPWG	1 52	104 41	67 93			1 1					
	FICE TRANSPORT				T						1					
	teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	ermination			UEPFR	U1TV2	22 60	39 36	26 62								
Inte	teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile													-		
or	Fraction Mile			UEPFR	1L5XX	0 013					1					
FEATURE	:S															
	Features Offered			UEPFR	UEPVF	0 00	0.00	0 00								
	UMBER PORTABILITY												·			
Loc	ocal Number Portability (1 per port)			UEPFR	LNPCX	0 35					ļ		-			
NONRECU	URRING CHARGES (NRCs) - CURRENTLY COMBINED															
	Wire Loop / Dedicated IO Transport / 2 Wire Line Port				ĺ						!					
	ombination - Conversion - Switch-as-is			UEPFR	USAC2		8 24	1 81								
	Wire Loop / Dedicated 10 Transport / 2 Wire Line Port									i						•
	ombination - Conversion - Switch-With-Change			UEPFR	USACC		8 24	1 81								
En	nbundled Miscellaneous Rate Element, Tag Designed Loop at nd User Premise			UEPFR	URETN		11 20	1 10								
	OICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (BUS)							<u> </u>					
	Loop Combination Rates									<u> </u>						
	Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16 45										
	Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26 87										
	Wire VG Loop/IO Tranport/Port Combo - Zone 3		3	1		51 98										
UNE Loop			1	UEPFB	UECF2	14 93				1						
	Wire Voice Grade Loop (SL2) - Zone 1 Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	ÜECF2	25 35				+	<u> </u>			_		-
	Wire Voice Grade Loop (SL2) - Zone 2 Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50 46				+						
	ice Grade Line Port (Bus)			OLI I D	02012	30 40					1					
	Wire voice unbundled port without Caller ID - bus		 	UEPFB	UEPBL	1 52	104 41	67 93			· · · - · ·					
	Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1 52	104 41	67 93			<u> </u>					
	Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 52	104 41	67 93								
	Wire voice Grade unbundled Alabama extended local dialing									1			-			
par	anty port with Calier ID - bus Wire voice Grade unbundled Louisiana extended local dialing			UEPFB	UEPAW											
	wire voice Grade unbundled Lodislana extended local dialing inty port with Calter ID - bus			LIEPER	UEPAX	1 52	104 41	67 93		1						
	Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1 52	104 41	67 93		-						
2-V	Wire voice unbundled Louisiana Bus Area Calling Port with alter ID (BUC)			UEPFB	UEPAA	1 52	104 41	67 93								
	Wire Voice Unbundled Louisiana Business Dialing Plan			UCFFB	OLFAN	1 32	104 47	- 07 33		+						
	thout Caller ID			UEPFB	UEPWH	1 52	104 41	67 93								
	UMBER PORTABILITY			OCF I B	OEI WIII	1 32	10441	0, 00			 					
	ocal Number Portability (1 per port)		\vdash	UEPFB	LNPCX	0 35				<u> </u>	†					
	FICE TRANSPORT									—						
	teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility									1						
Ter	ermination			UEPFB	U1TV2	22 60	39 36	26 62			-					
or	teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile Fraction Mile			UEPFB	1L5XX	0 013										
FEATURES				LIEBER	LUEN =			5.55		-						
1 140	Features Offered	1	I	UEPFB	UEPVF	0 00	0.00	0 00		i	l					

NRONDEED	NETWORK ELEMENTS - Louisiana											r=		ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates (\$)		
- 	2 W - 1 1 D - 1 1 D T 1 (2 W - 1 D - 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		8 24	1 81	ĺ							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	UCFFB	USACZ		0 24	101		 						
	Combination - Conversion - Switch with change			UEPFB	USACC		8 24	1 81		1						
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	02.10	00/100		- 02.									
	End User Premise		Ì	UEPFB	URETN		11 20	1 10								
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (PBX)				•								
	rt/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16 45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26 87										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51 98										-
	op Rates			UEDED	UEOE0	44.00									ļ	
 	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	ļ		UEPFP UEPFP	UECF2	14 93 25 35				 						
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	50 46								-		
	/orce Grade Line Port Rates (BUS - PBX)		-	02111	UCUF2	QU 40				 	 			-		
2-44116-4	once Grade Line Fort Nates (DOS - FBX)		 							 						
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 52	132 47	82 14								
	ine Side Unbundled Outward PBX Trunk Port - Bus		l	UEPFP	UEPPO	1 52	132 47	82 14								
	Line Side Unbundled Incoming PBX Trunk Port - Bus		i i	UEPFP	UEPP1	1 52	132 47	82 14								
1	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana															
	Calling Port		<u> </u>	UEPFP	UEPL2	1 52	132 47	82 14								L
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 52	132 47	82 14								
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 52	132 47	82 14		L						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		!	UEPFP	UEPXB	1 52	132 47	82 14								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		ļ	UEPFP UEPFP	UEPXC	1 52 1 52	132 47 132 47	82 14 82 14		-						-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		-	UEPFP	UEPAU	1 52	132 47	82 14			-			-		
	Capable Port		l	UEPFP	UEPXE	1 52	132 47	82 14								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			OLI II	OLI XL	1 32	132 47	02 14								
	Calling Port		Į	UEPFP	UEPXK	1 52	132 47	82 14								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1											
	Administrative Calling Port		1	UEPFP	UEPXL	1 52	132 47	82 14		l				j		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
	Room Calling Port			UEPFP	UEPXM	1 52	132 47	82 14								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1 52	132 47	82 14								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local		1	l												1
	Discount Calling Port			UEPFP	UEPXP	1 52	132 47	82 14								
1.0041	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY		ļ	UEPFP	UEPXS	1 52	132 47	82 14								
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00		-						
	FFICE TRANSPORT		-	OEFFF	LINECE	3 13	0.00	0.00			1					
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility		t	· · · · · · · · · · · · · · · · · · ·						-	 					
	Termination			UEPFP	U1TV2	22 60	39 36	26 62								
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		t		1=111=											
	or Fraction Mile		l	UEPFP	1L5XX	0 013										
FEATUR																
	All Features Offered			UEPFP	UEPVF	0 00	0 00	0.00								
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															-
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			10400					1						Ì
	Combination - Conversion - Switch-as-is		ļ	UEPFP	USAC2		8 24	1 81								t
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		LIEDED	LICACO			1 81								Į.
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at		!	UEPFP	USACC		8 24	181		-		-				-
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at Element and Designed Loop at Element and Designed Loop at Element			UEPFP	URETN		11 20	1 10								i
BUND! ED P	DRT/LOOP COMBINATIONS - COST BASED RATES		t	0=111	Q144,114		1120	1.10								
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	t	<u> </u>						 						
	t/Loop Combination Rates															

<u>UNBUNDL</u>	LED NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	ıbit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental	Incremental Charge -		Incrementa Charge - Manual Sv Order vs.
				 		<u> </u>		— ii								DISCISC	DISC Add I
			+	1		 	Rec	Nonred First	urring Add'l		g Disconnect	201150	001111		Rates (\$)		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	 		 	23 20	FIFST	Addi	First	Add'I	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	+	2	1		 	33 62			-	-						
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	+	3	 		-	58 73										
LINE	Loop Rates	+	1	 		 	30 / 3										
- 0.112	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	 	 1	UEPPX		UECD1	14 93			 	 						
- t	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX		UECD1	25 35			 							-
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	 	3	UEPPX		UECD1	50 46			 -							
UNE	Port Rate	1	<u> </u>	102		OLOD.	00 40					-					
	Exchange Ports - 2-Wire DID Port	+	+	ÜEPPX		UEPD1	8 27	217 95	83 92	 		 					1
NON	RECURRING CHARGES - CURRENTLY COMBINED		1	<u> </u>		102.01	- UZ/	211 30	00 02		 	 					+
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination	-	1-	 						 		 					
ĺ	Switch-as-is	1	1	UEPPX		USAC1	i	7 10	1.81	1	i				1	;	ł
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	t	† 		- 21 1-21		0		t	1						
	with BellSouth Allowable Changes	1		UEPPX		USA1C		7 10	1 81	I							
ADD	DITIONAL NRCs	1	1			1 1					 						
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26 01	26 01	1	 						
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			1							<u> </u>						
	End User Premise			UEPPX		URETN		11 20	1 10								
Tele	phone Number/Trunk Group Establisment Charges	1															
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0 00	0 00	0 00	1							
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0 00	0 00	0 00			1					
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	••	ND5	0.00	0 00	0 00								
	Reserve Non-Consecutive DID numbers		1	UÉPPX		ND6	0 00	0.00	0 00			1					
	Reserve DID Numbers			UEPPX		NDV	0.00	0 00	0 00								·
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3 15	0.00	0 00								
	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SIDE	PORT	ſ													
UNE	Port/Loop Combination Rates		<u> </u>	L .								I					
i	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1														
	UNE Zone 1	1	1	UEPPB	UEPPR		27 48										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1															
	UNE Zone 2	<u> </u>	2	UEPPB	UEPPR		40 34										L
j	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		l _	l													
	UNE Zone 3		3	UEPPB	UEPPR		70 99				ļ						
UNE	Loop Rates		<u>. </u>								_						!
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19 09										L
			١ ـ										1				l .
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	ļ	2	UEPPB	UEPPR	USL2X	31 95										1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62 60					L					I
UNE	Port Rate Exchange Port - 2-Wire ISDN Line Side Port	-	-	UEPPB	UEPPR	UEDDD	8 39	467.78									
NON	RECURRING CHARGES - CURRENTLY COMBINED	.		UEPPB	UEPPR	UEPPB	8 39	184 10	128 42	<u> </u>							
NON		 															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion	1		UEDDD	UEPPR	LICACD	0.00	77.40	20.00							j	ı
ADD		 		UEPPB	UEPPR	USACB	0 00	37 40	26 23								
AUU	ITIONAL NRCs	-										1					
l	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	1		UEPPB	HEDDD	LIDETN 1		44.00	4.40			1 1					l .
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-		UEPPB	UEPPR	URETN		11 20	1 10								
				UEPPB	UEPPR	URETL		8 33	0.83				l				ſ
LOC	Premise AL NUMBER PORTABILITY	+	-	UEPPB	JEFFR	OKEIL		0 33	0 83								
1.00	Local Number Portability (1 per port)	+	├	UEPPB	UEPPR	INPCY	0 35	0 00	0 00	-	+			-			
R.CU	HANNEL USER PROFILE ACCESS:	+		JLI FB	ULIFER	L(41 U/	0.33	0.00	0.00		-	\vdash					
D-CH	CVS/CSD (DMS/5ESS)		<u> </u>	UEPPB	UEPPR	U1UCA	0 00	0 00	0 00		 		-				
	CVS (EWSD)	 	 	UEPPB		U1UCB	0 00	0 00	0 00		 		-				ſ
	CSD	1				U1UCC	0 00	0 00	0 00		 	 			•		
В-СН	IANNEL AREA PLUS USER PROFILE ACCESS. (AL,KY,LA,MS S	C.MS. &	TN	7	····	+	- 000	- 000	- 000		 	 					í
	CVS/CSD (DMS/5ESS)	T	······	UEPPB	UEPPR	UTUCO	0 00	0 00	0.00	•••	ļ	 			-		
ı			1								1						
	CVS (EWSD)			UEPPB	UEPPR	IUIUCE	0 00	0.00	0 00	l .		1	1				•

UNBUNDLE	D NETWORK ELEMENTS - Louisiana														ment 2	Exhi	ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	ıcs	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs, Electronic- Add'l	Charge -	Charge -
		1					Rec	Nonrec			ng Disconnect	001450	SOMAN		Rates (\$)	SOMAN	SOMAN
HEED	TERMINAL PROFILE	+	<u> </u>			1		First	Add'l	First	Add'1	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
USER	User Terminal Profile (EWSD only)	+	1	UEPPB	UEPPR	LITLIMA	0.00	0.00	0 00			+					
VEDTU	CAL FEATURES			OLFFB	OLITIN	OTOMA	0 00	0.00	0.00	 	-	+	-				
VERTIN	All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	LIEPVE	0 00	0 00	0 00			+			 		-
INTER	OFFICE CHANNEL MILEAGE	1		02		J	1 333				1	1					1
	Interoffice Channel mileage each, including first mile and		1								1						
	facilities termination			UEPPB	UEPPR	M1GNC	22 613	39 36	26 62			1	l				
	Interoffice Channel mileage each, additional mile		1	UEPPB	UEPPR	M1GNM	0 013	0 00	0.00								
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT	1														
The Ut	NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embe	lded base	in place a	s of 10/2/03 i	until 4/1/04 Aft	er 4/1/04 these	rates shall re	vert to tariff ra	ites or a separa	te commerc	ial agreeme	nt			
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Trunk Pe	ort afte	r the effec	tive date c	of this amend	lment shall be p	provided pursi	rant to a separ	rate agreemen	t or tariff at Be	ISouth's dis	scretion.				
UNE P	ort/Loop Combination Rates											ļ					1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			180 52										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			289 78										
	AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			586 76										
UNE L	oop Rates	1	Ī					•									
	4-Wire DS1 Digital Loop - UNE Zone 1	Ī	1	UEPPP		USL4P	85 70										
-	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194 96										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491 94										
UNE P	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)	L		UEPPP		UEPPP	94 82	443 08	251 60								
NONRE	CURRING CHARGES - CURRENTLY COMBINED	1	ļ.,														
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E 4/1/2004)			UEPPP		USACP	0 00	115 63	76 29								
ADDIT	ONAL NRCs	L	1									4					
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1														1	ŀ
	Inward/Iwo way Tel Nos (except NC)	+	-	UEPPP		PR7TF		0 48				-	-		 		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	1	UEPPP		PR7TO		11 18	11 18	ļ							
	Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		 	UEPPP		PRATO		11.10	1110		-	 	-		 	 	
ŀ	Subsequent Inward Tel Numbers		ĺ	UEPPP		PR7ZT		22 35	22 35	}							1
LOCAL	NUMBER PORTABILITY	+	+	ULITE		17721		22 33	22 00		<u> </u>					1	+
LOCAL	Local Number Portability (1 per port)	 	1	UEPPP		LNPCN	1 75	-				†					
INTER	FACE (Provsioning Only)		1								+	 					1
	Voice/Data	 	1	UEPPP		PR71V	0.00	0.00	0 00	1		Ì					1
	Digital Dala			UEPPP		PR71D	0 00	0 00	0 00		1						
	Inward Data	<u> </u>		UEPPP		PR71E	0 00	0.00	0 00								
New or	Additional "B" Channel										ļ						
	New or Additional - Voice/Data B Channel	1		UEPPP		PR7BV	0.00	14 11		ļ	1						
	New or Additional - Digital Data B Channel		!	UEPPP		PR7BF	0 00	14 11		ļ	-	1			-		
	New or Additional Inward Data B Channel	4	-	UEPPP		PR7BD	0 00	14 11			1	 				-	
CALL	TYPES	-	+	UEPPP		PR7C1	0.00	0.00	0.00		+	+	-		 	+	+
	Inward	1	+	UEPPP		PR7C0	0.00	0 00	0.00	 	+	 		 		 	
	Outward	+	 	UEPPP		PR7CC	0 00	0.00	0.00		+	1			 	 	+
Interes	Two-way fice Channel Mileage		+	UCFFF	_	I NOC	0.00		7.00		 	 					
Interor	Fixed Each Including First Mile	+-	+	UEPPP	-	1LN1A	70 7352	86 69	79 44	t	+	 	1				1
	Each Arline-Fractional Additional Mile	1	+-	UEPPP		1LN1B	0 2652	55 55	- · · · · ·		1	1	 	1	<u> </u>	1	1
4-WIRI	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	 	† 		1					1	1		· -			
The U	NE-P DS1 combination rates below for in this rate exhibit app	y to the	embe	ded base	in place a	s of 10/2/03	until 4/1/04 Aft	er 4/1/04 these	rates shall re	vert to tariff ra	tes or a separa	te commerc	ial agreeme	nt.			I
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef																
	ort/Loop Combination Rates			T											1		1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		Ι	154 17								1	ļ	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC			263 43				1		ļ	ļ	ļ		+
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		L	560 41			ļ		1	<u> </u>	ļ	 		+
UNE L	oop Rates						<u> </u>		l		1		<u> </u>	L	L	L	

UNB	JNDLE	D NETWORK ELEMENTS - Louisiana	_				T -					1_			ment: 2		bit B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	ļ			ļ			Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	-	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85 70	LILS!	Addi	First	Auu i	SOWIEC	SOWAN	JONIAN	JUNIAN	SUMAN	SOMAN
	+	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194 96			 							
	 	4-Wire DS1 Digital Loop - UNE Zone 3	_		UEPDC	USLDC	491 94										
	UNE P	ort Rate		Ť	02.20	3020											
		4-Wire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC	UDD1T	68 47	441 34	245 90								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED				1			i								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		Ì			· · · · · · · · · · · · · · · · · · ·		Ì						·		
		- Switch-as-is (E 4/1/2004)			UEPDC	USAC4		125 75	65 08			Į.					
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E 4/1/2004)			UEPDC	USAWA		125 75	65 08								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				l											
	_	- Conversion with Change - Trunk (E 4/1/2004)		ļ	UEPDC	USAWB		125 75	65 08			<u> </u>					
	ADDIT	ONAL NRCs		<u> </u>		 						-					
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA	i	14 06	14 06								
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		+	DEPDC	IODITA		14 00	14 00								-
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14 06	14 06				1				
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel	<u> </u>	 	02.20	100110											
		Activation/Chan Inward Trunk w/out DID	ļ		UEPDC	UDTTC		14 06	14 06				1				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan				1											
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14 06	14 06								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation / Chan - 2-Way DID w User Trans		L	UEPDC	UDTTE		14 06	14 06								
	BIPOL	AR 8 ZERO SUBSTITUTION															
	<u> </u>	B8ZS -Superframe Format	<u> </u>	 	UEPDC	CCOSF		0 001	605 00s								
	ļ	B8ZS - Extended Superframe Format	<u> </u>	<u> </u>	UEPDC	CCOEF		0 001	605 00s								
	Alterna	ate Mark Inversion		1	UEPDC	MCOSF		0 00	0 00	ļ			·				ļ
	 -	AMI - Superframe Format AMI - Extended SuperFrame Format		-	UEPDC	MCOPO		0.00	0 00			 	 				
	Talenh	one Number/Trunk Group Establisment Charges		1	OEF OC	WICOFO			0.00	 		· · · · · · · · · · · · · · · · · · ·	 				
	relepii	Telephone Number for 2-Way Trunk Group	<u> </u>	1	UEPDC	UDTGX	0 00			1							
	1	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00										†
	1	Telephone Number for 1-Way Inward Trunk Group Without DID		1	UEPDC	UDTGZ	0.00						1				
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00								-		
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	I	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00								
	1	Reserve DID Numbers	<u></u>	J	UEPDC	NDV	0 00	0.00	0.00								
	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	Loop	with 4-Wire DDITS	Trunk Port											-
	1	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			UEPDC	1LNO1	70 47	86 69	79 44	1			1		Į.		-
	-	Termination)	-		VEFUC	ILINOI	/04/	00 09	1944	1							-
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 2652	0 00	0 00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0 00	0 00	0 00								
	+	Interoffice Channel Mileage - Additional rate per mile - 9-25	-	1	DEPDC	ILNO2	0 00	0.00	0.00	1		<u> </u>	-				-
		Initeronice Chariner Mileage - Additional rate per filile - 9-25			UEPDC	1LNOB	0 2652	0.00	0.00	1							1
	+	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	 	+	 	1	5 2 5 5 2		1 30	1						<u> </u>	
		Termination)		ļ	UEPDC	1LNO3	0 00	0 00	0 00	0 00			-				
	1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0 2652	0 00	0 00				1		I	į	
	1	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0 00	0 00		L					
		Central Office Termininating Point			UEPDC	CTG	0 00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT															ļ
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act							ļ	ļ l					.		
	Each S	ystem can have up to 24 combinations of rates depending on	type a	nd nun	ber of ports used		lu A - Ab	44-46	1	2/02	A 54 414 IP 1	16	abalticara 1	to toriff	DE D DE T TT		
		E-P DS1 combination rates below for 4-Wire DS1 Loop with (sts for 4-Wire DS1 Loop with Channelization with Port after th											snan revert	to tariff rates	or a separate	agreement	
		sts for 4-wire 051 Loop with Channelization with Port after th S1 Loop	e eneci	ive dat	e or ints amendmer	ıı snan be pro	ovided pursuar	it to a separate	agreement or	Lann at DenSou	ui s uiscretti]			 		
	ONE D	4-Wire DS1 Loop - UNE Zone 1	1	+	UEPMG	USLDC	85 70	0.00	0.00	 		 	 		l		-
	1	14-AALE DOT FOOD - DIAC SOLE I	1		IOEL MIG	LOGEDO	00 /0	1 000	3 60	L		J	L	<u> </u>	L		

TOURDE		NETWORK ELEMENTS - Louisiana			1	-						1-			ment 2		bit. B
TEGORY		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			į.	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
							Rec	Nonre	urring		Disconnect			oss	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	194 96	0.00	0.00			<u> </u>					
		4-Wire DS1 Loop - UNE Zone 3	L.,	3	UEPMG	USLDC	491 94	0.00	0 00	<u> </u>							
UNE		O Channelization Capacities (D4 Channel Bank Configuratio	ns)	L								ļ					
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97 35	0.00	0 00								
		48 DSO Channel Capacity - 1 per 2 DS1s		-	UEPMG	VUM48	194 70	0.00	0.00			ļ					
_		96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s		-	UEPMG UEPMG	VUM96 VUM14	389 40 584 10	0 00	0 00								
		192 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM19	778 80	0 00	0 00			ļ					
_		240 DS0 Channel Capacity - 1 per 8 DS1s		 	UEPMG	VUM2Q	973 50	0 00	0 00			 			_		
		288 DS0 Channel Capacity - 1 per 10 DS1s		 	UEPMG	VUM28	1,168 20	0 00	0.00			 					
		384 DS0 Channel Capacity - 1 per 16 DS1s		 	UEPMG	VUM38	1,557 60	0 00	0 00	 		1					
		480 DS0 Channel Capacity - 1 per 20 DS1s	 	 	UEPMG	VUM4O	1,947 00	0 00	0.00	 		<u> </u>	 				-
_		576 DS0 Channel Capacity -1 per 24 DS1s		1	UEPMG	VUM57	2,336 40	0.00	0 00								
-+-		372 DS0 Channel Capacity - 1 per 28 DS1s	-		UEPMG	VUM67	2,725 80	0 00	0.00								
Non-		curring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chanr	neliztio					000	1							
		num System configuration is One (1) DS1, One (1) D4 Channe										· · · · · · · · · · · · · · · · · · ·	I				
		s of this configuration functioning as one are considered Ad								!							
		NRC - Conversion (Currently Combined) with or without	T			Ť											_
	E	BellSouth Allowed Changes		1	UEPMG	USAC4	0 00	146 13	8 12								
Syste	em .	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Com	bination Curre	ntly Exists and		-			1					
New		t Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s												
		DS1/D4 Channel Bank - Additionally Add NRC for each Port	[
		and Assoc Fea Activation (E 4/1/2004)			UEPMG	VUMD4	0 00	715 54	467 54								
Bipo		8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0 00	0 001	605 00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only		ļ	UEPMG	CCOEF	0.00	0 001	605 00s								
Alter		e Mark Inversion (AMI)		ļ	UEPMG	MCOSF	0.00	0.00	0.00	-		_					
-		Superframe Format		 	UEPMG		0 00	0 00	0 00	ļ					-		
Fuels		Extended Superframe Format are Ports Associated with 4-Wire DS1 Loop with Channelization	an sadah	D	UEPNIG	МСОРО	0 00	0 00	0 00			 -					
		ge Ports Associated with 4-Wire 051 Loop with Channelization	i with	FOIL													
Excn		ine Side Combination Channelized PBX Trunk Port - Business		<u> </u>		-					8					-	
		E 4/1/2004)	i		UFPPX	UEPCX	1 52	0 00	0 00	0 00	0 00						
_		ine Side Outward Channelized PBX Trunk Port - Business			DELLY	OLI OX	1 32	0.00	0.00	0.00	0.00						-
		E 4/1/2004)			UEPPX	UEPOX	1 52	0 00	0 00	0 00	0 00	1				ĺ	
		ine Side Inward Only Channelized PBX Trunk Port without DID			DEITA	TOL! OK	1 02	0.00	0 00	0.00	0.00						
- 1		E 4/1/2004)	ł		UEPPX	UEP1X	1 52	0 00	0 00	0 00	0 00	1	1				
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1		1021 17			0.00		0 00			· ·			
		E 4/1/2004)			UEPPX	UEPDM	8 29	0 00	0 00	0 00	0.00						
		Jnbundled Exchange Ports, 2-Wire Channelized – Outdial –		_													
ľ		AL, KY, LA, MS, & TN)(Conversion from Network Access]	1		Ī						1	1				
- 1		Service) (E.4/1/2004)		1	UEPPX	UEPCY	1 52	0.00	0 00	0 00	0.00						
		John John Strange Ports, 2-Wire Channelized - Combination								-							
		AL, KY, LA, MS, & TN) (Conversion from Network Access	1														
	5	Service) (E:4/1/2004)			UEPPX	UEPCT	1 52	0 00	0 00	0 00	0 00						
	T	Jnbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	L	ouisiana Only - Calling Plan (E 4/1/2004)		!	UEPPX	UEPC2	1 52	0 00	0 00	0 00	0 00						ł
1	i	Inbundled Exchange Ports, 2-Wire Channelized - Two Way -				1											
		ouisiana Onty - Calling Plan (E 4/1/2004)			UEPPX	UEPC3	1 52	0 00	0 00	0 00	0 00						
Featu		Activations - Unbundled Loop Concentration															
		eature (Service) Activation for each Line Port Terminated in D4														1	
		Bank			UEPPX	1PQWM	0 6497	25 36	13 40								<u> </u>
		Feature (Service) Activation for each Trunk Port Terminated in															
		04 Bank			UEPPX	1PQWU	0 6497	78 05	18 40								
Telep		ne Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00	0 00	0 00								
		DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0 00	0.00	0.00	1						1	I

JNBUNDLEI	D NETWORK ELEMENTS - Louisiana												Attach	ment 2	Exhi	bit B
ATEOODY.	DAYE ELEMENTO	Interi		not.	Heac		,	DATES (A)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge Manual S
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs Electronic- 1st	Order vs. Electronic- Add'l	Order vs Electronic- Disc 1st	Order v Electron Disc Ad
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Non-Consecutive DID Numbers - per number		ļ	UEPPX	ND5	0 00	0 00	0 00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0.00								<u> </u>
	Reserve DID Numbers	1		UEPPX	NDV	0 00	0 00	0.00								
	lumber Portability	<u> </u>	<u> </u>								ļ					
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00			ļ					
	RES - Vertical and Optional		ļ	<u>. </u>												
	witching Features Offered with Line Side Ports Only All Features Available		-	UEPPX	UEPVF	0.00	0 00	0.00		ļ <u> </u>						
	All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	<u> </u>	-	UEPPX	DEPVE	0.00	0.00	0.00								
	Based Rates are applied where BellSouth is required by FCC		State C	Samuelasian mila ta	- I I I I I I I I I I I I I I I I I I I	undlad Lacal Cu	ultables as Cu	deals Davids		 	 		-		·	-
	ures shall apply to the Unbundled Port/Loop Combination - C								died Destroct	lon of this Date	- Cubible					
	Office and Tandem Switching Usage and Common Transport											oin Bortil o	on Combine	iono		
	first and additional Port nonrecurring charges apply to Not Ci														Additional NE	Co may
	isst and additional Fort homecuring charges apply to Not Co	urrentiy	COMID	med Combos. For	currently co	indined Contbo	s, the nomect	ining charges	SHAN DE LIVOS	riuentineu in t	ne Nomecu	ring - curre	indy Combin	eu sections.	Additional Ni	CS IIIay
	ket Rates for Unbundled Centrex Port/Loop Combination will	he nege	strated	on an Indusidual Ca	en Baere uni	ul further notice		· · · · · · · · · · · · · · · · · · ·						1	T	1
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Juaieu	On an individual Ca	Se Dasis, um	in turther notice				+	 	-				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	/	├							+					-	
	ort/Loop Combination Rates (Non-Design)									-		-				-
UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	<u> </u>	-													-
	Non-Design	1	1	UEP91		13 13					1			l		ł
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OL 1 31		10 10				1						-
	Non-Design		2	UEP91		23 75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 -	OCI OI	-	23.13								-		-
1	Non-Design		3	UEP91		49 62								ŀ	j	
LINE DO	ort/Loop Combination Rates (Design)	_	-	JC. U.		70 02				 	····			-		
- JUNE 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 													
	Design		1 1	UEP91		16 29									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														1	
1	Design		2	UEP91		26 71									!	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	T														
	Design		3	UEP91		48 26										
UNE Lo	op Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	11 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	22 39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	48 26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	14 93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	25 35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	50 46				-				ļ	 	<u> </u>
UNE Po											<u> </u>					
	es (Except North Carolina and Sout Carolina)															L
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1							I		l i				
	Area			UEP91	UEPYB	1 36	38 85	19 08								
- 1 - 1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic		1	UEBO4		4.00	22.05	40.00				-				l
	Local Area			UEP91	UEPYH	1 36	38 85	19 08		-						ļ.
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP91	UEPYM	1 36	104 41	67 93								l
	Note 2, 3 Basic Local Area			UEP91	UEPTN	1 30	104 41	0/93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPYZ	1 36	104 41	67 93		l					i	İ
	Term - Basic Local Area		 -	UEFSI	UEFIZ	1 30	104 41	0/ 93								-
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area	1		UEP91	UEPY9	1 36	38 85	19 08		1				Ì		1
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	-		OLF 31	OLF 19	1 30	30 03	19 00			-					ļ
		i		UEP91	UEPY2	1 36	38 85	19 08		1					1	1
	Basic Local Area	 		OELAI	06712	1 30	30 63	19 00		+						
AL, KY,	LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex.)	<u> </u>		UEP91	UEPQA	1 36	38 85	19 08			 					
+	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1 36	38 85	19 08		1	 			···		
-	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1 36	38 85	19 08			 					<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	<u> </u>	OLFBI	OLFUT	1 30	30 03	19 00		<u> </u>				t		
														i.		I .

<u>NBUNDL</u>	ED NETWORK ELEMENTS - Louisiana			,										ment. 2		bit [.] B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		+	1		_	Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800										ì		ŀ		ŀ	
	Service Term		1	UEP91	UEPQZ	1 36	104 41	67 93			1					
											1					
	2-Wire Voice Grade Port terminated in on Megalink or equivaler	it .	-	UEP91 UEP91	UEPQ9 UEPQ2	1 36 1 36	38 85 38 85	19 08 19 08								
Lood	2-Wire Voice Grade Port Terminated on 800 Service Terminal Switching		-	UEP91	UEP UZ	1 30	36 63	19 00			1			.		· · · · · · · · · · · · · · · · · · ·
Loca	Centrex Intercom Funtionality, per port	-	+	UEP91	URECS	0.8577		-						-	-	
Loca	al Number Portability	-		02, 01		0 00					·····					
	Local Number Portability (1 per port)			UEP91	LNPCC	0 35						,				·
Feat	tures															
	All Standard Features Offered, per port			UEP91	UEPVF	0 00	-									
	All Select Features Offered, per port			UEP91	UEPVS	0 00	412 25									ļ
	All Centrex Control Features Offered, per port		-	UEP91	UEPVC	0 00					 			-		-
NAR	Unbundled Network Access Register - Combination	+	+	UEP91	UARCX	0.00	0 00	0 00	0 00	0.00	 	ļ	-	-	-	-
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	+	+	UEP91	UAR1X	0 00	0 00	0.00	0 00	0.00			 	 	 	†
\rightarrow	Unbundled Network Access Register - Indial	+		UEP91	UAROX	0 00	0 00	0 00	0 00	0 00						
Misc	cellaneous Terminations	1	+	02.01	- I											
	ire Trunk Side	T									1					
	Trunk Side Terminations, each		1	UEP91	CENA6	8 29	115 85	18 20								
Inter	roffice Channel Mileage - 2-Wire		Ι													
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22 60	39 36	26 62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 013									ļ	
	ture Activations (DS0) Centrex Loops on Channelized DS1 Serv	ICE									-					ļ
D4 C	Channel Bank Feature Activations	 		UEP91	1PQWS	0 6497					-				 	<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	+	+	DEP91	IPQVVS	0 6497	-				1			-	+	
	Feature Activation on D-4 Channel Bank FX line Side Loop Stot	1		UEP91	1PQW6	0 6497		'						i		1
+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	+	1	021 31	11 4110	0 0 10 1					1					
	Slot			UEP91	1PQW7	0 6497	1				}			İ		
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0 6497										
					1						i					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		↓	UEP91	1PQWV	0 6497					ļ			-		ļ
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot			UEP91	1PQWQ	0 6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	_	+	UEP91	1PQWA	0 6497					1					+
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex	_		02/3/	11 211/	- 0 0 4 3 7					 		t			
11011	Conversion - Currently Combined Switch-As-Is with allowed		1 -								+					i –
	changes, per port		1	UEP91	USAC2	į	0 10	0 10								
	Conversion of Existing Centrex Common Block			UEP91	USACN	0 00	36 66	16 10								
	New Centrex Standard Common Block			UEP91	M1ACS	0 00	680 40							ļ		
	New Centrex Customized Common Block			UEP91	M1ACC	0 00	680 40				_		ļ		-	
_	Secondary Block, per Block NAR Establishment Charge, Per Occasion	-		UEP91	M2CC1 UREÇA	0 00	79 31 73 93				 			 		-
Add	litional Non-Recurring Charges (NRC)			UEF91	UNECA	0.00	13 93				1					
Audi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	 	+-								· · · ·			1		
	Premise		1	UEP91	URETL		8 33	0 83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	+	T		1					1		<u> </u>	1	1	1	
	End Use Premise			UEP91	URETN		11 20	1 10		<u> </u>				L		1
	-P CENTREX - 5ESS (Valid in All States)										1				1	
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												ļ			ļ
UNE	Port/Loop Combination Rates (Non-Design)	_	1							ļ			 	 	1	1
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	'†	1.	LIEDOE		40 40	l			l						
-	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	+	+-1	UEP95		13 13		_	 	-	 			 	1	
	Non-Design	1	2	UEP95		23 75							1			1
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		+-	OLF 30	-	20 10						 				
1	Non-Design		3	UEP95		49 62			1	I		1	1	1	1	1

IBUNDLED NE	TWORK ELEMENTS - Louisiana				.									ment 2		bit. B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'l	Charge -	Increment Charge - Manual So Order vs. Electronic Disc Add
						Rec	Nonred			ng Disconnect				Rates (\$)		
			L				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	p Combination Rates (Design)		<u> </u>						ļ	- .						
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i	١.	l											1	!
Desigi			1	UEP95		16 29										
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	LIEDOS		06.74									1	İ
Design			2	UEP95	+ +	26 71			 	+	+			ļ		
Design	e VG Loop/2-Wire Vorce Grade Port (Centrex)Port Combo -		3	UEP95		51 82									1	
UNE Loop Ra			-	OLF 93		31 02					+					
	Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11 77				+	+			 		
	Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	22 39				+						
	Voice Grade Loop (SL 1) - Zone 3	-		UEP95	UECS1	48 26										
	Voice Grade Loop (SL 2) - Zone 1		1	UEP95	ÜECS2	14 93										† • • • • • • • • • • • • • • • • • • •
	Voice Grade Loop (SL 2) - Zone 2	 	2	UEP95	UECS2	25 35						· · · · ·			1	
	Voice Grade Loop (SL 2) - Zone 3	i –		UEP95	UECS2	50 46								· · ·	· · · · · ·	· · · · · · · · · · · · · · · · · · ·
UNE Port Rat																
All States																
	Voice Grade Port (Centrex) Basic Local Area	· · · · · · · · · · · · · · · · · · ·	†	UEP95	UEPYA	1 36	38 85	19 08								
2-Wire	Voice Grade Port (Centrex 800 termination)			UEP95	ÜEPYB	1 36	38 85	19 08								
2-Wire	Voice Grade Port (Centrex with Caller ID)1Basic Local									T						
Area		l		UEP95	UEPYH	1 36	38 85	19 08							L	
2-Wire	Voice Grade Port (Centrex from diff Serving Wire	[1							1					!	
	r)2,3 Basic Local Area	1		UEP95	UEPYM	1 36	104 41	67 93			ļ <u></u>					
2-Wire	Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
Servic	e Term - Basic Local Area	l	i .	UEP95	UEPYZ	1 36	104 41	67 93								
	Voice Grade Port terminated in on Megalink or equivalent															
	c Local Area			UEP95	UEPY9	1 36	38 85	19 08								
	Voice Grade Port Terminated on 800 Service Term -		1		I					ļ						1
	Local Area			UEP95	UEPY2	1 36	38 85	19 08	<u> </u>	1	-					
	IS, SC, & TN Only							10.00	1	1						-
	Voice Grade Port (Centrex.)		ļ	UEP95	UEPQA	1 36	38 85	19 08		+	-				-	
	Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPQB	1 36	38 85	19 08	 		-					-
	e Voice Grade Port (Centrex with Caller ID)1	-	ļ	UEP95	UEPQH	1 36	38 85	19 08	ļ							
	Voice Grade Port (Centrex from diff Serving Wire		1	LIEDOS	UEDOM	4.20	104.44	67 93		1						1
Cente			ļ	UEP95	UEPQM	1 36	104 41	67 93				ļ			-	
	Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQZ	1 36	104 41	67 93	1					ľ		
Term :	2,3	 		UEP85	DEPUZ	1 30	104 41	07 93	-	 						-
	Maria Carda Bart tarmented in an Manalish or assurators		1	UEP95	UEPQ9	1 36	38 85	19 08		Į.					1	
2-VVICE	Voice Grade Port terminated in on Megalink or equivalent Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1 36	38 85	19 08	 		-					
Local Switch		 	+	UEF-93	OLF GZ	1 30	30 03	13 00	-	+				 		
	ex Intercom Funtionality, per port		<u> </u>	UEP95	URECS	0 8577			 	+	t		-	 		
Local Numbe		 	+	OLI 33	UNLOC	0 0077				+	<u> </u>					
	Number Portability (1 per port)	ļ —	 	UEP95	LNPCC	0 35				-						
Features	Hamber Fortability (1 per perty			02.00	1						 				1	
	indard Features Offered, per port			UEP95	UEPVF	0 00				·						
	lect Features Offered, per port	t	t .	UEP95	UEPVS	0 00	412 25		†· ·		 					
	ntrex Control Features Offered, per port		1	UEP95	UEPVC	0.00										
NARS			İ													
	ndled Network Access Register - Combination		1	UEP95	UARCX	0 00	0 00	0 00	0.00							
Unbur	ndled Network Access Register - Indial			UEP95	UAR1X	0 00	0 00	0.00								
Unbur	ndled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0 00	0.00	0 00						
	s Terminations		L								1					
2-Wire Trunk										1				ļ		1
	Side Terminations, each		i	UEP95	CEND6	8 29	115 85	18 20							ļ	ļ
	(1 544 Megabits)				\perp				ļ					L	-	
	Circuit Terminations, each			UEP95	M1HD1	68 47	196 18	92 92			1	ļ-——i		1		1
DS0 C	Channels Activated, each		<u> </u>	UEP95	M1HDO	0 00	14 06			4		-	<u> </u>		-	
	annel Mileage - 2-Wire	L							<u> </u>	4	 			1	 	
Intero	ffice Channel Facilities Termination			UEP95	M1GBC	22 60	39 36	26 62	1		.1			L	L .	ــــــــــــــــــــــــــــــــــــــ

UNBUNDL	ED NETWORK ELEMENTS - Louisiana	· · · · · ·		1							,			ment. 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect			oss	Rates (\$)	,	
			ļ	UEP95	M1GBM	0 013	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile ure Activations (DS0) Centrex Loops on Channelized DS1 Service	Ĺ	ļ	UEP95	мтовм	0.013				 	+				 	
	channel Bank Feature Activations	T	-					·		1	+					
D4 0	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	<u> </u>	UEP95	1PQWS	0 6497										
	Total dividu	ļ								İ					1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot	ļ	<u> </u>	UEP95	1PQW7	0 6497				ļ						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQWP	0 6497			l	1	1					
	Different Wire Center		 	UEP95	IPQVVP	0 6497				+	+					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 6497									1	
	Feature Activation on D-4 Channel Bank Tivate Eine 200p Old		+	02. 30	11 (4177)	0 0 101										
1	Slot			UEP95	1PQWQ	0 6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP95	1PQWA	0 6497						-			·	
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		1													I
	NRC Conversion Currently Combined Switch-As-Is with allowed			,												
	changes, per port		1	UEP95	USAC2		0 10	0 10								
	Conversion of Existing Centrex Common Block, each		-	UEP95	USACN		36 66	16 10								
	New Centrex Standard Common Block	-	+	UEP95 UEP95	M1ACS M1ACC	0 00	680 40 680 40						-			
	New Centrex Customized Common Block	-	-	UEP95	URECA	0 00	73 93							-		
Addi	NAR Establishment Charge, Per Occasion itional Non-Recurring Charges (NRC)		-	UEP95	URECA	0 00	13 93	 		+						
Addi	Unbundled Miscellaneous Rate Element Tag Loop at End Use	 	+		-					 	+			 		
	Premise			UEP95	URETL		8 33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1													
	End Use Premise			UEP95	URETN		11 20	1 10								
	-P CENTREX - DMS100 (Valid in All States)		Τ΄													
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ														
UNE	Port/Loop Combination Rates (Non-Design)	<u> </u>	-													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	1	1 .	UEP9D		13 13				1						ŀ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	DEP9D		13 13		Trial Trial		 					-	
	Non-Design		2	UEP9D		23 75	i			1				}		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+-	52. 55		2010										
	Non-Design		3	UEP9D		49 62	1									
UNE	Port/Loop Combination Rates (Design)			T						1						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Design		1	UEP9D		16 29				<u> </u>						
Ì	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1 .	====			j			1						
	Design Carlo Design	ļ	2	UEP9D		26 71					1					
ŀ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		51 82										
LINE	Loop Rate		1 3	OLF 3D		31 62					1				1	
- 0112	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP9D	UECS1	11.77				+				+		-
	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP9D	UECS1	22 39				<u> </u>	+			 	-	1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48 26	-									
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D	UECS2	14 93				1						
	2-Wire Voice Grade Loop (SL 2) - Zone 2	l	2	UEP9D	UECS2	25 35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50 46				1					1	
	Port Rate									1					ļ	
ALL	STATES	ļ	—	LIEBOD	LIEG.	L		***								
	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	 	UEP9D	UEPYA	1 36	38 85	19 08	1		+	-	ļ	 		-
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		UEP9D	UEPYB	1 36	38 85	19 08								1
	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	\vdash	+	UEPBD	VEPTB	1 36	36 85	19 08	-	+	+		· · · · · · · · · · · · · · · · · · ·	1	 	
1	Area	1	1	UEP9D	UEPYC	1 36	38 85	19 08			1					
_	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1	†			1 30	30 30	.0 50			†	<u> </u>				
1	Area			UEP9D	UEPYD	1 36	38 85	19 08						1	1	

UNRONDE	ED NETWORK ELEMENTS - Louisiana										_		Attach	ment. 2	Exhi	ıbit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				I		Rec	Nonrec		Nonrecurrin	g Disconnect			oss	Rates (\$)		
			<u> </u>			Nec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ľ	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				[1		į			
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1 36	38 85	19 08			ļ					
	Area			UEP9D	UEPYF	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		 	GET GE	021.11	1 50	50 00	15 00			 	· · · · · · ·	-			+
	Area		1	UEP9D	UEPYG	1 36	38 85	19 08	ļ		ı					
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		П													
	Area		<u> </u>	UEP9D	UEPYT	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYU	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEPSD	UEP10	1 30	30 00	19 06	+						-	+
	Area			UEP9D	UEPYV	1 36	38 85	19 08	i							
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1								1					
	Area			UEP9D	UEPY3	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local								i							
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		-	UEP9D	UEPYH	1 36	38 85	19 08								
r I	Indication))4 Basic Local Area			UEP9D	UEPYW	1 36	38 85	19 08	İ							
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			OLI SD	OCI 177	1 50	30 03	15 00	1							
	Basic Local Area			UEP9D	UEPYJ	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)								1							
	2,3-Basic Local Area			UEP9D	UEPYM	1 36	104 41	67 93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4					[1
<u> </u>	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		<u> </u>	UEP9D	UEPYO	1 36	104 41	67 93								
	Basic Local Area			UEP9D	UEPYP	1 36	104 41	67 93	-							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			02.00	102,		104 47	0, 00								
	Basic Local Area		1	UEP9D	UEPYQ	1 36	104 41	67 93						i		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															1
	Basic Local Area			UEP9D	UEPYR	1 36	104 41	67 93	ļ		ļ <u>.</u>					
1 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPYS	1 36	101.11	67 93								
<u> </u>	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		-	UEP9U	UEPTS	1 30	104 41	67 93	-							-
	Basic Local Area			UEP9D	UEPY4	1 36	104 41	67 93	İ							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															1
	Basic Local Area			UEP9D	UEPY5	1 36	104 41	67 93								1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			1	I											l
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		-	UEP9D	UEPY6	1 36	104 41	67 93			-					
	Basic Local Area	i		UEP9D	UEPY7	1 36	104 41	67 93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.02		. 00		0.00								
1	Term 2,3			UEP9D	UEPYZ	1 36	104 41	67 93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent									1						
	Basic Local Area			UEP9D	UEPY9	1 36	38 85	19 08		ļ						<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		1	UEP9D	UEPY2	1 36	38 85	19 08	1							
AI K	Y, LA, MS, SC, & TN Only		1	UEFBD	UEFTZ	1 30	36 65	19 00								
	2-Wire Voice Grade Port (Centrex)		†	UEP9D	UEPQA	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4		<u> </u>	UEP9D	UEPQC	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		ļ	UEP9D	UEPQD	1 36	38 85	19 08		1						-
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4		-	UEP9D UEP9D	UEPQE UEPQF	1 36 1 36	38 85 38 85	19 08 19 08				· · · · · · · · · · · · · · · · · · ·				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		 	UEP9D	UEPQF	1 36	38 85	19 08			+					+
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		 	UEP9D	UEPQT	1 36	38 85	19 08			+					
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1 36	38 85	19 08								1
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1 36	38 85	19 08								
1	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1 36	38 85	19 08	1	1	J	L	l	l		l

NBUNDLEI	NETWORK ELEMENTS - Louisiana													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
														<u></u>		
					<u> </u>	Rec		urring		Disconnect	000000			Rates (\$)		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				-		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Indication)4			UEP9D	UEPQW	1 36	38 85	19 08	İ	1						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1 36	38 85	19 08	 							
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			00100	OEI GO	1 50	30 00	15 00	-							
	2,3		1	UEP9D	UEPQM	1 36	104 41	67 93	1	i						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1 36	104 41	67 93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	j		UEP9D	UEPQP	1 36	104 41	67 93	1							
	2-Wile Voice Grade Fort (Centrexonner SWC /265-M5008/2,5,4			OLF 3D	ULF GF	130	10441	01 30	 	 	 					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	1		UEP9D	UEPQQ	1 36	104 41	67 93					L			
										1						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1 36	104 41	67 93	ļ		<u> </u>					
		1		LIEBOD	lurano.	4.00	404.44	07.00		1		ŀ				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1 36	104 41	67 93	-	-						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1 36	104 41	67 93		1	İ	,		1		
	,-1-1								<u> </u>							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1 36	104 41	67 93								
				LIEBOB	UEDOS	4.00	404.44	67.00	ĺ	1		ŀ		1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1 36	104 41	67 93						ļ		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1 36	104 41	67 93	}			}]		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			00, 00	JOET GIT	1 50	107-71	01.50	<u> </u>		 					
	Term 2,3			UEP9D	UEPOZ	1 36	104 41	67 93		1				1		
									i							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1 36	38 85	19 08	<u> </u>							
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1 36	38 85	19 08	ļ		ļ			-		
Local S	witching			UEP9D	URECS	0 8577										
1! >	Centrex Intercom Funtionality, per port lumber Portability			UEP9D	URECS	0 65//			 	-	 			-		
Local N	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			1		-					
Feature				02.00	1	- 0.00					 					
	All Standard Features Offered, per port			UEP9D	UEPVF	0 00			<u> </u>	1	†					
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	412 25				1					
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00					i .					
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00	0 00	0 00	ļ					
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0 00	0 00	0 00	 					
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0 00	0 00	0 00	<u> </u>			-		
	aneous Terminations Trunk Side				_						1		ļ	-		
2-vvire	Trunk Side Trunk Side Terminations, each		-	UEP9D	CEND6	8 29	115 85	18 20	 		1					
4-Wire	Digital (1 544 Megabits)			02.00	02.720	0.20	1.000	1020	1		1					
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68 47	196 18	98 62		-						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	14 06									
Interoff	ice Channel Mileage - 2-Wire										I					
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	22 60	39 36	26 62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0 013			<u> </u>							
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е						ļ								ļ
D4 Cha	nnel Bank Feature Activations	L		HEROD	450000	0.0407	<u> </u>		 	 	1				 	
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 6497			1		 	 	 	1		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 6497						Į .	ŀ	1	l]
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 	-	25, 95	11 2770	3 0-3/			<u> </u>	+	1					
	Slot		1	UEP9D	1PQW7	0 6497							l	<u> </u>		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1											
1	Different Wire Center	l i		UEP9D	1PQWP	0 6497					1					

MRONDLED N	IETWORK ELEMENTS - Louisiana									-			Attach	ment. 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC		M	RATES (\$)	N	Die.	Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge
				-		Rec	Nonrec First	urnng Add'l	Nonrecurrin First	g Disconnect Add'l		SOMAN	SOMAN	Rates (\$)	0000	001141
	· · · · · · · · · · · · · · · · · · ·			-			riist	Addi	FIFSL	Addi	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
Fea	ature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9D	1PQWV	0 6497									l	
Fea	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop									 					 	
Slot				UEP9D	1PQWQ	0.6497										
	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 6497				1					_	
	ring Charges (NRC) Associated with UNE-P Centrex								1							
	C Conversion Currently Combined Switch-As-Is with allowed															
	anges, per port			UEP9D	USAC2		0 10	0 10								
	nversion of existing Centrex Common Block, each			UEP9D	USACN		36 66	16 10								
	w Centrex Standard Common Block			UEP9D	M1ACS	0 00	680 40									
	w Centrex Customized Common Block R Establishment Charge, Per Occasion	\vdash	 -	UEP9D	M1ACC	0 00	680 40			ļ	1	ļļ		ļ		
	Non-Recurring Charges (NRC)	<u></u>		UEP9D	URECA	0 00	73 93			1	-					
	bundled Miscellaneous Rate Element, Tag Loop at End Use	$\vdash \vdash \vdash$							-	 	+				ļ- 	
	emise			UEP9D	URETL		8 33	0.83		1	1				ļ	
	bundled Miscellaneous Rate Element, Tag Design Loop at			00.00	JINETE		0.33	0.63		+	+					
	d Use Premise			UEP9D	URETN	ı	11 20	1 10		1	1				1	l
	NTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			02.00	- 0112111	+	1120	1 10		·						
	Loop/2-Wire Voice Grade Port (Centrex) Combo				1											
	.oop Combination Rates (Non-Design)															
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										+			-		
Non	n-Design		1	UEP9E	1	13 13					· I					
2-W	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1					
	n-Design		2	UEP9E	1 1	23 75				1	1					
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	n-Design		3	UEP9E		49 62				1.						
	.cop Combination Rates (Design)															
	/ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	į														
Des			_1_	UEP9E		16 29										
	/ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
Des			2	UEP9E	i	26 71										
	/ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOE		54.00										
UNE Loop F		-	3	UEP9E		51 82					ļ <u> </u>					
	/ire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11 77										
	/ire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	22 39				ļ						
	/ire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	48 26				ļ	ļ					
2-W	/ire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	14 93										
2-W	/ire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	25 35			•		1					
	/ire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	50 46				1	1 1					
UNE Port Ra																
	LA, MS, & TN only			- 11			Ť			 						
2-W	/ire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1 36	38 85	19 08			T					
	fire Voice Grade Port (Centrex 800 termination)Basic Local										1					
Area		[UEP9E	UEPYB	1 36	38 85	19 08			1					
	fire Voice Grade Port (Centrex with Caller ID)1Basic Local															
Area				UEP9E	UEPYH	1 36	38 85	19 08								
	ire Voice Grade Port (Centrex from diff Serving Wire				T	T										
	iter)2,3 Basic Local Area			UEP9E	UEPYM	1 36	104 41	67 93								
	/ire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LEDOE	luence					1			ļ		1	
	vice Term - Basic Local Area			UEP9E	UEPYZ	1 36	104 41	67 93			4					
	fire Voice Grade Port terminated in on Megalink or equivalent		İ	LIEBOE	LIEDVO		22.25	40.0-		1		1	ļ		1	
	Isic Local Area Irre Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY9	1 36	38 85	19 08			+					
	re Voice Grade Port Terminated on 800 Service Term - ic Local Area			UEP9E	UEPY2	1 20	20.00	19 08		1	1					
	MS, & TN Only	-		UEF9E	UEPTZ	1 36	38 85	19 08		 	+		-			
	Ire Voice Grade Port (Centrex)	-		UEP9E	UEPQA	1 36	38 85	19 08		-	+					-
	re Voice Grade Port (Centrex)			UEP9E	UEPQB	1 36	38 85	19 08		 	+					
	ire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1 36	38 85	19 08		 	 					

$\overline{}$	ADLE	NETWORK ELEMENTS - Louisiana			,									Attach	ment: 2	Exhi	bit B
ATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring		COMEC	001141		Rates (\$)	001111	
\rightarrow		2-Wire Voice Grade Port (Centrex from diff Serving Wire		 	 			First	Add'i	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Center)2,3			UEP9E	UEPQM	1 36	104 41	67 93								
\exists		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPQZ	1 36	104 41	67 93								
		dervice reini			OL: JL	OLI GE	1 30	10441	07 93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1 36	38 85	19 08	i	i						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1 36	38 85	19 08								
		witching															
		Centrex Intercom Funtionality, per port		L	UEP9E	URECS	0 8577										
!		umber Portability															
		Local Number Portability (1 per port)	L		UEP9E	LNPCC	0 35										
F	Feature		ļ		l												
\longrightarrow		All Standard Features Offered, per port			UEP9E	UEPVF	0 00	,									
\rightarrow		All Select Features Offered, per port		ļ	UEP9E	UEPVS	0 00	412 25									
\rightarrow		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0 00										l
	NARS	Helicondard Nationals Assess Bosistes, Combination		-	LIEDOE	HARCY		0.00	0.00	0.00	0.00	 					
\rightarrow		Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	-	-	UEP9E UEP9E	UARCX UAR1X	0 00	0 00	0 00	0 00	0 00	 					
-+		Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP9E	UAROX	0 00	0.00	0 00	0 00	0 00				-		
		eneous Terminations		-	UEP9E	UARUX	0 00	0 00	0.00	0.00	0.00						
		Trunk Side		 		+ +											
—f	L-11111 G	Trunk Side Trunk Side Terminations, each		 	UEP9E	CEND6	8 29	115 85	18 20								
	LWire	Digital (1.544 Megabits)		-	OLF SC	CEIADO	0.23	113 63	10 20								
— "		DS1 Circuit Terminations, each		├	UEP9E	M1HD1	68 47	196 18	92 92								
\neg		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0 00	14 06									
		ce Channel Mileage - 2-Wire						11.00						-			
T		Interoffice Channel Facilities Termination			UEP9E	MIGBC	22 60	39 36	26 62								
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0 013										
F		Activations (DS0) Centrex Loops on Channelized DS1 Service	e		· · · · · · · · · · · · · · · · · · ·			į									
r	D4 Cha	nnel Bank Feature Activations														•••	-
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 6497	Ī	•								
								- 1									
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 6497										1
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
		Slot			UEP9E	1PQW7	0 6497										i
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			l	1		-									
		Different Wire Center			UEP9E	1PQWP	0 6497										
		Section Action to a D. A. Channel Book Boundary			LIEBOE	1,00,107	0.0467										
		Feature Activation on D-4 Channel Bank Private Line Loop Stot		 	UEP9E	1PQWV	0 6497										ļ
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0 6497										[
\dashv		Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP9E	1PQWQ	0.6497										<u> </u>
		curring Charges (NRC) Associated with UNE-P Centrex		—	JUL 9L	115	0.0487	- 1								-	-
		NRC Conversion Currently Combined Switch-As-Is with allowed	-	 		- 	-										
		changes, per port		1	UEP9E	USAC2	i	0 10	0 10								ł
\dashv		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36 66	16 10					-			
\neg		New Centrex Standard Common Block		†	UEP9E	M1ACS	0 00	680 40									
		New Centrex Customized Common Block		T	UEP9E	M1ACC	0 00	680 40									·
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0 00	73 93									
/	Addıtio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use												-			Ī
		Premise			UEP9E	URETL		8 33	0 83								
1		Unbundled Miscelfaneous Rate Element, Tag Design Loop at			l												
		End Use Premise			UEP9E	URETN		11 20	1 10								
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo				\rightarrow											ļ
- 11	JNE Po	rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<u> </u>	-												
-+	- 1													1		1	1

UNBUNDL	ED NETWORK ELEMENTS - Louisiana	,										,		ment 2		ibit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonred		Nonrecurring					Rates (\$)		
					_		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP93		23 75					İ					ŀ
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP93		23 13									-	
	Non-Design		3	UEP93	l	49 62					İ				i	
LINE	Port/Loop Combination Rates (Design)		+ -	OLI SO							 					
- 10112	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1								1					
	Design		1	UEP93		16 29									j	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+	1				,								
	Design		2	UEP93		26 71									ľ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		51 82										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22 36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48 26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14 93										-
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25 35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50 46										
	Port Rate		1													
AL, P	(Y, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area		+	UEP93	UEPYA	1 36	38 85	19 08			 					
-	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		+	021 33	- OLI IX	1 00	00 00									
	Area			UEP93	UEPYB	1 36	38 85	19 08			•	ŀ				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		+	OLI SO	102: 10		00 00	10.00			· ·					
	Area	ŀ		UEP93	UEPYH	1 36	38 85	19 08								
- -	2-Wire Voice Grade Port (Centrex from diff Serving Wire											-				1
- 1	Center)2.3 Basic Local Area			UEP93	UEPYM	1 36	104 41	67 93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area	ŀ		UEP93	UEPYZ	1 36	104 41	67 93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1												ļ	
	- Basic Local Area			UEP93	UEPY9	1 36	38 85	19 08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -										i	i				
	Basic Local Area		ļ	UEP93	UEPY2	1 36	38 85	19 08			ļ					
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP93	UEPQB	1 36 1 36	38 85 38 85	19 08 19 08			-					
	2-Wire Voice Grade Port (Centrex with Caller ID)1		 -	UEP93	ÜEPQH	1 36	38 85	19 08				ļ -			<u> </u>	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPQM	1 36	104 41	67 93								
	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800	├	+-	OLP 90	OEF CAN	1 30	104 41	0/93								<u> </u>
	Service Term		1	UEP93	UEPQZ	1 36	104 41	67 93						1		
	Service Term	 	 	02.00	JEI GIL	. 30	.5. 41	3. 50								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP93	UEPQ9	1 36	38 85	19 08								
	2-Wire Voice Grade Port Terminated on 800 Service Term		T	UEP93	UEPQ2	1 36	38 85	19 08								
Loca	Switching			1												
	Centrex Intercom Funtionality, per port			UEP93	URECS	0 8577										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0 35					ļ					
Featu		ļ	<u> </u>	LIEBOO	- Luente	2.00	70.07	27.1			ļ				-	
	All Standard Features Offered, per port	<u> </u>	├	UEP93	UEPVF	0 00	73 93	27 14 27 14			1		l	ļ <u>.</u>	-	+
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0 00	73 93	2/ 14		-						
NAR		 	₩-	UEP93	UARCX	0 00	0 00	0 00	0 00	0.00						†
	Unbundled Network Access Register - Combination	 	-	UEP93	UARCX UAR1X	0 00	0.00	0.00	0.00	0.00			<u> </u>	t	 	l
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	 -	├─	UEP93	UAROX	0 00	0 00	0.00	0.00	0 00		 		1		
Minn	ellaneous Terminations		-	021 00	0/11/0/	0.00		0.00	0.00	<u> </u>				 		
	e Trunk Side		1		 											
	Trunk Side Terminations, each		1	UEP93	CEND6	8 27	115 85	18 20								
4-Wii	re Digital (1,544 Megabits)															
	DS1 Circuit Terminations, each	 	1	UEP93	M1HD1	68 47	196 18	92 92							1	

Interoffice Channe Interoffice (Interoffice	mets Activated, Per Channel el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DSI) Centrex Loops on Channelized DS1 Servi Feature Activations citivation on D-4 Channel Bank Centrex Loop Slot citivation on D-4 Channel Bank FX Line Side Loop Slot citivation on D-4 Channel Bank FX Line Side Loop	m	l	BCS UEP93 UEP93	USOC M1HDO	Rec -	Nonrect First		Nonrecurring			Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'I	Charge -	Charge Manual S Order vs
DS0 Chann Interoffice Channe Interoffice (Interoffice) Feature Activation D4 Channel Bank I Feature Act Slot Feature Act Slot Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side	inels Activated, Per Channel el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations cityation on D-4 Channel Bank Centrex Loop Stot	m	l	UEP93 UEP93				ırring	Nonrecurring	Discount	Elec	Manually	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic-	Manual S Order v Electron
DS0 Chann Interoffice Channe Interoffice (Interoffice) Feature Activation D4 Channel Bank I Feature Act Slot Feature Act Slot Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side	inels Activated, Per Channel el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations cityation on D-4 Channel Bank Centrex Loop Stot	m	l	UEP93 UEP93				ırring	Nonrecurring	- Di-			Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic-	Order v Electron
DS0 Chann Interoffice Channe Interoffice (Interoffice) Feature Activation D4 Channel Bank I Feature Act Slot Feature Act Slot Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side Feature Act Side	inels Activated, Per Channel el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations cityation on D-4 Channel Bank Centrex Loop Stot	m	l	UEP93 UEP93				ırring	Nonrecurring	Pierre	per LSR	per LSR	Electronic- 1st	Electronic- Add'I	Electronic-	Electron
Interoffice Channe Interoffice (Interoffice	el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations citivation on D-4 Channel Bank Centrex Loop Slot citivation on D-4 Channel Bank FX Line Side Loop Slot		l	UEP93	M1HDO				Nonrecurring	Di			1st	Add'I		
Interoffice Channe Interoffice (Interoffice	el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations citivation on D-4 Channel Bank Centrex Loop Slot citivation on D-4 Channel Bank FX Line Side Loop Slot	ce	l	UEP93	M1HDO				Nonrecurring	- Di			1st	Add'I		
Interoffice Channe Interoffice (Interoffice	el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations citivation on D-4 Channel Bank Centrex Loop Slot citivation on D-4 Channel Bank FX Line Side Loop Slot	Ce	l	UEP93	M1HDO				Nonrecurring	. Di						
Interoffice Channe Interoffice (Interoffice	el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations citivation on D-4 Channel Bank Centrex Loop Slot citivation on D-4 Channel Bank FX Line Side Loop Slot	ce	l	UEP93	M1HDO								USS	Rates (\$)		<u> </u>
Interoffice Channe Interoffice (Interoffice	el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations citivation on D-4 Channel Bank Centrex Loop Slot citivation on D-4 Channel Bank FX Line Side Loop Slot	ce	l	UEP93	M1HDO			Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Interoffice Channe Interoffice (Interoffice	el Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations citivation on D-4 Channel Bank Centrex Loop Slot citivation on D-4 Channel Bank FX Line Side Loop Slot	ce	l	UEP93	111111111111111111111111111111111111111	0 00	14 06	Add I	11131	7001	SOME	SOMAN	30111711	SOMAN	SOME	3011174
Interoffice (In	Channel Facilities Termination Channel mileage, per mile or fraction of mile ins (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations citivation on D-4 Channel Bank Centrex Loop Stot citivation on D-4 Channel Bank FX Line Side Loop Stot	Се			1 1		17 00				1					
Feature Activation D4 Channel Bank Feature Act Feature Act Feature Act Feature Act Slot Feature Act Different W Feature Act Siot Feature Act Different W Feature Act Slot Feature Act Non-Recurring Ch	Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations ctivation on D-4 Channel Bank Centrex Loop Stot ctivation on D-4 Channel Bank FX Line Side Loop Stot	ce			M1GBC	22 60	39 36	26 62								
Feature Activation D4 Channel Bank I Feature Act Feature Act Slot Feature Act Different W Feature Act Side Feature Act Side Feature Act Feature Act Side Feature Act Non-Recurring Act Non-Recurring Act	ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations ctivation on D-4 Channel Bank Centrex Loop Slot ctivation on D-4 Channel Bank FX Line Side Loop Slot	ce		UEP93	M1GBM	0.013	33 30	20 02		· · · · · · · · · · · · · · · · · · ·						├──
D4 Channel Bank Feature Ac Feature Ac Slot Feature Ac Sint Feature Ac Different W Feature Ac Slot Feature Ac Feature Ac Non-Recurring Ch	Feature Activations ctivation on D-4 Channel Bank Centrex Loop Slot ctivation on D-4 Channel Bank FX Line Side Loop Slot			021 00	IVITODIVI	0.010										
Feature Act Feature Act Slot Feature Act Different W Feature Act Slot Feature Act Feature Act Slot Feature Act Non-Recurring Ch	ctivation on D-4 Channel Bank Centrex Loop Slot ctivation on D-4 Channel Bank FX Line Side Loop Slot					-										
Feature Act Feature Act Slot Feature Act Different W Feature Act Feature Act Slot Feature Act Non-Recurring Ch	ctivation on D-4 Channel Bank FX Line Side Loop Slot	+		UEP93	1PQWS	0 6497										
Feature Act Slot Feature Act Different W Feature Act Slot Feature Act Slot Feature Act Non-Recurring Ch				OLI 33	11 4110	0 0437										
Feature Act Slot Feature Act Different W Feature Act Slot Feature Act Slot Feature Act Non-Recurring Ch			l	UEP93	1PQW6	0 6497										
Slot Feature Ac Different W Feature Ac Feature Ac Slot Feature Ac Non-Recurring Ch			$\overline{}$			-										
Feature Act Different W Feature Act Feature Act Slot Feature Act Non-Recurring Ch	outdight cit B + Ondition But in 171 Hours Glob Edop		lı	UEP93	1POW7	0 6497										
Feature Act Feature Act Slot Feature Act Non-Recurring Ch	ctivation on D-4 Channel Bank Centrex Loop Slot -	1 1	- 1		1											
Feature Ad Feature Ad Slot Feature Ad Non-Recurring Ch			l _t	UEP93	1PQWP	0 6497										1
Feature Act Slot Feature Act Non-Recurring Ch	VIIIC COMG	+ +		02.00	12	0 0 101				-						
Feature Activities Stot Feature Activities Feature F	ctivation on D-4 Channel Bank Private Line Loop Slot		l	UEP93	1PQWV	0 6497										
Slot Feature Ac Non-Recurring Ch	ctivation on D-4 Channel Bank Tie Line/Trunk Loop		-1													
Feature Ac			lı	UEP93	1PQWQ	0 6497	- 1									
Non-Recurring Ch	ctivation on D-4 Channel Bank WATS Loop Slot	+	- 1	UEP93	1PQWA	0 6497										T
	harges (NRC) Associated with UNE-P Centrex			•												
	version Currently Combined Switch-As-Is with allowed															
changes, p			lι	UEP93	USAC2		0 10	0 10		1	İ					
	n of Existing Centrex Common Block, each	1	- l	UEP93	USACN		36 66	16 10								
	rex Standard Common Block		Į	UEP93	M1ACS	0.00	680 40									
	rex Customized Common Block		l	UEP93	M1ACC	0 00	680 40									
NAR Estab	blishment Charge, Per Occasion			UEP93	URECA	0.00	73 93									$\overline{}$
	lecurring Charges (NRC)															
	d Miscellaneous Rate Element, Tag Loop at End Use												-			
Premise	- ·		Įι	UEP93	URETL	İ	8 33	0 83		1						
Unbundled	d Miscellaneous Rate Element, Tag Design Loop at															T
End Use Pr	Premise		- lu	UEP93	URETN		11 20	1 10]		l				
Note 1 - Required	Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Interoffice Channel Mileage						1									
		op and P	ort													
Note 4 - Requires	on is combination of Installation charge for SL2 Lo															

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment 2		bit B
		Interi										Svc Order Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	ECS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electronic Disc Add
						Rec		curring		Disconnect				Rates (\$)		I
		L	ļ			Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "7	one" shown in the sections for stand-alone loops or loops as	nart of	a comi	nination refers to Ge	ographicall	V Deaveraged II	NF Zones To	view Geograp	 hically Deaver	 aged UNF Zon:	- Designatio	ns by Cent	ral Office ref	er to internet	Wehsite	
	vww.interconnection.bellsouth.com/become a clec/html/inter				og. opou.	, Dourolagou o		Tion Goog.up		.go., 0112 2011	, boolgilaar					
OPERATIONA	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	(1) CLEC should contact its contract negotiator if it prefers the other the state specific Commission ordered rates for the servi															
I	ither the state specific Commission ordered rates for the servi f the 9 states	ice orae	anng ci	arges, or CLEC may	elect the re	egional service (ordening charg	e, nowever, ct	LEC Can not of	nam a mixture	or the two	regardiess	II CLEC Has a	interconnect	on contract e	stablished
	(2) Any element that can be ordered electronically will be bill	ed acco	ording 1	o the SOMEC rate li	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronic	ally. For thos	e elements
	nnot be ordered electronically at present per the LOH, the list															
SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	th			,								r		
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3 50	0.00	3 50	0 00						
	OSS - Manual Service Order Charge, Per Local Service Request		-	•	SOMEC	 	330	0.00	3 30	0.00						
	(LSR) - UNE Only				SOMAN	1	15 75	0 00	1 97	0.00						
	DATE ADVANCEMENT CHARGE		<u> </u>		L	<u>, l</u>]		
NOTE	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appl	licable										
				UAL, UEANL, UCL,										1		-
				UEF, UDF, UEQ,	İ											
1				UDL, UENTW. UDN,		1										
İ				UEA, UHL, ULC,											1	
		ŀ		USL, U1T12, U1T48,												!
		l		U1TD1, U1TD3, U1TDX, U1TO3,									ļ			1
		1		U1TS1, U1TVX,									į			
		l		UC1BC, UC1BL,	1											
		l		UC1CC, UC1CL,]											
		1		UC1DC, UC1DL,									ļ			
			1	UC1EC, UC1EL, UC1FC, UC1FL,									1			
		İ		UC1GC, UC1GL				i		ŀ						
			1	UC1HC, UC1HL,												
				UDL12, UDL48,									1			
ŀ			j	UDLO3, UDLSX,									1	+		
			ĺ	UE3, ULD12, ULD48, ULDD1,									1			
			1	ULDD3, ULDDX.					1						ŀ	
ŀ				ULDO3, ULDS1,				l					-			
İ			i	ULDVX, UNC1X,				İ								
Ì				UNC3X, UNCDX,				ļ								
l				UNCNX, UNCSX, UNCVX, UNLD1.		İ]								
l				UNLD3, UXTD1,		ł		1	l						ŀ	
				UXTD3, UXTS1,										ŀ	į.	
ļ	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,		•								ŀ		
INCHANGE ED	Day EXCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP	·	200 00		-	ļ	-			<u> </u>	ļ	
	EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP	├				 				1			 			
2-4411	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	 	1	UEANL	UEAL2	12 03	37 92	17 55	23 48	5 25	<u> </u>		<u> </u>			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16 87	37 92	17 55	23 48	5 25	L					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	25 68	37 92	17 55	23 48	5 25			ļ <u>-</u>			
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	<u> </u>		UEANL UEANL	UEAL2 UEASL	43 85 12 03	37 92 37 92	17 55 17 55	23 48 23 48	5 25 5 25		-	ļ	1		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<u> </u>		UEANL	UEASL	12 03	37 92	17 55	23 48	5 25		 	 	<u> </u>	<u> </u>	-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	†		UEANL	UEASL	25 68	37 92	17 55	23 48	5 25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL	UEASL	43 85	37 92	17 55		5 25						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise Premise	<u> </u>		UEANL	URETL URET1	-	8 33 34 36	0 83 34 36		 		+		-		-
1	Loop Testing - Basic 1st Half Hour	1	1	UEANL	UKEII	1	34 36	134 36	L	L		<u> </u>	1			

UNBU	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment. 2	Exhi	ibit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental		Incremental Charge -	Incrementa Charge -
				-		ļ. <u> </u>	Rec	Nonrec		Nonrecurring					Rates (\$)	•	
-	1	Loop Testing - Basic Additional Half Hour		ļ	115 44 11	LIDET.		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	CLEC to CLEC Conversion Charge Without Outside Dispatch	_	-	UEANL UEANL	URETA		19 97	19 97								
-					UEANL	UREWO		15 75	8 92								
	1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E,I)															
	-				UEANL	UEANM		13 51	13 51	_							
-	 	Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEAMC		8 20	8 20								
		Order Coordination for Specified Conversion Time for UVL-SL1		1		l											
ļ	D 14000	(per LSR)		<u> </u>	UEANL	OCOSL		18 19	18 19								
	2-WIRE	Unbundled COPPER LOOP		ļ													
	<u> </u>	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1 1	UEQ	UEQ2X	11 01	36 53	16 16	22 66	4 42			_			
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	!_		UEQ	UEQ2X	11 51	36 53	16 16	22 66	4 42					-	
	-	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	!		UEQ	UEQ2X	11 57	36 53	16 16	22 66	4 42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	UEQ2X	13 10	36 53	16 16	22 66	4 42						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User					1										
		Premise			UEQ	URETL		8 33	0 83								ĺ
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			l	1											
		Non-Designed (per loop)			UEQ	USBMC		8 20	8 20								ĺ
	ł	Unbundled Copper Loop, Non-Design Copper Loop, billing for		1													
		BST providing make-up (Engineering Information - E i)			UEQ	UEQMU	L	13 51	13 51								ĺ
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34 36	34 36								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19 97	19 97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14 24	7 42				·		-		
UNBU		XCHANGE ACCESS LOOP		1			1										
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1					<u>-</u>						
		Zone 1		1	UEPSR UEPSB	UEALS	12 03	37 92	17 55	23 48	5 25						1
	T .	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1											· · · · · · · · · · · · · · · · · · ·
		Zone 1		1	UEPSR UEPSB	UEABS	12 03	37 92	17 55	23 48	5 25						1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-													-		
		Zone 2		2	UEPSR UEPSB	UEALS	16 87	37 92	17 55	23 48	5 25			i			1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-						0, 02	11 00	- 20 40	0 23						·
		Zone 2		2	UEPSR UEPSB	UEABS	16 87	37 92	17 55	23 48	5 25						1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	027 011 021 02	02.20	1001	- 07 SE	1, 00	20 40	0 23						
		Zone 3		3	UEPSR UEPSB	UEALS	25 68	37 92	17 55	23 48	5 25						l .
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OCI ON OLI SB	OLALS	25 66	31 92	17 33	23 40	5 23						
		Zone 3		3	UEPSR UEPSB	UEABS	25 68	37 92	17 55	23 48	5 25						į.
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	GET SIX GET 3B	ULABS	23 00	31 92	17 55	23 40	3 43						
		Zone 4		4	UEPSR UEPSB	UEALS	43 85	37 92	17 55	23 48	5 25						l .
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	OLF ON OLF OB	UEALS	43 63	37 92	17 55	23 40	5 25						
		Zone 4		4	UEPSR UEPSB	UEABS	43 85	37 92	17 55	23 48	5 25						į.
HMBH	IDI ED E	XCHANGE ACCESS LOOP			OEFSK DEFSB	UEABS	43 65	3/ 92	17 55	23 46	5 25						
ONBOI		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				- 											
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13 89	40E 00	60.00	52.00	40.27						i
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	UEA	UEALZ	13 89	105 96	68 28	52 82	10 37						
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	40.75	405.00		50.00	40.07			J			i
				<u> </u>	UEA	UEALZ	18 75	105 96	68 28	52 82	10 37						.
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		١ ۾			27.55	405.00					1				i
				3	UEA	UEAL2	27 55	105 96	68 28	52 82	10 37						-
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				l						i				i	i
		Ground Start Signaling - Zone 4		4	UEA	UEAL2	45 72	105 96	68 28	52 82	10 37						
	_	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 19									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1						ļ	İ	1			i
		Battery Signaling - Zone 1		1	UEA	UEAR2	13 89	105 96	68 28	52 82	10 37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						<u>.</u>									i
		Battery Signaling - Zone 2		2	UEA	UEAR2	18 75	105 96	68 28	52 82	10 37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			l	1					1			i			i
		Battery Signaling - Zone 3		3	ÜEA	UEAR2	27 55	105 96	68 28	52 82	10 37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1 7	T		\neg				T				<i>i</i>
		Battery Signaling - Zone 4		4	UEA	UEAR2	45 72	105 96	68 28	52 82	10 37						
	T	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 19									

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			,	,									ment 2		ibit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecu		Nonrecurring I					Rates (\$)		
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		First 87 56	Add'I 36 29	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11 19	1 10						ļ		ļ
4-WIR	E ANALOG VOICE GRADE LOOP			ULA .	OKETE			1 10		-						
	4-Wire Analog Voice Grade Loop - Zone 1	····	1	UEA	UEAL4	27 47	132 27	94 59	60 68	14 64				†		1
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38 26	132 27	94 59	60 68	14 64	-					
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50 03	132 27	94 59	60 68	14 64						
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50 03	132 27	94 59	60 68	14 64				****	-	1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 19									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 56	36 29								
2-WIR	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1	ļ	1	UDN	U1L2X	21 01	117 61	79 92	52 82	10 37						
	2-Wire ISDN Digital Grade Loop - Zone 2	<u> </u>		UDN	U1L2X	27 59	117 61	79 92	52 82	10 37						
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37 34	117 61	79 92	52 82	10 37						 -
	2-Wire ISDN Digital Grade Loop - Zone 4	1	4	UDN	U1L2X	59 18	117 61	79 92	52 82	10 37						ļ
	Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	-	-	UDN UDN	OCOSL UREWO	[18 19 91 46	44 07								
2 14/10	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDLE	LOOF		UNEWO		9140	44 07	-							-
2-9918	2 Wire Unbundled ADSL Loop including manual service inquiry	I	LOOP		+											
	& facility reservation - Zone 1		1	UAL	UAL2X	11 11	121 27	70 81	50 38	7 93	i					ľ
	2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	0,2	O' LEX				- 50 00			-	· · · · · ·			
	& facility reservation - Zone 2	İ	2	UAL	UAL2X	11 47	121 27	70 81	50 38	7 93						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	11 74	121 27	70 81	50 38	7 93						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
1	& facility reservation - Zone 4		4	UAL	UAL2X	12 69	121 27	70 81	50 38	7 93						
	Order Coordination for Specified Conversion Time (per LSR)			ŲAL	OCOSL		18 19									
	2 Wire Unbundled ADSL Loop without manual service inquiry &]													
	facility reservaton - Zone 1		1 1	UAL	UAL2W	11 11	96 15	58 03	50 38	7 93						
i	2 Wire Unbundled ADSL Loop without manual service inquiry &				1											
	facility reservation - Zone 2		2	UAL	UAL2W	11 47	96 15	58 03	50 38	7 93						
1	2 Wire Unbundled ADSL Loop without manual service inquiry &		١.		1,144,0744	44.74	00.45	50.00	50.00	7.00						
	facility reservator - Zone 3		3	UAL	UAL2W	11 74	96 15	58 03	50 38	7 93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		4	UAL	UAL2W	40.00	96 15	58 03	50 38	7.00						
	facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	UAL	OCOSL	12 69	18 19	58 03	50 38	7 93	-					-
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86 04	40 33								
2-WIP	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	OAL	UNLVVO		30 04	40 33	-							
2-44170	2 Wire Unbundled HDSL Loop including manual service inquiry	I	1001		+											t
	& facility reservation - Zone 1	[١,	UHL	UHL2X	8 75	129 98	79 52	50 38	7 93						1
	2 Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>							. 50						
J	& facility reservation - Zone 2		2	UHL	UHL2X	9 22	129 98	79 52	50 38	7 93						1
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	9 87	129 98	79 52	50 38	7 93						ı
	2 Wire Unbundled HDSL Loop including manual service inquiry															ı
	& facility reservation - Zone 4		4	UHL	UHL2X	10 46	129 98	79 52	50 38	7 93						1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 19									
	2 Wire Unbundled HDSL Loop without manual service inquiry		١.					00.74	50.00	7.00						l .
	and facility reservation - Zone 1			UHL	UHL2W	8 75	104 86	66 74	50 38	7 93						
1	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	9 22	104 86	66 74	50 38	7 93						1
	2 Wire Unbundled HDSL Loop without manual service inquiry			O. IL	0112244	3 42	104 00	00,74	30 30	1 93		-				
	land facility reservation - Zone 3		3	UHL	UHL2W	9 87	104 86	66 74	50 38	7 93						1
	2 Wire Unbundled HDSL Loop without manual service inquiry		Ť		13											
1	and facility reservation - Zone 4		4	UHL	UHL2W	10 46	104 86	66 74	50 38	7 93				!		
1	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 19									1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85 98	40 33								
4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															I
1	and facility reservation - Zone 1		1	UHL	UHL4X	13 78	158 74	108 28	56 72	10 68						<u></u>

UNBUNDLED N	IETWORK ELEMENTS - Mississippi												1	ment 2		bit B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		i	ļ		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
OA LOOK!	7	m						• • •			per Lor	per LUIX		Electronic-		
			İ										Electronic-	1	Electronic-	Electronic-
													1st	Add'1	Disc 1st	Disc Add'l
		_			+ +		Nonrec	urring	Nonrecurring	Disconnect	····		OSS	Rates (\$)		
	· · · · · · · · · · · · · · · · · · ·					Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l		-					FIRST	Auui	FIISC	Auu	SOMEC	SUMAN	SOMAN	SOMAN	JOHIAN	SOMAN
	Vire Unbundled HDSL Loop including manual service inquiry		_		1		450 74	400.00	50.70	40.00						
	d facility reservation - Zone 2		2	UHL.	UHL4X	13 43	158 74	108 28	56 72	10 68						
	Wire Unbundled HDSL Loop including manual service inquiry	İ														
	d facility reservation - Zone 3		3	UHL	UHL4X	15 59	158 74	108 28	56 72	10 68						<u></u>
	Wire Unbundled HDSL Loop including manual service inquiry															
	d facility reservation - Zone 4		4	UHL	UHL4X	14 46	158 74	108 28	56 72	10 68				1		
Orc	der Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 19							1	1	
	Nire Unbundled HDSL Loop without manual service inquiry															
	d facility reservation - Zone 1		1 1	UHL	UHL4W	13 78	133 62	95 50	56 72	10 68					1	1
	Mire Unbundled HDSL Loop without manual service inquiry				1		-									
	d facility reservation - Zone 2	1	2	UHL	UHL4W	13 43	133 62	95 50	56 72	10 68			1		1	
	Wire Unbundled HDSL Loop without manual service inquiry		+-		12		.55 02	22.00	 		1					
		i	3	UHL	UHL4W	15 59	133 62	95 50	56 72	10 68			1	l	1	
	d facility reservation - Zone 3	ļ	1 3	UTIL	UTILAVV	10 09	133 62	90 00	30 /2	10 00	+			+	 	+
	Wire Unbundled HDSL, Loop without manual service inquiry	1	١.		1, 1, 1, 1, 1, 1	ا مبيد	100.00	05.50	56.70	10.00			1	1	l	
	d facility reservation - Zone 4	ļ	4	UHL	UHL4W	14 46	133 62	95 50	56 72	10 68	-		 		 	
	der Coordination for Specified Conversion Time (per LSR)	ļ	1	UHL	OCOSL		18 19		ļ						 	
	EC to CLEC Conversion Charge without outside dispatch	ļ	<u> </u>	UHL	UREWO		85 98	40 33			L			ļ		ļ
4-WIRE DS	51 DIGITAL LOOP		1								l					ļ .
4-V	Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79 08	253 93	158 45	46 10	12 07						
4-V	Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	129 38	253 93	158 45	46 10	12 07						
	Wire DS1 Digital Loop - Zone 3			USL	USLXX	206 74	253 93	158 45	46 10	12 07	1					i
	Wire DS1 Digital Loop - Zone 4	Ì		USL	USLXX	458 46	253 93	158 45	46 10	12 07						
	der Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18 19									
	EC to CLEC Conversion Charge without outside dispatch		1	USL	UREWO		100 90	42 96						1		
	.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		 													
	Vire Unbundled Digital 19 2 Kbps		 1	UDL	UDL19	27 44	126 53	88 85	60 68	14 64	1		<u> </u>			
		ļ	2	UDL	UDL19	34 55	126 53	88 85	60 68	14 64	+		 			
	Wire Unbundled Digital 19 2 Kbps	 		UDL	UDL19	40 76	126 53	88 85	60 68	14 64			1			
	Vire Unbundled Digital 19.2 Kbps	ļ	3					88 85	60 68	14 64			 	 		
	Nire Unbundled Digital 19 2 Kbps	<u> </u>	4	UDL	UDL19	32 25	126 53				-			<u> </u>		
	Wire Unbundled Digital Loop 56 Kbps - Zone 1	ļ	1	UDL	UDL56	27 44	126 53	88 85		14 64						
	Nire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34 55	126 53	88 85	60 68	14 64						
	Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40 76	126 53	88 85	60 68	14 64						ļ
	Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32 25	126 53	88 85	60 68	14 64				ļ		1
Ore	der Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 19									
4 V	Wire Unbundled Digital Loop 64 Kbps - Zone 1		1_1_	UDL	UDL64	27 44	126 53	88 85	60 68	14 64					1	
	Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	34 55	126 53	88 85	60 68	14 64	1					
	Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	40 76	126 53	88 85	60 68	14 64						
	Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32 25	126 53	88 85	60 68	14 64						
	der Coordination for Specified Conversion Time (per LSR)		1	UDL	OCOSL		18 19				ŀ					
	EC to CLEC Conversion Charge without outside dispatch	1	1	UDL	UREWO	-	101 94	49 66			1		1			1
	nbundled COPPER LOOP	l -	+		3,12,7,0		10.04				 		1	1	<u> </u>	<u> </u>
	Wire Unbundled Copper Loop-Designed including manual	 	+	-					<u> </u>		 		1	1	t	+
		l	1	UCL	UCLPB	11 11	120 34	69 87	50 38	7 93	1	1		1	1	1
	rvice inquiry & facility reservation - Zone 1	-	+ '	UCL	JULIFB	11.17	120 34	09 07	30 36	, 93	+	 	 	1	 	+
	Wire Unbundled Copper Loop-Designed including manual	1	-	Lio	LICLES		400.01		50 38	7 93	1			1	1	1
	rvice inquiry & facility reservation - Zone 2	₩	2	UCL	UCLPB	11 47	120 34	69 87	50.38	/ 93	-	<u> </u>	1	 		+
	Wire Unbundled Copper Loop-Designed including manual	1	Ι.		l l						i .	ì		1	1	
	rvice inquiry & facility reservation - Zone 3	L	3	UCL	UCLPB	11 74	120 34	69 87	50 38	7 93			ļ			
	Wire Unbundled Copper Loop-Designed including manual	_	1								1	1	1			
ser	rvice inquiry & facility reservation - Zone 4	L	4	UCL	UCLPB	12 69	120 34	69 87	50 38	7.93			L	ļ		1
Or	der Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 20	8 20								1
	Wire Unbundled Copper Loop-Designed without manual															
	rvice inquiry and facility reservation - Zone 1	l	1	UCL	UCLPW	11 11	95 21	57 09	50 38	7 93			<u> </u>	L		
	Wire Unbundled Copper Loop-Designed without manual	t						i	1							
	rvice inquiry and facility reservation - Zone 2	1	2	lucu	UCLPW	11 47	95 21	57 09	50 38	7 93	i			1	1	
	Wire Unbundled Copper Loop-Designed without manual	†	1 − −						1		1			1		
	rvice inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	11 74	95 21	57 09	50 38	7 93	1				1	
	Wire Unbundled Copper Loop-Designed without manual	+	+ -	002	3011 **		3021	0.00	00.00	t	+		 	 		1
			4	UCL	UCLPW	12 69	95 21	57 09	50 38	7 93				1	l	1
	rvice inquiry and facility reservation - Zone 4		4			12 69				1 93	+			 	 	+
	der Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 20	8 20		L		L	L	L		Т.

ATREADRY RATE ELEMENTS INTO THE PROPERTY OF TH	CIADOMOL	ED NETWORK ELEMENTS - Mississippi			r · · ·										ment 2		ibit: B
Picker Dr. GEC Colonation Charge without audiose depation U.C., U.C. U.C. U.C. U.C. U.C. U.C. U.C	CATEGORY	RATE ELEMENTS	t .	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Charge -
CEEC In CLES Conversars Charge withhat tradition despects UIC. UIRSNO 95.21 44.4						i i	Rec										
CUCLORN CANNEL CONFIDENCE CONTINUES AND A							Kec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Well Corper Logo-Designed Prof. offig manual service requiry 1	1			1								1					
A-Vivo Circipes Loco-Designed including manual service requiry 1				1	UCL	UREWO		95 21	42 40								<u> </u>
Interface by reservation. Zone 1	4-WII			 													
After Cooper Loop Designed including reasons service requiry and facility reasons. Page 20 10 10 14 16 16 16 16 16 16 16				1	luci	110146	47.20	444.00	04.00	50.70	40.00				1		
March Compet Long-Designed inclining manual service motions 2 UCL UCL45 19 84 144 68 94 22 56 77 10 60			-	+-'	UCL	UCL4S	17 30	144 68	94 22	56 /2	10.68		_				
# After Copper Coop-Designed including manual service incompt. 3 OCL UCL45 21 33 144 65 94 22 56 72 10 66				,	luci	LICLAS	19.84	144.68	04.22	56.72	10.60				!		
Advisor Coper Long-Designed middled manual service industry and service industry and service industry and service industry and service industry i				-	OCC	00240	10 04	144 00	54 22	30 72	10 05				-		
### E-West Copper Loop-Designed including 'gramuse' service incury' and feeling reservation - Loop - Corporation (note included and the service incury') and solid reservation - Loop - Corporation included and solid reservation - Loop - Corporation included and solid reservation - Loop - Corporation included and solid reservation - Loop - Corporation included and solid reservation - Loop - Corporation - Loop - Corporation - Loop - Corporation - Loop - Corporation - Loop - Corporation - Loop - Corporation - Loop - Corporation - Loop - Corporation - Loop - Corporation - Loop - Lo				3	ua	UCL4S	21.33	144 68	94.22	56.72	10.68						
and backly sessian 7.2ms 4 USL UCLKS 21:33 14:455 94:22 56:72 10:66			-	+		1000	2,00		0.22	00.2	10 00	 					
Color Confession for Unbausted Copper Loopes (per loops)	1			4	UCL	UCL4S	21 33	144 68	94 22	56 72	10.68						
A-Wise Copper Loop-Designed without namical service inquiry 1 UCL UCLAW 17.00 119.56 81.44 66.72 10.66		Order Coordination for Unbundled Copper Loops (per loop)					1			<u> </u>	1			-			
A-Wise Copper Loop-Designed without manual service incircus? 2 UCL UCLAW 18 84 119 56 81 44 56 72 10 68		4-Wire Copper Loop-Designed without manual service inquiry															
More dept (resperation) - Zone 2 COL CULAW 19 84 119 56 81 44 56 72 10 88				1	UCL	UCL4W	17 30	119 56	81 44	56 72	10 68						
Service Copper Loop-Designed without manual service inquiry 3 UCL UCLAW 2133 119 5 81 44 56 77 10 69																	
And Early resemblance Zone 3 3 UCL UCL, W 21 33 119 56 81 44 56 72 10 68				2	UCL	UCL4W	18 84	119 56	81 44	56 72	10 68	L					
## After Copper Loop-Designed without manual services injury and tably reservation. Zone 4 UCL UCLW 21:33 110:56 81:44 56:72 10:88																	
A Oct				3	UCL	UCL4W	21 33	119 56	81 44	56 72	10 68						
Direct Concretation for Unbundled Copper Loops (per loop) CLC UCK UCK 9 2 0 8 20 8 20			i			1 1		-									
CLCE to CLEC Conversion Charge without outside dispatch (UCL UREWO 95.21 42.40				4			21 33			56 72	10 68						L
UCL-Des)				-	UCL	UCLMC		8 20	8 20			!					
LOOP MODIFICATION	ļ		ŀ			UDEWO		05.04	40.40								i
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop	LOOP MODIE	(UCL-Des)		-	UCL	UREWO		95 21	42 40	-							ļ
Unbundled Loop Modification, Removal of Load Coris - 2 Wire pair less than or equal to 18ft, ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coris - 4 Wire less than or equal to 18ft, ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal. Unbundled Loop Modification Removal of Bridged Loop -	LOOP MODIF	ICATION		-	LIAL DUL LICE					_							<u> </u>
Distributed Loop Modification, Removal of Load Coils - 2 Wire parties than or equal to 18 kft, per Urbundled Loop UFSB ULMZ 22 57 32 57	1																İ
Darless than or equal to 18k ft, per Unbundled Loop UEPSB ULMQL 32.57 32.57 32.57	ŀ	Unbundled Loop Modification, Removal of Load Coits - 2 Wire		1								1					ĺ
Disturbed Loop Modification Removal of Load Coils - 4 Wire less han or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal Unbundled Loop Modification Removal of Bridged Tap Removal Unbundled Loop Modification Removal of Bridged Tap Removal Unbundled Loop Modification Removal of Bridged Tap Removal Unbundled Loop Modification Removal of Bridged Tap Removal Unbundled Loop Modification Removal of Bridged Tap Removal Unbundled Loop Modification Removal of Bridged Tap Removal Unbundled Loop Modification Removal of Bridged Tap Removal Unbundled Loop Modification Removal of Bridged Tap Removal Unbundled Loop Profession Removal of Bridged Tap Removal Unbundled Loop Profession Removal of Bridged Tap Removal Unbundled Loop Profession Removal of Bridged Tap Removal Unbundled Loop Profession Removal of Bridged Tap Removal Unbundled Sub-Loop Profession Removal of Bridged Tap Removal Unbundled Sub-Loop Profession Removal of Bridged Tap Removal Unbundled Sub-Loop Profession Removal of Bridged Tap Removal Unbundled Sub-Loop Profession Removal of Bridged Tap Removal Unbundled Sub-Loop Profession Removal of Bridged Tap Removal Unbundled Sub-Loop Profession Removal of Bridged Tap Removal Unbundled Sub-Loop Brithution Per 2-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4-Wire Analog Voice Grade Loop Unbundled Sub-Loop Brithution Per 4				1		LII M2I	i	32 57	32 57	1					İ		
Sub-Loop Per Cross Box Location - CLEC Feeder Facility Set UEANL UESN UESS				+	02.00	OLIVILE.		02.07	02.01								-
Under Coordinated Loop Modification Removal of Bridged Tap Removal Under Under Coordination (Process Box Location - Per 25 Pair Panel Set-Up UEANL USBN2 UEANL USB	ŀ			1	UHL UCL UEA	ULM4I I		32 57	32 57								
UEQ. U.S. UEA. UEPSR ULMBT 32.59 32.50 32.				1				52 07	3 2 0.								
Def Numburs Def Numburs			1	l			l										
Sub-Loop Sub-Loop		Unbundled Loop Modification Removal of Bridged Tap Removal.			UEANL, UEPSR,			į									
Sub-Loop Distribution				İ	UEPSB	ULMBT		32 59	32 59								
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up				l			ĺ										
Up	Sub-l																
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up 1						1						1	ŀ				
Sub-Loop - Per Building Equipment Room - CLEC Feeder I		Up		ļ	UEANL	USBSA		259 69							ļ		<u> </u>
Sub-Loop - Per Building Equipment Room - CLEC Feeder I	- 1	Sub-Lean Day Copes Boul continu Day 25 Day 5 10 111	١.		LIEANI	luenen l	i	20.77		! !				i			1
Facility Set-Up					UEANL	nagag	-	22 77									
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel I UEANL USBSD 56.39 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - I UEANL USBN2 7.15 66.18 31.14 45.36 6.71 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - I 2 UEANL USBN2 9.51 66.18 31.14 45.36 6.71 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - I 3 UEANL USBN2 9.51 66.18 31.14 45.36 6.71 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - I 3 UEANL USBN2 12.45 66.18 31.14 45.36 6.71 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - I UEANL USBN2 18.26 66.18 31.14 45.36 6.71 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - I UEANL USBN2 I 8.20 8.20 8.20 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - I UEANL USBN4 7.30 79.49 44.45 51.27 9.35 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - I UEANL USBN4 7.30 79.49 44.45 51.27 9.35 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - I UEANL USBN4 7.30 79.49 44.45 51.27 9.35 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - I UEANL USBN4 7.30 79.49 44.45 51.27 9.35 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - I UEANL USBN4 7.30 79.49 44.45 51.27 9.35 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - I UEANL USBN4 I I I I I I I I I					LIEANI	LISBEC	İ	170 47		j			,				1
Set-Up				 	OLANE	03630		1/0 4/				ł					-
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 1 UEANL USBN2 7 15 66 18 31 14 45 36 6 71			١.		LIFANI	LISBSD		56.30									1
Zone 1						10000		50 09									
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 2 UEANL USBN2 9 51 66 18 31 14 45 36 6 71	1		1	1	UEANL	lusan2	7 15	66 18	31 14	45.36	6.71		}				1
Zone 2				<u> </u>		1		- 55 10		1.500							
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 3 UEANL USBN2 12 45 66 18 31 14 45 36 6 71 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 4 UEANL USBN2 18 26 66 18 31 14 45 36 6 71			. 1	2	UÉANL	USBN2	9 51	66 18	31 14	45 36	6 71						1
Zone 3																	
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 4 UEANL		Zone 3		3	UEANL	USBN2	12 45	66 18	31 14	45 36	6 71						
Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 7 UEANL USBMC 8 20 8 20 8 20 8 20 8 20 8 20 8 20 8 2								1									
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 1 UEANL USBN4 7 30 79 49 44 45 51 27 9 35 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		Zone 4		4	UEANL	USBN2	18 26	66 18	31 14	45 36	6 71						L
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 1 UEANL USBN4 7 30 79 49 44 45 51 27 9 35 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -																	1
Zone 1				L	UEANL	USBMC		8 20	8 20								
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										<u></u>						'	1
				1	UEANL	USBN4	7 30	79 49	44 45	51 27	9 35						
	1					1		1					ļ				1

UNBUN	DLE	NETWORK ELEMENTS - Mississippi													ment. 2	Exhi	ibit, B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonrec	IIrmna	Nonrecurring	Disconnect	ļ	L	088	Rates (\$)		
-							Rec	First			Add'I	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
		De la la companya de		 				FIESL	Add'l	First	Add I	SOMEC	JOWIAN	SOMAN	SOWAN	SUMAN	SOWAN
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	UEANL	USBN4	16 73	79 49	44 45	51 27	9 35				l .		
		Zone 3		-	DEANL	U3BIN4	10 73	7545	44 43	3121	5 33						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		4	UEANL	USBN4	16 73	79 49	44 45	51 27	9 35				ļ		
		Zone 4		4	UEAINL	USBIN4	10 /3	7949	44 43	3121	9 33						ļ
		Code Construction for Habrard of Cub Lance Transit Income		1	UEANL	USBMC		8 20	8 20								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1		USBR2	0.00			45.00	6.74						
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1	1	UEANL	USBRZ	2 29	53 32	18 28	45 36	6 71						
					1				0.00						ļ		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		8 20	8 20		0.55				1		
<u> </u>		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4 40	59 60	24 55	51 27	9 35						
1										1		1	[1		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	1	8 20	8 20			ļ			ļ		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34 36	34 36								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19 97	19 97			<u> </u>					└
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	6 06	66 18	31 14	45 36	6 71						
1		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	7 09	66 18	31 14	45 36	6 71						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	8 16	66 18	31 14	45 36	6 71	ì					
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9 90	66 18	31 14	45 36	6 71	1					
<u> </u>												1					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8 20	8 20								
-		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5 10	79 49	44 45	51 27	9 35						
-		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS4X	9 11	79 49	44 45	51 27	9 35	 					
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	14 00	79 49	44 45	51 27	9 35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	- '		UEF	UCS4X	14 00	79 49	44 45	51 27	9 35						
		4 Wile Copper Oribunaled 365-Loop Distribution - Zone 4			OL:	00047	14 00	75 10	77.70	0.27	0 00	 					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8 20	8 20								
		Loop Testing - Basic 1st Half Hour		1	UEF	URET1		34 36	34 36								+
				 	UEF	URETA	ļ	19 97	19 97	-							+
<u> </u>		Loop Testing - Basic Additional Half Hour			UEF	URETA		1991	18 91			 					
U		dled Network Terminating Wire (UNTW)		1	LIENTAN	UENPP	0 3366	30 55				-					
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30 55									+
N-		k Interface Device (NID)		 -		I IN ID 40		43 84	28 90								+
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12						-					
		Network Interface Device (NID) - 1-6 lines		↓	UENTW	UND16	<u></u>	65 30	50 36				-		-		+
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2	ļ	5 94	5 94			ļ					
		Network Interface Device Cross Connect - 4W		<u> </u>	UENTW	UNDC4		5 94_	5 94								
UNE OTH		ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation		ļ	UENTW	UNDBX	0 00	0 00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		<u> </u>	UENTW	UENCE	0 00	0 00				ļ	-				+
				1	UEANL,UEF,UEQ.U		[_							1		1
		Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0 00	0 00				ļ	ļ		-		
UNE OTH	IER, P	ROVISIONING ONLY - NO RATE		ļ											1		
				1						!		Į.			i .		1
]	UAL,UCL,UDC,UDL,					ł						}	1
		Unbundled Contact Name, Provisioning Only - no rate	L		UDN,UEA,UHL,ULC	UNECN	0 00	0 00									<u> </u>
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no					I			-							1
		rate		1	UEA,UDN,UCL,UDC	USBFQ	0 00	0 00		<u> </u>							
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no]													1
[rate		1	UEA,USL,UCL,UDL	USBFR	0 00	0 00							1		
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0 00	0 00								l	
		Unbundled DS1 Loop - Expanded Superframe Format option -		1													
		no rate		1	USL	CCOEF	0 00	0 00		1		1	1	l		<u> </u>	1
HIGH CA		Y UNBUNDLED LOCAL LOOP		1									· · · · · · · · · · · · · · · · · · ·				
1	. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	High Capacity Unbundled Local Loop - DS3 - Per Mile per		1													
		month			UE3	1L5ND	11 20			1		1			1	ŀ	1
+		High Capacity Unbundled Local Loop - DS3 - Facility	-	 			1										
		Termination per month		1	UE3	UE3PX	326 15	454 13	265 47	123 23	86 19	1		ĺ		i	1
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per		+	520	3L31 A	020 13		200 41	1	- 23 15	1		i	·		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment 2		ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - STS-1 - Facility		i											_		
	Termination per month		1	UDLSX	UDLS1	338 55	454 13	265 47	123 23	86 19						L
LOOP MAKE-U			ļ													
	Loop Makeup - Preordering Without Reservation, per working or		1									l .		:		
	spare facility queried (Manual)			UMK	UMKLW		24 12	24 12								
	Loop Makeup - Preordering With Reservation, per spare facility		1													
	queried (Manual)		<u> </u>	UMK	UMKLP		25 58	25 58								
	Loop MakeupWith or Without Reservation, per working or		ļ.													
	spare facility queried (Mechanized)			UMK	UMKMQ		0 6652	0 6652								
	3 AND LINE SPLITTING		L		<u> </u>	L		<u> </u>								
NOTE	The Line Sharing monthly recurring rates for all installation	is com	oleted t	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 sha	l be billed as t	ollows							
	1, 10/02/2003 – 10/01/2004 25% of the rate for an unbundled co	pper lo	op nor	-aesigned ("UCLNE	<u>''')</u>	+			-		 					
	1 10/02/2004 – 10/01/2005 50% of the rate for UCLND		ļ		-	-			ļ							
	1: 10/02/2005 – 10/01/2006 75% of the rate for UCLND															-
	1. Above will apply to USOCS_ULSDT and ULSCT E 2. The Line Sharing monthly recurring rates with USOCs ULS	PDC	4 111 00	Cappling le to -1	rouito !t-!!	nd and !==== *:	o on or before	October 4 00	0.2		-				 	+
	E 2. The Line Sharing monthly recurring rates with USOCS ULS	BUC an	d ULSC	c applies only to ci	rcuits instail	ec and inservice	e on or before	October 1, 20	U3		1					
	TERS-CENTRAL OFFICE BASED				-								L			+
SPLII	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186 67	189 89	0.00	178 41	0 00					ļ	
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46 67	189 89	0.00	178 41	0 00	-					
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15 55	189 89	0 00	178 41	0 00						
	Line Sharing Splitter, Fer System, & Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activator-		1	ULS	ULSUG	15 55	109 09	0.00	1/041	0 00						-
	deactivation (per LSOD)		ł	ULS	ULSDG		86 98	0 00	49 96	0.00		1				
ENDII	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		-	OLO .	ULUUU		66.36	0.00	45 50	0.00					ļ	-
END	Line Sharing - per Line Activation (BST Owned splitter) -		 													
	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18 62	10 66	10 04	4 93						
-	Line Share Service, TRO per line activation, BST owned splitter -		 	000	DEODE	001	1002	10 00	1004	4 33	<u> </u>					1
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E 10/2/2003)			ULS	ULSDT	2 75	18 62	10 66	10 04	4 93						
	Line Share Service, TRO per line activation, BST owned splitter -		<u> </u>		0.000		10 02	1000	1001	1 55		-				
1	Central Office Located (50% of UCLND) - please see NOTE 1															
1	(E 10/2/2004)			ULS	ULSDT	5 51	18 62	10 66	10 04	4 93						
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1							İ								
	(E 10/2/2005)		1	ULS	ULSDT	8 26	18 62	10 66	10 04	4 93						
	Line Sharing - per Subsequent Activity per Line														1	
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		16 48	8 24								
	Line Sharing - per Subsequent Activity per Line														·	
	Rearrangement(DLEC Owned Splitter)	<u></u>	L	ULS	ULSCS		16 48	8 24	1							
	Line Sharing - per Line Activation (DLEC owned Splitter) -															
	OBSOLETE see **NOTE 2		1	ULS	ULSCC	0 61	47 44	19 31	20 67	12 74						
	Line Share Service, TRO per line activation, CLEC owned		1													
	splitter - Central Office Located (25% of UCLND) - please see														1	
	NOTE 1 (E 10/2/2003)			ULS	ULSCT	2 75	47 44	19 31	20 67	12 74						
	Line Share Service, TRO per line activation, CLEC owned					·										
	splitter - Central Office Located (50% of UCLND) - please see															
	NOTE 1 (E 10/2/2004)		L	ULS	ULSCT	5 51	47 44	19 31	20 67	12 74						
	Line Share Service, TRO per line activation, CLEC owned	1							1							
	spiriter - Central Office Located (75% of UCLND) - please see	1							1							
1.00	NOTE 1 (E 10/2/2005) PLITTING			ULS	ULSCT	8 26	47 44	19 31	20 67	12 74						
	SER ORDERING-CENTRAL OFFICE BASED				 	 			 							
ENDU		—	1	HEDOD HEDOD	HDEOC	1		l	-			-			 	·
	Line Splitting - per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS	0.61	40.00	10.00	10.01	3.00	-				 	
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual		-	UEPSR UEPSB UEPSR UEPSB	UREBV	0 61	18 62 18 62	10 66 10 66		4 93 4 93		-			 	
BE A INIT	ENANCE	 	+	UEFSK UEFSB	UKEBV	0 61	18 62	10 66	10 04	4 93					 	
MAINI	No Trouble Found - per 1/2 hour increments - Basic		<u> </u>		 		80 00	55 00	+							+
	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime				 	 	120 00	82 50			+	 		<u> </u>		+
			 		-	-	160 00	110 00	 		1	-	<u> </u>	 		+
	No Trouble Found - per 1/2 hour increments - Premium	l	1		l	1	100.00	110 00	l		1					

Version 3Q03 11/12/2003 Page 202 of 348

UNBUND	LED	NETWORK ELEMENTS - Mississippi		,											ment 2		ibit B
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
	_						Rec	Nonrec		Nonrecurring				OSS	Rates (\$)		
LINDING F	- D D	EDICATED TRANSPORT		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				<u> </u>													ļ
INI		FFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		-													ļ
	- [1	Per Mile per month			U1TVX	1L5XX	0 0098										
	- 1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22 52	40 77	27 57	17 26	7 11						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0098										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	22 52	40 77	27 57	17 26	7 11			h 			
	1	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -						4011	2107	17 20							
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0 0098										
		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	19 79	40 77	27 57	17 26	7 11	-					
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0 0098										
	- 1	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	15 68	40 78	27 57	17 26	7 11	ļ					
	ı	per month			U1TDX	1L5XX	0 0098										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15 68	40 78	27 57	17 26	7 11						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 201										
	ı	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	57 33	89 79	82 28	16 86	14 90						
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						33 73	02 20	10 00	14 30				L		
	ı	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	4 76										
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	641 90	280 37	163 70	62 08	60 29	 					
		month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	4 76										
DARK FIBE	ŀ	Termination			U1TS1	U1TFS	644 21	280 37	163 70	62 08	60 29						
DARK FIBE		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction										-					-
		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF, UDFCX UDF, UDFCX	1L5DF UDF14	28 27	642 79	138 67	326 97	203 85						ļ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		-	ODF, ODFCX	ODF 14		042 /9	136 07	326 91	203 65						
ł I		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	59 95			-						i	
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		642 79	138 67	326 97	203 85						
8XX ACCES		EN DIGIT SCREENING															
		BXX Access Ten Digit Screening, Per Call			OHD		0 0006216										
	1	BXX Access Ten Digit Screening, Reservation Charge Per BXX Number Reserved			OHD	N8R1X		2 60	0 44								
		BXX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations			OHD			5 97	0.81	4 60	0 54						
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			ОНД	N8FTX		5 97	0.81	4 60	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2 60	1 30	7 00							
	E	Routing Per CXR Requested Per 8XX No				N8FMX						†					
\vdash		Routing Per CXR Requested Per 8XX No 8XX Access Ten Digit Screening, Change Charge Per Request			OHD OHD	N8FAX	1	3 04 3 04	1 74 0 44							-	
		BXX Access Ten Digit Screening, Call Handling and Destination							U 44						:		
		Features			OHD	N8FDX		2 60									
		BXX Access Ten Digit Screening, w/ 8FL No Delivery, per query			OHD		0 0006216								L		L

Version 3Q03 11/12/2003

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	bit [.] B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per		1									1				
	query		1	OHD	_	0 0006216										
LINE INFOR	MATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query		-	ООТ		0 0000197										
	LIDB Common Transport Per Query	-	1	logu	+ .	0 0000197							 _			
	LIDB Originating Point Code Establishment or Change		-	OQT, OQU	NRBPX	0.0137053	34 52	34 52	42 33	42 33	 				ļ	
SIGNALING		 		001,000	MINDEX		J4 J2	34 32	42 30	42 33	 					
SIGNALING	CCS7 Signaling Termination, Per STP Port	ł	<u> </u>	UDB	PT8SX	132 21					1				·	
	CCS7 Signaling Usage, Per TCAP Message	-	 	UDB	1100%	0 0000597										
	CCS7 Signaling Connection, Per link (A link)	 	1	UDB	TPP++	16 55	35 74	35 74	16 53	16 53	1				 	•
	CCS7 Signaling Connection, Per link (B link) (also known as D		1		1	1,555			10 00	.0.00	 			 		
	link)			UDB	TPP++	16 55	35 74	35 74	16 53	16 53				l	1	1
	CCS7 Signaling Usage, Per ISUP Message	1	T -	UDB		0 0000149								T	1	
	CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	683 55										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected		İ	UDB	CCAPO		29 18	29 18	35 78	35 78						
E911 SERVI			<u> </u>													
	Local Channel - Dedicated - 2-wr Voice Grade					14 91	194 22	33 36	37 79	3 30						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0098										.
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility														1	
	Termination		ļ		1	22 52	40 77	27 57	17 26	7 11						
	Local Channel - Dedicated - DS1 - Zone 1					36 83 35 99	178 50	154 61	22 89 22 89	15 74						
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	_	₩		+	221 63	178 50 178 50	154 61 154 61	22 89	15 74 15 74						
	Local Channel - Dedicated - DS1 - Zone 3	 	-		+	221 63	178 50	154 61	22 89	15 74	 	-				
L	Interoffice Transport - Dedicated - DS1 Per Mile				+	0 2010	170 30	13401	22 03		ļ					
	Therefore Harrisport Decisions Deliver in the		 		 	02010										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57 33	89 79	82 28	16 86	14 90						
CALLING NA	AME (CNAM) SERVICE		†													-
	CNAM For DB Owners - Service Establishment			OQV			23 09	23 09	21 23	21 23						
	CNAM For Non DB Owners - Service Establishment			OQV			23 09	23 09	21 23	21 23						
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			996 62	737 08	270 49	198 89						
	CNAM For Non DB Owners - Service Provisioning With Point		1					i								!
	Code Establishment		ļ	OQV			344 32	246 56	276 85	198 89						
L	CNAM for DB Owners, Per Query		1	OQV		0 0010231										
OF FOTIVE	CNAM for Non DB Owners, Per Query			OQV	+	0 0010231										
SELECTIVE	Selective Routing Per Unique Line Class Code Per Request Per	-	-		+						 			-		ļ
	Switch	1			1		85 19	85 19	14 19	14 19						[
VIRTUAL CO	DLLOCATION	 			+		00 19	65 19	14 19	14 19	 					
VIII. OAL GO	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1					· · · · · ·			 				h	
	Splitting			UEPSR UEPSB	VE1LS	0 0268	12 37	11 87	6 04	5 45						
PHYSICAL C	COLLOCATION		t	00.0.00.00	+	0 0200	.20.									
	Physical Collocation-2 Wire Cross Connects (Loop) for Line											-				
	Splitting			UEPSR UEPSB	PE1LS	0 0288	12 37	11 87	6 04	5 45				!	Į.	
AIN SELECT	IVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,685 12		8,640 51							
	End Office Establishment	L		SRC	SRCEO		167 49	167 49	1 71	1 71						
	Query NRC, per query			SRC		0 0030502								ļ		
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE				1						ļ					ļ
	AIN SMS Access Service - Service Establishment, Per State,				1				1							1
	Initial Setup		_	A1N	CAMSE		39 67	39 67	40 92	40 92						
	I I I I I I I I I I I I I I I I I I I	l			04455	1	-, -	- n-	ا <u></u> أ						1	1
	AIN SMS Access Service - Port Connection - Dial/Shared Access	-	-	A1N A1N	CAMDP CAM1P		7 87 7 87	7 87 7 87	9 14 9 14	9 14 9 14						
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User	-	-	AIN	CAMIP		/ 8/	/ 8/	9 14	9 14	 	-				
	ID Code	l	1 .	A1N	CAMAU		35 21	35 21	27 21	27 21						1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	ibit B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		ĺ	Į.								Submitted			Charge -	Charge -	Charge -
		i				İ					Elec					
CATECORY	DATE ELEMENTS	Interi	7	BCS	USOC			RATES (\$)					Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	İ		KA165 (3)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
		1		1		Į						ļ ⁻	Electronic-	Electronic-	Electronic-	Electronic-
			Ì			ĺ						1	1st	Add'I	Disc 1st	Disc Add'l
			İ	1)							151	Addi	DISC 1St	DISC AUG I
						Do.	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
	AIN SMS Access Service - Security Card, Per User ID Code,		1													· ·
	Initial or Replacement	1		A1N	CAMRC	1	42 13	42 13	11 78	11 78		ļ				İ
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	+	1	.,	4	0.0021		72.10					· · · · · · · · · · · · · · · · · · ·			
	AIN SMS Access Service - Session, Per Minute	+	1			0 5649										
	AIN SMS Access Service - Company Performed Session, Per	-	-		-	0 3043					-					
				1							1					ì
	Minute					0 8393										1
AIN - BELLS	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,		1													
	Initial Setup		1	CAM	BAPSC		39 67	39 67	40 92	40 92	i	ļ				I
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226 54	4,226 54								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1								· · · · · · · · · · · · · · · · · · ·				-	
ļ	DN, Term Attempt		1		BAPTT		7 87	7 87	9 14	9 14		l	ŀ			!
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	+		+		·			3 14	514	 	 	 	-		
											1					
	DN Off-Hook Delay				BAPTD		7 87	7 87	9 14	9 14			ļ			4
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1	1							1			
(DN, Off-Hook Immediate		1		BAPTM	l	7 87	7 87	9 14	9 14	1					1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
i	DN, 10-Digit PODP				BAPTO	1	34 67	34 67	14 44	14 44			i			1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1														
- 1	DN. CDP				BAPTC	i	34 67	34 67	14 44	14 44	1	1				
\rightarrow	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per	+	1		DAI 10	1	37 07	3407	17 77	17 77			l			
			1		BAPTE		34 67	34 67	14 44	14 44	1		ľ			1
	DN, Feature Code		1		BAPIF		34 67	34 67	14 44	14 44	1					
	AIN Toolkit Service - Query Charge, Per Query		1			0 0535577										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		1			Į l					1	i				1
	Subscription, Per Node, Per Query		1			0 0063509					i I	ĺ				1
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes		1			0.06										1
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															1
	Subscription		1	CAM	BAPMS	11 11	7 87	7 87	5 54	5 54						i
		+	-	CAVI	DAI MG	- '' ''	7 07	7 07	3 34	0.04						
1	AIN Toolkit Service - Special Study - Per AIN Toolkit Service				DARLE		0.74	0.74			Į.	l				i
	Subscription	1		CAM	BAPLS	2 71	8 71	8 71								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			1							l					
	Subscription			CAM	BAPDS	8 48	7 87	7 87	5 54	5 54				1		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkil															
	Service Subscription			CAM	BAPES	0 09	8 71	8 71				ĺ		1		
ENHANCED	EXTENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will	annly s	nd the	Switch-As-Is Cha	rge will not an	ly for LINE con	hinatione pro	visioned as ' O	rdinarily Comb	ined' Network	Flomente					
	The monthly recurring and the Switch-As-Is Charge and not													1		
EVTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DO	1 INTE	DOEEICE TOANSD	ODT	CIAE COMPINAN	ona provisione	as vuntill	, Johnshieu N	C.HOIR EJEINE		-	 	 		+
FAIR	First 2-Wire VG Loop (SL2) in Combination - Zone 1	120 08	TA	TUNCVX	UEALO.	10.00	105 96	68 28	52 82	10 37		-	-	ļ		1
		-			UEAL2	13 89					ļ	ļ			.	1
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18 75	105 96	68 28	52 82	10 37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27 55	105 96	68 28	52 82	10 37		i				
	First 2-Wire VG Loop (SL2) in Combination - Zone 4	1	4	UNCVX	UEAL2	45 72	105 96	68 28	52 82	10 37				I		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1											l			
	per month			UNC1X	1L5XX	0 1813					i l			1		1
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1		1	· · · · · · · · · · · · · · · · · · ·					l	l	l	t		
	Termination per month	1	1	UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90		!	l	ı		
		+	+-	UNC1X	MO1							 	 	 		+
	1/0 Channelization System in combination Per Month	+	├			102 85	91 57	62 94	10 87	10 10			ļ	-		
	Voice Grade COCI - Per Month	1	-	UNCVX	1D1VG	0.5737	6 62	4 74				ļ				ļ
				1	1	i !						I	l	1		1
				1	l	1										
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	<u> </u>	1_1_	UNCVX	UEAL2	13 89	105 96	68 28	52 82	10 37						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		<u> </u>													
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1 2	UNCVX	UEAL2 UEAL2	13 89 18 75	105 96 105 96	68 28 68 28	52 82 52 82	10 37						
		-	<u> </u>													
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	18 75	105 96	68 28	52 82	10 37						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		<u> </u>													
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	18 75	105 96	68 28	52 82	10 37						

<u> NAROND</u> FI	ED NETWORK ELEMENTS - Mississippi													ment· 2	Exhi	ibit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		T
							First	Add'l	Fırşt	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAV	LINGGO		F 00	5.00	7 00	7.00						
	Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT		4 15175	UNC1X	UNCCC		5 63	5 63	7 20	7 20						
EXIE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAL	ED 09	INIE	TOFFICE TRANSPO	JK1											-
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNÇVX	UEAL4	27 47	132 27	94 59	60 68	14 64						
	1 list 4-Ville Allalog Voice Grade Edop III Combination - Zoffe 1		 '	DITOVA	QLAL4	21 77	102 21	34.00	00 00	14 04					-	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38 26	132 27	94 59	60 68	14 64						
	That 4-Wite Atlandy voice Grade Ecop in Combination - Zone Z		-	OHOVA	OLALI	30 20	102 27	34 55	00 00	1404						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64						
	That I this reading raise crace 200p in combination 2010 5		 	D.1.017.	1021.21	00 00	.02 2.	0.00	00 00							+
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64	1					ŀ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile								00.00							<u> </u>
ŀ	Per Month			UNC1X	1L5XX	0 1813								i		
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102 85	91 57	62 94	10 87	10 10						1
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 5737	6 62	4 74								
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1			·								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27 47	132 27	94 59	60 68	14 64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1	-										
ı	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38 26	132 27	94 59	60 68	14 64						ĺ
	Additional 4-Wire Analog Voice Grade Loop in same DS1		 				.,		00 00							
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		- 	0.1077	IOZ.	00 00	102 27		00.00	1701						
ı	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 5737	6 62	4 74								
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1.0 1.1.	1.5.1.5		7 52									
	Is Charge			UNC1X	UNCCC	l	5 63	5 63	7 20	7 20						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN				- 5 55									
			T									-				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27 44	126 53	88 85	60 68	14 64						
					+		-					-			_	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34 55	126 53	88 85	60 68	14 64						
					1											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40 76	126 53	88 85	60 68	14 64						
	9				+				*							
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32 25	126 53	88 85	60 68	14 64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															-
	Per Month			UNC1X	1L5XX	0 1813										l
	Interoffice Transport - Dedicated - DS1 - combination Facility				1											
į	Termination Per Month			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102 85	91 57	62 94	10 87	10 10						
	OCU-DP COCI (data) per month (2 4-64kbs)			UNCDX	1D1DD	1 22	6 62	4 74	0.00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1 1	UNCDX	UDL56	27 44	126 53	88 85	60 68	14 64						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					İ										
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34 55	126 53	88 85	60 68	14 64						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40 76	126 53	88 85	60 68	14 64						1
i	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32 25	126 53	88 85	60 68	14 64						
	Additional OCU-DP COCI (data) - in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	1 22	6 62	4 74	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5 63	5 63	7 20	7 20						L
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN	TEROFFICE TRANS	PORT											
					1											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	27 44	126 53	88 85	60 68	14 64						

RATE ELEMENTS Inter m Zone BCS USOC RATES (\$) Submitted Submitted Elec Manual Svc Order vs. Electronic- 1st Add'I Disc 1st Disc Ad	NBUNDLE	D NETWORK ELEMENTS - Mississippi		,	,							I			ment 2		ıbit B
First A Win 640000 Days Clove Loop in Combination 2 Area 2 2 UNEDX DECM 34 99 35 93 56 86 60 98 44 94	ATEGORY	RATE ELEMENTS		Zone	BCS	usoc				1		Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Charge - Manual Svc Order vs Electronic-	Charge - Manual Sv Order vs
First 4-Win 64/0pe Oged Grade Loop in Combination - Zena 2							Rec					SOMEC	SOMAN			SOMÁN	SOMAN
Figs. 4 WWs 6485ps Digital Granes Loop in Combination. Zone 2 Figs. 4 WWs 6485ps Digital Granes Loop in Combination. Zone 4 JUCDIX			-					FIFSL	Addi	First	Auu	JOHIEC	JOHAN	SOMAN	JOHIAN	SOWAN	JOHAN
First 4 Wine 9400ps Digital Canalis Loop in Continuation - Zone 4 Unicol		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34 55	126 53	88 85	60 68	14 64					ļ	
Discording Framport Descriptors 205 combination - Fee Mark Pee				3	UNCDX	UDL64	40 76	126 53	88 85	60 68	14 64						
Pier Morris Pier Morris				4	UNCDX	UDL64	32 25	126 53	88 85	60 68	14 64						
Invention Transport - Dedicated - DST centionation - Facility UNCIX					LINCAY	11 EVV	0.4043										
Temmation Fet Month					UNCIX	ILSXX	0 1813										+
To Columnal Systems to accommonation Per Month OCUPS COCC (data) = months continuation - per month (2.44(bs)) UNICOX UNIC			ĺ		UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90						
OCUCIP COC (clear)					UNC1X	MQ1	102 85	91 57			10 10						
Macuritics Transport Combination - Zone 1		OCU-DP COCI (data) - in combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 22	6 62	4 74	0 00	0 00						
Additional 4-Wise BNR/ps Dyraid Grades (Loop in same DST 2 UNCDX UDL64 34.65 126.53 88.85 60.08 14.64					L			100/55		20.77				1	1		
Intercritics Transport Commission - Zero 1				1	UNCDX	UDL64	27 44	126 53	88 85	60 68	14 64						+
Interoffice Transport Combination - 2 zone 3 3 UNCCX UDL64 40 76 126 53 69 85 50 88 16 64		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34 55	126 53	88 85	60 68	14 64						<u> </u>
Intereditico Transport Combination - Zone 4		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40 76	126 53	88 85	60 68	14 64						
(2.4-6/kbs) UNCOX 1010 122 6.62 4.74 0.00 0.00 0.00		Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32 25	126 53	88 85	60 68	14 64						
Schange UNCIX UN		(2 4-64kbs)			UNCDX	1D1DD	1 22	6 62	4 74	0 00	0 00						
4-Wire OST Digital Loop in Combination - Zone 1		Is Charge						5 63	5 63	7 20	7 20						
4-Wire DS1 Digital Logo in Combination - Zone 2 2 UNC1X USUX 129 8 253 93 158 45 46 10 1207	EXTEN		ED DS1				70.00	050.00	450.45	46.46	40.07	ļ			ļ		+
4-Wire DST Digital Loop in Combination - Zone 3 3 UNCIX USLXX 206 r4 253 93 158 45 46 10 12 07													 	-			+
A-Wire DST Optial Loop in Combination - Zone 4 4 UNCIX USLXX 458.46 263.93 158.45 46.10 12.07																	+
Interoffice Transport - Dedicated - DST combination - Per Mile UNC1X												1					+
Introffice Transport - Dedicated - DS1 Combination - Facility UNCIX U1TF1 51 72 89 79 82 28 16 86 14 90		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
Scharge					UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90						
First DS1Loop in Combination - Zone 1		Is Charge						5 63	5 63	7 20	7 20	1					
First DS1Loop in Combination - Zone 2 2 UNC1X	EXTE		ED DS3														
First DSTLoop in Combination - Zone 3 3 UNC1X USLXX 206 74 253 93 158 45 46 10 12 07			L														
First DSTLoop in Combination - Zone 4														1		-	+
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 4 29														1			+
Interoffice Transport - Dedicated - DS3 - Facility Termination per month UNC3X U1TF3 641 90 280 37 163 70 62 08 60 29	<u> </u>	Interoffice Transport - Dedicated - DS3 combination - Per Mile		 -				200 30	100 40	40 10	12 07						
3/1Channel System in combination per month		Interoffice Transport - Dedicated - DS3 - Facility Termination per						280.37	163.70	62.08	60.29						
DS1 COCI in combination per month	_												!	 	 	-	+
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 3 UNC1X USLXX 129 38 253 93 158 45 46 10 12 07 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 3 UNC1X USLXX 206 74 253 93 158 45 46 10 12 07 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 4 UNC1X USLXX 458 46 253 93 158 45 46 10 12 07 Additional DS1 COCI in combination per month UNC1X USLXX USLXX 458 46 253 93 158 45 46 10 12 07 Additional DS1 COCI in combination per month UNC1X UC1D1 2 62 6 62 4 74 0 00 0 00 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT				 											 	1	1
Zone 2		Additional DS1Loop in DS3 Interoffice Transport Combination -		1		USLXX											
Zone 3				2	UNC1X	USLXX	129 38	253 93	158 45	46 10	12 07						
Zone 4		Zone 3		3	UNC1X	USLXX	206 74	253 93	158 45	46 10	12 07						
Nonrecuring Currently Combined Network Elements Switch -As- Is Charge UNC3X UNCCC 5 63 5 63 7 20 7 20 EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT		Zone 4		4												ļ	
Is Charge UNC3X UNCCC 5 63 5 63 7 20 7 20 EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT			ļ		UNC1X	UC1D1	2 62	6 62	4 74	0.00	0 00						
		Is Charge						5 63	5 63	7 20	7 20						
	EXTE		GRAD														

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	bit, B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		!				Rec	Nonrec		Nonrecurring					Rates (\$)		
			-	4 11 1 2 1 2 1	1,,,,,,	10.75	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2 UEAL2	18 75 27 55	105 96 105 96	68 28 68 28	52 82 52 82	10 37 10 37						
	2-WireVG Loop in combination - Zone 3 2-WireVG Loop in combination - Zone 4	<u> </u>		UNCVX	UEAL2	45 72	105 96	68 28	52 82	10 37	1					<u> </u>
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	ļ		UNCVX	UEALZ	45 72	103 90	00 20	32 62	10 37	ł	-		 		l
	Month		1	UNCVX	1L5XX	0 00088										
	Interoffice Transport - 2-wire VG - Dedicated - Facility	<u> </u>		0.1077	120701	0.00000					· · ·					
	Termination per month			UNCVX	U1TV2	20 32	40 77	27 57	17 26	7 11				1		
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge			UNCVX	UNCCC		5 63	5 63	7 20	7 20		ŧ				
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE	ROFFICE TRANSPO	ORT						l					
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	27 47	132 27	94 59	60 68	14 64						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	38 26	132 27	94 59	60 68	14 64	<u> </u>		L			ļ
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64						
	4-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64	į					
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	ļ		Lucion	41.5307	0.0000	1				ļ					ļ
	Month Committee	ļ <u>-</u> .		UNCVX	1L5XX	0 00088						ļ				ļ
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month	}		UNCVX	U1TV4	17 86	40 77	27 57	17 26	7 11	ĺ	!				
	Nonrecurring Currently Combined Network Elements Switch -As-	 	ļ	UNCVX	01104	17.86	40 77	2/ 3/	17.26	7 11	1					<u> </u>
l	Is Charge		1	UNCVX	UNCCC		5 63	5 63	7 20	7 20	ļ				i	
EYTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FEICE		014000		3 63	3.03	7 20	7 20	 			· · · · · ·		
CAIL	DS3 Local Loop in combination - per mile per month	11412100	1	UNC3X	1L5ND	11 20					<u> </u>					
_	D33 Eocal Eoop II Combination - per mile per month	+		ынозх	TESING	1720										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252 17	454 13	265 47	123 23	86 19				l .		l
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		 	UNC3X	1L5XX	4 29	101.10	200 11	120 20	33.10						
	Interoffice Transport - Dedicated - DS3 combination - Facility		<u> </u>		1.23.3						· ·					†
	Termination per month			UNC3X	U1TF3	641 90	280 37	163 70	62 08	60 29		l		1		
	Nonrecurring Currently Combined Network Elements Switch -As-	-									i .					
	Is Charge			UNC3X	UNCCC		5 63	5 63	7 20	7 20						
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT]		
	STS-1 Local Lolp in combination - per mile per month	L .		UNCSX	1L5ND	11 20										İ
	STS-1 Local Loop in combination - Facility Termination per															
	month	1		UNCSX	UDLS1	264 35	454 13	265 47	123 23	86 19						
	Interoffice Transport - Dedicated - STS-1 combination - per mile		l								i				l	1
	per month	 	 	UNCSX	1L5XX	4 29					1		 	ļ	1	1
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	644 21	280 37	163 70	62 08	60 29					1	1
	Nonrecurring Currently Combined Network Elements Switch -As-		├-	UNCSA	UIIFS	044 21	280 37	163 70	62 08	60 29	 			_		<u> </u>
	Is Charge	1		UNCSX	UNCCC		5 63	5 63	7 20	7 20	1	1		I	1	!
EXT	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT	0.100/	0,,000		3 03		1 20	7 20	 	 	 	 	1	
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21 01	117 61	79 92	52 82	10 37				!	t	
	First 2-Wire ISON Loop in Combination - Zone 2		2	UNCNX	U1L2X	27 59	117 61	79 92	52 82	10 37					<u> </u>	
	First 2-Wire ISON Loop in Combination - Zone 3		3	UNCNX	U1L2X	37 34	117 61	79 92	52 82	10 37					1	1
	First 2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59 18	117 61	79 92	52 82	10 37			1			
	Interoffice Transport - Dedicated - DS1 combination - per mile		T					-				i				
	per month		ļ	UNC1X	1L5XX	0 1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility													1		
	Termination per month			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90						
	1/0 Channel System in combination - per month		 	UNC1X	MQ1	102 85	91 57	62 94	10 87	10 10					ļ	
	2-wire ISDN COCI (BRITE) - in combination - per month	+	1	UNCNX	UC1CA	2 62	6 62	4 74	0 00	0 00	ļ		i		-	-
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		١.,	LINONY	LIALON		447.00	70.00	53.53	40.07	i		l			
	Combination - Zone 1	1	1	UNCNX	U1L2X	21 01	117 61	79 92	52 82	10 37	1		ļ	-	-	-
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27 59	117.01	79 92	52 82	10 37	1		1			1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		+-	UNUNA	UILZA	27 59	117 61	19 92	92 82	10 37	+	-	· · · · · · · · · · · · · · · · · · ·	 	 	+
	Combination - Zone 3	1	3	UNCNX	U1L2X	37 34	117 61	79 92	52 82	10 37	1		1			1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	- -	UNIONA	JOILEA .	37 34	117 01	1992	32.02	10.37	 	 	 	 	 	+
1	Combination - Zone 4	1	4	UNCNX	U1L2X	59 18	117 61	79 92	52 82	10 37		1	1			1

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi													ment- 2		ıbit [.] B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
,	Additional 2-wire ISDN COCI (BRITE) - in combination- per		,,,													1
	month			UNCNX	UC1CA	2 62	6 62	4 74	0 00	0 00			1			1
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge			UNC1X	LUNCCC		5 63	5 63	7 20	7 20			i			
EYTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE											-		1
- EXIL	First DS1 Loop Combination - Zone 1		1	UNC1X	JUSLXX	79 08	253 93	158 45	46 10	12 07						
-	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129 38	253 93	158 45	46 10	12 07			 	 		
			3	UNC1X	USLXX	206 74	253 93	158 45	46 10	12 07			 	 	+	1
	First DS1 Loop Combination - Zone 3			UNC1X	USLXX	458 46	253 93	158 45	46 10	12 07						1
	First DS1 Loop Combination - Zone 4	-	4	UNCIX	USLAA	458 46	253 93	100 40	46 10	12 07					ļ	1
1	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month	ļ	ļ	UNCSX	1L5XX	4 29		***	ļ <u>.</u>		↓	1	-	1	1	1
	Interoffice Transport - Dedicated - STS-1 combination - Facility			l									1			
	Termination per month	L	L	UNCSX	U1TFS	644 21	280 37	163 70	62 08	60 29	ļ	ļ		1	ļ	1
	3/1 Channel System in combination per month			UNCSX	MQ3	170 63	179 17	94 52		32 82						
	DS1 COCI in combination per month			UNC1X	UC1D1	2 62	6 62	4 74	0 00	0 00			ļ			
	Additional DS1Loop in the same STS-1 Interoffice Transport															1
1	Combination - Zone 1		1	UNC1X	USLXX	79 08	253 93	158 45	46 10	12 07		l	L		L	L
	Additional DS1Loop in the same STS-1 Interoffice Transport															
1	Combination - Zone 2		2	UNC1X	USLXX	129 38	253 93	158 45	46 10	12 07						
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	<u> </u>		+						1	1		 		
	Combination - Zone 3	l	3	UNC1X	USLXX	206 74	253 93	158 45	46 10	12 07				1		
	Additional DS1Loop in the same STS-1 Interoffice Transport	 	Ť	ONOIX	OCEAN	200 7-7	200 00	100 10		1207	+	1		+		1
1		ł	4	UNC1X	USLXX	458 46	253 93	158 45	46 10	12 07						
-	Combination - Zone 4	<u> </u>	4		UC1D1	2 62	6 62				ļ			 	 	
	DS1 COCI in combination per month	.		UNC1X	00101	2 62	0.02	4 74	0.00	0 00	ļ	ļ				
1	Nonrecurring Currently Combined Network Elements Switch -As-	il .												-		
	ls Charge			UNCSX	UNCCC		5 63	5 63	7 20	7 20	;	į				
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1	L		UNCDX	UDL56	27 44	126 53	88 85		14 64						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34 55	126 53	88 85		14 64						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40 76	126 53	88 85		14 64		i				
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32 25	126 53	88 85	60 68	14 64						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -							_								
	Per Mile per month			UNCDX	1L5XX	0 0098						ł				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1					*** *						
	Facility Termination per month	ŀ		UNCDX	U1TD5	22 52	40 78	27 57	17 26	7 11			İ			
	Nonrecurring Currently Combined Network Elements Switch -As-			5.1.05%	1011100		40.0	2, 0.			+					
	is Charge		1	UNCDX	UNCCC		5 63	5 63	7 20	7 20		1				
EVTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DC INT	EDOE		1014000		3 00	J 03	7 20	7 20				ł		
EATE		PESINI		UNCDX	UDL64	27 44	126 53	88 85	60 68	14 64				ļ	 	
	4-wire 64 kbps Looal Loop in Combination - Zone 1	!	2									ļ				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	-		UNCDX	UDL64	34 55	126 53	88 85		14 64			<u> </u>			
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40 76	126 53	88 85		14 64						
	4-wire 64 kbps Looal Loop in Combination - Zone 4	<u> </u>	4	UNCDX	UDL64	32 25	126 53	88 85	60 68	14 64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	1	1								1	i		1	
	Per Mile per month		<u> </u>	UNCDX	1L5XX	0 0098						1	L			<u> </u>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -]		1	-]			1	
	Facility Termination per month	L	1	UNCDX	U1TD6	22 52	40 78	27 57	17 26	7 11	1				1	1
	Nonrecurring Currently Combined Network Elements Switch -As-	-											!		1	
	Is Charge			UNCDX	UNCCC	ŀ	5 63	5 63	7 20	7 20	1					
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	/ 3/1 MUX											L	
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13 89	105 96	68 28	52 82	10 37				1		
- 1	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18 75	105 96	68 28		10 37		1			1	
	First 2-wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	UEAL2	27 55	105 96	68 28		10 37					T	
	First 2-wire VG Loop (SL2) in Combination - Zone 4	 		UNCVX	UEAL2	45 72	105 96	68 28		10 37	1					1
	First Interoffice Transport - Dedicated - DS1 combination - Per	t	 	1		70.2	100 00	30 20	02.02	10 01	1	+	1		<u>† </u>	1
	p. a.c. and onless managers - Decidates - Decidation - Fel	1	i i	UNC1X	1L5XX	0 1813					1					1
	Mile	1									1	1			1	1
	Mile	ļ		UNCIX	IL3AA	0 1013										
	First Interoffice Transport - Dedicated - DS1 combination -		-				90.70	93.30	16.00	44.00						
				UNC1X UNC1X	U1TF1 MQ1	51 72 102 85	89 79 91 57	82 28 62 94		14 90 10 10						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment [,] 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		1
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	170 63	179 17	94 52	34 30	32 82						
	Per each DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	2 62	6 62	4 74	0 00	0 00	1					
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13 89	105 96	68 28	52 82	10 37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	l	١ ـ		1				[l
	Interoffice Transport Combination - Zone 2	ļ	2	UNÇVX	UEAL2	18 75	105 96	68 28	52 82	10 37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															1
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27 55	105 96	68 28	52 82	10 37						1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		١.			45.70		***								1
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45 72	105 96	68 28	52 82	10 37		_				ļ
	Each Additional Voice Grade COCI in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1	 	<u> </u>	UNCVX	1D1VG	0 5737	6 62	4 74				ļ				-
1	Channel System per month			UNC1X	1L5XX	0.4040										1
	Each Additional DS1 Interoffice Channel Facility Termination in	1	<u> </u>	DINCIA	ILDAA	0 1813					ļ					
	same 3/1 Channel System per month			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90						1
	Each Additional DS1 COCI combination per month	-		UNC1X	UC1D1	2 62	6 62	4 74	0 00	0 00	ļ					
	Nonrecurring Currently Combined Network Elements Switch -As-	 		0.40.17	100101	2 02	0.02	4 /4	0 00	0 00		<u> </u>				
	Is Charge	ì	ľ	UNC1X	UNCCC		5 63	5 63	7 20	7 20						l
EYT	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EDOEE	CETR		IIV		. 303	3 03	7 20	7 20						
E^''	First 4-Wire Analog Voice Grade Local Loop in Combination -	I	L	ANSFORT WISH IN	^											
	Zone 1	İ	1	UNCVX	UEAL4	27 47	132 27	94 59	60 68	14 64						l
- 1	First 4-Wire Analog Voice Grade Local Loop in Combination -	 	<u>-</u> -	DITOTA	JOEAL T	2/ 7/	102 21	34 03	00 00	14 04	· · · · · ·					
1	Zone 2		2	UNCVX	UEAL4	38 26	132 27	94 59	60 68	14 64		·				
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1	_	CHOTA	OL/L	00 20	102.21	3+03	00 00	17.07						
1	Zone 3		3	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64						ł
	First 4-Wire Analog Voice Grade Local Loop in Combination -	† • • • • • • • • • • • • • • • • • • •				***				1, 5,						
ì	Zone 4		4	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64	1					ł
	First Interoffice Transport - Dedicated - DS1 combination - Per		l				-									
	Mile Per Month		l	UNC1X	1L5XX	0 1813										İ
	First Interoffice Transport - Dedicated - DS1 - Facility				1											
	Termination Per Month	l		UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90				1		i
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102 85	91 57	62 94	10.87	10 10						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 5737	6 62	4 74						-		
	3/1 Channel System in combination per month			UNC3X	MQ3	170 63	179 17	94 52	34 30	32 82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2 62	6 62	4 74	0 00	0 00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1							-		-						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27 47	132 27	94 59	60 68	14 64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		l . ¯	l	1	7	⊣									
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38 26	132 27	94 59	60 68	14 64						ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_	LINION AV			,							l		-
	Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64						ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1		. 1	LINOVA			400.5	04	20.5-							ı
	Interoffice Transport Combination - Zone 4	 	4	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINCAV	11.500	0.4040	Į.									i
	Channel System per month			UNC1X	1L5XX	0 1813										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month	ļ		UNC1X	U1TF1	51 72	89 79	82 28	46.00	44.00						ı
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0 5737	6 62	82 28 4 74	16 86	14 90						
	Nonrecurring Currently Combined Network Elements Switch -As-			DIACAV	LIDIVG	0 3/3/	0.02	4 /4								
	Is Charge	l		UNC1X	UNCCC		5 63	5 63	7 20	7 20						l
EXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERO	FFICE				3 03	3 03	1 20	, 20						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1			1											
1	Zone 1		1	UNCDX	UDL56	27 44	126 53	88 85	60 68	14 64				 		ı
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -				122200	21 77	.20 00	00 00	00 00	1-1 0-4						
İ	Zone 2		2	UNCDX	UDL56	34 55	126 53	88 85	60 68	14 64				. 1		İ
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -				1 1	2.30	,									
	Zone 3		3	UNCDX	UDL56	40 76	126 53	88 85	60 68	14 64					1	İ
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1			1											
	Zone 4	1	4	UNCDX	UDL56	32 25	126 53	88 85	60 68	14 64	1					l.

ONBONDE	ED NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	ibit B
		<u> </u>						•			Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		İ	1									Submitted	Charge -	Charge -	Charge -	Charge
			1	1							Elec	Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs	Order vs.	Order vs.
		m	i	1	i i						per CSIX	per LSK	Electronic-	Electronic-		Electronic
			!										1		Electronic-	
			1										1st	Add'1	Disc 1st	Disc Add'l
			i				Nonrec	urring	Nonrecurring	Disconnect	· · · · · ·		oss	Rates (\$)		
			ļ.,			Rec -	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMÁN	SOMAN	SOMAN
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month		i	UNC1X	1L5XX	0 1813							!			ŀ
	First Interoffice Transport - Dedicated - DS1 - combination												f	1		
	Facility Termination Per Month	İ		UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90					1	
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102 85	91 57	62 94	10 87	10 10					1 "	
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)			UNCDX	1D1DD	1 22	6 62	4 74	0.00	0 00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170 63	179 17	94 52	34 30	32 82						1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2 62	6 62	4 74	0 00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27 44	126 53	88 85	60 68	14 64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34 55	126 53	88 85	60 68	14 64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	İ	3	UNCDX	UDL56	40 76	126 53	88 85	60 68	14 64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1													1		
	Interoffice Transport Combination - Zone 4	İ	4	UNCDX	UDL56	32 25	126 53	88 85	60 68	14 64				1		
	OCU-DP COCI (data) COCI in combination per month (2 4-															
	64kbs)	l		UNCDX	1D1DD	1 22	6 62	4 74	0 00	0 00				1		
1	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month	l		UNC1X	1L5XX	0 1813										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	l		UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90						•
	Each Additional DS1 COCI in the same 3/1 channel system										-					
	combination per month			UNC1X	UC1D1	2 62	6 62	4 74	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	1		UNC1X	lunccc	į.	5 63	5 63	7 20	7 20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	/1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	F	T	1											1
l	Transport Combination - Zone 1	1	1	UNCDX	UDL64	27 44	126 53	88 85	60 68	14 64						ł
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				1										1	1
1	Transport Combination - Zone 2	ļ	2	UNCDX	UDL64	34 55	126 53	88 85	60 68	14 64]	1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice						• •									
1	Transport Combination - Zone 3	ŀ	3	UNCDX	UDL64	40 76	126 53	88 85	60 68	14 64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice												·			
	Transport Combination - Zone 4		4	UNCDX	UDL64	32 25	126 53	88 85	60 68	14 64					ì	
	First Interoffice Transport - Dedicated - DS1 combination - Per						-									i e
	Mile Per Month			UNC1X	1L5XX	0 1813										
	First Interoffice Transport - Dedicated - DS1 combination -						,								-	
	Facility Termination Per Month			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90					i	
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	102 85	91 57	62 94	10 87	10 10						
	Per each OCU-DP COCI (data) in combination - per month (2 4-															
	64kbs)			UNCDX	1D1DD	1 22	6 62	4 74	0 00	0 00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170 63	179 17	94 52	34 30	32 82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2 62	6 62	4 74	0 00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27 44	126 53	88 85	60 68	14 64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									·						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34 55	126 53	88 85	60 68	14 64]	1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	40 76	126 53	88 85	60 68	14 64				L		1
T	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	I														
[Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32 25	126 53	88 85	60 68	14 64				I]	1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System			· · · · · · · · · · · · · · · · · · ·												l
	combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 22	6 62	4 74	0.00	0 00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1													1		
]	Channel System per month			UNC1X	1L5XX	0 1813	ļ							<u> </u>	L	
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		1	UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90	J		İ		I	1

ONBONDE	ED NETWORK ELEMENTS - Mississippi										T=	-		ment 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
		1				Rec		urring		g Disconnect				Rates (\$)		-
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system				1	0.00										
	combination per month			UNC1X	UC1D1	2 62	6 62	4 74	0 00	0 00			ļ		<u> </u>	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		i	UNC1X	UNCCC		5 63	5 63	7 20	7 20	ł				ĺ	
EVTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUY	UNCIX	DIVCCC	-	5 03	3 03	7 20	7 20					-	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	1 11.02													
	Transport - Zone 1		1	UNCNX	U1L2X	21 01	117 61	79 92	52 82	10 37			1			
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		· · · · ·								1					
	Transport - Zone 2		2	UNÇNX	U1L2X	27 59	117 61	79 92	52 82	10 37				l		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination						, , , , , , , , , , , , , , , , , , , ,				1				!	
	Transport - Zone 3		3	UNCNX	U1L2X	37 34	117 61	79 92	52 82	10 37	1					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination										1					
	Transport - Zone 4		4_	UNCNX	U1L2X	59 18	117 61	79 92	52 82	10 37	1				ļ	
	First Interoffice Transport - Dedicated - DS1 combination - Per			UNC1X	1L5XX	0 1813										
	Mile per month First Interoffice Transport - Dedicated - DS1 combination -			UNCIA	ILSAA	0 1013					-					
1	Facility Termination per month			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90					!	
- -	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	102 85	91 57	62 94		10 10	1					
 	r er each Chairner System fro in combination - per month	 	 	011017	- IVIGET	102 00	3101	04.01	1007	10.10					 	-
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2 62	6 62	4 74	0 00	0 00					Į.	
	3/1 Channel System in combination per month			UNC3X	MQ3	170 63	179 17	94 52	34 30	32 82	1					
	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	2 62	6 62	4 74	0 00	0 00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														
l i	Combination - Zone 1		1	UNCNX	U1L2X	21 01	117 61	79 92	52 82	10 37	1					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport												i e			
	Combination - Zone 2		2	UNCNX	U1L2X	27 59	117 61	79 92	52 82	10 37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1			1					40.07	ł				ļ	
	Combination - Zone 3		3	UNCNX	U1L2X	37 34	117 61	79 92	52 82	10 37	1					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		4	UNCNX	U1L2X	59 18	117 61	79 92	52 82	10 37	1				İ	
	Combination - Zone 4 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	-4	UNCINA	UILZA	38 10	117 01	19 82	52 62	10.37						
l i	system combination- per month			UNCNX	UC1CA	2 62	6 62	4 74	0 00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			DIVOLUX	10010/1	2 02	0.02			1.00	· · · · · · · · · · · · · · · · · · ·					
	Channel System per month			UNC1X	1L5XX	0 1813							1		ļ	
	Each Additional DS1 Interoffice Channel Facility Termination in				1											
	same 3/1 Channel System per month	1		UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90					ŀ	
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month	ļ	l	UNC1X	UC1D1	2 62	6 62	4 74	0 00	0 00	<u> </u>					
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5 63	5 63	7 20	7 20	ļ					
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRAN			USLXX	79 08	253 93	450 4E	46 10	12 07						
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1 First 4-wire DS1 Digital Local Loop in Combination - Zone 2			UNC1X UNC1X	USLXX	79 08 129 38	253 93	158 45 158 45	46 10	12 07						
	First 4-wire DS1 Digital Loop in Combination - Zone 2 First 4-wire DS1 Digital Loop in Combination - Zone 3	+		UNC1X	USLXX	206 74	253 93	158 45	46 10	12 07						
—	First 4-wire DS1 Digital Looal Loop in Combination - Zone 4			UNC1X	USLXX	458 46	253 93	158 45								
	First Interoffice Transport - Dedicated - DS1 combination - Per	+		ONOTA	- COLFOR	700 10	200 00	700 70	.0,0	12 0.			-			
	Mile Per Month		1	UNC1X	1L5XX	0 1813										
	First Interoffice Transport - Dedicated - DS1 combination -		 		1				1							
	Facility Termination Per Month			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90			1			
	3/1 Channel System in combination per month	<u></u>		UNC3X	МФЗ	170 63	179 17	94 52		32 82						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	2 62	6 62	4 74	0.00	0.00	ļ					
	Each Additional DS1 Interoffice Channel per mile in same 3/1												1			
	Channel System per month	L	ļ	UNC1X	1L5XX	0 1813					ļ					
	Each Additional DS1 Interoffice Channel Facility Termination in	1							40.00	1					1	
	same 3/1 Channel System per month	↓	-	UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90		-	ļ 			-
[Each Additional DS1 COCI in the same 3/1 channel system	1		LINCAY	LICADA	2 62	6 62	4 74	0 00	0 00			1		l .	
 	combination per month Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	ļ		UNC1X	UC1D1	2 02	0.02	4 /4		1 300	 		 	<u> </u>	 	
1	Additional 4-vvire Do i Digital Local Loop in Combination - Zone	1		UNC1X	USLXX	79 08	253 93	158 45	46 10	12 07	-	1	1	i	1	

NRONDE	D NETWORK ELEMENTS - Mississippi				·, · · · · · ·	···								ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonre		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone				1										1	ł
	2		2	UNC1X	USLXX	129 38	253 93	158 45	46 10	12 07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			İ										ľ		1
	3		3	UNC1X	USLXX	206 74	253 93	158 45	46 10	12 07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.	l max		455.40	252.02	450.45	40.40	40.07						i
	4		4	UNC1X	USLXX	458 46	253 93	158 45	46 10	12 07						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	LINGAY			5.00	F 63	7.00	7.00						
	Is Charge		1	UNC1X	UNCCC		5 63	5 63	7 20	7 20				ļ		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NIERO	_		1101.50	07.44	100.50	00.05	00.00	1101						
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27 44	126 53	88 85	60 68	14 64					-	
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34 55	126 53	88 85	60 68	14 64						<u> </u>
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40 76	126 53	88 85	60 68	14 64						<u> </u>
	First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32 25	126 53	88 85	60 68	14 64						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			1											1	
	per month	L		UNCDX	1L5XX	0 0098										L
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		T		1											
	Termination per month		1	UNCDX	U1TD5	22 52	40 78	27 57	17 26	7 11						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5 63	5 63	7 20	7 20			1		1	ł
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT	1										•	
	First 4-wire 64 kbps Local Loop in combination - Zone 1	T	1	UNCDX	UDL64	27 44	126 53	88 85	60 68	14 64				-		
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34 55	126 53	88 85	60 68	14 64						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40 76	126 53	88 85	60 68	14 64						
	First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32 25	126 53	88 85	60 68	14 64						1
-	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		 						· · · · · · · · · · · · · · · · · · ·							
	per month		i	UNCDX	1L5XX	0 0098	ł				}					
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															1
	Termination per month		1	UNCDX	U1TD6	22 52	40 78	27 57	17 26	7 11				1		
	Nonrecurring Currently Combined Network Elements Switch -As-	_	1	B. T. G. B. K.	000											
!	Is Charge			UNCDX	UNCCC		5 63	5 63	7 20	7 20						
ADDITIONAL	NETWORK ELEMENTS				-			*								
	used as a part of a currently combined facility, the non-recurr	na cha	raes d	not apply, but a S	witch As Is c	harge does an	plv.									
	used as ordinarily combined network elements in All States, the															
	curring Currently Combined Network Elements "Switch As Is"						T						l			T
	Nonrecurring Currently Combined Network Elements Switch -As-		1	1	T						 					
1	Is Charge - 2 wire/4-Wire VG	,		UNCVX	UNCCC		5 63	5 63	7 20	7 20			1			
- 1	Nonrecurring Currently Combined Network Elements Switch -As-		1	1	1		1 30	1 30	1	1	1			†	1	
	Is Charge - 56/64 kbps	l		UNCDX	UNCCC		5 63	5 63	7 20	7 20			1		1	
	Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	1		15.1550			- 555	1 20	, 20	ļ			 	· · · · ·	t
1	Is Charge - DS1	1		UNC1X	UNCCC		5 63	5 63	7 20	7 20				l	1	1
-	Nonrecurring Currently Combined Network Elements Switch -As-			UNUTA	0.4000		3.00	0.00	, 20	, 20						
	Is Charge - DS3			UNC3X	UNCCC		5 63	5 63	7 20	7 20						1
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCOX	DIACCO		3 03	3 03	7 20	7 20						
	Is Charge - STS1			UNCSX	UNCCC		5 63	5 63	7 20	7 20	ŀ					
Ontion	nal Features & Functions.	-	+	UNCOX	DINCCC		3 63	3 63	7 20	7 20			 		 	+
Орио	nai reatures à runctions.	1	+	U1TD1,							ļ			-		
	Class Channel Canability Estandard Frame Cation - non DS1			ULDD1,UNC1X	CCOEF	1	01	iot	OI	01	1	1				
	Clear Channel Capability Extended Frame Option - per DS1	<u> </u>	1		CCOEF		01	101	01	UI.					1	+
	Clear Channel Conshibty Super FrameOntion 5 DC4	l ,	1	U1TD1, ULDD1,UNC1X	CCOSF		lo.	lor	OI.	Ot.			Į.			1
	Clear Channel Capability Super FrameOption - per DS1	-	1		CCOSF		UI .	loi .	VI .	ļvi	 	 			ł	+
	Clear Channel Capability (SF/ESF) Option - Subsequent	١.	1	ULDD1, U1TD1,	NECCO		104 66	22 705	1 065	0.760	1	1		1		1
	Activity - per DS1	1	1	UNC1X, USL	NRCCC	-	184 6S	23 785	1 965	0 76S	I			1	1	+
			1	U1TD3, ULDD3,	Luncon		040 700	7.000	70040	loc		l		1		
	C-bit Parity Option - Subsequent Activity - per DS3	1	-	UE3, UNC3X	NRCC3	 	218 72S	7 66S	7201S	08	ļ	-		 	\	+
MULT	IPLEXERS	-	-		1			1	·		-	ļ	-		 	
	DS1 to DS0 Channel System per month	ļ	 	UNC1X	MQ1	102 85	91 57	62 94	10 87	10 10	-				 	+
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop		1	l		1 22	6 62	4 74				1		1		1
			1	ludl	1D1DD		662	1 1/7/					1	1	1	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment 2		bit B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	I .
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2 4-64kbs) used for connection to a channelized DS1			i	l											1
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1 22	6 62	4 74								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		}	Luck	UC1CA	2 62	6.62	4 74						l		1
	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		 	UDN	UCICA	2 02	6 62	4 /4							1	ļ
	month used for connection to a channelized DS1 Local Channel			1												1
	in the same SWC as collocation			U1TUB	UC1CA	2 62	6 62	4 74						ļ		1
	Voice Grade COCI - DS1 to DS0 Channel System - per month		-	000												
1	used for a Local Loop			UEA	1D1VG	0 5737	6 62	4 74	i					}		i
	Voice Grade COCI - DS1 to DS0 Channel System - per month		1					_								
	used for connection to a channelized DS1 Local Channel in the		1								ŀ			1		
	same SWC as collocation			U1TUC	1D1VG	0 5737	6 62	4 74								
	DS3 to DS1 Channel System per month		ļ	UNC3X	MQ3	170 63	179 17	94 52	34 30	32 82						
	STS-1 to DS1 Channel System per month		ļ	UNCSX	MQ3	170 63	179 17	94 52	34 30	32 82						
	DS1 COCI used with Loop per month		ļ	USL	UC1D1	12 96	6 62	4 74			ļ					
	DS1 COCI (used for connection to a channelized DS1 Local				lugana	40.00	0.00	4.74								
ļ	Channel in the same SWC as collocation) per month		ļ	U1TUA U1TD1	UC1D1 UC1D1	12 96 12 96	6 62 6 62	4 74 4 74								ļ
	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		ļ	וטווטו	100101	12 96	0.62	4 74								
	month	ŀ		ULDD1	UC1D1	12 96	6 62	4 74							ļ	
LINBUNDI E	D LOCAL EXCHANGE SWITCHING(PORTS)	 	 	00001	OCID!	12 90	0.02	474								
	hange Ports														ļ	<u> </u>
	E. Although the Port Rate includes all available features in GA, F	Y. LA	& TN. t	he desired feature	s will need to b	e ordered usin	g retail USOCs									
	IRE VOICE GRADE LINE PORT RATES (RES)		T '				•	_							 	
	Exchange Ports - 2-Wire Analog Line Port- Res		1	UEPSR	UEPRL	1 41	2 39	2 29	1 42	1 33						1
															i	
l	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 41	2 39	2 29	1 42	1 33				l	i	
			1	1						ļ				ļ		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		 	UEPSR	UEPRO	1 41	2 39	2 29	1 42	1 33						ļ
	Exchange Ports - 2-Wire VG unbundled MS extended local		1	UEPSR	UEPAT		0.00	0.00						1	1	ľ
—	diating parity Port with Caller ID - Res Exchange Ports - 2-Wire VG unbundled res, low usage line port	_		UEPSK	UEPAI	1 41	2 39	2 29	1 42	1 33						-
1	with Caller ID (LUM)			UEPSR	UEPAP	1 41	2 39	2 29	1 42	1 33						
	Exchange Ports - 2-Wire Voice Mississippi Residence Dialing		+	OLI SIC	OL A	141	2.00	2 23	172	1 00						
1	Plan without Caller ID			UEPSR	UEPWJ	1 41	2 39	2 29	1 42	1 33				1		
	2-Wire voice unbundled Low Usage Line Port without Caller ID										-					
	Capability			UEPSR	UEPRT	1 41	2 39	2 29	1 42	1 33				}		
	Subsequent Activity			UEPSR	USASC	0 00	0 00	0.00							Ì	
FEA	TURES															
	All Available Vertical Features	ļ	1	UEPSR	UEPVF	2 56	0 00	0 00								
2-W	IRE VOICE GRADE LINE PORT RATES (BUS)		ļ													
i	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	1	1	LIEBOD	LIEDDI		0.00	0.00	4.40	4.00			ļ			
	Bus Exchange Ports - 2-Wire VG unbundled Line Port with		-	UEPSB	UEPBL	1 41	2 39	2 29	1 42	1 33			ļ			-
	unbundled port with Caller+E484 ID - Bus	l	1	UEPSB	UEPBC	1 41	2 39	2 29	1 42	1 33						
	Unbunicied port with Caller L-104 ID - BBS			OLF 3B	UEFBC	141	2 33	2 23	142	1 33	-		-	-	 	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 41	2 39	2 29	1 42	1 33					1	Į.
	Exchange Ports - 2-Wire VG unbundled MS extended local	†	+		52.750		2 39	223		, 33			 		<u> </u>	
	dialing parity Port with Caller ID - Bus			UEPSB	UEPAY	1 41	2 39	2 29	1 42	1 33				1		1
	Exhange Ports - 2-Wire VG unbundled incoming only port with		T									<u> </u>			1	1
	Caller ID - Bus	L	<u>L</u> .	UEPSB	UEPB1	1 41	2 39	2 29	1 42	1 33		L		1		<u> </u>
	Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan														1	
	without Caller ID			UEPSB	UEPWK	1 41	2 39	2 29	1 42	1 33						
	2-Wire voice unbundled Incoming Only Port without Caller ID			l								1				
\vdash	Capability		1	UEPSB	UEPBE	1 41	2 39	2 29	1 42	1 33	ļ	ļ	-	ļ	-	
	Subsequent Activity	1		UEPSB	USASC	0 00	0 00	0 00					L			
	TURES															

UNBUN	DLE	NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	bit B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
.				<u> </u>										1st	Add'l	Disc 1st	Disc Add'l
				ļ <u>-</u>		1	Rec	Nonrec		Nonrecurring					Rates (\$)		г
	YCHA	NGE PORT RATES (DID & PBX)	 			+		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	XUNA	2-Wire VG Unbundled 2-Way PBX Trunk - Res		 	UEPSE	UEPRD	1 41	31 45	14 93	14 38	0 92		<u> </u>	 	 	-	
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 41	31 45	14 93		0 92		-		_		
_		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		1	UEPSP	UEPPO	141	31 45	14 93	14 38	0 92		-				
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		+	UEPSP	UEPP1	1 41	31 45	14 93		0 92	 					
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 41	31 45	14 93	14 38	0 92					-	
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 41	31 45	14 93		0 92					1	
		2-Wire Vice Unbundled 2-Way PBX Usage Port		1	UEPSP	UEPXA	1 41	31 45	14 93	14 38	0 92	· · · · · · · · · · · · · · · · · · ·	-			 	
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	141	31 45	14 93	14 38	0 92						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 41	31 45	14 93	14 38	0 92						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 41	31 45	14 93	14 38	0 92						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPSP	UEPXE	1 41	31 45	14 93	14 38	0 92						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port	L	ļ	UEPSP	UEPXL	1 41	31 45	14 93	14 38	0 92			1	L	1	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				l								1		1	
		Room Calling Port		ļ	UEPSP	UEPXM	1 41	31 45	14 93	14 38	0 92						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	İ	Į.										}		ŀ	
		Discount Room Calling Port			UEPSP	UEPXO	1 41	31 45	14 93	14 38	0 92					ļ	
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port	l		UEPSP	UEPXQ			44.00		2.00	ļ		1			
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional			UEPSP	DEPXQ	1 41	31 45	14 93	14 38	0 92						
		2-wire voice unbundled 2-way PBX Mississippi Local Optional Calling Port			UEPSP	UEPXR	1 41	31 45	14 93	44.50	0.00	1					
		2-Wire Voice Unbundled PBX Port, Mississippi only		ļ	UEPSP	UEPA5	1 41	31 45	14 93	14 38 14 38	0 92			-			
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		_	UEPSP	UEPXS	141	31 45	14 93	14 38	0 92		 				
		Subsequent Activity		 -	UEPSP	USASC	0.00	0 00	0 00	14 30	0.32	<u> </u>					
F	EATU			 	02.0.	10000		- 000					 				
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2 56	0.00	0.00								
E		NGE PORT RATES (COIN)			1	1										-	
		Exchange Ports - Coin Port					1 41	2 39	2 29	1 42	1 33						
N	OTE	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switche	ed data transm	ussion by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.	-		
N N	OTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole only	y through BFR/New	Business Re	quest Process	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	fe Request/	New Busines	s Request Pro	cess.	
		OCAL EXCHANGE SWITCHING(PORTS)													I		
		NGE PORT RATES															T.
T	he DS	1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	se rates shall	revert to ta	riff rates or	a separate ag	reement.		
R	eques	ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	after the	effect								scretion.					
		Exchange Ports - 2-Wire DID Port		ļ	UEPEX	UEPP2	8 25	120 00	18 85	61 77	3 88						
	ļ	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E 4/1/2004)			LICODO	LIEDDO						1		I			
-			-	⊢ —	UEPDD UEDDY	UEPDD	58 41	203 19	96 25	74 86	2 54	ļ					
		Exchange Ports - 2-Wire ISDN Port (See Notes below) All Features Offered	-	\vdash	UEPTX, UEPSX UEPTX, UEPSX	U1PMA UEPVF	13 69	73 19	53 30		10 76			ļ			
-		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	2 56 0 00	0 00	0 00			 	-	ļ		ļ	
N		Transmission/usage charges associated with POTS circuit sv	vitched	USAGE				circuit switch	o uu	ission by B-Ch	annole secon	ated with 2	wire ISDN -	l norte	-	-	ļ
N	OTE	Access to B Channel or D Channel Packet capabilities will be	availal	ble onl	v through BFR/New	Business Re	quest Process	Rates for the	su uata transir nacket canahi	lities will be de	amiers associ	he Rona Eir	le Reguesti	Now Rusines	Reminet Den	CASE	
- IE	XCHA	NGE PORT RATES (continued)		1.00.11	, aug. Di IV/IVW	_usess ite	quiot 1 100685.		pooner capabl	es will be de	commed via t	ing Bond Pit	- reduest	Dusines	o nequest Pro		
	1	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	<u> </u>	t		1						l	 	 	 	 	
		Locator Capability (E 4/1/2004)			UEPEX	UEPEX	84 63	205 00	102 14	81 65	20 69			i	1	1	
		Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)		Τ-	UEPDX	UEPDX	84 63	205 00	102 14	81 65	20 69			l	1		1
		Physical Collocation - DS1 Cross-Connects		1	UEPEX UEPDX	PE1P1	1 14	22 16	16 02	6 60	5 97	T	i				
		Virtual Collocation - Special Access & UNE, cross-connect per		Γ								1			<u> </u>		
		DS1			UEPEX UEPDX	CNC1X	1 14	22 16	16 02	6 60	5 97		L	L	L		
D		E911 with Locator Capability (required with UEPEX port)			,												
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per]		1							1]	I	1	i	
		State	<u> </u>		UEPEX	UEP1A	0 00	1,814 00		156 15		1				L	L
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1	1	1	1						İ	1	1	I	1	
		Locator Capability - Subsequent Profile Changes, Additions,		1		1						1	1		1		
	- 1	Deletions		J	UEPEX	UEP1B	0 00	176 15		ļ		ļ	ļ	<u> </u>		ļ	
		Additional PRI Telephone Numbers													I		

OUDOUDLED NEI	WORK ELEMENTS - Mississippi	_		1		1								ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect	1			Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	idled Exchange Ports, 4-Wire ISDN DS1 Port - E911	ŀ														
Locato	r Capability 2-way Telephone Numbers, per number in		l			!				1						J
E911 p	profile [New or Additional]			UEPEX	UEP1C	0 0701	0 49									i
Unbun	dled Exchange Ports, 4-Wire ISDN DS1 Port - E911										,					
Locato	r Capability - Outdial Telephone Numbers, per number in															İ
E911 g	profile [New or Additional]	Ì		UEPEX	UEP1D	0 0701	11 58	11 58								
Unbun	died Exchange Ports, 4-Wire ISDN DS1 Port - Inward				1										-	
	one Numbers - Inward Data Only Option [New or														İ	
Additio				UEPDX	UEP1E	0.00	0 49]		
	nge Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		1		TOLI IL	0.00			 		+					
	Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0 00	23 15	23 15	}]				1		
	ER PORTABILITY	1	_	027 27	111721	0.00	20 10	20 10	 -		+					
	Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1 75			 							
	Provisioning Only)	-		OLFEX OCFDX	LINECIN	175										
Voice/[UEPEX	PR71V	0 00	0 00	0.00			ļ					
Digital				UEPEX												
Inward			_		PR71D	0 00	0 00	0 00			ļ			ļ <u>.</u>		
			_	UEPDX	PR71E	0 00	0 00	0 00								
New or Additu		ļ							1.							
	Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0 00	14 61		1							
	Additional - Digital Data "B" Channel			UEPEX	PR7BF	0 00	14 61				1					
	Additional Inward Data "B" Channel	L		UEPDX	PR7BD	0.00	14 61									
	Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0 00	14 61				L					
	Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0 00	14 61									T
	Additional PRI "D" Channel			UEPEX	PR7EX	0 00	14 61									
CALL TYPES					1											
Inward				UEPEX UEPDX	PR7C1	0 00	0 00	0 00			1					1
Outwa	rd			UEPEX	PR7CO	0.00	0 00	0 00								
Two-wa				UEPEX	PR7CC	0.00	0.00	0 00								
UNBUNDLED	PORT with REMOTE CALL FORWARDING CAPABILITY				1	1					1					
UNBUNDLED	REMOTE CALL FORWARDING SERVICE - RESIDENCE										 		-			-
Unbun	dled Remote Call Forwarding Service, Area Calling, Res			UEPVŘ	UERAC	1 41	2 39	2 29	1 42	1 33	1					
				· -		1					1					
Unbun	dled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 41	2 39	2 29	1 42	1 33		i				
	dled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1 41	2 39	2 29	1 42	1 33			•			
	dled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 41	2 39	2 29	1 42	1 33	1					
Non-Recurring				021 110	oe		2 55	220		1 33						
	dled Remote Call Forwarding Service - Conversion -															
Switch-				UEPVR	USAC2		0 0988	0 0988			1					
	dled Remote Call Forwarding Service - Conversion with			OLI VII	USACZ	+	0 0300	0.0900			·					
	d change (PIC and LPIC)			UEPVR	USACC		0 0988	0 0988								
	REMOTE CALL FORWARDING - Bus			OLF VIX	USACC		0 0900	0.0900								
- ONDONDEED .	TEMOTE CALE I GRANARDING - Bus															L
Unbun	dled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1 41	2 39	2 29				1				
Onbur	oled Nemote Can Forwarding Service, Alea Calling - bus			UEFVD	UERAC	141	2 39	2 29	1 42	1 33						
Linkun	dled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1 41	0.00	0.00			1					
	died Remote Call Forwarding Service, Local Calling - Bus			UEPVB UEPVB	UERTE		2 39	2 29	1 42	1 33	ļ					
	dled Remote Call Forwarding Service, InterLATA - Bus					1 41	2 39	2 29	1 42	1 33	L					
				UEPVB	UERTR	1 41	2 39	2 29	1 42	1 33						
	dled Remote Call Forwarding Service Expanded and			uen n											i	
	on Local Calling			UEPVB	UERVJ	1 41	2 39	2 29	1 42	1 33	L					
Non-Recurring					1											
	dled Remote Call Forwarding Service - Conversion -		l									1				
Switch-				UEPVB	USAC2		0 0988	0 0988								
	died Remote Call Forwarding Service - Conversion with		- [1						1 7	I				
	change (PIC and LPIC)			UEPVB	USACC		0 0988	0 0988			1					
	SWITCHING, PORT USAGE	I														
	itching (Port Usage)															
	fice Switching Function, Per MOU					0 0010269										
	fice Trunk Port - Shared, Per MOU					0 000161										
	hing (Port Usage) (Local or Access Tandem)			-												

JNBUNDLED N	NETWORK ELEMENTS - Mississippi													ment. 2		ibit B
										· · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		1		ļ		1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		l	1	1							Elec	Manually		Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR		Order vs.	Order vs	Order vs.	Order vs.
CATEGORI	NATE ELLINENTO	m	20.10	200	1 0000			== (+,			perLSK	perLSR				
			1			İ							Electronic-	Electronic-	Electronic-	
					1	i							1st	Add'l	Disc 1st	Disc Add'l
					+		Manage		- Names and	g Disconnect	ļ	l	000	Rates (\$)		·
		-	-		+	Rec		curring			201150	0034434			001111	
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Tar	ndem Switching Function Per MOU				<u> </u>	0 0001723										
	ndem Trunk Port - Shared, Per MOU	l	l			0 0001828										<u> </u>
Tar	ndem Switching Function Per MOU (Melded)				1	0 000063441										
Tar	ndem Trunk Port - Shared, Per MOU (Melded)					0 000067307										
Me	elded Factor 36 82% of the Tandem Rate		1													1
Common T																1
	ommon Transport - Per Mile, Per MOU	 			~	0 0000026				 	 	+	t	1		1
	ommon Transport - Facilities Termination Per MOU	-	-			0 0004541					+	+		+		+
		-	-			0 0004341				-	-	-		 	+	+
	RT/LOOP COMBINATIONS - COST BASED RATES	L	L		<u> </u>	<u> </u>		<u> </u>			<u> </u>	ļ				
	d Rates are applied where BellSouth is required by FCC a								l		<u> </u>					
	shall apply to the Unbundled Port/Loop Combination - Cos											1		L		
	and Tandem Switching Usage and Common Transport U														1	
The first a	and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	ed Combos. For Cu	rrently Comb	ined Combos th	e nonrecurrin	g charges sha	Il be those ide	ntified in the I	Nonrecurring	g - Currently	/ Combined s	ections.		
2-WIRE VC	DICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ΤĹ	T	Ī	T			Ĭ .		I						
	Loop Combination Rates	1	i e									1				t
	Wire VG Loop/Port Combo - Zone 1	†	1		1	12 22					 	 	 		 	+
	Wire VG Loop/Port Combo - Zone 2	ļ	2		+	17 13			-			 	ļ	 	 	+
				ļ					!						+	
	Wire VG Loop/Port Combo - Zone 3		3			26 26							ļ			
	Wire VG Loop/Port Combo - Zone 4		4			44 91									1	
UNE Loop													i			
2-V	Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10 98		1					T	1		
2-V	Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15 91										T
	Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRX	UEPLX	25 04										<u> </u>
	Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43 68		†		<u> </u>	 		 	 	†	+
	ice Grade Line Port Rates (Res)		-	CEITO	- OLI EX	43 00				-	_	+	 		<u> </u>	+
	Wire voice unbundled port - residence		.	UEPRX	UEPRL	1 23	40 31	19 84	24 90	6 58	+	+	ł	+	-	
		ļ											ļ	-	1	
	Wire voice unbundled port with Caller ID - res		-	UEPRX	UEPRC	1 23	40 31	19 84	24 90	6 58				<u> </u>		ļ
	Wire voice unbundled port outgoing only - res		<u> </u>	UEPRX	UEPRO	1 23	40 31	19 84	24 90	6 58						ļ
	Wire voice Grade unbundled Mississippi extended local	1	1						1					I		1
dıa	aling parity port with Caller ID - res	1		UEPRX	UEPAT	1 23	40 31	19 84	24 90	6 58		Į.	}			
2-V	Wire voice unbundles res, low usage line port with Caller ID									ì						
. (LL	UM)	1		UEPRX	UEPAP	1 23	40 31	19 84	24 90	6 58						1
2-V	Wire Voice Unbundled Mississippi Residence Dialing Plan		1							1						1
	thout Caller ID	1	l	UEPRX	UEPWJ	1 23	40 31	19 84	24 90	6 58	.			1		1
	Wire voice unbundled Low Usage Line Port without Caller ID	1		02.701		1 25	- 1001			0.00	+	 	 		1	+
	apability		1	UEPRX	UEPRT	1 23	40 31	19 84	24 90	6 58		1		1		
FEATURES				OCTIVA	OLITI	1 20	40.01	10 04	24 50	0.30	<u> </u>					
			ļ	HEBBY	LIED E	0.50						1				
	Features Offered		<u> </u>	UEPRX	UEPVF	2 56	0 00	0 00	ļ							
	UMBER PORTABILITY				<u> </u>											<u> </u>
	cal Number Portability (1 per port)		L	UEPRX	LNPCX	0 35						1				_L
NONRECU	JRRING CHARGES (NRCs) - CURRENTLY COMBINED		1		ĺ							1				
2-V	Wire Voice Grade Loop / Line Port Combination - Conversion -				1								T			T
l sw	witch-as-is			UEPRX	USAC2	1	0 0988	0 0988				1			1	İ
2-V	Wire Voice Grade Loop / Line Port Combination - Conversion	-		T						1			1			1
	witch with change			UEPRX	USACC		0 0988	0 0988		l .					1	
	Wire Voice Grade Loop / Line Port Combination - Conversion -	1	 	OLI IX	DOACC	 	0 0300	0 0300		ļ	+	+	 	 	 	+
		1	i	1			0.00	٠	ł		l .		i	ļ		1
	ubsequent Database Update						0 00	0 00						 -		
ADDITION																1
	Wire Voice Grade Loop/Line Port Combination - Subsequent		1	1				1		1	1			ļ		1
	ctivity			UEPRX	USAS2	0 00	0 00	0 00		1						
Ün	bundled Miscellaneous Rate Element, Tag Loop at End User										I					
Pre	emise		l	UEPRX	URETL		8 33	0.83		1	1					1
	REMISES EXTENSION CHANNELS				T			1 30	1	†	1	1	Ì	1		1
	Wire Analog Voice Grade Extension Loop – Non-Design	+	1	UEPRX	UEAEN	12 03	37 92	17 55	23 48	5 25	1	1	†	1	1	1
	Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	16 87	37 92	17 55	23 48			 	+	+	 	+
		+		UEPRX	UEAEN	25 68	37 92 37 92	17 55	23 48			+	 	+	+	+
	Wire Analog Voice Grade Extension Loop - Non-Design	1	3									1		1	 	+
	Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPRX	UEAEN	43 85	37 92	17 55	23 48			1		ļ	1	+
2 V	Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	ÜEAED	13 89	105 96	68 28				ļ <u></u>	1		1	4
	Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	18 75	105 96	68 28	52 82	10 37						

NBUNDLE	D NETWORK ELEMENTS - Mississippi													ment· 2		ıbit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
			L_		UE LED		First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	27 55	105 96	68 28	52 82	10 37						+
	2 Wire Analog Voice Grade Extension Loop – Design		4	UEPRX	UEAED	45 72	105 96	68 28	52 82	10 37						+
INTER	OFFICE TRANSPORT		-		_				 							+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	20 32	40 77	27 57	17 26	7 11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile		<u> </u>	UEPRX	U1TVM	0 0088	0 00	0 00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															1
UNE Po	ort/Loop Combination Rates		ļ			40.00			ļ							
	2-Wire VG Loop/Port Combo - Zone 1		1			12 22			 	ļ						+
	2-Wire VG Loop/Port Combo - Zone 2		2			17 13					 			 	 	+
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			26 26			-					 	+	+
UNE Lo	pop Rates	-	1	UEPBX	UEPLX	10 98		<u> </u>	 					-	-	+
	2-Wire Voice Grade Loop (SL1) - Zone 1		<u> </u>							-						+
	2-Wire Voice Grade Loop (SL1) - Zone 2	!	2	UEPBX	UEPLX	15 91			-		 			.	-	-
	2-Wire Voice Grade Loop (SL1) - Zone 3	├	3	UEPBX UEPBX	UEPLX	25 04 43 68			·	 			-	 	 	+
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	DEPBX	UEPLX	43 68					-					ļ
2-Wire	Voice Grade Line Port (Bus)	ļ	ļ	UEPBX	UEPBL	1 23	40 31	19 84	24 90	6 58						+
	2-Wire voice unbundled port without Caller ID - bus		-		UEPBC	1 23	40 31	19 84	24 90	6 58						+
	2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX				19 84	24 90	6 58	-		ļ			
	2-Wire voice unbundled port outgoing only - bus	<u> </u>	_	UEPBX	UEPBO	1 23	40 31	19 64	24 90	0 30	 				-	+
	2-Wire voice Grade unbundled Mississippi extended local			UEPBX	UEPAY	1 23	40 31	19 84	24 90	6 58					1	
	dialing parity port with Caller ID - bus		-		UEPB1	1 23	40 31	19 84	24 90	6 58					 	+
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1 23	40.31	19 84	24 90	0 30						
1	2-Wire Voice Unbundled Mississippi Business Dialing Plan			LIEDEN	LIEDANIC I	4.70	40.24	40.04	24 90	6 58						
	without Caller ID		<u> </u>	UEPBX	UEPWK	1 23	40 31	19 84	24 90	0 30						+
1	2-Wire voice unbundled incoming Only Port without Caller ID			LIEBBY	luenne i	4.00	40 31	19 84	24 90	6 58			ł		}	
	Capability	ļ		UEPBX	UEPBE	1 23	40.31	19 84	24 90	0.00					ļ	+
LOCAL	NUMBER PORTABILITY		_		LUDOV	0.05									-	+
	Local Number Portability (1 per port)		ļ	UEPBX	LNPCX	0 35										+
FEATU				LIEDDY	LIE DVE	2 56	0 00	0 00								+
	All Features Offered		-	UEPBX	UEPVF	2 50	000	0.00						_		+
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ														+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			HEDDA	lucaco		0 0988	0 0988			l i				1	
	Switch-as-is			UEPBX	USAC2		0.0908	ก กลดด์		 				+	-	+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l		LIEBBY	USACC		0 0988	0 0988	I					[İ	
	Switch with change	<u> </u>	-	UEPBX	USALL		0.0988	0.0888			 		<u> </u>	 	-	+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l			1		0 00	0 00	1				1		1	
ADDIT	Subsequent Database Update ONAL NRCs	<u> </u>			-		0 00	0 00	-		1					+
AUUITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	-	 		+				 	 						+
1	2-wire voice Grade Loop/Line Port Combination - Subsequent Activity	l		UEPBX	USAS2		0.00	0 00	1		i				l	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		 -	DEFBA	UUAUZ		0.00	0.00		 			····		 	
	Premise	İ		UEPBX	URETL		8 33	0.83	1						1	1
OFFIC:	PREMISES EXTENSION CHANNELS			OL. DA	JONE IL		- 0 00	0.00	-						-	
UPF/OI	2 Wire Analog Voice Grade Extension Loop – Non-Design	 	1	UEPBX	UEAEN	12 03	37 92	17 55	23 48	5 25	 			 	 	
	2 Wire Analog Voice Grade Extension Loop – Non-Design	-	2	UEPBX	UEAEN	16 87	37 92	17 55	23 48	5 25	 					<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	25 68	37 92	17 55	23 48	5 25						†
	2 Wire Analog Voice Grade Extension Loop – Non-Design	 	4	UEPBX	UEAEN	43 85	37 92	17 55		5 25	1			t		
	2 Wire Analog Voice Grade Extension Loop – Non-Design	<u> </u>	1	UEPBX	UEAED	13 89	105 96	68 28		10 37					 	
	2 Wire Analog Voice Grade Extension Loop – Design	 -	2	UEPBX	UEAED	18 75	105 96	68 28	52 82	10 37						
	2 Wire Analog Voice Grade Extension Loop – Design	-	3	UEPBX	UEAED	27 55	105 96	68 28	52 82	10 37	t 1			<u> </u>		
	2 Wire Analog Voice Grade Extension Loop – Design	··	4	UEPBX	UEAED	45 72	105 96	68 28		10 37	1-1			<u> </u>		
INTER	DEFICE TRANSPORT	 		JULY DA	102,320	7572		00 20	JL 9E	1007		-				1
milen	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 										· · · · · ·		Ì	
	Termination	l		UEPBX	U1TV2	20 32	40 77	27 57	17 26	7 11					1	
_	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		\vdash	OLI DA	01172	20 02	70,7	21 31	1, 20	l					t	
	or Fraction Mile	l		UEPBX	U1TVM	0 0088	0 00	0.00	I	1	į (i .	
			1	IUCEDA	1 GOLD VIVI											

JNBUNDLED N	ETWORK ELEMENTS - Mississippi												Attach	ment [.] 2	Exh	ıbit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge Manual S Order v
						Rec	Nonrec		Nonrecurring					Rates (\$)	1	T =====
			_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Loop Combination Rates															.1
	Vire VG Loop/Port Combo - Zone 1		1		_	12 22										<u> </u>
	Vire VG Loop/Port Combo - Zone 2		2			17 13			1							↓
	Vire VG Loop/Port Combo - Zone 3		3			26 26					ļ					
	Vire VG Loop/Port Combo - Zone 4		4			44 91										1
UNE Loop			1		<u> </u>						ļ			<u> </u>		
	Vire Voice Grade Loop (SL 1) - Zone 1		1 1	UEPRG	UEPLX	10 98					ļ					
	Vire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15 91					<u> </u>					
	Vire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25 04										
	Vire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43 68										
	ce Grade Line Port Rates (RES - PBX)										-	L	ļ	 	 	+
	Vire VG Unbundled Combination 2-Way PBX Trunk Port -	l		l	<u> </u>					_		1	1			
Res			<u> </u>	UEPRG	UEPRD	1 23	69 37	32 48	37 86	6 17	L		ļ			
	IMBER PORTABILITY				1									ļ		4
	cal Number Portability (1 per port)			UEPRG	LNPCP	3 15	0 00	0 00								
FEATURES																
	Features Offered			UEPRG	UEPVF	2 56	0 00	0 00			L	1				
	RRING CHARGES (NRCs) - CURRENTLY COMBINED	l	L											<u> </u>	ļ	
	Vire Voice Grade Loop/ Line Port Combination (PBX) -															
Cor	nversion - Switch-As-Is		l	UEPRG	USAC2		7 96	1 91								
2-W	Vire Voice Grade Loop/ Line Port Combination (PBX) -															
Cor	nversion - Switch with Change			UEPRG	USACC		7 96	1 91			L					
2-W	Vire Voice Grade Loop / Line Port Combination - Conversion -															1
Sut	bsequent Database Update		1	l			0 00	0 00								
ADDITIONA	AL NRCs															I
2-W	Vire Voice Grade Loop/ Line Port Combination (PBX) -		i						İ		T					
	bsequent Activity			UEPRG	USAS2	0 00	0.00	0 00	İ							
PB:	X Subsequent Activity - Change/Rearrange Multiline Hunt		i													
Gro	oup		i	j			7 36	7 36	}							
Uni	bundled Miscellaneous Rate Element, Tag Loop at End User									Ì				1		
	emise		1	UEPRG	URETL		8 33	0 83	}							1
OFF/ON PF	REMISES EXTENSION CHANNELS		İ							!						
Loc	cal Channel Voice grade, per termination			UEPRG	P2JHX	13 89	105 96	68 28		10 37						
Loc	cal Channel Voice grade, per termination		2	UEPRG	P2JHX	18 75	105 96	68 28	52 82	10 37	1					
Loc	cal Channel Voice grade, per termination		3	UEPRG	P2JHX	27 55	105 96	68 28	52 82	10 37						
Loc	cal Channel Voice grade, per termination		4	UEPRG	P2JHX	45 72	105 96	68 28	52 82	10 37						
	ICE TRANSPORT															
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility										1					1
Ter	rmination			UEPRG	U1TV2	20 32	40 77	27 57	17 26	7 11						
Inte	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
or F	Fraction Mile			UEPRG	U1TVM	0 0088	0.00	0.00							ł	
2-WIRE VO	DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														ŀ	
UNE Port/L	Loop Combination Rates		1													
	Vire VG Loop/Port Combo - Zone 1		1			12 22										
	Vire VG Loop/Port Combo - Zone 2		2			17 13										1
	Vire VG Loop/Port Combo - Zone 3		3			26 26						1			1	
	Vire VG Loop/Port Combo - Zone 4		4			44 91			1		1				ĺ	1
UNE LOOP		1		· · · · · · ·					1				1			
	Vire Voice Grade Loop (SL 1) - Zone 1	.	1	UEPPX	UEPLX	10 98										1
	Vire Voice Grade Loop (SL 1) - Zone 2	İ	2	UEPPX	UEPLX	15 91				Ī		T				
	Vire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	25 04			1			T				
	Vire Voice Grade Loop (SL 1) - Zone 4	 	4	UEPPX	UEPLX	43 68				1		T			1	
	ce Grade Line Port Rates (BUS - PBX)		<u> </u>					-							1	
1		 	\vdash					-	<u> </u>	1	1					1
Lini	e Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 23	69 37	32 48	37 86	6 17					1	1
	e Side Unbundled Outward PBX Trunk Port - Bus	1	 	UEPPX	UEPPO	1 23	69 37	32 48		6 17				1	İ	1
	e Side Unbundled Incoming PBX Trunk Port - Bus	 	+-	UEPPX	UEPP1	1 23	69 37	32 48		6 17				1	1	1
	Vire Voice Unbundled PBX LD Terminal Ports		1	UEPPX	UEPLD	1 23	69 37	32 48		6 17				1	1	1
	Vire Voice Unbundled 2-Way Combination PBX Usage Port		+-	UEPPX	UEPXA	1 23	69 37	32 48		6 17		 	 	 	1	

		NETWORK ELEMENTS - Mississippi		1	T							т=	r_	Attach			ibit. B
ATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Charge -	Charge -	Charge - Manual St Order vs
—r								Nonrec	urring	Nonrecurring	Disconnect		<u> </u>		Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		 	UEPPX	UEPXB	1 23	69 37	32 48	37 86	6 17				1	-	
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 23	69 37	32 48	37 86	6 17	1	!			-	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 23	69 37	32 48	37 86	6 17	1	1				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD							•				·		1		
1		Capable Port		į	UEPPX	UEPXE	1 23	69 37	32 48	37 86	6 17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	•				•								
1		Administrative Calling Port			UEPPX	UEPXL	1 23	69 37	32 48	37 86	6 17	j	!				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											ĺ				
		Room Calling Port		l	UEPPX	UEPXM	1 23	69 37	32 48	37 86	6 17		l				
_		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					_										
į		Discount Room Calling Port			UEPPX	UEPXO	1 23	69 37	32 48	37 86	6 17						
- 1		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy				-1											
- 1		Calling Port	1	1	UEPPX	UEPXQ	1 23	69 37	32 48	37 86	6 17					L	
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional				1	-	ĺ									
- 1		Calling Port			UEPPX	UEPXR	1 23	69 37	32 48	37 86	6 17		<u> </u>				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 23	69 37	32 48	37 86	6 17						
	•	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1 23	69 37	32 48	37 86	6 17						
		NUMBER PORTABILITY	,	1													
		Local Number Portability (1 per port)		i –	UEPPX	LNPCP	3 15	0 00	0 00								
- 1	FEATU																
		All Features Offered			UEPPX	UEPVF	2 56	0.00	0 00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1 -													
- 1		Conversion - Switch-As-Is			UEPPX	USAC2		7 96	1 91				ŀ		i		1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -							•								
		Conversion - Switch with Change			UEPPX	USACC		7 96	1 91				ļ				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1													
		Subsequent Database Update						0 00	0 00						l	1	I
		ONAL NRCs		l .													
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1 1							1				
		Subsequent Activity			UEPPX	USAS2	0 00	0.00	0 00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7 36	7 36				1				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		ŀ												į	
		Premise		ļ	UEPPX	URETL		8 33	0 83				1				
	OFF/O	PREMISES EXTENSION CHANNELS								ļ.,			1	ļ	ļ	ļ	
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	13 89	105 96	68 28	52 82	10 37					<u> </u>	
		Local Channel Voice grade, per termination			UEPPX	P2JHX	18 75	105 96	68 28	52 82	10 37				ļ	L	
		Local Channel Voice grade, per termination			UEPPX	P2JHX	27 55	105 96	68 28	52 82	10 37				ļ <u>.</u>		
		Local Channel Voice grade, per termination		4	UEPPX	P2JHX	45 72	105 96	68 28	52 82	10 37						
/	INTERC	PEFICE TRANSPORT		<u> </u>										 		ļ	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	l											İ	
		Termination		—	UEPPX	U1TV2	20 32	40 77	27 57	17 26	7 11					ļ	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	ļ	i		-				l i				1			
		or Fraction Mile		-	UEPPX	U1TVM	0 0088	0 00	0 00					ļ			
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T	-									ļ.				
	UNE PO	ort/Loop Combination Rates		ļ.,			10.00								-		+
		2-Wire VG Coin Port/Loop Combo – Zone 1		1 1		\rightarrow	12 22 17 13					-			-	1	+
		2-Wire VG Corn Port/Loop Combo – Zone 2		2	1	\rightarrow	26 26					-	 	 	 	 	
∔		2-Wire VG Coin Port/Loop Combo – Zone 3		3_			44 91				_				1		+
		2-Wire VG Coin Port/Loop Combo – Zone 4	 	4	-		44 91					 	-		1	1	+
	UNE LO	op Rates	-	1	UEPCO	UEPLX	10.00								 		
		2-Wire Voice Grade Loop (SL1) - Zone 1	-		UEPCO	UEPLX	10 98 15 91					-		l	+	-	+
		2-Wire Voice Grade Loop (SL1) - Zone 2		3		UEPLX	15 91 25 04			 		 		+		1	
		2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4	<u> </u>		UEPCO UEPCO	UEPLX	43 68			 		 		 	 	†	
	2 14/3-		├	+ 4	UEPUU	UEPLA	43 08			——		+			t		+
	2-VVIPE	Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way without Operator Screening and without	ļ	 								 	-	 	 		
																1	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	ıbit· B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
			ļ		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without Blocking, with Dialing Parity (Note 3) (MS)	!		UEPCO	UEPMC	1 23	40 31	19 84	24 90	6 58						
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1 23	40 31	19 84	24 90	6 58						
	2-Wire Coin 2-W with Operator Screening and Blocking 011, 900/976, 1+DDD, with Dialing Parity (MS)			UEPCO	UEPMA	1 23	40 31	19 84			-				-	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		 	DEPCO	DEPMA	1 23	40.31	19 84	24 90	6 58	-				.	
	(AL, LA, MS)		ļ	UEPCO	UEPRB	1 23	40 31	19 84	24 90	6 58						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (MS)			UEPCO	UEPMB	1 23	40 31	19 84	24 90	6 58						
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1 23	40 31	19 84	24 90	6 58						
	2-Wire Coin 2-W Operator Screening 900 Block 900/976, 1+DDD, 011+, Local, with Dialing Parity (MS)		İ	UEPCO	UEPCJ				-							
	2-Wire Coin Outward without Blocking and without Operator					1 23	40 31	19 84	24 90	6 58						
	Screening (KY, LA, MS) 2-Wire Coin Outward without Blocking and without Operator		-	UEPCO	UEPRN	1 23	40 31	19 84	24 90	6 58						-
	Screening, With Dailing Parity (MS) 2-Wire Coin Outward with Operator Screening and 011 Blocking		<u> </u>	UEPCO	UEPME	1 23	40 31	19 84	24 90	6 58						
	(GA, KY, MS)			UEPCO	UEPRJ	1 23	40 31	19 84	24 90	6 58					1	
	2-Wire Coin Outward with Operator Screening and 011 Blocking, with Dialing Parity (MS)			UEPCO	UEPMD	1 23	40 31	19 84	24 90	6 58					1	
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1 23	40 31	19 84	24 90	6 58						
	2-Wire Coin Outward Operator Screening & Blocking 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS) 2-Wire Coin Out Operator Screen & Block 900/976, 1+DDD,		ļ .	UEPCO	UEPCN	1 23	40 31	19 84	24 90	6 58						
	011+, and Local, with Drating Parity (MS)			UEPCO	UEPCS	1 23	40 31	19 84	24 90	6 58	j					
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		l	UEPCO	UEPCK	1 23	40 31	19 84	24 90	6 58						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 23	40 31	19 84	24 90	6 58						
ADDI	TIONAL UNE COIN PORT/LOOP (RC)		<u> </u>			ĺ									 	
	UNE Com Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4 62	0 00	0 00	0 00	0 00						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										l.
NONE	RECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		ļ		+											
	Switch-as-is			UEPCO	USAC2		0 0988	0 0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0 0988	0 0988								
ADDI.	TIONAL NRCs		L.,													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	URETL									-		
2-Win	Premise RE VOICE LOOP/ 2WIRE VOICE GRADE TO TRANSPORT/ 2-WIRE	LINE	ORT (UKEIL		8 33	0.83	-						 	
	Port/Loop Combination Rates		1	(LU)	1	-								-		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15 16	· · · ·								t	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2	-	 	20 02							-			1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28 82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46 99										
UNE	oop Rates														l	
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	13 89										<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	18 75										
-+	2-Wire Voice Grade Loop (SL2) - Zone 3 2-Wire Voice Grade Loop (SL2) - Zone 4	-		UEPFR	UECF2	27 55					ļl				 	
2 18/1-	2-wire Voice Grade Loop (SLZ) - Zone 4 e Voice Grade Line Port Rates (Res)		4	UEPFR	UECF2	45 72					ļ ļ					
2-99179	2-Wire voice unbundled port - residence		-	UEPFR	UEPRL	1 27	108 35	70 57	54 24	11 70					 -	
	2-Wire voice unbundled port with Caller ID - res	L.	-	UEPFR	UEPRC	1 27	108 35	70 57	54 24	11 70					-	

BUNDLE	D NETWORK ELEMENTS - Mississippi													ment. 2		bit. B
FEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
	' '					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port outgoing only - res	-		UEPFR	UEPRO	1 27	108 35	70 57	54 24	11 70						
	2-Wire voice Grade unbundled Mississippi extended local		-												-	
	dialing parity port with Caller ID - res		1	UEPFR	UEPAT	1 27	108 35	70 57	54 24	11 70					i	
	2-Wire voice unbundles res, low usage line port with Caller ID		1										1			
1	(LUM)		l	UEPFR	UEPAP	1 27	108 35	70 57	54 24	11 70						
	2-Wire Voice Unbundled Mississippi Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWJ	1 27	108 35	70 57	54 24	11 70						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	20 32	40 77	27 57	17 26	7 11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0 0088										
FEATU					1										L	
	All Features Offered			UEPFR	UEPVF	2 56	0 00	0 00								
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35										
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1				1							
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16 94	3 72								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1				1 1							l
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16 94	3 72								
1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			l	l l				l 1						1	
	End User Premise			UEPFR	URETN		11 19	1 10								
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORI	808)												ļ <u></u>
UNE P	ort/Loop Combination Rates					45.40										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		 	15 16 20 02									ļ	
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2								-					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		3			28 82 46 99					l					
TIME I	pop Rates		-			40 99							 			
ONE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13 89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		1 '	UEPFB	UECF2	18 75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27 55										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	45 72										
2-Wire	Voice Grade Line Port (Bus)		-	OLI I D	OLOI 2	43 / 2					1					
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 27	108 35	70 57	54 24	11 70						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1 27	108 35	70 57	54 24	11 70						
_	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 27	108 35	70 57	54 24	11 70						
	2-Wire voice Grade unbundled Mississippi extended local				122.22				0,1							
	dialing parity port with Caller ID - bus			UEPFB	UEPAY	1 27	108 35	70 57	54 24	11 70			ļ			
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1 27	108 35	70 57	54 24	11 70						
	2-Wire Voice Unbundled Mississippi Business Dialing Plan															
	without Caller ID			UEPFB	UEPWK	1 27	108 35	70 57	54 24	11 70	1		ı			
LOCAL	NUMBER PORTABILITY							-								
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35			· · · · · · · · · · · · · · · · · · ·			-				
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination			UEPFB	U1TV2	20 32	40 77	27 57	17 26	7 11	L					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0 0088										
FEATU					1				ļ							L
	All Features Offered			UEPFB	UEPVF	2 56	0 00	0 00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l		l	1											1
1	Combination - Conversion - Switch-as-is	l		UEPFB	USAC2		16 94	3 72								
						I			1		1			l	•	l .
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED									1			1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFB	USACC		16 94	3 72								

Version 3Q03 11/12/2003

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
T		-				Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	VOICE LOOP! 2WIRE VOICE GRADE IO TRANSPORT! 2-WIRE	LINE	PORT (PBX)												
UNE Por	t/Loop Combination Rates															
	-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15 16									ļ	ļ
	-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20 02										
	-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28 82									ļ	
	-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46 99									ļ	ļ
UNE Loc															ļ	
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	13 89					ļ					
	-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18 75										.
	-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27 55										
	P-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45 72										
2-Wire V	oice Grade Line Port Rates (BUS - PBX)	ļ														_
			1	l										1		
	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPFP	UEPPC	1 27	137 41	80 14	67 20	11 29				ļ		_
	ine Side Unbundled Outward PBX Trunk Port - Bus		L	UEPFP	UEPPO	1 27	137 41	80 14	67 20	11 29						
	ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 27	137 41	80 14	67 20	11 29				ļ		ļ
	2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPFP	UEPLD	1 27	137 41	80 14	67 20	11 29	ļ			<u> </u>		ļ
2	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 27	137 41	80 14	67 20	11 29					 	
2	-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 27	137 41	80 14	67 20	11 29						<u> </u>
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		l	UEPFP	UEPXC	1 27	137 41	80 14	67 20	11 29					1	<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		T	UEPFP	UEPXD	1 27	137 41	80 14	67 20	11 29						<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			1												
	Capable Port			UEPFP	UEPXE	1 27	137 41	80 14	67 20	11 29						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		ŀ											1		1
	Administrative Calling Port		J	UEPFP	UEPXL	1 27	137 41	80 14	67 20	11 29						
2	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		T													
	Room Calling Port		l	UEPFP	UEPXM	1 27	137 41	80 14	67 20	11 29						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1											1		
	Discount Room Calling Port		1	UEPFP	UEPXO	1 27	137 41	80 14	67 20	11 29						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy					i										
	Calling Port		<u> </u>	UEPFP	UEPXQ	1 27	137 41	80 14	67 20	11 29	L					<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
	Calling Port			UEPFP	UEPXR	1 27	137 41	80 14	67 20	11 29						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 27	137 41	80 14	67 20	11 29					ļ	
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1 27	137 41	80 14	67 20	11 29					L	ļ
	NUMBER PORTABILITY										1					
	ocal Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00							ļ	<u> </u>
	FFICE TRANSPORT														1	<u> </u>
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility														1	
	fermination			UEPFP	U1TV2	20 32	40 77	27 57	17 26	7 11					1	1
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile													1		
	or Fraction Mile			UEPFP	1L5XX	0 0088										ļ
FEATUR														ļ		1
	All Features Offered			UEPFP	UEPVF	2 56	0 00	0 00							ļ	
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED													ļ		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		i											1	i	
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3 72						ļ		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		,		1					i			1	ì		
	Combination - Conversion - Switch with change			UEPFP	USACC		16 94	3 72						ļ	ļ	
	Jnbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1		ļ			٠	1		1	1	Į.	1	i	
	End User Premise	<u> </u>	1	UEPFP	URETN		11 19	1 10	ļ	ļ				 		+
	ORT/LOOP COMBINATIONS - COST BASED RATES		-								1			-	1	
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1								+			 	1.	+
	rt/Loop Combination Rates	ļ	1	ļ					-		-	 		+	 	+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21 32				ļ	1		 	 	+	+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	ļ		26 16			 		 		 	1		+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34 98			<u> </u>		1			+	1	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4	<u> </u>		53 15					 		<u> </u>		 	
LINE Loc	op Rates	1	1	1	1		l .		l			<u> </u>	L	L		

MRANDL	ED NETWORK ELEMENTS - Mississippi														ment. 2	l	ibit, B
EGORY	RATE ELEMENTS	Interi m	Zone	E	acs	USOC			RATES (\$)				Submitted		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							i	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX		UECD1	13 89										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18 75										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	l	3	UEPPX		UECD1	27 55										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX		UECD1	45 72										
UNE	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7 43	225 96	87 13	114 59	14 25						
NON	RECURRING CHARGES - CURRENTLY COMBINED		T														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX		USAC1		7 35	1 88						·		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		7 35	1 88								
ADDI	TIONAL NRCs	1		<u> </u>		1 1	1					1				<u> </u>	
1 2	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		T	UEPPX		USAS1		26 94	26 94								
	Unbundled Miscellaneous Rate Etement, Tag Designed Loop at End User Premise			UEPPX		URETN	-	11 19	1 10								
Tolon	phone Number/Trunk Group Establisment Charges			Jari. LV		OIXE 114	+	11 19	1 10			1			L	l	
reiep	DID Trunk Termination (One Per Port)	 	+	UEPPX		NDT	0 00	0 00	0 00			 					
	Additional DID Numbers for each Group of 20 DID Numbers		1	UEPPX		ND4	0 00	0 00	0 00								
_	DID Numbers, Non- consecutive DID Numbers , Per Number	ļ	 	UEPPX		ND5	0 00	0 00	0 00								
-	Reserve Non-Consecutive DID numbers		<u> </u>	UEPPX		ND6	0 00	0 00	0 00		-	-					
-	Reserve DID Numbers	· · · · · · · · · · · · · · · · · · ·	 	UEPPX		NDV	0 00	0 00	0 00								├─
LOCA	AL NUMBER PORTABILITY		<u> </u>	JOET I A		1400	0.00	0 00	0 00			 					
- 100,	Local Number Portability (1 per port)		 	UEPPX		LNPCP	3 15	0 00	0.00	-							
2-WIF	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POR			Erri Oi	0 10	0.00	0 00								
	Port/Loop Combination Rates	1		T		1											
ONE.	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port	-	 	 		-											
	UNE Zone 1		1	UEPPB	UEPPR		28 59										<u> </u>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		35 00				,						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1						1 1					
	UNE Zone 3	<u> </u>	3	UEPPB	UEPPR	ļ.	45 18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					j											
	UNE Zone 4		4	ļ			67 61										
UNE	Loop Rates	1		LIEBBB		110101	40.00									ļ	Ļ
-	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18 26										-
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24 67									ļ	1
-	2-Wire ISDN Digital Grade Loop - UNE Zone 3	<u> </u>	3	UEPPB	UEPPR	USL2X	34 85										
+	2-Wire ISDN Digital Grade Loop - UNE Zone 4			UEPPB	UEPPR	USL2X	57 28										<u> </u>
UNE	Port Rate	-	 	10-11-1		-											
	Exchange Port - 2-Wire ISDN Line Side Port		i e	UEPPB	UEPPR	UEPPB	10 33	190 80	133 22	100 72	21 13		-				
NONE	RECURRING CHARGES - CURRENTLY COMBINED		 														
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion	•		LIEPPR	UEPPR	USACB	0 00	38 73	27 17								
ADDI	TIONAL NRCs		<u> </u>	1	32	- 57.100	2 30	55.75	2. 11								
1221	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11 19	1 10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>	UEPPB	UEPPR	URETL		8 33	0.83								
LOCA	Premise	+	-	DEKAR	UEPPR	UKEIL		8 33	0.83				-				
1	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0.00								
В-СН	ANNEL USER PROFILE ACCESS:	 -		† 		† · · · · · ·	- 3										
	CVS/CSD (DMS/5ESS)	 		UEPPB	UEPPR	U1UCA	0 00	0 00	0 00								
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCB	0.00	0 00	0.00					-			T
	CSD	 	-	UEPPB	UEPPR	U1UCC	0 00	0 00	0 00	-							
B.CH	ANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS S	C.MS &	TN	152,15	JET I	10.000	- 0 00										
J-Cn	CVS/CSD (DMS/5ESS)	_,o, a	Ι,	UEPPB	UEPPR	U1UCD	0 00	0 00	0.00								
	CVS (EWSD)			UEPPB	UEPPR		0 00	0 00	0 00							İ	
1	CSD CSD	 -	 	UEPPB	UEPPR		0 00	0 00	0 00					_		i e	

UNDLED NETWORK ELEMENTS - Mississippi											,		<u> </u>	ment 2		bit B
GORY RATE ELEMENTS	Interi m	Zone	F	ics	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring		201150			Rates (\$)		
	<u> </u>				-		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
USER TERMINAL PROFILE User Terminal Profile (EWSD only)	ļ	-	UEPPB	UEPPR	LITIMA	0 00	0 00	0 00			-		-			
VERTICAL FEATURES			UEFFB	UEFFR	DIONA	0.00	- 000	0 00			+					
All Vertical Features - One per Channel B User Profile	+	-	UEPPB	UEPPR	LIEDVE	2 56	0 00	0 00			+					
INTEROFFICE CHANNEL MILEAGE	1	i -	022		102											
Interoffice Channel mileage each, including first mile and	1				 											
facilities termination			UEPPB	UEPPR	M1GNC	22 5298	40 77	27 57	17 26	7 11						
Interoffice Channel mileage each, additional mile	1		UEPPB	UEPPR	M1GNM	0 0098	0 00	0 00								
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT	1														
The UNE-P DS1 combination rates below for in this rate exhibit app	ly to the	embed	ded base	ın place a	is of 10/2/03 i	until 4/1/04. Afte	er 4/1/04 these	rates shall rev	ert to tariff rate	es or a separa	te commerc	ial agreeme	nt			
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Trunk P	ort afte	r the effe	tive date	of this amend	ment shall be p	rovided pursu	ant to a separ	ate agreement	or tariff at Be	South's di	scretion.				
UNE Port/Loop Combination Rates	4	ļ		_	ļ	1					1					
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			155 43										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP	-		205.24										
Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+	1	JOEPPP		 	205 74				ļ	 	 	 	<u> </u>		-
Zone 3		3	UEPPP		ļ	283 10										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 4		4	UEPPP			534 81										
UNE Loop Rates											 		· ·			
4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	79 08										
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	129 38										
4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPPP		USL4P	206 74								1		
4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP		USL4P	458 46							<u> </u>	<u> </u>		
UNE Port Rate					l						ļ					
Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPPP		UEPPP	76 35	458 93	260 59	127 75	32 76	ļ					
NONRECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	-	-	ļ		 	-					 			ļ .		
Combination - Conversion -Switch-as-is (E 4/1/2004)			UEPPP		USACP	0 00	119 76	79 01				i				
ADDITIONAL NRCs	1	+									1					
4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-					1						1			 		
Inward/two way Tel Nos (except NC)			UEPPP		PR7TF		0 49									
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -											1					
Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11 58	11 58					J	l		
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
Subsequent Inward Tel Numbers	-	1	UEPPP		PR7ZT		23 15	23 15			1					
LOCAL NUMBER PORTABILITY	 	Ь—-	UE DOS		1.0000	4.75										
Local Number Portability (1 per port)	+	 	UEPPP	-	LNPCN	1 75							<u> </u>	ļ	ļ	
INTERFACE (Provsioning Only) Voice/Data	1	+	UEPPP		PR71V	0.00	0 00	0.00			+	-		1	 	
Digital Data	+	1	UEPPP		PR710	0 00	0 00	0 00		· · · · · · · · · · · · · · · · · · ·	+	-	ļ	-	ļ-	-
Inward Data	+	+	UEPPP		PR71E	0 00	0 00	0.00		 	+	 	1	1	+	
New or Additional "B" Channel	+	 	102		+····-	1 000	0.00	0.00			+	 	†			
New or Additional - Voice/Data B Channel	1	†	UEPPP		PR7BV	0 00	14 61			1				1		
New or Additional - Digital Data B Channel	1	T	UEPPP		PR7BF	0 00	14 61			1			Ì			
New or Additional Inward Data B Channel			UEPPP		PR7BD	0 00	14 61									
CALL TYPES																
Inward			UEPPP		PR7C1	0 00	0 00	0 00						ļ		<u> </u>
Outward	1		UEPPP	-	PR7CO	0 00	0 00	0 00	1			L			-	ļ
Two-way	1	1	UEPPP		PR7CC	0 00	0 00	0 00			ļ	ļ	 	1	-	ļ
Interoffice Channel Mileage		ļ	LIEE		141 114 2	ļ ļ		22.55	10.00	11.00	.	 	<u> </u>		<u> </u>	
Fixed Each Including First Mile		+	UEPPP		1LN1A	57 53	89 79	82 28	16 66	14 90	+		 	 		
Each Airline-Fractional Additional Mile 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	+		DEPPP		1LN1B	0 20					ļ	 	-	 	1	
The UNE-P DS1 combination rates below for in this rate exhibit app	ly to the	amba	dded bass	in place	e of 10/2/02	until 4/1/04 A44	or A/1/D4 these	rates shall m	vert to tariff rat	es or a senar	te commerc	ial agreeme	ent.	 	1	
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the e											ito commerc	iai ayreeme	1	 	 	+
UNE Port/Loop Combination Rates		JUIG OI	una anter	ranient SII	se providi	La pursuant to a	. scharate agre	Jon Gill Or Lain	. c. penoodin		1		 	1		
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	+	1	UEPDÇ		+	131 78				 		T	 		1 -	

	D NETWORK ELEMENTS - Mississippi												Attach	ment. 2	Exhi	ibit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted		Charge -	Order vs.	Charge Manual S Order vs
													1st	Add'l	Disc 1st	Disc Add
			-	-			Nonre	curring	Nonrecurring	Disconnect	1		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		182 07										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		259 44									-	+
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4			UEPDC		511 15										
	pop Rates															+
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79 08									1	1
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	129 38								 	†	+
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206 74										+
	4-Wire DS1 Digital Loop - UNE Zone 4			UEPDC	USLDC	458 46										+
LINE D	ort Rate			02,00	OOLDO	730 70		·		 	1					+
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC	UDD1T	52 70	457 12	254 70	120 96	14 61	 					+
	CURRING CHARGES - CURRENTLY COMBINED		 	OEF DC	- 100011	32.70	437 12	234 70	120 30	14 01	 					+
NONE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	<u> </u>	1		-			 			-				 	+
	- Switch-as-is (E 4/1/2004)	1		UEPDC	USAC4		130 24	67 41								
-+-	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-	├	UEFUC	USAC4		130 24	6/41		ļ	 			 	<u> </u>	+
		ĺ		UEPDC	USAWA		420.04	67 41								1
	- Conversion with DS1 Changes (E 4/1/2004)		-	UEPUC	USAWA		130 24	6/41							ļ	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	ŀ													i	
	- Conversion with Change - Trunk (E 4/1/2004)			UEPDC	USAWB		130 24	67 41								
ADDITI	ONAL NRCs		Ļ							_					ļ	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk		L	UEPDC	UDTTA		14 56	14 56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14 56	14 56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID	ŀ		UEPDC	UDTTC		14 56	14 56				1				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14 56	14 56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan									• • • • • • • • • • • • • • • • • • • •						+
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14 56	14 56				1				
BIPOL	AR 8 ZERO SUBSTITUTION															+
	B8ZS -Superframe Format			UEPDC	CCOSF		0 001	600 00s			 			†		+
	B8ZS - Extended Superframe Format		1	UEPDC	CCOEF		0 001	600 00s						· · · · ·	 	+
	ate Mark Inversion		!											 	 	+
	AMI -Superframe Format		 	UEPDC	MCOSF		0 00	0 00							 	+
	AMI - Extended SuperFrame Format		 	UEPDC	MCOPO		0 00	0 00							 	+
	one Number/Trunk Group Establisment Charges		1	02.00				- 000		-						+
ruiopii	Telephone Number for 2-Way Trunk Group		 	UEPDC	UDTGX	0 00				-						+
	Telephone Number for 1-Way Outward Trunk Group	-		UEPDC	UDTGY	0 00								-		+
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00			 						 	+
	DID Numbers for each Group of 20 DID Numbers		 	UEPDC	ND4	0 00		ļ			ļ		-	-	ļ	+
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00						-				
	Reserve Non-Consecutive DID Nos		-	UEPDC	ND6	0.00	0.00	0.00						ļ		
	Reserve DID Numbers													1		
		L	<u> </u>	UEPDC	NDV	0 00	0 00	0 00			ļ			ļ <u> </u>		_
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	roop	With 4-Wire DDITS	Frunk Port									ļ		4
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	57 33	89 79	82 28	16 86	14 90				,		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 20	0 00	0 00			ļ					
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1	1	1				1					1		1	
	Termination)		1	UEPDC	1LNO2	0 00	0 00	0.00		<u> </u>	<u> </u>				1	1
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 20	0 00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0 00	0 00	0.00	0 00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		<u>i</u>	UEPDC	1LNOC	0 20	0 00	0 00			L	<u> </u>			1	
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0 00	0 00							
	Central Office Termininating Point		1	UEPDC	CTG	0 00									T. T.	1
	E DS1 LOOP WITH CHANNELIZATION WITH PORT		1			, , ,										

NBUNDLED	NETWORK ELEMENTS - Mississippi												Attach	ment. 2	Exhi	bit B
regory	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
				-		Rec		ecurring		g Disconnect				Rates (\$)		
						1,00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	stem can have up to 24 combinations of rates depending on									<u> </u>	<u> </u>	<u> </u>		L	<u> </u>	ļ
	-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tanff rates	or a separate	agreement	
	s for 4-Wire DS1 Loop with Channelization with Port after the	e effecti	ve date	of this amendme	ent shall be pro	vided pursuan	t to a separa	te agreement or	tanft at BellSc	uth's discretion	on.	ļ				
UNE DS1						70.00					ļ					ļ
	-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	79 08	0.0									<u> </u>
	-Wire DS1 Loop - UNE Zone 2			UEPMG UEPMG	USLDC	129 38 206 74	0.0								-	
	-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	458 46	0.0				 			-		
	-Wire DS1 Loop - UNE Zone 4	L,	4	UEPMG	USLUC	458 46	0.0	, 000							<u> </u>	
	O Channelization Capacities (D4 Channel Bank Configuration	15)		UE DI IO	1.0.00	05.00						ļ				_
	4 DSO Channel Capacity - 1 per DS1		\vdash	UEPMG UEPMG	VUM24 VUM48	95 06	0.0		-	-	-	—		 	<u> </u>	├
	8 DSO Channel Capacity - 1 per 2 DS1s	ļ <u></u>				190 12	0.0		-	-	-	-			ļ	₩
	6 DSO Channel Capacity -1per 4 DS1s	<u></u>		UEPMG	VUM96	380 24	0.0			ļ <u>-</u>	 			.		
	44 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570 36	0.0				ļ		ļ		ļ	ļ
	92 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760 48	0.0		ļ. <u></u>	ļ						
	40 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	950 60	0.0				-	ļ				-
	88 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140 72	0.0				1					<u> </u>
	84 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520 96	0.0									
	80 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901 20	0.0									ļ
	76 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281 44	0.0									
	72 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661 68	0.0	0 00								
Non-Reci	urring Charges (NRC) Associated with 4-Wire DS1 Loop with	n Chann	eliztio	n with Port - Conv	version Charge	Based on a Sy	stem									
A Minimu	um System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports	with Feature A	ctivations.										
Multiples	s of this configuration functioning as one are considered Ac	d'I after	the m	inimum system c	onfiguration is	counted.										
	IRC - Conversion (Currently Combined) with or without															
В	BellSouth Allowed Changes			UEPMG	USAC4	0 00	151 3	8 41							!	
	Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizati	on with Port Con	bination Curre	ntly Exists and		· ·								
	t Currently Combined) in all states, except in Density Zone 1															
1	DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	ind Assoc Fea Activation (E 4/1/2004)			UEPMG	VUMD4	0 00	715 1	327 39	148 05	17 56					İ	
	3 Zero Substitution							 			1					
	Clear Channel Capability Format, superframe - Subsequent										1					
	Activity Only			UEPMG	CCOSF	0 00	0 00:	600 00s			4	1	ļ		ł	
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0 00	0 00:	600 00s							ľ	
	Mark Inversion (AMI)				1					·		-				†
	Superframe Format			UEPMG	MCOSF	0 00	0.0	0 00								
	xtended Superframe Format			UEPMG	MCOPO	0 00	0.0									
	e Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													†
Exchange																
	ine Side Combination Channelized PBX Trunk Port - Business				_		-	+								t
	E 4/1/2004)			UEPPX	UEPCX	1 23	0.0	0 00	0 00	0 00						i
	ine Side Outward Channelized PBX Trunk Port - Business			OLITA	OL: OX	120	- 00	, 000	0.00	- 000					<u> </u>	
	E 4/1/2004)			UEPPX	UEPOX	1 23	0.0	0 00	0 00	0 00						l
	ine Side Inward Only Channelized PBX Trunk Port without DID			OLFFX	OCFOX	123		000	0 00	0.00	1					
	E 4/1/2004)	i		UEPPX	UEP1X	1 23	0.0	000	0 00	0 00					1	
				UEPPX	UEP IX	1 23	00	000	0 00	0.00	<u> </u>				ļ	
	-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7 40	0.0	0 00	0.00	0 00		'		l	1	1
	E 4/1/2004)	-		UEPPA	UEFUM	7 40	- 00	1 000	0.00	1		<u> </u>			 	+
	Inbundled Exchange Ports, 2-Wire Channelized – Outdial –								1							
	AL, KY, LA, MS, & TN)(Conversion from Network Access			HEDDY	LUE BOY				0.00	1	Į.	1		ļ	l	1
	Service) (E 4/1/2004)			UEPPX	UEPCY	1 23	0.0	0 00	0 00	0 00	-	ļ		1	 	
	Inbundled Exchange Ports, 2-Wire Channelized – Combination							1				l		1		
	AL, KY, LA, MS, & TN) (Conversion from Network Access			l	l	l				1					1	
	Service) (E 4/1/2004)			UEPPX	UEPCT	1 23	0.0	0.00	0 00	0 00				ļ		↓
	Inbundled Exchange Ports, 2-Wire Channelized – Outdial–							.		_		1	1		!	1
	Aississippi Only – Calling Plan (E 4/1/2004)			UEPPX	UEPC4	1 23	0.0	0 00	0 00	0 00					1	
	Inbundled Exchange Ports, 2-Wire Channelized – Two Way -							_								
M	Assissippi Only – Calling Plan (E 4/1/2004)			UEPPX	UEPC7	1 23	0.0	0 00	0 00	0 00		L				
	Activations - Unbundled Loop Concentration						r							1	1	1

	ED NETWORK ELEMENTS - Mississippi												Attachi	ment. 2	Exhi	bit B
				i		ŀ									Incremental	Incremental
						1					Submitted			Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec		Manual Svc		Manual Svc	
	10112 2221121110	m	Lone	500	0300			NATES (#)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		i											Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>		T	_	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		<u> </u>
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Port Terminated in D4													00	COMPAN	COMPIL
	Bank			UEPPX	1PQWM	0 61	25 36	13 39	4 29	4 26						
	Feature (Service) Activation for each Trunk Port Terminated in	T	1													
i	D4 Bank			UEPPX	1PQWU	0.61	78 03	18 39	60 66	11 85						
Telep	phone Number/ Group Establishment Charges for DID Service										-					_
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00	0.00	0 00	-							
	DID Numbers - groups of 20 - Valid all States		L	UEPPX	ND4	0.00	0 00	0 00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	000	0 00								
	Reserve Non-Consecutive DID Numbers		<u> </u>	UEPPX	ND6	0 00	0.00	0 00								-
	Reserve DID Numbers	ļ		UEPPX	NDV	0 00	0.00	0 00								
Local	Number Portability															
	Local Number Portability - 1 per port	ļ	 	UEPPX	LNPCP	3 15	0.00	0 00								
	URES - Vertical and Optional		1													
Local	Switching Features Offered with Line Side Ports Only		<u> </u>													
	All Features Available			UEPPX	UEPVF	2 56	0.00	0 00								
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>			<u> </u>										_
	st Based Rates are applied where BellSouth is required by FCC								l	L				_		
2 Fea	atures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Kat	e section in the sa	me manner as	they are applie	d to the Stand	-Alone Unbund	dled Port secti	on of this Rate	Exhibit					
3. End	d Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	of this rate exh	indit shall apply	to all combina	tions of loop/	port network e	lements excep	for UNE C	oin Port/Lo	op Combinatı	ons.		
	e first and additional Port nonrecurring charges apply to Not Cu	urrentiy	Compi	inea Combos. Fo	r Currently Co	mbined Combo	s, the nonrect	irring charges	shall be those	identified in t	ie Nonrecur	ring - Curre	ntly Combine	d sections. A	Additional NR	Cs may
	also and are categorized accordingly.															
	arket Rates for Unbundled Centrex Port/Loop Combination will		tiated	on an Individual C	ase Basis, un	til further notice	e.									
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	}														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo											i				
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ĺ			İ						1		1		l l	
	Non-Design		1	UEP91	_	12 22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_			_					ľ		i		1	
	Non-Design		2	UEP91		17 13										
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_			·		1								
	Non-Design		3	UEP91		26 26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i														
	Non-Design		4	UEP91		44 91										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										į					
	Design		1	UEP91		15 12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_			1										
													1			
	Design Design		2	UEP91		19 98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		19 98 28 78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		3	UEP91		28 78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		3													
UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate		3 4	UEP91		28 78 46 95										
UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		3	UEP91 UEP91 UEP91	UECS1	28 78 46 95 10 98										
UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		3 4 1 2	UEP91 UEP91 UEP91 UEP91	UECS1	28 78 46 95 10 98 15 91										
UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3 4 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	28 78 46 95 10 98 15 91 25 04										
UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3		3 4 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1	28 78 46 95 10 98 15 91 25 04 43 68										
UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1		3 4 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2	28 78 46 95 10 98 15 91 25 04 43 68 13 89										
UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1		3 4 1 2 3 4 1 2	UEP91												
UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2		3 4 1 2 3 4 1 2 3	UEP91												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		3 4 1 2 3 4 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2	28 78 46 95 10 98 15 91 25 04 43 68 13 89 18 75										
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 Ports		3 4 1 2 3 4 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	28 78 46 95 10 98 15 91 25 04 43 68 13 89 18 75 27 55										
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 Ports ates (Except North Carolina and Sout Carolina)		3 4 1 2 3 4 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	28 78 46 95 10 98 15 91 25 04 43 68 13 89 18 75 27 55 45 72										
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 Ports ates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area		3 4 1 2 3 4 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	28 78 46 95 10 98 15 91 25 04 43 68 13 89 18 75 27 55	40 31	1984	24 90	6 58						
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 Ports ates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		3 4 1 2 3 4 1 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	28 78 46 95 10 98 15 91 25 04 43 68 13 89 18 75 27 55 45 72	i									
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 Ports ates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area		3 4 1 2 3 4 1 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	28 78 46 95 10 98 15 91 25 04 43 68 13 89 18 75 27 55 45 72	40 31	19 84 19 84	24 90	6 58						

ÜNBUN	DLE	D NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	ibit [.] B
ATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
				-		 		Nonrec	urring	Nonrecurring	Disconnect	 		OSS	Rates (\$)		
				1			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\overline{}$		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				1											
		Note 2, 3 Basic Local Area		ļ	UEP91	UEPYM	1 23	108 35	70 57	54 24	11 70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1 23	108 35	70 57	54 24	11 70						
		Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP91	UEPY9	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1 23	40 31	19 84	24 90	6 58						
IA	L, KY	, LA, MS, & TN Only		T													
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			ÜEP91	UEPQH	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPQM	1 23	108 35	70 57	54 24	11 70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term			UEP91	UEPQZ	1 23	108 35	70 57	54 24	11 70						
		Service Territ															
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP91	UEPQ9	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1 23	40 31	19 84	24 90	6 58						
	ocal S	Switching			UEP91	URECS	0 7947			-					-		+
	!	Centrex Intercom Funtionality, per port	_	+	OEF91	UNECS	0 / 54/					 					+
		Local Number Portability (1 per port)	_	_	UEP91	LNPCC	0 35										+
F	eature				OL: 01	2.100	0.00										
		All Standard Features Offered, per port			UEP91	UEPVF	2 56										
-		All Select Features Offered, per port			UEP91	UEPVS	0.00	404 98									
		All Centrex Control Features Offered, per port		1	UEP91	UEPVC	2 56										
N	ARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0 00	0 00	0 00	0.00	0 00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0 00	0 00	0 00	0 00	0 00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0 00	0 00	0 00	0.00	0 00					-	
		aneous Terminations		-													+
2	-Wire	Trunk Side		 	UEP91	CENA6	8 25	120 00	18 85	61 77	3 88					1	+
- 1.	. tara #	Trunk Side Terminations, each fice Channel Mileage - 2-Wire	<u> </u>		OEF91	CENTO	623	120 00	10 00	01.77	3 00				 	-	
 "		Interoffice Channel Facilities Termination - Voice Grade	!	 	UEP91	M1GBC	22 52	40 77	27 57	17 26	7 11					-	
\rightarrow		Interoffice Channel mileage, per mile or fraction of mile		+	UEP91	M1GBM	0 0098	40,7	2. 3/	20	· · · · · · · · · · · · · · · · · · ·						
- F		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
		nnel Bank Feature Activations															
\dashv		Feature Activation on D-4 Channel Bank Centrex Loop Slot		1—	UEP91	1PQWS	0 57										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0 57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP91	1PQWP	0 57										
		Different Wire Center		\vdash						-					<u> </u>	†	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		-	UEP91	1PQWV	0 57			 		-	-			-	+
		Slot			UEP91	1PQWQ	0 57										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 57								-	 	+
N	lon-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			ļ			-		<u> </u>			-			-	
		Conversion - Currently Combined Switch-As-ls with allowed changes, per port			UEP91	USAC2		0 10	0 10								
		Conversion of Existing Centrex Common Block			UEP91	USACN		37 97	16 68				ļ		-	-	+
		New Centrex Standard Common Block			UEP91	M1ACS	0 00	666 32			ļ		_	-		 	+
		New Centrex Customized Common Block		ļ	UEP91	M1ACC	0 00	666 32		-	ļ				+	-	+
		Secondary Block, per Block		\vdash	UEP91	M2CC1	0 00	77 91		 	-	 	 	 		 	+
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0 00	72 63	L	1	1	<u> </u>				-	

UNBUND	LED NETWOR	K ELEMENTS - Mississippi												Attach	ment· 2	Eyhi	ibit B
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge -	Increments Charge -
			-					N		T 60	Di	ļ			1		
			1			_	Rec	Nonrec First		First	g Disconnect	201150	001111		Rates (\$)		
A	ditional Non Boo	urring Charges (NRC)	1	-		-		FIISE	Add'l	FIFST	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Auc	Unbundled N	discellaneous Rate Element, Tag Loop at End Use	1							1		 					
	Premise	isceraneous reale Element, rag Loop at Life Use			UEP91	URETL		8 33	0 83								
		iscellaneous Rate Element, Tag Design Loop at		 													
	End Use Prei				UEP91	URETN		11 19	1 10							i	ŀ
		5ESS (Valid in All States)										1				İ	
		/ire Voice Grade Port (Centrex) Combo													-		
UNE		bination Rates (Non-Design)										1					
-		op/2-Wire Voice Grade Port (Centrex) Port Combo -	-			1											1
	Non-Design		L	1	UEP95		12 22					1					
		op/2-Wire Voice Grade Port (Centrex)Port Combo -										1					
	Non-Design			2	UEP95		17 13									L.	
		op/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design			3	UEP95		26 26				L	<u> </u>					1
		op/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design		<u> </u>	4	UEP95		44 91		<u> </u>	<u> </u>	L						
UNE	E Port/Loop Com	bination Rates (Design)									T						
	2-Wire VG Lo	op/2-Wire Voice Grade Port (Centrex) Port Combo -	1								T						
ļ	Design	·	ŀ	1	UEP95	1	15 12					1	1			•	
	2-Wire VG Lo	op/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design			2	UEP95		19 98			1							İ
		op/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		l	3	UEP95		28 78										
1	2-Wire VG Lo	iop/2-Wire Voice Grade Port (Centrex) Port Combo -			·		İ					ļ*					
1	Design	. ,	ļ	4	UEP95		46 95										
UNE	Loop Rate				· · · · · · · · · · · · · · · · · · ·				_								İ
	2-Wire Voice	Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10 98										
		Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15 91										
		Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25 04			1	•						†
		Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43 68		••••								1
		Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13 89										
		Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18 75			†							-
		Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27 55										
		Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45 72										
UNE	Port Rate																
	States												•				
	2-Wire Voice	Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1 23	40 31	19 84	24 90	6 58						
	2-Wire Voice	Grade Port (Centrex 800 termination)			UEP95	UEPYB	1 23	40 31	19 84	24 90	6 58						
		Grade Port (Centrex with Caller ID)1Basic Local				'				1	T					•	
	Area	,			UEP95	UEPYH	1 23	40 31	19 84	24 90	6 58]		j			1
	2-Wire Voice	Grade Port (Centrex from diff Serving Wire															
		asic Local Area			UEP95	UEPYM	1 23	108 35	70 57	54 24	11 70]					1
		Grade Port, Diff Serving Wire Center 2,3 - 800															
		- Basic Local Area]		UEP95	UEPYZ	1 23	108 35	70 57	54 24	11 70						1
		Grade Port ferminated in on Megalink or equivalent								1				•			
	- Basic Local .	Area			UEP95	UEPY9	1 23	40 31	19 84	24 90	6 58	1					Ĺ
		Grade Port Terminated on 800 Service Term -															
1	Basic Local A	rea			UEP95	UEPY2	1 23	40 31	19 84	24 90	6 58						I
AL,	KY, LA, MS, SC,																
	2-Wire Voice	Grade Port (Centrex)			UEP95	UEPQA	1 23	40 31	19 84	24 90	6 58						
		Grade Port (Centrex 800 termination)			UEP95	UEPQB	1 23	40 31	19 84	24 90	6 58						
		Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1 23	40 31	19 84	24 90	6 58						
	2-Wire Voice	Grade Port (Centrex from diff Serving Wire															
	Center)2,3		┕		UEP95	UEPQM	1 23	108 35	70 57	54 24	11 70	<u> </u>					
		Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3				UEP95	UEPQZ	1 23	108 35	70 57	54 24	11 70						[
																	i T
	2-Wire Voice (Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1 23	40 31	19 84	24 90	6 58	į l					
		Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1 23	40 31	19 84	24 90	6 58						

NBUNDL	ED NETWORK ELEMENTS - Mississippi													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		-			1	1100	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	GA Only		-												 	
Loca	Centrex Intercom Funtionality, per port	1	+	UEP95	URECS	0 7947	-					 			 	
	Number Portability	1	1	QLI 33	GIVEOU	0 7047									 	
Loca	Local Number Portability (1 per port)			UEP95	LNPCC	0 35								·		
Featu			1													
	All Standard Features Offered, per port	1		UEP95	UEPVF	2 56										
	All Select Features Offered, per port			UEP95	UEPVS	0 00	404 98									ļ
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2 56			<u> </u>						 	L
NAR		-	1	LIEBOS	LIABOY	0 00	0.00	0 00	0 00	0 00						
	Unbundled Network Access Register - Combination	+		UEP95 UEP95	UARCX UAR1X	0 00	0 00	0 00	0 00	0 00		—		 	+	
_	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	1	+-	UEP95	UAROX	0 00	0.00	0 00	0 00	0.00	 	 	<u> </u>		 	——
Miss	ellaneous Terminations	+	+	OLF 50	- OANOA	0.00	0.00	0.00	0.00				 		1	1
	re Trunk Side	1	1		1										1	
1	Trunk Side Terminations, each		1	UEP95	CEND6	8 25	120 00	18 85	61 77	3 88						
4-Wi	re Digital (1.544 Megabits)		L								<u> </u>				ļ	
	DS1 Circuit Terminations, each			UEP95	M1HD1	58 41	203 19	96 25	74 86	2 54						<u> </u>
	DS0 Channels Activated, each			UEP95	M1HDO	0 00	14 56									ļ
Inter	office Channel Mileage - 2-Wire											ļ				
	Interoffice Channel Facilities Termination			UEP95	M1GBC	22 52	40 77	27 57	17 26	7 11	ļ	_				
	Interoffice Channel mileage, per mile or fraction of mile		_	UEP95	M1GBM	0 0098								-		
	ure Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce		-	 						-					
D4 C	hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>		UEP95	1PQWS	0 57					-		-		ļ	
	Feature Activation on U-4 Channel Bank Centrex Loop Slot	+	+	0EF 95	IFQVV3	0.57					 				1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 57						1	1			
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1													
	Slot			UEP95	1PQW7	0 57							}			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	1													
	Different Wire Center	1		UEP95	1PQWP	0 57										
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 57										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					0.57			ļ i							
	Slot	-	1	UEP95 UEP95	1PQWQ 1PQWA	0 57 0 57					 	-		-	1	-
No.	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex	1	-	UE795	IPQVVA	0 57			 	-			-	 		
Non-	NRC Conversion Currently Combined Switch-As-Is with allowed	+	+-		+ -						 	-		 	 	
	changes, per port	1	1	UEP95	USAC2	ļ	0 10	0 10				ļ	1			
	Conversion of Existing Centrex Common Block, each	1	1	UEP95	USACN		37 97	16 68							1	
-	New Centrex Standard Common Block	T		UEP95	M1ACS	0 00	666 32									
$\neg \bot$	New Centrex Customized Common Block			UEP95	M1ACC	0 00	666 32								ļ	
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	72 63								1	
Addi	tional Non-Recurring Charges (NRC)		1										 			_
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				lune-						1	1	I	[
	Premise	1	 	UEP95	URETL		8 33	0 83	l	-	ļ		1		+	
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	1	UEP95	URETN		11 19	1 10]							1
- III	End Use Premise P CENTREX - DMS100 (Valid in All States)	+	+	OEF 30	UNETR		1119	1 10	-	 -	 		<u> </u>		 	1
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+	+	+						-	t			1	1	
	Port/Loop Combination Rates (Non-Design)	1	+		1 -				1	ĺ			L			L
+=:1=	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-									1				1	
	Non-Design		1	UEP9D		12 22				L	L					ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design	1 .	2	UEP9D		17 13				ļ	ļ	ļ	ļ		1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-	1												1	
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	ļ	3	UEP9D		26 26					-	 	<u> </u>		}	·

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Elec per LSR Manually M per LSR Elec Elec per LSR Manually M per LSR Elec Elec Elec per LSR Elec Elec Elec per LSR Elec Elec Elec Elec Elec per LSR Elec Elec Elec Per LSR Elec Elec Elec Per LSR Elec Elec Elec Per LSR Elec Elec Elec Per LSR Elec Elec Elec Per LSR Elec Elec Elec Per LSR Elec Elec Elec Elec Elec Elec Elec Elec	Incremental Charge - Manual Svc Order vs. Electronic-1st OSS Rates (\$) SOMAN SOMA	Charge - Svc Manual Svc Manual Svc Manual Svc Manual Svc Manual Svc Manual Svc Manual Svc Manual Man	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'I SOMAN
UNE Port/Loop Combination Rates (Design)			SOMAN
UNE Port/Loop Combination Rates (Design)	SOMAN SOMA	N SOMAN	SOMAN
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 1 UEP9D 15 12 15 12			
Design			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design			
Design 2 UEP9D 19 98			
Design 3 UEP9D 28 78			
2-Wire VG Loop/2-Wire Valce Grade Port (Centrex) Port Combo- Design			
Design			
UNE Loop Rate			
2-Wire Voice Grade Loop (SL 1) - Zone 1			
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP9D UECS1 15 91			
2-Wire Voice Grade Loop (SL 1) - Zone 4			
2-Wire Voice Grade Loop (SL 2) - Zone 1			
2-Wire Voice Grade Loop (SL 2) - Zone 2			
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 27 55 2-Wire Voice Grade Loop (SL 2) - Zone 4 4 UEP9D UECS2 45 72 UNE Port Rate			
2-Wire Voice Grade Loop (SL 2) - Zone 4			
UNE Port Rate			
I MALE GIALEG			
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			
Area UEP9D UEPYB 1 23 40 31 19 84 24 90 6 58			
2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1 23 40 31 19 84 24 90 6 58			
2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			
Area UEP9D UEPYD 1 23 40 31 19 84 24 90 6 58			
2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			
Area UEP9D UEPYE 1 23 40 31 19 84 24 90 6 58			
2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1 1	
Area UEP9D UEPYF 1 23 40 31 19 84 24 90 6 58			
2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local UEP9D UEPYG 1 23 40 31 19 84 24 90 6 58			
2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			
Area UEP9D UEPYT 1 23 40 31 19 84 24 90 6 58			
2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			
Area UEP9D UEPYU 1 23 40 31 19 84 24 90 6 58			
2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			
Area			
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	<u> </u>	1	
Area UEP9D UEPYH 1 23 40 31 19 84 24 90 6 58	i		
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			
Indication))4 Basic Local Area UEP9D UEPYW 1 23 40 31 19 84 24 90 6 58			
2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication))4			
Basic Local Area UEP9D UEPYJ 1 23 40 31 19 84 24 90 6 58			
2.3-Basic Local Area UEP9D UEPYM 1 23 108 35 70 57 54 24 11 70			
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	-		
Basic Local Area UEP9D UEPYO 1 23 108 35 70 57 54 24 11 70			
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3,4			
Basic Local Area UEP9D UEPYP 1 23 108 35 70 57 54 24 11 70			
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area UEP9D UEPYQ 1 23 108 35 70 57 54 24 11 70			
Basic Local Area UEP9D UEPYQ 1 23 108 35 70 57 54 24 11 70		-	
Basic Local Area UEP9D UEPYR 1 23 108 35 70 57 54 24 11 70			
2-Wire Voice Grade Port (Centrewdiffer SWC /EBS-M5312)2,3,4			
Basic Local Area UEP9D UEPYS 1 23 108 35 70 57 54 24 11 70			

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	bit B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	
						1	Rec	Nonrec		Nonrecurring					Rates (\$)		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Basic Local Area			UEP9D	UEPY4	1 23	108 35	70 57	54 24	11 70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI SD	OL7 14	123	100 00	7037	34 24	1170					 	
		Basic Local Area			UEP9D	UEPY5	1 23	108 35	70 57	54 24	11 70					i	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
		Basic Local Area			UEP9D	UEPY6	1 23	108 35	70 57	54 24	11 70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
		Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEP9D	UEPY7	1 23	108 35	70 57	54 24	11 70						
		Term 2.3		ł	UEP9D	UEPYZ	1 23	108 35	70 57	54 24	11 70				1		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			GEI 30	OLI 12	120	100 55	70 37	3424	1170				1	 	
		Basic Local Area			UEP9D	UEPY9	1 23	40 31	19 84	24 90	6 58				1		
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
		Local Area			UEP9D	UEPY2	1 23	40 31	19 84	24 90	6 58						
	AL, KY	, LA, MS, SC, & TN Only		↓	LIEBOD	LIEBOA .		40.04	40.01	24.00					1	ļ	
		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP9D UEP9D	UEPQA UEPQB	1 23 1 23	40 31 40 31	19 84 19 84	24 90 24 90	6 58 6 58				 		
		2-Wire Voice Grade Port (Centrex 600 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1 23	40 31	19 84	24 90	6 58				 		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4		 	UEP9D	UEPQD	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4		 	UEP9D	UEPQE	1 23	40 31	19 84	24 90	6 58					 	
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4 2-Wire Voice Grade Port (Centrex / EBS-M5316)4		-	UEP9D UEP9D	UEPQV UEPQ3	1 23 1 23	40 31 40 31	19 84 19 84	24 90 24 90	6 58 6 58				1		
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)		-	UEP9D	UEPQH	1 23	40 31	19 84	24 90	6 58				 	_	
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OL: OB	JOE: W	120	4001	10 04	24 00	0 00						
		Indication)4			UEP9D	UEPQW	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		L	UEP9D	UEPQJ	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2,3			UEP9D	UEPQM	1 23	108 35	70 57	54 24	11 70					ļ	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1 23	108 35	70 57	54 24	11 70						
		2-Wile Voice Grade Fort (Centreworker SWC/EBS-FSET)2,5,4		1	OLF 9D	OLF GO	1 23	100 33	1031	34 24	1170						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	İ		UEP9D	UEPQP	1 23	108 35	70 57	54 24	11 70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1 23	108 35	70 57	54 24	11 70						
					l	1 1											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPOR	1 23	108 35	70 57	54 24	11 70					-	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1 23	108 35	70 57	54 24	11 70						
		2 THE TOOL CHACT OF COMMON STITE OF THE PROPERTY.			OE! OB	OLI GO	125	100 33	7007	34 24	1170						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1 23	108 35	70 57	54 24	11 70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1 23	108 35	70 57	54 24	11 70						L
	·	0.11.0					1.5-										
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		-	UEP9D	UEPQ6	1 23	108 35	70 57	54 24	11 70				-		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1 23	108 35	70 57	54 24	11 70				1		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.1 30	JE1 0/1	1 23	100 33	1031	Jr4 24	1170				1	-	
		Term 2,3		1	UEP9D	UEPQZ	1 23	108 35	70 57	54 24	11 70				1		
				Γ									, i				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1 23	40 31	19 84	24 90	6 58						
		2-Wire Voice Grade Port Terminated on 800 Service Term	ļ	ļ	UEP9D	UEPQ2	1 23	40 31	19 84	24 90	6 58						
-	Local S	Switching Centrex Intercom Funtionality, per port		-	UEP9D	URECS	0 7947								-		·
	Local N	lumber Portability		 	OEF BU	UNEUS	0 /94/								-	 	
		Local Number Portability (1 per port)		+	UEP9D	LNPCC	0 35			 							

MRONDE	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Incremental Charge -	Incrementa Charge - Manual Sv Order vs.
		 	ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
Featu	IFOS	 					First	l'bbA	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 Gatt	All Slandard Features Offered, per port	 		UEP9D	UEPVF	2 56										
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	404 98				-					
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2 56	404 30									
NARS		 	 	02.00	02: 10	200					 					
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00	0.00	0 00	 	-				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0.00	0.00	0.00						
	ellaneous Terminations		1					-		-						
2-Wir	e Trunk Side										-					
	Trunk Side Terminations, each			UEP9D	CEND6	8 25	120 00	18 85	61 77	3 88						
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	58 41	203 19	96 25	74 86	2 54						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	14 56									
Interc	office Channel Mileage - 2-Wire	ļ	<u> </u>	TIE DOD	1,,,,,,,,,	20.50										L
	Interoffice Channel Facilities Termination	<u> </u>		UEP9D UEP9D	M1GBC	22 52	40 77	27 57	17 26	7 11						
Factor	Interoffice Channel mileage, per mile or fraction of mile ire Activations (DS0) Centrex Loops on Channelized DS1 Service			DEPSD	M1GBM	0 0098										ļ
	re Activations (DSU) Centrex Loops on Channelized DS1 Service	e	<u> </u>													
104 (1	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP9D	1PQWS	0 57					l —					
	realiste Activation on 5-4 Chainle Bank Centrex Loop Slot	1	-	DEFBU	IFQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02.7 02	11. 411.0	001			-							
	Slot]	UEP9D	1PQW7	0 57		:								1
	Feature Adivation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0 57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 57										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					-						-			_	
	Slot			UEP9D	1PQWQ	0 57	i									1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 57										1
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
1	NRC Conversion Currently Combined Switch-As-Is with allowed					1										[·
	changes, per port			UEP9D	USAC2		0 10	0 10								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37 97	16 68								
	New Centrex Standard Common Block			UEP9D	M1ACS	0 00	666 32									l .
	New Centrex Customized Common Block			UEP9D	M1ACC	0 00	666 32									<u> </u>
4	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00	72 63				_					
Addit	ional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	\vdash														
	Premise	l i		UEP9D	URETL	ŀ	8 33	0 83				1				į.
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	\vdash		UEF9D	UKEIL		8 33	0 83					-			
	End Use Premise			UEP9D	URETN		11 19	1 10								i .
UNE-F	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			02, 02	OKETI		11 13	1.10								_
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1									-		f
1	Non-Design		1	UEP9E	1 1	12 22										i .
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
	Non-Design	<u> </u>	2	UEP9E	!	17 13										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					i		- 1								
	Non-Design		3	UEP9E	<u> </u>	26 26		i								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		4	UEP9E		44 91										<u></u>
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1 7											
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E	<u> </u>	15 12										

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exh	ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'l	Incremental Charge -	Charge - Manual Sv Order vs.
			1			Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>			Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	1										
	Design		3	UEP9E		28 78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
l l	Design		4	UEP9E		46 95										
UNE Lo																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10 98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15 91						1				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43 68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13 89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18 75					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27 55								[T
	2-Wire Voice Grade Loop (St. 2) - Zone 4		4	UEP9E	UECS2	45 72										
UNE Po	rt Rate															
AL, FL,	KY, LA, MS, & TN only															
1 1 1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1 23	40 31	19 84	24 90	6 58						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local													T		
	Area			UEP9E	UEPYB	1 23	40 31	19 84	24 90	6 58				l		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				1			-								
	Area		l	UEP9E	UEPYH	1 23	40 31	19 84	24 90	6 58						1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2,3 Basic Local Area		İ	UEP9E	UEPYM	1 23	108 35	70 57	54 24	11 70				1		1
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															+
	Service Term - Basic Local Area			UEP9E	UEPYZ	1 23	108 35	70 57	54 24	11 70				1		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		 										1	1		
	- Basic Local Area			UEP9E	UEPY9	1 23	40 31	19 84	24 90	6 58				1		
- + +	2-Wire Voice Grade Port Terminated on 800 Service Term -			02. 02	102.70	, 25		1001	1 2.00	000	<u> </u>			†		+
	Basic Local Area			UEP9E	UEPY2	1 23	40 31	19 84	24 90	6 58						
	LA, MS, & TN Only		 	GEI GE	OCT 12	1 20	70 01	10 04	2400	0.00						+
	2-Wire Voice Grade Port (Centrex)		-	UEP9E	UEPQA	1 23	40 31	19 84	24 90	6 58				 		+
	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP9E	UEPQB	1 23	40 31	19 84	24 90	6 58			-	1		+
	2-Wire Voice Grade Port (Centrex with Caller ID)1		 	UEP9E	UEPQH	1 23	40 31	19 84	24 90	6 58			-			+
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI DE	JOET GIT		7001	10 04	24.00		 		ł			+
	Center)2,3		İ	UEP9E	UEPQM	1 23	108 35	70 57	54 24	11 70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		 	OLF SL	OLF GIVI	1.23	100 33	7031	J7 27	7170	1		<u> </u>	1		+
	Service Term			UEP9E	UEPQZ	1 23	108 35	70 57	54 24	11 70			1	l		
	Service Terrii		-	OLF 3L	ULT QZ	123	100 33	7037	34 24	1170	-		-	-		+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1 23	40 31	19 84	24 90	6 58			1	1		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ9	1 23	40 31	19 84	24 90	6 58		· · · · · · ·	ļ			+
				DEPSE	UEPUZ	1 23	40.31	19 04	24 90	0 30						+
	witching		_	UEP9E	URECS	0 7947					 			 	-	+
	Centrex Intercom Funtionality, per port		-	UEPSE	URECS	0 /94/						-		<u> </u>		
				UEP9E	LNPCC	0 35								ļ		+
Feature	Local Number Portability (1 per port)		-	UEF9E	LINFCC	0.35					-		-	-		+
	All Standard Features Offered, per port			UEP9E	UEPVF	2 56								<u> </u>		
		-		UEP9E	UEPVS	0 00	404 98									+
	All Select Features Offered, per port All Centrex Control Features Offered, per port		 	UEP9E	UEPVC	2 56	404 96				 	 		+	-	+
NARS	All Centrex Control Features Offered, per port		-	DELAE	DEPVC	∠ 56			1	_ 	 		-	+		
	Hobundled Network Access Register Combination		├ ─	UEP9E	UARCX	0.00	0 00	0 00	0 00	0.00	-	-		+		+
	Unbundled Network Access Register - Combination		\vdash	UEP9E	UARCX UAR1X	0.00	0.00	0.00	0 00	0.00	 	-	-		-	+
	Unbundled Network Access Register - Indial		├	UÉP9E	UAROX	0.00	0.00	0 00	0.00	0 00	 		 	+	-	+
	Unbundled Network Access Register - Outdial		\vdash	UCFBC	UARUA	0.00	0.00	0.00	0.00	0.00			 	+	 	+
	aneous Terminations		ļ	 	+				-		 					+
	Trunk Side			UEP9E	CEND6	8 25	120 00	18 85	61 77	3 88	 			+	 	+
 	Trunk Side Terminations, each		-	UEP9E	CENDO	8 25	120 00	18 85	61 //	3 88	 		+	-		+
	Digital (1.544 Megabits)	ļ	 	LICEDOE	Marie	50.41	000.40	96 25	74 86	2 54	ļ			 		+
	DS1 Circuit Terminations, each	ļ	-	UÉP9E	M1HD1	58 41	203 19	96 25	/4 86	2 54	 		 	 	 	+
	DS0 Channel Activated Per Channel		-	UEP9E	M1HDO	0 00	14 56				ļ	ļ		+		+
	ice Channel Mileage - 2-Wire		ļ	l							_			+	 	+
	Interoffice Channel Facilities Termination		<u></u>	UEP9E	M1GBC	22 52	40 77	27 57	17 26	7 11	1		l	1	l	

NBUNDL	ED NETWORK ELEMENTS - Mississippi		,											ment 2		ibit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremen Charge Manual S Order vs
			L			Rec	Nonred			g Disconnect				Rates (\$)		
						1	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP9E	M1G8M	0 0098				ļ						
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	e								<u> </u>						1
D4 CI	nannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		_	UEP9E	40014/6	0.57										ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		 	DEPSE	1PQWS	0 57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP9E	1PQW6	0 57			İ							1
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		<u> </u>	051 35	- IF QVV0	0.57										
	Slot			UEP9E	1PQW7	0 57									1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	1	11. 2111					 					 	
- 1	Different Wire Center			UEP9E	1PQWP	0 57										
														-	_	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		L	UEP9E	1PQWV	0 57									}	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															-
	Slot			UEP9E	1PQWQ	0 57								1		-
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0 57										
Non-I	Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>	ļ												
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port		ļ	UEP9E	USAC2		0 10	0 10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37 97	16 68								
	New Centrex Standard Common Block			UEP9E UEP9E	M1ACS	0 00	666 32									↓
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion		├	UEP9E	M1ACC URECA	0 00	666 32									
Addis	ional Non-Recurring Charges (NRC)			UEPSE	URECA	0.00	72 63							-		
Audit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		-								1					-
	Premise			UEP9E	URETL		8 33	0 83			1 1					
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		 	OL: SL	- OKETE		0 00				<u></u>					_
- 1	End Use Premise		i	UEP9E	URETN		11 19	1 10			†					
UNE-I	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1	-										
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design		1	UEP93		12 22									Ĺ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
	Non-Design		2	UEP93		17 13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_							1						
	Non-Design		3	UEP93		26 26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		١.,	LIEBOO								- 1				
LIME	Non-Design Port/Loop Combination Rates (Design)		4	UEP93	_	44 91										
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1 1	UEP93		15 12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		•	OLI 30	+ +	13 12										
	Design		2	UEP93		19 98						- 1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	02. 50	 	10 30										
	Design		3	UEP93		28 78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					20.0						-				
i	Design		4	UEP93	1 1	46 95										
UNEL	.oop Rate		1													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10 98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	15 91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93	UECS1	25 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4			UEP93	UECS1	43 68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP93	UECS2	13 89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18 75					\sqcup					
-	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP93	UECS2	27 55					ļ					<u> </u>
- LINE	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP93	UECS2	45 72										├
UNEF	ort Rate		L													
AL L	Y, LA, MS, & TN only															

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exh	ıbit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge - Manual Sv Order vs.
					1	Rec	Nonrec		Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-				First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMAN
	Area			UEP93	UEPYB	1 23	40 31	19 84	24 90	6 58						l .
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area	L		UEP93	UEPYH	1 23	40 31	19 84	24 90	6 58						L
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	ŀ	LIEDOO	ue pyan	400	400.05	70.57	54.04	44.70						
	Center) 2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800		_	UEP93	UEPYM	1 23	108 35	70 57	54 24	11 70						1
	Service Term - Basic Local Area			UEP93	UEPYZ	1 23	108 35	70 57	54 24	11 70						
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent		\vdash	02.00	JULY 12	. 20	100 00	100.	0,2,	1170						+
	- Basic Local Area			UEP93	UEPY9	1 23	40 31	19 84	24 90	6 58		ŀ				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area		ļ	UEP93	UEPY2	1 23	40 31	19 84	24 90	6 58						
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1 23	40 31	19 84	24 90	6 58				-		
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93 UEP93	UEPQB UEPQH	1 23 1 23	40 31 40 31	19 84 19 84	24 90 24 90	6 58 6 58	ļ	-			-	+
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEF93	DEFUN	123	4031	19 04	24 90	0 30		<u> </u>				+
	Center)2,3			UEP93	UEPQM	1 23	108 35	70 57	54 24	11 70			i		1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	1 23	108 35	70 57	54 24	11 70					l	
				i							·					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1 23	40 31	19 84	24 90	6 58		ļ				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1 23	40 31	19 84	24 90	6 58						.
Local	Switching Centrex Intercom Funtionality, per port			UEP93	URECS	0 7947					ļ					+
Local	Number Portability		 	02, 00	0.4200	0,34,										
	Local Number Portability (1 per port)			UEP93	LNPCC	0 35				-	· · · · · · · · · · · · · · · · · · ·					†
Featu																1
	All Standard Features Offered, per port			UEP93	UEPVF	2 56										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2 56										
NARS	Unbundled Network Access Register - Combination			UEP93	UARCX	0 00	0 00	0 00	0 00	0.00						
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0 00	0 00	0.00	0.00	0 00	-					+
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0 00	0 00	0 00	0 00	0 00						
Misce	ellaneous Terminations															† · · · · ·
2-Wire	e Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8 25	120 00	18 85	61 77	3 88						
4-Wire	e Digital (1.544 Megabits) DS1 Circuit Terminations, each	-	-	UEP93	M1HD1	58 41	203 19	96 25	74 86	2 54						
	DS0 Channels Activated, Per Channel		_	UEP93	M1HDO	0 00	14 56	96 25	74 86	2 54	<u> </u>	 				+
Intero	office Channel Mileage - 2-Wire			02.00		- 000	17 00							-		+
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22 52	40 77	27 57	17 26	7 11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0 0098										T T
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	e														
D4 Ch	nannel Bank Feature Activations			NIEDOS	40014/0	0.57					ļ					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP93	1PQWS	0 57					 		ļ		<u> </u>	+
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0 57				-	1			[1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			1	1 -7.2		-				1					†
	Slot	<u> </u>	L	UEP93	1PQW7	0 57		<u></u> _	<u></u>		<u> </u>	<u></u>		<u></u>	<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0 57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0 57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot		<u> </u>	UEP93	1PQWQ	0 57					1	Ļ			ļ	4
	Feature Activation on D-4 Channel Bank WATS Loop Slot	 		UEP93	1PQWA	0 57				ļ				ļ	ļ	+
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	1	 	-	+			-		-	-			 	 	+
	changes, per port			UEP93	USAC2		0 10	0 10	ļ	1	1	1				1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhí	bit B
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	Usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge -	Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Conversion of Existing Centrex Common Block, each			UEP93	USACN		37 97	16 68								
New Centrex Standard Common Block			UEP93	M1ACS	0.00	666 32									-
New Centrex Customized Common Block			UEP93	M1ACC	0.00	666 32					1				
NAR Establishment Charge, Per Occasion			UEP93	URECA	0 00	72 63				ĺ					
Additional Non-Recurring Charges (NRC)															
Unbundled Miscellaneous Rate Element, Tag Loop at End Usi Premise	е		UEP93	URETL		8 33	0 83								
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11 19	1 10								
Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWS	SD		-	Ì											
Note 2 - Requres Interoffice Channel Mileage									1				1		
Note 3 - Installation is combination of Installation charge for SL2	Loop and I	Port		_ [
Note 4 - Requires Specific Customer Premises Equipment															
Note Rates displaying an "R" in Interim column are interim and s	subject to r	ate tru	e-up as set forth i	n General Terr	ns and Conditio	ns.				1					

INBUI	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment 2	Exhi	bit B
ATEG	DRY	RATE ELEMENTS	Interi 	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manuafly per LSR			Incremental Charge -	Increment Charge -
														1st	Add*l	Disc 1st	Disc Add
							Rec	Nonre First	curring Add'1	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	TL - 117-	one" shown in the sections for stand-alone loops or loops as	nest of		inglian refere la Co		Danie and (I)	UE 7 T-	ulaw Caaraa	alasila Dasasa	and LINE 7am	Danimasia	b C4	ral Office rafe		W-1-14-	1
		one snown in the sections for stand-alone loops or loops as www.interconnection.bellsouth.com/become_a_clec/html/inter				ograpmcan	/ Deaveraged Oi	NE Zones. 10	view Geograp	nically Deaver	aged UNE Zoni	e Designatio	ns by Cent	rai Omce, ren	er to internet	vensite	
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	L	L		L						L	L				L
		(1) CLEC should contact its contract negotiator if it prefers the ther the state specific Commission ordered rates for the servi															
- }	each of	the 9 states.		-			-						•				
		(2) Any element that can be ordered electronically will be bill															
ł		nnot be ordered electronically at present per the LOH, the list I. will be applied to a CLECs bill when it submits an LSR to B			e in this category ref	lects the ch	arge that would	be billed to a	CLEC once el	ectronic order	ing capabilities	come on-li	ne for that o	element. Oth	erwise, the m	anual orderin	g charge,
		(3) OSS - Manual Service Order Charge, Per Element - UNE Or			ee applicable rate ele	ment for SC	MAN charge**		1			<u> </u>					
		OSS - Electronic Service Order Charge, Per Local Service															
NÉ SE	RVICE	Request (LSR) - UNE Only DATE ADVANCEMENT CHARGE				SOMEC	-	3 50	0.00	3 50	0.00			-			
1	NOTE	The Expedite charge will be maintained commensurate with	BellSou	th's F	C No 1 Tariff, Section	n 5 as appli	cable.										
					UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T03, U1T07, U1T07, U1T08, U1T07, U1T08, U1T07, U1T08, U1T07, U1T08, U1T08, U1T07, U1T08,												
	DLED E	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP			UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200 00									
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12 11	57 99	42 37					26 94	12 76	0.00	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	3	UEANL UEANL	UEAL2 UEAL2	21 24 33 65	57 99 57 99	42 37 42 37		1			26 94 26 94	12 76 12 76	0.00	
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1			UEANL	UEASL	12 11	57 99	42 37					26 94	12 76	0 00	0
[2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	21 24	57 99						26 94	12 76	0.00	
- +		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	3	UEANL	UEASL	33 65	57 9 9	42 37			<u> </u>		26 94	12 76	0.00	0
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise	1	{	 UEANL	URETL	i	8 33	0.83			1		26 94	12 76	0 00	0
		Loop Testing - Basic 1st Half Hour			UEANL	URET1	[]	76 24	76 24					26 94	12 76	0.00	
		N T . B . LUI V.	1	1	UEANL	URETA	1	39 51	39 51	1	1	1	1	26 94	12 76	0.00	0
		Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch	 	↓	UEANL	UKEIA	 	38 31	35 31		1		 	20 37	12.10	1	.

ONBONDEFOL	NETWORK ELEMENTS - North Carolina			1							1-			ment: 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'i
						Rec	Nonrec			Disconnect				Rates (\$)	·	
	· · · · · · · · · · · · · · · · · · ·	<u> </u>				1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	nbundled Voice Loop, Non-Design Voice Loop, billing for BST															i
	oviding make-up (Engineering Information - E I)	 	<u> </u>	UEANL	UEANM		28 74	28 74			ļ					-
	anual Order Coordination for UVL-SL1s (per loop)	-		UEANL	UEAMC		61 38	61 38								h
	rder Coordination for Specified Conversion Time for UVL-SL1 er LSR)			LICANII	ocosL		45.24	45.24			1 .					į.
	nbundled COPPER LOOP		-	UEANL	UCUSL		45 34	45 34								t
	Wire Unbundled Copper Loop - Non-Designed Zone 1	-	1	UEQ	UEQ2X	10 16	35 27	15 60			-		26 94	12 76	0 00	0 00
	Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17 55	35 27	15 60					26 94	12 76	0 00	0.00
	Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEO	UEQ2X	27 58	35 27	15 60					26 94	12 76	0 00	0 00
	nbundled Miscellaneous Rate Element, Tag Loop at End User		-		JULGER	2, 00	00 L1	10 00					2004	12 70	0 00	0.00
	remise		1	UEQ	URETL	-	8 33	0.83					26 94	12 76	0 00	0.00
Ma	anual Order Coordination 2 Wire Unbundled Copper Loop -	1			1				1					· · · · ·		
No.	on-Designed (per loop)			UEQ	USBMC		61 38	61 38	1							i
Un	nbundled Copper Loop, Non-Design Copper Loop, billing for		1													i
	ST providing make-up (Engineering Information - ET)			UEQ	UEQMU		28 74	28 74					26 94	12 76	0.00	0.00
	pop Testing - Basic 1st Half Hour			UEQ	URET1		76 24	76 24					26 94	12 76	0 00	0.00
	oop Testing - Basic Additional Half Hour			UEQ	URETA		39 51	39 51					26 94	12 76	0.00	0.00
	LEC to CLEC Conversion Charge Without Outside Dispatch			Í		İ						l l				i
	JCL-ND)			UEQ	UREWO		14 26	7 42					26 94	12 76	0 00	0 00
	CHANGE ACCESS LOOP		-		\perp											
	NALOG VOICE GRADE LOOP				1 1	-										
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEBOD LIEBOD	1	40.44	57.00	40.07						40.70		í
	one 1		1	UEPSR UEPSB	UEALS	12 11	57 99	42 37	0.00	0.00			26 94	12 76		-
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- one 1		1	UEPSR UEPSB	UEABS	12 11	57 99	42 37	0 00	0.00			26 94	40.70		i
	one i Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEPSK UEPSB	UEABS	12 11	57 99	42 37	0 00	0.00			26 94	12 76		
	one 2		2	UEPSR UEPSB	UEALS	21 24	57 99	42 37	0 00	0 00			26 94	12 76		1
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u></u>	OLF SIX OLF SB	ULALS	2124	37 99	42.57	0.00	0.00			20 34	12 70		
	one 2		2	UEPSR UEPSB	UEABS	21 24	57 99	42 37	0 00	0 00			26 94	12 76		1
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI GIL OLI OB	JOEP CO	2124	07 33	42 01	0.00	0 00	-		20 54	12 10		
	one 3	-	3	UEPSR UEPSB	UEALS	33 65	57 99	42 37	0.00	0 00		!	26 94	12 76		1
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	one 3		3	UEPSR UEPSB	ŲEABS .	33 65	57 99	42 37	0 00	0 00			26 94	12 76		1
	CHANGE ACCESS LOOP															
2-WIRE AN	NALOG VOICE GRADE LOOP															
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				T											
	round Start Signaling - Zone 1		1	UEA	UEAL2	14 97	142 97	106 56					26 94	12 76	0 00	0.00
2-1	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					l]					
	round Start Signaling - Zone 2		2	UEA	UEAL2	25 93	142 97	106 56					26 94	12 76	0 00	0.00
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١,			40.04	445.07	400.50					00.04	10.70	0.00	
	round Start Signaling - Zone 3		3	UEA	UEAL2	40 81	142 97	106 56					26 94	12 76	0 00	0 00
	rder Coordination for Specified Conversion Time (per LSR) Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	ļ	<u> </u>	UEA	ocosl		45 34									
	attery Signaling - Zone 1		١,	UEA	UEAR2	14 97	142 97	106 56					26 94	12 76	0 00	0 00
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		OLA .	ULAIVE	14 51	142 31	100 30			l		20 34	12 10	0.00	
	attery Signaling - Zone 2		2	UEA	UEAR2	25 93	142 97	106 56					26 94	12 76	0 00	0 00
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA .	OLAIV.	20 00	172 31	100 00					20 04	1210	0.00	- 000
	attery Signaling - Zone 3	ĺ	3	UEA	UEAR2	40 81	142 97	106 56					26 94	12 76	0.00	0.00
	rder Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL		45 34								- 50	
	EC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO	1	87 64	36 33					26 94	12 76	0 00	0 00
Loc	op Tagging - Service Level 2 (SL2)			UEA	URETL	1	11 20	1 10					26 94	12 76	0 00	0 00
4-WIRE AN	NALOG VOICE GRADE LOOP															
	Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21 32	288 47	237 45					26 94	12 76	0 00	0.00
	Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	36 27	288 47	237 45					26 94	12 76	0 00	0.00
	Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	56 57	288 47	237 45					26 94	12 76	0 00	0 00
	der Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		45 34							10.70	0.00	
	EC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		87 64	36 33			ļ		26 94	12 76	0 00	0.00
2-WIRE IS	ON DIGITAL GRADE LOOP		L	I IDA	1111011						1		26 94	12 76	0.00	0.00
2-V	Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19 42	325 91	251 31	L				20 94	12 / 0	0.00	

NBUNDLE	D NETWORK ELEMENTS - North Carolina									1	T=		ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
			ļ			Rec	Nonreci First	urnng Add'l	Nonrecurring Discon		SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
\rightarrow	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32 88	325 91	251 31	First Add	II SOWIEC	SOMAN	26 94	12 76	0 00	30MAN 0.00
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	51 14	325 91	251 31				26 94	12 76	0.00	0.00
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45 34								
	CLEC to CLEC Conversion Charge without outside dispatch	4 - 1 - 1		UDN	UREWO		91 55	44 12				26 94	12 76	0 00	0.00
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP 2 Wire Unbundled ADSL Loop including manual service inquiry	AHBLE	LOOF	, T											
	& facility reservation - Zone 1		1	UAL	UAL2X	11 00	264 71	145 60				26 94	12 76	0 00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry		1												
	& facility reservation - Zone 2		2	UAL	UAL2X	18 39	264 71	145 60				26 94	12 76	0.00	0.0
- 1	2 Wire Unbundled ADSL Loop including manual service inquiry		١.	LIAL		55.45	004.74	445.00					40.70		
-	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2X OÇOSL	28 42	264 71 45 34	145 60				26 94	12 76	0 00	0.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &		+	UAL	OCOSE		40 34								
	facility reservation - Zone 1		1	UAL	UAL2W	11 00	190 25	114 82				26 94	12 76	0 00	0.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
\bot	facility reservaton - Zone 2		2	UAL	UAL2W	18 39	190 25	114 82			1	26 94	12 76	0 00	0.0
	2 Wire Unbundled ADSt, Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	28 42	190 25	114 82				26 94	12 76	0 00	00
+	Order Coordination for Specified Conversion Time (per LSR)		-	UAL	OCOSL	20 42	45 34	114 02				20 94	12 /6	0.00	00
-	CLEC to CLEC Conversion Charge without outside dispatch		1	UAL	UREWO		86 12	40 36				26 94	12 76	0.00	0.0
2-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP												
	2 Wire Unbundled HDSL Loop including manual service inquiry														
	& facility reservation - Zone 1		1_1_	UHL	UHL2X	9 01	284 74	163 54				26 94	12 76	0 00	0.0
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	14 87	284 74	163 54				26 94	12 76	0.00	0.0
	2 Wire Unbundled HDSL Loop including manual service inquiry		 '	UML	UHLZX	14 67	284 /4	163 54		-		26 94	12 76	0.00	00
	& facility reservation - Zone 3		3	UHL	UHL2X	22 82	284 74	163 54	1			26 94	12 76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34								
	2 Wire Unbundled HDSL Loop without manual service inquiry			".											
	and facility reservation - Zone 1		1	UHL	UHL2W	9 01	207 48	132 05				26 94	12 76	0 00	0.0
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	14 87	207 48	132 05				26 94	12 76	0 00	00
	2 Wire Unbundled HDSL Loop without manual service inquiry	-	-	I I	UTILZVV	14 67	201 40	132 03				20 94	12 70	0.00	0.0
	and facility reservation - Zone 3	1	3	UHL	UHL2W	22 82	207 48	132 05				26 94	12 76	0 00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 06	40 36				26 94	12 76	0 00	0.0
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	ŀ	1	UHL	UHL4X	10 62	341 65	220 45				26 94	12 76	0 00	0.0
	4-Wire Unbundled HDSL Loop including manual service inquiry		 	0112	UI IL4A	10 02	34103	220 43				20 94	12.70	0.00	
	and facility reservation - Zone 2		2	UHL	UHL4X	17 67	341 65	220 45				26 94	12 76	0 00	00
	4-Wire Unbundled HDSL Loop including manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL4X	27 24	341 65	220 45				26 94	12 76	0 00	0.0
	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry		ļ	UHL	OCOSL		45 34								
	and facility reservation - Zone 1		١,	UHL	UHL4W	10 62	264 39	188 96		•		26 94	12 76	0 00	00
	4-Wire Unbundled HDSL Loop without manual service inquiry		Ė	1	U.I.E.TT	10 02	204.00	100 00				2001	12.0	000	
	and facility reservation - Zone 2	L	2	UHL	UHL4W	17 67	264.39	188 96			<u> </u>	26 94	12 76	0 00	0.0
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3	ļ	3	UHL	UHL4W	27 24	264 39	188 96				26 94	12 76	0 00	0.0
-	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	-		UHL	OCOSL UREWO		45 34 86 06	40 36				26 94	12 76	0.00	0.0
4-WIRI	E DS1 DIGITAL LOOP			O IL	UNEVVO		80 00	40.36				20 94	12 /0	0.00	00
	4-Wire DS1 Digital Loop - Zone 1		1 1	USL	USLXX	47 60	714 84	421 47				42 19	12 76	0 00	0.0
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84 36	714 84	421 47				42 19	12 76	0 00	0.0
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	134 29	714 84	421 47				42 19	12 76	0 00	0.0
,	Order Coordination for Specified Conversion Time (per LSR)			USL USL	OCOSL UREWO		48 31 100 99	43 00				26 94	12 76	0.00	0.0
	CLEC to CLEC Conversion Charge without outside dispatch														

NBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment 2	Exhi	bit B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		l		İ								Submitted	Charge -	Charge -	Charge -	Charge
		1	ŀ	i							Elec	Manually	Manual Svc	Manual Svc		
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
AIEGORI	RATE CLEMENTS	m	Lone	1 503	0300			1471 60 (4)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs.
		l											Electronic-	Electronic-	Electronic-	Electronic
		!	l	i							1		1st	Add'l	Disc 1st	Disc Add'
			ļ		-						ļ. .			<u></u>		
		ļ				Rec	Nonrec			g Disconnect				Rates (\$)		,
		ļ	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	25 32	489 04	337 51					26 94	12 76		0.0
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	43 11	489 04	337 51		1	l		26 94	12 76	0 00	0.0
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	67 26	489 04	337 51					26 94	12 76	0 00	00
1	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25 32	489 04	337 51					26 94	12 76	0 00	0.0
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	43 11	489 04	337 51					26 94	12 76	0.00	ÖC
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	67 26	489 04	337 51					26 94	12 76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	··	45 34			1						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25 32	489 04	337 51		 			26 94	12 76	0 00	0 (
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	43 11	489 04	337 51					26 94	12 76	0 00	0.0
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	_		UDL	UDL64	67 26	489 04	337 51		-			26 94	12 76	0 00	00
			3			0/ 20		337 51					20 94	12 /6	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UDL	OCOSL		45 34	49 70		1	 		26 94	 		<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UDL	UREWO		102 03	49 70		1	ļ		26 94	12 76	0 00	01
2-WII	RE Unbundled COPPER LOOP	ļ	L	ļ						ļ	ļ			ļ		ļ
	2-Wire Unbundled Copper Loop-Designed including manual		l			1	i	1		i				ľ		
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13 26	262 86	143 75		l	L		26 94	12 76	0 00	0.0
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	22 39	262 86	143 75			1		26 94	12 76	0 00	0.0
	2 Wire Unbundled Copper Loop-Designed including manual		_		-											
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34 80	262 86	143 75					26 94	12 76	0 00	0.0
	Order Coordination for Unbundled Copper Loops (per loop)		 	UCL	UCLMC	0,00	61 38	61 38							1	
	2-Wire Unbundled Copper Loop-Designed without manual			OCL	DOLING		0130	0130		+						
		ŀ	1	UCL	UCLPW	13 26	188 39	112 96			1		26 94	12 76	0 00	0.0
	service inquiry and facility reservation - Zone 1		'	UCL	UCLPVV	13 20	100 39	112 90					20 94	12 / 0	0.00	0.0
	2-Wire Unbundled Copper Loop-Designed without manual										Į.					
1	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22 39	188 39	112 96		<u> </u>			26 94	12 76	0.00	0.0
	2-Wire Unbundled Copper Loop-Designed without manual		ļ								ŀ					
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34 80	188 39	112 96		1			26 94	12 76	0 00	0.0
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UÇLMC		61 38	61 38								
	CLEC to CLEC Conversion Charge without outside dispatch															
1	(UCL-Des)		1	UCL	UREWO		97 14	42 44		i			26 94	12 76	0.00	0.0
4 18(1)	RE COPPER LOOP															
4-4411	4-Wire Copper Loop including manual service inquiry and facility				+											
		1	1	UCL	UCL4S	17 36	311 03	191 93		1			26 94	12 76	0.00	0.0
	reservation - Zone 1		<u> </u>	UCL	00143	17 30	31103	191 93		 			20 34	12.70	0.00	- 0
	4-Wire Copper Loop including manual service inquiry and facility							404.00				i	26 94	40.70	0 00	00
	reservation - Zone 2		2	UCL	UCL4S	29 61	311 03	191 93		ļ			26 94	12 76	0.00	0.0
	4-Wire Copper Loop including manual service inquiry and facility															
	reservatron - Zone 3		3	UCL	UCL4S	46 26	311 03	191 93					26 94	12 76	0 00	0 (
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38							L	L
	4-Wire Copper Loop without manual service inquiry and facility				1 "											
	reservation - Zone 1		1	UCL	UCL4W	17 36	236 57	161 14					26 94	12 76	0 00	0.0
	4-Wire Copper Loop without manual service inquiry and facility					*										
1	reservation - Zone 2		2	UCL	UCL4W	29 61	236 57	161 14					26 94	12 76	0 00	0.0
	4-Wire Copper Loop without manual service inquiry and facility		<u> </u>	002	002	2001				 						
1	reservation - Zone 3		3	UCL	UCL4W	46 26	236 57	161 14					26 94	12 76	0 00	0.0
			<u></u> ,			46 26	61 38	61 38					20 34	12 70	0.00	- 00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		0138	01.30		ļ	<u> </u>					
	CLEC to CLEC Conversion Charge without outside dispatch					1	!			1						
	(UCL-Des)			UCL	UREWO		97 14	42 44		ļ <u>.</u>						
OP MODIF	FICATION															
				UAL, UHL, UCL,									l			
j				UEQ, ULS, UEA,									I			
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	i		UEANL, UEPSR,	1		ļ								İ	ł
	pair less than or equal to 18k ft, per Unbundled Loop	1		UEPSB	ULM2L		21 24	21 24		l			26 94	12 76	0.00	0 1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire						Ì									
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21 24	21 24					26 94	12 76	0.00	0.0
_	neco men or equal to forcit, per official decept	<u> </u>		UAL, UHL, UCL.						1						
				UEQ, ULS, UEA,	1 1	Į.				1						
	Maharadiad Land Maddington Device of A District To- D			UEANL, UEPSR.	1	1	ľ	İ		ŀ				1		
	Unbundled Loop Modification Removal of Bridged Tap Removal,	1			LULACT			24 84					26 94	12 76	0 00	0.0
1	per unbundled loop			UEPSB	ULMBT		24 84	24 64		 				12 10	1 000	
B-LOOPS		l	L							L					ļ <u></u>	-

UNBUN	IDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment 2	Exhi	ibit B
CATEGO	PRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
				ļ				Nonrec			g Disconnect			1st	Add'l	Disc 1st	Disc Add'l
				 			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				 		11131	Auui	71130	- Auu I	SOME	JOHAN	SOMAN	JOWAN	SUNIAN	SUMAN
		Up	1		UEANL	USBSA		373 57						26 94	12 76	0 00	0 00
					l												
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	ļ <u>l</u>	-	UEANL	USBSB		33 78				<u> </u>		26 94	12 76	0.00	0 00
		Facility Set-Up	١.,		UEANL	USBSC		234 76						26 94	12 76	0.00	0 00
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			-			204 10						20 54	12 / 6	0.00	0 00
		Set-Up	1		UEANL	USBSD		81 05						26 94	12 76	0.00	0 00
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	١.														7
\vdash		Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	1_1_	UEANL	USBN2	7 31	126 03	54 54					26 94	12 76	0.00	0 00
		Zone 2	Li	2	UEANL	USBN2	11 93	126 03	54 54					26 94	12 76	0 00	0 00
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -						72000			1			2007	1270	- 000	0 00
		Zone 3	1	3	UEANL	USBN2	18 20	126 03	54 54					26 94	12 76	0.00	0 00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	į										
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	OSBMC		61 38	61 38		-			ļ			<u> </u>
		Zone 1	İ	1	UEANL	USBN4	8 44	156 52	79 66					26 94	12 76	0 00	0 00
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		Ė	1	555.117	· · · · · · · · · · · · · · · · · · ·	700 02	7000		1	-		20 34	12 70	0.00	0 00
		Zone 2		2	UEANL	USBN4	13 81	156 52	79 66					26 94	12 76	0.00	0 00
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	ŀ	_													1
		Zone 3	ļ	3	UEANL	USBN4	21 10	156 52	79 66		-			26 94	12 76	0 00	0 00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61 38	61 38								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2 79	114 05	37 20		+	 		26 94	12 76	0 00	0.00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61 38	61 38								
\vdash		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	!		UEANL	USBR4	3 74	127 67	50 82					26 94	12 76	0 00	0 00
.		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		61 38	61 38								{
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		76 24	76 24	-							
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		39 51	39 51								
-		Wire Copper Unbundled Sub-Loop Distribution - Zone 1 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF UEF	UCS2X UCS2X	6 10	137 10	60 24					26 94	12 76	0 00	
	_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	9 70	137 10 137 10	60 24 60 24		ļ			26 94 26 94	12 76	0 00	
		2 THE SUPPLY SHOULDES SUB-ESSEP BIGHISTICS 2010 0		<u> </u>		COOZX	14 38	13/ 10	00 24		1			20 94	12 76	0 00	0 00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61 38	61 38								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	6 58	162 24	85 38	_				26 94	12 76	0.00	
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u> </u>		UEF	UCS4X	10 51	162 24	85 38					26 94	12 76	0.00	0 00
		4 Wire Copper Unburidled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	15 84	162 24	85 38	-	 -		-	26 94	12 76	0 00	0 00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		61 38	61 38		1						[
		Loop Testing - Basic 1st Half Hour			UEF	URET1	+	76 24	76 24		1						
		Loop Testing - Basic Additional Half Hour			UEF	URETA		39 51	39 51		<u> </u>		-			-	
U		dled Network Terminating Wire (UNTW)		L	LIENTAL .	LIEUES											
N1		Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)			UENTW	UENPP	0 4351	64 98			1			26 94	12 76	0 00	0 00
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86 37	56 69		 	 		26 94	12 76	0 00	0 00
		Network Interface Device (NID) - 1-6 lines	i i	 	UENTW	UND16		127 93	98 21		 			26 94	12 76	0.00	0 00
		Network Interface Device Cross Connect - 2 W	- 1		UENTW	UNDC2		11 68	11 68		İ			26 94	12 76	0 00	0 00
1075 0		Network Interface Device Cross Connect - 4W	_		UENTW	UNDC4		11 68	11 68					26 94	12 76	0.00	0 00
UNE OTH		ROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation	<u> </u>		UENTW	UNDBX	0 00	- 5 - 5						ļ			\Box
\vdash		UNTW Circuit Id Establishment, Provisioning Only - No Rate		 	UENTW	UENCE .	0 00	0 00			-			 			\vdash
 		To roll			UEANL, UEF, UEQ, U		2 30	0.00									\vdash
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0 00	0 00			L						L !
UNE OTH	IER, P	ROVISIONING ONLY - NO RATE												L			

UNBUNI	DLE	D NETWORK ELEMENTS - North Carolina					-							Attach	ment 2	Exhi	bit B
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	-			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
							Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL. UDN,UEA,UHL,ULC	UNECN	0 00	0 00	Addi	11130	Agg1	COWIEC	JOHIAN	JOHN	Johnan	JOHNA	JOMAN
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate	ļ		UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no					0.00	0.00									
		rate Unbundled DS1 Loop - Superframe Format Option - no rate		-	UEA,USL,UCL,UDL USL	USBFR	0 00	0 00									
		Unbundled DS1 Loop - Superfiame Format Option - 10 rate	 	 	UOL	00031	0 00	0.00									<u> </u>
		no rate			USL	CCOEF	0 00	0 00									
HIGH CAP	PACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	13 33										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month	ļ .		UE3	UE3PX	450 69	1,071 00	646 12			<u> </u>		53 48	53 48		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	13 33										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	464 26	1,071 00	646 12					53 48	53 48		
LOOP MA	KE-L	Loop Makeup - Preordering Without Reservation, per working or	-	-							ļ						
		spare facility queried (Manual)		1	UMK	UMKLW		55 44	55 44					19 99	19 99	19 99	19 99
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)	ļ	ļ	UMK	UMKLP		55 73	55 73					19 99	19 99	19 99	19 99
		Loop Makeup—With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	имкмо		0 6960821	0 6960821								
		AND LINE SPLITTING The Line Sharing monthly recurring rates for all installation	ne com	nlated i	from October 02, 200	12 through m	idaight Octobo	r 01 2004 abai	I ha billad as (falleura	 						
No.	OTE	1: 10/02/2003 – 10/01/2004. 25% of the rate for an unbundled co	opper lo	op no	n-designed ("UCLND	")	lunight Octobe	r 01, 2004 Shai	i be billed as i	ollows		+		-			
N.	OTE	1 10/02/2004 - 10/01/2005 50% of the rate for UCLND	Ĭ	Ľ		ĺ					İ	1					
		1 10/02/2005 - 10/01/2006 75% of the rate for UCLND									<u> </u>						
		1 Above will apply to USOCS: ULSDT and ULSCT 2 The Line Sharing monthly recurring rates with USOCs UL:	CDC	1111 00	\ <u>\</u>				0.1.1.1.00	1	ļ	<u> </u>					
11	NO I	E 2 The Line Sharing monthly recurring rates with USOCS UL:	SUC an	d ULSC	applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	03	 		<u> </u>				
		TERS-CENTRAL OFFICE BASED	 	\vdash						 							
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181 18	631 54	0 00					26 94	12 76		
		Line Sharing Splitter, per System 24 Line Capacity	ļ <u>.</u>		ULS	ULSDB	38 99	631 54	0 00					26 94	12 76		
		Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		1	ULS	ULSD8	12 73	424 61	0 00					26 94	12 76		
	ND II	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	-		ULS	ULSDG		146 32	31 27					26 94	12 76		
	ND U	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2			ULS	ULSDC	0 61	 54 71	28 77					26 94	12 76		
		Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1	-											20 04	12.0		
		(E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-	-	-	ULS	ULSDT	3 49	54 71	28 77			+			l	<u> </u>	<u></u>
		Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter -		<u> </u>	ULS	ULSDT	6 99	54 71	28 77			ļ			!		
		Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	10 48	54 71	28 77								
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		35 42	16 57	<u> </u>				26 94	12 76		
		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35 14	16 29					26 94	12 76		
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see "NOTE 2			ULS	ULSCC	0 61	47 44	19 31					26 94	12 76		

JNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs
						Rec	Nonrec			g Disconnect				Rates (\$)		T = =====
			ļ			,,,,,	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned									ĺ				ì		1
	splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)		ŀ	ULS	ULSCT	3 49	47 44	19 31		l				1		
	Line Share Service, TRO per line activation, CLEC owned			UL3	OLSC!	3 43	4, 44	1931			 					
	splitter - Central Office Located (50% of UCLND) - please see	1	į.													i
	NOTE 1 (E 10/2/2004)			ULS	ULSCT	6 99	47 44	19 31		l						
	Line Share Service, TRO per line activation, CLEC owned					·									1	
İ	splitter - Central Office Located (75% of UCLND) - please see				ŀ											
	NOTE 1 (E 10/2/2005)			ULS	ULSCT	10 48	47 44	19 31								
	SPLITTING USER ORDERING-CENTRAL OFFICE BASED		ļ								+				-	
END	Line Splitting - per line activation DLEC owned splitter	 		UEPSR UEPSB	UREOS	0.61					 					
	Line Splitting - per line activation BST owned - physical	 	 	UEPSR UEPSB	UREBP	0.61	56 92	28 59		1			26 94	12 76		
	Line Splitting - per line activation BST owned - virtual	†		UEPSR UEPSB	UREBV	0 61	56 92	28 59					26 94	12 76		
MAIN	TENANCE															
	No Trouble Found - per 1/2 hour increments - Basic						80 00	55 00								
	No Trouble Found - per 1/2 hour increments - Overtime		1				120 00	82 50		1						1
	No Trouble Found - per 1/2 hour increments - Premium						160 00	110 00			-					
	DEDICATED TRANSPORT	ļ	_		1						1					+
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	 	-		+		-			-	 					
	Per Mile per month			U1TVX	1L5XX	0 0125									·	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	 	+	011177	120701	0.0120										
	Facility Termination	ŀ		U1TVX	U1TV2	18 00	137 48	52 58			1		38 07	38 07		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1								Ì						
	Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0125					1					
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -	1			1											
	Facility Termination	ļ		U1TVX	U1TR2	18 00	137 48	52 58					38 07	38 07		-
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	1		UITVX	1L5XX	0 0125										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	-	 	UTIVA	ILSAA	0.0123			1		 				 	
	- Facility Termination			U1TVX	U1TV4	22 16	106 11	65 95					22 32	22 32		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile	 					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
į	per month		1	U1TDX	1L5XX	0 0282				ì						1
į	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	17 40	137 48	52 58		ļ			38 07	38 07		
1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1							1				1		
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	-	ļ	U1TDX	1L5XX	0 0282				-	1			1		+
1	Termination			U1TDX	U1TD6	17 40	137 48	52 58		1	i		38 07	38 07		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 	+	OTIDA	01100	17 40	107 40	02 30		 	+	-	00 01	33 37		
1	month			U1TD1	1L5XX	0 5753										L.
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	†					-				1					
	Termination			U1TD1	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month		\vdash	U1TD3	1L5XX	12 98	ļ			 	-				1	-
ŀ	Interoffice Channel - Dedicated Transport - DS3 - Facility		1	U1TD3	U1TF3	720 38	794 94	579 55	-	1			91 26	91 26		
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-	+	01103	UIIF3	720 38	194 94	5/9 55		+	1		9120	9120	 	+
	Interoffice Channel - Dedicated Transport - 515-1 - Per Mile per Imonth		1	U1TS1	1L5XX	6 14	1			1						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	<u> </u>	 		1	<u>~</u>				1	1				Ť –	T
	Termination		1	U1TS1	U1TFS	790 37	642 23	408 89					53 48	53 48		ļ
DARK FIBER															1	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction										}			1		
	Thereof per month - Interoffice Channel	_	 	UDF, UDFCX	1L5DF	27 71	4.007.0-	- FAD CO		_				1	 	
	NRC Dark Fiber - Interoffice Channel	├	-	UDF, UDFCX	UDF14		1,807 00	562 96	 	+	 			 	+	
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop	1	1	UDF, UDFCX	1L5DL	64 04	1					1				
	princisco per montra - Local Loop	1	1	UDF, UDFCX	UDFL4	04 04	1,347 00	279 87	1		1				4	+

ONDONDEL	D NETWORK ELEMENTS - North Carolina													ment 2		bit [.] B
CATEGORY	RATÉ ÉLEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First			g Disconnect				Rates (\$)		
NVV ACCESS	TEN DIGIT SCREENING						First	Add'l	First	Add'I	SOMEÇ	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OAA ACCESS				CUD		2 2005										<u> </u>
	8XX Access Ten Digit Screening, Per Call			OHD		0 0005										1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			ОНО	N8R1X		7 05	0 96					26 94			
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations			OHD			23 82	2 73					41 35			
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		23 82	2 73					41 35			
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		5 63	2 82		-			11 55	-		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			OHD	N8FMX		6 59	3 77		-						
+	8XX Access Ten Digit Screening, Change Charge Per Request	\vdash	 	OHD	N8FAX		8 01	0 96			-		26 94	-		
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	NBFDX			0.90					26 94			
LIVE IVECTI	ATION DATA BASE ACCESS (LIDB)			UHU	IN8FDX		5 63									
LINE INFORM				OQT		0 00003				ļ						
	LIDB Common Transport Per Query															
	LIDB Validation Per Query			OQU	MODEL	0 0134								-22.2		
SIGNALING (C	LIDB Originating Point Code Establishment or Change		Ь—-	OQT, OQU	NRBPX		62 26						26 94	26 94		-
SIGNALING (C	CCS7 Signaling Connection, Per link (A link)		<u> </u>	UDB	TPP++	40.00	278 02						44.05			
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	IPP++	18 22	2/8 02	278 02					41 35	41 35		
	link)			UDB	TPP++	18 22	278 02	278 02					41 35	41 35		<u>l</u>
	CCS7 Signaling Termination, Per STP Port		L	UDB	PT8SX	132 83										
	CCS7 Signaling Usage, Per ISUP Message			UDB		0 00004										i
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 00009										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338 98										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40 00	40 00					19 99	19 99		
	CCS7 Signating Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8 00	8 00		Į.			19 99	19 99		i
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11 24	553 80	89 69					42 17	12 76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19 91	553 80	89 69					42 17	12 76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31 70	553 80	89 69		1	•		42 17	12 76		
- '	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0282										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					18 00	137 48	52 58					38 07	38 07		
	Local Channel - Dedicated - DS1 - Zone 1		1			27 05	534 48	462 69	-				86 15	1 77		
	Local Channel - Dedicated - DS1 - Zone 2		2			47 94	534 48	462 69					86 15	1.77		
	Local Channel - Dedicated - DS1 - Zone 3		3			76 32	534 48	462 69					86 15	1 77		
	Interoffice Transport - Dedicated - DS1 Per Mile					0 5753	001.0	132 30					00.10			
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					71 29	217 17	163 75					38 07	38 07		
ALLING NAM	ME (CNAM) SERVICE			ΟΩΥ	-											
	CNAM For DB Owners - Service Establishment						75 62									
	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code			OQV	+		75 62								·	
	Establishment (Initial) CNAM For DB Owners - Service Provisioning With Point Code			OQV			2,354 00	2,354 00								
	Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point			OQV			1,739 00	1,739 00		_						
	Code Establishment (Initial)			oov			1,072 00	1,072 00								
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)			οαν			768 44	768 44								
	CNAM for DB & Non DB Owners, Per Query			OQV		0 0009592			*							
SELECTIVE R					1		- +									
	Selective Routing Per Unique Line Class Code Per Request Per Switch						188 59						26 94	12 76		

Version 3Q03 11/12/2003

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment 2		ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			L			Rec	Nonrec		Nonrecurring					Rates (\$)		
			1			1100	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL			ļ													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1								1					
	Splitting		1	UEPSR UEPSB	VE1LS	0 0287	33 96	32 08	0 00	0 00			19 99	19 99		
PHYSICAL CO			1													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		1	l	L							1				
	Splitting			UEPSR UEPSB	PE1LS	0 0309	33 53	31 65	0 00	0 00			19 99	19 99		
AIN SELECTI	VE CARRIER ROUTING		ļ													
l	Regional Service Establishment			SRC	SRCEC		215,597 00									
	End Office Establishment			SRC	SRÇEO		347 27									
	Query NRC, per query		<u> </u>	SRC		0 0053758										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Selup	L	L	A1N	CAMSE		294 77									
	AIN SMS Access Service - Port Connection - Dial/Shared Access	ŀ		A1N	CAMDP		86 94								1	
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86 94									
	AIN SMS Access Service - User Identification Codes - Per User		1													
	ID Code			A1N	CAMAU		200 83									İ
	AIN SMS Access Service - Security Card, Per User ID Code,		1													
	Initial or Replacement			A1N	CAMRC		172 05									
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1			0 0023								ĺ		
	AIN SMS Access Service - Session, Per Minute				1	0 0791										1
	AIN SMS Access Service - Company Performed Session, Per															
	Minute	1		i .		2 08										İ
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE				1					· · · · · · · · · · · · · · · · · · ·						
	AIN Toolkit Service - Service Establishment Charge, Per State,				1						1	-			·-	
	Initial Setup	i		CAM	BAPSC		290 05							ŀ		1
	AIN Toolkit Service - Training Session, Per Customer		† ·- ·-		BAPVX		8,363 00									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		1											1
	DN. Term Attempt			}	BAPTT		72 76									ĺ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1					_								
	DN, Off-Hook Delay				BAPTD		72 76						İ			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		+		1-111											
	DN, Off-Hook Immediate	ĺ			ВАРТМ		72 76									•
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		_		10,				 	-						1
	DN, 10-Digit PODP				ВАРТО	1	149 95				1	1				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				15/11/0		110 00									
1 1	IDN. CDP				ВАРТС	1	149 95				1					
·	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		 		DALIC	-	145 55								-	
1 1	DN. Feature Code				BAPTF		149 95				1		İ			
	AIN Toolkit Service - Query Charge, Per Query		1		DAFIF	0 02	149 90				 					
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		 		+	0 02										
1 1	Subscription, Per Node, Per Query		1			0 005										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		_			0 005										
						4.45										l
	Account, Per 100 Kilobytes				+	1 45										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				D. 10110	45.00	74.00					i				
	Subscription		<u> </u>	CAM	BAPMS	15 98	71 80									
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			l												1
	Subscription	<u> </u>	↓	CAM	BAPLS	0 08	47 20									
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1			DADES		74.50							1	,	
 	Subscription	!	<u> </u>	CAM	BAPDS	15 90	71 80		ļ					 	-	+
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1				!			.				[1	
	Service Subscription	<u> </u>	ļ	CAM	BAPES	0 003	47 20		ļ		ļ		ļ	ļ	-	
	XTENDED LINK (EELs)		L	<u> </u>				ــــــــــــــــــــــــــــــــــــــ	<u> </u>	L	1			-	 	
	The monthly recurring and non-recurring charges below will														-	
	: The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provision	ed as ' Current	ny Combined' N	vetwork Eleme	nts.					+
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS							1						-	
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14 97	142 97	106 56			ļ	<u> </u>	38 07	38 07		+
1 1 -	First 2-Wire VG Loop (SL2) in Combination - Zone 2	_	2	UNCVX	UEAL2	25 93	142 97	106 56					38 07	38 07	L	

JUBOUDE	D NETWORK ELEMENTS - North Carolina				,							,		ment 2		bit [.] B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Charge -	Increments Charge - Manual Sy Order vs. Electronic
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40 81	142 97	106 56					38 07	38 07		i
- 1	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.6350										İ
	per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	1L5XX	0 5753										-
1	Termination per month			UNC1X	U1TE1	71 29	217 17	163 75					38 07	38 07		l
	1/0 Channelization System in combination Per Month		 	UNC1X	MQ1	146 69	197 78	140 06			-		36 07	36 07		
	Voice Grade COCI - Per Month		1	UNCVX	1D1VG	1 27	13 09	9 38								
				3.13.77	1.5.1.0		10 00									
- 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14 97	142 97	106 56					38 07	38 07		
			1													
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25 93	142 97	106 56	ļl				38 07	38 07		
	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1				,									1
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month		3	UNCVX	UEAL2	40 81	142 97	106 56					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	1 27	13 09	9 38								
	Is Charge		l	UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07	Ì	ı
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	INTE				2175	2173	. 32 20	10 30			30 07	30 07		
EXTE	The state of the case of the c		<u>-</u>	TOTTIOE THAT	<u> </u>	-			 							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21 32	288 47	237 45					38 07	38 07		í .
														00 0.		
- 1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36 27	288 47	237 45				1	38 07	38 07		í .
	-			,												
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56 57	288 47	237 45					38 07	38 07		i
	Interoffice Transport - Dedicated - DS1_combination - Per Mile															i
	Per Month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															ı
	Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	1/0 Channel System in combination Per Month Voice Grade COCI in combination - per month			UNC1X UNCVX	MQ1 1D1VG	146 69 1 27	197 78 13 09	140 06 9 38								——
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	121	13 09	9 36								
	Interoffice Transport Combination - Zone 1	ĺ	1	UNCVX	UEAL4	21 32	288 47	237 45					38 07	38 07		ı
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	DIVOVA	OEME4	2.52	200 47	201 40			-		00 07	50 07		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36 27	288 47	237 45					38 07	38 07		!
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56 57	288 47	237 45					38 07	38 07		
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 27	13 09	9 38		-						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNÇÇC		21 75	21 75	32 28	10 96			38 07	38 07		
EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN	TEROFFICE TRAN	SPORT											
į.	5 - 4 - 4 - 5 - 4 - 5 - 4 - 5 - 4 - 5 - 4 - 5 - 4			LINIODY	UD4 50	05.00	400.04	007.54					00.07	00.07		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25 32	489 04	337 51					38 07	38 07		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43 11	489 04	337 51					38 07	38 07		
	First 4-Wire Sorbps Digital Grade Loop in Combination - Zone 2			DINCOX	UDESG	43 11	469 04	337 31					30 07	36 07		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	67 26	489 04	337 51					38 07	38 07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	3.132,1	15225								55 5.			
	Per Month			UNC1X	1L5XX	0 5753			1							
	Interoffice Transport - Dedicated - DS1 - combination Facility						İ									
	Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75_					38 07	38 07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 69	197 78	140 06								
	OCU-DP COCI (data) per month (2 4-64kbs)			UNCDX	1D1DD	2 00	15 76	11 28	ļ							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1							00= - :					38 07	38 07		
	Interoffice Transport Combination - Zone 1		_1_	UNCDX	UDL56	25 32	489 04	337 51					38 07	38 07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	LINCDY	UDL56	43 11	489 04	337 51					38 07	38 07	1	
+	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	ODLOG	43 11	489 04	337 51	+				30 07	30 07		
	Interoffice Transport Combination - Zone 3	- 1	3	UNCDX	UDL56	67 26	489 04	337 51	[38 07	38 07	1	
	Additional OCU-DP COCI (data) - in combination per month (2.4-		-	3.13BA	10000		55 54	33. 31								
	64kbs)			UNCDX	1D1DD	2 00	15 76	11 28								

NRONDE	ED NETWORK ELEMENTS - North Carolina													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
						Rec	Nonrec First	Add'I	Nonrecurring First	Add'I	SOMEC	COMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As				++		FIISC	Add I	FHSL	Add I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07	ŀ	
EXT	ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DED	CATED	DS1 IN													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25 32	489 04	337 51					38 07	38 07		
				, miony			400.04	207.54								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43 11	489 04	337 51			-		38 07	38 07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67 26	489 04	337 51					38 07	38 07	ľ	
_	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1 3	UNCUA	100004	0/ 20	408.04	337 31					36 07	30 07		-
	Per Month			UNC1X	1L5XX	0 5753							1			
	Interoffice Transport - Dedicated - DS1 combination - Facility	1		1	1.23.4	3 0.00					 	L	<u> </u>	†		
	Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 69	197 78	140 06								
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)	L	I	UNCDX	1D1DD	2 00	15 76	11 28		_						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			l												
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL64	25 32	489 04	337 51			ļ		38 07	38 07	ļ	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١ ـ		1											
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL64	43 11	489 04	337 51					38 07	38 07	ļ	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL64	67 26	489 04	337 51					38 07	38 07		
	Additional OCU-DP COCI (data) - in combination - per month	 	1-3-	UNCDA	UDL64	6/ 26	409 04	337 31			1		36 07	38 07	<u> </u>	
	(2 4-64kbs)			UNCDX	1D1DD	2 00	15 76	11 28			1		t		ł	
	Nonrecurring Currently Combined Network Elements Switch -As	<u>.</u> i	1	CHODA	10,00	2.00	10.70							 		_
	Is Charge	•		UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07	•	
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSP	ORT						1					
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47 60	714 84	421 47					38 07	38 07		
	4-Wire DS1 Digital Loop in Combination - Zone 2		. 2	UNC1X	USLXX	84 36	714 84	421 47					38 07	38 07		
	4-Wire DS1 Digital Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	134 29	714 84	421 47			1		38 07	38 07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIO 41/	4,500	0.5750					ļ					
_	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	ļ	<u> </u>	UNC1X	1L5XX	0 5753										
l	Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
-	Nonrecurring Currently Combined Network Elements Switch -As		<u> </u>	UNCIX	1011111	7125	217 17	103 73			1		50 07	30 07		
	Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER										1	1		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	47 60	714 84	421 47					38 07	38 07		
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	84 36	714 84	421 47					38 07	38 07		L
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	134 29	714 84	421 47					38 07	38 07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINGSV	41.535	[
	Per Month	ļ	 	UNC3X	1L5XX	12 98										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	720.38	794 94	579 55					38 07	38 07	l	
	3/1Channel System in combination per month	+	+	UNC3X	MQ3	233 10	403 97	234 40					30 07	36 07		
	DS1 COCI in combination per month	1	<u> </u>	UNC1X	UC1D1	16 07	13 09	9 38						1	 	
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	 	5.1517	55.51	,0 07	10 09	2.00						 		
	Zone 1		1	UNC1X	USLXX	47 60	714 84	421 47					38 07	38 07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1			1			.=			T -		l		T	
	Zone 2	1	2	UNC1X	USLXX	84.36	714 84	421 47			<u> </u>		38 07	38 07	<u> </u>	<u> </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -					1		*								
	Zone 3		3	UNC1X	USLXX	134 29	714 84	421 47					38 07	38 07		
	Additional DS1 COCI in combination per month			UNC1X	UC1D1	16 07	13 09	9 38						ļ		
	Nonrecurring Currently Combined Network Elements Switch -As	1		LINGSV	LINICOO		04.75	04.75	20.02	10 96			38 07	38 07		1
	Is Charge ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	I CDAC	L	UNC3X	UNCCC		21 75	21 75	32 28	10.96			38 07	38 07		
EXT	2-WireVG Loop in combination - Zone 1	GKAD		UNCVX	UEAL2	14 97	142 97	106 56					 	 	 	
_	2-WireVG Loop in combination - Zone 1	1	1 2	UNCVX	UEAL2	25 93	142 97	106 56			 			 		
-	2-WireVG Loop in combination - Zone 3	 	3	UNCVX	UEAL2	40 81	142 97	106 56		 	1			1		·

NOUNDLE	ED NETWORK ELEMENTS - North Carolina		1		7						S	S S .		ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted		Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring	Disconnect				Rates (\$)		
			<u> </u>			1100	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		1	LINIONA	41.577	0.0000										
	Month			UNCVX	1L5XX	0 0282			 							
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		1	UNCVX	U1TV2	18 00	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-		 	DINGVA	UTIVE	10 00	137 40	32 30					30 07	36 07		
i	Is Charge			UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	ĖINTE	ROFFICE TRANSPO	PRT											
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21 32	288 47	237 45								
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	36 27	288 47	237 45		*						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56 57	288 47	237 45								
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	1			41.500	0.0000			1							
	Month	ļ	<u> </u>	UNCVX	1L5XX	0 0282										
1	Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVX	U1TV4	22 16	106 11	65 95					38 07	38 07		l
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	_		ONCVA	01174	22 10	100 11	00 90					3007	36 07		
.	Is Charge	1		UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE						72.20							
	DS3 Local Loop in combination - per mile per month	T	Ι	UNC3X	1L5ND	13 33									i	
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450 69	1,071 00	646 12	l I		<u> </u>					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12 98										
	Interoffice Transport - Dedicated - DS3 combination - Facility		1													
	Termination per month		<u> </u>	UNC3X	U1TF3	720 38	794 94	579 55					38 07	38 07		
·	Nonrecurring Currently Combined Network Elements Switch -As-	1	l			Ì									i	ſ
	Is Charge	0.4 11/17	FROFE	UNC3X	UNCCC		21 75	21 75	32 28	10 96	ļ		38 07	38 07		ļ
EXIE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST STS-1 Local Lolp in combination - per mile per month	3-1 INI	EKUFF	UNCSX	1L5ND	13 33										
	STS-1 Local Loop in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per	-	 -	UNCSA	ILDIND	13 33										-
	month	1		UNCSX	UDLS1	464 26	1,071 00	646 12								
	Interoffice Transport - Dedicated - STS-1 combination - per mile	 	t	0.10071	10000	101.20	1,011.00				· ·				-	
	per month		1	UNCSX	1L5XX	6 14									i	
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	790 37	642 23	408 89					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-														i	
	Is Charge	<u> </u>	<u> </u>	UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN			1141 004	40.40	205.04	004.04					38 07	38 07		ļ
	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2	1		UNCNX	U1L2X U1L2X	19 42 32 88	325 91 325 91	251 31 251 31	-				38 07	38 07	-	
-	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	51 14	325 91	251 31	1				38 07	38 07		
	Interoffice Transport - Dedicated - DS1 combination - per mile		+ -	DINCINX	O ILZX	31 14	323 91	20101					30 (//	30 01	-	
	per month		1	UNC1X	1L5XX	0 5753										l
	Interoffice Transport - Dedicated - DS1 combination - Facility	1			1											
	Termination per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07	1	l
	1/0 Channel System in combination - per month			UNC1X	MQ1	146 69	197 78	140 06								
	2-wire ISDN COCI (BRITE) - in combination - per month		<u> </u>	UNCNX	UC1CA	3 59	15 76	11 28								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				İ I						}					
	Combination - Zone 1	ļ	1	UNCNX	U1L2X	19 42	325 91	251 31	ļ		ļ		38 07	38 07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32 88	325 91	251 31					38 07	38 07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	2	UNCNX	UTLZX	32 88	325 91	251 31			 		36 07	36 07		-
	Combination - Zone 3		3	UNCNX	U1L2X	51 14	325 91	251 31			1		38 07	38 07		
	Additional 2-wire ISDN COCI (BRITE) - in combination- per	l	+ 3	GITOITA	10122	31 14	323 31	23131	 		1		3007	3007	 	
	month			UNCNX	UC1CA	3 59	15 76	11 28								
	Nonrecurring Currently Combined Network Elements Switch -As-	1			120.071		10.70	1,120			†			t	<u> </u>	
	Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07	1	1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INT						·		 	İ				
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	47 60	714 84	421 47					38 07	38 07		
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	84 36	714 84	421 47					38 07	38 07		<u> </u>
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	134 29	714 84	421 47					38 07	38 07	L	J

NBUNDLE	D NETWORK ELEMENTS - North Carolina													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring	Disconnect Add'I	POMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	1. " Toward British STC 1 British						First	Add'I	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	6 14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITES	790 37	642 23	408 89					38 07	38 07		
	3/1 Channel System in combination per month			UNCSX	MQ3	233 10	403 97	234 40							1	
	DS1 COCI in combination per month	i		UNC1X	UC1D1	16 07	13 09	9 38								-
	Additional DS1Loop in the same STS-1 Interoffice Transport		 	0.10.11	100.21				_			-				
	Combination - Zone 1		1	UNC1X	USLXX	47 60	714 84	421 47					38 07	38 07		-
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84 36	714 84	421 47					38 07	38 07		
	Additional DS1Loop in the same STS-1 Interoffice Transport		3	UNC1X	USLXX	134 29	714 84	421 47					38 07	38 07		
	Combination - Zone 3 DS1 COCI in combination per month		13	UNC1X	UC1D1	16 07	13 09	9 38	· · · · · · · · · · · · · · · · · · ·		1			30 07	 	
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC IX	100101	10 07	13 09	9 30		-	 	 		 	1	
	Is Charge			UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
EVTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	RPS INT	FROFE		10.1000		2.70	2170	02.20		 		- 55 51	9,5 5.	1	1
EXIE	4-wire 56 kbps Local Loop in combination - Zone 1	1 0 1141	1	UNCDX	UDL56	25 32	489 04	337 51			1	—			 	
-	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	43 11	489 04	337 51			•					+
_	4-wire 56 kbps Local Loop in combination - Zone 3	-		UNCDX	UDL56	67 26	489 04	337 51			1				 	
 	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		۲Ť				100 01	00.01								
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-	UNCDX	1L5XX	0 0282										
	Facility Termination per month			UNCDX	U1TD5	17 40	137 48	52 58					38 07	38 07		ļ
	Nonrecurring Currently Combined Network Elements Switch -As-		1							40.00			60.67			
	Is Charge			UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	SPS INT			1101.04	05.00	100.01	227.54								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25 32	489 04	337 51							ļ	-
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43 11	489 04	337 51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67 26	489 04	337 51					-	ļ		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		i	LINODY	41.530/	0.0000								l		1
	Per Mile per month			UNCDX	1L5XX	0 0282								ļ		-
- 1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -]	LINOSY		47.40	402.40	50.50					20.07	20.07		1
	Facility Termination per month		 	UNCDX	U1TD6	17 40	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Swtch -As-		l	UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
FUTE	Is Charge NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCE	ODŤ	IONCOX	UNCCC		21 /5	2175	32 28	10 96	 		36 07	36 07	-	
EXIE		KANSP			UEAL2	14 97	142 97	106 56					38 07	38 07	1	
	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2		1 2	UNCVX	UEAL2	25 93	142 97	106 56					38 07	38 07		<u> </u>
	First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3	-		UNCVX	UEAL2	40 81	142 97	106 56		<u> </u>			38 07	38 07		
	First Interoffice Transport - Dedicated - DS1 combination - Per	-	 	UNCVX	- OLAL2	4001	172 57	100 30					30 07	30 07		+
	Mile			UNC1X	1L5XX	0 5753										
	First Interoffice Transport - Dedicated - DS1 combination -		1													i
	Facility Termination per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	146 69	197 78	140 06								
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1 27	13 09	9 38								
	3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	233 10	403 97	234 40			<u> </u>					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16 07	13 09	9 38								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14 97	142 97	106 56					38 07	38 07		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		T								1					
	Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	25 93	142 97	106 56					38 07	38 07		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40 81	142 97	106 56			ļ		38 07	38 07		
	Each Additional Voice Grade COCI in combination - per month	1	-	UNCVX	1D1VG	1 27	13 09	9 38	ļ		 		 -	-		+
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 5753										
	Each Additional DS1 Interoffice Channel Facility Termination in		l										1			
	same 3/1 Channel System per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	_38 07	<u> </u>	
	Each Additional DS1 COCI combination per month		1	UNC1X	UC1D1	16 07	13 09	9 38					1	1	l	1

NOUNDLE	D NETWORK ELEMENTS - North Carolina				·						10	I 0		ment: 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-						04.75	04.75	20.00	40.00	1	İ	38 07	38 07	İ	
EVEE	Is Charge DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EDOEE	ICE TO	UNC1X	UNCCC		21 75	21 75	32 28	10 96			36 07	36 07		
EXIEN	First 4-Wire Analog Voice Grade Local Loop in Combination -	EKUFF	ICE IR	ANSPORT W/ 3/1 W	100											
	Zone 1	1	1	UNCVX	UEAL4	21 32	288 47	237 45				1	38 07	38 07		
+-	First 4-Wire Analog Voice Grade Local Loop in Combination -	 		0.1017	122											
	Zone 2		2	UNCVX	UEAL4	36 27	288 47	237 45					38 07	38 07		
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	56 57	288 47	237 45					38 07	38 07		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753	1	į								
_	First Interoffice Transport - Dedicated - DS1 - Facility	 		UNCIX	ILSAA	0 5/55	-									-
	Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		1
\neg	Per each 1/0 Channel System in combination Per Month		† · · · · -	UNC1X	MQ1	146 69	197 78	140 06		· · · · · · · · · · · · · · · · · · ·	T	i -				1
	Per each Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	1 27	13 09	9 38								
	3/1 Channel System in combination per month			UNC3X	MQ3	233 10	403 97	234 40								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16 07	13 09	9 38			ļ					
	Additional 4-Wire Analog Voice Grade Loop in same DS1	i	١.		-l I			207.45			1	1	20.07	20.07		
	Interoffice Transport Combination - Zone 1	 	1	UNCVX	UEAL4	21 32	288 47	237 45				L	38 07	38 07		-
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36 27	288 47	237 45			i		38 07	38 07		1
	Additional 4-Wire Analog Voice Grade Loop in same DS1			DINCVA	ULAL	30 27	200 47	207 40			 		30 07	30 07		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56 57	288 47	237 45					38 07	38 07		
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1 1											
	Channel System per month		l	UNC1X	1L5XX	0 5753					ł					
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Additional Voice Grade COCI - in combination - per month		-	UNCVX	1D1VG	1 27	13 09	9 38			1	-				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC	1	21 75	21 75	32 28	10 96			38 07	38 07		
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				2175	2170	02 20	10 00			50 0.			
-211-1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1					1									
	Zone 1		1	UNCDX	UDL56	25 32	489 04	337 51					38 07	38 07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		-													
	Zone 2		2	UNCDX	UDL56	43 11	489 04	337 51					38 07	38 07		ļ
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		١.			07.00	400.04	007.54					38 07	38 07		i
	Zone 3	-	3	UNCDX	UDL56	67 26	489 04	337 51			<u> </u>		38 07	38 07		 -
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753	1	ĺ								
	First Interoffice Transport - Dedicated - DS1 - combination	-		014017	1,20,01	0 0,00					<u> </u>					
	Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		i
	Per each 1/0 Channel System in combination Per Month	l		UNC1X	MQ1	146 69	197 78	140 06								
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)			UNCDX	1D1DD	2 00	15 76	11 28								
	3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	233 10	403 97	234 40								ļ <u>.</u>
	Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	16 07	13 09	9 38				ļ. —		l		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 32	489 04	337 51					38 07	38 07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	·	+-	GI40DX	UBESU	20 02	700 07	007 07								-
1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43 11	489 04	337 51					38 07	38 07		ĺ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1							-								
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67 26	489 04	337 51				ļ	38 07	38 07		
T	OCU-DP COCI (data) COCI in combination per month (2 4-															
	[64kbs)	-	-	UNCDX	1D1DD	2 00	15 76	11 28			 	-	 			1
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 5753										
-	Each Additional DS1 Interoffice Channel Facility Termination in	-		UI4C IA	ILDAA	0 0703					 	 	 			T
	same 3/1 Channel System per month		1	UNC1X	U1TF1	71 29	217 17	163 75				1	38 07	38 07	1	
_	Each Additional DS1 COCI in the same 3/1 channel system	†	\vdash		1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					Ī	1		
1	combination per month	1	1	UNC1X	UC1D1	16 07	13 09	9 38		1				l	<u></u>	

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment. 2		bit [,] B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	<u> </u>				+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	COMAN
	Nonrecurring Currently Combined Network Elements Switch -As-				+			Addi	FIISL	Auu	SOMEC	SOWAN	SOWAN	SUMAN	SUMAN	SOMAN
	Is Charge			UNC1X	UNCCC		21 75	21.75	32 28	10 96			38 07	38 07		1
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
ļ	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			LINODY	LIDIGA	05.00	400.04	207.54								
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-	1	UNCDX	UDL64	25 32	489 04	337 51					38 07	38 07		
	Transport Combination - Zone 2		2	UNCDX	UDL64	43 11	489 04	337 51					38 07	38 07		1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	-	100201	.,,,,	100 04	00.01			-		3007	36 07		
ļ	Transport Combination - Zone 3		3	UNCDX	UDL64	67 26	489 04	337 51					38 07	38 07		1
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month First Interoffice Transport - Dedicated - 9S1 combination -			UNC1X	1L5XX	0 5753										
ı	Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75			1		38 07	38 07		1
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146 69	197 78	140 06					36 07	36 07		
	Per each OCU-DP COCI (data) in combination - per month (2 4-						101.10									
	64kbs)			UNCOX	1D1DD	2 00	15 76	11 28								1
	3/1 Channel System in combination per month			UNC3X	MQ3	233 10	403 97	234 40								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16 07	13 09	9 38		_						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	25 32	489 04	337 51					38 07	38 07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43 11	489 04	337 51					38 07	38 07		ĺ
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			014007	ODE04	45 11	405.04	337 31					36 07	36 07		
	Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL64	67 26	489 04	337 51					38 07	38 07		i
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	i .														
	combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 00	15 76	11 28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month	ľ		11041	1L5XX	0.5750										[
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0 5753		-			-					+
ļ	same 3/1 Channel System per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		l .
	Each Additional DS1 COCI in the same 3/1 channel system				13	7.120		100 70					30 01	30 01		
	combination per month	L		UNC1X	UC1D1	16 07	13 09	9 38								ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-															
FVTF	Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
EXIE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT W/ 3/	MUX													
	Transport - Zone 1	1	1	UNCNX	U1L2X	19 42	325 91	251 31					38 07	38 07		l
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			<u> </u>	- CIEEX	10 42	020 01	20101					30 07	36 07		l
	Transport - Zone 2	ļ	2	UNCNX	U1L2X	32 88	325 91	251 31					38 07	38 07		1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination				1									,		i
	Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCNX	U1L2X	51 14	325.91	251 31					38 07	38 07		ļ
1	Mile per month			UNC1X	1L5XX	0 5753					i					ł
- -	First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILSAX	0 5/53										
ł	Facility Termination per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		ł
.	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146 69	197 78	140 06	-				33 5.	- 33 57		
									_							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3 59	15 76	11 28								<u> </u>
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	-		UNC3X	MQ3	233 10	403.97	234 40								<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		ÜNC1X	UC1D1	16 07	13 09	9 38								
	Combination - Zone 1		,	UNCNX	U1L2X	19 42	325 91	251 31					38 07	38 07		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				12.22	10 42	32,51	20101					QU 01	JU 01		
	Combination - Zone 2		2	UNCNX	U1L2X	32 88	325 91	251 31					38 07	38 07		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	51 14	325 91	251 31					38 07	38 07		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	ı	1		1 1					l	1					1

UNDUNDL	ED NETWORK ELEMENTS - North Carolina		,		,									ment 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			↓			Rec	Nonrec		Nonrecurring					Rates (\$)		
	Each Additional DS1 Interoffice Channel per mile in same 3/1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channel System per month	İ		UNC1X	1L5XX	0 5753							1			
	Each Additional DS1 Interoffice Channel Facility Termination in	 	 	DINCIA	ILSAA.	0 3733					ļ		ļ			
1	same 3/1 Channel System per month			UNC1X	U1TF1	71 29	217,17	163 75			1		38 07	20.07		
	Each Additional DS1 COCI in the same 3/1 channel system		1	0.10.1%		7123	217,17	103 73					36 07	38 07		
	combination per month		ł	UNC1X	UC1D1	16 07	13 09	9 38			1					
	Nonrecurring Currently Combined Network Elements Switch -As-										i					-
	Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96	ł	1	38 07	38 07		
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS								-	—					
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1			UNC1X	USLXX	47 60	714 84	421 47			Ī		38 07	38 07	-	
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2			UNC1X	USLXX	84 36	714 84	421 47		<u> </u>			38 07	38 07		
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3		3	UNC1X	USLXX	134 29	714 84	421 47					38 07	38 07		
	First Interoffice Transport - Dedicated - DS1 combination - Per				1,,,,,,,											
	Mile Per Month		ļ	UNC1X	1L5XX	0 5753										_
ŀ	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	1	1	UNC1X	U1TF1	71 29	217 17	163 75								
	3/1 Channel System in combination per month			UNC3X	MQ3	233 10	403 97	234 40			ļ		38 07	38 07		
· - ·····	Per each DS1 COCI combination per month		 	UNC1X	UC1D1	16 07	13 09	9 38								
	Each Additional DS1 Interoffice Channel per mile in same 3/1		-	UNCIA	OCIDI	10 07	13 09	9 30			ļ					
1	Channel System per month			UNC1X	1L5XX	0 5753					1					
	Each Additional DS1 Interoffice Channel Facility Termination in			0.1017	125701	0 0/00								-		-
1	same 3/1 Channel System per month			UNC1X	U1TF1	71 29	217 17	163 75	i				38 07	38 07		
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	16 07	13 09	9 38								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	47 60	714 84	421 47					38 07	38 07		
1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1													
	2		2	UNC1X	USLXX	84 36	714 84	421 47					38 07	38 07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			l												-
	Management Company of Maturals Flamanta South		3_	UNC1X	USLXX	134 29	714 84	421 47					38 07	38 07		
1	Nonrecuming Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96	1 !					
EVTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 IN	UTERNI	FEICE		UNCCC		21 /5	21 /5	32 28	10 96	ļ		38 07	38 07	-	
EXIE	First 4-wire 56 kbps Local Loop in combination - Zone 1	VIERO		UNCDX	UDL56	25 32	489 04	337 51								
	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	43 11	489 04	337 51			-					
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	67 26	489 04	337 51	-	-				_		
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ť		10000	0. 20	130 0 7									
	per month			UNCDX	1L5XX	0 0282					i l	Ī				
ı	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility						-	-								
i	Termination per month		1	UNCDX	U1TD5	17 40	137 48	52 58	i				38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		21 75	21 75	32 28	10 96		l	38 07	38 07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 IN	TEROF														
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	25 32	489 04	337 51								
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	43 11	489 04	337 51								
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67 26	489 04	337 51								
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	41.5777	0.0000										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		<u> </u>	UNCDX	1L5XX	0 0282	-									
	Termination per month			UNCDX	U1TD6	17 40	137 48	52 58	i				38 07	38 07	-	
	Nonrecurring Currently Combined Network Elements Switch -As-		-	5.1007	01100	17 40	131 40	32 30					30 07	36 07		
	Is Charge			UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07	1	
DDITIONAL	NETWORK ELEMENTS				0.11000	-								- 50 01		
When	used as a part of a currently combined facility, the non-recurr	ng char	ges do	not apply, but a	Switch As Is ch	arge does app	ly.							1		
When	used as ordinarily combined network elements in All States, th	e non-r	recurri	ng charges apply a	and the Switch	As Is Charge d	loes not.									
Nonre	curring Currently Combined Network Elements "Switch As Is" (Charge	(One a	pplies to each cor	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As-															
1	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		21 75	21 75	32 28	10 96			26 94	12 76		

NRONDLE	D NETWORK ELEMENTS - North Carolina			T	1 1								Attach			ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec		curring		Disconnect				Rates (\$)		
			-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		21 75	21 75	32 28	10 96			26 94	12 76		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		21 75	21 75	32 28	10 96			26 94	12 76		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		21 75	21 75	32 28	10 96			26 94	12 76		ļ
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		21 75	21 75	32 28	10 96			26 94	12 76		
Option	nal Features & Functions					~										<u> </u>
	Clear Channel Capability Extended Frame Option - per DS1	ı		U1TD1, ULDD1,UNC1X	CCOEF		01	01	01	01						
	Clear Channel Capability Super FrameOption - per DS1	ı		U1TD1, ULDD1,UNC1X	CCOSF		01	OI	OI	oı						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1		ULDD1, U1TD1, UNC1X, USL	NRCCC		184 76S	23 8S	1 99S	0 785			26 94	12 76		
	C-bit Parity Option - Subsequent Activity - per DS3	1		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218 92S	7 66S	7576S	0S			26 94	12 76		
MULT	IPLEXERS	-	· · · · ·	,												
	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	146 69	197 78	140 06					26 94	12 76		
	month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	2 00	13 09	9 38					ĺ			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1					-										
	Local Channel in the same SWC as collocation		ŀ	U1TUD	1D1DD	2 00	13 09	9 38	i							
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	3 59	13 09	9 38								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3 59	13 09	9 38								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1 27	13 09	9 38								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	1 27	13 09	9 38	İ							
	DS3 to DS1 Channel System per month			UNC3X	MQ3	233 10	403 97	234 40					26 94	12 76		1
	STS-1 to DS1 Channel System per month		ļ	UNCSX	MQ3	233 10	403 97	234 40					26 94	12 76		
	DS1 COCI used with Loop per month			USL	ÜC1D1	16 07	13 09	9 38	· · · · · · · · · · · · · · · · · · ·							+
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	16 07	13 09	9 38								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	16 07	13 09	9 38		 	 					
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			ULDD1	UC1D1	16 07	13 09	9 38								
	month			00001	UCIDI	16 07	13 09	9 36					26 94	12 76		
inib. n. = : = =	LOCAL EXCUANCE CURTOURIE (POPTO)		 	-			1	-	ļ				26 94	12 76		+
	LOCAL EXCHANGE SWITCHING(PORTS) inge Ports		┼	ļ			 	 		-						+
	Although the Port Rate includes all available features in GA, M	Y LA	& TN. t	the desired features	will need to b	e ordered usi	ng retail USOC	5								
	E VOICE GRADE LINE PORT RATES (RES)	.,	<u> </u>					<u> </u>								
	Exchange Ports - 2-Wire Analog Line Port- Res			UËPSŘ	UEPRL	2 19	21 60	21 60			1		26 94	12 76		ļ
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2 19	21 60	21,60					26 94	12 76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		<u> </u>	UEPSR	UEPRO	2 19	21 60	21 60					26 94	12 76		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEDOD.	Lucasa		04.00	24.00					26 94	12 76	1	
	with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID		-	UEPSR	UEPAP	2 19	21 60	21 60		-			26 94 26 94	12 76	-	+
	Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability.		1-	UEPSR	UEPRT	2 19	21 60	21 60		-			26 94	12 /6	 	+

ATSOM RATE BLEMENTS PART BLEMENTS RATE SLEMENTS	Submitted Submitted Submitted Submitted Charge Manual Str.	MOUNDEL	D NETWORK ELEMENTS - North Carolina	1			_									ment [.] 2	Exhi	bit B
Name Name Control published Opt with Color D capability UPPSR UPPSR UPPSR 216	UPPSR	ATEGORY	RATE ELEMENTS	1	Zone	BCS	usoc				T. N		Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vi Electron
PATHWE Note Grades behanded not with Caller ED cogoloby, which Calle	UEPSR	_		 	 		+	Rec					SONEC	COMAN			6011411	001447
Month Cardons UEPPR UEPPR 219 210 210 210 251 275 251 276 251 276 251 25	UEPSR		2-Wire Voice Grade Unbundled Port with Caller ID canability	 	1			-	FIISL	Audi	FIISL	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMA
Subsequent About 1 UEPSR USSSC 000 000 000 000 000 250 170 170 170 170 170 170 170 170 170 17	UEPSR	- 1				LIEPSR	LIEDBY	2 10	21.60	21.60					ĺ			1
FATURES	UEPSR			+											20.04	40.70		ļ
All Anatoniv Ventral Teatures	UEPSB UEPBC 219 2160 2160 2664 1276 LUEPSB 2160 2160 2664 1276 LUEPSB UEPBC 210 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1269 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC	FFATI		 		OLF SK	USASC	0 00	0.00	0 00					26 94	12 /6		
Exchange Ports - 24/W No Liquided Income port with control claim ID LEPSB LEPBB LEPBB 216 2160 2160 2094 1276 27	UEPSB UEPBC 219 2160 2160 2664 1276 LUEPSB UEPBC 219 2160 2160 2664 1276 LUEPSB UEPBC 219 2160 2160 2664 1276 LUEPSB UEPBC 219 2160 2160 2664 1276 LUEPSB UEPBC 210 2160 2160 2664 1276 LUEPSB UEPBC 210 2160 2160 2664 1276 LUEPSB UEPBC 210 2160 2160 2664 1276 LUEPSB UEPBC 210 2160 2160 2664 1276 LUEPSB UEPBC 210 2160 2160 2664 1276 LUEPSB UEPBC 210 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 218 2160 2160 2664 1269 1276 LUEPSB UEPBC 218 2160 2160 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC 2664 1276 LUEPSB UEPBC	1 2211		 		HEPSR	IIEDVE	3.40	0.00	0.00					20.04	10.70		
Exchange Posts - 2-Wave Analog Line Post visiblout Galer (D UBPSB UBPSB UBPSB 219 2160 2160 2064 12.76	UEPSB	2-WIRE			_	OLI OIL	OLI VI	. 340	0.00	0.00	<u> </u>	 			20 94	12 /6		
Discription Discription	UEPSB	2 17.11			1		-					 -						-
Exchange Ports - 2-Wire Vol unbunded Lune Port with unbunded port with Culter 15 of 12 o	UEPSB	ĺ			1	LIEPSB	LIEPRI	2 19	21.60	21.60			1		26.04	10.76		l
Debandled port with Caller FC48 LD - Raw UEPSB U	UEPSB		Exchange Ports - 2-Wire VG unbundled Line Port with		_	52. 55	TOE TOE	2 13	2100	2100			-		20 94	12 / 0		
Exchange Ports - 2-Wire Androg Line Port outgoing only - Bit UEPSB UEPBD 2:19 2:160 2:160 2:56 12:76 2:56 2:	UEPSB					LIEPSB	LIEPBC	2 19	21.60	21.60					26.04	13.76		1
Cahange Ports - X-Wee Vig unbundled incoming only port with UEPSB UEPSB UEPSB 2 19 21 60 21 60 25 64 12 76 2 7	UEPSB		The strates post that Odinar E-to-1 ib - bus	 	+	J. J. J.	JOE! DO	2 19	21 60	2100			-		20 94	12 /6		-
Echange Ports - 2-Wire Visu unburded incoming only port with Caller ID - Bus UEPSB UEPB 2 19 21 60 21 60 25 64 12 76 2 2 2 2 2 2 2 2 2	UEPSB	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus	1		LIEPSB	LIEPBO	2 10	21.60	21 60	I				26.04	10.70		1
Caller D- Bus	UEPSB			\vdash		32.00	100,00	2 19	2100	2100					20 94	12 /6		
2-Wire voles unbunded Frozenge Only Port without Caller ID UEPSB	UEPSB					UEPSB	LIEPR1	2 10	21.60	21.60	1		1		26.04	10 70		l .
Capabety	UEPSB				 	JEF GB	100,01	2 19	2100	2100		-	1		26 94	12 /6		—
Subsequent Activity	UEPSB	1				LIEPSB	HEPRE	2 10	21.50	21 60	I	1			20.04	40.70		l .
FRATURES	UEPSB UEPVF 340 0.00 0.00 26.94 12.76				 										20 94	12 / 6		
M. Avoitable Ventreal Features UEPSB UEPVE 3.40 0.00 0.00 2.56 12.76	UEPSE UEPRD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPC 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPC 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPLD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPLD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNS 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNS 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNS 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNS 2 18 2 16 0 2 16 0 26 94 12 76 UEPSP UEPNS 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 1	CEATI				ULF 3B	USASC	0 00	0.00	0.00			_	-				
EXCHANGE PORT FATES (DID & PBX)	UEPSE UEPRD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPC 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPC 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPLD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPLD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNS 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNS 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNS 2 18 21 60 21 60 26 94 12 76 UEPSP UEPNS 2 18 2 16 0 2 16 0 26 94 12 76 UEPSP UEPNS 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 18 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 16 0 2 16 0 2 6 94 12 76 UEPSP UEPNA 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 16 0 2 1	FEATO		 	-	HEDED	LIEDVE	2.40	0.00	0.00					20.04	40.70		
2-Wire VG Unbounded 2-Way PRX Tunk - Res	UEPSP UEPPC 2 18 21 60 21 60 26 64 12 76 26 94 12 76 27 60 27	EVOLIA			-	UEPSB	TOEP VF	3 40	0.00	0 00					26 94	12 /6		
2-Wire VG Lines Sed Unbounded Dataway PBX Trunk - Bus UEPSP UEPPD 218 2160 2160 26 64 1276	UEPSP UEPPC 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPC 2 18 21 60 21 60 26 94 12 76 UEPSP UEPPL 2 18 21 60 21 60 26 94 12 76 UEPSP UEPLD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPLD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPLD 2 18 21 60 21 60 26 94 12 76 UEPSP UEPXA 2 18 21 60 21 60 26 94 12 76 UEPSP UEPXB 2 18 21 60 21 60 26 94 12 76 UEPSP UEPXB 2 18 21 60 21 60 26 94 12 76 UEPSP UEPXC 2 18 21 60 21 60 26 94 12 76 UEPSP UEPXC 2 18 21 60 21 60 26 94 12 76 UEPSP UEPXL 2 18 21 60 21 60 26 94 12 76 UEPSP UEPXL 2 18 21 60 21 60 26 94 12 76 UEPSP UEPXL 2 18 2 160 21 60 26 94 12 76 UEPSP UEPXL 2 18 2 160 2 160 26 94 12 76 UEPSP UEPXL 2 18 2 160 2 1 60 26 94 12 76 UEPSP UEPXS 2 18 2 160 2 1 60 26 94 12 76 UEPSP UEPXS 2 18 2 160 2 1 60 26 94 12 76 UEPSP UEPXS 2 18 2 160 2 1 60 26 94 12 76 UEPSP UEPXS 2 18 2 1 60 2 1 60 26 94 12 76 UEPSP UEPXS 2 18 2 1 60 2 1 60 26 94 12 76 UEPSP UEPXS 2 18 2 1 60 2 1 60 26 94 12 76 UEPSP UEPXS 2 18 2 1 60 2 1 60 26 94 12 76 UEPSP UEPXS 2 18 2 1 60 2 1 60 26 94 12 76 UEPSP UEPXS 2 18 2 1 60 2 1 60 2 6 94 12 76 UEPSP UEPXS 2 18 2 1 60 2 1 60 2 6 94 12 76 UEPSP UEPXS 2 18 2 1 60 2 1 60 2 6 94 12 76 UEPSP UEPXS 2 16 2 1 60 2 6 94 12 76 UEPSP UEPXS UEPVF 3 40 0 00 0 00 2 6 94 12 76 UEPSP UEPXS UEPVF 3 40 0 00 0 00 0 00 2 6 94 12 76 UEPTX UEPSP UEPXS UEPVF 3 60 3 6 18 8 1	EXCHA			-	LIEBEE	UEDDD	2.40	04.00	04.00					00.04	10.70		—
2-Wire VG Line Sde Unbundled Normany PBX Trunk - Bus UEPSP UEPD 2:18 2:160 2:160 2:50	UEPSP UEPPC 2 18 21 60 21 80 26 94 12 76																	
2-Wire WG Line Side Unbundled Incoming PBX Trunk - Bus UEPSP UEPLD 216 2160 256 41276	UEPSP UEPLD 218 2160 2160 25694 1276 2																	L
2-Wire Anslog Dotations Terminal PRX Trunk - Fus UEPSP UEPLD 218 2160 2160 2694 1276	UEPSP UEPLD 218 2160 2160 22694 1276 22694 1276 22694 1276 22694 1276 22694 1276 22694 1276 22694 1276 22694 1276 22694 1276 22694 1276 22694 22694 2276 22694			-														
2-Wire Voco Unbundled PBX LD DET (1986) 26 94 12 76	UEPSP UEPXA 218 2160 2160 2694 1276 27																	
2-Wire Voce Unbundled 2-Way PBX Usage Port UEPSP UEPXA 218 2160 2160 2694 1276	UEPSP UEPXB 218 2160 2160 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 1276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2694 276 2				<u> </u>													
2-Wire Voice Unbundled PRX DID DF Termans Port UEPSP UEPXE 2.18 21.60 21.60 26.94 12.76	UEPSP UEPXE 218 2160 2160 2694 1276 2694 1276 276																	
2-Wire Voxee Unbundled PBX LD DF0T Ferminals Port UEPSP UEPXC 216 2160 2260 2269 1276	UEPSP UEPXD 218 2160 2160 2694 1276												L					
2Wire Voice Unbundled PSX LD Terminal Switchboard Port UEPSP UEPXD 2.16 21.60 21.60 26.94 12.76	UEPSP UEPXD 218 2160 2160 2694 1276																	
2-Wire Voice Unbundled PXL D Terminal Switchboard IDD UEPSP UEPXL 2 18 21 60 21 60 26 94 12 76	UEPSP UEPXL 2 18 21 60 21 60 26 94 12 76																	
Capable Port Capa	UEPSP					UEPSP	UEPXD	2 18	21 60	21 60					26 94	12 76		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPSP UEPXL 2 18 21 60 21 60 26 94 12 76 24 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPSP UEPXM 2 18 21 60 21 60 26 94 12 76 24 Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPSP UEPXM 2 18 2 1 60 2 1 60 26 94 12 76 24 Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPSP UEPXM 2 18 2 1 60 2 1 60 26 94 12 76 24 Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPSP UEPXM 2 18 2 1 60 2 1 60 26 94 12 76 24 Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPSP UEPXS 2 18 2 1 60 2 1 60 26 94 12 76 25 94 25	UEPSP	- 1					1											i .
Administrative Calling Port	UEPSP UEPXM 2 18 21 60 21 60 26 94 12 76 26 94 12 76 26 94 12 76 27 6					UEPSP	UEPXE	2 18	21 60	21 60					26 94	12 76		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPSP UEPXM 2.18 21.60 21.60 21.60 26.94 12.76	UEPSP UEPXM 2 18 21 60 21 60 26 94 12 76 26 94 12 76 26 94 12 76 27 6				1							i						i
Room Calling Port	UEPSP UEPXS 218 2160 2160 2694 1276 UEPSP UEPXS 218 2160 2160 2694 1276 UEPSP USASC 0 00 0 00 0 00 2694 1276 UEPSP UEPXF 340 0 00 0 00 2694 1276 UEPSP UEPSE UEPVF 340 0 00 0 00 2694 1276 I switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. I switched usage will also apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. I SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. I UEPEX					UEPSP	UEPXL	2 18	21 60	21 60					26 94	12 76		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPSP UEPS 2 18 21 60 21 60 26 94 12 76 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPSP UEPS 2 18 21 60 21 60 26 94 12 76 25 94 25	UEPSP UEPXS 218 2160 2160 2694 1276 UEPSP UEPXS 218 2160 2160 2694 1276 UEPSP USASC 0 00 0 00 0 00 2694 1276 UEPSP UEPXF 340 0 00 0 00 2694 1276 UEPSP UEPSE UEPVF 340 0 00 0 00 2694 1276 I switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. I switched usage will also apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. I SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. I UEPEX							1							- 1			ı
Discount Room Calling Port	UEPSP					UEPSP	UEPXM	2 18	21 60	21 60					26 94	12 76		1
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPSP UEPXS 2 18 21 60 21 60 21 60 21 60 26 94 12 76 Subsequent Activity UEPSP USASC 0 00 0 00 0 00 0 00 0 00 0 00 0 00	UEPSP																	1
Subsequent Activity	UEPSP UEPSE UEPVF 3 40 0 00 0 00 0 00 26 94 12 76																	
FEATURES All Available Vertical Features UEPSP UEPSE UEPVF 3 40 0 00	UEPSP UEPSE UEPVF 3 40 0 00 0 00 0 00 26 94 12 76 259 21 60 21 60 21 60 26 94 12 76 259 21 60 21 60 26 94 12 76 26 94 12 76 259 21 60 21 60 26 94 276 25 94 21 276 25 94 21 276 25 94 21 276 26 94 21 276 26 94 21 276 26 94 21 276 26 94 21 276 26 94 21 276 27 27 27 27 27 27 27 27 27 27 27 27 27		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port															
All Available Vertical Features	I switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. De available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates					UEPSP	USASC	0 00	0 00	0.00					26 94	12 76		
EXCHANGE PORT RATES (COIN) [Exchange Ports - Corn Port [Exchange Ports - DITS Trunk Port site in Exchange Ports - DITS Port - 4-Wire DID Port [Exchange Ports - 2-Wire ISDN Port with DID capability [Exchange Ports - 2-Wire ISDN Port (See Notes below)] [Exchange Ports - 2-Wire ISDN Port (See Notes below)] [Exchange Ports - 2-Wire ISDN Port - Channel Profiles] [E	I switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. De available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates	FEATU																
Exchange Ports - Con Port 259 2160 2160 2160 2694 1276	t switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. ts after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UEPEX					UEPSP UEPSE	UEPVF	3 40	0 00	0 00					26 94	12 76		
NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. BUNDLED LOCAL EXCHANGE SWITCHING(PORTS) EXCHANGE PORT RATES The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E 4/1/2004) Exchange Ports - 2-Wire ISDN Port (See Notes below) UEPDD UEPDD UEPDD 123 65 116 59 69 92 26 94 12 76 Exchange Ports - 2-Wire ISDN Port (See Notes below) All Features Offered UEPTX, UEPSX UEPVF 3 40 0 00 0 00 0 00 0 00 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UIPMA 2 4 50 0 00	t switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. ts after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UEPEX	EXCHA	NGE PORT RATES (COIN)															
NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. BUNDLED LOCAL EXCHANGE SWITCHING(PORTS) EXCHANGE PORT RATES The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - 2-Wire IDD Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (£ 4/1/2004) Exchange Ports - 2-Wire ISDN Port (See Notes below) UEPDD UEPDD UEPDD 12365 1659 629 629 629 5530 All Features Offered UEPTX, UEPSX UEPY, UEPSX UIPMA 2450 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UEPY 340 000 000 000 000 000 000 00	be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or as eparate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/		Exchange Ports - Coin Port					2 59	21 60	21 60					26 94	12 76		
NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. BUNDLED LOCAL EXCHANGE SWITCHING(PORTS) EXCHANGE PORT RATES The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - 2-Wire IDD Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (£ 4/1/2004) Exchange Ports - 2-Wire ISDN Port (See Notes below) UEPDD UEPDD UEPDD 12365 1659 629 629 629 5530 All Features Offered UEPTX, UEPSX UEPY, UEPSX UIPMA 2450 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UEPY 340 000 000 000 000 000 000 00	be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. SDN PORT IN THIS SHALL	NOTE	Transmission/usage charges associated with POTS circuit sy	vitched	usage	will also apply to c	rcuit switche	d voice and/or	circuit switche	d data transm	ission by B-Ch	annels associ	ated with 2-v	wire ISDN p	orts.			
EXCHANGE SWITCHING(PORTS) EXCHANGE PORT RATES The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port -4-Wire DS1 Port with DID capability (E 4/1/2004) UEPD UEPD UEPD 123 65 116 59 69 92 26 94 12 76 Exchange Ports - 2-Wire ISDN Port (See Notes below) UEPTX, UEPSX UIPMA 24 50 62 29 62 29 55 30 55 30 All Features Offered UEPTX, UEPSX UEPYF 3 40 0 00 0 00 NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports	ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Is after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UEPEX															Request Pro	cess.	
EXCHANGE PORT RATES The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - 2-Wire DDITS Port - 4-Wire DS1 Port with DID UEPD UEPD 123 65 116 59 69 92 26 94 12 76 Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID UEPD UEPD UEPD 123 65 116 59 69 92 26 94 12 76 Exchange Ports - 2-Wire ISDN Port (See Notes below) UEPTX, UEPSX UIPMA 24 50 62 29 62 29 55 30 55 30 All Features Offered UEPTX, UEPSX UEPF 3 40 0 00 0 00 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UIVMA 0 00 0 00 0 00 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UIVMA 0 00 0 00 0 00 NOTE Transmission/usage charges associated with POTS circuit switched vasage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports	ts after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UEPEX				T 1													
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - 2-Wire DID Port DEPTX UEPPZ 12 36 81 84 81 84 26 94 12 76	ts after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UEPEX	EXCHA	NGE PORT RATES															
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - 2-Wire DID Port UEPEX UEPP2 12 36 81 84 81 84 26 94 12 76	ts after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UEPEX	The DS	1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	ON Port	in this	rate exhibit apply t	o the embedo	led base in plac	ce as of 10/2/0:	until 4/1/04	After 4/1/04 the	ese rates shall	revert to tari	iff rates or a	separate agr	eement.		
Exchange Ports - 2-Wire DID Port UEPEX UEPP2 12 36 81 84 81 84 26 94 12 76	UEPEX UEPP2 12 36 81 84 81 84 26 94 12 76	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	fter the	effecti	ve date of this ame	ndment shall	be provided pu	rsuant to a se	parate agreem	ent or tariff at	BellSouth's di	scretion.					
Exchange Ports - DOITS Port - 4-Wire DS1 Port with DID UEPDD UEPDD 123 65 116 59 69 92 26 94 12 76	UEPTX, UEPSX	1 7 7 7 7 7													26 94	12 76		
Capability (E 4/1/2004) UEPDD 123 65 116 59 69 92 26 94 12 76	UEPTX, UEPSX																	
Exchange Ports - 2-Wire ISDN Port (See Notes below) UEPTX, UEPSX U1PMA 24 50 62 29 62 29 55 30 55 30 All Features Offered UEPTX, UEPSX UEPVF 3 40 0 00 0 00 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX U1UMA 0 00 0 00 0 00 NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports	UEPTX, UEPSX					UEPDD	UEPDD	123 65	116 59	69 92								
All Features Offered UEPTX, UEPSX UEPVF 3 40 0 00 0 00 0 00 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX U1UMA 0 00 0 0 00 0 00 0 00 0 00 0 00 0 00	UEPTX, UEPSX UEPVF 3 40 0 00 0 00 UEPTX, UEPSX U1UMA 0 00 0 0 00 0 00 UEPTX, UEPSX U1UMA 0 00 0 0 00 0 00 Us witched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports					UEPTX, UEPSX			62 29	62 29					55 30	55 30		
Exchange Ports - 2-Wire ISDN Port Channel Profiles UEPTX, UEPSX U1UMA 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	UEPTX, UEPSX U1UMA 0 00 0 00 0 00 L switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																	
NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports	switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports			-	-													
NOTE Access to B Channel or D Channel Packet canabilities will be available only through BER/New Business Request Process.		NOTE	Transmission/usage charges associated with POTS circuit sy	vitched							ission by B-Ch	annels associ	ated with 2-v	wire ISDN p	orts		_	
	be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.	NOTE	Access to B Channel or D Channel Packet canabilities will be	availah	le only	through BFR/New	Business Red	uest Process	Rates for the	packet canabil	ities will be de	termined via t	he Bona Fid	e Request/N	lew Business	Request Prod	cess.	

NNRÓN	ADLEI	NETWORK ELEMENTS - North Carolina												Attach	ment 2	Exhi	ıbit B
									. <u>-</u>						Incremental		
			_	1								Elec	Submitted		Charge -	Charge -	Charge -
ATEGO	ORY	RATE ELEMENTS	Inten	Zone	BCS	USOC			RATES (\$)			1		Manual Svc			
JA, 200		TOTAL ELEMENTO	m	120110	200	0000			MATE (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
				İ								1		Electronic-	Electronic-	Electronic-	Electronic-
				1								1		1st	Add'I	Disc 1st	Disc Add'l
Т		······································						Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates (\$)		
							Rec	First	Add'I	First	Add'I	SOMEÇ	SOMAN		SOMAN	SOMAN	SOMAN
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911							7.00		, idu i	0020	O O III AIR	COMAIN	JOHNAN	OUMAIN	DOMAN
		Locator Capability (E 4/1/2004)		l	UEPEX	UEPEX	179 75	241 63	241 63	! !				53 89	53 89		
		Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPDX	UEPDX	179 75	241 63	241 63			 		53 89	53 89		
		Physical Collocation - DS1 Cross-Connects	ī		UEPEX UEPDX	PE1P1	2 34	71 02	51 08					26 94	12 76		
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1		ļ	UEPEX UEPDX	CNC1X	0.97	71 02	51 08					26 94	12 76		
	Detaile	E911 with Locator Capability (required with UEPEX port)															
	Ì	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-	i -													
		Locator Capability - Initial Profile Establishment per CLEC per					İ										
		State			UEPEX	UEP1A	0 00	1,802 00				1		26 94	12 76		ļ
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1													
		Locator Capability - Subsequent Profile Changes, Additions,													i		ł
		Deletions		1	UEPEX	UEP1B	0 00	174 99						26 94	12 76		
N	New or	Additional PRI Telephone Numbers				<u> </u>											
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										-					
		Locator Capability 2-way Telephone Numbers, per number in		1													l
		E911 profile [New or Additional]			UEPEX	UEP1C		1 17	1 17	ĺ				26 94	12 76		i
$\overline{}$		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in		l			l										İ
		E911 profile (New or Additional)		ľ	UEPEX	UEP1D		28 17	28 17					26 94	12 76		į
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward						20				+		200.	12.70		1
		Telephone Numbers - Inward Data Only Option [New or		1						i							ì
		Additional?		ĺ	UEPDX	UEP1E	0 00	1 17	1 17					26 94	12 76		
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		-	02. 07.	100:	0.00		, ,,			1		20 54	12.10		<u> </u>
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0 00	56 33	56 33					26 94	12 76		
L	OCAL	NUMBER PORTABILITY												200.	1210		
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1 75					· · · · · · · · · · · · · · · · · · ·			-		
11		ACE (Provsioning Only)															
f		Voice/Data	-	 	UEPĒX	PR71V	0.00	0.00	0 00					26 94	12 76		
		Digital Data			UEPEX	PR71D	0 00	0.00	0 00					26 94	12 76		
		Inward Data			UEPDX	PR71E	0.00	0.00	0 00			1		26 94	12 76		†
l N		Additional Channel										1			,2.10		
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0 00	36 92				 		26 94	12 76		
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0 00	36 92					-	26 94	12 76		
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	36 92				t		26 94	12 76		
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00					†		26 94	12 76		
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00					i		26 94	12 76		
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0 00	36 92						26 94	12 76		
ļc	CALL T							1	•								i
		Inward			UEPEX UEPDX	PR7C1	0 00	0 00	Õ 00					26 94	12 76		
		Outward			UEPEX	PR7CO	0 00	0 00	0 00					26 94	12 76		
		Two-way			UEPEX	PR7CC	0 00	0 00	0 00					26 94	12 76		
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY															
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2 19	21 60	21 60					26 94	12 76		
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2 19	21 60	21 60			l		26 94	12 76		
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2 19	21 60	21 60					26 94	12 76		
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2 19	21 60	21 60					26 94	12 76		
N	Non-Re	curring															
1		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		2 77	0 40					26 94	12 76		1
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		2 77	0 40								
ļu	JNBUN	DLED REMOTE CALL FORWARDING - Bus															<u> </u>
1				7			1					1]
		Unbundled Remote Call Forwarding Service, Area Calling - Bus		ļi	UEPVB	UERAC	2 19	21 60	21 60			ļ		26 94	12 76		<u> </u>
- 1												1					1
		Unbundled Remote Call Forwarding Service, Local Calling - Bus		1	UEPVB	UERLC	2 19	21 60	21 60				l	26 94	12 76		1

Version 3Q03 11/12/2003

JNBUNDLED NETWORK ELEM	CTTO TOTAL CALONIIA	,	_			T						,		ment 2	Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order ve Electroni Disc Add
		İ				Rec	Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		<u></u>
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1 Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2 19	21 60	21 60					26 94	12 76		
Unbundled Remote Cal	It Forwarding Service, IntraLATA - Bus	<u> </u>	1	UEPVB	UERTR	2 19	21.60	21 60					26 94	12 76		
Unbundled Remote Cal	I Forwarding Service Expanded and		1			1 1			ļ							
Exception Local Calling			<u> </u>	UEPVB	UERVJ	2 19	21 60	21 60					26 94	12 76		
Non-Recurring	Il Forwarding Service - Conversion -	1	ļ	 						ļ						
Switch-as-is	ii Forwarding Service - Conversion -	1	į	UEPVB	USAC2											
	Il Forwarding Service - Conversion with	ļ	-	UEPVB	USAC2		2 77	0 40					26 94	12 76		
allowed change (PIC ar		ł		UEPVB	USACC		2 77	0.40			1					
BUNDLED LOCAL SWITCHING, PO		 	1	OLF VB	USACC	+		0 40		 -	ł					
End Office Switching (Port Us			+			1				ļ						
End Office Switching Fu			+-	 		0 0015			-	 						
End Office Trunk Port -		t	 	1		0 00023			·							
Tandem Switching (Port Usag		1				- 55525				1			-			
Tandem Switching Fund		l	1		1	0 0006									-	
Tandem Trunk Port - Sh						0 0003										
Tandem Switching Fund						0 00024618	1									-
	hared, Per MOU (Melded)					0 00012309										
Melded Factor 41 03%	of the Tandem Rate		l I													
Common Transport																
Common Transport - Pe		}				0 00001										
	acilities Termination Per MOU					0 00034										
Cost Based Rates are applied Features shall apply to the Un	FIONS - COST BASED RATES where BellSouth is required by FCC are abundled Port/Loop Combination - Cos	t Based	Rates	ection in the sa	me manner as th	dled Local Swit	o the Stand-Al	one Unbundle								
Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switch	TIONS - COST BASED RATES where BellSouth is required by FCC ar bundled Port/Loop Combination - Cos hing Usage and Common Transport Us	t Based sage rate	Rate s	ection in the sa	me manner as the	dled Local Swit- ney are applied to it shall apply to	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	Port/Loop	Combination	15,		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switce The first and additional Port n	TIONS - COST BASED RATES where BellSouth is required by FCC are boundled Port/Loop Combination - Coshing Usage and Common Transport Ustonrecurring charges apply to Not Curr	t Based sage rate	Rate s	ection in the sa	me manner as the	dled Local Swit- ney are applied to it shall apply to	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	Port/Loop	Combination	is.		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switch The first and additional Port in 2-WIRE VOICE GRADE LOOP	TIONS - COST BASED RATES where BellSouth is required by FCC ar bundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES)	t Based sage rate	Rate s	ection in the sa	me manner as the	dled Local Swit- ney are applied to it shall apply to	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	Combination	s. ections		
BUNDLED PORTIL OOP COMBINAT Cost Based Rates are applied Features shall apply to the Uni End Office and Tandem Switci The first and additional Port n Z-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F	FIONS - COST BASED RATES where BellSouth is required by FCC are boundled Port/Loop Combination - Coshing Usage and Common Transport Usionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates	t Based sage rate	Rate s es in th embine	ection in the sa	me manner as the	died Local Swittey are applied to the shall apply to ined Combos the	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	Combination Combined se	s. ections		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandern Switcl The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination In [2-Wire VG Loop/Port Co	FIONS - COST BASED RATES where BellSouth is required by FCC are boundled Port/Loop Combination - Coshing Usage and Common Transport Usionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates pubo - Zone 1	t Based sage rate	Rate ses in the	ection in the sa	me manner as the	dled Local Switney are applied to the shall apply to ined Combos the shall apply the	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	Combination Combined se	s. ections		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switc. The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F [2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc	FIONS - COST BASED RATES where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us tonrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates pmbo - Zone 1 pmbo - Zone 2	t Based sage rate	Rate ses in the ombine 1	ection in the sa	me manner as the	dled Local Swittery are applied to the shall apply to ined Combos the shall apply the shall apply to ined Combos the shall apply the shall ap	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	Combination	s. ections		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port n Z-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F [2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc	FIONS - COST BASED RATES where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us tonrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates pmbo - Zone 1 pmbo - Zone 2	t Based sage rate	Rate ses in the	ection in the sa	me manner as the	dled Local Switney are applied to the shall apply to ined Combos the shall apply the	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	n Port/Loop - Currently	Combination Combined se	is.		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandern Switc. The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc UNE Loop Rates UNE Loop Rates	rions - Cost Based Rates where BellSouth is required by FCC ar blundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITEL LINE PORT (RES) Rates pmbo - Zone 1 pmbo - Zone 2 pmbo - Zone 3	t Based sage rate	Rate ses in the ombine 1 2 3	section in the sa ne Port section of d Combos. For	me manner as the fithis rate exhibition of the combination of the combiner of	dled Local Swittery are applied to rt shall apply to ined Combos th 13 03 21 33 32 61	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	n Port/Loop - Currently	Combination Combined se	is.		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port n Z-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F [2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc	FIONS - COST BASED RATES where BellSouth is required by FCC ar blundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates Jombo - Zone 1 Jombo - Zone 2 Jombo - Zone 3 pr (SL1) - Zone 1	t Based sage rate	Rate ses in the ombine 1 2 3	ection in the sa	me manner as the	dled Local Swittery are applied to the shall apply to ined Combos the shall apply the shall apply to ined Combos the shall apply the shall ap	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	Combination Combined se	is.		
GUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandern Switct The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE POrt/Loop Combination in [2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc UNE Loop Rates [2-Wire Voice Grade Loo	FIONS - COST BASED RATES where BellSouth is required by FCC are boundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates pmbo - Zone 1 pmbo - Zone 2 pmbo - Zone 3 p (SL1) - Zone 1 p (SL1) - Zone 2	t Based sage rate	Rate ses in the combined at th	ection in the sa e Port section of d Combos. For	me manner as the fithis rate exhibition of this rate exhibition of the fithing combined with the	dled Local Switter are applied to the shall apply to ined Combos the 13 03 21 33 32 61 10 75	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	Combination	is.		
BUNDLED PORTIL COP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination in [2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc UNE Loop Rates [2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo	FIONS - COST BASED RATES where BellSouth is required by FCC are where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us conrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates Jombo - Zone 1 Jombo - Zone 2 Jombo - Zone 3 p (SL1) - Zone 1 p (SL1) - Zone 2 p (SL1) - Zone 2 p (SL1) - Zone 3	t Based sage rate	Rate ses in the combined at th	ection in the sa e Port section of d Combos. For UEPRX UEPRX	me manner as the fithis rate exhibition of this rate exhibition of the fitting of	dled Local Swittey are applied to the shall apply to ined Combos th 13 03 21 33 32 61 10 75 19 05	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	Combination	is.		
BUNDLED PORTIL COOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F [2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc UNE Loop Rates [2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 1	FIONS - COST BASED RATES where BellSouth is required by FCC are boundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates pmbo - Zone 1 pmbo - Zone 2 pmbo - Zone 3 p (SL1) - Zone 1 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence	t Based sage rate	Rate ses in the combined at th	ueprx UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WE MANNER AS IT OF THE	dled Local Swittey are applied to the shall apply to ined Combos th 13 03 21 33 32 61 10 75 19 05	o the Stand-Al	one Unbundle ns of loop/po	rt network eler	ments except 1	or UNE Coir	n Port/Loop - Currently	Combination Combined se	is. ictions		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F [2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc UNE Loop Rates [2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Line Port I 2-Wire Voice Grade Line Port I 2-Wire Voice Grade Line Port I 2-Wire voice unbundled 2-Wire voice unbundled	FIONS - COST BASED RATES where BellSouth is required by FCC ar biundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates bimbo - Zone 1 pmbo - Zone 2 pmbo - Zone 3 pp (SL1) - Zone 1 pp (SL1) - Zone 2 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res	t Based sage rate	Rate ses in the combined at th	ueetion in the sale Port section of Combos. For	WEPLX UEPLX	dled Local Swithey are applied to the shall apply to ined Combos the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the	o the Stand-Al all combination e nonrecurring	one Unbundle ns of loop/po , charges shal	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	Combined se	ctions		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wire VOICE GRADE LOOP UNE POrt/Loop Combination in 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co UNE Loop Rates [2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Un Ended Loo 2-	FIONS - COST BASED RATES where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionnecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates mibo - Zone 1 mbo - Zone 2 mbo - Zone 3 p (SL1) - Zone 2 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res	t Based sage rate	Rate ses in the combined at th	ueprx UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WE MANNER AS IT OF THE	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the	o the Stand-Al all combination e nonrecurring	one Unbundle ns of loop/po g charges shal	rt network eler	ments except 1	or UNE Coir	n Port/Loop - Currently	Combined se	ections 945		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination in 2-WIRE VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled	FIONS - COST BASED RATES where BellSouth is required by FCC ar biundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates bimbo - Zone 1 pmbo - Zone 2 pmbo - Zone 3 pp (SL1) - Zone 1 pp (SL1) - Zone 2 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res	t Based sage rate	Rate ses in the combined at th	ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the	o the Stand-Al all combination e nonrecurring 79 59 79 59 79 59	one Unbundle ns of loop/po g charges shal 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	n Port/Loop	40 18 40 18 40 18	9 45 9 45 9 45		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wire Volce GRADE LOOP UNE Port/Loop Combination F [2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire Volce Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled (2-Wire voice unbundled (2-Wire voice unbundled (2-Wire voice unbundled (LUM)	rions - Cost Based Rates where BellSouth is required by FCC ar biundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr With 2-WiRE LINE PORT (RES) Rates pmbo - Zone 1 pmbo - Zone 2 pmbo - Zone 3 p (SL1) - Zone 1 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res res, low usage line port with Caller ID	t Based sage rate	Rate ses in the combined at th	ueetion in the sale Port section of Combos. For	WEPLX UEPLX	dled Local Swithey are applied to the shall apply to ined Combos the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the	o the Stand-Al all combination e nonrecurring	one Unbundle ris of loop/po g charges shal	rt network eler	ments except 1	or UNE Coir	Port/Loop	40 18 40 18	9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE POrt/Loop Combination in 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co UNE Loop Rates [2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire voice unbundled 2-Wire voice unbundled [2-Wire voice unbundled 2-Wire voice unbundled (LUM) 2-Wire voice unbundled (LUM) 2-Wire voice unbundled	FIONS - COST BASED RATES where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionnecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates mibo - Zone 1 mbo - Zone 2 mbo - Zone 3 p (SL1) - Zone 2 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res	t Based sage rate	Rate ses in the combined at th	ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined the shall apply th	o the Stand-Al all combination e nonrecurring 79 59 79 59 79 59 79 59	one Unbundle ns of loop/po g charges shal 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	n Port/Loop - Currently	40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F 2-WIRE VOICE ORD/PORT CC 2-WIRE VOICE ORD/PORT CC 2-WIRE VOICE ORD/PORT CC UNE Loop Rates 2-WIRE VOICE Grade Loo 2-WIRE VOICE Grade Loo 2-WIRE VOICE Grade Loo 2-WIRE VOICE Grade Loo 2-WIRE VOICE GRADE LOOP 1-WIRE VOICE UNDURINGED 2-WIRE VOICE UNDURIDED 1-WIR	rions - Cost Based Rates where BellSouth is required by FCC ar biundled PortLoop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates Imbo - Zone 1 p (SL1) - Zone 2 p (SL1) - Zone 3 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res res, low usage line port without Caller ID Low Usage Line Port without Caller ID	t Based sage rate	Rate ses in the combined at th	ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the	o the Stand-Al all combination e nonrecurring 79 59 79 59 79 59	one Unbundle ns of loop/po g charges shal 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	n Port/Loop - Currently	40 18 40 18 40 18	9 45 9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wirse Voice GRADE LOOP UNE Port/Loop Combination F 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse voice unbundled 2-Wirse voice unbundled 2-Wirse voice unbundled 2-Wirse voice unbundled (LUM) 2-Wirse voice unbundled (LUM) 2-Wirse voice unbundled (LUM) 2-Wirse voice unbundled Capability 2-Wirse Voice Grade Unb	rions - Cost Based Rates where BellSouth is required by FCC ar biundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr With 2-WiRE LINE PORT (RES) Rates pmbo - Zone 1 pmbo - Zone 2 pmbo - Zone 3 p (SL1) - Zone 1 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res res, low usage line port with Caller ID	t Based sage rate	Rate ses in the combined at th	ueetion in the sale Port section of Combos. For ueers	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO	dled Local Switteey are applied to the shall apply to ined Combos th 13 03 21 33 32 61 10 75 19 05 30 33 3 2 28 2 28 2 28 2 28 2 28 2 28	79 59 79 59 79 59	63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wire VOICE GRADE LOOP UNE Port/Loop Combination in 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled Capability 2-Wire Voice Grade Unb North Carolina	FIONS - COST BASED RATES where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates mitho - Zone 1 pmbo - Zone 2 mitho - Zone 2 pmbo - Zone 3 p (SL1) - Zone 2 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res res, low usage line port with Caller ID Low Usage Line Port without Caller ID undled Port without Caller ID capability,	t Based sage rate	Rate ses in the combined at th	ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined the shall apply th	o the Stand-Al all combination e nonrecurring 79 59 79 59 79 59 79 59	one Unbundle ns of loop/po g charges shal 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	Port/Loop	40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled (LUM) 2-Wire voice unbundled (LUM) 2-Wire voice unbundled Capability 2-Wire Voice Grade Unb North Carolina 2-Wire Voice Grade Unb	rions - Cost Based Rates where BellSouth is required by FCC ar biundled PortLoop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates Imbo - Zone 1 p (SL1) - Zone 2 p (SL1) - Zone 3 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res res, low usage line port without Caller ID Low Usage Line Port without Caller ID	t Based sage rate	Rate ses in the combined at th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPRC UEPRT UEPRT	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the	79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	n Port/Loop	40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wirse Voice GRADE LOOP UNE Port/Loop Combination F 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse voice unbundled 2-Wirse voice unbundled 2-Wirse voice unbundled 2-Wirse voice unbundled Capability 2-Wirse voice unbundled Capability 2-Wirse Voice Grade Unb North Carolina 2-Wirse Voice Grade Unb North Carolina 2-Wirse Voice Grade Unb North Carolina	FIONS - COST BASED RATES where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates mitho - Zone 1 pmbo - Zone 2 mitho - Zone 2 pmbo - Zone 3 p (SL1) - Zone 2 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res res, low usage line port with Caller ID Low Usage Line Port without Caller ID undled Port without Caller ID capability,	t Based sage rate	Rate ses in the combined at th	ueetion in the sale Port section of Combos. For ueers	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO	dled Local Switteey are applied to the shall apply to ined Combos the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply t	79 59 79 59 79 59	63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wirse VOICE GRADE LOOP UNE Port/Loop Combination in 2-Wirse VOICE Open Combination in 2-Wirse VOICE Open Combination in 2-Wirse VOICE Open Combination in 2-Wirse VOICE Open Combination in 2-Wirse VOICE Grade Loop 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Unbundled 2-Wirse voice unbundled 2-Wirse voice unbundled 2-Wirse voice unbundled 2-Wirse voice unbundled Capability 2-Wirse Voice Grade Unb North Carolina 2-Wirse Voice Grade Unb North Carolina FEATURES	FIONS - COST BASED RATES where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates mitho - Zone 1 pmbo - Zone 2 mitho - Zone 2 pmbo - Zone 3 p (SL1) - Zone 2 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res res, low usage line port with Caller ID Low Usage Line Port without Caller ID undled Port without Caller ID capability,	t Based sage rate	Rate ses in the combined at th	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPRO UEPRT UEPRZ UEPRZ	dled Local Swittey are applied to the shall apply to ined Combos y to ined the shall apply the shall apply to ined the shall apply to ined the	79 59 79 59 79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wirse Voice GRADE LOOP UNE Port/Loop Combination F 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc UNE Loop Rates 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled (LUM) 2-Wire voice unbundled Capability 2-Wire Voice Grade Unb North Carolina 2-Wire Voice Grade Unb North Carolina FEATURES All Features Offered	rions - Cost Based Rates where BellSouth is required by FCC ar biundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates imbo - Zone 1 pmbo - Zone 2 imbo - Zone 2 pmbo - Zone 3 p (SL1) - Zone 1 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res res, low usage line port without Caller ID Low Usage Line Port without Caller ID capability, bundled Port without Caller ID capability, bundled Port without Caller ID capability,	t Based sage rate	Rate ses in the combined at th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPRC UEPRT UEPRT	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined combos the shall apply the shall apply to ined combos the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the shall apply the	79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	n Port/Loop - Currently	40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wirse Voice GRADE LOOP UNE Port/Loop Combination in 2-Wirse Voice Grade Loo 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse VG Loop/Port Cc 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse voice unbundled 2-Wirse voice unbundled (LUM) 2-Wirse voice unbundled Capability 2-Wirse Voice Grade Unb North Carolina 2-Wirse Voice Grade Unb North Carolina FEATURES [All Features Offered LOCAL NUMBER PORTABILIT	rions - Cost Based Rates where BellSouth is required by FCC ar biundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates pmbo - Zone 1 pmbo - Zone 2 pmbo - Zone 2 pmbo - Zone 3 pp (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res res, low usage line port with Caller ID Low Usage Line Port without Caller ID biundled Port without Caller ID capability, bundled Port without Caller ID capability,	t Based sage rate	Rate ses in the combined at th	uepton in the sale port section of dombos. For ueprx u	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRT UEPRT UEPRZ UEPRZ UEPRZ	dled Local Swittey are applied to the shall apply to ined Combos y to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the	79 59 79 59 79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45 9 45		
GUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wire VOICE GRADE LOOP UNE Port/Loop Combination in 2-Wire VOICE GRADE LOOP UNE Port/Loop Combination in 2-Wire VOICE GRADE LOOP 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VOICE Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled Capability 2-Wire Voice Grade Unb North Carolina 2-Wire Voice Grade Unb North Carolina FEATURES All Features Offered LOCAL NUMBER PORTABILIT Local Number Portability Local Number Portability	ITONS - COST BASED RATES where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates Imbo - Zone 1 probo - Zone 2 probo - Zone 2 probo - Zone 3 probo - Zone 2 probo - Zone 2 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 2 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 2 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 4 probo - Zone 5 probo - Zone 5 probo - Zone 6 probo - Zone 6 probo - Zone 7 probo - Zone 7 probo - Zone 8 probo - Zone 9 probo - Zone 9 probo - Zone 1 probo - Zone 1 probo - Zone 1 probo - Zone 1 probo - Zone 1 probo - Zone 1 probo - Zone 2 p	t Based sage rate	Rate ses in the combined at th	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPRO UEPRT UEPRZ UEPRZ	dled Local Swittey are applied to the shall apply to ined Combos y to ined the shall apply the shall apply to ined the shall apply to ined the	79 59 79 59 79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-WIRE VOICE GRADE LOOP UNE Port/Loop Combination F 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled (LUM) 2-Wire voice unbundled (LUM) 2-Wire Voice Grade Unb North Carolina 2-Wire Voice Grade Unb North Carolina 1-Wire Voice Grade Unb North	rions - Cost Based Rates where BellSouth is required by FCC ar biundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates imbo - Zone 1 p (SL1) - Zone 2 p (SL1) - Zone 3 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res res, low usage line port without Caller ID condided Port without Caller ID capability, bundled Port without Caller ID capability, oundled Port without Caller ID capability, y (11 per port) URCs) - CURRENTLY COMBINED	t Based sage rate	Rate ses in the combined at th	uepton in the sale port section of dombos. For ueprx u	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRT UEPRT UEPRZ UEPRZ UEPRZ	dled Local Swittey are applied to the shall apply to ined Combos y to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the	79 59 79 59 79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45 9 45		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-wire VOICE GRADE LOOP UNE Port/Loop Combination in 2-wire VOICE GRADE LOOP UNE Port/Loop Combination in 2-wire VG Loop/Port Cc 2-wire VG Loop/Port Cc 2-wire VG Loop/Port Cc 2-wire Voice Grade Loo 2-wire Voice Grade Loo 2-wire Voice Grade Loo 2-wire Voice Grade Loo 2-wire voice Grade Loo 2-wire voice unbundled 2-wire voice unbundled 2-wire voice unbundled 2-wire voice unbundled (LUM) 2-wire voice unbundled (LUM) 2-wire voice unbundled Capability 2-wire Voice Grade Unb North Carolina FEATURES All Features Offered LOCAL NUMBER PORTABILIT Local Number Portability NORRECURRING CHARGES (6) 2-Wire Voice Grade Loop NORRECURRING CHARGES (6) 2-Wire Voice Grade Loop	ITONS - COST BASED RATES where BellSouth is required by FCC are blundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates Imbo - Zone 1 probo - Zone 2 probo - Zone 2 probo - Zone 3 probo - Zone 2 probo - Zone 2 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 2 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 2 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 3 probo - Zone 4 probo - Zone 5 probo - Zone 5 probo - Zone 6 probo - Zone 6 probo - Zone 7 probo - Zone 7 probo - Zone 8 probo - Zone 9 probo - Zone 9 probo - Zone 1 probo - Zone 1 probo - Zone 1 probo - Zone 1 probo - Zone 1 probo - Zone 1 probo - Zone 2 p	t Based sage rate	Rate ses in the combined at th	ueetion in the sale Port section of Combos. For ueers	We manner as the street of this rate exhibition of this rate exhibition of the street	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the	79 59 79 59 79 59 79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	n Port/Loop - Currently	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45 9 45		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wire VOICE GRADE LOOP UNE PORT/Loop Combination I 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire VG Loop/Port Co 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled Capability 2-Wire Voice Grade Unb North Carolina 2-Wire Voice Grade Unb North Carolina FEATURES All Features Offered LOCAL NUMBER PORTABILIT Local Number Portability NONRECURRING CHARGES (6) 2-Wire Voice Grade Loop Switch-sa-is	where BellSouth is required by FCC are where BellSouth is required by FCC are bundled Port/Loop Combination - Coshing Usage and Common Transport Usionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates Pumbo - Zone 1 property of the Common Transport Usionrecurring charges apply to Not Curr With 2-WIRE LINE PORT (RES) Rates Pumbo - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 prof outgoing only - res res, low usage line port with Caller ID Low Usage Line Port without Caller ID pumbled Port without Caller ID capability, Pumbled Port without Caller ID capability, Y Y (1) per port) URCS) - CURRENTLY COMBINED property - Conversion -	t Based sage rate	Rate ses in the combined at th	uepton in the sale port section of dombos. For ueprx u	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRT UEPRT UEPRZ UEPRZ UEPRZ	dled Local Swittey are applied to the shall apply to ined Combos y to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the	79 59 79 59 79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45 9 45		
BUNDLED PORTILOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wire VOICE GRADE LOOP UNE Port/Loop Combination F 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire VG Loop/Port Cc 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire Voice Grade Loo 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 2-Wire voice unbundled 1-Wire voice unbundled 2-Wire voice Grade Unb North Carolina 2-Wire Voice Grade Unb North Carolina 1-Wire Voice Grade Unb North Carolina 1-Wire Voice Grade Unb North Carolina 1-Wire Voice Grade Unb North Carolina 1-Wire Voice Grade Unb North Carolina 1-Wire Voice Grade Unb North Carolina 1-Wire Voice Grade Unb North Carolina 1-Wire Voice Grade Unb North Carolina 1-Wire Voice Grade Loo 1-Wire V	rions - Cost Based Rates where BellSouth is required by FCC ar biundled Port/Loop Combination - Cos hing Usage and Common Transport Us ionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates imbo - Zone 1 p (SL1) - Zone 2 p (SL1) - Zone 3 p (SL1) - Zone 2 p (SL1) - Zone 3 Rates (Res) port - residence port with Caller ID - res port outgoing only - res res, low usage line port without Caller ID condided Port without Caller ID capability, bundled Port without Caller ID capability, oundled Port without Caller ID capability, y (11 per port) URCs) - CURRENTLY COMBINED	t Based sage rate	Rate ses in the combined at th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WE MANNER AS IT OF THE PROPERTY OF THE PROPERT	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the	79 59 79 59 79 59 79 59 79 59 79 59 79 59 79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97 63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	Port/Loop - Currently	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45 9 45 9 45		
BUNDLED PORT/LOOP COMBINAT Cost Based Rates are applied Features shall apply to the Un End Office and Tandem Switci The first and additional Port in 2-Wirse VOICE GRADE LOOP UNE Port/Loop Combination in 2-Wirse VOICE Orgon/Port Co 2-Wirse VG Loop/Port Co 2-Wirse VG Loop/Port Co 2-Wirse VG Loop/Port Co 2-Wirse VG Loop/Port Co 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse Voice Grade Loo 2-Wirse voice unbundled 2-Wirse voice unbundled 2-Wirse voice unbundled (LUM) 2-Wirse voice unbundled Capability 2-Wirse Voice Grade Unb North Carolina PEATURES All Features Offered LOCAL NUMBER PORTABILIT Local Number Portability NONRECURRING CHARGES (N 2-Wirse Voice Grade Loop Switch-as-is 2-Wirse Voice Grade Loop Switch-as-is	where BellSouth is required by FCC are where BellSouth is required by FCC are bundled Port/Loop Combination - Coshing Usage and Common Transport Usionrecurring charges apply to Not Curr WITH 2-WIRE LINE PORT (RES) Rates Pumbo - Zone 1 property of the Common Transport Usionrecurring charges apply to Not Curr With 2-WIRE LINE PORT (RES) Rates Pumbo - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 property - Zone 2 prof outgoing only - res res, low usage line port with Caller ID Low Usage Line Port without Caller ID pumbled Port without Caller ID capability, Pumbled Port without Caller ID capability, Y Y (1) per port) URCS) - CURRENTLY COMBINED property - Conversion -	t Based sage rate	Rate ses in the combined at th	ueetion in the sale Port section of Combos. For ueers	We manner as the street of this rate exhibition of this rate exhibition of the street	dled Local Swittey are applied to the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the	79 59 79 59 79 59 79 59 79 59 79 59 79 59	63 97 63 97 63 97 63 97 63 97 63 97 63 97	rt network eler	ments except 1	or UNE Coir	n Port/Loop - Currently	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45 9 45		

NBUNDLED NETWORK ELEMENTS - North Carolina													ment 2		ibit B
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
	-	+			Rec	Nonrec First	urring Add'I	Nonrecurrin First	g Disconnect	001150	601111		Rates (\$)		
ADDITIONAL NRCs	+					FIRST	Add 1	FIRST	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Loop/Line Port Combination - Subsequent	+	+ -			+					+				-	
Activity		1	UEPRX	USAS2	0 00	0 00	0.00			1		40 18	9 45		
Unbundled Miscellaneous Rate Element, Tag Loop at End Use	r														
Premise			UEPRX	URETL		8 33	0.83			1		26 94	12 76	0 00	0.0
OFF/ON PREMISES EXTENSION CHANNELS															
2 Wire Analog Voice Grade Extension Loop – Non-Design		1 1	UEPRX	UEAEN	12 11	57 99	42 37					26 94	12 76	0 00	0.0
2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21 24	57 99	42 37					26 94	12 76	0 00	0.0
2 Wire Analog Voice Grade Extension Loop – Non-Design	-	3	UEPRX	UEAEN	33 65	57 99	42 37					26 94	12 76	0 00	
2 Wire Analog Voice Grade Extension Loop – Design	-	1	UEPRX	UÉAED	14 97	142 97	106 56					26 94	12 76	0.00	0.0
2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	+	3	UEPRX UEPRX	UEAED	25 93 40 81	142 97 142 97	106 56		-			26 94	12 76	0 00	
INTEROFFICE TRANSPORT	+	1 3	DEFRA	UENED	40 81	142 97	106 56	-	 			26 94	12 76	0 00	0.0
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	+	+	+	+			- i						 		
Termination		1	UEPRX	U1TV2	18 00	137 48	52 58		ì			38 07	38 07		1
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mil	e	1	02/10/		10 00	107 40	02 00					30 07	36 07		
or Fraction Mile	1		UEPRX	U1TVM	0 0125	0 00	0 00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1				- 333			1						
UNE Port/Loop Combination Rates							-								
2-Wire VG Loop/Port Combo - Zone 1	1	1			13 03				_				 		
2-Wire VG Loop/Port Combo - Zone 2	1	2			21 33				1						
2-Wire VG Loop/Port Combo - Zone 3		3			32 61										†
UNE Loop Rates									T						1
2-Wire Voice Grade Loop (SL1) - Zone 1		11_	UEPBX	UEPLX	10 75										
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19 05										
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30 33										
2-Wire Voice Grade Line Port (Bus)		1													
2-Wire voice unbundled port without Caller ID - bus		1	UEPBX	UEPBL	2 28	79 59	63 97					40 18	9 45		
2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX	UEPBC	2 28	79 59	63 97					40 18	9 45		
2-Wire voice unbundled port outgoing only - bus		↓	UEPBX	UEPBO	2 28	79 59	63 97		ļ			40 18	9 45		
2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled incoming Only Port without Caller ID	-	+	UEPBX	UEPB1	2 28	79 59	63 97					40 18	9 45		
Capability	Į		UEPBX	UEPBE	2 28	70.50	60.07		ŀ						
LOCAL NUMBER PORTABILITY		+	UEFBA	UEPBE	2 28	79 59	63 97			-		40 18	9 45		
Local Number Portability (1 per port)	+	+	UEPBX	LNPCX	0.35								-		
FEATURES	1	_	OC DX	- LIV OX	0.33										
All Features Offered	1	1	UEPBX	UEPVF	3 40	0 00	0 00		· ·	-		40 18	9 45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		†										40.10	3 40		
2-Wire Voice Grade Loop / Line Port Combination - Conversion	-											_			
Switch-as-is			UEPBX	USAC2	ł	2 77	0 40					40 18	9 45		
2-Wire Voice Grade Loop / Line Port Combination - Conversion	-					-									
Switch with change		L	UEPBX	USACC		2 77	0 40					40 18	9 45		
2-Wire Voice Grade Loop / Line Port Combination - Conversion	-								'-'						
Subsequent Database Update		ļ	<u> </u>			1 42				_		10 27			1
ADDITIONAL NRCs	-	 	.						ļ	1					
2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1	LIEDBY	LICAGO	I							!			
Activity Unburgled Miscellaneous Pate Florent Tag Lean at Fed Line	+	 	UEPBX	USAS2		0 00	0 00					40 18	9 45		ļ
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	'	1	UEPBX	URETL	ļ	8.33	0.83					20.04	40.70		
OFF/ON PREMISES EXTENSION CHANNELS	+	+-	OLFBA	UNEIL		0,33	0.83					26 94	12 76	0 00	0.0
2 Wire Analog Voice Grade Extension Loop – Non-Design	+	1 1	UEPBX	UEAEN	12 11	57 99	42 37		l	 		26 94	12 76	0.00	0.0
2 Wire Analog Voice Grade Extension Loop – Non-Design	+	1 2	UEPBX	UEAEN	21 24	57 99	42 37			 		26 94	12 76	0 00	0 (
2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	33 65	57 99	42 37		1			26 94	12 76	0 00	0
2 Wire Analog Voice Grade Extension Loop – Design	+	1	UEPBX	UEAED	14 97	142 97	106 56		1			26 94	12 76	0 00	0.
2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25 93	142 97	106 56		·			26 94	12 76	0 00	0 (
2 Wire Analog Voice Grade Extension Loop - Design			UEPBX	UEAED	40 81	142 97	106 56		1			26 94	12 76	0.00	0.0
INTEROFFICE TRANSPORT															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
Termination		1	UEPBX	U1TV2	18 00	137 48	52 58					38 07	38 07		1

ARONDLED MI	ETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit. B
]					,	-		Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
					1							Submitted		Charge -	Charge -	Charge -
]		1 1						Elec		Manual Svc		Manual Svc	
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
		m			****			101120 (4)			per LSR	per LSR	Order vs.	Order vs	Order vs.	Order vs.
		İ	l		E								Electronic-	Electronic-	Electronic-	Electronic
					1 1						1	}	1st	Add'I	Disc 1st	Disc Add'I
											1	i .				
		l				Rec	Nonrec		Nonrecurrin	g Disconnect			OSS	Rates (\$)		
						IVec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Inter	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	raction Mile	l		UEPBX	U1TVM	0 0125	0.00	0 00	ĺ	1				i		
	ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI DX	0.11111	0 0120	0 00	0 00		 	 					
	oop Combination Rates															
		ļ														
	/ire VG Loop/Port Combo - Zone 1		1			13 03							1			
	vire VG Loop/Port Combo - Zone 2		2		1	21 33										
2-W	/ire VG Loop/Port Combo - Zone 3		3			32 61	-									
UNE Loop F	Rates															
	Vire Voice Grade Loop (SL 1) - Zone 1	†	1	UEPRG	UEPLX	10 75					+					
2 10/	Vire Voice Grade Loop (SL 1) - Zone 2	-		UEPRG	UEPLX											
		ļ				19 05			ļ		↓				L	L
	Vire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30 33				1					L	
	ce Grade Line Port Rates (RES - PBX)															
	vire VG Unbundled Combination 2-Way PBX Trunk Port -											I				
Res	5			UEPRG	UEPRD	2 28	164 57	128 16			1		40 18	9 45		
LOCAL NUM	MBER PORTABILITY		·							†			1 10	1 70	·	
	al Number Portability (1 per port)	· · · · · · · · · · · · · · · · · · ·	_	UEPRG	LNPCP	3 15	0 00	0 00								
FEATURES		ļ	-	ULFING	LINECE	3 10	0 00	0 00				ļ				
										ļ						
	Features Offered			UEPRG	UEPVF	3 40	0.00	0 00		}			40 18	9 45		
NONRECUR	RRING CHARGES (NRCs) - CURRENTLY COMBINED									i						
2-W	/ire Voice Grade Loop/ Line Port Combination (PBX) -	i														
Con	nversion - Switch-As-Is	l		UEPRG	USAC2		2 77	0 40					40 18	9 45		
	/ire Voice Grade Loop/ Line Port Combination (PBX) -							0.0			 	-	70 10	3 70		-
	nversion - Switch with Change			UEPRG	USACC		2 77	0 40					40 18	9 45		ŀ
	/ire Voice Grade Loop / Line Port Combination - Conversion -			OLFING	USACC		211	0.40			-		40 18	9 45		
															l	
	sequent Database Update		L				1 42						10 27			
ADDITIONA																
2-W	/ire Voice Grade Loop/ Line Port Combination (PBX) -															
Sub	sequent Activity	1		UEPRG	USAS2	0.00	0 00	0.00					40 18	9 4 5		i
Unb	oundled Miscellaneous Rate Element, Tag Loop at End User					<u> </u>				<u> </u>			10.10			
	mise			UEPRG	URETL		8 33	0 83					26 94	12 76	0 00	0.00
	REMISES EXTENSION CHANNELS			02.110	J. L. L.		0 00	0 00				-	20.94	12 / 6	0 00	0.0
	al Channel Voice grade, per termination		1	UEPRG	P2JHX	14 97	142 97	106 56								
			,										26 94	12 76	0 00	0.0
	al Channel Voice grade, per termination		2	UEPRG	P2JHX	25 93	142 97	106 56		<u> </u>			26 94	12 76	0.00	0.00
	al Channel Voice grade, per termination		3	UEPRG	P2JHX	40 81	142 97	106 56			1		26 94	12 76	0.00	0.00
Non-	n-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	14 62	252 06	109 08					26 94	12 76	0.00	0.00
Non-	n-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	23 86	126 03	54 54			T		26 94	12 76	0.00	0.00
	-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	36 40	126 03	54 54			1		26 94	12 76	0 00	0.0
	CE TRANSPORT	-	<u>~</u> _	OEI TO	ODDEN	50 40	120 03				ļ		20 94	12 70	0.00	0 00
	roffice Transport - Dedicated - 2 Wire Voice Grade - Facility				-+											
	mination															l
				UEPRG	U1TV2	18 00	137 48	52 58					38 07	38 07		İ
	roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1 1											
	raction Mile	ŀ		UEPRG	U1TVM	0 0125	0 00	0 00								
2-WIRE VOI	ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	oop Combination Rates															
	/ire VG Loop/Port Combo - Zone 1		1		 	13 03										
											L					
	/ire VG Loop/Port Combo - Zone 2		2			21 33										L
	/ire VG Loop/Port Combo - Zone 3		З			32 61										
UNE Loop F										L	i					
	/ire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10 75			-							
2-Wi	/ire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19 05				1						
	rire Voice Grade Loop (SL 1) - Zone 3			UEPPX	UEPLX	30 33				 	 					
	ce Grade Line Port Rates (BUS - PBX)		<u> </u>							 			-			
	C C. COL EMO . OIL Nates (DOG - F DA)															<u> </u>
l.	But Hebrerian Combined Com			LIEBBY .	lumps -					I	1					1
	Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2 28	164 57	128 16					40 18	9 45		
	Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2 28	164 57	128 16					40 18	9 45		
	Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2 28	164 57	128 16			T		40 18	9 45		
	fire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2 28	164 57	128 16		<u> </u>			40 18	9 45		
	re Voice Unbundled 2-Way Combination PBX Usage Port		_	UEPPX	UEPXA	2 28	164 57	128 16		+			40 18	9 45		
	re Voice Unbundled PBX Toll Terminal Hotel Ports	L		UEPPX	UEPXA	2 28	164 57	128 16					40 18	9 45	L	

ONRONDE	ED NETWORK ELEMENTS - North Carolina													ment· 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2 28	164 57	128 16					40 18	9 45		ļ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPPX	UEPXD	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port	l		UEPPX	UEPXE	2 28	164 57	128 16					40 18	9 45		<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														ł	İ
	Administrative Calling Port			UEPPX	UEPXL	2 28	164 57	128 16			1		40 18	9 45	<u> </u>	<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 28	164 57	128 16		1			40 18	9 45		
LOC	AL NUMBER PORTABILITY										ļ					<u> </u>
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00				1	40 18	9 45		_
FEA	TURES			I												
1:	All Features Offered			UEPPX	UEPVF	3 40	0.00	0 00		·	<u> </u>		40 18	9 45	 _	ļ
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED									<u> </u>				1		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								ĺ	1	1	i			1	İ
	Conversion - Switch-As-Is	ļ		UEPPX	USAC2		2 77	0 40					40 18	9 45		1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		Ī										1			
	Conversion - Switch with Change			UEPPX	USACC		2 77	0 40				<u> </u>	40 18	9 45		
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update	1	1				1 42					l	10 27			
ADD	TIONAL NRCs		I												1	4
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l									1					1
	Subsequent Activity		1	UEPPX	USAS2	0 00	0 00	0 00					40 18	9 45	ļ	_
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		T											1		
	Premise			UEPPX	URETL		8 33	0 83					26 94	12 76	0 00	0
OFF	ON PREMISES EXTENSION CHANNELS								<u></u>				L	ļ		-
	Local Channel Voice grade, per termination			UEPPX	P2JHX	14 97	142 97	106 56				1	26 94	12 76		
	Local Channel Voice grade, per termination	L	2	UEPPX	P2JHX	25 93	142 97	106 56					26 94			
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40 81	142 97	106 56				ļ	26 94			
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14 62	252 06	109 08					26 94			
	Non-Wire Direct Serve Channel Voice Grade	L	2	UEPPX	SDD2X	23 86	126 03	54 54					26 94			
	Non-Wire Direct Serve Channel Voice Grade		3_	UEPPX	SDD2X	36 40	126 03	54 54				ļ	26 94	12 76	0 00	0
INTE	ROFFICE TRANSPORT											.	ļ	ļ		_
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	1							1					1
	Termination	1		UEPPX	U1TV2	18 00	137 48	52 58					38 07	38 07		+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1		[<u>_</u>		_				1	1	1	I	1	1
	or Fraction Mile		1	UEPPX	U1TVM	0 0125	0 00	0 00						<u> </u>		
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT												1	ļ. ——	
UNE	Port/Loop Combination Rates								ļ			-			 	+
	2-Wire VG Coin Port/Loop Combo – Zone 1		1_1_			13 03						-		-	ļ	+
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21 33					ļ					
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			32 61										
UNE	Loop Rates	1		L					 				+	+	+	+
\Box	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	10 75			ļ	+-	 	+	 			+
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19 05			 		+	+	+	1	1	+
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	30 33			 		+	+-	+	 		+
2-W	re Voice Grade Line Ports (COIN)	ļ	+	ļ		ļ			 	+	+	 	-	+	1	+
	2-Wire Coin 2-Way without Operator Screening and without	1	1		LIEBUB	0.55	70.50	60.07	[İ	1		40 18	9 45		1
	Blocking (NC)	₩	-	UEPCO	UEPND	2 28	79 59	63 97	 			 	40 18			+
	2-Wire Coin 2-Way with Operator Screening (NC)	₩		UEPCO	UEPNC	2 28	79 59	63 97	+	-+		 	40 10	9 45	+	+
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,	1		Lucas	LIEBBB		70.50	62.07			1	}	40 18	9 45	. 1	
	900/976, 1+DDD (NC, TN)	1		UEPCO	UEPRP	2 28	79 59	63 97	 				70 10	+ 343	-	+
	2-Wire Corn 2-Way with Operator Screening and 011 Blocking		1		LIEDAID		70.50	63 97					40 18	9 45	. [
			1	UEPCO	UEPNB	2 28	79 59	ı 639/	1	1	1		40 10	1 940		+
	(NC) 2-Wire Coin 2-Way with Operator Screening 900 Blocking			021 00									1			1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	nent 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
		1				Rec	Nonreci		Nonrecurring					Rates (\$)		
				_			First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPNE	2 28	79 59	63 97					40 18	9 45		
-	(NC) 2-Wire Coin Outward with Operator Screening and Blocking	-	 	DEPCO	UEFINE	2 20	79 35	03.91					40 10	3 43		
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2 28	79 59	63 97					40 18	9 45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2 28	79 59	63 97					40 18	9 45		
	2-Wire Coin Outward Smartline with 900/976 (all states except														1	
	LA)		-	UEPCO	UEPÇR	2 28	79 59	63 97					40 18	9 45		
ADDI	TIONAL UNE COIN PORT/LOOP (RC)		 	UEPCO	URECU	3 70	0 00	0 00	0 00	0 00			40 18	9 45		
1.004	UNE Coin Port/Loop Combo Usage (Flat Rate)	<u> </u>	+	UEPCU	UNECO	- 370	0 00	0 00	0.00	0.00	 		40 10	3 40		
LOCA	Local Number Portability (1 per port)	1	1	UEPCO	LNPCX	0 35								1		
NONE	RECURRING CHARGES - CURRENTLY COMBINED	_														
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	$\overline{}$	T													
	Switch-as-is			UEPCO	USAC2		2 77	0 40			ļ		40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEBOO	USACC		2 77	0 40					40 18	9 45		
	Switch with change		1	UEPCO	USACC		211	0 40			ļ.——-··		40 10	3 43	-	
<u> </u>	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	1	}				1 42									1
ADDI	TIONAL NRCs	 	+					-								ļ — — —
1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	+													
	Activity			UEPCO	USAS2		0 00	0.00					40 18	9 45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User											}		40.70	0 00	0.00
ļļ	Premise	<u> </u>		UEPCO	URETL		8 33	0 83					26 94	12 76	0 00	0 00
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	ELINE	PORT (RES)						-				-		1
UNE	Port/Loop Combination Rates [2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17 16					 	 				İ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28 12										
 	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43 00										
UNE	Loop Rates		1													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	ÜEPFR	UECF2	14 97				-	ļ					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR UEPFR	UECF2 UECF2	25 93 40 81					<u> </u>		-			
2 141	2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFR	UECFZ	40 81						-				
2-9917	2-Wire voice unbundled port - residence	-	+	UEPFR	UEPRL	2 19	225 00	225 00					40 18	9 45		1
	2-Wire voice unbundled port with Caller ID - res	1	1	UEPFR	UEPRC	2 19	225 00	225 00				1	40 18	9 45		
	2-Wire voice unbundled port outgoing only - res		1	UEPFR	UEPRO	2 19	225 00	225 00			I		40 18	9 45		
	2-Wire voice unbundles res, low usage line port with Caller ID	1														
	(LUM)	1	1	UEPFR	UEPAP	2 19	225 00	225 00					40 18	9 45		ļ
INTE	ROFFICE TRANSPORT	-	-		-						-				.	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	1	İ	UEPFR	U1TV2	18 00	140 00	71 00	ļ						İ	ı
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		<u> </u>	OLI III	011112	1000	170 00					<u> </u>	†		1	
	or Fraction Mile		1	UEPFR	1L5XX	0 0125										
FEAT	TURES															
	All Features Offered			UEPFR	UEPVF	3 40	0 00	0 00	_	<u> </u>		ļ	40 18	9 45		
LOCA	AL NUMBER PORTABILITY	1	ļ	l lieben	LUBOY	0.05				-	 	ļ	 		 	1
L	Local Number Portability (1 per port)	1	-	UEPFR	LNPCX	0 35				-	-	 	 		+	
NONI	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED [2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+	+-		1			-	+	 		t	1		-	T
1	Combination - Conversion - Switch-as-is			UEPFR	USAC2		9 03	1 87					40 18	9 45		<u> </u>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+	1	1 2 2 2												
	Combination - Conversion - Switch-With-Change	<u></u>		UEPFR	USACC		9 03	1 87					40 18	9 45	·	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	: [i	26 94	12 76	0 00	0.00
	End User Premise	<u></u>		UEPFR	URETN		11 20	1 10		 	 	 	26 94	12 /6	1 000	1 - 000
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	ELINE	PORT	(ROS)		ļ				 	+	 	+		+	1
UNE	Port/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	+	+ 1	 		17 16		_	 		<u> </u>	—				
H-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	+	2	<u> </u>		28 12			T							
	In the to coopie that point of combo Long L		3			43 00						1			10	1

BUNDLED NETWORK ELEMENTS - North Carolina												Attach	ment 2	Exhi	bit B
EGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
					Rec	Nonrec			g Disconnect				Rates (\$)		· <u> </u>
					Rec	First	Add'l	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Loop Rates															
2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14 97				<u> </u>						
2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25 93				_						
2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	40 81									-	
2-Wire Voice Grade Line Port (Bus)		ـــــ					205.00					40 18	9 45	-	
2-Wire voice unbundled port without Caller ID - bus		<u> </u>	UEPFB	UEPBL	2 19	225 00	225 00					40 18	9 45	-	
2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2 19	225 00	225 00					40 18	9 45		
2-Wire voice unbundled port outgoing only - bus	-		UEPFB	UEPBO	2 19	225 00 225 00	225 00 225 00			-	L	40 18	9 45	-	
2-Wire voice unbundled incoming only port with Caller ID - Bus	<u> </u>	<u> </u>	UEPFB	UEPB1	2 19	225 00	225 00			+		40 16	9 45		
LOCAL NUMBER PORTABILITY	1			LUDGY	0.35		-				-				· · ·
Local Number Portability (1 per port)	ļ	₩	UEPFB	LNPCX	0.35				+	+					
INTEROFFICE TRANSPORT		ऻ—								 	-				ļ
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	18 00	140 00	71 00								
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0 0125	•					ļ				
FEATURES										<u> </u>		40 18	9 45		
All Features Offered			UEPFB	UEPVF	3 40	0 00	0 00		-	-		40 18	9 45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	<u> </u>								·					
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		9 03	1 87					40 18	9 45		
2-Wire Loop / Dedicated 10 Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		9 03	1 87					40 18	9 45		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11 20	1 10		_			26 94	12 76	0.00	d
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE	PORT (PBX)							ļ	↓				1
UNE Port/Loop Combination Rates												ļ. ——			+
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17 16							-	ļ		
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28 12				 		ļ	 		 	+
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3			43 00				+				1		
UNE Loop Rates	↓	+	LIESES.	UECF2	14 97				-	 				†	
2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP		25 93			-	 	+			-	<u> </u>	· · · · · · · · · · · · · · · · · · ·
2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFP UEPFP	UECF2	40 81			 	+	+		 			
2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFP	UECFZ	40.61				+		1			····	
2-Wire Voice Grade Line Port Rates (BUS - PBX)		1						 	+	+	·		·		 -
			UEPFP	UEPPC	2 18	225 00	225 00					40 18	9 45		1
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		-	UEPEP	UEPPO	2 18	225 00	225 00				 	40 18	9 45		·
Line Side Unbundled Outward PBX Trunk Port - Bus	+		UEPFP	UEPP1	2 18	225 00	225 00		-	 	<u> </u>	40 18		+	
Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPFP	UEPLD	2 18	225 00	225 00		·			40 18			
2-Wire Voice Unbundled PBX LD Terminal Ports	+	+	UEPFP	UEPXA	2 18	225 00	225 00		+-	 	-	40 18		t -	
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	+	ļ	UEPFP	UEPXB	2 18	225 00	225 00		 		 	40 18			+
			UEPEP	UEPXC	2 18	225 00	225 00		_		1	40 18			
2-Wire Voice Unbundled PBX LD DDD Terminals Port	+		UEPFP	UEPXD	2 18	225 00	225 00		····	-	+	40 18			
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	-	 			2 18	225 00	225 00					40 18			
Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	UEPFP	UEPXE					1			40 18			
Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	┼		UEPFP	UEPXL	2 18	225 00	225 00					40 18			
Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		\vdash	UEPFP	UEPXM	2 18	225 00	225 00		+			40 18			
Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-		UEPFP UEPFP	UEPXO UEPXS	2 18 2 18	225 00 225 00	225 00 225 00	<u> </u>	<u> </u>			40 18	9 45		
LOCAL NUMBER PORTABILITY															1
Local Number Portability (1 per port)	1	1	UEPFP	LNPCP	3 15	0 00	0.00	1				40 18	9 45		
INTEROFFICE TRANSPORT												1			-
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	18 00	140 00	71 00					<u></u>	<u> </u>		

JNBUNDLED NETWO	ORK ELEMENTS - North Carolina												Attach	ment 2	Exhi	bit B
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremen
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l		Manual S Order vs Electroni Disc Add
			ļ .			Rec	Nonre	urring	Nonrecurrin	g Disconnect			OSS	Rates (\$)	l	I .
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoffice or Fraction	Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	1L5XX	0 0125										
FEATURES	ivile			OLFIF	123/00	0 0123										
All Feature				UEPFP	UEPVF	3 40	0 00	0 00		<u> </u>			40 18	9 45		
	CHARGES (NRCs) - CURRENTLY COMBINED															
	pp / Dedicated IO Transport / 2 Wire Line Port												l			
	on - Conversion - Switch-as-is op / Dedicated IO Transport / 2 Wire Line Port	ļ		UEPFP	USAC2		9 03	1 87					40 18	9 45		
Combinati	on - Conversion - Switch with change		ļ	UEPFP	USACC		9 03	1 87					40 18	9 45		
	d Miscellaneous Rate Element, Tag Designed Loop at			UEPFP	URETN		11 20	1 10					26 94	12 76	0 00	0
End User	Premise P COMBINATIONS - COST BASED RATES	 		OCPEP	UKEIN		1120	1 10		+	1	 	20 94	12 (0	0.00	1
	RADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT		-				-			-	İ				
	ombination Rates	[i													
	Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20 97										ļ
	Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	ļ	2			27 80 37 08				1						ļ
	Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		<u> </u>	37 08				 						
UNE Loop Rates	alog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8 85				+		-				1
	alog Voice Grade Loop - (SL2) - UNE Zone 2	1		UEPPX	UECD1	15 68										
2-Wire An	alog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UECD1	24 96										
UNE Port Rate													, i			
	Ports - 2-Wire DID Port		<u> </u>	UEPPX	UEPD1	12 12	224 81	188 40					40 18	9 45		ļ
	CHARGES - CURRENTLY COMBINED									ļ						-
Switch-as-				UEPPX	USAC1		13 26	8 39			ļ		53 89	11 34		
	ce Grade Loop / 2-Wire DID Trunk Port Conversion outh Allowable Changes			UEPPX	USA1C		13 26	8 39					53 89	11 34	ĺ	
ADDITIONAL NRO											T					
2-Wire DIE	Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 49						40 18	9 45		
	d Miscellaneous Rate Element, Tag Designed Loop at												00.04	40.70	0.00	0
End User			-	UEPPX	URETN		11 20	1 10				<u> </u>	26 94	12 76	0 00	'
	er/Trunk Group Establisment Charges Termination (One Per Port)			UEPPX	NDT	0 00	0 00	0 00		+	1				<u> </u>	
	ers, Establish Trunk Group and Provide First Group		 	OLI I X	110		0.00				<u> </u>					
of 20 DID		į		UEPPX	NDZ	0 00	0 00	0 00								
Additional	DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0.00							- '	
	ers, Non- consecutive DID Numbers, Per Number			UEPPX	ND5	0 00	0 00	0 00		1						
	on-Consecutive DID numbers			UEPPX	ND6	0 00	0 00	0.00			<u> </u>					
	ID Numbers			UEPPX	NDV	0 00	0 00	0.00			<u> </u>	ļ				
LOCAL NUMBER	iber Portability (1 per port)	-		UEPPX	LNPCP	3 15	0.00	0 00			+					
	ITAL GRADE LOOP WITH 2-WIRE ISON DIGITAL LI	NE SIDI		OLI I A	EIII OF		3 00	- 500		<u> </u>		-	l	-		
	ombination Rates	1	1					-								
	Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB UEF	PPR	38 84										
2W ISDN	Digital Grade Loop/2W ISDN Digital Line Side Port -															
UNE Zone	2 Digital Grade Loop/2W ISDN Digital Line Side Port	-	2	UEPPB UEP	PR	50 01		<u> </u>		-						
UNE Zone			3	UEPPB UEP	PR	65 18				1						
UNE Loop Rates																ļ
	N Digital Grade Loop - UNE Zone 1		1	UEPPB UEPI	PR USL2X	14 47					<u> </u>	ļ				_
			Ⅰ.]							1					1	
	ON Digital Grade Loop - UNE Zone 2				PR USL2X	25 64 40 81				+	+		 	 -		+
	ON Digital Grade Loop - UNE Zone 3		3	UEPPB UEPI	PR USL2X	40.81				1	+	 				1
UNE Port Rate	Port - 2-Wire ISDN Line Side Port	 		UEPPB UEPF	R UEPPB	24 37	388 20	302 77		 		<u> </u>	19 99	19 99	† ·	
	CHARGES - CURRENTLY COMBINED	-	+	OLITO OLIFE	., OLITO	2437	300 20	50271	 	+						

**************************************	NETWORK ELEMENTS - North Carolina			,		,									ment [.] 2		bit [.] B
TEGORY	RATE ELEMENTS	Inten m	Zone	E	acs	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
							Rec	Nonrec		Nonrecurring					Rates (\$)		
						ļ	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			шерев	UEPPR	USACB	0 00	174 35	174 35								
	Combination - Conversion NAL NRCs			UEPPB	UEPPR	USACB	0.00	174 35	174 35			-					
	Inbundled Miscellaneous Rate Element, Tag Designed Loop at	-	-	 		+									 		
	ind User Premise		,	UEPPB	UEPPR	URETN		11 20	1 10	i							
	Inbundled Miscellaneous Rate Element, Tag Loop at End User			92.11		10.10.11			-								
	Premise		į .	UEPPB	UEPPR	URETL		8 33	0.83					26 94	12 76	0.00	
	NUMBER PORTABILITY																
Lo	ocal Number Portability (1 per port)	1		UEPPB	UEPPR	LNPCX	0 35	0 00	0.00								
B-CHANN	NEL USER PROFILE ACCESS																
C/	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0 00	0 00	0 00			L					
	VS (EWSD)		1	UEPPB	UEPPR	U1UCB	0 00	0 00	0 00								
	SD			UEPPB	UEPPR	U1UCC	0 00	0.00	0 00						ļ	ļ	ļ
	NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)			ļ											1
	RMINAL PROFILE		 	UEEEE	HEARE	L CALLIN AA	ļ	2.22	0 00						 		
	Jser Terminal Profile (EWSD only)	-	Ļ	UEPPB	UEPPR	UTUMA	0.00	0 00	0 00			-					
	AL FEATURES	ļ.——	<u> </u>	HEDDD	UEPPR	LIEDVE	3 40	0.00	0 00								
	Vertical Features - One per Channel B User Profile		<u> </u>	UEPPB	UEPPR	UEPVF	3 40	0.00	0 00								
	nteroffice Channel mileage each, including first mile and		1	ļ	_	1											
	actities termination			HEDDR	UEPPR	M1GNC	18 0282	137 48	52 58					19 99	19 99		
	nteroffice Channel mileage each, additional mile	-	 			MIGNM	0 0282	0 00	0.00					10 00	70.00		
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	<u> </u>	02110	OLITI	101101101	0 0202	0.00	- 000								- · · · -
The UNE	-P DS1 combination rates below for in this rate exhibit appl	v to the	embed	ded base	e in place a	is of 10/2/03 u	ntil 4/1/04 Aft	er 4/1/04 these	rates shall re-	ert to tariff rate	es or a separa	te commerci	al agreeme	nt.			
Requests	s for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	runk P	ort afte	r the effe	ctive date of	of this amend	ment shall be p	rovided pursi	ant to a separ	ate agreement	or tariff at Bel	South's dis	cretion				
	t/Loop Combination Rates			T													
4V	W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																1
	one 1		1	UEPPP			226 55										
4V	W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			263 28										
	W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			l													
	Zone 3	L	3	UEPPP			313 15										
UNE Loop		ļ	-	UEPPP		USL4P	47 54								ļ	·	
	-Wire DS1 Digital Loop - UNE Zone 1		2	UEPPP		USL4P USL4P	84 27								1		
	-Wire DS1 Digital Loop - UNE Zone 2 -Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	134 14										1
UNE Port			13	UEFFF		U3L4F	134 14										
UNE POR	exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)	-	├	UEPPP		UEPPP	179 01	956 47	663 10					19 99	19 99		
	CURRING CHARGES - CURRENTLY COMBINED	 	1	JULIUF F		JE: 11	17.5 01	300 47	303 10			· · · · · ·			1		1
	-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		+			-											
	Combination - Conversion - Switch-as-is (E 4/1/2004)		1	1											-		
		i	1	IUEPPP		USACP	0 00	481 51	481 51								
		<u> </u>	\vdash	UEPPP		USACP	0 00	481 51	481 51								
ADDITION	NAL NRCs			UEPPP		USACP	0 00	481 51	481 51								
ADDITION 4-V	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		USACP PR7TG	0 00	481 51 1 17	481 51 1 17								
ADDITION 4-V Su	NAL NRCs						0.00		1 17								
ADDITION 4-1 Su 4-1	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)						0 00										
ADDITION 4-1 Su 4-1 Ac 4-1	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent schwiy Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP		PR7TG PR7TP	0 00	1 17 28 17	1 17 28 17								
ADDITION 4-1 Su 4-1 Ac 4-1 Sc	MAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent kclivity Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP		PR7TG	0 00	1 17	1 17								
ADDITION 4-1 Su 4-1 Ac 4-1 St LOCAL NI	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent scivity Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers VUMBER PORTABILITY			UEPPP UEPPP UEPPP		PR7TG PR7TP PR7ZT		1 17 28 17	1 17 28 17								
ADDITION 44-1 Su 44-1 Ac 44-1 St LOCAL NI	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent kctivity Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP		PR7TG PR7TP	0 00	1 17 28 17	1 17 28 17								
ADDITION 4-1 Su 4-1 Ac 4-1 LOCAL NI LOCAL NI INTERFAC	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent ketindy Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP UEPPP UEPPP		PR7TG PR7TP PR7ZT LNPCN	1 75	1 17 28 17 56 33	1 17 28 17 56 33								
ADDITION 4-1 Su 4-1 AG 4-2 St LOCAL NI INTERFAC	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent schwty Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP UEPPP UEPPP UEPPP		PR7TG PR7TP PR7ZT LNPCN PR71V	175	1 17 28 17 56 33	1 17 28 17 56 33								
ADDITION 4-1 Su 4-1 Acc 4-1 St LOCAL NI Lo INTERFAC	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent scivity Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP UEPPP UEPPP UEPPP		PR7TG PR7TP PR7ZT LNPCN PR71V PR71D	175	1 17 28 17 56 33 0 00 0 00	1 17 28 17 56 33 0 00 0 00								
ADDITION 4-1 Students 4-2 St. LOCAL NI LOCAL	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent ketindy Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP UEPPP UEPPP UEPPP		PR7TG PR7TP PR7ZT LNPCN PR71V	175	1 17 28 17 56 33	1 17 28 17 56 33								
ADDITION A.1 Stu A.2 A.2 A.3 St. LOCAL NI LO INTERFAA Di INTERFAA NO New or AA	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent kclivity Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers NUMBER PORTABILITY OCAL Number Portability (1 per port) ACE (Provsioning Only) Cocc/Data Digital Data Neward Data Additional "B" Channel			UEPPP UEPPP UEPPP UEPPP UEPPP		PR7TG PR7TP PR7ZT LNPCN PR71V PR71D PR71E	175 0 00 0 00 0 00	1 17 28 17 56 33 0 00 0 00 0 00	1 17 28 17 56 33 0 00 0 00					19 99	19 99		
ADDITION 4.4 St. 4-1 St. LOCAL NI INTERFAC	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent ketinty Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		PR7TG PR7TP PR7ZT LNPCN PR71V PR71D PR71E PR7BV	175 000 000 000 000	1 17 28 17 56 33 0 00 0 00 0 00 36 92	1 17 28 17 56 33 0 00 0 00					19 99	19 99		
ADDITION 4.1 Su 4-1 Ac 4-1 St UCAL NI INTERFAC INTERFAC New or AC	NAL NRCs -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) -Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent kclivity Outward tel nos (NC only) -Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers NUMBER PORTABILITY OCAL Number Portability (1 per port) ACE (Provsioning Only) Cocc/Data Digital Data Neward Data Additional "B" Channel			UEPPP UEPPP UEPPP UEPPP UEPPP		PR7TG PR7TP PR7ZT LNPCN PR71V PR71D PR71E	175 0 00 0 00 0 00	1 17 28 17 56 33 0 00 0 00 0 00	1 17 28 17 56 33 0 00 0 00								

MRONDFEL	NETWORK ELEMENTS - North Carolina												Attach	ment. 2	Exhi	bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge -	Incremental Charge -		Incremen Charge
					Ì								1st	Add'l	Disc 1st	Disc Ad
						Rec		urring	Nonrecurrin	g Disconnect		•		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Inward	l		UEPPP	PR7C1	0 00	0 00	0 00			1					
	Outward			UEPPP	PR7CO	0 00	0 00	0 00			I					
1	Two-way			UEPPP	PR7CC	0 00	0 00	0 00								
Interoffi	ice Channel Mileage															
	Fixed Each Including First Mile	i		UEPPP	1LN1A	71 8653	217 17	163 75	0 00				19 99	19 99		
	Each Airline-Fractional Additional Mile	}		UEPPP	1LN1B	0 5753										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	l														
	E-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt			
	ts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective d	ate of	this amendment sh	all be provide	d pursuant to	a separate agre	ement or tanff	at BellSouth	's discretion.						
UNE Po	rt/Loop Combination Rates									l	L					ļ
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		171 06				ļ						
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		207 79				1	1					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	257 66				1	1					
	op Rates		<u> </u>								1					L
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47 54				1	1					L
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	84 27										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134 14										
UNE Po					_l											
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC	UDD1T	123 52	831 43	491 39					19 99	19 99		
	CURRING CHARGES - CURRENTLY COMBINED]														
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
1 1	- Switch-as-is (E 4/1/2004)			UEPDC	USAC4		490 38	490 38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E 4/1/2004)			UEPDC	USAWA		490 38	490 38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				<u> </u>						1					
1	- Conversion with Change - Trunk (E 4/1/2004)			UEPDC	USAWB		490 38	490 38			1					
ADDITIO	ONAL NRCs				· ·						1					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		127 63	127 63					!			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		1													
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA	1	28 81	28 81					ł			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1													
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 81	28 81			1		1			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Channel	1								1						
	Activation/Chan Inward Trunk w/out DID		1	UEPDC	UDTTC	,	28 81	28 81			ł		19 99	19 99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1														
	Activation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTD		28 81	28 81		1			19 99	19 99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans		ĺ	UEPDC	UDTTE		28 81	28 81								
BIPOLA	R 8 ZERO SUBSTITUTION	1														
	B8ZS -Superframe Format			UEPDC	CCOSF		0 001	615 00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 001	615 00s								
Alternat	te Mark Inversion		i													
	AMI -Superframe Format	T	i	UEPDC	MCOSF		0 00	0 00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0 00								
	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00					1		19 99	19 99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					1		19 99	19 99		ļ
	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00							19 99	19 99		
	DID Numbers, Establish Trunk Group and Provide First Group										1]			1
	of 20 DID Numbers			UEPDC	NDZ	0 00	0.00	0 00								
	DID Numbers for each Group of 20 DID Numbers	1	1	UEPDC	ND4	0 00										
	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPDC	ND5	0 00										
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0.00	0 00								
	Reserve DID Numbers	1	1	UEPDC	NDV	0 00	0.00	0 00					L			1
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop		Trunk Port		·									
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	T	["									1	1
	Termination)	1	1	UEPDC	1LNO1	71 29	217 17	163 75	0 00	0 00	1		19 99	19 99		1

NBUNDLED NETWORK ELEMENTS - North Carolina													ment: 2		bit B
TEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
					Rec	Nonrec		Nonrecurring					Rates (\$)		
					Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
															į
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 5753	0.00	0 00								
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
Termination)			UEPDC	1LNO2	0 00	0 00	0 00						L	ļ	
Interoffice Channel Mileage - Additional rate per mile - 9-25	1														
miles	<u> </u>		UEPDC	1LNOB	0 5753	0 00	0 00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities												}			
Termination)			UEPDC	1LNO3	0 00	0 00	0 00	0 00						L	
														1	1
Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 5753	0.00	0.00								1
Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0.00	0 00		+		 	ļ	-	-
Central Office Termininating Point	1	<u> </u>	UEPDC	CTG	0 00							ļ		 	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT		<u> </u>								1			 		
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Ac	ivation	₹ <u>.</u>	Ļ <u> </u>							4				ļ	+
Each System can have up to 24 combinations of rates depending or	type a	nd num	ber of ports used	<u> </u>			1	(02	A64 4/4/04	45	shall savest	to toriff rates	or a constrate	paraement	
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with	Channe	ization	with Port in this	rate exhibit app	ly to the embe	dded base in p	lace as of TU/2	703 Until 4/1/04	. Arter 4/1/04	tnese rates :	Sitali revert	lo tarrii rates	Of a Separate	agreement.	-
Requests for 4-Wire DS1 Loop with Channelization with Port after the	ne effect	ive dat	e of this amendme	ent shall be pro	vided pursuan	t to a separate	agreement or	tann at BellSo	utn's discreti	on.					
UNE DS1 Loop							0.00							ļ	
4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	47 54	0 00	0 00								
4-Wire DS1 Loop - UNE Zone 2	1		UEPMG	USLDC	84 27	0 00	0 00						 	ļ	
4-Wire DS1 Loop - UNE Zone 3	1	3	UEPMG	USLDC	134 14	0.00	0 00			ļ			1		
UNE DSO Channelization Capacities (D4 Channel Bank Configuration	ns)						0.00				ļ	40.00	19 99	 	
24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	123 06	0 00	0 00			1		19 99 19 99	19 99	ļ	-
48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246 12	0 00	0 00					19 99			
96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492 24	0.00	0 00								
144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738 36	0 00	0 00			ļ		19 99	19 99 19 99		
192 DS0 Channel Capacity -1 per 8 DS1s	1		UEPMG	VUM19	984 48	0.00	0 00					19 99			
240 DS0 Channel Capacity - 1 per 10 DS1s	1	ļ	UEPMG	VUM2O	1,230 60	0.00	0 00					19 99 19 99			
288 DS0 Channel Capacity - 1 per 12 DS1s	<u> </u>		UEPMG	VUM28	1,476 72	0 00	0 00					19 99			
384 DS0 Channel Capacity - 1 per 16 DS1s	1		UEPMG	VUM38	1,968 96	0 00	0.00			 					
480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461 20	0.00	0 00					19 99			
576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2.953 44	0.00	0.00			ļ		19 99			
672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445 68	0 00	0 00			ļ		19 99	19 99		
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wi	th Chan	neliztio	n with Port - Con	version Charge	Based on a Sy	stem						ļ	ļ		1
A Minimum System configuration is One (1) DS1, One (1) D4 Chann	el Bank,	and U	To 24 DSO Ports	s with Feature A	Activations.								ļ		↓
Multiples of this configuration functioning as one are considered A	dd'l afte	er the n	unimum system c	onfiguration is	counted.										
NRC - Conversion (Currently Combined) with or without	1							1	1		1	45	10.00		
BellSouth Allowed Changes		ŀ	UEPMG	USAC4	0 00	330 61	16 64					19 99	19 99		1
System Additions at End User Locations Where 4-Wire DS1 Loop w	ith Chai	nneliza	tion with Port Con	nbination Curre	ently Exists and	<u>d</u>					_	<u> </u>			ļ
New (Not Currently Combined) in all states, except in Density Zone															
1 DS1/D4 Channel Bank - Additionally Add NRC for each Port										1	1		40.55	1	
and Assoc Fea Activation (E 4/1/2004)	1	1	UEPMG	VUMD4	0 00	743 74	326 22	149 02	17 68			19 99	19 99	 	-
Bipolar 8 Zero Substitution										1		ļ	ļ		
Clear Channel Capability Format, superframe - Subsequent										1		1	ì		1
Activity Only	i		UEPMG	CCOSF	0 00	0 001	615 00s			1				ļ——	
Clear Channel Capability Format - Extended Superframe -		l l						1		1			1		
Subsequent Activity Only	1	1	UEPMG	CCOEF	0.00	0 001	615 00s		<u></u>		-	 	1	+	
Alternate Mark Inversion (AMI)					ļ					1	ļ	_		+	
Superframe Format			UEPMG	MCOSF	0 00		0 00				<u> </u>	 	-		_
Extended Superframe Format			UEPMG	MCOPO	0 00	0 00	0 00		<u> </u>		l	1	-	+	
Exchange Ports Associated with 4-Wire DS1 Loop with Channelizat	ion with	Port			L							ļ	ļ <u> </u>		_
Exchange Ports								<u> </u>	ļ					-	ļ.——
Line Side Combination Channelized PBX Trunk Port - Business	T									.1					
(E 4/1/2004)			UEPPX	UEPCX	2 28	0 00	0 00	0 00	0.00	<u> </u>		40 18	9 45	_	+
Line Side Outward Channelized PBX Trunk Port - Business										.	1	40.40	0.45		1
(E 4/1/2004)		Ш.	UEPPX	UEPOX	2 28	0 00	0 00	0 00	000	-		40 18	9 45	1	
Line Side Inward Only Channelized PBX Trunk Port without DID							1		1	. [1	
(E 4/1/2004)	ŀ	1	UEPPX	UEP1X	2 28	0 00	0 00	0 00	0.00) [1	40 18	9 45	1	1

	D NETWORK ELEMENTS - North Carolina										,			ment 2		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	,	
			<u> </u>				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
<u> </u>	(E 4/1/2004)	ļ		UEPPX	UEPOM	13 26	0 00	0 00	0 00	0 00			40 18	9 45		
Featur	e Activations - Unbundled Loop Concentration														 	
	Feature (Service) Activation for each Line Port Terminated in D4			LIEDDY	4501484	0.55	20.02	40.04	4.45	4.40	1		40 18	0.45	İ	
	Bank		+	UEPPX	1PQWM	0 65	25 27	13 34	4 15	4 12			40 18	9 45	ļ	
\	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0 65	77 75	18 33	58 74	11 48		[40 18	9 45	l '	1
7-1	none Number/ Group Establishment Charges for DID Service	-		UCFPX	IFQVO	0.00	11 15	10 33	56 74	11 40			40 16	343		
l elepi		-		UEPPX	NDT	0.00	0.00	0 00					-			
	DID Trunk Termination (1 per Port)		 	UEPPX	NDZ	0 00	0 00	0 00			 					
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0.00	0 00	0.00			+		 		 	-
		<u> </u>	+					0 00			 					
	Non-Consecutive DID Numbers - per number		+	UEPPX	ND5 ND6	0 00	0 00	0 00				 	 	 		<u> </u>
<u> </u>	Reserve Non-Consecutive DID Numbers	 	+			0 00					 	-	-	ļ		
 	Reserve DID Numbers	ļ	+	UEPPX	NDV	0 00	0 00	0 00		<u> </u>	 		ļ		 	1
Local	Number Portability				1,1,000											
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00	Ļ		<u> </u>					
	JRES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only												<u> </u>	ļ		
	All Features Available	L		UEPPX	UEPVF	3 40	0 00	0.00					40 18	9 45		
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	t Based Rates are applied where BellSouth is required by FCC														.	
	tures shall apply to the Unbundled Port/Loop Combination - C													:		· · · · · · · · · · · · · · · · · · ·
3 Enc	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section	of this rate exh	ihit shall apply	to all combina	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NE	Co man
3 End 4 The	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co	Usage	rates in	the Port section	of this rate exh	ihit shall apply	to all combina	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinatently Combine	ions. ed sections.	Additional NR	Cs may
3 End 4 The apply	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly	Usage urrently	rates ir y Comb	the Port section ined Combos F	of this rate exh or Currently Co	ibit shall apply mbined Combo	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo rring - Curr	op Combinat ently Combin	ions. ed sections.	Additional NR	RCs may
3 End 4 The apply 5. Ma	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cl also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will	Usage urrently	rates ir y Comb	the Port section ined Combos F	of this rate exh or Currently Co	ibit shall apply mbined Combo	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinat ently Combin	ions. ed sections.	Additional NR	Cs may
3 End 4 The apply 5. Ma UNE-F	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)	Usage urrently	rates ir y Comb	the Port section ined Combos F	of this rate exh or Currently Co	ibit shall apply mbined Combo	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinatently Combin	ions. ed sections.	Additional NR	CS may
3 End 4 The apply 5. Ma UNE-F 2-Wire	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Usage urrently	rates ir y Comb	the Port section ined Combos F	of this rate exh or Currently Co	ibit shall apply mbined Combo	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	oop Combinat ently Combin	ions. ed sections.	Additional NR	RCs may
3 End 4 The apply 5. Ma UNE-F 2-Wire	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)	Usage urrently	rates ir y Comb	the Port section ined Combos F	of this rate exh or Currently Co	ibit shall apply mbined Combo	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo rring - Curri	oop Combinat ently Combin	ions. ed sections.	Additional NR	RCs may
3 End 4 The apply 5. Ma UNE-F 2-Wire	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	Usage urrently	rates ir y Comb	n the Port section ined Combos F on an Individual	of this rate exh or Currently Co	ibit shall apply mbined Combo til further notic	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo rring - Curr	op Combinat ently Combina	ions. ed sections.	Additional NR	RCs may
3 End 4 The apply 5. Ma UNE-F 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly riket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rort/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design)	Usage urrently	rates ir y Comb	the Port section ined Combos F	of this rate exh or Currently Co	ibit shall apply mbined Combo	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinatently Combinatently	ions. ed sections.	Additional NR	RCs may
3 End 4 The apply 5. Ma UNE-F 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly rivet Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/Z-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	Usage urrently	rates in y Comb	n the Port section ined Combos F on an Individual UEP95	of this rate exh or Currently Co	ibit shall apply mbined Combo til further notic	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections.	Additional NR	RCs may
3 End 4 The apply 5. Ma UNE-F 2-Wire	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combootort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage urrently	rates ir y Comb	n the Port section ined Combos F on an Individual	of this rate exh or Currently Co	ibit shall apply mbined Combo til further notic	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections.	Additional NR	RCs may
3 End 4 The apply 5. Ma UNE-F 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	Usage urrently	rates ir y Comb lotiated	n the Port section ined Combos F on an Individual UEP95	of this rate exh or Currently Co	ibit shall apply mbined Combo til further notic 13 03 21 33	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NR	RCs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wire UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage urrently	rates in y Comb	n the Port section ined Combos F on an Individual UEP95	of this rate exh or Currently Co	ibit shall apply mbined Combo til further notic	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NR	RCs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wir	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	Usage urrently	rates ir y Comb lotiated	n the Port section ined Combos F on an Individual UEP95	of this rate exh or Currently Co	ibit shall apply mbined Combo til further notic 13 03 21 33	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinatently Combinatently Combinatently	ions.	Additional NF	Cs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wir	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage urrently	rates ir y Comb lotiated	n the Port section ined Combos F on an Individual UEP95 UEP95	of this rate exh or Currently Co	ibit shall apply mbined Combo til further notic 13 03 21 33	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinatently Combinatently Combinatently	ions.	Additional NR	Cs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wir	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/Z-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	Usage urrently	rates ir y Comb lotiated	n the Port section ined Combos F on an Individual UEP95	of this rate exh or Currently Co	ibit shall apply mbined Combo til further notic 13 03 21 33	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinatently	lons.	Additional NF	Cs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wire UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- non-Design	Usage urrently	rates ir y Comb lotiated	n the Port section ined Combos F on an Individual UEP95 UEP95 UEP95	of this rate exh or Currently Co	til further notice 13 03 21 33 32 61	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinatently	ions.	Additional NF	RCs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wire UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 19G Loop/2-Wire Voice Grade Port (Centrex) Combo- 10rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	Usage urrently	rates ir y Comb lotiated	n the Port section ined Combos F on an Individual UEP95 UEP95	of this rate exh or Currently Co	ibit shall apply mbined Combo til further notic 13 03 21 33 32 61	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Lo	op Combinatently	lons.	Additional NF	CCs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wire UNE F	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly rivet Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Oort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	Usage urrently	rates li y Comb otiated 1 2 3	uep95 Uep95 Uep95 Uep95	of this rate exh or Currently Co	til further notic 13 03 21 33 32 61 17 25 28 21	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently	lons.	Additional NF	RCs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wire UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 19G Loop/2-Wire Voice Grade Port (Centrex) Combo- 10rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	Usage urrently	rates li y Comb otiated 1 2 3	n the Port section ined Combos F on an Individual UEP95 UEP95 UEP95	of this rate exh or Currently Co	til further notice 13 03 21 33 32 61	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently	ions.	Additional NF	RCs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wirr UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Usage urrently	rates in y Comb	uep95 Uep95 Uep95 Uep95	of this rate exh or Currently Co	til further notic 13 03 21 33 32 61 17 25 28 21	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently Combinate	lons.	Additional NF	CS may
3 Enc 4 The apply 5. Ma UNE-F 2-Wirr UNE F	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonesign	Usage urrently	rates in y Comb	uep95 Uep95 Uep95 Uep95	of this rate exh or Currently Co	til further notic 13 03 21 33 32 61 17 25 28 21	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently	lons.	Additional NF	CCs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wirr UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Usage urrently	trates in y Comb	n the Port section ined Combos F on an Individual UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	of this rate exh or Currently Co Case Basis, un	13 03 21 33 32 61 17 25 28 21 43 09	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently	ions.	Additional NF	RCs may
3 Enc 4 The apply 5. Ma UNE-F UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 19G Loop/2-Wire Voice Grade Port (Centrex) Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Usage urrently	rates in y Comb	ueps Ueps Ueps Ueps Ueps Ueps Ueps Ueps U	of this rate exh or Currently Co Case Basis, un	13 03 21 33 32 61 17 25 28 21 43 09 10 75	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently Combinate	lons. ed sections.	Additional NF	CS may
3 Enc 4 The apply 5. Ma UNE-F 2-Wirr UNE F	Office and Tandern Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	Usage urrently	rates in y Comb	ueps ueps ueps ueps ueps ueps ueps ueps	of this rate exhor Currently Co Case Basis, un UECS1 UECS1 UECS1 UECS1	13 03 21 33 32 61 17 26 28 21 43 09 10 75 19 05	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently	lons.	Additional NF	ICs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wirr UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 1º G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Usage urrently	rates in y Comb	n the Port section ined Combos F on an Individual UEP95 75 19 05 30 33	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently	ions.	Additional NF	RCs may		
3 Enc 4 The apply 5. Ma UNE-F 2-Wirr UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	Usage urrently	rates if y Comb	ueps Ueps Ueps Ueps Ueps Ueps Ueps Ueps U	of this rate exh or Currently Co Case Basis, un UECS1 UECS1 UECS1 UECS2	13 03 21 33 32 61 17 25 28 21 43 09 10 75 19 05 30 33 14 97	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently	lons. ed sections.	Additional NF	CS may
3 Enc 4 The apply 5. Ma UNE-F 2-Wirr UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 1º G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2	Usage urrently	rates if rates if	ueps Ueps Ueps Ueps Ueps Ueps Ueps Ueps U	of this rate exh or Currently Co Case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13 03 21 33 21 33 32 61 17 26 28 21 43 09 10 75 19 05 30 33 14 97 25 93	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	op Combinatently	lons. ed sections.	Additional NF	CCs may
3 Enc 4 The apply 5. Ma UNE-F 2-Wirr UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly riket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	Usage urrently	rates if rates if	ueps Ueps Ueps Ueps Ueps Ueps Ueps Ueps U	of this rate exh or Currently Co Case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13 03 21 33 21 33 32 61 17 26 28 21 43 09 10 75 19 05 30 33 14 97 25 93	to all combina s, the nonrecu	tions of loop	nort network e	lements excer	t for UNE C	oin Port/Le	ently Combination	ed sections.		RCs may
3 Enc 4 The apply 5. Ma UNE-F 2-WIT UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly riket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	Usage urrently	rates if rates if	ueps Ueps Ueps Ueps Ueps Ueps Ueps Ueps U	of this rate exh or Currently Co Case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13 03 21 33 21 33 32 61 17 26 28 21 43 09 10 75 19 05 30 33 14 97 25 93	to all combina s, the nonrecu	tions of loop	port network e shall be those	lements excer	t for UNE C	oin Port/Le	ently Combine	ed sections.		CS may
3 Enc 4 The apply 5. Ma UNE-F 2-WIT UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/Z-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Coop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Coop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	Usage urrently	rates if rates if	ueps Ueps Ueps Ueps Ueps Ueps Ueps Ueps U	of this rate exhor Currently Co Case Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13 03 21 33 21 33 32 61 17 26 28 21 43 09 10 75 19 05 30 33 14 97 25 93 40 81	to all combina	tions of loop	port network e shall be those	lements excer	t for UNE C	oin Port/Le	ently Combination	ed sections.		CS may
3 Enc 4 The apply 5. Ma UNE-F 2-WIT UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	Usage urrently	rates if rates r	nthe Port section Ined Combos F on an Individual UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	of this rate exhor Currently Co Case Basis, un UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECYS2	13 03 21 33 32 61 17 26 28 21 43 09 10 75 10 75 19 05 30 33 14 97 25 93 40 81	to all combina	tions of loop rring charges	port network e shall be those	lements excer	t for UNE C	oin Port/Le	40 18 40 18	9 45 9 45		RCs may
3 Enc 4 The apply 5. Ma UNE-F 2-WIT UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 1º G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	Usage urrently	rates if rates r	nthe Port section Ined Combos F on an Individual UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	of this rate exhor Currently Co Case Basis, un UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECYS2	13 03 21 33 32 61 17 26 28 21 43 09 10 75 10 75 19 05 30 33 14 97 25 93 40 81	to all combina	tions of loop rring charges	port network e shall be those	lements excer	t for UNE C	oin Port/Le	ently Combine	9 45 9 45		ICS may
3 Enc 4 The apply 5. Ma UNE-F 2-WIT UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 1º G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) 1Basic Local Area	Usage urrently	rates if rates r	n the Port section ined Combos F on an Individual UEP95 UEP95 UEP95 UEP95 br>43 09 10 75 19 05 30 33 14 97 25 93 40 81	to all combinals, the nonrecure	tions of loop rring charges	port network e shall be those	lements excer	t for UNE C	oin Port/Le	40 18 40 18	9 45 9 45		CCs may		
3 Enc 4 The apply 5. Ma UNE-F 2-WIT UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly riket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex 800 termination)	Usage urrently	rates if rates r	nthe Port section Ined Combos F on an Individual UEP95 UEP95 UEP95 UEP95 43 09 10 75 19 05 30 33 14 97 25 93 40 81	to all combinals, the nonrecure	tions of loop rring charges	port network e shall be those	lements excer	t for UNE C	oin Port/Le	40 18 40 18	9 45 9 45		CCs may		
3 Enc 4 The apply 5. Ma UNE-F 2-WIT UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly river Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 1º G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) 1Basic Local Area	Usage urrently	rates if rates r	n the Port section ined Combos F on an Individual UEP95 UEP95 UEP95 UEP95 br>10 75 19 05 30 33 14 97 25 93 40 81 2 28 2 28	to all combinals, the nonrecure	tions of loop rring charges 63 97 63 97	port network e shall be those	lements excer	t for UNE C	oin Port/Le	40 18 40 18	9 45 9 45		CCs may		

TOURDE	ED NETWORK ELEMENTS - North Carolina		-		1						Ta - :			ment 2		bit B
regory	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Charge -	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)	-	,
_					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2 28	79 59	63 97			[40 18	9 45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	DEPT9	2 20	79 59	63.97			-		40 18	9 45		
	Basic Local Area			UEP95	UEPY2	2 28	79 59	63 97	i i			ŀ	40 18	9 45		
NC O				OL: 55	OLI 12	2 20	73 33	00 01					40 10	3 43		
1,100	2-Wire Voice Grade Port (Centrex)		 	UEP95	UEPUA	2 28	79 59	63 97			1		40 18	9 45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2 28	79 59	63 97	· · · · · · · · · · · · · · · · · · ·	-	t		40 18	9 45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPUM	2 28	164 57	128 16			1		40 18	9 45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1										1	
	Term 2,3			UEP95	UEPUZ	2 28	164 57	128 16					40 18	9 45		
i	2-Wire Voice Grade Port terminated in on Megalink or equivalent		L	UEP95	UEPU9	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2 28	79 59	63 97					40 18	9 45		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0 903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0 35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	3 40										1
	All Select Features Offered, per port			UEP95	UEPVS	0 00	457 83					l				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3 40										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARÇX	0 00	0.00	0 00	0 00	0 00		0.00	40 18	9 45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0 00	0.00	0 00	0 00	0 00		0 00	40 18	9 45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0 00	0 00	0.00		0.00	40 18	9 45		
	ellaneous Terminations								<u> </u>							ļ
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	12 36					ļ					1
4-Wir	e Digıtal (1.544 Megabits)				141104	400.05					-		40 18	9 45		ļ
	DS1 Circuit Terminations, each		<u> </u>	UEP95	M1HD1	123 65	28 81						40 18	9 45		
	DS0 Channels Activated, each			UEP95	M1HDO	0 00	28 81			<u> </u>	-		40 18	945		1
Interd	office Channel Mileage - 2-Wire		ļ	UEP95	M1GBC	18 00			-		-				-	_
	Interoffice Channel Facilities Termination		i	UEP95	M1GBM	0 0282			 		+			ļ	-	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	WIGBIN	0 0202										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic nannel Bank Feature Activations	e			-						_	<u> </u>		-		
D4 Cr	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0 65					 					
	reactive Adiivation on D-4 Channel Bank Centrex Loop Stot			ULF 80	11 0113	0 00					 	 		1		<u> </u>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 65				į		l		1		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-		DEF 30	11 00110	- 000			 							
	Slot			UEP95	1PQW7	0 65							ļ		i i	
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 30	11. 4117	0 00										† • • • • • • • • • • • • • • • • • • •
	Different Wire Center			UEP95	1PQWP	0 65								1	i	
-+-	Director Title Control				1	0 00					1			1	1	T
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 65			1		1		l		I	
	Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop		 		1						·					
	Slot			UEP95	1PQWQ	0 65				-	1				l	
	Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP95	1PQWA	0 65										
Non-I	Recurring Charges (NRC) Associated with UNE-P Centrex									1						
	NRC Conversion Currently Combined Switch-As-Is with allowed								1							
	changes, per port			UEP95	USAC2		2.77	0 40	1		1		40 18	9 45		
_	New Centrex Standard Common Block		 	UEP95	M1ACS	0 00	695 11	3				Γ''	40 18	9 45		
	New Centrex Customized Common Block			UEP95	M1ACC	0 00	695 11						40 18	9 45		
	NAR Establishment Charge, Per Occasion		 	UEP95	URECA	0 00	72 73			· ·			40 18	9 45		
Δddit	ional Non-Recurring Charges (NRC)		<u> </u>						1							
70011	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		<u> </u>		1 1				1	1						!
1	Premise		1	UEP95	URETL		8 33	0.83	1	I	1	1	I	1	1	1

MBONDE	ED NETWORK ELEMENTS - North Carolina		,											ment. 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)	,		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			ļ			Rec	Nonrec			ng Disconnect				Rates (\$)		
	<u> </u>		ļ				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	ļ	!			ľ				1				1		1
	End Use Premise		-	UEP95	URETN		11 20	1 10		ļ						
	P CENTREX - DMS100 (Valid in All States)	<u> </u>	-							-						
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ	ļ								ļ					
UNE	Port/Loop Combination Rates (Non-Design)	ļ	<u> </u>		_										_	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEBOD	1											
	Non-Design		1	UEP9D		13 03										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		l							1 .					
	Non-Design		2	UEP9D		21 33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1 1											
	Non-Design		3	UEP9D	1	32 61										
UNE	Port/Loop Combination Rates (Design)			ļ	T											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł		1							1					
	Design		1	UEP9D		17 25									<u></u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		ĺ													
	Design		2	UEP9D		28 21					1 .					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	T	Ţ	I												
	Design	1	3	UEP9D		43 09					1					
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10 75	·									
\neg	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	19 05					1					1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30 33					1					†
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14 97		···			T					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25 93					—					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40 81				1						
LINE	Port Rate	1	Ť	02. 0D	152552	,,,,,				1	!					
ALL	STATES	-	 		+					+	·					
	2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP9D	UEPYA	2 28	79 59	63 97	 				40 18	9 45		
-+	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-	OLF 3D	OLF IA	2 20	19 00	00 81		-			40 10	0 40		
- 1	Area			UEP9D	UEPYB	2 28	79 59	63 97					40 18	9 45		
-	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		-	ULF 9D	OLFIB	2 20	1939	03 97		 			40 18	943		
	Area			UEP9D	UEPYC	2 28	79 59	63 97	1	1			40 18	9 45		
_		-	1	UEF9D	UEFTC	2 20	19 39	03 91					40 10	943		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1	ł	UEP9D	UEPYD	2 28	79 59	63 97					40 18	9 45		
	Area		-	OEP9D	DEPYD	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	l			lue ove	0.00	70.50	00.07			İ		40.40	0.45		
	Area	<u> </u>	<u> </u>	UEP9D	UEPYE	2 28	79 59	63 97			ļ		40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			l												
	Area			UEP9D	UEPYF	2 28	79 59	63 97		1			40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local				İ İ					1						
	Area			UEP9D	UEPYG	2 28	79 59	63 97	ļ	<u> </u>			40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local					1	1									ļ.
	Area			UEP9D	UEPYT	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		l			1										
	Агеа			UEP9D	UEPYU	2 28	79 59	63 97	[i			40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
1	Area		ł	UEP9D	UEPYV	2 28	79 59	63 97	1	1			40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
- 1	Area		1	UEP9D	UEPY3	2 28	79 59	63 97					40 18	9 45		
1	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local					i										
	Area	l	l	UEP9D	UEPYH	2 28	79 59	63 97	<u> </u>	<u> </u>			40 18	9 45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
l	Indication))4 Basic Local Area	1		UEP9D	UEPYW	2 28	79 59	63 97	1				40 18	9 45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area		1	UEP9D	UEPYJ	2 28	79 59	63 97	1				40 18	9 45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	<u> </u>	1	1						1						
	2.3-Basic Local Area		l	UEP9D	UEPYM	2 28	164 57	128 16	i	1			40 18	9 45		
$\overline{}$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		†		 			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	 	1	 					
1	Basic Local Area	I	I	UEP9D	UEPYO	2 28	164 57	128 16	I	1	į l		40 18	9 45		I

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina		,		,				••••		,			ment, 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	COMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		-				riist	Addi	FIFSL	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SOMAN	SUNIAN
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	2 28	164 57	128 16					40 18	9 45		
	Basic Local Area			UEP9D	UEPYQ	2 28	164 57	128 16					40 18	9 45		ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2 28	79 59	63 97					40 18	9 45		
NC O													10.70			
	2-Wire Voice Grade Port (Centrex)	ļ		UEP9D UEP9D	UEPUA UEPUB	2 28 2 28	79 59 79 59	63 97 63 97					40 18 40 18	9 45 9 45		
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4		 -	UEP9D	UEPUG	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPUD	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPUE	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPUF	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		L	UEP9D	ÜEPUU	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		<u> </u>	UEP9D	UEPUV	2 28	79 59	63 97		ļ			40 18	9 45		↓
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPU3	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D	UEPUH	2 28	79 59	63 97		-	-		40 18	9 45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			EBOB			70.50	20.07					40.40	0.45		
	Indication)4		-	UEP9D	UEPUW	2 28	79 59	63 97		-	ļ		40 18	9 45 9 45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1-	UEP9D	UEPUJ	2 28	79 59	63 97		-			40 18	9 45		-
	2,3		<u> </u>	UEP9D	UEPUM	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2 28	164 57	128 16		ļ			40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		ļ	UEP9D	UEPUP	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		<u> </u>	UEP9D	UEPUQ	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPUR	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		<u> </u>	UEP9D	UEPUS	2 28	164 57	128 16					40 18	9 45		-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPU4	2 28	164 57	128 16					40 18	9 45		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2 28	164 57	128 16					40 18	9 45		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2 28	164 57	128 16					40 18	9 45	-	<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2 28	164 57	128 16					40 18	9 45		<u> </u>

BUNDLED NETWORK ELEMENTS - North Carolina													ment. 2		bit B
EGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Order vs Electronic- Add'I	Charge -	Charge
		<u> </u>			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPUZ	2 28	164 57	128 16			COMIZO	COMPAN	40 18	9 45	COMAN	JOHIAN
2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2 28	79 59	63 97					40 18	9 45		
2-Wire Voice Grade Port Terminated in 610 Wieganitk of equivalent	<u> </u>	 	UEP9D	UEPU2	2 28	79 59	63 97			+		40 18	9 45		
Local Switching		1	02.702	02.02		.000	000.								
Centrex Intercom Funtionality, per port	<u> </u>	 	UEP9D	URECS	0 903										
Local Number Portability	-														
Local Number Portability (1 per port)	1		UEP9D	LNPCC	0 35										
Features															
All Standard Features Offered, per port			UEP9D	UEPVF	3 40										
All Select Features Offered, per port			UEP9D	UEPVS	0 00	457 83						40 18	9 45		
All Centrex Control Features Offered, per port			UEP90	UEPVC	3 40										
NARS	1	ļ		Lunav				2.22		ļ		10.10			
Unbundled Network Access Register - Combination		ļ	UEP9D	UARCX	0.00	0 00	0 00	0 00	0.00		0 00	40 18	9 45		
Unbundled Network Access Register - Inward		_	UEP9D	UAR1X	0 00	0 00	0 00	0 00	0.00		0 00	40 18 40 18	9 45 9 45		ļ
Unbundled Network Access Register - Outdial		ļ	UEP9D	UAROX	0 00	0 00	0 00	0 00	0 00		0 00	40 18	9 45		ļ
Miscellaneous Terminations	-	ļ													
2-Wire Trunk Side Trunk Side Terminations, each		 	UEP9D	CEND6	12 36										
4-Wire Digital (1 544 Megabits)	-		OLFSU	CENDO	12 30										
DS1 Circuit Terminations, each	1	1	UEP9D	M1HD1	123 65			· · · · · · · · · · · · · · · · · · ·				40 18	9 45		
DS0 Channels Activiated per Channel		}	UEP9D	M1HDO	0 00	28 81						40.18	9 45		
Interoffice Channel Mileage - 2-Wire	1	 	92.00							+					
Interoffice Channel Facilities Termination	1	<u> </u>	UEP9D	M1GBC	18 00					_					
Interoffice Channel mileage, per mile or fraction of mile		_	UEP9D	M1GBM	0 0282										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4 Channel Bank Feature Activations															l
Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 65										
Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 65										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW7	0 65										
Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			DEPAD	IPQW/	0.65					+					
Different Wire Center		ļ	UEP9D	1PQWP	0 65										
Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 65										
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0 65					1					
Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9D	1PQWA	0 65										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
NRC Conversion Currently Combined Switch-As-Is with allowed	1	1													
changes, per port		l _	UEP9D	USAC2		2 77	0 40			1]	40 18	9 45		
New Centrex Standard Common Block	I		UEP9D	M1ACS	0 00	695 11						40 18	9 45		
New Centrex Customized Common Block			UEP9D	M1ACC	0 00	695 11				1		40 18	9 45		ļ
NAR Establishment Charge, Per Occasion	ļ	<u> </u>	UEP9D	URECA	0 00	72 73				ļ		40 18	9 45		
Additional Non-Recurring Charges (NRC)	1	<u> </u>													ļ
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8 33	0 83								
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11 20	1 10								
Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1	$\overline{}$													
Note 2 - Requres Interoffice Channel Mileage	Ì												1		<u> </u>
Note 3 - Installation is combination of Installation charge for SL2 Lo	op and	Port													└
Note 4 - Requires Specific Customer Premises Equipment									L	1					<u> </u>
Note. Rates displaying an "R" in Interim column are interim and su	bject to	rate tru	e-up as set forth	in General Term	s and Condition	ns.			L		L	L	<u>L</u>	L	<u> </u>

ATEGORY RATE ELEMENTS Meter 1	HNRI	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment. 2	Exhi	bit B
ATTEMPT OF THE PROPERTY OF THE	CITOC	MULL	D NETTOTAL ELEMENTO COUNT COUNT	1				1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
APERIORY RATE ELEMENTS BES BES USOC RATES (I) RECHARDORY RATE SERVICE S					1													
### BCS USC ### BC	1																	Charge -
CAPECIONY PATE ELIMENTS DO SOL DO S	l												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
Bestoring Bestoring Fragment in the welfant for East and shops or loops as part of sometimation in later to Best graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 7 to Visio Graphically Developed URE Zores 2 to Visi	CATEC	ORY	DATE ELEMENTS		Zone	RCS	USOC			RATES (\$)			DAT CD	BAFT SB	Orderve	Orderve	Orderve	Order vs.
The TORY Absent in the supplies of Foreign and some loops at prior or combination relative to Education between the combined and according charges at prior or combination relative to Education between the combined and according charges at prior or combination relative to Education between the combined and according charges at prior or combination relative to Education between the combined and according charges are prior or combination relative to Education between the combined and according charges are prior or combined by the State of Commissions. The CBB charges currently centrated to this size which the state capability of the surface of control growing and the state of the surface of control growing and the state of the surface of control growing and the surface of contro	CATEG	JUKI	KATE CECINETIO	m		200	0000						per Lon	per Lor				1
PART TOWN THE WARD CONTROL TO BE ARRY STATE OF THE STATE				1	1			l						1	Electronic-	Electronic-	Electronic-	Electronic-
The James State Commission of State State (1997) and the second of State State (1997)								1							1st	Add'l	Disc 1st	Disc Add'l
The "Plans" shawn in the sedices for coach alone loops on topics as past of combination refers to Scoppenhously Developed INE Zinner in the sedices for coach alone loops on topics as past of combination refers to Scoppenhously Developed INE Zinner in the sedices for coach alone loops on topics as past of combination refers to Scoppenhously Developed INE Zinner in the sedices for coach alone loops on topics as past of combination refers to Scoppenhously Developed INE Zinner in the sedices of the s					1										1			
The Total Passes in the sections for cancel atons loops of loops as part of combination refers to Scoppolically Developed DEZines. To view displayments planning and the Combination refers to Scoppolically Developed DEZines. To view displayments planning and DEZines. To view displayments planning and DEZines. The Scoppolically Developed DEZines to view displayments are control regional and the Combination of t			 -		1				Monrec	urring	Monrecurring	Disconnect			OSS	Rates (\$)	•	•
The "Zeron" shown in the sestions for stand-stone loops or loops apart of somethination rathers to Geographically Desirence (INF). Desirence (INF) Desirence (INF). Desirence (INF) Desirence (INF). Desirence (IN					-			Rec					601450	0011411			COMAN	SOMAN
he places the transmission halfeolith. Gentlements of the service ordering charge (CEC may be proported). The proportion of the part of the proportion of the part				i					First	Addil	First	Addi	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SOMAN
his place interconnection halfscuth genthscorene _ cite/herbiliterconnection him propagation_data_bettin_action_a																İ		
his place interconnection halfscuth genthscorene _ cite/herbiliterconnection him propagation_data_bettin_action_a		T	- U - L	part of	2 0000	ination refers to Go	ographically	Deaveraged III	JE Zones To	view Geograp	nically Deavers	ged LINE Zone	Designation	ons by Cent	ral Office, refe	er to internet	Nebsite:	
International Compress (1985) - **REGOMAN ACRES** NOTE FLOCK should contact a contract anypotition of market product or a product on the contract anypotition of the contract anypotition of the contract anypotition of the contract anypotition of the contract anypotition of the contract anypotition of the contract and the contract anypotition of the contract anypotition of the contract anypotition of the contract anypotition of the contract any potential contract any potent							grapinoun	bearinged of	12 201100 10									
NOTE (1) CLEC should contact its contract regulator if it perfent he "state specific OSS charges as ordered by the State Commission." The OSS charges cannetly contracted in this rate children's regulator phages, or CLEC can be retained and the state specific Ossession of the state specific Ossession of the state specific Ossession of the state of the sta				connec	tion.ht	<u>n</u>								1		1		
NOTE (1) CLEC should contact its contract regulator if it perfent he "state specific OSS charges as ordered by the State Commission." The OSS charges cannetly contracted in this rate children's regulator phages, or CLEC can be retained and the state specific Ossession of the state specific Ossession of the state specific Ossession of the state of the sta	OPERA	ATIONAL	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1			i					1	1				l
active the state specific Commission ordered rates for the survice ordering charge, and the state specific Commission ordered activatively will be filled exciting to this SOMEC rate in this category reflects the control of the state of the	O. 2.10	HOTE	(4) CLEC about a sentent the contract pagetiator of it profess the	o "etate	cnacif	c" OSS charges as	ordered by t	he State Commi	seione The	ISS charges c	urrently contai	ned in this rate	e exhibit ar	e the BellSo	uth "regional	" service orde	ring charges.	. CLEC may
sech of the 9 states. NOTE: C IN your executation and control disconnecting in this possible can illustration. Provided the control of the provided by the provided and control of the provided by the provided by a covered the through that would be billed to a CLEC once electronic ordering capabilities come on-time for that element. Otherwise, the manual order SONAN, will be applied to a CLEC still when it submits an LSR to BellSouth. OSS - Electronic Sonot Order Charge, Per Local Sonote Request it is submits an LSR to BellSouth. OSS - Electronic Sonote Charge, Per Local Sonote Request it is submits an LSR to BellSouth. SONAN Sonote Clear Charge, Per Local Sonote Request it is submits an LSR to BellSouth. INSTET: The Expedite charge will be maintained commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite charge will be maintained commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite charge will be maintained commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite charge will be maintained commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite charge will be maintained commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite Charge per Critical or Local Science Request in the Commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite Charge per Critical or Local Associated to the Commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite Charge per Critical or Local Associated to the Commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite Charge per Critical or Local Associated to the Commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite Charge per Critical or Local Associated to the Commensurate with BellSouth's PCC No.1 Tairfl, Section S as applicable. NOTE: The Expedite Charge per Crit	1	NOIE	(1) CLEC should contact its contract negotiator if it prefers in	ie state	specii	ic 000 charges as v	ndered by t	ne otate commi		oo anargas a					COL FOLI	• •	4 . 4 .	
sech of the 9 states. NOTE: CLASS Any element disconnecting in this page of the South or this category. Please refer to Ballisouth's Local Ordering thandbook (CA) to determine it a product on the ordered electronically. For the South Association of the state of th		elect e	ither the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service o	rdering charg	e, however, Cl	.EC can not ob	itain a mixture	of the two	regardiess i	f CLEC has a	interconnect	on contract e	established i
NOTE (2) Any element hat can be acriedred electronically will be pilled according to the SOMEC rate Instead in this category. Please refer to Ballisonally at prevant part will be the LOT, the Island SOMEC rate In this category reflects the children to CLEC once electronic ordering capabilities come on himse for that determent of the SOMEC rate In this category reflects the children to LECC once electronic ordering capabilities come on himse for that element Otherwise, the manual order SOMEN, with the applied to a CLEC built when it submitted in LSV to Belfootin. Respect Common Co			6 Ab - O adada a															
The attention be ordered electronically at present part that LOH, the listed SOMEC rate in this cetagory rathers the charge that would be billed to a CLEC once electronic cardining capabilities come on himse for that element. Otherwise, the manual corte SOMES (SOME) SOMES SOME SOME SOME SOME SOME SOME SOME SOME		eacii o	i trie 9 states.			- IL - COMEC II	And in this	t Diese	a rafar ta Balli	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronics	lly Forthos	e elements
SOMAN, with the applied to a CLECk bill when it submits an LSR to BellSourb. OS Electionic Service (Cort Chapp, Per Lord Service Request) SOMEC 3 50 000 3 50 000 (LSR) - LINE Corty SOMAN 15 50 000 197 000 (LSR) - LINE CORTY SOMAN S		NOTE.	(2) Any element that can be ordered electronically will be bill	ed acco	ording t	o the SOMEC rate its	stea in this c	category Pleas	e refer to bella	South & Local	Ordening manu	BOOK (LON) to	determine	ii a product	can be order	eu electronic	iny. 1 01 11103	
SOMAN, with the applied to a CLECk bill when it submits an LSR to BellSourb. OS Electionic Service (Cort Chapp, Per Lord Service Request) SOMEC 3 50 000 3 50 000 (LSR) - LINE Corty SOMAN 15 50 000 197 000 (LSR) - LINE CORTY SOMAN S	1	that ca	annot be ordered electronically at present per the LOH, the list	ed SON	IEC rate	in this category ref	lects the cha	arge that would	be billed to a	CLEC once el-	ectronic orderi	ng capabilities	come on-l	ine for that	element Oth	erwise, the m	anual ordering	g charge,
CSS = Electrons Service Offer Charge, Per Local Services Schmec Schme	1											•						
Recursel (LSR) - LNR Chily SOMEC 3 50 0.00 3.50 0.00		SOMA		ensour	n.									1				Г
GSS - Marval Servec Order Charge - Per Local Servece Request SOMAN 16.50 0.00 1.97 0.00			OSS - Electronic Service Order Charge, Per Local Service												1			1
GSS - Marval Servec Order Charge - Per Local Servece Request SOMAN 16.50 0.00 1.97 0.00		1		l .			SOMEC		3 50	0.00	3 50	0 00			1			1
ILSR- UNE COMY		1	Request (LSR) - DIVE Only	-				 					1					1
UNITE Expedite Charge will be maintained commensurate with BellSouth & FCC No.1 Fairff, Section 5 as applicable.			OSS - Manual Service Order Charge, Per Local Service Request	ļ.	1			l 1					l			1		
WATE The Expedite charge will be maintained commensurate with BillSouth * FCC No.1 Tariff, Section 5 as applicable.			(LSR) - LINE Only		1		SOMAN	1	15 69	0.00	1 97	0.00	l .					
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1. Tariff, Section 3 as applicable.														T				
I.M., II.FAML, LIC., LIFE, LIC., L	UNES	ERVICE	DATE ADVANCEMENT CHARGE										 		+			
I.M., I.E.M.R., LUC. U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.S.F., U.D.F. ILICO U.D.F. ILI	1	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff, Section	n 5 as appli	cable.										-
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNICU, USO, ULOS,	——			1				T							1		1	Į.
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNICU, USO, ULOS,		1		1		LIAL SIEANI LICE									1	1		1
USL, UERTW, UDN. UEA, DHILL U.C. USL, UTIT2, UTIT48, UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT04. UTIT5, UTIT04. UTIT5, UTIT05, UTIT5, UTIT06, UTIT06, UTIT06, UTIT07				1														1
USL, UERTW, UDN. UEA, DHILL U.C. USL, UTIT2, UTIT48, UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT03. UTIT5, UTIT04. UTIT5, UTIT04. UTIT5, UTIT05, UTIT5, UTIT06, UTIT06, UTIT06, UTIT07				I		UEF. UDF. UEQ.				i								
UNE Expedite Charge per Circuit or Line Assignable USOC, per ULDO3, ULDO				1	ł							1						
USE, UTT2, UTT8, UTT03, UTT03, UTT03, UTT03, UTT03, UTT04, UTT04, UTT04, UTT04, UTT04, UTT04, UTT04, UTT05, UTT03, UTT05, UTT03, UTT07, UTT04, UTT04, UTT04, UTT04, UTT04, UTT04, UTT04, UTT04, UC16C, CC16L, UC16C, CC16L, UC16C, CC16L, UC16C, CC16L, UC16C, UC16C, UC16C,				1	1					1		1	l.	1				
UITD, UITDS, UIT	ŀ				1	IDEA, UHL, ULC,		1					i	1				
UITD, UITDS, UIT						USL, U1T12, U1T48,	1	1					1	1	}		i	
USTENDATE OF THE CONTROL OF THE CONT							l						1		į .			
UNE Expedite Charge per Crout or Line Assignable USOC, per UNDBUNCED ED HANCE ACCESS LOOP 2-WIRE MAILOS VOICE GRADE LOOP SENVEL LEW! 1-Zone 1 2-WIRE MAILOS VOICE GRADE LOOP SENVEL LEW! 1-Zone 2 2-WIRE MAILOS VOICE GRADE LOOP SENVEL LEW! 1-Zone 3 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 2 3-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UEANL UEAS 3 4-UE		Į.	1												i		1	
UCIEC, UCICL UCICC, UCICL ULDO3, ULDO3, UDSS, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, UNDOX, ULDO3, ULDO3, UNDOX, UNDOX, UNDOX, UNCOX, UNCNX, UNCOX, UN		1				U1TDX, U1TO3,	1								1	I.		i .
UCIEC, UCIEL UCICC, UCICL UCICC				1		LITEST LITEVX												1
UNE Expedite Charge per Crout or Line Assignable USOC, per ULTUR, UURDA, UNDA,	l.			i	1								1			i		
UC1DC, UC1DL, UC1EC, UC1EC, UC1EC,				1	1					1	1	1				1		
UC1DC, UC1DL, UC1EC, UC1EC, UC1EC,				1	i .	LUCTOR LUCTOR.				1	i	1	1	1		1		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNE Expedite Charge per Circuit or Line Assignable USOC, per UNEUNDLED EXCHANGE ACCESS LOOP 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 1 1 UEANL UEAL2 14 94 37 92 17 62 23 56 5 32 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1				1			! 1						1	l			
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNBUNDLED EXCHANGE ACCESS LOOP ZWIRE ANALO VOICE GRADE LOOP ZWI	1	T .		1			[1 1					1	1	į.		l .	
UCHGC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, UNCNX, U		1		1		UC1EC, UC1EL,	1	1					1	1	l l			
UCHGC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, UCHC, UCHIL, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, UNCNX, U		1		1		DC1EC UC1EL	1										j	
UCHC, UCHL, UDI12, UDI48, UDIC03, UDISX, UES3, UDIC0		1		1											1		1	
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNEUNOLES, UNCX,				1						ŀ					1			
UDLO3, UDLSX				1		UC1HC, UC1HL,						1						1
UDLO3, UDLSX					1	LIDI 12 LIDI 48										1		
UE3, ULD12, ULD48, ULD01, ULD3, ULD04, ULD03, ULD04, ULD					1			1 1								1		
ULD48, ULDD1, ULDDX, UDD1, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDX, UNCX, UNCXX, UNC	1				1			1					ł	i .		1		
ULDD3, ULDD3, ULDDX, ULDD3, ULDDX, ULD31, ULD03, ULD31, ULD03, ULD31, ULD03, ULD31, ULD03, ULD31, ULD03, ULD31, ULD03, UNC1X, UNCX,	§					UE3, ULD12,		1 1				1				1		
ULDD3, ULDD3, ULDDX, ULDD3, ULDDX, ULD31, ULD03, ULD31, ULD03, ULD31, ULD03, ULD31, ULD03, ULD31, ULD03, ULD31, ULD03, UNC1X, UNCX,	l l				1	DI D48 LILDD1						1	l .			1		
ULDG3, ULDG1, ULDG3, UNCOX, UN	1				1			1					1	1	1		Į.	
ULDVX, UNC1X, UNC3X, UNCX, UNC1X, UNC3X, UNCXX, UNCX, UNCX, UNCX, UNCX, UNLD1, UNCXX, UNLD1, UNCXX, UNLD1, UXTD3, UXTD1, UXTD3, UXTD1, UTUD, UTU		1					1											
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UITUG, UITUD,		1				ULDO3, ULDS1,	i						1	1				
UNC 3X, UNC DX	1					DEDVX UNC1X		1					1	1			ł.	
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEDINOLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 14 94 37 92 17 62 23 56 5 32 17 62 17 62 23 56 5 32 17 62 23 56 5 32 17 62		1													1		1	1
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 21 39 37 92 17 62 23 56 5 32 2 2 2 Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26 72 37 92 17 62 23 56 5 32 2 2 2 Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 26 72 37 92 17 62 23 56 5 32 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				1						i						1		1
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEQUALITIES, UTTUD, UTTUD, UTTUD, UTTUB, UTT				1	ł	JUNCNX, UNCSX,					i	ì						
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEQUALITIES, UTTUD, UTTUD, UTTUD, UTTUB, UTT				1		UNCVX UNLD1					į							
UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 14 94 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 14 94 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32	ŀ				ĺ					!				1		1		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP ZWIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 21 39 37 92 17 62 23 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 5 56 5 32 5 56 5 32 56	i				1		ļ.	ĺ		1			ł	1				
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP ZWIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 21 39 37 92 17 62 23 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 2 2 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 3 56 5 32 5 56 5 32 5 56 5 32 56	1	1		1	1	JUXTD3, UXTS1,	i .			1	1		i	1	1	1	I	1
Day	1	1	LINE Expedite Charge per Circuit of Line Assignable LISOC per	1	1		i	1		1	1		1	1	1	1	1	1
UNBUNDLED EXCHANGE ACCESS LOOP		1		1	1		CDACD		200.00	1	1		1	1	!	1	1	1
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 14 94 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21 39 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92				L		OTTUB, OTTUA	SUASP	ļ	200 00					-	 	 		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 14 94 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21 39 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 2 - Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92	LINE	NOI ED	EXCHANGE ACCESS LOOP	1	1		1		l	1	1		L		 			+
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	01400			1	1-	· -	T				1					1		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 UEANL UEAL2 21 39 37 92 17 62 23 56 5 32		Z-WIR		+	+	LICANII	TIENLO	44.04	27.02	17 50	23 56	5 20	T	1				
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21 39 37 92 17 62 23 56 5 32	10	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1										+		 		1
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26 72 37 92 17 62 23 56 5 32 2 4		1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21 39									 	+
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 14 94 37 92 17 62 23 56 5 32		_		+				26.72	37 92	17.62	23.56	5 32			1	ŀ	1	1
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 Unbundled Miscellaneous Rale Element, Tag Loop at End User Premise Premise UEANL URETL 8 33 0 83 UEANL URETL 8 33 0 83		1												+	+			
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21 39 37 92 17 62 23 56 5 32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26 72 37 92 17 62 23 56 5 32 UI-Abundled Miscellaneous Rale Element, Tag Loop at End User Premise UEANL URETL 8 33 0 83 UEANL URETL 8 33 0 83 UEANL URETL 34 23 34 23 UEANL URETL 34 23 34 23 UEANL URETL 35 25 25 25 25 25 25 25 25 25 25 25 25 25			2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL								+	 	+		+
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	+		1	1 2		UEASI	21.39	37 92	17 62	23 56	5 32	1					<u> </u>
Unbundled Miscellianeous Rale Element, Tag Loop at End User UEANL URETL 8 33 0 83 UEANL URETL 1 34 23 34 23 URETL UEANL URETL														1	1			
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEANL URETL 8 33 0 83 UEANL URETL 8 33 34 23 URETL		T	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	JUEANL	ULASL	26 /2	3/ 92	17 62	23 36	3 32	+		+		 	
Premise UEANL URETL 8.33 0.83 Loop Testing - Basic 1st Half Hour UEANL URET1 34.23 34.23		+		1							1	1	1	1	1	1	1	1
	1	1		1	1	LIEANI	HIDETI		8 33	0 83	1	1	1	l	1	1	1	
Loop resting - Basic 1st Hall Hour		1		+	<u> </u>			+					+		T	T	T	T
			Loop Testing - Basic 1st Half Hour	1	1	UEANL	JURET1	1					+	+		+	+	-
Loop Testing - Basic Additional Half Hour UEANL URETA 19 90 19 90		+		1	+		ÜRETA	T	19 90	19 90	1		1	1	1	1		1

UNBL	JNDLE	NETWORK ELEMENTS - South Carolina												Attach	ment 2	Exhi	bit B
														Incremental	Incremental	Incremental	Incremental
			ļ			i l						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	1	ļ							Elec	Manualty	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs
1			m	1	1								, ·	Electronic-	Electronic-	Electronic-	Electronic-
]						1								1st	Add'l	Disc 1st	Disc Add'l
											_						
				└			Rec	Nonrec		Nonrecurring					Rates (\$)		T
								First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch										1				1	
	<u> </u>	(UVL-SL1)		<u> </u>	UEANL	UREWO		15 81	8 96						<u> </u>		
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		1		l	1		40.47						1		
		providing make-up (Engineering Information - E I)		-	UEANL	UEANM		13 47	13 47								
	1	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8 17	8 17								-
	1	Order Coordination for Specified Conversion Time for UVL-SL1	i			l			10.10							1	
		(per LSR)			UEANL	OCOSL		18 13	18 13								-
	2-WIRE	Unbundled COPPER LOOP							16.10	22 66	4 42						
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	!		UEQ	UEQ2X	12 94	36 40	16 10			-					
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	14 51	36 40	16 10	22 66	4 42						
<u></u>	-	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15 02	36 40	16 10	22 66	4 42					-	
Į	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	l		Luso	LIBETI		8 33	0 83	!				1	1		1
	-	Premise 200 de la Constitución d			UEQ	URETL		8 33	0.83								
	1	Manual Order Coordination 2 Wire Unbundled Copper Loop -			UEQ	USBMC		8 17	8 17				1		I	1	1
	1	Non-Designed (per loop)		-	UEU	OSDIVIC		-01/	_ 6 1/							 	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	UEQMU		13 47	13 47	j l				l .	Į.	1	
	ļ	BST providing make-up (Engineering Information - E1)	_		UEQ	URET1		34 23	34 23						i		
		Loop Testing - Basic 1st Half Hour		-	UEQ	URETA		19 90	19 90	-		+					+
	_	Loop Testing - Basic Additional Half Hour	_		DEG	UKETA		19 90	19 90			 			1		
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14 30	7 45			1					
		(UCL-ND)	-	 	UEQ	UKEWU		14 30	7 40		-	+					+
UNBU		XCHANGE ACCESS LOOP		 													+
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP		+						 		 	-		-		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	14 94	37 92	17 62	23 56	5 32	1		ł			
	+	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		+ '-	OEFSR DEFSB	DEALS	14 54	37 32	17 02	25 50	3 02	 	_	-			
i		Zone 1		1	UEPSR UEPSB	UEABS	14 94	37 92	17 62	23 56	5 32				1		
_	 	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		 '	OEF OR OEF OD	OCADO	17 07			2555							<u> </u>
]	Zone 2		2	UEPSR UEPSB	UEALS	21 39	37 92	17 62	23 56	5 32	1	1				
	+	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	_	+	OLI OIL OLI OD	102720		- V. U.L				 				-	
		Zone 2	i	2	UEPSR UEPSB	UEABS	21 39	37 92	17 62	23 56	5 32	1		į.			ļ
·	 -	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	_	 -	021 011 021 02		2.00					·					
		Zone 3		3	UEPSR UEPSB	UEALS	26 72	37 92	17 62	23 56	5 32	1	ļ		1		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		 -	DET OR CET OF	OLI LE								· -			
1		Zone 3		3	UEPSR UEPSB	UEABS	26 72	37 92	17 62	23 56	5 32	1		!		1	i
UNBU	NOLED I	EXCHANGE ACCESS LOOP	_	 ~	DET ON DET OF	02/120	2012					1					
5,450		ANALOG VOICE GRADE LOOP	\vdash	+													
-	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	1													
	1	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16 68	105 98	68 43	53 05	10 61						
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											
	1	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23 13	105 98	68 43	53 05	10 61	L					
_	_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	Ι													1	
	1	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28 46	105 98	68 43	53 05	10 61						1.— —
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 13									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														1	
		Battery Signaling - Zone 1		1	UEA	UEAR2	16 68	105 98	68 43	53 05	10 61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse										1	ľ		1		1
		Battery Signaling - Zone 2		2	UEA	UEAR2	23 13	105 98	68 43	53 05	10 61				ļ —		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		T								1	1	i			
		Battery Signaling - Zone 3		3	UEA	UEAR2	28 46	105 98	68 43	53 05	10 61				 		+
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	ļ	18 13				 		-	 	+	+
		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		87 90	36 44					 		 	+
		Loop Tagging - Service Level 2 (SL2)	-	_	UEA	URETL		11 24	1 10		-					+	1
	4-WIRE	ANALOG VOICE GRADE LOOP		 	<u></u>	1		100.00	94 83	59 35	14 61	-	+		+		+
		4-Wire Analog Voice Grade Loop - Zone 1	-	1	UEA	UEAL4	32 59	132 38 132 38	94 83	59 35	14 61			—			+
		4-Wire Analog Voice Grade Loop - Zone 2	-	2	UEA	UEAL4	43 89		94 83	59 35	14 61		- -			+	
		4-Wire Analog Voice Grade Loop - Zone 3	<u> </u>	3	UEA	UEAL4	43 38	132 38	94 83	59 35	14 61				 	 	+
		Order Coordination for Specified Conversion Time (per LSR)	— —	-	UEA	OCOSL		18 13	00.11		 	+		1	 -	+	+
		CLEC to CLEC Conversion Charge without outside dispatch	1	í	UEA	UREWO		87 90	36 44		L				1		

UNDLED NETWORK ELEMENTS - South Carolina													ment 2		bit 🖪
EGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
		1			Rec	Nonrec	urring	Nonrecurring					Rates (\$)		
					Nec	First	Addʻl	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE ISDN DIGITAL GRADE LOOP		1													
2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25 21	117 58	80 03	53 05	10 61						
2-Wire ISDN Digital Grade Loop - Zone 2	 		UDN	U1L2X	32 76	117 58	80 03	53 05	10 61						
2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37 70	117 58	80 03	53 05	10 61		-				
Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18 13							<u> </u>	1	
CLEC to CLEC Conversion Charge without outside dispatch	 -	+ —	UDN	UREWO		91 82	44 25			 					
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COM	PATIBLE	LOOP		UNEVIO		0.02	1120							1	1
2 Wire Unbundled ADSL Loop including manual service inquiry	T	1001				-		 					·	 	
& facility reservation - Zone 1		1	UAL	UAL2X	12 19	120 84	70 56	50 37	7 93						
2 Wire Unbundled ADSL Loop including manual service inquiry	+	<u> </u>	UAL	UALZA	12 13	120 04	70 30	3001	., 50	 			-	 	
	1	2	UAL	UAL2X	13 71	120 84	70 56	50 37	7 93				1		
& facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry	+	<u> </u>	UAL	UMLZA	1311	120 04	10 30	30.37	, 93			 			
	1	3	UAL	UAL2X	14 14	120 84	70 56	50 37	7 93			İ			
& facility reservation - Zone 3	-	13	UAL	OCOSL	14 14	18 13	70 00	50.37	, 93	 				-	
Order Coordination for Specified Conversion Time (per LSR)	ļ	├	UAL	OCOSE		10 13							-	-	
2 Wire Unbundled ADSL Loop without manual service inquiry &		١		I			57.00	50.07	7.00						
facility reservaton - Zone 1		1	UAL	UAL2W	12 19	95 81	57 82	50 37	7 93						
2 Wire Unbundled ADSL Loop without manual service inquiry &				1								ŀ		!	
facility reservation - Zone 2		2	UAL	UAL2W	13 71	95 81	57 82	50 37	7 93	ļ				ļ	
2 Wire Unbundled ADSL Loop without manual service inquiry &	i													1	ł
facility reservation - Zone 3	1	3	UAL	UAL2W	14 14	95 81	57 82	50 37	7 93	L		1			
Order Coordination for Specified Conversion Time (per LSR)	T		UAL	OCOSL		18 13									
CLEC to CLEC Conversion Charge without outside dispatch			ŲAL	UREWO		86 38	40 48								1
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP								· ·					
2 Wire Unbundled HDSL Loop including manual service inquiry	1	T		-										T	
& facility reservation - Zone 1		1	UHL	UHL2X	9 58	129 52	79 24	50 37	7 93	1	ŀ				
2 Wire Unbundled HDSL Loop including manual service inquiry	+		0110	U. VEEN						1	i				1
& facility reservation - Zone 2		2	UHL	UHL2X	10 92	129 52	79 24	50 37	7 93	i .					
2 Wire Unbundled HDSL Loop including manual service inquiry	+	┝╧╌		0.122.1											-
& facility reservation - Zone 3		3	UHL	UHL2X	11 40	129 52	79 24	50 37	7 93	1					
& facility reservation - Zone 5		<u> </u>	UHL	OCOSL	11 40	18 13	7027			+					<u> </u>
Order Coordination for Specified Conversion Time (per LSR)		-	UnL	OCOSE		16 13							-		
2 Wire Unbundled HDSL Loop without manual service inquiry		١.,	UHL	UHL2W	9 58	104 49	66 50	50 37	7 93					1	
and facility reservation - Zone 1	-	1_	UNL	UNLZW	9 36	104 45	_ 00 30	30 31	, 33					 	ļ
2 Wire Unbundled HDSL Loop without manual service inquiry		١.,	l		40.00	104 49	66 50	50 37	7 93					1	1
and facility reservation - Zone 2		2	UHL	UHL2W	10 92	104 49	66 30	30 31	7 93				1	1	
2 Wire Unbundled HDSL Loop without manual service inquiry		١.				404.40	00.50	50 37	7 93						1
and facility reservation - Zone 3		3	UHL	UHL2W	11 40	104 49	66 50	50 37	7 93	-				1	
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 13							-		
CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 32	40 48					!_		↓	.
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP.	ATIBLE	LOOP								1					
4 Wire Unbundled HDSL Loop including manual service inquiry		I							ł				i		
and facility reservation - Zone 1		1	UHL	UHL4X	16 02	158 18	107 89	55 12	10 38	<u> </u>					
4-Wire Unbundled HDSL Loop including manual service inquiry		1													1
and facility reservation - Zone 2		2	UHL	UHL4X	14 33	158 18	107 89	55 12	10 38	1	l				
4-Wire Unbundled HDSL Loop including manual service inquiry		1								1]		
and facility reservation - Zone 3		1 3	UHL	UHL4X	16 84	158 18	107 89	55 12	10 38				!		l
Order Coordination for Specified Conversion Time (per LSR)	 	l 	UHL	OCOSL	-	18 13			-				T		
4-Wire Unbundled HDSL Loop without manual service inquiry		+	0.1.2	10000	-					1					
and facility reservation - Zone 1		1	UHL	UHL4W	16 02	133 14	95 16	55 12	10 38	i					
4-Wire Unbundled HDSL Loop without manual service inquiry	1	 		- Citation						1					
and facility reservation - Zone 2	l .	2	UHL	UHL4W	14 33	133 14	95 16	55 12	10 38						
4-Wire Unbundled HDSL Loop without manual service inquiry	+	+	OTIL	OT ILTYY	14 00	100 //							T		1
	1	3	UHL	UHL4W	16 84	133 14	95 16	55 12	10 38	I	l		1		1
and facility reservation - Zone 3		+ 3	UHL	OCOSL	10 04	18 13	35 10	- 55 .2		1			T		
Order Coordination for Specified Conversion Time (per LSR)	+	-		UREWO		86 32	40 48	 		 			†		1
CLEC to CLEC Conversion Charge without outside dispatch	_	_	UHL	UKEWO		00 32	40 40		<u> </u>	 		 		1	†
4-WIRE DS1 DIGITAL LOOP		-	LIC)	luci vv	79 51	253 03	157 89	44 80	11 73					1	
4-Wire DS1 Digital Loop - Zone 1	+		USL	USLXX			157 89		11 73			 	 -	-	
4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136 00	253 03			11 73			 		1	
4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	229 15	253 03		44 80	11 /3	 		 -	 	 -	
Order Coordination for Specified Conversion Time (per LSR)	1	1	USL	OCOSL		18 13	L	L			L		1	<u> </u>	1

AROND	ΓĘĎ	NETWORK ELEMENTS - South Carolina													ment 2	Exhi	bit. B
			Interi									Svc Order Submitted Elec		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremen Charge Manual S
TEGOR		RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs Electroni Disc Add
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Kec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101 30	43 13				ĺ				í
4-W	IRE	19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP					ĺ										
	4	Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29 93	126 66	89 12	59 35	14 61						
	4	Wire Unbundled Digital 19.2 Kbps	1	2	UDL	UDL19	33 99	126 66	89 12	59 35	14 61						
		Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34 74	126 66	89 12	59 35	14 61						
		Wire Unbundled Digital Loop 56 Kbps - Zone 1	i		UDL	UDL56	29 93	126 66	89 12	59 35	14 61						
	4	Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33 99	126 66	89 12	59 35	14 61						
		Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	34 74	126 66	89 12	59 35	14 61						ĺ
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 13									
		Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	29 93	126 66	89 12	59 35	14 61		1				
	4	Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33 99	126 66	89 12	59 35	14 61						i
	4	Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34 74	126 66	89 12	59 35	14 61	1					
	(Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 13									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 34	49 85								
2-W		Unbundled COPPER LOOP											ì				
	2	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12 19	119 91	69 62	5037	/ 93						
	2	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13 71	119 91	69 62	50 37	7 93						
\dashv	2	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3			UCL	UCLPB	14 14	119 91	69 62	50 37	7 93						
_		Order Coordination for Unbundled Copper Loops (per loop)		,	UCL	UCLMC	17.17	8 17	8 17	30 07	7 30						i
		2-Wire Unbundled Copper Loop-Designed without manual			OCE	OCLIVIC		0 17	- 017								
<u> </u>	s	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12 19	94 87	56 89	50 37	7 93						
	s	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13 71	94 87	56 89	50 37	7 93						
	s	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14 14	94 87 8 17	56 89 8 17	50 37	7 93						
-	lo	Orger Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch				1		94 87	42 57					<u> </u>			
		UCL-Des)			UCL	UREWO		94 87	42.57								
4-W		COPPER LOOP															i
	a	I-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	19 64	144 17	93 88	55 12	10 38						
	а	I-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20 90	144 17	93 88	55 12	10 38						
	Ja	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19 34	144 17	93 88	55 12	10 38						
		Order Coordination for Unbundled Copper Loops (per loop)		Ĺ	UCL	UCLMC		8 17	8 17								
	Ja	I-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	19 64	119 13	81 15	55 12	10 38						
		I-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	20 90	119 13	81 15	55 12	10 38						
		I-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19 34	119 13	81 15	55 12	10 38						
		Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		8 17	8 17								
-		UCL-Des)	l		UCL	UREWO		94 87	42 57	1							
OP MOD										-							
		Jnbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32 46	32 46								
-		pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire							-								
\perp		ess than or equal to 18K ft, per Unbundled Loop		 	UHL, UCL, UEA UAL, UHL, UCL,	ULM4L		32 46	32 46								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32 48	32 48								

INBONDE	ED NETWORK ELEMENTS - South Carolina													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UB-LOOPS											1					
Sub-	Loop Distribution										<u> </u>					
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-										1	1				
ı	Up	1	1	UEANL	USBSA		241 42	241 42								
											1		l		1	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		22 69	22 69			ļ					1
	Sub-Loop - Per Building Equipment Room - CLEC Feeder														1	1
	Facility Set-Up	1		UEANL	USBSC		177 84	177 84								<u> </u>
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel				1										ļ	
	Set-Up	1	ļ <u>.</u>	UEANL	USBSD		55 58	55 58			1				1	ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			i												1
	Zone 1	_ !	1	UÉANL	USBN2	8 87	65 94	31 03	45 35	6 71						ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	ĺ										1		
	Zone 2	ı	2	UEANL	USBN2	12 58	65 94	31 03	45 35	6 71	ļ			 		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	l	l				45.05		1	ŀ				
	Zone 3	ı	3_	UEANL	USBN2	14 79	65 94	31 03	45 35	6 71	-					
			1					2.17			i					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 17	8 17			1					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		١.	l			70.04	44.00	40.00		1					
	Zone 1		1-1	UEANL	USBN4	14 11	79 21	44 29	49 82	9 09	1	1				
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	ļ	l _					44.00	40.00				!			
	Zone 2		2	UEANL	USBN4	19 40	79 21	44 29	49 82	9 09						1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	i		l	l		70.04		1 40.00							1
	Zone 3		3	UEANL	USBN4	18 90	79 21	44 29	49 82	9 09	 					
		i					0.47	0.47								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEANL	USBMC		8 17	8 17		6 71	ļ	ļ		ļ		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR2	2 41	53 13	18 21	45 35	671				-		+
			ì		LIGHT		8 17	8 17	i					-		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		+	UEANL	USBMC	F 20		24 47	49 82	9 09	 			 	ļ	+
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		ļ	UEANL	USBR4	5 36	59 38	24 47	49 02	9 09	 	 	-	 	 	+
				UEANL	USBMC		8 17	8 17			1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ł	UEANL	URET1		34 23	34 23						ļ	<u> </u>	+
	Loop Testing - Basic 1st Half Hour		+	UEANL	URETA		19 90	19 90]		 	 	
	Loop Testing - Basic Additional Half Hour		+ -	UEF	UCS2X	7 11	65 94	31 03		6.71	 			 		+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF	UCS2X	9 83	65 94	31 03		671				-		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	10 48	65 94	31 03		6 71						+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UC52X	10 46	65 94	3103	45.55	671	1	 	-		-	
	O t O all all a facility and of Sub-Lance marks been seen			UEF	USBMC		8 17	8 17			i	1				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	\vdash	1	UEF	UCS4X	7 85	79 21	44 29		9 09	1	-				+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	⊢÷		UEF	UCS4X	14 17	79 21	44 29		9 09		 				
				UEF	UCS4X	12 64	79 21	44 29		9 09		 		 		+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	'	1 3-	UEF	00347	12 04	1321	44 23	43 02	3 03	 	 				+
1	Out of the feet between the feet because here			UEF	USBMC		8 17	8 17			1					1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour		-	UEF	URET1		34 23	34 23			+	1				+
	Loop Testing - Basic 1st Haif Hour			UEF	URETA		19 90	19 90			 	-				+
	undled Network Terminating Wire (UNTW)	 	+		JULIA	-	13 30	1930	 	 -	+		 		† ·	
Unbi	Unbundled Network Terminating Wire (UNTW) per Pair	 	 	UENTW	UENPP	0 3303	30 20	30 20	+		1					†
Blater	vork Interface Device (NID)		\vdash	SE11117	OCIN F	0 0000	30 20	30 20	1			 				
Netw	Network Interface Device (NID) - 1-2 lines		+	UENTW	UND12		43 68	28 79	 					1		
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	-	+	UENTW	UND16		64 42	49 53				 		1	1	
	Network Interface Device (ND) - 1-6 lines Network Interface Device Cross Connect - 2 W		+	UENTW	UNDC2		5 92	5 92		t		· ·			İ	
	Network Interface Device Cross Connect - 2 W		+-	UENTW	UNDC4		5 92	5 92						1	1	1
LINE OTHER	, PROVISIONING ONLY - NO RATE		+	02/1/77	15.1007			- 552			1			1	1	1
UNE UTHER	NID - Dispatch and Service Order for NID installation	<u> </u>	+	UENTW	UNDBX	0.00	0 00	-	 			 		1	1	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	!	+	UENTW	UENCE	0 00	0.00			· -	1					
	Office of Catabilatinett, From adming Only - No Itale	1		UEANL, UEF, UEQ, U	1525	- 30	2 00			l	 			1		
	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0 00	0 00				1		1	ŀ	1	
, 1	PROVISIONING ONLY - NO RATE		1	-17177	U. 12UI1	0.00	<u> </u>		+							1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment 2	Exhi	ibit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
· I		Ī				Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	0 00									<u></u>
	rate		1	UEA,UDN,UCL,UDC	USBEO	0.00	0 00				j	1				
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		†	02/402/4004/4004							1					
	rate		1	UEA,USL,UCL,UDL	USBFR	0 00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0 00	0 00	-								1
	Unbundled DS1 Loop - Expanded Superframe Format option -															1
	no rate			USL	CCOEF	0.00	0 00				ļ					+
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP	1	<u> </u>							-	 			ļ	-	+
	High Capacity Unbundled Local Loop - DS3 - Per Mile per		1	UE3	1L5ND	12 26	j				1					
	month DS2 Facility		∔—	UE3	1L5NU	12 20			i i			<u> </u>				
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per		<u> </u>	UE3	UE3PX	306 36	452 52	264 53	119 75	83 77						ļ
	month High Capacity Unbundled Local Loop - \$15-1 - Per Mile Per Mi		_	UDLSX	1L5ND	12 26					ļ					
LOOP MAKE-I	Termination per month	<u>.</u>	<u> </u>	UDLSX	UDLS1	313 49	452 52	264 53	119 75	83 77						
LOOP MAKE-	Loop Makeup - Preordering Without Reservation, per working or	1	 					••								
	spare facility queried (Manual)		1	UMK	UMKLW]	24 04	24 04							ļ	
	Loop Makeup - Preordering With Reservation, per spare facility quened (Manual)			UMK	UMKLP		25 49	25 4 <u>9</u>								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)		<u> </u>	UMK	UMKMQ		0 34	0 34								<u> </u>
LINE SHARING	G AND LINE SPLITTING 1 The Line Sharing monthly recurring rates for all installation	1	٠	0.4-1-00.00	12 45	id-unbt Octobo	- 01 2004 shall	l he billed se	follows						 	+
NOTE	1 The Line Sharing monthly recurring rates for all installation 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	ns com	pietea	designed ("UCL NO	is intough in	I Octobe	r 01, 2004 Silai	De Dilled as	Ollows					-		+
NOTE	1 10/02/2004 – 10/01/2005 50% of the rate for UCLND	Т	T	r-designed (OOEME	Ϊ΄					-						1
NOTE	1. 10/02/2005 – 10/01/2006: 75% of the rate for UCLND	 	1		† ·				1							
NOTE	1. Above will apply to USOCS, ULSDT and ULSCT														ļ	
**NOT	E 2 The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03		ļ				ļ	
LINES	SHARING		L												1	
SPLIT	TERS-CENTRAL OFFICE BASED					246.00	400.04	0 00	178 38	0.00						+
	Line Sharing Splitter, per System 96 Line Capacity	 		ULS ULS	ULSDB	216 22 54 05	189 21 189 21	0 00	178 38	0 00					1	
	Line Sharing Splitter, per System 24 Line Capacity	-		ULS	ULSD8	18 02	189 21	0.00	178 38	0 00			-			
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)			ULS	ULSDG	10 02	86 67	0 00	49 95	0 00						
END	ISER ORDERING-CENTRAL OFFICE BASED LINE SHARING	 	+	-	1											
END O	Line Sharing - per Line Activation (BST Owned splitter) - IOBSOLETE see "NOTE 2			ULS	ULSDC	0 61	18 55	10 62	10 04	4 93						
	Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1								40.04	4.00						
	(E 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter	-	-	ULS	ULSDT	3 24	18 55	10 62	10 04	4 93		-		<u> </u>	 	
	Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSDT	6 47	18 55	10 62	10 04	4 93				_	-	
	Line Share Service, TRO per line activation, BST owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	971	18 55	10 62	10 04	4 93					1	
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16 42	8 21								
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)	-		ULS	ULSCS		16 42	8 21								
			1	1020	32000				+			T		1		1

UNBL	INDLE	D NETWORK ELEMENTS - South Carolina	,		,										ment 2		ibit. B
CATEC	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svc Order vs.
	I						Rec	Nonrec		Nonrecurring					Rates (\$)		
		1 0 0 0 0 0		ļ	ļ			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSCT	3 24	47 44	19 31	20 67	12 74						
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see															
	ļ	NOTE 1 (E 10/2/2004)			ULS	ULSCT	6 47	47 44	19 31	20 67	12 74						
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSCT	9 71	47 44	19 31	20 67	12 74	•	!				
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED			HEBER HEBER	LIBEOR	0.01					↓					
-	-	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical		-	UEPSR UEPSB UEPSR UEPSB	UREOS	0 61 0 61	37 09	21 24	20 07	9 85					 	
	 	Line Splitting - per line activation BST owned - virtual	 	+-	UEPSR UEPSB	UREBV	0 61	37 09	21 24	20 07	9 85		 	 		<u> </u>	
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime		<u> </u>	ļ			80 00 120 00	55 00 82 50								↓
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium		-				160 00	110 00				-				
UNBUI	NDLED I	DEDICATED TRANSPORT	l					100 00	110 00			 		 		 	
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0167										
	ļ	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade		<u> </u>	U1TVX	U1TV2	24 30	40 63	27 47	16 77	6 91						
	İ	Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0167										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	24 30	40 63	27 47	16 77	6 91						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0 0167										
		- Facility Termination		ļ <u>.</u>	U1TVX	U1TV4	21 29	40 63	27 47	16 77	6 91						
	ļ	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		-	U1TDX	1L5XX	0 0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination		ļ	U1TDX	U1TD5	16 76	40 63	27 47	16 77	6 91						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0167				_						
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	16 76	40 63	27 47	16 77	6 91						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 3415										
	l .	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	77 14	89 47	81 99	16 39	14 48						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	8 02										
	ļ	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		_	U1TD3	U1TF3	880 65	279 37	163 12	60 33	58 59						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	8 02										1
DADE	FIBER	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		<u> </u>	U1TS1	U1TFS	880 55	279 37	163 12	60 33	58 59	-					
DAKK	FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	36 41										
	 	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		640 51	138 17	317 76	198 11						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	97 65										
		NRC Dark Fiber - Local Loop	<u> </u>		UDF, UDFCX	UDFL4		640 51	138 17	317 76	198 11				L		ــــــــــــــــــــــــــــــــــــــ

	D NETWORK ELEMENTS - South Carolina												Attach	ment. 2	Exhi	ibit. B
												Submitted	Incremental	Incremental Charge -	Incremental Charge -	Increment Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs. Electronic- 1st	Order vs Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						,,,,,	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
XX ACCESS	TEN DIGIT SCREENING															L
	8XX Access Ten Digit Screening, Per Call			OHD		0 0006673										<u> </u>
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	1	ļ	au n											1	i
	Number Reserved		ļ	OHD	N8R1X		2 59	0 44								
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		Ì	OHD			5 95	0.81	4 58	0 54						1
	8XX Access Ten Digit Screening, Per 8XX No Established With	-	<u> </u>	ОПО			5 90		4 56	0 54	<u> </u>					
	POTS Translations	1	i .	OHD	N8FTX		5 95	0.81	4 58	0 54						1
	8XX Access Ten Digit Screening, Customized Area of Service		 	OND	INDITA		3 33	001	7,00	0.54					-	!
	Per 8XX Number			OHD	N8FCX		2 59	1 30								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR		 	0110	7101 07		2 00			· · · · · · · · · · · · · · · · · · ·	 			 		+
	Routing Per CXR Requested Per 8XX No		ł	ОНО	N8FMX		3 03	1 74	ĺ							
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3 03	0 44								1
	8XX Access Ten Digit Screening, Call Handling and Destination		1		1.0.70											
	Features			ОНД	N8FDX	1	2 59	2 59			ł	i				
 	8XX Access Ten Digit Screening, w/ 8XX No. Delivery		1	OHD		0 0006673										1
	8XX Access Ten Digit Screening, w/ POTS No Delivery			OHD		0 0006673					1					
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0 0000246					l					
	LIDB Validation Per Query			οαυ		0 0138158										
	LIDB Originating Point Code Establishment or Change		1	OQT, OQU	NRBPX		34 40		42 18	_						
SIGNALING (CCS7)		I													
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16 93	35 61	35 61	16 48	16 48						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163 49										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 0000692										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16 93	35 61	35 61	16 48	16 48						
	CCS7 Signaling Connection, Per link (B link) (also known as D	İ														
	link)		<u> </u>	UDB	TPP++	16 93	35 61	35 61	16 48	16 48				ļ <u></u>		
	CCS7 Signaling Usage, Per ISUP Message		ļ	UD8	DTU50	0 0000173									1	
	CCS7 Signaling Usage Surrogate, per link per LATA		-	UDB	STU56	791 37										+
	CCS7 Signaling Point Code, per Originating Point Code	İ	İ	UDB	CCAPO		29 08	29 08	35 65	35 65						
	Establishment or Change, per STP affected		<u> </u>	1008	CCAPO		29 08	29 08	35 65	35 65				<u> </u>	-	
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		l	UDB	CCAPD		29 08	29 08	35 65	35 65					1	
E911 SERVIC			-	UDB	CCAPD	-	29 00	29 06	35 65	35 65	1					+
E911 SERVIC	Local Channel - Dedicated - 2-wr Voice Grade		 			15 33	193 53	33 24	36 72	3 21	 					+
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	-	 			0 0167	133 33	33 24	30.72	321	\			 	·	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	 	+		+	0.0107										
	Termination	i				24 30	40 63	27 47	16 77	6 91						
	Local Channel - Dedicated - DS1 - Zone 1					42 62	177 87	154 06	22 24	15 30		·				
-	Local Channel - Dedicated - DS1 - Zone 2		†			70 32	177 87	154 06	22 24	15 30						
-	Local Channel - Dedicated - DS1 - Zone 3		 		-1	190 68	177 87	154 06	22 24	15 30						
	Interoffice Transport - Dedicated - DS1 Per Mile		1			0 3415										1
																1
1	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1	i		77 14	89 47	81 99	16 39	14 48	ŀ					1
CALLING NA	ME (CNAM) SERVICE										1					
	CNAM For DB Owners - Service Establishment			OQV			23 00	23 00	21 15	21 15						
	CNAM For Non DB Owners - Service Establishment			OQV			23 00	23 00	21 15	21 15						
	CNAM For DB Owners - Service Provisioning With Point Code															
į	Eslablishment			ogv			993 09	734 47	269 53	198 18				1		
	CNAM For Non DB Owners - Service Provisioning With Point														1	
1	Code Establishment		<u></u>	oqv			343 09	245 69	275 87	198 18				ļ		1
	CNAM for DB Owners, Per Query			OQV		0 0010433					ļ			ļ	ļ	<u> </u>
	CNAM for Non DB Owners, Per Query			OQV		0 0010433								<u> </u>		1
SELECTIVE R														_		1
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch	1	1	I	1	1	84 89	84 89	14 14	14 14	1	l .	I	1		.1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina						<u> </u>							ment. 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		<u> </u>			<u> </u>	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR UEPSB	VE41.6	0 0317	12 32	11 83	6 04	5 45						
DUVELOAL CO	Splitting		ļ	DEPSR DEPSB	VE1LS	0 0317	12 32	11 83	6 04	5 43						
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line		┼		 	 		·								
	Splitting		1	UEPSR UEPSB	PE1LS	0 0341	12 32	11 83	6 04	5 45			f		1	
AIN SELECTIV	VE CARRIER ROUTING		1	02/ 0// 02/ 22	1	1 7 7 7 7 7 7 7				-						
1	Regional Service Establishment		 	SRC	SRCEC		101,324 34	101,324 34	8,609 85	8,609 85						
	End Office Establishment			SRC	SRCEO		175 66	175 66	1 70	1 70						
	Query NRC, per query			SRC		0 0035036										<u> </u>
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE														ļ <u></u>	↓
	AIN SMS Access Service - Service Establishment, Per State,		1	1			00.50	20.50	40 78	40 78						
	Initial Setup		-	A1N	CAMSE		39 53	39 53	40 /8	40 78				-		
l l	ANI CMC Assess France Bard Connection Bud/Shared Access	1		A1N	CAMDP	1	7 85	7 85	9 11	9 11	1		1			
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	-	+	A1N	CAM1P		7 85	7 85	9 11	9 11			 		 	
	AIN SMS Access Service - User Identification Codes - Per User	1	 	1							1					
	ID Code	1		AIN	CAMAU		35 08	35 08	27 12	27 12						1
<u> </u>	AIN SMS Access Service - Security Card, Per User ID Code,															
1	Initial or Replacement			A1N	CAMRC		41 98	41 98	11 74	11 74						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0027										
	AIN SMS Access Service - Session, Per Minute					0 7121					<u> </u>					
	AIN SMS Access Service - Company Performed Session, Per	Ì			1								i		1	
ļl	Minute	L	ļ	<u> </u>		0 8364								-	1	
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE	ļ									l		-	 	 	
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39 53	39 53	40 78	40 78				i		
<u> </u>	AIN Toolkit Service - Training Session, Per Customer		+	CAN	BAPVX		4,211 54	4,211 54	0 00	0.00						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	DN, Term Attempt				BAPTT		7 85	7 85	9 1 1	9 11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1													
	DN, Off-Hook Delay				BAPTD		7 85	7 85	9 11	9 11					ļ	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				L	1	~ ~ ~	7.05				!			İ	
	DN, Off-Hook Immediate	-	-		BAPTM		7 85	7 85	9 11	9 11	 	-				+
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	ł			ВАРТО		34 54	34 54	14 39	14 39		1				
<u> </u>	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		 		BAP IO		34 34	34 54	14 39	14 33	·				·	
	IDN. CDP	1	1	İ	BAPTC		34 54	34 54	14 39	14 39						
h	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	1										1			1
1	DN, Feature Code		1		BAPTE		34 54	34 54	14 39	14 39						
	AlN Toolkit Service - Query Charge, Per Query			· ·		0 0558238										
	AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit															
	Subscription, Per Node, Per Query		1			0 0069214					ļ			-	ļ	
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1	_			1						1				
	Account, Per 100 Kilobytes	-	<u> </u>	 	ļ. ———	0 07					-			+	-	+
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1		CANA	BAPMS	11 87	7 85	7 85	5 52	5 52		1	1		1	
	Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service	+	+	CAM	BAPIVIS	11.87	/ 63	, 65	3 32	3.52	 		 		1	+
	Subscription			САМ	BAPLS	3 51	8 68	8 68				l				
 	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	+	+	J. 101		1	2 00		†	-	T					T
	Subscription	1	1	CAM	BAPDS	8 48	7 85	7 85	5 52	5 52						\perp
 	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1	1											i		
	Service Subscription	<u>L</u>	<u></u>	CAM	BAPES	0 12	8 68	8 68				-		 		-
ENHANCED E	XTENDED LINK (EELs)							با		L U.S				1	+	+
NOTE	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Char	ge will not ap	ply for UNE con	nbinations pro	visioned as 'C	Ordinanty Com	bined Network	k Elements.			 	 	
NOTE	. The monthly recurring and the Switch-As-Is Charge and not	the non	-recurr	ing charges below	will apply for	UNE combinati	ons provision	ed as Current	na compined. I	Actionic Eleme	T .	 	 	+	+	
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	IED DS	1 INTE	UNCVX	TUEAL2	16 68	105 98	68 43	53 05	10 61			1	1	1	
\vdash	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2	 		UNCVX	UEAL2	23 13	105 98	68 43		10 61	1					
	IF II St. Z-VVIFE VG LOOD (SLZ) III COMDINATION - ZONE Z			UNCVX	UEAL2	28 46	105 98	68 43							1	1

JNDUNUL	ED NETWORK ELEMENTS - South Carolina		г								T		Attachi			bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec First	urnng Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - OS1 combination - Per Mile		-				1 11 31	A001	11131	Auu	COMILO	COMPAN	JOMEN	001117111	COMPAN	OOMA
	per month			UNC1X	1L5XX	0 27]					
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						
	1/0 Channelization System in combination Per Month		ļ	UNC1X	MQ1	107 57 0 56	91 24 6 59	62 71 4 73	10 56 0 00	9 81				_		
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	80.0	4 /3	0 00	0 00						 -
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16 68	105 98	68 43	53 05	10 61						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23 13	105 98	68 43	53 05	10 61						
					l						l					
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	28 46	105 98	68 43 4 73	53 05	10 61						
	Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0 56	6 59	4/3	0 00	0.00					-	
	Is Charge			UNC1X	UNCCC		5 61	5 61	7 00	7 00	ĺ		[Í	
EYTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FD DS	1 INTE				301	301	7 00	7 00			-			
LAIL	NOEB THIRE FORDE GRADE EXTERDED EGO! WITH DEDICAL			TOTAL TITLE	T							-				<u> </u>
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	<u></u> _	1	UNCVX	UEAL4	32 59	132 38	94 83	59 35	14 61						ļ
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43 89	132 38	94 83	59 35	14 61						
	7		١,	UNCVX	UEAL4	43 38	132 38	94 83	59 35	14 61					ļ	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	<u> </u>	3_	UNCVX	UEAL4	43 35	132 30	94 63	28 32	14 01	 					
	Per Month			UNC1X	1L5XX	0 27				_						
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		1		I										1	
	Month		<u> </u>	UNC1X	U1TF1	61 71	89 47 91 24	81 99	16 39 10 56	14 48 9 81	<u> </u>				1	ļ
	1/0 Channel System in combination Per Month		 	UNC1X UNCVX	MQ1 1D1VG	107 57 0 56	6 59	62 71 4 73	0 00	0.00		_			-	
	Voice Grade COCI in combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IIDIVG -	0.50	0.59	473	- 0 00	0.00	 					-
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32 59	132 38	94 83	59 35	14 61						ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43 89	132 38	94 83	59 35	14 61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1						400.00	94 83	59 35	14 61			l		•	ļ
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4 1D1VG	43 38 0 56	132 38 6 59	4 73		0 00	<u> </u>					ļ. —
	Additional Voice Grade COCI in combination - per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVX	TDIVG	0.56	0.08	473		0.00		-				
1	Is Charge		1	UNC1X	UNCCC		5 61	5 61	7 00	7 00]
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN													
			T													
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29 93	126 66	89 12	59 35	14 61						<u> </u>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	33 99	126 66	89 12	59 35	14 61						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34 74	126 66	89 12	59 35	14 61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 27				-						
	Interoffice Transport - Dedicated - DS1 - combination Facility		t											_		
1	Termination Per Month		l	UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107 57	91 24	62 71		9.81	<u> </u>	ļ. ———				
	OCU-DP COCI (data) per month (2 4-64kbs)			UNCDX	1D1DD	1 19	6 59	4 73	0 00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29 93	126 66	89 12	59 35	14 61						<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														İ	
	Interoffice Transport Combination - Zone 2		2_	UNCDX	UDL56	33 99	126 66	89 12	59.35	14 61		ļ.——	 			
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34 74	126 66	89 12	_ 59 35	14 61	<u> </u>					
	Additional OCU-DP COCI (data) - in combination per month (2.4-		1										1	1	i	1
1	64kbs)	l	1	UNCDX	1D1DD	1 19	6 59	4 73	000	0 00	L	L	L	L	L	

JNBUNDLI	ED NETWORK ELEMENTS - South Carolina												Attach	ment 2	Exhi	bit B
	1"										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
						1						Submitted		Charge -	Charge -	Charge -
	+					ľ					ı	Manually	_		Manual Svc	, -
		Interi	l - i	500	USOC			RATES (\$)								
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	!		KA1E5 (3)			perLSR	perLSR	Order vs.	Order vs	Order vs.	Order vs.
		''']										Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'i	Disc 1st	Disc Add'l
	 				1								131		Diac iai	Diac Add I
		-					Nonrec	urring	Nonrecurring	Dieconnect		-	088	Rates (\$)		
					-	Rec					COMEC	SOMAN		SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1							1		Į.	l .				
	Is Charge	1	!	UNC1X	UNCCC		5 61	5 61	7 00	7 00	l	!				
EVTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT		1									
EAIL	NDED THINE OF KOLO EXTENDED DIGITAL COOL WITH DESK	JA . L.D .	1			1		_								
	L		1	LINODY	UDL64	29 93	126 66	89 12	59 35	14 61	ļ				ļ	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29 93	120 00	09 12		14 01						
											!				ļ	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33 99	126 66	89 12	59 35	14 61						L
													1		1	}
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	l	3	UNCDX	UDL64	34 74	126 66	89 12	59 35	14 61						i
				011000	0000	- 	.20 00	35 12	00 00		<u> </u>		 	t	t	1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	İ				1	į				1	I		1	1	1
	Per Month			UNC1X	1L5XX	0 27						1		1	ļ	ļ
	Interoffice Transport - Dedicated - DS1 combination - Facility		1			[!	1			1	1
	Termination Per Month	1	1	UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48	i	I	1	1		L
	1/0 Channel System in combination Per Month		 	UNC1X	MQ1	107 57	91 24	62 71	10 56	9 81						
		-	 		1D1DD	1 19	6 59	4 73	0 00	0.00	 		 		-	
i	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)		ļ	UNCDX	טטוטו	1 19	0 39	473	0.00	0.00		-		-		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						ŀ									İ
1	Interoffice Transport Combination - Zone 1	ł	1	UNCDX	UDL64	29 93	126 66	89 12	59 35	14 61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33 99	126 66	89 12	59 35	14 61	i	1				
			-	GIVODA	ODEO4		12000		00 00		1	 	}		· · · · · ·	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١.				400.00	20.40	50.05	44.54		į.				
	Interoffice Transport Combination - Zone 3		3_	UNCDX	UDL64	34 74	126 66	89 12	59 35	14 61	ļ					
	Additional OCU-DP COCI (data) - in combination - per month										1	1	ľ		ĺ	
- 1	(2 4-64kbs)			UNCDX	1D1DD	1 19	6 59	4 73	0 00	0 00						1
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
i	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAN	UNCCC		5 61	5 61	7 00	7 00			1		1	I
_	Is Charge	L	L	UNC1X			301	301	7 00	7 00	ļ	-		-	-	+
EXT	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	et .							ļ		ļ		
	4-Wire DS1 Digital Loop in Combination - Zone 1	i	1	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73				1		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11 73				1		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261 89	253 03	157 89	44 80	11 73	1					
		 	٠-	SHOTA	OULIV	20.00	200 00		11.44							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1									i				
į.	Per Month			UNC1X	1L5XX	0 27										
	Interoffice Transport - Dedicated - DS1 combination - Facility		I		i	1					1	!	1		1	
1	Termination Per Month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48	1		1			
	Nonrecurring Currently Combined Network Elements Switch -As-	l	 			† · ·								1		
		l	1	UNC1X	UNCCC		5 61	5 61	7 00	7 00	1	1	1	1	1	
	Is Charge		1			 	501	301	, 00	7 00		+	1	 	1	1
EXT	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER									ļ <u>-</u> -		ļ		1
	First DS1Loop in Combination - Zone 1	1	1 -	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73	L	ļ		L	1	1
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11 73						
	First DS1Loop in Combination - Zone 3	1		UNC1X	USLXX	261 89	253 03	157 89	44 80	11 73			[
		+	۳-	5.75.7	1502,01	20100		10, 00		,0	 	t		1	1	1
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINGOV	AL EVY	1						l		1		
1	Per Month	L	1	UNC3X	1L5XX	6 42								 	-	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per] 1					1	!			1	
f	month			UNÇ3X	U1TF3	704 52	279 37	163 12	60 33	58 59	L	L		L	L	<u> </u>
	3/1Channel System in combination per month	t	 	UNC3X	MQ3	144 02	178 54	94 18	33 33	31 90	1	T			1	1
			+	UNC1X	UC1D1	8 64	6 59	4 73	0 00	0 00	1	1		i e	1	1
	DS1 COCI in combination per month	1	-	DINOIN	100101	0 04	0.09	413	0.00	- 00		 	1	 	+	
	Additional DS1Loop in DS3 Interoffice Transport Combination -	ļ		l	l								1	1	1	1
	Zone 1		1_1_	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73				1		_
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1]		1	1	1	1	1	
	Zone 2		2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11 73	1	1	1	1	i .	l
		+	+-		1	100 .00	200 00	12. 30	1		1	1	1	T	1	1
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1 .	Lungay	Lucia	1 004.00	252.02	157.00	44 80	11 73	1	1	1	1	1	1
	Zone 3	1	3	UNC1X	USLXX	261 89	253 03	157 89				 		+	 	1
	Additional DS1 COCI in combination per month	1		UNC1X	UC1D1	8 64	6 59	4 73	0 00	0.00		1	1			+
	Nonrecurring Currently Combined Network Elements Switch -As-	-							-]	1	l	1	1		
1	Is Charge	1	1	UNC3X	UNCCC		5 61	5 61	7 00	7 00	1	1	Į.		l .	
		CDAS				 	301					1	 		1	ì
EXT	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GKAD					105.00	20.72	E2.05	10 61			 	 	1 .	1
	2-WireVG Loop in combination - Zone 1	L		UNCVX	UEAL2	16 68	105 98	68 43			 	+		 	+	+
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	23 13	105 98	68 43	53 05	10 61		1	J	1	ļ	_
	2-WireVG Loop in combination - Zone 3	1		UNCVX	UEAL2	28 46	105 98	68 43	53 05	10 61			1	1	1	1

BUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment· 2	Exhi	ibit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0 0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	19 44	40 63	27 47	16 77	6 91						
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		5 61	5 61	7 00	7 00						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE		RT										1	
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	32 59	132 38	94 83	59 35	14 61						-
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43 89	132 38	94 83	59 35	14 61					1	
	4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVX	UEAL4	43 38	132 38	94 83	59 35	14 61						
	Month			UNCVX	1L5XX	0 0134										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	17 03	40 63	27 47	16 77	6 91						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCVX	UNCCC		5 61	5 61	7 00	7 00						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NTER	OFFICE	TRANSPORT		40.00									ļ	
	DS3 Local Loop in combination - per mile per month		 	UNC3X	1L5ND	12 26									-	ļ
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306 36	452 52	264 53	119 75	83 77					1	-
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6 42				<u> </u>						
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	704 52	279 37	163 12	60 33	58 59						ļ
	Nonrecurring Currently Combined Network Elements Switch -As- ils Charge			UNC3X	UNCCC		5 61	5 61	7 00	700						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12 26										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	313 49	452 52	264 53	119 75	83 77						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6 42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	704 44	279 37	163 12	60 33	58 59						
-	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCSX	UNCCC		5 61	5 61	7 00	7 00						
	Is Charge ENDED 2-WIRE ISON EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	EDODI		DINCCC	-	301	30,	1 00	7 00	· · · · · ·			† ·		
EXT		IKAN	1	UNCNX	U1L2X	25 21	117 58	80 03	53 05	10 61	1			 	•	1
	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32 76	117 58	80 03	53 05	10 61	<u> </u>					
+	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	37 70	117 58	80 03	53 05	10 61	·					
-	Interoffice Transport - Dedicated - DS1 combination - per mile per month		1	UNC1X	1L5XX	0 27										
_	Interoffice Transport - Dedicated - DS1 combination - Facility						00.47	81 99	16 39	14 48						
	Termination per month		-	UNC1X	MQ1	61 71 107 57	89 47 91 24	62 71	10 56	9 81			·	 		
	1/0 Channel System in combination - per month	ļ	 	UNC1X UNCNX	UC1CA	2 56	6 59	4 73		0.00	+		 	 		1
	2-wire ISDN COCI (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport		-					80 03	53 05	10 61						
-	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	25 21	117 58_							-		†
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	2	UNCNX	U1L2X	32 76	117 58	80 03	53 05	10 61						
_	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	UNCNX	U1L2X	37 70	117 58	80 03	53 05	10 61			 	<u> </u>	-	+
	month		-	UNCNX	UC1CA	2 56	6.59	4 73	0 00	0 00			ļ	-	-	-
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5 6 <u>1</u>	5 61	7 00	7 00				<u> </u>	-	-
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED ST		EROFFICE TRANSP	ORT	00.53	253 03	157 89	44 80	11 73	 		 	 	+	+
	First DS1 Loop Combination - Zone 1		1 2	UNC1X UNC1X	USLXX	90 87 155 43	253 03	157 89		11 73				† • • • • • • • • • • • • • • • • • • •	-	
	First DS1 Loop Combination - Zone 2															

UNBUNDLE	D NETWORK ELEMENTS - South Carolina		-										Attach	ment. 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental			Incremental Charge -
		l				Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	6 42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility		 	UNCSX	ILSAA	0 42										
	Termination per month			UNCSX	U1TFS	704 44	279 37	163 12	60 33	58 59	1					
	3/1 Channel System in combination per month			UNCSX	MQ3	144 02	178 54	94 18	33 33	31 90						
	DS1 COCI in combination per month	l		UNC1X	UC1D1	8 64	6 59	4 73	0 00	0 00						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
\vdash	Combination - Zone 1	ļ	1	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73				-		
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11 73						
	Additional DS1Loop in the same STS-1 Interoffice Transport		_			004.55	050.00	457.00	44.55	44.70						
\vdash	Combination - Zone 3	₩	3	UNC1X UNC1X	USLXX UC1D1	261 89 8 64	253 03 6 59	157 89 4 73	44 80 0 00	11 73 0 00						ļ
 	DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-	_		ONCIA	OCIDI	0 04	6 28	4/3	0.00	0.00						
	Is Charge			UNCSX	UNCCC		5 61	5 61	7 00	7 00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29 93	126 66	89 12	59 35	14 61						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33 99	126 66	89 12	59 35	14 61						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34 74	126 66	89 12	59 35	14 61						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0 0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	13 41	40 63	27 47	16 77	6 91						
	Nonrecurring Currently Combined Network Elements Switch -As-				1111000		5.04	F.04	7 00	7 00						
EVTE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	RDS INT	EROFE	UNCDX	UNCCC		5 61	5 61	7 00	7 00						
	4-wire 64 kbps Looal Loop in Combination - Zone 1	1	1	UNCDX	UDL64	29 93	126 66	89 12	59 35	14 61						1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33 99	126 66	89 12	59 35	14 61						
	4-wire 64 kbps Looal Loop in Combination - Zone 3		3	UNCDX	UDL64	34 74	126 66	89 12	59 35	14 61						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0 0134										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month]		UNCDX	U1TD6	13 41	40 63	27 47	16 77	6 91						
	Nonrecurring Currently Combined Network Elements Switch -As-	-						5.04	7.00	7.00						
EVE	Is Charge NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	FRANCE	OPT	UNCDX	UNCCC		5 61	5 61	7 00	7 00						ļ
EXIE	First 2-wire VG Loop (SL2) in Combination - Zone 1	KANSP		UNCVX	UEAL2	16 68	105 98	68 43	53 05	10 61						
	First 2-wire VG Loop (SL2) in Combination - Zone 2	 	2	UNCVX	UEAL2	23 13	105 98	68 43	53 05	10 61						1
	First 2-wire VG Loop (SL2) in Combination - Zone 3	†		UNCVX	UEAL2	28 46	105 98	68 43	53 05	10 61						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 27										
	First Interoffice Transport - Dedicated - DS1 combination -		T													
	Facility Termination per month	-	-	UNC1X UNC1X	U1TF1 MQ1	61 71 107 57	89 47 91 24	81 99 62 71	16 39 10 56	14 48 9 81	-			-		
	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month	+	-	UNC1X UNCVX	1D1VG	0 56	6 59	4 73	0 00	0 00	-					
	3/1 Channel System in combination per month	1	+	UNC3X	MQ3	144 02	178 54	94 18	33 33	31 90						1
	Per each DS1 COCI in combination per month	1	 	UNC1X	UC1D1	8 64	6 59	4 73	0 00	0 00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1														
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	16 68	105 98	68 43	53 05	10 61	ļ					
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23 13	105 98	68 43	53 05	10 61						
[Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28 46	105 98	68 43	53 05	10 61	1					
\vdash	Each Additional Voice Grade COCI in combination - per month	\vdash	- 3	UNCVX	1D1VG	0 56	6 59	4 73	0 00	0 00		·	<u> </u>		· 1	1
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 27										
\vdash	Each Additional DS1 Interoffice Channel Facility Termination in	+	1	0.4017	ILUM	021						-		· · · · ·		
	same 3/1 Channel System per month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						
\vdash	Each Additional DS1 COCI combination per month	†	1	UNC1X	UC1D1	8 64	6 59	4 73	0 00	0 00						

NRONDE	D NETWORK ELEMENTS - South Carolina		,	1							r -			ment: 2		bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs.		Charge -
																Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		T
					-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		5 61	5 61	7 00	7 00						
EVTE	IS Charge NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS11	NTEDC	EFICE				201	361	7 00	7 00						
EXIE	First 4-Wire Analog Voice Grade Local Loop in Combination -	IN LIKE	11102	TRANSFORT WEST	Tillox											
	Zone 1		1	UNCVX	UEAL4	32 59	132 38	94 83	59 35	14 61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	43 89	132 38	94 83	59 35	14 61						1
	First 4-Wire Analog Voice Grade Local Loop in Combination -						1							1		
	Zone 3		3	UNCVX	UEAL4	43 38	132 38	94 83	59 35	14 61				<u> </u>		
	First Interoffice Transport - Dedicated - DS1 combination - Per		1	LINICAY	41.577	0 27										
	Mile Per Month		 	UNC1X	1L5XX	0.27		-4-								
1	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month	ļ		UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48	1					
	Per each 1/0 Channel System in combination Per Month		-	UNC1X	MQ1	107 57	91 24	62 71		9 81						
	Per each Voice Grade COCI in combination - per month	 		UNCVX	1D1VG	0 56	6 59	4 73	0 00	0 00						
	3/1 Channel System in combination per month		-	UNC3X	MQ3	144 02	178 54	94 18	33 33	31 90						
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	8 64	6 59	4 73	0 00	0 00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32 59	132 38	94 83	59 35	14 61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1				T											
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43 89	132 38	94 83	59 35	14 61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1		ļ	1								1		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43 38	132 38	94 83	59 35	14 61	ļ					
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1						1	ļ				
	Channel System per month	ļ		UNC1X	1L5XX	0 27					-					
	Each Additional DS1 Interoffice Channel Facility Termination in		ł	UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						
	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0 56	6 59	4 73		0 00				+	• • • • • • • • • • • • • • • • • • • •	+
	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNCVA	10173	0.30	0.58	773	- 000	0.00						<u> </u>
ŀ	Is Charge		1	UNC1X	UNCCC		5 61	5 61	7 00	7 00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE					_			i					1
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -													1		
	Zone 1		1_	UNCDX	UDL56	29 93	126 66	89 12	59 35	14 61	İ					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -										1	1				
	Zone 2		2	UNCDX	UDL56	33 99	126 66	89 12	59 35	14 61	ļ					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		l _		1		400.00	00.40	50.05		1					
	Zone 3	<u> </u>	3	UNCDX	UDL56	34 74	126 66	89 12	59 35	14 61						+
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	ŀ	UNC1X	1L5XX	0 27										
	Mile Per Month First Interoffice Transport - Dedicated - DS1 - combination		 	UNCIA	TLUAN.	0.27			 		 	<u> </u>		†		
	Facility Termination Per Month]		UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48				ł		
-	Per each 1/0 Channel System in combination Per Month	 	 	UNC1X	MQ1	107 57	91 24	62 71		9 81						T
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)	1	 	UNCDX	1D1DD	1 19	6 59	4 73		0 00						
	3/1 Channel System in combination per month			ÜNC3X	MQ3	144 02	178 54	94 18	33 33	31 90	1					
-	Per each DS1 COCI in combination per month	1	1	ÚNC1X	UC1D1	8 64	6 59	4 73	0.00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1													!		
1 .	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29 93	126 66	89 12	59 35	14 61	ļ					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	l .			1			50.05	44.04	ł					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33 99	126 66	89 12	59.35	14 61	 -	 	 		-	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			HINODY	lupico	3474	100.00	89 12	59 35	14 61				1	1	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34 74	126 66	09 12	28.32	14 61		+	 	 -	 	+
	OCU-DP COCI (data) COCI in combination per month (2 4-			UNCDX	1D1DD	1 19	6 59	4 73	0.00	0 00				1		
	64kbs)	-		UNCUX	טטוטו	1 191	6 99	473	0.00	0.00	+	 				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 27					1		[1		
	Each Additional DS1 Interoffice Channel Facility Termination in	 	+	5.10.17	12070	- "-			 	· -	T	1	ļ			1
	same 3/1 Channel System per month		1	UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48			1	<u> </u>		
	Each Additional DS1 COCI in the same 3/1 channel system	 	+-	J.III	1	****			1							
1	combination per month	I	1	UNC1X	UC1D1	8 64	6 59	4 73	0 00	0 00	1	1	1	1	1	1

CHOOKIDE	ED NETWORK ELEMENTS - South Carolina												Attach	ment 2	Exhi	bit [.] B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					_	Rec	Nonrec		Nonrecurring					Rates (\$)		
	Nonrecurring Currently Combined Network Elements Switch -As-				1		First	Add'l	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l	Is Charge	ļ	ł	UNC1X	UNCCC		5 61	5 61	7 00	7 00						1
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	NTERC					301		7 00	7 00						t
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1100		1											
	Transport Combination - Zone 1		1	UNCDX	UDL64	29 93	126 66	89 12	59 35	14 61						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice														-	
	Transport Combination - Zone 2		2	UNCDX	UDL64	33 99	126 66	89 12	59 35	14 61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			, work		0.171										
	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL64	34 74	126 66	89 12	59 35	14 61						
	Mile Per Month			UNC1X	1L5XX	0 27										ł.
	First Interoffice Transport - Dedicated - DS1 combination -		1	0.40 17	TES/A	0 27					-					
	Facility Termination Per Month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						l
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	107 57	91 24	62 71	10 56	9 81						
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	1 19	6 59	4 73	0 00	0 00						1
	3/1 Channel System in combination per month			UNC3X	MQ3	144 02	178 54	94 18	33 33	31 90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8 64	6 59	4 73	0 00	0 00						
.	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LILIODY.	LIDIOI	00.00	400.00	00.40	50.05	44.04						1
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	UNCDX	UDL64	29 93	126 66	89 12	59 35	14 61						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33 99	126 66	89 12	59 35	14 61						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNODA	ODE04	33 33	120 00	03 12	33 33	17-01						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34 74	126 66	89 12	59 35	14 61	ļ					1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		<u> </u>								1					
	combination - per month (2 4-64kbs)	l	l	UNCDX	1D1DD	1 19	6 59	4 73	0 00	0 00						
i	Each Additional DS1 Interoffice Channel per mile in same 3/1		ļ													
	Channel System per month			UNC1X	1L5XX	0 27										
i l	Each Additional DS1 Interoffice Channel Facility Termination in		1	LINGAN	LUATEA	64.74	00.47	04.00	40.00	44.40						1
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						
	combination per month			UNC1X	UC1D1	8 64	6 59	4 73	0 00	0.00						1
	Nonrecurring Currently Combined Network Elements Switch -As-		 	ONO IX	100,01	0.04				0 00	· · · · · · · · · · · · · · · · · · ·					
	Is Charge		1 .	UNC1X	UNCCC		5 61	5 61	7 00	7 00						1
EXTE	NDED 2-WIRE ISON LOOP WITH DS1 INTEROFFICE TRANSPOR	T w/ 3/	1 MUX								1					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	25 21	117 58	80 03	53 05	10 61						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination					00.70	447.50	20.00	50.05	10.01						1
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	32 76	117 58	80 03	53 05	10 61						
.	Transport - Zone 3		3	UNCNX	U1L2X	37 70	117 58	80 03	53 05	10 61						1
	First Interoffice Transport - Dedicated - DS1 combination - Per		<u>-</u> -	OHOHA	O ILLA	0.10	717 00	00 00	90.00	1001						
	Mile per month			UNC1X	1L5XX	0 27										l .
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						l
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	107 57	91 24	62 71	10 56	9 81						
.	B 4 0 10011 COCH (DDITE)		ŀ	LINGHIV		0.50		4.70	0.00	0.00						1
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX UNC3X	UC1CA MQ3	2 56 144 02	6 59 178 54	4 73 94 18	0 00 33 33	31 90			ļ			
-+	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		 	UNC1X	UC1D1	8 64	6 59	4 73	0 00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			5.45 IX	100101	3 04	0.05	773	0.00	- 500						
.	Combination - Zone 1		1	UNCNX	U1L2X	25 21	117 58	80 03	53 05	10 61			1			1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport									-						
	Combination - Zone 2		2	UNCNX	U1L2X	32 76	117 58	80 03	53 05	10 61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport]				
\longrightarrow	Combination - Zone 3		3_	UNCNX	U1L2X	37 70	117 58	80 03	53 05	10 61	ļ					<u> </u>
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	1		I .				1	1	1	İ	1	I		1

JNBUNDL	ED NETWORK ELEMENTS - South Carolina	_												ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First		Nonrecurring		SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1	-	 				FIFST	Add'l	First	Add'1	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Channel System per month			UNC1X	1L5XX	0 27								ł		
-+-	Each Additional DS1 Interoffice Channel Facility Termination in	 	1		1											
	same 3/1 Channel System per month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						
	Each Additional DS1 COCI in the same 3/1 channel system	7												Į.		
	combination per month	<u> </u>	-	UNC1X	UC1D1	8 64	6 59	4 73	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNC1X	UNCCC		5 61	5 61	7 00	7 00						1
EVE	Is Charge ENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDAN	SPORT		DINCCC	-		301	7 00	7.00						
EXII	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	T	1	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2	 	2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11 73						†
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2		3	UNC1X	USLXX	261 89	253 03	157 89	44 80	11 73		—		<u> </u>		
	First Interoffice Transport - Dedicated - DS1 combination - Per	\vdash	† –		1		100									
1	Mile Per Month	1	1	UNC1X	1L5XX	0 27										ļ
	First Interoffice Transport - Dedicated - DS1 combination -	T	1											,		
1	Facility Termination Per Month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						
	3/1 Channel System in combination per month			UNC3X	MQ3	144 02	178 54	94 18	33 33	31 90						
	Per each DS1 COCI combination per month		↓	UNC1X	UC1D1	8 64	6 59	4 73	0 00	0 00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	l l			41.577	0.27										
	Channel System per month		1-	UNC1X	1L5XX	0 27										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48						
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system		 	DIVO IX	- -		- 00 47	0.00	10.00				_			
	combination per month			UNC1X	UC1D1	8 64	6 59	4 73	0.00	0.00						1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	†	 -			_										
	1		1	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone							-							ļ	
	2		2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11_73				_		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1 .		I			457.00	44.00	44.70						1
	3		3	UNC1X	USLXX	261 89	253 03	157 89	44 80	11 73						+
	Nonrecurring Currently Combined Network Elements Switch -As-	1	J	LINGIV	INCCC	J	5 61	5 61	7 00	7 00	i	į				
	Is Charge	NTEDO	FFICE	UNC1X	UNCCC		361	301	7 00	7 00						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 First 4-wire 56 kbps Local Loop in combination - Zone 1	INTERO	1 1	UNCDX	UDL56	29 93	126 66	89 12	59 35	14 61					-	—
	First 4-wire 56 kbps Local Loop in combination - Zone 1	+		UNCDX	UDL56	33 99	126 66	89 12	59 35	14 61						
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	34 74	126 66	89 12	59 35	14 61						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile				1 1											
	per month			UNCDX	1L5XX	0 0134										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility													i		
	Termination per month	<u> </u>	<u> </u>	UNCDX	U1TD5	13 41	40 63	27 47	16 77	6 91						+
	Nonrecurring Currently Combined Network Elements Switch -As-	-		LULOBY			E 04	E C1	7 00	7 00			[[ĺ	1
	is Charge	NITE DO	1	UNCDX	UNCCC		5 61	5 61	7 00	7 00						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0	MIERO	1 1	UNCDX	UDL64	29 93	126 66	89 12	59 35	14 61	 	<u> </u>				
	First 4-wire 64 kbps Local Loop in combination - Zone 1	 	2	UNCDX	UDL64	33 99	126 66	89 12	59 35	14 61	 					
	First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL64	34 74	126 66	89 12		14 61						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	├	+	ONOBA	10000						1					
	per month	1	1	UNCDX	1L5XX	0 0134									_	<u> </u>
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility												l		l	
	Termination per month	L	<u></u>	UNCDX	U1TD6	13 41	40 63	27 47	16 77	6 91						+
	Nonrecurring Currently Combined Network Elements Switch -As-	-								7.00				1		
	ls Charge	<u> </u>		UNCDX	UNCCC		5 61	5 61	7.00	7 00		<u> </u>	<u> </u>	 	—	
DDITIONAL	NETWORK ELEMENTS		J						 					 	 	
Whe	n used as a part of a currently combined facility, the non-recur	rng cha	rges d	o not apply, but a	owitch As is ch	Ac le Charge	ny.				 	 	 	 		
Whe	n used as ordinarily combined network elements in All States, t recurring Currently Combined Network Elements "Switch As Is"	Char-	-recurr	ing charges apply	mbination	As is charge of	aces not.		 		 					
	reculting Currently Complined NetWork Elements "Switch As IS"		= (Une	applies to each col	instriacion)				 		 			1		
Noni	Nonrecurring Currently Combined Network Elements Switch -As	_			1 1	I										

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment 2		ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring		Disconnect				Rates (\$)	001111	
		 _	ļ				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		5 61	5 61	7 00	7 00						
	Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDX	UNCCC		301	301	7 00	7.00						
ĺ	Is Charge - DS1			UNC1X	UNCCC		5 61	5 61	7 00	7 00						1
	Nonrecurring Currently Combined Network Elements Switch -As-		1													
	Is Charge - DS3			UNC3X	UNCCC		5 61	5 61	7 00	7 00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		l					1	7.00						
	Is Charge - STS1		—	UNCSX	UNCCC		5 61	5 61	7 00	7 00				1		+
Optio	onal Features & Functions		1	U1TD1.				-				 		-		
	Clear Channel Capability Extended Frame Option - per DS1	1 .		ULDD1,UNC1X	CCOEF		01	01	loi	OI .		1				
	Clear Charmer Capability Extended Frame Option - per Bo	<u> </u>	1 -	U1TD1,	- Cood				 							
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		01	01	01	OI						1
	Clear Channel Capability (SF/ESF) Option - Subsequent		1	ULDD1, U1TD1,										ł		1
	Activity - per DS1	1		UNC1X, USL	NRCCC		185 26S	23 86S	1 998	0 78S				ļ		
			1	U1TD3, ULDD3,			040 505	7 69S	7370S	08						
	C-bit Parity Option - Subsequent Activity - per DS3	-	-	UE3, UNC3X	NRCC3		219 58S	7 695	73705	05	ļ — —		-	-	 	+
MUL	TIPLEXERS DS1 to DS0 Channel System per month		+	UNC1X	MQ1	107 57	91 24	62 71	10 56	9 81			1	 	 	+
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		+	ONCIA	IVICET	107 57		92.11	10 00						1	+
ļ	month (2 4-64kbs) used for a Local Loop		1	UDL	1D1DD	1 19	6 59	4 73		i	l					
 	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1					· · · · · · · · · · · · · · · · · · ·								
1	month (2 4-64kbs) used for connection to a channelized DS1				ĺ]]		1			
	Local Channel in the same SWC as collocation		\downarrow	U1TUD	1D1DD	1 19	6 59	4 73							ļ	+
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			LIDN	UC1CA	2 56	6 59	4 73								1
	month for a Local Loop	-	 	UDN	UCICA	2 50	0.59	473		1	 	1				+
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel	1	1			1			1]		
	in the same SWC as collocation		1	U1TUB	UC1CA	2 56	6 59	4 73						1		
-	Voice Grade COCI - DS1 to DS0 Channel System - per month		_	****			<u> </u>						_	1		1
	used for a Local Loop		1	UEA	1D1VG	0 56	6 59	4 73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month	1														
	used for connection to a channelized DS1 Local Channel in the	į .			1,000	0.50	6 59	4 73			1					
	same SWC as collocation	-	+	U1TUC UNC3X	1D1VG MQ3	0 56 144 02	178 54	94 18	33 33	31 90				+		+
	DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month	1	+	UNCSX	MQ3	144 02	178 54	94 18		31 90				1		1
_	DS1 COCI used with Loop per month	1	+	USL	UC1D1	8 64	6 59	4 73					 		1	
	DS1 COCI (used for connection to a channelized DS1 Local		1	-												1
1	Channel in the same SWC as collocation) per month		1	U1TUA	UC1D1	8 64	6 59									4
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8 64	6 59	4 73		ļ				1		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			LUDDA	UC1D1	8 64	6 59	4 73					i			
	month D LOCAL EXCHANGE SWITCHING(PORTS)	ļ		ULDD1	UCIDI	8 04	0.59	4/3			+		<u> </u>	·	1	
	ange Ports	-	+			-	···		+				 		 	-
NOT	E: Although the Port Rate includes all available features in GA,	KY. LA	& TN.	the desired feature	s will need to I	be ordered usi	ng retail USOC	s								1
	RE VOICE GRADE LINE PORT RATES (RES)	1	1	T	T											
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 65	2 38	2 28	1 42	1 33	<u> </u>	-		<u> </u>		+
				I	1					4.00						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res	1		UEPSR	UEPRC	1 65	2 38	2 28	1 42	1 33	+	 -		+		+
	E I Dian Dillion Applied to Destruction of 1 D	1		UEPSR	UEPRO	1 65	2 38	2 28	1 42	1 33					1	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res Exchange Ports - 2-Wire VG unbundled SC extended local	_	+-	UEPSK	UEPRU	1 00	2 30	2 20	142	1 33		†		1	<u> </u>	+
	dialing parity Port with Caller ID - Res			UEPSR	UEPAU	1 65	2 38	2 28	1 42	1 33	1		L		L	<u> </u>
	Exchange Ports - 2-Wire VG unbundled South Carolina Area	+	+	32, 01	32.7.0	1	1	1	1			T-				
	Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	1 65	2 38	2 28	1 42	1 33		<u> </u>				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port						Ĭ						1		į.	
	with Caller ID (LUM)			UEPSR	UEPAP	1 65	2 38	2 28	1 42	1 33	1	-	+	 	 	+
	Exchange Ports - 2-Wire VG South Carolina Residence Dialing		1					2 28	1 42	1 33		Į.		1		
	Plan without Caller ID			UEPSR	UEPWL	1 65	2 38		142	1133		<u> </u>				

ARONDER	D NETWORK ELEMENTS - South Carolina												Attach	ment [.] 2	Exhi	ibit 🖪
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs.	Incremer Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Exchange Ports - 2-Wire VG South Carolina Residence Area				1							1	1		i	
	Calling Plan without Caller ID capability			UEPSR	UEPRS	1 65	2 38	2 28	1 42	1 33					<u> </u>	
	2-Wire voice unbundled Low Usage Line Port without Caller ID				[]			1			ł	
- 1	Capability			UEPSR	UEPRT	1 65	2 38	2 28	1 42	1 33			l			
	Subsequent Activity			UEPSR	USASC	0 00	0 00	0 00				L				
FEATU																
	All Available Vertical Features			UEPSR	UEPVF	3 04	0 00	0 00								
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1 65	2 38	2 28	1 42	1 33						
-	Exchange Ports - 2-Wire VG unburndled Line Port with				1											
	unbundled port with Caller+E484 ID - Bus		L	UEPSB	UÉPBC	1 65	2 38	2 28	1 42	1 33				ļ	ļ	ļ
				l	1								1			1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 65	2 38	2 28	1 42	1 33						
	Exchange Ports - 2-Wire VG unbundled SC extended local]						1	1			1
	dialing parity Port with Caller ID - Bus			UEPSB	UEPAZ	1 65	2 38	2 28	1 42	1 33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with		1											!		
	Caller ID - Bus			UEPSB	UEPB1	1 65	2 38	2 28	1 42	1 33						
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus				1							ĺ		1		1
	Area Calling Port with Caller ID - Bus (LMB)	1		UEPSB	UEPAB	1 65	2 38	2 28	1 42	1 33						
	Exchange Ports - 2-Wire Voice South Carolina Business Dialing				I											1
	Plan without Caller ID			UEPSB	UEPWM	1 65	2 38	2 28	1 42	1 33						1
	Exchange Ports - 2-Wire Voice South Carolina Business Area	Į.														l
	Calling Port without Caller ID			UEPSB	UEPBB	1 65	2 38	2 28	1 42	1 33						
	2-Wire voice unbundled Incoming Only Port without Caller ID	ŀ											İ			
	Capability			UEPSB	UEPBE	1 65	2 38	2 28	1 42	1 33						
	Subsequent Activity			UEPSB	USASC	0 00	0 00	0 00								├
FEATL																
	All Available Vertical Features			UEPSB	UEPVF	3 04	0 00	0 00								ļ
	All Available Vertical Features				UEPVF	3 04	0 00	0 00								
EXCH	ANGE PORT RATES (DID & PBX)								10.00		_					
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 65	31 34	14 88	13 97	0 90						-
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 65	31 34	14 88	13 97	0 90						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 65	31 34	14 88	13 97	0 90						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 65	31 34	14 88	13 97	0 90	1	ļ				₩
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UÉPSP	UEPLD	1 65	31 34	14 88	13 97	0 90						
	2-Wire Voice Unbundled PBX LD Terminal Ports	-		UEPSP	UEPLD	1 65	31 34	14 88	13 97	0 90	 					-
	2-Wire Vice Unbundled 2-Way PBX Usage Port	ļ		UEPSP	UEPXA	1 65 1 65	31 34	14 88 14 88	13 97 13 97	0.90		 				-
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB		31 34		13 97	0 90						
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port	ļ		UEPSP	UEPXC	1 65 1 65	31 34 31 34	14 88 14 88	13 97	0 90		ļ				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 65	3] 34	14 88	1397	0.90	ļ					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEDOD	UEDVE	4.00	24.24	14 88	13 97	0 90			ļ			
	Capable Port	-		UEPSP	UEPXE	1 65	31 34	14 00	13.97	0.90						├
l l	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEDOD	UEPXL	1 65	31 34	14 88	13 97	0 90		1				
	Administrative Calling Port			UEPSP	UEPAL	1 65	3134	14 00	1391	0 90		-				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXM	1 65	31 34	14 88	13 97	0 90		1				
	Room Calling Port			UEPSP	UEPAN	100	31 34	14 00	1391	0 90		 				
i i	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXO	1 65	31 34	14 88	13 97	0 90		1				
	Discount Room Calling Port	+	į.		UEPXO	1 65	31 34	14 88	13 97	0 90				 		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	\vdash		UEPSP	UEPAS	1 00	3 34	14 00	1397	0 90	 	-			-	<u> </u>
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	1		UEPSP	UEPXT	1 65	31 34	14 88	13 97	0 90	1	1	Ì	1		1
-	Calling Port	1	$\vdash \vdash \vdash$	UEPSP	USASC	0 00	0 00	0 00	13.97	0.90						\vdash
	Subsequent Activity	+		UEFOF	USASC	0 00	0.00	0.00				 				
FEATL		-		UEPSP UEPSE	UEPVF	3 04	0 00	0.00			l	 	 	 		
	All Available Vertical Features	+ -	$\vdash \vdash \vdash$	UEPSP UEPSE	UEPVF	3 04	0 00	0.00			_			 -	· ·	<u> </u>
EXCH	ANGE PORT RATES (COIN)		H		+	1 65	2 38	2 28	1 42	1 33		-	 	-	· · · · ·	
	Exchange Ports - Coin Port	 			+	1 03	2 36		1 42	1 33				<u> </u>		
Local	Switching Features offered with Port Transmission/usage charges associated with POTS circuit s											1001	<u> </u>	l		

<u>UNBUN</u> DL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Order vs.		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
						Rec		curring	Nonrecurring					Rates (\$)		<u> </u>
	The state of the s			BEBOU	D' D.		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	E Access to B Channel or D Channel Packet capabilities will be D LOCAL EXCHANGE SWITCHING(PORTS)	e avaliai	ole oni	y through BFK/New	Business Ke	quest Process.	. Kates for the	packet capabi	inies will be ac	termined via t	ne Bona Fic	ie Requesti	New Busines:	s Request Pro	cess.	
	HANGE PORT RATES	1					-							-		
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	ın this	rate exhibit apply t	the embed	ded base in pla	ice as of 10/2/0	I I3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to tar	riff rates or	a separate ao	reement.		- · · · · -
	lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											Ī		1		-
	Exchange Ports - 2-Wire DID Port]		UEPEX	UEPP2	8 86	119 57			3 77						
Ì	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID						_									
	capability (E 4/1/2004)	<u> </u>	L	UEPDD	UEPDD	73 62	202 47	95 90	72 75	2 47	<u> </u>					
	Exchange Ports - 2-Wire ISDN Port (See Notes below)	1		UEPTX, UEPSX	U1PMA	13 38	72 93	53 11	47 90	10 76				<u> </u>		
	All Features Offered		<u> </u>	UEPTX, UEP\$X	UEPVF	3 04	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	<u> </u>	1	UEPTX, UEPSX	U1UMA	0 00	0 00	0 00				L	L		<u> </u>	
	E. Transmission/usage charges associated with POTS circuit s													1		
	E Access to B Channel or D Channel Packet capabilities will be HANGE PORT RATES (continued)	e avanal	ne onl	y unrough BFR/New	business Re	quest Process	Rates for the	packet capabi	nues will be de	etermined via t	ne Bona Fio	ie keduest/	new busines:	s Request Pro	cess.	
EXC	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1			 						 					
	Locator Capability (E 4/1/2004)			UEPEX	UEPEX	107 44	204 27	101 78	79 35	20 10		1	l	1		1
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)	 	1	UEPDX	UEPDX	107 44	204 27	101 78	79 35	20 10	 					
	Physical Collocation - DS1 Cross-Connects	 		UEPEX UEPDX	PE1P1	1 12	22 08	15 96	6 42					+		
	Virtual collocation - Special Access & UNE,cross-connect per	1	1	OLI CK OLI DK			22.00									
	DS1			UEPEX UEPDX	CNC1X	1 12	22 08	15 96	6 42	5 80						•
Deta	iled E911 with Locator Capability (required with UEPEX port)	†										1		1		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1				<u> </u>										
	Locator Capability - Initial Profile Establishment per CLEC per								}							
	State		i	UEPEX	UEP1A	0 00	1,808 00		156 43							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	I	İ													
	Locator Capability - Subsequent Profile Changes, Additions,		1]									
	Deletions		<u> </u>	UEPEX	UEP1B	0.00	175 53									
New	or Additional PRI Telephone Numbers	ļ	Ļ							l		ļ	-	+		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in										Ì				ļ	
1	E911 profile [New or Additional]		1	UEPEX	UEP1C	0 0698	0 49	0.49			ŀ					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		<u> </u>	OLITEX	DEI 10	0 0030	0.70	0 43				i		+		
İ	Locator Capability - Outdial Telephone Numbers, per number in															
l	E911 profile [New or Additional]			UEPEX	UEP1D	0 0698	11 54	11 54			ŀ					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward		1											1		
ļ	Telephone Numbers - Inward Data Only Option [New or				i					1	1					
1	Additional)			UEPDX	UEP1E	0 00	0 49	0 49								
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]										ľ					
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0 00	23 07	23 07								
LOC	AL NUMBER PORTABILITY				ļ <u>.</u>						ļ					
	Local Number Portability (1 per port)	<u> </u>	ļ	UEPEX UEPDX	LNPCN	1 75			-		 	ļ				
INTE	RFACE (Provsioning Only) Voice/Data		├	UEPEX	PR71V	0 00	0.00	0.00			ļ			+		
	Digital Data	-	<u> </u>	UEPEX	PR71D	0 00	0 00	0.00			1	 		+		
	Inward Data	+	 	UEPDX	PR71E	0 00	0.00	0 00		-	· · · · · · · · · · · · · · · · · · ·			+		
Now	or Additional Channel	-	 	OLI DX	110712	0 00	0.00	0.00			†	 				
New	New or Additional - Voice/Data "B" Channel	-		UEPEX	PR7BV	0 00	14 56			-	 	+				
	New or Additional - Digital Data "B" Channel	1	1	UEPEX	PR7BF	0.00	14 56				t					
	New or Additional Inward Data "B" Channel	1	 	UEPDX	PR7BD	0 00	14 56	·	1							
	New or Additional Useage Sensitive Voice Data "B" Channel		T	UEPEX	PR7BS	0.00										
	New or Additional Useage Sensitive Digital Data "B" Channel		L	UEPEX	PR7BU	0.00										
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14 56								ļ	
CAL	L TYPES					1							1			
CAL	Inward		L	UEPEX UEPDX	PR7C1	0.00	0.00	0 00	ļ			1		+		-
CAL											1		1	1		1
CAL	Outward	ļ		UEPEX	PR7CO	0 00	0 00				1	 				
	Two-way			UEPEX	PR7CO PR7CC	0 00	0.00	0.00								
ÜNB																

UNBUNDLED I	NETWORK ELEMENTS - South Carolina											_	Attach	ment 2	Evhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental	Incremental Charge - Manual Svo Order vs.	Incremental	Incrementa Charge - Manual Sve Order vs.
						Rec	Nonrec			g Disconnect				Rates (\$)		
						 	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ur	nbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 65	2 38	2 28	1 42	1 33	}					
	nbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1 65	2 38	2 28	1 42							+
	nbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 65	2 38	2 28	1 42	1 33						
Non-Recu										ļ						
	nbundled Remote Call Forwarding Service - Conversion - wtch-as-is			UEPVR	USAC2		0 10	0 10					}			
	witch-as-is hbundled Remote Call Forwarding Service - Conversion with	-		DEPVR	USAC2		0 10	0 10								
	lowed change (PIC and LPIC)			UEPVR	USACC		0 10	0 10								
	LED REMOTE CALL FORWARDING - Bus										—					
					1				1		1					
Ur	nbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1 65	2 38	2 28	1 42	1 33						ļ
													1			
	nbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1 65	2 38	2 28	1 42							ļ
	nbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1 65 1 65	2 38 2 38	2 28 2 28	1 42							
	nbundled Remote Call Forwarding Service, IntraLATA - Bus inbundled Remote Call Forwarding Service Expanded and		-	UEPVB	UERTR	1 65	2 38	2 28	142	1 33						-
	reption Local Calling			UEPVB	ŲERVJ	1 65	2 38	2 28	1 42	1 33						
Non-Recu		-		OLI VE	- JOEAN											
	houndled Remote Call Forwarding Service - Conversion -									_	\vdash					1
	witch-as-is			UEPVB	USAC2		0 10	0 10								
	nbundled Remote Call Forwarding Service - Conversion with															
	lowed change (PIC and LPIC)			UEPVB	USACC		0 10	0 10								.
	CAL SWITCHING, PORT USAGE										ļ					
	e Switching (Port Usage)					0 0010519					<u> </u>					
	nd Office Switching Function, Per MOU and Office Trunk Port - Shared, Per MOU				-	0 0002136			·		 -		-			
	Switching (Port Usage) (Local or Access Tandem)				+	0 0002130										
	andem Switching Function Per MOU	-+				0 0001634	-	-								
	andem Trunk Port - Shared, Per MOU					0 0002863										ļ
Ta	andem Switching Function Per MOU (Melded)					0 00004951					<u> </u>					
	andem Trunk Port - Shared, Per MOU (Melded)					0 000086749										
	elded Factor 30 30% of the Tandem Rate				-	-									-	
	Transport					0 0000045							_			
	ommon Transport - Per Mile, Per MOU ommon Transport - Facilities Termination Per MOU					0 0004095					 					
INDUNOLED BOE	RT/LOOP COMBINATIONS - COST BASED RATES				-		~-				1					
Cost Page	of Pates are applied where BellSouth is required by ECC an	d/or Sta	te Cor	nmission rule to p	rovide Unbun	dled Local Swit	ching or Switch	h Ports.								
	Lating the the Helphyadiad Borth can Combination Cod	Bacadi	Data e	action in the come	a manner as tt	ov are annited t	to the Stand-Al	one Unbundle	ed Port section	of this Rate E	xhibit.		l			ļ. <u> </u>
E O.		aga rata	e in th	a Port section of t	hie rate exhib	it shall annly to	all combinatio	ns of loop/no	rt network elei	ments except	TOT UNE COL	n Port/Loop	Combination	ns		
The first a	and additional Port nonrecurring charges apply to Not Curre	ently Co	mbine	d Combos For Cu	irrently Comb	ined Combos th	e nonrecurring	g charges shal	ll be those ide	ntified in the N	onrecumng	- Currently	Combined St	ections.		
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)					 										
	Loop Combination Rates		1			14 89				ļ						
	Wire VG Loop/Port Combo - Zone 1		1 2		+	21 52			 							
	Wire VG Loop/Port Combo - Zone 2 Wire VG Loop/Port Combo - Zone 3		3		1	27 17	-			1						
UNE Loop			Ť	-	1											
	Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13 76										
	Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20 38										
2-1	Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26 04				<u> </u>						
	ice Grade Line Port Rates (Res)			Licony	-	140		40.00	24 98	6 65				<u> </u>		
	Wire voice unbundled port - residence			UEPRX	UEPRL	1 13	40 30 40 30	19 90 19 90	24 98 24 98	6 65	 					
	Wire voice unbundled port with Caller ID - res	-		UEPRX UEPRX	UEPRO	1 13	40 30	19 90	24 98	6 65	 					
	Wire voice unbundled port outgoing only - res Wire voice Grade unbundled South Carolina extended local	+		ULFRA	JEFRO		40 30	10 80	2,30	- 500			-			
	wire voice Grade unbundied South Carolina extended local	- 1		UEPRX	UEPAU	1 13	40 30	19 90	24 98	6 65						
2-0	Wire voice unbundled South Carolina Area Calling port with	+			1											
	iller ID - res (LW8)	- 1	- 1	UEPRX	UEPAJ	1 13	40 30	19 90	24 98	6 65	1					1

INRONDFED	NETWORK ELEMENTS - South Carolina													ment: 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Manual Svc	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID											1				
	(LUM)		1	UEPRX	UEPAP	1 13	37 93	16 72								
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan							40.00								
	without Caller ID			UEPRX	UEPWI.	1 13	40 30	19 90	24 98	6 65	ļ					
	2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability			UEPRX	UEPRS	1 13	40 30	19 90	24 98	6 65		1				
	2-Wire voice unbundled Low Usage Line Port without Caller ID			OLFIX	OLF NO	1 13	70 30	19 30	27.30	0 00						
	Capability			UEPRX	UEPRT	1 13	40 30	19 90	24 98	6 65						l
FEATUR					1											
	All Features Offered			UEPRX	UEPVF	3 04	0.00	0 00		-						ļ
LOCAL	NUMBER PORTABILITY															
1	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED										.			1		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		i											1		
	Switch-as-is			UEPRX	USAC2		0 10	0 10						-		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	ŀ					0.40	0.40			1	1				
	Switch with change			UEPRX	USACC		0 10	0 10			+					
	DNAL NRCs		-		1 1						-					
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2	0.00	0 00	0.00						ļ.		
	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User		 	UEPRX	USASZ	0 00	0 00	0.00			<u> </u>					
	Onbundied Miscellaneous Rate Element, Tag Loop at End Oser Premise	1	[UEPRX	URETL		8 33	0.83								
	PREMISES EXTENSION CHANNELS	ļ	 	OLFINA	OKLIL		0 33	0 0 0								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14 94	37 92	17 62	23 56	5 32	 					
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	21 39	37 92	17 62	23 56	5 32	f					
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26 72	37 92	17 62	23 56	5 32						
	2 Wire Analog Voice Grade Extension Loop – Design	_	1	UEPRX	UEAED	16 68	105 98	68 43	53 05	10 61						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23 13	105 98	68 43	53 05	10 61						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28 46	105 98	68 43	53 05	10 61	}					
	FFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility												1		1	
	Termination	L		UEPRX	U1TV2	24 30	40 63	27 47	16 77	6 91					ļ	<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				=		2.00	0.00							1	1
	or Fraction Mile		<u> </u>	UEPRX	U1TVM	0 0167	0 00	0 00				1		 	 	
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		-								 -	 				
	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			14 89			1			1		 	 	ļ
	2-Wire VG Loop/Port Combo - Zone 2		2			21 52						 				
	2-Wire VG Loop/Port Combo - Zone 3		3		+	27 17										
	op Rates		 													
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13 76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20 38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26 04										
	/oice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 13	40 30	19 90		6 65	.					
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 13	40 30	19 90		6 65						
	2-Wire voice unbundled port outgoing only - bus	L	ļ <u> </u>	UEPBX	UEPBO	1 13	40 30	19 90	24 98	6 65	ļ			L	1	
	2-Wire voice Grade unbundled South Carolina extended local			HEDRY	UEPAZ	1 13	40 30	19 90	24 98	6 65			1		1	
	dialing panty port with Caller ID - bus		 	UEPBX		1 13	40 30	19 90		6 65	+		-	 	+	1
	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled South Carolina Bus Area Calling Port	 	+	UEPBX	UEPB1	1 13	40 30	19 30	24 30	0.00	 		 			
	2-Wire voice unbundled South Carolina Bus Area Cailing Port with Caller ID (LMB)			UEPBX	UEPAB	1 13	40 30	19 90	24 98	6 65			I	1		
	2-Wire Voice Unbundled South Carolina Business Dialing Plan		+	DEI DA	OCI /ND	, 13	70.00	15 30	27 30	0.00	 	† · · · ·		1		
	2-wire voice embundled south Carolina Business Dialing Plan without Caller ID		1	UEPBX	UEPWM	1 13	40 30	19 90	24 98	6 65	1		I			1
	2-Wire voice unbundled South Carolina Business Area Calling	 	 	0_10/1	SE. 17101	, ,,	-10 00	.5 50	2.30	- 500	1	† · · · · · · ·				
	Port without Caller ID Capability			UEPBX	UEPBB	1 13	40 30	19 90	24 98	6 65						
	2-Wire voice unbundled Incoming Only Port without Caller ID	1	†		1						1					l
	Capability			UEPBX	UEPBE	1 13	40 30	19 90	24 98	6 65						
	NUMBER PORTABILITY	t —	 	- · · · · · · · · · · · · · · · · · · ·	1				1		1	T			1	1

ONBOND	DLED NETWORK ELEMENTS - South Carolina												Attach	ment 2	Exhi	ibit B
						•••						Svc Order Submitted	Incremental		Incremental Charge -	
CATEGORY	RY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svo Order vs. Electronic-	Order vs. Electronic-	Manual Svc Order vs Electronic-	Order vs.
													1st	Add'l	Disc 1st	Disc Add
		1	↓			Rec	Nonrec		Nonrecurring					Rates (\$)		
		1	ļ		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)		-	UEPBX	LNPCX	0 35								ļ		
FEA	ATURES	 	<u> </u>	UEDDV	LIED) #	2.04	0.00	0.00								1
NO	All Features Offered DNRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	-	UEPBX	UEPVF	3 04	0 00	0 00								
NO	2-Wire Voice Grade Loop / Line Port Combination - Conversion	+	1		-+									1		1
	Switch-as-is		ļ	UEPBX	USAC2		0 10	0 10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1	[LICORY	LICACC	ĺ	0.40	0.40				:				
ADI	Switch with change DDITIONAL NRCs	+	 	UEPBX	USACC		0 10	0 10						ļ	ļ	-
AU	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		 													
	Activity			UEPBX	USAS2		0 00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8 33	0 83								
OFF	F/ON PREMISES EXTENSION CHANNELS	 	†												†———	
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	14 94	37 92	17 62	23 56	5 32				1		1
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1	2	UEPBX	UEAEN	21 39	37 92	17 62	23 56	5 32				1		1
1	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	26 72	37 92	17 62	23 56	5 32				l		
	2 Wire Analog Voice Grade Extension Loop – Design	Τ	1	UEPBX	UEAED	16 68	105 98	68 43	53 05	10 61						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	23 13	105 98	68 43	53 05	10 61						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28 46	105 98	68 43	53 05	10 61						
INT	TEROFFICE TRANSPORT															
İ	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	24 30	40 63	27 47	16 77	6 91						
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	i		UEPBX	U1TVM	0 0167	0 00	0 00								
	WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)										<u> </u>					
UNE	IE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14 89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21 52									-	
1144	2-Wire VG Loop/Port Combo - Zone 3	-	3			27 17										
UNE	#E Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	13 76					-			1	1	_
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPRG	UEPLX	20 38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	+		UEPRG	UEPLX	26 04								1		
2.10/	Wire Voice Grade Line Port Rates (RES - PBX)	1	 	OLI IIO	OLI LA	20 07								 		
2-77	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1		-						 			 		<u> </u>
	Res			UEPRG	UEPRD	1 13	69 26	32 50	37 53	6 22						
LOC	CAL NUMBER PORTABILITY	+	1				*****									1
	Local Number Portability (1 per port)	 		UEPRG	LNPCP	3 15	0 00	0.00								
FEA	ATURES						-									
	All Features Offered			UEPRG	UEPVF	3 04	0.00	0 00								
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		7 93	1 91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	-	02.110	- JOONGE		00	, , ,								<u> </u>
	Conversion - Switch with Change			UEPRG	USACC		7 93	1 91								
ADD	DITIONAL NRCs		1													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0 00	0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 34	7 34								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1			T	-										1
	Premise		ļ	UEPRG	URETL		8 33	0 83								
OFF	F/ON PREMISES EXTENSION CHANNELS	4	L .	UEBBO	150000		105.05	- 00.45	F0.05	10.01	ļ	-				
$-\!\!\!\!+\!\!\!\!\!-$	Local Channel Voice grade, per termination	1		UEPRG	P2JHX	16 68	105 98	68 43	53 05	10 61 10 61	 					
	Local Channel Voice grade, per termination	 	2	UEPRG	P2JHX	23 13	105 98	68 43 68 43	53 05	10 61	<u> </u>					
	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade	ļ	3	UEPRG UEPRG	P2JHX SDD2X	28 46 17 74	105 98 131 88	68 43	53 05 90 70	13 42						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment 2		ıbit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'I		Charge - Manual Sv Order vs.
						Rec	Nonrec First	urring	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29 58	65 94	31 03	45 35	6 71		SOMAN	SUMAN	SUMAN	SOMAN	SUMAN
INTE	ROFFICE TRANSPORT	1	Ť	OL: NO	ODDEA	20 00		0.00	10 00		1	1		1		+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		-											†··-		1
	Termination	1	1	UEPRG	U1TV2	24 30	40 63	27 47	16 77	6 91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1													T
	or Fraction Mile		1	UEPRG	U1TVM	0 0167	0 00	0 00								ļ
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<u> </u>													
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14 89							<u> </u>			-
	2-Wire VG Loop/Port Combo - Zone 2		2			21 52						ļ	-			-
	2-Wire VG Loop/Port Combo - Zone 3		3			27 17					ļ					
UNE	Loop Rates		1	HEDDY	UEDLY	12.76					1	1				+
	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1 2	UEPPX UEPPX	UEPLX UEPLX	13 76 20 38					 	 	 	1		+
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	26 04					-	+				
0.140	2-Wire Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLA	20 04	-				+	1		 		+
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)	-	+			-						 				+
i	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 13	69 26	32 50	37 53	6 22			1			ŀ
	Line Side Unbundled Outward PBX Trunk Port - Bus		+	UEPPX	UEPPO	1 13	69 26	32 50	37 53	6 22		1		+		+
	Line Side Unbundled Incoming PBX Trunk Port - Bus	 	+	UEPPX	UEPP1	1 13	69 26	32 50	37 53	6 22		1		 		+
	2-Wire Voice Unbundled PBX LD Terminal Ports	-	+	UEPPX	UEPLD	1 13	69 26	32 50	37 53	6 22		 		<u> </u>		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-	 	UEPPX	UEPXA	1 13	69 26	32 50	37 53	6 22			-	 		+
	2-Wire Voice Unburidled 2-Way Combination PBX Osage Fort	 	 	UEPPX	UEPXB	1 13	69 26	32 50	37 53	6 22				1		+
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPPX	UEPXC	1 13	69 26	32 50	37 53	6 22				1		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		 	UEPPX	UEPXD	1 13	69 26	32 50	37 53	6 22		<u> </u>				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		_	OZ K	102.7.0							† · ·		<u> </u>		
	Capable Port			UEPPX	UEPXE	1 13	69 26	32 50	37 53	6 22	i	i				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								-							
1	Administrative Calling Port			UEPPX	UEPXL	1 13	69 26	32 50	37 53	6 22				l		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<u> </u>		1												1
	Room Calling Port			UEPPX	UEPXM	1 13	69 26	32 50	37 53	6 22			i			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		T													
	Discount Room Calling Port			UEPPX	UEPXO	1 13	69 26	32 50	37 53	6 22		l				
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 13	69 26	32 50	37 53	6 22				ļ		
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus												1			
	Calling Port			UEPPX	UEPXT	1 13	69 26	32 50	37 53	6 22						1
LOC	AL NUMBER PORTABILITY											ļ				
	Local Number Portability (1 per port)		ļ _	UEPPX	LNPCP	3 15	0 00	0 00			1	-				
FEA	TURES													ļ		+
	All Features Offered			UEPPX	UEPVF	3 04	0.00	0 00				<u> </u>		<u> </u>		+
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	1								 		 	1		1
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	USAC2		7 93	1 91				1		l		1
	Conversion - Switch-As-Is	ļ	 	UEPPX	USACZ		7 93	191	 		+	<u> </u>	 	 		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USACC		7 93	1 91					1	1		1
ADD	Conversion - Switch with Change	 	 	-	00000	-	1 50	1.91	 		+		l	1		1
ADL	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	+			· ·			 		+		†			†
	Subsequent Activity	1		UEPPX	USAS2	0 00	0 00	0 00						1		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	 	1	 	100.00									1		1
	Group		1	1			7 34	7 34								1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	t -	1			-										I
	Premise		1	UEPPX	URETL		8 33	0 83		<u></u>		<u></u>				
OFF	ON PREMISES EXTENSION CHANNELS		_	T		1										
10,1	Local Channel Voice grade, per termination			UEPPX	P2JHX	16 68	105 98	68 43	53 05	10 61						
	Local Channel Voice grade, per termination			UEPPX	P2JHX	23 13	105 98	68 43	53 05	10 61						
	Local Channel Voice grade, per termination	-	3	UEPPX	P2JHX	28 46	105 98	68 43	53 05	10 61		L		1		
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	17 74	131 88	62 06	90 70	13 42			 			+
	Non-Wire Direct Serve Channel Voice Grade	I	2	UEPPX	SDD2X	25 16	65 94	31 03	45 35	6 71		<u> </u>	 			+
	Non-Wire Direct Serve Channel Voice Grade	1	3	UEPPX	SDD2X	29 58	65 94	31 03	45 35	6 71	L		<u> </u>	<u> </u>	1	

ADDIADEED INC. MOKE	ELEMENTS - South Carolina		_									0 - :		ment: 2		bit: B
1		Ì			l i						1	1	Incremental		Incremental	Incremen
1												Submitted	_	Charge -	Charge -	Charge
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
			1								1	1	Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'i	Disc 1st	Disc Add
									_						5.00 10.	Dioc ria
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTEROFFICE TRANS	PORT															
Interoffice Tran	sport - Dedicated - 2 Wire Voice Grade - Facility	İ							1							
Termination				UEPPX	U1TV2	24.30	40.63	27.47	16.77	6,91	1					
Interoffice Tran	sport - Dedicated - 2 Wire Voice Grade - Per Mile				i				1							İ
or Fraction Mile				UEPPX	U1TVM	0.0167	0.00	0.00								
	E LOOP WITH 2-WIRE ANALOG LINE COIN POR	۲۲			0111111		0,00	0,00								<u> </u>
UNE Port/Loop Comb		ì	-						1							<u> </u>
	Port/Loop Combo – Zone 1		1			14.89										
	Port/Loop Combo – Zone 2		2			21.52			i							
	Port/Loop Combo – Zone 3	-	3			27.17			1		-					1
	1 POINTEOUP COINOU - ZOITE 3	-	3			21.11					-				_	1
UNE Loop Rates	and Lane (CLA). Zero 4	-	1	LIEDOO	LIEDLY	40.30			1		-		-			-
	rade Loop (SL1) - Zone 1			UEPCO	UEPLX	13.76										-
	rade Loop (SL1) - Zone 2			UEPCO	UEPLX	20.38										
	rade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
2-Wire Voice Grade Li									1							
	Nay without Operator Screening and without															
Blocking (SC)				UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
	Way with Operator Screening and Blocking: 011,															
900/976, 1+DD				UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
2-Wire Coin 2-V	Way with Operator Screening and 011 Blocking															
(SC)				UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65	-					
2-Wire Coin 2-V	Way with Operator Screening and 011 Blocking;															
with Dialing Pa				UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65					1	
	Way with Operator Screening and: 900 Blocking:				02.00	1.10	10,00	10.00	21.00	0.00					1	
	D, 011+, and Local (SC)			UEPCO	UEPCC	1,13	40.30	19.90	24.98	6.65						
	V Operator Screen: 900 Block: 900/976, 1+DDD,		_	OLI CO	OLI CC	1,13	40.50	13.30	24.30	0.03	-					
	hhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
		-	_	UEPCO	UEPCE	1,1,3	40.30	15.50	24.90	0.03	-			-		
	V Operator Screen: 900 Block: 900/976, 1+DDD,			LIEBOO	UEDOE	4.40	40.00	40.00	04.00		1					
	nhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
	tward without Blocking and without Operator															
Screening (SC)				UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
	tward with Operator Screening and 011 Blocking															
(SC)				UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
	tward with Operator Screening and Blocking:														ĺ	
011, 900/976, 1				UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
	tward with Operator Screening and Blocking:															
	D, 011+, and Local (SC)	1 141		UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
2-Wire Coin Ou	t Operator Screen & Block: 900/976, 1+DDD,													_		
011+, Local; Er	hanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						i
2-Wire 2-Way S	Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						İ
	tward Smartline with 900/976 (all states except				i											1
LA)				UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						
ADDITIONAL UNE CO	IN PORT/LOOP (RC)															
	Loop Combo Usage (Flat Rate)	1		UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						1
LOCAL NUMBER POR							0.00	0.00		0.00						i -
	Portability (1 per port)	1		UEPCO	LNPCX	0.35										1
	RGES - CURRENTLY COMBINED			02.00	2111 011	0.00									_	
	rade Loop / Line Port Combination - Conversion -															
Switch-as-is	rade 200p / Enre i ort Combination - Conversion -			UEPCO	USAC2		0.10	0.10								1
	rade Loop / Line Port Combination - Conversion -		-	02,00	00002		0.10	0.10					-			
Switch with cha				UEPCO	USACC		0.10	0.10								1
ADDITIONAL NRCs	niye	-		UEPCU	USALL		0.10	0.10					-			
	and a local line Day Combination Co.		-	_	_											-
	rade Loop/Line Port Combination - Subsequent			LIEBOO	UCACC.											
Activity		1		UEPCO	USAS2		0.00	0.00					-			
	cellaneous Rate Element, Tag Loop at End User			l	1											
Premise				UEPCO	URETL		8.33	0.83								
	2WIRE VOICE GRADE 10 TRANSPORT/ 2-WIRE	E LINE P	PORT (RES)												
UNE Port/Loop Comb	ination Rates		1													
2 Miro VC Loo	o/IO Tranport/Port Combo - Zone 1		1 1			18.00										

INBUNDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l		Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24 45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<u> </u>	3			29 78						<u> </u>				
UNE L	oop Rates	<u> </u>														
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16 68						L				
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	23 13							1			<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 3		_ 3	UEPFR	UECF2	28 46										
2-Wire	Voice Grade Line Port Rates (Res)															1
	2-Wire voice unbundled port - residence		L	UEPFR	UEPRL	1 32	108 36	70 71	1 42	1 33						L
	2-Wire voice unbundled port with Caller ID - res	1		UEPFR	UEPRC	1 32	108 36	70 71	1 42	1 33		L				
	2-Wire voice unbundled port outgoing only - res	l	<u> </u>	UEPFR	UEPRO	1 32	108 36	70 71	1 42	1 33						
	2-Wire voice Grade unbundled South Carolina extended local										1		1	1		
1	dialing parity port with Caller ID - res			UEPFR	UEPAU	1 32	108 36	70 71	1 42	1 33						
	2-Wire voice unbundled South Carolina Area Calling port with				T T									_		
	Caller ID - res (LW8)			UEPFR	UEPAJ	_ 1 32	108 36	70 71	1 42	1 33				İ		L
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)		1	UEPFR	UEPAP	1 32	108 36	70 71	1 42	1 33	l			1	<u></u>	
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan		<u> </u>									1				
	without Caller ID	i		UEPFR	UEPWL	1 32	108 36	70 71	1 42	1 33						l
INTER	OFFICE TRANSPORT		T									i				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
l.	Termination		1	UEPFR	U1TV2	19 44	40 63	27 47	16 77	6 91	ŀ	i				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	ł	ŀ	UEPFR	1L5XX	0 0134							1			1
FEATL			\vdash	_	-											
_	All Features Offered		\vdash	UEPFR	UEPVF	3 04	0.00	0.00			1			1		
LOCAL	NUMBER PORTABILITY		—									1				
	Local Number Portability (1 per port)		 	UEPFR	LNPCX	0 35	-				1	†				
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	\vdash	-				-			t					
·	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	 								1					<u> </u>
	Combination - Conversion - Switch-as-is		l .	UEPFR	USAC2		8 50	1 87								į.
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	-	OLI TIK	- CONOL		0.00							†		$\overline{}$
	Combination - Conversion - Switch-With-Change	1	ļ	UEPFR	USACC		8 50	1 87	1							
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		-	02/110	OUNCO		0.00					t				+
1	End User Premise			UEPFR	URETN		11 24	1 10								
2 14/17	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E I INE I	OPT (OKETI		1124	110			 	 		 	 -	
	ort/Loop Combination Rates	T	UK I	1							1				 -	+
UNEP	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	+	1	-		18 00					+] -			
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			24 45										
		1	3			29 78					 	 				
10505	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1				29 10			 			-		 		+
UNEL	oop Rates		 	UEDED	UECES	16 68			 			 				
	2-Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>		UEPFB	UECF2 UECF2				-		 	+	 	ļ.—		+
	2-Wire Voice Grade Loop (SL2) - Zone 2	₩	2	UEPFB		23 13 28 46			-		 	 		 		+
	2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFB	UECF2	28 46			<u> </u>		+	 				+
2-Wire	Voice Grade Line Port (Bus)			WEDER	UEDDI	4.00	400.00	70 71	1 42	1 33	 	 				
	2-Wire voice unbundled port without Caller ID - bus	ļ	-	UEPFB	UEPBL.	1 32	108 36							-		+
	2-Wire voice unbundled port with Caller + E484 ID - bus	1		UEPFB	UEPBC	1 32	108 36	70 71		1 33				 	+	+
	2-Wire voice unbundled port outgoing only - bus	₩	-	UEPFB	UEPBO	1 32	108 36	70 71	1 42	1 33		1	 	<u> </u>	 	+
1	2-Wire voice Grade unbundled South Carolina extended local	1	1		1	,	400		1 42	1 33	1	1	1	1		
	dialing parity port with Caller ID - bus		↓	UEPFB	UEPAZ	1 32	108 36	70 71				 		ļ. <u> </u>		+
	2-Wire voice unbundled incoming only port with Caller ID - Bus	L	<u> </u>	UEPFB	UEPB1	1 32	108 36	70 71	1 42	1 33	 	 		 	 	
	2-Wire voice unbundled South Carolina Bus Area Calling Port	1	[[[]			70	1		1	ì	Į.		1	1
	with Caller ID (LMB)	 		UEPFB	UEPAB	1 32	108 36	70 71	1 42	1 33		ļ				+
	2-Wire Voice Unbundled South Carolina Business Dialing Plan	1		l	1 1									Į.	1	1
L	without Caller ID			UEPFB	UEPWM	1 32	108 36	70 71	1 42	1 33	ļ		 		 	
LOCAL	L NUMBER PORTABILITY												ļ		<u> </u>	+
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35						↓	_	 	 	
INTER	OFFICE TRANSPORT								ļ	<u> </u>				ļ.——		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								1	l	1			1		1
	Termination	1	1	UEPFB	U1TV2	19 44	40 63	27 47	16 77	691	1		L	1	<u> </u>	ــــــــــــــــــــــــــــــــــ

MBUNDLE	D NETWORK ELEMENTS - South Carolina			T							Ta			ment: 2		ibit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1													
	or Fraction Mile		1	UEPFB	1L5XX	0 0134					1					
FEATU	RES															
	All Features Offered		1	UEPFB	UEPVF	3 04	0.00	0.00						-		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated 10 Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		8 50	1 87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		8 50	1 87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		<u> </u>	02.10	007.00											
	End User Premise			UEPFB	URETN		11 24	1 10								
2 WIDE	E VOICE LOOP/ 2WIRE VOICE GRADE 10 TRANSPORT/ 2-WIRE	FINE	ORT (OILLII		1,27	1.10						1		+
	ort/Loop Combination Rates		T (1				· · · · · · · · · · · · · · · · · · ·								+
JINE PO	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	 	1	†		18 00			1		<u> </u>			1		1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2			24 45										+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	†	3	<u> </u>		29 78										1
LINE 1	pop Rates		Ť	·	-	== 70									 	
OIAL EX	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16 68										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	23 13										1
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	28 46										1
2.Wire	Voice Grade Line Port Rates (BUS - PBX)		1												1	
2-11110	Total Brace Emilia Contractor (200 1 27)		†		-											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	i		UEPEP	UEPPC	1 32	137 32	83 31	67 02	11 51	i				l	
	Line Side Unbundled Outward PBX Trunk Port - Bus	†	 	UEPFP	ÜÉPPO	1 32	137 32	83 31	67 02	11 51	!			T		1
	Line Side Unbundled Incoming PBX Trunk Port - Bus	l		UEPFP	UEPP1	1 32	137 32	83 31	67 02	11 51	 			1		1
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 32	137 32	83 31	67 02	11 51						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	i e		UEPFP	UEPXA	1 32	137 32	83 31	67 02	11 51						
-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>		UEPFP	UEPXB	1 32	137 32	83 31	67 02	11 51	1					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPFP	UEPXC	1 32	137 32	83 31	67 02	11 51						1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		†	UEPFP	UEPXD	1 32	137 32	83 31	67 02	11 51						
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	-	t													
	Capable Port		i	UEPFP	UEPXÉ	1 32	137 32	83 31	67 02	11 51					1	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		†													
_	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	ļ	_	UEPFP	UEPXL	1 32	137 32	83 31	67 02	11 51						
	Room Calling Port		<u> </u>	UEPFP	UEPXM	1 32	137 32	83 31	67 02	11 51						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1 32	137 32	83 31	67 02	11 51		1		1	1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	+	UEPFP	UEPXS	1 32	137 32	83 31	67 02	11 51	<u> </u>	 	-	<u> </u>	1	+
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	 	+	OE III	ULI AG	1 32	107 32	00.01	J. 02	11.01		 		 	 	
	Calling Port NUMBER PORTABILITY	ļ	<u> </u>	UEPFP	UEPXT	1 32	137 32	83 31	67 02	11 51					_	ļ
LOCAL	Local Number Portability (1 per port)	 	1	UEPFP	LNPCP	3 15	0.00	0.00							!	+
DITCH.	OFFICE TRANSPORT	 	 	OLITE .	LIVE OF	3 13	0.00	0.00	 		 	 			 	
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 	-						 		 			t ·	1	
	Termination	ļ	<u> </u>	UEPFP	U1TV2	19 44	40 63	27 47	16 77	6 91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0 0134										
FEATU		ļ	—	ļ					ļ					-		+
	All Features Offered	ļ	-	UEPFP	UEPVF	3 04	0.00	0 00					ļ 	 		+
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	-						 		 	+	 	 	 	+
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		8 50	1 87							-	-
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		8 50	1 87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11 24	1 10								
ARLINDI ED I	PORT/LOOP COMBINATIONS - COST BASED RATES	1	+	1												
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK		+								1					

OMBONDEED I	NETWORK ELEMENTS - South Carolina			1								la - ·	·		ment: 2		ibit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						İ	Rec	Nonrec	urring	Nonrecurring					Rates (\$)		4
							Nec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/	Loop Combination Rates		<u> </u>														
	Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23 75										
	Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	L	2				30 20										
	Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				35 52										
UNE Loop			<u> </u>									<u> </u>					<u> </u>
	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX		UECD1	16 68										
	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX		UECD1	23 13					ļ	ļ. <u>.</u>				L
	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28 46										ļ
UNE Port	Rate		↓									1					
Ex	change Ports - 2-Wire DID Port			UEPPX		UEPD1	7 06	225 55	87 21	113 08	14 38						
2-1	JRRING CHARGES - CURRENTLY COMBINED Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			uspay				7.00									
2-1	witch-as-is Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1	UEPPX		USAC1		7 32	1 87								
	th BellSouth Allowable Changes		_	UEPPX		USA1C		7 32	1 87								
ADDITION			+	UEPPX		USAS1		26 84					 -				
	Wire DID Subsequent Activity - Add Trunks, Per Trunk	-	-	DEPPX		USAS1		20 04				1	1				
En	nbundled Miscellaneous Rate Element, Tag Designed Loop at nd User Premise			UEPPX		URETN		11 24	1 10								
	e Number/Trunk Group Establisment Charges	ļ		LIEDDY		NDT	0 00	0 00	0 00			+	1	 			
	D Trunk Termination (One Per Port)	1	ļ	UEPPX		וטא	0.00	0 00	0.00			ļ	 				
of	D Numbers, Establish Trunk Group and Provide First Group 20 DID Numbers			UEPPX		NDZ	0 00	0 00	0 00								
	dditional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0 00	0 00	0 00			ļ. <u></u>	ļ				
	D Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0 00	0 00	0 00			-					-
	eserve Non-Consecutive DID numbers		ļ	UEPPX	_	ND6	0 00	0 00	0 00			-					
	eserve DID Numbers		ļ	UEPPX		NDV	0 00	0 00	0 00								
	UMBER PORTABILITY		1	UEPPX		LNPCP	3 15	0 00	0.00			-					
	ocal Number Portability (1 per port)	LIE DIDI				LNPCP	3 13	0 00	0 00								+
	DN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	PUR							_			 	ł –	·		+
	/Loop Combination Rates	-	-		_								 				+
UI	N ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - NE Zone 1		1_	UEPPB	UEPPR		30 86										
ur	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port NE Zone 2		2	UEPPB	UEPPR		38 60										
	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	l	3	LIEDDE	HEDDO		44 23					1	1	1			1
	NE Zone 3	1	3	UEPPB	UEPPR	 	44 23			ļ		+	 				+
UNE Loop			-	LIEDDD	UEPPR	LICLAY	21 90						+				+
- 2-1	Wire ISDN Digital Grade Loop - UNE Zone 1	-	+ 1-	UEPPB	UEPPR	USLZX	2190			 	 	+	 		-		+
	Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	HSI 2Y	29 64						}	l			
	Wire ISDN Digital Grade Loop - UNE Zone 2 Wire ISDN Digital Grade Loop - UNE Zone 3	├─	3	UEPPB	UEPPR		35 27					+	 				+
UNE Port			-	OLFFB	ULFFR	UGLZX	30 27					 	 	-			t
	xchange Port - 2-Wire ISDN Line Side Port	 	 	UEPPB	UEPPR	UEPPB	8 96	190 51	133 14	100 95	21 37		<u> </u>				f
	URRING CHARGES - CURRENTLY COMBINED	-	 	OLFFB	ULFFIN	OLFFB	0 30	130 01	100 14	100 00	2107	+	 	-			+
2-1	Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		-	UEPPB	UEPPR	USACB	0.00	38 59	27 08								
	ombination - Conversion	-	-	100.10	25111	30,,00	000	00 09	2, 50				†			-	
Ur	nbundled Miscellaneous Rate Element, Tag Designed Loop at nd User Premise		† –	UEPPB	UEPPR	URETN		11 24	1 10								
Ur	nbundled Miscellaneous Rate Element, Tag Loop at End User			UEPPB	UEPPR	URETL		8 33	0.83								
	remise UMBER PORTABILITY		+	JEPPB	UCPPR	UNEIL		0.00	0.00			 	1				
	ocal Number Portability (1 per port)		†	UEPPB	UEPPR	LNPCX	0 35	0 00	0 00	***							
	EL USER PROFILE ACCESS	†	<u> </u>							1							
	VS/CSD (DMS/5ESS)		+	UEPPB	UEPPR	U1UCA	0 00	0 00	0 00								
	VS (EWSD)		+	UEPPB	UEPPR	U1UCB	0 00	0 00	0.00			T					
CS		t -	1		UEPPR	Ú1UCC	0 00	0.00	0 00								
	EL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C BAC S	TAN				- 1					1					1

DARONDEE	D NETWORK ELEMENTS - South Carolina													Attachi	ment 2	Exhi	oit B
													Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	ics	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Order vs.		Manual S Order vs Electroni Disc Add
				-		 	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
			1				Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS)	1	T	UEPPB	UEPPR	U1UCD	0 00	0.00	0 00	1 7 31	7,00	0020	0000	Commit	001117111	- JOHNAIN	JOINAI
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0 00	0.00	0.00			1					
	CSD			UEPPB	UEPPR	U1UCF	0.00	0 00	0 00			1					
USER	TERMINAL PROFILE		1														
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0 00	0 00	0 00								
	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile	<u> </u>	ļ	UEPPB	UEPPR	UEPVF	3 04	0 00	0 00								
INTER	OFFICE CHANNEL MILEAGE		ļ														
	Interoffice Channel mileage each, including first mile and					ļ											
	facilities termination		ļ		UEPPR	M1GNC	24 30	40 63	27 47	16 77	6 91						
	Interoffice Channel mileage each, additional mile	<u> </u>		UEPPB	UEPPR	M1GNM	0 0167	0 00	0 00								
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			I.,		L	L			<u> </u>			<u></u>				
	E-P DS1 combination rates below for in this rate exhibit appl													nt.			
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	runk P	ort afte	r the effec	tive date o	this amend	ment shall be p	rovided pursi	iant to a sepai	rate agreement	or tariff at Bei	South's di	scretion.				
UNE PO	ort/Loop Combination Rates [4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	!	 							ļ							
			1	UEPPP			176 82						l i				
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	 	+-	UEPPP		 	1/0 02			 		 		 			
	Zone 2	1	2	UEPPP			241 38					1					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	-	-	UEFFF		 	24130					1					
	Zone 3		3	UEPPP		1	347 84					İ					
	pop Rates	-	-	UEFFF			347 04			 		}					
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87										
	4-Wire DS1 Digital Loop - DNE Zone 1	 	2	UEPPP		USL4P	155 43			· · · · · ·							
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261 89					 					
UNE Po			-	OEFFF.		USLAF	20109					1					
UNEFO	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPPP		UEPPP	85 95	457 30	259 67	124 15	31 83						
NONDE	CURRING CHARGES - CURRENTLY COMBINED		1	OLITI		OZI / I	00 00	457 50	203 01	124 10	51 05						
NONKE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	 		 								· ·					
	Combination - Conversion -Switch-as-is (E 4/1/2004)		1	UEPPP		USACP	0 00	119 34	78 73	i							
ADDITI	ONAL NRCs	 	1									1					
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos (except NC)		1	UEPPP		PR7TF		0 49	0 49								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		l										_				
	Outward Tel Numbers (All States except NC)	1	i .	UEPPP		PR7TO		11 54	11 54								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			1													
	Subsequent Inward Tel Numbers	1	<u> </u>	UEPPP		PR7ZT		23 07	23 07								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1 75										
	Voice/Data			UEPPP		PR71V	0 00	0 00	0 00								
	Digital Data	Ľ	<u> </u>	UEPPP		PR71D	0 00	0 00	0 00								
	Inward Data			UEPPP		PR71E	0.00	0 00	0 00								
New or	Additional "B" Channel					L						<u> </u>					
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0 00	14 56									
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0 00	14 56									
	New or Additional Inward Data B Channel		<u> </u>	UEPPP		PR7BD	0 00	14.56									
CALL T						!						 					
	Inward	L		UEPPP		PR7C1	0 00	0 00	0 00	1		<u> </u>		ļ			
	Outward	<u> </u>	<u> </u>	UEPPP		PR7CO	0 00	0 00	0 00								
	Two-way		<u> </u>	UEPPP		PR7CC	0 00	0.00	0 00			 		_			
	ice Channel Mileage		ļ			ļ			04.00	40.00	14.10	-					
	Fixed Each Including First Mile	ļ		UEPPP		1LN1A	77 4815	89 47	81 99	16 39	14 48						
	Each Airline-Fractional Additional Mile		ļ	UEPPP		1LN1B	0 3415					 					
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	L	 			411 414 104 45	- 4/4/04 Nb)		L	al agreer	nt nt			
The UN	E-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	ided base	in place as	s of 10/2/03 L	intil 4/1/04. Aft	er 4/1/U4 these	rates shall re	vert to tariff rate	s or a separa	te commerci	ar ayreemel	11.			
	ets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	rate of	tnıs amen	ament sha	II be provide	a pursuant to a	separate agre	ement or tarif	r at BellSouth's	aiscretion.	 					
	ort/Loop Combination Rates		-	LIEDDO			410 7-										
1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC UEPDC			149 77 214 33	_				 					

UNE LOOP Ra 4-Wire 4-Wire 4-Wire NONRECURR 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann - C	ire DS1 Digital Loop - UNE Zone 1 ire DS1 Digital Loop - UNE Zone 2 ire DS1 Digital Loop - UNE Zone 3 ate ire DDITS Digital Trunk Port (E 4/1/2004) RRING CHARGES - CURRENTLY COMBINED ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-sion with DS1 Changes (E 4/1/2004) ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination with Change - Trunk (E 4/1/2004)		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC	Rec 320 78	Nonrec First		A		Submitted	Submitted Manually per LSR	Charge - Manual Svc Order vs.	Charge -	Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
UNE LOOP Ra 4-Wire 4-Wire 4-Wire NONRECURR 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann - C	Rates Ire DS1 Digital Loop - UNE Zone 1 Ire DS1 Digital Loop - UNE Zone 2 Ire DS1 Digital Loop - UNE Zone 3 ate Ire DS1 Digital Trunk Port (E 4/1/2004) RRING CHARGES - CURRENTLY COMBINED Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with DS1 Changes (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination with DS1 Changes (E 4/1/2004)		1 2	UEPDC	ואווער										2,00 .00	Disc Add
UNE LOOP Ra 4-Wire 4-Wire 4-Wire NONRECURR 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann - C	Rates Ire DS1 Digital Loop - UNE Zone 1 Ire DS1 Digital Loop - UNE Zone 2 Ire DS1 Digital Loop - UNE Zone 3 ate Ire DS1 Digital Trunk Port (E 4/1/2004) RRING CHARGES - CURRENTLY COMBINED Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with DS1 Changes (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination with DS1 Changes (E 4/1/2004)		1 2	UEPDC	TIGI IV		First			Disconnect				Rates (\$)		
UNE LOOP Ra 4-Wire 4-Wire 4-Wire NONRECURR 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Conv 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann 4-Wire - Chann - C	Rates Ire DS1 Digital Loop - UNE Zone 1 Ire DS1 Digital Loop - UNE Zone 2 Ire DS1 Digital Loop - UNE Zone 3 ate Ire DS1 Digital Trunk Port (E 4/1/2004) RRING CHARGES - CURRENTLY COMBINED Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with DS1 Changes (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination with DS1 Changes (E 4/1/2004)		1 2	UEPDC	1181 DC	320 78		Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire 4	ire DS1 Digital Loop - UNE Zone 1 ire DS1 Digital Loop - UNE Zone 2 ire DS1 Digital Loop - UNE Zone 3 ate ire DDITS Digital Trunk Port (E 4/1/2004) RRING CHARGES - CURRENTLY COMBINED ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-sion with DS1 Changes (E 4/1/2004) ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination with Change - Trunk (E 4/1/2004)		2	UEPDC	TISLING											⊢
4-Wire UNE Port Rate A-Wire NONRECURR 4-Wire - Switch - Conv A-Wire - Conv ADDITIONAL - Wire - Chann - 4-Wire - Chann - 4-Wire - Chann - 4-Wire - Chann - 4-Wire - Activa - 4-Wire - Activa - 4-Wire - Activa - BIPOLAR 8 Z	ire DS1 Digital Loop - UNE Zone 2 ire DS1 Digital Loop - UNE Zone 3 ate ire DDITS Digital Trunk Port (E 4/1/2004) RRING CHARGES - CURRENTLY COMBINED ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with DS1 Changes (E 4/1/2004) ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with Change - Trunk (E 4/1/2004)		2	UEPDC	HISLING I											
4-Wire UNE Port Rate A-Wire NONRECURR 4-Wire - Switch - Conv A-Wire - Conv ADDITIONAL - Wire - Chann - 4-Wire - Chann - 4-Wire - Chann - 4-Wire - Chann - 4-Wire - Activa - 4-Wire - Activa - 4-Wire - Activa - BIPOLAR 8 Z	ire DS1 Digital Loop - UNE Zone 2 ire DS1 Digital Loop - UNE Zone 3 ate ire DDITS Digital Trunk Port (E 4/1/2004) RRING CHARGES - CURRENTLY COMBINED ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with DS1 Changes (E 4/1/2004) ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with Change - Trunk (E 4/1/2004)					90 87			ļ							
UNE Port Rate [4-Wire NONRECURR 4-Wire - Switch 4-Wire - Conv 4-Wire - Conv ADDITIONAL 4-Wire Subse 4-Wire Chann 4-Wire Activa 4-Wire Activa 4-Wire Activa BIPOLAR 8 Z	ate ire DDITS Digital Trunk Port (E 4/1/2004) RRING CHARGES - CURRENTLY COMBINED ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with Change - Trunk (E 4/1/2004)		3	HERDC	USLDC	155 43										
4-Wire NONREGURR 4-Wire - Switch 4-Wire - Conv. 4-Wire - Conv. 4-Wire - Conv. 4-Wire Chann 4-Wire Chann 4-Wire Activa 4-Wire Activa 4-Wire Activa 4-Wire Activa 4-Wire Activa 8-BPOLAR 8-Z BBZS	ire DDITS Digital Trunk Port (E 4/1/2004) RRING CHARGES - CURRENTLY COMBINED Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination wiversion with DS1 Changes (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination wiversion with Change - Trunk (E 4/1/2004)			IOCEDO	USLDC	261 89								 		<u> </u>
NONRECURR 4-Wire - Swits 4-Wire - Conv 4-Wire - Conv ADDITIONAL - 4-Wire Subse 4-Wire Chann 4-Wire Activa 4-Wire Activa 8-BIPOLAR 8-Z BBZS	RRING CHARGES - CURRENTLY COMBINED Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with DS1 Changes (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with Change - Trunk (E 4/1/2004)		<u> </u>				_									ļ <u> </u>
4-Wire - Swith - Swith - Swith - Swith - Conv - Con	Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination witch-as-is (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes (E 4/1/2004) Irie DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E 4/1/2004)			UEPDC	UDD1T	58 90	455 50	253 79	117 55	14 20					<i> </i>	_
- Swite 4-Wire - Conv 4-Wire - Conv ADDITIONAL 4-Wire Subse 4-Wire Chann 4-Wire Activa 4-Wire Activa 4-Wire Activa 1-Wire Activa	wtch-as-is (E 4/1/2004) irre DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with DS1 Changes (E 4/1/2004) irre DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination inversion with Change - Trunk (E 4/1/2004)		1]									لـــــــــــــــــــــــــــــــــــــ		ļ	
- Conv. 4-Wire - Conv. ADDITIONAL. 4-Wire Subse 4-Wire Chain 4-Wire Activa 4-Wire Activa 14-Wire Activa 14-Wire BIPOLAR 8 Z	onversion with DS1 Changes (E 4/1/2004) Ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with Change - Trunk (E 4/1/2004)			UEPDC	USAC4		129 78	67 17								
- Com ADDITIONAL 4-Wire Subse 4-Wire Chanr 4-Wire Activa 4-Wire Activa 4-Wire Activa BIPOLAR 8 Z	onversion with Change - Trunk (E 4/1/2004)	L		UEPDC	USAWA		129 78	67 17								
ADDITIONAL 4-Wire Subse 4-Wire Chain 4-Wire Activa 4-Wire Activa 4-Wire Activa 8-Wire Activa 1-Wire Activa 1-Wire BIPOLAR 8-Z BBZS		_	1									, I	1	(I	, , , , , , , , , , , , , , , , , , ,	
4-Wire Subset 4-Wire Chain 4-Wire Activa 4-Wire Activa 4-Wire Activa BIPOLAR 8 Z	I NPCe		l	UEPDC	USAWB		129 78	67 17								
Subse 4-Wire Chanr 4-Wire Activa 4-Wire Activa 4-Wire Activa BIPOLAR 8 Z BBZS												\vdash		├ ───	\vdash	
4-Wire Chann 4-Wire Activa 4-Wire Activa 4-Wire Activa BIPOLAR 8 Z B8ZS	ire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	Τ			1							1 1	1	[, ,	
Chanr 4-Wire Activa 4-Wire Activa 4-Wire Activa 4-Wire Activa BIPOLAR 8 Z B8ZS	sequent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA		14 51	14 51								
4-Wire Activa 4-Wire Activa 4-Wire Activa BIPOLAR 8 Z B8ZS	fire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		l						ļ ,			[1	(!	(!	, ,	ļ
Activa 4-Wire Activa 4-Wire Activa BIPOLAR 8 Z B8ZS	nnel Activation/Chan - 1-Way Outward Trunk]		UEPDC	UDTTB		14 51	14 51				igsquare	ļ			
4-Wire Activa 4-Wire Activa BIPOLAR 8 Z	Are DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel											[]	(!	1		1
4-Wire Activa 4-Wire Activa BIPOLAR 8 Z	vation/Chan Inward Trunk w/out DID		1	UEPDC	UDTTC		14 51	14 51					<u> </u>		 	ļ
Activa 4-Wire Activa BIPOLAR 8 Z	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1								1		1 '	'	1 '	1
4-Wire Activa BIPOLAR 8 Z B8ZS	vation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14 51	14 51							<u> </u>	
Activa BIPOLAR 8 Z B8ZS	/re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		†									1 ,	1	1	1 '	1
BIPOLAR 8 Z	vation / Chan - 2-Way DID w User Trans	i	ł	UEPDC	UDTTE		14 51	14 51			,					ļ
B8ZS	ZERO SUBSTITUTION			· · · · · · · · · · · · · · · · · · ·												
	S -Superframe Format	t	1	UEPDC	CCOSF		0 001	605 00s								
	S - Extended Superframe Format			UEPDC	CCOEF		0 001	605 00s					l			
Alternate Ma	lark Inversion															<u> </u>
	-Superframe Format			UEPDC	MCOSF		0 00	0 00								
	- Extended SuperFrame Formal			UEPDC	МСОРО		0 00	0 00					L			
	Number/Trunk Group Establisment Charges	1							1					İ		
	ephone Number for 2-Way Trunk Group	 	+	UEPDC	UDTGX	0.00					Ī					<u> </u>
Telep	ephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
Telep	ephone Number for 1-Way Inward Trunk Group Without DID	1	+	UEPDC	UDTGZ	0.00										
	Numbers, Establish Trunk Group and Provide First Group		+-													1
	O DID Numbers	1		UEPDC	NDZ	0 00	0 00	0.00					l .		1	I
	Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00										1
	Numbers, Non-consecutive DID Numbers , Per Number	-	+	UEPDC	ND5	0.00	0.00	0 00				_ ·				
	serve Non-Consecutive DID Nos		+	UEPDC	ND6	0 00	0 00	0 00								
	serve DID Numbers		-	UEPDC	NDV	0 00	0.00	0.00				1				
Deducated D1	DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop													
Intero	proffice Channel Mileage - Fixed rate 0-8 miles (Facilities mination)			UEPDC	1LNO1	77 14	89 47	81 99	16 39	14 48						
	eroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 3415	0 00	0 00								
Intero	eroffice Channel Mileage - Fixed rate 9-25 miles (Facilities mination)			UEPDC	1LNO2	0 00	0 00	0 00								
Intero	eroffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNOB	0 3415	0 00	0.00								_
	proffice Channel Mileage - Fixed rate 25+ miles (Facilities mination)			UEPDC	1LNO3	0 00	0 00	0 00						<u> </u>	ļ	
	eroffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC_	1LNOC	0 3415	0.00	0 00				<u> </u>		<u> </u>	<u> </u>	
	al Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0.00	0 00	 		 			 		+
Centr	ntral Office Termininating Point			UEPDC	CTG	0 00			<u> </u>		 -	+	+	+		-
4-WIRE DS1						ļ —		<u> </u>	1					+	+	+
System is 1 I Each System	1 LOOP WITH CHANNELIZATION WITH PORT 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	tivation	15	i .	1		1		-		1		1	1	1	1

TEGORY					1								Incremental	I		Incrementa
ŀ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Order vs.		Charge - Manual St Order vs Electronic Disc Add
			-				Nonre	curring	Nonrecurring	Disconnect	<u> </u>		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
	E-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	
	its for 4-Wire DS1 Loop with Channelization with Port after th	e effecti	ive date	e of this amendmen	t shall be pr	ovided pursuan	t to a separate	agreement or	tariff at BeliSou	uth's discretion	on					
UNE DS																
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	90 87	0.00									
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	155 43	0 00									
	4-Wire DS1 Loop - UNE Zone 3	L	3	UEPMG	USLDC	261 89	0 00	0 00								
	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	82 78	0 00									
	48 DSO Channel Capacity - 1 per 2 DS1s	-		UEPMG	VUM48	165 56	0 00									
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331 12	0 00	0 00			ļ					
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG UEPMG	VUM14	496 68	0 00				1					
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG UEPMG	VUM19 VUM2O	662 24	0 00	0 00								
	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s	-		UEPMG	VUM26	827 80 993 36	0 00	0 00			 					
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324 48	0 00	0 00			 					
	480 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM40	1,655 60	0 00	0.00			 					
	576 DS0 Channel Capacity - 1 per 24 DS1s	_		UEPMG	VUM57	1,986 72	0 00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2.317 84	0.00	0 00			-					
Non-Red	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chann						0.00								
A Minin	num System configuration is One (1) DS1, One (1) D4 Channe	Bank	and Un	To 24 DSO Ports w	ith Feature	Activations.	otom.									
Multiple	es of this configuration functioning as one are considered Ac	1d'Lafte	r the m	inimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without	l little	11.0		I	T T										
	BellSouth Allowed Changes	ĺ		UEPMG	USAC4	0.00	150 81	8 38								1
	Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat	ion with Port Combi	nation Curr	ently Exists and										
	ot Currently Combined) in all states, except in Density Zone 1				T											
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	<u> </u>	1			1					1					
	and Assoc Fea Activation (E 4/1/2004)			UEPMG	VUMD4	0.00	717 71	425 81	149 08	17 69	i I		i			
	8 Zero Substitution					1										
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	1	[[UEPMG	CCOSF	0 00	0 001	605 00s								İ
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only	i		UEPMG	CCOEF	0 00	0 001	605 00s				i				l
Alternat	te Mark Inversion (AMI)															
1	Superframe Format			UEPMG	MCOSF	0 00	0 00	0.00								
T I	Extended Superframe Format			UEPMG	мсоро	0 00	0 00	0 00								
Exchang	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exchang	ge Ports															L
	Line Side Combination Channelized PBX Trunk Port - Business									-						[
	(E 4/1/2004)			UEPPX	UEPCX	1 13	0 00	0 00	0 00	0 00						
	Line Side Outward Channelized PBX Trunk Port - Business															1
	(E 4/1/2004)			UEPPX	UEPOX	1 13	0.00	0 00	0 00	0 00						⊢—
	Line Side Inward Only Channelized PBX Trunk Port without DID				l											1
	(E 4/1/2004)	ļi	\sqcup	UEPPX	UEP1X	1 13	0 00	0 00	0 00	0 00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port]					1
	(E 4/1/2004)			UEPPX	UEPDM	7 09	0 00	0.00	0 00	0 00						
	Activations - Unbundled Loop Concentration							_								
	Feature (Service) Activation for each Line Port Terminated in D4	1	l i					1								
	Bank	ļ		UEPPX	1PQWM	0 56	25 45	13 44	4 20	4 17						
	Feature (Service) Activation for each Trunk Port Terminated in			HEDDY	100/4"	0.55	70.04	40.40	59 37	11 60						1
	D4 Bank	<u> </u>		UEPPX	1PQWU	0 56	78 31	18 46	9 9 37	1160						
	one Number/ Group Establishment Charges for DID Service	-	\vdash	UEPPX	NDT	0.00	0 00	0.00								—
	DID Trunk Termination (1 per Port)					0 00	0 00	0 00								
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0 00	 							
	DID Numbers - groups of 20 - Valid all States			UEPPX UEPPX	ND4	0 00	0 00	0 00	·- 							
	Non-Consecutive DID Numbers - per number	_		UEPPX	ND5 ND6	0 00	0 00	0 00							-	
	Reserve Non-Consecutive DID Numbers				NDV	0 00	0 00	0 00								
																4
F	Reserve DID Numbers umber Portability			UEPPX	INDV	0 00	0 00	0.00								

JNBUNDLED	NETWORK ELEMENTS - South Carolina													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		r
			ļ			1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ES - Vertical and Optional															
	vitching Features Offered with Line Side Ports Only	ļ		LIEBBY	LIEDVE	201	0 00	0.00								
	All Features Available	<u> </u>	-	UEPPX	UEPVF	3 04	0.00	0.00			-					ļ
IBUNDLED CE	NTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC	5	D1-4- (] 	nancial a 11mh	l diad (acal 6	tabiaa as 811	ital Barta			1					-
1. Cost E	res shall apply to the Unbundled Port/Loop Combination - C	and/or	od Pat	e section in the san	provide ono	they are annie	ad to the Stand	-Alone Unbun	dled Port section	on of this Rate	Exhibit			-		
3 End 0	ffice and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	f this rate exh	ibit shall apply	to all combina	ations of loop/	port network el	lements excer	it for UNE C	oin Port/Lo	op Combinat	ions		
4. The fir	rst and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. For	Currently Co	mbined Comb	os, the nonrect	ırring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combin	ed sections.	Additional NF	Cs may
	so and are categorized accordingly.	•														
	et Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	ase Basis, un	til further notic	e									
	ENTREX - 5ESS (Valid in All States)											ļ				
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	t/Loop Combination Rates (Non-Design)													<u> </u>		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1													
	Non-Design		1	UEP95		14 89						<u> </u>				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOS		04.50					İ	İ				
	Von-Design	L	2	UEP95		21 52			ļ					-		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBOS		27 17					l	1				
	Von-Design		3	UEP95		21 11										<u> </u>
	t/Loop Combination Rates (Design)		-		-											
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		UEP95		17 81							1			į .
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	+ '-	UEF 93		17 01	-			·				 		1
1 1	2-wille voi Loopiz-wille voice Grade For (Certifex)For Combo -		2	UEP95		24 26	1		1		1			1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			021 00	1								<u> </u>	1		
	Design		3	UEP95	ŀ	29 59										
UNE Loc			Ť	027 00	+						1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP95	UECS1	13 76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	·		UEP95	UECS1	20 38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1		UEP95	UECS1	26 04					1					
	-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16 68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP95	UECS2	23 13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	· · · · ·	3	UEP95	UECS2	28 46										
UNE Por	rt Rate															
All State																
	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>	<u> </u>	UEP95	UEPYA	1 13	40 30	19 90	24 98	6 65				-	-	-
	2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP95	UEPYB	1 13	40 30	19 90	24 98	6 65	 	-		 		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOE	LIEDVILL	1 13	40 30	19 90	24 98	6 65			1		Ì	1
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	UEP95	UEPYH	1 13	40.30	19 90	24 98	0 65	+		 			+
		1	1	UEP95	UEPYM	1 13	108 36	70 71	54 47	11 94						
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	 	+-	OCC 95	JEFTIVI	1 13	100 30	1071	54.47	11 34	+		 	1		+
	Service Term - Basic Local Area		1	UEP95	UEPYZ	1 13	108 36	70 71	54 47	11 94		l				
	Service Term - Basic Local Mea 2-Wire Voice Grade Port terminated in on Megalink or equivalent		1-	OLF 93	OLI 12	1 19	100 30	- 7011	0,,,,	110.	1					
	z-yvire voice Grade Port terminated in on Megalink or equivalent. Basic Local Area	1	1	UEP95	UEPY9	1 13	40 30	19 90	24 98	6 65			l	1		
- 1	2-Wire Voice Grade Port Terminated on 800 Service Term -	1	 	1	1	1 10	1	1	1	1						1
	Basic Local Area	l		UEP95	UEPY2	1 13	40 30	19 90	24 98	6 65					L	
	LA, MS, SC, & TN Only				1	1									1	
1 12	2-Wire Voice Grade Port (Centrex)		T	UEP95	UEPQA	1 13	40 30	19 90		6 65						<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1 13	40 30	19 90		6 65				1	ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1 13	40 30	19 90	24 98	6 65		ļ		ļ		_
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1							1	1			I	1	i	
	Center)2,3			UEP95	UEPQM	1 13	108 36	70 71	54 47	11 94				+		+
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1	1 .							1		1	
	Term 2,3		<u> </u>	UEP95	UEPQZ	1 13	108 36	70 71	54 47	11 94	 	 		 	-	+
1 T		1			Lucron	1	40 30	19 90	24 98	6 65		1	ļ	1	i	1
	2.18/ Marca Crede Dest terminated in an Magaliak or aguitaliant	1	1	UEP95	UEPQ9	1 13	40 30					 			 	+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	+	+	ÜEP95	UEPQ2	1 13	40 30	19 90	24 98	6 65			1	1	1	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina	_		1										ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs	Charge - Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring		001150	SOMAN		Rates (\$)	201111	
	Centrex Intercom Funtionality, per port	_	-	UEP95	URECS	0 7996	First	Add'I	Fırst	Add'l	SUMEC	SUMAN	SOMAN	SOWAN	SOMAN	SOMAN
Local N	Number Portability		1	OLF 85	ONEGO	0 1990	-				 					
	Local Number Portability (1 per port)	-	_	UEP95	LNPCC	0.35	-						-			
Feature		_	1	02.00	2.11 00											1
	All Standard Features Offered, per port		1	UEP95	UEPVF	3 04										
	All Select Features Offered, per port	-		UEP95	UEPVS	0.00	406 42									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3 04										
NARS			1													
	Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0 00	0 00	0.00	0.00					• • • • • • • • • • • • • • • • • • • •	
	Unbundled Network Access Register - Indial		1	UEP95	UAR1X	0.00	0 00	0 00	0.00	0 00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0.00	0 00	0 00	0 00						
	aneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8 86	119 57	18 78	60 03	3 77						
4-Wire	Digital (1 544 Megabits)					1										
	DS1 Circuit Terminations, each			UEP95	M1HD1	73 62	202 47	95 90	72 75	2 47		ļ				
	DS0 Channels Activated, each		ļ	UEP95	M1HDO	0 00	14 51						<u> </u>			
Interof	fice Channel Mileage - 2-Wire		_										-			
	Interoffice Channel Facilities Termination		-	UEP95	M1GBC	24 30	40 63	27 47	16 77	6 91	-					
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0 0167										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e									ļ					
D4 Cha	nnel Bank Feature Activations	ļ	 	UEP95	1PQWS	0 56					 					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP95	IPOWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 56										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0 56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center	l		UEP95	1PQWP	0 56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop										1	ļ				
	Slot		<u> </u>	UEP95	1PQWQ_	0 56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0 56										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	L											<u> </u>			
1	NRC Conversion Currently Combined Switch-As-Is with allowed								1		1	ı		1		
	changes, per port	ļ	-	UEP95	USAC2		37 93	16 72					-			
	New Centrex Standard Common Block	├		UEP95	M1ACS	0 00	668 70				-					
	New Centrex Customized Common Block	1	-	UEP95	M1ACC	0 00	668 70 72 89			_						+-
A 44141	NAR Establishment Charge, Per Occasion		+	UEP95	URECA	0.00	72 89		 		 			-		+
Additio	onal Non-Recurring Charges (NRC)	-		 		-					 	_				
- 1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	1	1	UEP95	URETL		8 33	0 83			1	l		I		
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	 	+	OLI- 50	JILLE		0 33		 		-		 	 		
[End Use Premise	1	1	UEP95	URETN	, l	11 24	1 10		1				I		
LINE D	CENTREX - DMS100 (Valid in All States)	 	+		3,,21,		11,47	1.10								T
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	+		+										1	
	ort/Loop Combination Rates (Non-Design)		+										1			1
U.4.2.1.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	1	1	UEP9D		14 89										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		21 52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		27 17										
IINE D	ort/Loop Combination Rates (Design)		+	UZFBD	1	2' "					 	+	—		1	
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	UEP9D		17 81		_								
1	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	_	 1-	UEP9U		17.81			-					+	1	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													ment 2	Exhi	ibit B
-											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
			ļ								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
					1 1						Elec	Manually	Manual Svc	Manual Svo	Manual Svc	Manual Sve
CATEGORY	RATE ELEMENTS	Inten	Zone	BCS	USOC			RATES (\$)			per LSR			Order vs.	Order vs.	Order vs.
07.200	1	m			1						per Lor	per zon	Electronic-	Electronic-	1	Electronic-
				i							1		1st	Add'I	Disc 1st	Disc Add'l
			!										151	Add I	DISCISI	DISC AGG I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			1			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1										1		T	
1	Design	i	3	UEP9D	1 1	29 59							1	1	1	1
LINE	oop Rate	\vdash	Ť	02,00								1				1
UNEL			1	UEP9D	UECS1	13 76					1			 		
	2-Wire Voice Grade Loop (SL 1) - Zone 1				UECS1	20 38					1	 	 			+
	2-Wire Voice Grade Loop (SL 1) - Zone 2	↓		UEP9D								 		 	 	+
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26 04				_		-			1	+
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16 68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23 13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28 46			1						<u> </u>	
LINE P	ort Rate		1 -				"									
	TATES		+					•								
ALL S	2-Wire Voice Grade Port (Centrex.) Basic Local Area	 	+	UEP9D	UEPYA	1 13	40 30	19 90	24 98	6 65	1				1	1
		1	+	OLF SD	ULI IA	1 13	40.50	15 30	27 30	0.00	 	+	 	 	1	t
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	LIEBOD	LIEDVA	ا مما	40.00	19 90	24 98	6 65	1	1	1	1	1	1
	Area	1	L	UEP9D	UEPYB	1 13	40 30	19 90	24 98	0 05	+		-		+	+
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1	1	1		1			ļ <u></u> .		1	1	1	i		
	Area		L	UEP9D	UEPYC	1 13	40 30	19 90	24 98	6 65	ļ	1				1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local										l			1		
i	Area			UEP9D	UEPYD	1 13	40 30	19 90	24 98	6 65						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	 	+	52. 55							 					1
1				UEP9D	UEPYE	1 13	40 30	19 90	24 98	6 65		1	1		i	
	Area	 	-	OLF 9D	OL1 IL	1 13	40.00	15_00	2,00	0.00	 	1				-
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	ł	1	LIEBAR		445	40.00	40.00	24.00	6 65				ļ		1
	Area			UEP9D	UEPYF	1 13	40 30	19 90	24 98	6 63			+	_	····	+
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		ļ			1								1		
	Area		<u> 1 </u>	UEP9D	UEPYG	1 13	40 30	19 90	24 98	6 65				1	1	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local											1				
	Area	1		UEP9D	UEPYT	1 13	40 30	19 90	24 98	6 65						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		_									1			1	T
	Area	1	i	UEP9D	UEPYU	1 13	40 30	19 90	24 98	6 65						1
		+	+	1001 30	OCT TO	, , ,		10 00				1	 	1		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYV	1 13	40 30	19 90	24 98	6 65						
	Area		-	UEP9D	UEPTV	1 13	40.30	18 90	24 30	0 03			 		 	+
1 1	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	ļ			1						ļ	1	1			
	Area			UEP9D	UEPY3	1 13	40 30	19 90	24 98	6 65			1			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	T	T							ł						
	Area	i		UEP9D	UEPYH	1 13	40 30	19 90	24 98	6 65		1				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	_		· · · · · · · · · · · · · · · · · · ·							1		T		1	1
	Indication))4 Basic Local Area	1	1	UEP9D	UEPYW	1 13	40 30	19 90	24 98	6 65	l			1		
		+	+		92. 177	· · · · · ·		.0 00	1	1	1	1				1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1	1	LIEBOD	HERVI	1 13	40 30	19 90	24 98	6 65	. [1		1		
	Basic Local Area	1	+	UEP9D	UEPYJ	1 13	40.30	19 90	24 90	0 00		+	· · · · · · · · · · · · · · · · · · ·	+	1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1	1								1	1		1	1	1
	2,3-Basic Local Area	L	1	UEP9D	UEPYM	1 13	108 36	70 71	54 47	11 94		ļ		+	 	+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4									1	1	1	1	1	i	1
	Basic Local Area	i	1	UEP9D	UEPYO	1 13	108 36	70 71	54 47	11 94	1	<u> </u>		L	1	
··	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	.1	1											1		
	Basic Local Area	1	1	UEP9D	UEPYP	1 13	108 36	70 71	54 47	11 94	1	1		I		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	+	+	02.00	VE. 1.	- ''	.00.00			1	1					1
			1	UEP9D	UEPYQ	1 13	108 36	70 71	54 47	11 94	. [1				
	Basic Local Area	+	+	OEPSD	UEFTQ	113	100 30	7071	37.47	,134	+	 	+	+		+
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			LIEBER	LIEBUS		100.00	70 74	E4.47	1404	.1	1			1	1
	Basic Local Area	1	1	UEP9D	UEPYR	1 13	108 36	70 71	54 47	11 94	·	+	 	 	+	+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	-1		1	1				1	1	.1	1	1	ļ	1	1
	Basic Local Area	L		UEP9D	UEPYS	1 13	108 36	70 71	54 47	11 94	1	<u> </u>		 		+
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	. [1								1	1	1		l .	
	Basic Local Area			UEP9D	UEPY4	1 13	108 36	70 71	54 47	11 94	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	1														
l l		1		UEP9D	UEPY5	1 13	108 36	70 71	54 47	11 94	ı I		1	1	1	
	Basic Local Area	1	+	05/00	- 500 15	. 13	100 00	.371	1		_		1	"]	1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	'	1	LUEDOD	HEDVE	1 13	108 36	70 71	54 47	11 94	ı İ		1	1	1	1
	Basic Local Area		+-	UEP9D	UEPY6	1 13	108 36	70 71	34 41	11 94	+	+	+	 	+	+ -
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1	1	1							. 1		1	1		
	Basic Local Area	1	1	UEP9D	UEPY7	1 13	108 36	70 71	54 47	11 94	<u> </u>				٠	

NUBUNDLE	D NETWORK ELEMENTS - South Carolina													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN		Rates (\$)		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				+ -		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Term 2,3			UEP9D	UEPYZ	1 13	108 36	70 71	54 47	11 94						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			02, 00	02.12		100 00	7011	0-1-4.7	71 54						
	Basic Local Area			UEP9D	UEPY9	1 13	40 30	19 90	24 98	6 65						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic				1											
	Local Area			UEP9D	UEPY2	1 13	40 30	19 90	24 98	6 65						
AL, K	Y, LA, MS, SC, & TN Only			LIEBOD	luces.		10.20	10.00	04.00	0.05						
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA UEPQB	1 13	40 30	19 90 19 90	24 98 24 98	6 65						
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9D		1 13	40 30	19 90		6 65						-
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D UEP9D	UEPQC UEPQD	1 13 1 13	40 30 40 30	19 90	24 98 24 98	6 65 6 65						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		 	UEP9D	UEPQE	1 13	40 30	19 90	24 98	6 65	ļ					
_	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4		-	UEP9D	UEPQF	1 13	40 30	19 90	24 98	6 65	 		 		 	
-	2-Wire Voice Grade Port (Centrex / EBS-M5112)4 2-Wire Voice Grade Port (Centrex / EBS-M5312)4		<u> </u>	UEP9D	UEPQG	1 13	40 30	19 90	24 98	6 65			-		-	
	2-Wire Voice Grade Port (Centrex / EBS-M5012)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1 13	40 30	19 90	24 98	6 65	<u> </u>	-	-			-
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		<u> </u>	UEP9D	UEPOU	1 13	40 30	19 90	24 98	6 65						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		 	UEP9D	UEPQV	1 13	40 30	19 90	24 98	6 65	-					
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		 	UEP9D	UEPQ3	1 13	40 30	19 90	24 98	6 65						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1 13	40 30	19 90	24 98	6 65						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4		į.	UEP9D	UEPQW	1 13	40 30	19 90	24 98	6 65						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1 13	40 30	19 90	24 98	6 65						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3		<u> </u>	UEP9D	UEPQM	1 13	108 36	70 71	54 47	11 94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1 13	108 36	70 71	54 47	11 94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1 13	108 36	70 71	54 47	11 94						
	2-VVIII VOICE GIAGE I GIT (GETITE MUNICI GVVG / EBG-IVIBGGG)2,0,14				102. 4.		100 00	7011								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1 13	108 36	70 71	54 47	11 94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1 13	108 36	70 71	54 47	11 94					ļ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1 13	108 36	70 71	54 47	11 94						
-						_										
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1 13	108 36	70 71	54 47	11 94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4		ļ	UEP9D	UEPQ5	1 13	108 36	70 71	54 47	11 94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1 13	108 36	70 71	54 47	11 94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4		į	UEP9D	UEPQ7	1 13	108 36	70 71	54 47	11 94						
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					1 13	108 36	70 71	54 47	11 94						
	Term 2,3		<u> </u>	UEP9D	UEPQZ	1 13	108.36	_			-					
l l	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1 13	40 30	19 90	24 98	6 65						
	2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP9D	UEPQ2	1 13	40 30	19 90	24 98	6 65						ļ
Local	Switching		ļ													
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0 7996					ļ					
Local	Number Portability			UEP9D	LNPCC	0 35							_			
Factor	Local Number Portability (1 per port)			UCPBD	LINFOL	0.35			-		-		 	ļ		
Featur	All Standard Features Offered, per port		 	UEP9D	UEPVE	3 04									-	
-	All Select Features Offered, per port		 	UEP9D	UEPVS	0 00	406 42		1							†
	All Centrex Control Features Offered, per port		\vdash	UEP9D	UEPVC	3 04	700 42				 	-			_	
NARS					1-2: 10								_			
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0.00	0 00	0 00	0 00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0.00	0 00	0.00	0 00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0 00	0 00	0 00	0 00						L

DUNDTER	NETWORK ELEMENTS - South Carolina													ment 2		ibit: B
EGORY	RATE ELEMENTS	Interi m Z	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order v
							Nonrec	urdna	Nonrecurring	Disconnect		<u> </u>	066	Rates (\$)	l	L
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscella	neous Terminations															1
2-Wire	runk Side				1			_								
	Trunk Side Terminations, each			UEP9D	CEND6	8 86	119 57	18 78	60 03	3 77						
4-Wire [Digital (1.544 Megabits)								· · · · · · · · · · · · · · · · · · ·		1	1				
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73 62	202 47	95 90	72 75	2 47						†
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14 51					1				
Interoffi	ce Channel Mileage - 2-Wire									-						
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	24 30	40 63	27 47	16 77	6 91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0 0167										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Char	nnel Bank Feature Activations														ĺ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0 56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0 56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
	curring Charges (NRC) Associated with UNE-P Centrex				<u> </u>											
	NRC Conversion Currently Combined Switch-As-Is with allowed			l	ļ								i		İ	
	changes, per port			UEP9D	USAC2		37 93	16 72					ļ		 	—
	New Centrex Standard Common Block	L		UEP9D	M1ACS	0 00	668 70				 					1
	New Centrex Customized Common Block			UEP9D	M1ACC	0 00	668 70							ļ		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00	72 89		ļ		-		ļ			
Additio	nal Non-Recurring Charges (NRC)								L		<u> </u>			 		
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8 33	0 83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11 24	1 10								
Note 1 -	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage				1	T- 1										
	Installation is combination of Installation charge for SL2 Lo	op and Pe	ort					-						1		
	Requires Specific Customer Premises Equipment		-	1							· · · · ·			1		I

UNBUND	DLEC	NETWORK ELEMENTS - Tennessee												Attach	ment 2	Exhi	bit B
							·					1	Svc Order Submitted Manually		Charge -	Incremental Charge - Manual Svc	Incrementa Charge - Manual Sv
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs	Order vs.	Order vs.
			m										'	Electronic-	Electronic-		Electronic
														1st	Add'i	Disc 1st	Disc Add
	-							Nonrecurring		Nonrecurrin	g Disconnect		I	oss	Rates (\$)		L
							Rec	First	Add'l	First	Addfl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					him adiam materia da Ca		Danie and H	NF 7 T-		L10- D	 TIME 7	D1	b. C			W-L-ia-	
		one" shown in the sections for stand-alone loops or loops as new interconnection.bellsouth.com/become_a_clec/html/inter				ograpnically	Deaveraged U	NE Zones 70	view Geograp	nically Deaver	aged UNE Zon	e Designatio	ons by Cen	rai Office, rere	er to internet	vebsite	
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	LIGHT									T				1
		(1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	fic" OSS charges as	ordered by th	ne State Comm	issions The (OSS charges c	urrently conta	ined in this rat	e exhibit are	e the BellSo	uth "regional"	service ord	ring charges	CLEC ma
-		ther the state specific Commission ordered rates for the servi	ce orde	ering cl	harges, or CLEC may	elect the reg	jional service o	ordering charg	e, however, Cl	LEC can not o	btain a mixture	of the two	regardless	f CLEC has a	interconnec	ton contract e	stablished
		the 9 states							S461- 11	0-1-1-1	0 (I OU) t-	J-4	16			U. F4b	14-
NO	OTE ((2) Any element that can be ordered electronically will be bill nnot be ordered electronically at present per the LOH, the list	ed acco	ording IEC rai	to the SUMEC rate II	sted in this c	ategory. Pleas	be feter to Belli	CLEC open el	orgering Hand	ing canabilities	determine	iτa proαuci ine for that	can be orden	ea electronic	any. For thos	e elements a charge
		I, will be applied to a CLECs bill when it submits an LSR to B			e in this category rei	rects the cha	irge mai would	be billed to a	CLEC Office en	ectronic order	my capabilities	COME ON	ine ioi that	erennerit. Othi	mise, me n	andar Ordenni	g Charge,
NO	OTE ((3) OSS - Manual Service Order Charge, Per Element - UNE Or	ly **PI	ease s	ee applicable rate ele	ment for SO	MAN charge**			1							
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only		_		SOMEC		3 50	0 00	3 50	0 00		ļ	-		-	
UNE SERV	VICE I	DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with I	Ballear	th's E	CC No. 1 Tariff Section	n E ar annlie	able					-	-			-	
NU	<u>ء ر</u>	The Expedite charge will be maintained commensurate with	Jen 300	10131	JO 140.1 Farm, Section	l Jasappin	abie.						 	1		1	
ļ					UAL, UEANL, UCL.							1	1				
					UEF, UDF, UEQ,	i											
	l				UDL, UENTW, UDN,	1								1		ļ	
	j				UEA, UHL, ULC,	ļ											
	i				USL, U1T12, U1T48, U1TD1, U1TD3,									Į.			
	- 1				U1TDX, U1TO3,								1			l	
1					U1TS1, U1TVX,							1					
	1				UC1BC, UC1BL,												
	- 1				UC1CC, UC1CL,											1	
	l		ļ		UC1DC, UC1DL,									ļ			
			j		UC1EC, UC1EL, UC1FC, UC1FL,									i			
	- 1		ŀ		UC1GC, UC1GL,												:
ł	- 1				UC1HC, UC1HL,	1						1					
ĺ					UDL12, UDL48,									1		1	
					UDLO3, UDLSX,			1						1		1	
					UE3, ULD12,	1								l		1	
			1		ULD48, ULDD1, ULDD3, ULDDX,			İ							i		
			1	İ	ULDO3, ULDS1.]			1
			i		ULDVX, UNC1X,											1	
			1		UNC3X, UNCDX,					1		ŀ					
			-		UNCNX, UNCSX,												
			1		UNCVX, UNLD1,												
					UNLD3, UXTD1, UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,							ĺ	i				
		Day			U1TUB, U1TUA	SDASP		200 00									
		XCHANGE ACCESS LOOP											<u> </u>				
2-V	WIRE	ANALOG VOICE GRADE LOOP		<u> </u>	115410	LICALO	13 19	31 99	20 02	10 65	1 41		 -	20 35	10 54	13 32	13
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<u> </u>	1 2	UEANL UEANL	UEAL2 UEAL2	13 19 17 23	31 99 31 99	20 02	10 65		 	 	20 35			13
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 		UEANL	UEAL2	22 53	31 99	20 02	10 65		 		20 35	10 54	13 32	13
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<u> </u>	1		UEASL	13 19	31 99	20 02	10 65	1 41			20 35	10 54		13
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	17 23	31 99	20 02	10 65		L		20 35	10 54		13 13
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	22 53	31 99	20 02	10 65	1 41	ļ	-	20 35	10 54	13 32	13
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				UDET		8 33	0.83					20 35	10 54	13 32	13
		Premise		-	UEANL UEANL	URETL URET1		8 33 78 92	78 92		 		-	20 35	10 54		13
		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL	URETA		23 33	23 33	 	 			20 35	10 54		13
		CLEC to CLEC Conversion Charge Without Outside Dispatch		+	SL/MIL	511217	-		25 50		_						
	- 1	(UVL-SL1)	I	1	UEANL	UREWO		15 80	8 95		1	1	1	20 35	10 54	13 32	13

SHOOKDEE	ED NETWORK ELEMENTS - Tennessee	r	1	1	1	1					Sva Ord	Sun Ord		ment 2		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual So Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E I)			UEANL	UEANM		28 80	28 80								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36 52	36 52								
	Order Coordination for Specified Conversion Time for UVL-SL1												T	1		
1	(per LSR)	i		UEANL.	OCOSL		34 29	34 29						İ	l	
2-WIF	RE Unbundled COPPER LOOP												l			
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	T	1	UEQ	UEQ2X	13 19	31 99	20 02	10 65	1 41			20 35	10 54		13 3
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	17 23	31 99	20 02	10 65	1 41			20 35	10 54		13 3
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	L.	3	UEQ	UEQ2X	22 53	31 99	20 02	10 65	1 41	i		20 35	10 54	13 32	13 3
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		T												i	
	Premise			UEQ	URETL		8 33	0 83					20 35	10 54	13 32	13 3
	Manual Order Coordination 2 Wire Unbundled Copper Loop -										-					
	Non-Designed (per loop)	L	<u> </u>	UEQ	USBMC		36 52	36 52					ļ			
	Unbundled Copper Loop, Non-Design Copper Loop, billing for												1		1	1
	BST providing make-up (Engineering Information - E I)			UEQ	UEQMU		28 80	28 80					20 35	10 54		13 3
	Loop Testing - Basic 1st Half Hour	Į.		UEQ	URET1		78 92	78 92					20 35	10 54		13 3
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33					20 35	10 54	13 32	13 3
	CLEC to CLEC Conversion Charge Without Outside Dispatch		T		T T											
	(UCL-ND)			UEQ	UREWO		14 29	7 44			Į.		20 35	10 54	13 32	13:
UNBUNDLED	EXCHANGE ACCESS LOOP											i				
2-WIF	RE ANALOG VOICE GRADE LOOP												1			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1					_	1							
	Zone 1		1	UEPSR UEPSB	UEALS	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13:3
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 	+ -										T			
1	Zone 1		1	UEPSR UEPSB	UEABS	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13.3
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		+													
	Zone 2		2	UEPSR UEPSB	UEALS	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 3
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 	+ =-	02.002.02		-							1	1		
	Zone 2	1	2	UEPSR UEPSB	UEABS	17 23	31 99	20 02	10 65	1 41		l	20 35	10 54	13 32	13.3
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+	+-	OLI OIL OLI OD	00,100	11,20	0.00	20 02	1000		†					1
.	Zone 3		3	UEPSR UEPSB	UEALS	22 53	31 99	20 02	10 65	1 41		i	20 35	10 54	13 32	13.3
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		+	SEI OIT BEI OD	OL/LO	22.00		20 02	1,000							
	Zone 3		3	UEPSR UEPSB	UEABS	22 53	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13.3
LINDUNDI ED	EXCHANGE ACCESS LOOP	1	+	OLF ON OLF OD	DEADO	22.00	0133	20 02	1000					100	10.00	100
	RE ANALOG VOICE GRADE LOOP		+		-	-			· · · · · · · · · · · · · · · · · · ·		+		ļ	†		+
2-741	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	+	+		+		<u> </u>							1	1	1
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16 56	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13 :
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	+-'-	OLA .	ULALZ	10 30	75 00	40.20	2070	17 04			2000	100	1002	1
	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	21 63	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13 :
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	+ -	ULA .	ULALZ	2100	75 00	70 20	2070				25 50	1	10 02	+
		1	3	UEA	UEAL2	28 28	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13 3
	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL	20 20	34 29	40 20	2070	17 04			20 00	10.0	10 02	+
			+-	DEA	CCOSE	 	34 28				i e		<u> </u>		 	+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	16 56	75 06	48 20	28 70	17 64		i	20 35	10 54	13 32	13 3
L 	Battery Signaling - Zone 1		+-	UEA	UEARZ	10 30	7,5 00	40 20	2010	17 04			- 20 00	1001	10 01	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	21 63	75 06	48 20	28 70	17 64	1		20 35	10 54	13 32	13.3
	Battery Signaling - Zone 2	-	12	UEA	UEAR2	21 63	75 06	46 20	20 70	17 04	 		20 33	10 3	10 02	+ 13.
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	١,	LICA	UEAR2	28 28	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13;
	Battery Signaling - Zone 3		3	UEA		20 28	34 29	46 20	20 70	17 04	1		20 00	10 3	10.02	+ 10.
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	 	75 06	36 41			-		20 35	10 54	13 32	13 3
	CLEC to CLEC Conversion Charge without outside dispatch	1	+	UEA	UREWO	 	11 23	1 10			 		20 35			
 _	Loop Tagging - Service Level 2 (SL2)	4	-	UEA	URETL		11 23	1 10	 		-		20 35	10 54	13.32	+ 13.
4-WIF	RE ANALOG VOICE GRADE LOOP	1	+	1054	LUE AL C		100 70	25.57	76 35	39 16	-		20 35	10 54	13 32	13
	4-Wire Analog Voice Grade Loop - Zone 1	 	11	UEA	UEAL4	24 70		85 57				 	20 35			
	4-Wire Analog Voice Grade Loop - Zone 2	_	2	UEA	UEAL4	32 25		85 57	76 35	39 16			20 35			
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42 17		85 57	76 35	39 16			20 35	10 54	13.32	+
	Order Coordination for Specified Conversion Time (per LSR)	1	1	UEA	OCOSL	1	34 29		ļ		 	 	1			13
			_		a complete and a second											
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75 06	36 41					20 35	10 54	13 32	+ 13

ABOIADEE	D NETWORK ELEMENTS - Tennessee													ment. 2		ibit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Charge - Manual Svc Order vs	Charge Manual : Order v
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
			1				First	Addʻl	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29 02	142 76	88 88	76 35	39 16			20 35	10 54	13 32	
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37 95	142 76	88 88	76 35	39 16			20 35	10 54	13 32	13
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	I	34 29		1							
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO	Ī	91 77	44 22					20 35	10 54	13 32	1
2-WIRI	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF					7								
	2 Wire Unbundled ADSL Loop including manual service inquiry								Ī							
}	& facility reservation - Zone 1		1	UAL	UAL2X	13 82	270 01	234 63	74 54	39 14	1		20 35	10 54	13 32	1
	2 Wire Unbundled ADSL Loop including manual service inquiry		1													
	& facility reservation - Zone 2	Į.	2	UAL	UAL2X	18 05	270 01	234 63	74 54	39 14			20 35	10 54	13 32	1 1
_	2 Wire Unbundled ADSL Loop including manual service inquiry					_										
	& facility reservation - Zone 3	1	3	UAL	UAL2X	23 60	270 01	234 63	74 54	39 14	ĺ	1	20 35	10 54	13 32	1 .
	Order Coordination for Specified Conversion Time (per LSR)		i -	UAL	OCOSL	-	34 29									
	2 Wire Unbundled ADSL Loop without manual service inquiry &	_							1				····	·		
1	facility reservator - Zone 1	l 1	1	UAL	UAL2W	13 82	31 99	20 02	10 65	1 41			20 35	10 54	13 32	
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<u> </u>	├ ─	U. 12	1					, , ,			1 2000	1001	1002	
	facility reservation - Zone 2	1	2	UAL	UAL2W	18 05	31 99	20 02	10 65	1 41			20 35	10 54	13 32	
	2 Wire Unbundled ADSL Loop without manual service inquiry &	-				- 10 00		20 02	10 00				- 2000	1001	10 02	
	facility reservation - Zone 3	١.	3	UAL	UAL2W	23 60	31 99	20 02	10 65	1 41			20 35	10 54	13 32	1
	Order Coordination for Specified Conversion Time (per LSR)		1	UAL	OCOSL	23 00	34 29	20 02	10 03	1 41		-	20 33	10 34	13 32	
-	CLEC to CLEC Conversion Charge without outside dispatch		1	UAL	UREWO		31 99	20 02	l				20 35	10 54	13 32	+
- 10 141151		TIDI E	000	UAL	UKEWO		3199	20 02				 	20 33	10 34	13 32	
2-WIKI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	1000											-		+
1	2 Wire Unbundled HDSL Loop including manual service inquiry		١.							20.44	1	1		40.54	40.00	
	& facility reservation - Zone 1		1	UHL	UHL2X	10 83	270 01	234 63	74 54	39 14			20 35	10 54	13 32	
	2 Wire Unbundled HDSL Loop including manual service inquiry	l		l										l		1
	& facility reservation - Zone 2		2	UHL	UHL2X	14 15	270 01	234 63	74 54	39 14			20 35	10 54	13 32	
1	2 Wire Unbundled HDSL Loop including manual service inquiry	J	}	J		1								ļ		
	& facility reservation - Zone 3		3	UHL	UHL2X	18 50	270 01	234 63	74 54	39 14		<u> </u>	20 35	10 54	13 32	
	Order Coordination for Specified Conversion Time (per LSR)		l	UHL	OCOSL		34 29									
	2 Wire Unbundled HDSL Loop without manual service inquiry					1										
	and facility reservation - Zone 1	1	1	UHL	UHL2W	10 83	31 99	20 02	10 65	1 41			20 35	10 54	13 32	
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	1	2	UHL	UHL2W	14 15	31 99	20 02	10 65	1 41			20 35	10 54	13 32	
_	2 Wire Unbundled HDSL Loop without manual service inquiry		1													
	and facility reservation - Zone 3	1 1	3	UHL	UHL2W	18 50	31 99	20 02	10 65	1 41			20 35	10 54	13 32	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29	-			-					1
_	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31 99	20 02					20 35	10 54	13 32	T
4-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	<u> </u>					·							—
+	4 Wire Unbundled HDSL Loop including manual service inquiry	1														
	and facility reservation - Zone 1	1	1	luhl	UHL4X	13 93	279 60	244 22	74 54	39 14			20 35	10 54	13 32	1
_	4-Wire Unbundled HDSL Loop including manual service inquiry	 	<u> </u>								-					+-
	and facility reservation - Zone 2		2	UHL	UHL4X	18 20	279.60	244 22	74 54	39 14			20 35	10 54	13 32	1
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	 -	OTIL	OTIL-TA	.020			1				2000	1		\vdash
1	and facility reservation - Zone 3	1	3	UHL	UHL4X	23 80	279 60	244 22	74 54	39 14	ļ	j.	20 35	10 54	13 32	J
	Order Coordination for Specified Conversion Time (per LSR)		+-	UHL	OCOSL	20 00	34 29		1707					1001	1002	
+	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	00000		04 20	· · · · · · · · · · · · · · · · · · ·			<u> </u>					-
	and facility reservation - Zone 1	١.,	1	IUHL	UHL4W	13 93	31 99	20 02	10 65	1 41	1		20 35	10 54	13 32	1
	4-Wire Unbundled HDSL Loop without manual service inquiry	 ' -	<u> </u>	O'IL	0712444	10 33	31.99	2002	1000				- 20 00	1001	.002	-
		١.,	2	UHL	UHL4W	18 20	31 99	20 02	10 65	1 41		i	20 35	10 54	13 32	
	and facility reservation - Zone 2		+ -	IOUL	UTIL4VV	10 20	31991	20 02	10 03				20 33	10.54	13.32	+
	4-Wire Unbundled HDSL Loop without manual service inquiry	Ι.	3	UHL	UHL4W	23 80	31 99	20 02	10 65	1 41	1	1	20 35	10 54	13 32	1
	and facility reservation - Zone 3		1 3			23 80	34 29	20 02	10 05	141	 		20 35	10.04	10 02	+
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL						 	 	20 35	10 54	13 32	\leftarrow
	CLEC to CLEC Conversion Charge without outside dispatch		ļ—	UHL	UREWO		31 99	20 02	+ +				20 35	10 34	13.32	+
4-WIR	E DS1 DIGITAL LOOP		<u> </u>	L					00.5		 		40.00	8 40	11 95	+
	4-Wire DS1 Digital Loop - Zone 1	L		USL	USLXX	57 73	313 08	219 72	96 86	40 45		<u> </u>	18 98			
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	75 40	313 08	219 72	96 86	40 45			18 98	8 40		
	4-Wire DS1 Digital Loop - Zone 3	L .	3	USL	USLXX	98 59	313 08	219 72	96 86	40 45			18 98	8 40	11 95	+
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34 59		L							
	CLEC to CLEC Conversion Charge without outside dispatch		1	USL	UREWO		130 47	40 11	∟Т				20 35	10 54	13 32	↓
	E 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1	7		1						1	1	1	J	1	1

OHOUNDLE	D NETWORK ELEMENTS - Tennessee		Γ								In c :			ment: 2		bit [.] B
													Incremental			
				1								Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									1	-	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'I	Disc 1st	Disc Add'l
												l	l			2.00.1.00.
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	31 10	207 01	141 38	90 70	44 18			20 35	10.54	13 32	13 32
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	40 61	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	53 11	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 33
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31 10	207 01	141 38	90 70	44 18			20 35	10 54	13 32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	40 61	207 01	141 38	90 70	44 18			20 35	10 54	13 32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53 11	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34 29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31 10	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32
<u> </u>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40 61	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53 11	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 3
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34 29				L					
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 28	49 82					20 35	10 54	13 32	13 3
2-WIR	E Unbundled COPPER LOOP															
1	2-Wire Unbundled Copper Loop-Designed including manual						T T									
1	service inquiry & facility reservation - Zone 1	- F	1	UCL	UCLPB	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
i	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2 Wire Unbundled Copper Loop-Designed including manual													ľ		
1	service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22 53	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		36 52	36 52				1				
	2-Wire Unbundled Copper Loop-Designed without manual															
i	service inquiry and facility reservation - Zone 1	l ı	1	UCL	UCLPW	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2-Wire Unbundled Copper Loop-Designed without manual															
į	service inquiry and facility reservation - Zone 2	1 1	2	UCL	UCLPW	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2-Wire Unbundled Copper Loop-Designed without manual		 -		1											
İ	service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22 53	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	Ť	UCL	UCLMC		36 52	36 52								
	CLEC to CLEC Conversion Charge without outside dispatch				1											
	(UCL-Des)	1 1		UCL	UREWO		31 99	20 02					20 35	10 54	13 32	13 32
4-WIR	É COPPER LOOP				15.12.110		1							1,007		1
7-77.11	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1	l .	1	UCL	UCL4S	24 70	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Copper Loop-Designed including manual service inquiry		<u> </u>	-	1552.5		122.10							19 0 1		1000
	and facility reservation - Zone 2	l 1	2	UCL	UCL4S	32 25	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Copper Loop-Designed including manual service inquiry	<u> </u>	1	1000	OCC.IO	5E E0	122.10		1000	00 10			20 00	1001	10 02	1002
	and facility reservation - Zone 3		3	UCL	UCL4S	42 17	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	72 17	36 52	36 52	10 30	00 10			20 00	10 54	10 02	10 02
	4-Wire Copper Loop-Designed without manual service inquiry	_	_	UCL	OCLIVIC		36 32	30 32			-			l		
	and facility reservation - Zone 1		1	lucu	UCL4W	24 70	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Copper Loop-Designed without manual service inquiry	<u>'</u> -		IUCL	UCL4VV	24 70	122 / 0	63 37	70 33	39 10			20 33	10 34	13 32	13 32
		1	2	UCL	UCL4W	32 25	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>	-	UCL	UÇL4VV	32 23	122 /6	65 57	70 33	38 16			20 33	10.54	13 32	13 32
	and facility reservation - Zone 3		3	UCL	UCL4W	42 17	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
			3	UCL	UCLMC	42 17	36 52	36 52		28.10			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 32	30 52		_						-
	CLEC to CLEC Conversion Charge without outside dispatch	١.					31 99	20 02					20 35	10 54	13 32	13 32
	(UCL-Des)		├	UCL	UREWO		3199	20 02			-		20 33	10 34	13 32	13 32
OOP MODIF	CATION		<u> </u>											<u> </u>		
				UAL, UHL, UCL,								ļ				
	Hall Hall and Maddentina Bernard attended 1 200	1	Į.	UEQ, ULS, UEA, UEANL, UEPSR,	1		1		1		ŀ	i				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1	1		1,0,000		65 40	65 40			I	l	20 35	10 54	13 32	13 32
	pair less than or equal to 18k ft, per Unbundled Loop	-	-	UEPSB	ULM2L	_	65 40	65 40				-	20 33	10 34	13 32	13.34
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1				05.45	05.10				1	20 35	10 54	13 32	13 3
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65 40	65 40			-		20.35	10 54	13.32	133
			1	UAL, UHL, UCL,			1					1				1
				UEQ, ULS, UEA,	1 1		1									1
			1	UEANL, UEPSR.			1		1	1	1	1	1			1
	Unbundled Loop Modification Removal of Bridged Tap Removal,		1		l							I	20.00	40 - 41	40.00	
SUB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1	<u>_</u>	UEPSB	ULMBT		65 44	65 44					20 35	10 54	13 32	13 32

	D NETWORK ELEMENTS - Tennessee				_	,					_			ment 2		ibit B
						ŀ					Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
			ŀ								Submitted	Submitted	Charge -	Charge -	Charge -	Charg
		Interi	1	1		l					Elec	Manually	Manual Svc		Manual Svc	
TEGORY	RATE ELEMENTS	:	Zone	BCS	USOC			RATES (\$)			per LSR					
		m									perLSR	perLSK	Order vs.	Order vs	Order vs.	Order v
	1	l											Electronic-	Electronic-	Efectronic-	Electror
		l											1st	Add'l	Disc 1st	Disc Ad
			_						T		ļ	J				
			1		<u> </u>	Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
			1			l Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	l ı	1	UEANL	USBSA		517 25	517 25				1	20 35	10 54	13 32	13
$\overline{}$	• • • • • • • • • • • • • • • • • • • •				00001		0 20	011 20	-		 		20 33	10 34	13.32	13
1	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	١.,	1	UEANL	USBSB		40.00	40.00				l			'	
			1	UEANL	USBSB		42 68	42 68			ļ		20 35	10 54	13 32	13
ľ	Sub-Loop - Per Building Equipment Room - CLEC Feeder		1				1 1							l		
	Facility Set-Up		<u>L</u>	UEANL	USBSC		313 01	313 01					20 35	10 54	13 32	1
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		1								1					
	Set-Up	1	i .	UEANL	USBSD		108 06	108 06	1				20 35	10 54	13 32	1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<u> </u>		-		100 00	100 00			+	-		10 34	13 32	
	Statewide			UEANL	USBN2	10 02	440.04	440.04	70.44	00.05				1		
	Cialconica		SW	ULANE	U3BN2	10 02	148 84	112 34	73 14	36 65			20 35	10 54	13 32	1
	10.00.00.00.00.00.00.00.00.00.00.00.00.0		1	l							1	l	1	1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29	l		1	I		1		
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1											(1
1	Zone 1		1	UEANL	USBN4	7 30	147 93	75 11	99 96	16 98		1	20 35	10 54	13 32	1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		†			. 50	1		0000	10 00	 		25 55	10.04	10 02	+'
	Zone 2		2	UEANL	USBN4	9 54	147 93	75 11	99 96	16 98		[i	20 35	10 54	40.00	1
_			<u> </u>	UEANL	USBIN4	9 54	147 93	/5 11	99 96	16 98			20 35	10 54	13 32	<u> </u>
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		ł				1		1			l :		l .		
	Zone 3		3	UEANL	USBN4	12 47	147 93	75 11	99 96	16 98			20 35	10 54	13 32	· ·
																1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29						l .		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	 	UEANL	USBR2	1 35	94 56	29 35					20 35	10 54	13 32	1
-	Cab Edop 2 Trice intrabaliang retiron Cable (into)		1	OLAITE	COBINZ	1 30	34 30	25 00					20 33	10 34	13 32	-
-			1		l									l .		1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC		34 29	34 29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	2 26	116 14	37 10					20 35	10 54	13 32	1
				}												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29						l .		
	Loop Testing - Basic 1st Half Hour	-		UEANL	URET1		78 92	78 92			 					+
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23 33	23 33								
						5.40				40.00			20.05			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	!_		UEF	UCS2X	5 16	110 71	37 89	94 41	13 09			20 35	10 54	13 32	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2				UCS2X	6 74	110 71	37 89	94 41	13 09			20 35	10 54	13 32	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	8 81	110 71	37 89	94 41	13 09			20 35	10 54	13 32	,
														(
l l	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 29	34 29	1					1		1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6 52	117 12	44 30	99 96	16 98			20 35	10 54	13 32	
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 -	2		UC\$4X	8 52	117 12	44 30	99 96	16 98			20 35	10 54	13 32	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UC\$4X	11 14	117 12	44 30	99 96	16 98			20 35	10 54	13 32	
														1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 29	34 29	<u> </u>		1		ļ	i		1
	Loop Testing - Basic 1st Half Hour			UEF	URET1		78 92	78 92			I					
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23 33	23 33			-					t
Unhun	dled Network Terminating Wire (UNTW)		—	OL.	0.112.171		2000	2000								
Onbuil				UENTW	UENPP	0 4555		2 48					20 35	10 54	13 32	
	Unbundled Network Terminating Wire (UNTW) per Pair	!		UENTW	UENPP	0 4055	2 48	2 48					20 35	10 54	13 32	ļ
Networ	k Interface Device (NID)															1
1	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89 69	54 56	0 6391	0 6391			20 35	10 54	13 32	1
1	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129 65	94 51	0 6522	0 6522			20 35	10 54	13 32	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11 11	11 11					20 35	10 54	13 32	1 .
	Network Interface Device Cross Connect - 4W				UNDC4		11 11	11 11					20 35	10 54	13 32	!
OTHER 2	PROVISIONING ONLY - NO RATE			0211111	0.4004		'''		ļ -				20 30	10 04	10 02	
OTHER, P			\vdash	LIENTAL	LINDEN	0.00	252									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0 00	0 00									\leftarrow
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00	0 00									L
				UEANL,UEF,UEQ,U											-	1
1	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0 00									1
OTHER P	ROVISIONING ONLY - NO RATE					_ 00										
THER, F	ROTISIONING SILLI- NO NAIL						 									+
1												1		r		ĺ
l l				UAL,UCL,UDC,UDL,									į	ı		ĺ
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0 00	0.00									ــــــ
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no												l			1
	rate			UEA,UDN,UCL,UDC		0 00	0 00		ı l		1	1	l l			1

MROI	NULE	D NETWORK ELEMENTS - Tennessee		Т.			1					C O	Desir One		ment: 2		bit. B
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		To the second se	RATES (\$)	1 12			Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Sv Order vs. Electronic Add'I	Charge - Manual Svc Order vs	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'I	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		ŀ	UEA UBL LIGHTUBL	USBER	0 00	0 00		ĺ		ì					
		Unbundled DS1 Loop - Superframe Format Option - no rate		1	UEA,USL,UCL,UDL USL	CCOSF	0 00	0.00				-			-		
		Unbundled DS1 Loop - Superirarile Format Option - To rate		├	001.	CCUSF	0.00	0 00									
		no rate	1		USL	CCOEF	0 00	0 00				ľ	ļ			1	
IGH C	APACIT	TY UNBUNDLED LOCAL LOOP		†	002		1					 					
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9 19										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	374 24	595 37	304 50	234 83	170 16			36 84	36 84		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1			41.5115		1									
		month		-	UDLSX	1L5ND	9 19										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		ļ	UDLSX	UDLS1	389 35	595 37	304 50	215 82	151 15	Į.	i	36 84	36 84		
	Note (1) Rates provided in TN for both electronic and manual Loop	Makeu	n are ir								nents from t	he Tenness				
	AKE-L		Haneu	J are ii	literiin and adoject to	Tetro-active	i i de-op dejus	Timents pending	a permanent	Tate raining on	linese rate eren	I		lee regulator	Authority		
		Loop Makeup - Preordering Without Reservation, per working or		1		t	-										
		spare facility queried (Manual)	R		UMK	UMKLW		0.76	0 76			ŀ		19 99	19 99	19 99	19 9
	•	Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual)	R		UMK	UMKLP		0.76	0.76					19 99	19 99	19 99	19 9
		Loop MakeupWith or Without Reservation, per working or	_	l	İ	l	ł										
		spare facility queried (Mechanized)	R	ļ	UMK	UMKMQ		0 76	0 76			ļ		-			
		AND LINE SPLITTING		1.4.4		12 15	1	04 2004	 - - - - - - - - - - - -	- Harris				-			
		 The Line Sharing monthly recurring rates for all installation 1. 10/02/2003 – 10/01/2004, 25% of the rate for an unbundled co 					ilanigni Octobi T	er 01, 2004 Shai	i be billed as i	Ollows		 					-
		1 10/02/2003 – 10/01/2004, 25% of the rate for UCLND	pperio	T noi	ruesigned (OCEIVE	7	1					 		+			·
		1: 10/02/2005 – 10/01/2006. 75% of the rate for UCLND		1				 							-		-
		1 Above will apply to USOCS ULSDT and ULSCT		<u> </u>		†											
	**NOTE	2 The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSO	C applies only to ci	rcuits install	ed and inservi	ce on or before	October 1, 20	03							
		HARING]											
	SPLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity		<u> </u>	ULS	ULSDA	100 00	150 00	0 00	0 00	0 00			20 35	10 54	13 32	13 3
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25 00	150 00	0 00	0 00	0 00			20 35	10.54	13 32	13 3
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-		1	ULS	ULSDG		163 06	0 00	92 71	0.00			20 35	10 54	13 32	13 3
	END III	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		+	ULS	ULSUG		163 06	0.00	92 1 1	0.00			20 33	10 32	13 32	133
-	END U	Line Sharing - per Line Activation (BST Owned splitter) -	 	+		<u> </u>		 							 		
		OBSOLETE see "NOTE 2		i	ULS	ULSDC	0.61	40 00	31 39	0 00	0 00			20 35	10 54	13 32	133
		Line Share Service, TRO per line activation, BST owned splitter -		i i													
		Central Office Located (25% of UCLND) - please see NOTE 1		1		1	1							l		İ	
		(E 10/2/2003)			ULS	ULSDT	2 94	40 00	31 39	0 00	0 00						
		Line Share Service, TRO per line activation, BST owned splitter -		1													
		Central Office Located (50% of UCLND) - please see NOTE 1		1						0.00		1					
		(E 10/2/2004)		├	ULS	ULSDT	5 87	40 00	31 39	0 00	0 00	 					
		Line Share Service, TRO per line activation, BST owned splitter -		1													
		Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)		1	ULS	ULSDT	8 81	40 00	31 39	0 00	0 00	l					
-		Line Sharing - per Subsequent Activity per Line		+	0.0	OLOD I		40 00	0130	0.00	0.00	 					1
		Rearrangement(BST Owned Splitter)		İ	ULS	ULSDS	l	30 00	15 00			1		20 35	10.54	13 32	13 3:
		Line Sharing - per Subsequent Activity per Line		1													
		Rearrangement(DLEC Owned Splitter)	<u> </u>	<u></u>	ULS	ULSCS		30 00	15 00					20 35	10 54	13 32	13 3
		Line Sharing - per Line Activation (DLEC owned Splitter) -				1								1			
		OBSOLETE see **NOTE 2		<u> </u>	ULS	ULSCC	0 61	47 44	19 31	0 00	0.00			20 35	10 54	13 32	13 3
		Line Share Service, TRO per line activation, CLEC owned				1		l.							1		
		splitter - Central Office Located (25% of UCLND) - please see		1		LILEGE		47.44	40.04	0 00	0.00				1	1	
		NOTE 1 (E 10/2/2003)	-	+	ULS	ULSCT	2 94	47 44	19 31	0.00	0.00		 		-		
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see									1		1			1	1
		NOTE 1 (E 10/2/2004)		1	ULS	ULSCT	5 87	47 44	19 31	0 00	0 00						
			1	1	10.0	10001		71 77	,,,,								

JNBUNDLE	D NETWORK ELEMENTS - Tennessee													ment. 2		bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring	¥ 330	Nonrecurring First	Disconnect Add*l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned	-			+		First	Add'l	FIRST	Aggı	SOMEC	SUMAN	SUMAN	SUNIAN	SOWAN	SOWAN
	splitter - Central Office Located (75% of UCLND) - please see														ł	
Į.	NOTE 1 (E 10/2/2005)			ULS	ULSCT	8 81	47 44	19 31	0.00	0 00						
	PLITTING															
END U	SER ORDERING-CENTRAL OFFICE BASED	_		UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical		├	UEPSR UEPSB	UREBP	0.61	48 96	21 39	35 06	10 79			20 35	10 54	13 32	13 32
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual		_	UEPSR UEPSB	UREBV	0.61	48 96	21 39		10 79			20 35		13 32	
MAIN	FENANCE		<u> </u>	027 011 021 02	1											
	No Trouble Found - per 1/2 hour increments - Basic						80 00	55 00								
	No Trouble Found - per 1/2 hour increments - Overtime						120 00	82 50								
	No Trouble Found - per 1/2 hour increments - Premium		ļ				160 00	110 00								
INBUNDLED	DEDICATED TRANSPORT		-				-		-						—	
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+ .			<u> </u>								
	Per Mile per month Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade -			U1TVX	1L5XX	0 0054										1
	Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade			บาTVX	U1TV2	18 58	55 39	17 37	27 96	3 51			20 35	21 09		-
_	Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0054	-									
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	18 58	55 39	17 37	27 96	3 51			20 35	21 09		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade- Per Mile per month			U1TVX	1L5XX	0 0054										-
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24 09	37 87	26 02	30 78	13 07			15 08	15 08		-
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0174										<u> </u>
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17 98	55 39	17 37	27 96	3 51			20 35	21 09	_	<u> </u>
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		<u> </u>	U1TDX	U1TD6	17 98	55 39	17 37	27 96	3 51			20 35	21 09		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 3562									_	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	77 86	112 40	76 27	19 55	14 99			20 35	21 09		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2 34					<u> </u>	<u></u>				-
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848 99	395 29	176 56	109 04	105 91			36 84	36 84		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2 34	<u> </u>									
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	849 30	395 29	176 56	109 04	105 91	ļ		36 84	36 84	ļ	1
ARK FIBER		ļ	<u> </u>			ļ	-						-			+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28 74		153 19	580 26	357 17	ļ		20 35	10 54	13 32	13 3
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	ļ <u> </u>	1,121 00	153 19	560 26	337 17	 		2000	1001		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	ł		UDF, UDFCX	1L5DL	58 83								1	l	
	Thereof per month - Local Loop NRC Dark Fiber - Local Loop	 		UDF, UDFCX	UDFL4	30 03	1,121 00	153 19	580 26	357 17			20 35	10 54	13 32	13 3
XX ACCESS	TEN DIGIT SCREENING	t	 		1								ļ			
AA AUUESS	8XX Access Ten Digit Screening, Per Call			OHD		0 0005192					 		-	+	+	+
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	N8R1X		5 21	0 76					20 35	20 35	13 28	13 2
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations			OHD			11 47	1 46	7 34	0 7602			20 35	20 35	13 28	13 2

UNBUNDLE	D NETWORK ELEMENTS - Tennessee				T	I					Sua Ordar	Sve Order	Incremental	ment 2	Incremental	bit B Incrementa
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring		201150	SOMAN		Rates (\$)	SOMAN	SOMAN
			-		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SUMAN
ĺ	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		1	OHD	N8FTX		11 47	1 46	7 34	0 7602	1		20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Customized Area of Service		1	OHD	NOFIX			140.	7 34	0 7002	 		20 00	20.00		
	Per 8XX Number		1	ОНО	N8FCX	!	4 47	2 24					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR		† -	-	1											
	Routing Per CXR Requested Per 8XX No		1	OHD	N8FMX		5 23	3 00			l		20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Change Charge Per Request		İ	OHD	N8FAX		5 97	0 76					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Call Handling and Destination]		i					
	Features		J	OHD	N8FDX		4 47				ļ		20 35	20 35	13 28	13 28
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)	1	ļ								1		-			 -
	LIDB Common Transport Per Query			OQT		0 0000354							<u> </u>		1	4
	LIDB Validation Per Query		-	OQU OOT COU	NRBPX	0 0117403	49 03		 				20 35	20 35	13 28	13 2
0.00141.000 ::	LIDB Originating Point Code Establishment or Change		₩-	OQT, OQU	INKREX		49 03						20 33	20 30	13 20	13 20
SIGNALING (C	CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX	138 41			 							
	CCS7 Signaling Termination, Per 317 Port CCS7 Signaling Usage, Per TCAP Message		+	UDB	1 100%	0 0000916										
	CCS7 Signaling Connection, Per link (A link)		+	UDB	TPP++	17 84	130 84	130 84					20 35	20 35	13 32	13 32
	CCS7 Signaling Connection, Per link (B link) (also known as D	-	+								T					
	link)		1	UDB	TPP++	17 84	130 84	130 84					20 35	20 35	13 32	13 32
	CCS7 Signaling Usage, Per ISUP Message			UDB		0 0000373										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352 30					1					
	Signaling Point Code, per Originating Point Code Establishment															
į	or Change, per STP			UDB	CCAPO		121 77	121 77					20 35	20 35	13 32	13 32
CALLING NAM	IE (CNAM) SERVICE		L													
	CNAM For DB Owners - Service Establishment	1	1	ogv		<u> </u>	43 27				1		 			ļ
	CNAM For Non DB Owners - Service Establishment		1	OQV	-	ļ	43 27					<u> </u>				
	CNAM For DB Owners - Service Provisioning With Point Code		1	oav	l l		1,868 00	1,382 00								
	Establishment CNAM For Non DB Owners - Service Provisioning With Point	-	 	000	+		1,500,000	1,502 00	-		+			 		
	Code Establishment	1		logv	1		645 50	432 23								
	CNAM for DB Owners, Per Query	├──	+	ogv	 	0 0010541	01000	402 20				 			1	
	CNAM for Non DB Owners, Per Query		+	oov		0 0010541						1				
	CNAM (Non-Databs Owner), NRC, applies when using the	 -	1													
	Character Based User Interface (CHUI)		l	ogv	CDDCH								20 35	20 35	13 28	13.2
SELECTIVE R			1										<u> </u>		1	<u> </u>
	Selective Routing Per Unique Line Class Code Per Request Per															
 	Switch		Ш				179 60	179 60					20 35	20 35		
VIRTUAL COL			<u> </u>		-		ļ				ļ		-	 		ļ
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	ł				0.57	11 62	9 90	10 38	8 66			19 99	19 99	19 99	199
	Splitting	1	-	UEPSR UEPSB	VE1LS	0 57	1162	9 90	10.36	8 00		-	+ 1933	13 33	13 33	133
PHYSICAL CO	LLOCATION Company (1992) for large	-	+	 	+		-				1	 				-
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		1	UEPSR UEPSB	PE1LS	0 7905	11 62	9 90	10 38	8 66	1		19 99	19 99	19 99	199
ALL OF FOUR	Splitting /E CARRIER ROUTING	┼	+-	UEFOR UEFOB	FEILS	0 7303	1102			5.50	1				ļ	
AIN SELECTI	Regional Service Establishment			SRC	SRCEC		190,638 00		† "				20 35			
	End Office Establishment		+	SRC	SRCEO	-	317 55	317 55	3 19	3 19			20 35	20 35	13 28	13 2
	Query NRC, per query	—		SRC		0 0206047										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															ļ
	AIN SMS Access Service - Service Establishment, Per State,												20.05	00.05	42.00	13 2
	Initial Setup		1	A1N	CAMSE		135 56	135 56			ļ	<u> </u>	20 35	20 35	13 28	132
				l		1	1	44 75	1				20 35	20 35	13 28	13 2
	AIN SMS Access Service - Port Connection - Dial/Shared Access	1		A1N	CAMDP		41 75	41 75 41 75			+	+	20 35			
	AIN SMS Access Service - Port Connection - ISDN Access	<u> </u>	-	A1N	CAM1P	 	41 75	41 /5	 	 	+	+	20 33	1 20 33	10 20	1
	AIN SMS Access Service - User Identification Codes - Per User			A1N	CAMAU	i	96 63	96 63	1				20 35	20 35	13 28	13 2
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,	1	+	A114	CAMAG	 	90 00		 		 		 			T
	Initial or Replacement	1		A1N	CAMRC		113 67	113 67	į		1		20 35	20 35	13 28	13.2
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	+	+		5	0 0024	1						L			1
1	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute		$\overline{}$			0 0820123	 					T	1	1		1

JABUNDLE	D NETWORK ELEMENTS - Tennessee		_								1 =		Attachr			bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'I
						Rec	Nonrecurring First	Add'I	Nonrecurring First	Disconnect Add'I	COMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Company Performed Session, Per		-		+		First	Addi	FIFST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Minute		1		i	2 27										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AlN Toolkit Service - Service Establishment Charge, Per State,			***												
	Initial Setup			CAM	BAPSC		132 04 7.915 00	132 04 7,915 00	<u> </u>				20 35 20 35	20 35 20 35	13 28 13 28	13 28 13 28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915 00	7,915 00					20 35	20 33	13 20	13 20
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Term Attempt				BAPTT	1	31 21	31 21					20 35	20 35	13 28	13 28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		Dr		0.2.									
	DN, Off-Hook Delay		1		BAPTD		31 21	31 21					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1										40.00	
	DN, Off-Hook Immediate		↓		BAPTM		31 21	31 21					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		85 24	85 24					20 35	20 35	13 28	13 28
	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPTO		65 24	00 24					20 33	20 00	10 20	10 20
	DN, CDP			1	BAPTC	}	85 24	85 24					20 35	20 35	13 28	13 28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per					i .										
	DN, Feature Code				BAPTF		85 24	85 24			ļ <u>.</u>		20 35	20 35	13 28	13 28
	AIN Toolkit Service - Query Charge, Per Query		ļ			0 0211882										
Ì	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				i	0 0054774										
	Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access		+	-	+	0 0034774	l									
i i	Account, Per 100 Kilobytes					1 50]							
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	17 43	33 52	33 52			ļ		20 35	20 35	13 28	13 28
	AIN Toolkit Service - Special Study - Per AIN Toolkil Service		ì					00.00					20 35	20 35	13 28	13 28
	Subscription		ļ	CAM	BAPLS	0 1321116	36 23	36 23	·		ļ		20 35	20 35	13 20	1320
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BAPDS	17 35	33 52	33 52					20 35	20 35	13 28	13 2
	Subscription AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit		+	CAW	DA DO	17 00	00 02									
	Service Subscription			CAM	BAPES	0 0511435	36 23	36 23					20 35	20 35	13 28	13 2
NHANCED E	VIENDED LINK (EE) c)															
NOTE	The monthly requiring and non-requiring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	oly for UNE cor	nbinations prov	isioned as 'C	Ordinarily Comb	ined' Networ	Elements.					
NOTE:	: The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurr	ing charges below v	will apply for	UNE combinati	ions provisione	d as ' Current	ly Combined' N	letwork Eleme	ents					-
EXTEN	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86	-		20 35	21 09	 	·
	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2	-	2	UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	_	
1	First 2-Wire VG Loop (SL2) in Combination - Zone 2		4	IDIACAY										21 09		
-	First 2-Mire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2		108 76	35 47	72 94	10 86			20 35	2109		
	First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	2109		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		3	UNCVXUNC1X	UEAL2 1L5XX		108 76	35 47	72 94	10 86			20 35	2109		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility		3	UNC1X	1L5XX	28 28 0 3562										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		3	UNC1X UNC1X	1L5XX U1TF1	28 28 0 3562 77 86	171 24	113 12	70 07	30 90			20 35	21 09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month		3	UNC1X UNC1X UNC1X	1L5XX U1TF1 MQ1	28 28 0 3562 77 86 80 77	171 24 105 76	113 12 14 48	70 07 3 04							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		3	UNC1X UNC1X	1L5XX U1TF1	28 28 0 3562 77 86	171 24	113 12	70 07 3 04	30 90			20 35	21 09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channetization System in combination Per Month Voice Grade COCI - Per Month		3	UNC1X UNC1X UNC1X	1L5XX U1TF1 MQ1	28 28 0 3562 77 86 80 77	171 24 105 76	113 12 14 48	70 07 3 04	30 90						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month		1	UNC1X UNC1X UNC1X UNC1X UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2	28 28 0 3562 77 86 80 77 0 91 16 56	171 24 105 76 5 70 108 76	113 12 14 48 4 42 35 47	70 07 3 04 72 94	30 90 2 74 10 86			20 35	21 09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channetization System in combination Per Month Voice Grade COCI - Per Month		1	UNC1X UNC1X UNC1X UNC1X	1L5XX U1TF1 MQ1 1D1VG	28 28 0 3562 77 86 80 77 0 91	171 24 105 76 5 70	113 12 14 48 4 42	70 07 3 04	30 90 2 74			20 35	21 09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		1 2	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	28 28 0 3562 77 86 80 77 0 91 16 56 21 63	171 24 105 76 5 70 108 76 108 76	113 12 14 48 4 42 35 47	70 07 3 04 72 94 72 94	30 90 2 74 10 86			20 35 20 35 20 35	21 09 21 09 21 09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		1	UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	28 28 0 3562 77 86 80 77 0 91 16 56 21 63 28 28	171 24 105 76 5 70 108 76 108 76	113 12 14 48 4 42 35 47 35 47 35 47	70 07 3 04 72 94 72 94 72 94	30 90 2 74 10 86			20 35	21 09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month		1 2	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	28 28 0 3562 77 86 80 77 0 91 16 56 21 63	171 24 105 76 5 70 108 76 108 76	113 12 14 48 4 42 35 47	70 07 3 04 72 94 72 94 72 94	30 90 2 74 10 86			20 35 20 35 20 35	21 09 21 09 21 09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channetization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch - As-		1 2	UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	28 28 0 3562 77 86 80 77 0 91 16 56 21 63 28 28	171 24 105 76 5 70 108 76 108 76	113 12 14 48 4 42 35 47 35 47 35 47	70 07 3 04 72 94 72 94	30 90 2 74 10 86			20 35 20 35 20 35	21 09 21 09 21 09		
FXTE	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch - As- Is Charge		1 2 3	UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UNCCC	28 28 0 3562 77 86 80 77 0 91 16 56 21 63 28 28	171 24 105 76 5 70 108 76 108 76 108 76 5 70	113 12 14 48 4 42 36 47 35 47 35 47 4 42	70 07 3 04 72 94 72 94	30 90 2 74 10 86 10 86			20 35 20 35 20 35 20 35	21 09 21 09 21 09 21 09		
EXTEN	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channefization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch - As- Is Charge NDED 4-WirRE VOICE GRADE EXTENDED LOOP WITH DEDICA		1 2 3 3 INTE	UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCTX ROFFICE TRANSPO	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAC2 UEAC2 UNCCC UNCCC	28 28 0 3562 77 86 80 77 0 91 16 56 21 63 28 28 0 91	171 24 105 76 5 70 108 76 108 76 108 76 108 76 5 70 52 73	113 12 14 48 4 42 36 47 35 47 35 47 4 42 24 62	70 07 3 04 72 94 72 94 72 94 9 12	30 90 2 74 10 86 10 86 10 86			20 35 20 35 20 35 20 35 20 35	21 09 21 09 21 09 21 09 21 09		
EXTEN	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch - As- Is Charge		1 2 3 3 INTE	UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UNCCC	28 28 0 3562 77 86 80 77 0 91 16 56 21 63 28 28	171 24 105 76 5 70 108 76 108 76 108 76 5 70	113 12 14 48 4 42 36 47 35 47 35 47 4 42	70 07 3 04 72 94 72 94 72 94 9 12	30 90 2 74 10 86 10 86			20 35 20 35 20 35 20 35	21 09 21 09 21 09 21 09		

NOUNDLE	D NETWORK ELEMENTS - Tennessee			ī						•				ment, 2		ibit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	ALABA T						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42 18	108 76	35 47	72 94	10 86			20 35	21 09		
l l	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3562										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			DIACIX	1123//	0 3302										
l	Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	80 77	105 76	14 48	3 04	2 74						+
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 91	5 70	4 42			· · · · · ·					
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 70	108 76	35 47	72 94	10 86			20 35	21 09		
	Additional 4-Wire Analog Voice Grade Loop in same DS1						i i							İ		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32 26	108 76	35 47	72 94	10 86			20 35	21 09		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_	LINGVA		40.40	400.70	or /-		40.00			20 35	24.60	1	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4 1D1VG	42 18 0 91	108 76 5 70	35 47 4 42	72 94	10 86	-		20 35	21 09	 	+
	Additional Voice Grade COCI in combination - per month		-	UNCVX	10100	0.91	5 /0	4 42								+
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12	1		20 35	21 09		
EVTEL	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN				32 73	24 02	312	3 12			20 00	2103		+
EXIEN	DED THIRE 30 RBF 3 EXTENDED DIGITAL EGGS WITH DEDIC	AILU	T	I I I I I I I I I I I I I I I I I I I	THO OIL I						 					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31 10	108 76	35 47	72 94	10 86	l		20 35	21 09		
	That 4 Wile box bps bights blace book in bentalitation bond				1											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09		
	That this consposing to the constant of the co		 -													
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86	i		20 35	21 09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile					•										
	Per Month		l	UNC1X	1L5XX	0 3562										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09		
	1/0 Channel System in combination Per Month		Ļ	UNC1X	MQ1	80 77	105 76	14 48	3 04	2 74						
	OCU-DP COCI (data) per month (2 4-64kbs)		<u> </u>	UNCDX	1D1DD	0 91	5 70	4 42								
1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1.	LAIODY	UD. 50	24.40	108 76	35 47	72 94	10 86			20 35	21 09		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31 10	108 76	35 47	72 94	10 00	-		20 35	2109	-	+
ŀ	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		-	GNODA	CDE30		10070	33 41	72.04	10.00				2.00		†
ļ	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	1	
\rightarrow	Additional OCU-DP COCI (data) - in combination per month (2 4-		Ť												1	1
- 1	64kbs)			UNCDX	1D1DD	0 91	5 70	4 42								
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09		
EXTEN	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN	ITEROFFICE TRA	NSPORT											
					.				70.04	40.00			20 35	21 09		
l	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86			20 35	21 09		+
			_	Lucasy		40.04	400.70	25.47	72 94	10 86			20 35	21 09		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	1294	10.00	 		20 33	2109		
	For ANN CARRES Double Conde Langua Combination 7-1-2		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	GNCDX	UDL04	33 11	100 70	30 41	1234	10 00	 -		20 00	2.00		+
	Per Month		ĺ	UNC1X	1L5XX	0 3562	l i					ĺ				
	interoffice Transport - Dedicated - DS1 combination - Facility		t	1011/	1.20.01	3 0002			1				·	1	1	
	Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90		i	20 35	21 09		1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	80 77	105 76	14 48	3 04	2 74					L	
	OCU-DP COC! (data) - in combination - per month (2 4-64kbs)			UNCDX	1D1DD	0 91	5 70	4 42								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86			20 35	21 09	-	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			1						40.00			20 35	21 09		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86	-	ļ	20 35	2109	1	+
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	1			1 1	35 47	72 94	10 86	1	t	20 35	21 09	1	1

NOONDL	ED NETWORK ELEMENTS - Tennessee			T	, , ,									ment 2		bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'I		
_		_				Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	Additional OCU-DP COCI (data) - in combination - per month		┼				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(2 4-64kbs)			UNCDX	1D1DD	0 91	5 70	4 42			1					
1	Nonrecurring Currently Combined Network Elements Switch -As-				l											
EVT	Is Charge ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	- D DD4		UNC1X	UNCCC		52 73	24 62	9 12	9 12	L		20 35	21 09		
	4-Wire DS1 Digital Loop in Combination - Zone 1	ED DS1				57.70										
	4-Wire DS1 Digital Loop in Combination - Zone 1		2	UNC1X UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88						
	4-Wire DS1 Digital Loop in Combination - Zone 3	_	3	UNC1X	USLXX	75 40 98 59	228 40 228 40	161 74	79 87	24 88						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	UNCIX	JUSEA	98 59	228 40	161 74	79 87	24 88						
	Per Month		1	UNC1X	1L5XX	0 3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility		_	ONCIA	TIESAN	0 3362										
	Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	24.00		
	Nonrecurring Currently Combined Network Elements Switch -As-			SITO IX	1011111	77 00	17124	113 12	70 07	30 90			20 35	21 09		
	Is Charge		l	UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09		
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS3	INTER				32 73 ·	24 02	. 312	3 12			20 33	2109		
	First DS1Loop in Combination - Zone 1		1	UNC1X	TUSLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09		
_	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09		
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile								1001	2400			2000	2100		
	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	1L5XX	2 34										
	month			UNC3X	U1TF3	854 97	482 01	153 81	64 43	35 43			36 84	36 84		
	3/1Channel System in combination per month		_	UNC3X	MQ3	222 98	156 02	49 41	17 12	6 77			36 84	36 84		
	DS1 COCI in combination per month		_	UNC1X	UC1D1	17 58	5 70	4 42	17 12	677						
	Additional DS1Loop in DS3 Interoffice Transport Combination -			DINCIX	OCIDI	17 36	370	4 42								
	Zone 1		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09		
	Additional DS1 COCI in combination per month			UNC1X	UC1D1	17 58	5 70	4 42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNÇCC		52 73	24 62	9 12	9 12			20 35	21 09	l	
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADE	INTE	ROFFICE TRANSPO	RT											
	2-WireVG Loop in combination - Zone 1	1			UEAL2	16 56	108 76	35 47	72 94	10 86						
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	i			li							- 1	į			
	Month			UNCVX	1L5XX	0 0174										
	Interoffice Transport - 2-wire VG - Dedicated - Facility	1			U1TV2	21 79	79 83	44 08	69 32	31 00			20 35	21 09		
_	Termination per month			UNCVX	U11V2	21 79	79 83	44 08	69.32	31 00			20 35	21 09		
	Nonrecurring Currently Combined Network Elements Switch -As-	ļ		UNCVX	UNCCC	ŀ	52 73	24 62	9 12	9 12			20 35	21 09	i	
EVTE	Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CRACE	INTE				52 /3	24 02	9 12	9 12			20 33	2109		
EXIE	4-WireVG Loop in combination - Zone 1	GRADE			UEAL4	24 70	108 76	35 47	72 94	10 86						
	4-WireVG Loop in combination - Zone 2				UEAL4	32 26	108 76	35 47	72 94	10 86						
	4-WireVG Loop in combination - Zone 3				UEAL4	42 18	108 76	35 47	72 94	10 86	-					
_	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	+	-	0.101//		72 10	100.70	- 55 41					-			
	Month			UNCVX	1L5XX	0 0174	İ							1	ļ	
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	27 30	79 83	44 08	69 32	31 00			20 35	21 09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09		
EYTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 II	NTERO	FICE		0.,000		32 13	27 02					- 2000			
CAIE	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9 19	+	-		_						
+	200 Edda Eddy in Combination - per mile per month			01100/1	120140	3 18										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	373 47	240 23	180 87	106 78	45 24						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	\rightarrow			1L5XX	2 34	240 20	.0007	.00 70							

ONBONDE	ED NETWORK ELEMENTS - Tennessee	,												ment 2		ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
			ـــــ	ļ <u>.</u>	<u> </u>		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility					251.07	400.04	450.04	04.40	25.42			36 84	36 84		
	Termination per month		<u> </u>	UNC3X	U1TF3	854 97	482 01	153 81	64 43	35 43			35 84	36 84		+
- 1	Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		52 73	24 62	9 12	9 12			36 84	36 84	ŀ	
EVTE	Is Charge NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFE		1011000		02.70	2102	1 312			-				
	STS-1 Local Lolp in combination - per mile per month	l		UNCSX	1L5ND	9 19					-					
1	STS-1 Local Loop in combination - Facility Termination per															
	month	1		UNCSX	UDLS1	394 56	240 23	180 87	106 78	45 24					1	
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	2 34										
	Interoffice Transport - Dedicated - STS-1 combination - Facility		1	LINGOV	LIKETEG	040.00		453.61		25.40			36 84	36 84		
	Termination per month		ļ	UNCSX	U1TFS	849 30	482 01	153 81	64 43	35 43			36 84	36 84		+
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		52 73	24 62	9 12	9 12			36 84	36 84		
EVTE	NDED 2-WIRE ISON EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		0,1000		02.70	24 02	7 12	- 0 12	 		000.	00.01	 	+
LAIL	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22 22	108 76	35 47	72 94	10 86			20 35	21 09		
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09		1
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86			20 35	21 09		
	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month		ļ	UNC1X	1L5XX	0 3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	į			77.00		140.40	70.07	20.00		ĺ	00.25	04.00		
	Termination per month		₩	UNC1X	U1TF1	77 86 80 77	171 24	113 12 14 48		30 90 2 74	ļ — — —		20 35	21 09	 	
	1/0 Channel System in combination - per month		├ ─	UNC1X	MQ1 UC1CA		105 76 5 70	14 48 4 42		2 /4					 	
	2-wire ISDN COCI (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport		ļ	ÜNCNX	OCICA	3 24	570	4 42			ļ	-	-			+
	Combination - Zone 1		1	UNCNX	U1L2X	22 22	108 76	35 47	72 94	10 86]		20 35	21 09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		 `-	DITCITA	OILEX	22 22	100 70	30 41	7234	10 00	1			2100		+
	Combination - Zone 2		1 2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86	1		20 35	21 09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 3		3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86			20 35	21 09		
	Additional 2-wire ISDN COCI (BRITE) - in combination- per				1					i				1		
	month		1	UNCNX	UC1CA	3 24	5 70	4 42						1	ļ	4
	Nonrecurring Currently Combined Network Elements Switch -As-	1	[Lucay	luvooo l		50.70	04.00	0.40	0.40			20 35	21 09	Į.	
EVE	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD OT	I INIT	UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09		
EXIE	First DS1 Loop Combination - Zone 1	ED 313		UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88	 		20 35	21 09	1	+
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	75 40	228 40	161 74		24 88			20 35	21 09	 	+
	First DS1 Loop Combination - Zone 3			UNC1X	USLXX	98 59	228 40	161 74		24 88			20 35	21 09	 	+
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	 	۳,	1	1	55.55	223 .0		1	2.30	 	t	1 20 30	1 2.30	1	1
	Per Month			UNCSX	1L5XX	2 34					1	l				1
	Interoffice Transport - Dedicated - STS-1 combination - Facility	l	Г								<u> </u>					
	Termination per month		<u> </u>	UNCSX	U1TFS	849 30	482 01	153 81	64 43	35 43		L	36 84	36 84	ļ	
	3/1 Channel System in combination per month	-		UNCSX	MQ3	222 98	156 02	49 41		6 77	-			ļ	1	
	DS1 COCI in combination per month		-	UNC1X	UC1D1	17 58	5 70	4 42	1				ļ	 	 	+
	Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	ĺ	
	Combination - Zone 1 Additional DS1Loop in the same STS-1 Interoffice Transport		+	ONCIA	JOSEAN	5/ /3	220 40	101 /4	1907	∠4 08		 	20 35	2109	1	+
	Combination - Zone 2		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88	1		20 35	21 09		1
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	1	1	1	.5 70	220 ,0		1		 	1	1	1	†	1
	Combination - Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09		
	DS1 COCI in combination per month			UNC1X	UC1D1	17 58	5 70	4 42								
	Nonrecurring Currently Combined Network Elements Switch -As-	-			1											
	Is Charge			UNCSX	UNCCC		52 73	24 62	9 12	9 12	<u> </u>	 	36 84	36 84		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	SPS INT			LUDI EG	- 44	400 70	25 43	70.04	40.00		 	 		1	+
	4-wire 56 kbps Local Loop in combination - Zone 1	ļ	1	UNCDX	UDL56	31 10	108 76	35 47		10 86 10 86		 	 	 	+	+
	4-wire 56 kbps Local Loop in combination - Zone 2	ļ		UNCDX	UDL56 UDL56	40 61 53 11	108 76 108 76	35 47 35 47		10 86		+		l	1	+
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	 	1 3	UNCDX	ODESO	33 11	106 /6	35 47	12 94	10 00	+	 	+	ļ · · · · · · · ·	 	1
	principline transport - Dedicated - 4-Wile 30 kbps combination -	1	1	1			1	1	1	1	1		1	1	1	1

NBUNDL	ED NETWORK ELEMENTS - Tennessee													ment. 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremen Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
		+			+		Nonrecurring		Nonrecurring	Disconnect		L	oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		!										l			
ľ	Facility Termination per month		J	UNCDX	U1TD5	21 19	79 83	44 08	69 32	31 00			20 35	21 09		ļ
	Nonrecurring Currently Combined Network Elements Switch -As	·-			LINDOO		50.70	24 62	9 12	9 12			20 35	21 09		
	Is Charge	DDC INT	FROFE	UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 33	2103	-	
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 K	BPS IN	ERUFF	UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86					·	
	4-wire 64 kbps Local Loop in Combination - Zone 1 4-wire 64 kbps Local Loop in Combination - Zone 2	_	2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	+		UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	 		0110271												
	Per Mile per month		1	UNCDX	1L5XX	0 0174									<u> </u>	
-	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -										1	1	20.25	21 09	1	1
- 1	Facility Termination per month	1		UNCDX	U1TD6	21 19	79 83	44 08	69 32	31 00			20 35	21 09	 	
	Nonrecurring Currently Combined Network Elements Switch -As	3-[Lines		F0.70	24 62	9 12	9 12		1	20 35	21 09	I	1
	ls Charge	1		UNCDX	UNCCC		52 73	24 62	- 912	9 12			20 00	2103	 	
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE	TRANSF	ORT w	/ 3/1 MUX	UEAL2	16 56	108 76	35 47	72 94	10 86	 		20 35	21 09		† • • • • • • • • • • • • • • • • • • •
	First 2-wire VG Loop (SL2) in Combination - Zone 1	+		UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86	 	-	20 35	21 09		
	First 2-wire VG Loop (SL2) in Combination - Zone 2	-		UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86	 		20 35	21 09		
	First 2-wire VG Loop (SL2) in Combination - Zone 3	+	3	UNCVA	DEALZ	20 20	100 70	- 50 41	720.		<u> </u>	_	1			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 3562					1		i			<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -	+	 	ONO IX	1.25/01		-				1					
	Facility Termination per month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09		
	Per each DS1 Channelization System Per Month	+-	1	UNC1X	MQ1	80 77	105 76	14 48	3 04	2 74			L	<u> </u>		
	Per each Voice Grade COCI - Per Month per month	1 -		UNCVX	1D1VG	0 91	5 70	4 42				_				-
	3/1 Channel System in combination per month			UNC3X	MQ3	222 98	156 02	49 41	17 12	6 77	ļ		36 84	36 84	ļ	 -
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17 58	5 70	4 42	-		.\	ļ	ļ		 	+
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	Π'						05.47	70.04	10 86			20 35	21 09		
1.	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 50	-		20 00	2.00		_
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	LING) A	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	Į.	
	Interoffice Transport Combination - Zone 2		 2	UNCVX	UEALZ	2103	100 70	33 47	1201	10 00	_	 		<u> </u>		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	<u> </u>	
	Interoffice Transport Combination - Zone 3		+-'-	UNCVX	1D1VG	0 91	5 70	4 42		-						
	Each Additional Voice Grade COCI in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1		+	OHO VA	1.5.110		-									
	Channel System per month			UNC1X	1L5XX	0 3562							1		ļ	
-	Each Additional DS1 Interoffice Channel Facility Termination in													24.00		1
	same 3/1 Channel System per month		1	UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90		L .	20 35	21 09		-
-	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	17 58	5 70	4 42	<u> </u>			 	 	 	 	+
_	Nonrecurring Currently Combined Network Elements Switch -A	s-					50.70	24.00	9 12	9 12			20 35	21 09		
	Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12		 	20 00	1		1
EX1	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	ITEROF	ICE TE	RANSPORT W/ 3/1 N	NUX	ļ . 		_				 				
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	24 70	108 76	35 47	72 94	10 86			20 35	21 09	1	
	Zone 1	+	+	DINCAY	JEALT	2710	1,00,70		1							
	First 4-Wire Analog Voice Grade Local Loop in Combination -		2	UNCVX	UEAL4	32 26	108 76	35 47	72 94	10 86			20 35	21 09	<u> </u>	
	Zone 2 First 4-Wire Analog Voice Grade Local Loop in Combination -		+	DITOTA	00/21											
	Zone 3		3	UNCVX	UEAL4	42 18	108 76	35 47	72 94	10 86			20 35	21 09	<u> </u>	
	First Interoffice Transport - Dedicated - DS1 combination - Per		+- <u>~</u>				· ·									
	Mile Per Month		1	UNC1X	1L5XX	0 3562	<u> </u>				 				 	
-+-	First Interoffice Transport - Dedicated - DS1 - Facility	1							70.07	20.00			20 35	21 09	1	
	Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12		30 90 2 74			20 35	2109	1	1
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80 77	105 76	14 48 4 42		2/4	 	+	1			1
	Per each Voice Grade COCi in combination - per month		1_	UNCVX	1D1VG	0 91 222 98	5 70 156 02	49 41		6 77	+	+	36 84	36 84		
	3/1 Channel System in combination per month		↓ _	UNC3X	MQ3	222 98 17 58		4941		- ""			T	T		T
	Per each DS1 COCI in combination per month	-	+	UNC1X	UC1D1	17 58	3 10	442	 		 	†				
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	1	UNCVX	UEAL4	24 70	108 76	35 47	72 94	10 86	1 _	<u> </u>	20 35	21 09	1	
_	Interoffice Transport Combination - Zone 1	+-	+-	UNCVA	OLAL4		1,55,70									
- 1	Additional 4-Wire Analog Voice Grade Loop in same DS1 interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL4	32 26	108 76	35 47	72 94	10 86	· L		20 35	21 09		

ONBONDLE	D NETWORK ELEMENTS - Tennessee	r												ment: 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108 76	35 47	72 94	10 86			20 35	21 09		
	Each Additional DS1 Interoffice Channel per mile in same 3/1													ļ		
	Channel System per month	<u> </u>		UNC1X	1L5XX	0 3562										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		Į.	UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09		
ļ	Additional Voice Grade COCI - in combination - per month		 	UNCVX	1D1VG	0 91	5 70	4 42	1001				2000	2:33		
l	Nonrecurring Currently Combined Network Elements Switch -As-		\vdash													
ļ.	Is Charge		1	UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	/1 MUX											1
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	31 10	108 76	35 47	72 94	10 86			20 35	21 09		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	l														
	Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3562			İ							
	First Interoffice Transport - Dedicated - DS1 - combination		1				-									
	Facility Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09		ļ
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80 77	105 76	14 48	3 04	2 74			ļ			
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)			UNCDX	1D1DD	0 91 222 98	5 70	4 42 49 41	17 12	6 77		-	36 84	36 84		
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	<u> </u>	₩	UNC3X UNC1X	MQ3 UC1D1	17 58	156 02 5 70	4941	17 12	077			30 04	30 04		
$\overline{}$	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	 	UNCIA	00101	17.30	370	772			 	-		—		
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	31 10	108 76	35 47	72 94	10 86			20 35	21 09		ļ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09		ļ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09		İ
	OCU-DP COCI (data) COCI in combination per month (2 4-															
	64kbs)			UNCDX	1D1DD	0 91	5 70	4 42						<u> </u>		
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 3562									ľ	
<u> </u>	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		<u> </u>	UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90	Ļ		20 35	21 09		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17 58	5 70	4 42								
 	Nonrecurring Currently Combined Network Elements Switch -As-	1			1											
1 1	Is Charge	Į.		UNC1X	UNCCC		52 73	24 62	9 12	9 12	<u> </u>		20 35	21 09		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	OFFICE	TRANSPORT w/ 3	/1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	i i	1	UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86			20 35	21 09		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	 	1													
	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	 	3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09		
	Mile Per Month		ļ	UNC1X	1L5XX	0 3562					ļ					-
	First Interoffice Transport - Dedicated - DS1 combination -			LINGAY	U1TF1	77 86	171 24	113 12	70 07	30 90	1		20 35	21 09		
	Facility Termination Per Month	_	-	UNC1X	MQ1	80 77	105 76	14 48	3 04	2 74	-		20 30	2108	-	
<u> </u>	Per each Channel System 1/0 in combination Per Month	 	-	UNC1X	IVIQT	8077	105 /6	14 48	3 04	2 /4	1	ļ	 	 		1
	Per each OCU-DP COCI (data) in combination - per month (2 4-64kbs)	1		UNCDX	1D1DD	0 91	5 70	4 42				l			1	
 	3/1 Channel System in combination per month	1	\vdash	UNC3X	MQ3	222 98	156 02	49 41	17 12	6 77			36 84	36 84		
 	Per each DS1 COCI in combination per month	†	T	UNC1X	UC1D1	17 58	5 70	4 42								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1.	UNCDX	UDL64	31 10	108 76		72 94	10 86			20 35	21 09		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge -	Incrementa Charge -
		<u> </u>	ļ			Rec	Nonrecurring	A -1-111	Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-	<u> </u>				First	Add'I	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09		İ
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCUA	0000	33 11	100 70	35 41	12 34	10 00			20 33	2.03		
	combination - per month (2 4-64kbs)	<u> </u>		NUCDX	1D1DD	0 91	5 70	4 42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 3562										
	Each Additional DS1 Interoffice Channel Facility Termination in					77.00	174.04	440.40	70.07	20.00			20 35	24.00	İ	
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system		 	UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90	-		20 35	21 09		
	combination per month			UNC1X	UC1D1	17 58	5 70	4 42								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAY	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09		
EVTE	Is Charge NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	T 10/ 3/	1 MIIV	UNC1X	UNCCC		52 /3	24 62	9 12	9 12	-		20 33	2109		
EXIE	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1 W/ 3/	INIOA			••										
	Transport - Zone 1		1	UNCNX	U1L2X	22 22	108 76	35 47	72 94	10 86		-	20 35	21 09		-
!	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09		
 	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	-	ONOTA	O ILLEX	20 02	,,,,,,				 					
	Transport - Zone 3		3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86		ļ	20 35	21 09		-
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 3562										
	First Interoffice Transport - Dedicated - DS1 combination -	l			=-	77.00		440.40	70.07	30 90			20 35	21 09		
	Facility Termination per month Per each Channel System 1/0 in combination - per month	<u> </u>		UNC1X UNC1X	U1TF1 MQ1	77 86 80 77	171 24 105 76	113 12 14 48	70 07 3 04	2 74	-		20 35	2109		
	Per each Channel System 1/0 in combination - per month	1		ONCIA	IVIQ I	8077	103 70		304	214	 		-			+
ļ	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3 24	5 70	4 42						i		
	3/1 Channel System in combination per month		1	UNC3X	MQ3	222 98	156 02	49 41	17 12	6 77			36 84	36 84		
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	17 58	5 70	4 42								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	22 22	108 76	35 47	72 94	10 86			20 35	21 09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		+-	GIVELEX	O ILLA	2002	10070									
	Combination - Zone 3		3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86			20 35	21 09		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month	<u> </u>		UNCNX	UC1CA	3 24	5 70	4 42					-	 	ļ	+
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 3562										
	Each Additional DS1 Interoffice Channel Facility Termination in			I		l			70 07	30 90		İ	20 35	21 09		
	same 3/1 Channel System per month	ļ	_	UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	2109		+
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17 58	5 70	4 42								
	Nonrecurring Currently Combined Network Elements Switch -As-		_	57.67.7								i	1			
	Is Charge	1		UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	ļ	1
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN								21.25						
	First 4-wire DS1 Digital Leoal Loop in Combination - Zone 1		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88				<u> </u>		
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2	₩	2	UNC1X	USLXX	75 40 98 59	228 40 228 40	161 74 161 74	79 87 79 87	24 88 24 88		 	 	1	-	+
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	 	3	UNC1X	USLXX	90 39	220 40	10174	7501	24 00	+		 		<u> </u>	—
	Mile Per Month			UNC1X	1L5XX	0 3562						<u> </u>			1	<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -	1		LINGAY	1	77.00	174.04	113 12	70 07	30 90			20 35	21 09		
\vdash	Facility Termination Per Month	1		UNC1X UNC3X	U1TF1 MQ3	77 86 222 98	171 24 156 02	49 41		6 77		+	36 84		†	
	3/1 Channel System in combination per month Per each DS1 COCI combination per month	-	+	UNC1X	UC1D1	17 58		4 42	17 12	377	+ -	 	1 3307	1 .		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	+	\vdash	GITOTA	00101	155	 		-		1					
	Channel System per month	l		UNC1X	1L5XX	0 3562			<u></u>			<u></u>	<u> </u>			

INBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Charge -	Charge -
				-			Nonrecurring	1	Nonrecurring	Disconnect			OSS	Rates (\$)		1
			 	-		Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	Each Additional DS1 Interoffice Channel Facility Termination in		T								1					
	same 3/1 Channel System per month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09		1
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month		ļ	UNC1X	UC1D1	17 58	5 70	4 42								
l	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.													1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88						
l	2 - Additional 4-Wire DST Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		-	ONOIX	TOOLXX	7340	220 40	70174	/8.0/	24 00	1					
	3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88						
	Nonrecurring Currently Combined Network Elements Switch -As-		T .		1	1		1	1	1 2:50				<u> </u>	 	
	Is Charge		1	UNC1X	UNCCC	!	52 73	24 62	9 12	9 12			20 35	21 09	1	ĺ
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31 10	108 76	35 47								
	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		i	I II ODV	41.5707			l								
	per month		<u> </u>	UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month		1	UNCDX	U1TD5	21 19	79 83	44 08	69 32	31 00			20 35	21 09		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	01105	21 19	1903	44 06	69 32	3100			20 35	2109		
	Is Charge			UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09		
EVTER	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FEICE :		UNCCC		32 73	24 02	3 12	9 12			20 33	2103		
- CATE	First 4-wire 64 kbps Local Loop in combination - Zone 1	LIC		TUNCDX	UDL64	31 10	108 76	35 47	72 94	10 86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	40 61	108 76	35 47		10 86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0 0174								l		
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility													1		
	Termination per month			UNCDX	U1TD6	21 19	79 83	44 08	69 32	31 00			20 35	21 09		
	Nonrecurring Currently Combined Network Elements Switch -As-		i										90.05			
	Is Charge			UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	10 54		
	NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurr			net emply but a	Switch As Is a	harma dana an										
	used as a part of a currently combined facility, the non-recurri								 		-				<u> </u>	
	curring Currently Combined Network Elements "Switch As Is"					A3 I3 Onlarge	T T				 					
THE THE	Nonrecurring Currently Combined Network Elements Switch -As-		1													
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52 73	24 62	9 12	9 12	l		53 73	24 62		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge - 56/64 kbps	L		UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	10 54		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS1			UNC1X	UNCCC		52 73	24 62	9 12	9 12			53 73	24 62		
	Nonrecurring Currently Combined Network Elements Switch -As-			Lucay	Lucas								E0 70	24.00		-
	Is Charge - DS3			UNC3X	UNCCC	-	52 73	24 62	9 12	9 12			53 73	24 62	 	-
- 1	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - STS1			UNCSX	UNCCC		52 73	24 62	9 12	9 12	· ·		53 73	24 62		1
Ontic	al Features & Functions	-	-	UNUOA	UNICCC		32 /3	24 02	312	3 12	 		33.13	2402		
Ориог	ar repraired at remotine			U1TD1,				_			 					<u> </u>
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		OI	OI .	01	oı				<u> </u>		
	,, . ,		_	U1TD1,		İ		1								
	Clear Channel Capability Super FrameOption - per DS1	-		ULDD1,UNC1X	CCOSF		01	01	01	01				L		
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,											į.	
	Activity - per DS1	-		UNC1X, USL	NRCCC		185 16S	23 85S	2 03S	0 798			45 68	1 76		
				U1TD3, ULDD3,					70070				45.00	1 76	1	
	C-bit Parity Option - Subsequent Activity - per DS3	- 1		UE3, UNC3X	NRCC3		219 46S	7 68S	7637S	os	-	ļ	45 68	1 /6	 	<u> </u>
MULTI	PLEXERS			LINCAY	MQ1	90.77	406.70	14 48	3 04	2 74	 		20 35	9 80	 	
	DS1 to DS0 Channel System per month		-	UNC1X	INCI	80 77	105 76	14 48	3 04	2 /4	-		20 30	3 80		
1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1 82	6 07	4 66						9 80	I	
	month (2 4-64kbs) used for a Local Loop		l	UUL	טטוטון	1 02	0.07	L + 00		L	l					

UNBUNDE	ED NETWORK ELEMENTS - Tennessee													ment 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
		<u> </u>				Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		ļ		+		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	month (2 4-64kbs) used for connection to a channelized DS1															1
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1 82	6 07	4 66								l
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		† · · · ·		1											
	month for a Local Loop			UDN	UC1CA	3 10	6 07	4 66								L
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3 10	6 07	4 66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month	-			1						1					1
	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month	ļ		UEA	1D1VG	0 91	6 07	4 66			ļ					
	used for connection to a channelized DS1 Local Channel in the										1					1
	same SWC as collocation			U1TUC	1D1VG	0.91	6 07	4 66								1
	DS3 to DS1 Channel System per month			UNC3X	MQ3	222 98	156 02	49 41	17 12	6 77			20 35	9 80		
	STS-1 to DS1 Channel System per month		1	UNCSX	MQ3	222 98	156 02	49 41	17 12	6 77			20 35	9 80		
	DS1 COCI used with Loop per month			USL	UC1D1	17 58	6 07	4 66								
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17 58	6 07	4 66								——
	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		1	U1TD1	UC1D1	17 58	6 07	4 66								-
	month			ULDD1	UC1D1	17 58	6 07	4 66								
UNBUNDI ED	LOCAL EXCHANGE SWITCHING(PORTS)		1	OLOD1	OCID!	17 30	007	4 00								
	ange Ports															
	. Although the Port Rate includes all available features in GA,	Y, LA	& TN, tl	ne desired features	will need to b	e ordered usin	g retail USOCs	3								Ĺ
2-WIR	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res Exchange Ports - 2-Wire VG unbundled TN extended local			UEPSR	UEPRO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	dialing parity Port with Caller ID - Res		i	UEPSR	UEPAQ	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus		 	OLF SIX	OLI AG	1 00	9 90	9 19	3 00	2 32			20 00	10.04	10.02	
	with Caller ID - Res (AC7) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAH	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	14
	port with Caller ID - Res (F2R)			UEPSR	UEPAK	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			UEPSR	UEPAL	1 89	9 93	9,19	3 66	2 92			20 35	10 54	13 32	1.
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (TACSR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling		ļ	UEPSR	UEPAM	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 .
	port with Caller ID - Res (1MF2X) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling		ļ	UEPSR	UEPAN	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 -
	port with Caller ID - Res (2MR)			UEPSR	UEPAO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 -
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 -
	Exchange Port - 2-Wire VG Tennessee Residence Draling Plan without Caller ID			UEPSR	UEPWN	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	14
-	Exchange Port - 2-Wire VG Tennessee Residence Area Plus without Caller ID			UEPSR	UEPRR	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	14
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1.4
	Subsequent Activity		1	UEPSR	USASC	0.00	0 00	0.00					20 35	10 54	13 32	1.
FEAT	URES															i
	All Available Vertical Features			ÜEPSR	UEPVF	0 00	0 00	0.00			ļ		20 35	10 54	13 32	14
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)		_		ļ											r
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1 89	9 93	9 19	3 66	2 92			20 35	1 <u>0 54</u>	13 32	1 -

UNBU	NDLE	NETWORK ELEMENTS - Tennessee				,							r	Attach			bit. B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring			1		Rates (\$)		
								First	Add'l	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus			UEPSB	UEPAV	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area		-					9 19	3 66	2 92			20 35	10 54	13 32	1 40
	-	Calling Port Standard Option - Bus (TACC2) Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville			UEPSB	UEPAD	1 89	9 93		3 66	2 92		-	20 35	10.54	13 32	1 40
		& Memphis Local Calling Port - Bus (B2F) Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville	-	-	UEPSB	UEPAE	1 89	9 93	9 19								·
		& Memphis Local Calling Port Exchange Ports - 2-W VG unbundled TN, Business Line Inward,		ļ <u>.</u>	UEPSB	UEPB2	1 89	9 93	9 19	3 66	2 92		<u> </u>	20 35	10 54	13 32	1 40
		Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1 89	9 93	9 19	3 66	2 92		1	20 35	10 54	13 32	1 40
		Exchange Ports - 2-Wire Voice Tennessee Business Dialing Plan without Caller ID			UEPSB	UEPWO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	VEPBE	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		Subsequent Activity		1	UEPSB	USASC	0.00	0.00	0 00					20 35	10 54	13 32	1 40
	FEATU																
		All Available Vertical Features			UEPSB	UEPVF	0 00	0.00	0 00			<u> </u>		20 35	10 54	13 32	1 40
	EXCHA	ANGE PORT RATES (DID & PBX)		1						2.22	0.00			20 35	10 54	13 32	1 40
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 79	9 93	9 19	3 66 3 66	2 92 2 92	 		20 35		13 32	
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 79 1 79	9 93	9 19 9 19	3 66	2 92	 	ļ	20 35		13 32	
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		⊢	UEPSP	UEPPO			9 19	3 66	2 92			20 35	10 54	13 32	
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		—	UEPSP	UEPP1	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus		┞—	UEPSP	UEPLD	1 79 1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
		2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus		1	UEPSP	UEPT2 UEPTO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	1	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP		1 79	9 93	9 19	3 66	2 92		+	20 35		13 32	
	<u> </u>	2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPSP UEPSP	UEPLD UEPT2	179	9 93	9 19	3 66	2 92		+	20 35			
	1	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port		├	UEPSP	UEPIZ	179	9 93	9 19	3 00	2 32	 	+		1007	10 02	+
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			UEPSP	UEPTO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	-	Calling Port 2-Wire Vice Unbundled 2-Way PBX Usage Port	1	+	UEPSP	UEPXA	1 79	9 93	9 19	3 66	2 92		+	20 35	10 54	13 32	
	 _	2-Wire Voice Unbundled 2-Way PBX Osage Fort 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		+	UEPSP	UEPXB	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		2-Wire Voice Unbundled PBX LD DDD Terminal Port		┼	UEPSP	UEPXC	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
├	 	2-Wire Voice Unbundled PBX LD DDB reminals Port		+	UEPSP	UEPXD	1 79	9 93	9 19	3 66	2 92		1	20 35	10 54	13 32	1 40
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXM	1 79	9 93	9 19	3 66	2 92	1		20 35	10 54	13 32	1 40
	+	Room Calling Port 2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy		\vdash	UEPSP	UEPXN	1 79	9 93	9 19	3 66	2 92	1	1	20 35	10 54	13 32	1 40
	-	Administrative Calling Port TN Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				UEPXO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	T
<u> </u>	+	Discount Room Calling Port Unbundled Exchange Ports, PBX Trunk Combination,			UEPSP												1
		Collierville and Memphis Local Calling Plan Unbundled Exchange Ports, PBX Trunk Combination, first Irunk,	-	-	UEPSP	UEPA6	1 79	9 93	9 19	3 66	2 92		 	20 35		13 32	
		Collierville and Memphis Local Calling Plan		1_	UEPSP	UEPA7 UEPXS	1 79 1 79	9 93 9 93	9 19 9 19	3 66 3 66	2 92 2 92			20 35 20 35		13 32 13 32	
	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	+-	UEPSP	UEPAS	179	9 93	3 19	3 00	- 2 32	+	+	1	1	1	1
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40

INRONDLED NE	TWORK ELEMENTS - Tennessee				,	T								ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
		 				Rec	Nonrecurring			Disconnect		· · · · · · · · · · · · · · · · · · ·		Rates (\$)		·
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
2-Wir	re Voice Unbundled 2-Way PBX Tennessee RegionServ															
	ng Port			UEPSP	UEPXV	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1
	sequent Activity			UEPSP	USASC	0 00	0.00	0 00					20 35	10 54	13 32	1
FEATURES		-		UEPSP UEPSE	UEPVF	0.00	0 00	0 00		ļ	-		20 35	10 54	13 32	
	vailable Vertical Features		 	UEPSP UEPSE	DEPVE	0.00	0.00	0.00	-	-		 	20 33	10 54	13 32	
	PORT RATES (COIN) lange Ports - Coin Port	 		+	+	2 11	9 93	9 19	3 66	2 92	1	 -	20 35	10 54	13 32	
NOTE Trans	smission/usage charges associated with POTS circuit s	witched	usade	will also apply to ci	ircuit switch						iated with 2	-wire ISDN		10 04	10 02	
NOTE: Acce	ess to B Channel or D Channel Packet capabilities will be	e availal	ble onl	v through BFR/New	Business Re	guest Process	Rates for the	packet capabil	ities will be de	termined via t	he Bona Fro	de Request/	New Busines	s Request Pro	cess	
BUNDLED LOCAL	L EXCHANGE SWITCHING(PORTS)	T	1	,oug <u>D</u>	I	1		p						Ι '		
EXCHANGE	PORT RATES	1	1			i						İ				
The DS1 Por	rt rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	in this	s rate exhibit apply t	o the embed	ded base in pl	ace as of 10/2/0	3 until 4/1/04	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate ag	reement		
Requests for	r 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect	ive date of this ame	ndment shal	l be provided p	ursuant to a se	parate agreem	ent or tariff at	BellSouth's d	iscretion					L
Excha	lange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 97	47 75	47 01	9 21	8 47			20 35	10 54	13 32	
	ange Ports - DDITS Port - 4-Wire DS1 Port with DID				l					l						1
	bility (E 4/1/2004)	<u> </u>		UEPDD	UEPDD	35 74	75 93	38 15	8 77	8 04		_	20 35	10 54	13 32	
	lange Ports - 2-Wire ISDN Port (See Notes below)	-		UEPTX, UEPSX	U1PMA	16 26	30 23	29 49	4 10	4 10		ļ	20 35	10 54	13 32	
All Fe	eatures Offered		ļ	UEPTX, UEPSX	UEPVF	0 00		0 00								<u> </u>
Exch	ange Ports - 2-Wire ISDN Port Channel Profiles	<u> </u>	L	UEPTX, UEPSX	U1UMA	0 00		0 00	in the B. Cl		latadith 7	wise ISDN	1			
NOTE: Trans	smission/usage charges associated with POTS circuit s ess to B Channel or D Channel Packet capabilities will b	witched	usage	will also apply to c	Puellage B	ed voice and/o	Peter for the	ed data transm	lition will be de	tormined via t	he Bona Fil	de Permest	New Busines	s Request Pro	COSE	
NOTE Acce	PORT RATES (continued)	e avalia	Die oni	y through Britinew	Business Ri	quest Process	, Rates for the	packet capabi	ines will be ut	termined via	THE BOTTAT IN	Te request	liter Busines	I		-
	lange Ports - 4-Wire ISDN DS1 Port with Detailed E911	ļ	-	 	 	-	·	-			 	 				···
	tor Capability (E 4/1/2004)	1		UEPEX	UEPEX	75 04	148 66	147 18	38 46	36 98			20 35	10 54	13 32	
	lange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)		 	UEPDX	UEPDX	75 04	148 66	147 18	38 46	36 98			20 35	10 54		1
	sical Collocation - DS1 Cross-Connects	+		UEPEX UEPDX	PE1P1	1 51	53 27	40 16								
	al collocation - Special Access & UNE, cross-connect per	1	1			†										T
DS1	, , , , , , , , , , , , , , , , , , ,	İ		UEPEX UEPDX	CNC1X	1 32	32 22	17 76	10 46	8 75						<u> </u>
Detailed E91	11 with Locator Capability (required with UEPEX port)															ļ
	undled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1														
Locat	tor Capability - Initial Profile Establishment per CLEC per	1	ļ.		1								1			
State				UEPEX	UEP1A	0 00	1,699 00		147 00				20 35	10 54		ļ
	undled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1											1			
	tor Capability - Subsequent Profile Changes, Additions,	1		WEDEY	115545	0.00	164 94						20 35	10 54		
Delet		<u> </u>	—	UEPEX	UEP1B	0 00	164 94			-		+	20 33	10,04		
New or Addi	itional PRI Telephone Numbers	-		 	+		-				+	 				1
Unbu	undled Exchange Ports, 4-Wire ISDN DS1 Port - E911 tor Capability 2-way Telephone Numbers, per number in	1	1			İ										
	I profile {New or Additional}	1		UEPEX	UEP1C	0 0755	0.94						20 35	10 54		
	undled Exchange Ports, 4-Wire ISDN DS1 Port - E911	 	!	102.27		1						1				i
	tor Capability - Outdial Telephone Numbers, per number in		1				1					1		1		
	profile [New or Additional]		1	UEPEX	UEP1D	0 0755	22 36	22 36					20 35	10 54		ŀ
	undled Exchange Ports, 4-Wire ISDN DS1 Port - Inward						1									Ì
	phone Numbers - Inward Data Only Option [New or										1	1				ĺ
Addit	tional]			UEPDX	UEP1E	0.00	0 94						20 35	10 54		ļ
	ange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]										1			10.54		ł
Inwar	rd Tel Numbers [Customer Testing Purposes]	L		UEPEX	PR7ZT	0 00	44 71	44 70	,			ļ	20 35	10 54		
LOCAL NUM	IBER PORTABILITY	-	<u> </u>			1.75						<u> </u>	20 35	10 54		
	Number Portability (1 per port)	-	-	UEPEX UEPDX	LNPCN	1 75			<u>-</u>		<u> </u>	 	20 33	10.07		
	(Provsioning Only)	+		UEPEX	PR71V	0 00	0.00	0 00			 	 	20 35	10 54		
	e/Data	-	+	UEPEX	PR71D	0 00	0.00	0 00		 	 	 	20 35	10 54		1
	al Data	+		UEPDX	PR71E	0 00		0 00			 	t	20 35	10 54		t
	rd Data	 	1	DEFUN	ILIM IE	0.00	0.00	0.00	-	-			1	1		
	or Additional - Voice/Data "B" Channel	-	 	UEPEX	PR7BV	0 00	28 39	-			1		20 35	10 54		
	or Additional - Digital Data "B" Channel	+	+	UEPEX	PR7BF	0 00	29 11				Ι		20 35	10 54		
	or Additional Inward Data "B" Channel	1	 -	UEPDX	PR7BD	0 00	29 39						20 35	10 54		
	or Additional Useage Sensitive Voice Data "B" Channel	1	 	UEPEX	PR7BS	0 00	29 39						20 35	10 54		<u> </u>
iNew													20 35	10 54		

UNBUNDLED N	ETWORK ELEMENTS - Tennessee													ment: 2		bit B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Charge -	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						D	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ne	w or Additional PRI "D" Channel			UEPEX	PR7EX	0 00	29 39						20 35	10 54		
CALL TYP	ES				1							1				
lnw	ward			UEPEX UEPDX	PR7C1	0 00	0 00	0 00								
Ou	ıtward			UEPEX	PR7CO	0 00	0 00	0 00						L		
Tw	ro-way			UEPEX	PR7CC	0 00	0 00	0 00								
	ED PORT with REMOTE CALL FORWARDING CAPABILITY															
	ED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
Un	bundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 89	9 93	9 19	3 66	2 92	<u> </u>		20 35	10 54	13 32	1 40
			1								1				1	i
	bundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	bundled Remote Call Forwarding Service, InterLATA - Res		L	UEPVR	UERTE	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
Un	bundled Remote Call Forwarding Service, IntraLATA - Res		L	UEPVR	UERTR	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
Non-Recui			L		1				ļ		ļ	-				
	bundled Remote Call Forwarding Service - Conversion -				1											
	vitch-as-is			UEPVR	USAC2		1 03	0 29					20 35	10 54	13 32	1 40
	bundled Remote Call Forwarding Service - Conversion with			1	1											
	owed change (PIC and LPIC)			UEPVR	USACC		1 03	0 29			 					
UNBUNDL	ED REMOTE CALL FORWARDING - Bus		<u> </u>		1											
			1		ļ		1				1					
Un	bundled Remote Call Forwarding Service, Area Calling - Bus		<u> </u>	UEPVB	UERAC	1 89	9 93	9 19	3 66	2 92		ļ	20 35	10 54	13 32	1 40
			1								1					
	bundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1 89	9 93	9 19	3 66	2 92		<u> </u>	20 35	10 54	13 32	1 40
	bundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1 89	9 93	9 19		2 92			20 35	10 54	13 32	1 40
	bundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	bundled Remote Call Forwarding Service Expanded and	ŀ														
Ex	ception Local Calling			UEPVB	UERVJ	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
Non-Recu											ļ	ļ				
	bundled Remote Call Forwarding Service - Conversion -	1									1		22.25		40.00	
	vitch-as-is		<u> </u>	UEPVB	USAC2		1 03	0 29		_		ļ	20 35	10 54	13 32	1 4
	bundled Remote Call Forwarding Service - Conversion with		1	1				0.00				1				
	owed change (PIC and LPIC)		1	UEPVB	USACC	1	1 03	0 29			1	ļ				
	CAL SWITCHING, PORT USAGE		-		ļ								-	 	 	ļ
End Office	e Switching (Port Usage)					0 0008041					-		 	-		
_En	nd Office Switching Function, Per MOU		-			0 0008041					-	 			 	l
	witching (Port Usage) (Local or Access Tandem)		-		+	0 0009778			 		+					
	andem Switching Function Per MOU	1	-		-	0 000380364					 	 				
la la	andern Switching Function Per MOU (Melded) elded Factor 38 90% of the Tandem Rate			-		0 000360364					1	ļ··	 		-	
		-	-		+				+		 			+		į –
Common	ommon Transport - Per Mile, Per MOU			+	+	0 0000064					1	 			 	
	ommon Transport - Per Mile, Per Miloto ommon Transport - Facilities Termination Per MOU	-	1		+	0 0003871					 	1				
	RT/LOOP COMBINATIONS - COST BASED RATES				+	0 000001					1		1			
NBUNDLED PUR	ed Rates are applied where BellSouth is required by FCC at	diar S	tata Ce	mmission rule to n	rovido Unbur	Idlad Local Swit	tching or Swite	h Porte					 			
Cost base	shall apply to the Unbundled Port/Loop Combination - Cos	t Bassa	d Date	eaction in the came	manner as t	av are applied	to the Stand-A	one Unbundi	ed Port section	of this Rate I	Exhibit	-	 			
Features s	e and Tandem Switching Usage and Common Transport Us	2220 12	oc in I	the Port section of t	his rate exhib	it shall applied	all combination	ns of loon/ne	ort network eler	nents except	for UNE Co	in Port/Loo	Combinatio	ns.		
The first o	and additional Port nonrecurring charges apply to Not Curr	ontly C	omhin	ed Combos For Cu	rrently Comb	ined Combos th	ne nonrecurrin	charges sha	II he those ide	ntified in the 1	lonrecurrin	a - Currently	Combined s	ections.		
O MUDE V	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	l litty 0	I	T CONTROL TO CO	Tenay Come	The Composit	10 110 1110 00011111	g charges one	1	T	T				<u> </u>	1
	Loop Combination Rates		+			-					1				f	
	Wire VG Loop/Port Combo - Zone 1		1 1		+	14 18				-	1	1				
	Wire VG Loop/Port Combo - Zone 2	 	2	 		18 01		·	1		1					
	Wire VG Loop/Port Combo - Zone 3	 	3	 	+	23 02										
UNE Loop		 	 	 	1	1			T							I
	Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	12 48			1	l	1					
	Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPRX	UEPLX	16 31			1	1		T			-	
	Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRX	UEPLX	21 32			T	<u> </u>						
	lice Grade Line Port Rates (Res)		† <u> </u>	1		1			1	1						
	Wire voice unbundled port - residence	1	+	UEPRX	UEPRL	1 70	22 14	15 25	8 45	3 91		15 69				L
	Wire voice unbundled port vital Caller ID - res	+	$^{+-}$	UEPRX	UEPRC	1 70	22 14	15 25		3 91		15 69			1	
	Wire voice unbundled port with Caller 15 - res	_	+	UEPRX	UEPRO	170	22 14	15 25	8 45	3 91	T	15 69		1	_	

INRONDE	ED NETWORK ELEMENTS - Tennessee				· · ·						Ta	10		ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	200		<u> </u>		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	2-Wire voice Grade unbundled Tennessee extended local			UEPRX	UEPAQ	1 70	22 14	15 25	8 45	3 91		15 69				
	dialing panty port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID -			UEPKA	UEFAQ		22 14	15 25	0.43	391		13 09				├──
	res (AC7)		1	UEPRX	UEPAH	1 70	22 14	15 25	8 45	3 91		15 69		1		
	2-Wire voice unbundled Tennessee Area Calling port with Caller		1	02.11.	02.7.4						1					
	ID - res (F2R)			UEPRX	UEPAK	1 70	22 14	15 25	8 45	3 91		15 69				İ
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (TACER)			UEPRX	UEPAL	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Callet										1				!	
	ID - res (TACSR)		<u> </u>	UEPRX	UEPAM	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller	l		LIEDOV	LIEDAN	4.70	20.44	45.05	0.45	204		45.00				1
	ID - res (1MF2X)	!		UEPRX	UEPAN	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller		1	UEPRX	UEPAO	1 70	22 14	15 25	8 45	3 91		15 69			į.	
	ID - res (2MR) 2-Wire voice unbundles res, low usage line port with Caller ID	-	 	UEFRA	ULFAO	170	22 14	10 20	043		 	10 00				
	(LUM)		1	UEPRX	UEPAP	1 70	22 14	15 25	8 45	3 91	1	15 69	!			1
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan	-		02	1021111											
	without Caller ID			UEPRX	UEPWN	1 70	22 14	15 25	8 45	3 91	1	15 69				
	2-Wire voice unbundled Tennessee Area Plus Port without															
i	Caller ID Capability			UEPRX	UEPRR	1 70	22 14	15 25	8 45	3 91	ļ	15 69				
	2-Wire voice unbundled Low Usage Line Port without Caller ID										1				1	1
	Capability	<u> </u>		UEPRX	UEPRT	1 70	22 14	15 25	8 45	3 91		15 69				
FEA	TURES	L										45.00				
	All Features Offered	1	↓	UEPRX	UEPVF	0 00	0 00	0 00				15 69				+
LOC	AL NUMBER PORTABILITY		ļ -	LIEDBY	LNPCX	0.35	-							+	 	
	Local Number Portability (1 per port)		1	UEPRX	LINPUX	0.35							-	 		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-			 						-					
	Switch-as-is			UEPRX	USAC2		1 03	0 29				15 69	i			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	!	 -		- -											
	Switch with change	1	1	UEPRX	USACC		1 03	0 29				15 69		<u> </u>		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1			· ·								1		
1	Subsequent Database Update		1	l			0 76					15 69				+
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			Lucasy	110400	0.00	0 00	0 00			1	15 69				1
	Activity	-		UEPRX	USAS2	0 00	0 00	0.00			+	10 09	 	 		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	UEPRX	URETL		8 33	0 83			1		20 35	10 54	13 32	13 32
OEE/	Premise ON PREMISES EXTENSION CHANNELS	 	+	OLFIX	UNLIE		- 000			-						
- OFF	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPRX	UEAEN	17 23	31 99	20 02	10 65	1 41			20 35		13 32	
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1	3	UEPRX	UEAEN	22 53	31 99	20 02	10 65	1 41			20 35			
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPRX	UEAED	16 56	75 06	48 20	28 70	17 64			20 35 20 35	10 54 10 54	13 32 13 32	
	2 Wire Analog Voice Grade Extension Loop - Design			UEPRX	UEAED	21 63	75 06	48 20	28 70	17 64			20 35			
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28 28	75 06	48 20	28_70	17 64	 	 	20 35	10.54	13 32	13 32
INTE	ROFFICE TRANSPORT	ļ	-									 		 		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		UEPRX	U1TV2	18 58	55 39	17 37	27 96	3 51	1	1		1		
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 	+	OEFINA	0:142	10.50	- 55 55	,, 57								
	or Fraction Mile	l		UEPRX	U1TVM	0 0174	0 00	0 00		L		l				<u> </u>
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	\vdash												ļ	
UNE	Port/Loop Combination Rates		T							L		L		ļ		-
	2-Wire VG Loop/Port Combo - Zone 1		1			14 18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18 01			ļ. <u> </u>	-		 	 	 		+
	2-Wire VG Loop/Port Combo - Zone 3		3			23 02	 			 		+	 	 		
	Loop Rates	! -	+-	UEPBX	UEPLX	12 48				 	+		 			$\overline{}$
UNE																
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 	1 2	UEPBX	UEPLX	16 31	 					-				

UNBUNDLEL	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
	1. 1. Mark		ļ			Rec	Nonrecurring			Disconnect				Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus		1	UEPBX	UEPBL	1 70	22 14	15 25	8 45	3 91	1	15 69		1	1	1
	2-Wire voice unburidled port with Caller + E484 ID - bus		1	UEPBX	UEPBC	170	22 14	15 25	8 45	3 91	1	15 69				
	2-Wire voice unbundled port outgoing only - bus		 -	UEPBX	UEPBO	1 70	22 14	15 25	8 45	3 91	1	15 69				<u> </u>
	2-Wire voice Grade unbundled Tennessee extended local														1	
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	1 70	22 14	15 25	8.45	3 91		15 69	1			
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			UEDBY		4.70		45.05	0.45	0.04		45.00				
	Port Economy Option (TACC1)			UEPBX	UEPAC	1 70	22 14	15 25	8 45	3 91	 	15 69	-	-		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling	Ì	-	UEPBX	UEPAD	1 70	22 14	15 25	8 45	3 91		15 69	I	1		
	Port Standard Option (TACC2) 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and	_	<u> </u>	OLFBA	UEFAD	1 70	22 14	13 23	0.45	391	+	13 08	 	<u> </u>	 	+
	Memphis Local Calling Port (B2F)		ŀ	UEPBX	UEPAE	1 70	22 14	15 25	8 45	3 91		15 69		l		
	2-Wire Voice Unbundled Tennessee Business Dialing Plan		l -								1		1			
	without Caller ID	ļ		UEPBX	UEPWO	1 70	22 14	15 25	8 45	3 91		15 69		l		
	Tennessee Inward Collierville and Memphis Local Calling Plan		i								T					
	(BUS)			UEPBX	UEPB2	1 70	22 14	15 25	8 45	3 91	ļ	15 69				↓
	Tennessee 2-Way Collierville and Memphis Local Calling Plan					1 70	0044	45.05	0.45	2.04	1	45.00]		
	(BUS)		ļ	UEPBX	UEPB3	1 70	22 14	15 25	8 45	3 91	-	15 69		-	-	+
	2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPBE	1 70	22 14	15 25	8 45	3 91	}	15 69				1
	Capability NUMBER PORTABILITY			DEFBA	UEFBE	170	22 14	13 23	0 43		1	1000			1	1
	Local Number Portability (1 per port)		 	UEPBX	LNPCX	0 35	-				1					—
FEATU											1					
	All Features Offered			UEPBX	UEPVF	0 00	0.00	0 00				15 69				1
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch-as-is			UEPBX	USAC2		1 03	0 29				15 69				ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEDDV	USACC		1 03	0 29		İ		15 69	•			
	Switch with change	-	₩	UEPBX	USACC		1 03	0 29		-	+	15 09			1	+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	1					0 76					15 69			į	
	ONAL NRCs		1				070			·	 	10 00				1
ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	-	1		+									l		1
1	Activity		1	UEPBX	USAS2	0.00	0 00	0 00				15 69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User														1	1
	Premise			UEPBX	URETL		8 33	0 83					20 35	10 54	13 32	133
	PREMISES EXTENSION CHANNELS										<u> </u>					<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	13 19	31 99	20 02		1 41			20 35 20 35		13 32 13 32	
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPBX	UEAEN	17 23	31 99	20 02 20 02	10 65 10 65	1 41			20 35		13 32	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX UEPBX	UEAEN	22 53 16 56	31 99 75 06	48 20		17 64		+	20 35	10 54	13 32	
	Wire Analog Voice Grade Extension Loop – Design Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	21 63	75 06	48 20		17 64			20 35	10 54	13 32	
	2 Wire Analog Voice Grade Extension Loop – Design	1		UEPBX	UEAED	28 28	75 06	48 20		17 64			20 35	10 54	13 32	
	OFFICE TRANSPORT	1														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	L	<u> </u>	UEPBX	U1TV2	18 58	55 39	17 37	27 96	3 51			ļ			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile		<u> </u>	UEPBX	U1TVM	0 0174	0 00	0 00		ļ	+			-	 	+
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-	-			 	 			 	+	 	 			+
	ort/Loop Combination Rates	-	1 1	<u> </u>		14 18	+		 	 	 	<u> </u>	† -	 		+
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	 	2			18 01			-		†				İ	
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	 	3			23 02						İ -				
	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEPRG	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	T	2	UEPRG	UEPLX	16 31									ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21 32						ļ	ļ	ļ	_	
	Voice Grade Line Port Rates (RES - PBX)									L	1		L	L	ł	

5011566	D NETWORK ELEMENTS - Tennessee				-r	ī					00	100		ment 2		oit B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
_					_	Rec	Nonrecurring	A	Nonrecurring First		CONTO	COMAN		Rates (\$)		
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				_		First	Add'i	FIFST	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Res			UEPRG	UEPRD	1 70	22 14	15 25	8 45	3 91		15 69				
LOCAL	NUMBER PORTABILITY			OLI I KO	- OLI III			10 20	0 10			10 03				-
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15	0.00	0.00				15 69				
FEATU																
	All Features Offered			UEPRG	UEPVF	0 00	0.00	0 00				15 69				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		1 03	0 29				15 69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX)				1											
	Conversion - Switch with Change			UEPRG	USACC		1 03	0 29				15 69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						270				1	45.00				
ARRIE.	Subsequent Database Update				+	-	0 76		 		ļ	15 69				
ADUITI	ONAL NRCs [2-Wire Voice Grade Loop/ Line Port Combination (PBX) -						 				 					
	Subsequent Activity			UEPRG	USAS2	0 00	0.00	0 00				15 69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64				15 69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User							0.00			l		00.05	40.54	40.00	
	Premise N PREMISES EXTENSION CHANNELS			UEPRG	URETL		8 33	0 83					20 35	10 54	13 32	13
OFF/OF			1	UEPRG	P2JHX	16 56	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13
_	Local Channel Voice grade, per termination Local Channel Voice grade, per termination			UEPRG	P2JHX	21 63	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13
	Local Channel Voice grade, per termination			UEPRG	P2JHX	28 28	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13
+	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	10 02	148 84	112 34	73 14	36 65			20 35	10 54	13 32	13
INTERC	OFFICE TRANSPORT		0	OLI NO	GBBEA	10 02	1.001	11201	1011							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	18 58	55 39	17 37	27 96	3 51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0174	0 00	0 00								
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	ort/Loop Combination Rates											1				
	2-Wire VG Loop/Port Combo - Zone 1		1			14 18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18 01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23 02										
	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16 31						ļ				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21 32										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)				- 											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 70	22 14	15 25	8 45	3 91		15 69				
	Line Side Unbundled Combination 2-way PBX 11th Port - Bus			UEPPX	UEPPO	1 70		15 25	8 45	3 91		15 69				
	Line Side Unbundled Uncoming PBX Trunk Port - Bus			UEPPX	UEPP1	170		15 25	8 45	3 91		15 69				
+-	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 70		15 25	8 45	3 91		15 69				
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	1 70		15 25	8 45	3 91		15 69				
+	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPPX	UEPTO	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		 	UEPPX	UEPXA	1 70	22 14	15 25	8 45	3 91		15 69				
+-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	170	22 14	15 25	8 45	3 91		15 69		_		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 70		15 25	8 45	3 91		15 69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 70		15 25	8 45	3 91		15 69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			-		1			1							
	Capable Port			UEPPX	UEPXE	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 70	22.14	15 25	8 45	3 91		15 69			- "	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 70	22 14	15 25	8 45	3 91		15 69				

NBUNDLE	D NETWORK ELEMENTS - Tennessee				т т						1		Attachi		4	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy			LICENTY		4.70		45.05				45.00				
	Administrative Calling Port TN Calling Port		<u> </u>	UEPPX	UEPXN	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	i		UEPPX	UEPXO	1 70	22 14	15 25	8 45	3 91		15 69				
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling		1	DEFFA	OCF AS	1 70	22 14	10 20	040	331		15 05	-		·	
	Port	1		UEPPX	UEPXU	1 70	22 14	15 25	8 45	3 91	l	15 69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	_	 	DEI I X	02.7.0			10 20							· · · · · · · · · · · · · · · · · · ·	
	Calling Port			UEPPX	UEPXV	1 70	22 14	15 25	8 45	3 91		15 69				
	Tennessee PBX 2-Way Combo Each Additional Trunk															
	Collierville and Memphis Local Calling Plan		i .	UEPPX	UEPA6	1 70	22 14	15 25	8 45	3 91	İ	15 69	ļ			
	Tennessee PBX 2-Way Combo First Trunk Collierville and		1				• • • • • • • • • • • • • • • • • • • •					1				
	Memphis Local Calling Plan		1	UEPPX	UEPA7	1 70	22 14	15 25	8 45	3 91	İ	15 69			l	•
LOCAL	NUMBER PORTABILITY		1							·						
	Local Number Portability (1 per port)		1	UEPPX	LNPCP	3 15	0 00	0 00				15 69				
FEATL	RES															
	All Features Offered			UEPPX	UEPVF	0 00	0 00	0.00				15 69				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										1		}			
	Conversion - Switch-As-Is			UEPPX	USAC2		1 03	0 29				15 69				
į –	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -]					
	Conversion - Switch with Change		ļ	UEPPX	USACC		1 03	0 29				15 69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -												Į.			
	Subsequent Database Update						0 76					15 69				
ADDIT	ONAL NRCs				1									<u> </u>	ļ <u>.</u>	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1,,,,,,,,	0.00	0.00	0.00				15.00				
	Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00				15 69				
1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1					14 64	14 64				15 69	1			
	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User		-				14 04	14 04				13 03				
	Premise			UEPPX	URETL		8 33	0.83					20 35	10 54	13 32	13:3
OFF/O	N PREMISES EXTENSION CHANNELS	<u> </u>	┼─	OLFFX	OKE IE		0.00	0.00			-	 	20 00	1001	1002	100
UFFIU	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16 56	75 06	48 20	28 70	17 64	 		20 35	10 54	13 32	13 :
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21 63	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13
	Local Channel Voice grade, per termination			UEPPX	P2JHX	28 28	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13
_	Non-Wire Direct Serve Channel Voice Grade	 		UEPPX	SDD2X	10 02	148 84	112 34	73 14	36 65			20 35	10 54	13 32	13
INTER	OFFICE TRANSPORT			*****			1									
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1									T				
	Termination		1	UEPPX	U1TV2	18 58	55 39	17 37	27 96	3 51	ļ				:	L
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1									}				
- 1	or Fraction Mile			UEPPX	U1TVM	0 0174	0 00	0 00			i	<u> </u>				
UNE P	ort/Loop Combination Rates		1		1											
	2-Wire VG Coin Port/Loop Combo – Zone 1	Ĺ	1			14 18										
	2-Wire VG Coin Port/Loop Combo - Zone 2		2			18 01										
	2-Wire VG Coin Port/Loop Combo – Zone 3	L	3			23 02										
UNE L	pop Rates	-	_	UEBOO.	UERVY	10.75	—				-		1		 	
	2-Wire Voice Grade Loop (SL1) - Zone 1	-		UEPCO	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPCO	UEPLX UEPLX	16 31 21 32	 				<u> </u>			 	1	-
0.150	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPCO	UEPLA	21 32	[-	 	-	 		ļ	
2-Wire	Voice Grade Line Ports (COIN)	1	+		+ -		 		+			 				
	2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)	1	1	UEPCO	UEPTB	1 70	22 14	15 25	8 45	3 91		15 69	I	l		
		 	+	UZFCO	VEFIB	1 70	22 14	15 25	0 40	331	 	10 03				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,	1	1	UEPCO	UEPRP	1 70	22 14	15 25	8 45	3 91		15 69	I		1	
	900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking	-	+	OLF CO	OLF RF	170	22 14	13 23	0 70	331	 	1000	· · · · ·			
	[Z-Wire Coin 2-way with Operator Screening and 011 Blocking	1		UEPCO	UEPTA	1 70	22 14	15 25	8 45	3 91	1	15 69	1	[
		-	1	3Lr 00	VEI 17			10 20	- · · · · ·		<u> </u>	† · · · · · · · · · · · · · · · · · · ·	-	1	l	
- 	2-Wire Coin 2-Way with Operator Screening 900 Blocking															

RONDLE	ED NETWORK ELEMENTS - Tennessee	Т	1		_						I			ment, 2		ibit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring			Disconnect				Rates (\$)		
	TOTAL PLANTS		-				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTC	1 70	22 14	15 25	8 45	3 91		15 69				ļ <u></u>
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 88						15 69				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 88						15 69				
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)										\vdash	-				-
	UNE Coin Port/Loop Combo Usage (Flat Rate)		1	UEPCO	URECU	3 45	0 00	0.00	0 00	0 00		15 69				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		1 03	0 29				15 69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
<u> </u>	Switch with change		<u> </u>	UEPCO	USACC		1 03	0 29				15 69				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		<u> </u>	UEPCO	USAS2	0 00	0 00	0 00				15 69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8 33	0 83					20 35	10 54	13 32	13 3
	E VOICE LOOP/ 2WIRE VOICE GRADE TO TRANSPORT/ 2-WIRE	E LINE I	PORT (RES)												
UNE P	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			18 45	1									
4	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<u> </u>	2			23 52										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			30 17								_		
UNEL	oop Rates	-	1	UEPFR	UECF2	16 56										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	-		UEPFR	UECF2	21 63								_		
- 	2-Wire Voice Grade Loop (SL2) - Zone 2	-		UEPFR	UECF2	28 28	 								 	
2-Mire	e Voice Grade Line Port Rates (Res)		Ť		10000								-			
2-77110	2-Wire voice unbundled port - residence		1	UEPFR	UEPRL	1 89	84 99	57 39	32 36	20 56		15 69				
+	2-Wire voice unbundled port with Caller ID - res		 	UEPFR	UEPRC	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice unbundled port outgoing only - res			UEPFR	ÜEPRO	1 89	84 99	57 39	32 36	20 56		15 69				
1	2-Wire voice Grade unbundled Tennessee extended local dialing panty port with Caller ID - res			UEPFR	UEPAQ	1 89	84 99	57 39	32 36	20 56		15 69				
+-	2-Wire voice unbundled Tennessee Area Plus with Caller ID -			UEPFR	UEPAH	1 89	84 99	57 39	32 36	20 56		15 69				
+	res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller	-														
+ -	ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller	ļ	\vdash	UEPFR	UEPAK	1 89	84 99	57 39	32 36	20 56		15 69				
	ID - res (TACER) 2-Wire voice unbundled Tennessee Area Calling port with Caller	<u> </u>	 	UEPFR	UEPAL	1 89	84 99	57 39	32 36	20 56		15 69				
	ID - res (TACSR)	<u> </u>	_	UEPFR	UEPAM	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPFR	UEPAN	1 89	84 99	57 39	32.36	20 56		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPFR	UEPAO	1 89	84 99	57 39_	32 36	20 56		15 69				
<u> </u>	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPFR	UEPWN	1 89	84 99	57 39	32 36	20 56		15 69				
INITER	ROFFICE TRANSPORT	_	+	J.C.F.I.K	OCI WIN	1 35	0, 33		52.50						·	
1141 24	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		T	UEPFR	U1TV2	18 58	55 39	17 37	27 96	3 51						
+	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		T-		1L5XX	0 0174			2. 30							
FEAT	or Fraction Mile	-	+	UEPFR	IIFDVX	0.0174	 					 				
FEAT	All Features Offered		1	UEPFR	UEPVF	0 00	0.00	0 00				15 69			L	
LOCA	L NUMBER PORTABILITY	T	T													
	Local Number Portability (1 per port)	<u> </u>	1	UEPFR	LNPCX	0.35										
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															

INBUNDLE	D NETWORK ELEMENTS - Tennessee		<u> </u>											ment 2		ibit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
		<u> </u>	<u> </u>			Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Conversion - Switch-as-is	l		UEPFR	USAC2		16 94	3 72	1			15 69				Į.
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLFFR	USAUZ		10 94	372			-	15.69				ļ
	Combination - Conversion - Switch-With-Change	1		UEPFR	USACC		16 94	3 72				15 69				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at											10 00				1
	End User Premise			UEPFR	URETN		11 23	1 10					20 35	10 54	13 32	13 32
	E VOICE LOOP/ 2WIRE VOICE GRADE IÓ TRANSPORT/ 2-WIRE	LINE	ORT (BUS)												
UNE P	ort/Loop Combination Rates		<u> </u>		1											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<u> </u>	1			18 45										
 -	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	23 52 30 17	-									
UNE	oop Rates	<u> </u>	-		+	30 17										
O.V.E.E.	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16 56										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	21 63									 	1
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	28 28	····		1						1	
2-Wire	Voice Grade Line Port (Bus)															1
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPF8	UEPBC	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice Grade unbundled Tennessee extended local			UEPFB	UEPAV	4.00		57.00							ì	
	draling parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1 89 1 89	84 99 84 99	57 39 57 39	32 36	20 56		15 69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling		-	UEPFB	UEPBI	1 69	84 99	57 39	32 36	20 56		15 69				ļ
ļ	Port Economy Option (TACC1)		1	UEPFB	UEPAC	1 89	84 99	57 39	32 36	20 56	í I	15 69			İ	
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			92.10	1021710	100	04.00	57 55	32 30	20 30		15 05			<u> </u>	
1	Port Standard Option (TACC2)			UEPFB	UEPAD	1 89	84 99	57 39	32 36	20 56		15 69				1
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															
	Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan															
	without Caller ID			UEPFB	UEPWO	1 89	84 99	57 39	32 36	20 56		15 69				
	Tennessee Inward Collierville and Memphis Local Calling Plan				LIEBBO	4.00		57.00								
	(BUS) Tennessee 2-Way Collierville and Memphis Local Calling Plan			UEPFB	UEPB2	1 89	84 99	57 39	32 36	20 56		15 69				
ļ	(BUS)		1	UEPFB	UEPB3	1 89	84 99	57 39	32 36	20 56		15 69			ł	
LOCAL	NUMBER PORTABILITY			OLI I D	102.00	103	04 33	37 33	02.00	20 30		10 03				
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	18 58	55 39	17 37	27 96	3 51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	11.500/	0.04			[
FEATU	or Fraction Mile			UEPFB	1L5XX	0 0174	ļ									-
FEATU	All Features Offered	<u> </u>		UEPFB	UEPVF	0 00	0 00	0 00				15 69				
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPFB	UEFVF	0 00	000	000				15 69			_	
HOWK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	L			+ +											
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16 94	3 72				15 69			1	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			·			17.7									
	Combination - Conversion - Switch with change			UEPFB	USACC		16 94	3 72				15 69			İ	l
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at												-			
	End User Premise			UEPFB	URETN		11 23	1 10					20 35	10 54	13 32	13 32
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (PBX)	 											
UNE P	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	18 45	-									
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	23 52	-						_			_
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		+	30 17										
UNE L	oop Rates				+ +	55 .7										
1	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16 56										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	21 63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28 28										

UNDUNDLI	ED NETWORK ELEMENTS - Tennessee													ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)													·		
		1		ļ												
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPFP	UEPPC	1 79	106 40	63 08	42 67	18 54		15 69				
Ī	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 79	106 40	63 08	42 67	18 54		15 69				İ
	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPFP	UEPP1	1 79	106 40	63 08	42 67	18 54		15 69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 79	106 40	63 08	42 67	18 54		15 69				
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
İ	Calling Port			UEPFP	UEPT2	1 79	106 40	63 08	42 67	18 54		15 69				ļ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee		1				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	****							 	
1	Calling Port			UEPFP	UEPTO	1 79	106 40	63 08	42 67	18 54		15 69				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	ÜËPXA	1 79	106 40	63 08	42 67	18 54	 	15 69				1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 	 	UEPFP	UEPXB	1 79	106 40	63 08	42 67	18 54		15 69			 	1
	2-Wire Voice Unbundled PBX LD DDD Terminal Hotel Ports	\vdash	 	UEPFP	UEPXC	1 79	106 40	63 08	42 67	18 54		15 69		1		
	2-Wire Voice Unbundled PBX LD DDD Terminal Switchboard Port		 -	UEPFP	UEPXD	1 79	106 40	63 08	42 67	18 54		15 69				
			\vdash	OLI FF	JEFAD	1/9	100 40	03.06	42.07	10 34	 	13 09			 	+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		 UEPFP	luenve	4 70	106 40	62.00	42 67	18 54		15 69		l		
	Capable Port	1	1	UEPFP	UEPXE	1 79	106 40	63 08	42 67	18 54	-	15 69		ļ	+	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1					1							1		
	Administrative Calling Port			UEPFP	UEPXL	1 79	106 40	63 08	42 67	18 54		15 69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		l				1							1	ļ	
	Room Calling Port	1	1	UEPFP	UEPXM	1 79	106 40	63 08	42 67	18 54		15 69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1 79	106 40	63 08	42 67	18 54	l .	15 69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		ļ		"								,			
	Discount Room Calling Port	Į	1	UEPFP	UEPXO	1 79	106 40	63 08	42 67	18 54		15 69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	<u> </u>	UEPFP	UEPXS	1 79	106 40	63 08	42 67	18 54	1	15 69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling	1		02111	- OE: 70		100 10	55 50	72 01		 	70 00				
	Port			UEPFP	UEPXU	1 79	106 40	63 08	42 67	18 54		15 69		1		
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ		 	OLFFF	GEFAG	, ,,,	100 40	05 00	72.01	10.04	 	15 05				
	Callling Port	1		UEPFP	UEPXV	1 79	106 40	63 08	42 67	18 54		15 69		!		
		-	<u> </u>	UEPFP	UEFAV	179	100 40	03 00	42 07	10 54	 	13 03			 	
LOCA	L NUMBER PORTABILITY	 	ļ	UEPFP	LNPCP	3 15	0 00	0 00				15 69				
	Local Number Portability (1 per port)		<u> </u>	UEPFP	LINECE	3 13	0 00	0.00			 	13 05				
INTE	ROFFICE TRANSPORT	<u> </u>	<u> </u>													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1				40.50	55.00	47.07	07.00	2.54				j		
	Termination		ļ	UEPFP	U1TV2	18 58	55 39	17 37	27 96	3 51	ļ <u>_</u>					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	ĺ	1	i										!		
	or Fraction Mile			UEPFP	1L5XX	0 0174										
FEAT	URES	L										45.00				
	All Features Offered		ļ <u> </u>	UEPFP	UEPVF	0 00	0 00	0 00	ļ			15 69		ļ	-	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1														
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16 94	3 72				15 69			ļ	ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										İ			i		
	Combination - Conversion - Switch with change	1		UEPFP	USACC		16 94	3 72				15 69				
-	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															1
	End User Premise		1	UEPFP	URETN		11 23	1 10					20 35	10 54	13 32	13 32
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES		1													
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	Port/Loop Combination Rates	T	1				-	,								
VAL	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	t	1		<u> </u>	18 38			T		İ					
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	 	2	<u> </u>	1	19 87									T	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	 	3			24 78					1					1
110.00	Loop Rates	 	+ -		+	2710					1				1	
UNE		 	1	UEPPX	UECD1	9 60			 		t			t	1	1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	 	2	UEPPX	UECD1	11 09			- 1		 			 		1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2										 			—		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	<u> </u>	3	UEPPX	UECD1	16 00					 				 	1
UNE	Port Rate		1	LIEDRY -	UEDE!	0.70	45 44	29 94	8 45	3 91	+	_	30 89	7 03	 -	
	Exchange Ports - 2-Wire DID Port	<u> </u>	1	UEPPX	UEPD1	8 78	45 44	29 94	0 45	391	 		30 03		 	+
NONE	RECURRING CHARGES - CURRENTLY COMBINED	1	1	1	1						<u> </u>	<u> </u>	L	L	<u> </u>	

IBUNDLE	D NETWORK ELEMENTS - Tennessee	1		1		r					,	1	16		ment 2	Exhi	
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	usoc			RATES (\$)			1	Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
		<u> </u>	ļ	ļ		 	Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		\vdash	1				First	Addi	Filst	Addi	SOMEC	SOWAN	SOWIAN	JONIAN	SOWAN	SOWAN
	Switch-as-is		1	UEPPX		USACT		8 76	5 75					30 89	7 03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		8 76	5 75					30 89	7 03		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise one Number/Trunk Group Establisment Charges	-	 	UEPPX		URETN		11 23	1 10								
	DID Trunk Termination (One Per Port)		 	UEPPX		NDT	0.00	0 00	0 00								
	Additional DID Numbers for each Group of 20 DID Numbers		+	UEPPX		ND4	0 00	0 00	0 00			· ·					
	DID Numbers, Non- consecutive DID Numbers , Per Number	 	+	UEPPX		ND5	0.00	0.00	0 00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0 00	0.00	0.00			i					
	Reserve DID Numbers			UEPPX		NDV	0 00	0.00	0.00								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)		1	UEPPX		LNPCP	3 15	0 00	0 00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E PORT	Ţ													<u> </u>
	ort/Loop Combination Rates		<u> </u>									ļ	ļ				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR	2	32 27								<u> </u>		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		,	UEPPB	UEPPR		34 78						i				İ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		✝▔														
	UNE Zone 3		3	UEPPB	UEPPR		44 32					1					
	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	ÜEPPB	UEPPR	USL2X	16 20		-			ļ					
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18 71	1					i				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		28 25	 	-			1					
	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16 07	141 75	118 37	49 20	43 26			19 99	19 99		
	CURRING CHARGES - CURRENTLY COMBINED												ļ				
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port								447.00				ļ	19 99	19 99		
	Combination - Conversion		-	UEPPB	UEPPR	USACB	0.00	117 23	117 23			 	1	19 99	19 99		-
	ONAL NRCs	 	+									-					
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk	<u> </u>	ļ	UEPPB	UEPPR	USASB		212 88						19 99	19 99		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11 23	1 10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u> </u>		52.1.0	OLI III			120	. 10						1		
1	Premise	ļ		UEPPB	UEPPR	URETL		8 33	0 83								
	NUMBER PORTABILITY											ļ 	ļ				
	Local Number Portability (1 per port)	1		UEPPB	UEPPR	LNPCX	0 35	0 00	0 00	1					-		
B-CHA	NNEL USER PROFILE ACCESS	<u> </u>		ļ									-				
	CVS/CSD (DMS/5ESS)		-	UEPPB	UEPPR	U1UCA	0 00	0.00	0 00			-			 	<u> </u>	-
	CVS (EWSD)		-	UEPPB	UEPPR	U1UCB U1UCC	0 00	0.00	0.00			 			 	 	<u> </u>
	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS	I	UEPPB	UEPPR	01000	0 00	000	0.00		 	 	 				<u> </u>
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS' (AL,KY,LA,MS SI CVS/CSD (DMS/5ESS)	U,IV(3, 6	T (V)	UEPPB	UEPPR	U1UCD	0 00	0 00	0 00	 		-	<u> </u>			1	
	CVS/CSD (DMS/3ESS)	-	+-	UEPPB	UEPPR	U1UCE	0 00	0.00	0.00			1			1		
-	CSD	†	 	UEPPB		U1UCF	0 00	0 00	0 00				T				
USER	TERMINAL PROFILE		1			1						I					
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0 00	0.00	0 00				ļ			ļ	ļ. ——
	CAL FEATURES											-			-	-	
		1	1	UEPPB	UEPPR	UEPVF	0 00	0.00	0 00							 	+
VERTIC	All Vertical Features - One per Channel B User Profile									1	l	1	1	1	1	1	
VERTIC	OFFICE CHANNEL MILEAGE		1	Γ									<u> </u>				1
VERTIC					UEPPR	M1GNC	17 91	53 99	17 37					19 99	19 99		
VERTIC	OFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and			UEPPB UEPPB		M1GNC M1GNM	17 91 0 173	53 99 0 00	17 37 0 00					19 99	19 99		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment 2	Exhi	ibit B
CATEGORY	RATE ELÉMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
		i		ı			First	Addʻl	First	Add'I		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort afte	r the effective date o	f this amend	lment shall be p	provided pursu	ant to a separ	rate agreement	or tariff at Bel	South's di	scretion.				ļ <u></u>
UNE P	ort/Loop Combination Rates	ļ	ļ													
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		132 58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		150 25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE												1			
	Zone 3		3	UEPPP		173 44					1					ļ
UNE Lo	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57 73					1					
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75 40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98 59							L			
UNE Po	ort Rate															
NONRE	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004) CURRING CHARGES - CURRENTLY COMBINED			UEPPP	UEPPP	74 85	415 53	366 90	89 28	77 43			19 99	19 99		
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port										1					
	Combination - Conversion -Switch-as-is (E 4/1/2004)	1		UEPPP	USACP	0 00	328 53	328 53					19 99	19 99		
ADDIT	ONAL NRCs															
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-									h	-					
	Inward/two way Tel Nos (except NC)			UEPPP	PR7TF		0 94				1		19 99	19 99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -											 				<u> </u>
	Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		<u> </u>	UEPPP	PR7TO		22 36	22 36			ļ		19 99	19 99		
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44 71	44 70					19 99	19 99		
LOCAL	NUMBER PORTABILITY			OEFFF	FR/21		4471	44 70	-		-	-	13 35	10 33		-
LOCAL	Local Number Portability (1 per port)			UEPPP	LNPCN	1 75			 		-	 		 		
WITED	FACE (Provisioning Only)		-	ULFFF	LINF CIV	173					-			-		
INTER			1	UEPPP	PR71V	0.00	0 00	0 00	· · · · · · · · · · · · · · · · · · ·	·	 	-				
	Voice/Data Digital Data		-	UEPPP	PR71D	0 00	0 00	0 00	-		1			 		
	Inward Data			UEPPP	PR71E	0 00	0 00	0 00		ļ	 					
	Additional "B" Channel		-	UEFFF	PR/IE	0.00	000	0.00		-						
New or	New or Additional - Voice/Data B Channel		-	UEPPP	PR7BV	0 00	28 39						19 99	19 99		
				UEPPP	PR7BF	0 00	28 39			ļ.———			19 99	19 99		ļ
	New or Additional - Digital Data B Channel		<u> </u>	UEPPP	PR7BD	0 00	29 39		-		-		19 99	19 99		
	New or Additional Inward Data B Channel			UEFFF	PR/DU	0 00	29 39					-	19 99	10 00		
CALL 1			-	HEDDD	PR7C1	0 00	0.00	0 00			+	 			 	
	Inward	L	<u> </u>	UEPPP	PR7C1 PR7CO			0 00	-	-	 		<u> </u>	 	1	
	Outward			UEPPP UEPPP		0 00	0.00			ļ		-	-	-	 	
	Two-way		<u> </u>	UEPPP	PR7CC	0 00	0.00	0.00	 	-	 					
Interof	fice Channel Mileage		<u> </u>	UEPPP	1LN1A	70 1005	445.00	400.05	10.55	 	 		19 99	19 99		
	Fixed Each Including First Mile		_			76 1825	145 98	109 85	19 55	-	 		19 99	19 99		
	Each Airline-Fractional Additional Mile		<u> </u>	UEPPP	1LN1B	0 3525			+	-	 	-		-	-	
	DS1 DIGITAL LOOP WITH 4-WIRE DOITS TRUNK PORT		L		- 6 40 10 10 0		4/4/01:1				1	<u> </u>	<u></u>	-		
	E-P DS1 combination rates below for in this rate exhibit apply										te commerci	iai agreeme	ПL.		 	
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	ate of	tnis amendment sha	i be provide	a pursuant to a	a separate agre	ement or tanf	at Bellsouth's	s discretion.	 		 	-		
UNE Po	ort/Loop Combination Rates		<u> </u>	LIEBBO					-	-	 	ļ	40.00	10.00	ļ	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		93 28				 	1		19 99 19 99	19 99 19 99	 	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	ļ	110 95			+	<u> </u>	 	1		19 99	-	-
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	l	134 14				-	 		19 99	19 99		-
	pop Rates		<u> </u>	LIEDDO	1101.00						1	ļ				
	4-Wire DS1 Digital Loop - UNE Zone 1		1 1	UEPDC	USLDC	57 53			+	 	 	 	1	 		+
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75 40						 		 	 	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98 59				l	 	-	 	 	 	
UNE Po	ort Rate		<u> </u>		DE5.1-						-		19 99	19 99	ļ	
	4-Wire DDiTS Digital Trunk Port (E 4/1/2004)			UEPDC	ÜDD1T	35 55	342 80	257 87	61 41	48 49		 	19 99	19 99		+
NONRE	CURRING CHARGES - CURRENTLY COMBINED		<u> </u>								 		 	 		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E 4/1/2004)			UEPDC	USAC4		312 91	312 91					19 99	19 99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E 4/1/2004)			UEPDC	USAWA		312 91	312 91					19 99	19 99		

INBUNDLED NETWORK ELEMENTS - Tennessee													ment 2		bit [.] B
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Increment Charge - Manual So Order vs. Electronic Disc Add
					Rec	Nonrecurring		Nonrecurring					Rates (\$)		
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Con		-		-		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- Conversion with Change - Trunk (E 4/1/2004)	nbination		UEPDC	USAWB		312 91	312 91					19 99	19 99	}	
ADDITIONAL NRCs		+	DEPUC	USAVVB		31291	31291					19 99	19 99		
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequi	ent	+		+											
Service Activity Per Service Order			UEPDC	USAS4		94 88	94 88]							
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			102,00	100,101		0.00									
Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108 67	108 67					19 99	19 99	ļ	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequi	ent	1	1												
Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108 67	108 67					19 99	19 99		
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt	Channel				:	i									
Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108 67	108 67					19 99	19 99		
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt	Chan	1		l										1	
Activation Per Chan - Inward Trunk with DID	- I	-	UEPDC	UDTTD		108 67	108 67					19 99	19 99		
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt	Chan		UEDDO	UDTTE		400.07	400.07					40.00	40.00	1	
Activation / Chan - 2-Way DID w User Trans BIPOLAR 8 ZERO SUBSTITUTION		1	UEPDC	UDTTE		108 67	108 67	 				19 99	19 99	-	-
B8ZS -Superframe Format		-	UEPDC	CCOSF		0 00i	590 00s	-				19 99	19 99		
B8ZS - Extended Superframe Format		+	UEPDC	CCOEF		0 00i	590 00s	·		-		19 99	19 99		
Alternate Mark Inversion		+	OLFDC	CCOL		0 001	390 008					15 55	13 33		
AMI -Superframe Format		+	UEPDC	MCOSF		0 00	0 00	1							
AMI - Extended SuperFrame Format		1	UEPDC	мсоро		0.00	0.00								
Telephone Number/Trunk Group Establisment Charges		1													
Telephone Number for 2-Way Trunk Group		1	UEPDC	UDTGX	0 00	1						19 99	19 99		
Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19 99	19 99		
Telephone Number for 1-Way Inward Trunk Group With	nout DID		UEPDC	UDTGZ	0 00							19 99	19 99		
DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00							19 99	19 99	I	
DID Numbers, Non- consecutive DID Numbers , Per Nu	ımber	T	UEPDC	ND5	0.00							19 99	19 99		
Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00			1					
Reserve DID Numbers		1	UEPDC	NDV	0 00	0 00	0.00								
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-		Loop	with 4-Wire DDITS	Trunk Port								·			
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facil	inties		UEPDC	1LNO1	75 83	145 98	109 85	19 66	14 99	1 1					
Termination)		+	DEPDC	ILNO	75 63	145 96	109 65	19 00	14 99						
Interoffice Channel Mileage - Additional rate per mile - 0	0-8 miles		UEPDC	1LNOA	0 3525	0 00	0 00				1				
Interoffice Channel Mileage - Fixed rate 9-25 miles (Fac		+	OL, DC	ILIVOA	0 3323	0 00									
Termination)	intes		UEPDC	1LNO2	0.00	0 00	0 00								
Interoffice Channel Mileage - Additional rate per mile - 9	9.25	+		1			- 11								
miles			UEPDC	1LNOB	0 3525	0 00	0 00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Faci	lities														
Termination)			UEPDC	1LNO3	0 00	0 00	0 00			l					
Interoffice Channel Mileage - Additional rate per mile - 2	25+ miles		UEPDC	1LNOC	0 3525	0 00	0 00								
Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3 15		0 00								
Central Office Termininating Point			UEPDC	CTG	0 00										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Fe			ļ			ļ									
Each System can have up to 24 combinations of rates depe The UNE-P DS1 combination rates below for 4-Wire DS1 Lo-	nding on type a	nd nun	nper of ports used	nto aubibit	hu ta tha a	ddod base '= :	lage of 40"	2002 tentil 4/4/04	After 4/1/04	these rates s	hall rever t	to tariff rates	or a cenarata	agreemen*	
Requests for 4-Wire DS1 Loop with Channelization with Po	op with Channe	nzation	e of this amondan	are exilibit app	vided pureus	nt to a senarate	anreement Ar	tariff at Relise	ith's discretic	nese rates s	a.ı revert t	o taini rates	o. a separate	agreement.	
UNE DS1 Loop	it alter the errec	ove dat	cor una amenume	suan be bic	ueu pursuai	to a separate	agreement or	, at Dendot	a Graciette						
4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57 73	0 00	0 00			 					
4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	75 40		0.00	·							
4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	98 59	0 00	0 00								
UNE DSO Channelization Capacities (D4 Channel Bank Con	figurations)	Ť		1											
24 DSO Channel Capacity - 1 per DS1	-~	1	UEPMG	VUM24	131 87		0 00					19 99	19 99		
48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	263 74	0 00	0 00					19 99	19 99		<u> </u>
96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527 48		0.00					19 99	19 99		L
144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791 42		0 00					19 99 19 99	19 99 19 99		
192 DS0 Channel Capacity -1 per 8 DS1s			ÜEPMG	VUM19	827 76	0 00	0 00								

EGORY				1	1					LSvc Order	1 Svc Order	Incremental	Incresental		
	RATE ELEMENTS	Intern m Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
\rightarrow					Rec	Nonrecurring		Nonrecurring			,		Rates (\$)		
	240 700 6		UEPMG	VUM2O		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1,318 70 1,582 44	0 00	0 00					19 99 19 99	19 99 19 99		-
	384 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM38	2,109 92	0 00	0 00					19 99	19 99	-	
-	480 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM40	2,637 40	0.00	0 00					19 99	19 99		1
+	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	3,164 88	0 00	0 00					19 99	19 99		l
-	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	3,692 36	0.00	0 00					19 99	19 99		
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Channeliztio	n with Port - Conv	ersion Charge	Based on a Sy	stem									
	mum System configuration is One (1) DS1, One (1) D4 Channe														
Multip	les of this configuration functioning as one are considered Ad	d'I after the m	inımum system co	onfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without			1											
	BellSouth Allowed Changes		UEPMG	USAC4	0 00	303 61	15 74			ļ		19 99	19 99		
	n Additions at End User Locations Where 4-Wire DS1 Loop with			nbination Curre	ently Exists and										-
New (h	tot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	OI TOP 8 MISA										-	 	 	
	and Assoc Fea Activation (E 4/1/2004)		UEPMG	VUMD4	0.00	704 68	441 48	138 36	16 41			19 99			
Bipola	r 8 Zero Substitution	—		, , , , , , ,	0.50	70-100	771,70	.00.00	10 41		-			 	
- Dipola	Clear Channel Capability Format, superframe - Subsequent													1	
	Activity Only		UEPMG	CCOSF	0 00	0.00	590 00s				İ			1	ŀ
	Clear Channel Capability Format - Extended Superframe -														
	Subsequent Activity Only		UEPMG	CCOEF	0 00	0 001	590 00s								
Alterna	ate Mark Inversion (AMI)														
	Superframe Format		UEPMG	MCOSF	0 00	0 00	0 00								
	Extended Superframe Format		UEPMG	MCOPO	0 00	0 00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with Port											 	-	
Exchai	nge Ports Line Side Combination Channelized PBX Trunk Port - Business			-							_		 		
ŀ	(E 4/1/2004)		UEPPX	UEPCX	1 70	0 00	0.00	0 00	0 00			30 89	7 03		
	Line Side Outward Channelized PBX Trunk Port - Business		OLI I X	OLF OX	110	0.00	0.00					50 00			
ŀ	(E 4/1/2004)		UEPPX	UEPOX	1 70	0.00	0.00	0 00	0 00			30 89	7 03		
	Line Side Inward Only Channelized PBX Trunk Port without DID										i				
	(E 4/1/2004)		UEPPX	UEP1X	170	0 00	0.00	0 00	0 00			30 89	7 03		
\neg	2-Wire Trunk Side Unbundled Channelized DID Trunk Port														
	(E 4/1/2004)		UEPPX	UEPDM	8 97	0 00	0.00	0 00	0 00			30 89	7 03		
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –							i i					1		
	(AL, KY, LA, MS, & TN)(Conversion from Network Access		LIEBBY	UEDOV	4.70	0.00	0.00	0.00	0.00			30 89	7 03	i	
+-	Service) (E 4/1/2004)	 	UEPPX	UEPCY	1 70	0 00	0 00	0 00	0 00	<u> </u>	-	30.09	1 03	 	
	Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access			1				ļ					1 '	f	
	Service) (E 4/1/2004)	!	UEPPX	UEPCT	1 70	0 00	0 00	0 00	0 00			30 89	7 03	1	1
_	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –		<u></u>												
	Tennessee Only - Calling Plan - Regionsery (E 4/1/2004)	!	UEPPX	UEPCZ	1 70	0 00	0 00	0 00	0 00			30 89	7 03		
	Unbundled Exchange Ports, 2-Wire Channelized - Two Way -												('		1
	Tennessee Only - Calling Plan - Regionsery (E 4/1/2004)		UEPPX	UEPC6	1 70	0 00	0 00	0 00	0 00			30 89	7 03		
Featur	e Activations - Unbundled Loop Concentration												 		
	Feature (Service) Activation for each Line Port Terminated in D4			40014/44	0.00	22.04	12 64	3 82	3 80			30 89	7 03		l
	Bank (includes Q 1 4, P50 1, P 50 498)		UEPPX	1PQWM	2 02	23 94	12 64	3 82	3 80			30 69	7 03		
	Feature (Service) Activation for each Trunk Port Terminated in		UEPPX	1PQWU	2 02	73 67	17 37	54 09	10 57			30 89	7 03		
Talank	D4 Bank (includes Q 1 4, P50 1, P 50 498) one Number/ Group Establishment Charges for DID Service		DEFFA	IFQVV	202	73 07	17 57	57.00	1007						
- relepn	DID Trunk Termination (1 per Port)		UEPPX	NDT	0.00	0 00	0 00								
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0 00	0 00	0 00								
_	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0 00	0 00	0 00								
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0.00	0 00	0 00						\vdash		
	Reserve DID Numbers		UEPPX	NDV	0 00	0 00	0 00								
Local	Number Portability												 	_	
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0 00	0 00								
	RES - Vertical and Optional					-						-	t'		
Local 9	Switching Features Offered with Line Side Ports Only All Features Available		UEPPX	UEPVF	0 00	0 00	0 00			_				·	

UNBUNDL	ED NETWORK ELEMENTS - Tennessee										· · · · · · · · · · · · · · · · · · ·			ment [.] 2		bit, B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
			 			Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	1	ı
						Kec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
JNBUNDLE	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S	<u>. </u>		<u> </u>	<u> </u>					ļ					
1. Co	st Based Rates are applied where Bell South is required by FCC	and/or	State (Commission rule to	provide Unb	undled Local S	witching or Sw	Alone Unbur	dled Bort cocti	on of this Dat	Evhibit				ļ	
2 Fe	atures shall apply to the Unbundled Port/Loop Combination - C	Usage	rates in	the Port section of	of this rate exh	they are applie	to all combina	tions of loon	nort network el	ements excer	t for UNE (Coin Port/Lo	on Combinat	ions.		
4. Th	e first and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. For	r Currently Co	mbined Combo	os, the nonrecu	rring charges	shall be those	identified in	he Nonrecu	rring - Curr	ently Combine	ed sections	Additional NR	Cs may
	also and are categorized accordingly				•											
5. M	arket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual C	ase Basis, un	til further notic	e.									
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)										<u> </u>				
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo													ļ		
UNE	Port/Loop Combination Rates (Non-Design)		ļ		4						ļ			-		
i	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.,	UEP91	1	14 18					1		1			
	Non-Design		+	OEP91	+	14 18	1		-		+	<u> </u>		 	1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91	1	18 01						1	I		1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+-	06101	+	1001							 		1	
	Non-Design		3	UEP91	1	23 02							1			
LINE	Port/Loop Combination Rates (Design)		ᡰ᠊ᢆ			1										
0.00	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1													
	Design	į	1	UEP91		18 26										_
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	l	2	UEP91		23 33						ļ		ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ					!				1	ł			ł	
	Design	ļ	3	UEP91		29 98					1					
UNE	Loop Rate	ļ	ــــــــ	LIEBO I	UECS1	12 48					 				<u> </u>	i
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1 2	UEP91 UEP91	UECS1	16 31					1		 		1	
 -	2-Wire Voice Grade Loop (SL 1) - Zone 2	 -	3	UEP91	UECS1	21 32						1	 			
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP91	UECS2	16 56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP91	UECS2	21 63			-							
 	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28 28										
UNE	Ports															
All S	tates (Except North Carolina and Sout Carolina)		1 -													
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local					1				l	i	20.00	7.00			
	Area		ļ	UEP91	UEPYB	1 70	22 14	15 25	8 45	3 91	ļ	30 89	7 03		ļ ···-	
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic		1	LIEBO4	LIE BY	1 70	22.44	15 25	8 45	3 91		30 89	7 03	1	1	
	Local Area	+	+	UEP91	UEPYH	1 70	22 14	10 25	0 43	391	1	30 09	1 03	1	1	-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area	1		UEP91	UEPYM	1 70	22 14	15 25	8 45	3 91		30 89	7 03		1	ļ
\vdash	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	+		132	1							1			
	Term - Basic Local Area		1	UEP91	UEPYZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent											l			1	1
	- Basic Local Area	L		UEP91	UEPY9	1 70	22 14	15 25	8 45	3 91	 	30 89	7.03	 	 	
	2-Wire Voice Grade Port Terminated on 800 Service Term -				l	1		45.05	0.15	1		30 89	7 03	1	1	1
	Basic Local Area	ļ	1	UEP91	UEPY2	1 70	22 14	15 25	8 45	3 91	+	30 69	7 03	 	+	
AL,	KY, LA, MS, & TN Only	1	1	UEDO1	UEPQÁ	1 70	22 14	15 25	8 45	3 91	+	30 89	7 03	1	+	
	2-Wire Voice Grade Port (Centrex)	 	+	UEP91 UEP91	UEPQB	170	22 14	15 25	8 45	3 91		30 89			1	
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 	+	UEP91	UEPQH	1 70		15 25		3 91		30 89				
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	+	1		1			T	1						
	Center)2.3			UEP91	UEPQM	1 70	22 14	15 25	8 45	3 91		30 89	7 03	1	_	_
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	1	1		1									1	1	1
	Service Term		1	UEP91	UEPQZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03		-	
						I .					1	30 89	7 03	1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	4	1	UEP91	UEPQ9	1 70	22 14	15 25	8 45 8 45	3 91		30 89		+	+	1
	2-Wire Voice Grade Port Terminated on 800 Service Term	 -	+	UEP91	UEPQ2	1 70	22 14	15 25	0 45	- 391	+	30 03	, 03	+	 -	<u> </u>
Loca	al Switching	+	+	UEP91	URECS	0 6381	+-		-	 		 -		+	1	1
<u> </u>	Centrex Intercom Funtionality, per port	+	+	DEFU	UNECO	0.0361			 		 	1		T		
Loca	Number Portability															

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee													ment· 2		bit B
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		,		Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)	T	
		Local Number Portability (1 per port)			UEP91	LNPCC	0 35	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature			 	02, 31	LINI OO	0.00						-				
		All Standard Features Offered, per port		<u> </u>	UEP91	UEPVF	0 00						30 89	7 03			
		All Select Features Offered, per port			UEP91	UEPVS	0 00	433 78		1			30 89	7 03		1	
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0 00						30 89	7 03		ĺ	
	NARS																
	1	Unbundled Network Access Register - Combination		I	UEP91	UARCX	0.00	0 00	0 00		0 00		0 00	7 03		ļ	
		Unbundled Network Access Register - Indial		I	UEP91	UAR1X	0 00	0 00	0 00	0 00	0 00		0 00	7 03		1	1
		Unbundled Network Access Register - Outdial	L		UEP91	UAROX	0 00	0.00	0 00	0 00	0 00		0 00	7 03			
		aneous Terminations															
	2-Wire	Trunk Side				1						<u> </u>					
		Trunk Side Terminations, each		<u> </u>	UEP91	CENA6	8 78	22 14	15 25	8 45	3 91		30 89	7 03	-	1	
	Interof	fice Channel Mileage - 2-Wire	-	<u> </u>	LIE DOL	1,4055			10.00	0.1=	22:		20.00	7.00	1	<u> </u>	-
		Interoffice Channel Facilities Termination - Voice Grade	-	<u> </u>	UEP91	M1GBC	18 58	22 14	15 25	8 45	3 91		30 89	7 03	1	<u> </u>	
		Interoffice Channel mileage, per mile or fraction of mile	L		UEP91	M1GBM	0 0174					ļ			 	 	
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e	 								ļ			 	 	+
	D4 Cha	Innel Bank Feature Activations			UEP91	1PQWS	0 66	-				 			 	 	+
	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	IPUVVS	0.00	·									
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ĺ		UEP91	1PQW6	0 66	l [
	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	OLI SI	11 (2110	0 00								 		
		Slot			UEP91	1PQW7	0 66	1]		
	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 31	11 (4111	0 00						 			1	
		Different Wire Center		1	UEP91	1PQWP	0.66	1 1		1	1					1	
	+	Different Wife Genter		1	-				**						1		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP91	1PQWV	0 66					į.		l		1	1
	+	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		+								ĺ					
	1	Slot			UEP91	1PQWQ	0.66										
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed		1						ł			t		1		
		changes, per port	1	J	UEP91	USAC2		1 03	0 29			ļ	30 89	7 03		·	
		New Centrex Standard Common Block			UEP91	M1ACS	0 00	658 60				ļ	30 89	7 03			_
		New Centrex Customized Common Block			UEP91	M1ACC	0 00	658 60				ļ	30 89	7 03		ļ	
		Secondary Block, per Block			UEP91	M2CC1	0 00	73 55				1	30 89	7 03		1	+
		NAR Establishment Charge, Per Occasion			UEP91	URECA		68 57				1	30 89	7 03			-
	Additio	onal Non-Recurring Charges (NRC)		1						ļ			 			+	
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1		UEP91	URETL		8 33	0.83		l			1			
		Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at		+-	OEP91	UNEIL		0 33	0 63	-		 	 	 	 	+	+
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise	1		UEP91	URETN		11 23	1 10		ŀ			1	I		
	HAIE D	CENTREX - 5ESS (Valid in All States)	 	+		U.V.E.114		 ''-	. 10	 	i	<u> </u>	—		1		1
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 							†		t	 				
		ort/Loop Combination Rates (Non-Design)	·	 				 		1		1	 			*	1
	ONEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	+		-		1		_					†		
	1	Non-Design		1 1	UEP95		14 18						1	ļ			
_	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		† <u> </u>													
		Non-Design	1	2	UEP95		18 01			1		İ					
	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†	1				-								1	
		Non-Design	1	3	UEP95	1	23 02	<u> </u>				1	1		1		
	UNE P	ort/Loop Combination Rates (Design)	1	1												 	ļ
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	+													i	
		Design	1	1	UEP95		18 26					ļ				-	+
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T											ŀ		
		Design		2	UEP95		23 33			 	ļ <u> </u>	ļ		 	 	-	+
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						Į Į		1				1		1	
١		Design		3	UEP95		29 98			ļ	ļ		 			+	
	UNE L	oop Rate		1			ļ	ļ						 	+		+
i		2-Wire Voice Grade Loop (SL 1) - Zone 1		1_	UEP95	UECS1	12 48			<u> </u>	L			1			

NRONDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment 2	Exhi	ibit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic-	Charge -	Charge -	Charge
							Nonrecurring		Nonrecurring	Discourage		L		Rates (\$)	DISC 1ST	DISC Add
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16 31	11151	Auu	THE	Auu i	JOHEC	JOHNAIN	JOHAN	JOHAN	SOMAN	JOHIA
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	21 32					 	 				
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	16 56						 				+
	2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>		UEP95	UECS2	21 63					+	 		 		
	2-Wire Voice Grade Loop (SL 2) - Zone 3	 		UEP95	UECS2	28 28						†				
LINE P	ort Rate	 	├- `	02.00	102002		·				1	1				
All Sta			 		+							1				
7.11 010	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
	2-Wire Voice Grade Port (Centrex 800 termination)		 	UEP95	UEPYB	1 70	22 14	15 25		3 91	†	30 89				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		<u> </u>	-	+											
	Area	1		UEP95	UEPYH	1 70	22 14	15 25	8 45	3 91		30 89	7 03		1	1
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	ļ —	02.00	135, 111			10 20	"	3 3 1	 	1 00 00	1			_
	Center)2.3 Basic Local Area		Ì	UEP95	UEPYM	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	 	 		1	. 70		.0 20	340		 	1	1			
	Service Term - Basic Local Area	l	1	UEP95	UEPYZ	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	 			1			.5 25	1		†	1 22 20	1			
	- Basic Local Area		1	UEP95	UEPY9	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -		_	02,00	102.10											†
	Basic Local Area		1	UEP95	UEPY2	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
AL K	/, LA, MS, SC, & TN Only	_	1	02.00												
AL, K	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1 70	22 14	15 25	8 45	3 91		30 89	7 03			†
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPQB	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1 70	22 14	15 25		3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex with Carler ID):			OLI 33	OL. GIT	170	22, 14	10 20	0 10	551	 	00 00	, , ,			
İ	Center)2.3			UEP95	UEPQM	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP95	UEPQZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
													7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	A Only		↓								-					
Local	Switching										·					
	Centrex Intercom Funtionality, per port			UEP95	URECS	0 6381					 	-				
Local	Number Portability		ļ		Lunno		ļ				-	ļ				
	Local Number Portability (1 per port)			UEP95	LNPCC	0 35						-				+
Featur					UEPVE	0.00					-	30 89	7 03			
	All Standard Features Offered, per port		ļ	UEP95			433 78		1			30 89	7 03			+
	All Select Features Offered, per port	-	₩	UEP95 UEP95	UEPVS UEPVC	0 00	433 /8				-	30 89	7 03	-		
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	·			 	<u> </u>	30.09	, 03			
NARS	D 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		↓	LIEDOC	HADOV	0.00	0.00	0.00	0 00	0 00		0 00	7 03			+
	Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0 00	0 00		0 00	1	0.00	7 03	-		+
	Unbundled Network Access Register - Indial	 	<u> </u>	UEP95	UAR1X UAROX	0 00	0 00	0 00		0 00	+	0 00	7 03		 	+
	Unbundled Network Access Register - Outdial		₩	UEP95	UARUX	0.00	0.00	0.00	0.00	0.00	+	0.00	, , , ,	 		+
	laneous Terminations		├										-	l	 	+
2-Wire	Trunk Side		<u> </u>	UEP95	CEND6	8 78	47 75	47 01	9 21	8 47	+	30 89	7 03		 	+
	Trunk Side Terminations, each	-	-	UEP95	CENDO	0 70	41 13	47.01	321	041	-	30 03	1 00			
4-Wire	Digital (1.544 Megabits)		 	UEP95	M1HD1	35 55	75 93	38 15	 	-		30.89	7 03		 	
	DS1 Circuit Terminations, each	—	├	UEP95	M1HD0	39 99	108 67				 	30 89	7 03	t	1	t
	DS0 Channels Activated, each	1	<u> </u>	OEL 80	MILIPO	0.00	100 07				 	1	1	 	 	t
Intero	ffice Channel Mileage - 2-Wire		-	UEP95	M1GBC	18 58	22 14	15 25	8 45	3 91	+	30 89	7 03	 	1	+
	Interoffice Channel Facilities Termination	 	 	UEP95	M1GBC M1GBM	0 0174	22 14	1923	1 43	331	1	30 00	1 . 55	t		
F 4	Interoffice Channel mileage, per mile or fraction of mile	L	-	OCL 99	WIIGOW	00174	·		<u> </u>		 		1			\vdash
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	, e	1						 		+			t	1	t
D4 Cn	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	+	UEP95	1PQWS	0 66			 		1	1		1	<u> </u>	1
	reature Activation on D-4 Channel Bank Centrex Loop Slot	 	+	OLF 30	11 02440	0.00	<u> </u>		-		+				1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		ļ	UEP95	1PQW6	0 66					ļ	<u> </u>				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0 66									L	

IBUNDLI	ED NETWORK ELEMENTS - Tennessee	1		г							Sva 0-1	Sun Carlos		ment 2	Incremental	bit B Incrementa
TEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge -	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual S Order vs
			 -	-	+	Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
						- Rec	First	Add*l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0 66										<u> </u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 66				-						ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 66										1
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>													
	NRC Conversion Currently Combined Switch-As-Is with allowed	1					1]	ì	
	changes, per port			UEP95	USAC2		1 03	0 29			L	30 89	7 03			
	New Centrex Standard Common Block			UEP95	M1ACS	0 00	658 60		1			30 89	7 03			
	New Centrex Customized Common Block	T		UEP95	M1ACC	0 00	658 60					30 89	7 03		ļ	_
_	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0 00	68 57				L	30 89	7 03			1
Δddi	tional Non-Recurring Charges (NRC)		1													
Addi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1										İ			
	Premise			UEP95	URETL		8 33	0 83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1		- t						1]	l l
	End Use Premise			UEP95	URETN		11 23	1 10				ļ				
LINE	P CENTREX - DMS100 (Valid in All States)	_		02.00						_	ì	1				
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+	+	_						_		1				
		+	+						 							1
UNE	Port/Loop Combination Rates (Non-Design)	+	+													T
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1	UEP9D		14 18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	1	2	UEP9D		18 01										4.
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	-	3	UEP9D		23 02										
PINE	Port/Loop Combination Rates (Design)	+	 -										<u></u>		L	
DIVE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	-	1	UEP9D		18 26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	-	2	UEP9D		23 33		-								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-	3	UEP9D		29 98										
	Design	+	+ -	OLF 8D							t	1 -			1	
UNE	Loop Rate		1	UEP9D	UECS1	12 48										
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	16 31		·-·	-	_		1				
	2-Wire Voice Grade Loop (SL 1) - Zone 2	+		UEP9D	UECS1	21 32	 									T
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9D	UECS2	16 56	 			_	†		<u> </u>			
	2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1 '	UÉP9D	UECS2	21 63					1	1		1		
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	28 28										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3	-	1 3	UEF9U	ULCOZ	2020							T			T
	Port Rate		+	<u> </u>							+	1				
ALL	STATES	+	 	UEP9D	UEPYA	1 70	22 14	15 25	8 45	3 91		30 89	7 03			T
_	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	+	-					15 25		3 91		30 89	7.03			
	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	+	+-	UEP9D	UEPYB	1 70		15 25		3 91	 	30 89				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	-	-	UEP9D	UEPYC	1 70	22 14			3 91		30 89				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		+	UEP9D	UEPYD	1 70		15 25		3 91		30 89				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		\vdash	UEP9D	UEPYE	1 70		15 25								
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	-	┼-	UEP9D	UEPYF	1 70	22 14	15 25	-	3 91		30 89				
	Area	 	-	UEP9D	UEPYG	1 70	22 14	15 25	8 45	3.91		30 89			 	 -
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1 70	22 14	15_25	8 45	3 91		30 89	7 03	J	1	

NBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		-		+		rust	Auu	riist	Auu I	00.0020			001117117	00,	00
	Area		<u></u>	UEP9D	UEPYU	1 70	22 14	15 25	8 45	3 91		30 89	7 03		r	
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local								0.45	3 91		30 89	7 03			
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1 70	22 14	15 25	8 45	391		30.09	7 03			1
	Area			UEP9D	UEPY H	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYW	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			UEF9D	DCF I W	170	22 14				1					
	Basic Local Area			UEP9D	UEPYJ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area	1		UEP9D	UEPYM	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4				1		20.44	15.05	0.45	2.04		30 89	7 03			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3.4		_	UEP9D	UEPYO	1 70	22 14	15 25	8 45	3 91		30 69	7 03			
	Basic Local Area			UEP9D	UEPYP	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYQ	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3,4	<u> </u>		UEF9U	DEF 1Q		22 14	10 20			·					
	Basic Local Area	ļ		UEP9D	UEPYR	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	<u> </u>	1						0.45	201		20.00	7 03			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	-	<u> </u>	UEP9D	UEPY4	1 70	22 14	15 25	8 45	3 91	 	30 89	7.03			
	Basic Local Area			UEP9D	UEPY5	1 70	22 14	15 25	8 45	3 91		30 89	7 03			ļ .
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY6	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			QEF 3D	021.10											
	Basic Local Area		ļ	UEP9D	UEPY7	1 70	22 14	15 25	8 45	3 91	-	30 89	7 03	 		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent					4.70	20.44	45.05	8 45	3 91		30 89	7 03			
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1 70	22 14	15 25	8 43	391	-	30 03	7 03		-	1
	Local Area			UEP9D	UEPY2	1 70	22 14	15 25	8 45	3 91	ļ	30 89	7 03			
AL, K	Y, LA, MS, SC, & TN Only		-	UEP9D	UEPQA	1 70	22 14	15 25	8 45	3 91		30 89	7 03			+
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		 	UEP9D	UEPQB	1 70	22 14	15 25		3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex 600 terminatori)		†	UEP9D	UEPQC	1 70	22 14	15 25	8 45	3 91		30 89				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4	<u> </u>	t	UEP9D	UEPQD	1 70	22 14	15 25		3 91		30 89				ļ .
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	1	†	UEP9D	UEPQE	1 70	22 14	15 25	8 45	3 91		30 89				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	1	_	UEP9D	UEPQF	1 70	22 14	15 25	8 45	3 91		30 89				1.
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1 70	22 14	15 25		3 91		30 89			_	
-+	2-Wire Voice Grade Port (Centrex / EBS-M5008)4	1	1	UEP9D	UEPQT	1 70	22 14	15 25				30 89			<u> </u>	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4	_	1	UEP9D	UEPQU	1 70	22 14	15 25				30 89				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4	†	1	UEP9D	UEPQV	1 70	22 14	15 25	8 45			30 89				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4	†	1 -	UEP9D	UEPQ3	1 70	22 14	15 25				30 89				
	2-Wire Voice Grade Port (Centrex with Caller ID)		+-	UEP9D	UEPQH	1 70	22 14	15 25	8 45	3 91		30 89	7 03	<u> </u>	1	
	2-Wire Voice Grade Port (Centrex With Galler ID/Msg Wtg Lamp	†	1				1			1						1
		1	1	UEP9D	UEPQW	1 70	22 14	15 25	8 45	3 91		30 89			L	1
	Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	+	+	UEP9D	UEPQJ	1 70		15 25		3 91	Ī	30 89	7 03			
	2-Wire Voice Grade Port (Centrexinsg Witg Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	†	+-									20.00	7 03		1	
	2,3	ļ		UEP9D	UEPOM	1 70	22 14	15 25	8 45	3 91	 	30 89			+	
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1	1	UEP9D	UEPQO	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03	. 1	1	1

IRONDLE	D NETWORK ELEMENTS - Tennessee				,									ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Žone	BCS	usoc	RATES (\$)						Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge - Manual Svc Order vs
						Rec	Nonrecurring First	Addil	Nonrecurrin First	g Disconnect Add'I	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
+											JOINEG			COMPAN	COMAN	John
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPOR	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1 70	22 14	15 25	8 45	3 91		30 89	7 03		!	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	 			•												
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1 70	22 14	15 25	8 45	3 91		30 89	7 03			-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPQZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1 70	22 14	15 25	8 45	3 91		30 89	7 03		}	
-	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
Local	Switching			-												
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0 6381								İ		
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0 35										
Featu					1										L	
-	All Standard Features Offered, per port			UEP9D	UEPVF	0 00						30 89	7 03			
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	433 78					30 89	7 03			
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0 00						30 89	7 03			
NARS															<u> </u>	
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00		0 00		0 00	7 03			
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0 00	0.00	0.00	0 00		0 00	7 03			
	Unbundled Network Access Register - Outdral	1		UEP9D	UAROX	0 00	0 00	0 00	0.00	0 00		0.00	7 03			
Misce	llaneous Terminations															
	Trunk Side															ļ <u></u>
	Trunk Side Terminations, each			UEP9D	CEND6	8 78	22 14	15 25	8 45	3 91		30 89	7 03			
4-Wire	Digital (1 544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	35 55	75 93	38 15				30 89	7 03			ļ
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	108 67					30 89	7 03			
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18 58	22 14	15.25	8 45	3 91		30 89	7 03		<u> </u>	-
1	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0 0174										!
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e												ļ		
D4 Ch	annel Bank Feature Activations						_				ļ			ļ		ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 66					<u> </u>					-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 66										
+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	t			1											-
	Slot			UEP9D	1PQW7	0 66	<u> </u>					<u> </u>			ļ	<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 66									_	<u> </u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 66	ļ									
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop												1			
- 1	Slot		1	UEP9D	1PQWQ	0 66					 		ļ	ļ <u> —</u>	 	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 66					ļ	ļ		1	<u> </u>	
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex										L	L	<u> </u>			
1	NRC Conversion Currently Combined Switch-As-Is with allowed									1	1					1
1	changes, per port	1	ı	UEP9D	USAC2		1 03	0 29	1	Ì	1	30 89	7 03	L	L	1

UNBUNDL	LED NETWORK ELEMENTS - Tennessee													ment 2		bit 🖪
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - c Manual Svc Order vs.	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Standard Common Block			UEP9D	M1ACS	0 00	658 60					30 89	7 03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0 00	658 60					30 89	7 03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68 57					30 89	7 03			L
Add	ditional Non-Recurring Charges (NRC)										L					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1			1										
1	Premise			UEP9D	URETL	i	8 33	0.83			1					
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise		l	UEP9D	URETN		11 23	1 10								
	E-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	fire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														1	
UNE	Port/Loop Combination Rates (Non-Design)	J	l								<u> </u>	!				1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1		1	. 1	1			1		ļ	i		1	
	Non-Design	1	1	UEP9E		14 18					ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	l	- 1		- 1							ļ	l	
	Non-Design		2	UEP9E		18 01			i						i	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-[1			ŀ		Ì		ł		
i	Non-Design		3	UEP9E		23 02					ļ					<u> </u>
UNE	E Port/Loop Combination Rates (Design)		<u> </u>								ļ	1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	T								1					
	Design		1_	UEP9E		18 26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1								1			l		
	Design		2	UEP9E		23 33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-												!		
	Design		3	UEP9E	i	29 98										
UNE	E Loop Rate	1													ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12 48					<u> </u>				L	ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16 31				l					ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21 32					L .					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16 56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21 63					1					
-	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9E	UECS2	28 28										
UNE	E Port Rate	1														
	FL, KY, LA, MS, & TN only	T .							I]					
	2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP9E	UEPYA	1.70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1												[
	Area			UEP9E	UEPYB	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	T							1					1		1
	Area	<u>i_</u>		UEP9E	UEPYH	1 70	22 14	15 25	8 45	3 91		30 89	7 03	1		ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1												1	1	
	Center)2,3 Basic Local Area	\perp		UEP9E	UEPYM	1 70	22 14	15 25	8 45	3 91		30 89	7 03	1		1
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800													l		
.	Service Term - Basic Local Area		1	UEP9E	UEPYZ	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03	1	<u> </u>	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	it												1		
1	- Basic Local Area	1	1	UEP9E	UEPY9	1 70	22 14	15 25	8 45	3 91		30 89	7 03		ļ	
	2-Wire Voice Grade Port Terminated on 800 Service Term -							·		1					1	1
	Basic Local Area	1		UEP9E	UEPY2	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03		_	
AL.	KY, LA, MS, & TN Only								L	ļ		<u> </u>	ļ			+
	2-Wire Voice Grade Port (Centrex)	L .		UEP9E	UEPQA	1 70	22 14	15 25				30 89	7 03		-	-
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1 70	22 14	15 25				30 89	7 03			1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1 70	22 14	15 25	8 45	3 91	<u> </u>	30 89	7 03		 	-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								1				7.00		1	1
	Center)2,3			UEP9E	UEPOM	1 70	22 14	15 25	8 45	3 91	ļ	30 89	7 03		1	
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800														1	1
	Service Term	1		UEP9E	UEPQZ	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
F		1											1		1	ŀ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ıt İ	ĺ	UEP9E	UEPQ9	1 70	22 14	15 25	8 45	3 91		30 89	7 03	ļ	 	
	2-Wire Voice Grade Port Terminated on 800 Service Term		T-	UEP9E	UEPQ2	1 70	22 14	15 25	8 45	3 91		30 89	7 03	ļ	1	+
	(=	+		1					1		1	1	1	1	1	
Loc	cal Switching		1							1					-	

NBUNDL	ED NETWORK ELEMENTS - Tennessee										Sun Orden	Svc Order	Attach Incremental		Incremental	ibit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)						Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - c Manual Svo Order vs - Electronic- Add'I	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		<u> </u>	├		_		FIRST	Add I	First	Add I	SOMEC	JOHAN	GOMAN	COMPAR	COMPAN	
Loca	I Number Portability Local Number Portability (1 per port)		 	UEP9E	LNPCC	0.35		-								1
Feat		-	+	OLI JL						-	ĺ					
reau	All Standard Features Offered, per port	 	 	UEP9E	UEPVF	0 00						30 89	7 03			
	All Select Features Offered, per port	_	+	UEP9E	UEPVS	0 00	433 78					30 89	7 03			ļ
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30 89	7 03		_	
NAR																+
1	Unbundled Network Access Register - Combination			UEP9E	UARCX	0 00	0.00	0 00	0 00	0 00	-	0 00	7 03			
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0 00	0 00	0.00	0 00	0 00		0.00	7 03		 	+
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0 00	0 00	0 00	0 00	0 00	+	0.00	7 03		+	
	ellaneous Terminations	4					ļ <u></u>		-	. <u>.</u>	+	 			1	
2-Wi	re Trunk Side		+	LICEDOE	CEND6	8 78	22 14	15 25	8 45	3 91	 	30 89	7 03	 		†
	Trunk Side Terminations, each		+	UEP9E	CENDO	8 / 8	22 14	10 20	0 40	3 91	+	30 03	, 03		+	
4-Wi	re Digital (1.544 Megabits)	+	+	UEP9E	M1HD1	35 55	75 93	38 15				30 89	7 03			1
_	DS1 Circuit Terminations, each DS0 Channel Activated Per Channel	+	+	UEP9E	M1HDO	0 00	108 67	00 10	-		t	30 89	7 03		1	1
	roffice Channel Mileage - 2-Wire	+	+	OEF 9L	Williado		100 07					1				1
_ Inter	Interoffice Channel Facilities Termination		-	UEP9E	M1GBC	18 58	22 14	15 25	8 45	3 91		30 89	7 03			
	Interoffice Channel mileage, per mile or fraction of mile	+	_	UEP9E	M1GBM	0 0174										
Foot	ture Activations (DS0) Centrex Loops on Channelized DS1 Servi	ice	_												1	
D4 C	Channel Bank Feature Activations	<u> </u>	1	·												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 66					1		<u> </u>			
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0 66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9E	1PQWV	0 66										<u> </u>
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop										i		J			
	Slot			UEP9E	1PQWQ	0 66								 -	-	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0 66						 -			_	+
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex		+				-		-		 	 		 	 	1
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port	'		UEP9E	USAC2		1 03	0 29				30 89				
	New Centrex Standard Common Block	-	+	UEP9E	M1ACS	0.00	658 60					30 89				
	New Centrex Standard Common Block	+		UEP9E	M1ACC	0.00	658 60					30 89				
	NAR Establishment Charge, Per Occasion	+ -		UEP9E	URECA	0.00	68 57					30 89	7 03			
Add	litional Non-Recurring Charges (NRC)															
7.22	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	1		UEP9E	URETL		8 33	0 83			<u> </u>			ļ	ļ	-
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11 23	1 10				<u> </u>				
UNE	-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	1								 	+			 	+	+
2-W	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo					L		L		<u> </u>	+	+	 	1	+	+
UNE	Port/Loop Combination Rates (Non-Design)						1	<u> </u>	+		+	-	+	+		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1	UEP93		14 18			<u> </u>			_		ļ	-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	1	2	UEP93		18 01			ļ . <u>-</u>					<u> </u>	<u> </u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design		3	UEP93		23 02			<u> </u>		-			ļ	-	+
UNE	Port/Loop Combination Rates (Design)						 		 		-	+	+	 		+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combi		1	UEP93		18 26						 		ļ	-	-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	· -	2	UEP93		23 33										

SUNDLE	D NETWORK ELEMENTS - Tennessee													ment· 2		ıbit B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
	1		1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
EGORY	RATE ELEMENTS	Inter	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.	Order vs	Order vs.	
EGORI	TOTTE EEEMENTO	m	20,10	500	0000						perLSR	perLSK			1	Order vs
				i							1		Electronic-	Electronic-	Electronic-	Electroni
					1								1st	Add'l	Disc 1st	Disc Add
					1 1		Nonrecurring		Nonrecurring	Disconnect		L	088	Rates (\$)		
			+			Rec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		i				11134	Addi	7	rida	5525	00,,		1 33		1 55
	Design		3	UEP93		29 98	1								1	1
UNE	oop Rate	-	<u> </u>	OLF 85	+	20 30						····		 		+
ONEL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12 48			1	-		 				+
			2	UEP93	UECS1	16 31							i -	 		+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		_								-		ļ			
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21 32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16 56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21 63								l		
_	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28 28									1	1
LINE P	ort Rate		Ť													1
	Y, LA, MS, & TN only										i				1	1
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1 70	22 14	15 25	8 45	3 91		30 89	7 03		1	
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	 	+	100.00	1251 10	. , , 0		10 20				- 55 55	1	<u> </u>		+
	Area	l		UEP93	UEPYB	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
		├	ļ	OLF 33	OLI 1B	170	22 14	10 20	0 70	331	 	30 39	1 , 00	1	1	+
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	l	1	LIEBOS	UEDV.	4 70	22.44	45.05	0.45	2.04	I	30 89	7 03	ĺ		1
	Area		ļ	UEP93	UEPYH	1 70	22 14	15 25	8 45	3 91	-	30.89	/ 03	 	1	+
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	l	1				1		_	_	I	l	l	1		1
	Center)2,3 Basic Local Area]	UEP93	UEPYM	1 70	22 14	15 25	8 45	3 91	L	30 89	7 03			1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800														T	
	Service Term - Basic Local Area			UEP93	UEPYZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
1		l		UEP93	UEPY9	1 70	22 14	15 25	8 45	3 91		30 89	7 03		i	1
	- Basic Local Area	-		OLF 83	OLI 18	, 10	22 17	10 20				1 00 00	1.00			+
- 1	2-Wire Voice Grade Port Terminated on 800 Service Term -	ŀ				1	00.44	45.05	0.45	2.04	l	20.00	7 03		1	1
	Basic Local Area		<u> </u>	UEP93	UEPY2	1 70	22 14	15 25	8 45	3 91	ļ	30 89		.	-	+
	2-Wire Voice Grade Port (Centrex)	i	<u> </u>	UEP93	UEPQA	1 70	22 14	15 25	8 45	3 91		30 89				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire												T			
	Center)2,3			UEP93	UEPQM	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		<u> </u>		1								i			
			i	UEP93	UEPQZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	Service Term	 	1	OLF 33	OLI GZ		22 17	10 20	0 .0.			1			†	+
					luenee	4 70	20.44	15 25	8 45	3 91		30 89	7 03	li .		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		 	UEP93	UEPQ9	1 70	22 14				ļ				 	+
T	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1 70	22 14	15 25	8 45	3 91	ļ	30 89	7 03	-		
Local	Switching			i											1	↓
-	Centrex Intercom Funtionality, per port			UEP93	URECS	0 6381										
Local	Number Portability				_						l		i			
	Local Number Portability (1 per port)	1		UEP93	LNPCC	0 35										1
Featur				<u>† </u>									1			1
- Touta	All Standard Features Offered, per port		+	UEP93	UEPVF	0.00	. –									T
-		-	+	UEP93	UEPVC	0 00								1		1
	All Centrex Control Features Offered, per port	-	-	UEF93	UEFVC	0.00					 	1	 	1	 	+
NARS			1	LUEBOO	-Luniou	2.02	2.00	0.00	0.00	0 00	 	0 00	7 03		+	+
	Unbundled Network Access Register - Combination	<u> </u>	<u> </u>	UEP93	UARCX	0 00	0 00								1	+
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0 00	0 00	0 00	0 00	0 00		0 00			-	+
	Unbundled Network Access Register - Outdial	I		UEP93	UAROX	0 00	0.00	0.00	0 00	0 00		0 00	7 03		1	4
Misce	llaneous Terminations										L	1	<u> </u>		1	
	Trunk Side		1													
T	Trunk Side Terminations, each	_		UEP93	CEND6	8 78	22 14	15 25	8 45	3 91		30 89	7 03			
A.Mi	e Digital (1.544 Megabits)	t	1	1	1							l				
AAILE	DS1 Circuit Terminations, each		1	UEP93	M1HD1	35 55	75 93	38 15			Ţ.	30 89				
	DS0 Channels Activated, Per Channel	1	+	UEP93	M1HDO	0 00	108 67			·	T	30 89	7 03			
1-4-			+-	32. 55			1,7,7,7				T	1	1			
Intero	ffice Channel Mileage - 2-Wire	+ -	+	UEP93	M1GBC	18 58	22 14	15 25	8 45	3 91	l	30 89	7 03	1		T
	Interoffice Channel Facilities Termination	1	+			0 0174	22 14	15 25	- 0 40		 	1 22.00	1			_
	Interoffice Channel mileage, per mile or fraction of mile	L	4	UEP93	M1GBM	0 01/4						+	+	 	1	_
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce									 	+	+	 	+	+
D4 Ch	annel Bank Feature Activations		<u>L</u> .	1						<u> </u>		 	 	 	1	+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		上	UEP93	1PQWS	0 66			ļ		 	 	 	 		+
			T							l	1	1	1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	всѕ	USOC							Submitted	Manual Svc	Charge -	Charge - Manual Svc Order vs	Charge - Manual Sv Order vs.
							Nonrecurring		Nonrecurrin	g Disconnect			OSS Rates (s (\$)	
				-		Rec	First	Add'l	First	Add'l	SOMEC SOMAN			SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0 66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0 66	j									
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0 66						l				1
Non-F	lecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1 03	0 29				30 89	7 03			
	New Centrex Standard Common Block			UEP93	M1ACS	0 00	658 60					30 89	7 03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658 60					30 89	7 03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68 57				1	30 89	7 03			
Additi	onal Non-Recurring Charges (NRC)										1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8 33	0 83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11 23	1 10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note	2 - Requres Interoffice Channel Mileage	1									l					·
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and P	ort													
	- Requires Specific Customer Premises Equipment							•								
Note	Rates displaying an "R" in Interim column are interim and sut	ject to ra	ate tru	e-up as set forth i	n General Tern	ns and Conditi	ons.				1				1	

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	. 3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	. 3
3.	MISCELLANEOUS	. 5

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide to Deland Actel nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Deland Actel can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Deland Actel with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Deland Actel and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent Deland Actel requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Deland Actel, BellSouth will not assess Deland Actel additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Deland Actel nondiscriminatory access to its OSS and the necessary information contained therein in order that Deland Actel can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Deland Actel to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Deland Actel's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Deland Actel can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic

Version 3Q03: 11/05/2003

interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Deland Actel will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Deland Actel shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Deland Actel shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Deland Actel shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Deland Actel will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Deland Actel's access to customer record information. If a BellSouth audit of Deland Actel's access to customer record information reveals that Deland Actel is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Deland Actel may take corrective action, including but not limited to suspending or terminating Deland Actel's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Deland Actel electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Deland Actel will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Deland Actel electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Deland Actel will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of

Version 3Q03: 11/05/2003

this Agreement. BellSouth and Deland Actel agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Deland Actel nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Deland Actel agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Deland Actel agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Deland Actel at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 Pending Orders. Orders placed in the hold or pending status by Deland Actel will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Deland Actel shall be required to submit a new service request. Incorrect or invalid requests returned to Deland Actel for correction or clarification will be held for thirty (30) days. If Deland Actel does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 Single Point of Contact. Deland Actel will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Deland Actel to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Deland Actel and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Deland Actel to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End

User. BellSouth will notify Deland Actel that such a request has been processed but will not be required to notify Deland Actel in advance of such processing.

- 3.2.1 Neither BellSouth nor Deland Actel shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- Deland Actel shall return a FOC to BellSouth within thirty-six (36) hours after Deland Actel's receipt from BellSouth of a valid LSR.
- 3.2.4 Deland Actel shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Deland Actel elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Deland Actel by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Deland Actel that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Deland Actel's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Deland Actel, which has the billing relationship with that End User, and Deland Actel may pass such charge to the End User.

- Cancellation Charges. If Deland Actel cancels a request for network elements or 3.6 resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Deland Actel places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Deland Actel places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Deland Actel may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Deland Actel elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Deland Actel, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.