



FILED 5/23/2025
DOCUMENT NO. 03883-2025
FPSC - COMMISSION CLERK

Attorneys and Counselors at Law
123 South Calhoun Street
P.O. Box 391 32302
Tallahassee, FL 32301

P: (850) 224-9115
F: (850) 222-7560

ausley.com

May 23, 2025

ELECTRONIC FILING

Mr. Adam J. Teitzman, Commission Clerk
Office of Commission Clerk
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399-0850

Re: Fuel and Purchased Power Cost Recovery Clause with Generating Performance
Incentive Factor
FPSC Docket No. 20250001-EI

Dear Mr. Teitzman:

Attached for filing in the above docket are Tampa Electric Company's GPIF Actual Unit
Performance Data Schedules for the month of April 2025.

Thank you for your assistance in connection with this matter.

Sincerely,

A handwritten signature in blue ink that reads 'Malcolm N. Means'.

Malcolm N. Means

MNM/bml
Attachment

cc: All parties of record (w/attachment)
Ryan Sandy (w/Excel)

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a true and correct copy of the foregoing Schedules, filed on behalf of Tampa Electric Company, have been furnished by electronic mail on the 23rd day of May 2025 to the following:

Ryan Sandy
Office of the General Counsel
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850
rsandy@psc.state.fl.us
discovery-gcl@psc.state.fl.us

Walter Trierweiler
Charles Rehwinkel
Patricia A. Christensen
Mary Wessling
Octavio Ponce
Austin Watrous
Office of Public Counsel
111 West Madison Street, Room 812
Tallahassee, FL 32399-1400
Trierweiler.Walt@leg.state.fl.us
Rehwinkel.charles@leg.state.fl.us
christensen.patty@leg.state.fl.us
wessling.mary@leg.state.fl.us
ponce.octavio@leg.state.fl.us
watrous.austin@leg.state.fl.us

Dianne M. Triplett
Duke Energy Florida
299 First Avenue North
St. Petersburg, FL 33701
Dianne.triplett@duke-energy.com
FLRegulatoryLegal@duke-energy.com

Beth Keating
Gunster, Yoakley & Stewart, P.A.
215 S. Monroe St., Suite 601
Tallahassee, FL 32301
bkeating@gunster.com

Maria Moncada
David M. Lee
Florida Power & Light Company
700 Universe Boulevard
Juno Beach, FL 33408-0420
maria.moncada@fpl.com
david.lee@fpl.com

Kenneth Hoffman
Vice President, Regulatory Relations
Florida Power & Light Company
215 South Monroe Street, Suite 810
Tallahassee, FL 32301-1859
ken.hoffman@fpl.com

Mike Cassel
Regulatory and Governmental Affairs
Florida Public Utilities Company
Florida Division of Chesapeake Utilities Corp.
208 Wildlight Ave.
Yulee, FL 32097
mcassel@fpuc.com

Robert Scheffel Wright
John LaVia, III
Gardner, Bist, Wiener, Wadsworth, Bowden,
Bush, Dee, LaVia & Wright, P.A.
1300 Thomaswood Drive
Tallahassee, FL 32308
shef@gbwlegal.com
jlvavia@gbwlegal.com

Matthew R. Bernier
Robert Pickles
Stephanie A. Cuello
Duke Energy Florida
106 East College Avenue, Suite 800
Tallahassee, FL 32301-7740
Matthew.bernier@duke-energy.com
Robert.pickles@duke-energy.com
Stephanie.Cuello@duke-energy.com

Jon C Moyle, Jr.
Moyle Law Firm
118 North Gadsden Street
Tallahassee, FL 32301
jmoyle@moylelaw.com
mqualls@moylelaw.com

Michelle D. Napier
1635 Meathe Drive
West Palm Beach, FL 33411
mnapier@fpuc.com

James W. Brew
Laura W. Baker
Sarah B. Newman
Stone Mattheis Xenopoulos & Brew, PC
1025 Thomas Jefferson Street, NW
Eighth Floor, West Tower
Washington, D.C. 20007-5201
jbrew@smxblaw.com
lwb@smxblaw.com
sbn@smxblaw.com

Peter J. Mattheis
Michael K. Lavanga
Joseph R. Briscar
Stone Law Firm
1025 Thomas Jefferson St., NW
Suite 800 West
Washington, DC 20007-5201
pjm@smxblaw.com
mkl@smxblaw.com
jrb@smxblaw.com



ATTORNEY

ORIGINAL SHEET NO. 8.401.19A
TAMPA ELECTRIC COMPANY

ACTUAL UNIT PERFORMANCE DATA

JANUARY 2025 - DECEMBER 2025

PLANT/UNIT		MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	PERIOD
BAYSIDE 1		Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25	2025
1. Equivalent Availability Factor (%)	EAF	99.9	91.6	65.3	100.0									89.0
2. Period Hours	PH	744.0	672.0	743.0	720.0									2,879.0
3. Service Hours	SH	744.0	670.2	612.3	720.0									2,746.5
4. Reserve Shutdown Hours	RSH	0.0	0.0	0.0	0.0									0.0
5. Unavailable Hours	UH	0.7	39.5	217.0	0.0									257.2
6. Planned Outage Hours	POH	0.0	39.0	160.5	0.0									199.5
7. Forced Outage Hours	FOH	0.0	0.6	56.5	0.0									57.1
8. Maintenance Outage Hours	MOH	0.7	0.0	0.0	0.0									0.7
9a. Partial Planned Outage Hours	PPOH	0.0	0.0	0.0	0.0									0.0
9b. Load Reduction Partial Planned (MW)	LRPP	0.0	0.0	0.0	0.0									0.0
10a. Partial Forced Outage Hours	PFOH	0.0	0.0	241.0	0.0									241.0
10b. Load Reduction Partial Forced (MW)	LRPF	0.0	0.0	86.0	0.0									86.0
11a. Partial Maintenance Outage Hours	PMOH	0.0	168.4	147.1	0.0									315.4
11b. Load Reduction Partial Maintenance (MW)	LRPM	0.0	86.0	92.8	0.0									89.2
12. Net Summer Continuous Rating (MW)	NSC	749.0	749.0	749.0	749.0									749.0
13. Operating British Thermal Units (GBTU)	OPR BTU	2,129.7	2,181.6	1,492.6	2,083.8									7,887.7
14. Net Generation (MWH)	NETGEN	290,705.0	305,902.0	208,781.5	284,570.0									1,089,958.5
15. Avg. Net Operating Heat Rate (BTU/KWH)	ANOHR	7,326.0	7,132.0	7,149.0	7,323.0									7,236.7
16. Net Output Factor (%)	NOF	46.1	53.9	40.3	52.8									48.2
17. Net Period Continuous Rating (MW)	NPC	847.0	847.0	847.0	749.0									822.5
18. Avg. Net Operating Heat Rate Equation	ANOHR = NOF { -7.294 } + 7,882													

Note: Period hours may not match the Service, RS or Unavailble hours due to the individual componet hours of the Combined Cycle unit.

ORIGINAL SHEET NO. 8.401.19A
TAMPA ELECTRIC COMPANY

ACTUAL UNIT PERFORMANCE DATA

JANUARY 2025 - DECEMBER 2025

PLANT/UNIT		MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	PERIOD
BAYSIDE 2		Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25	2025
1. Equivalent Availability Factor (%)	EAF	59.4	30.0	0.8	8.1									24.6
2. Period Hours	PH	744.0	672.0	743.0	720.0									2,879.0
3. Service Hours	SH	6.7	0.0	15.2	5.4									27.3
4. Reserve Shutdown Hours	RSH	435.6	201.5	0.0	53.0									690.1
5. Unavailable Hours	UH	301.7	470.5	736.7	661.6									2,170.5
6. Planned Outage Hours	POH	0.0	207.5	502.4	301.7									1,011.6
7. Forced Outage Hours	FOH	274.7	263.0	234.4	359.8									1,131.9
8. Maintenance Outage Hours	MOH	27.0	0.0	0.0	0.0									27.0
9a. Partial Planned Outage Hours	PPOH	0.0	0.0	0.0	0.0									0.0
9b. Load Reduction Partial Planned (MW)	LRPP	0.0	0.0	0.0	0.0									0.0
10a. Partial Forced Outage Hours	PFOH	0.0	0.0	0.0	0.0									0.0
10b. Load Reduction Partial Forced (MW)	LRPF	0.0	0.0	0.0	0.0									0.0
11a. Partial Maintenance Outage Hours	PMOH	0.0	0.0	0.0	0.0									0.0
11b. Load Reduction Partial Maintenance (MW)	LRPM	0.0	0.0	0.0	0.0									0.0
12. Net Summer Continuous Rating (MW)	NSC	999.0	999.0	999.0	999.0									999.0
13. Operating British Thermal Units (GBTU)	OPR BTU	11.3	0.0	20.4	13.2									44.9
14. Net Generation (MWH)	NETGEN	796.0	-115.2	428.5	901.1									2,010.4
15. Avg. Net Operating Heat Rate (BTU/KWH)	ANOHR	14,239.0	0.0	47,504.0	14,690.0									22,354.8
16. Net Output Factor (%)	NOF	0.0	0.0	2.6	16.6									6.8
17. Net Period Continuous Rating (MW)	NPC	1,121.0	1,121.0	1,121.0	999.0									1,090.5
18. Avg. Net Operating Heat Rate Equation	ANOHR = NOF (-35.618) + 9,594													

Note: Period hours may not match the Service, RS or Unavailble hours due to the individual componet hours of the Combined Cycle unit.

JANUARY 2025 - DECEMBER 2025

[illegible]

ORIGINAL SHEET NO. 8.401.19A
TAMPA ELECTRIC COMPANY

ACTUAL UNIT PERFORMANCE DATA

JANUARY 2025 - DECEMBER 2025

PLANT/UNIT		MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	MONTH OF:	PERIOD
POLK 2		Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25	2025
1. Equivalent Availability Factor (%)	EAF	99.9	94.0	81.4	100.0									93.7
2. Period Hours	PH	744.0	672.0	743.0	720.0									2,879.0
3. Service Hours	SH	744.0	672.0	743.0	720.0									2,879.0
4. Reserve Shutdown Hours	RSH	0.0	0.0	0.0	0.0									0.0
5. Unavailable Hours	UH	0.0	24.0	82.4	0.0									106.4
6. Planned Outage Hours	POH	0.0	17.7	75.3	0.0									93.0
7. Forced Outage Hours	FOH	0.0	0.1	0.2	0.0									0.3
8. Maintenance Outage Hours	MOH	0.0	6.3	6.9	0.0									13.2
9a. Partial Planned Outage Hours	PPOH	0.0	117.7	548.8	0.0									666.5
9b. Load Reduction Partial Planned (MW)	LRPP	0.0	120.0	120.0	0.0									120.0
10a. Partial Forced Outage Hours	PFOH	22.4	0.4	5.6	0.0									28.4
10b. Load Reduction Partial Forced (MW)	LRPF	37.2	120.0	120.2	0.0									54.7
11a. Partial Maintenance Outage Hours	PMOH	3.0	41.7	0.0	0.0									44.7
11b. Load Reduction Partial Maintenance (MW)	LRPM	119.2	120.1	0.0	0.0									120.0
12. Net Summer Continuous Rating (MW)	NSC	1,061.0	1,061.0	1,061.0	1,061.0									1,061.0
13. Operating British Thermal Units (GBTU)	OPR BTU	3,403.8	3,346.2	3,070.2	3,458.1									13,278.3
14. Net Generation (MWH)	NETGEN	473,442.0	467,750.0	424,916.0	483,546.0									1,849,655.0
15. Avg. Net Operating Heat Rate (BTU/KWH)	ANOHR	7,189.0	7,154.0	7,225.0	7,152.0									7,178.8
16. Net Output Factor (%)	NOF	53.0	58.0	47.7	63.3									55.1
17. Net Period Continuous Rating (MW)	NPC	1,200.0	1,200.0	1,200.0	1,061.0									1,165.3
18. Avg. Net Operating Heat Rate Equation	ANOHR = NOF (-14.998) + 8,177													

Note: Period hours may not match the Service, RS or Unavailble hours due to the individual componet hours of the Combined Cycle unit.

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
BS CT1(A)	32	Reserve Shutdowr	4/4/2025	8:50:00	4/4/2025	17:09:00	8.32			Reserve Shutdown		168
BS CT1(A)	33	Reserve Shutdown	4/8/2025	6:20:00	4/8/2025	17:26:00	11.1			Reserve Shutdown		168
BS CT1(A)	34	Reserve Shutdown	4/10/2025	8:11:00	4/10/2025	15:40:00	7.48			Reserve Shutdown		168
BS CT1(A)	35	Reserve Shutdowr	4/11/2025	8:58:00	4/11/2025	17:52:00	8.9			Reserve Shutdown		168
BS CT1(A)	36	Reserve Shutdown	4/13/2025	7:38:00	4/13/2025	18:29:00	10.85			Reserve Shutdown		168
BS CT1(A)	37	Reserve Shutdown	4/15/2025	8:52:00	4/15/2025	16:54:00	8.03			Reserve Shutdown		168
BS CT1(A)	38	Reserve Shutdown	4/16/2025	9:50:00	4/16/2025	16:37:00	6.78			Reserve Shutdown		168
BS CT1(A)	39	Reserve Shutdown	4/17/2025	21:06:00	4/18/2025	14:13:00	17.12			Reserve Shutdown		168
BS CT1(A)	40	Reserve Shutdown	4/23/2025	0:47:00	4/23/2025	18:39:00	17.87			Reserve Shutdown		168
BS CT1(A)	41	Reserve Shutdowr	4/28/2025	21:55:00	4/29/2025	13:27:00	15.53			Reserve Shutdown		168

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
BS CT1(B)	27	Reserve Shutdowr	4/7/2025	8:37:00	4/7/2025	17:35:00	8.97			Reserve Shutdown		168
BS CT1(B)	28	Reserve Shutdown	4/8/2025	10:09:00	4/8/2025	18:11:00	8.03			Reserve Shutdown		168
BS CT1(B)	29	Reserve Shutdown	4/9/2025	9:02:00	4/9/2025	18:34:00	9.53			Reserve Shutdown		168
BS CT1(B)	30	Reserve Shutdowr	4/12/2025	0:55:00	4/12/2025	17:06:00	16.18			Reserve Shutdown		168
BS CT1(B)	31	Reserve Shutdown	4/13/2025	22:53:00	4/14/2025	15:37:00	16.73			Reserve Shutdown		168
BS CT1(B)	32	Reserve Shutdown	4/16/2025	0:27:00	4/17/2025	18:32:00	42.08			Reserve Shutdown		168
BS CT1(B)	33	Reserve Shutdowr	4/19/2025	1:15:00	4/19/2025	19:16:00	18.02			Reserve Shutdown		168
BS CT1(B)	34	Reserve Shutdown	4/20/2025	7:39:00	4/20/2025	16:42:00	9.05			Reserve Shutdown		168
BS CT1(B)	35	Reserve Shutdown	4/20/2025	21:37:00	4/21/2025	16:56:00	19.32			Reserve Shutdown		168
BS CT1(B)	36	Reserve Shutdowr	4/21/2025	22:07:00	4/22/2025	17:15:00	19.13			Reserve Shutdown		168
BS CT1(B)	37	Reserve Shutdown	4/23/2025	9:49:00	4/23/2025	16:09:00	6.33			Reserve Shutdown		168
BS CT1(B)	38	Reserve Shutdown	4/25/2025	8:49:00	4/25/2025	16:59:00	8.17			Reserve Shutdown		168
BS CT1(B)	39	Reserve Shutdowr	4/26/2025	8:32:00	4/26/2025	17:52:00	9.33			Reserve Shutdown		168
BS CT1(B)	40	Reserve Shutdown	4/26/2025	23:28:00	4/27/2025	15:43:00	16.25			Reserve Shutdown		168
BS CT1(B)	41	Reserve Shutdown	4/28/2025	1:45:00	4/28/2025	16:12:00	14.45			Reserve Shutdown		168
BS CT1(B)	42	Reserve Shutdown	4/30/2025	1:26:00	4/30/2025	14:16:00	12.83			Reserve Shutdown		168
BS CT1(B)	43	Reserve Shutdowr	4/30/2025	21:55:00	4/30/2025	23:59:00	2.08			Reserve Shutdown		168

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
85 CT1(C)	34	Reserve Shutdown	4/3/2025	1:29.00	4/3/2025	13:27.00	11 97					168
85 CT1(C)	35	Reserve Shutdown	4/5/2025	8:33.00	4/5/2025	16:44.00	8 18					168
85 CT1(C)	36	Reserve Shutdown	4/6/2025	8:29.00	4/6/2025	15:46.00	7 28					168
85 CT1(C)	37	Reserve Shutdown	4/9/2025	8:01.00	4/9/2025	16:08.00	8 12					168
85 CT1(C)	38	Reserve Shutdown	4/10/2025	9:17.00	4/10/2025	16:08.00	6 85					168
85 CT1(C)	39	Reserve Shutdown	4/11/2025	1:17.00	4/11/2025	15:50.00	14 55					168
85 CT1(C)	40	Reserve Shutdown	4/12/2025	7:40.00	4/13/2025	14:22.00	30 7					168
85 CT1(C)	41	Reserve Shutdown	4/14/2025	8:44.00	4/14/2025	17:09.00	8 42					168
85 CT1(C)	42	Reserve Shutdown	4/15/2025	10:59.00	4/15/2025	18:19.00	7 33					168
85 CT1(C)	43	Reserve Shutdown	4/16/2025	22:56.00	4/17/2025	15:05.00	16 15					168
85 CT1(C)	44	Reserve Shutdown	4/18/2025	0:30.00	4/18/2025	15:57.00	15 45		Reserve Shutdown			168
85 CT1(C)	45	Reserve Shutdown	4/18/2025	23:24.00	4/19/2025	15:46.00	16 37		Reserve Shutdown			168
85 CT1(C)	46	Reserve Shutdown	4/19/2025	22:14.00	4/20/2025	15:23.00	17 15		Reserve Shutdown			168
85 CT1(C)	47	Reserve Shutdown	4/21/2025	0:29.00	4/21/2025	15:20.00	14 85		Reserve Shutdown			168
85 CT1(C)	48	Reserve Shutdown	4/22/2025	20:56.00	4/23/2025	9:15.00	12 32		Reserve Shutdown			168
85 CT1(C)	49	Reserve Shutdown	4/23/2025	23:40.00	4/24/2025	16:11.00	16 52		Reserve Shutdown			168
85 CT1(C)	50	Reserve Shutdown	4/24/2025	22:31.00	4/25/2025	15:05.00	16 57		Reserve Shutdown			168
85 CT1(C)	51	Reserve Shutdown	4/25/2025	23:32.00	4/26/2025	12:33.00	13 02		Reserve Shutdown			168
85 CT1(C)	52	Reserve Shutdown	4/26/2025	21:44.00	4/27/2025	12:08.00	14 4					168
85 CT1(C)	53	Reserve Shutdown	4/27/2025	22:34.00	4/28/2025	14:14.00	15 67					168
85 CT1(C)	54	Reserve Shutdown	4/29/2025	1:32.00	4/29/2025	17:41.00	16 15					168
85 CT1(C)	55	Reserve Shutdown	4/30/2025	7:50.00	4/30/2025	16:14.00	8 4		Reserve			168

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
------	--------------	------------	------------------	------------------	----------------	----------------	----------------	------------	------------------------	-----------	------------------------	-------------------------

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
BS CT2(A)	16	Planned Outage	4/1/2025	0:00:00	4/25/2025	8:27:00	584.45	3999	Other miscellaneous ba	Unit 2 CTs down while ST2 is in forced outage		168
BS CT2(A)	17	Reserve Shutdown	4/25/2025	8:27:00	4/29/2025	18:14:00	105.78					168
BS CT2(A)	18	Reserve Shutdown	4/29/2025	23:40:00	4/30/2025	23:59:00	24.33					168

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
BS CT2(B)	17	Planned Outage	4/1/2025	0:00:00	4/26/2025	2:28:00	602.47	3999	Other miscellaneous b	Unit 2 CTs down while ST2 is in forced outage		168
BS CT2(B)	18	Reserve Shutdown	4/26/2025	2:28:00	4/29/2025	19:43:00	89.25					168
BS CT2(B)	19	Reserve Shutdown	4/29/2025	23:27:00	4/30/2025	23:59:00	24.55					168

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
BS CT2(C)	19	Planned Outage	4/1/2025	0:00:00	4/26/2025	7:13:00	607.22	3999	Other miscellaneous balance c	Unit 2 CTs down while ST2 is in forced outage		168
BS CT2(C)	20	Reserve Shutdown	4/26/2025	7:13:00	4/29/2025	21:13:00	86					168
BS CT2(C)	21	Unplanned (Forced) t	4/29/2025	21:40:00	4/30/2025	16:00:00	18.33	5250	Other controls and instrument	CT2C had a bad mark6 card keeping it from synching to the grid. Unit tripped due to a		168
BS CT2(C)	22	Reserve Shutdown	4/30/2025	16:00:00	4/30/2025	23:59:00	8					168

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
B5 CT2(D)	9	Unplanned (Force-	4/1/2025	0:00:00	4/30/2025	23:59:00	720			Unit 2D Bus Accessory Compartment damage causing Units 2A-C to be unavailabl		168

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
BS ST 2	1	Unplanned (Forced) Outage	4/1/2025	0:00:00	5/1/2025	0:00:00	720 4012	Buckets or blades	Unit 2 ST tripped on high vibration due to HP turbine failureNote: Turbine had a fai			327

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
BB CT5	6	Planned Outage	4/1/2025	0:00:00	4/8/2025	5:00:00	173	5071	Combustor liner	GE driven Outage to inspect and replace damaged Unibodies.		360
BB CT5	7	Reserve Shutdown	4/8/2025	5:00:00	4/11/2025	7:37:00	74.62			Reserve Shutdown		360
BB CT5	8	Reserve Shutdown	4/15/2025	9:36:00	4/15/2025	10:25:00	0.82			Reserve Shutdown		360
BB CT5	9	Reserve Shutdown	4/16/2025	13:04:00	4/16/2025	13:33:00	0.48			Reserve Shutdown		360

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
BB CT6	6	Reserve Shutdown	4/16/2025	8:55:00	4/16/2025	9:24:00	0.48			Reserve Shutdown		360

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
BIG BEND ST1	7	Maintenance Derating	4/1/2025	00.00	4/8/2025	00.00	168	3999	Other miscellaneous balance of	CT5 Unbody Outage	165	335
BIG BEND ST1	8	Planned Outage	4/4/2025	1.56	4/16/2025	12.22	298.43	3299	Other circulating water system	Planned outage for cleaning the Aux Cooling tower and associated heat exchangers		335

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
Polk 2	33	Reserve Shutdown	4/2/2025	7:24:00	4/2/2025	8:23:00	0.98			Reserve Shutdown		150
Polk 2	34	Reserve Shutdown	4/9/2025	8:31:00	4/9/2025	15:50:00	7.32			Reserve Shutdown		150
Polk 2	35	Reserve Shutdown	4/10/2025	8:25:00	4/10/2025	16:05:00	7.67			Reserve Shutdown		150
Polk 2	36	Reserve Shutdown	4/11/2025	9:24:00	4/11/2025	17:06:00	7.7			Reserve Shutdown		150
Polk 2	37	Reserve Shutdown	4/13/2025	9:11:00	4/13/2025	19:02:00	9.85			Reserve Shutdown		150
Polk 2	38	Reserve Shutdown	4/18/2025	22:33:00	4/19/2025	15:16:00	16.72			Reserve Shutdown		150
Polk 2	39	Reserve Shutdown	4/26/2025	9:13:00	4/26/2025	16:11:00	6.97			Reserve Shutdown		150

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
------	--------------	------------	------------------	------------------	----------------	----------------	----------------	------------	------------------------	-----------	------------------------	-------------------------

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
Polk 3	14	Reserve Shutdown	4/1/2025	10:02:00	4/1/2025	16:19:00	6.28			Reserve Shutdown		150
Polk 3	15	Reserve Shutdown	4/11/2025	22:46:00	4/12/2025	17:15:00	18.48			Reserve Shutdown		150
Polk 3	16	Reserve Shutdown	4/22/2025	23:19:00	4/23/2025	14:43:00	15.4			Reserve Shutdown		150

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
Polk 4	37	Reserve Shutdown	4/6/2025	10:17:00	4/6/2025	17:23:00	7.1		Reserve Shutdown			150
Polk 4	38	Reserve Shutdown	4/8/2025	14:40:00	4/9/2025	17:08:00	26.47		Reserve Shutdown			150
Polk 4	39	Reserve Shutdown	4/10/2025	0:48:00	4/10/2025	13:29:00	12.68		Reserve Shutdown			150
Polk 4	40	Reserve Shutdown	4/11/2025	7:52:00	4/11/2025	18:25:00	10.55		Reserve Shutdown			150
Polk 4	41	Reserve Shutdown	4/12/2025	8:15:00	4/14/2025	14:48:00	54.55		Reserve Shutdown			150
Polk 4	42	Reserve Shutdown	4/15/2025	9:10:00	4/15/2025	16:01:00	6.85		Reserve Shutdown			150
Polk 4	43	Reserve Shutdown	4/16/2025	22:03:00	4/17/2025	18:33:00	20.5		Reserve Shutdown			150
Polk 4	44	Reserve Shutdown	4/17/2025	21:44:00	4/18/2025	18:10:00	20.43		Reserve Shutdown			150
Polk 4	45	Reserve Shutdown	4/19/2025	7:36:00	4/19/2025	18:22:00	10.77		Reserve Shutdown			150
Polk 4	46	Reserve Shutdown	4/20/2025	1:44:00	4/20/2025	18:02:00	16.3		Reserve Shutdown			150
Polk 4	47	Reserve Shutdown	4/21/2025	7:34:00	4/21/2025	16:05:00	8.52		Reserve Shutdown			150
Polk 4	48	Reserve Shutdown	4/21/2025	23:35:00	4/22/2025	16:15:00	16.67		Reserve Shutdown			150
Polk 4	49	Reserve Shutdown	4/23/2025	8:50:00	4/23/2025	15:56:00	7.1		Reserve Shutdown			150
Polk 4	50	Reserve Shutdown	4/24/2025	8:43:00	4/24/2025	16:54:00	8.18		Reserve Shutdown			150
Polk 4	51	Reserve Shutdown	4/25/2025	23:47:00	4/26/2025	14:56:00	15.15		Reserve Shutdown			150
Polk 4	52	Reserve Shutdown	4/27/2025	1:41:00	4/27/2025	12:48:00	11.12		Reserve Shutdown			150
Polk 4	53	Reserve Shutdown	4/28/2025	0:37:00	4/28/2025	15:17:00	14.67		Reserve Shutdown			150
Polk 4	54	Reserve Shutdown	4/28/2025	23:28:00	4/29/2025	13:24:00	13.93		Reserve Shutdown			150
Polk 4	55	Reserve Shutdown	4/29/2025	22:38:00	4/30/2025	14:57:00	16.32		Reserve Shutdown			150

Tampa Electric Company
Event Listing
April 2025

Unit	Event Number	Event Type	Event Begin Date	Event Begin Time	Event End Date	Event End Time	Event Duration	Cause Code	Cause Code Description	Narrative	Net Available Capacity	Net Dependable Capacity
Polk S	20	Reserve Shutdown	4/11/2025	8:06:00	4/11/2025	14:53:00	6.78		Reserve Shutdown			150
Polk S	21	Reserve Shutdown	4/12/2025	9:00:00	4/12/2025	18:57:00	9.95		Reserve Shutdown			150
Polk S	22	Reserve Shutdown	4/13/2025	8:11:00	4/13/2025	15:20:00	7.15		Reserve Shutdown			150
Polk S	23	Reserve Shutdown	4/14/2025	8:23:00	4/14/2025	17:09:00	8.77		Reserve Shutdown			150
Polk S	24	Reserve Shutdown	4/17/2025	8:21:00	4/17/2025	15:52:00	7.52		Reserve Shutdown			150
Polk S	25	Reserve Shutdown	4/18/2025	7:58:00	4/18/2025	15:21:00	7.38		Reserve Shutdown			150
Polk S	26	Reserve Shutdown	4/18/2025	21:52:00	4/20/2025	16:30:00	18.63		Reserve Shutdown			150
Polk S	27	Reserve Shutdown	4/22/2025	1:25:00	4/22/2025	14:05:00	12.67		Reserve Shutdown			150
Polk S	28	Reserve Shutdown	4/24/2025	0:28:00	4/24/2025	15:32:00	15.07		Reserve Shutdown			150
Polk S	29	Reserve Shutdown	4/25/2025	0:35:00	4/25/2025	16:33:00	15.97		Reserve Shutdown			150
Polk S	30	Reserve Shutdown	4/26/2025	5:36:00	4/26/2025	12:48:00	7.2		Reserve Shutdown			150
Polk S	31	Reserve Shutdown	4/27/2025	8:23:00	4/27/2025	15:52:00	7.48		Reserve Shutdown			150
Polk S	32	Reserve Shutdown	4/30/2025	7:29:00	4/30/2025	18:51:00	11.37		Reserve Shutdown			150