## State of Florida

Commissioners:
SUSAN F. CLARK, CHAIRMAN
J. TERRY DEASON
JULIA L. JOHNSON
DIANE K. KIESLING
JOE GARCIA



DIVISION OF WATER & WASTEWATER CHARLES HILL DIRECTOR (904) 413-6900

NUMBER-DA

## Public Service Commission

May 23, 1996

Mr. Robert Munro Chateau Hidden Valley Mobile Home Park 14205 E. Colonial Drive Orlando, Florida 33826

RE: Docket No. 960590-WS; Request for exemption from Florida Public Service Commission regulation for provision of water and wastewater service in Orange County by Chateau Hidden Valley Mobile Home Park.

Dear Mr. Munro:

The purpose of this letter is to inform you of the deficiencies in the above-referenced application, Docket No. 960590-WS. It is imperative that the following deficiency be corrected as soon as possible in order to avoid any further delay in the processing of your application.

 Lease - Pursuant to Rule 25-30.060(e), Florida Administrative Code (F.A.C.), a copy of the landlord's most recent version of a standard lease or rental agreement, stating that there is no separate charge for water and/or wastewater service, must be filed. If there is no lease or rental agreement, please send a notarized statement to that effect.

ACK AFA	Director, Division of Reco Florida 32399-0873. Also top of this letter, on all	four copies of the requested informated and Reporting, 2540 Shumard Oa please be sure to reference the Docker future correspondence in order to expendence of the correspondence	k Boulevard, Tallahassee, t Number, indicated at the ensure proper and timely
APP		ny questions, please do not hesitate to	contact me at (904) 413-
	6994.		
CAF		Sincerely,	
CMU		1.	
		Christing ! Tornlin.	an
EAG		Christine C. Tomlinson	
LEG	- 3× 50× 60 - 554	Regulatory Analyst	
LIN	ct\wp\960590.def		
FILE	(np \vois voider		
OFC	- Did- 11-16		
	cc: Division of Legal Se	ervices (Crosby)	DOCUMENT

Division of Records and Reporting

WAS \_\_\_\_CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BLVD • TALLAHASSEE, FL 32399-0850

Internet E-mail: CONTACT@PSCSTATE PLUSE FORTI