

VOTE SHEET

JULY 15, 1997

RE: DOCKET NO. 970209-WS - Joint application by United Waterworks, Inc., United Water Florida Inc., and Sunray Utilities - Nassau, Inc., for approval of transfer of Certificates Nos. 502-W and 436-S and utility facilities from Sunray Utilities - Nassau, Inc., to United Water Florida Inc.; cancellation of Certificates Nos. 502-W and 436-S; amendment of Certificates Nos. 179-S and 236-W for additional territory; and for limited proceeding to adjust rates in Nassau County.

Issue 1: Should Certificates Nos. 502-W and 436-S be transferred from Sunray to UWF?

Recommendation: Yes. The requested transfer should be approved. Certificates Nos. 502-W and 436-S should then be canceled upon amendment of UWF's operating certificates to include the additional territory in Nassau County.

APPROVED

COMMISSIONERS ASSIGNED: Full Commission

COMMISSIONERS' SIGNATURES

MAJORITY

DISSENTING

[Handwritten signatures in majority column]

REMARKS/DISSENTING COMMENTS

DOCUMENT NUMBER-DATE

07113 JUL 16 97

FPSC REPORTING

VOTE SHEET

JULY 15, 1997

DOCKET NO. 970209-WS - Joint application by United Waterworks, Inc., United Water Florida Inc., and Sunray Utilities - Nassau, Inc., for approval of transfer of Certificates Nos. 502-W and 436-S and utility facilities from Sunray Utilities - Nassau, Inc., to United Water Florida Inc.; cancellation of Certificates Nos. 502-W and 436-S; amendment of Certificates Nos. 179-S and 236-W for additional territory; and for limited proceeding to adjust rates in Nassau County.

(Continued from previous page)

Issue 2: What is the rate base of Sunray Utilities - Nassau, Inc., at the date of transfer?

Recommendation: The rate base amount, which for transfer purposes reflects the net book value, is \$795,370 for the water system and \$975,492 for the wastewater system. By design, the purchase price for this system will conform with the verified net plant balance for Sunray's facilities. Therefore, an acquisition adjustment will not be recorded.

APPROVED

Issue 3: Should the Commission grant UWF's request to adopt its existing rates and charges for the Sunray system while retaining Sunray's plant capacity and guaranteed revenue charges?

Recommendation: Yes. The Commission should grant UWF's request to adopt its existing rates and charges for the Sunray system while retaining Sunray's plant capacity and guaranteed revenue charges.

APPROVED

Issue 4: Should this docket be closed?

Recommendation: Yes. This docket should be closed if no timely protest is filed to the proposed agency action Issues.

APPROVED