BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Request by BellSouth Telecommunications, Inc. for approval of interconnection, unbundling, resale, and collocation agreement with New Millennium Communications Corporation pursuant to Sections 251, 252, and 271 of the Telecommunications Act of 1996. DOCKET NO. 980627-TP ORDER NO. PSC-98-1149-FOF-TP ISSUED: August 25, 1998

+ - *

The following Commissioners participated in the disposition of this matter:

JULIA L. JOHNSON, Chairman J. TERRY DEASON SUSAN F. CLARK JOE GARCIA E. LEON JACOBS, JR.

ORDER APPROVING RESALE, INTERCONNECTION, AND UNBUNDLING AGREEMENT

BY THE COMMISSION:

On May 7, 1998, BellSouth Telecommunications, Inc. (BellSouth) and New Millennium Communications Corporation (New Millennium) filed a request for approval of an resale, interconnection, and unbundling agreement under the Telecommunications Act of 1996, 47 U.S.C. §252(e) of the Telecommunications Act of 1996 (the Act). The agreement is attached to this Order as Attachment A and incorporated by reference herein.

Both the Act and Chapter 364, Florida Statutes, encourage parties to enter into negotiated agreements to bring about local exchange competition as quickly as possible. Under the requirements of 47 U.S.C. § 252(e), negotiated agreements must be submitted to the state commission for approval. Section 252(e)(4) requires the state to reject or approve the agreement within 90 days after submission or it shall be deemed approved.

U9205 AUG 25 8

in the state wave second dia

This agreement covers a two-year period and governs the relationship between the companies regarding local interconnection and the exchange of traffic pursuant to 47 U.S.C. § 251. Under 47 U.S.C. § 252(a)(1), the agreement shall include a detailed schedule of itemized charges for interconnection and each service or network element included in the agreement.

Upon review of the proposed agreement, we find that it complies with the Telecommunications Act of 1996; thus, we hereby approve it. BellSouth and New Millennium must file any supplements or modifications to their agreement with the Commission for review under the provisions of 47 U.S.C. § 252(e). Approval of this agreement does not constitute a determination that BellSouth has met the requirements of Section 271 of the Telecommunications Act.

Based on the foregoing, it is

ORDERED by the Florida Public Service Commission that the resale, interconnection, and unbundling agreement between BellSouth Telecommunications, Inc., 150 South Monroe Street, Suite 400, Tallahassee, Florida 32301-1556, and New Millennium Communications Corporation, 200 South Biscayne Boulevard, Suite 5400, Miami, Florida 33131-2310, as set forth in Attachment A and incorporated by reference in this Order, is hereby approved. It is further

ORDERED that any supplements or modifications to this agreement must be filed with the Commission for review under the provisions of 47 U.S.C. § 252(e). It is further

ORDERED that this docket shall be closed.

By ORDER of the Florida Public Service Commission this <u>25th</u> day of <u>August</u>, <u>1998</u>.

BLANCA S. BAYÓ, Director Division of Records and Reporting

Kay Flynn, Chief

Bureau of Records

(SEAL) ALC

NOTICE OF FURTHER PROCEEDINGS OR JUDICIAL REVIEW

The Florida Public Service Commission is required by Section 120.569(1), Florida Statutes, to notify parties of any administrative hearing or judicial review of Commission orders that is available under Sections 120.57 or 120.68, Florida Statutes, as well as the procedures and time limits that apply. This notice should not be construed to mean all requests for an administrative hearing or judicial review will be granted or result in the relief sought.

Any party adversely affected by the Commission's final action in this matter may request: 1) reconsideration of the decision by filing a motion for reconsideration with the Director, Division of Records and Reporting, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, within fifteen (15) days of the issuance of this order in the form prescribed by Rule 25-22.060, Florida Administrative Code; or 2) judicial review in Federal district court pursuant to the Federal Telecommunications Act of 1996, 47⁻ U.S.C. § 252(e)(6). ORDER NO. PSC-98-1149-FOF-TP DOCKET NO. 980627-TP PAGE 4 ATTACHMENT A

 $\mathbf{x}_{i} \in \mathbf{x}_{i}$

INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND NEW MILLENNIUM COMMUNICATIONS CORPORATION

٠

+ · ·

TABLE OF CONTENTS

General Terms and Conditions Part A

1. Purpose

2. Term of the Agreement

3. Ordering Procedures

4. Parity

White Pages Listings

6. Bona Fide Request Process for Further Unbundling

7. Liability and Indemnification

8. Intellectual Property Rights and Indemnification

9. Treatment of Proprietary and Confidential Information

....

10. Assignments

11. Resolution of Disputes

12. Limitation of Use

13. Taxes

14. Force Majeure

15. Year 2000 Compliance

16. Modification of Agreement

17. Waivers

18. Governing Law

19. Arm's Length Negotiations

20. Notices

21. Rule of Construction

22. Headings of No Force or Effect

23. Multiple Counterparts

24. Entire Agreement

Part B - Definitions

Attachment 1 - Resale

Attachment 2 - Unbundled Network Elements

Attachment 3 - Local Interconnection

Attachment 4 - Physical Collocation

Attachment 5 - Access to Numbers and Number Portability

Attachment 6 - Ordering and Provisioning

Attachment 7 - Billing and Billing Accuracy Certification

Attachment 8 - Rights-of-Way, Conduits and Pole Attachments

Attachment 9 - Bona Fide Request Process

Attachment 10- Performance Measurements

Attachment 11- Rates

> General Terms and Conditions - Part A Page 1

AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and New Millennium Communications Corp., ("New Millennium"), a Florida corporation, and shall be deemed effective as of _______, 1998. This agreement may refer to either BellSouth or New Millennium or both as a "Party" or "Parties. "

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, New Millennium is an alternative local exchange telecommunications company ("CLEC") authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, the Parties wish to interconnect their facilities, purchase unbundled elements, and exchange traffic specifically for the purposes of fulfilling their obligations pursuant to sections 251 and 252 of the Telecommunications Act of 1996 ("the Act").

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and New Millennium agree as follows:

1. Purpose

The Parties agree that the rates, terms and conditions contained within this Agreement, including all Attachments, comply and conform with each Parties' obligations under sections 251 and 252 of the Act. The access and interconnection obligations contained herein enable New Millennium to provide competing telephone exchange service to residential and business subscribers within the territory of BellSouth. The Parties agree that New Millennium will not be considered to have offered interconnection in any state within BellSouth's region until such time as it has ordered interconnection facilities for the purposes of providing business and/or residential local exchange service to customers.

> General Terms and Conditions - Part A Page 2

2. Term of the Agreement

- 2.1 The term of this Agreement shall be two years, beginning ______, 1998.
- 2.2 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations with regard to the terms, conditions and prices of local interconnection to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement"). The Parties further agree that any such Subsequent Agreement shall be for a term of no less than two (2) years unless the Parties agree otherwise.
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2, above, the Parties are unable to satisfactorily negotiate new local interconnection terms, conditions and prices, either Party may petition the Commission to establish appropriate local interconnection arrangements pursuant to 47 U.S.C. 252. The Parties agree that, in such event, they shall encourage the Commission to issue its order regarding the appropriate local interconnection arrangements no later than the expiration date of this Agreement. The Parties further agree that in the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the local interconnection arrangements without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective retroactive to the day following the expiration date of this Agreement. Until the Subsequent Agreement becomes effective, the Parties shall continue to exchange traffic pursuant to the terms and conditions of this Agreement.

3. Ordering Procedures

- 3.1 Detailed procedures for ordering and provisioning BellSouth services are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate.
- 3.2 BellSouth has developed electronic systems for placing most resale and some UNE orders. BellSouth has also developed electronic systems for accessing data needed to place orders including valid address, available services and features, available telephone numbers, due date estimation on pre-order and calculation on firm order, and customer service records where applicable. Charge for Operational Support Systems (OSS) shall be as set forth in this agreement.

> General Terms and Conditions - Part A Page 3

4. Parity

The services and service provisioning that BellSouth provides New Millennium for resale will be at least equal in quality to that provided to BellSouth, or any BellSouth subsidiary, affiliate, end user, or any other similarly situated telecommunications carrier. In connection with resale, BellSouth will provide New Millennium with pre-ordering, ordering, maintenance and trouble reporting, and daily usage data functionality that will enable New Millennium to provide equivalent levels of customer service to their local exchange customers as BellSouth provides to its own end users. BellSouth shall also provide New Millennium with unbundled network elements, and access to those elements, that is at least equal in quality to that which BellSouth provides BellSouth, or any BellSouth subsidiary, affiliate or other CLEC. BellSouth will provide number portability to New Millennium and their customers with minimum impairment of functionality, quality, reliability and convenience.

5. White Pages Listings

BellSouth shall provide New Millennium and their customers access to white pages directory listings under the following terms:

- 5.1 <u>Listings</u>. BellSouth or its agent will include New Millennium residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between New Millennium and BellSouth subscribers.
- 5.2 Rates. Subscriber primary listing information in the White Pages shall be provided at no charge to New Millennium or its subscribers provided that New Millennium provides subscriber listing information to BellSouth at no charge.
- 5.3 Procedures for Submitting New Millennium Subscriber Information. BellSouth will provide to New Millennium a magnetic tape or computer disk containing the proper format for submitting subscriber listings. New Millennium will be required to provide BellSouth with directory listings and daily updates to those listings, including new, changed, and deleted listings, in an industry-accepted format. These procedures are detailed in BellSouth's Local Interconnection and Facility Based Ordering Guide.
- 5.4 Unlisted Subscribers. New Millennium will be required to provide to BeilSouth the names, addresses and telephone numbers of all New Millennium customers that wish to be omitted from directories.

2/1/98

> General Terms and Conditions - Part A Page 4

5.5 Inclusion of New Millennium Customers in Directory Assistance Database. BellSouth will include and maintain New Millennium subscriber listings in BellSouth's directory assistance databases at no charge. BellSouth and New Millennium will formulate appropriate procedures regarding lead time, timeliness, format and content of listing information.

- 5.6 Listing Information Confidentiality. BellSouth will accord New Millennium's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to New Millennium's customer proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings.
- 5.7 Optional Listings. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 <u>Delivery</u>. BellSouth or its agent shall deliver White Pages directories to New Millennium subscribers at no charge.

6. Bona Fide Request Process for Further Unbundling

BellSouth shall, upon request of New Millennium, provide to New Millennium access to its unbundled elements at any technically feasible point for the provision of New Millennium's telecommunications service where such access is necessary and failure to provide access would impair the ability of New Millennium to provide services that it seeks to offer. Any request by New Millennium for access to an unbundled element that is not already available shall be treated as an unbundled element Bona Fide Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request process set forth in Attachment 9.

7. Liability and Indemnification

- 7.1 <u>BellSouth Liability</u>. BellSouth shall take financial responsibility for its own actions in causing, or its lack of action in preventing, unbillable or uncollectible New Millennium revenues.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. Neither BellSouth nor New Millennium shall be liable for any act or omission of another telecommunications company providing a portion of the services provided under this Agreement.

> General Terms and Conditions - Part A Page 5

7.3 Limitation of Liability.

- 7.3.1 Each Party's liability to the other for any loss, cost, claim, injury or liability or expense, including reasonable attorney's fees relating to or arising out of any negligent act or omission in its performance of this Agreement whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 7.3.2 Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its Customer and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to Customer or third Party for (I) any Loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such party would have charged that applicable person for the service, product or function that gave rise to such Loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a Loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the Loss that . would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such Loss.
- 7.3.3 Neither BellSouth nor New Millennium shall be liable for damages to the other's terminal location, POI or other company's customers' premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a company's negligence or willful misconduct or by a company's failure to properly ground a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

> General Terms and Conditions - Part A Page 6

7.4 Indemnification for Certain Claims. BellSouth and New Millennium providing services, their affiliates and their parent company, shall be indemnified, defended and held harmless by each other against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander, invasion of privacy or copyright infringement arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the other company's customer arising from one company's use or reliance on the other company's services, actions, duties, or obligations arising out of this Agreement.

7.5 No liability for Certain Inaccurate Data. Except in the case of an intentional act of misconduct, neither BellSouth nor New Millennium assumes any liability for the accuracy of data provided by one Party to the other and each Party agrees to indemnify and hold harmless the other for any claim, action, cause of action, damage, or injury that might result from the supply of inaccurate data in conjunction with the provision of any service provided pursuant to this Agreement, unless said supply of inaccurate data is intentional.

7.6 Disclaimer. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

Intellectual Property Rights and Indemnification

- 8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. New Millennium is strictly prohibited from any use, including but not limited to insales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark.
- 8.2 <u>Ownership of Intellectual Property</u>. Any intellectual property which originates from or is developed by a Party shall remain in the exclusive ownership of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or

> General Terms and Conditions - Part A Page 7

hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

- 8.3 Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 of this Agreement.
- 8.4 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement,
 then said Party shall promptly and at its sole expense, but subject to the limitations of liability set forth below:
- 8.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.4.2 obtain a license sufficient to allow such use to continue.
- 8.4.3 In the event 8.4.1 or 8.4.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

> General Terms and Conditions - Part A Page 8

8.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this agreement.

9. Treatment of Proprietary and Confidential Information

- 9.1 Confidential Information. It may be necessary for BellSouth and New Millennium to provide each other with certain confidential information, including trade secret information, including but not limited to, technical and business plans, technical information, proposals, specifications, drawings, procedures, customer account data, call detail records and like information (hereinafter collectively referred to as "Information"). All Information shall be in writing or other tangible form and clearly marked with a confidential, private or proprietary legend and that the Information will be returned to the owner within a reasonable time. The Information shall not be copied or reproduced in any form. BellSouth and New Millennium shall receive such Information and not disclose such Information. BellSouth and New Millennium shall protect the Information received from distribution, disclosure or dissemination to anyone except employees of BellSouth and New Millennium with a need to know such Information and which employees agree to be bound by the terms of this Section. BellSouth and New Millennium will use the same standard of care to protect Information received as they would use to protect their own confidential and proprietary Information.
- 9.2 Exception to Obligation. Notwithstanding the foregoing, there will be no obligation on BellSouth or New Millennium to protect any portion of the Information that is: (1) made publicly available by the owner of the Information or lawfully disclosed by a Party other than BellSouth or New Millennium; (2) lawfully obtained from any source other than the owner of the Information; or (3) previously known to the receiving Party without an obligation to keep it confidential.

10. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty hereunder, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate company of the Party without the consent of the other Party. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment of delegation hereof shall relieve the assignor

> General Terms and Conditions - Part A Page 9

of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

11. Resolution of Disputes

Except as otherwise stated in this Agreement, the Parties agree that if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, either Party may petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

The parties agree that any disputes or questions arising hereunder not within the jurisdiction of the Commission, including the construction or application of this Agreement, shall be settled by arbitration in accordance with the rules of the American Arbitration Association then in force at the offices of the American Arbitration Association in Miami, Florida by three arbitrators knowledgeable in the telecommunications industry. The decision of the arbitrators shall be final and binding on the parties, both as to law and to fact and shall not be appealable to any court in any jurisdiction. The expenses of the arbitrators shall be shared equally by the parties, unless the arbitrator determines that the expenses shall be otherwise assessed.

12. Limitation of Use

The Parties agree that this Agreement shall not be offered by either Party in another jurisdiction as evidence of any concession or as a waiver of any position taken by the other Party in that jurisdiction or for any other purpose.

13. Taxes

13.1 Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

> General Terms and Conditions - Part A Page 10

13.2 Taxes and Fees Imposed Directly On Either Seller or Purchaser.

- 13.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 13.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 13.3 Taxes and Fees Imposed on Purchaser But Collected And Remitted By Seller.
- 13.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 13.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 13.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may. contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- 13.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

2/1/98

> General Terms and Conditions - Part A Page 11

13.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

- 13.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 13.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 13.4 Taxes and Fees Imposed on Seller But Passed On To Purchaser.
- 13.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 13.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 13.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

> General Terms and Conditions - Part A Page 12

13.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 13.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 13.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 13.5 <u>Mutual Cooperation</u>. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

14. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a

> General Terms and Conditions - Part A Page 13

day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

15. Year 2000 Compliance

All software and related materials (collectively called "Software") delivered, connected with BellSouth or supplied in the furtherance of the terms and conditions specified in this Agreement: (i) will record, store, process and display calendar dates falling on or after January 1, 2000, in the same manner, and with the same functionality as such software records, stores, processes and calendar dates falling on or before December 31, 1999; and (ii) shall include without limitation date data century recognition, calculations that accommodate same century and multicentury formulas and date values, and date data interface values that reflect the century.

16. Modification of Agreement

- 16.1 BellSouth shall make available to New Millennium any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252; provided however the parties shall adopt such other agreement in its entirety. The adopted agreement shall apply to the same states as such other agreement and for the identical term.
- 16.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- 16.3 Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).
- 16.4 In the event that any final and nonappealable legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of New Millennium or BellSouth to perform any material terms

2/1/98

....

> General Terms and Conditions - Part A Page 14

of this Agreement, New Millennium or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in Section 11.

If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be affected thereby, provided that the Parties shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

17. Waivers

16.5

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the specific performance of any and all of the provisions of this Agreement.

18. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

19. Arm's Length Negotiations

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

CLEC Account Team

> General Terms and Conditions - Part A Page 15

Room E4E1 3535 Colonnade Parkway Birmingham, Alabama 35243

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

New Millennium Communications

200 North Biscayne Boulevard Suite 1200 Miami, FL 33132

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- 20.2 Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 BellSouth shall provide New Millennium 45-day advance notice via Internet posting of price changes and of changes to the terms and conditions of services available for resale. To the extent that revisions occur between the time BellSouth notifies New Millennium of changes under this Agreement and the time the changes are scheduled to be implemented, BellSouth will immediately notify New Millennium of such. revisions consistent with its internal notification process. New Millennium may not hold BellSouth responsible for any cost incurred as a result of such revisions, unless such costs are incurred as a result of BellSouth's intentional misconduct. New Millennium may not utilize any notice given under this subsection concerning a service to market resold offerings of that service in advance of BellSouth.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

2/1/98

> General Terms and Conditions - Part A Page 16

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them, and neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

BellSouth Telecommunications, Inc. Title Date

New Millennium Communications

Signature

Chief Financial Officer Title

April 22, 1998

> General Terms and Conditions - Part B Page 1

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Centralized Message Distribution System is the BellCore administered national system, based in Kansas City, Missouri, used to exchange Exchange Message Record (EMR) formatted data among host companies.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Daily Usage File is the compilation of messages or copies of messages in standard Exchange Message Record (EMR) format exchanged from BellSouth to an CLEC.

Exchange Message Record is the nationally administered standard format for the exchange of data among Exchange Carriers within the telecommunications industry.

Intercompany Settlements (ICS) is the revenue associated with charges billed by a company other than the company in whose service area such charges were incurred. ICS on a national level includes third number and credit card calls and is administered by BellCore's Credit Card and Third Number Settlement System (CATS). Included is traffic that originates in one Regional Bell Operating Company's (RBOC) territory and bills in another RBOC's territory.

Intermediary function is defined as the delivery of local traffic from a local exchange carrier other than BellSouth; an CLEC other than New Millennium; another telecommunications company such as a wireless telecommunications provider through the network of BellSouth or New Millennium to an end user of BellSouth or New Millennium.

Local Interconnection is defined as 1) the delivery of local traffic to be terminated on each Party's local network so that end users of either Party have the ability to reach end users of the other Party without the use of any access code or substantial delay in the processing of the call; 2) the LEC unbundled network features, functions, and capabilities set forth in this Agreement; and 3) Service Provider Number Portability sometimes referred to as temporary telephone number portability to be implemented pursuant to the terms of this Agreement.

Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or a corresponding Extended Area Service ("EAS") exchange. The terms Exchange, and EAS exchanges are defined and specified in Section A3. of BellSouth's General Subscriber Service Tariff. Local Traffic

2/1/98

> General Terms and Conditions - Part B Page 2

does not include traffic that originates from or terminates to an enhanced service provider or information service provider.

Message Distribution is routing determination and subsequent delivery of message data from one company to another. Also included is the interface function with CMDS, where appropriate.

Multiple Exchange Carrier Access Billing ("MECAB") means the document prepared by the Billing Committee of the Ordering and Billing Forum ("OBF:), which functions under the auspices of the Carrier Liaison Committee of the Alliance for Telecommunications Industry Solutions ("ATIS") and by Bellcore as Special Report SR-BDS-000983, Containing the recommended guidelines for the billing of Exchange Service access provided by two or more LECs and/or CLECs or by one LEC in two or more states within a single LATA.

Non-Intercompany Settlement System (NICS) is the BellCore system that calculates non-intercompany settlements amounts due from one company to another within the same RBOC region. It includes credit card, third number and collect messages.

Percent of Interstate Usage (PIU) is defined as a factor to be applied to terminating access services minutes of use to obtain those minutes that should be rated as interstate access services minutes of use. The numerator includes all interstate "non-intermediary" minutes of use, including interstate minutes of use that are forwarded due to service provider number portability less any interstate minutes of use for Terminating Party Pays services, such as 800 Services. The denominator includes all "non-intermediary", local, interstate, intrastate, toll and access minutes of use adjusted for service provider number portability less all minutes attributable to terminating Party pays services.

Percent Local Usage (PLU) is defined as a factor to be applied to intrastate terminating minutes of use. The numerator shall include all "non-intermediary" local minutes of use adjusted for those minutes of use that only apply local due to Service Provider Number Portability. The denominator is the total intrastate minutes of use including local, intrastate toll, and access, adjusted for Service Provider Number Portability less intrastate terminating Party pays minutes of use.

Revenue Accounting Office (RAO) Status Company is a local exchange company/alternate local exchange company that has been assigned a unique RAO code. Message data exchanged among RAO status companies is grouped (i.e. packed) according to From/To/Bill RAO combinations.

Service Control Points ("SCPs") are defined as databases that store information and have the ability to manipulate data required to offer particular services.

Signal Transfer Points ("STPs") are signaling message switches that interconnect Signaling Links to route signaling messages between switches and databases. STPs

> General Terms and Conditions - Part B Page 3

enable the exchange of Signaling System 7 ("SS7") messages between switching elements, database elements and STPs. STPs provide access to various BellSouth and third party network elements such as local switching and databases.

Signaling links are dedicated transmission paths carrying signaling messages between carrier switches and signaling networks. Signal Link Transport is a set of two or four dedicated 56 kbps transmission paths between New Millennium designated Signaling Points of Interconnection that provide a diverse transmission path and cross connect to a BellSouth Signal Transfer Point.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47, U.S.C. Section 1 et. seq.).

...

Attachment 1

Resale

.

.

.

.

....

> Attachment 1 Page 1

RESALE

I. Discount Rates

The rates pursuant by which NEW MILLENNIUM is to purchase services from BellSouth for resale shall be at a discount rate off of the retail rate for the telecommunications service. The discount rates shall be as set forth in Exhibit A, attached hereto and incorporated herein by this reference. Such discount shall reflect the costs avoided by BellSouth when selling a service for wholesale purposes.

II. Definition of Terms

- A. CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- B. DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by the Company.
- C. END USER means the ultimate user of the telecommunications services.
- D. END USER CUSTOMER LOCATION means the physical location of the premises where an end user makes use of the telecommunications services.
- E. NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- F. OTHER LOCAL EXCHANGE COMPANY (ALEC) means a telephone company certificated by the public service commissions of the Company's franchised area to provide local exchange service within the Company's franchised area.
- G. RESALE means an activity wherein a certificated ALEC, such as NEW MILLENNIUM subscribes to the telecommunications services of the Company and then reoffers those telecommunications services to the public (with or without "adding value").
- H. RESALE SERVICE AREA means the area, as defined in a public service commission approved certificate of operation, within which an ALEC, such as NEW MILLENNIUM, may offer resold local exchange telecommunications service.

III. General Provisions

A. NEW MILLENNIUM may resell the tariffed local exchange and toll telecommunications services of BellSouth contained in the General Subscriber Service Tariff and Private Line Service Tariff subject to the terms, and conditions specifically set forth herein. Notwithstanding the foregoing, the exclusions and limitations on services available for resale will be as set forth in Exhibit B, attached hereto and incorporated herein by this reference.

> Attachment 1 Page 2

> >

BellSouth shall make available telecommunications services for resale at the rates set forth in Exhibit A to this agreement and subject to the exclusions and limitations set forth in Exhibit B to this agreement. It does not however waive its rights to appeal or otherwise challenge any decision regarding resale that resulted in the discount rates contained in Exhibit A or the exclusions and limitations contained in Exhibit B. BellSouth reserves the right to pursue any and all legal and/or equitable remedies, including appeals of any decisions. If such appeals or challenges result in changes in the discount rates or exclusions and limitations, the parties agree that appropriate modifications to this Agreement will be made promptly to make its terms consistent with the outcome of the appeal.

- B. NEW MILLENNIUM may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
 - 1. NEW MILLENNTUM must resell services to other end users.
 - NEW MILLENNIUM must order services through resale interfaces, i. e., the LCSC and/or appropriate Resale Account Teams pursuant to Section 3 of General Terms and Conditions.
 - NEW MILLENNIUM cannot be an alternative local exchange telecommunications company for the single purpose of selling to themselves.
- C. The provision of services by the Company to NEW MILLENNIUM does not constitute a joint undertaking for the furnishing of any service.
- D. NEW MILLENNIUM will be the customer of record for all services purchased from BellSouth. Except as specified herein, the Company will take orders from, bill and expect payment from NEW MILLENNIUM for all services.
- E. NEW MILLENNIUM will be the Company's single point of contact for all services purchased pursuant to this Agreement. The Company shall have no contact with the end user except to the extent provided for herein.
- F. The Company will continue to bill the end user for any services that the end user specifies it wishes to receive directly from the Company.
- G. The Company maintains the right to serve directly any end user within the service area of NEW MILLENNIUM. The Company will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with end users of NEW MILLENNIUM.
- H. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- I. Current telephone numbers may normally be retained by the end user. However, telephone numbers are the property of the Company and are assigned to the service furnished. NEW MILLENNIUM has no property right to the telephone number or any other call number designation associated with services furnished by the Company, and no right to the continuance of service through any particular central office. The Company reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever the Company deems it necessary to do so in the conduct of its business.

> Attachment 1 Page 3

> > ...

- J. The Company may provide any service or facility for which a charge is not established herein, as long as it is offered on the same terms to NEW MILLENNIUM.
- K. Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- L. Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- M. The Company can refuse service when it has grounds to believe that service will be used in violation of the law.
- N. The Company accepts no responsibility to any person for any unlawful act committed by NEW MILLENNIUM or its end users as part of providing service to NEW MILLENNIUM for purposes of resale or otherwise.
- O. The Company will cooperate fully with law enforcement agencies with subpoenas and court orders for assistance with the Company's customers. Law enforcement agency subpoenas and court orders regarding end users of NEW MILLENNIUM will be directed to NEW MILLENNIUM. The Company will bill NEW MILLENNIUM for implementing any requests by law enforcement agencies regarding NEW MILLENNIUM end users.
- P. The characteristics and methods of operation of any circuits, facilities or equipment provided by any, person or entity other than the Company shall not:
 - Interfere with or impair service over any facilities of the Company, its affiliates, or its connecting and concurring carriers involved in its service;
 - 2. Cause damage to their plant;
 - 3. Impair the privacy of any communications; or
 - 4. Create hazards to any employees or the public.
- Q. NEW MILLENNIUM assumes the responsibility of notifying the Company regarding less than standard operations with respect to services provided by NEW MILLENNIUM.
- R. Facilities and/or equipment utilized by BellSouth to provide service to NEW MILLENNIUM remain the property of BellSouth.
- S. White page directory listings will be provided in accordance with regulations set forth in Section A6 of the General Subscriber Service Tariff and will be available for resale.
- T. BellSouth will provide customer record information to NEW MILLENNIUM provided NEW MILLENNIUM has the appropriate Letter(s) of Authorization. BellSouth may provide customer record information via one of the following methods: US mail, fax, or by electronic interface. BellSouth will provide customer record information via US mail or fax on an interim basis only.

.

 NEW MILLENNIUM agrees to compensate BellSouth for all BeilSouth incurred expenditures associated with providing such information to NEW MILLENNIUM. NEW MILLENNIUM will adopt and adhere to the BellSouth guidelines associated with each method of providing customer record information.

> Attachment 1 Page 4

- All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from NEW MILLENNIUM who utilize the services.
- U.
- BellSouth will provide certain selected messaging services to NEW MILLENNIUM for resale of messaging service without the wholesale discount.
- V. BellSouth's Inside Wire Maintenance Plans may be made available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- W. All costs incurred by BellSouth for providing services to NEW MILLENNIUM that are not covered in the BellSouth tariffs shall be recovered from the NEW MILLENNIUM(s) who utilize those services.

IV. BellSouth's Provision of Services to NEW MILLENNIUM

- A. NEW MILLENNIUM agrees that its resale of BellSouth services shall be as follows:
 - The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
 - 2. To the extent NEW MILLENNIUM is a telecommunications carrier that serves greater than 5 percent of the Nation's presubscribed access lines, NEW MILLENNIUM shall not jointly market its interLATA services with the telecommunications services purchased from BellSouth pursuant to this Agreement in any of the states covered under this Agreement. For the purposes of this subsection, to jointly market means any advertisement, marketing effort or billing in which the telecommunications services purchased from BellSouth for purposes of resale to customers and interLATA services offered by NEW MILLENNIUM are packaged, tied, bundled, discounted or offereral together in any way to the end user. Such efforts include, but are not limited to, sales referrals, resale arrangements, sales agencies or billing agreements. This subsection shall be void and of no effect for a particular state covered under this Agreement as of February 8, 1999 or on the date BellSouth is authorized to offer interLATA services in that state, whichever is earlier.
 - 3. Hotel and Hospital PBX service are the only telecommunications services available for resale to Hotel/Motel and Hospital end users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone -Provider (IPP) customers. Shared Tenant Service customers can only be sold those telecommunications services available in the Company's A23 Shared Tenant Service Tariff.
 - 4. NEW MILLENNIUM is prohibited from furnishing both flat and measured rate service on the same business premises to the same subscribers (end users) as stated in A2 of the Company's Tariff except for backup service as indicated in the applicable state tariff Section A3.
 - 5. If telephone service is established and it is subsequently determined that the class of service restriction has been violated, NEW MILLENNIUM will be notified and billing for that service will be immediately changed to the appropriate class of service. Service charges for changes between class of service, back billing, and interest as described in this subsection shall apply at the Company's sole discretion. Interest at a rate as set forth in Section A2 of the General Subscriber Service Tariff and Section B2 of the Private Line Service Tariff for the applicable

Attachment 1

Page 5

state, compounded daily for the number of days from the back billing date to and including the date that NEW MILLENNIUM actually makes the payment to the Company may be assessed.

- 6. The Company reserves the right to periodically audit services purchased by NEW MILLENNIUM to establish authenticity of use. Such audit shall not occur more than once in a calendar year. NEW MILLENNIUM shall make any and all records and data available to the Company or the Company's auditors on a reasonable basis. The Company shall bear the cost of said audit.
- B. Resold services can only be used in the same manner as specified in the Company's Tariff. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual end user of the Company in the appropriate section of the Company's Tariffs. Specific tariff features, e.g. a usage allowance per month, shall not be aggregated across multiple resold services. Resold services cannot be used to aggregate traffic from more than one end user customer except as specified in Section A23. of the Company's Tariff referring to Shared Tenant Service.
- C. NEW MILLENNIUM may resell services only within the specific resale service area as defined in its certificate.
- D. Telephone numbers transmitted via any resold service feature are intended solely for the use of the end user of the feature. Resale of this information is prohibited.
- E. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. NEW MILLENNIUM is strictly prohibited from any use, including but not limited to sales, marketing or advertising, of any BellSouth name or trademark.

V. Maintenance of Services

- A. NEW MILLENNIUM will adopt and adhere to the standards contained in the applicable BellSouth Work Center Interface Agreement regarding maintenance and installation of service.
- B. Services resold under the Company's Tariffs and facilities and equipment provided by the Company shall be maintained by the Company.
- C. NEW MILLENNIUM or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by the Company, other than by connection or disconnection to any interface means used, except with the written consent of the Company.
- D. NEW MILLENNIUM accepts responsibility to notify the Company of situations that arise that may result in a service problem.
- E. NEW MILLENNIUM will be the Company's single point of contact for all repair calls on behalf of NEW MILLENNIUM's end users. The parties agree to provide one another with toll-free contact numbers for such purposes.
- F. NEW MILLENNIUM will contact the appropriate repair centers in accordance with procedures established by the Company.

> Attachment 1 Page 6

- G. For all repair requests, NEW MILLENNIUM accepts responsibility for adhering to the Company's prescreening guidelines prior to referring the trouble to the Company.
- H. The Company will bill NEW MILLENNIUM for handling troubles that are found not to be in the Company's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- The Company reserves the right to contact NEW MILLENNIUM's customers, if deemed necessary, for maintenance purposes.

VL Establishment of Service

- A. After receiving certification as a local exchange company from the appropriate regulatory agency, NEW MILLENNIUM will provide the appropriate Company service center the necessary documentation to enable the Company to establish a master account for NEW MILLENNIUM. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, the Company will begin taking orders for the resale of service.
- B. Service orders will be in a standard format designated by the Company.
- C. When notification is received from NEW MILLENNIUM that a current customer of the Company will subscribe to NEW MILLENNIUM's service, standard service order intervals for the appropriate class of service will apply.
- D. The Company will not require end user confirmation prior to establishing service for NEW MILLENNIUM's end user customer. NEW MILLENNIUM must, however, be able to demonstrate end user authorization upon request.
- E. NEW MILLENNIUM will be the single point of contact with the Company for all subsequent ordering activity resulting in additions or changes to resold services except that the Company will accept a request directly from the end user for conversion of the end user's service from NEW MILLENNIUM to the Company or will accept a request from another ALEC for conversion of the end user's service from NEW MILLENNIUM to the other LEC. The Company will notify NEW MILLENNIUM that such a request has been processed.
- F. If the Company determines that an unauthorized change in local service to NEW MILLENNIUM has occurred, the Company will reestablish service with the appropriate local service provider and will assess NEW MILLENNIUM as the ALEC initiating the unauthorized change, the unauthorized change charge described in F.C.C. Tariff No. 1, Section 13. Appropriate nonrecurring charges, as set forth in Section A4. of the General Subscriber Service Tariff, will also be assessed to NEW MILLENNIUM. These charges can be adjusted if NEW MILLENNIUM provides satisfactory proof of authorization.
- G. In order to safeguard its interest, the Company reserves the right to secure the account with a suitable form of security deposit, unless satisfactory credit has already been established.

Attachment 1

Page 7

....

- Such security deposit shall take the form of an irrevocable Letter of Credit or other forms of security acceptable to the Company. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.
- If a security deposit is required, such security deposit shall be made prior to the inauguration of service.
- 3. Such security deposit may not exceed two months' estimated billing.
- 4. The fact that a security deposit has been made in no way relieves NEW MILLENNIUM from complying with the Company's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of the Company providing for the discontinuance of service for non-payment of any sums due the Company.
- 5. The Company reserves the right to increase the security deposit requirements when, in its sole judgment, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit.
- -6. In the event that NEW MILLENNIUM defaults on its account, service to NEW MILLENNIUM will be terminated and any security deposits held will be applied to its account.
- 7. In the case of a cash deposit, interest at a rate as set forth in the appropriate BellSouth tariff shall be paid to NEW MILLENNIUM during the continuance of the Security deposit. Interest on a security deposit shall accrue annually and, if requested, shall be annually credited to NEW MILLENNIUM by the accrual date.

VII. Payment And Billing Arrangements

- A. When the initial service is ordered by NEW MILLENNIUM, the Company will establish an accounts receivable master account for NEW MILLENNIUM.
- B. The Company shall bill NEW MILLENNIUM on a current basis all applicable charges and credits.
- C. Payment of all charges will be the responsibility of NEW MILLENNIUM. NEW MILLENNIUM shall make payment to the Company for all services billed. The Company is not responsible for payments not received by NEW MILLENNIUM from NEW MILLENNIUM's customer. The Company will not become involved in billing disputes that may arise between NEW MILLENNIUM and its customer. Payments made to the Company as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- D. The Company will render bills each month on established bill days for each of NEW MILLENNIUM's accounts.
- E. The Company will bill NEW MILLENNIUM, in advance, charges for all services to be provided during the ensuing billing period except charges associated with service usage, which charges will be billed in arrears. Charges will be calculated on an individual end user account level, including, if applicable, any charges for usage or usage allowances. BellSouth will also bill all charges, including

> Attachment 1 Page 8

> >

but not limited to 911 and E911 charges, telecommunications relay charges, and franchise fees, to NEW MILLENNIUM.

- F. The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by the Company.
 - If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the
 payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the
 payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday,
 Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such
 Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty,
 as set forth in I. following, shall apply.
- G. Upon proof of tax exempt certification from NEW MILLENNIUM, the total amount billed to NEW MILLENNIUM will not include any taxes due from the end user. NEW MILLENNIUM will be solely responsible for the computation, tracking, reporting and payment of all federal, state and/or local jurisdiction taxes associated with the services resold to the end user.
- H. As the customer of record, NEW MILLENNIUM will be responsible for, and remit to the Company, all charges applicable to its resold services for emergency services (E911 and 911) and Telecommunications Relay Service (TRS) as well as any other charges of a similar nature.
- I. If any portion of the payment is received by the Company after the payment due date as set forth preceding, or if any portion of the payment is received by the Company in funds that are not immediately available to the Company, then a late payment penalty shall be due to the Company. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor. The late factor shall be as set forth in Section A2 of the General Subscriber Service Tariff and Section B2 of the Private Line Service Tariff.
- J. Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, the Company. No additional charges are to be assessed to NEW MILLENNIUM.
- K. The Company will not perform billing and collection services for NEW MILLENNIUM as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within the Company.
- L. Pursuant to 47 CFR Section 51.617, the Company will bill NEW MILLENNIUM end user common line charges identical to the end user common line charges the Company bills its end users.
- M. In general, the Company will not become involved in disputes between NEW MILLENNIUM and NEW MILLENNIUM's end user customers over resold services. If a dispute does arise that cannot be settled without the involvement of the Company, NEW MILLENNIUM shall contact the designated Service Center for resolution. The Company will make every effort to assist in the resolution of the dispute and will work with NEW MILLENNIUM to resolve the matter in as timely a manner as possible. NEW MILLENNIUM may be required to submit documentation to substantiate the claim.

> Attachment 1 Page 9

VIII. Discontinuance of Service

- A. The procedures for discontinuing service to an end user are as follows:
 - Where possible, the Company will deny service to NEW MILLENNIUM's end user on behalf of, and at the request of, NEW MILLENNIUM. Upon restoration of the end user's service, restoral charges will apply and will be the responsibility of NEW MILLENNIUM.
 - At the request of NEW MILLENNIUM, the Company will disconnect a NEW MILLENNIUM end user customer.
 - 3. All requests by NEW MILLENNIUM for denial or disconnection of an end user for nonpayment must be in writing.
 - NEW MILLENNIUM will be made solely responsible for notifying the end user of the proposed disconnection of the service.
 - 5. The Company will continue to process calls made to the Annoyance Call Center and will advise NEW MILLENNIUM when it is determined that annoyance calls are originated from one of their end user's locations. The Company shall be indemnified, defended and held harmless by NEW
 - MILLENNIUM and/or the end user against any claim, loss or damage arising from providing this information to NEW MILLENNIUM. It is the responsibility of NEW MILLENNIUM to take the corrective action necessary with its customers who make annoying calls. Failure to do so will result in the Company's disconnecting the end user's service.
- B. The procedures for discontinuing service to NEW MILLENNIUM are as follows:
 - The Company reserves the right to suspend or terminate service for nonpayment or in the event
 of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any
 other violation or noncompliance by NEW MILLENNIUM of the rules and regulations of the
 Company's Tariffs.
 - 2. If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to NEW MILLENNIUM, that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by NEW MILLENNIUM to receive notices of noncompliance, discontinue the provision of existing services to NEW MILLENNIUM at any time thereafter.
 - 3. In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
 - 4. If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and NEW MILLENNIUM's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to NEW MILLENNIUM without further notice.
 - 5. If payment is not received or arrangements made for payment by the date given in the written notification, NEW MILLENNIUM's services will be discontinued. Upon discontinuance of service on a NEW MILLENNIUM's account, service to NEW MILLENNIUM's end users will be denied. The Company will also reestablish service at the request of the end user or NEW

.

• •

Attachment 1 Page 10

· · ·

MILLENNIUM upon payment of the appropriate connection fee and subject to the Company's normal application procedures. NEW MILLENNIUM is solely responsible for notifying the end user of the proposed disconnection of the service.

If within fifteen days after an end user's service has been denied no contact has been made in reference to restoring service, the end user's service will be disconnected.

. .

Attachment 1 Page 11 EXHIBIT A

...

APPLICABLE DISCOUNTS

The telecommunications services available for purchase by NEW MILLENNIUM for the purposes of resale to NEW MILLENNIUM end users shall be available at the following discount off of the retail rate.

DISCOUNT[•]

STATE	RESIDENCE	BUSINESS
ALABAMA	16.3%	16.3%
FLORIDA	21.83%	16.81%
GEORGLA	20.3%	17.3%
KENTUCKY	16.79%	15.54%
LOUISIANA	20.72%	20.72%
MISSISSIPPI	15.75%	15.75%
NORTH CAROLINA	21.5%	17.6%
SOUTH CAROLINA	14.8%	14.8%
TENNESSEE**	16%	16%

• In the case of a cross boundary situation, the discount which applies is the discount applicable to the location of the end user's central office.

In Tennessee, if ALEC provides its own operator services and directory services, the discount shall be 21.56%. ALEC must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.

OPERATIONAL	SUPPORT SYSTEMS	(OSS)	RATES

	Interactive Ordering and Trouble Maintenance System		OSS Order Charge (per end user account)	
	Non-Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders
ALABAMA	\$100.00	\$50.00	\$10.80	\$22.00
FLORIDA	\$100.00	\$50.00	\$10.80	\$22.00
GEORGIA	\$100.00	\$50.00	\$10.80	\$22.00
KENTUCKY	\$100.00	\$50.00	\$10.80	\$22.00
LOUISLANA	\$100.00	\$50.00	\$9.16	\$18.14
MISSISSIPPI	\$100.00	\$50.00	\$10.80	\$22.00
NORTH CAROLINA	\$100.00	\$50.00	\$10.80	\$22.00
SOUTH CAROLINA	\$100.00	\$50.00	\$10.80	\$22.00
TENNESSEE	\$100.00	\$50.00	\$10.80	\$22.00
Attachment I

Page 12

EXHIBIT B

....

								Page 1 of 2			
	Type of	AL		FL		GA		KY		LA	
	Service	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?
1	Grandfathered Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Contract Service Arrangements	Note 9	Note 9	Yes	Yes	Yes	No	Yes	No	Note 5	Note 5
3	Promotions - > 90 Days	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
4	Promotions - < 90 Days	Yes	No	Yes	No	Yes	No	No	No	Yes	No
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
6	911/E911 Services (See Note10)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
7	N11 Services (See Note 10)	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
8	AdWatchSM Svc (See Note 8)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9	MemoryCall® Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
2	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Type of		MS		NC		SC		TN			
		0	Discourse	D	Deserved	Barala?	Discours?	Basel-2	Discours		

	I YDG OC	ma		N.C.		30		114	
	Service	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?
1	Grandfathered Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Contract Sérvice Arrangements	Note 5	Note 5	Note 6	Note 6	Yes	No	Yes	Yes
3	Promotions - > 90 Days	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
4	Promotions - < 90 Days	Yes	No	No	No	Yes	No	No	No
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4
6	911/E911 Services (See Note10)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
7	N11 Services (See Note 10)	No	No	No	No	Yes	Yes	Yes	Yes
8	AdWatchs Svc (See Note 8)	Yes	No	Yes	No	Yes	No	Yes	No
9	MemoryCall® Service	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No
11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No
12	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No

Applicable Notes:

Grandfathered services can be resold only to existing subscribers of the grandfathered service.

2 Where available for resale, promotions will be made available only to end users who would have qualified for the promotion had it been provided by BellSouth directly.

3 In Tennessee, long-term pressections (offered for more than ninety (90) days) may be obtained at one of the following rates: (a) the stated tariff rate, less the whiblesale discount;

(b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)

- 4 Lifetine/Link Up services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services. In Tennessee, NEW MILLENNIUM shall purchase BellSouth's Message Rate Service at the stated tariff rate, less the wholesale discount. NEW MILLENNIUM must further discount the wholesale Message Rate Service to LifeLine customers with a discount which is no less than the minimum discount that BellSouth now provides. NEW MILLENNIUM is responsible for recovering the Subscriber Line Charge from the National Exchange Carriers Association interstate toll settlement pool just as BellSouth does today. The maximum rate that NEW MILLENNIUM may charge for LifeLine Service shall be capped at the flat retail rate offered by BellSouth
- 5 In Louisiana and Mississippi, all Contract Service Arrangements entered into by BellSouth or terminating after the effective date of the Commission Order (1/28/97 for LA and 3/10/97 for MS) will be subject to resale without the wholesale discount. All CSAs which are in place as of the effective date of the Commission order (1/28/97 for LA and 3/10/97 for MS) will not be available for resale.

> Attachment 1 Page 13 EXHIBIT B Page 2 of 2

> > · · ·

6 In North Carolina, Contract Service Arrangements entered into by BellSouth before April 15, 1997, shall be subject to resale at no discount, while BellSouth CSAs entered into after that date shall be subject to resale with the discount.

7 Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.

8 AdWatchSM Service is tariffed as BellSouth® AIN Virtual Number Call Detail Service

9 In Alabama, Contract Service Arrangements entered into prior to Feb. 6, 1997 are not available for resale. CSAs entered into between Feb. 6, 1997 and May 13, 1997 are available for resale without a discount to the same client to whom the CSA is applicable. CSAs entered into May 14, 1997 and later are available for resale with a discount to the same client to whom the CSA is applicable.

10 Exclusions for N11/911/E911 are also applicable to equipment associated with the service

.

.

..

Attachment 2

Unbundled Network Elements

....

2

.

TABLE OF CONTENTS

1. INTRODUCTION
2. UNBUNDLED LOOPS
3. INTEGRATED DIGITAL LOOP CARRIERS
4. NETWORK INTERFACE DEVICE
5. UNBUNDLED LOOP CONCENTRATION (ULC) SYSTEM
6. SUB-LOOP ELEMENTS
7. LOCAL SWITCHING
8. TRANSPORT
9. OPERATOR SYSTEMS
10. SIGNALING
11. SIGNALING TRANSFER POINTS (STPS)
12. SERVICE CONTROL POINTS/DATABASES
13. DARK FIBER
14. SS7 NETWORK INTERCONNECTION
15. BASIC 911 AND E911

.

.

.

.

 \sim

2/1/98

.

...

> Attachment 2 Page 2

> > ...

ACCESS TO UNBUNDLED NETWORK ELEMENTS

1. Introduction

- 1.1.1 BellSouth shall, upon request of NEW MILLENNIUM, and to the extent technically feasible, provide to NEW MILLENNIUM access to its unbundled network elements for the provision of NEW MILLENNIUM's telecommunications service.
- 1.1.2 Access to unbundled Network Elements provided pursuant to this Agreement may be connected to other Services and Elements provided by BellSouth or to any Services and Elements provided by CLEC itself or by any other vendor.
- 1.1.3 NEW MILLENNIUM may purchase unbundled Network Elements for the purpose of combining such Network Elements by NEW MILLENNIUM in any manner that is technically feasible.
- 1.1.4 BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards.
- 1.1.5 BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination - Time Specific."
- 1.1.5.1 "Order Coordination" refers to standard BellSouth service order coordination. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and NEW MILLENNIUM advised. Order coordination for new service or non-physical conversions will be performed by BellSouth at non-scheduled intervals on the committed due date and NEW MILLENNIUM advised.
- 1.1.5.2 "Order Coordination Time Specific" refers to service order coordination in which NEW MILLENNIUM requests a specific time for a service order conversion to take place. This is a chargeable option for any coordinated order.

2. Unbundled Loops

- 2.1.1 BeilSouth agrees to offer access to unbundled loops pursuant to the following terms and conditions and at the rates set forth in Attachment 11.
- 2.2 Definition

> Attachment 2 Page 3

- 2.2.1 The loop is the physical medium or functional path on which a subscriber's traffic is carried from the MDF or similar terminating device in a central office or similar environment up to the termination at the NID at the customer's premise. Each unbundled loop will be provisioned with a NID.
- 2.2.2 The provisioning of service to a customer will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment in co-located space.
- 2.2.3 BST will offer voice loops in two different service levels Service Level One (SL1) and Service Level Two (SL2). SL1 loops will be non-designed, will not have test points, and will not come with any Order Coordination (OC) or engineering information/circuit make-up data. Since SL1 loops do not come standard with OC, these loops will be activated on the due date in the same manner and time frames that BST normally activates POTStype loops for its customers.
- 2.2.4 The OC feature will be provided as a chargeable option on SL1 loops. The OC feature will allow NEW MILLENNIUM to coordinate the installation of the loop with the disconnect of an existing customers service and/or number portability service, whereby, the end-user would normally be out of service for an average of less than 15 minutes. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.2.5 SL2 loops will be designed, will be provisioned with test points (where appropriate), and will come with standard Order Coordination and a designed layout record (DLR).
- 2.2.6 BST will offer digital loops as Service Level One elements. They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a DLR.
- 2.2.7 As a chargeable option on all unbundled loops, BST will offer Order Coordination - Time Specific (OC-TS). This will allow NEW MILLENNIUM the ability to specify the time that the coordinated conversion takes place.
- 2.2.8 NEW MILLENNIUM will be responsible for testing and isolating troubles on the unbundled loops. Once NEW MILLENNIUM has isolated a trouble to the BST provided loop, NEW MILLENNIUM will issue a trouble to BST on the loop. BST will take the actions necessary to repair the loop if a trouble actually exists. BST will repair these loops in the same timeframes that BST repairs loops to its customers.

....

> Attachment 2 Page 4

> >

- 2.2.9 If NEW MILLENNIUM reports a trouble on SL1 loops and no trouble actually exists, BST will charge NEW MILLENNIUM for any dispatching and testing (both inside and outside the CO) required by BST in order to confirm the loop's working status.
- 2.2.10 If NEW MILLENNIUM reports a trouble on SL2 loops and no trouble actually exists, BST will charge NEW MILLENNIUM for any dispatching and testing, (outside the CO) required by BST in order to confirm the loop's working status.
- 2.3 Technical Requirements
- 2.3.1 BST will offer loops capable of supporting telecommunications services such as: POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, and digital data (up to 64 kb/s). Additional services may include digital PBXs, primary rate ISDN, Nx 64 kb/s, and DS1/DS3 and SONET private lines.
- 2.3.1.1 The loop will support the transmission, signaling, performance and interface requirements of the services described in 2.3.1 above. It is recognized that the requirements of different services are different, and that a number of types or grades of loops are required to support these services. Services provided over the loop by NEW MILLENNIUM will be consistent with industry standards.
- 2.3.1.2 In some instances, NEW MILLENNIUM will require access to copper twisted pair loop combination unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that NEW MILLENNIUM can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. NEW MILLENNIUM will determine the type of service that will be provided over the loop. In some cases, NEW MILLENNIUM may be required to pay additional charges for the removal of certain types of equipment.
- 2.3.2 The loop shall be provided to NEW MILLENNIUM in accordance with the following Technical References:
- 2.3.2.1 Belicore TR-NWT-000057, Functional Criteria for Digital Loop Carrier Systems, Issue 2, January 1993.
- 2.3.2.2 Bellcore TR-NWT-000393, Generic Requirements for ISDN Basic Access Digital Subscriber Lines.
- 2.3.2.3 ANSI T1.106 1988, American National Standard for Telecommunications - Digital Hierarchy - Optical Interface Specifications (Single Mode).

> Attachment 2 Page 5

- 2.3.2.4 ANSI T1.102 1993, American National Standard for Telecommunications - Digital Hierarchy - Electrical Interfaces.
- 2.3.2.5 ANSI T1.403 1989, American National Standard for Telecommunications - Carrier to Customer Installation, DS1 Metallic Interface Specification.
- 2.3.2.6 Bellcore TR-TSY-000008, Digital Interface Between the SLC 96 Digital Loop Carrier System and a Local Digital Switch, Issue 2, August 1987.
- 2.3.2.7 Bellcore TR-NWT-000303, Integrated Digital Loop Carrier System Generic Requirements, Objectives and Interface, Issue 2, December 1992; Rev.1, December 1993; Supplement 1, December 1993.
- 2.3.2.8 Belicore TR-TSY-000673, Operations Systems Interface for an IDLC System, (LSSGR) FSD 20-02-2100, Issue 1, September 1989.

3. Integrated Digital Loop Carriers

3.1.1 Where BellSouth uses Integrated Digital Loop Carrier (IDLCs) systems to provide the local loop and BellSouth has an alternate facility available, BellSouth will make alternative arrangements to permit NEW MILLENNIUM to order a contiguous unbundled local loop. To the extent it is technically feasible, these arrangements will provide NEW MILLENNIUM with the capability to serve end users at the same level BellSouth provides its customers. If no alternate facility is available, BST will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. NEW MILLENNIUM will then have the option of paying the one-time SC rates to place the loop facilities or NEW MILLENNIUM may chose some other method of providing service to the end-user (e.g., Resale, private facilities, etc.)

4. Network Interface Device

4.1 Definition

4.1.1 The Network Interface Device (NID) is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit. The fundamental function of the NID is to establish the official network demarcation point between a carrier and its end-user customer. The NID features two independent chambers or divisions which separate the service provider's network from the customer's inside wiring. Each chamber or division contains the appropriate connection

> Attachment 2 Page 6

points or posts to which the service provider, and the end-user customer each make their connections. The NID provides a protective ground connection, and is capable of terminating cables such as twisted pair cable.

- 4.2 Technical Requirements
- 4.2.1 The Network Interface Device shall provide a clean, accessible point of connection for the inside wiring and for the Distribution Media and shall maintain a connection to ground that meets the requirements set forth below.
- 4.2.2 The NID shall be capable of transferring electrical analog or digital signals between the customer's inside wiring and the Distribution Media.
- 4.2.3 All NID posts or connecting points shall be in piace, secure, usable and free of any rust or corrosion. The protective ground connection shall exist and be properly installed. The ground wire will also be free of rust or corrosion and have continuity relative to ground.
- 4.2.4 The NID shall be capable of withstanding all normal local environmental variations.
- 4.2.5 Where feasible, the NID shall be physically accessible to NEW MILLENNIUM designated personnel. In cases where entrance to the customer premises is required to give access to the NID, NEW MILLENNIUM shall obtain entrance permission directly from the customer.
- 4.2.6 BeilSouth shall offer the NID as a stand-alone component. Additionally, NEW MILLENNIUM may connect its loop to any spare capacity on the BST NID. Where necessary to comply with an effective Commission order, BST will allow NEW MILLENNIUM to disconnect the BST loop from the BST NID in order to connect NEW MILLENNIUM's loop to the BST NID. In these cases, NEW MILLENNIUM accepts all liability associated with this process and it is NEW MILLENNIUM's responsibility to make sure the disconnected BST loop is properly grounded.
- 4.3 Interface Requirements
- 4.3.1 The NID shall be the interface to customers' premises wiring for alternative loop technologies.
- 4.3.2 The NID shall be equal to or better than all of the requirements for NIDs set forth in the following technical references:

> Attachment 2 Page 7

- 4.3.2.1 Bellcore Technical Advisory TA-TSY-000120 "Customer Premises or Network Ground Wire";
- 4.3.2.2 Belicore Generic Requirement GR-49-CORE "Generic Requirements for Outdoor Telephone Network Interface Devices";
- 4.3.2.3 Belicore Technical Requirement TR-NWT-00239 "Indoor Telephone Network Interfaces";
- 4.3.2.4 Bellcore Technical Requirement TR-NWT-000937 "Generic Requirements for Outdoor and Indoor Building Entrance"

5. Unbundled Loop Concentration (ULC) System

- 5.1.1 BellSouth will provide to NEW MILLENNIUM unbundled loop concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. At this time only the TR008 standard is available; ULC using the TR303 standard is being developed and its description will be different than the TR008 service.
- 5.1.2 For TR008 service BellSouth will use Lucent SLC Series 5 equipment with enhanced feature package B. TR008 ULC will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high speed connection from the concentrator will be at the electrical DS1 level and may connect to NEW MILLENNIUM at NEW MILLENNIUM's collocation site. ULC service is offered with or without concentration and with or without protection. The ULC system is a 96-channel system but due to equipment constraints must be purchased in multiples of two. Rates for ULC are as set forth in Attachment 11.
- 5.1.3 TR303 service is not available at this time. A description and rates will be available at a later date.

6. Sub-loop Elements

- 6.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth shall offer access to its Unbundled Sub-Loop (USL), Unbundled Sub-Loop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements.
- 6.2 Unbundled Sub-loop (USL)

....

> Attachment 2 Page 8

6.2.1 Definition

- 6.2.1.1 Unbundled Sub-Loop provides connectivity between the NID component of the unbundled sub-loop and the terminal block on the customer-side of a Feeder Distribution Interface (FDI). This termination and cross-connect field may be in the form of an outside plant distribution closure, remote terminal or fiber node, or an underground vault. Riser Cable that extends from BST's point-of-entry into a building (e.g., equipment closet, terminal room, etc.) to the NID on a particular floor or office space in a multi-tenant building is also classified as a USL. Unbundled Sub-Loops will be provisioned as 2-wire or 4-wire circuits and will include a NID.
- 6.2.1.2 The Unbundled Sub-Loop may be copper twisted pair, coax cable, or single or multi-mode fiber optic cable. A combination that includes two or more of these media is also possible. If NEW MILLENNIUM requires a copper twisted pair Unbundled Sub-Loop in instances where the Unbundled Sub-Loop for services that BellSouth offers is other than a copper facility, BellSouth will provide that media if those facilities exist. If there are no copper facilities available, BellSouth will use its Special Construction process to determine if facilities can be provided to NEW MILLENNIUM.

6.2.2 Requirements for All Unbundled Sub-Loop

- 6.2.2.1 Unbundled Sub-Loops shall be capable of carrying all signaling messages or tones needed to provide telecommunications services.
- 6.2.2.2 Unbundled Sub-Loop shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop itself, as well as provide necessary access to provisioning, maintenance and testing functions for Network Elements to which it is associated.
- 6.2.2.3 Unbundled Sub-Loop shall be equal to or better than all of the applicable requirements set forth in the following technical references:
- 6.2.2.3.1 Belicore TR-TSY-000057, "Functional Criteria for Digital Loop Carrier Systems"; and
- 6.2.2.3.2 Belicore TR-NWT-000393, "Generic Requirements for ISDN Basic Access Digital Subscriber Lines."
- 6.2.3 Interface Requirements

....

> Attachment 2 Page 9

- 6.2.3.1 Unbundled Sub-Loop shall be equal to or better than each of the applicable interface requirements set forth in the following technical references:
- 6.2.3.2 Belicore TR-NWT-000049, "Generic Requirements for Outdoor Telephone Network Interface Devices," Issued December 1,1994;
- 6.2.3.3 Belicore TR-NWT-000057, "Functional Criteria for Digital Loop Carrier Systems," Issued January 2, 1993;
- 6.2.3.4 Bellcore TR-NWT-000393, "Generic Requirements for ISDN Basic Access Digital Subscriber Lines";
- 6.2.3.5 Bellcore TR-NWT-000253, SONET Transport Systems: Common Criteria (A module of TSGR, FR-NWT-000440), Issue 2, December 1991)
- 6.3 Unbundled Sub-Loop Concentration System (USLC)
- 6.3.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth will provide to NEW MILLENNIUM with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into NEW MILLENNIUM's collocation space. At this time only the TR-008 standard using the Lucent Series 5 equipment is available.
- 6.3.2 USLC, using the Lucent Series 5 equipment, will allow up to 96 of NEW MILLENNIUM's sub-loops to be concentrated onto multiple DS1s. USLC service is offered with or without concentration and with or without a protection DS1. The USLC system is a 96 channel system but due to equipment constraints must be purchased in multiples of two systems.
- 6.3.3 In these scenarios NEW MILLENNIUM would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BST remote terminal. This cable would be connected to a cross-connect panel within the BST RT and would allow NEW MILLENNIUM's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.
- 6.4 Unbundled Network Terminating Wire (UNTW)

· · ·

> Attachment 2 Page 10

6.4.1 BellSouth agrees to offer its Network Terminating Wire to NEW MILLENNIUM pursuant to the following terms and conditions and rates set forth in Attachment 11.

6.5 Definition

6.5.1 UNTW is twisted copper wire that extends from BST's point-of-entry into a multi-tenant building (MTB) or multi-dwelling unit (MDU) to the NID at the end-users location.

6.6 Technical Requirements

- 6.6.1 In these scenarios NEW MILLENNIUM would be required to place a cross-box, terminal, or other similar device and deliver a cable to the BST terminal located at the buildings point-of-entry or garden terminal. BST would then connect NEW MILLENNIUM's cable to a cross-connect panel within the BST terminal.
- 6.6.2 This arrangement would then provide NEW MILLENNIUM with connectivity from its feeder and/or distribution facilities (terminated in CLEC's terminal) to the NTW and the NID at the end-user premises.

7. Local Switching

BellSouth agrees to offer access to local switching pursuant to the following terms and conditions and at the rates set forth in Attachment 11.

7.1 Definition

Local Switching is the Network Element that provides the functionality 7.1.1 required to connect the appropriate originating lines or trunks wired to the Main Distributing Frame (MDF) or Digital Cross Connect (DSX) panel to a desired terminating line or trunk. Such functionality shall include access to all of the features, functions, and capabilities that the underlying BellSouth switch that is providing such Local Switching function is then capable of providing, including but not limited to: line signaling and signaling software, digit reception, dialed number translations, call screening, routing, recording, call supervision, dial tone, switching, telephone number provisioning, announcements, calling features and capabilities (including call processing), CENTREX, Automatic Call Distributor (ACD), Carrier presubscription (e.g. long distance carrier, intraLATA toll), Carrier Identification Code (CIC) portability capabilities, testing and other operational features inherent to the switch and switch software. It also provides access to transport, signaling (ISDN User Part (ISUP) and Transaction Capabilities Application Part (TCAP), and platforms such as adjuncts, Public Safety Systems (911), operator services, Directory

2/1/98

N. Cal

> Attachment 2 Page 11

Assistance Services and Advanced Intelligent Network (AIN). Remote Switching Module functionality is included in the Local Switching function. The switching capabilities used will be based on the line side features they support. Local Switching will also be capable of routing local, intraLATA, interLATA, and calls to international customer's preferred carrier; call features (e.g., call forwarding) and CENTREX capabilities. Where required to do so in order to comply with an effective Commission order, Local Switching, including the ability to route to NEW MILLENNIUM's transport facilities, dedicated facilities and systems, shall be unbundled from all other unbundled Network Elements, i.e., Operator Systems, Shared Transport, and Dedicated Transport. BellSouth and NEW MILLENNIUM shall continue to work with the appropriate industry groups to develop a long-term solution for selective routing.

- 7.1.2 A featureless port is one that has a line port, switching functionality, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by NEW MILLENNIUM. Any features that are not currently then capable but are technically feasible through the switch can be requested through the BFR process.
- 7.1.3 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to NEW MILLENNIUM purchasing unbundled local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of calls to a requested directory assistance services platform or operator services platform. NEW MILLENNIUM customers may use the same dialing arrangements as BellSouth customers, but obtain an NEW MILLENNIUM branded service.
- 7.2 Technical Requirements
- 7.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.
- 7.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in Belicore's Local Switching Systems General Requirements (FR-NWT-000064).
- 7.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.
- 7.2.1.3 Subject to sections 10.1.1 and 10.1.3, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers.

2/1/98

> Attachment 2 Page 12

Any other routing requests by NEW MILLENNIUM will be made pursuant to the Bona Fide Request Process of Attachment 9.

- 7.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.
- 7.2.1.5 BellSouth shall activate service for an NEW MILLENNIUM customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to NEW MILLENNIUM's services without loss of switch feature functionality as defined in this Agreement.
- 7.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 7.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.
- 7.2.1.8 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non discriminatory manner.
- 7.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.
- 7.2.1.10 Special Services provided by BellSouth will include the following:
- 7.2.1.10.1 Telephone Service Prioritization;
- 7.2.1.10.2 Related services for handicapped;
- 7.2.1.10.3 Soft dial tone where required by law; and
- 7.2.1.10.4 Any other service required by law.
- 7.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to Belicore specifications - TCAP (GR-1432-CORE), ISUP(GR-905-CORE), Call Management (GR-1429-CORE), Switched Fractional DS1 (GR-1357-CORE), Toll Free Service (GR-1428-CORE), Calling Name (GR-1597-CORE), Line Information Database (GR-954-CORE), and Advanced Intelligent Network (GR-2863-CORE).

· · ·

> Attachment 2 Page 14

- 7.2.1.14.6.2 Shared Interoffice Trunk (EAMF, SS7)
- 7.2.1.14.6.3 N11
- 7.2.1.14.6.4 Automatic Route Selection
- 7.2.1.15 Where capacity exists, BellSouth shall assign each NEW MILLENNIUM customer line the class of service designated by NEW MILLENNIUM (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from NEW MILLENNIUM customers to NEW MILLENNIUM directory assistance operators at NEW MILLENNIUM's option.
- 7.2.1.16 Where capacity exists, BellSouth shall assign each NEW MILLENNIUM customer line the class of services designated by NEW MILLENNIUM (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from NEW MILLENNIUM customers to NEW MILLENNIUM operators at NEW MILLENNIUM's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to an NEW MILLENNIUM Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged.
- 7.2.1.17 Local Switching shall be offered in accordance with the requirements of the following technical references:
- 7.2.1.17.1 BellCore GR-1298-CORE, AIN Switching System Generic Requirements, as implemented in BellSouth's switching equipment;
- 7.2.1.17.2 BellCore GR-1299-CORE, AIN Switch-Service Control Point (SCP)/Adjunct Interface Generic Requirements;
- 7.2.1.17.3 BellCore TR-NWT-001284, AIN 0.1 Switching System Generic Requirements:
- 7.2.1.17.4 BellCore SR-NWT-002247, AIN Release 1 Update.

7.2.2 Interface Requirements

- 7.2.2.1 BellSouth shall provide the following interfaces to loops:
- 7.2.2.2 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 7.2.2.3 Coin phone signaling;

> Attachment 2 Page 15

> >

- 7.2.2.4 Basic Rate Interface ISDN adhering to appropriate Bellcore Technical Requirements;
- 7.2.2.5 Two-wire analog interface to PBX;
- 7.2.2.5.1 Four-wire analog interface to PBX;
- 7.2.2.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 7.2.2.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Belicore Technical Requirements;
- 7.2.2.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 7.2.2.9 Loops adhering to Belicore TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 7.2.2.10 BellSouth shall provide access to the following but not limited to:
- 7.2.2.11 SS7 Signaling Network or Multi-Frequency trunking if requested by NEW MILLENNIUM;
- 7.2.2.12 Interface to NEW MILLENNIUM operator services systems or Operator Services through appropriate trunk interconnections for the system; and
- 7.2.2.13 Interface to NEW MILLENNIUM directory assistance services through the NEW MILLENNIUM switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other NEW MILLENNIUM required access to interexchange carriers as requested through appropriate trunk interfaces.

8. Transport

BellSouth agrees to offer access to unbundled transport including Shared Transport, Dedicated Transport and Tandem Switching pursuant to following terms and conditions and at the rates set forth in Attachment 11.

8.1 Definition of Shared Transport

Shared Transport is an interoffice transmission path between BellSouth Network Elements. Where BellSouth Network Elements are connected by intra-office wiring, such wiring is provided as a part of the Network Elements and is not Shared Transport. Shared Transport consists of BellSouth inter-office transport facilities and is unbundled from local switching.

> Attachment 2 Page 16

8.2 Technical Requirements of Shared Transport

- 8.2.1 Shared Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.
- 8.2.2 Shared Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, Shared Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.
- 8.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Shared Transport.
- 8.2.4 At a minimum, Shared Transport shall meet all of the requirements set forth in the following technical references (as applicable for the transport technology being used):
- 8.2.4.1 ANSI T1.101-1994, American National Standard for Telecommunications -Synchronization Interface Standard Performance and Availability;
- 8.2.4.2 ANSI T1.102-1993, American National Standard for Telecommunications -Digital Hierarchy - Electrical Interfaces;
- 8.2.4.3 ANSI T1.102.01-199x, American National Standard for Telecommunications - Digital Hierarchy - VT1.5;
- 8.2.4.4 ANSI T1.105-1995, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Basic Description including Multiplex Structure, Rates and Formats;
- 8.2.4.5 ANSI T1.105.01-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET) -Automatic Protection Switching;
- 8.2.4.6 ANSI T1.105.02-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Payload Mappings;
- 8.2.4.7 ANSI T1.105.03-1994, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Jitter at Network Interfaces;

> Attachment 2 Page 17

> > ...

- 8.2.4.8 ANSI T1.105.03a-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET): Jitter at Network Interfaces - DS1 Supplement;
- 8.2.4.9 ANSI T1.105.05-1994, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Tandem Connection;
- 8.2.4.10 ANSI T1.105.06-199x, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Physical Layer Specifications;
- 8.2.4.11 ANSI T1.105.07-199x, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Sub STS-1 Interface Rates and Formats;
- 8.2.4.12 ANSI T1.105.09-199x, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Network Element Timing and Synchronization;
- 8.2.4.13 ANSI T1.106-1988, American National Standard for Telecommunications -Digital Hierarchy - Optical Interface Specifications (Single Mode);
- 8.2.4.14 ANSI T1.107-1988, American National Standard for Telecommunications -Digital Hierarchy - Formats Specifications;
- 8.2.4.15 ANSI T1.107a-1990 American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);
- 8.2.4.16 ANSI T1.107b-1991 American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications;
- 8.2.4.17 ANSI T1.117-1991, American National Standard for Telecommunications -Digital Hierarchy - Optical Interface Specifications (SONET) (Single Mode - Short Reach);
- 8.2.4.18 ANSI T1.403-1989, Carrier to Customer Installation, DS1 Metallic Interface Specification;
- 8.2.4.19 ANSI T1.404-1994, Network-to-Customer Installation DS3 Metallic Interface Specification;
- 8.2.4.20 ITU Recommendation G.707, Network node interface for the synchronous digital hierarchy (SDH);

2/1/98

> Attachment 2 Page 18

- 8.2.4.21 ITU Recommendation G.704, Synchronous frame structures used at 1544, 6312, 2048, 8488 and 44736 kbit/s hierarchical levels;
- 8.2.4.22 Belicore FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;
- 8.2.4.23 Bellcore GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;
- 8.2.4.24 Belicore GR-253-CORE, Synchronous Optical Network Systems (SONET); Common Generic Criteria;
- 8.2.4.25 Bellcore TR-NWT 000507, Transmission, Section 7, Issue 5 (Bellcore, December 1993). (A module of LSSGR, FR-NWT-000064.);
- 8.2.4.26 Belicore TR-NWT-000776, Network Interface Description for ISDN Customer Access;
- 8.2.4.27 Belicore TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991;
- 8.2.4.28 Bellcore ST-TEC 000052, Telecommunications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;
- 8.2.4.29 Belicore ST-TEC-000051, Telecommunications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987.

8.3 Dedicated Transport

8.3.1 Definition

- 8.3.1.1 Dedicated Transport is an interoffice transmission path between BellSouth central offices unbundled from local switching.
- 8.3.1.2 BellSouth shall offer Dedicated Transport in each of the following ways:
- 8.3.1.2.1 As capacity on a shared facility.
- 8.3.1.2.2 As a circuit (e.g., DS0, DS1) dedicated to NEW MILLENNIUM.
- 8.3.1.3 When Dedicated Transport is provided as a system it shall include:
- 8.3.1.3.1 Transmission equipment such as multiplexers, line terminating equipment, amplifiers, and regenerators;

2/1/98

> Attachment 2 Page 19

8.3.1.4 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable:

8.3.2 Technical Requirements

This Section sets forth technical requirements for all Dedicated Transport.

- 8.3.2.1 When BellSouth provides Dedicated Transport as a circuit or a system, the entire designated transmission circuit or system (e.g., DS0, DS1,DS3) shall be dedicated to NEW MILLENNIUM designated traffic.
- 8.3.2.2 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, DS1 and DS3 transport systems, SONET (or SDH) Bi-directional Line Switched Rings, SONET (or SDH) Unidirectional Path Switched Rings, and SONET (or SDH) point-to-point transport systems (including linear add-drop systems), at all available transmission bit rates. While SONET Ring facilities are not available in every application, they are typically available in the major metropolitan areas.
- 8.3.2.3 For DS1 or VT1.5 circuits. Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards.
- 8.3.2.4 Where applicable, for DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.
- 8.3.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 8.3.2.4.1 DS0 Equivalent;
- 8.3.2.4.2 DS1 (Extended SuperFrame ESF, D4, and unframed applications shall be provided);
- 8.3.2.4.3 DS3 where applicable (C-bit Parity, M13, and unframed applications shall be provided);
- 8.3.2.4.4 SONET standard interface rates in accordance with ANSI T1.105 and ANSI T1.105.07 and physical interfaces per ANSI T1.106.06 (including referenced interfaces). In particular, VT1.5 based STS-1s will be the interface at an NEW MILLENNIUM service node.

....

> Attachment 2 Page 20

- 8.3.2.4.5 SDH Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 8.3.2.5 When Dedicated Transport is provided as a system, BellSouth shall design the system according to NEW MILLENNIUM's architectural requirements. This includes, but is not limited to:
 - 1. Facility routing and termination points,
 - 2. Interface selection among those available on the system,

3. System provisionable parameters. This does not include specification of the vendor to be used by BellSouth, except where mutually agreed.

- 8.3.3 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the following technical references:
- 8.3.3.1 ANSI T1.231-1993 American National Standard for Telecommunications - Digital Hierarchy - Layer 1 In-Service Digital Transmission performance monitoring.
- 8.3.3.1.1 ANSI T1.102-1993, American National Standard for Telecommunications -Digital Hierarchy - Electrical Interfaces;
- 8.3.3.1.2 ANSI T1.106-1988, American National Standard for Telecommunications -Digital Hierarchy - Optical Interface Specifications (Single Mode);
- 8.3.3.1.3 ANSI T1.107-1988, American National Standard for Telecommunications -Digital Hierarchy - Formats Specifications;
- 8.3.3.1.4 ANSI T1.107a-1990 American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);
- 8.3.3.1.5 ANSI T1.107b-1991 American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications;
- 8.3.3.1.6 Belicore FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;
- 8.3.3.1.7 Bellcore GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;

2/1/98

> Attachment 2 Page 21

> > · · ·

- 8.3.3.1.8 Bellcore TR-NWT 000507, Transmission, Section 7, Issue 5 (Bellcore, December 1993). (A module of LSSGR, FR-NWT-000064.);
- 8.3.3.1.9 Belicore TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991;
- 8.3.3.1.10 Bellcore ST-TEC 000052, Telecommunications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;
- 8.3.3.1.11 Bellcore ST-TEC-000051, Telecommunications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987;

8.4 Tandem Switching

8.4.1 Definition

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the tandem switch).

8.4.2 Technical Requirements

- 8.4.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 8.4.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 8.4.2.1.2 Tandem Switching will provide screening as jointly agreed to by NEW MILLENNIUM and BellSouth;
- 8.4.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability
- 8.4.2.1.4 Tandem Switching shall provide access to Toll Free number portability database as designated by NEW MILLENNIUM;
- 8.4.2.1.5 Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));

> Attachment 2 Page 22

- 8.4.2.1.6 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 8.4.2.1.7 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.
- 8.4.2.2 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IECs, ICOs, CAPs and CLEC switches.
- 8.4.2.3 Tandem Switching shall provide local tandeming functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC).
- 8.4.2.4 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.
- 8.4.2.5 Tandem Switching shall record billable events and send them to the area billing centers designated by NEW MILLENNIUM. Tandem Switching will provide recording of all billable events as jointly agreed to by NEW MILLENNIUM and BellSouth.
- 8.4.2.6 Upon a reasonable request from NEW MILLENNIUM, BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its interconnections. The results and reports of the testing shall be made immediately available to NEW MILLENNIUM.
- 8.4.2.7 BellSouth shall maintain NEW MILLENNIUM's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.
- 8.4.2.8 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non discriminatory manner.
- 8.4.2.9 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth switching network shall be mutually agreed to by NEW MILLENNIUM and BellSouth.
- 8.4.2.10 Tandem Switching shall process originating toll-free traffic received from NEW MILLENNIUM local switch.

> Attachment 2 Page 23

8.4.2.11 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.

8.4.3 Interface Requirements

- 8.4.3.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.
- 8.4.3.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.
- 8.4.3.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.
- 8.4.3.4 Tandem Switching shall interconnect with NEW MILLENNIUM's switch, using two-way trunks, for traffic that is transiting via BellSouth network to interLATA or intraLATA carriers. At NEW MILLENNIUM's request, Tandem Switching shall record and keep records of traffic for billing.
- 8.4.3.5 Tandem Switching shall provide an alternate final routing pattern for NEW . MILLENNIUM traffic overflowing from direct end office high usage trunk groups.
- 8.4.4 Tandem Switching shall meet or exceed (i.e., be more favorable to NEW MILLENNIUM) each of the requirements for Tandem Switching set forth in the following technical references:
- 8.4.4.1 Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90;
- 8.4.4.2 GR-905-CORE covering CCSNIS;
- 8.4.4.3 GR-1429-CORE for call, management features; and GR-2863-CORE and BellCore GR-2902-CORE covering CCS AIN interconnection,

9. Operator Systems

BellSouth agrees to offer access to operator systems pursuant to the terms and conditions following and at the rates set forth in Attachment 11.

9.1 Definition

Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, customer telephone
> Attachment 2 Page 24

> > e

listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

9.2 Operator Service

9.2.1 Definition

Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the customer has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

9.2.2 Requirements

- 9.2.2.1 When NEW MILLENNIUM requests BellSouth to provide Operator Services, the following requirements apply:
- 9.2.2.1.1 BeilSouth shall complete 0+ and 0- dialed local calls.
- 9.2.2.1.2 BellSouth shall complete 0+ intraLATA toll calls.
- 9.2.2.1.3 BellSouth shall complete calls that are billed to NEW MILLENNIUM customer's calling card that can be validated by BellSouth.
- 9.2.2.1.4 BellSouth shall complete person-to-person calls.
- 9.2.2.1.5 BellSouth shall complete collect calls.
- 9.2.2.1.6 BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
- 9.2.2.1.7 BellSouth shall complete station-to-station calls.
- 9.2.2.1.8 BeliSouth shall process emergency calls.
- 9.2.2.1.9 BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
- 9.2.2.1.10 BellSouth shall process emergency call trace, as they do for their Customers prior to the Effective Date. Call must originate from a 911 provider.
- 9.2.2.1.11 BellSouth shall process operator-assisted directory assistance calls.

2/1/98

> Attachment 2 Page 25

> > ...

- 9.2.2.2 BellSouth shall adhere to equal access requirements, providing NEW MILLENNIUM local customers the same IXC access as provided to BellSouth customers.
- 9.2.2.3 BellSouth shall exercise at least the same level of fraud control in providing Operator Service to NEW MILLENNIUM that BellSouth provides for its own operator service.
- 9.2.2.4 BellSouth shall perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
- 9.2.2.5 BellSouth shall direct customer account and other similar inquiries to the customer service center designated by NEW MILLENNIUM.
- 9.2.2.6 BellSouth shall provide a feed of customer call records in "EMR" format to NEW MILLENNIUM in accordance with ODUF standards specified in Attachment 7.

9.2.3 Interface Requirements:

With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of NEW MILLENNIUM, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

9.3 Directory Assistance Service

9.3.1 Definition

Directory Assistance Service provides local customer telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

9.3.2 Requirements

9.3.2.1 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by NEW MILLENNIUM's customer. BellSouth shall provide caller-optional directory assistance call completion service at rates contained in Attachment 11 to one of the provided listings, equal to that which BellSouth provides its customers. If not available, NEW MILLENNIUM may request such requirement pursuant to the Bona Fide Request Process of Attachment 9.

9.3.2.2 Directory Assistance Service Updates

9.3.2.2.1 BellSouth shall update customer listings changes daily. These changes include:

> Attachment 2 Page 26

- 9.3.2.2.1.1 New customer connections: BellSouth will provide service to NEW MILLENNIUM that is equal to the service it provides to itself and its customers;
- 9.3.2.2.1.2 Customer disconnections: BellSouth will provide service to NEW MILLENNIUM that is equal to the service it provides to itself and its customers; and
- 9.3.2.2.1.3 Customer address changes: BellSouth will provide service to NEW MILLENNIUM that is equal to the service it provides to itself and its customers;
- 9.3.2.3 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10. Signaling

BellSouth agrees to offer access to unbundled signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in Attachment 11. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.1 Definition of Signaling Link Transport

Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.

10.2 Tecnnical Requirements

- 10.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 10.2.2 Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 10.2.2.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STPS) pair; and

...

> Attachment 2 Page 27

> >

- 10.2.2.2 As a "B-link" which is a connection between two STPS pairs in different company networks (e.g., between two STPS pairs for two Competitive Local Exchange Carriers (CLECs)).
- 10.2.3 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 10.2.3.1 An A-link layer shall consist of two links.
- 10.2.3.2 A B-link layer shall consist of four links.
- 10.2.4 A signaling link layer shall satisfy a performance objective such that:
- 10.2.4.1 There shall be no more than two minutes down time per year for an A-link layer; and
- 10.2.4.2 There shall be negligible (less than 2 seconds) down time per year for a B-link layer.
- 10.2.5 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.5.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 10.2.5.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

10.3 Interface Requirements

10.3.1 There shall be a DS1 (1.544 Mbps) interface at the NEW MILLENNIUMdesignated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

11. Signaling Transfer Points (STPs)

- 11.1 **Definition Signaling Transfer** Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPSs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches
- 11.2 Technical Requirements

> Attachment 2 Page 28

> >

- 11.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
- 11.2.1.1 BellSouth Local Switching or Tandem Switching;
- 11.2.1.2 BellSouth Service Control Points/DataBases;
- 11.2.1.3 Third-party local or tandem switching
- 11.2.1.4 Third-party-provided STPSs.
- 11.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to BellSouth SS7 network. This explicitly includes the use of BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to BellSouth SS7 network (*i.e.*, transient messages). When BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 11.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between an NEW MILLENNIUM local switch and third party local switch, BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between NEW MILLENNIUM local STPSs and the STPSs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPSs.
- 11.2.4 STPs shall provide all functions of the MTP as defined in Bellcore ANSI Interconnection Requirements. This includes:
- 11.2.4.1 Signaling Data Link functions, as defined in Bellcore ANSI Interconnection Requirements,
- 11.2.4.2 Signaling Link functions, as defined in Belicore ANSI Interconnection Requirements, and
- 11.2.4.3 Signaling Network Management functions, as defined in Bellcore ANSI Interconnection Requirements.
- 11.2.5 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Belicore ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases

> Attachment 2 Page 29

where the destination signaling point is a NEW MILLENNIUM or third party local or tandem switching system directly connected to BeilSouth SS7 network, BeilSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BeilSouth shall perform intermediate GTT of messages to a gateway pair of STPSs in an SS7 network connected with BeilSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BeilSouth performs final GTT to a NEW MILLENNIUM database, then NEW MILLENNIUM agrees to provide BeilSouth with the Destination Point Code for the NEW MILLENNIUM database.

- 11.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 10.4.5 of this Attachment. All OMAP functions will be on a "where available" basis and can include:
- 11.2.6.1 MTP Routing Verification Test (MRVT) and
- 11.2.6.2 SCCP Routing Verification Test (SRVT).
- 11.2.7 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is an NEW MILLENNIUM or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPSs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPSs, and if mutually agreed upon by NEW MILLENNIUM and BellSouth.
- 11.2.8 STPs shall be on parity with BellSouth.

11.2.9 SS7 Advanced Intelligent Network (AIN) Access

- 11.2.9.1 When technically feasible and upon request by NEW MILLENNIUM, SS7 Access shall be made available in association with unbundled switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the NEW MILLENNIUM SS7 network to exchange TCAP queries and responses with an NEW MILLENNIUM SCP.
- 11.2.9.2 SS7 AIN Access shall provide NEW MILLENNIUM SCP access to BellSouth local switch in association with unbundled switching via

> Attachment 2 Page 30

> >

interconnection of BellSouth SS7 and NEW MILLENNIUM SS7 Networks. BellSouth shall order SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the NEW MILLENNIUM SCP as at least at parity with BellSouth's SCP's in terms of interfaces, performance and capabilities.

- 11.3 Interface Requirements
- 11.3.1 BellSouth shall provide the following STPs options to connect NEW MILLENNIUM or NEW MILLENNIUM-designated local switching systems or STPSs to BellSouth SS7 network:
- 11.3.1.1 An A-link interface from NEW MILLENNIUM local switching systems; and,
- 11.3.1.2 A B-link interface from NEW MILLENNIUM local STPSs.
- 11.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.
- 11.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STPS is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting NEW MILLENNIUM local switching systems or STPSs with BellSouth STPSs as soon as these become approved ANSI standards and available capabilities of BellSouth STPSs. BellSouth and NEW MILLENNIUM will work jointly to establish mutually acceptable SPOIs.
- 11.3.4 BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPS, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STPS. BellSouth and NEW MILLENNIUM will work jointly to establish mutually acceptable SPOIs.
- 11.3.5 BellSouth shall provide MTP and SCCP protocol interfaces that shall conform to all sections relevant to the MTP or SCCP in the following specifications:
- 11.3.5.1 Belicore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);

> Attachment 2 Page 31

11.3.5.2 Bellcore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

11.3.6 Message Screening

- 11.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from NEW MILLENNIUM local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the NEW MILLENNIUM switching system has a legitimate signaling relation.
- 11.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from NEW MILLENNIUM local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the NEW MILLENNIUM switching system has a legitimate signaling relation.
- 11.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from NEW MILLENNIUM from any signaling point or network interconnected through BellSouth's SS7
 network where the NEW MILLENNIUM SCP has a legitimate signaling relation.
- 11.4 STPs shall be equal to or better than all of the requirements for STPs set forth in the following technical references:
- 11.4.1 ANSI T1.111-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Message Transfer Part (MTP);
- 11.4.2 ANSI T1.111A-1994 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement;
- 11.4.3 ANSI T1.112-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP);
- 11.4.4 ANSI T1.115-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks;
- 11.4.5 ANSI T1.116-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP);

· · ·

> Attachment 2 Page 32

- 11.4.6 ANSI T1.118-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI);
- 11.4.7 Belicore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP); and
- 11.4.8 Bellcore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

12. Service Control Points/DataBases

12.1 Definition

- 12.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 12.1.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

12.2 Technical Requirements for SCPs/Databases

- Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to NEW MILLENNIUM in accordance with the following requirements.
- 12.2.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

> Attachment 2 Page 33

> > ---

- 12.2.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 12.2.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

12.2.4 Database Availability

Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.

12.2.5 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for NEW MILLENNIUM customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

12.3 Local Number Portability Database

12.3.1 Definition

The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

12.4 Line Information Database (LIDB):

BellSouth will store in its LIDB only records relating to service in the BellSouth region.

12.4.1 Definition

The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with customer Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-

> Attachment 2 Page 34

> > ---

proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth CCS network and other CCS networks. LIDB also interfaces to administrative systems.

12.4.2 Technical Requirements:

BellSouth will offer to NEW MILLENNIUM any additional capabilities that are developed for LIDB during the life of this Agreement.

- 12.4.2.1 Prior to the availability of a long-term solution for Local Number Portability, BellSouth shall enable NEW MILLENNIUM to store in BellSouth's LIDB any customer Line Number or Special Billing Number record, whether ported or not, for which the non-NEW MILLENNIUM dedicated NPA-NXX or RAO-0/1XX Group is supported by that LIDB, except for numbers ported from a third party local services provider.
- 12.4.2.2 Prior to the availability of a long-term solution for Local Number Portability, BellSouth shall enable NEW MILLENNIUM to store in BellSouth's LIDB any customer Line Number or Special Billing Number record, whether ported or not, and NEW MILLENNIUM dedicated NPA-NXX or RAO-0/1XX Group Records, except for numbers ported from a third party local services provider.
- 12.4.2.3 Subsequent to the availability of a long-term solution for Local Number Portability, BellSouth shall enable NEW MILLENNIUM to store in BellSouth's LIDB any customer Line Number or Special Billing Number record, whether ported or not, regardless of the number's dedicated NPA-NXX or RAO[NXX]-0/1XX., except for numbers ported from a third party local services provider.
- 12.4.2.4 BellSouth shall perform the following LIDB functions (i.e., processing of the following query types as defined in the technical reference in Section 13.8.5 of this Attachment) for NEW MILLENNIUM's customer records in LIDB:
- 12.4.2.4.1 Billed Number Screening (provides information such as whether the Billed Number may accept Collect or Third Number Billing calls); and
- 12.4.2.4.2 Calling Card Validation: If NEW MILLENNIUM chooses to offer Tel Line Number TLN and/or Special Billing Number (SBN credit cards, calling card validation will be supported for NEW MILLENNIUM customer data in the LIDB.
- 12.4.2.5 BellSouth shall process NEW MILLENNIUM's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to NEW MILLENNIUM what
> Attachment 2 Page 35

additional functions (if any) are performed by LIDB in the BellSouth network.

- 12.4.2.6 Within two (2) weeks after a request by NEW MILLENNIUM, BellSouth shall provide NEW MILLENNIUM with a list of the customer data items which NEW MILLENNIUM would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 12.4.2.7 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked, shall not exceed 30 minutes per year.
- 12.4.2.8 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 12.4.2.9 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- BellSouth shall provide NEW MILLENNIUM with the capability to provision 12.4.2.10 (e.g., to add, update, and delete) NPA-NXX and RAO-0/1XX Group Records, and Line Number and Special Billing Number Records. associated with NEW MILLENNIUM customers, directly into the BellSouth's LIDB provisioning process. The capability to provision (e.g., to add, update, and delete) NPA-NXX and RAO-01/1XX Group records. and Line Number and Special Billing Number Records, associated with NEW MILLENNIUM customers will be provided by BellSouth's DBAC. Direct access into BellSouth's LIDB process is not currently available. Once Direct access becomes available with the appropriate security measures, BeilSouth will offer such access to NEW MILLENNIUM. In the interim, BellSouth will provide access by electronic mail, facsimile or password-protected phone call (applicable to Group level NPA-NXX and RAO-01/1XX, updated within the same day if notification to BellSouth is received by 1:00 PM central time).
- 12.4.2.11 BellSouth shall maintain customer data (for line numbers, card numbers, and for any other types of data maintained in LIDB) so that such customers shall not experience any interruption of service due to the lack of such maintenance of customer data. In the event that end user customers change their local services provider, BellSouth will use its best efforts to minimize service interruption in those situations where BellSouth has control over additions and deletions to the database as the LIDB provider.

> Attachment 2 Page 36

- 12.4.2.12 All additions, updates and deletions of NEW MILLENNIUM data to the LIDB shall be solely at the direction of NEW MILLENNIUM. Such direction from NEW MILLENNIUM will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 12.4.2.13 BellSouth shall provide priority updates to LIDB for NEW MILLENNIUM data upon NEW MILLENNIUM's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 12.4.2.14 BellSouth shall provide NEW MILLENNIUM with the capability to directly obtain, through an electronic interface, reports of all NEW MILLENNIUM data in LIDB. Such capability will be through the data migration format (FCIF Interface) that can be used to electronically obtain reports of NEW MILLENNIUM data in LIDB.
- 12.4.2.15 BellSouth shall provide LIDB systems such that no more than 0.01% of NEW MILLENNIUM customer records will be missing from LIDB, as measured by NEW MILLENNIUM audits. BellSouth will audit NEW MILLENNIUM records in LIDB against DBAS to identify record mismatches and provide this data to a designated NEW MILLENNIUM contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to NEW MILLENNIUM within one business day of audit. Once reconciled records are received back from NEW MILLENNIUM, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact NEW MILLENNIUM to negotiate a time frame for the updates, not to exceed three business days.
- 12.4.2.16 BellSouth shall perform backup and recovery of all of NEW MILLENNIUM's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 12.4.2.17 BellSouth shall provide to NEW MILLENNIUM access to LIDS measurements and reports at least at parity with the capability that BellSouth has for its own customer records and that BellSouth provides to any other party. Electronic access shall be offered to NEW MILLENNIUM when it becomes available. Currently, BellSouth provides the following

2/1/98

> Attachment 2 Page 37

information from the Billing Measurements System summarized by Data Owner/Query Originator:

Calling Card Queries Billed Number Screening Queries Calling Card Successful Calling Card Denied Calling Card Denied Calling Card CCAN Service Denied Calling Card CCAN Service Denied Calling Card Record Not Found Billed Number Screening Successful Billed Number Screening Not Found Group Not Found BNS/C Processing Indicator Not Enabled Group Status/Nonparticipating

As additional LIDB measurements and reports become available, such measurements and reports also will be provided to NEW MILLENNIUM.

- 12.4.2.18 BellSouth shall provide NEW MILLENNIUM with LIDB reports of data which are missing or contain errors, as well as any misroute errors, within a reason time period as negotiated between NEW MILLENNIUM and BellSouth.
- 12.4.2.19 BellSouth shall prevent any access to or use of NEW MILLENNIUM data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other party that is not authorized by NEW MILLENNIUM in writing.
- 12.4.2.20 BeilSouth shall provide NEW MILLENNIUM performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by NEW MILLENNIUM at least at parity with BeilSouth Customer Data. BeilSouth shall obtain from NEW MILLENNIUM the screening information associated with LIDB Data Screening of NEW MILLENNIUM data in accordance with this requirement. BeilSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BeilSouth shall offer it to NEW MILLENNIUM under the Bona Fide Request process of Attachment 9.
- 12.4.2.21 BellSouth shall accept queries to LIDB associated with NEW MILLENNIUM customer records, and shall return responses in accordance with industry standards.

> Attachment 2 Page 38

> >

- 12.4.2.22 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 12.4.2.23 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 12.4.2.24 BellSouth shall provide 99.9 % of all LIDB queries in a round trip within 2 seconds as defined in industry standards.

12.4.3 Interface Requirements

BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 12.4.3.1 The interface to LIDB shall be in accordance with the technical references contained within.
- 12.4.3.2 The CCS interface to LIDB shall be the standard interface described herein.
- 12.4.3.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

12.5 Toll Free Number Database

The Toll Free Number Database is a SCP that provides functionality necessary for toll free (e.g., 800 and 888) number services by providing routing information and additional so-called vertical features during call set-up in response to queries from SSPs. BellSouth shall provide the Toll Free Number Database in accordance with the following:

12.5.1 Technical Requirements

- 12.5.1.1 BeilSouth shall make BeilSouth Toll Free Number Database available for NEW MILLENNIUM to query with a toll-free number and originating information.
- 12.5.1.2 The Toll Free Number Database shall return carrier identification and, where applicable, the queried toll free number, translated numbers and instructions as it would in response to a query from a BellSouth switch.
- 12.5.1.3 The SCP shall also provide, at NEW MILLENNIUM's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Bellcore, April 1994)) as are available to BellSouth. These may include but are not limited to:

> Attachment 2 Page 39

- 12.5.1.3.1 Network Management;
- 12.5.1.3.2 Customer Sample Collection; and
- 12.5.1.3.3 Service Maintenance

12.6 Automatic Location Identification/Data Management System (ALI/DMS)

The ALI/DMS Database contains customer information (including name, address, telephone information, and sometimes special information from the local service provider or customer) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

- 12.6.1 Technical Requirements
- 12.6.1.1 BellSouth shall offer NEW MILLENNIUM a data link to the ALI/DMS database or permit NEW MILLENNIUM to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to NEW MILLENNIUM immediately after NEW MILLENNIUM inputs information into the ALI/DMS database. Alternately, NEW MILLENNIUM may utilize BellSouth, to enter customer information into the data base on a demand basis, and validate customer information on a demand basis.
- 12.6.1.2 The ALI/DMS database shall contain the following customer information:
- 12.6.1.2.1 Name;
- 12.6.1.2.2 Address;
- 12.6.1.2.3 Telephone number; and
- 12.6.1.2.4 Other information as appropriate (e.g., whether a customer is blind or deaf or has another disability).
- 12.6.1.3 When the BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless NEW MILLENNIUM requests otherwise and shall be updated if NEW MILLENNIUM requests, provided NEW MILLENNIUM supplies BellSouth with the updates.
- 12.6.1.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local customer and a remark or other appropriate field

> Attachment 2 Page 40

information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.

12.6.1.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.

12.6.2 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for NEW MILLENNIUM customers shall meet industry standards.

12.7 Directory Assistance Database

BellSouth shall make its directory assistance database available to NEW MILLENNIUM in order to allow NEW MILLENNIUM to provide its customers with the same directory assistance telecommunications services BellSouth provides to BellSouth customers. BellSouth shall provide NEW MILLENNIUM with an initial feed via magnetic tape and daily update initially via magnetic tape and subsequently via an electronic gateway to be developed mutually by NEW MILLENNIUM and BellSouth of customer address and number changes. Directory Assistance Services must provide both the ported and NEW MILLENNIUM telephone numbers to the extent available in BellSouth's database assigned to a customer. Privacy indicators must be properly identified to assure the non-published numbers are accurately identified.

- 12.8 Calling Name Database. BellSouth shall make available its calling name database at rates, terms and conditions contained in BellSouth's calling name database Agreement.
- 12.9 SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the following technical references:
- 12.9.1 GR-246-CORE, Bell Communications Research Specification of Signaling System Number 7, ISSUE 1 (Bellcore, December 199);
- 12.9.2 GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP). (Bellcore, March 1994);

> Attachment 2 Page 41

> >

- 12.9.3 GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service 6, Issue 1, Rev. 1 (Bellcore, October 1995);
- 12.9.4 GR-1149-CORE, OSSGR Section 10: System Interfaces, Issue 1 (Belicore, October 1995) (Replaces TR-NWT-001149);
- 12.9.5 BeliCore GR-1158-CORE, OSSGR Section 22.3: Line Information Database 6, Issue (Belicore, October 1995);
- 12.9.6 BellCore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service (Bellcore, May 1995); and
- 12.9.7 BOC Notes on BellSouth Networks, SR-TSV-002275, ISSUE 2, (Bellcore, April 1994).
- 12.10 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access
- 12.10.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide NEW MILLENNIUM the capability that will allow NEW MILLENNIUM and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.
- 12.10.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to NEW MILLENNIUM. Scheduling procedures shall provide NEW MILLENNIUM equivalent priority to these resources
- 12.10.3 BellSouth SCP shall partition and protect NEW MILLENNIUM service logic and data from unauthorized access, execution or other types of compromise.
- 12.10.4 When NEW MILLENNIUM selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable NEW MILLENNIUM to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.

> Attachment 2 Page 42

- 12.10.5 When NEW MILLENNIUM selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. NEW MILLENNIUM access will be provided via remote data connection (e.g., dial-in, ISDN).
- 12.10.6 When NEW MILLENNIUM selects SCE/SMS AIN Access, BellSouth shall allow NEW MILLENNIUM to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (e.g., service customization and customer subscription).

13. DARK FIBER

BellSouth agrees to offer access to Dark Fiber where the state commissions have required such access pursuant to the terms and conditions following and at the rates set forth in Attachment 11. The parties agree that Dark Fiber will be used in the provisioning of local service.

13.1.1 Dark Fiber is unused strands of optical fiber. It may be strands of optical fiber existing in aerial or underground structure. No line terminating elements terminated to such strands to operationalize its transmission capabilities will be available. No regeneration or optical amplification will be included with this element.

13.2 Requirements

- 13.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. BellSouth shall offer all Dark Fiber to NEW MILLENNIUM pursuant to the prices set forth in Attachment 11 of this Agreement.
- 13.2.2 NEW MILLENNIUM may test the quality of the Dark Fiber to confirm its usability and performance specifications.
- 13.2.3 BellSouth shall use its best efforts to provide to NEW MILLENNIUM information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from NEW MILLENNIUM ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation").
- 13.2.4 BellSouth shall use its best efforts to make Dark Fiber available to NEW MILLENNIUM within thirty (30) business days after it receives written

2/1/98

> Attachment 2 Page 43

> >

confirmation from NEW MILLENNIUM that the Dark Fiber previously deemed available by BellSouth is wanted for use by NEW MILLENNIUM. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable NEW MILLENNIUM to connect or splice NEW MILLENNIUM provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.

14. SS7 Network Interconnection

14.1.1 Definition

SS7 Network Interconnection is the interconnection of NEW MILLENNIUM local Signaling Transfer Point Switches (STPS) and NEW MILLENNIUM local or tandem switching systems with BellSouth STPSs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), NEW MILLENNIUM local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 14.1.2 Technical Requirements
- 14.1.2.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 14.1.2.1.1 BellSouth local or tandem switching systems;
- 14.1.2.1.2 BellSouth DBs; and
- 14.1.2.1.3 Other third-party local or tandem switching systems.
- 14.1.2.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and NEW MILLENNIUM or other third-party switching systems with A-link access to the BellSouth SS7 network.

If traffic is routed based on dialed or translated digits between an NEW MILLENNIUM local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the NEW MILLENNIUM local STPSs and BellSouth or other third-party local switch.

14.1.2.3 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPSs, the BellSouth SS7 Network shall also convey TCAP messages using SS7

2/1/98

> Attachment 2 Page 44

Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).

- 14.1.2.4 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
- 14.1.2.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 14.1.2.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 14.1.2.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 14.1.2.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an NEW MILLENNIUM local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of NEW MILLENNIUM local STPSs, and shall not include SCCP Subsystem Management of the destination.
- 14.1.2.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 14.1.2.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 14.1.2.8 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPSs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 14.1.2.9 SS7 Network Interconnection shall be equal to or better than the following performance requirements:
- 14.1.2.9.1 MTP Performance, as specified in ANSI T1.111.6;
- 14.1.2.9.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 14.1.2.9.3 ISDNUP Performance, as specified in ANSI T1.113.5.

> Attachment 2 Page 45

> >

14.1.3 Interface Requirements

- 14.1.3.1 BellSouth shall offer the following SS7 Network Interconnection options to connect NEW MILLENNIUM or NEW MILLENNIUM-designated local or tandem switching systems or STPSs to the BellSouth SS7 network:
- 14.1.3.1.1 A-link interface from NEW MILLENNIUM local or tandem switching systems; and
- 14.1.3.1.2 B-link interface from NEW MILLENNIUM STPSs.
- 14.1.3.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STPS is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting NEW MILLENNIUM local switching systems or STPSs with BellSouth STPSs as soon as these become approved ANSI standards and available capabilities of BellSouth STPSs. BellSouth and NEW MILLENNIUM will work jointly to establish mutually acceptable SPOI.
- 14.1.3.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STPS, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STPS. BellSouth and NEW MILLENNIUM will work jointly to establish mutually acceptable SPOI.
- 14.1.3.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the following specifications:
- 14.1.3.4.1 Belicore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 14.1.3.4.2 Belicore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 14.1.3.4.3 Belicore GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and
- 14.1.3.4.4 Belicore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

> Attachment 2 Page 46

- 14.1.3.5 BellSouth shall set message screening parameters to block accept messages from NEW MILLENNIUM local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the NEW MILLENNIUM switching system has a legitimate signaling relation.
- 14.1.4 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the following technical references:
- 14.1.4.1 ANSI T1.110-1992 American National Standard Telecommunications -Signaling System Number 7 (SS7) - General Information;
- 14.1.4.2 ANSI T1.111-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Message Transfer Part (MTP);
- 14.1.4.3 ANSI T1.111A-1994 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement:
- 14.1.4.4 ANSI T1.112-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP);
- 14.1.4.5 ANSI T1.113-1995 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Integrated Services Digital Network (ISDN) User Part;
- 14.1.4.6 ANSI T1.114-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Transaction Capabilities Application Part (TCAP);
- 14.1.4.7 ANSI T1.115-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks;
- 14.1.4.8 ANSI T1.116-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP);
- 14.1.4.9 ANSI T1.118-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI);
- 14.1.4.10 Belicore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message

> Attachment 2 Page 47

Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);

- 14.1.4.11 Belicore GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service;
- 14.1.4.12 Belicore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 14.1.4.13 Belicore GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and,
- 14.1.4.14 Bellcore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

15. Basic 911 and E911

If CLEC orders unbundled network elements, then CLEC is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions and at the rates set forth in Attachment 11.

15.1 Definition

Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

15.2 Requirements

15.2.1 Basic 911 Service Provisioning. For Basic 911 service, BellSouth will provide to NEW MILLENNIUM a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. NEW MILLENNIUM will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. NEW MILLENNIUM will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, NEW MILLENNIUM will be required to discontinue the Basic 911 procedures and being using E911 procedures.

> Attachment 2 Page 48

E911 Service Provisioning. For E911 service, NEW MILLENNIUM will be 1522 required to install a minimum of two dedicated trunks originating from the NEW MILLENNIUM serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. NEW MILLENNIUM will be required to provide BellSouth daily updates to the E911 database. NEW MILLENNIUM will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, NEW MILLENNIUM will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party.

- 15.2.3 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on NEW MILLENNIUM beyond applicable charges for BellSouth trunking arrangements.
- 15.2.4 Basic 911 and E911 functions provided to NEW MILLENNIUM shall be at least at parity with the support and services that BellSouth provides to its customers for such similar functionality.
- 15.2.5 Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and NEW.MILLENNIUM to follow in providing 911/E911 services.

2/1/98

...

1

Attachment 3

Local Interconnection

.

-

.

.

...

> Attachment 3 Page 1

Local Interconnection

BellSouth shall provide NEW MILLENNIUM interconnection with BellSouth's network for the transmission and routing of telephone exchange service and exchange access on the following terms:

1. Local Traffic Exchange

- 1.1 Local Traffic. Local Traffic shall be as defined in Part B of the General Terms and Conditions of this Agreement. All other traffic that originates and terminates between end users within a LATA boundary is toll traffic. In no event shall the Local Traffic area for purposes of local call termination billing between the parties be decreased. No party shall represent Exchange Access traffic nor ESP nor Information Service Provider traffic as Local Traffic.
- 1.2 Interconnection Points. Local interconnection is available at any technically feasible point within BellSouth's network. Interconnection is currently available at the following points:
- 1.2.1 Trunk-side of local switch.
- 1.2.2 Trunk interconnection points for tandem switch.
- 1.2.3 Central office cross-connect points.
- 1.2.4 Out-of-band signal transfer points.
- 1.2.5 Interconnection at applicable unbundled network element points is also available.
- 1.2.6 BellSouth may provide local interconnection at any other technically feasible point. Requests for interconnection at other points may be made through the bona fide request process set out in Attachment 9.
- 1.3 Percent Local Use. When traffic other than local traffic is routed on the same facilities as local traffic, each party will report to the other a Percentage Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other party. For purposes of developing the PLU, each party shall consider every local call and every long distance call. Effective on the first of January, April, July and October of each year, BellSouth and NEW MILLENNIUM shall provide a positive report updating the PLU. Detailed requirements associated with PLU reporting shall be as set forth in BellSouth's

2/1/98

> Attachment 3 Page 2

Standard Percent Local Use Reporting Platform for Interconnection Purchasers, as it is amended from time to time during this Agreement.

1.3.1

On thirty (30) days written notice, each party must provide Audits. the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and NEW MILLENNIUM shall retain records of call detail for a minimum of nine months from which a PLU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the party requesting the audit. The PLU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either party is found to have overstated the PLU by twenty percentage points (20%) or more, that party shall reimburse the auditing party for the cost of the audit.

Percentage Interstate Usage. For combined interstate and intrastate 1.4 NEW MILLENNIUM traffic terminated by BellSouth over the same facilities, NEW MILLENNIUM will be required to provide a projected Percentage Interstate Usage ("PIU") to BellSouth. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to NEW MILLENNIUM. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU factor will be used for application and billing of local interconnection.

Unidentified local traffic. Whenever BellSouth delivers traffic to NEW 1.5 MILLENNIUM for termination on the NEW MILLENNIUM's network, if BellSouth cannot determine because of the manner in which NEW MILLENNIUM has utilized its NXX codes whether the traffic is local or toll. BellSouth will charge the applicable rates for originating intrastate network access service as reflected in BellSouth's Intrastate Access Service Tariff. BellSouth will make appropriate billing adjustments if NEW MILLENNIUM can provide sufficient information for BellSouth to determine whether said traffic is local or toll. If BellSouth deploys an NXX code across its local calling areas in such a manner that NEW MILLENNIUM cannot determine whether the traffic it delivers to BellSouth is local or toll, this subsection shall apply to BellSouth and the NEW MILLENNIUM.

Intermediary Tandem Switching. BellSouth will provide intermediary 1.6 tandem switching and transport services for NEW MILLENNIUM's connection of its end user to a local end user of another CLEC where both CLECs are connected at the same tandem and termination of calls is

> Attachment 3 Page 3

authorized. Rates for intermediary tandem switching are set out in Attachment 11.

- Mutual Provision of Access Service. When BellSouth and NEW 1.7 MILLENNIUM provide an access service connection between an interexchange carrier ("IXC") and each other, each party will provide its own access services to the IXC on a multi-bill, multi-tariff meet-point basis. Each party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the party providing the end office function. BellSouth will use the Multiple Exchange Carrier Access Billing system to establish meet point billing for all applicable traffic, including traffic terminating to ported numbers. 30-day billing periods will be employed for these arrangements. The recording party agrees to provide to the initial billing company, at no charge, the switched access detailed usage data within a reasonable time after the usage is recorded. The initial billing company will provide the switched access summary usage data to all subsequent billing companies within 10 days of rendering the initial bill to the IXC.
- 1.8 <u>Rates</u>. Rates for interconnection for local traffic on the BellSouth network as set out in this Section are set out in Attachment 11. Compensation for interconnection is reciprocal, as set out in Section 8 below.

2. Exchange of intraLATA toll traffic

Exchange of intraLATA toll traffic between BellSouth and NEW MILLENNIUM networks shall occur as follows:

- 2.1 IntraLATA Toll Traffic. IntraLATA toll traffic is traffic that is not Local Traffic as defined in Section 1.1 above.
- 2.2 <u>Delivery of intraLATA toll traffic</u>. For terminating its toll traffic on the other company's network, each party will pay BellSouth's current intrastate terminating switched access rate, inclusive of the Interconnection Charge and the Carrier Common Line rate elements of the switched access rate. See BellSouth's Intrastate Access Services Tariff.
- 2.3 <u>Rates.</u> For originating and terminating toll traffic, each party shall pay the other BellSouth's intrastate or interstate whichever is appropriate, switched network access service rate elements on a per minute of use basis. Applicable rate elements are set out in BellSouth's Access Services Tariffs. The appropriate charges will be determined by the routing of the call. If NEW MILLENNIUM is the BellSouth end user's presubscribed interexchange carrier or if the BellSouth end user uses NEW MILLENNIUM as an interexchange carrier on a 10XXX basis, BellSouth

2/1/98

> Attachment 3 Page 4

> >

will charge NEW MILLENNIUM the appropriate tariff charges for originating network access services. If BellSouth is serving as the NEW MILLENNIUM end user's presubscribed interexchange carrier or if the NEW MILLENNIUM end user uses BellSouth as an interexchange carrier on a 10XXX basis, the NEW MILLENNIUM will charge BellSouth the appropriate BellSouth tariff charges for originating network access services.

- 2.4 <u>Additional Interconnection</u>. To the extent NEW MILLENNIUM provides intraLATA toll service to its customers, it may be necessary for it to interconnect to additional BellSouth access tandems that serve end offices outside the local calling area.
- 2.5 <u>Compensation for 800 Traffic</u>. Each party shall compensate the other pursuant to the appropriate originating switched access charges, including the database query charge, for the origination of 800 traffic terminated to the other party.
- 2.6 Records for 800 Billing. Each party will provide to the other the appropriate records necessary for billing intraLATA 800 customers. The records provided will be in a standard EMR format for a fee of \$0.013 per record.
- 2.7 <u>800 Access Screening</u>. Should NEW MILLENNIUM require 800 Access Ten Digit Screening Service from BellSouth, it shall have signaling transfer points connecting directly to BellSouth's local or regional signaling transfer point for service control point database query information. NEW MILLENNIUM shall utilize SS7 signaling links, ports and usage as set forth in Attachment 2. NEW MILLENNIUM will not utilize switched access FGD service. 800 Access Ten Digit Screening Service is an originating service that is provided via 800 Switched Access Service trunk groups from BellSouth's SS7 equipped end office or access tandem providing an IXC identification function and delivery of a call to the IXC based on the dialed ten digit number. The terms and conditions for this service are set out in BellSouth's Intrastate Access Services Tariff as amended

3. Methods of Interconnection

Interconnection for telephone exchange service and exchange access shall be either at every BellSouth access tandem and/or at every BellSouth end office within a local calling area or other authorized area (e.g., an Extended Area Service Zone). Interconnection is available through: (1) virtual collocation; (2) physical collocation; and (3) interconnection via purchase of facilities from either party by the other company.

> Attachment 3 Page 5

> >

4. Truňk Groups

BellSouth and NEW MILLENNIUM shall establish trunk groups between interconnecting facilities. Trunks may be either one-way or two-way. Two-way trunking may be provided by BellSouth consistent with BellSouth engineering specifications. Local and intraLATA traffic only may be routed over the same one-way trunk group. Requests for alternative trunking arrangements may require submission of a bona fide request via the Bona Fide Request Process set forth in Attachment 9.

5. Network Design and Management for Interconnection

- 5.1 <u>Network Management and Changes.</u> BellSouth will work cooperatively with NEW MILLENNIUM to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. BellSouth agrees to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.
- 5.2 Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Bellcore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID when technically feasible.
- 5.3 <u>Quality of Interconnection</u>. The local interconnection for the transmission and routing of telephone exchange service and exchange access that BellSouth provides to NEW MILLENNIUM will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other party to which BellSouth provides local interconnection. Attachment 2 contains detailed service descriptions, technical requirements and quality measures provided to NEW MILLENNIUM.

> Attachment 3 Page 6

> >

- 5.4 <u>Network Management Controls</u>. BellSouth will work cooperatively with NEW MILLENNIUM to apply sound network management principles by invoking appropriate network management controls, e.g., call gapping, to alleviate or prevent network congestion.
- 5.5 <u>Common Channel Signaling</u>. BellSouth will provide LEC-to-LEC Common Channel Signaling ("CCS") to NEW MILLENNIUM, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and BellSouth will cooperate with NEW MILLENNIUM on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks.
- 5.6 Forecasting Requirements.
- 5.6.1 The Parties shall exchange technical descriptions and forecasts of their interconnection and traffic requirements in sufficient detail necessary to establish the interconnections required to assure traffic completion to and from all customers in their respective designated service areas.
- 5.6.2 Both parties shall meet every six months or at otherwise mutually agreeable intervals for the purpose of exchanging non-binding forecast of its traffic and volume requirements for the interconnection and network elements provided under this Agreement, in the form and in such detail as agreed by the Parties. Section 5.6.3 contains guidelines regarding trunk forecasts, the forecast meetings and meeting intervals, that the Parties can use to form the basis of their agreement. The Parties agree that each forecast provided under this Section 5.6.2 shall be deemed "Confidential Information" under Section 9 of the General Terms and Conditions Part A of this Agreement.
- 5.6.3 The trunk forecast should include trunk requirements for all of the interconnecting trunk groups for the current year plus the next two future years. The forecast meeting between the two companies may be a face-to-face meeting, video conference or audio conference. It may be held regionally or geographically. Ideally, these forecast meetings should be held at least semi-annually, or more often if the forecast is no longer usable. Updates to a forecast or portions thereof should be made whenever the Party providing the forecast deems that the latest trunk requirements exceed the original quantities by 24 trunks or 10%, whichever is greater. Either Party should notify the other Party if they have measurements indicating that a trunk group is exceeding its

> Attachment 3 Page 7

designed call carrying capacity and is impacting other trunk groups in the network. Also, either Party should notify the other Party if they know of situations in which the traffic load is expected to increase significantly and thus affect the interconnecting trunk requirements as well as the trunk requirements within the other Party's network. The Parties agree that the forecast information provided under this Section shall be deemed "Confidential Information" under Section 9 of the General Terms and Conditions of this Agreement.

- In addition to, and not in lieu of, the non-binding forecasts required by 5.6.4 Section 5.6.2, a Party that is required pursuant to this Agreement to provide a forecast (the "Forecast Provider") or a Party that is entitled pursuant to this Agreement to receive a forecast (the "Forecast Recipient") with respect to traffic and volume requirements for the services and network elements provided under this Agreement may request that the other Party enter into negotiations to establish a forecast (a "Binding Forecast") that commits such Forecast Provider to purchase, and such Forecast Recipient to provide, a specified volume to be utilized as set forth in such Binding Forecast. The Forecast Provider and Forecast Recipient shall negotiate the terms of such Binding Forecast in good faith and shall include in such Binding Forecast provisions regarding price. quantity, liability for failure to perform under a Binding Forecast and any other terms desired by such Forecast Provider and Forecast Recipient. The Parties agree that each forecast provided under this Section shall be deemed "Confidential Information" under Section 10.1 of the General Terms and Conditions - Part A of this Agreement. Notwithstanding the foregoing, under no circumstance should either Party be required to enter into a Binding Forecast as described in this Section.
- 5.6.5 For a non-binding trunk forecast, agreement between the two Parties on the trunk quantities and the timeframe of those trunks does not imply any liability for failure to perform if the trunks are not available for use at the required time.
- 5.7 <u>Call Information</u>. BellSouth will provide NEW MILLENNIUM with the proper call information, *i.e.*, originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing where BellSouth provides recording capabilities. The exchange of information is required to enable each party to bill property.

6. Parity in Ordering and Provisioning

BellSouth shall provide interconnection ordering and provisioning services to NEW MILLENNIUM that are equal to the ordering and provisioning services BellSouth provides to itself. Detailed procedures for ordering and

2/1/98

> Attachment 3 Page 8

provisioning BellSouth interconnection services are set forth in the Local Interconnection and Facility Based Ordering Guide.

7. Local Dialing Parity

BellSouth shall provide local dialing parity, meaning that NEW MILLENNIUM customers will not have to dial any greater number of digits than BellSouth customers to complete the same call. In addition, NEW MILLENNIUM local service customers will experience at least the same quality as BellSouth local service customers regarding post-dial delay, call completion rate and transmission quality.

8. Reciprocal Compensation

- 8.1 BellSouth shall provide for the mutual and reciprocal recovery of the costs of transporting and terminating local calls on its and NEW MILLENNIUM's network. The parties agree that charges for transport and termination of calls on its respective networks are as set forth in Attachment 11.
- 8.2 The delivery of traffic which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates stipulated in this agreement to a terminating carrier. The delivery of this traffic is contingent upon CLEC negotiating and executing valid contractual agreements or the placement of valid orders with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier. An agreement or valid order with the terminating carrier will be established prior to the delivery of any transit traffic to BellSouth destined for the particular carrier's network. Further, CLEC agrees to compensate BellSouth for any charges or costs for the delivery of transit traffic to a connecting carrier on behalf of CLEC for which a valid contract or order has not been established.
- 8.3 Interconnection with Enhanced Service Providers (ESPs)/Information Service Providers (ISPs). Traffic originated to and terminated by ESPs/ISPs shall not be included in the reciprocal compensation arrangements of this Agreement.

...

.

.

Attachment 4

Physical Collocation

.

.

-

.

+ · · ·

> Attachment 4 Page 1

> >

BELLSOUTH PHYSICAL COLLOCATION

I. SCOPE OF AGREEMENT

A. BeilSouth hereby grants to New Millennium a right to occupy that certain enclosed area designated by BellSouth within a BellSouth Central Office, of a size and dimension which is specified by New Millennium and agreed to by BellSouth (hereinafter "Collocation Space"). BellSouth will design and construct at New Millennium's expense, a wall or other delineation to establish a clear division between the Collocation Space and other areas of the Central Office dedicated to BellSouth's use.

B. New Millennium shall use the Collocation Space for the purposes of installing, maintaining and operating New Millennium's equipment (to include testing and monitoring equipment) which is used to interconnect with telecommunications services and facilities provided by BellSouth. Pursuant to Article III, following, New Millennium may place New Millennium-owned fiber entrance facilities to the Collocation Space, in which case the arrangement is designated "Expanded Interconnection." Placement of equipment in the Collocation Space without the use of New Millenniumowned entrance facilities is designated "Service Interconnection." In addition to, and not in lieu of, interconnection to BellSouth services and facilities, New Millennium may connect to other New Millenniums within the designated Central Office. The Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.

C. New Millennium may not provide or make available space within the Collocation Space to any third party. Any violation of this provision shall be deemed a material breach of this Agreement.

D. New Millennium agrees to pay the rates and charges identified at Exhibit A attached hereto.

E. A Collocation Space will be provided to New Millennium at each Central Office identified at Exhibit B attached hereto, which Exhibit shall be updated from time to time as additional Central Offices are made subject to the terms of this Agreement.

II. TERM OF AGREEMENT

A. <u>Term.</u> The term of this Agreement shall be for an initial period of two (2) years, beginning on the Agreement date stated above and ending two (2) years later on the month and day corresponding to such date.

B. <u>Commencement Date</u>. The "Commencement Date" shall be the first day after New Millennium's equipment becomes operational as described in Article II.B, following.

> Attachment 4 Page 2

Occupancy. BellSouth will notify New Millennium that the Collocation Space is ready C. New Millennium must place operational telecommunications equipment in the for occupancy. Collocation Space and connect with BellSouth's network within one hundred eighty (180) days after receipt of such notice. BellSouth may consent to an extension beyond 180 days upon a demonstration by New Millennium that circumstances beyond its reasonable control prevented New Millennium from completing installation by the prescribed date. If New Millennium fails to place operational telecommunications equipment in the Collocation Space within 180 days and such failure continues for a period of thirty (30) days after receipt of written notice from BellSouth, then and in that event New Millennium's right to occupy the Collocation Space terminates and BellSouth shall have no further obligations to New Millennium with respect to said Collocation Space. Termination of New Millennium's rights to the Collocation Space pursuant to this paragraph shall not operate to release New Millennium from its obligation to reimburse BellSouth for all costs reasonably incurred by BellSouth in preparing the Collocation Space, but rather such obligation shall survive this Agreement. For purposes of this paragraph. New Millennium's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.

D. Termination. New Millennium may terminate occupancy in a particular Collocation Space upon thirty (30) days prior written notice to BellSouth. Upon termination of such occupancy, New Millennium at its expense shall remove its equipment and other property from the Collocation Space. New Millennium shall have thirty (30) days from the termination date to complete such removal; provided, however, that New Millennium shall continue payment of monthly fees to BellSouth until such date as New Millennium has fully vacated the Collocation Space. Should New Millennium fail to vacate the Collocation Space within thirty (30) days from the termination date, BellSouth shall have the right to remove the equipment and other property of New Millennium at New Millennium's expense and with no liability for damage or injury to New Millennium's property unless caused by the negligence or intentional misconduct of BellSouth.

III. USE OF COLLOCATION SPACE

A. <u>Nature of Use</u>. BellSouth shall permit New Millennium to place, maintain and operate in the Collocation Space any equipment that New Millennium is authorized by BellSouth and by Federal or State regulators to place, maintain and operate in collocation space and that is used by New Millennium to provide services which New Millennium has the legal authority to provide. The equipment must at a minimum comply with the BellCore Network Equipment Building System (NEBS) General Equipment Requirements (TR-NWT-000063) and National Electric Code standards. New Millennium may elect to enclose the Collocation Space. New Millennium shall not use the Collocation Space for marketing purposes. New Millennium shall place no signs or marking of any kind (except for a plaque or other identification affixed to New Millennium's equipment and reasonably necessary to identify New Millennium's equipment, and which shall include a list of emergency contacts with telephone numbers), in the area surrounding the Collocation Space or on the grounds of the Central Office housing the Collocation Space.

B. <u>Entrance Facilities</u>. New Millennium may elect to place New Millennium-owned entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in proximity to the central office building housing the Collocation Space, such as an entrance manhole or a cable vault. New Millennium will provide and place cable at the point of interconnection of sufficient length to be pulled through conduit and into the splice location. No splicing will be permitted in the entrance manhole. New Millennium will provide a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to the New Millennium's

> Attachment 4 Page 3

> > ...

equipment in the Collocation Space. New Millennium must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. New Millennium is responsible for maintenance of the entrance facilities. Dual entrance will be permitted where capacity exists. The interconnection point for entrance facilities extending from a rooftop antenna will be designated by BellSouth on the Application/Inquiry response.

C. <u>Demarcation Point</u>. A point-of-termination bay(s) will designate the point(s) of interconnection between New Millennium's equipment and/or network and BellSouth's network. Each party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. New Millennium may, at its option, provide its own point-of-termination bay(s) in accordance with BellSouth's guidelines and specifications, which BellSouth will provide upon request.

D. <u>New Millennium's Equipment and Facilities</u>. New Millennium is solely responsible for the design, engineering, testing, performance, monitoring, maintenance, and repair of the equipment and facilities used by New Millennium in the Collocation Space. Without limitation of the foregoing provisions. New Millennium will be responsible for servicing, supplying, repairing, installing and maintaining the following: (1) cable(s); (2) equipment; (3) point-of-termination cross-connects; (4) point of termination maintenance, including replacement fuses and circuit breaker restoration, if not performed by BellSouth; and (5) connection cable(s) and associated equipment which may be required within the Collocation Space to the points of interconnection.

E. <u>Easement Space</u>. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give reasonable notice to New Millennium when access to the Collocation Space is required. New Millennium may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that New Millennium will not bear any of the expense associated with this work.

F. Access and Administration. New Millennium shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. A security escort will be required at Central Offices where separate, secured ingress and egress are not available and access would require New Millennium to traverse restricted areas. All employees, agents and contractors of New Millennium having access to the Collocation Space shall comply with BellSouth's policies and practices pertaining to fire, safety and security, and each such employee, agent or contractor shall display an identification badge issued by New Millennium or certified vendor which contains a current photo, the individual's name and company name/logo. New Millennium agrees to comply with all laws, ordinances and regulations affecting the use of the Collocation Space to BellSouth in the same condition as when first occupied by New Millennium except for ordinary wear and tear.

G. <u>Interference or Impairment</u>. Notwithstanding any other provisions of this Agreement, equipment and facilities placed in the Collocation Space shall not interfere with or impair service provided by BellSouth or by any other Interconnector located in the Central Office; shall not endanger or damage the facilities of BellSouth or of any other Interconnector, the Collocation Space, or the Central Office; shall not compromise the privacy of any communications carried in, from, or through the Central Office; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of New Millennium violate the provisions of this paragraph, BellSouth shall give written notice to New Millennium, which notice shall

> Attachment 4 Page 4

direct New Millennium to cure the violation within twenty-four (24) hours or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. If New Millennium fails to take curative action within 24 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or interference/impairment of the services provided by BellSouth, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to New Millennium's equipment. BellSouth will endeavor, but is not required, to provide notice to New Millennium prior to taking such action and shall have no liability to New Millennium for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

H. <u>Personalty and its Removal</u>. Subject to requirements of this Agreement, New Millennium may place or install in or on the Collocation Space such facilities and equipment as it deems desirable for the conduct of business. Personal property, facilities and equipment placed by New Millennium in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personalty and may be removed by New Millennium at any time. Any damage caused to the Collocation Space by New Millennium's employees, agents or representatives during the removal of such property shall be promptly repaired by New Millennium at its expense.

I. <u>Alterations</u>. In no case shall New Millennium or any person acting on behalf of New Millennium make any rearrangement, modification, improvement, addition, repair, or other alteration to the Collocation Space or the BellSouth Central Office without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by New Millennium.

IV. ORDERING AND PREPARATION OF COLLOCATION SPACE

A. <u>Application for Space</u>. New Millennium shall submit to BellSouth a complete and accurate Application and Inquiry document, together with payment of the Application Fee as stated in Exhibit A. The Application shall contain a detailed description and schematic drawing of the equipment to be placed in New Millennium's Collocation Space(s) and an estimate of the amount of square footage required. BellSouth will respond to New Millennium's Application in writing following the completion of review, planning and design activities. Such response will include estimates on space availability, space preparation costs and space availability dates. In the event BellSouth cannot provide the requested Collocation Space, BellSouth shall refund the Application Fee to New Millennium.

B. Bona Fide Firm Order. New Millennium shall indicate its intent to proceed with equipment installation in a BellSouth Central Office by submitting a Bona Fide Firm Order to BellSouth. A Bona Fide Firm Order requires New Millennium to complete the Application/Inquiry process described in Article IV.A preceding, submit an updated Application document based on the outcome of the Application/Inquiry process, and pay all applicable fees referenced in Article V, following. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) days after BellSouth's response to New Millennium's Application/Inquiry. Space preparation for the Collocation Space will not begin until BellSouth receives the Bona Fide Firm Order and all applicable fees.

C. <u>Use of Certified Vendor</u>. New Millennium shall select an equipment installation vendor which has been approved as a BellSouth Certified Vendor to perform all engineering and installation

> Attachment 4 Page 5

> > ...

work required in the Collocation Space. BellSouth shall provide New Millennium with a list of Certified Vendors upon request. The Certified Vendor shall be responsible for installing New Millennium's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and New Millennium upon successful completion of installation. The Certified Vendor shall bill New Millennium directly for all work performed for New Millennium pursuant to this Agreement and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor.

D. <u>Alarm and monitoring</u>. BellSouth shall place environmental alarms in the Central Office for the protection of BellSouth equipment and facilities. New Millennium shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service the Collocation Space. Upon request, BellSouth will provide New Millennium with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by New Millennium.

E. <u>Basic Telephone Service</u>. Upon request of New Millennium, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.

F. <u>Space Preparation</u>. BellSouth shall pro rate the costs of any renovation or upgrade to Central Office space or support mechanisms which is required to accommodate physical collocation. New Millennium's pro rated share will be calculated by multiplying such cost by a percentage equal to the amount of square footage occupied by New Millennium divided by the total Central Office square footage receiving renovation or upgrade. For this section, support mechanisms provided by BellSouth may include, but not be limited to heating/ventilation/air conditioning (HVAC) equipment, HVAC duct work, cable support structure, fire wall(s), mechanical upgrade, asbestos abatement, ground plane addition, or separate ingress/egress construction. Such renovation or upgrade will be evaluated and the charges assessed on a per Central Office basis. BellSouth will make reasonable efforts to provide for occupancy of the Collocation Space on the negotiated date and will advise New Millennium of delays. New Millennium agrees BellSouth shall not be liable to New Millennium for delays in providing possession of the Collocation Space.

G. <u>Space Enclosure</u>. Upon request of New Millennium, BellSouth shall construct an equipment arrangement enclosure of a size and dimension jointly agreed upon by the Parties. New Millennium may request enclosed floor space in increments of one hundred (100) square feet, with a minimum of one hundred (100) square feet. New Millennium may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. Such contractor shall directly bill New Millennium for activities associated with the space enclosure construction.

H. <u>Cancellation</u>. If New Millennium cancels its order for the Collocation Space(s), New Millennium will reimburse BellSouth for any expenses incurred up to the date that written notice of the cancellation is received. In no event will the level of reimbursement under this paragraph exceed the maximum amount New Millennium would have otherwise paid for work undertaken by BellSouth if no cancellation of the order had occurred.

> Attachment 4 Page 6

V. RATES AND CHARGES

New Millennium shall pay for Collocation Space(s) according to the rates contained in Exhibit A attached hereto and pursuant to the following:

A. <u>Non-recurring Fees.</u> In addition to the Application Fee referenced in Article IV preceding, New Millennium shall remit payment of a Cable Installation Fee, Space Construction Fee, as applicable, and one-half (1/2) of the estimated Space Preparation Fee coincident with submission of a Bona Fide Firm Order. The outstanding balance of the actual Space Preparation Fee shall be due thirty (30) days following New Millennium's receipt of a bill or invoice from BellSouth. BellSouth shall provide documentation to establish the actual Space Preparation Fee. Cable Installation Fee(s) are assessed per entrance fiber placed. No Cable Installation Fee is required for Service Interconnection. The Space Preparation Fee will be pro rated as prescribed in Article IV.F preceding. The Space Enclosure Construction Fee will be assessed for the materials and installation cost of the equipment enclosure. BellSouth's engineering and other labor time associated with establishing the Physical Collocation Arrangement will be assessed as Additional Engineering charges, under provisions in BellSouth's FCC Number 1 Tariff, Sections 13.1 and 13.2. An estimate of the Additional Engineering charges will be provided by BellSouth to New Millennium in the Application Response.

B. <u>Floor Space</u>. The floor space charge includes charges for lighting, heat, air conditioning, ventilation and other allocated expenses associated with maintenance of the Central Office but does not include amperage necessary to power New Millennium's equipment. When the Collocation Space is enclosed by walls or other divider, New Millennium shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, New Millennium shall pay floor space charges based upon the number of square feet contained in a shadow print of New Millennium's equipment racks and POT bay, plus a factor of 2.50 multiplied by the shadow print, which represents New Millennium's share of wiring and provisioning aisle space for provisioning and maintenance activities. Floor space charges are due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date New Millennium first occupies the Collocation Space.

Power. Charges for -48V DC power will be assessed per ampere per month based upon C. the certified vendor engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and cable rack to New Millennium's equipment or space enclosure. Fuses and power feed cables (A&B) must be engineered (sized), furnished and installed by New Millennium's certified vendor. New Millennium's certified vendor must also provide a copy of the engineering power specification prior to the Commencement Date. In the event BellSouth shall be required to construct additional DC power plant or upgrade the existing DC power plant in a central office as a result of New Millennium's request to collocate in that central office ("Power Plant Construction"), New Millennium shall pay all costs associated with the Power Plant Construction. The determination of whether Power Plant Construction is necessary shall be within BellSouth's sole, but reasonable, discretion. BellSouth will notify New Millennium of the need for the Power Plant Construction and will estimate the costs associated with the Power Plant Construction if BellSouth were to perform the Power Plant Construction. New Millennium shall pay BellSouth one-half of the estimated Power Plant Construction costs prior to commencement of the work. New Millennium shall pay BeilSouth the balance due (actual cost less onehalf of the estimated cost) within thirty (30) days of completion of the Power Plant Construction. New Millennium has the option to perform the Power Plant Construction itself; provided, however, that such work shall be performed by a BellSouth certified contractor and such contractor shall comply with BellSouth's guidelines and specifications. Where the Power Plant Construction results in construction of

> Attachment 4 Page 7

> >

a new power plant room, upon termination of this Agreement New Millennium shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact. Where the Power Plant Construction results in an upgrade to BellSouth's existing power plant, upon termination of this Agreement, such upgrades shall become the property of BellSouth.

D. Security Escort. A security escort will be required whenever New Millennium or its approved agent desires access to the entrance manhole or must traverse a restricted area within BellSouth's central office. Rates for a BellSouth security escort are assessed in one-half (1/2) hour increments according to the schedule appended hereto as Exhibit A.

VI. INSURANCE

A. New Millennium shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Article VI and underwritten by insurance companies licensed to do business in the states contained in Exhibit B attached hereto and having a BEST Insurance Rating of $B \leftrightarrow X$ ($B \leftrightarrow$ ten).

B. New Millennium shall maintain the following specific coverages:

1. Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an ADDITIONAL INSURED on ALL applicable policies as specified herein.

 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

 New Millennium may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

C. The limits set forth in Article VI.B above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days notice to New Millennium to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

D. All policies purchased by New Millennium shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Central Office and shall remain in effect for the term of this Agreement or until all New Millennium's property has been removed from BellSouth's Central Office, whichever period is longer. If New Millennium fails to maintain required coverages, BellSouth may pay the premiums thereon and seek reimbursement of same from New Millennium.

E. New Millennium shall submit certificates of insurance reflecting the coverages required pursuant to this Section a minimum of ten (10) days prior to the commencement of any work in the

> Attachment 4 Page 8

Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. New Millennium shall arrange for BellSouth to receive thirty (30) days advance notice of cancellation from New Millennium's insurance company. New Millennium shall forward a certificate of insurance and notice of cancellation to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 3535 Colonnade Parkway, S9A1 Birmingham, Alabama 35243

F. New Millennium must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.

G. Failure to comply with the provisions of this Section will be deemed a material breach of this Agreement.

VII. MECHANICS LIENS

If any mechanics lien or other liens shall be filed against property of BellSouth, or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for New Millennium or by reason of any changes, or additions to BellSouth property made at the request or under the direction of the New Millennium, New Millennium shall, within thirty (30) days after receipt of written notice from BellSouth either pay such lien or cause the same to be bonded off BellSouth's property in the manner provided by law. New Millennium shall also defend on behalf of BellSouth, at New Millennium's sole cost and expense, any action, suit or proceeding which may be brought for the enforcement of such liens and New Millennium shall pay any damage and discharge any judgment entered thereon.

VIII. INSPECTIONS

BellSouth shall conduct an inspection of New Millennium's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between New Millennium's equipment and equipment of BellSouth. BellSouth may conduct an inspection if New Millennium adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide New Millennium with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections.

IX. SECURITY

Only BellSouth employees, BellSouth certified vendors and authorized employees or agents of New Millennium will be permitted in the BellSouth Central Office. New Millennium shall provide its employees and agents with picture identification which must be worn and visible at all times while in the

> Attachment 4 Page 9

> > **

Collocation Space or other areas in or around the Central Office. BellSouth may refuse entry to any person who fails to display the identification required by this section.

X. INDEMNITY / LIMITATION OF LIABILITY

A. New Millennium shall be liable for any damage to property, equipment or facilities or injury to person caused by the activities of New Millennium, its agents or employees pursuant to, or in furtherance of, rights granted under this Agreement. New Millennium shall indemnify and hold BellSouth harmless from and against any judgments, fees, costs or other expenses resulting or claimed to result from such activities by New Millennium, its agents or employees.

B. BellSouth shall not be liable to New Millennium for any interruption of New Millennium's service or for interference with the operation of New Millennium's communications facilities, or for any special, indirect, incidental or consequential damages arising in any manner, including BellSouth's negligence, out of the use of the Collocation Space(s) and New Millennium shall indemnify, defend and hold BellSouth harmless from and against any and all claims, demands, causes of action, costs and reasonable attorneys' fees with respect to such special, indirect, incidental or consequential damages.

XI. DESTRUCTION OF COLLOCATION SPACE

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for New Millennium's permitted use hereunder, then either party may elect within ten (10) days after such damage, to terminate this Agreement, and if either party shall so elect, by giving the other written notice of termination, both parties shali stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for New Millennium's permitted use, or is damaged and the option to terminate is not exercised by either party, BellSouth covenants and agrees to proceed promptly without expense to New Millennium, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Where allowed and where practical in the sole judgment of BellSouth, New Millennium may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, New Millennium shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for New Millennium's permitted use, until such Collocation Space is fully repaired and restored and New Millennium's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored).

XII. EMINENT DOMAIN

If the whole of a Collocation Space shall be taken by any public authority under the power of eminent domain, then this Agreement shall terminate as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space shall be paid up to that day with

```
ORDER NO. PSC-98-1149-FOF-TP
DOCKET NO. 980627-TP
PAGE 106
```

Attachment 4 Page 10

...

proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space shall be taken under eminent domain, BellSouth and New Millennium shall each have the right to terminate this Agreement and declare the same null and void, by written notice of such intention to the other party within ten (10) days after such taking.

XIII. ASSIGNMENT

New Millennium acknowledges that this Agreement does not convey any right, title or interest in the Central Office to New Millennium. New Millennium may not sublet its rights under this Agreement, nor shall it allow a third party to use or occupy the Collocation Space at any time or from time to time without the prior written consent, and at the sole discretion, of BellSouth. This Agreement is not assignable by either party without the prior written consent of the other party, and any attempt to assign any of the rights, duties or obligations of this Agreement without such consent is void. Notwithstanding the foregoing, either party may assign any rights, duties or obligations of this Agreement to a parent, subsidiary or affiliate without the consent of the other party.

2/1/98

24

• •

Attachment 4 Page 11

EXHIBIT A Page 1 of 3

....

Schedule of Rates and Charges

Rate Element Description		Type of Charge	Charge
Application Fee		NRC (per Arrangement, per C.O.)	\$3,850.00
Subsequent Application Fee (Note 1)		NRC (per Arrangement, per C.O.)	\$1,600.00
			ICB
Space Preparation Fee (Note 2) Space Enclosure Construction Fee (Note 2) Additional Engineering Fee (Note 3)		NRC (per Arrangement, per C.O.) NRC (per 100 square feet)	\$4,500.00
		NRC	ICB
Cable Installation		NRC (per entrance cable)	\$2,750.00
Capie insullation		title (per caracter care)	(T) T T () () () () () () () ()
Floor Space	Zone A	RC (per square foot)	\$7.50
Tioor opere	Zone B	RC (per square foot)	\$6.75
Power		RC (per amp)	\$5.00
Cable Support structure		RC (per entrance cable)	\$13.35
,	•	BC (and store connect)	\$0.30
Cross-Connects	2-wire	RC (per cross-connect) RC (per cross-connect)	\$0.50
	4-wire DS1	RC (per cross-connect)	\$8.00
	DS3	RC (per cross-connect)	\$72.00
	035		
	2-wire	NRC (first cross-connect)	\$19.20
	4-wire	NRC (first cross-connect)	\$19.20
	DS1	NRC (first cross-connect)	\$155.00
	DS3	NRC (first cross-connect)	\$155.00
	2-wire	NRC (each additional cross-connect)	\$19.20
	4-wire	NRC (each additional cross-connect)	\$19.20 \$27.00
	D\$1	NRC (each additional cross-connect)	\$27.00
	D\$3 ,	NRC (each additional cross-connect)	327.00
DOT Dev	2-wire	RC (per cross-connect)	\$0.40
POT Bay	4-wire	RC (per cross-connect)	\$1.20
-	DS1	RC (per cross-connect)	\$1.20
	DS3	RC (per cross-connect)	\$8.00
Additional Security Access Cards		NRC-ICB (each)	\$10.00

-

-

Attachment 4 Page 12

EXHIBIT A Page 2 of 3

....

Schedule of Rates and Charges (cont.)

Rate Element Description	Type of Charge	Charge	
Direct Connection (Note 4) (1) Fiber Arrangement	RC (per cable, per linear foot)	\$0.06	
-with Initial Application	NRC (per Arrangement)	n/a	
-Subsequent to Application	NRC (per Arrangement)	\$246.00	
(2) Copper or Coaxial Arrangement	RC (per cable, per linear foot)	\$0.03	
-with Initial Application	NRC (per Arrangement)	n/a	
-Subsequent to Application	NRC (per Arrangement)	\$246.00	
Security Escort			
Basic - first half hour	NRC-ICB	\$41.00	
Overtime - first half hour	NRC-ICB	\$48.00	
Premium - first half hour	NRC-ICB	\$55.00	
Basic - additional half hour	NRC-ICB	\$25.00	
Overtime - additional half hour	NRC-ICB	\$30.00	
Premium - additional half hour	NRC-ICB	\$35.00	

Notes

NRC: Non-recurring Charge - one-time charge

RC: Recurring Charge - charged monthly

ICB: Individual Case Basis - one-time charge

- (1) <u>Subsequent Application Fee.</u> BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital (e.g., additional space or power requirements, BST termination/cross-connect equipment, etc.), BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee.
- (2) Space Preparation Fee. The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers costs associated with the shared physical collocation area within a central office, which include survey, engineering, design and building modification costs. BellSouth will pro rate the total shared space preparation costs among the collocators at each location based on the amount of square footage occupied by each collocator. This charge may vary depending on the location and the type of arrangement requested.
> Attachment 4 Page 13

EXHIBIT A Page 3 of 3

.....

Schedule of Rates and Charges (cont.)

Notes (cont.)

- (2) (cont.)
 - Space Enclosure Construction Fee. The Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. This fee is assessed in 100 square-foot increments, with a minimum space enclosure size of 100 square feet. New Millennium may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill New Millennium for the space enclosure, and this fee shall not be applicable.
- (3) <u>Additional Engineering Fee.</u> BellSouth's engineering and other labor costs associated with establishing the Physical Collocation Arrangement shall be recovered as Additional Engineering charges, under provisions in BellSouth's FCC Number 1 Tariff, Sections 13.1 and 13.2. An estimate of the Additional Engineering charges shall be provided by BellSouth in the Application Response.
- (4) <u>Direct Connection</u>. As stated in Article I.B of the Collocation Agreement, New Millennium may connect to other New Millenniums within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. New Millennium must use its Certified Vendor to place the direct connection. The Direct Connection NRC is assessed when direct connection is the only work requested by New Millennium. If any other work in addition to the direct connection is being requested, whether for an initial installation of a Collocation Space or for an augmentation to an existing Collocation Space, an Application Fee or a Subsequent Application Fee will be assessed in lieu of the Direct Connection NRC. Construction charges may also apply; BellSouth shall provide an estimate of these charges in the Application Response.

> Attachment 4 Page 14

> >

...Bona Fide Physical Collocation Arrangements

.

.

Central Office Name: Central Office CLLI Code: City: State: Date of Bona Fide Firm Order:

Central Office Name: Central Office CLLI Code: City: State: Date of Bona Fide Firm Order:

Central Office Name: Central Office CLLI Code: City: State: Date of Bona Fide Firm Order:

Central Office Name: Central Office CLLI Code: City: State: Date of Bona Fide Firm Order:

Central Office Name: Central Office CLLI Code: City: State: Date of Bona Fide Firm Order:

Central Office Name: Central Office CLLI Code: City: State: Date of Bona Fide Firm Order:

. .

.....

Attachment 5

Access to Numbers and Number Portability

٠

.

...

> Attachment 5 Page 1

ACCESS TO NUMBERS and NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

BellSouth currently serves as a North American Numbering Plan administrator for its territory. During the term of this Agreement, and while BellSouth continues to serve as the numbering plan administrator, BellSouth will ensure that NEW MILLENNIUM, whether facilities-based or reseller, has nondiscriminatory access to telephone numbers for assignment to their customers under the same terms that BellSouth has access to telephone numbers. BellSouth provides numbering resources pursuant to the Bellcore Guidelines regarding number assignment. NEW MILLENNIUM will be required to complete the NXX code application in accordance with Industry Carriers Compatibility Forum, Central Office Code Assignment Guidelines, ICCF 93-0729-010. If BellSouth transfers a block of NXX numbers to NEW MILLENNIUM, NEW MILLENNIUM will be responsible for the update to the RDBS/BRIDS Bellcore database. At NEW MILLENNIUM's request through the BOR Process, BellSouth will update the database for a fee at an hourly rate.

2. Permanent Solution

The FCC, the Commissions and industry forums are working towards a permanent approach to providing service provider number portability. BellSouth will implement a permanent approach as developed and approved by the Commission, the FCC and industry forums. Consistent with the requirements to move to Permanent Number Portability. Interim Service Provider Number Portability may be available only until such permanent solution is implemented.

3. Service Provider Number Portability

- 3.1 Definition. Until an industry-wide permanent solution can be achieved, BellSouth shall, provide Service Provider Number Portability ("SPNP"). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same serving wire center of his existing number.
- 3.2 <u>Methods of Providing Number Portability</u>. SPNP is available through either remote call forwarding or direct inward dialing trunks, at the election of NEW MILLENNIUM. Remote call forwarding (SPNP-RCF) is an

> Attachment 5 Page 2

> >

existing switch-based BellSouth service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the NEW MILLENNIUM switch that serves the subscriber. SS7 Signaling is required for the provision of either of these services.

3.3

Signaling Requirements. SS7 Signaling is required for the provision of SPNP services. SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable channelization rates are those specified in Section E6 in BellSouth's Intrastate Access Tariffs, incorporated herein by this reference. SPNP is available only for basic local exchange service.

4. SPNP Implementation

Interim SPNP is available through remote call forwarding and direct inward dialing, under the following terms:

- 4.1 SPNP is available only where a CLEC or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic local exchange service to the affected end user. SPNP for a particular telephone number is available only from the central office originally providing local exchange service to the end user. SPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.
- 4.2 SPNP-RCF, as contemplated by this Agreement, is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by the CLEC or BellSouth, as appropriate. The forwarding company will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at separate rates in addition to the rates for SPNP-RCF.
- 4.3 SPNP-DID service, as contemplated by this Statement, provides trunk side access to end office switches for direct inward dialing to the other

4.4

Attachment 5 Page 3

company's premises equipment from the telecommunications network to lines associated with the other company's switching equipment and must be provided on all trunks in a group arranged for inward service. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as said tariff is amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering company is property equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-Party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or the CLEC shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either company may request that the other block collect and third company non-sent paid calls to the SPNP-assigned telephone number. If a company does not request blocking, the other company will provide itemized local usage data for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. As an alternative to the itemized monthly bill, each company shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMR standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth

> Attachment 5 Page 4

> > ...

RAO will be provided in unrated format. CLEC usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.

4.5

- Each company shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service. the provision of new local service and the provision of SPNP services. Each company shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each company shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adequately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other company or any of its end users. In the event that either company determines in its reasonable judgment that the other company will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that company may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.
- 4.6 Each company shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either company chooses to disconnect or terminate any SPNP service, that company shall be responsible for designating the preferred standard type of announcement to be provided.
- 4.7 Each company shall be the other company's single point of contact for all repair calls on behalf of each company's end user. Each company reserves the right to contact the other company's customers if deemed necessary for maintenance purposes.
- 4.8 Neither company shall be responsible for adverse effects on any service, facility or equipment from the use of SPNP services. End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, end-to-end transmission characteristics cannot be specified by either company for such calls. Neither company shall be responsible to the other if any necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other company obsolete or renders necessary modification of the other company's equipment.

> Attachment 5 Page 5

4.9

For' terminating IXC traffic ported to either company which requires use of either company's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other company will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other company to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges, keep the interconnection charge, tandem switching and a portion of transport, and remit the local switching, a portion of transport and CCL revenues to the other company. If an intraLATA toll call is delivered, the delivering company will pay terminating access rates to the other company. This subsection does not apply in cases where SPNP-DID is utilized for number portability.

4.10 If, through a final and nonappealable order, the Federal Communications Commission ("FCC") issues regulations pursuant to 47 U.S.C. § 251 to require number portability different than that provided pursuant to this section, BellSouth will comply with that order.

5. Rates

Rates for service provider number portability are set out in Attachment 11.

••

• •

Attachment 6

Ordering and Provisioning

.

-

,

,

...

> Attachment 6 Page 1

ORDERING AND PROVISIONING

1. Quality of Ordering and Provisioning

- 1.1 BellSouth shall provide ordering and provisioning services to New Millennium that are equal to the ordering and provisioning services BellSouth provides to itself or any other CLEC, where technically feasible. Detailed guidelines for ordering and provisioning are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate, and as they are amended from time to time during this Agreement.
- 1.2 BellSouth will perform provisioning services during the following normal hours of operation:

Monday - Friday - 8:00AM - 5:00PM (excluding holidays) (Resale/UNE non coordinated, coordinated orders and order coordinated - Time Specific)

Saturday - 8:00 AM - 5:00 PM (excluding holidays) (Resale/UNE non coordinated orders)

All other New Millennium requests for provisioning and installation services are considered outside of the normal hours of operation and may be performed subject to the application of extra-ordinary billing charges.

2. Access to Operational Support Systems

- 2.1 BellSouth shall provide New Millennium access to several operations support systems. Access to these support systems is available through a variety of means, including electronic interfaces. BellSouth also provides the option of placing orders manually (e.g., via facsimile) through the Local Carrier Service Center. The operations support systems available are:
- 2.2 Pre-Ordering. BellSouth provides electronic access to the following preordering functions: service address validation, telephone number selection, service and feature availability, due date information, and upon Commission approval of confidentiality protections, to customer record information. Access is provided through the Local Exchange Navigation System (LENS). Customer record information includes any and all customer specific information, including but not limited to, customer specific information in CRIS and RSAG. New Millennium agrees not to view, copy, or otherwise obtain access to the customer record information

> Attachment 6 Page 2

> > ...

of any customer without that customer's permission and further agrees that New Millennium will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.

2.3 Service Ordering and Provisioning. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides and Electronic Data Interchange (EDI) arrangement for resale requests and certain unbundled network elements. As an alternative to the EDI arrangement, BellSouth also provides through LENS an ordering and provisioning capability that is integrated with the LENS pre-ordering capability.

- Service Trouble Reporting and Repair. Service trouble reporting and 2.4 repair allows New Millennium to report and monitor service troubles and obtain repair services. BellSouth shall offer New Millennium service trouble reporting in a non-discriminatory manner that provides New Millennium the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides New Millennium an estimated time to repair, an appointment time or a commitment time. as appropriate, on trouble reports. BellSouth provides two options for electronic trouble reporting. For exchange services, BellSouth offers New Millennium access to the Trouble Analysis Facilitation Interface (TAFI). For individually designed services, BellSouth provides electronic trouble reporting through an electronic communications gateway. If the CLEC requests BellSouth to repair a trouble after normal working hours, the CLEC will be billed the appropriate overtime charges associated with this request pursuant to BellSouth's tariffs.
- 2.5 <u>Migration of New Millennium to New BellSouth Software Releases.</u> BellSouth will issue new software releases for its electronic interfaces as needed to meet regulatory and standard requirements and to improve operations. New Millennium will migrate with BellSouth to new electronic interface system releases. BellSouth will continue to support New Millennium on eld releases for 60 days after the date of the release. If New Millennium is unable or does not want to migrate within that time frame, New Millennium will have the option of paying a fee to maintain the old platform. BellSouth will issue documents to New Millennium within sufficient notice to allow New Millennium to make the necessary changes to their systems and operations and allow New Millennium to migrate with BellSouth.
- 2.6 <u>Rates.</u> All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from the carriers who utilize the services.

> Attachment 6 Page 3

> >

Miscellaneous Ordering and Provisioning Guidelines 3.

Pending Orders. To ensure the most efficient use of facilities and 3.1 resources, orders placed in the hold or pending status by New Millennium will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if New Millennium wishes to reinstate an order, New Millennium may be required to submit a new service order.

- Single Point of Contact. New Millennium will be the single point of contact 3.2 with BellSouth for ordering activity for unbundled network elements used by New Millennium to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. New Millennium and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders: provided, however, that such processes shall comply with applicable state and federal law, including until superseded the FCC guidelines applicable to Presubscribed Interexchange Carrier (PIC) changes. Pursuant to such an order. BellSouth may disconnect any unbundled network element associated with the service to be disconnected and being used by New Millennium to provide service to that end user and reuse such unbundled network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify New Millennium that such an order has been processed, but will not be required to notify New Millennium in advance of such processing.
- Use of Facilities. When a customer of the LEC elects to discontinue 3.3 service from the LEC and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to New Millennium by BellSouth for retail or resale service, unbundled loop and/or unbundled port for that customer under the following conditions:
- BellSouth has received a new order from the customer or the customer's 3.3.1 new local exchange carrier for a retail service or resale service or for an unbundled network element which the customer or the customer's new local exchange carrier has indicated that the order constitutes a transfer of service from the LEC to another provider (i.e., the order is not for a new line or an additional line).
- The order for retail service, resale service, unbundled loop and/or port can 3.3.2 be for either exchange service or private line.
- Upon receipt of a transfer of service order from a customer or the 3.3.3 customer's new local exchange carrier, BellSouth will do the following:

> Attachment 6 Page 4

> > ...

- 3.3.3.1 Process disconnect and reconnect orders to transfer the service which shall be due dated using current interval guidelines.
- 3.3.3.2 Reuse the serving facility for the retail or resale service, unbundled Network Element for the same customer at the same location.
- 3.3.3.3 Notify New Millennium subsequent to the disconnect order being completed.
- 3.4 <u>Contact Numbers</u>. The parties agree to provide one another with toll-free contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected inter-exchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

...

Attachment 7

Billing and Billing Accuracy Certification

-

.

.

.

·-'

> Attachment 7 Page 1

> >

BILLING AND BILLING ACCURACY CERTIFICATION

1. Payment and Billing Arrangements

- 1.1 <u>Billing</u>. Currently, BellSouth provides billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that New Millennium requests.
- 1.2 <u>Master Account</u>. For resold services, when the initial service is ordered by New Millennium, BellSouth will establish an accounts receivable master account for New Millennium.
- 1.3 Payment Responsibility. Payment of all charges will be the responsibility of New Millennium. New Millennium shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by New Millennium from New Millennium's customer. BellSouth will not become involved in billing disputes that may arise between New Millennium and its customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 1.4 <u>Payment Due</u>. The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

If the payment due date fails on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date fails on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.7, below, shall apply.

1.5 <u>Tax Exemption</u>. Upon proof of tax exempt certification from New Millennium, the total amount billed to New Millennium will not include any taxes due from the end user. New Millennium will be solely responsible for the computation, tracking, reporting and payment of all federal, state and/or local jurisdiction taxes associated with the services resold to the end user.

> Attachment 7 Page 2

> >

- 1.6 <u>Miscellaneous</u>. As the customer of record for resold services. New Millennium will be responsible for, and remit to BellSouth, all charges applicable to its resold services for emergency services (E911 and 911) and Telecommunications Relay Service (TRS) as well as any other charges of a similar nature.
- 1.7 Late Payment. if any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor. The late factor shall be as set forth in Section A2 of the General Subscriber Service Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, whichever BellSouth determines is appropriate.
- 1.8 Access Charges for Resellers. Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth. No additional charges are to be assessed to New Millennium.
- 1.9 End User Common Line Charge for Resellers. Pursuant to 47 CFR Section 51.617, BellSouth will bill New Millennium end user common line charges identical to the end user common line charges BellSouth bills its end users.
- 1.10 Discontinuing Service to New Millennium. The procedures for discontinuing service to New Millennium are as follows:
- 1.10.1 BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by New Millennium of the rules and regulations contained in BellSouth's tariffs.
- 1.10.2 If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to New Millennium that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by New Millennium to receive notices of noncompliance, discontinue the provision of existing services to New Millennium at any time thereafter.

> Attachment 7 Page 3

> >

- 1.10.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.10.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and New Millennium's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to New Millennium without further notice.
- 1.10.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, New Millennium's services will be discontinued. Upon discontinuance of service on New Millennium's account, service to the New Millennium's end users will be denied. BellSouth will reestablish service at the request of the end user or New Millennium for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. New Millennium is solely responsible for notifying the end user of the proposed service disconnection.
- 1.10.6 If within fifteen days after an end user's service has been denied no contact has been made in reference to restoring service, the end user's service will be disconnected.
- 1.11 Deposit Policy. When purchasing services from BellSouth, New Millennium may be required to provide information regarding credit worthiness. Based on the results of the credit analysis, the Company reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of an irrevocable Letter of Credit or in its sole discretion some other form of security acceptable to the Company. Any such security deposit shall in no way release the customer from his obligation to make complete and timely payments of his bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of the Company, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, the Company reserves the right to request additional security.

2. Biiling and Billing Accuracy Certification

2.1 BellSouth and New Millennium will agree upon a billing quality assurance program for all billing elements covered in this Agreement that will eliminate the need for post-billing reconcillation. Appropriate terms for access to any BellSouth documents, systems, records, and procedures for the recording and billing of charges will be part of that program.

> Attachment 7 Page 4

2.2 As part of the billing quality assurance program, BellSouth and New Millennium will develop standards, measurements, and performance requirements for a local billing measurements process. On a regular basis BellSouth will provide New Millennium with mutually agreed upon performance measurement data that substantiates the accuracy, reliability, and integrity of the billing process for local billing. In return, CLEC will pay all bills received from BellSouth in full by the payment due date.

2.3 Local billing discrepancies will be addressed in an orderly manner via a mutually agreed upon billing exemption process.

3 Billing Discrepancies

- 3.1 Each party agrees to notify the other Party upon identifying a billing discrepancy. The Parties shall endeavor to resolve any billing discrepancy within sixty (60) calendar days of the notification date. A mutually agreed upon escalation process will be established for resolving local billing discrepancies as part of the billing quality assurance program.
- 3.2 Closure of a specific billing period will occur by joint agreement of the Parties whereby the Parties agree that such billing period is closed to any further analysis and financial transactions except those resulting from regulatory mandates. Closure will take place within a mutually agreed upon time interval from the Bill Date. The month being closed represents those charges that were billed or should have been billed by the designated Bill Date.

4 RAO Hosting

- 4.1 RAO Hosting, Credit Card and Third Number Settlement System (CATS) and NICS services provided to New Millennium by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 4.2 New Millennium shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 4.3 Applicable compensation amounts will be billed by BellSouth to New Millennium on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.

> Attachment 7 Page 5

> >

4.4 New Millennium must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected CMDS interfacing host, require written notification from New Millennium to BellSouth at least six (6) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required BellCore functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently BellCore, on behalf of New Millennium and will coordinate all associated conversion activities.

- 4.5 BellSouth will receive messages from New Millennium that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 4.6 BellSouth will perform invoice sequence checking, standard EMR format editing, and balancing of message data with the EMR trailer record counts on all data received from New Millennium.
- 4.7 All data received from New Millennium that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the agreement(s) which may be in effect. between BellSouth and the involved LEC or CLEC.
- 4.8 All data received from New Millennium that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently BellCore).
- 4.9 BellSouth will receive messages from the CMDS network that are destined to be processed by New Millennium and will forward them to New Millennium on a daily basis.
- 4.10 Transmission of message data between BellSouth and New Millennium will be via electronic data transmission.
- 4.11 All messages and related data exchanged between BellSouth and New Millennium will be formatted in accordance with accepted industry standards for EMR formatted records and packed between appropriate EMR header and trailer records, also in accordance with accepted industry standards.
- 4.12 New Millennium will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.

> Attachment 7 Page 6

> > ...

4.13 Should it become necessary for New Millennium to send data to BellSouth more than sixty (60) days past the message date(s), New Millennium will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and New Millennium to notify all affected Parties.

In the event that data to be exchanged between the two Parties should 4 14 become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been iointly determined and the responsible Party (BellSouth or New Millennium) identified and agreed to, the company responsible for creating the data (BellSouth or New Millennium) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.

- 4.15 Should an error be detected by the EMR format edits performed by BellSouth on data received from New Millennium, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify New Millennium of the error condition. New Millennium will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, New Millennium will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 4.16 In association with message distribution service, BellSouth will provide New Millennium with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 4.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.

4.18 RAO Compensation

4.18.1 Rates for message distribution service provided by BellSouth for New Millennium are as set forth in Attachment 11 of this Agreement.

> Attachment 7 Page 7

- 4.18.2 Rates for data transmission associated with message distribution service are as set forth in Attachment 11 of this Agreement.
- 4.18.3 Data circuits (private line or dial-up) will be required between BellSouth and New Millennium for the purpose of data transmission. Where a dedicated line is required, New Millennium will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. New Millennium will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to New Millennium. Additionally, all message toll charges associated with the use of the dial circuit by New Millennium will be the responsibility of New Millennium. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- 4.18.4 All equipment, including modems and software, that is required on the New Millennium end for the purpose of data transmission will be the responsibility of New Millennium.

4.19 Intercompany Settlements Messages

- 4.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by New Millennium as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between New Millennium and the involved company(ies).
- 4.19.2 Both traffic that originates outside the BellSouth region by New Millennium and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by New Millennium, is covered by this Agreement.
- 4.19.3 Once New Millennium is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via BellCore's, its successor or assign, NICS system when it is implemented. Should New Millennium operate within the BellSouth region prior to the implementation of NICS, in-region revenues will not be settled until the implementation of NICS. Should this time period exceed six (6)

> Attachment 7 Page 8

> >

months, BellSouth and New Millennium agree to negotiate an alternate form of settlement for these revenues.

- 4.19.4 Upon implementation of NICs, this Section shall be amended to include intra-region settlements as appropriate.
- 4.19.5 BellSouth will receive the monthly Credit Card and Third Number Settlement System (CATS) reports from BellCore, its successor or assign, on behalf of New Millennium. BellSouth will distribute copies of these reports to New Millennium on a monthly basis.
- 4.19.6 BellSouth will collect the revenue earned by New Millennium from the Bell operating company in whose territory the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of New Millennium. BellSouth will remit the revenue billed by New Millennium to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on New Millennium. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to New Millennium via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and New Millennium agree that monthly netted amounts of less than ten dollars (\$10.00) will not be settled.

5. Optional Daily Usage File

- 5.1 Upon request from New Millennium, BellSouth will provide the Optional Daily Usage File (ODUF) service to New Millennium pursuant to the rates, terms and conditions set forth in this section.
- 5.2 The New Millennium shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 5.3 The Optional Daily Usage Feed will contain billable messages, that were carried over the BellSouth Network and processed in the CRIS Billing System, but billing to an New Millennium customer. The Optional Daily Usage Feed also includes operator handled calls originating from New Millennium subscriber lines and purchasing Operator Services from BellSouth.

Charges for delivery of the Optional Daily Usage File will appear on the New Millenniums' monthly bills. The charges are as set forth in Attachment 11 of this Agreement.

> Attachment 7 Page 9

> >

- 5.4 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Bellcore EMR record format.
- 5.5 Messages that error in the billing system of the New Millennium will be the responsibility of the New Millennium. If, however, the New Millennium should encounter significant volumes of errored messages that prevent processing by the New Millennium within its systems, BellSouth will work with the New Millennium to determine the source of the errors and the appropriate resolution.
- 5.6 The following specifications shall apply to the Optional Daily Usage Feed.
- 5.6.1 USAGE TO BE TRANSMITTED
- 5.6.1.1 The following messages recorded by BellSouth will be transmitted to the New Millennium:
 - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
 - measured billable Local
 - Directory Assistance messages
 - intraLATA Toll
 - WATS & 800 Service
- 5.6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 5.6.1.3 BeliSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to New Millennium.
- 5.6.1.4 In the event that New Millennium detects a duplicate on Optional Daily Usage File they receive from BellSouth, New Millennium will drop the duplicate message (New Millennium will not return the duplicate to BellSouth).

> Attachment 7 Page 10

> >

5.6.2 PHYSICAL FILE CHARACTERISTICS

- 5.6.2.1 The Optional Daily Usage File will be distributed to New Millennium via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMR format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be one dataset per workday.
- Data circuits (private line or dial-up) may be required between BellSouth 5622 and New Millennium for the purpose of data transmission. Where a dedicated line is required. New Millennium will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. New Millennium will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to New Millennium. Additionally, all message toll charges associated with the use of the dial circuit by New Millennium will be the responsibility of New Millennium. Associated equipment on the BellSouth end, including a modern, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on New Millennium end for the purpose of data transmission will be the responsibility of New Millennium.

5.6.3 PACKING SPECIFICATIONS

- 5.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 5.6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to New Millennium which BellSouth RAO that is sending the message. BellSouth and New Millennium will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by New Millennium and resend the data as appropriate.

> Attachment 7 Page 11

> >

The data will be packed using Bellcore EMR records.

5.6.4 PACK REJECTION

5.6.4.1 New Millennium will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard Bellcore EMR Error Codes will be used. New Millennium will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to New Millennium by BellSouth.

5.6.5 CONTROL DATA

New Millennium will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate New Millennium received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard Bellcore EMR error codes for packs that were rejected by New Millennium for reasons stated in the above section.

5.6.6 TESTING

5.6.6.1 BellSouth shall send test files to New Millennium for the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that New Millennium set up a production (LIVE) file. The live test may consist of New Millennium's employees making test calls for the types of services New Millennium requests on the Optional Daily Usage File. These test calls are logged by New Millennium, and the logs are provided to BellSouth. These logs will be used to verify the files.

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

. .

•

.

· · ·

...

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

.

BellSouth agrees to provide New Millennium, pursuant to 47 U.S.C. § 224, as amended by the Act, nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to terms and conditions that are subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

· - '

...

. .

Attachment 9

Bona Fide Request Process

.

.

.

...

> Attachment 9 Page 1

> >

BONA FIDE REQUEST PROCESS

1.0

Bona Fide Requests are to be used when New Millennium makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Telecommunications Act of 1996; or to provide a new or custom capability or function to meet New Millennium's business needs, referred to as a Business Opportunity Request (BOR). The BFR process is intended to facilitate the two way exchange of information between the requesting Party and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.

1.1

A Bona Fide Request shall be submitted in writing by New Millennium and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a New Millennium's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business. The request shall be sent to New Millennium's Account Executive.

Attachment 10

Performance Measurements

٠

.

.

· · ·

. .

Attachment 10 Page 1

...

PERFORMANCE MEASUREMENT

TABLE OF CONTENTS

CATEGORY	FUNCTION	PAGE #
Pre-Ordenng	1. Average Response Interval	2
•	2. OSS Interface Availability	2
Ordering	1. Firm Order Confirmation Timeliness	5
	2. Reject Interval	5
	3. Percent Rejected Service Requests	5
	4. Percent Flow-through Service Requests	6
	5. Total Service Order Cycle Time	6
	6. Service Request Submissions per Request	6
	7. Speed of Answer in Ordering Center	6
Provisioning	Order Completion Intervals	
r lo visioning	1. Average Completion Interval	9
	2. Order Completion Interval Distribution	9
	Held Orders	
	3. Mean Heid Order Interval	12
	Installation Timeliness. Quality & Accuracy	
	4. Percent Missed Installation Appointments	14
	5. Percent Provisioning Troubles w/i 30 days	14
	6. Percent Order Accuracy	14
Maintenance & Repair	1. Customer Trouble Report Rate	16
	2. Missed Repair Appointments	18
	Quality of Repair & Time to Restore	
	3. Out of Service > 24 Hours	19
	4. Percent Repeat Troubles w/i 30 days	19
	5. Maintenance Average Duration	19
	6. Average Answer Time - Repair Center	21
Billing	Invoice Accuracy & Timeliness	
	1. Invoice Accuracy	22
	2. Mean Time to Deliver Invoices	22
Operator Services and	Directory Assistance	
Directory Assistance	1. Average Speed to Answer	24
,	2. Mean Time to Answer	24
	Operator Services	
	3. Average Speed to Answer	24
	4. Mean Time to Answer	24
E911	1. Timeliness	25
	. 2. Accuracy	25
Trunking	1. CLEC Trunk Group Service Report	26
	2. BellSouth CTTG Blocking Report	26
	3. Local Network Trunk Group Service Report	26
	4. BeilSouth Local Network Blocking Report	26
Appendix A	Additional Information	28

. .

...

Attachment 10 Page 2

....

PRE-ORDERING (PO)

••

Function:	Average Response Interval for Pro-Ordering Information & OSS Interface Availability
Measurement Overview:	As an initial step of establishing service, the customer service agent must establish such basic facts as availability of desired features, likely service delivery intervals, the telephone number to be assigned, the current products and features the customer has, and the validity of the street address. Typically, this type of information is gathered from supporting OSSs while the customer (or potential customer) is on the telephone with the customer service agent. Pre-ordering activities are the first contact that a customer may have with a CLEC. This measure is designed to monitor the time required for CLECs to obtain the pre-ordering information necessary to establish and modify service. Comparison to BST results allow conclusions as to whether an equal opportunity exists for the CLEC to deliver a comparable customer experience (compared to BST) when a retail customer calls the CLEC with a service inquiry.
Measurement Methodology:	1. Average Response Interval = $\sum [(Query Response Date & Time) - (Query Submission Date & Time)] / (Number of Queries Submitted in Reporting Period)The response interval for each pre-ordering query is determined by computing the elapsed time from BST receipt of a query from the CLEC, whether or not syntactically correct, to the time BST returns the requested data to the CLEC. Elapsed time is accumulated for each major query type, consistent with the specified reporting dimension, and then divided by the associated total number of queries received by BST during the reporting period.$
	Objective: Average response time per transaction for a query for appointment scheduling, service & feature availability, address verification, request for Telephone Numbers (TNs), and Customer Service Records (CSRs). The query interval starts with the request message leaving the CLEC and ends with the response message arriving at the CLEC. 2. OSS Interface Availability = (Actual Availability) / (Scheduled Availability) X 109 Objective:
9	Percent of times OSS interface is actually available compared to scheduled availability.

.

-

\$

> Attachment 10 Page 3

> > · · ·

Reporting Dimensions:	Excluded Situations:
Not carner specific. Not product/service specific.	• None
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
 Report Month 	Report Month
 Query Type (per reporting dimension) 	 Query Type (per reporting dimension)
 Response interval 	 Response interval
 Regional Scope 	 Regional Scope

RNS Response Times

System	< 2.3 Sec.	> 6 Sec.	Avg. Sec.	# of Calls
RSAG				
- by TN	x	X	X	X
- by ADDR	x	X	X	X
ATLAS	X	x	X	X
DSAP	X	X	X	X
CSR	X	x	X	X
PSIMS/COFFI	X	x	X	X

LENS Response Times

System	< 2.3 Sec.	> 6 Sec.	Avg. Sec.	# of Calls
RSAG				
- by TN	x	x	X	X
- by ADDR	x	x	x	x
ATLAS	X	x	X.	X
DSAP	X	x	X	X
CSR	X	X	X	x
PSIMS/COFFI	x	X	X	x

EC-LITE Response Times

System	< 2.3 Sec.	> 6 Sec.	Avg. Sec.	# of Calls
RSAG				
- by TN	x	X	x	x
- by ADDR	x	x	x	X
ATLAS	X	X	X	x
DSAP	X	x	X	X
CSR	X	x	X	X
PSIMS/COFFI	X	X	X	X

.

,

,

.

Attachment 10 Page 4

...

Application	% Availability CLEC	% Availability BST
LENS	x	x
LEO	x	x
LESOG	X	x
EDI	x	x
CLEC TAFI	x	x
PSIMS	x	X
HAL	X	X
BOCRIS	x	x
ATLAS/COFFI	x	X
RSAG/DSAP	x	x
LMOS HOST	X	X
SOCS (update)	X	x

.

. .

.

Attachment 10 Page 5

							Messurement Methodology:	÷	Overview:	Measurement	Function:
Objective: Percent Rejected Service Requests is the percent of total orders received rejected due to error or omussions. Methedelegy: Mathedelegy: Machanized tracking for non flow-through service requests Machanized tracking for flow-through service requests	3. Percent Rejected Service Requests = Σ (Total Number of Rejected Service Requests) / (Total Number of Service Requests Received) X 100.	Methedology: Non-Mechanized Results are based on a 100% sample Mechanized Results are based on acrual data for all orders from the OSS 	Objective: <u>Reject Interval</u> is the average reject time from receipt of service order request to distribution of rejection.	2. Reject Interval = Σ [(Date and Time of Service Request Rejection) - (Date and Time of Service Request Acknowledgment)] / (Number of Service Requests Rejected in Reporting Period)	Methodology: Non-Mechanized Results are based on a 100% sample Mechanized Results are based on acrual data for all orders from the OSS 	Objective: Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid service order request to distribution of order confirmation.	 Firm Order Confirmation Timeliness = 2 [(Date and Time of Firm Order Confirmation) - (Date and Time of Service Request Acknowledgment)] / (Number of Service Requests Confirmed in Reporting Period) 	at to the expected delivery date, customers expect that they will be immediately notified so that they may modify their own plans. The order status measurements monitor, when compared to BST result, that the CLEC has timely access to order progress information so that the customer may be updated or notified when changes and rescheduling are necessary. Furthermore, the "% jeopardies returned" measure for the CLEC, when reported in comparison to BST result, will gauge whether initial commitments to the CLEC for order processing are as reliable as the commitments BST makes for its own operations.	regarding the progress on their order(s). Likewise, when changes must be made, such	When a customer calls their service provider, they expect to get information promptly	Orderine

1

2/1/98

•

.

> Attachment 10 Page 6

> > ...

¹⁴ . Percent Flow-through Service Requests = \sum (Total of Service Requests that flow-through to the BST OSS) / (Total Number of Service Requests delivered to BST OSS) X 100.	
Objective: <u>Percent Flow-through Service Requests</u> measures the percentage of orders that utilize BSTs' OSS without manual (human) intervention.	
Methodology: Mechanized tracking for flow-through service requests 	
5. Total Service Request Cycle Time = (Σ Date & Time CLEC Service Requests placed in queue for completion) - (Σ Date & Time CLEC Service Requests first reaches BST Interface) / Total Number of Service Requests	
Objective: The average time it takes to process a CLEC service request, measured from the first time the request reaches the BST interface to the order being placed in queue for completion. Comparisons can be made to equivalent BST cycle times to assure the CLEC of processing parity. Service Request Cycle Time captures both reject and commitment intervals.	
Methodology: Mechanized tracking for flow-through orders	
6. Service Requests submissions per request = Σ (Total Service Requests that flow-through to the BST OSS) + (Total Rejects) / (Total Service Requests Received)	
Objective: Measures the average number of times the same service request is resubmitted due to changes and/or updates.	
Methodology: Mechanized tracking for flow-through service requests	
7. Speed of Answer in Ordering Center = ∑ (Total time in seconds to reach LCSC) / (Total # of Calls) in Reporting Period.	
Objective: Measures the average time to reach a BST representative. This can be an important measure of adequacy in a manual environment or even in a mechanized environment where CLEC service representatives have a need to speak with their BST peers.	
Methodology: Mechanized tracking through LCSC Automatic Call Distributor.	
	 through to the BST OSS) / (Total Number of Service Requests delivered to BST OSS) X 100. Objective: Percent Flow-through Service Requests measures the percentage of orders that unlize BSTs' OSS without manual (human) intervention. Methodology: Mechanized tracking for flow-through service requests 5. Total Service Request Cycle Time = (∑ Date & Time CLEC Service Requests placed in queue for completion) - (∑ Date & Time CLEC Service Requests first reaches BST Interface) / Total Number of Service Requests Objective: The average time it takes to process a CLEC service request, measured from the first time the request reaches the BST interface to the order being placed in queue for completion. Comparison can be made to equivalent BST cycle times to assure the CLEC of processing party. Service Request Cycle Time captures both reject and commitment intervals. Methodology: Mechanized tracking for flow-through orders 6. Service Requests submissions per request = ∑ (Total Service Requests that flow-through to the BST OSS) + (Total Rejects) / (Total Service Requests Received) Objective: Measures the average number of times the same service request is resubmitted due to changes and/or updates. Methodology: Mechanized tracking for flow-through service requests 7. Speed of Answer in Ordering Center = ∑ (Total time in seconds to reach LCSC) / (Total # of Calls) in Reporting Period. Objective: Measures the average time to reach a BST representative. This can be an important measure of adequesty in a manual environment or even in a mechanized environment where CLEC service representatives have a need to speak with their BST pers.

•
.....

Attachment 10 Page 7

· · ·

Excluded Situations:
Firm Order Confirmation Interval - Invalid Service Requests Rejection Interval Percent Rejected Service Requests - None Percent Flow-through Service Requests - Rejected Service Requests Service Requests Service Requests canceled by the CLEC Service Request Activities of BSTassociated with internal or administrative use of local services.
Data Retained Relating to BST Performance:
Report Month Interval for FOC Reject Interval Total number of LSRs Total number of Errors Adjusted Error Volume Total number of flow through service requests Adjusted number of flow through service requests Geographic Scope

Firm Order Confirmation Timeliness

		Mechan	wized	Non-Mech	beziner	Mechan	best	Non-Mech	bestra
	% «10 days	<5 cida	>=\$ citta	<5 citta	>=6 citta	<10 cata	>+10 class	<10 citita	>=10 case
Trunka	x								
UNE				1		×	x	×	X
UNE (Specials)						x	x	x	×
Resale - Resubence	1 1					×	×	x	×
						×	x	×	×
Resale - Business	1 1					x	x	x	x
Resale - Specielli						^			1.000
UNE - LOODS WILNEP		×	X	X	X		1		

Reject Timeliness

	1	Mechan	vized	Non-Mech	becke	Mechan	best	Non-Mech	besine
	%-10 coys	-		<5 citite	>=6 cmm	<10 cmil	>=10 citila	<10 chillin	>=10 ckb
Trunks	X								
UNE						x	x	×	×
						x	x	x	X
NE (Specials)						*	×	x	x
Lesale - Residence	1 1					2			*
Lonato - Ducenson	1 1			P 0		×	1	1 0	1 2
hasale - Senotale	1 1					x	×	×	· ·
UNE . LODGE WILNP		x	×	×	x				1

. .

Attachment 10 Page 8

· · ·

Percent Rejected Service Requests

		Machanizad		Non-Mech	Non-Mechanized		Mechanizad		Non-Mechanized	
	% < 10 daye	<5 citilis	>=1 ciss	<5 cats	>=6 citts	<10 chills	>=10 cmm	< 10 CH18	>++10 cks	
Trunks	x			I						
UNE						×	x	X	x	
UNE (Speciale)						x	x	X	×	
Rasale - Residence						x	x	X	×	
Rasala - Buarrasa				1		x	x	×	x	
Resale - Specials						×	x	x	×	
INE . LOODS WIND		x	x	x	x					

Percent Flow-Through Service Requests

		Machar	vized	Non-Mech	enzed	Mechar	vized	Non-Mect	besine
	%<10 days	<5 cHB	HIS CHES	<5 cases	red citta	<10 citilis	Her10 child	410 ckda	>=10 calls
Trunius	x								
UNE						x	x	×	x
UNE (Specials)						x	×	×	×
Resale - Residence						x	x	×	x
Resale - Business						x	x	×	x
Resale - Speciali						X	x	×	x
UNE . LOODS WLNP		x	x	x	x			1	

Service Request Cycle Time

		Mechan	czed	Non-Mech	anized	Mechan	dzied	Non-Mech	anced
	%<10 days	<5 cm8	>==5 CM88	<5 cats	>=d cata	<10 citility	>et0 citta	<10 citta	>= 10 ckills
Trunka	×								0.00
UNE	1					x	x	×	X
UNE (Speciela)						x	x	x	X
Resale - Residence				1		x	x	×	x
	[]					x	x	x	x
Resate - Businese			1			x	×	×	x
Resale - Spocialis	1 1					<u> </u>		1	
UNE - LOODS WILNP		x	X	X	X			1	1

Service Request Submissions per Request

	1	Machan	beza	Non-Mech	becknew	Mechan	best	Non-Mech	becone
	% 410 days	<5 citta	Hers cates	<5 cates	>=d cids	<10 cida	►+10 cida	<10 citta	He 10 cida
Trunka	X								
UNE						X	x	×	×
UNE (Soscials)				1		x	x	x	X
				1		x	x	×	×
Resiste - Resistence									
Resale - Business						×	X	1	
Ausaio - Speciale	1					×	×	×	×
UNE - LOODS WLNP	1 1	x	× ,	×	x				

Speed of Answer in Ordering Center

	Ave. Answer time (Sec.) / month	Ave. Answer time (Sec.) / year	l
LCSC	x	X	l

.

9

Attachment 10 Page 9

	2		2	
	-	ς	,	
	2	c	9	
	2	ŝ	2	
	ς		,	
		,		
l	2	2	3	
l	5	2	2	
l	2	2	2	
ł	5	2	2	
۱	4		,	
l	٠	Ĵ	,	
l	1	2	5	
l	1	5	3	
l	1	4	Ę	
l	1	2	٦	
۱	1	٥	*	

Function:	Order Completion Intervals
Overview:	deliver integrated and operable service components requested by the CLEC, regardless
	of whether resale services or unbundled network elements are employed. When the
	can be drawn regarding whether or not CLECs have a reasonable opportunity to
	compete for customers. The "order completion interval distribution" measure monitors
	the reliability of BST commitments with respect to committed due dates to assure that
	CLECs can reliably quote expected due dates to their retail customer. In addition, when
	monitored over time, the "average completion interval" and "percent completed on
	time" may prove useful in detecting developing capacity issues.
Measurement	1. Average Completion Interval = 2 [(Completion Date & Time) - (Order
Methodology:	Submission Date & Time) / (Count of Orders Completed in Reporting Period)
	 Order Completion Interval Distribution = Σ (Service Orders Completed in "X"
	days) / (Total Service Orders Completed in Reporting Period) X 100
	The actual completion interval is determined for each order processed during the
	synancially correct order from the CLEC to BST's return of a valid completion
	nonfication to the CLEC. Elapsed time for each order is accumulated for each
	divided by the associated total number of orders completed within the reporting period.
	The distribution of completed orders is determined by first counting, for each specified
	reporting dimension, both the total numbers of orders completed within the reporting interval and the number of orders completed by the committed due date (as specified on
	the initial FOC returned to the CLEC). For each reporting dimension, the resulting
	count of orders completed for each specified time period tollowing use committee use date is divided by the total number of orders completed with the resulting fraction
	expressed as a percentage.
	Objective: Average time from receipt of (confirmed) service request to actual order
	completion data. Excludes orders where customer requested dates are beyond ontered interval.
	Matheologer:
	 Machanized metric from ordering system If mechanical not available, a (BST & CLEC) statistically validated sample should
	be used.

ţ.

2/1/98

•

.

Attachment 10 Page 10

....

Reporting Dimensions:	Excluded Situations:
See Appendix A, item 2 See Appendix A, item 4	 Orders where customer requested dates are beyond offered interval
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month CLEC Order Number Order Submission Date Order Submission Time Order Completion Date Order Completion Time Service Type Activity Type Geographic Scope	Report Month Average Order Completion Interval Order Completion by Interval Service Type Activity Type Geographic Scope

UNE LOOPS	Same Day	1	2	3	4	5	- 16	Total	Ave. Completion interve
Disperch							_	×	
< 10 carculto		x	×	x	x	×	*		1 2
>= 10 carcula	x	x	x	x	x	x	x	X	- *
No Dispatch							5 m l		1 .
10 carculta	x	x	×	x	x	×	x	x	
= 10 carcula	x	x	x	x	x	x	R	×	X.

UNE LOOPE WILLIP	Same Day	1	2	3	4	5	14	Total	Ave. Completion interve
Depatch				6	120		4		
< 5 circulia	x	×	×	×	x			•	1 2
>+ 5 CITCUIR	x	x	x	x	x	x	x	x	- *
No Dispanch					-		-	12	1
< 5 carcula	x	×	×	×	×	x		•	1 2
+= 5 orcula	х		x	*	x	x	×	1	1 K

TRUNK	1 S Dava I	10	15	20	25	30	.>30	Total	Ave. Completion intervel
Dependen % < 10 days	I I	x	X	×	x	x	x	x	x
No Ownerson % < 10 days	x	x	x	x -	x	x	x	I	X

.

> Attachment 10 Page 11

> > ·-·

Order Completion	Interval Dis	tribut	ion			ompletion Interva			
REBALE RESIDENCE	Seme Dey	1	2	3	4	5	-5	Total	Ave. Completion interva
Depaton									
LCSC ontens									
< 10 carcula	x	x	x	x	x	x	x	x	x
>= 10 carcualis	x	x	x	x	x	x	x	z	×
8.ST orders									
< 10 circuits	x	x	×	×	×	x	X	ж	x
>= 10 circuits	x	x	x	x	x	x	<u>x</u>	x	x
No Dispatch									
LCSC orders									
< 10 carcults	x	x	x	ж	x	x	x	x	x
>= 10 circuits	x	x	x	×	x	x	x	x	x
BST orders	1								
< 10 carcula	x	ж	x	ж	x	x	ж	x	×
>= 10 carcula	x	x	x	x	x	X	x		X

REBALE BUSHESS	Same Day	1	2	3	4	5	×6	Tolasi	Ave. Completion interve
Depetch									
LCSC orders									
< 10 carcula	x	×	x	x	x	x	x	x	E.
>= 10 caroute	×	×	x		x	x	ĸ	x	×
8ST orders									
< 10 carculta	x	×	x	*	x	x	x	*	
>= 10 carcults	x	×	x	×	x	X	4	x	×
No Depend									
LCSC orders /									
< 10 carcula	x	×	×	ж	ж	x	ĸ	x	x
>= 10 carcula	x	ж	x	x		x	ĸ	x	*
6ST orders									
< 10 carculta		x	x	x	x	×	×	x	×
>= 10 carcula	x	x	x	×	x	x	x	x	1

RESALE SPECIALS	Same Day	1	2	3	4	5	>6	Total	Ave. Completion interve
Ospench									
LCSC orders									
< 10 carcula	x	ж	x	x	ж	x	×	×	
>= 10 circuits	x	x	x	x	x	x	x	x	
8ST orders									
< 10 carculas	x	x	x	x	x	×	x	×	×
>= 10 carcuste	x	×	x	x	x	X	x	1	X
No Dispaton									
LCSC orders									
< 10 carousia	x	*	×	x	×	*	×	×	
= 10 crouis	x	×	ж.	×	x	×	×	x	x
8ST orders							- 21	~	
< 10 carcula	x	x	x	x	x	x	x	x	1 2
··· 10 otroute	×	*	x	x	x	x	x	X.	x

> Attachment 10 Page 12

> >

Function:	Heid Orders						
Measurement Overview:	When delays occur in completing CLEC orders, the average period that CLEC orders are held for BST reasons, pending a delayed completion, should be no worse for the CLEC when compared to BST orders.						
Measurement Methodology:	L. Mean Held Order Interval = [(Reporting Period Close Date - Committed Order Due Date) / (Number of Orders Pending and Past The Committed Due Date) for all orders pending and past the committed due date.						
	This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as "completed" via a valid completion notice and have passed the currently "committed completion date" for the order. For each such order the number of calendar days between the committed completion date and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings in Appendix A. item 2, and the reason for the order being held, if identified. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval.						
	(# of Orders Heid for ≥ 90 days) / (Total # of Orders Pending But Not Completed) X 100.						
	(# of Orders Heid for ≥ 15 days) / (Total # of Orders Pending But Not Completed) X 100.						
	This "percentage orders held" measure is complementary to the held order interval but is designed to detect orders continuing in a "non-completed" state for an extended period of time. Computation of this metric utilizes a subset of the data accumulated for the "held order interval" measure. All orders, for which the "held order interval" equals or exceeds 90 or 15 days, are counted for order type. The total number of pending and past due orders for order type are counted (as was done for the held order interval) and divided into the count of orders held past 90 or 15 days.						
	Objective: Average time to detect orders continuing in a "non-complete" state for extended period of time.						

. .

,

.

> Attachment 10 Page 13

> > · - '

Reporting Dimensions:	Excluded Situations:							
Report Month CLEC Order Number Order Submission Date Committed Due Date Service Type Hold Reason	Any order canceled by the CLEC will be excluded from this measurement. Orders held for CLEC end user reasons Orders held for BST end user reasons Order Activities of BST associated with internal or administrative use of local service							
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance							
Report Month CLEC Order Number Order Submission Date Committed Due Date Service Type	Report Month Average Held Order Interval Standard Error for the Average Held Order Interval Service Type Hold Reason Geographic Scope							

Mean Heid Order Interval

		Dispeto	h	No-Dispet	ich	Dispeto	h	No-Dispat	ch .
	% «10 days	<5 cma		<5 citas	≻≪6 ckas	<10 citile	>=10 cida	410 calle	>= 10 ckills
Trunka									
>* 90 days	×								
>e 15 days	x								
UNE				1					
>= 90 days						x	x	×	×
He 15 days /	1 1					x	X	x	x
Resale - Residence									
>* 90 days						x	X	X	X
>= 15 days	1 1					×	x	x	×
Resale - Business					1. 10				
90 days						x	X	×	x
- 15 days				1		X	x	x	×
Resare - Specielle									
>= 90 days						x	x	x	x
+ 15 days				1		x	x	x	×
UNE . LOODS WILNP									
- 90 days		×	x	x	x				1
>+ 15 days		x	x	×	x				

•

.

> Attachment 10 Page 14

> > ...

PROVISIONING

.

Function:	Installation Timeliness. Quality & Accuracy								
Measurement Overview:	The "percent missed installation appointments" measure monitors the reliability of BST commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer. Percent Provisioning Troubles within 30 days of Installation measures the quality of installation activities and Percent Order Accuracy measures the accuracy with which services ordered by the CLECs were provided.								
Measurement Methodology:	1. Percent Missed Installation Appointments = [(Number of Orders missed in Reporting Period) / (Number of Orders Completed in Reporting Period) X 100								
	Percent Missed Installation Appointments is the percentage of total orders processed for which BST notifies the CLEC that the work will not be completed as committed on the original FOC. The measurement result is derived by dividing the count on misses BST issues to the CLEC by the count of FOCs returned by BST during the identical period.								
	Objective: Percent of orders where completion's are not done by due date on order confirmation. Misses due to competing carrier or end user causes should be aggregated out and indicated.								
	Methodology: • Mechanized metric from ordering system								
*	 % Provisioning Troubles within 30 days of Installation = ∑ (All Troubles on Services installed ≤ 30 days in a calendar month) / (All Installations in same calendar month) X 100 								
	Objective: Measures the quality of completed orders								
	Methodology: Mechanized metric from ordering system								
	3. Percent Order Accuracy = (∑ Orders Completed w/o error) / (∑ Orders Completed) X 100.								
	Objective: Measures the accuracy and completeness of BST provisioning or disconnecting service by comparing what was ordered and what was completed.								
	Methodology: Non-Mechanized Results are based on an audit of a statistically valid sample Mechanized Results are based on an audit of a statistically valid sample 								

. . .

Attachment 10 Page 15

...

Reporting Dimensions:	Excluded Situations:
 See Appendix A, item 2 See Appendix A, item 4 	• None
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
CLEC Order Number	 BST Order Number
Order Submission Date	 Order Submission Date
 Order Submission Time 	 Order Submission Time
 Status Type 	 Status Type
 Status Notice Date 	 Status Notice Date

 Status Notice Time Status Notice Time . · Standard Order Activity . Standard Order Activity Geographic Scope Geographic Scope .

Percent Missed Appointments

		Dispatch		No-Oispel	ich	Dispeto	in .	No-Dispatch	
	% « 10 days	<5 citils	>ed class	<5 citits	>=ड दासंड	<10 calls	>=10 citis	< 10 citiza	Pett cate
Trunka	x								
UNE						X	×	x	X
UNE (Speciels)						x	x	×	x
Resale - Residence						x	×	x	x
Resare - Business						x	×	×	×
Resele - Speciels						x	X	x	x
UNE . LOODS WILNP		x	x	x	X				

Percent Provisioning Troubles within 30 days of Installation

and the second se		Dispetch		No-Diepet	ch	Dispato	h	No-Dispatch	
	%<10 days	4 0438	>=5 citit	<1 ctas	>=d cata	<10 citilis	>=10 calls	<10 cititas	>= 10 clica
Trunks	x								
UNE						x	x	x	X
UNE (Speciale)						x	x	×	x
Resale - Residence						x	x	×	X
Resare - Business						×	×	×	x
Resale - Speciale						х.	×	x	×
UNE - LOODS WILNP		x	×	×	x			1	

Percent Provisioning Order Accuracy

	1	Dispeto	h	No-Disper	iah	Dispato	ħ	No-Dispat	ch
	% 410 days	<5 citita	red chill		HIG CARE	410 cases	>=10 ckills	<10 catala	++10 CHEB
Trunks	x								
UNE			•			×	x	x	x
UNE (Speciels)				1		x	×	×	×
Rosate - Residence						x	x	×	×
Rosala - Business						×	x	×	x
Resere - Specials						x	x	×	×
UNE - LOODS WILNP		x	×	×	x				

> Attachment 10 Page 16

> > ...

MAINTENANCE & REPAIR (MR)

Function:	Customer Trouble Report Rate			
Measurement Overview:	This measure can be used to establish that CLECs are not competitively disadvantaged, compared to BST, as a result of experiencing more frequent incidents of trouble reports.			
Measurement Methodology:	1. Customer Trouble Report Rate = (Count of Initial & Repeated Trouble Reports in the Current Period) / (Number of Service Access Lines in Service at End of the Report Period) X 100. Note: Local Interconnection Trunks are reported only as total troubles. No meaningful count of lines in service exists.			
	The frequency of trouble metric is computed by accumulating the total number of maintenance tickets logged by a CLEC (with BST) during the reporting period. The resulting number of tickets is divided by the total number of "service access lines" existing for the CLEC at the end of the report period.			
	Objective: Initial customer direct or referred troubler reported within a calendar month where cause is in the network (not customer premises equipment, inside wire, or carrier equipment) per 100 lines/circuits in service.			
	Methodology: Mechanized metric trouble reports and lines in service captured in maintenance database(s).			

Reporting Dimensions:	Excluded Situations:
 See Appendix A, item 3 See Appendix A, item 4 	Trouble tickets canceled at the CLEC request BST trouble reports associated with administrative service Instances where the CLEC or BST customer requests a ticket be "held open" for monitoring
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
 Report Month CLEC Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause Geographic Scope 	Report Month BST Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause Geographic Scope

.

.

•

÷

Attachment 10 Page 17

· · ·

Customer Trouble Report Rate

1	ALL	ALL	ALL	Dispatch	No-Dispatch	Dispatch		No-Dispatch	
				Residence	Business	Residence	Business		
Interconnection Trunks	x								
JNE		×	×						
Resaid *				x	x	x	x		
Respin - Speciale	×								

Note: Local Interconnection Trunks are reported only as total troubles. No meaningful count of lines in service exists.

Attachment 10 Page 18

· · ·

MAINTENANCE & REPAIR (MR)

Function:	Missed Repair Appointments
Measurement Overview:	When this measure is collected for BST and CLEC and then compared, it can be used to establish that CLECs are receiving equally reliable (as compared to BST operations) estimates of the time required to complete service repairs.
Measurement Methodology:	2. Percentage of Missed Repair Appointments = (Count of Customer Troubles Not Resolved by the Quoted Resolution Time and Date) / (Count of Customer Trouble Tickets Closed) X 100.
	Percent of trouble reports not cleared by date and time committed. Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours.
э́я	Objective: This measurement is designed to show parity between CLECs and BST in the handling of repair appointments.
	Methodology: Mechanized metric from maintenance database(s).

Reporting Dimensions:	Excluded Situations:
 See Appendix A, item 3 See Appendix A, item 4 	Trouble tickets canceled at the CLEC request BST trouble reports associated with administrative service Instances where the CLEC or BST customer requests a ticket be "held open" for monitoring
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month CLEC Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause Geographic Scope	 Report Month BST Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause Geographic Scope

Missed Repair Appointments

T	ALL	Dispetch	lapatch No-Dispatch		Dispatch		ch
		Chapteron		Residence	Business	Residence	Business
Interconnection Trunks							
UNE		×	×				
Resele		1		×	X	×	^
Dennia Consiste		1					and the second se

Resale - Socials Note: There is no measurement for Interconnection Trunks or Specials. These are handled on a 1st come, Ist serve basis. The appropriate measurement for these is average duration.

.

•

> Attachment 10 Page 19

> > ...

MAINTENANCE & REPAIR (MR)

.

Function:	Quality of Repair & Time to Restore					
Measurement Overview:	This measure, when collected for both the CLEC and BST and compared, monitors that CLEC maintenance requests are cleared comparably to BST maintenance requests.					
Measurement Methodology:	3. Out of Service > 24 Hours = (Total Repeat Troubles > 24 Hours) / (Total Troubles) X 100					
	4. Percent Repeat Troubles within 30 Days = (Total Repeated Trouble Reports within 30 Days) / (Total Troubles) X 100					
	5. Maintenance Average Duration = (Total Duration Time) / (Total Troubles)					
	For Out of Service Troubles (no dial tone, cannot be called or cannot call out): the percentage of troubles cleared in excess of 24 hours.					
	For Percent Repeat Trouble Reports within 30 Days: Trouble reports on the same line/circuit as a previous trouble report within the last 30 calendar days as a percent of total troubles reported.					
	For Average Duration: Average time from receipt of a trouble until trouble is status cleared.					
	Objective: These measurements are used to demonstrate quality of maintenance and repair.					
	Methodology: Mechanized metric from maintenance database(s).					

R	porting Dimensions:	Excluded Situations:
•	See Appendix A, item 3. See Appendix A, item 4.	 Trouble tickets canceled at the CLEC request BST trouble reports associated with administrative service Instances where the CLEC or BST customer requests a ticket be "held open" for monitoring
D	ata Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
•	Report Month Total Tickets CLEC Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Total Duration Time Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause Geographic Scope	 Report Month Total Troubles Percentage of Customer Troubles Out of Service > 24 Hours Total and Percent Repeat Trouble Reports with 30 Days Total Duration Time Service Type Disposition and Cause Geographic Scope

. .

> Attachment 10 Page 20

> > ...

Out of Service more than 24 Hours

	ALL	ALL	ALL	Dispatch	No-Dispatch	Dispato	h	No-Dispatch	
						Residence	Business		
Interconnection Trunks		x	×						
Resale				x	x	×	×		
Resale - Specials									

Note: There is no measurement for Interconnection Trunks or Specials. These are handled on a 1st come. Ist serve basis. The appropriate measurement for these is average duration

Repeat Trouble Reports within 30 days of Installation (or New Service Failure Rate - see note below)

	ALL	ALL	ALL	ALL	Dispatch	No-Dispatch	Dispatch	n	No-Dispatch	
				Residence	Business	Residence	Business			
Interconnection Trunks	×									
UNE		×	×							
Resele				×	x	×	×			
General Concernin	×		1	1 1						

Reseie - Speciele X Note: The appropriate measurement for both interconnection trunking and Resale - Specials is the "New Service Failure Rate"

Maintenance Average Duration

	ALL	Dispatch	atch No-Dispatch	Dispatch	n	No-Dispatch	
'				Residence	Susiness	Residence	Business
Interconnection Trunks	×						
UNE		×	×				
Resale		1		×	x	×	×
Resale - Speciale	x						

> Attachment 10 Page 21

> >

MAINTENANCE & REPAIR (MR)

Function:	Average Answer Time - Repair Centers
Measurement Overview:	 This measure demonstrates an average response time for the CLEC agent attempting to contact their BST representative
Measurement Methodology:	6. Average Answer Time for UNE Center, RRC & BRC = (Total time in seconds for UNE Center, RRC & BRC response) / (Total number of calls) by reporting period
	Objective: This measure supports monitoring that BSTs handling of support center calls from CLECs is at least in parity with support center calls by BST's retail customer.
	Methodology: Mechanized report from Repair Center Automatic Call Distributors.

Average Answer Time for Repair Center

	Ave. Answer time (Sec.) / month	Ave. Answer time (Sec.) / year
UNE Center	X	x
RRC	x	x
BRC	x	x

MAINTENANCE & REPAIR (MIR)

Function:	Legacy System Access Times
Measurement Overview:	 This measure demonstrates an average response time from the BST Maintenance System (TAFI) to access BST's Legacy Repair OSS.
Measurement Methodology:	1. Legacy System Access Times = Access Times in increments of ≤ 4 secs., > 4 & ≤ 6 secs., ≤ 10 secs., > 10 secs., and > 30 secs. for CLEC TAFI and BST TAFI
	Objective: This measure demonstrates parity between the CLECs and BST for OSS response times for Maintenance and Repair.
	Methodology: Mechanized report from OSSs

Legacy System Access Times

.

	-	5 4 mm				1000 5		£ 18 seas		> 10 units			+ 30 mean		
Transaction Name	CLE	807	1	cus:	-	BAT SLO	CLEE	-	8.0	CLEC	440	807	C.R.	440	8./3
CRIS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DLETH	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DLR	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
MOS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
LMOS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
LMOSupd	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
MARCH	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Predictor	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SOCS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
LNP	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

-

> Attachment 10 Page 22

> >

BILLING

Function:	Invoice Accuracy & Timeliness
Measurement Overview:	The accuracy of billing records (both usage and invoices) delivered by BST to the CLEC must provide CLECs with the opportunity to deliver bills at least as accurate as those delivered by BST. Producing and comparing this measurement result for both the CLEC and BST allows a determination as to whether or not parity exists.
Measurement Methodology:	 Invoice Accuracy = [(Number of Invoices Delivered in the Reporting Period that Have Complete Information, Reflect Accurate Calculations and are Properly Formatted) / (Total Number of Invoices Issued in the Reporting Period) X 100 Mean Time to Deliver Invoices = ∑ [(Invoice Transmission Date) - (Date of
	Scheduled Bill Cycle Close)] / (Count of Invoices Transmitted in Reporting Period) Invoice Accuracy: The completeness of content, accuracy of information and
	conformance of formatting will be determined based upon the terms of the individual CLEC interconnection agreements with BST.
,	Mean Time to Deliver Invoices: This measure captures the elapsed number of days between the scheduled close of a Bill Cycle and BST's successful transmission of the associated invoice to the CLEC. For each invoice, the calendar date of the scheduled close of Bill Cycle is compared to the calendar date that successful invoice transmission to the CLEC completes. The number of calendar days elapsed between scheduled Bill Cycle close and completion of invoice transmission will constitute the elapsed delivery time. The elapsed delivery time is accumulated for each invoice with the resulting total number of days accumulated being divided by the number of complete invoices sent in the reporting period.
	Objective: Measures the percentage and mean time of billing records delivered to CLEC in agreed upon format and with the complete agreed upon content (includes time and material and other non-recurring charges).
	Methodology: To be determined

.

.

.

Attachment 10

Page 23

.

....

Reporting Dimensions:	Excluded Situations:			
 Wholesale Bill Invoices (TSR) Unbundled Element Invoices (UNE) 	 Any invoices rejected due to formatting or content errors 			
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performan			
 Report Month 				
 Invoice Type 				
 Mean Delivery Interval 				
 Standard Error of Delivery Interval 				
Accuracy				

Invoice Accuracy

	Total Invoices Delivered	Total Invoices Delivered per EMR	% Accuracy
CLEC	x	X	x

Mean Time to Deliver Invoices

To Be Determined

.

-

.

.

> Attachment 10 Page 24

> >

OPERATOR SERVICES AND DIRECTORY ASSISTANCE (OS, DA)

Function:	Average Speed to Answer
Measurement Overview:	The speed of answer delivered to CLEC retail customers, when BST provides Operator Services or Directory Services on behalf of the CLEC, must be substantially the same as the speed of answer that BST delivers to its own retail customers for equivalent local services.
Measurement Methodology:	 Average Speed to Answer (DA) = (# of Calls Answered Within 12 Seconds) / (Total DA Calls) X 100 Mean Time to Answer Average Speed to Answer (OS) =
,	Methodology: Reported in the aggregate Not Carrier Specific

Reporting Dimensions:	Excluded Situations:		
Operator Services in Aggregate Directory Assistance in Aggregate Processing Method (human versus machine processes)	 Call abandoned by customers prior to answe by the BST OS or DA operator 		
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:		
Month Call Type (OS or DA) Mean Speed of Answer Standard Error for Mean Speed of Answer	Month Call Type (OS or DA) Mean Speed of Answer Standard Error for Mean Speed of Answer		

Average Speed to Answer

	Average Mean Tune to Answer	% Calls Answered within 12 seconds	% Calls Answered within 10 seconds
Directory Assistance	X	x	
Operator Services	x		X

> Attachment 10 Page 25

> > ...

Function:	Timeliness and Accuracy
Business Implications:	 In the interest of public safety, it is BellSouth's goal to maintain 100% accuracy in the E911 database for both CLEC's customers and BST's retail customers and to have zero errors in processing orders for E911 database updates. CLECs that purchase UNEs or provide local service as a facility-based provider are responsible for the accuracy of their data that is input in the E911 database. As part of BSTs effort to maintain 100% accuracy of the E911 database, data verification parameters and requirements for all companies that submit E911 inputs will be reviewed and modified accordingly to ensure the highest integrity. These measurements were developed to ensure parity between the processing and accuracy of E911 database orders for both the CLEC's customers and BST's retail customers.
Measurement Methodology:	 E911 Timeliness = ∑ (Number of Orders missed in Reporting Period) / (Number of Orders Confirmed in Reporting Period) X 100 Ojective: Measures the percentage of missed due dates of 911 database updates Methodology: Mechanized metric from ordering system E911 Accuracy = ∑ Total number of SOIRs with errors generated from Daily TN activity (based on the E911 Local Exchange Carrier Guide for Facility-Based Providers) / (Total number of SOIR orders for E911 updates) X 100 Objective: Measures the percentage of accurate 911 database updates
	Methodology: Mechanized metric from ordering system

Reporting Dimensions:	Excluded Situations: Any order canceled by the CLEC will be excluded from this measurement. Order Activities of BST associated with internal or administrative use of local services			
CLECs in Aggregate BST in Aggregate See Appendix A, item 4				
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:			
Report Month CLEC Order Number Order Submission Date Order Submission Time Error Type Error Notice Date Error Notice Time Standard Order Activity Geographic Scope	Report Month Error Type Average number of error Standard Order Activity Geographic Scope			

E911 Timeliness and Accuracy

	CLEC	BSI
% E911 Orders Missed	x	x
% E911 Accurate Orders	x	X

.

-

> Attachment 10 Page 26

> > · · ·

.

Function:	Interconnection Trunking Performance
Measurement Overview:	In order to insure quality service to the CLECs as well as protecting the integrity of the BST network, BST collects traffic performance data on the trunk groups interconnected with the CLECs as well as all other trunk groups in the BST network.
Measurement Methodology:	 CLEC Trunk Group Service Report - Contains the service performance results of final trunk groups between the CLEC switch and a BST tandem or end office.
	2. BellSouth CTTG Blocking Report - Contains the trunk blocking results of final trunk groups between the BST end office and BST access tandem.
	3. Local Network Trunk Group Service Report - Contains the service performance results of final trunk groups in the BST local service tier of the network.
	4. BellSouth Local Network Blocking Report - Contains the trunk blocking results of final trunk groups in the BST local service tier of the network.
	Methodology: The data are processed weekly through a mechanized system which calculates the percentage blocking during the time-consistant busy hour (TCBH). The TCBH is defined as the identical hour each day during which, over a number of days, the highest average traffic is measured.

Reporting Dimensions:	Excluded Situations:
BST trunk groups CLEC trunk groups	• N/A
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
• N/A	• N/A

CLEC Trunk Group Service Report

÷.

	CLEC TRUNK GROUP SERVICE REPORT MONTHLY SUMMARY											
BST ORDERED	AL	GA	KY	LA	MS	NC	NP	SC	SF	TN	TOTAL	TOTAL WO GA
Total Trunk Groups:	x											
Trik Grps Meas/Proc:											*	*
Tot Grps > 3% NC this report			ж	x		ж		я				*
PCT1			x	8	E				£		4	
											-	
CLEC ORDERED	AL	GA	KY	L LA	MS	NC	NP	SC	SP	TN	TOTAL	TOTAL NO GA
Total Trunk Groups:						x						
Trk Grps Meas/Proc:	• '										x	*
Tot Gros > 3% NC this report						x						*
PCT1				1	8	x	x	1	1	1		1
TOTAL	AL	GA	KY	T LA	MS	NC	NF	SC	8/	TN	TOTAL	TOTAL we GA
Total Trunk Groups:		1				1						
Trk Gros Meas/Proc:								x			x	
Tot Grps > 3% NC this report												*
PCT1					x			ж		x	8	1

.

> Attachment 10 Page 27

> > ...

BeilSouth CTTG Blocking Report

BELLSOUTH CTTG BLOCKING REPORT - SUMMARY GROUPS EXCEEDING MBT PROCESS DATE										
	TANOEN	END OFFICE	OFFCPRT	STUDY	OBSVD BLKG	HR	TKS	VAL	NBR	RMKS
TGSN	NUCK	ENU UPPICE	DESCROT	PERIOU	BLAG	nin	10.0	UATS	RP 10	- mina
x	×	×	x	x	x	X	X	X	X	×

Local Network Trunk Group Service Report

	LOCAL NETWORK TRUNK GROUP SERVICE REPORT MONTHLY SUMMARY											
	AL	GA	KY	LA	MB	NC	NF	SC	SF	TN	TOTAL	TOTAL NO GA
Total Trunk Groups:		£	Ł	x		1						*
Trk Gros Mess/Proc:												
Tot Grps > 3% NC this report												
PCT1												1

BellSouth Local Network Blocking Report

		BELLSOUTH	GROUPS	TWORK BLO EXCEEDING		EPORT	- SUM	MARY		
A-END	Z-END	DESCRPT	TGSN	STUDY	OBSVD BLKG	HR	TKS	DAYS	NBR RPTS	RMICS
X	X	x	×	×	x	x	x	×	*	×

.

.

.

.

APPENDIX A

> Attachment 10 Page 28

> >

ITEM #	DESCRIPTION
 Carner Specific - Reported on a per order basis 	 Interconnection Trunks - average response time, percent less than 10 days. UNE - less than 10 lines / circuits and 10 lines / circuits of more, mechanized orders and non-mechanized orders. UNE (Specials) - less than 10 lines / circuits and 10 lines / circuits of more, mechanized orders and non-mechanized orders. Resale Residential & Business - less than 10 lines / circuits and 10 lines / circuits of more, circuits of more, mechanized orders and non-mechanized orders. Resale (Specials) - less than 10 lines / circuits and 10 lines / circuits of more, mechanized orders and non-mechanized orders. Resale (Specials) - less than 10 lines / circuits and 10 lines / circuits of more, mechanized orders and non-mechanized orders. UNE (Unbundled Loops w/ interim telephone number portability) - less than 5 and 5 or more, mechanized orders and non-mechanized orders.
 Reported by Carrier on a per order basis 	 UNE: by groups of lines on single order. Separately tracked for dispatch and non-dispatch as follows: Local Interconnection Trunks Resale (Residence): by groups of lines on single order similar to UNE (POTS) Resale (Business) - by groups of lines on single order similar to UNE (POTS) Resale (Specials) - by groups of lines on single order similar to UNE (POTS) Resale (Specials) - by groups of lines on single order similar to UNE (POTS) UNE (Unbundled Loops w/ interim telephone number portability)
 Carrier Specific - Reported on a per order basis 	UNE - Dispatched, Not Dispatched, and misses where the competing carrier or end user causes the missed appointment. Resale Residence & Business Dispatched, Not Dispatched - All misses, denoting misses, where the competing carrier or end user caused the missed appointment. Interconnection Trunks Resale Specials
4. Geographic Scope	 State and Regional level unless otherwise specified

.

. .

.

111

Attachment 11

Rates

.

.

-

.

...

Attachment 11 Exhibit 1

Alabama

.

.

-

.

...

ALABAMA

PART IV: PRICING

1. General Principles

All services currently provided hereunder (including resold Local Services. Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and Alabama Public Service Commission.

2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Alabama, subject to the Commission's decision in Docket No. 25677.

Residential Service	16.3%
Business Service:	16.3%

3. Unbundled Network Elements

The interim prices that New Millennium shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

4. Compensation For Call Transport and Termination

The interim prices that New Millennium and BellSouth shall pay are as set forth in Table 1.

5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- 5.2 Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

....

6. Local Number Portability

The interim prices for interim number portability are set forth in Table 2.

7. Recorded Usage Data

The interim prices for recorded usage data are set forth in Table 3.

8. Electronic Interfaces

The costs associated with implementing electronic interfaces should be shared equitably among all parties who benefit from those interfaces.

9. True-up

Except for the prices for resold Local Services, the interim prices referenced above shall be subject to true-up within six (6) months once BellSouth has submitted cost studies.

10. Operational Support Systems (OSS) Rates

,	OPERATIONAL SU	JPPORT SYSTEM	IS (OSS) RATES	<u>8</u>	
	Interactive Orderi Maintenanc	ng and Trouble e System	OSS Order Charge (per end user account)		
	Non-Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders	
ALABAMA	\$100.00	\$50.00	\$10.80	\$22.00	

...

TABLE 1

....

BELLSOUTH / CLEC INTERIM RATES - ALABAMA UNBUNDLED NETWORK ELEMENTS (Rates are subject to true-up)

NETWORK INTERFACE DEVICE (NID), per month	\$0.63
NONRECURRING CHARGE - customer transfer,	
feature additions, changes	\$5.00
UNBUNDLED EXCHANGE ACCESS LOOP (1)	
- 2 Wire Analog Voice Grade Loop	\$18.00
NRC	\$55.20
- 4 Wire Analog Voice Grade Loop	\$28.80
NRC	\$55.20
- 2 Wire ISDN Digital Grade Loop	\$28.80
NRC	\$55.20
- 2 Wire ADSL/HDSL Loop	\$28.80
NRC	\$55.20
- 4 Wire HDSL Loop	\$28.80
NRC	\$55.20
- 4 Wire DS1 Digital Grade Loop	\$64.19
NRC First	\$675.00
NRC Add'I	\$315.00
LOOP CHANNELIZATION SYSTEM (DS1 to VG) (Inside C.O.)	
- Per system (DS1 to VG), Per Month	\$400.00
NRC	\$525.00
- Voice Interface - Per Circuit, Per Month	\$1.15
NRC	\$8.00
COLLOCATION - VIRTUAL (2)	
UNBUNDLED LOCAL USAGE, per mou	
End Office Switching, per mou	\$0.0017
Tandem Switching, per mou	\$0.0015
UNBUNDLED EXCHANGE PORTS, per month	
- 2 Wire Analog Port, per month	\$2.50
NRC First	\$50.00
NRC Addi	\$18.00
- 4 Wire Analog Port (Coin)	\$4.00
NRC First	\$50.00
NRC Add'	\$18.00
- 2 Wire DID Port	\$12.08
NRC First	\$50.00
NRC Add'I	\$18.00
- 4 Wire DID Port	\$130.23
NRC First	\$50.00
NRC Add'I	\$18.00
- 2 Wire ISDN Digital Port (3) (4)	\$11.91
NRC First	\$150.00

.

.

NRC Add'l	\$120.00
- 4 Wire ISDN DS1 Port	\$308.00
NRC First	\$230.00
NRC Add'l	\$200.00
- 2 Wire Analog Hunting, Per Line Per Month	\$0.25
NRC	\$3.00
OPERATOR CALL PROCESSING ACCESS SERVICE	
Operator Provided Cail Handling, using BST LIDB, per mou	\$1.36
Operator Provided Call Handling, using foreign LIDB, per mou	\$1.38
Coperator Provided Call Harding, daing foreign close, per mod Call Completion Access Termination Charge per call attempt	\$0.08
Automated Call Handling, using BST LIDB, per attempt	\$0.07
Automated Call Handling, using foreign LIDB, per attempt	\$0.09
- Automated Call Handling, using loreign clob, per attempt	\$0.25
DA Access Service Call, per call	\$0.25
DA Call Completion Access Service, per attempt	\$0.25
Number Services Intercept, per query	00.20
Inward Operator Services Access Service	\$0.90
- Busy Line Verification, per call	\$1.95
- Emergency Interrupt, per call	31.90
DIRECTORY ASSISTANCE (DA) ACCESS SERVICE	
DA Database Service	\$0.035
- Use Fee, per listing	
- Monthiy recurring charge	\$150.00
Direct Access to DA Service	
 DADAS Database Query Charge, per Query 	\$0.023
 DADAS Database Service Charge, per month 	\$5,000.00
- DADAS Service Establishment Charge	\$1,000.00
DA Transport	
- Sw. Local Channel - DS1 Level, per month	\$133.81
NRC First	\$866.87
NRC Add'l	\$486.83
- Sw. Dedicated Transport - DS1 level, Per Mile Per Month	\$23.00
- Facilities Termination, per month	\$90.00
NRC	\$100.49
 Switched Common Transport, per DA Acc. Svc. Call 	\$0.0003
- Switched Common Transport, per DA Svc. Call Mile	\$0.00004
 Access Tandem Switching, per DA Acc. Svc. Call 	\$0.00055
- DA Interconnection, per DA Acc. Svc. Call	\$0.00269
- Installation, trunk side svc., per trunk or signaling connection	
NRC First	\$915.00
NRC Addi	\$100.00
UNBUNDLED EXCHANGE ACCESS IOC	
0-8 Miles, Fixed Per Month	\$30.00
Per Mile Per Month	\$2.05
9-25 Miles, Fixed Per Month	\$30.00
Per Mile Per Month	\$2.00
Over 25 Miles, Fixed Per Month	\$30.00
Per Mile Per Month	\$1.95
Nonrecurring Charge	\$97.00

.

2/1/98

...

	1
DEDICATED TRANSPORT	
- DS1 per Facility Termination Per Month	\$90.00
NRC	\$100.49
- DS1 per Mile Per Month	\$23.00
- DS0 equivalent per terminal Per Month	\$38.37
NRC	\$25.00
- DS0 equivalent per Mile Per Month	\$1.90
SHARED TRANSPORT	1
Per Mile per mou	\$0.00004
Facilities Termination per mou	\$0.00036
CALL TRANSPORT & TERMINATION (LOCAL INTERCONNECTION)	
	\$0.0017
End Office Switching, per mou	\$0.0015
Tandem Switching, per mou	\$0.00004
Common Transport per mile per mou	\$0.00036
Common Transport Facility Termination, per mou	\$0.0015
Intermediary Tandem, per mou	
The Intermediary Charge applies only to intermediary traffic and is	
applied in addition to applicable interconnection charges.)	
JNBUNDLED CCS7 SIGNALING TRANSPORT SERVICE	\$155.00
CCS7 Signaling Connection per Link per Month	\$510.00
NRC	\$355.00
CCS7 Signaling Termination per Port per Month	\$0.000023
CCS7 Signaling Usage per ISUP Message per month	\$0.000050
CCS7 Signaling Usage per TCAP Message per month	\$395.00
CCS7 Signaling Usage Surrogate per Link per Month This charge is only applicable where signaling usage measurement or	
This charge is only applicable where signaling usage measurement of	
billing capability does not exist.)	
SERVICE CONTROL POINTS	
Line Information Database Access Service (LIDB)	
Validation (FCC No. 1, Sec. 19)	
- LIDB Common Transport, per query	\$0.00030
- LIDB Validation, per query	\$0.038
- Orig. Point Code Establishment or Change, per estab. or change	\$91.00
800 Access Ten Digit Screening Service	
 Per 800 Call Utilizing 800 Acc. Ten Digit Screening 	
Svc. w/800 Number Delivery, per query	\$0.0036
 Per 800 Call Utilizing 800 Acc. Ten Digit Screening 	
Svc. w/800 Number Delivery, for 800 Numbers,	
w/ Optional Complex Features, per query	\$0.00431
- Per 800 Call Utilizing 800 Acc. Ten Digit Screening	
Svc. w/POTS Number Delivery, per query	\$0.00431
- Per 800 Call Utilizing 800 Acc. Ten Digit Screening	
Svc. w/POTS Number Delivery, w/Optional Complex	
Features, per query	\$0.00431
- Reservation Charge per 800 Number reserved	
NRC First	\$31.50

. .

2/1/98

....

NRC Add'I	\$0.50
- Establishment Charge per 800 number estab'd w/800 No. Delivery	
NRC First	\$69.90
NRC Add"	\$1.50
- Est. Charge per 800 number est. w/POTS Number Delivery	
NRC First	\$69.90
NRC Add'l	\$1.50
Change Charge per mouser	
- Change Charge per request NRC First	\$48.50
NRC Add'l	\$0.50
Customized Area of Service Per 800 Number	40.00
	\$3.00
NRC First	\$1.50
NRC Add'I	\$1.50
 Multiple InterLATA Carrier Routing per carrier requested, per 800 number 	
NRC First	\$3.50
NRC Add'l	\$2.00
- Call Handling and Destination Features per 800 number	\$3.00
AIN per signaling message	\$0.0006
Calling Name (CNAM) Query Service - DataBase Owner(5)	
- per query	\$0.016
AIN RELATED SERVICES with mediation (6)	To be
	negotiated
DARK FIBER	E4 000 00
- Per each four-fiber dry fiber arrangement	\$1,000.00
- Per each fiber strand per route mile or fraction thereof, per month	\$241.00
SELECTIVE ROUTING	
- Per Line or PBX Trunk, each	\$3.90
- NRC	\$10.00
Note(s):	
1) Loop rate includes the NID rate.	
2) The Commission did not order rates for Virtual Collocation. The rates	
tisplayed reflect BellSouth's proposed interim rates as set forth in FCC	
No. 1, Section 20.	
3) Transmission/usage charges associated with POTS circuit switched	
sage will also apply to circuit switched voice and/or circuit switched	
ata transmission by B-Channels associated with 2-wire ISDN ports.	
4) Access to B Channel or D Channel Packet capabilities will be	
vailable only through Bona Fide Request Process. Rates for the packet	1
1000 - 100 b - data and de the Dees Fide Desucet Desease	
	1
5) The Commission did not order a rate for this service. The rate	
5) The Commission did not order a rate for this service. The rate effected here is BellSouth's proposed rate.	
 5) The Commission did not order a rate for this service. The rate effected here is BellSouth's proposed rate. 6) AIN related services are currently under development. The method 	
 5) The Commission did not order a rate for this service. The rate effected here is BellSouth's proposed rate. 6) AIN related services are currently under development. The method or recovery of cost appropriately incurred during the design, develop- 	
 The Commission did not order a rate for this service. The rate effected here is BellSouth's proposed rate. AIN related services are currently under development. The method or recovery of cost appropriately incurred during the design, develop- ment, testing and implementation of AIN mediation mechanisms remains 	
 5) The Commission did not order a rate for this service. The rate effected here is BellSouth's proposed rate. 6) AIN related services are currently under development. The method or recovery of cost appropriately incurred during the design, develop- ment, testing and implementation of AIN mediation mechanisms remains an issue to be resolved. However, BellSouth is at least entitled to 	
 apabilities will be determined via the Bona Fide Request Process. 5) The Commission did not order a rate for this service. The rate effected here is BellSouth's proposed rate. 6) AIN related services are currently under development. The method or recovery of cost appropriately incurred during the design, development, testing and implementation of AIN mediation mechanisms remains an issue to be resolved. However, BellSouth is at least entitled to recover portions of the costs incurred in the design, development, testing and implementation of such mediation mechanisms. 	

-

· · ·

• •

TABLE 2

....

NUMBER PORTABILITY

(Interim, Subject to true-up)

Remote Call Forwarding (RCF)

-Business line, per number ported, 10 paths	\$1.50
-Residence Line, per number ported, 6 paths	\$1.25
-Additional capacity for simultaneous call forwarding,	
per additional path	\$.50
-Rate per order, per end-user location	\$25.00

٠

.

. .

1

Attachment 11 Exhibit 1-AL Page 8

TABLE 3

...

RECORDED USAGE DATA

(Interim Rates subject to True-up)

Recording Services (only applied to unbundled operator services messages), per message	\$.008
Message Distribution, per message	\$.004
Data Transmission, per message	\$.001
Magnetic Tape Distribution per file	\$54.95

٠

.

.

 (\mathbf{x}, \mathbf{x})

Attachment 11 Exhibit 2

Florida

.

.

.

.

...

2

> Attachment 11 Exhibit 2-FL Page 1

FLORIDA

PRICING

1. General Principles

.....

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the Florida Public Service Commission.

2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Florida.

Residential Service	21.83%
Business Service:	16.81%

3. Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

3.1 Charges for Multiple Network Elements

Any BellSouth non-recurring and recurring charges shall not include duplicate charges or charges for functions or activities that CLEC does not need when two or more Network Elements are combined in a single order. BellSouth and CLEC shall work together to mutually agree upon the total non-recurring and recurring charge(s) to be paid by CLEC when ordering multiple Network Elements. If the parties cannot agree to the total nonrecurring and recurring charge(s) to be paid by CLEC when ordering multiple Network Elements within sixty (60) days of the Effective Date, either party may petition the Florida Public Service Commission to settle the disputed charge or charges.

4. Compensation For Call Transport and Termination

The prices that CLEC and BellSouth shall pay are set forth in Table 1.

> Attachment 11 Exhibit 2-FL Page 2

5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- 5.2 Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

6. Local Number Portability

The prices for interim number portability are set forth in Table 2.

7. Recorded Usage Data

The prices for recorded usage data are set forth in Table 3.

8. Electronic Interfaces

Each party shall bear its own cost of developing and implementing Electronic Interface Systems because those systems will benefit all carriers. If a system or process is developed exclusively for certain carriers, however, those costs shall be recovered from the carrier who is requesting the customized system.

9. True-Up

Rates which are not indicated as "interim" are permanent rates. Rates indicated as "interim" are interim and are subject to true-up.

10. Operational Support Systems (OSS) Rates

	OPERATIONAL SU	JPPORT SYSTEM	AS (OSS) RATE	8
	Interactive Ordering and Trouble Maintenance System			ler Charge ser account)
R	Non-Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders
FLORIDA	\$100.00	\$50.00	\$10.80	\$22.00

. .

Attachment 11 Exhibit 2-FL Page 3

TABLE 1

· · ·

BELLSOUTH/CLEC RATES - FLORIDA

UNBUNDLED NETWORK ELEMENTS

Network Interface Device, Per Month	\$0.76 (interim rate)
Loops, including NID	
2 wire, per month	\$ 17.00
NRC First	\$140.00
NRC Add'l	\$ 42.00
4 wire, per month	\$ 30.00
NRC First	\$141.00
NRC Add'l	\$ 43.00
2 wire ISDN, per month	\$ 40.00
NRC First	\$306.00
NRC Add'l	\$283.00
DS1, per month	\$ 80.00
NRC First	\$540.00
NRC Add'l	\$465.00
Inbundled Loop Channelization System (DS1 to VG)	
Per system, per month	\$480.00
NRC, First	\$350.00
NRC, Add1	\$ 90.00
Per voice interface, per month	\$ 1.50
NRC, First	\$ 5.75
NRC, Add'l	\$ 5.50
.cop Distribution, per month	\$ 7.00 (interim rate)
.cop Distribution, NRC	BFR
Attachment 11	

Exhibit 2-FL	
Page 4	

...

Ports		
	\$ 2.00	
2 wire		
NRC First	\$38.00	
NRC Add'I	\$15.00	
4 wire	\$10.00 (interim rate)	
NRC First	\$38.00 (interim rate)	
NRC Add'I	\$15.00 (interim rate)	
2 wire ISDN (1) (2)	\$13.00	
NRC First	\$88.00	
NRC Add'l	\$66.00	
2 wiře DID	тво	
NRC First	тво	
NRC Add'l	TBD	
4 wire ISDN	тво	
NRC First	тво	
NRC Add'l	тво	
4 wire DS1	\$125.00	
NRC First	\$112.00	
NRC Add1	\$ 91.00	
Usage		
Initial Minute	\$0.0175	
Additional Minutes	\$0.005	
Features, functions, capabilities	No additional charge	
erator Systems	· · · · · · · · · · · · · · · · · · ·	
Operator Call Handling-Station & Person	\$1.00 per minute	
Automated Call Handling	\$0.10 per call attempt	

.....

Attachment 11 Exhibit 2-FL

Page 5

....

Directory Assistance	\$0.25 per call
DA Call Completion	\$0.03 per call attempt
Intercept	\$0.01 per call
Busy Line Verification	\$0.80 per call
Emergency Interrupt	\$1.00 per call
Directory Assistance	
DA Database	
per listing	\$0.001
monthly	\$100.00
Direct access to DA service	
 per query 	\$0.01
monthly	\$5,000.00
NRC, service establish charge	\$820.00
DA transport	
switched local channel	\$133.81 (interim rate)
NRC, first	\$866.97 (interim rate)
NRC, add"l	\$486.83 (interim rate)
switched dedicated DS1 level	
per mile	\$16.75 (interim rate)
per facility termination	\$59.75 (interim rate)
NRC	\$100.49 (interim rate)
switched common	
per DA call	\$0.0003
per DA call per mile	\$0.00001
tandem switching	
per DA call	\$0.00055

Page 6 **Dedicated Transport** DS1, facility termination \$ 59.75 DS1, per mile \$ 1.60 \$100.49 (interim rate) NRC Shared Transport Facility termination, per MOU \$0.0005 \$0.000012 Per mile, per MOU End office Switching-Direct End Office Interconnection \$0.00200 per mou Tandem Switching \$0.00029 per minute **CCS7 Signaling Links** CCS7 Signaling Connection per link per month \$5.00 per link, per month \$400.00 non-recurring CCS7 Signaling Termination per port per month \$113.00 **CCS7 Signal Transfer Points** CCS7 Signaling Usage per ISUP Message per \$0.00001 per message month \$0.00004 per message CCS7 Signaling Usage per TCAP Message per month CCS7 Signaling Usage Surrogate per link per \$64.00 per month month (This charge is only applicable where signaling usage measurement or billing capability does not exist.) Service Control Points

TBD

LIDB (3)

2/1/98

Attachment 11 Exhibit 2-FL

...

Attachment 11 Exhibit 2-FL Page 7

...

Toll Free Database (3)	тво
2	
AIN, per message	\$0.00004 (interim rate)
AIN, Service Creation Tools (3)	TBD
AIN, Mediation (3)	TBD
Note(s): (1) Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B- Channels associated with 2-wire ISDN ports. (2) Access to B Channel or D Channel Packet capabilities will be available only through Bona Fide Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request Process. (3) BellSouth and CLEC shall negotiate rates for this offering. If agreement is not reached within sixty (60) days of the Effective Date, either party may petition the Florida PSC to settle the disputed charge or charges.	

,

- -

.

...

1

Attachment 11 Exhibit 3

Georgia

.

.

.

• • •

GEORGIA

PRICING

1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the Georgia Public Service Commission.

2. Local Service Resale

The prices that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Georgia:

Residential Service	20.30%
Business Service:	17.30%

The prices that CLEC pays for resold Local Services were established by the Commission in Docket No. 6352-U. The Commission will review those prices one year from the date of its order in that docket.

3. Unbundled Network Elements

The interim prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

4. Compensation For Call Transport and Termination

Interim prices that CLEC shall pay to BellSouth are set forth in Table 1.

5. Ancillary Functiona

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- 5.2 Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory

authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

6. Local Number Portability

The prices for interim number portability are set forth in Table 2.

7. Recorded Usage Data

The interim prices for recorded usage data are set forth in Table 3.

8. Electronic Interfaces

As stated in the Georgia Public Service Commission's Supplemental Order issued in Docket No. 6352-U, all costs incurred by BellSouth to implement operational interfaces shall be recovered from the industry. If there is disagreement between the Parties regarding cost recovery issues, the Georgia Public Service Commission shall initiate a separate hearing to address the matter upon filing of a petition by an affected party.

9. Interim Pricing

- Except for the interim prices for resold Local Services, the interim prices . referenced above shall be subject to true-up according to the following procedures:
 - The interim price shall be trued-up, either up or down, based on 1. final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
 - 2. The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the

2/1/98

....

```
ORDER NO. PSC-98-1149-FOF-TP
DOCKET NO. 980627-TP
PAGE 188
```

Dispute Resolution Process set forth in Section 16 of the General ... Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting agreement with the Commission as a "negotiated agreement" under Section 252(e) of the Act.

- 3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices for unbundled local loops in the Docket No. 7601-U generic cost study proceeding, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
 - BellSouth and CLEC is entitled to be a full party to the proceeding;
 - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of unbundled element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.
- 4. CLEC shall retain its ability under Section 252(I) to obtain any interconnection, service, or network element provided under an agreement approved under Section 252 to which BellSouth is a party, upon the same terms and conditions as those provided in the agreement.

10. Operational Support Systems (OSS) Rates

	OPERATIONAL SU	JPPORT SYSTEM	AS (OSS) RATES	<u>8</u>
	Interactive Ordering and Trouble Maintenance System			er Charge ser account)
	Non-Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders
GEORGIA	\$100.00	\$50.00	\$10.80	\$22.00

....

TABLE 1

BELLSOUTWCLEC INTERIM RATES - GEORGIA

UNBUNDLED NETWORK ELEMENTS

(all rates are subject to true-up)

etwork Interface Device, Per Month	\$0.53	
oops, including NID, Per Month		
2 wire analog voice grade loop	\$14.22	
NRC	\$25.80	
4 wire analog voice grade loop	\$22.75	
NRC	\$25.80	
2 wire ADSL/ISDN	\$17.00	
NRC	\$25.80	
4 wire HDSL	\$27.20	
NRC	\$25.80	
2 wire ISDN Digital	\$27.20	
NRC	\$25.80	
4 wire DS1 Digital grade loop	\$117.00	
NRC	\$665.00	First
	\$315.00	Add'l
oop Distribution (including NID), per month	\$8.87	
oop Distribution, NRC	BFR	
ocal Switching, Per Month		
2 wire analog port	\$1.13	
NRC	\$50.00	First
	\$18.00	Add'l
4 wire analog port (Coin)	\$1.13	
NRC	\$50.00	First
	\$18.00	Add'l
2 wire DID port	\$12.68	
NRC	\$50.00	First
	\$18.00	Add'l
4 wire DID port	\$120.00	
NRC	\$230.00	First
	\$200.00	Add'l
2 wire ISDN port (1) (2)	\$13.50	
NRC	\$150.00	First
	\$120.00	Add'l
4 wire ISDN port .	\$308.00	
NRC	\$230.00	First
	\$200.00	Add'l
Rotary Service (hunting)	\$0.20	
NRC	\$3.00	First
	\$3.00	Add'l
ocal Switching		
End Office Switching, per Minute of use	\$0.0016	
Tandem Switching, per minute of use	\$0.0017	Colorest States of States of States
.ocal Transport		
Dedicated Transport - DS1 Level - per mile per month	\$1.60	CARL COMPANY OF THE OWNER
DS1 - Facility Termination, per month	\$59.75	
DS1 - Facility Termination, NRC	\$100.49	
Dedicated Transport - DS0 Level - per mile per month	\$.10	

2/1/98

...

.

DS0 - Facility Termination, per month	\$2.75	
DS0- Facility Termination, NRC	\$24.01	
Shared Transport - per mile per mou	\$.000012	
Facility Termination, per mou	\$0.00036	
CCS7 Signaling	and the second se	and the second states the second states
CCS7 Signaling Connection per link per month		
A link	\$19.97 per link	
Blink	\$25.25 per link	
	aro ro bei un	
Signal Transfer Points	50 00005 per m	
CCS7 Signaling Usage per ISUP Message per month	\$0.00005 per m \$0.00005 per m	
CCS7 Signaling Usage per TCAP Message per month	\$395.00	lessaya
CCS7 Signaling Usage Surrogate per link per month	\$380.00	
(This charge is only applicable where signaling usage		
measurement or billing capability does not exist.)		
Signal Control Points		
AIN		be Negotiated
LIDB	\$0.00075 per m	nessage
Originating point code establishment or change, per	\$91.00	
establishment or change	and the second second second second	atomic mathematical las
800/888 Access Ten Digit Screening Service		
Per 800 call utilizing access ten digit screening service	\$0.00075 per m	nessage
w/800 number delivery		
Per 800 call utilizing access ten digit screening service	\$0.00075 per m	1655800
w/800 number delivery, for 800 numbers with optional complex		
features		
Per 800 call utilizing access ten digit screening service	\$0.00075 per m	nessage
with POTS number delivery		
Per 800 call utilizing access ten digit screening service	\$0.00075 per m	nessage
with POTS number delivery, with optional complex features		
NRC Reservation charge, per 800 number reserved	First	Add'l.
	\$27.50	\$.50
NRC Establishment charge, per 800 number	First	Add'l.
established with 800 Number Delivery	\$63.00	\$2.00
NRC Establishment charge, per 800 number	First	Add'l.
established with POTS number delivery	\$63.00	\$2.00
NRC Change charge, per request	First	Add'l.
	\$42.00	\$.50
NRC customized area of service, per 800 number	First	Add'l.
	\$3.00	\$1.50
NRC multiple interLATA carrier routing, per carrier	First	Add1.
requested, per 800 number	\$3.50	\$2.00
NRC call handling and destination features, per 800	\$3.00	
number		Contraction of the Second
Operator Systems		
Operator Provided Call Handling	\$0.30 per call	
Fully Automated Call Handling	\$0.07 per atten	npt
Directory Assistance		
Directory Assistance	\$0.20 per call	
DA Call Completion	\$0.05 per attem	npt
Number Services Intercept	\$0.04 per query	
	\$133.81	
NRC First	\$866.97	
		and the second distance of the second s
NRC Add'l	\$486.83	and the state of t

2/1/98

••'

	A REAL PROPERTY AND A REAL
NRC	\$100.49
DA-switched common transport, per DA Acc. Svc Call	\$0.00036
DA-switched-common transport, per DA acc svc call mi	\$0.00004
DA - access tandem switching, per DA access svc call	\$0.00055
DA - interconnection, per DA access service call	\$0.00269
Installation, per DA access service call	\$915.00 First
	\$100.00 Add'l
. DA database service - use fee, per DAD customer's end user request	\$0.035
DA database Service - monthly recurring charge	\$150.00
Direct access to DA service	
NRC DADAS service establishment charge	\$1,000.00
DADAS database service charge, per month	\$5,000.00
DADAS per query charge	\$0.023
Selective Routing	
One time charge	\$10.00 per line or PBX trunk
Dark Fiber	
Per each fiber strand per route mile or fraction thereof	\$241.00
Per each four-fiber dry fiber arrangement	\$1000.00 per arrangement
Note(s):	
 Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. Access to B Channel or D Channel Packet capabilities will 	
be available only through Bona Fide Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request Process.	

.

•

.

...

1.15

TABLE 2

Service Provider Number Portability - Remote Call Forwarding	Monthly Recurring	Non-Recurring
Rate, per ported number, residential	\$1.25 per path	
Rate, per ported number, business	\$1.50 per path	
Additional capacity for simultaneous call forwarding, per additional path	\$0.50	
Rate per order, per end user location		\$25.00

.

.

.

ê

LOCAL NUMBER PORTABILITY

稅

· · ·

100

TABLE 3

....

RECORDED USAGE DATA

Recording Services (only applied to unbundled operator services messages), per message	\$.008
Message Distribution, per message	\$.004
Data Transmission, per message	\$.001
Magnetic tape distribution per file	\$54.95

.

• .

٠

. .

...

.

Attachment 11 Exhibit 4

Kentucky

٠

.

.

...

> Attachment 11 Exhibit 4-KY Page 1

> >

KENTUCKY

PART IV: PRICING

1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and Kentucky Public Service Commission.

2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Kentucky.

Residential Service	16.79%
Business Service:	15.54%

3. Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

Compensation For Call Transport and Termination

The prices that CLEC shall pay to BellSouth are set forth in Table 1.

5. Ancillary Functions

- 5.1 Collocation The rates', terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- 5.2 Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

6. Dark Fiber

The prices for Dark Fiber are set forth in Table 2.

> Attachment 11 Exhibit 4-KY Page 2

> > - - [.]

7. Local Number Portability

The prices for interim number portability are set forth in Table 3.

8. Recorded Usage Data

The prices for recorded usage data are set forth in Table 4.

9. Electronic Interfaces

All costs incurred by BellSouth to implement operational interfaces shall be recovered from the CLECs on a fairly apportioned basis. If there is disagreement between the Parties regarding cost recovery issues, an affected party may petition the Kentucky Public Service Commission to initiate a separate hearing to address the matter.

10. Operational Support Systems (OSS) Rates

	OPERATIONAL SU	IPPORT SYSTEM	AS (OSS) RATES	3
,	Interactive Ordering and Trouble Maintenance System		OSS Order Charge (per end user account)	
	Non-Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders
KENTUCKY	\$100.00	\$50.00	\$10.80	\$22.00

...

,

•

Attachment 11 Exhibit 4-KY Page 3

TABLE 1

· • '

BELLSOUTH/CLEC RATES - KENTUCKY UNBUNDLED NETWORK ELEMENTS

twork Interface Device, Per Month	\$1.80
bundled Loops	
2 Wire Analog VG Loop, per month	
Standard - with NID	\$20.00
Standard - without NID	\$18.20
Nonrecurring, with or without NID - First	\$86.08
Nonrecurring, with or without NID - Add1	\$58.57
2 Wire Analog VG Loop, per month	
Customized - with NID	\$23.35
Customized - without NID	\$21.41
Nonrecurring, with or without NID - First	\$236.75
Nonrecurring, with or without NID - Add1	\$177.10
4 Wire Analog VG Loop, per month	
Standard - with NID	\$28.28
Standard - without NID	\$26.38
Nonrecurring, with or without NID - First	\$457.14
Nonrecurring, with or without NID - Add"	\$348.83
2 Wire ISDN Digital Grade Loop, per month	0010.00
2 Wire ISDN Digital Grade Loop, per monan Standard - with NID	\$31.99
Standard - without NID	\$29.65
Nonrecurring, with or without NID - First	\$541.28
Nonrecurring, with or without NID - Add'l	\$431.61
2 Wire ADSL Loop, per month	3431.01
Standard - with NID	\$11.89
Standard - without NID	\$10.63
Nonrecurring, with or without NID - First	\$713.50
Nonrecurring, with or without NID - Add1	\$609.44
2 Wire HDSL Loop, per month	
Standard - with NID	\$8.51
Standard - without NID	\$7.40
Nonrecurring, with or without NID - First	\$713.50
Nonrecurring, with or without NID - Add'	\$609.44
4 Wire HDSL Loop, per month	0000.44
4 Wire HDSL Loop, per month , Standard - with NID	\$10.39
Standard - without NID	\$9.70
Nonrecurring, with or without NID - First	\$748,93
Nonrecurring, with or without NID - Add	\$646.17
4 Wire DS1 Digital Grade Loop, per month	\$67.96
A Wire DS1 Digras Grade Coop, per month Nonrecurring - First	\$849.80
Nonrecurring - Additional	\$523.27
p Channelization System - For Unbundled Loops	\$429.33
Unbundled Loop System (DS1 to VG) per system, per month	\$429.33
Nonrecurring - First	\$166.55
Nonrecurring - Additional	\$100.55
Central Office Interface Per Circuit, per month	\$1.20
Nonrecurring - First	
Nonrecurring - Additional	\$46.38

.

.

••

Attachment 11 Exhibit 4-KY Page 4

· · ·

Sub-Loop 2-Wire Analog Loop Distribution	in the second
Standard with NID	\$10.83
Standard without NID	\$9.95
Standard, NRC - 1st	\$459.85
Standard, NRC - Add'l	\$352.89
Sub-Loop 2-Wire Analog Loop Concentration	
Channelization System (Outside C.O.), Recurring	\$263.06
Channelization System (Outside C.O.), Recurring	\$1,508,41
Channelization System (Outside C.O.), NRC - 1st	\$596.11
Channelization System (Outside C.O.), NRC - Add'l	\$23.30
Working Plug-In 2-Wire, NRC - 1st	
Working Plug-In 2-Wire, NRC - Add'l	\$23.25
ocal Switching, Per Month	
2 wire analog port	\$2.61
Nonrecurring, Residence - First	\$37.78
Nonrecurring, Residence - Additional	\$37.78
Nonrecurring, Business, First	\$37.55
Nonrecurring, Business - Additional	\$37.55
Nonrecurring, PBX, First	\$36.47
Nonrecurring, PBX - Additional	\$36.47
4 wire Analog (Coin) port	\$3.04
Nonrecurring - First	\$40.71
Nonrecurring - Additional	\$40.71
4 wire ISDN DS1port	\$275.48
Nonrecurring - First	\$181.27
Nonrecurring - Additional	\$116.42
2 wire ISDN Digital port (1) (2)	\$12.33
Nonrecurring - First	\$90.48
Nonrecurring - Additional	\$84.53
Nonrecurring - User Profile per B Channel	\$5.61
2 wire Analog Hunting - per line	\$.29
Nonrecurring	\$2.14
ocal Switching, per Minute Of Use	
End Office Switching	\$.002562
Tandem Switching	\$.001096
Local Switching Features, functions, capabilities	No add'l char
ihared Transport	
Shared Transport, per mile, per MOU	\$.0000049
Shared Transport - Facility Termination, per MOU	\$.000426
Dedicated Transport	
DS1, per mile, per month	\$.45
DS1, Facility Termination, per month	\$55.05
Nonrecurring - First	\$298.18
Nonrecurring - Additional	\$231.23
Exchange Access Interoffice Channel	
0 - 8 miles, fixed per month	\$16.14
per mile, per month	\$.0301
9 -25 miles, fixed, per month	\$17.18
per mile, per month	\$.0726
Over 25 miles, fixed, per month	\$18.41

.

.

(4.3)

Attachment 11 Exhibit 4-KY Page 5

....

per mile, per month	\$.0831
Nonrecurring - First	\$181.93
Nonrecurring - Additional	\$75.56
Operator Systems	
Operator Call Processing Access Service	
Operator Provided, per minute	
Using BST LIDB	\$1.6016
Using Foreign LIDB	\$1,6249
Fully Automated, per attempt	
Using BST LIDB	\$.0856
Using Foreign LIDB	\$.1071
Inward Operator Services Access Service	
Inward Operator Services Access Service	\$1.00
Verification, per call	\$1.111
Emergency Interrupt, per call	
Directory Assistance	
Directory Assistance Access Service Calls	\$.3136
Per call	\$.3136
Recording cost per announcement	\$244.04
Loading cost per audio unit	3294.04
Directory Assistance Database Service	\$.0193
Use Fee, per DADS customer's EU request/Listing	\$120.76
Monthly recurring	\$120.76
Direct Access to Directory Assistance Service (DADAS)	\$7,235.01
Database service charge, per month	\$.0052
Database Query Charge, per query	\$1,186.94
Nonrecurring - DADAS service establishment	31,100.34
DACC Access Service	\$.058
Per Call Attempt	3.050
Number Service Intercept Access Service	\$.0086
Per Intercept Query	\$.0055
Per Intercept Query Update	3.0000
Directory Transport	\$.000175
Switched Common Transport per DA Service Call	\$.000004
Switched Common Transport per DA service call mile	\$ 000783
Access Tandem Switched per DA service call	\$36.32
Switched Local Channel - DS1 level, per month	\$637.46
Nonrecurring - First	\$546.94
Nonrecurring - Additional Switched Dedicated Transport - DS1 level, per mile, per month	\$.45
Switched Dedicated Transport - DS1 level, per mile, per month Facilities Termination, per month	\$55.05
Nonrecurring - First	\$298.18
Nonrecurring - Additional	\$231.18
Nonrecurring installation per trunk or signaling connection - First	\$501.98
Nonrecurring installation per trunk or signaling connection - Additional	\$13.32
CCS7 Signaling Transport Services	
CCS7 Signaling Transport Services CCS7 Signaling Connection per Link per month	\$16.31
	\$354.95
Nonrecurring CCS7 Signaling Termination per Port per month	\$174.08
CCS7 Signaling Termination per Port per month CCS7 Signaling Usage Surrogate per link per month	\$329.98
 CCS7 Signaling Usage Surrogate per link per month (This charge is only applicable where signaling usage measurement or 	
(This charge is only applicable where signaling usage measurement of	
billing capability does not exist.) CCS7 Signaling Usage per ISUP message per month	\$,000037893
CCS7 Signaling Usage per ISUP message per month	

. .

Attachment 11 Exhibit 4-KY Page 6

· - '

CCS7 Signaling Usage per TCAP message per month	\$.000102042
800 Access Ten Digit Screening Service	1
800/POTS Number Delivery, per guery	\$.0010
800/POTS number delivery with optional complex features, per query	\$.0011
800/800 number delivery, per query	\$.0010
800/800 number delivery with optional complex features, per query	\$.0011
Nonrecurring	
Per 800 number reserved - First	\$10.05
Per 800 number reserved - Additional	\$1.19
Per 800 number established with 800 number delivery - First	\$30.59
Per 800 number established with 800 number delivery - Additional	\$3.22
Per 800 number established with POTS number delivery - First	\$30.59
Per 800 number established per POTS number delivery - Additional	\$3.22
Customized area of service per 800 number - First	\$6.97
Customized area of service per 800 number - Additional	\$3.49
Muttiple InterLATA Carrier routing per Carrier/800 number - First	\$8.16
Multiple InterLATA Carrier routing per Carrier/800 number - Additional	\$4.67
Change Charge per request - First	\$11.24
Change Charge per request - Additional	\$1.19
Call handling and Destination Features per 800 Number	\$6.97
Line Information Database Access Service	
Common Transport, per query	\$.00006
Validation, per guery	\$.00938
Nonrecurring - Establishment or change	\$107.60
Call Transport and Termination	
End Office switching, per MOU	\$.002562
Tandem Switching, per MOU	\$.001096
Common Transport, facility termination per MOU	\$.0000049
Common Transport, per mile per MOU	\$.000426
Intermediary Tandem, per MOU	\$.001096
Selective Routing (Interim price)	
Nonrecurring	\$10.00
Operational Support System	
OSS Electronic Interface, per order	\$10.89
Note(s):	
(1) Transmission/usage charges associated with POTS circuit switched usage will also	
apply to circuit switched voice and/or circuit switched data transmission by B-Channels	
associated with 2-wire ISON ports.	
(2) Access to B Channel or D Channel Packet capabilities will be available only through	1
Bona Fide Request Process. Rates for the packet capabilities will be determined via	
the Bona Fide Request Process.	

.

.

•••

,

Attachment 11 Exhibit 4-KY Page 7

TABLE 2

....

DARK FIBER

Per each fiber strand, per month, per route mile or	\$241.00
fraction thereof	
NRC, per each four-fiber dry fiber arrangement	
First	\$1,808.19
Additional	\$922.95

٠

.

.

...

1

.

....

Attachment 11 Exhibit 4-KY Page 8

TABLE 3

...

INTERIM NUMBER PORTABILITY

BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option.

.

.

.

.

.

Attachment 11 Exhibit 4-KY Page 9

TABLE 4

+-**

RECORDED USAGE DATA

OSS OPTIONAL Daily Usage File

2

Recording per message	\$.0008611
Message distribution, per message	\$.0032357
Message distribution, per magnetic taps provisioned	\$55.68
Data Transmission (CONNECT:DIRECT) per message	\$.0000365

.

.

-

٠

...

.

.

...

Attachment 11 Exhibit 5

Louisiana

.

.

.

....

Attachment 11 Exhibit 5-LA Page 1

LOUISIANA

PART IV: PRICING

1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the Louisiana Public Service Commission.

2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Louisiana.

Residential Service	20.72%
Business Service:	20.72%

3. Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

4. Compensation For Call Transport and Termination

The prices that CLEC shall pay to BellSouth are set forth in Table 1.

5. Ancillary Functions

- 5.1 Collocation The rates, 'terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- 5.2 Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

Attachment 11 Exhibit 5-LA Page 2

·-'

6. Recorded Usage Data

The prices for recorded usage data are set forth in Table 1.

7. Electronic Interfaces

The prices for Operational Support Systems are set forth in Table 1.

8. Operational Support Systems (OSS) Rates

	OPERATIONAL SU	JPPORT SYSTEM	AS (OSS) RATES	5
	Interactive Ordering and Trouble Maintenance System		OSS Order Charge (per end user account)	
,	Non-Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders
LOUISIANA	\$100.00	\$50.00	\$9.16	\$18.14

۲

. .

.

Attachment 11 Exhibit 5-LA Page 3

TABLE 1

· · ·

BELLSOUTH/CLEC RATES - LOUISIANA UNBUNDLED NETWORK ELEMENTS

NIDs	
NRC - NID per 2-Wire Loops-Manual Svc Order-1st	\$18.14
NRC - NID per 2-Wire Loops-Manual Svc Order-Add'l	\$8.06
NRC - NID per 2-Wire Loops-Manual Svc Order-Disconnect	\$11.41
NRC - NID per 4-Wire Loops-Manual Svc Order-1st	\$18.14
NRC - NID per 4-Wire Loops-Manual Svc Order-Add'l	\$8.06
NRC - NID per 4-Wire Loops-Manual Svc Order-Disconnect	\$11.41
NID per 2-Wire Analog VG Loop, Per Month	\$1.09
NRC - 1st	\$2.02
NRC - Add'l	\$2.02
NRC - Disconnect Chg - 1st	\$2.01
NRC - Disconnect Chg - Add'l	\$2.01
NID per 4-Wire Analog VG Loop, Per Month	\$1.22
NRC - 1st	\$2.02
NRC - Add'l	\$2.02
NRC - Disconnect Chg - 1st	\$2.01
NRC - Disconnect Chg - Add'l	\$2.01
NID per 2-Wire ISDN Digital VG Loop, Per Month	\$1.08
NRC - 1st	\$2.02
NRC - Add'l	\$2.02
NRC - Disconnect Chg - 1st	\$2.01
NRC - Disconnect Cho - Add'	\$2.01
NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per Mo.	\$1.09
NRC - 1st	\$2.02
NRC - Add'l	\$2.02
NRC - Disconnect Chg - 1st	\$2.01
NRC - Disconnect Chg - Add'l	\$2.01
NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop	\$1.09
NRC - 1st	\$2.02
NRC - Add'l	\$2.02
NRC - Disconnect Chg - 1st	\$2.01
NRC - Disconnect Chg - Add1	\$2.01
NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop	\$1.21
NRC - 1st	\$2.02
NRC - Add'I	\$2.02
NRC - Disconnect Chg - 1st	\$2.01
NRC - Disconnect Chg - Add'l	\$2.01
NID per 4-Wire 56 or 64 Kbpe Dig Grade Loop	\$1.21
NRC - 1st	\$2.02
NRC - Add'l	\$2.02
NRC - Disconnect Chg - 1st	\$2.01
NRC - Disconnect Chg - Add'l	\$2.01
Loop, including NID	
NRC - 2-Wire Loops-Incremental Cost-Manual Svc Order-1st	\$18.14
NRC - 2-Wire Loops-Incremental Cost-Manual Svc Order-Add'	\$8.06
NRC - 2-Wire Looos-Incremental Cost-Manual Svc Order-Disconnect	\$11.41
NRC - 4-Wire Loops (Exclud DS1)-Incremental Cost-Manual Svc Order-	\$18.14

.

Attachment 11 Exhibit 5-LA Page 4

...

NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc Order-	\$8.06
dd'l NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—	\$11.41
NRC - 4-Wire Loops (Exclud DST)-incremental Cost-Wandah SVC Orber-	311.41
2-Wire Analog VG Loop-SL1	\$19.35
NRC - 1st	\$40.69
NRC - Add'l	\$29.96
NRC - Disconnect Chg - 1st	\$11.48
NRC - Disconnect Chg - Add'l	\$3.36
NRC - Order Coordination for Specified Conversion Time	\$32.77
2-Wire Analog VG Loop-SL1-Manual Order Coord	
NRC - 1st	\$34.90
NRC - Add'l	\$34.90
NRC - Disconnect Chg - 1st	\$8.77
NRC - Disconnect Chg - Add'l	\$8.77
2-Wire Analog VG Loop-SL2	\$22.84
NRC - 1st	\$99.69
NRC - Add'l	\$74.73
NRC - Disconnect Chg - 1st	\$28.73
NRC - Disconnect Chg - Add'l	\$18.87
NRC - Order Coordination for Specified Conversion Time	\$32.77
4-Wire Analog VG Loop	\$31.52
NRC - 1st	\$198.10
NRC - Add'l	\$163.26
NRC - Disconnect Chg - 1st	\$74.27
NRC - Disconnect Chg - Add'l	\$39.44
NRC - Order Coordination for Specified Conversion Time	\$32.77
2-Wire ISDN Digital Grade Loop	\$27.36
NRC - 1st	\$223.27
NRC - Add'l	\$172.63
NRC - Disconnect Chg - 1st	\$74.27
NRC - Disconnect Chg - Add'l	\$39.44
NRC - Order Coordination for Specified Conversion Time	\$32.77
2-Wire Asymmetrical Dig Subscriber Line (ADSL) Compatible Loop	\$15.39
NRC - 1st	\$343.13
NRC - Add'l	\$310.03
NRC - Disconnect Chg - 1st	\$72.54
NRC - Disconnect Chg - Add'l	\$39.42
NRC - Order Coordination for Specified Conversion Time	\$32.77
2-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop	\$11.61
NRC - 1st	\$343.13
NRC - Add'l	\$310.03
NRC - Disconnect Chg - 1st	\$72.54
NRC - Disconnect Chg - Add'l	\$39.42
NRC - Order Coordination for Specified Conversion Time	\$32.77
4-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop	\$16.39
NRC - 1st	\$361.45
NRC - Add'I	\$328.35
NRC - Disconnect Chg - 1st	\$72.54
NRC - Disconnect Chg - Add'l	\$39.41
NRC - Order Coordination for Specified Conversion Time	\$32.77

2/1/98

Attachment 11 Exhibit 5-LA Page 5

...

4-Wire DS1 Digital Loop	\$72.86
NRC - 1st	\$410.38
NRC - Add'l	\$255.48
NRC - Disconnect Chg - 1st	\$92.35
NRC - Disconnect Chg - Add'l	\$38.44
NRC - Incremental Cost-Manual Svc Order-1st	\$18.14
NRC - Incremental Cost-Manual Svc Order-Add	\$8.06
NRC - Incremental CostManual Svc Order-Disconnect	\$11.41
NRC - Order Coordination for Specified Conversion Time	\$33.05
4-Wire 56 or 64 Kbps Dig Grade Loop	\$35.58
NRC - 1st	\$333.28
NRC - Add'I	\$230.50
NRC - Disconnect Chg - 1st	\$87.99
NRC - Disconnect Chg - Add'l	\$44.24
NRC - Order Coordination for Specified Conversion Time	\$32.77
b-Loop 2-Wire Analog	
Loop Feeder per 2-Wire Analog VG Loop	\$9.90
NRC - 1st	\$197.61
NRC - Add'l	\$162.77
NRC - Disconnect Chg - 1st	\$74.27
NRC - Disconnect Chg - Add'l	\$39.44
NRC - Order Coordination for Specified Conversion Time	\$32.77
Loop Distribution per 2-Wire Analog VG Loop	\$12.29
NRC - 1st	\$197.76
NRC - Add'I	\$163.60
NRC - Disconnect Chg - 1st	\$71.20
NRC - Disconnect Chg - Add'l	\$37.03
NRC - Order Coordination for Specified Conversion Time	\$32.77
Loop Concentration - Channelization Sys (Outside CO)	\$402.00
NRC - 1st	\$618.57
NRC - Add'l	\$270.40
NRC - Disconnect Chg - 1st	\$198.30
NRC - Disconnect Chg - Add'l	\$48.24
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'l	\$8.06
NRC - Incremental Cost-Manual Svc Order - Disconnect	\$11.41
Loop Concentration - Remote Terminal Cabinet (Outside CO)	ICB
Loop Concentration - Remote Channel Interface - 2-Wire VG (Outside	\$1.02
NRC - 1st	\$8.99
NRC - Add'l	\$8.97
NRC - Disconnect Chg - 1st	\$4.49
NRC - Disconnect Chg - Add'l	\$4.48
op Channelization System (Inside C.O.)	
Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG)	\$301.68
NRC - 1st	\$292.90
NRC - Add'l	\$72.38
NRC - Disconnect Chg - 1st	\$5.30
NRC - Disconnect Chg - Add'l	
	\$18.14
NRC - Incremental Cost-Manual Svc Order - 1st NRC - Incremental Cost-Manual Svc Order - Add'l	\$8.06

. .

Attachment 11 Exhibit 5-LA Page 6

.

....

CO Channel Interface-2-Wire VG Per Circuit, Per Month	\$1.08
NRC - 1st	\$19.97
NRC - Add'I	\$19.84
NRC - Disconnect Chg - 1st	\$8.26
NRC - Disconnect Chg - Add'l	\$8.21
Inbundled Local Exchange Ports	
2-Wire Analog Line Port (Res., Bus.), per month	\$2.20
NRC - 1st	\$16.43
NRC - Add'i	\$16.43
NRC - Disconnect Chg - 1st	\$4.38
NRC - Disconnect Chg - Add'l	\$4.38
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'l	\$8.06
NRC - Incremental Cost-Manual Svc Order - Disconnect	\$10.39
4-Wire Analog VG Port, per month	\$10.13
NRC - 1st	\$16.43
NRC - Add'l	\$16.43
NRC - Disconnect Chg - 1st	\$3.77
NRC - Disconnect Chg - Add'l	\$3.77
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'l	\$8.06
NRC - Incremental Cost-Manual Svc Order - Disconnect	\$8.94
2-Wire DID Port, per month	\$13.12
NRC - 1st	\$59.28
NRC - Add'I	\$59.28
NRC - Disconnect Chg - 1st	\$9.20
NRC - Disconnect Chg - Add'l	\$9.20
NRC - Incremental CostManual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'I	\$8.06
NRC - Incremental Cost-Manual Svc Order - Disconnect	\$10.39
4-Wire DID Port, per month	\$149.27
NRC - 1"	\$85.63
NRC - Add'l	\$50.23
NRC - Disconnect Chg - 1st	\$8.82
NRC - Disconnect Chg - Add'l	\$8.83
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'I	\$8.06
NRC - Incremental Cost-Manual Svc Order - Disconnect	\$10.39
2-Wire ISDN Port(1) (2), per month	\$23.33
NRC - 1st	\$45.35
NRC - Add'I	\$45.35
NRC - Disconnect Chg - 1st	\$4.31
NRC - Disconnect Chg - Add'l	\$4.31
NRC - Incremental Cost-Manual Svc Order - 1st	\$38.29
NRC - Incremental Cost-Manual Svc Order - Add'I	\$38.29
NRC - Incremental Cost-Manual Svc Order-Disconnect 1st	\$6.65
NRC - Incremental Cost-Manual Svc Order-Disconnect Add	\$6.65
4-Wire ISDN DS1 Port, per month	\$194.72
NRC - 1st	\$181.89
NRC - Add'I	\$181.89
NRC - Disconnect Chg - 1st	\$27.11
NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l	\$27.11

.

.

Attachment 11 Exhibit 5-LA

.

....

NRC - Incremental Cost-Manual Svc Order - 1st	\$33.18
NRC - Incremental Cost-Manual Svc Order - Add'l	\$33.18
NRC - Incremental Cost-Manual Svc Order-Disconnect 1st	\$7.73
NRC - Incremental Cost-Manual Svc Order-Disconnect Add	\$7.73
2-Wire Analog Line Port (PBX), per month	\$2.20
NRC - 1st	\$16.43
NRC - Add'l	\$16.43
NRC - Disconnect Chg - 1st	\$3.77
NRC - Disconnect Chg - Add'l	\$3.77
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'l	\$8.06
NRC - Incremental Cost-Manual Svc Order-Disconnect	\$8.94
Coin Port, per month	\$2.50
NRC - 1st	\$16.43
NRC - Add'l	\$16.43
NRC - Disconnect Chg - 1st	\$4.15
NRC - Disconnect Chg - Add'l	\$4.15
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'I	\$8.06
NRC - Incremental Cost-Manual Svc Order-Disconnect	\$9.86
Vertical Features	
Local Switching Features offered with Port, Monthly	\$8.28
Subsequent-Order Charge-Electronic	
Subsequent Order Charge-Incremental Cost-Manual Svc Order	
Local Switching	
End Office Switching Function, per mou	\$0.0021
End Office Interoffice Trunk Port-Shared, per mou	\$0.0002
Tandem Switching	
Tandem Switching Function per mou	\$0.0008
Tandem Interoffice Trunk Port-Shared per mou	\$0.0003
Common Transport	
Common Transport per mile per mou	\$0.000083
Common Transport Facilities Termination per mou	\$0.00047
Interoffice Transport - Dedicated - VG	
Interoffice Transport - Dedicated - 2-Wire VG - per mile	\$0.0384
Interoffice Transport - Dedicated - 2-Wire VG - facilities termination	\$19.10
NRC - 1st	\$76.20
NRC - Add'l	\$34.54
NRC - Disconnect Chg - 1st	\$28.03
NRC - Disconnect Chg - Add'l	\$5.37
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'l	\$18.14
NRC - Incremental Cost-Manual Svc Order-Disconnect-1st	\$8.06
NRC - Incremental Cost-Manual Svc Order-Disconnect-Add	\$8.06
Interoffice Transport - Dedicated - DS0 - 56/64 KBPS	
interoffice Transport - Dedicated - DS0 - per mile	\$0.0384
Interoffice Transport - Dedicated - DS0 - facilities termination	\$18.37
NRC - 1st	\$76.20
NRC - Add'l	\$34.54
NRC - Disconnect Chg - 1st	\$28.03
NRC - Disconnect Chg - Add'l	\$5.37
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14

-

.

Attachment 11 Exhibit 5-LA Page 8

 \sim

.

**'

NRC - Incremental Cost-Manual Svc Order - Add'l	\$18.14
NRC - Incremental Cost-Manual Svc Order-Disconnect-1st	\$8.06
NRC - Incremental Cost-Manual Svc Order-Disconnect-Add	\$8.06
Interoffice Transport - Dedicated - DS1	
Interoffice Transport - Dedicated - DS1 - per mile	\$0.7831
Interoffice Transport - Dedicated - DS1 - facilities termination	\$93.40
NRC - 1st	\$140.49
NRC - Add'I	\$106.69
NRC - Disconnect Chg - 1st	\$20.00
NRC - Disconnect Chg - Add'l	\$16.34
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'I	\$18.14
NRC - Incremental Cost-Manual Svc Order-Disconnect-1st	\$8.06
NRC - Incremental Cost-Manual Svc Order-Disconnect-Add	\$8.06
	30.00
Local Channel - Dedicated	\$14.94
Local Channel - Dedicated - 2-Wire VG	\$347.49
NRC - 1st	\$59.75
NRC - Add'l	\$53.68
NRC - Disconnect Chg - 1st	\$6.60
NRC - Disconnect Chg - Add'l	\$18.14
NRC - Incremental Cost-Manual Svc Order - 1st	\$8.06
NRC - Incremental Cost-Manual Svc Order - Add'I	
NRC - Incremental Cost-Manual Svc Order-Disconnect	\$11.40
Local Channel - Dedicated - 4-Wire VG	\$16.21
NRC - 1st	\$352.75
NRC - Add'l	\$61.33
NRC - Disconnect Chg - 1st	\$54.36
NRC - Disconnect Chg - Add'l	\$7.28
NRC - Incremental Cost-Manual Svc Order - 1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - Add'l	\$8.06
NRC - Incremental Cost-Manual Svc Order-Disconnect	\$11.40
Local Channel - Dedicated - DS1	\$43.80
NRC - 1*	\$348.56
NRC - Add'l	\$300.30
NRC - Disconnect Chg - 1st	\$24.15
NRC - Disconnect Chg - Add'l	\$21.31
NRC - Incremental Cost-Manual Svc Order	\$42.34
NRC - Incremental Cost-Manual Svc Order-Disconnect	\$19.48
.ocal Usage	
Intraoffice per mou	\$0.00209
interoffice per mou (assumes 5 miles of transport)	\$0.00538
ocal Interconnection	80.00000
End Office Connection per mou	\$0.00209
Tandem Connection (assumes 5 miles of transport per mou)	\$0.00430
Multi-tandem Connection	variable
100 Access Ten Digit Screening	
300 Access Ten Digit Screening, per call	\$0.0005305
Reservation Charge per 800 number reserved-NRC - 1st	\$8.29
Reservation Charge per 800 number reserved-NRC - Add'l	\$0.73
Per 800 # Established w/o POTS Translations	
NRC - 1st	\$12.27
NRC - Add'l	\$1.39

.

2

.

Attachment 11 Exhibit 5-LA Page 9

· · ·

NRC - Disconnect Chg - 1st	\$8.30
NRC - Disconfrect Chg - Add'l	\$0.73
Per 800 # Established with POTS Translations	
NRC - 1st	\$12.27
NRC - Add'l	\$1.39
NRC - Disconnect Chg - 1st	\$8.30
NRC - Disconnect Chg - Add'l	\$0.73
Customized Area of Service per 800 Number	
NRC - 1st	\$4.27
NRC - Add'l	\$2.14
Multiple Inter LATA CXR Routing per CXR Requested per 800 #	
NRC - 1st	\$5.00
NRC - Add'l	\$2.88
Change Charge per request	
NRC - 1st	\$7.01
NRC - Add'l	\$0.73
Call Handling and Destination Features - NRC	\$4.27
Reserv Chg per 800 # Reserved - Incrm Cost-Manual Svc Order	\$18.14
Per 800 # Est'd w/o POTS Transl-Incrm Cost-Manual Svc Order	
NRC	\$18.14
NRC - Disconnect Chg	\$11.40
Per 800 # Est'd with POTS Transi-incrm Cost Manual Svc Order	1
NRC	\$18.14
NRC - Disconnect Chg	\$11.40
Chng Chrg/Request-Incrm Cost-Manual Svc Order-NRC	\$18.14
Line Information Database Access (LIDB)	
IDB Common Transport per query	\$0.0000418
IDB Validation per query	\$0.0103774
IDB Originating Point Code Establishment or Change - NRC	\$48.17
LIDB - Incremental Cost - Manual Svc Order - NRC	\$18.14
CCS7 Signaling Transport	
CCS7 Signaling Connection, per 56Kbps facility	\$19.48
NRC	\$126.34
NRC - Disconnect	\$101.10
CCS7 Signaling Termination, per STP port	\$161.99
CCS7 Signaling Usage, per call setup message	\$0.0000430
CCS7 Signaling Usage, per TCAP message	\$0.0001052
CCS7 Signaling Usage Surrogets, per 56 Kbps facility per LATA per mo	\$406.71
CCS7 Signaling - Incremental Cost - Manual Svc Order	
NRC	\$18.14
NRC - Disconnect	\$11.40
Operational Support Systems	
DSS Interactive Ordering and Trouble Maint, Estab. per user	\$50.00
NRC	\$100.00
OSS OLEC Daily Usage File: Recording, per message	\$0.00019
DSS OLEC Daily Usage File: Message Distribution, per message	\$0.00240
DSS OLEC Daily Usage File: Message Distribution, per magnetic tape	\$47.30
provisioned	
DSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), per	\$0.00003
message	

-

 \sim

-

Attachment 11 Exhibit 5-LA Page 10

.

· · ·

Operator Call Processing	00.04
Oper. Provided Cost per min - Using BST LIDB	\$0.91
Oper. Provided Cost per min - Using Foreign LIDB	\$0.96
Fully Automated Cost per call - Using BST LIDB	\$0.10
Fully Automated Cost per call - Using Foreign LIDB	\$0.12
Inward Operator Services	
Verification, per minute	\$0.86
Verification and Emergency Interupt, per minute	\$0.86
Directory Assistance Services	
Directory Assist Call Completion Access Svc (DACC), per call attempt	\$0.04
Number Services Intercept per query	\$0.02
Directory Assistance Access Service Calls, cost per call	\$0.20
Directory Transport	
Directory Transport - Local Channel DS1	\$43.83
NRC - 1st	\$339.69
NRC - Add'l	\$298.29
NRC - Disconnect Chg - 1st	\$33.02
NRC - Disconnect Chg - Add'l	\$23.32
NRC - Incremental Cost-Manual Svc Order - NRC	\$42.34
NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect	\$19.48
Directory Transport - DS1 Level Interoffice per mile	\$0.78
Directory Transport - DS1 Level Interoffice per facility termination	\$93.40
NRC - 1st	\$140.49
NRC - Add'l	\$106.69
NRC - Disconnect Chg - 1st	\$20.00
NRC - Disconnect Chg - Add'l	\$16.34
NRC - Incremental Cost-Manual Svc Order - NRC-1st	\$18.14
NRC - Incremental Cost-Manual Svc Order - NRC-Add'l	\$18.14
NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1st	\$8.06
NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-Add'i	\$8.06
Switched Common Transport per DA Access Service per call	\$0.0003274
Switched Common Transport per DA Access Service per call per mile	\$0.0000175
Access Tandem Switching per DA Access Service per call	\$0.0025257
Directory Transport-Installation NRC, per trunk or signaling connection	
NRC - 1st	\$195.54
NRC - Add'l	\$4.23
NRC - Disconnect Chg - 1st	\$130.05
NRC - Disconnect Chg - Add'l	\$4.23
Directory Assistance Database Sérvice (DADS)	
Directory Assistance Database Service cost per listing	\$0.0443
Directory Assistance Database Service, monthly	\$90.54
Direct Access to Directory Assistance (DADAS)	
Direct Access to Directory Assistance Service, per month	\$4,982.00
Direct Access to Directory Assistance Service, per query	\$0.0460
Direct Access to Directory Assistance Service, svc estab chg-NRC	\$786.82
Direct Access to Directory Assistance Service, svc estab chg-NRC-	\$57.23
Direct Access to Directory Assistance Service, svc estab chgrinter	
Service Provider Number Portability - RCF	
RCF, per number ported	\$2.29
NRC	\$0.49
	\$0.05

• •

Attachment 11 Exhibit 5-LA Page 11

·-'

oor additional path	\$0.38
RCF, per additional path	
RCF, per service order, per location - NRC - 1st	\$2.02
RCF, per service order, per location - NRC - Add'l	\$2.02
RCF, per service order, per location - NRC - Disconnect - 1st	\$2.01
RCF, per service order, per location - NRC - Disconnect - Add'l	\$2.01
Svc Provider No. Portability - Incremental Cost-Manual Svc Order	
NRC - 1st	\$18.14
NRC - Add'l	\$18.14
NRC - Disconnect Chg - 1st	\$11.41
NRC - Disconnect Chg - Add'l	\$11.41
Service Provider Number Portability - DID	
DID per number ported, Residence - NRC	\$0.89
DID per number ported, Residence - NRC - Disconnect	\$0.90
DID per number ported, Business - NRC	\$0.89
DID per number ported, Business - NRC - Disconnect	\$0.90
DID per service order, per location - NRC - 1st	\$2.02
DID per service order, per location - NRC - 1st DID per service order, per location - NRC - Add'I	\$2.02
DID per service order, per location - NRC - Add 1 DID per service order, per location - NRC - Disconnect - 1st	\$2.01
DID per service order, per location - NRC - Disconnect - 1st DID per service order, per location - NRC - Disconnect - Add'l	\$2.01
DID per service order, per location - NRC - Disconnect - Add I	\$12.46
DID, per trunk termination, Initial	\$129.69
DID. per trunk termination, Initial - NRC	\$129.09
DID, per trunk termination, Initial - Disconnect	Contraction of the local division of the loc
DID, per trunk termination, Subsequent	\$12.46
DID, per trunk termination, Subsequent - NRC	\$37.85
DID, per trunk termination, Subsequent - Disconnect	\$18.75
Svc Provider No. Portability - Incremental Cost-Manual Svc Order	
NRC - 1st	\$18.14
NRC - Add'l	\$18.14
NRC - Disconnect Chg - 1st	\$11.41
NRC - Disconnect Chg - Add'l	\$11.41
Access to Poles, Ducts, Conduits and Rights of Way	
Access to Poles, per pole, per foot, per year	\$4.20
Access to Conduits, per foot, per year	\$0.56
Access to innerduct, per foot, per year	-
AIN - BellSouth AIN SMS Access Service	
AIN SMS Access Svc - Svc Estab per state, initial setup - NRC	\$153.31
AIN SMS Access Svc - Svc Estab per state, initial setup - NRC - Disconnect	\$78.08
AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC	\$50.07
AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-	\$18.61
Disconnect	
AIN SMS Access Svc - Port Connection - ISDN Access - NRC	\$50.07
AIN SMS Access Svc - Port Connection - ISDN Access - NRC - Disconnect	\$18.61
AIN SMS Access Svc - User ID Codes - per User ID Code - NRC	\$104.95
AIN SMS Access Svc - User ID Codes - per User ID Code - NRC - Disconnect	
AIN SMS Access Svc - Security Card per User ID Code, initial or	\$125.33
replacement-NRC	
AIN SMS Access Svc - Security Card per User ID Code, initial or	\$24.40
replacement-NRC - Disconnect	
	\$0.0029
AIN SMS Access Service - Storage, per unit (100 Kb)	\$0.10
AIN SMS Access Service - Storage, per unit (100 Kb) AIN SMS Access Service - Session, per minute AIN SMS Access Service - Co. Performed Session, per minute	\$0.10 \$1.97

• •

2/1/98

24.2

Attachment 11 Exhibit 5-LA Page 12

...

Service Establishment Charge, per state, initial setup - NRC	\$153.25
Service Establishment Charge, per state, initial setup - NRC - Disconnect	\$78.05
Training Session, per customer - NRC	\$8,315.00
Trigger Access Charge, per trigger, per DN, Term, Attempt - NRC	\$41.08
Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC - Disconnect	\$18.60
Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC	\$41.08
Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC - Disconnect	\$18.60
Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - NRC	\$41.08
Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - Disconnect	\$18.60
Trigger Access Charge, per trigger, per DN, 10-Digit PODP - NRC	\$92.99
Trigger Access Charge, per trigger, per DN, 10-Digit PODP - Disconnect	\$26.73
Trigger Access Charge, per trigger, per DN, CDP - NRC	\$92.99
Trigger Access Charge, per trigger, par DN, CDP - Disconnect	\$26.73
Trigger Access Charge, per trigger, per DN, Feeture Code - NRC	\$92.99
Trigger Access Charge, per trigger, per DN, Feature Code - Disconnect	\$26.73
Query Charge, per query	\$0.03
Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query	\$0.0065
SCP Storage Charge, per SMS Access Acct, per 100 Kb	\$1.79
Monthly report - per AIN Toolkit Service Subscription	\$15.89
Monthly report - per AIN Toolkit Service Subscription - NRC	\$34.61
Monthly report - per AIN Toolkit Service Subscription - NRC - Disconnect	\$21.97
Special Study - Per AIN Toolkit Service Subscription	\$0.08
Special Study - Per AlN Toolkit Service Subscription - NRC	\$37.77
Call Event Report - per AIN Toolkit Service Subscription	\$15.81
Call Event Report - per AIN Toolkit Service Subscription - NRC	\$34.61
Call Event Report - per AIN Toolkit Service Subscription - NRC - Disconnect	\$21.97
Call Event special Study - per AIN Toolkit Service Subscription	\$0.0026
Call Event special Study - per AIN Toolkit Service Subscription - NRC	\$37.77
Note(s):	
 Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. Access to B Channel or D Channel Packet capabilities will be available 	
only through Bona Fide Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request Process.	

.

.

.

.
. .

1

,

.

. .

Attachment 11 Exhibit 6

Mississippi

.

.

.

· · ·

PRICING

1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and Mississippi Public Service Commission.

2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Mississippi.

Residential Service:	15.75%
Business Service:	15.75%

3. Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1. Unbundled local switching does not include vertical features.

4. Compensation For Call Transport and Termination

The prices that CLEC and BellSouth shall pay are set forth in Table 1.

5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- 5.2 Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

6. Local Number Portability

The prices for interim number portability are set forth in Table 2.

7. Recorded Usage Data

The prices for recorded usage data are set forth in Table 3.

8. Electronic Interfaces

All costs incurred by BellSouth to implement operational interfaces shall be recovered from the carriers who utilize the services. A cost sharing mechanism which may include a three (3) to five (5) year amortization period, shall be developed when BellSouth provides a final cost estimate. If there is a disagreement between the Parties regarding cost recovery issues, an affected party may petition the Mississippi Public Service Commission to initiate a separate hearing to address the matter.

9. AIN

Should BellSouth seek reimbursement from CLEC for the cost of the development of any AIN mediation device, BellSouth shall provide CLEC with the right to review and challenge BellSouth's plan, implementation schedule, cost budgets and other factors related to developing and implementing any such mediation device. If the Parties disagree on the appropriateness of any factor and are unable to reconcile their differences, the Parties may seek resolution by the Mississippi Public Service Commission.

10. True-Up

Except for the prices for resold Local Services, the interim prices referenced above shall be subject to true-up within six (6) months once BellSouth has submitted cost studies as determined by the Commission.

11. Operational Support Systems (OSS) Rates

	OPERATIONAL SU	JPPORT SYSTEM	IS (OSS) RATES	<u>8</u>
	Interactive Ordering and Trouble Maintenance System		OSS Order Charge (per end user account)	
	Non-Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders
MISSISSIPPI	\$100.00	\$50.00	\$10.80	\$22.00

BELLSOUTH/CLEC INTERIM RATES - MISSISSIPPI UNBUNDLED NETWORK ELEMENTS (Rates are subject to true-up)

NETWORK INTERFACE DEVICE (NO), per month \$ 0.67 NONRECURRING CHARGE-customer transfer, records 5.00 \$ changes, additions excluding new access lines. UNBUNDLED EXCHANGE ACCESS LOOPS 25.24 - 2 Wire Analog Voice Grade Loop 1 25.00 NRC . First -10.00 NRC - Add1 \$ - 4 Wire Analog Voice Grade Loop \$ 38.02 25.00 \$ NRC - First 10.00 \$ NRC - Add'l 38.47 - 2 Wire ISDN Digital Grade Loop \$ 25.00 NRC \$ 25 24 - 2 WINE ADSL/HDSL LOOP -25.00 \$ NRC . First \$ 10.00 NRC - Add1 \$ 38.02 - 4 Wire HDSL Loop 25.00 NRC - First \$ 10.00 \$ NRC - Add1 77.39 - 4 Wire DS1 Digital Grade Loop \$ 300.00 NRC First 1 250.00 \$ NRC Addl LOOP CHANNELIZATION SYSTEM (Inside C.O.) 397 58 - Per system, Per Month (DS1 to VG) \$ \$ 350.00 NRC · Voice Interface - Per Circuit, Per Month 1 74 \$ 8.00 8 NRC LOCAL SWITCHING, Per Month 1.99 - 2 Wire Analog Port, per month \$ 3.50 \$ NRC First 3.50 NRC Add1 \$ 2.28 1 - 4 Wire Analog Port (Coin) 3.50 \$ NRC First 3.50 \$ NRC Add1 12.08 \$ · 2 Wine DID Port 50.00 \$ NRC First 50.00 \$ NRC Add1 . 130.23 \$. 4 Wire DS1 Port w/DID capability 60.00 \$ NRC First 60.00 -NRC Add 11.73 \$ - 2 Wire ISON Digital Port (1) (2) 50.00 \$ NRC First 50.00 \$ NRC Add 270.36 8 - 4 Wire ISON DS1 Port 75.00 \$ NRC First 75.00 NRC Add1 \$ 0.12 \$ - 2 Wire Analog Hunting, Per Line Per Month \$ NRC LOCAL SWITCHING USAGE, Per MOU 0.00221 \$ - End Office Switching, usage, per mou TANDEM SWITCHING, PER mou 0.003172 \$

.

TABLE 1

....

UNBUNDLED CCS7 SIGNALING TRANSPORT SERVICE	-	
UNBUNDLED CCS7 SIGNALING TRANSPORT SERVICE		
CCS7 Signaling Connection per link per month		
- A Link, per link per month	\$	19.75
- B Link, per link per month	\$	25 25
CCS7 Signal Transfer Points		
CCS7 Signaling Usage per I\$UP message per month	\$	0.00005
- CCS7 Signaling Usage per TCAP message per month	\$	0.00005
CCS7 Signaling Usage Surrogate per link per month	\$	395.00
(This charge is only applicable where signaling usage measurement or billing capability		
does not exist.)		
SERVICE CONTROL POINTS		
Line Information Database Access Service (LIDS)		
Validation (FCC No. 1, Sec. 19)		
LIDB Common Transport, per query	\$	0.00004
- LIDB Validation, per query	\$	0.00499
- Ong. Point Code Establishment or Change, per estab. or change	\$	91.00
800 Access Ten Digit Screening Service		
Per 800 Call Utilizing 800 Acc. Ten Digit Screening Svc w/800 No. Del. per query	\$	0.00115
Per 800 Call Utilizing 800 Acc. Ten Digit Screening Svc w/800 No. Delivery.		
for 800 Numbers, w/Optional Complex Features, per duery	\$	0.0012
- Per 800 Call Utilizing 800 Acc. Ten Digit Screening Svc w/POTS No. Del.per query	\$	0.00115
- Per 800 Call Utilizing 800 Acc. Ten Digit Screening		
Svc. w/POTS Number Delivery, w/Optional Complex Features, per query	\$	0.0012
Reservation Charge per 800 Number reserved		
NRC First	\$	5.00
NRC Add1	-	0.50
Establishment Charge per 800 number established w/800 No. Delivery		
NRC First /	\$	5.00
NRC Add1	1	2.00
Est. Charge per 800 number est. w/POTS Number Delivery		
NRC First	\$	5.00
	\$	2.00
NRC Add1		2.00
Change Charge per request	5	5.00
NRC First		0.50
NRC Add1	•	0.00
- Customized Area of Service Per 800 Number	\$	3.00
NRC First	3	1.50
NRC Add1		1 30
 Multiple InterLATA Camer Routing per camer requested, per 800 number 		3.50
NRC First	\$	
NRC Add1	8	2.00
Call Handling and Destination Features per 800 number	8	3.00
AIN per signaling message	\$	0.0006
Calling Name (CNAM) Query Service - Dataflace Owner		
- per query	\$	0.016
CALL TRANSPORT AND TERMINATION		
End Office Interconnection, per mou	8	0.0026
Tandem Interconnection, per mou	\$	0.0083
OPERATOR CALL PROCESSING ACCESS SERVICE		
· Operator Provided Call Handling, per call	\$	0.30
Automated Call Handling, using 65T LIDE, per attempt	\$	0.0740
Automated Call Handling, using but Cole, per attempt Automated Call Handling, using foreign LIDB, per attempt	5	0.0950
· Automated Gan Handling, Danig Rolegin Libre, per electrics	8	0.26625
DA Access Service Call, per call	1	0.0287
DA Call Completion Access Service, per attempt		0.00915
Number Services Intercept, per query	8	0.00015
Inward Operator Services Access Service		the second s
Busy Line Venfication, per call	8	0.81
Emergency Interrupt, per cell	8	0.97
Print Baruch under han gam	1	
		spited by face to see the second second

-

.

.

2/1/98

· · ·

.

	1	the second s
DA Database Service	5	0.0192
- Use Fee, per listing	1	120.64
Monthly recurring charge	· ·	120.64
tragener'T AC		70.00
- Sw Local Channel - DS1 Level	8	300.00
NRC First	\$	
NRC Add1 .	8	250.00
- Sw. Dedicated Transport - DS1 level, per mile per month	\$	1.60
- Facilities Termination, per month	\$	59.75
NRC	\$	100.49
- Switched Common Transport, per DA Access Svc Call	\$	0.001918
- Switched Common Transport, per DA Svc Call Mile	\$	0.00003
Access Tandem Switching, per DA Acc Svc Call	8	0.00245
- Installation, trunk side svc, per trunk or signaling connection		
First		-
Add'l		-
UNBUNDLED EXCHANGE ACCESS IOC (Voice)		
0-8 Miles. Fixed per month	\$	16.89
Per mile per month	\$	0.007
9-25 Miles, Fixed per month	3	16.89
Per mile per month	\$	0.007
Over 25 Miles. Fixed per month	\$	18.26
Per mile per month	\$	0.0775
Nonrecuming Charge	\$	10.00
DEDICATED TRANSPORT (DS1 & DS3 Levels)		
- OS1, Facility Termination, per month	8	59.75
NRC	\$	100.49
- DS1, per mile, per month	\$	1.60
OS3, Facility Termination, per month	8	600.00
NRC	5	67.19
- DS3, per mile, per month	\$	40.00
- Digital Cross Connects (3/3, 3/1, 1/0)	Tob	herebogen a
COMMON TRANSPORT	1	
Per Mile	\$	0.000012
Facilities Termination, per mou	\$	0.00036
Note(s): 1) Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. ¹ 2) Access to B Channel or D Channel Packet capabilities will be available only hrough Bona Fide Request Process. Retes for the packet capabilities will be		

· · ·

Table 2

••'

INTERIM NUMBER PORTABILITY

Until a permanent rate and an appropriate cost sharing mechanism are established, CLEC and BellSouth shall each track the number of interim number portability arrangements they have provided. Based on the permanent rate, CLEC and BellSouth will true-up their costs with interest. BellSouth shall provide cost studies to assist in establishing a permanent rate within six (6) months.

•••

1

Table 3

...

RECORDED USAGE DATA

(Interim Rates subject to True-Up)

Recording Services (only applied to unbundled operator services messages), per message	\$.00€
Message Distribution, per message	\$.004
Data Transmission, per message	\$.001
Magnetic tape distribution per file	\$54.95

.

.

.....

...

Attachment 11 Exhibit 7

North Carolina

.

.

-

· · ·

> Attachment 11 Exhibit 7-NC Page 1

> > ...

NORTH CAROLINA

PRICING

1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the North Carolina Utilities Commission.

2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in North Carolina.

Residential Service	21.50%
Business Service:	17.60%

3. Unbundled Network Elements

The interim prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

4. Compensation For Call Transport and Termination

The interim prices that CLEC and BellSouth shall pay each other for the termination of local calls are set forth in Table 1.

5. Ancillary Functions .

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- 5.2 Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

> Attachment 11 Exhibit 7-NC Page 2

> >

6. Local Number Portability

The interim prices for interim number portability are set forth in Table 2.

7. Recorded Usage Data

The interim prices for recorded usage data are set forth in Table 3.

8. Electronic Interfaces

All costs incurred by BellSouth to include implement operational interfaces shall be recovered from the industry. If there is disagreement between the Parties regarding cost recovery issues, an affected party may petition the North Carolina Utilities Commission to initiate a separate hearing to address the matter.

9. True-up

Except for the interim prices for resold Local Services, the interim prices referenced above shall be subject to true-up according to the following procedures:

- The interim prices shall be trued-up, either up or down, based on 1 final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
- 2. The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General

> Attachment 11 Exhibit 7-NC Page 3

- Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting agreement with the Commission as a "negotiated agreement" under Section 252(e) of the Act.
- 3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
 - BellSouth and CLEC is entitled to be a full party to the proceeding;
 - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of unbundled element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.
- CLEC shall retain its ability under Section 252(I) to obtain any interconnection, service, or network element provided under an agreement approved under Section 252 to which BellSouth is a party, upon the same terms and conditions as those provided in the agreement.

10. Operational Support Systems (OSS) Rates

OPE	RATIONAL SUPP	ORT SYSTEMS	(OSS) RATES	
	Interactive Ordering and Trouble Maintenance System			er Charge ser account)
	Non- Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders
NORTH CAROLINA	\$100.00	\$50.00	\$10.80	\$22.00

> Attachment 11 Exhibit 7-NC Page 4 TABLE 1

> > .

...

BELLSOUTH/CLEC INTERIM RATES-NORTH CAROLINA UNBUNDLED NETWORK ELEMENTS (all rates are subject to true-up)

Network Interface Device, Per Month	\$0.52 per NID
Loops, including NID, Per Month	
2 Wire Analog	\$16.71 per loop
NRC	\$86.50 First/ \$27.80 Add1
4 Wire Analog	\$27.20
NRC	\$86.50 First/ \$27.80 Add1
2 Wire ADSL/HDSL	\$17.00
NRC	\$280.15 First/ \$243.91 Add1
4 Wire HDSL	\$27.20
NRC	\$291.43 First/ \$255.46 Add1
	\$27.20
2 Wire ISDN	\$276.96 First/ \$234.99 Add1
NRC	\$151.50
4 Wire DS1 Digital Grande	
NRC	\$568.96 First/ \$335.56 Add1
Unbundled Loops via IDLC	To Be Negotiated
ocal Switching, Per Month (Note: When CLEC buys	
he switch at the unbundled element rate it will receive	
ertical services at no additional charge, but when it buys	
ombinations of elements to produce a BellSouth retail	
ervice, and thus comes under the resale pricing	
rovisions, it must also pay the wholesale rate for vertical	
ervices, if those services are in the retail tariff on the	
ffective date of the agreement. Vertical services which	
re not in the retail tariff but which can be provided by the	
witch will be available at no additional charge.)	
2 Wire Analog Port	\$2.00 per line
NRC	\$24.04 First/ \$9.05 Add1
4 Wire Analog Port	\$3.15 per line
NRC	\$24.17 First/ \$9.63 Add1
2 Wire DID Port	\$12.68 per line
NRC	\$50.00 First/ \$18.00 Add1
4 Wire DID Port	\$120.00
NRC	\$145.00 First/ \$126.09 Add"
2 Wire ISDN Port (1) (2)	\$12.50
NRC	\$75.81 First/ \$56.91 Add1
4 Wire ISON Port	\$246.00
NRC	\$113.86 First/ \$95.80 Add1
ocal Switching, Per MOU	\$0.0040 per minute
	\$0.0015 per minute
andem Switching	ad.dd to per mindde
perator Systems	A1 00
Operator Call Handling-Station & Person	\$1.06 per minute
Automated Call Handling	\$0.09 per call
Busy Line Verification	\$0.54 per call
Emergency Interrupt	\$0.65 per call
irectory Assistance	
DA Access Service, per call	\$0.271744
DA Transport	Rates as set forth in BSTs FCC 1 Sec 9
DA Database	
	\$0.00072

Exhibit 7-NC Page 5 \$97.39 monthly Direct access to DA service \$1,000.00 NRC, Service establishment \$5,000.00 Per Month Per query \$0.023 \$0.036 DA Call Completion, per attempt \$ 0077 Intercept, per query Dedicated Transport \$38.37 DSO IOC, facility termination, per month DSO IOC, per mile, per month \$3.95 \$24.01 DSO IOC. NRC \$90.00 DS1 IOC. facility termination, per month DS1 IOC, per mile, per month \$23.00 \$100.49 DS1 IOC. NRC DS3 IOC. facility termination, per month \$1,200.00 DS3 IOC, per mile, per month \$175.00 \$67.19 DS3 IOC, NRC Shared/Common Transport Facility termination, per MOU \$0.00036 \$0,00004 Per mile, per MOU Signaling Links/ STPs CCS7 Signaling Connection per link per month \$155.00 \$510.00 non-recurring CCS7 Signaling Termination per port per month \$355.00 800 Access Ten Digit Screening Service per 800 call, with 800 Number Delivery, per query \$0.00365 per 800 call, with 800 Number Delivery, with \$0.00431 complex features, per query \$0.00383 per 800 call, with POTS Number Delivery, per query per 800 call, with POTS Number Delivery, with \$0.00431 complex features, per query \$27.00 - First/\$0.50 - Add1 Reservation Charge per 800 Number reserved \$61.00 - First/\$1.50 - Add1 Establishment Charge per 800 number established w/800 Number Delivery Est. Charge per 800 number est. w/POTS Number \$61.00 - First/\$1.50 - Add1 Delivery \$3.00 - First/\$1.50 - Add1 Customized Area of Service Per 800 Number \$3.50 - First/\$2.00 - Add1 Multiple interLATA Carrier Routing per carrier requested, per 800 number \$41.00 - First/\$0.50 - Add1 Change Charge per request Call Handling and Destination features per 800 no \$3.00 Line Information Database Access Service \$0.0003 Common Transport, per query \$0.03800 Validation, per query Nonrecurring, establishment or change \$91.00 Other SCPs/ Databases To Be Negotiated AlN with Mediation, per query **Call Transport and Termination** Termination (end office switching) \$.004 \$.0015 Tandem Switching, per minute Network element prices for shared/ Transport

2/1/98

Attachment 11

....

,

Attachment 11 Exhibit 7-NC Page 6

...

	Pa
	common and dedicated transport apply. as appropriate.
Loop Channelization	
Per System, Monthly	\$400.00
Per System, NRC-1st	\$365.92
Per System, NRC-Add1	\$ 89.04
CO Interface, per circuit	\$ 1.15
CO Interface, NRC-Ist	\$ 6.04
CO Interface, NRC-Add'I	\$ 5.81
Note(s):	
(1) Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.	
(2) Access to B Channel or D Channel Packet capabilities will be available only through Bona Fide Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request Process.	

•

.

2

...

Attachment 11 Exhibit 7-NC Page 7

TABLE 2

...

LOCAL NUMBER PORTABILITY

(all prices are interim at this time)

Remote Call Forwarding

.

	Monthly Rate	Nonrecurring Charge
Per Number Ported		
- Residence / 6 paths	\$1.15	-
- Business / 10 paths	\$2.25	•
Each Additional Path	\$0.50	
Per Order, / per end user location		None
per end user location		

.

.

.

.

. .

Attachment 11 Exhibit 7-NC Page 8

TABLE 3

· · ·

RECORDED USAGE DATA

(Interim Rates)

Recording Services (only applied to unbundled operator services messages), per message	\$.008
Message Distribution, per message	\$.004
Data Transmission, per message	\$.001
Magnetic tape distribution per file	\$54.95

> Attachment 11 Exhibit 8

> South Carolina

•

.

.

٠

....

> Attachment 11 Exhibit 8-SC Page 1

> > ...

SOUTH CAROLINA

PART IV: PRICING

1. General Principles

All services currently provided hereunder (including resold Local Services. Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and South Carolina Public Service Commission.

2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in South Carolina.

Residential Service	14.8%
Business Service:	14.8%

3. Unbundled Network Elements

The interim prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

Compensation For Call Transport and Termination

The interim prices that CLEC and BellSouth shall pay are set forth in Table 1.

5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- 5.2 Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

> Attachment 11 Exhibit 8-SC Page 2

> > · · ·

6. Local Number Portability

The interim prices for interim number portability are set forth in Table 2.

7. Recorded Usage Data

The interim prices for recorded usage data are set forth in Table 3.

8. Electronic Interfaces

The costs associated with implementing electronic interfaces should be shared equitably among all parties who benefit from those interfaces. The Party requesting a special arrangement for data access should pay the reasonable and demonstrable costs for providing the access. However, if other Parties request the same or similar access and benefit from the development, these other Parties should share the cost, and CLEC would then be refunded on a proportionate share of the costs.

9. True-up

Except for the prices for resold Local Services, the interim prices referenced above shall be subject to true-up once BellSouth has submitted cost studies as determined by the Commission.

10. Operational Support Systems (OSS) Rates

OPE	RATIONAL SUP	PORT SYSTEMS	(OSS) RATES	
	Interactive Ordering and Trouble Maintenance System			er Charge ser account)
	Non- Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders
SOUTH CAROLINA	\$100.00	\$50.00	\$10.80	\$22.00

..

ĸ

. .

Attachment 11 Exhibit 8-SC Page 3

TABLE 1

...

BELLSOUTH/CLEC RATES - SOUTH CAROLINA UNBUNDLED NETWORK ELEMENTS (All rates are interim, subject to true-up based on prices developed pursuant to BellSouth cost study submission)

\$.59
\$18.00
\$51.20
\$28.80
\$51.20
\$18.00
\$51.20
\$28.80
\$51.20
\$28.80
\$51.20
\$77.39
\$300.00
\$250.00
\$400.00
\$525.00
\$1.15
\$8.00
\$1.99
\$3.50
\$3.50
\$2.28
\$3.50
\$3.50
\$11.73
\$50.00
\$50.00
\$12.08
\$50.00
\$50.00
\$270.36
\$75.00
\$75.00
\$130.23
\$60.00
\$60.00
\$0.12
None
\$.00221
\$1.17

Attachment 11 Exhibit 8-SC Page 4

* · ·

	- age 4
Call Completion Access Termination Charge,	
per call attempt	\$.08
Automated Call Handling with BST LIDB	\$.15
Automated Call Handling with Foreign LIDB	\$.15
Directory Assistance, per call	\$.25
DA Call Completion, per attempt	\$.25
Call Completion Access Term charge per completed call	\$.08
Intercept, per query	\$.30
Busy Line Verification, per call	\$.90
Emergency Interrupt, per call	\$.97
Directory Assistance	
DA Database Service	
per listing	\$.035
monthly	\$150.00
Direct Access to DA Service	TBD
DA Transport	
Switched local channel, DS1 level	\$133.81
NRC, first	\$866.97
NRC, Add'l	\$486.83
Switched dedicated DS1 level	
per mile per month	\$23.50
facility termination, per month	\$90.00
NRC	\$100.49
DA common transport	
per DA call	\$.0003
per DA call mile	\$.00004
Tandem switching	
per DA call	\$.00055
DA Interconnection, per DA Access Service	
Call	.000269
NRC, per trunk or signaling connection	
First	\$915.00
Additional	\$100.00
Unbundled Exchange Access IOC (VG Analog)	
0-8 mi, per month, fixed	\$16.89
per mile per month	\$.007
9-25 mi, per month, fixed	\$16.89
per mile per month +	\$.007
> 25 mi, per month, fixed	\$18.26
per mile per month	\$.0775
NRC	\$10.00
Dedicated Transport	
DS1, facility termination	\$59.75
DS1, per mile	\$1.60
NRC	\$100.49
DS3, facility termination	\$600.00
DS3, per mile	\$40.00
DS3, NRC	\$67.19
Digital X-Connect	
DCS 3/3, 3/1, 1/0	TBD
Shared Transport	
Facility termination, per MOU	\$.00036

.

Attachment 11 Exhibit 8-SC

Page 5

...

Rec mile per MOLL	\$.000012	
Per mile, per MOU	and the second se	
Tandem Switching	\$.003172	
ADDE BL		
CCS7 Signaling Transport Services	\$155.00	
CCS7 Signaling Connection per link per month		
CCS7 Termination per Port per month	\$355.00	
CCS7 Termination per port, NRC	\$510.00	
Signal Transfer Points		and the second second second
Call Set-up message	\$.000023	
TCAP Message	\$.000050	
Signaling Usage Surrogate, per 56 kbps facility. When signaling usage	\$395.00, per m	onth
measurement capability exists, CCS7 signaling usage wil be billed on a		
per signaling message basis. When measurement capability does not		
exist, CCS7 signaling usage will be billed on a per 56 kbps basis.		
Signal Control Points		
LIDB, common transport, per query	\$.0003	
Validation, per query	\$.038	
NRC, per point code		
established or changed	\$91.00	
Toli Free Data Base		
Per 800 call with 800 No. Del., per query	\$.00115	
with optional complex features, per query	\$.0012	
Per 800 call with POTS No. Del., per query	\$.00115	
with optional complex features, per query	\$.0012	and a second
NRC Reservation charge, per 800 number	First	Add'l.
reserved	\$5.00	\$.50
NRC Establishment charge, per 800 number	First	Add'l.
established with 800 or POTS Number Delivery	\$5.00	\$1.50
Change charge, per request	First	Add'l.
Change charge, per request	\$5.00	\$.50
Customized area of service, per 800 number	First	Add'l.
Customized area of service, per ood nomber	\$3.00	\$1.50
Multiple interLATA carrier routing, per carrier	First	Add'l.
requested, per 800 number	\$3.50	\$2.00
Call handling and destination features, per 800	First	Add'l.
number	\$3.00	\$3.00
Calling Name (CNAM) Query Service, per query	\$0.016	
AIN, per signaling message	\$0.0006	
Call Transport and Termination		
End Office Switching, per MOU-	\$.00221	
Tandem Switching, per MOU	\$.003172	
Common Transport, per MOU	\$.00036	
	\$.000012	
Common Transport, per mile per MOU	0.000018	
Dark Fiber	\$1,000.00	
Per each four-fiber dry fiber arrangement, NRC - First	\$1,000.00	
Per each four-fiber dry fiber arrangement, NRC -Additional	\$241.00	
Per each fiber strand per mile or fraction thereof, per mo	#241.00	
Selective Routing	66.00	
Per line or PBX trunk, one-time charge	\$5.00	
Note(s):		
(1) Transmission/usage charges associated with POTS circuit switched		
usage will also apply to circuit switched voice and/or circuit switched		
data transmission by B-Channels associated with 2-wire ISDN ports.		

1

Attachment 11 Exhibit 8-SC Page 6

· · ·

(2)Access to B Channel or D Channel Packet capabilities will be available only through Bona Fide Request Process. Rates for the packet capabilities will be determined via the BFR Process.

.

• •

•

.

~

Attachment 11 Exhibit 8-SC Page 7

TABLE 2

...

INTERIM NUMBER PORTABILITY

Remote Call Forwarding (RCF)

-Business line, per number ported, 10 paths	\$1.50
-Residence Line, per number ported, 6 paths	\$1.25
-Additional capacity for simultaneous call forwarding,	
per additional path	\$.50
-Rate per order, per end-user location	\$25.00

.

.

. .

×

.

Attachment 11 Exhibit 8-SC Page 8

TABLE 3

....

RECORDED USAGE DATA

(Interim Rates subject to True-up)

Recording Services (only applied to unbundled operator services messages), per message	\$.008
Message Distribution, per message	\$.004
Data Transmission, per message	\$.001
Magnetic Tape Distribution per file	\$54.95

.

.

.

...

.

Attachment 11 Exhibit 9

Tennessee

•

.

.

++ ·

TENNESSEE

PRICING

1. General Principles

All services currently provided hereunder (including resold Local Services), Network Elements and Ancillary Functions and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the Tennessee Regulatory Authority.

2. Local Service Resale

The prices that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discounts will apply to all Telecommunications Services available for resale in Tennessee:

Telecommunications Services with Operator and Directory Assistance Service:

16.00%

....

Telecommunications Services without Operator and Directory Assistance Service:

21.56%

Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

4. Compensation For Call Transport and Termination

The prices that CLEC shall pay to BellSouth are set forth in Table 1.

5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- 5.2 Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

6. Local Number Portability

The prices for interim number portability are set forth in Table 2.

7. Recorded Usage Data

The prices for Recorded Usage Data are set forth in Table 3.

8. Electronic Interfaces

Reimbursement for operational interfaces shall be as determined by the Tennessee Regulatory Authority.

9. Interim Pricing

Any interim or proxy prices referenced above will remain in effect until cost studies compliant with the decisions by the United States Court of Appeals for the Eighth Circuit in the appeals of the FCC's Order and Rules can be completed and reviewed by the Tennessee Regulatory Authority.

10. Operational Support Systems (OSS) Rates

.

	Interactive Ordering and Trouble Maintenance System		OSS Order Charge (per end user account)	
	Non-Recurring Establishment Charge	Recurring Charge, per month	Charge per order	Surcharge for manually placed orders
TENNESSEE	\$100.00	\$50.00	\$10.80	\$22.00

.

2/1/98

....

TABLE 1

· - '

BELLSOUTH/CLEC INTERIM RATES-TENNESSEE

UNBUNDLED NETWORK ELEMENTS

(all prices are subject to true-up)

etwork Interface Device, Per Month	\$0.56
oops, including NID, Per Month	
2 wire	\$18.00
NRC	Appropriate charge from BST GSST A4.3.1
4 wire	\$18.00
NRC	Appropriate charge from BST GSST A4.3.1
2 wire ISDN	\$18.00
NRC	Appropriate charge from BST GSST A4.3.1
D\$1	TBD following BellSouth cost submission
NRC	TBD following BellSouth cost submission
oop Channelization System (C.O.)	
Per System, per month	\$493.00
Per System, NRC	\$525.00
C.O. Channel Interface, per circuit, per month	\$1.46
NRC	\$8.00
oop Distribution (2-Wire VG) (including NID), per month	\$9.79
oop Distribution (2-Wire VG) (excluding NID), per month	\$9.23
oop Distribution (2-Wire VG), NRC - 1st	\$587.00
oop Distribution (2-Wire VG), NRC - Add'l	\$255.00
ocal Switching, Per Month	alexandra a subsection of the second s
2 wire Port	\$1,90
NRC	Appropriate charge from BST GSST A4.3.1
4 wire (Coin) Port	\$1.90
NRC	Appropriate charge from BST GSST A4.3.1
2 wire ISDN Port (1) (2)	\$1.90
NRC	Appropriate charge from BST GSST A4.3.1
2 wire DID Port	\$12.68
NRC	Appropriate charge from BST GSST A4.3.1
DS1 DID Port	\$120.00
NRC	To be negotiated
4 wire ISDN Port	\$308.00
NRC	To be negotiated
Local Switching	
Per minute of use	\$0.0019

Line Class codes for Selective Routing	Price shall be as determined by
	the TN Regulatory Authority.
End Office Switching	
Local termination	\$.0019 per minute
Tandem Switching	\$0.000676 per minute
Operator Systems	
Operator Systems Operator Call Handling- Station & Person, per call	\$0.30
Automated Call Handling, per call	\$0.15
Directory Assistance	\$0.25
DA Call Completion	\$0.12
	\$0.15
Intercept	\$0.90
Busy Line Verification	\$1.95
Emergency Interrupt	31.90
Dedicated Transport	\$133.81
DS1 Local Channel	\$133.61
NRC First	
NRC Add'l	\$486.83
DS1 Interoffice Channel, facility termination	\$90.00
, per mile	\$23.00
, NRC, First/Add'l	\$100.49
DS0 Interoffice Channel, facility termination	\$38.37
, per mile	\$1.90
, NRC	If any, to be determined
Voice Grade Transport, per month	\$27.00
, per month per mile (1-8)	\$1.90
, per month per mile (9-25)	\$1.90
, per month per mile (> 25))	\$1.90
, NRC	\$96.00
Shared Transport	
facility termination, per minute	\$0.00036
per minute, per mile	\$0.00004
CCS7 Signaling Connection per Link per month	
Alink	\$155.00 per link per month
non-recurring	\$510.00 per link
Blink	Not available pending
	development of mediation
	device
non-recurring	\$510.00 per link
Signal Transfer Points	
CCS7 Signating Usage per ISUP message per mo.	\$0.000023 per message
CCS7 Signaling Usage per TCAP message per mo.	\$0.00005 per message
CCS7 Signation Termination per port per month	\$355.00 per port
CCS7 Signaling Usage Surrogate per link per mo	\$395.00
(This charge is only applicable where signaling usage	
measurement or billing capability does not exist.)	
Service Control Points	
LIDB transport, per query	\$0.0003
LIDB validation, per query	\$.038
NRC, each	\$91.00

.

....

800/888	\$0.004 per query
NRC Reservation charge, per 800 number	\$30.00 first, \$0.50 add'l
reserved	
NRC Establishment charge, per 800 number	\$67.50 first, \$1.50 add'l
established with 800 Number Delivery	
NRC Establishment charge, per 800 number	\$67.50 first, \$1.50 add'l
established with POTS number delivery	
NRC Change charge, per request	\$48.50 first, \$0.50 add'l
Service Control Points (cont'd)	
NRC customized area of service, per 800	\$3.00 first, \$1.50 add'l
number	
NRC multiple interLATA carrier routing, per	\$3.50 first, \$2.00 add'l
carrier requested, per 800 number	
NRC call handling and destination features, per	\$3.00 first, \$3.00 add'l
800 number	
AIN	To be determined upon
	development of mediation
	device
Call Transport and Termination	
Transport	Common and dedicated
	transport rate elements apply.
Tandem switching, per minute	\$0.000676
End Office switching, per minute	\$0.0019
Dark Fiber	
Per each fiber strand per route mile or fraction	\$241.00
thereof	
Per each four-fiber dry fiber arrangement	\$1,808.19 First
	\$922.96 Add1
Note(s):	
(1) Transmission/usage charges associated with POTS circuit	
switched usage will also apply to circuit switched voice and/or	
circuit switched data transmission by B-Channels associated	
with 2-wire ISDN ports.	
(2) Access to B Channel or D Channel Packet capabilities will	
he available only through Bona Fide Request Process. Rates	
for the packet capabilities will be determined via the Bona Fide	
Request Process.	

2/1/98

· · ·

••

,

TABLE 2

...

LOCAL NUMBER PORTABILITY

(all prices are interim at this time)

Remote Call Forwarding:

Residential	\$1.25 per line, one path
Business	\$1.50 per line, one path
Each additional path	\$.50
NRC to establish Remote Call Forwarding	\$25.00

.

.

...

1

. - +

. .

TABLE 3

...

.

RECORDED USAGE DATA

(Interim rates)

Recording Services (only applied to unbundled operator services messages), per message	\$0.008
Message Distribution, per message	\$0.004
Data Transmission, per message	\$0.001
Magnetic tape distribution per file	\$54.95

.

٠