BellSouth Telecommunications, Inc Suite 400 150 South Monroe Street Tallahassee, Florida 32301-1556

850 224-7798 Fax 850 224-5073 23 Marshall M. Criser I Regulator Vice Presider

November 12, 1999

ORIGINAL

Mrs. Blanca S. Bayo Director, Division of Records and Reporting Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

991722-TP

Approval of the Interconnection Agreement Negotiated by BellSouth Re: Telecommunications, Inc. ("BellSouth") and World Access Communications Corporation pursuant to Sections 251, 252 and 271 of the Telecommunications Act of 1996

Dear Mrs. Bayo:

Pursuant to section 252(e) of the Telecommunications Act of 1996, BellSouth and World Access Communications Corporation are submitting to the Florida Public Service Commission their renegotiated agreement for the interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth telecommunications services to World Access Communications Corporation. The agreement was negotiated pursuant to sections 251, 252 and 271 of the Act.

Pursuant to section 252(e) of the Act, the Commission is charged with approving or rejecting the renegotiated agreement between BellSouth and World Access Communications Corporation within 90 days of its submission. The Commission may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity. Both parties represent that neither of these reasons exists as to the agreement they have negotiated and that the Commission should approve their agreement.

Very truly yours,

M. Criser TI

Regulatory Vice President RECEIVED & FILED

nor

C-BUREAU OF RECORDS

DOCUMENT NUMBER-DATE 13965 NOV 12 8 FPSC-RECORDS/REPORTING

ATTACHMENT TO TRANSMITTAL LETTER

The Agreement entered into by and between World Access Communications Corporation and BellSouth Telecommunications, Inc., dated September 13, 1999 for the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee consists of the following:

ITEM	NO.
	PAGES
Title Page	1
Table of Contents	1
General Terms and Conditions	21
Attachment 1	36
Attachment 2	83
Attachment 3	24
Attachment 4	60
Attachment 5	11
Attachment 6	6
Attachment 7	20
Attachment 8	2
Attachment 9	70
Attachment 10	10
TOTAL	345

AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND WORLD ACCESS COMMUNICATIONS CORPORATION

TABLE OF CONTENTS

General Terms and Conditions

Part A

- 1. Purpose
- 2. Term of the Agreement
- 3. Ordering Procedures
- 4. Parity
- 5. White Pages Listings
- 6. Bona Fide Request/New Business Request Process for Further Unbundling
- 7. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 8. Liability and Indemnification
- 9. Intellectual Property Rights and Indemnification
- 10. Treatment of Proprietary and Confidential Information
- 11. Assignments
- 12. Resolution of Disputes
- 13. Taxes
- 14. Force Majeure
- 15. Year 2000 Compliance
- 16. Modification of Agreement
- 17. Waivers
- 18. Governing Law
- 19. Arm's Length Negotiations
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Implementation of Agreement
- 25. Filing of Agreement
- 26. Entire Agreement

Part B - Definitions

Attachment 1 - Resale

Attachment 2 - Network Elements and Other Services

Attachment 3 - Local Interconnection

Attachment 4 - Physical Collocation

Attachment 5 - Access to Numbers and Number Portability

Attachment 6 - Ordering and Provisioning

Attachment 7 - Billing and Billing Accuracy Certification

Attachment 8 - Rights-of-Way, Conduits and Pole Attachments

Attachment 9 - Performance Measurements

Attachment 10- Agreement Implementation Template

AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and World Access Communications Corporation, ("World Access") a Florida corporation, and shall be deemed effective as of September 13, 1999. This Agreement may refer to either BellSouth or World Access or both as a "Party" or "Parties. "

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, World Access is an alternative local exchange telecommunications company ("CLEC") authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, the Parties wish to resell BellSouth's telecommunications services and/or interconnect their facilities, purchase network elements and other services, and exchange traffic specifically for the purposes of fulfilling their obligations pursuant to sections 251 and 252 of the Telecommunications Act of 1996 ("the Act").

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and World Access agree as follows:

1. Purpose

The Parties agree that the rates, terms and conditions contained within this Agreement, including all Attachments, comply and conform with each Parties' obligations under sections 251 and 252 of the Act. The resale, access and interconnection obligations contained herein enable World Access to provide competing telephone exchange service to residential and business subscribers within the territory of BellSouth. The Parties agree that World Access will not be considered to have offered telecommunications services to the public in any state within BellSouth's region until such time as it has ordered services for resale or interconnection facilities for the purposes of providing business and/or residential local exchange service to customers.

2. Term of the Agreement

- 2.1 The term of this Agreement shall be two years, beginning September 13, 1999 and shall apply to the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee. If as of the expiration of this Agreement, a Subsequent Agreement (as defined in Section 2.2 below) has not been executed by the Parties, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.4 below.
- 2.2 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations with regard to the terms, conditions and prices of resale and/or local interconnection to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2, above, the Parties are unable to satisfactorily negotiate new resale and/or local interconnection terms, conditions and prices, either Party may petition the Commission to establish appropriate local interconnection and/or resale arrangements pursuant to 47 U.S.C. 252. The Parties agree that, in such event, they shall encourage the Commission to issue its order regarding the appropriate local interconnection and/or resale arrangements no later than the expiration date of this Agreement. The Parties further agree that in the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the local interconnection and/or resale arrangements without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective retroactive to the day following the expiration date of this Agreement.
- 2.4 Notwithstanding the foregoing, in the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and either no arbitration proceeding has been filed in accordance with Section 2.3 above, or the Parties have not mutually agreed (where permissible) to extend the arbitration window for petitioning the applicable Commission(s) for resolution of those terms upon which the Parties have not agreed, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to World Access pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to

provide services to World Access pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective retroactive to the day following expiration of this Agreement.

3. Ordering Procedures

- World Access shall provide BellSouth its Carrier Identification Code (CIC),
 Operating Company Number (OCN), Group Access Code (GAC) and Access
 Customer Name and Address (ACNA) code as applicable prior to placing its first order.
- 3.2 The Parties agree to adhere to the BellSouth Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate for the services ordered.
- 3.3 World Access shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachment 2, 3, 5 and 7 as applicable.

4. Parity

When World Access purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to World Access shall be at least equal in quality to that which BellSouth provides to itself. The quality of the interconnection between the networks of BellSouth and the network of World Access shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by World Access.

5. White Pages Listings

BellSouth shall provide World Access and their customers access to white pages directory listings under the following terms:

- 5.1 <u>Listings</u>. BellSouth or its agent will include World Access residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between World Access and BellSouth subscribers.
- 5.2 <u>Rates.</u> Subscriber primary listing information in the White Pages shall be provided at no charge to World Access or its subscribers provided that World Access provides subscriber listing information to BellSouth at no charge.
- 5.3 Procedures for Submitting World Access Subscriber Information. BellSouth will provide to World Access a magnetic tape or computer disk containing the proper format for submitting subscriber listings. World Access will be required to provide BellSouth with directory listings and daily updates to those listings, including new, changed, and deleted listings, in an industry-accepted format. These procedures are detailed in BellSouth's Local Interconnection and Facility Based Ordering Guide.
- 5.4 <u>Unlisted/Non-Published Subscribers</u>. World Access will be required to provide to BellSouth the names, addresses and telephone numbers of all World Access customers that wish to be omitted from directories.
- 5.5 Inclusion of World Access Customers in Directory Assistance Database. BellSouth will include and maintain World Access subscriber listings in BellSouth's directory assistance databases at no charge. BellSouth and World Access will formulate appropriate procedures regarding lead time, timeliness, format and content of listing information.
- 5.6 <u>Listing Information Confidentiality</u>. BellSouth will accord World Access's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to World Access's customer proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings.
- 5.7 <u>Optional Listings</u>. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 <u>Delivery.</u> BellSouth or its agent shall deliver White Pages directories to World Access subscribers at no charge.

ъ,

6. Bona Fide Request/New Business Request Process for Further Unbundling

If World Access is a facilities based provider or a facilities based and resale provider, this section shall apply. BellSouth shall, upon request of World Access, provide to World Access access to its network elements at any technically feasible point for the provision of World Access's telecommunications service where such access is necessary and failure to provide access would impair the ability of World Access to provide services that it seeks to offer. Any request by World Access for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth following.

6.1 A Bona Fide Request/New Business Request shall be submitted in writing to World Access's Account Manager by World Access and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a World Access's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business.

7. <u>Court Ordered Requests for Call Detail Records and Other Subscriber</u> Information.

To the extent technically feasible, BellSouth maintains call detail records for World Access end users for limited time periods and can respond to subpoenas and court ordered requests for this information. BellSouth shall maintain such information for World Access end users for the same length of time it maintains such information for its own end users.

- 7.1 World Access agrees that BellSouth will respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to World Access end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request.
- 7.2 World Access agrees that in cases where World Access receives subpoenas or court ordered requests for call detail records for targeted telephone numbers belonging to World Access end users, World Access will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth. Billing for call detail information will be generated by BellSouth and directed to the law enforcement agency initiating the request.

General Terms and Conditions – Part A Page 6

- 7.3 In cases where the timing of the response to the law enforcement agency prohibits World Access from having the subpoena or court ordered request redirected to BellSouth by the law enforcement agency, World Access will furnish the official request to BellSouth for providing the call detail information. BellSouth will provide the call detail records to World Access and bill World Access for the information. World Access agrees to reimburse BellSouth for the call detail information provided.
- 7.4 World Access will provide World Access end user and/or other customer information that is available to World Access in response to subpoenas and court orders for their own customer records. BellSouth will redirect subpoenas and court ordered requests for World Access end user and/or other customer information to World Access for the purpose of providing this information to the law enforcement agency.

8. Liability and Indemnification

- 8.1 <u>BellSouth Liability</u>. BellSouth shall take financial responsibility for its own actions in causing, or its lack of action in preventing, unbillable or uncollectible World Access revenues.
- 8.2 World Access Liability. In the event that World Access consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of World Access under this Agreement.
- 8.3 <u>Liability for Acts or Omissions of Third Parties</u>. Neither BellSouth nor World Access shall be liable for any act or omission of another telecommunications company providing a portion of the services provided under this Agreement.
- 8.4 Limitation of Liability.
- 8.4.1 Each Party's liability to the other for any loss, cost, claim, injury or liability or expense, including reasonable attorney's fees relating to or arising out of any negligent act or omission in its performance of this Agreement whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 8.4.2 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its Customer and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to Customer or third Party for (i) any Loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to

such Loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a Loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the Loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such Loss.

8.4.3 Neither BellSouth nor World Access shall be liable for damages to the other's terminal location, POI or other company's customers' premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a company's negligence or willful misconduct or by a company's failure to properly ground a local loop after disconnection.

- 8.4.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 8.5 Indemnification for Certain Claims. The Party providing services hereunder, its affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the customer of the Party receiving services arising from such company's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement.
- 8.6 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

9. Intellectual Property Rights and Indemnification

- 9.1 <u>No License</u>. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. World Access is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark.
- 9.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain in the exclusive ownership of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 9.3 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 of this Agreement.
- 9.4 Claim of Infringement. In the event that use of any facilities or equipment (including software), becomes, or in reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense, but subject to the limitations of liability set forth below:
- 9.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 9.4.2 obtain a license sufficient to allow such use to continue.
- 9.4.3 In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.

- 9.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 9.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

10. Treatment of Proprietary and Confidential Information

- Confidential Information. It may be necessary for BellSouth and World Access to 10.1 provide each other with certain confidential information, including trade secret information, including but not limited to, technical and business plans, technical information, proposals, specifications, drawings, procedures, customer account data, call detail records and like information (hereinafter collectively referred to as "Information"). All Information shall be in writing or other tangible form and clearly marked with a confidential, private or proprietary legend and that the Information will be returned to the owner within a reasonable time. The Information shall not be copied or reproduced in any form. BellSouth and World Access shall receive such Information and not disclose such Information. BellSouth and World Access shall protect the Information received from distribution, disclosure or dissemination to anyone except employees of BellSouth and World Access with a need to know such Information and which employees agree to be bound by the terms of this Section. BellSouth and World Access will use the same standard of care to protect Information received as they would use to protect their own confidential and proprietary Information.
 - 10.2 Exception to Obligation. Notwithstanding the foregoing, there will be no obligation on BellSouth or World Access to protect any portion of the Information that is: (1) made publicly available by the owner of the Information or lawfully disclosed by a Party other than BellSouth or World Access; (2) lawfully obtained from any source other than the owner of the Information; or (3) previously known to the receiving Party without an obligation to keep it confidential.

11. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate company of the Party without the consent of the other Party. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

12. Resolution of Disputes

Except as otherwise stated in this Agreement, the Parties agree that if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, either Party may petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

13. Taxes

- 13.1 Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 13.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- 13.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 13.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 13.3 Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.

- 13.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 13.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 13.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- 13.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 13.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 13.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

13.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.

- 13.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 13.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 13.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- 13.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 13.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 13.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in

\$

no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

13.5 <u>Mutual Cooperation</u>. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary outof-pocket copying and travel expenses incurred in assisting in such contest.

14. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

15. Year 2000 Compliance

Each Party warrants that it has implemented a program the goal of which is to ensure that all software, hardware and related materials (collectively called "Systems") delivered, connected with BellSouth or supplied in the furtherance of the terms and conditions specified in this Agreement: (i) will record, store, process and display calendar dates falling on or after January 1, 2000, in the same manner, and with the same functionality as such software records, stores, processes and calendar dates falling on or before December 31, 1999; and (ii) shall include without limitation date data century recognition, calculations that accommodate same century and multicentury formulas and date values, and date data interface values that reflect the century.

16. Modification of Agreement

16.1 BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to World Access any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252. The Parties shall adopt all rates, terms and conditions

concerning such other interconnection, service or network element and any other rates, terms and conditions that are interrelated or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement and for the identical term of such other agreement.

- 16.2 If World Access changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of World Access to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 16.3 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- 16.4 Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).
- 16.5 In the event that any final and nonappealable legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of World Access or BellSouth to perform any material terms of this Agreement, World Access or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in Section 12.
- 16.6 If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be effective thereby, provided that the Parties shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the specific performance of any and all of the provisions of this Agreement.

18. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

19. Arm's Length Negotiations

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

CLEC Account Team 9th Floor 600 North 19th Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

World Access Communications Corporation

Carlos Rodriguez 1160 NW159th Drive Miami, FL 33169 (305) 577-9700

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- 20.2 Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 BellSouth shall provide World Access notice via Internet posting of price changes and of changes to the terms and conditions of services available for resale.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Implementation of Agreement

If World Access is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties will adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, pre-sales testing and full operational time frames for the business and residential markets. An implementation template to be used for the implementation schedule is contained in Attachment 10 of this Agreement.

25. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, World Access shall be responsible for

publishing the required notice and the publication and/or notice costs shall be borne by World Access.

26. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them, and neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement may include attachments with provisions for the following services:

Network Elements and Other Services Local Interconnection Resale Collocation

The following services are included as options for purchase by World Access. World Access shall elect said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF) Enhanced Optional Daily Usage File (EODUF) Access Daily Usage File (ADUF) Line Information Database (LIDB) Storage Centralized Message Distribution Service (CMDS) Calling Name (CNAM)

×

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

BellSouth Telecommunications, Inc.

Signature Jerry Hendrix

Name

Senior Director Title

9 19

World Access Communications Corporation Signature CMUCS A LOOMOVEN Name

ELECUTIVE PRESIDENT UCE Title

AUGUST 30, 1999 Date

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Centralized Message Distribution System is the Telcordia (formerly BellCore) administered national system, based in Kansas City, Missouri, used to exchange Exchange Message Interface (EMI) formatted data among host companies.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Daily Usage File is the compilation of messages or copies of messages in standard Exchange Message Interface (EMI) format exchanged from BellSouth to an CLEC.

Exchange Message Interface is the nationally administered standard format for the exchange of data among the Exchange Carriers within the telecommunications industry.

Information Service means the offering of a capability for generating, acquiring, storing, transforming, processing, retrieving, utilizing, or making available information via telecommunications, and includes electronic publishing, but does not include any use of any such capability for the management, control, or operation of a telecommunications system or the management of a telecommunications service.

Intercompany Settlements (ICS) is the revenue associated with charges billed by a company other than the company in whose service area such charges were incurred. ICS on a national level includes third number and credit card calls and is administered by Telcordia (formerly BellCore)'s Calling Card and Third Number Settlement System (CATS). Included is traffic that originates in one Regional Bell Operating Company's (RBOC) territory and bills in another RBOC's territory.

Intermediary function is defined as the delivery of traffic from World Access; a CLEC other than World Access or another telecommunications carrier through the network of BellSouth or World Access to an end user of World Access; a CLEC other than World Access or another telecommunications carrier.

Local Interconnection is defined as 1) the delivery of local traffic to be terminated on each Party's local network so that end users of either Party have the ability to reach end users of the other Party without the use of any access code or substantial delay in the processing of the call; 2) the LEC network features, functions, and capabilities set forth in this Agreement; and 3) Service Provider Number Portability sometimes referred to as temporary telephone number portability to be implemented pursuant to the terms of this Agreement.

Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff. As clarification of this definition and for reciprocal compensation, Local Traffic does not include traffic that originates from or terminates to or through an enhanced service provider or information service provider. As further clarification, Local Traffic does not include calls that do not transmit information of the user's choosing. In any event, neither Party will pay reciprocal compensation to the other if the "traffic" to which such reciprocal compensation would otherwise apply was generated, in whole or in part, for the purpose of creating an obligation on the part of the originating carrier to pay reciprocal compensation for such traffic.

Message Distribution is routing determination and subsequent delivery of message data from one company to another. Also included is the interface function with CMDS, where appropriate.

Multiple Exchange Carrier Access Billing ("MECAB") means the document prepared by the Billing Committee of the Ordering and Billing Forum ("OBF:), which functions under the auspices of the Carrier Liaison Committee of the Alliance for Telecommunications Industry Solutions ("ATIS") and by Telcordia (formerly BellCore) as Special Report SR-BDS-000983, Containing the recommended guidelines for the billing of Exchange Service access provided by two or more LECs and/or CLECs or by one LEC in two or more states within a single LATA.

Network Element is defined to mean a facility or equipment used in the provision of a telecommunications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a telecommunications service. BellSouth offers access to the Network Elements, unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; operator systems; signaling; access to call-related databases; dark fiber as set forth in Attachment 2 of this Agreement.

Non-Intercompany Settlement System (NICS) is the Telcordia (formerly BellCore) system that calculates non-intercompany settlements amounts due from one company to another within the same RBOC region. It includes credit card, third number and collect messages.

Percent of Interstate Usage (PIU) is defined as a factor to be applied to terminating access services minutes of use to obtain those minutes that should be rated as interstate access services minutes of use. The numerator includes all interstate "non-intermediary" minutes of use, including interstate minutes of use that are forwarded due to service provider number portability less any interstate minutes of use for Terminating Party Pays services, such as 800 Services. The denominator includes all "non-intermediary", local, interstate, intrastate, toll and access minutes of use adjusted for service provider number portability less all minutes attributable to terminating Party pays services.

Percent Local Usage (PLU) is defined as a factor to be applied to intrastate terminating minutes of use. The numerator shall include all "non-intermediary" local minutes of use adjusted for those minutes of use that only apply local due to Service Provider Number Portability. The denominator is the total intrastate minutes of use including local, intrastate toll, and access, adjusted for Service Provider Number Portability less intrastate terminating Party pays minutes of use.

Revenue Accounting Office (RAO) Status Company is a local exchange company/alternate local exchange company that has been assigned a unique RAO code. Message data exchanged among RAO status companies is grouped (i.e. packed) according to From/To/Bill RAO combinations.

Service Control Points ("SCPs") are defined as databases that store information and have the ability to manipulate data required to offer particular services.

Signal Transfer Points ("STPs") are signaling message switches that interconnect Signaling Links to route signaling messages between switches and databases. STPs enable the exchange of Signaling System 7 ("SS7") messages between switching elements, database elements and STPs. STPs provide access to various BellSouth and third party network elements such as local switching and databases.

Signaling links are dedicated transmission paths carrying signaling messages between carrier switches and signaling networks. Signal Link Transport is a set of two or four dedicated 56 kbps transmission paths between World Access designated Signaling Points of Interconnection that provide a diverse transmission path and cross connect to a BellSouth Signal Transfer Point.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47, U.S.C. Section 1 et. seq.).

Attachment 1 Page 1

Attachment 1

Resale

Version2Q99:06/08/99

19

TABLE OF CONTENTS

1. DISCOUNT RATES	3
2. DEFINITION OF TERMS	3
3. GENERAL PROVISIONS	4
4. BELLSOUTH'S PROVISION OF SERVICES TO CLEC	7
5. MAINTENANCE OF SERVICES	7
6. ESTABLISHMENT OF SERVICE	8
7. PAYMENT AND BILLING ARRANGEMENTS	9
8. DISCONTINUANCE OF SERVICE	11
 9. LINE INFORMATION DATABASE (LIDB)	12 13 13
EXHIBIT A – APPLICABLE DISCOUNTS/OSS RATES	
EXHIBIT B – RESALE RESTRICTIONS	
EXHIBIT C – LINE INFORMATION DATABASE (LIDB) STORAGE AGREEMENT	
EXHIBIT D – CMDS/RAO HOSTING	
EXHIBIT E – OPTIONAL DAILY USAGE FILE (ODUF)	
EXHIBIT F – ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	32
EXHIBIT G – CALLING NAME DELIVERY (CNAM) DATABASE SERVICES	34
EXHIBIT H – ODUF/EODUF/CMDS RATESExh	ibit H

-

.

RESALE

The rates, terms and conditions contained within this Attachment were negotiated as a whole and each rate, term and condition within the Attachment is interdependent upon the other rates, terms and conditions.

1 Discount Rates

The rates pursuant by which World Access is to purchase services from BellSouth for resale shall be at a discount rate off of the retail rate for the telecommunications service. The discount rates shall be as set forth in Exhibit A, attached hereto and incorporated herein by this reference. Such discount shall reflect the costs avoided by BellSouth when selling a service for wholesale purposes.

2 Definition of Terms

- 2.1 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.2 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.3 END USER means the ultimate user of the telecommunications services.
- 2.4 END USER CUSTOMER LOCATION means the physical location of the premises where an end user makes use of the telecommunications services.
- 2.5 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.6 OTHER/COMPETITIVE LOCAL EXCHANGE COMPANY (OLEC/CLEC) means a telephone company certificated by the public service commissions of BellSouth's franchised area to provide local exchange service within BellSouth's franchised area.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as World Access subscribes to the telecommunications services of BellSouth and then reoffers those telecommunications services to the public (with or without "adding value").
- 2.8 RESALE SERVICE AREA means the area, as defined in a public service commission approved certificate of operation, within which an CLEC, such as World Access, may offer resold local exchange telecommunications service.

3 General Provisions

\$

3.1 World Access may resell the tariffed local exchange and toll telecommunications services of BellSouth contained in the General Subscriber Service Tariff and Private Line Service Tariff subject to the terms, and conditions specifically set forth herein. Notwithstanding the foregoing, the exclusions and limitations on services available for resale will be as set forth in Exhibit B, attached hereto and incorporated herein by this reference.

BellSouth shall make available telecommunications services for resale at the rates set forth in Exhibit A to this Agreement and subject to the exclusions and limitations set forth in Exhibit B to this Agreement. BellSouth does not however waive its rights to appeal or otherwise challenge any decision regarding resale that resulted in the discount rates contained in Exhibit A or the exclusions and limitations contained in Exhibit B. BellSouth reserves the right to pursue any and all legal and/or equitable remedies, including appeals of any decisions. If such appeals or challenges result in changes in the discount rates or exclusions and limitations, the parties agree that appropriate modifications to this Agreement will be made promptly to make its terms consistent with the outcome of the appeal.

- 3.2 World Access may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
 - 3.2.1 World Access must resell services to other end users.
 - 3.2.2 World Access must order services through resale interfaces, i. e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to Section 3 of the General Terms and Conditions.
 - 3.2.3 World Access cannot be an alternative local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 The provision of services by BellSouth to World Access does not constitute a joint undertaking for the furnishing of any service.
- 3.4 World Access will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and expect payment from World Access for all services.
- 3.5 World Access will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the end user except to the extent provided for herein.
- 3.6 BellSouth will continue to bill the end user for any services that the end user specifies it wishes to receive directly from BellSouth.
- 3.7 BellSouth maintains the right to serve directly any end user within the service area of World Access. BellSouth will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with end users of World Access.
- 3.8 Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.9 Current telephone numbers may normally be retained by the end user. However, telephone numbers are the property of BellSouth and are assigned to the service furnished. World Access has no property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business.
- 3.10 For the purpose of the resale of BellSouth's telecommunications services by World Access, BellSouth will provide World Access with an on line access to telephone numbers for reservation on a first come first serve basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days. World Access acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC) and in such instances BellSouth may request that World Access cancel its reservations of numbers. World Access shall comply with such request.

Further, upon World Access's request, and for the purpose of the resale of BellSouth's telecommunications services by World Access, BellSouth will reserve up to 100 telephone numbers per CLLIC, for World Access's sole use. Such telephone number reservations shall be valid for ninety (90) days from the reservation date. World Access acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity of World Access's reasonable need in that particular CLLIC.

- 3.11 BellSouth may provide any service or facility for which a charge is not established herein, as long as it is offered on the same terms to World Access.
- 3.12 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.13 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.14 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.15 BellSouth accepts no responsibility to any person for any unlawful act committed by World Access or its end users as part of providing service to World Access for purposes of resale or otherwise.
- 3.16 BellSouth will cooperate fully with law enforcement agencies with subpoenas and court orders for assistance with BellSouth's end users. Law enforcement agency subpoenas and court orders regarding end users of World Access will be directed to World Access. BellSouth will bill World Access for implementing any requests by law enforcement agencies regarding World Access end users.
- 3.17 The characteristics and methods of operation of any circuits, facilities or equipment provided by any person or entity other than BellSouth shall not:
 - 3.17.1 Interfere with or impair service over any facilities of BellSouth, its affiliates, or its connecting and concurring carriers involved in its service;
 - 3.17.2 Cause damage to BellSouth's plant;

- 3.17.3 Impair the privacy of any communications; or
- 3.17.4 Create hazards to any BellSouth employees or the public.
- 3.18 World Access assumes the responsibility of notifying BellSouth regarding less than standard operations with respect to services provided by World Access.
- 3.19 Facilities and/or equipment utilized by BellSouth to provide service to World Access remain the property of BellSouth.
- 3.20 White page directory listings will be provided in accordance with regulations set forth in Section A6 of the General Subscriber Services Tariff and will be available for resale.
- 3.21 BellSouth provides electronic access to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer Record Information includes but is not limited to, customer specific information in CRIS and RSAG. World Access agrees not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission, and further agrees that World Access will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.
- 3.22 All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from Resellers who utilize the services. Charges for use of Operational Support Systems (OSS) shall be as set forth in Exhibit A of this attachment.
- 3.23 Where available to BellSouth's end users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Simplified Message Desk Interface Enhanced ("SMDI-E")
 - Simplified Message Desk Interface ("SMDI") Message Waiting Indicator ("MWI") stutter dialtone and message waiting light feature capabilities
 - Call Forward on Busy/Don't Answer ("CF-B/DA")
 - Call Forward on Busy ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.24 BellSouth's Inside Wire Maintenance Service Plans may be made available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.25 All costs incurred by BellSouth for providing services requested by World Access that are not covered in the BellSouth tariffs shall be recovered from World Access(s) who utilize those services.
- 3.26 Recovery of charges associated with implementing Number Portability through monthly charges assessed to end users has been authorized by the FCC. This end user line charge will be billed to

Resellers of BellSouth's telecommunications services and will be as filed in FCC No. 1. This charge will not be discounted.

4 BellSouth's Provision of Services to World Access

- 4.1 World Access agrees that its resale of BellSouth services shall be as follows:
 - 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
 - 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital end users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone Provider (IPP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
 - 4.1.3 BellSouth reserves the right to periodically audit services purchased by World Access to establish authenticity of use. Such audit shall not occur more than once in a calendar year. World Access shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit.
- 4.2 Resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual end user of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features, e.g. a usage allowance per month, shall not be aggregated across multiple resold services.
- 4.3 World Access may resell services only within the specific resale service area as defined in its certificate.
- 4.4 Telephone numbers transmitted via any resold service feature are intended solely for the use of the end user of the feature. Resale of this information is prohibited.

5 Maintenance of Services

- 5.1 World Access will adopt and adhere to the standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service.
- 5.2 Services resold under BellSouth's Tariffs and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.3 World Access or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth, other than by connection or disconnection to any interface means used, except with the written consent of BellSouth.
- 5.4 World Access accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.

- 5.5 World Access will be BellSouth's single point of contact for all repair calls on behalf of World Access's end users. The parties agree to provide one another with toll-free contact numbers for such purposes.
- 5.6 World Access will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.7 For all repair requests, World Access accepts responsibility for adhering to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.8 BellSouth will bill World Access for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.9 BellSouth reserves the right to contact World Access's end users, if deemed necessary, for maintenance purposes.

6 Establishment of Service

- 6.1 After receiving certification as a local exchange company from the appropriate regulatory agency, World Access will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for World Access's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, BellSouth will begin taking orders for the resale of service.
- 6.2 Service orders will be in a standard format designated by BellSouth.
- 6.3 When notification is received from World Access that a current end user of BellSouth will subscribe to World Access's service, standard service order intervals for the appropriate class of service will apply.
- 6.4 BellSouth will not require end user confirmation prior to establishing service for World Access's end user customer. World Access must, however, be able to demonstrate end user authorization upon request.
- 6.5 World Access will be the single point of contact with BellSouth for all subsequent ordering activity resulting in additions or changes to resold services except that BellSouth will accept a request directly from the end user for conversion of the end user's service from World Access to BellSouth or will accept a request from another CLEC for conversion of the end user's service from World Access to the other LEC. BellSouth will notify World Access that such a request has been processed.
- 6.6 If BellSouth determines that an unauthorized change in local service to World Access has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess World Access as the CLEC initiating the unauthorized change, the unauthorized change charge described in F.C.C. Tariff No. 1, Section 13 or applicable state tariff. Appropriate nonrecurring charges, as set forth in Section A4. of the General Subscriber Service Tariff, will also be assessed to World Access. These charges can be adjusted if World Access provides satisfactory proof of authorization.

- 6.7 In order to safeguard its interest, BellSouth reserves the right to secure the account with a suitable form of security deposit, unless satisfactory credit has already been established.
 - 6.7.1 Such security deposit shall take the form of an irrevocable Letter of Credit or other forms of security acceptable to BellSouth. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.
 - 6.7.2 If a security deposit is required, such security deposit shall be made prior to the inauguration of service.
 - 6.7.3 Such security deposit may not exceed two months' estimated billing.
 - 6.7.4 The fact that a security deposit has been made in no way relieves World Access from complying with BellSouth's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of BellSouth providing for the discontinuance of service for non-payment of any sums due BellSouth.
 - 6.7.5 BellSouth reserves the right to increase the security deposit requirements when, in its sole judgment, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit.
 - 6.7.6 In the event that World Access defaults on its account, service to World Access will be terminated and any security deposits held will be applied to its account.
 - 6.7.7 Interest on a security deposit shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.

7 Payment And Billing Arrangements

÷

- 7.1 Prior to submitting orders to BellSouth for local service, a master account must be established for World Access. The World Access is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 7.2 BellSouth shall bill World Access on a current basis all applicable charges and credits.
- 7.3 Payment of all charges will be the responsibility of World Access. World Access shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by World Access from World Access's end user. BellSouth will not become involved in billing disputes that may arise between World Access and its end user. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 7.4 BellSouth will render bills each month on established bill days for each of World Access's accounts.
- 7.5 BellSouth will bill World Access in advance charges for all services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual end user account level, including, if

- applicable, any charge for usage or usage allowances. BellSouth will also bill World Access, and World Access will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, telecommunications relay charges (TRS), and franchise fees.
- 7.6 The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
 - 7.6.1 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in section 7.8 following, shall apply.
 - 7.6.2 If World Access requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to World Access.
 - 7.6.3 Billing Disputes
 - 7.6.3.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the Bill Date on which such disputed charges appear. Resolution of the dispute is expected to occur at the first level of management resulting in a recommendation for settlement of the dispute and closure of a specific billing period. If the issues are not resolved within the allotted time frame, the following resolution procedure will begin:
 - 7.6.3.2 If the dispute is not resolved within sixty (60) days of the Bill Date, the dispute will be escalated to the second level of management for each of the respective Parties for resolution. If the dispute is not resolved within ninety (90) days of the Bill Date, the dispute will be escalated to the third level of management for each of the respective Parties for resolution
 - 7.6.3.3 If the dispute is not resolved within one hundred and twenty (120) days of the Bill Date, the dispute will be escalated to the fourth level of management for each of the respective Parties for resolution.
 - 7.6.3.4 If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the dispute charges and the resolution of the dispute. BellSouth shall only assess interest on previously

assessed late payment charges in a state where it has authority pursuant to its tariffs.

- 7.7 Upon proof of tax exempt certification from World Access, the total amount billed to World Access will not include any taxes due from the end user to reflect the tax exempt certification and local tax laws. World Access will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to World Access's end user.
- 7.8 If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff and Section B2 of the Private Line Service Tariff.
- 7.9 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth. No additional charges are to be assessed to World Access
- 7.10 BellSouth will not perform billing and collection services for World Access as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 7.11 Pursuant to 47 CFR Section 51.617, BellSouth will bill World Access end user common line charges identical to the end user common line charges BellSouth bills its end users.
- 7.12 In general, BellSouth will not become involved in disputes between World Access and World Access's end user customers over resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, World Access shall contact the designated Service Center for resolution. BellSouth will make every effort to assist in the resolution of the dispute and will work with World Access to resolve the matter in as timely a manner as possible. World Access may be required to submit documentation to substantiate the claim.

8 Discontinuance of Service

- 8.1 The procedures for discontinuing service to an end user are as follows:
 - 8.1.1 Where possible, BellSouth will deny service to World Access's end user on behalf of, and at the request of, World Access. Upon restoration of the end user's service, restoral charges will apply and will be the responsibility of World Access.
 - 8.1.2 At the request of World Access, BellSouth will disconnect a World Access end user customer.
 - 8.1.3 All requests by World Access for denial or disconnection of an end user for nonpayment must be in writing.
 - 8.1.4 World Access will be made solely responsible for notifying the end user of the proposed disconnection of the service.

- 8.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise World Access when it is determined that annoyance calls are originated from one of their end user's locations. BellSouth shall be indemnified, defended and held harmless by World Access and/or the end user against any claim, loss or damage arising from providing this information to World Access. It is the responsibility of World Access to take the corrective action necessary with its end users who make annoying calls. Failure to do so will result in BellSouth's disconnecting the end user's service.
- 8.1.6 BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from an end user or an end user's CLEC at the same address served by the denied facility.
- 8.2 The procedures for discontinuing service to World Access are as follows:
 - 8.2.1 BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by World Access of the rules and regulations of BellSouth's Tariffs.
 - 8.2.2 If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to World Access, that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by World Access to receive notices of noncompliance, and discontinue the provision of existing services to World Access at any time thereafter.
 - 8.2.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
 - 8.2.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and World Access's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to World Access without further notice.
 - 8.2.5 If payment is not received or arrangements made for payment by the date given in the written notification, World Access's services will be discontinued. Upon discontinuance of service on a World Access's account, service to World Access's end users will be denied. BellSouth will also reestablish service at the request of the end user or World Access upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. World Access is solely responsible for notifying the end user of the proposed disconnection of the service.
 - 8.2.6 If within fifteen days after an end user's service has been denied no contact has been made in reference to restoring service, the end user's service will be disconnected.

9 Line Information Database (LIDB)

9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit C.

÷

9.2 BellSouth will provide LIDB Storage upon written request to World Access Account Manager stating requested activation date.

10 RAO Hosting

- 10.1 The RAO Hosting Agreement is included in this Attachment as Exhibit D. Rates for BellSouth's Centralized Message Distribution System (CMDS) are as set forth in Exhibit H of this Attachment.
- 10.2 BellSouth will provide RAO Hosting upon written request to its Account Manager stating requested activation date.

11 Optional Daily Usage File (ODUF)

- 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit E. Rates for ODUF are as set forth in Exhibit H of this Attachment.
- 11.2 BellSouth will provide Optional Daily Usage File (ODUF) service upon written request to its Account Manager stating requested activation date.

> 12 Enhanced Optional Daily Usage File (EODUF)

- 12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit F. Rates for EODUF are as set forth in Exhibit H of this Attachment.
- 12.2 BellSouth will provide Enhanced Optional Daily Usage File (EODUF) service upon written request to its Account Manager stating requested activation date.

13 Calling Name Delivery (CNAM) Database Service

- 13.1 Calling Name Delivery (CNAM) Database Service Agreement is included in this Attachment as Exhibit G. Rates for CNAM are as set forth in Exhibit H of this Attachment.
- 13.2 BellSouth will provide Calling Name Delivery (CNAM) Database service upon written request to its Account Manager stating requested activation date.

Attachment 1 Page 14

EXHIBIT A

Page 1

APPLICABLE DISCOUNTS

The telecommunications services available for purchase by World Access for the purposes of resale to World Access end users shall be available at the following discount off of the retail rate.

DISCOUNT*							
STATE	RESIDENCE	BUSINESS	CSAs***				
ALABAMA	16.3%	16.3%					
FLORIDA	21.83%	16.81%					
GEORGIA	20.3%	17.3%					
KENTUCKY	16.79%	15.54%					
LOUISIANA	20.72%	20.72%	9.05%				
MISSISSIPPI	15.75%	15.75%					
NORTH CAROLINA	21.5%	17.6%					
SOUTH CAROLINA	14.8%	14.8%	8.98%				
TENNESSEE**	16%	16%					

- ۴
 - * When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
 - ** In Tennessee, if CLEC provides its own operator services and directory services, the discount shall be 21.56%. CLEC must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.
 - *** Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

Attachment 1 Page 15 EXHIBIT A Page 2

OPERATIONAL SUPPORT SYSTEMS (OSS) RATES

BellSouth has developed and made available the following mechanized systems by which World Access may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interface
EDI-PC	Electronic Data Interface - Personal Computer
TAG	Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the Table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL	Electronic	Manual
SUPPORT SYSTEMS	Per LSR received from the CLEC	Per LSR received from the CLEC
(OSS) RATES	by one of the OSS interactive	by means other than one of the
	interfaces	OSS interactive interfaces
OSS LSR Charge	\$3.50	\$19.99
USOC	SOMEC	SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

DENIAL/RESTORAL OSS CHARGE

In the event World Access provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

CANCELLATION OSS CHARGE

World Access will incur an OSS charge for an accepted LSR that is later canceled by World Access.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

THRESHOLD BILLING PLAN

The Parties agree that World Access will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:

Year	Ratio: Mechanized/Total LSRs
1999	70%
2000	80%
2001	90%

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this

percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

The Parties agree that any charges BellSouth is unable to bill on April 15, 1999 will be trued up on or about July 1, 1999.

•

.

٤,

Attachment 1

Page 17

Exhibit B Page 1 of 2

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE

ſ	Type of Service			AL		FL		GA	1	KY		LA
L			Service Resale? Discount?		Resale? Discount?		Resale? Discount?		Resale? Discount?		Resale? Discount	
	1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	2	Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	3	Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	4	Promotions - < 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	No	No	Yes	No
	5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Note 4	Yes	Yes
	6	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
	7	N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
	8	AdWatchSM Svc (See Note 6)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	9	MemoryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Γ	10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Γ	11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
ſ	12	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
		End User Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No

	Type of Service		Type of MS		NC		SC	TN	
			Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?
1	Grandfathered Services (Note 1)	Yes	Yes	_Yes	Yes	Yes	Yes	Yes	Yes
2	Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3	Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
4	Promotions - < 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	No	No
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4
6	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
7	N11 Services	No	No	No	No	Yes	Yes	Yes	Yes
8	AdWatch sM Svc (See Note 6)	Yes	No	Yes	No	Yes	No	Yes	No
9	MemoryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No
11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No
12	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
13	End User Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No

Applicable Notes:

- 1 Grandfathered services can be resold only to existing subscribers of the grandfathered service.
- 2 Where available for resale, **promotions** will be made available only to end users who would have qualified for the promotion had it been provided by BellSouth directly.
- In Tennessee, long-term promotions (offered for more than ninety (90) days) may be obtained at one of the following rates:
 (a) the stated tariff rate, less the wholesale discount;

(b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)

Attachment 1 Page 18

EXHIBIT B Page 2 of 2

- 4. Lifeline/Link Up services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services. In Kentucky, World Access is responsible for funding its own Lifeline and Link Up benefit. In Tennessee, World Access shall purchase BellSouth's Message Rate Service at the stated tariff rate, less the wholesale discount. World Access must further discount the wholesale Message Rate Service to Lifeline customers with a discount which is no less than the minimum discount that BellSouth now provides. World Access is responsible for recovering the Subscriber Line Charge from the National Exchange Carriers Association interstate toll settlement pool just as BellSouth does today. The maximum rate that World Access may charge for Lifeline Service shall be capped at the flat retail rate offered by BellSouth.
- 5 Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.
- 6 AdWatchSM Service is tariffed as BellSouth® AIN Virtual Number Call Detail Service.

æ

•••

LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

I. SCOPE

A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of World Access and pursuant to which BST, its LIDB customers and World Access shall have access to such information. World Access understands that BST provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of World Access, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.

B. LIDB is accessed for the following purposes:

- 1. Billed Number Screening
- 2. Calling Card Validation
- 3. Fraud Control

C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify World Access of fraud alerts so that World Access may take action it deems appropriate. World Access understands and agrees BST will administer all data stored in the LIDB, including the data provided by World Access pursuant to this Agreement, in the same manner as BST's data for BST's end user customers. BST shall not be responsible to World Access for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

World Access understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. World Access further understands that these

Attachment 1 Page 20 EXHIBIT C

billing and collection customers of BST query BST's LIDB to determine whether to accept various billing options from end users. Additionally, World Access understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on World Access's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate World Access's data from BST's data and the parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

(a) The World Access agrees that it will accept responsibility for telecommunications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. World Access authorizes BST to place such charges on World Access's bill from BST and agrees that it shall pay all such charges. Charges for which World Access hereby takes responsibility include, but are not limited to, collect and third number calls.

(b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.

(c) World Access shall have the responsibility to render a billing statement to its end users for these charges, but World Access's obligation to pay BST for the charges billed shall be independent of whether World Access is able or not to collect from World Access's end users.

> (d) BST shall not become involved in any disputes between World Access and the entities for which BST performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to World Access. It shall be the responsibility of World Access and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

This Agreement will be effective as of ______, 199_, and will continue in effect for one year, and thereafter may be continued until terminated by either party upon thirty (30) days written notice to the other party.

III. FEES FOR SERVICE AND TAXES

A. The World Access will not be charged a fee for storage services provided by BST to World Access, as described in Section I of this Agreement.

B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by World Access. The World Access shall have the right to have BST contest with the imposing jurisdiction, at World Access's expense, any such taxes that World Access deems are improperly levied.

IV. INDEMNIFICATION

To the extent not prohibited by law, each party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying party or its agents or contractors in connection with the indemnifying party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying party under this Section agrees to defend any suit brought against the other party for any such loss, cost, claim, injury or liability. The indemnified party agrees to notify the other party promptly, in writing, of any written claims, lawsuits, or demands for which the other party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying party shall not be liable under this Section for settlement by the indemnified party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying party has unreasonably failed to assume such defense.

V. LIMITATION OF LIABILITY

Neither party shall be liable to the other party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

VI. MISCELLANEOUS

A. It is understood and agreed to by the parties that BST may provide similar services to other companies.

B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either party to violate any such legal or regulatory requirement and either party's obligation to perform shall be subject to all such requirements.

C. The World Access agrees to submit to BST all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and World Access further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.

D. This Agreement constitutes the entire agreement between World Access and BST which supersedes all prior agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.

E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.

F. Neither party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers.

G. This Agreement shall be deemed to be a contract made under the laws of the State of Georgia, and the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such State.

RESALE ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

I. GENERAL

This Addendum sets forth the terms and conditions for World Access's provision of billing number information to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number information provided by World Access, and BST will provide responses to on-line, call-by-call queries to this information for purposes specified in Section LB. of the Agreement.

II. DEFINITIONS

A. Billing number - a number used by BST for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

B. Line number - a ten digit number assigned by BST that identifies a telephone line associated

with a resold local exchange service, or with a SPNP arrangement.

C. Special billing number - a ten digit number that identifies a billing account established by BST in connection with a resold local exchange service or with a SPNP arrangement.

D. Calling Card number - a billing number plus PIN number assigned by BST.

E. PIN number - a four digit security code assigned by BST which is added to a billing number to compose a fourteen digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by World Access.

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number or Calling Card number as assigned by BST and toll billing exception indicator provided to BST by World Access.

III. RESPONSIBILITIES OF PARTIES

A. BST will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. The World Access will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.

B. Under normal operating conditions, BST shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements,

BST will issue line-based calling cards only in the name of World Access. BST will not issue line-based calling cards in the name of World Access's individual end users. In the event that World Access wants to include calling card numbers assigned by World Access in the BST LIDB, a separate agreement is required.

C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.

D. BST is authorized to use the billing number information to perform the following functions for authorized users on an on-line basis:

1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BST, and where the last four digits (PIN) are a security code assigned by BST.

2. Determine whether World Access has identified the billing number as one which should not be billed for collect or third number calls, or both.

Attachment 1 Page 26 EXHIBIT D

RAO Hosting

- 1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to World Access by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 2 World Access shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3 Applicable compensation amounts will be billed by BellSouth to World Access on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 4 World Access must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from World Accessto the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of World Access and will coordinate all associated conversion activities.
- 5 BellSouth will receive messages from World Access that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from World Access.
- 7 All data received from World Access that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- 8 All data received from World Access that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 9 BeilSouth will receive messages from the CMDS network that are destined to be processed by World Access and will forward them to World Access on a daily basis.
- 10 Transmission of message data between BellSouth and World Access will be via CONNECT:Direct.
- 11 All messages and related data exchanged between BellSouth and World Access will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 12 World Access will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.

Attachment 1 Page 27 EXHIBIT D

- 13 Should it become necessary for World Access to send data to BellSouth more than sixty (60) days past the message date(s), World Access will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and World Access to notify all affected Parties.
- 14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or World Access) identified and agreed to, the company responsible for creating the data (BellSouth or World Access) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- Should an error be detected by the EMI format edits performed by BellSouth on data received from World Access, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify World Access of the error condition. World Access will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, World Access will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
 - 16 In association with message distribution service, BellSouth will provide World Access with associated intercompany settlements reports (CATS and NICS) as appropriate.
 - 17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.
 - 18 RAO Compensation
 - 18.1 Rates for message distribution service provided by BellSouth for World Access are as set forth in Exhibit A to this Attachment.
 - 18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
 - 18.3 Data circuits (private line or dial-up) will be required between BellSouth and World Access for the purpose of data transmission. Where a dedicated line is required, World Access will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. World Access will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to World Access. Additionally, all message toll charges associated with the use of the dial circuit by World Access will be the responsibility of World Access. Associated equipment on the BellSouth end, including a modern, will be negotiated on a case by case basis between the Parties.

Attachment 1 Page 28 EXHIBIT D

18.4 All equipment, including moderns and software, that is required on World Access end for the purpose of data transmission will be the responsibility of World Access.

19 Intercompany Settlements Messages

- 19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by World Access as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between World Access and the involved company(ies), unless that company is participating in NICS.
- 19.2 Both traffic that originates outside the BellSouth region by World Access and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by World Access, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by World Access, involves a company other than World Access, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 19.3 Once World Access is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of World Access. BellSouth will distribute copies of these reports to World Accesson a monthly basis.
- 19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of World Access. BellSouth will distribute copies of these reports to World Access on a monthly basis.
- 19.6 BellSouth will collect the revenue earned by World Access from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of World Access. BellSouth will remit the revenue billed by World Access to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on World Access. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to World Access via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 19.7 BellSouth will collect the revenue earned by World Access within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of World Access. BellSouth will remit the revenue billed by World Access within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to World Access via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and World Access agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

Optional Daily Usage File

- 1 Upon written request from World Access, BellSouth will provide the Optional Daily Usage File (ODUF) service to World Access pursuant to the terms and conditions set forth in this section.
- 2 The World Access shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a World Access customer.

Charges for delivery of the Optional Daily Usage File will appear on World Accesss' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 4 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5 Messages that error in the billing system of World Access will be the responsibility of World Access. If, however, World Access should encounter significant volumes of errored messages that prevent processing by World Access within its systems, BellSouth will work with World Access to determine the source of the errors and the appropriate resolution.
- 6 The following specifications shall apply to the Optional Daily Usage Feed.
- 6.1 Usage To Be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to World Access:
 - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
 - measured billable Local
 - Directory Assistance messages
 - intraLATA Toll
 - WATS & 800 Service
 - -N11
 - -Information Service Provider Messages
 - -Operator Services Messages
 - -Operator Services Message Attempted Calls (UNE only)
 - -Credit/Cancel Records
 - -Usage for Voice Mail Message Service

- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to World Access.
- 6.1.4 In the event that World Access detects a duplicate on Optional Daily Usage File they receive from BellSouth, World Access will drop the duplicate message (World Access will not return the duplicate to BeilSouth).

6.2 Physical File Characteristics

- 6.2.1 The Optional Daily Usage File will be distributed to World Access via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and World Access for the purpose of data transmission. Where a dedicated line is required, World Access will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. World Access will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to World Access. Additionally, all message toll charges associated with the use of the dial circuit by World Access will be the responsibility of World Access. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on World Access.

6.3 Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to World Access which BellSouth RAO that is sending the message. BellSouth and World Access will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by World Access and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 Pack Rejection

6.4.1 World Access will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. World Access will not be required to return the actual

rejected data to BellSouth. Rejected packs will be corrected and retransmitted to World Access by BellSouth.

6.5 Control Data

World Access will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate World Access received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by World Access for reasons stated in the above section.

6.6 Testing

6.6.1 Upon request from World Access, BellSouth shall send test files to World Access for the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that World Access set up a production (LIVE) file. The live test may consist of World Access's employees making test calls for the types of services World Access requests on the Optional Daily Usage File. These test calls are logged by World Access, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Attachment 1 Page 32 EXHIBIT F

Enhanced Optional Daily Usage File

- 1 Upon written request from World Access, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to World Access pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2 The World Access shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on World Accesss' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5 Messages that error in the billing system of World Access will be the responsibility of World Access. If, however, World Access should encounter significant volumes of errored messages that prevent processing by World Access within its systems, BellSouth will work with World Access to determine the source of the errors and the appropriate resolution.
- 6 The following specifications shall apply to the Optional Daily Usage Feed.
- 6.1 Usage To Be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to World Access:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

> Date of Call From Number To Number Connect Time Conversation Time Method of Recording From RAO Rate Class Message Type Billing Indicators Bill to Number

6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to World Access.

Attachment 1 Page 33 EXHIBIT F

6.1.3 In the event that World Access detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, World Access will drop the duplicate message (World Access will not return the duplicate to BellSouth).

6.2 *Physical File Characteristics*

- 6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to World Access over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among World Access's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and World Access for the purpose of data transmission. Where a dedicated line is required, World Access will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. World Access will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to World Access. Additionally, all message toll charges associated with the use of the dial circuit by World Access will be the responsibility of World Access. Associated equipment on the BellSouth end, including a modern, will be negotiated on a case by case basis between the parties. All equipment, including moderns and software, that is required on World Access.

6.3 Packing Specifications

٤.

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to World Access which BellSouth RAO that is sending the message. BellSouth and World Access will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by World Access and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

1.00 DEFINITIONS

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides World AccessWorld Access the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

SERVICE CONTROL POINTs (SCPs) - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTs (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

2.0 ATTACHMENT

- 2.01 This Attachment contains the terms and conditions where BellSouth will provide to World Access access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.02 World Access shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to World Access's access to BellSouth's CNAM Database Services and shall be addressed to World Access's Account Manager.

3.00 PHYSICAL CONNECTION AND COMPENSATION

3.01 BellSouth's provision of CNAM Database Services to World Access requires interconnection from World Access World Access to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be

established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.

- 3.02 In order to formulate a CNAM query to be sent to the BeilSouth CNAM SCP, World Access World Accessshall provide its own CNAM SSP. World Access's World AccessCNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.03 If World Access elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that World Access desires to query.
- 3.04 <u>Out-Of-Region Customers.</u> If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Bellcore's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the parties and writing shall, by this reference become an integral part of this Agreement.

4.00 CNAM RECORD INITIAL LOAD AND UPDATES

- 4.01 The mechanism to be used by World Access for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by World Access in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of World Access to provide accurate information to BellSouth on a current basis.
- 4.02 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.03 World Access CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each party consistent with state and/or federal regulation.

BELLSOUTH/CLEC-1 RATES ODUF/EDOUF/CMDS/CNAM

Attachment 1 Exhibit H Rates - Page 1

RIPTION										
	USOC	AL	FL	GA	КУ	LA	MS	NC	sc	TN
	A HALL CHERRY COM	Salege And Surgers	Sector 1988					THE REAL PROPERTY AND INCOME.		
Recording, per message	N/A	\$0.0002	\$0.008	\$0.008	\$0.0008611	\$0.00019	\$0.0001179	\$0.008	\$0.0002862	\$0.00
Message Processing, per message	N/A	\$0.0033	\$0.004	\$0.004	\$0.0032357	\$0.0024	\$0.0032089	\$0.004	\$0.0032344	\$0.00
F: Message Processing, per message	NA	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0,004	\$0.004	\$0.004	\$0.00
Message Processing, per message	NA	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.00
Message Processing, per magnetic tape provisionad	NA	\$55.19	\$54.95	\$54.95	\$55.68	\$47.30	\$54.62	\$54,95	\$54.72	\$54.9
Message Processing, per magnetic tape provisioned	NA	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.3
Data Transmisalon (CONNECT: DIRECT), per message	ŇĂ	\$0.00004	\$0.001	\$0.001	\$0.0000365	\$0.00003	\$0.0000354	\$0.001	\$0.0000357	\$0.00
F: Data Transmission (CONNECT:DIRECT), per message	NA	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000
Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.00
NUMPERSON TOWN TO STANKAS TO STANKAS TO STANKAS	THE REAL PROPERTY.	PERCENT AND		1919 (A. 178) (A. 179)		eserence of the				
(Database Owner), Per Query	N/A	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.01
(Non-Database Owner), Per Query *	N/A	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.0
NRC, applicable when World Access uses the Character Based User Interface (CHUI) method to										
transmit the names to the BellSouth CNAM database	N/A	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.0
ne and term arrangements are also available.										

.

é

٠

.

Attachment 2

Network Elements and Other Services

.

ч.

.

TABLE OF CONTENTS

I. INTRODUCTION	3
2. UNBUNDLED LOOPS	4
3. INTEGRATED DIGITAL LOOP CARRIERS	8
4. NETWORK INTERFACE DEVICE	8
5. UNBUNDLED LOOP CONCENTRATION (ULC) SYSTEM	9
6. SUB-LOOP ELEMENTS	10
7. LOCAL SWITCHING	13
8. TRANSPORT	
9. TANDEM SWITCHING	23
10. OPERATOR SYSTEMS	
11. SIGNALING	
12. SIGNALING TRANSFER POINTS (STPs)	
13. SERVICE CONTROL POINTS/DATABASES	
14. DARK FIBER	
15. SS7 NETWORK INTERCONNECTION	45
16. BASIC 911 AND E911	
17. RATES	50
EXHIBIT A – LIDB STORAGE AGREEMENT	XHIBIT A
EXHIBIT B – CNAM DATABASE SERVICESE	XHIBIT B
EXHIBIT C – RATESE	XHIBIT C

ς.

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

The rates, terms and conditions contained within this Attachment were negotiated as a whole and each rate, term and condition within the Attachment is interdependent upon the other rates, terms and conditions.

1. Introduction

- 1.1 Network Element is defined to mean a facility or equipment used in the provision of a telecommunications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a telecommunications service. BellSouth offers access to the Network Elements, unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; operator systems; signaling; access to call-related databases; dark fiber as set forth in this Attachment.
- 1.2 BellSouth shall, upon request of World Access, and to the extent technically feasible, provide to World Access access to its network elements for the provision of World Access's telecommunications service. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.3 World Access may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner World Access chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by World Access for combining to the designated World Access collocation space. The network elements shall be provided as set forth in this Attachment.
- 1.4 BellSouth will provide the following combined network elements for purchase by World Access. The rate of the following combined network elements is the sum of the individual element prices as set forth in this Attachment. Order Coordination as defined in Section 2 of Attachment 2 of this Agreement is available for each of these combinations:
 - SL2 loop and cross connect
 - Port and cross connect

- Port and cross connect and common (shared) transport
- Port and vertical features
- SL2 Loop with loop concentration
- Port and common (shared) transport
- SL2 Loop and LNP
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards.
- 1.6 In the event that any final and nonappealable legislative, regulatory, judicial or other legal action modifies or redefines the "Network Elements" in a manner which materially affects the terms of this Attachment or the Network Elements and/or prices set forth herein, either Party may, on thirty (30) days written notice, require renegotiation of such terms, and the Parties shall renegotiate in good faith such new terms in accordance with such legislative, regulatory, judicial or other legal action. In the event such new terms are not renegotiated within ninety (90) days after the notice for renegotiation, either Party may petition the Commission for resolution of the dispute between the Parties. Each Party reserves the right to seek judicial review of any Commission ruling concerning this Attachment.
- 1.7 World Access will adopt and adhere to the standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service.

2. Unbundled Loops

2.1.1 BellSouth agrees to offer access to loops pursuant to the following terms and conditions and at the rates set forth in this Attachment.

2.2 Definition

- 2.2.1 The loop is the physical medium or functional path on which a subscriber's traffic is carried from the MDF or similar terminating device in a central office up to the termination at the NID at the customer's premise. Each loop will be provisioned with a NID.
- 2.2.2 The provisioning of service to a CLEC will require cross-office cabling and crossconnections within the central office to connect the loop to a local switch or to other transmission equipment in collocation space. These cross-connects are a separate element and are not considered a part of the loop.

BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination - Time Specific." "Order Coordination" refers to standard BellSouth service order coordination involving SL2 voice loops and all digital loops. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and World Access advised.

"Order Coordination – Time Specific" refers to service order coordination in which World Access requests a specific time for a service order conversion to take place. Loops on a single service order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. World Access may specify a time between 8:00 a.m. and 5:00 p.m. (location time) Monday through Friday (excluding holidays). If World Access specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

Where facilities are available, BellSouth will install loops within a 5-7 business days interval. For orders of 14 or more loops, the installation will be handled on a project basis and the intervals will be set by the BellSouth project manager for that order. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is separate from the installation interval. For expedite requests by World Access, expedite charges will apply for intervals less than 5 days. The charges outlined in BST's FCC # 1 Tariff, Section 5.1.1, will apply. If World Access cancels an order for network elements and other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC #1 Tariff, Section 5.4."

If World Access modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be reimbursed by World Access.

2.2.3 BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels - Service Level One (SL1) and Service Level Two (SL2). SL1 loops will be non-designed, will not have test points, and will not come with any Order Coordination (OC) or engineering information/circuit make-up data. Upon issuance of an order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its customers. If World Access requests work to be done for SL1s that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

SL2 loops shall have test points, will be designed with a Design Layout Record provided to World Access, and will be provided with Order Coordination. The OC feature will allow World Access to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

- 2.2.4 BellSouth will also offer Unbundled Digital Loops (UDL). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a Design Layout Record (DLR).
- 2.2.5 As a chargeable option on all loops except UVL-SL1, BellSouth will offer Order Coordination - Time Specific (OC-TS). This will allow World Access the ability to specify the time that the coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.
- 2.2.6 World Access will be responsible for testing and isolating troubles on the loops. Once World Access has isolated a trouble to the BellSouth provided loop, World Access will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop if a trouble actually exists. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.
- 2.2.7 If World Access reports a trouble on SL1 loops and no trouble actually exists, BellSouth will charge World Access for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.
- 2.2.8 If World Access reports a trouble on SL2 loops and no trouble actually exists, BellSouth will charge World Access for any dispatching and testing, (outside the CO) required by BellSouth in order to confirm the loop's working status.

2.3 Technical Requirements

2.3.1 To the extent available within BST's Network at a particular location, BellSouth will offer loops capable of supporting telecommunications services such as: POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, ADSL, HDSL, DS1 and digital data (up to 64 kb/s). Additional services may include digital PBXs, primary rate ISDN, xDSL, and Nx 64 kb/s. If a requested loop type is not available, then the CLEC can use the Special Construction process to request that BellSouth place facilities or otherwise modify facilities in order to meet the CLEC's request.

- 2.3.1.1 The loop will support the transmission, signaling, performance and interface requirements of the services described in 2.3.1 above. It is recognized that the requirements of different services are different, and that a number of types or grades of loops are required to support these services. Services provided over the loop by World Access will be consistent with industry standards and BST's TR73600.
- 2.3.1.2 In some instances, World Access will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that World Access can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. World Access will determine the type of service that will be provided over the loop. In some cases, World Access may be required to pay additional charges for the removal of certain types of equipment. BellSouth's Special Construction process will be used to determine the costs and feasibility of these activities.

In cases in which World Access has requested that BellSouth remove equipment from the BellSouth loop, BellSouth will no longer be expected to maintain and repair the loop to the standards specified for that loop type in the TR73600 and other standards referenced in this Agreement.

World Access, in performance of its obligations pursuant to the preceding Section, shall maintain records that will reflect that pursuant to World Access's request BellSouth has removed certain equipment from BellSouth provided loops and as such the loop may not perform within the technical specifications associated with that loop type. World Access will not report to BellSouth troubles on said loops where the loops are not performing within the technical specifications of that loop type.

In addition, World Access recognizes there may be instances where a loop modified in this manner may be subjected to normal network configuration changes that may cause the circuit characteristics to be changed and may create an outage of the service that World Access has placed on the loop. If this occurs, BellSouth will work cooperatively with World Access to restore the circuit to its previous modified status as quickly as possible. World Access will pay the Time and Materials costs associated with BellSouth's work efforts needed to bring the loop back to its previous modified status.

2.3.2 The loop shall be provided to World Access in accordance with the following Technical References:

BellSouth's TR73600, Unbundled Local Loop Technical Specification

- 2.3.2.1 Telcordia (formerly BellCore) TR-NWT-000057, Functional Criteria for Digital Loop Carrier Systems, Issue 2, January 1993.
- 2.3.2.2 Telcordia (formerly BellCore) TR-NWT-000393, Generic Requirements for ISDN Basic Access Digital Subscriber Lines.
- 2.3.2.3 ANSI T1.102 1993, American National Standard for Telecommunications -Digital Hierarchy - Electrical Interfaces.
- 2.3.2.4 ANSI T1.403 1989, American National Standard for Telecommunications -Carrier to Customer Installation, DS1 Metallic Interface Specification.

3. Integrated Digital Loop Carriers

3.1.1 Where BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local loop and BellSouth has a suitable alternate facility available, BellSouth will make arrangements to permit World Access to order a contiguous local loop. To the extent it is technically feasible, these arrangements will provide World Access with the capability to serve end users at a level that is at parity with the level of service BellSouth provides its customers. If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. World Access will then have the option of paying the one-time SC rates to place the loop facilities or World Access may chose some other method of providing service to the end-user (e.g., Resale, private facilities, etc.)

4. Network Interface Device

4.1 Definition

4.1.1 The Network Interface Device (NID) is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the end user customer's premises. The fundamental function of the NID is to establish the official network demarcation point between a carrier and its end-user customer. The NID features two independent chambers or divisions which separate the service provider's network from the customer's inside wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider, and the end-user customer each make their connections. The NID provides a protective ground connection, and is capable of terminating cables such as twisted pair cable.

4.2 Technical Requirements

- 4.2.1 The Network Interface Device shall provide a clean, accessible point of connection for the inside wiring and for the Distribution Media and shall maintain a connection to ground that meets the requirements set forth below.
- 4.2.2 The NID shall be capable of transferring electrical analog or digital signals between the customer's inside wiring and the Distribution Media.
- 4.2.3 All NID posts or connecting points shall be in place, secure, usable and free of any rust or corrosion. The protective ground connection shall exist and be properly installed. The ground wire will also be free of rust or corrosion and have continuity relative to ground.
- 4.2.4 The NID shall be capable of withstanding all normal local environmental variations.
- 4.2.5 Where feasible, the NID shall be physically accessible to World Access designated personnel. In cases where entrance to the end user's premises is required to give access to the NID, World Access shall obtain entrance permission directly from the end user.
- 4.2.6 BellSouth shall offer the NID as a stand-alone component. Additionally, World Access may connect its loop to any spare capacity on the BellSouth NID. Where necessary to comply with an effective Commission order, BellSouth will allow World Access to disconnect the BellSouth loop from the BellSouth NID in order to connect World Access's loop to the BellSouth NID. In these cases, World Access accepts all liability associated with this process and it is World Access's responsibility to make sure the disconnected BellSouth loop is properly grounded.
 - 4.3 Interface Requirements
 - 4.3.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the following technical references:
 - 4.3.1.1 Telcordia (formerly BellCore) Technical Advisory TA-TSY-000120 "Customer Premises or Network Ground Wire";
 - 4.3.1.2 Telcordia (formerly BellCore) Generic Requirement GR-49-CORE "Generic Requirements for Outdoor Telephone Network Interface Devices";
 - 4.3.1.3 Telcordia (formerly BellCore) Technical Requirement TR-NWT-00239 "Indoor Telephone Network Interfaces";
 - 4.3.1.4 Telcordia (formerly BellCore) Technical Requirement TR-NWT-000937 "Generic Requirements for Outdoor and Indoor Building Entrance"

5. Unbundled Loop Concentration (ULC) System

- 5.1.1 BellSouth will provide to World Access loop concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 5.1.2 ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high speed connection from the concentrator will be at the electrical DS1 level and may connect to World Access at World Access's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

6. Sub-loop Elements

ς,

- 6.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth shall offer access to its Unbundled Sub-Loop (USL), Unbundled Sub-Loop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements.
- 6.2 Unbundled Sub-Loop (USL)
- 6.2.1 Definition
- 6.2.1.1 Unbundled Sub-Loop provides connectivity between the NID component of the sub-loop and the terminal block on the customer-side of a Feeder Distribution Interface (FDI). This termination and cross-connect field may be in the form of an outside plant distribution closure or remote terminal. Riser Cable that extends from BellSouth's point-of-entry into a building (e.g., equipment closet, terminal room, etc.) to the NID on a particular floor or office space in a multi-tenant building is also classified as a USL. Unbundled Sub-Loops will be provisioned as 2-wire or 4-wire circuits and will include a NID.
- 6.2.1.2 The Unbundled Sub-Loop will be copper twisted pair. If World Access requires a copper twisted pair Unbundled Sub-Loop in instances where the Unbundled Sub-Loop for services that BellSouth offers is other than a copper facility, BellSouth will provide that media if those facilities exist. If there are no copper facilities available, BellSouth will use its Special Construction process to determine if facilities can be provided to World Access.

- 6.2.2 Requirements for All Unbundled Sub-Loops
- 6.2.2.1 Unbundled Sub-Loops shall be capable of carrying all signaling messages or tones needed to provide telecommunications services.

Unbundled Sub-Loop shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. In these scenarios, World Access would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal or cross-box. This cable would be connected, by a BST technician, to a cross-connect panel within the BellSouth RT/cross-box. World Access's cable pairs can then be connected to BST's USL within the BST cross-box by the BST technician.

- 6.2.3 Interface Requirements
- 6.2.3.1 Unbundled Sub-Loop shall be equal to or better than each of the applicable interface requirements set forth in the following technical references:
- 6.2.3.2 Telcordia (formerly BellCore) TR-NWT-000049, "Generic Requirements for Outdoor Telephone Network Interface Devices," Issued December 1,1994;
- 6.3 Unbundled Sub-Loop Concentration System (USLC)
- 6.3.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth will provide to World Access with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into World Access's collocation space. TR-008 and TR303 interface standards are available.
- 6.3.2 USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of World Access's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of World Access's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.
- 6.3.3 In these scenarios World Access would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-

connect panel within the BellSouth RT/cross-box and would allow World Access's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.

- 6.4 Unbundled Network Terminating Wire (UNTW)
- 6.4.1 BellSouth agrees to offer its Unbundled Network Terminating Wire (UNTW) to World Access pursuant to the following terms and conditions at rates as set forth in this Attachment.

6.5 Definition

UNTW is twisted copper wire that extends from BellSouth's point-of-entry into a multi-dwelling unit (MDU) complex or multi-tenant unit (MTU) complex to the point of demarcation at the end-users location. The UNTW will not include a Network Interface Device (NID).

6.6 <u>Requirements</u>

- 6.6.1 BellSouth will retain the first pair of NTW going into each end-user premises. BellSouth will offer spare pairs that are available to an end-users premises to World Access. Available spare pairs are defined as pairs that are not being utilized by BellSouth or by a third party to provide an end-user with working service at the time of World Access's request for UNTW. If no spare pairs are available and the end-user is no longer using BellSouth's local service, BellSouth will relinquish the first pair to World Access. If after BellSouth has relinquished the first pair to World Access and the end-user decides to change local service providers to BellSouth, World Access will relinquish the first pair back to BellSouth.
- 6.6.2 Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an end-users premises in response to a request from such end-user, World Access agrees to surrender their spare pair(s) upon request by BellSouth.
- 6.6.3 If an end-user of World Access desires to receive local exchange service from a service provider who is not a Party to this Agreement, and such third party service provider needs access to the BellSouth UNTW to provide local exchange service to the end user, then World Access agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.
- 6.6.4 If World Access has placed NTW at a location and an end-user desires to receive local exchange service from BellSouth and BellSouth needs access to World Access's NTW to provide local exchange service to the end-user, then World

Access agrees to surrender the requisite number of its spare pair(s) upon request by BellSouth.

6.6.5 In new construction, where possible, both Parties may at their option and with the property owner's agreement install their own NTW. In existing construction, BellSouth shall not be required to install new or additional NTW beyond existing NTW to provision the services of the CLEC.

6.7 Technical Requirements

6.7.1 In these scenarios, BellSouth will connect the requested UNTW pairs to a crossconnect panel designed for CLEC access to BellSouth's NTW. World Access will be required to place a cross-box, terminal, or other similar device and deliver a cable to this cross-connect panel. World Access will then connect their cable to the cross-connect panel to access the requested UNTW pairs.

7. Local Switching

BellSouth agrees to offer access to local switching pursuant to the following terms and conditions and at the rates set forth in this Attachment.

7.1 Definition

7.1.1 Local Switching is the Network Element that provides the functionality required to connect the appropriate originating lines or trunks wired to the Main Distributing Frame (MDF) or Digital Cross Connect (DSX) panel to a desired terminating line or trunk. Such functionality shall include access to all of the features, functions, and capabilities that the underlying BellSouth switch that is providing such Local Switching function is then capable of providing, including but not limited to: line signaling and signaling software, digit reception, dialed number translations, call screening, routing, recording, call supervision, dial tone, switching, telephone number provisioning, announcements, calling features and capabilities (including call processing), CENTREX, Automatic Call Distributor (ACD), Carrier pre-subscription (e.g. long distance carrier, intraLATA toll), Carrier Identification Code (CIC) portability capabilities, testing and other operational features inherent to the switch and switch software. It also provides access to transport, signaling (ISDN User Part (ISUP)) and Transaction Capabilities Application Part (TCAP), and platforms such as adjuncts, Public Safety Systems (911), operator services, Directory Assistance Services and Advanced Intelligent Network (AIN). Remote Switching Module functionality is included in the Local Switching function. The switching capabilities used will be based on the line side features they support. Local Switching will also be capable of routing local, intraLATA, interLATA, and calls to international customer's preferred carrier; call features (e.g., call forwarding) and CENTREX capabilities. Where required to do so in order to comply with an effective Commission order,

Local Switching, including the ability to route to World Access's transport facilities, dedicated facilities and systems, shall be unbundled from all other Network Elements and other services, i.e., Operator Systems, Common (Shared) Transport, and Dedicated Transport. BellSouth and World Access shall continue to work with the appropriate industry groups to develop a long-term solution for selective routing.

- 7.1.2 A featureless port is one that has a line port, switching functionality, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by World Access. Any features that are not currently then capable but are technically feasible through the switch can be requested through the BFR process.
- 7.1.3 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to World Access purchasing local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of calls to a requested directory assistance services platform or operator services platform. World Access customers may use the same dialing arrangements as BellSouth customers, but obtain a World Access branded service.

* 7.2 Technical Requirements

- 7.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.
- 7.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in Telcordia (formerly BellCore)'s Local Switching Systems General Requirements (FR-NWT-000064).
- 7.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.
- 7.2.1.3 Subject to this section, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by World Access will be made pursuant to the Bona Fide Request/ New Business Request Process as set forth in General Terms and Conditions.
- 7.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.
- 7.2.1.5 BellSouth shall activate service for an World Access customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to World

Access's services without loss of switch feature functionality as defined in this Agreement.

- 7.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 7.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.
- 7.2.1.8 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non discriminatory manner.
- 7.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.
- 7.2.1.10 Special Services provided by BellSouth will include the following:
- 7.2.1.10.1 Telephone Service Prioritization;
- 7.2.1.10.2 Related services for handicapped;
- 7.2.1.10.3 Soft dial tone where required by law; and
- 7.2.1.10.4 Any other service required by law.
- 7.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STP). These capabilities shall adhere to Telcordia (formerly BellCore) specifications - TCAP (GR-1432-CORE), ISUP(GR-905-CORE), Call Management (GR-1429-CORE), Switched Fractional DS1 (GR-1357-CORE), Toll Free Service (GR-1428-CORE), Calling Name (GR-1597-CORE), Line Information Database (GR-954-CORE), and Advanced Intelligent Network (GR-2863-CORE).
- 7.2.1.12 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.
- 7.2.1.13 BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to World Access, upon a reasonable request from World Access. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process.

- 7.2.1.14 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other Party. Such feature offerings shall include but are not limited to:
- 7.2.1.14.1 Basic and primary rate ISDN;
- 7.2.1.14.2 Residential features;
- 7.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS);
- 7.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and
- 7.2.1.14.5 Advanced intelligent network triggers supporting World Access and BellSouth service applications.

BellSouth shall offer to World Access all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are:

- 7.2.1.14.5.1 Off-Hook Immediate
- 7.2.1.14.5.2 Off-Hook Delay
- 7.2.1.14.5.3 Termination Attempt
- 7.2.1.14.5.4 6/10 Public Office Dialing Plan
- 7.2.1.14.5.5 Feature Code Dialing
- 7.2.1.14.5.6 Customer Dialing Plan
- 7.2.1.14.6 When the following triggers are supported by BellSouth, BellSouth will make these triggers available to World Access:
- 7.2.1.14.6.1 Private EAMF Trunk
- 7.2.1.14.6.2 Shared Interoffice Trunk (EAMF, SS7)
- 7.2.1.14.6.3 N11
- 7.2.1.14.6.4 Automatic Route Selection
- 7.2.1.15 Where capacity exists, BellSouth shall assign each World Access customer line the class of service designated by World Access (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from World Access customers to World Access directory assistance operators at World Access's option.

7.2.1.16	Where capacity exists, BellSouth shall assign each World Access customer line the class of services designated by World Access (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from World Access customers to World Access operators at World Access's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to an World Access Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged.
7.2.1.17	Local Switching shall be offered in accordance with the requirements of the following technical references:
7.2.1.17.1	Telcordia (formerly BellCore) GR-1298-CORE, AIN Switching System Generic Requirements, as implemented in BellSouth's switching equipment;
7.2.1.17.2	Telcordia (formerly BellCore) GR-1299-CORE, AIN Switch-Service Control Point (SCP)/Adjunct Interface Generic Requirements;
7.2.1.17.3	Telcordia (formerly BellCore) TR-NWT-001284, AIN 0.1 Switching System Generic Requirements;
7.2.1.17.4	Telcordia (formerly BellCore) SR-NWT-002247, AIN Release 1 Update.
7.2.2	Interface Requirements
7.2.2.1	BellSouth shall provide the following interfaces to loops:
7.2.2.2	Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
7.2.2.3	Coin phone signaling;
7.2.2.4	Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;
7.2.2.5	Two-wire analog interface to PBX;
7.2.2.5.1	Four-wire analog interface to PBX;
7.2.2.6	Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);

- 7.2.2.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;
- 7.2.2.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and

З.,

- 7.2.2.9 Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 7.2.2.10 BellSouth shall provide access to the following but not limited to:
- 7.2.2.11 SS7 Signaling Network or Multi-Frequency trunking if requested by World Access;
- 7.2.2.12 Interface to World Access operator services systems or Operator Services through appropriate trunk interconnections for the system; and
- 7.2.2.13 Interface to World Access directory assistance services through World Access switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other World Access required access to interexchange carriers as requested through appropriate trunk interfaces.

8. Transport

BellSouth agrees to offer access to transport including Common (Shared) Transport, Dedicated Transport and Tandem Switching pursuant to following terms and conditions and at the rates set forth in this Attachment.

8.1 Definition of Common (Shared) Transport

Common (Shared) Transport is an interoffice transmission path between two BellSouth end-offices, BellSouth end-office and a local tandem, or between two local tandems. Where BellSouth Network Elements are connected by intra-office wiring, such wiring is provided as a part of the Network Elements and is not Common (Shared) Transport. Common (Shared) Transport consists of BellSouth inter-office transport facilities and is unbundled from local switching.

- 8.2 Technical Requirements of Common (Shared) Transport
- 8.2.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.
- 8.2.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.
- 8.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

8.2.4	At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the following technical references (as applicable for the transport technology being used):
8.2.4.1	ANSI T1.101-1994, American National Standard for Telecommunications - Synchronization Interface Standard Performance and Availability;
8.2.4.2	ANSI T1.102-1993, American National Standard for Telecommunications - Digital Hierarchy - Electrical Interfaces;
8.2.4.3	ANSI T1.102.01-199x, American National Standard for Telecommunications - Digital Hierarchy - VT1.5;
8.2.4.4	ANSI T1.105-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Basic Description including Multiplex Structure, Rates and Formats;
8.2.4.5	ANSI T1.105.01-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Automatic Protection Switching;
8.2.4.6	ANSI T1.105.02-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Payload Mappings;
8.2.4.7	ANSI T1.105.03-1994, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Jitter at Network Interfaces;
8.2.4.8	ANSI T1.105.03a-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET): Jitter at Network Interfaces - DS1 Supplement;
8.2.4.9	ANSI T1.105.05-1994, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Tandem Connection;
8.2.4.10	ANSI T1.105.06-199x, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Physical Layer Specifications;
8.2.4.11	ANSI T1.105.07-199x, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Sub STS-1 Interface Rates and Formats;
8.2.4.12	ANSI T1.105.09-199x, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Network Element Timing and Synchronization;
8.2.4.13	ANSI T1.106-1988, American National Standard for Telecommunications - Digital Hierarchy - Optical Interface Specifications (Single Mode);

\$

- 8.2.4.14 ANSI T1.107-1988, American National Standard for Telecommunications -Digital Hierarchy - Formats Specifications;
- 8.2.4.15 ANSI T1.107a-1990 American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);
- 8.2.4.16 ANSI T1.107b-1991 American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications;
- 8.2.4.17 ANSI T1.117-1991, American National Standard for Telecommunications -Digital Hierarchy - Optical Interface Specifications (SONET) (Single Mode -Short Reach);
- 8.2.4.18 ANSI T1.403-1989, Carrier to Customer Installation, DS1 Metallic Interface Specification;
- 8.2.4.19 ANSI T1.404-1994, Network-to-Customer Installation DS3 Metallic Interface Specification;
- 8.2.4.20 ITU Recommendation G.707, Network node interface for the synchronous digital hierarchy (SDH);
- 8.2.4.21 ITU Recommendation G.704, Synchronous frame structures used at 1544, 6312, 2048, 8488 and 44736 kbit/s hierarchical levels;
- 8.2.4.22 Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;
- 8.2.4.23 Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;
- 8.2.4.24 Telcordia (formerly BellCore) GR-253-CORE, Synchronous Optical Network Systems (SONET); Common Generic Criteria;
- 8.2.4.25 Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.);
- 8.2.4.26 Telcordia (formerly BellCore) TR-NWT-000776, Network Interface Description for ISDN Customer Access;
- 8.2.4.27 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991;

- 8.2.4.28 Telcordia (formerly BellCore) ST-TEC 000052, Telecommunications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;
- 8.2.4.29 Telcordia (formerly BellCore) ST-TEC-000051, Telecommunications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987.
- 8.3 Dedicated Transport

8.3.1 Definition

- 8.3.1.1 Dedicated Transport is defined as BellSouth transmission facilities dedicated to a particular customer or carrier that provide telecommunications between wire centers owned by BellSouth or requesting telecommunications carriers, or between switches owned by BellSouth or requesting telecommunications carriers.
- 8.3.1.2 BellSouth shall offer Dedicated Transport in each of the following ways:
- 8.3.1.2.1 As capacity on a shared facility.
- 8.3.1.2.2 As a circuit (e.g., DS0, DS1 or DS3) dedicated to World Access.
- 8.3.1.3 When Dedicated Transport is provided as a system it shall include:
- 8.3.1.3.1 Transmission equipment such as multiplexers, line terminating equipment, amplifiers, and regenerators;
- 8.3.1.3.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable.
- 8.3.2 Unbundled Local Channel
- 8.3.2.1 The Unbundled Local Channel is the dedicated transmission path between World Access's Point of Presence and the BellSouth Serving Wire Center.
- 8.3.2.2 BellSouth currently offers Unbundled Local Channels for switched traffic. Rates for these elements are listed in this Attachment. For those states that do not contain rates in this Attachment for DS1 and DS3 switched Local Channels, the rates in the applicable State Access Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true-up, and the Parties will amend the Agreement to reflect the new rates.
- 8.3.2.3 BellSouth currently offers Unbundled Local Channels for non-switched traffic at DS1 and DS3 levels at rates as set forth in Exhibit C to this Attachment.

8.3.3 Technical Requirements

This Section sets forth technical requirements for all Dedicated Transport.

- 8.3.3.1 When BellSouth provides Dedicated Transport as a circuit or a system, the entire designated transmission circuit or system (*e.g.*, DS0, DS1,DS3) shall be dedicated to World Access designated traffic.
- 8.3.3.2 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, DS1 and DS3 transport systems, SONET (or SDH) Bi-directional Line Switched Rings, SONET (or SDH) Unidirectional Path Switched Rings, and SONET (or SDH) point-to-point transport systems (including linear add-drop systems), at all available transmission bit rates. While SONET Ring facilities are not available in every application, they are typically available in the major metropolitan areas.
- 8.3.3.3 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards.
- 8.3.3.4 Where applicable, for DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.
- 8.3.3.5 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 8.3.3.5.1 DS0 Equivalent;
- 8.3.3.5.2 DS1 (Extended SuperFrame ESF and D4 channel bank shall be provided);
- 8.3.3.5.3 DS3 where applicable (M13 multiplexer shall be provided);
- 8.3.3.5.4 SDH Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 8.3.3.6 When Dedicated Transport is provided as a system, BellSouth shall design the system according to our network infrastructure to allow for the termination points specified by World Access.
- 8.3.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the following technical references:

- 8.3.4.1 ANSI T1.231-1993 American National Standard for Telecommunications -Digital Hierarchy - Layer 1 In-Service Digital Transmission performance monitoring.
- 8.3.4.1.1 ANSI T1.102-1993, American National Standard for Telecommunications -Digital Hierarchy - Electrical Interfaces;
- 8.3.4.1.2 ANSI T1.106-1988, American National Standard for Telecommunications -Digital Hierarchy - Optical Interface Specifications (Single Mode);
- 8.3.4.1.3 ANSI T1.107-1988, American National Standard for Telecommunications -Digital Hierarchy - Formats Specifications;
- 8.3.4.1.4 ANSI T1.107a-1990 American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);
- 8.3.4.1.5 ANSI T1.107b-1991 American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications;
- 8.3.4.1.6 Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;
- 8.3.4.1.7 Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;
- 8.3.4.1.8 Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.);
- 8.3.4.1.9 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991;
- 8.3.4.1.10 Telcordia (formerly BellCore) ST-TEC 000052, Telecommunications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;
- 8.3.4.1.11 Telcordia (formerly BellCore) ST-TEC-000051, Telecommunications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987;

9. Tandem Switching

9.1 Definition

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

- 9.2 Technical Requirements
- 9.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 9.4.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 9.4.2.1.2 Tandem Switching will provide screening as jointly agreed to by World Access and BellSouth;
- 9.4.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 9.4.2.1.4 Tandem Switching shall provide access to Toll Free number portability database as designated by World Access;
- 9.4.2.1.5 Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));
- 9.4.2.1.6 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 9.4.2.1.7 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.
- 9.4.2.2 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs, CAPs and CLEC switches.
- 9.4.2.3 Tandem Switching shall provide local tandeming functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC).
- 9.4.2.4 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.
- 9.4.2.5 Tandem Switching shall record billable events and send them to the area billing centers designated by World Access. Tandem Switching will provide recording of all billable events as jointly agreed to by World Access and BellSouth.

Version2Q99:06/08/99

- 9.4.2.6 Upon a reasonable request from World Access, BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its interconnections. The results and reports of the testing shall be made immediately available to World Access.
- 9.4.2.7 BellSouth shall maintain World Access's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.
- 9.4.2.8 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non discriminatory manner.
- 9.4.2.9 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth switching network shall be mutually agreed to by World Access and BellSouth.
- 9.4.2.10 Tandem Switching shall process originating toll-free traffic received from World Access local switch.
- 9.4.2.11 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 9.4.3 Interface Requirements
- 9.4.3.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.
- 9.4.3.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.
- 9.4.3.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.
- 9.4.3.4 Tandem Switching shall interconnect with World Access's switch, using two-way trunks, for traffic that is transiting via BellSouth network to interLATA or intraLATA carriers. At World Access's request, Tandem Switching shall record and keep records of traffic for billing.
- 9.4.3.5 Tandem Switching shall provide an alternate final routing pattern for World Access traffic overflowing from direct end office high usage trunk groups.
- 9.4.4 Tandem Switching shall meet or exceed (i.e., be more favorable to World Access) each of the requirements for Tandem Switching set forth in the following technical references:

- 9.4.4.1 Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90;
- 9.4.4.2 GR-905-CORE covering CCSNIS;
- 9.4.4.3 GR-1429-CORE for call management features; and GR-2863-CORE and Telcordia (formerly BellCore) GR-2902-CORE covering CCS AIN interconnection

10. Operator Systems

BellSouth agrees to offer access to operator systems pursuant to the terms and conditions following and at the rates set forth in this Attachment.

10.1 Definition

Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

10.2 Operator Service

10.2.1 Definition

Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

11.2.2 Requirements

- 10.2.2.1 When World Access requests BellSouth to provide Operator Services, the following requirements apply:
- 10.2.2.1.1 BellSouth shall complete 0+ and 0- dialed local calls.
- 10.2.2.1.2 BellSouth shall complete 0+ intraLATA toll calls.
- 10.2.2.1.3 BellSouth shall complete calls that are billed to World Access end user's calling card that can be validated by BellSouth.

- 10.2.2.1.4 BellSouth shall complete person-to-person calls.
- 10.2.2.1.5 BellSouth shall complete collect calls.
- 10.2.2.1.6 BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
- 10.2.2.1.7 BellSouth shall complete station-to-station calls.
- 10.2.2.1.8 BellSouth shall process emergency calls.
- 10.2.2.1.9 BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
- 10.2.2.1.10 BellSouth shall process emergency call trace, as they do for their End users prior to the Effective Date. Call must originate from a 911 provider.
- 10.2.2.1.11 BellSouth shall process operator-assisted directory assistance calls.
- 10.2.2.2 BellSouth shall adhere to equal access requirements, providing World Access local end users the same IXC access as provided to BellSouth end users.
- 10.2.2.3 BellSouth shall exercise at least the same level of fraud control in providing Operator Service to World Access that BellSouth provides for its own operator service.
- 10.2.2.4 BellSouth shall perform Billed Number Screening when handling Collect, Personto-Person, and Billed-to-Third-Party calls.
- 10.2.2.5 BellSouth shall direct customer account and other similar inquiries to the customer service center designated by World Access.
- 10.2.2.6 BellSouth shall provide a feed of customer call records in "EMI" format to World Access in accordance with CLECODUF standards specified in Attachment 7.

10.2.3 Interface Requirements

With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of World Access, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

10.3 Directory Assistance Service

10.3.1 Definition

Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

10.3.2 Requirements

- 10.3.2.1 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by World Access's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. If not available, World Access may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.
- 10.3.2.2 Directory Assistance Service Updates
- 10.3.2.2.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.2.2.1.1 New end user connections: BellSouth will provide service to World Access that is equal to the service it provides to itself and its end users;
- 10.3.2.2.1.2 End user disconnections: BellSouth will provide service to World Access that is equal to the service it provides to itself and its end users; and
- 10.3.2.2.1.3 End user address changes: BellSouth will provide service to World Access that is equal to the service it provides to itself and its end users;
- 10.3.2.3 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 Branding for Operator Call Processing and Directory Assistance

- 10.4.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to World Access end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows World Access to have its calls custom branded with World Access name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.
- 10.4.2 BellSouth offers four service levels of branding to World Access when ordering Directory Assistance and/or Operator Call Processing.
- 10.4.2.1 Service Level 1 BellSouth Branding

- 10.4.2.2 Service Level 2 Unbranded
- 10.4.2.3 Service Level 3 Custom Branding
- 10.4.2.4 Service Level 4 Self Branding (applicable only to World Access for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth).
- 10.4.3 For Resellers and Use with an Unbundled Port
- 10.4.3.1 BellSouth Branding is the Default Service Level.
- 10.4.3.2 Unbranding, Custom Branding, and Self Branding require World Access to order selective routing for each originating BellSouth end office identified by World Access. Rates for Selective Routing are set forth in this Attachment.
- 10.4.3.3 Customer Branding and Self Branding require World Access to order dedicated trunking from each BellSouth end office identified by World Access, to either the BellSouth Traffic Operator Position System (TOPS) or World Access Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.3.4 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by World Access to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4 For Facilities Based Carriers
- 10.4.4.1 All Service Levels require World Access to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which World Access requires service

Directory Assistance customized branding uses:

- the recording of the name;
- the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.

Operator Call Processing customized branding uses:

- the recording of the name;
- the front-end loading of the DRAM in the TOPS Switch;
- the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
- the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).
- 10.4.4.3 BellSouth will provide to World Access purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. World Access end users may use the same dialing arrangements as BellSouth end users, but obtain a World Access branded service.

10.5 Directory Assistance Database Service (DADS)

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to World Access end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, World Access agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, World Access authorizes the inclusion of World Access Subscriber listings in the BellSouth Directory Assistance products.
- 10.5.2 BellSouth shall provide World Access initially with a base file of subscriber listings which reflect all listing change activity occurring since World Access's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by World Access and BellSouth. World Access agrees to assume the costs associated with CONNECT: Direct [™] connectivity, which will vary depending upon volume and mileage.
- 10.5.3 BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to World Access on a Business, Residence, or combined Business and Residence basis. World Access agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after World Access receives the Base File.

- 10.5.4 BellSouth is authorized to include World Access Subscriber List Information in its Directory Assistance Database Service (DADS) and its Directory Publishers Database Service (DPDS). Any other use by BellSouth of World Access Subscriber List Information is not authorized and with the exception of a request for DADS or DPDS, BellSouth shall refer any request for such information to World Access.
- 10.5.5 Rates for DADS are as set forth in this Attachment.

10.6 Direct Access to Directory Assistance Service

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide World Access's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow World Access to utilize its own switch, operator workstations and optional audio subsystems.
- 10.6.2 BellSouth will provide DADAS from its DA location. World Access will access the DADAS system via a telephone company provided point of availability. World Access has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.
- 10.6.3 A specified interface to each World Access subsystem will be provided by BellSouth. Interconnection between World Access system and a specified BellSouth location will be pursuant to the use of World Access owned or World Access leased facilities and shall be appropriate sized based upon the volume of queries being generated by World Access.
- 10.6.4 The specifications for the three interfaces necessary for interconnection are available in the following documents:
- 10.6.4.1 DADAS to Subscriber Operator Position System—Northern Telecom Document CSI-2300-07; Universal Gateway/ Position Message Interface Format Specification
- 10.6.4.2 DADAS to Subscriber Switch—Northern Telecom Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification
- 10.6.4.3 DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern Telecom as a licensed access protocol—Northern Telecom Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification

10.6.5 Rates for DADAS are as set forth in this Attachment.

11. Signaling

BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

11.1 Definition of Signaling Link Transport

Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.

- 11.2 Technical Requirements
- 11.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 11.2.2 Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 11.2.2.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and
- 11.2.2.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).
- 11.2.3 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 11.2.3.1 An A-link layer shall consist of two links.
- 11.2.3.2 A B-link layer shall consist of four links.
- 11.2.4 A signaling link layer shall satisfy a performance objective such that:
- 11.2.4.1 There shall be no more than two minutes down time per year for an A-link layer; and
- 11.2.4.2 There shall be negligible (less than 2 seconds) down time per year for a B-link layer.

Attachment 2 Page 33

- 11.2.5 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 11.2.5.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 11.2.5.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

11.3 Interface Requirements

11.3.1 There shall be a DS1 (1.544 Mbps) interface at World Access-designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

12. Signaling Transfer Points (STPs)

- 12.1 Definition Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches
 - 12.2 Technical Requirements
 - 12.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
 - 12.2.1.1 BellSouth Local Switching or Tandem Switching;
 - 12.2.1.2 BellSouth Service Control Points/DataBases;
 - 12.2.1.3 Third-party local or tandem switching;
 - 12.2.1.4 Third-party-provided STPs.
 - 12.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to BellSouth SS7 network. This explicitly includes the use of BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to BellSouth SS7 network (*i.e.*, transient messages). When BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 12.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between an World Access local switch and third party local switch, BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between World Access local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 12.2.4 STPs shall provide all functions of the MTP as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. This includes:
- 12.2.4.1 Signaling Data Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements,
- 12.2.4.2 Signaling Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements, and
- 12.2.4.3 Signaling Network Management functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements.
- 12.2.5 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a World Access or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a World Access database, then World Access agrees to provide BellSouth with the Destination Point Code for World Access database.
 - 12.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12.4.5 of this Attachment. All OMAP functions will be on a "where available" basis and can include:
 - 12.2.6.1 MTP Routing Verification Test (MRVT) and
 - 12.2.6.2 SCCP Routing Verification Test (SRVT).
 - 12.2.7 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is an World Access or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall

perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by World Access and BellSouth.

- 12.2.8 STPs shall be on parity with BellSouth.
- 12.2.9 SS7 Advanced Intelligent Network (AIN) Access
- 12.2.9.1 When technically feasible and upon request by World Access, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with World Access SS7 network to exchange TCAP queries and responses with an World Access SCP.
- 12.2.9.2 SS7 AIN Access shall provide World Access SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and World Access SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing World Access SCP as at least at parity with BellSouth's SCP's in terms of interfaces, performance and capabilities.

12.3 Interface Requirements

- 12.3.1 BellSouth shall provide the following STPs options to connect World Access or World Access-designated local switching systems or STPs to BellSouth SS7 network:
- 12.3.1.1 An A-link interface from World Access local switching systems; and,
- 12.3.1.2 A B-link interface from World Access local STPs.
- 12.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.
- 12.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting World Access local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities

of BellSouth STPs. BellSouth and World Access will work jointly to establish mutually acceptable SPOIs.

- BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and World Access will work jointly to establish mutually acceptable SPOIs.
- 12.3.5 BellSouth shall provide MTP and SCCP protocol interfaces that shall conform to all sections relevant to the MTP or SCCP in the following specifications:
- 12.3.5.1 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 12.3.5.2 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

12.3.6 Message Screening

- 12.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from World Access local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where World Access switching system has a legitimate signaling relation.
- 12.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from World Access local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where World Access switching system has a legitimate signaling relation.
- 12.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from World Access from any signaling point or network interconnected through BellSouth's SS7 network where World Access SCP has a legitimate signaling relation.
- 12.4 STPs shall be equal to or better than all of the requirements for STPs set forth in the following technical references:
- 12.4.1 ANSI T1.111-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Message Transfer Part (MTP);
- 12.4.2 ANSI T1.111A-1994 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement;

Version2Q99:06/08/99

- 12.4.3 ANSI T1.112-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP);
- 12.4.4 ANSI T1.115-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks;
- 12.4.5 ANSI T1.116-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP);
- 12.4.6 ANSI T1.118-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI);
- 12.4.7 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP); and
- 12.4.8 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

13. Service Control Points/DataBases

13.1 Definition

- 13.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 13.1.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

13.2 Technical Requirements for SCPs/Databases

Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and

administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to World Access in accordance with the following requirements.

- 13.2.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 13.2.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 13.2.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

13.2.4 Database Availability

Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.

13.2.5 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for World Access customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

13.3 Local Number Portability Database

13.3.1 Definition

The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

13.4 Line Information Database (LIDB)

BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

13.4.1 Definition

The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains

records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth CCS network and other CCS networks. LIDB also interfaces to administrative systems.

13.4.2 <u>Technical Requirements</u>

BellSouth will offer to World Access any additional capabilities that are developed for LIDB during the life of this Agreement.

- 13.4.2.1 BellSouth shall process World Access's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to World Access what additional functions (if any) are performed by LIDB in the BellSouth network.
- 13.4.2.2 Within two (2) weeks after a request by World Access, BellSouth shall provide World Access with a list of the customer data items which World Access would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 13.4.2.3 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked, shall not exceed 30 minutes per year.
- 13.4.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 13.4.2.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 13.4.2.6 All additions, updates and deletions of World Access data to the LIDB shall be solely at the direction of World Access. Such direction from World Access will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 13.4.2.7 BellSouth shall provide priority updates to LIDB for World Access data upon World Access's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

- 13.4.2.8 BellSouth shall provide LIDB systems such that no more than 0.01% of World Access customer records will be missing from LIDB, as measured by World Access audits. BellSouth will audit World Access records in LIDB against DBAS to identify record mismatches and provide this data to a designated World Access contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to World Access within one business day of audit. Once reconciled records are received back from World Access, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact World Access to negotiate a time frame for the updates, not to exceed three business days.
- 13.4.2.9 BellSouth shall perform backup and recovery of all of World Access's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 13.4.2.10 BellSouth shall provide World Access with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between World Access and BellSouth.
- 13.4.2.11 BellSouth shall prevent any access to or use of World Access data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by World Access in writing.
- 13.4.2.12 BellSouth shall provide World Access performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by World Access at least at parity with BellSouth Customer Data. BellSouth shall obtain from World Access the screening information associated with LIDB Data Screening of World Access data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to World Access under the Bona Fide Request/New Business Process as set forth in General Terms and Conditions .
- 13.4.2.13 BellSouth shall accept queries to LIDB associated with World Access customer records, and shall return responses in accordance with industry standards.
- 13.4.2.14 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.

- 13.4.2.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 13.4.3 Interface Requirements BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 13.4.3.1 The interface to LIDB shall be in accordance with the technical references contained within.
- 13.4.3.2 The CCS interface to LIDB shall be the standard interface described herein.
- 13.4.3.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

13.5 Toll Free Number Database

The Toll Free Number Database is a SCP that provides functionality necessary for toll free (e.g., 800 and 888) number services by providing routing information and additional so-called vertical features during call set-up in response to queries from SSPs. BellSouth shall provide the Toll Free Number Database in accordance with the following:

- 13.5.1 Technical Requirements
- 13.5.1.1 BellSouth shall make BellSouth Toll Free Number Database available for World Access to query with a toll-free number and originating information.
- 13.5.1.2 The Toll Free Number Database shall return carrier identification and, where applicable, the queried toll free number, translated numbers and instructions as it would in response to a query from a BellSouth switch.
- 13.5.1.3 The SCP shall also provide, at World Access's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:
- 13.5.1.3.1 Network Management;
- 13.5.1.3.2 Customer Sample Collection; and
- 13.5.1.3.3 Service Maintenance
- 13.6 Automatic Location Identification/Data Management System (ALI/DMS)

The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

- 13.6.1 Technical Requirements
- 13.6.1.1 BellSouth shall offer World Access a data link to the ALI/DMS database or permit World Access to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to World Access immediately after World Access inputs information into the ALI/DMS database. Alternately, World Access may utilize BellSouth, to enter end user information into the data base on a demand basis, and validate end user information on a demand basis.
- 13.6.1.2 The ALI/DMS database shall contain the following end user information:
- 13.6.1.2.1 Name;
- 13.6.1.2.2 Address;
- 13.6.1.2.3 Telephone number; and
- 13.6.1.2.4 Other information as appropriate (e.g., whether a end user is blind or deaf or has another disability).
- 13.6.1.3 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless World Access requests otherwise and shall be updated if World Access requests, provided World Access supplies BellSouth with the updates.
- 13.6.1.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 13.6.1.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 13.6.2 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for World Access end users shall meet industry standards.

13.7 Directory Assistance Database

BellSouth shall make its directory assistance database available to World Access in order to allow World Access to provide its end users with the same directory assistance telecommunications services BellSouth provides to BellSouth end users. BellSouth shall provide World Access with an initial feed via magnetic tape and daily update initially via magnetic tape and subsequently via an electronic gateway to be developed mutually by World Access and BellSouth of end user address and number changes. Directory Assistance Services must provide both the ported and World Access telephone numbers to the extent available in BellSouth's database assigned to a end user. Privacy indicators must be properly identified to assure the non-published numbers are accurately identified.

- 13.8 <u>Calling Name (CNAM) Database Service</u>. The Agreement for Calling Name (CNAM) with standard pricing is included as Exhibit B to this Attachment. World Access must provide to its account manager a written request with a requested activation date to activate this service. If World Access is interested in requesting CNAM with volume and term pricing, World Access must contact its account manager to request a separate CNAM volume and term Agreement.
- 13.9 SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the following technical references:
- 13.9.1 GR-246-CORE, Bell Communications Research Specification of Signaling System Number 7, ISSUE 1 (Telcordia (formerly BellCore), December 199);
- 13.9.2 GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP). (Telcordia (formerly BellCore), March 1994);
- 13.9.3 GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service 6, Issue 1, Rev. 1 (Telcordia (formerly BellCore), October 1995);
- 13.9.4 GR-1149-CORE, OSSGR Section 10: System Interfaces, Issue 1 (Telcordia (formerly BellCore), October 1995) (Replaces TR-NWT-001149);
- 13.9.5 Telcordia (formerly BellCore) GR-1158-CORE, OSSGR Section 22.3: Line Information Database 6, Issue (Telcordia (formerly BellCore), October 1995);

Version2Q99:06/08/99

- 13.9.6Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface
Specification (CCSNIS) Supporting Toll Free Service (Telcordia (formerly
BellCore), May 1995); and
- 13.9.7 BOC Notes on BellSouth Networks, SR-TSV-002275, ISSUE 2, (Telcordia (formerly BellCore), April 1994).
- 13.10
 Service Creation Environment and Service Management System (SCE/SMS)

 Advanced Intelligent Network (AIN) Access.
- 13.10.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide World Access the capability that will allow World Access and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.
- 13.10.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to World Access. Scheduling procedures shall provide World Access equivalent priority to these resources
- 13.10.3 BellSouth SCP shall partition and protect World Access service logic and data from unauthorized access, execution or other types of compromise.
- 13.10.4 When World Access selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable World Access to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- 13.10.5 When World Access selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. World Access access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.10.6 When World Access selects SCE/SMS AIN Access, BellSouth shall allow World Access to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (*e.g.*, service customization and end user subscription).

14. DARK FIBER

Version2Q99:06/08/99

BellSouth agrees to offer access to Dark Fiber pursuant to the terms and conditions following and at the rates set forth in this Attachment. In Georgia, BellSouth is not required to construct the fiber if it is not available. In Kentucky, if BellSouth has plans to use the fiber in a three year planning period, there is no requirement to provide it. In all other states, BellSouth is not required to place the fibers if there are no fibers available. The Parties agree that Dark Fiber will be used in the provisioning of local service.

- 14.1.1 Dark Fiber is unused strands of optical fiber. It may be strands of optical fiber existing in aerial or underground structure. No line terminating elements terminated to such strands to operationalize its transmission capabilities will be available. No regeneration or optical amplification will be included with this element.
- 14.2 Requirements
- 14.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available.
 BellSouth shall offer all Dark Fiber to World Access pursuant to the prices set forth in this Attachment.
- 14.2.2 World Access may test the quality of the Dark Fiber to confirm its usability and performance specifications.
- 14.2.3 BellSouth shall use its best efforts to provide to World Access information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from World Access ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation").
- 14.2.4 BellSouth shall use its best efforts to make Dark Fiber available to World Access within thirty (30) business days after it receives written confirmation from World Access that the Dark Fiber previously deemed available by BellSouth is wanted for use by World Access. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable World Access to connect or splice World Access provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.

15. SS7 Network Interconnection

15.1.1 Definition

SS7 Network Interconnection is the interconnection of World Access local Signaling Transfer Point Switches (STP) and World Access local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), World Access local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 15.1.2 Technical Requirements
- 15.1.2.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 15.1.2.1.1 BellSouth local or tandem switching systems;
- 15.1.2.1.2 BellSouth DBs; and
- 15.1.2.1.3 Other third-party local or tandem switching systems.
- 15.1.2.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and World Access or other third-party switching systems with A-link access to the BellSouth SS7 network.

If traffic is routed based on dialed or translated digits between an World Access local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between World Access local STPs and BellSouth or other third-party local switch.

- 15.1.2.3 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).
- 15.1.2.4 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
- 15.1.2.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 15.1.2.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 15.1.2.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 15.1.2.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In

particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an World Access local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of World Access local STPs, and shall not include SCCP Subsystem Management of the destination.

- 15.1.2.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 15.1.2.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 15.1.2.8 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 15.1.2.9 SS7 Network Interconnection shall be equal to or better than the following performance requirements:
- 15.1.2.9.1 MTP Performance, as specified in ANSI T1.111.6;
- 15.1.2.9.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 15.1.2.9.3 ISDNUP Performance, as specified in ANSI T1.113.5.
- 15.1.3 Interface Requirements
- 15.1.3.1 BellSouth shall offer the following SS7 Network Interconnection options to connect World Access or World Access-designated local or tandem switching systems or STPs to the BellSouth SS7 network:
- 15.1.3.1.1 A-link interface from World Access local or tandem switching systems; and
- 15.1.3.1.2 B-link interface from World Access STPs.
- 15.1.3.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling

links for interconnecting World Access local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and World Access will work jointly to establish mutually acceptable SPOI.

- 15.1.3.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and World Access will work jointly to establish mutually acceptable SPOI.
- 15.1.3.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the following specifications:
- 15.1.3.4.1 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 15.1.3.4.2 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 15.1.3.4.3 Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and
- 15.1.3.4.4 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 15.1.3.5 BellSouth shall set message screening parameters to block accept messages from World Access local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which World Access switching system has a legitimate signaling relation.
- 15.1.4 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the following technical references:
- 15.1.4.1 ANSI T1.110-1992 American National Standard Telecommunications Signaling System Number 7 (SS7) - General Information;
- 15.1.4.2 ANSI T1.111-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Message Transfer Part (MTP);

15.1.4.3	ANSI T1.111A-1994 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement;
15.1.4.4	ANSI T1.112-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP);
15.1.4.5	ANSI T1.113-1995 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Integrated Services Digital Network (ISDN) User Part;
15.1.4.6	ANSI T1.114-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Transaction Capabilities Application Part (TCAP);
15.1.4.7	ANSI T1.115-1990 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks;
15.1.4.8	ANSI T1.116-1990 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP);
15.1.4.9	ANSI T1.118-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI);
15.1.4.10	Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
15.1.4.11	Telcordia (formerly BellCore) GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service;
15.1.4.12	Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
15.1.4.13	Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and,

15.1.4.14 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

16. Basic 911 and E911

If World Access orders network elements and other services, then World Access is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.

16.1 Definition

Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

16.2 Requirements

- 16.2.1 Basic 911 Service Provisioning. For Basic 911 service, BellSouth will provide to World Access a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. World Access will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. World Access will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, World Access will be required to discontinue the Basic 911 procedures and being using E911 procedures.
- 16.2.2 E911 Service Provisioning. For E911 service, World Access will be required to install a minimum of two dedicated trunks originating from World Access serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. World Access will be required to provide BellSouth daily updates to the E911 database. World Access will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BeliSouth. If the E911 tandem trunks are not available, World Access will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. World Access shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 16.2.3 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on World Access beyond applicable charges for BellSouth trunking arrangements.
- 16.2.4 Basic 911 and E911 functions provided to World Access shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

<u>Detailed Practices and Procedures</u>. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and World Access to follow in providing 911/E911 services.

17. Rates

17.1. General

The prices that World Access shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

17.2. Operational Support Systems (OSS)

BellSouth has developed and made available the following mechanized systems by which World Access may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interface
EDI-PC	Electronic Data Interface – Personal Computer
TAG	Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS	AL, GA, LA, MS, SC	FL, KY, NC, TN
OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces	\$3.50	\$3.50
	SOMEC	SOMEC

Version2Q99:06/08/99

Incremental charge per LSR received from the	See applicable rate	\$19.99
CLEC by means other than one of the OSS	element	
interactive interfaces		SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event World Access provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

World Access will incur an OSS charge for an accepted LSR that is later canceled by World Access.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR.

Threshold Billing Plan

The Parties agree that World Access will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs **meets or** exceeds the threshold percentages shown below:

Year	Ratio: Mechanized/Total LSRs
1 999	70%
2000	80%
2001	90%

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

The Parties agree that any charges BellSouth is unable to bill on April 15, 1999 will be trued up on or about July 1, 1999.

17.3 **True-up**

This section applies only to North Carolina and Tennessee.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

1. The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.

2. The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:

- BellSouth and CLEC is entitled to be a full Party to the proceeding;
- (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
- (c) It shall include as an issue the geographic deaveraging of network element and other services prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

Version2Q99:06/08/99

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

I. SCOPE

A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of the Local Exchange Company and pursuant to which BST, its LIDB customers and Local Exchange Carrier shall have access to such information. Local Exchange Carrier understands that BST provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.

- B. LIDB is accessed for the following purposes:
 - 1. Billed Number Screening
 - 2. Calling Card Validation
 - 3. Fraud Control

C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, billto-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify the Local Exchange Company of fraud alerts so that the Local Exchange Company may take action it deems appropriate. Local Exchange Company understands and agrees BST will administer all data stored in the LIDB, including the data provided by Local Exchange Company pursuant to this Agreement, in the same manner as BST's data for BST's end user customers. BST shall not be responsible to Local Exchange Company for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

Local Exchange Company understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Local Exchange Company further

Version2Q99:06/08/99

understands that these billing and collection customers of BST query BST's LIDB to determine whether to accept various billing options from end users. Additionally, Local Exchange Company understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on Local Exchange Company's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate Local Exchange Company's data from BST's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

(a) The Local Exchange Company agrees that it will accept responsibility for telecommunications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. Local Exchange Company authorizes BST to place such charges on Local Exchange Company's bill from BST and agrees that it shall pay all such charges. Charges for which Local Exchange Company hereby takes responsibility include, but are not limited to, collect and third number calls.

(b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.

(c) Local Exchange Company shall have the responsibility to render a billing statement to its end users for these charges, but Local Exchange Company's obligation to pay BST for the charges billed shall be independent of whether Local Exchange Company is able or not to collect from the Local Exchange Company's end users.

> (d) BST shall not become involved in any disputes between Local Exchange Company and the entities for which BST performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Local Exchange Company. It shall be the responsibility of the Local Exchange Company and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

Version2Q99:06/08/99

This Agreement will be effective as of ______, 199_, and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

III. FEES FOR SERVICE AND TAXES

A. The Local Exchange Company will not be charged a fee for storage services provided by BST to the Local Exchange Company, as described in Section I of this Agreement.

B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by the Local Exchange Company. The Local Exchange Company shall have the right to have BST contest with the imposing jurisdiction, at the Local Exchange Company's expense, any such taxes that the Local Exchange Company deems are improperly levied.

IV. INDEMNIFICATION

To the extent not prohibited by law, each Party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying Party or its agents or contractors in connection with the indemnifying Party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying Party under this Section agrees to defend any suit brought against the other Party for any such loss, cost, claim, injury or liability. The indemnified Party agrees to notify the other Party promptly, in writing, of any written claims, lawsuits, or demands for which the other Party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying Party shall not be liable under this Section for settlement by the indemnified Party of any claim, lawsuit, or demand has been tendered to it in writing and the indemnifying Party has unreasonably failed to assume such defense.

V. LIMITATION OF LIABILITY

Neither Party shall be liable to the other Party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other Party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

VI. MISCELLANEOUS

A. It is understood and agreed to by the Parties that BST may provide similar services to other companies.

B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either Party to violate any such legal or regulatory requirement and either Party's obligation to perform shall be subject to all such requirements.

C. The Local Exchange Company agrees to submit to BST all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and the Local Exchange Company further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.

D. This Agreement constitutes the entire Agreement between the Local Exchange Company and BST which supersedes all prior Agreements or contracts, oral or written representations, statements, negotiations, ...

E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.

F. Neither Party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers.

Version2Q99:06/08/99

G. This Agreement shall be deemed to be a contract made under the laws of the State of Georgia, and the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such State.

FACILITIES BASED ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

I. GENERAL

This Addendum sets forth the terms and conditions for Local Exchange Company's provision of billing number information to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number information provided by Local Exchange Company, and BST will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. DEFINITIONS

A. Billing number - a number that the Local Exchange Company creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

B. Line number - a ten digit number that identifies a telephone line administered by the Local Exchange Company.

C. Special billing number - a ten digit number that identifies a billing account established by the Local Exchange Company.

D. Calling Card number - a billing number plus PIN number.

E. PIN number - a four digit security code assigned by the Local Exchange Company which is added to a billing number to compose a fourteen digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by the Local Exchange Company.

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number, Calling Card number and toll billing exception indicator provided to BST by the Local Exchange Company.

III. RESPONSIBILITIES OF PARTIES

A. The Local Exchange Company will provide its billing number information to BST's LIDB each business day by a method that has been mutually agreed upon by both Parties.

B. BST will store in its LIDB the billing number information provided by the Local Exchange Company. Under normal operating conditions, BST shall include the Local Exchange Company's billing number information in its LIDB no later than two business days following BST's receipt of such billing number information, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the Local Exchange Company's working telephone numbers.

C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.

D. BST is authorized to use the billing number information provided by the Local Exchange Company to perform the following functions for authorized users on an on-line basis:

I. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by the Local Exchange Company, and where the last four digits (PIN) are a security code assigned by the Local Exchange Company.

2. Determine whether the Local Exchange Company or the subscriber has identified the billing number as one which should not be billed for collect or third number calls, or both.

E. The Local Exchange Company will provide its own billing number information to BST for storage and to be used for Billed Number Screening and Calling Card Validation. The Local Exchange Company will arrange and pay for transport of updates to BST.

IV. COMPLIANCE

Version2Q99:06/08/99

Unless expressly authorized in writing by the Local Exchange Company, all billing number information provided

.

pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

.

EXHIBIT B

CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

1.00 DEFINITIONS

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides World AccessWorld Access the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

SERVICE CONTROL POINTs (SCPs) - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTs (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

Version2Q99:06/08/99

2.0 ATTACHMENT

- 2.01 This Attachment contains the terms and conditions where BellSouth will provide to World Access access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.02 World Access shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to World Access's access to BellSouth's CNAM Database Services and shall be addressed to World Access's Account Manager.

3.00 PHYSICAL CONNECTION AND COMPENSATION

- 3.01 BellSouth's provision of CNAM Database Services to World Access requires interconnection from World Access World Access to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.02 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, World Access World Accessshall provide its own CNAM SSP. World Access's World AccessCNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.03 If World Access elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that World Access desires to query.
- 3.04 Out-Of-Region Customers

If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's (formerly BellCore's) CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties in writing and shall, by this reference become an integral part of this Agreement.

4.00 CNAM RECORD INITIAL LOAD AND UPDATES

- 4.01 The mechanism to be used by World Access for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by World Access in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of World Access to provide accurate information to BellSouth on a current basis.
- 4.02 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.03 World Access CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

4

		RATE\$ BY STATE											
ESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN			
		NA	\$1.08	NA	\$1.60	NA		\$0.52	. NA				
D (all types), per month	UNDAX		\$1.05	<u> </u>	\$1.00	RIA	NA	30.52	• NA	\$0.5			
stallation of 2-Wire/4Wire CLEC NID	UNDAX		670.22	NA	NA	NA		NA	NA				
NRC - 1st	UNDAX	NA NA	\$70.32 \$54.35	NA	NA	NA NA	NA NA	NA NA		NA NA			
NRC · Add'I	UNDAX								NA	NA			
ID to NID Cross Connect, 2-Wire or 4-Wire, NRC	UNDC2	NA	\$6.15	NA NA	NA	NA	NA	NA	NA	N/A			
ID per 2-Wire Analog VG Loop, Per Month	UNDAX	\$1.18	NA	\$1.10	NA	\$1.09	\$1 22	NA	\$1.13	N/			
NRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1.36	NA			
NRC - Add'l	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2 84	NA	\$1.36	N/			
NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	N/			
NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	N			
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$44 42	N/			
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	N/A			
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA			
ID per 4-Wire Analog VG Loop, Per Month	UNDAX	\$1.30	NA	\$1.21	NA	\$1.22	\$1.34	NA	\$1.25	NA			
NRC - tsi	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1.35	NA			
NRC - Add'i	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1.35	NA			
NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA			
NRC - Disconnect Charge - A001	UNDAX	\$1.44	NA NA	NA	NA	\$2.01	\$2.84	NA	NA	N/			
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$44.06	N/			
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	N/			
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11,41	\$16.06	NA	NA	NA			
ID per 2. Wire ISON Digital VG Loop, Per Month	UNDAX	\$1.18	NA	\$1.10	NA	\$1.08	\$1.22	NA	\$1.13	NA			
INRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1 36	NA			
NRC - Add1	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1 36	NA			
NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA			
NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA			
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$44.42	NA			
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	NA			
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA			
ID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per Mo.	UNDAX	\$1.18	T NA	\$1.10	NA	\$1.09	\$1.22	NA	\$1.13	NA			
NEC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1.36	NA			
NRC - Add'I	UNDAX	\$1.44	NA NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1.36	NA			
NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA				
NRC - Disconnect Charge - Add')	UNDAX	\$1.44	NA NA		NA	\$2.01	\$2.84	NA	NA	N/			
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18,94	NA	\$18.14	\$25.52	NA NA	\$44.42	NA NA			
	SOMAN	\$12.97	- NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	N/4			
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$17.77	NA NA	NA	NA	\$11.41	\$16.06	NA	NA NA	NA NA			
NRC - Incremental Charge - Manual Service Order - Disconnect	UNDAX	\$1.18	NA NA	\$1.10	NA	\$1.09	\$1.22	NA NA	\$1.13	NA NA			
IID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop		\$1.10	NA	\$2.10		\$2.02	\$2.84	NA	\$1.36				
NRC - 1st		\$1.44	NA NA	\$2.10	NA	\$2.02	\$2.84	NA		NA			
NRC - Add1		\$1.44	NA NA	NA NA	NA	\$2.01	\$2.84	NA NA	\$1.36	NA			
NRC - Disconnect Charge - 1st					NA NA	\$2.01	\$2.84		NA	NA			
NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	NA	NA	NA NA	\$18.14	\$25 52	NA	NA	NA			
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94				NA	\$44 42	N/			
NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN SOMAN	\$12.97	NA NA	\$8.42	NA NA	\$8.06 \$11.41	\$11.34 \$16.06	NA	\$13.55	N/			
NRC - Incremental Charge - Manual Service Order - Disconnect		\$17.77		NA	NA NA	\$1.21	\$10.00	NA NA	NA	N/			
tiD per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop	UNDAX	\$1.30							\$1 25	N/			
NRC - 1st	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1.35	NA			
NRC - Add'i	UNDAX	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1 35	NA			
NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	<u>N/</u>			
NRC - Disconneci Charge - Add1	UNDAX	\$1.44	NA	NA	NA	\$2.01	\$2 84	NA	NA	NA			
NRC - Incremental Charge - Menual Service Order - 1st	SOMAN	\$27 37	NA	\$18.94	NA	\$18 14	\$25 52	NA	\$44.06	NĀ			
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	NA			
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA NA	NA \$1.21	NA NA	\$11.41	\$16.06 \$1.34	NA NA	\$1.25	NA			
NID per 4-Wire 56 Kbps Dig Grade Loop										NA			

Altachment 2 Exhibit C Rates - Page 1

_

- 1

.

r

- m

.

rates contained within this Exhibit were negotiated as a whole within the negotiations of the ferr		1				ATES BY STAT				
SCRIPTION		AL \$1.44	FL NA	GA \$2.10	NA NA	LA \$2.02	MS \$2 84	NC NA	\$C \$1 35	
NRC - Add'i			NA NA	32.10 NA	NA	\$2.02	\$2.84	NA NA	NA	NA
NRC - Disconnect Charge - 1st		\$1.44	NA NA	NA NA	NA	\$2.01	\$2.84	NA	NA NA	NA NA
NRC - Disconnect Charge - Addi	SOMAN	\$1.44 \$27.37	NA NA	\$18.94	NA NA	\$18.14	\$25.52	NA	\$44.06	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$12.97	- NA	\$8 42	NA	\$8.06	\$11.34	NA NA	\$13 55	N/
NRC - Incremental Charge - Manual Service Order - Add1		\$17.77	NA NA	NA	NA	\$11.41	\$16.06	NA NA	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN			\$1.21	NA	\$1.21	\$1.34	NA NA	\$1.25	- NA
D per 4-Wire 64 Kbps Dig Grade Loop	UNDAX	\$1.30	NA NA	\$2.10	NA NA	\$2.02	\$2.84	NA NA	\$1.25	- NA
NRC - 1si	UNDAX	\$1.44			NA	\$2.02	\$2.84	NA NA	\$1.35	NV
NRC - Add1	UNDAX	\$1.44	NA	\$2.10 NA	NA	\$2.01	\$2.84	NA NA	NA NA	
NRC - Disconnect Charge - 1st	UNDAX	\$1.44	NA	NA NA	NA NA	\$2.01	\$2.84	NA NA	NA NA	
NRC - Disconnect Charge - Add1	UNDAX	\$1.44	NA							
NRC - Incremental Charge - Manual Svc Ord - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$44.06	N/
NRC - Incremental Charge - Manual Svc Ord - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	N/
NRC - Incremental Charge - Manual Svc Ord - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA .	NA	NA
onrecurring Charge - customer transfer, feature additions, changes (1)		\$5.00	NA	NA	NA	NA	\$5.00	NA	NA	NA
DOP, EXCLUDING NOD										
Wire Analog VG Loop (Standard), per month	TBD	NA	NA	NA	\$18.20	NA	NA	NA	NA	NA
NRC - 1si		NA	NA	NA	\$86.08	NA	NA	NA	NA	. NA
NRC - Add1		NA	NA	NA	\$58.57	NA	NĂ	NA	NA	N/
Wire Analog VG Loop (Customized), per month	TBD	NA	NA	NA	\$21.41	NA	NA	NA	NA	N
NRC - 1st		NA	NA	NA	\$236.75	NA	NA	NA	NA	N
NRC - Add1		NA	NA	NA	\$177.10	NA	NA	NA	NA	N/
Wire Analog VG Loop (Standard), per month	TBD	NA	NA	NA	\$26.38	NA	NA	NA	NA	N/
INRC - 1st		NA	NA	NA	\$457.14	NA	NA	NA	NA	N/
NRC - Add'1		NA	NA	NA	\$346.83	NA	NA	NA	NA	NA NA
Wire ISDN Digital Grade Loop (Standard), per month	TBO	NA	NA	NA	\$29.65	NA	NA	NA	NA	N/
INRC - 1si		NA	NA	NA	\$541.28	NA	NA	NA	NA	N/
NRC - Add1		NA	NA	NA	\$431.61	NA	NA	NA	NA	N/
Wire ADSL Loop (Standard), per month	TBD	NA	NA	NA	\$10.63	NA	NA	NA.	NA NA	N/
NRC - 1st		NA	NA	NA	\$713.50	NA	NA	NA	NA	N/
NRC - Add1		NA	NA	NA	\$609.44	NA	NA	NA	NA	N
Wire HDSL Loop (Standard), per month	TBD	NA	NA	NA	\$7.40	NA	NA	NA	NA	N/
INRC - 1st		NA	NA -	NA	\$713.50	NA	NA	NA	NA	N
NRC - Add'l		NA	NA	NA	\$609.44	NA	NA	NA	NA	N/
-Wire HDSL Loop (Standard), per month	TBD	NA	NA	NA	\$9.70	NA	NA	NA	NA	N
NRC - 1sl		NA	NA	NA	\$748.93	NA	NA	NA	NA	N/
NRC - Add1		NA	NA	NA	\$646.17	NA	NA	NA	NA	NA NA
COP, WCLUDWG MBP -Wire Analog VG Loop, per month	UEAL2	1 NA	\$17.00	NA	NA	NA	NA	\$16.71	NA	\$18.
Whe Analog vo Loop, per monan										BSTG
	UEAL2	NA	\$140.00	NA	NA	NA	NA	\$86.50	NA	A4.3
NRC - 1st								1		BST G
	UEAL2	NA	\$42.00	NA NA	NA	NA NA	NA	\$27 80	NA	A4 3
NRC - Addi	OCOSL	NA	\$55.00	NA	NA NA	NA	NA	\$55.00	NA	\$55
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	UEAL2	\$19.04	\$17.00	\$16.51	NA NA	\$19.35	\$21.26	\$16.71	\$22.49	\$18
Wire Analog VG Loop-SL1, per month	UEAL2	\$59.03	\$80.00	\$42.54	NA -	\$40.69	\$59.25	\$86 50	\$70.44	\$78
NRC - 1st	UEAL2	\$13.14	\$55.00	\$31.33	NA	\$29.96	\$43.67	\$27.80	\$44.05	\$50.
NRC - Add1		\$15.21		NA	NA	\$16.48	\$16.35	NA	NA	1 NA
NRC - Disconnect Charge - 1st	UEAL2		NA NA	NA NA		\$3.36	\$4.06	NA	NA NA	NA NA
NRC - Disconnect Charge - Add1	UEAL2	\$3.22	NA NA					the second s	544.22	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25 52	NA		N/
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	N/
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	N/A
NRC - Loop Make-Up	UEANM	TBD	TBD	TBD	TBD	TBO	TBD	TED	TBD	Tel
Wire Analog VG Loop-SL2, per month	UEAL2	\$22 43	\$17.00	\$19.57	NA	\$22.84	\$25.05	\$25.89	\$26.25	\$26
NRC - 1st	UEAL2	\$145.46	\$140.00	\$104.17	NA	\$99.69	\$144.01	\$192.64	\$178 12	\$192
NRC - Add1	UEAL2	\$108.40	\$42.00	\$78.10	NA	\$74 73	\$107.70	\$140.49	\$128.80	\$140
NRC - Disconnect Charge - 1st	UEAL2	\$40.31	NA	NA	NA	\$28.73	\$40.98	NA	NA	NA

Version2Q99:06/08/99

r

Attachment 2 Extwol C Rates - Page 2

r

e rates contained within this Exhibit were negotiated as a whole within the negotiations of the to						RATES BY STA		-		
ESCRIPTION				T	T			-1		
NRC - Disconnect Charge - Add1	USOC UEAL2	AL	FL	GA	KY	LA	MS	NC NC	sc	1
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$26.01	NA	NA	NA	\$18.87	\$26.95	NA	ŇA	
NRC - Incremental Charge - Manual Service Order - Addit	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA NA	\$44.42	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	\$17.77	NA	NA	NA	\$11.41	\$26.95	NA	NA	
Wire Analog VG Loop (Standard), per month	UEAL2	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$55.00	\$45.43	\$5
NRC - 1si	UEAL2	NA	NA	NA	\$20.00	NA	NA	NA	NA	
NRC - Addy	UEAL2	NA	NA	NA	\$86.08	NA	ŇĂ	NA	NA	-+;
NRC - Loop Make-up	UEANM	NA	NA	NA	\$58.57	NA	NA	NA	NA	-t;
NRC - Manual Order Coordination	UEAMC	NA	NA	NA	TBD	NA	NA	NA	NA	
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	NA	NA	NA	TBD	NA	NA	NA	NA	
Wire Analog VG Loop (Customized), per month	UEAL2	NA	NA	NA	\$55.00	NA	NA	NA	NA	+;
NRC - 1st	UEAL2	NA	NA	ŇA	\$23.35	NA	NA	NA	NA	
NRC - Add1	UEAL2	NA	NA	NA	\$236.75	NA	NA	NA	NA	i
NRC - Incremental Charge - Order Coordination - Time Specific (per order)		NA	NA	NA	\$177.10	NA	NA	NA	NA	
Wire Analog VG Loop, per month		NA	NA	NA	\$55.00	NA	NA	NA	NA	- · · ·
	UEAL4	\$30.00	\$30.00	\$25.86	NA	\$31.52	\$30.55	\$27.20	\$35.86	51
NRC - 1si			1							BST
	UEAL4	\$293.70	\$141.00	\$206.95	NA	\$198.10	\$289.06	\$86.50	\$383 39	A4
NRC - Add'i					T	1		1	4000.09	BST
NRC - Disconnect Charge - 1st	UEAL4	\$241.76	\$43.00	\$170.57	NA	\$163.26	\$238,19	\$27.80	\$286.77	A4
NRC - Disconnect Charge - Add'l	UEAL4	\$108.96	NA	NA	NA	\$74.27	\$108.14	NA	NA	
NRC - Incremental Charge - Manual Service Order - 1st	UEAL4	\$57.01	NÁ	NA	NA	\$39.44	\$57.28	1 NA	NA NA	
NRC - Incremental Charge - Manual Service Order - Md/1	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA NA	\$44.06	<u>N</u>
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA NA	NA	
Wire Analog VG Loop (Standard), per month	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$55.00	\$45.43	\$55
NRC - 1si	UEAL4	NA	NA	ŇĂ	\$28.28	NA	NA	NA	NA	N
NRC - Add'i	UEAL4	NA	NA	NA	\$457.14	NA	NA	NA -	NA	
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	UEAL4	NA	NA	NA	\$348.83	NA	NA	NA	NA	N
Wire ISDN Digital Grade Loop, per month	OCOSL	NA	NA NA	NA	\$55.00	NA	NA	NA NA	NA NA	N
	UIL2X	\$29.03	\$40.00	\$25.43	NA	\$27.36	\$29.83	\$27.20	\$32.47	N
NRC - 1st					1				\$32.47	\$18
	UIL2X	\$331.85	\$306.00	\$233.38	NA	\$223.27	\$326.38	\$276.96		BST
NRC - Add1						CLLC.L.	4020.00	\$4/0.90	\$423.04	A4
NRC - Disconnect Charge - 1st	U1L2X	\$255.67	\$283.00	\$180.35	NA	\$172.63	\$252.00	\$234.99	1 100 A 74	BST
NRC - Disconnect Charge - Add'l	U1L2X	\$108.95	NA	NA	NA	\$74.27	\$108.14	NA	\$301.75 NA	A4
NRC - Incremental Charge - Manual Service Order - 1st	Uilżx	\$57.01	NA	NA	NA	\$39.44	\$57 27	NA NA	NA NA	1. N
NRC - Incremental Charge - Manual Service Order - Add't	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA NA	\$44.42	N.
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$12.97	NA	\$6.42	NA	\$8.06	\$11.34	NA		N
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA NA	\$13.55 NA	N
Wire ISON Digital Grade Loop (Standard), per month	OCOSL	\$45.99	\$55.00	\$34.22	\$55.00	\$32.77	\$45.27	\$55.00		N
NRC - tsi	U1L2X	NA	NA	NA	\$31.99	NA	NA	855.00 NA	\$45.43 NA	\$55
NRC - Add1	UIL2X	NA	NA	NA	\$541.28	NA	NA	NA	NA NA	N
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	U1L2X	NA	NA	NA	\$431.61	NA	NA	NA	NA NA	N
Mire Asymmetrical Dig Subscriber Line (ADSL) Compatible Loop, per month	OCOSL	NA	NA	NA	\$55.00	-NA	NA	NA		N
NRC - tst	UAL2X	\$15.11	\$15.81	\$13.05	NA	\$15.39	\$14.83	\$17.00	NA \$20.81	N
NRC - Addi	UAL2X	\$514.21	\$113.85	\$359.73	NA	\$343.13	\$504.62	\$280.15		\$18
NRC - Disconnect Charge - 1st	UAL2X	\$464.58	\$99.61	\$325.15	NA	\$310.03	\$456 24	\$243.91	\$600.61 \$507.33	\$640
NRC - Disconnect Charge - Add'l	UAL2X	\$106.65	NA	NA	NA	\$72.54	\$105.86	NA		\$541
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$56.98	NA	NA	NA	\$39.42	\$57 25	NA	NA NA	N/
NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$27.37	NA	\$18.94	NA	\$16.14	\$25 52	NA NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Add't NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$25.52 \$11.34		\$44 42	NA NA
NEC - Incremental Charge - Manual Service Urder - Disconnect	SOMAN	\$17.77	NA	NA	NA NA	\$11.41	\$11.34 \$16.06	NA NA	\$13.55	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per order) Vire ADSL Loop (Standard), per month	OCOSL	\$45.99	\$55.00	\$34.22	NA NA	\$32.77		NA	NA	NA
NRC - 1st	UAL2X	NA	NA	NA	\$11.89	NA	\$45 27	\$55.00	\$45.43	\$55.0
NRC - Add1	UAL2X	NA	NA	NA	\$713.50	NA I	NA	NA	NA	NA
funce - Add I	UAL2X	NA	NA	NA	\$609.44	NA NA	NA NA	NA	NA	NA

Version2Q99:06/08/99

ſ

.

Attachment 2 Exhibit C Rates - Page 3

······································	·	AND OTHER SE	RVICES		<u> </u>					
rates contained within this Exhibit were negotiated as a whole within the negotiations of the tern	ns and conditions contained v	within the attachm	ient and each rati	a, term and cond	ition is interdepe	ndent upon the o	iher rates, terms	and conditions v	villion lifus Allachi	1001 <u></u>
						RATES BY STA	TE			
DESCRIPTION	usoc	AL	FL	GA	KY	LA	MS	NC	sc	TN
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	NA	NA	NA	\$55.00	NA	NA NA	NA	NA NA	NA
-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop, per month	UHL2X	\$11.76	\$12.12	\$9.15	NA	\$11.61	\$11.60	\$17.00	\$14.86	\$13.4
NRC - 1st	UHL2X	\$514.21	\$113.85	\$359.73	NA	\$343.13	\$504 82	\$280 15	\$600.61	\$640
NRC - Add1	UHL2X	\$464.58	\$99.61	\$325.15	NA	\$310.03	\$456.24	\$243.91	\$507.33	\$541
NRC - Disconnect Charge - 1st	UHL2X	\$106.65	NA	NA	NA	\$72.54	\$105.86	NA	NA	NA NA
NRC - Disconnect Charge - Add'	UHL2X	\$56.98	NA	NA	NA	\$39 42	\$57.25	NA	NA	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$44.42	NA
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$55.00	\$45.43	\$55.0
-Wire HDSL Loop (Standard), per month	UHL2X	NA	NA	NA	\$8.51	NA	NA	NA	NA	NA
NRC + 1st	UHL2X	NA	NA	NA	\$713.50	NA	NA	NA	NA	NA
NRC - Add1	UHL2X	NA	NA	NA	\$609.44	NA	NA	NA	NA	NA NA
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop, per month	UHIL4X	\$14.39	\$18.24	\$12.07	NA	\$16.39	\$14.14	\$27.20	\$19.73	\$17.9
NRC - 1st	UHL4X	\$541.13	\$116.91	\$378.86	NA	\$361.45	\$531.21	\$291.43	\$625.11	\$666
NRC - Add'l	UHL4X	\$491.50	\$101.71	\$344.28	NA	\$328.35	\$482.63	\$255 46	\$532.78	\$568.8
NRC - Disconnect Charge - 1st	UHL4X	\$106.65	NA	NA	NA	\$72.54	\$105.86	NA	NA	NA
NRC - Disconnect Charge - Add'l	UHL4X	\$56.98	NA	NA	NA	\$39.42	\$57 25	NA	NA -	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$44.06	NA
NRC - Incremental Charge - Manual Service Order - Add't	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSI.	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45 27	\$55.00	\$45.43	\$55.0
-Wire HDSL Loop (Standard), per month	UHL4X	NA	NA	NA	\$10.39	NA	NA	NA	NA	NA
NRC - 1st	UHL4X	NA	NA	NA	\$748.93	NA	NA	NA	NA	NA
NRC - Add'i	UHL4X	NA	NA	NA	\$646.17	NA	NA	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	NA	NA	NA	\$55.00	NA	NA	NA	NA	NA
Wire DS1 Digital Loop, per month	USLXX	\$64.65	\$60.00	\$64.52	\$67.96	\$72.66	\$69.59	\$151.50	\$72.55	TBD
NRC - 1si	USLOX	\$610.13	\$540.00	\$429.98	\$849.80	\$410.38	\$599.09	\$568.96	\$715.77	TBO
NRC - Add'l	USCXX	\$380.26	\$465.00	\$268.18	\$523 27	\$255.48	\$373.90	\$335.56	\$421.50	TBD
NRC - Disconnect Charge - 1st	USLXX	\$134.77	NA	NĂ	NA	\$92.35	\$133.53	NA	NA	NA NA
NRC - Disconnect Charge - Add')	USLXX	\$55.97	NA	NA	NA	\$38.44	\$56.25	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$43.77	NA NA
NRC - Incremental Charge - Manual Service Order - Add I	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	\$49.18	\$55.00	\$34.52	\$55.00	\$33.05	\$48 17	NA	\$48,47	NA
-Wire 56 Kbps Dig Grade Loop, per month	UDL56	\$34.15	\$48.33	\$29.92	NA	\$35.58	\$34.95	\$40.12	\$41.70	\$42.23
NRC - 1st	UDL56	\$498.05	\$654.72	\$348.55	NA	\$333.28	\$489.00	\$642.74	\$602.73	\$643.0
NRC - Add'i	UDL56	\$343.70	\$428.45	\$241.20	NA	\$230.50	\$337.93	\$421.02	\$393.50	\$421.2
NRC - Disconnect Charge - 1st	UDL56	\$129.62	NA	NA	NA	\$87.99	\$128.36	NA	\$44.06	NA
NRC - Disconnect Charge - Add'l	UDL56	\$64.25	NA	NA	NA	\$44.24	\$64.35	NA	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Add I	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA NA
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$55.00	\$45.43	\$55.00
Wire 64 Kbps Dig Grade Loop, per month	UDL64	\$34.15	\$48.33	\$29.22	NA	\$35.58	\$34.95	\$40 12	\$41.70	\$42.23
NRC - 1st	UDL64	\$498.05	\$654.72	\$348.55	NA	\$333.28	\$489.00	\$642.74	\$602.73	\$643.0
NRC - Add'I	UDL64	\$343.70	\$428.45	\$241.20	NA	\$230.50	\$337.93	\$421.02	\$393.50	\$421.2
NRC - Disconnect Charge - 1st	UDL64	\$129.62	NA	NA	NA	\$87.99	\$128.36	NA	\$393.50 \$44.06	3421.2 NA
NRC - Disconnect Charge - Add1	UDL64	\$64.25	NA	NA	NA	\$44.24	\$64.35	NA	\$13 55	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA NA	\$18.94	NA	\$18.14	\$25.52			
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA NA	\$9.42	NA	\$8.06	\$11.34	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA NA	NA NA	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$15.05	NA	NA	NA
	4444				,	JJL 11	343.21	\$55.00	\$45.43	\$55.00
Jabundied Loops via IDLC		NA	NA	NA	NA	NA	NA	Tu be		
UB-LOOPS								nogokaled	NA	\$0.00

Attachment 2 Exhibit C Rates - Page 4

r

Attachment 2 Exhibit C Rates - Page 5

BELLSOUTH/CLEC-1 RATES NETWORK ELEMENTS AND OTHER SERVICES

1

						RATES BY STAT	TE			
DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	sc	TN
Sub-Loop 2-Wire Analog										
oop Feeder per 2-Wire Analog VG Loop, per month	NA	NA	NA	\$8.58	NA	BFR	NA	NA NA	NA	NA
NRC - 1st	NA	NA	NA	\$206.44	NA	8FR	NA	NA	NA	NA
NRC - Add1	NA	NA	NA	\$170.05	NA	BFR	NA	NA	NA	NA NA
NRC - Disconnect Charge - 1st	NA	NA	NA	NA	NA	ØFR	NA.	NA	NA	NA
NRC - Disconnect Charge - Addit	NA	NA	NA	NA	NA	BFR	NA	NA	NA	NA NA
NRC • Incremental Charge - Manual Service Order - 1st	- NA	NA	NA	\$18.94	NA	BFR	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Add1	NA	NA	NA	\$8.42	NA	BFR	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	NA	NA	NA	NA	NA	BFR	NA	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	ÖCOSL	NA	NA	\$34.22	NA	ØFR	NA	NA	NA	NA NA
cop Distribution per 2-Wire Analog VG Loop (Including NID), per month	USBN2	NA	\$8.57	\$9.12	\$10.83	BFR	NA	NA	NA	\$9 79
NRC · 1sl	USBN2	NA	\$78.28	\$207.01	\$459.85	BFR	NA	NA	NA	\$587 0
NRC - Add1	ÜSBN2	NA	\$58.33	\$171.32	\$352.69	8FR	NA	NA	NA	\$255.0
NRC - Disconnect Charge - 1st	USBN2	NA	NA	NA	NA	BFR	NA	NA	NA	NA
NRC - Disconnect Charge - Add1	USBN2	NA	NA	NA	NA	BFR	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18.94	NA	BFR	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	\$8.42	NA	BFR	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA	NA	NA	NA	BFR	NA	NA	NA	ŃA
NRC - Incremental Charge - Order Coordination - Time Specific (per order)	OCOSL	NA	\$55.00	\$34.22	\$55.00	BFR	NA	NA	NA	\$55.0
oop Distribution per 2-Wire Analog VG Loop (Excluding ND), per month	NA	NA	NA	NA	\$9 .95	BFR	NA	NA	NA	\$9.23
NRC - 1st	NA	NA	NA	NA	\$459.85	BFR	NA	NA	NA	\$587 (
NRC - Add1	NA	NA	NA	NA	\$352.89	BFR	NA	NA	NA	\$255 (
cop Distribution per 4-Wire Analog VG Loop (Incl NID), per month	USBN4	NA	\$11.29	NA NA	NA	BFR	NA	NA	NA	NA
NRC - 1st	USBNA	NA	\$112.07	NA	NA	BFR	NA	NA	NA	NA
NRC - Add'i	USBN4	NA	\$92.11	NA	NA	BFR	NA	Ň	NA	NA
Inbundled Network Terminating Wire										1
UNTW Pair, per pair, per month	UENPP	NA	\$0.67	\$1.56	\$1.24	BFR	NA	NA	NA	\$1 31
Site Visit Survey, per MDU/MTU Complex, NRC	UENVS	NA	\$225.00	\$225.00	\$225.00	BFR	NA	NA	NA	\$225.0
Site Visit Set-Up - Terminal Preparation, per terminal										1
NRC - 1st lerminal	UENSS	NA	\$98.00	\$98.00	\$98.00	BFR	NA	NA	NA	\$98.0
NRC - Add'i terminal	UENSS	NA	\$65.00	\$65.00	\$65.00	BFR	NA	NA	NA	\$65.0
Access Terminal Provisioning & 1st 25 pair panel, per terminal, NRC	UENIT	NA	\$110.00	\$110.00	\$110.00	BFR	NA	NA	NA	\$1100
Existing Access Terminet Provisioning, 2nd 25 pair panel, per terminal, NRC	UEN2T	NA	\$35.00	\$35.00	\$35.00	BFR	NA	NA	NA	\$35.00
UNTW Pair Provisioning, per pair. NRC	UENPP	NA	\$9.00	\$9.00	\$9.00	BFR	NA	NA	NA	\$9.00
Service Visit for Provisioning, per request, per premises, NRC	UENSV	NA	\$55.00	\$55.00	\$55.00	BFR	NA	NA	NA	\$55 0
Manual Service Order, NRC	MOCLA	NA	\$45.00	\$45.00	\$45.00	BFR	NA	NA	NA	\$45.00
iub-Loop Concentration - Channelization Sys (Outside CO)		1					h			1
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	TBD	\$18.94	TBD	BFR	BFR	BFR	BFR	TBD
NRC - Incremental Charge - Menual Service Order - Add'l	SOMAN	\$12.97	TBD	\$8.42	T8D	BFR	BFR	BFR	BFR	TBD
TR908 - System A (96 channel capacity - channels 1-96), per month	UCTBA	BFR	\$792.49	\$724.79	\$757.00	BFR	BFR	BFR	BFR	\$683 7
NRC - 1st	UCTBA	ØFR	\$640.93	\$632.36	\$633.94	BFR	BFR	BFR	BFR	\$634 3
NRC - Add'i	UCT8A	BFR	\$315.03	\$310.82	\$311.60	BFR	BFR	BFR	BFR	\$311.7
TR008 - System B (96 channel capacity - channels 97-192), per month	UCT8B	BFR	\$155.32	\$92.91	\$95.60	BFR	BFR	BFR	BFR	\$102 1
INRC - 1si	UCT8B	BFR	\$640.93	\$632.36	\$633 94	BFR	BFR	BFR	BFR	\$634.3
NRC - Add'	UCTOB	BFR	\$315.03	\$310.82	\$311.60	BFR	BFR	BFR	BFR	\$3117
TR303 - System A (96 channel capacity - channels 1-96), per month	UCT3A	BFR	\$835.72	\$764.42	\$799.95	6FR	BFR	BFR	BFR	\$726.8
INRC - 1st	UCT3A	BFR	\$640.93	\$632.36	\$633.94	BFR	BFR	BFR	8FR	\$634 3
NRC - Add1	UCT3A	BFR	\$315.03	\$310.82	\$311 60	BFR	BFR	ØFR	BFR	\$3117
TR303 - System B (96 channel capacity - channels 97-192), per month	UCT3B	BFR	\$198.55	\$132.54	\$138.55	BFR	BFR	BFR	BFR	\$145 2
NRC - 1st	UCT38	BFR	\$640.93	\$632.36	\$633.94	BFR	BFR	BFR	BFR	\$634.3
NRC - Addi	UCT38	ØFR	\$315.03	\$310.82	\$311.60	BFR	BFR	BFR	BFR	\$3117
DS1 Feeder interface, per month	UCTES	AFR	\$78.43	\$72.12	\$77.02	BFR BFR	BFR	BFR	8FR	
NRC 1st	UCTFS	BFR	\$422.74	\$425.74	\$418.13	BFR	8FR	BFR	BFR	\$76.7
NRC Add1	UCTES	BFR	\$200.74	\$198.06	\$198.56	BFR	8FR	BFR		\$418 3
Channel Interface - 2 Wire Voice - Loop Start, per month	TBD	BFR	\$2.62	\$2.38	\$2.68	0FR	BFR	BFR	BFR	\$198.6
NRC 1st		BFR	\$42.39	\$41.82	\$41.92	BFR	BFR	OFR	BFR	\$2 61
NRC Addi	TBD	BFR	\$42.15	\$41.58	\$41.69	8FR	BFR	BFR	BFR	\$41 95 \$41 71

é

		I		·		RATES BY STA	TE			
DESCRIPTION	usoc	AL	FL	GA	КҮ	LA	MS	NG	sc	TN
Channel Interface - 2 Wire ISDN, per month	ULCC1	BFR	\$10.49	\$9 53	\$10.72	BFR	BFR	BFR	BFR	\$10.4
NRC 1st	ULĈC1	BFR	\$42.39	\$41 82	\$41.92	BFR	BFR	BFR	UFR	\$419
NRC Add1	ULCCI	BFR	\$42.15	\$41.58	\$41.69	BFR	BFR	BFR	BFR	\$417
Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month	TBD	BFR	\$15.59	\$14.17	\$15.94	8FR	BFR	BFR	BFR	\$15.5
NRC 1st	TBD	BFR	\$42.39	\$41.82	\$41.92	BFR	BFR	BFR	BFR	\$419
NRC Addi	TBD	BFR	\$42.15	\$41.58	\$41.69	BFR	BFR	BFR	BFR	\$417
Channel Interface - 4 Wire Voice, per month	ULCC4	BFR	\$9.30	\$8.45	\$9.50	BFR	BFR	BFR	BFR	\$9.2
NRC 1sl	ULCC4	BFR	\$42.39	\$41.82	\$41.92	8FR	BFR	BFR	BER	\$41 9
NRC Add1	ULCC4	BFR	\$42.15	\$41.58	\$41.69	BFR	BFR	BFR	BFR	\$41.7
Test Circuit, per month	UCTTC	ØFR	\$45.46	\$41.30	\$46.44	BFR	BFR	BFR	BFR	\$45 2
NRC 1st	UCTTC	858	\$42.39	\$41.82	\$41.92	BFR	BFR	BFR	BFR	\$41 9
NRC Addi	UCTTC	BFR	\$42.15	\$41.50	\$41.69	BFR	BFR	BFR	BFR	\$417
Channel Interface - Digital 56Kbps, per month	ULCC5	BFR	\$13.78	\$12.51	\$14.08	BFR	BFR	BFR	BFR	\$137
NRC 1st	ULCC5	BFR	\$42.39	\$41.82	\$41.92	BFR	BFR	BFR	BFR	\$419
NRC Add1	ULCC5	BFR	\$42.15	\$41.58	\$41.69	BFR	BFR	ØFR	8FR	\$417
Channel Interface - Digital 64Kbps, per month	ULCC6	BFR	\$13.78	\$12.51	\$14.08	BFR	BFR	BFR	BFR	\$13.7
NRC 1st	ULCCS	BFR	\$42.39	\$41.82	\$41.92	BFR	BFR	BFR	BFR	\$41.9
NRC Addi	ULCC6	ØFR	\$42.15	\$41.58	\$41.69	BFR	BFR	BFR	BFR	\$41.7
Loop Concentration System (Inside C.O.)						T	1	<u> </u>		1
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	TBD	\$18.94	TBD	\$18.14	\$25.52	TED	\$44.06	180
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$12.97	TBD	\$8.42	TBD	\$8.06	\$11.34	TBD	\$13.55	TBO
TR068 -System A (96 channel capacity - channels 1-96), per month	UCT8A	\$327.44	\$400.33	\$316.63	\$394.00	\$308.74	\$454.79	\$375.96	\$399.21	\$380.0
NRC - tsi	UCTBA	\$1,115.10	\$1,128.75	\$1,111.95	\$1,116.15	\$1,117.20	\$1,115 10	\$1,113.00	\$1,119.30	\$1,114
NRC - Add'I	UCTBA	NA	NA	NA	NA	NA	NA	NA	NA	NA
TR008 -System 8 (96 channel capacity - channels 97-192), per month	UCT8B	\$67.41	\$70.48	\$65.27	\$72.21	\$76.58	\$73.30	\$65.98	\$71.91	\$68.71
NRC - 1st	UCT6B	\$464.57	\$470.41	\$463.37	\$465.11	\$465.64	\$464 71	\$463.74	\$466.38	\$464.2
NRC - Add1	UCT88	NA	NA	NA	NA	NA	NA	NA	NA	NA
TR303 - System A (96 channel capacity - channels 1-96), per month	UCT3A	\$375.18	\$450.24	\$362.87	\$445.14	\$385.97	\$506.70	\$422.68	\$450.13	\$428.7
[NRC - 1st	UCT3A	\$1,115.10	\$1,128.75	\$1,111.95	\$1,116.15	\$1,117.20	\$1,115.10	\$1,113.00	\$1,119.30	\$1,114
NRC - Add1	UCT3A	NA	NA	NA	NA	NA	NA	NA	NA	NA
TR303 - System B (96 channel capacity - channels 97-192), per month	UCT38	\$111.30	\$118.76	\$110.02	\$121.45	\$129.05	\$123.52	\$111 17	\$121 16	\$115.7
INRC - 1st	UCT38	\$464.57	\$470.41	\$463.37	\$465.11	\$465.64	\$464.71	\$463.74	\$466.38	\$464.2
NRC - Add'i	UCT38	NA	NA	NA	NA	NA	NA	NA	NA	NA
DS1 Interface, per month	UCTCO	\$8.42	\$6.47	\$6.15	\$403.20	\$7.35	\$6.99	\$6 27	\$6 79	\$6 49
INRC 1st	UCTCO	\$367.70	\$372.32	\$366.72	\$132.18	\$368.54	\$367.80	\$367.04	\$369 13	\$367.4
NRC Add1	UCTCO	\$132.03	\$133.69	\$130.63	\$132.18	\$132.33	\$132.07	\$131.79	\$132.54	\$131.9
Channel Interface - 2 Wire Voice - Loop Start , per month	TBD	\$2.55	\$2.66	\$2.44	\$2.79	\$2.91	\$2.77	\$2.48	\$2 69	\$2 58
INRC 1st	TØD	\$35.77	\$36.23	\$35.68	\$35.82	\$35.86	\$35.78	\$35.71	\$35.91	\$35.74
NRC Addi	TØD	\$35.55	\$36.02	\$35,48	\$35 62	\$35 66	\$35.37	\$35.51	\$35.71	\$35.54
Channel Interface - 2 Wire ISON, per month	ULCCI	\$10.19	\$10.67	\$9.76	\$11.18	\$11.66	\$11 10	\$9.95	\$10.76	\$10 3
INRC 1st	ULCCI	\$35.77	\$36.23	\$35.68	\$35.82	\$35.86	\$35.78	\$35.71	\$35.91	
NRC Addi	ULCC1	\$35.55	\$36.02	\$35.48	\$35.62	\$35.66	\$35.37	\$35.51	\$35.71	\$35.7 \$35.5
Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month	TBD	\$15.15	\$15.85	\$14.51	\$18.62	\$17.33	\$16.46	\$14.80	\$16.01	
NRC 1si	TBO	\$35.77	\$36.23	\$35.68	\$35.82	\$35.86	\$35 78	\$35.71	\$35.91	\$15 3
INRC Add1	TBO	\$35.55	\$36.02	\$35.48	\$35.62	\$35.66	\$35.37	\$35.51	\$35.71	\$35 74 \$35 54
Channel Interface - 4 Wire Voice, per month	ULCCA	\$9.04	\$9.44	\$8,65	\$9.91	\$10.34	\$9.83	\$8.82	\$9.55	\$9 13
INRC 1st	ULCC4	\$35 77	\$36.23	\$35.68	\$35.82	\$35.86	\$35.78	\$35.71	\$35.91	
NRC Addi	ULCCA	\$35.55	\$36.02	\$35.48	\$35.62	\$35.66	\$35.37	\$35.51	\$35.91	\$35.74
Test Circuit, per month	UCTIC	\$44.16	\$46.14	\$42.30	\$48.43	\$50.53	\$47.85	\$43.13	\$46.66	
INRC 1st	UCTTC	\$35.77	\$36.23	\$35.68	\$35.82	\$35,86	\$35.78	\$35.71		\$44.65
NRC Addi	UCTTC	\$35.55	\$36.02	\$35.48	\$35.62	\$35.66	\$35.78	\$35.71	\$35.91	\$35 74
Channel Interface - Digital 56Kbps, per month	ULCCS	180	TBD	T8D	\$33.62 TBD	18D	335.37 TBD		\$35.71	\$35.54
INRC 1st	ULCC5	TBD	TBD	T60	TBD	TBD		180	TBD	180
NRC Add1	ULCCS	180 180	TBD	TBD	TBD	T8D	TBD	TBD	TBD	TBD
Channel Interface - Digital 64Kbps, per month	VLCCS	180	TBD	TED	TBD	180	TBD	TBD	TBD	18D
NRC 1st	ULCCE	TBD	TBD	TBD	TBD		TBD	180	TBD	TBD
NRC Add1	1 00000		1 100	1 100	1802	TBD	TBD	TBD	TBD	TBD

Atlachment 2 Exhibit C Rates - Page 6

Allachinant 2 Exhibit C Rates - Page 7

1

BELLSOUTH/CLEC 1 RATES NETWORK ELEMENTS AND OTHER SERVICES

1

	A	ID OTHER SERV	ILES							
rates contained within this Exhibit were negoliated as a whole within the negoliations of the terms a	nd conditions contained with	hin the altachmen	I and each rate,	term and condit	ion is interdepen	dent upon the oth	er rates, terms a	nd conditions will	hin this Altachu	1801.
rates contained within this Exhibit were negotiated as a writte within the negotiation of					R	ATES BY STAT	E	r	·	
			FL	GA	KY	LA	MS	NC	SC	TN
SCRIPTION	USOC	AL.								
DCAL EXCHANGE SHITCHING (PORTS)	(++) Bus = TNPBL									1
	Res = TNPRL	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2,35	\$1.9 BST G
Wire Analog Line Port (Res., Bus.), per month						6 40 40	\$22,98	\$24.04	\$24.98	A4.3
	UEPRL	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.90	\$24.04	424.00	BSTG
NRC - tsi (Residence)		404.00	\$15.00	\$17.16	\$37.78	\$16,43	\$22.98	\$9.08	\$24.98	A4 3
NRC - Add'1 (Residence)	UEPRL	\$21.93								8ST G
	UEPBL	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$24.04	\$24.98	A4 3
NRC - 1st (Business)										BSTG
	UEPBL	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$9.08 NA	\$24 98 NA	A4.3
NRC - Add'I (Business)	UEPBL	\$5.21	NA	NA	NA	\$4.38 \$4.38	\$6.56 \$6.56	NA	NA	
NRC - Disconnect Charge - 1st	UEPBL	\$5.21	NA	NA	NA	\$18,14	\$25.52	NA NA	\$44.42	NA
NRC - Disconnect Charge - Add') NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94 \$8.42	NA	\$8,06	\$11.34	NA	\$14.63	NA
Theory Annual Charge Hannal Secure Drife - A002	SOMAN	\$12.97 \$17.77	- NA	NA	NA	\$10.39	\$16.06	NA	NA	NA
Autor Instrumental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$1.44	NA	NA	NA	NA	NA	NA	NA	NA
- Intro Internetal Chargo, Manual Service Order - Disconnect - Agu	UEP++	\$7.62	NA	NA ·	NA	NA	\$8.86	NA	\$8.64	NA
2-Wire Analog Line Port (Res., Bus.) including an available reatures, per motion	UEP++	\$46.65	NA	NA	NA	NA	\$44.40	NA	\$61.22	N/ N/
NRC - 1st (all types)	UEP++	\$46.65	NA	NA	NA	NA	\$44.40	NA NA	\$61.22 NA	N/
NRC - Add'1 (all types)	UEP++	\$18.41	NA	NA	NA	NA NA	\$19.68 \$19.68	NA NA	NA NA	- NA
NRC - Disconnect Charge - 1st	UEP++	\$18.41	NA	NA	NA NA	NA NA	\$25.52	NA	\$44.42	NA NA
NRC - Disconnect Charge - Add'l NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	NA	NA NA	NA	\$11,34	NA	\$14.63	NA
Turno Insumental Charge - Manual Service Order - Add	SOMAN	\$12.97	NA NA	NA NA	- NA	NA NA	\$16.06	NA	NA	NA
International Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA NA	- NA	NA NA	NA	NA	NA	NA	NA
AUDO Instance of Charge - Manual Service Drifer - Disconnect - Audi	UEP++	NA NA	NA	NA	NA	NA	\$5.42	NA	\$5.38	NA
2-Wire Analog Line Port (Res., Bus.) Including three evaluable feature, per month	UEP++	- NA	NA	NA	NA	NA	\$26.04	NA	\$29.51	NA
NRC - 1st (all types)	UEP++	T NA	NA	NA	NA	NA	\$26.04	NA	\$29.51	NA
NRC - Add1 (al types)	UEP++	NA	NA	NA	NA	NA	\$8.20 \$8.20	NA NA	NA NA	NA NA
NRC - Disconnect Charge - 1st	UEP++	NA	NA	NA	NA	NA NA	\$25.52	NA	544 42	N/
NRC - Disconnect Charge - Add'l NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA NA	NA NA	\$11.34	NA	\$14.63	1 NV
INDC Incremental Charge - Manual Service Order - Add1	SOMAN	NA	NA NA	NA NA	NA	NA NA	\$16.06	NA	NA	- N
Laton Insumental Charge - Manual Service Order - Disconnect - 151	SOMAN	NA NA	NA NA	T NA	- NA	NA	NA	NA	NA	Ň
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	SOMAN UEP4A	- NA	\$9.14	\$8.47	NA	\$10.13	\$9.60	\$3.15	\$2.28	N
4-Wire Analog VG Port, per month	UEP4A	NA NA	\$5.86	\$17.16	NA	\$16.43	\$22.98	\$24.17	\$3.50	N/
NRC - 1st	UEP4A	NA	\$5.86	\$17.16	NA	\$16.43	\$22.98	\$9.63	\$3.50	N/
NRC - Add'l	ØFR	NA	NA	NA	NA	\$3.77	\$6.56	NA	NA NA	N/
NRC - Disconnect Charge - 1st	BFR	NA	NA	NA	NA NA	\$3.77	\$6.56 \$25.52	NA	NA	N
NRC - Disconnect Charge - Add1 NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18.94 \$8.42	1- <u>NA</u>	\$8.06	\$11.34	NA	NA NA	N N
Talloc Incomposed Charge - Magual Service Order - Add)	SOMAN	NA	NA NA	NA NA	NA NA	\$8.94	\$16.06	NA	NA	N
NRC - Incremental Charge - Manuel Service Order - Disconnect - 1st	SOMAN	NA \$12.08	TBD	\$11.35	NA	\$13.12	\$14.63	\$12.68	\$12.08	\$12
2-Wire DID Port, per month	VEPP2	\$12.00					1			BST
	UEPP2	\$50.00	TBD	\$61.91	NA	\$59.28	\$83.09	\$50.00	\$50.00	A4.
NRC - 1st			1		1		1		}	BST
	UEPP2	\$18.00	TBD	\$61.91	NA	\$59 28	\$83.09	\$18.00	\$50.00	A4
NRC - Add'l	UEPP2	NA	NA	NA	NA	\$9 20	\$13.48	NA NA	NA	N
NRC - Disconnect Charge - 1st	UEPP2	NA	NA	NA	NA NA	\$9 20 \$18,14	\$13.48	NA NA	NA	N
NRC - Disconnect Charge - Add'l NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18.94 \$8.42	NA NA	\$8.06	\$11.34	NA NA	NA NA	- N
Thico, tesses estal Charge - Magual Service Order - Add'	SOMAN	NA NA	NA	NA NA	NA NA	\$10.39	\$16.07	NA	NA	N
INRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN UEPDD	\$130.23	\$125.00	\$120.80	NA	\$149.27	\$146.46	\$120.00	\$130.23	\$120
4-Wire DS1 Port w/DID capability, per month	ULPOU	+130.23		+				1	Ţ	το
	UEPOD	\$50.00	\$112.00	\$89.44	NA	\$85.63	\$117.81	\$145.00	\$60.00	negoli

.

4

		· <u> </u>	·		·····!	RATES BY STAT	[E	· · · · · · · · · · · · · · · · · · ·	.	
SCRIPTION	USOC	AL	FL	GA	ку	LA	MS	NC	sc	Т
NRC - Add1	UEPDO	\$18.00	\$91.00	\$52.46	NA	\$50.23	\$71 18	\$126.09	\$60.00	TC neg
NRC - Disconnect Charge - 1st	UEPDO	NA NA	NA	NA	NA	\$8.82	\$12.94	NA	NA	- incur
NRC - Disconnect Charge - Add'l	UEPDD		NA	NA	NA	\$6.82	\$12.94	NA	NA NA	<u> </u>
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA NA	NA	\$18.94	NA	\$18.14	\$25.52	NA NA	NA NA	+;
NRC - Incremental Charge - Manual Service Order - Add'	SOMAN	NA NA	NA	\$8.42		\$8.06	\$11.34	NA	NA NA	+
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	T NA		NA	NA NA	\$10.39	\$16.06	NA	NA NA	+
ine ISDN Port(2) (3), per month	UIPMA	\$16.42	\$13.00	\$13.47	\$12.33	\$23.33	\$51.91	\$12.50	\$33.74	
NRC - 1si	UIPMA	\$63.24	\$88.00	\$47.37	\$90.48	\$45.35	\$63.59	\$75 81	\$65.79	BST
]			857
NRC - Add1	UIPMA	\$63.24	\$66.00	\$47.37	\$84.53	\$45.35	\$63.59	\$56.91	\$65.79	A
NRC - Disconnect Charge - 1st	UIPMA	\$5.69	NA	NA	NA	\$4.31	\$7.04	NA	NA	
NRC - Disconnect Charge - Add1	UIPMA	\$5.69	NA	NA	NA	\$4.31	\$7.04	NA	NA	1 1
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$56.19	NA	\$39.98	NA	\$38.29	\$53 87	NA	\$67.52	1
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$56.19	NA	\$39.98	NA	\$38.29	\$53.87	NA	\$67 52	
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$12.97	NA	NA	NA	\$6.65	\$11.34	NA	NA	<u> </u>
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'	SOMAN	\$12.97	NA NA	NA	NA	\$6.65	\$11 34	NA	NA	
NRC - User Profile per B Channel (4)	UIUMA	NA		NA	\$5.61	NA	NA	NA	NA	
fire ISDN Port(2) (3) including all available features, per month	UIPMA	NA NA	NA	NA	NA	NA	NA	NA	\$38.68	
NRC - 1st	U1PMA	NA	NA	NA	NA	NA	NA	NA	\$106.40	
NRC - Add1	UIPMA	NA	NA	NA	NA	NA	NA	NA	\$106.40	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$67.52	
NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$67.52	1
fire ISDN Port(2) (3) Including three available features, per month	UIPMA	NA	NA	NA	NA	NA	NA	NA	\$36.01	1
HRC - 1si	UIPMA	NA	NA	NA	NA	NA	NA	NA	\$70.32	î
NRC - Add'i	UIPMA	NA	NA	NA	NA	NA	NA	NA	\$70.32	1
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$67.52	1
NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$67.52	1
Are ISON DS1 Port, per month	UEPEX	\$186.02	NA	\$163.16	NA	\$194.72	\$213.21	\$246.00	\$214 79	\$3
NRC - 1st	UEPEX	\$244.85	NA	\$186.80	NA	\$181.89	\$244.12	\$113.86	\$278 37	nug
NRC - Add'i	UEPEX	\$244.85	NA	\$186.80	NA	\$181.89	\$244 12	\$95 80	\$278 37	Ti nuga
NRC - Disconnect Charge - 1st	UEPEX	\$51.19	NA	NA	NA	\$27.11	\$53.32	NA	NA	
NRC - Disconnect Charge - Add'1	UEPEX	\$51.19	NA	NA	NA	\$27.11	\$53 32	NA	NA	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$54.75	NA	\$37.88	NA	\$33.18	\$51.03	NA	\$65.48	
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$54.75	NA	\$37.88	NA	\$33.18	\$51.03	NA	\$65.48	
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$11.53	NA	NA	NA	\$7.73	\$8.51	NA	NA	1 1
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'i	SOMAN	\$11.53	NA	NA	NA	\$7.73	\$8.51	NA	NA	<u> </u>
Nire (SDN DS1 Port including all available features, per month	UEPEX	NA	NA	NA NA	\$275.48	NA	NA	NA	\$251.00	1
NRC + 1st	UEPEX	NA	NA	NA	\$181.27	NA	NA	NA	\$311.73	1
NRC - Add'i	UEPEX	NA	NA	NA	\$116.42	NA	NA	NA	\$311 73	t i
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$65.48	+
NRC - Incremental Charge - Manual Service Order - Add'!	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$65.48	1
Vire Analog Line Port (PBX), per month	UEPPC	\$2.07	NA	\$1.85	NA	\$2.20	\$2.11	NA	\$2.35	1
NRC - 1si	UEPPC	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24 36	1 1
NRC - Add1	UEPPC	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	1
NRC - Disconnect Charge - 1st	UEPPC	\$5.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	<u> </u>
NRC - Disconnect Charge - Add'l	UEPPC	\$5.21	NA	NA	NA	\$3 77	\$6 56	NA	NA	t -i
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NÁ	\$18.14	\$25 52	NA	\$41.86	<u> </u>
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$6.42	NA	\$8 06	\$11.34	NA	\$14.46	1 - i
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$8.94	\$16.06	NA	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$0.48	NA	NA	NA	NA	NA	NA	NA	†;;
Wire Analog Line Port (PBX) including all available features, per month	UEPPC	NA	NA	NA	NA	NA	NA	NA	\$8.67	t i
NRC - 1st	UEPPC	NA	NA	NA	NA	NA	NÁ	NA	\$60.60	ⁿ
NRC - Add1	UEPPC	NA	NA	NA	NA	NA	NA		1 400.00	· · · · · · ·

.

Attachment 2 Exhibit C Rates - Page 8

Attachment 2 Extribit C Rates - Page 9

BELLSOUTH/CLEC 1 RATES NETWORK ELEMENTS AND OTHER SERVICES

1

					R	ATES BY STAT	r <u>e</u>			r
	USOC	AL	FL	GA	КҮ	LA	MS	NC	SC	TN
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NĂ	NA	NA	NA	NA	NA	\$41.86	NA.
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA NA	\$14.46	NA
ire Analog Line Port (PBX) including three available features, per month	UEPPC	NA	NA	NA	NA	NA	NA	NA	\$5.38	NA
NRC - 1st	VEPPC	NA	NA	NA	NA	NA	NA	NA	\$28.89	NA
NRC - Addi	UEPPC	NA	NA	NA	NA	- NA	NA	NA	\$28 89	N/
	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$41.86	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$14.46	NA NA
NRC - Incremental Charge - Manual Service Order - Add'	HTGUX	See features	NA	NA	\$0.29	NA	See features	NA	Seu features	N
re Analog Hunting, per line per month	HTGUX	See features	NA	NA NA	\$2.14	NA	See features	NA	See lealures	NA
NRC - 1st				NA	\$2.14	NA	See features	NA	See features	- NA
NRC - Add1	HTGUX	See features	NA			\$2.50	\$2.32	NA	\$2.77	519
Port, per month		\$2.34	NA	\$2.05	\$3.04	\$2.5U	\$4.34	114		BSTO
NRC - 1st		\$21.93	NA	\$17.16	\$40.71	\$16.43	\$22.98	NA	\$24 75	A4 3
NRC - Add1		\$21.93	NA	\$17.16	\$40.71	\$16.43	\$22.98	NA	\$24.75	BST G
NRC - Disconnect Charge - 1st		\$5.21	NA	NA	NA	\$4.15	\$6.58	NA	NA.	N/
		\$5.21	NA	NA	NA	\$4.15	\$6.56	NA	NA	N
NRC - Disconnect Charge - Add'l	SOMAN	\$25.93	NA NA	\$18.94	NA	\$18.14	\$25.52	NA	\$43.48	N/
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$12.97		\$8.42	NA	\$8.06	\$11.34	NA	\$14.57	N
NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN	\$18.33	NA	<u>#0.42</u>	NA NA	\$9.86	\$16.06	NA	NA	Ň
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st			- NA	NA	NA	NA	NA	NA	NA	Ň
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'	SOMAN	\$0.4B								<u>+</u>
TICAL PRATURES	118						<u> </u>	NA	See above	
Local Switching Features offered with Port, Per month (5)	N/A	<u>NA</u>	No addi charge	NA	No add'i charge	\$8.28	NA			
ee-Way Calling, per month		\$1.12	NA_	ž	NA	NA	\$1.32	NA	\$1.10	N
INRC		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.51	N
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	N
tomer Changeable Speed Calling, per month		\$0.08	NA	NA	NA	NA	\$0.0755	NA	\$0.1247	N
INRC		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.51	N
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	N
		\$0.03	NA	NA	NA	NA	\$0.033	NA	\$0.0665	N
I Walting		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.51	N
NRC		\$0.55		NA NA	NA	NA	\$0.5466	NA	NA	N N
NRC - Disconnect			NA	NA NA	NA NA	NA NA	\$0,4859	NA	\$0.3743	
note Activation of Call Fordwarding, per month		\$0.18				NA	\$1.02	NA NA	\$1.51	t—;
NRC		\$1.03	NA	NA	NA				NA	<u>+−-;</u>
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA		<u> </u>
ncel Call Walting, per month		\$0.01	NA	NA	NA	NA	\$0.0062	NA	\$0.0099	N.
INRC		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$151	1
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	
tomatic Caliback, per month		\$0.29	NA	NA	NA	NA	\$0.9977	NA	\$0.8015	1
INRC		\$1.03	NA	NA	NA	NA NA	\$1.02	NA	\$1.51	1 1
		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	1
NRC · Disconnect		\$0.28	NA	NA	NA	NA	\$0.3164	NA	\$0,3102	
tomatic Recall, per month		\$1.03	NA	NA	NA	NA NA	\$1.02	NA	\$1.51	1
NRC				NA	- NA		\$0.5466	NA	NA	1
NRC - Disconnect		\$0.55	- NA	NA NA	NA NA	NA NA	\$0.1817	NA	\$0.3272	
ling Number Delivery, per month		\$0.22				NA NA	\$1.02	NA	\$1.51	1 -
NRC		\$1.03	NA	NA	NA			NA NA	NA NA	 _ ;
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466			
ling Number Delivery Blocking, per month		\$1.17	NA	NA	NA	NA	\$0.9913	NA	\$0.3684	
INRC		\$1.03	NA .	NA	NA	NA	\$1.02	NA	\$1.51	h h
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	N N
stomer Originated Trace, per month		\$0.14	NA	NA	NA	NA	\$0.1918	NA	\$0.1402	<u></u> !
NRC		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.51	1
		\$0 55	NA	NA	NA	NA	\$0 5466	NA	NA	1
NRC - Disconnect		\$0.13		T NA	NA NA	NA	\$0 1721	NA	\$0 1528	
lective Call Rejection, per month		\$1.03	NA NA	NA NA	T NA	T NA	\$1.02	NA NA	\$1 51	
NRC		\$0.55	NA NA	NA	NA -	- NA	\$0 5466	NA NA	- NA	
NRC - Disconnect										

Atlachiment 2 Exhibit C Rates - Page 10

BELLSOUTH/CLEC-1 RATES NETWORK ELEMENTS AND OTHER SERVICES

ť

rates contained within this Exhibit were negotiated as a whole within the negotiations of the						BATES ON OF				
ESCRIPTION		1	T	1	- <u> </u>	RATES BY ST	ATE			
INRC	USOC	AL	FL_	GA	ł KY	LA	MS	NC	sc	
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA NA	\$1.51	11
elective Call Acceptance, per month		\$0.55	NA	NA	NA	NA	\$0 5466	NA	NA	N/
INRC		\$0.29	NA	NA	NA	NA	\$0.4010	NA NA	\$0.3283	N/
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.51	N
ultiline Hunt Service (Rotary)		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA NA	N/
ervice per line, (in addition to port) , per month							1			
NRC		\$0.11	NA	NA	NA	NA	\$0 1271	NA	\$0 1301	N
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.51	
all Forwarding Variable, per month		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	
NRC		\$0.05 \$1.03	NA	NA	NA	NA	\$0.0474	NA	\$0.0768	N/
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$1 02	NA	\$1 51	NA
Il Forwarding Busy Line, per month		\$0.03	NA NA	NA	NA	NA	\$0.5466	NA	NA	NA
NRC		\$1.03	NA NA	NA	NA	NA	\$0 0279	NA	\$0.0603	NA
NRC · Disconnect		\$0.55	NA NA	NA NA	NA	NA	\$1.02	NA	\$1 51	
all Forwarding Don't Answer All Calls, per month		\$0.03	NA NA		NA	NA	\$0.5466	NA	NA	NA
NRC		\$1.03	NA	NA NA	NĂ	NA	\$0.0308	NA	\$0.0655	NA
NRC - Disconnect		\$0.55	NA	NA NA	NA	NA	\$1.02	NA	\$1.51	NA
mote Call Forwarding, per month		\$1.36	NA	NA	NA	NA	\$0.5466	NA	NA	NA
NRC		\$1.03	NA NA	NA	NA	NA	\$1.47	NA	\$1.41	NA
NRC - Disconnect		\$0.55	NA	NA NA	NA NA	NA	\$1.02	NA	\$1.51	NA
It Transfer, per month		\$0.12	NA	NA NA		NA	\$0.5486	NA	NA	NA
NRC		\$1.03	NA	NA NA	NA	NA	\$0.1404	NA	\$0.1392	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$1.02	NA	\$1.51	NA
Il Hold, per month		\$0.03	NA	NA -	NA	NA	\$0.5466	NA	NA	NA
NRC		\$1.03	NA	NA	NA NA	NA	\$0.0190	NA	\$0.0677	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA NA	\$1.02	NA	\$1.51	NA
Il Restricted Service, per month INRC		\$0.04	NA	NA	NA NA	NA NA	\$0.5466	NA	NA	NA.
		\$1.03	NA	NA	NA	NA NA	\$0.0387	NA	\$0.0743	NA
NRC - Disconnect		\$0.55	NA	NA	T NA	NA NA	\$1.02 \$0.5466	NA	\$1.51	NA
Insege Waiting Indicator - Stutter Dial Tone, per month		\$0.03	NA	NA	NA	NA	\$0.0356	NA	NA	NA
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$0 0318	NA
onymous Call Rejection, per month		\$0.55	NA	NA	NA	NA	\$0.5466	NA	\$1.51	NA
INRC		\$0.03	NA	NA	NA	NA	\$0.9519	NA	NA	NA
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.13	NA
ared Call Appearances of a DN, per month		\$0.55	NA	NA	NA	NA	\$0.5466	NA	\$1.51	NA
INRC		\$0.41	NA	NA	NA	NA	\$0.5015	NA NA	NA	NA
NRC · Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$0 3513	NA
ittiple Call Appearances, per month		\$0.55	NA	NA	NA	NA	\$0.5466	NA	\$1.47	NA
INRC		\$0.09	NA	NĂ	NA	NA	\$0.0932		NA	NA
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$0 0891 \$1 47	NA
M Bridged Call Exclusion, per month		\$0.55	NA	NA	NA	NA	\$0.5466	NA		NA
INRC		\$0.00	NA	NA	NA	NA	\$0.0013	NA	NA \$0.0013	NA
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.47	NA
I by Call Access, per month		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
INRC		\$28.29	NA	NA	NA	NA	\$50.89	NA	\$0.3621	NA
NRC - Disconnect		\$28.94	NA	NA	NA	NA	\$28.61	NA	\$33.36	NA
vacy Release, per month		\$5.22	NA	NA	NA	NA	\$5 16	NA	NA NA	NA
NRC		\$0.01	NA	NA	NA	NA	\$0 0030	NA	\$0 0116	NA.
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1 51	NA NA
te Appearance Directory Number Calls, per month		\$0.55	NA	NA	NA	NA	\$0 5466	NA	NA	N/
NRC		\$0.10	NA	NA	NA	NA	\$0.1115	NA	\$0 1048	NÁ
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1 02	NA	\$1 51	NA NA
ke Set Busy, per month		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA NA
INRC	·	\$0.01 \$1.03	NA NA	NA	NA	NA	\$0 0013	NA	\$0 0101	NA NA
				NA						

Version2Q99:06/08/99

¢

						RATES BY STAT	re	_		
DESCRIPTION	USOC		FL	GA					sc	T
Teen Service (Res. Dist. Alerting Service), per month		AL \$0,15		NA NA	KY NA	LA NA	MS \$0.1071	NC NA	\$0.2149	
INRC		\$1.03	NA	NA NA	NA NA	NA	\$1.02	NA	\$1.51	NA NA
NRC - Disconnect		\$0.55	NA NA	NA		NA	\$0.5466	NA NA	NA NA	NA NA
Code Restriction and Diversion, per month		\$0.04	NA	- NA	NA	NA	\$0.0464	NA	\$0.0708	NA NA
INRC		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.51	NA NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call Park, per month		\$0.04	NA	NA	NA	NA	\$0.0443	NA	\$0 0694	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$151	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Automatic Line, per month		\$0.09	NA	NA	NA	NA	\$0.1111	NA	\$0 1179	NA
INRC		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0 5466	NA	NA	NA
ISDN Message Waiting Indication-Lamp, per month		\$0.01	NA	NA	NA	NA	\$0.0105	NA	\$0.0138	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1.47	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
ISDN Feature Function Buttons		NA	NA	NA	NA	NA	NA	NA	l	L
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	NA	\$1 51	NA
		\$0.55	NA NA	NA	NA	NA	\$0 5466	NA	NA	NA
Subsequent Ordering Charge - (per order, per line) {NRC - Electronic - 1st	·	NA \$2.88	NA NA	NA NA	NA NA	NA NA	NA \$2.84	NA NA		
NRC - Electronic - Ist		\$0.96	NA NA	NA NA	NA NA	NA NA	\$0.95	NA NA	\$1.36 \$0.71	NA
NRC - Manual - 1st		\$4.80	NA NA	NA NA	NA NA	NA	\$4.73	NA NA	\$7.35	NA NA
NRC - Manual - Add'i		\$0.96	NA NA	NA	NA NA	NA	\$0.95	NA	\$0.95	NA NA
NRC - Disconnect		\$2.88	NA NA	NA	NA	NA	\$2.84	NA	NA	NA
End Office Switching (Port Usage)	····						42.04			104
End Office Switching Function, per mou	NA	\$0.0018	\$0.0175	\$0.0016333	\$0.002562	\$0.0021	\$0.0023771	\$0.004	\$0 0019295	\$0.00
End Office Switching Function, add't mou (6)	NA	NA	\$0.005	NA	NA	NA	NA	NA	NA	NA
End Office Interoffice Trunk Port-Shared, per mou	NA	\$0.0002	NA	\$0.0001564	NA	\$0.0002	\$0.0001927	NA	\$0.0002581	NA
Tandem Switching (Port Usage) (Local or Access Tandem)										
Tandem Switching Function per mou	N/A	\$0.00063	\$0.00029	\$0.0006757	\$0.001096	\$0 0008	\$0.0007834	\$0.0015	\$0.0006843	\$0 000
Tandem Interoffice Trunk Port - Shared per mou	NA	\$0.00033	NA	\$0.0002126	NA	\$0.0003	\$0.0002834	NA	\$0 0004034	N/A
INTEROFFICE TRANSPORT									1	
Common (Shared) Transport				T	1					
Common (Shared) Transport per mile per mou	N/A	\$0.00001	\$0.000012	\$0.000008	\$0.0000049	\$0.000083	\$0.0000091	\$0.00004	\$0.0000121	\$0.000
Common (Shered) Transport Facilities Termination per mou	N/A	\$0.00045	\$0.0005	\$0.0004152	\$0.000426	\$0.00047	\$0.0004281	\$0.00036	\$0 0004672	\$0.000
Interoffice Transport - Dedicated - VG										
Interoffice Transport - Dedicated - 2-Wire VG - per mile	1L5XX	\$0.03390	NA	\$0.0222	NA	\$0.0384	\$0 0323	NA	\$0.0373	NA
Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month	1L5XX	\$18.49	NA	\$17.07	NA	\$19.10	\$21.33	NA NA	\$21.42	NA
NRC - 1st	1L5XX	\$107.11	NA	\$79.61	NA	\$76.20	\$106 72	NA	\$136.44	NA
NRC - Add'i	1L5XX	\$48.27	NA	\$36.08	NA	\$34.54	\$48.83	NA	\$51 37	NA
NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l	1L5XX	\$37.16	NA	NA	NA	\$28.03	\$38.05	NA	NA	NA
NING + Disconnect Citarga + Ada L	11.5XX	\$5.88	NA	NA	NA	\$5.37	\$7.23	NA	NA	NA NA
NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l	1L5XX	\$27.37 \$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	1L5XX	\$12.97	NA NA	\$18.94	NA	\$18.14 \$8.06	\$25.52 \$11.34	NA	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	1L5XX	\$12.97	NA NA	NA NA	NA NA	\$8.06	\$11.34	NA NA	NA NA	NA
Interoffice Transport - Dedicated - DS9 - 56/64 KBPS		#12.91				30.00		NA	NA NA	NA
Interoffice Transport - Dedicated - DS0 - per mile per month	11.5XX	\$0.0339		\$0.0222	NA NA	\$0.0384	\$0.0323	\$3 95	\$0.0373	\$1.90
Interoffice Transport - Dedicated - DS0 - facilities termination per month	1L5XX	\$17.81	NA NA	\$16.45	NA	\$18 37	\$20.64	\$38.37	\$20 71	\$38.3
INRC - 1st	1L5XX	\$107.11	NA NA	\$79.61	NA NA	\$76.20	\$106.72	\$24.01	\$136.44	330 3 78D
NRC - Add'	1L5XX	\$48.27	NA NA	\$36.08	NA	\$34.54	\$48.83	\$24.01	\$51 37	180
NRC - Disconnect Charge - 1st	1L5XX	\$37.16	NA	NA	NA	\$28.03	\$38.05	NA	NA	NA NA
NRC - Disconnect Charge - Add'	1L5XX	\$5.88	NA NA	NA	NA	\$5.37	\$7.23	NA NA		NA
NRC - Incremental Charge - Manual Service Order - 1st	11.5XX	\$27.37	NA NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA NA
NRC - Incremental Charge - Manual Service Order - Add'	11.5XX	\$27.37		\$18.94	NA	\$18.14	\$25.52	NA NA	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	1L5XX	\$12.97	NA NA	NA	NA NA	\$8.06	\$11.34	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	11.5XX	\$12.97		NA	NA	\$8.06	\$11.34	NA NA	NA	NA

Attachmont 2 Exhibit C Ratus - Page 11

•

£

.

		- 	•····		<u>ا</u>	RATES BY STAT	IE		•	.
DESCRIPTION	USOC	AL	FL	GA	КҮ	LA	MS	NC	SC	TN
teroffice Transport - Dedicated - DS1										
Interoffice Transport - Dedicated - DS1 - per mile per month	1L5XX	\$0.69	\$0.6013	\$0.4523	\$0.45	\$0.7831	\$0.6598	\$23.00	\$0.7598	\$23 (
Interoffice Transport - Dedicated - DS1 - facilities termination per month	1L5XX	\$79.69	\$99.79	\$78.47	\$55.05	\$93.40	\$74.40	\$90.00	\$94.98	\$90.0
NRC - 1st	1L5XX	\$198.15	\$45.91	\$147.07	\$298.16	\$140.49	\$196.28	\$100.49	\$216.27	\$100.
NRC - Add'i	1L5XX	\$148.18	\$44.10	\$111.75	\$231.23	\$106.69	\$147.31	\$100.49	\$162.70	\$100
NRC - Disconnect Charge - 1st	11.5XX	\$25.44	NA	NA	NA	\$20.00	\$26 56	NA	NA	N/
NRC - Disconnect Charge - Add't	1L5XX	\$20.42	NA	NA	NA	\$16.34	\$21.61	NA	NA	N/
NRC - Incremental Charge - Manual Service Order - 1st	1L5XX	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	N/
NRC - Incremental Charge - Manual Service Order - Add'l	1L5XX	\$27.37	NA	\$16.94	NĂ	\$18.14	\$25.52	NA	\$39.63	N/A
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	1L5XX	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	1L5XX	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
nteroffice Transport - Dedicated - DS3								1		1
Interoffice Transport - Dedicated - DS3 - per mile per month	1L5XX	NA	NA	NA	NA	NA	\$15.02	\$175.00	\$40.00	NA
Interoffice Transport - Dedicated - DS3 - facilities termination per month	ILSXX	NA	NA	NA	NA	NA	\$744.38	\$1,200.00	\$600.00	NA NA
NRC - 1st	1L5XX	NÁ	NA	NA	NA	NA	\$686.74	\$67.19	\$67.19	NA
NRC - Add1	1L5XX	NA	NA	NA	NA	NA	\$477.76	\$67.19	\$67.19	NA
NRC - Disconnect Charge - 1st	1L5XX	NA	NA	NA	NA	NA	\$125.56	NA	NA	NA
NRC - Disconnect Charge - Add'l	1L5XX	NA	NA	NA	NA	NA	\$118.79	NA NA	NA	N/
NRC - Incremental Charge - Manual Service Order - 1st	1L5XX	NA	NA	NA	NA	NA	\$64.97	NA	NA	NA NA
NRC - Incremental Charge - Manual Service Order - Add'i	1L5XX	NA -	NA	NA	NA	NA	\$64.97	NA	NA	Ň
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	1L5XX	NA	NA	NA	NA	NA	\$27.08	- NA	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	11.5XX	NA	NA	NA	NA	NA	\$27.08	t na	NA NA	NA NA
Exchange Access IOC				<u> </u>						1 100
-4 Miles, Fixed per month	1LNO1	NA	NA	NA	\$16,14	NA	NA	NA	NA	\$270
Per mile per month	1LN01	NA NA	NA	NA NA	\$0.0301	NA	NA NA	NA NA	NA NA	
NRC + 1st	11101	NA		NA NA	\$181.93	NA NA	NA NA	NA	NA NA	\$19
NRC - Add'i	1LN01		- MA		\$75.56	NA NA				\$96.
		NA NA	NA NA	NA			NA	NA	NA	\$96.
Per mile per month	1NLO2 1NLO2	NA NA		NA	\$17.18	NA	NA	NA	NA	\$27.
NRC - 1st				NA	\$0.0726	NA	NA	NA	NA	\$1.9
	1NLO2	NA	NA	NA	\$181.93	NA	NA	NA	NA	\$96.0
NRC - Addit	1NL.02	NA	NA	NA	\$75.56	NA	NA	NA	NA	\$96.0
Over 25 Milee, Fixed per month	INLO3	NA	NA	NA	\$18.41	NA	NA	NA	NA	\$27 (
Per mile per month	INLO3	NA	NA	- NA	\$0.0831	NA	NA	NA	NA	\$1.9
NRC - 1st	1NLO3	NA	NA	NA	\$181.93	NA	NA	NA	NA	\$96.0
NRC - Add'l	1NLO3	NA	NA	NA	\$75.56	NA	NA	NA	NA	\$96 (
ocal Channel - Dedicated			<u> </u>							Γ
ocal Channel - Dedicated - 2-Wire VG	N/A	\$14.61	NA	\$13.91	NA	\$14.94	\$17.83	NA	\$16.83	NA
NRC - 1sl	N/A	\$494.65	NA	\$362.95	NA	\$347.49	\$487.62	NA	\$554.00	N/
NRC - Add'l	NA	\$84.44	NA	\$62.40	NA	\$59.75	\$84.35	NA NA	\$88.58	N
NRC - Disconnect Charge - 1st	N/A	\$77.81	NA	NA	NA	\$53.68	\$77.69	NA	NA	N/
NRC - Disconnect Charge - Add'l	N/A	\$7.63	NA	NA	NA	\$6.60	\$8.95	NA	NA	N/
NRC - Incremental Charge - Manual Service Order - 1st	N/A	\$27.37	NA	\$18.94	NA	\$18,14	\$25.52	NA	\$43.75	NA
NRC • Incremental Charge - Manual Service Order • Add'l	N/A	\$18.73	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	NA	\$17.75	NA NA	NA	NA	\$11.40	\$16.05	NA	NA	NA
ocal Channel - Dedicated - 4-Wire VG	N/A	\$15.77	NA	\$14.99	NA	\$16.21	\$19.03	NA	\$18.05	NA
NRC - 1st	NA	\$502.43	NA	\$368.44	NA	\$352.75	\$495 25	NA	\$562.46	NA
NRC · Add1	N/A	\$86.68	NA	\$64.05	NA	\$61.33	\$86 56	NA	\$91.57	NA
NRC - Disconnect Charge - 1st	NA	\$78.71	NA	NA	NA	\$54.36	\$78.58	NA	NA	NA
NRC - Disconnect Charge - Add'i	NA	\$8.53	NA	NA	NA	\$7.28	\$9.84	NA		NA
NRC + Incremental Charge - Manual Service Order - 1st	N/A	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA NA	\$43.75	NA
NRC - Incremental Charge - Manual Service Order - Add't	N/A	\$18.73	NA NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	NA NA
NRC - Incremental Charge - Manual Service Order - Disconnect	N/A	\$17.75	NA	NA NA	NA	\$11.40	\$16.05	NA NA	NA	NA
Local Channel - Dedicated - 0\$1	N/A	\$35.52	\$44.35	\$38.36	NA NA	\$43.80	\$38.91	NA NA	\$37.20	\$133
INRC - 1st	N/A N/A	\$503.57	\$246.50	\$356.15	NA	\$348.56				
NRC - Add'I	N/A N/A	\$442.84	\$230.49	\$312.89	NA NA	\$300.30	\$494.83	NA	\$534.81	\$868
NRC - Disconnect Charge - 1st	N/A	\$46.28	<u>3230.49</u> NA	\$312.89 NA	NA NA	\$300.30	\$435.28 \$46.85	NA NA	\$462.81 NA	\$486 NA

Version2Q99:06/08/99

Attachment 2 Exhibit C Rates - Page 12

A.

tes contained within this Exhibit were negotiated as a whole within the negotiations of the ter		ļ				ATES BY STAT				
	USOC	AL	FL.	GA	ку	LA	MS	NC	sc	т (
SCRIPTION	N/A	\$61.95	NA	\$44,22	NA	\$42.34	\$59.58	NA	\$87.99	N
NRC - Incremental Charge - Manual Service Order - 1st	N/A	NA NA	NA	NA	NA	NA	NA	NA	\$3.11	N
NRC - Incremental Charge - Manual Service Order - Add1		\$29.27	NA NA	NA I	NA	\$19.48	\$27.41	NA	NA	N
NRC - Incremental Charge - Manual Service Order - Disconnect	N/A	NA	NA	NA 1	NA	NA	\$533.33	NA	NA	N
al Channel - Dedicated - D\$3	N/A	NA NA	- NA	NA	NA	NA	\$526.67	NA	NA	N
NRC - 1st	N/A	NA NA		NA NA	NA	NA	\$493.71	NA	NA	N
NRC - Add'l	N/A	NA	NA	- NA	NA	NA	\$42 41	NA	NA	N
NRC - Disconnect Charge - 1st	N/A	NA	- NA	NA	NA	NA	\$40.87	NA	NA	N
NRC - Disconnect Charge - Add'l	N/A	NA	NA	- NA	NA	NA	\$31.49	NA	NA	1
NRC - Incremental Charge - Manual Service Order - 1st	NVA NVA	NA	- NA	1 NA	NA	NA	\$31.49	NA	NA	
NRC - Incremental Charge - Manual Service Order - Addt	N/A	NA	- NA	NA	NA	NA	\$25.35	NA	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	N/A	- NA	NA	NA	NA	NA	\$25 35	NA	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	PVA	N/A	TBO							t :
ACCESS TEN DIGIT SCREENING BURYICE IT	NA	\$0.0005	NA NA	\$0.0004868	NA	\$0.0005305	\$0.0005321	NA	\$0.0005227	
Access Ten Digit Screening (all types), per call (6)		\$0.0005	<u> </u>			40.0000000				t
Access Ten Digit Screening Svc. W/800 No. Delivery		NA	NA	NA	\$0.0010	NA	NA	\$0.00365	NA	\$0
per query		NA	NA	NA NA	\$0.0011	NA	NA	\$0 00431	NA	\$0
for 800 Numbers, with Optional Complex Features, per query	NA	NA			10.0011					<u>+</u> -••
Access Ten Digit Screening Svc. W/POTS No. Delivery		NA -	NA	NA	\$0.0010	NA	NA	\$0.00383	NA	\$0
per query	N/A	NA NA	NA NA	NA NA	\$0.0011	NA	NA	\$0.00431	NA	50
with Optional Complex Features, per query	N/A	MA			30.0011					
Access Ten Digit Screening Svc. W/800 No. Delivery			NA NA	NA	NA	NA	NA -	NA	NA	
per message	N/A	NA		NA NA	NA	NA	- NA	NA	NA	† i
for 800 Numbers, w/Optional Complex Features, per message	N/A	NA	NA	NA						<u> </u>
D Access Ten Digit Screening Svc. W/POTS No. Delivery				NA	NA	NA	NA	NA	NA	
per message	N/A	NA	NA NA	NA NA	- NA	NA NA	NA	NA NA	NA	t—i
with Optional Complex Features, per message	N/A	NA	NA	- NA						i
servation Charge per 800 number reserved					\$10.05	\$6.29	\$8.46	\$27.00	\$6.38	\$3
NRC - 1si	NaR1X	\$7.13	NA	\$6.57	\$10.05	\$0.73	\$0.96	\$0.50	\$0 9583	
NRC - Addit	NBR1X	\$0.97	NA	\$0.76		\$18.14	\$25.52	NA	\$27.84	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA NA	NA	NA	NA -	NA	+
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	NA	NA	NA			114		- <u></u>	+
v 600 # Established w/o POTS (w/800 No.) Translations					400.00	410.02	-	\$61.00	\$22.63	56
NRC - 1st	N/A	\$15.88	NA	\$12.81	\$30.59	\$12.27	\$17.04	\$1.50	\$2 73	5
NRC · Addf1	NA	\$1.97	NA	\$1.45	\$3.22	\$1.39	\$1.93			
NRC - Disconnect Charge - 1st	NA	\$10.04	NA	NA	NA	\$8.30	\$11.32	NA	\$42.95	
NRC - Disconnect Charge - Add1	N/A	\$0.97	NA	NA	NA	\$0.73	\$0.96	NA	NA	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	NA	
NRC - Incrementel Charge - Manual Service Order - Add1	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.75	NA	NA	NA	\$11.40	\$18.05	NA	NA	1
w 800 # Established with POTS Translations								L		
NRC - 1si	NOFTX	\$15.68	NA	\$12.81	\$30.59	\$12.27	\$17.04	\$61.00	\$22 63	5
NRC - Addr	NØFTX	\$1.97	NA	\$1.45	\$3.22	\$1.39	\$1.93	\$1.50	\$2.73	5
NRC - Disconnect Charge - 1st	N8FTX	\$10.04	NA	NA	NA	\$8.30	\$11.32	NA	\$42.95	
NRC - Disconnect Charge - Add1	NOFTX	\$0.97	NA	NA	NA	\$0.73	\$0.96	NA	NA	T
NRC - Incremental Charge - Manual Service Order - 1st	SÓMAN	\$27.37	NA.	\$18.94	NA	\$18.14	\$25 52	NA	NA	
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.75	NA	NA	NA	\$11.40	\$16.05	NA	NA	
istomized Area of Service per 800 Number					1					L
	NBFCX	\$5.69	NA	\$4.46	\$6.97	\$4.27	\$5.63	\$3.00	\$5.64	5
NRC - 1st	NBFCX	\$2.85	NA	\$2.23	\$3.49	\$2.14	\$2.81	\$1.50	\$2 82	\$
NRC - Addit	SOMAN	NA NA		NA	NA	NA	NA	NA	NA	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	- NA	NA	NA	NA	NA	NA	
NRC - Incremental Charge - Manual Service Order - Add1		-+		-t	1	1	1	1	1	1
uitiple inter LATA Carrier Routing per Carrier Requested per 800 #	NOFMX	\$6.66	- NA	\$5.22	\$8.16	\$5.00	\$6.59	\$3.50	\$6 60	5
NRC - 1st	NBFMX	\$3.81		\$2.99	\$4.67	\$2.86	\$3 77	\$2.00	\$3 78	5
NRC - Addit	SOMAN		NA NA	NA	NA NA	NA	NA	NA NA	NA	+
NRC + Incremental Charge - Manual Service Order - 1st										

Atlachmont 2 Exhibit C Rates - Page 13

Attachment 2 Exhibit C Rates - Page 14

BELLSOUTHICLEC-1 RATES NETWORK ELEMENTS AND OTHER SERVICES

r

						ATES BY STAT	Ë			
	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
hange Charge per request	1100011		NA	\$7.33	\$11.24	\$7.01	\$9.42	\$41.00	\$7 34	\$48 50
NRC - 1si	N8FAX N8FAX	\$8.10 \$0.97	NA	- \$0.76	\$1.19	\$0.73	\$0.96	\$0.50	\$0 9583	\$0.50
NRC · Addri	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25 52	NA	\$27.84	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA NA	NA	NA	- NA
NRC - Incremental Charge - Manual Service Order - Add1	SUMAN	- NA								
all Handling and Destination Features	N8FDX	\$5.69	NA	\$4.72	\$6.97	\$4.27	\$5.63	\$3.00	\$5.64	\$3.00
NRC - 191	NaFDX	NA NA	NA	\$1.46	\$6.97	\$4 27	\$5.63	\$3.00	\$5.64	\$30
NRC - Add		11/1								
NUMBER OF STREET, ST	OQT	\$0.00004	\$0.0003	\$0 0000338	\$0.00006	\$0.0000418	\$0.0000446	\$0.0003	\$0.0000442	\$0.00
DB Common Transport per guery	000	\$0.041003	\$0.041003	\$0.0105974	\$0.00938	\$0.0103774	\$0.0142132	\$0.041003	\$0.0141003	\$0 041
DB Validation per query	N/A	\$64.36	NA	\$50.30	\$107.60	\$48.17	\$63.63	\$91.00	\$61.62	NA
D6 Originating Point Code Establishment or Change - NRC	SOMAN	\$25,93	NA	\$18,94	NA	\$18.14	\$25.52	NA	\$27 84	\$91.0
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$27.84	NA
NRC - Incremental Charge - Menual Service Order - Add1	- Sources	1.1917 CD 19								
TA MANANANANANANANANANANANANANANANANANANA	A PARAMAN NO A	\$18,79	\$5.00	\$17.05	\$16.31	\$19.48	\$21.58	\$155.00	\$21.79	\$155
S7 Signaling Connection, per link (A link) per month		\$171.98	\$400.00	\$131,96	\$354.95	\$126.34	\$169.72	\$510.00	\$277.07	\$510.
NRC		\$135.70	NA	NA	NA	\$101.10	\$134.08	NA	\$42.95	NA
	SOMAN	\$25,93	NA	\$18.94	NA	\$18.14	\$25.52	NA	NA	NA
NRC - Incremental Charge - Manual Service Order	SOMAN	\$16.31	NA	NA	NA	\$11.40	\$16.05	NA	NA	N/
NRC - Incremental Charge - Manual Service Order - Disconnect										Not ava
	}				-				}	pend
									J	duvelop
				[media
	1	\$18,79	\$5.00	\$17.05	\$16.31	\$19.48	\$21.58	\$155.00	\$21.79	devi
C67 Signaling Connection, per link (B link) (also known as D link) per month	<u> </u>	\$171.98	\$400.00	\$131.96	\$354.95	\$126.34	\$169.72	\$510.00	\$277.07	\$510
NRC		\$135.70	NA	NA	NA	\$101.10	\$134.08	NA	\$42.95	N/
NRC - Disconnect	SOMAN	\$25.93	NA	\$18.94	NA	\$18.14	\$25.52	NA	NA	NA
NRC - Incremental Charge - Manual Service Order NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	NA	NA	- NA	NA	\$11.40	\$16.05	NA	NA	N/
		\$148.72	\$113.00	\$133.99	\$174.08	\$161.99	\$161.12	\$355.00	\$156 33	\$355
CS7 Signaling Termination, per STP port per month	t	\$0.00004	\$0,00001	\$0.0000354	\$0.000037893	\$0,0000430	\$0.0000456	NA	\$0.0000452	\$0.00
CS7 Signaling Usage, per ISUP message (applicable when measurement and billing capability exists.)										
CS7 Signaling Usage, per TCAP message		\$0,0001	\$0.00004	\$0.0000870	\$0.000102042	\$0.0001052	\$0.0001115	NA	\$0,0001108	\$0 00
(applicable when measurement and billing capability exists.)				1					1	<u> </u>
Rappicable when measurement and band a TA and the (0)		\$376.12	\$64.00	\$340.67	\$329.98	\$406.71	\$406.53	NA	\$396.55	\$395
CS7 Signaling Usage Surrogate, per link per LATA par mo (9) CS7 Signaling Point Code, Establishment or Change, per STP affected	t									1
	t	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62
NRC										1
PERATOR CALL PROCESSING	NA	\$1.21	\$1.00	\$0.9680296	\$1.6018	\$0.91	\$1.19	\$1.06	\$1.21	
Call Concletion Access Terminetion Charge per call etternot	N/A	\$0.08	NA	NA	NA	NA	NA	NA	\$0.08	N
perator Provided Call Handling per min - Using Foreign LIDB	N/A	\$1.25	\$1.00	\$1.02	\$1.6249	\$0.96	\$1.24	\$1.06	\$1.25	N/
Call Completion Access Termination Charge per call attempt	N/A	\$0.08	NA	NA	NA	NA	NA	NA	\$0.08	T N
perator Provided Call Handling, per call	NA	NA	NA	NA	NA	NA	NA	NA	NA	50
	N/A	\$0.11	\$0.10	\$0.0776409	\$0.0856	\$0.10	\$0.1072884	\$0.09	\$0.1115808	1 <u>so</u>
ulty Automated Call Handling per call - Using BST LIDB ulty Automated Call Handling per call - Using Foreign LIDB	N/A	\$0,13	\$0.10	\$0.0976984	\$0,1071	\$0.12	\$0.1253666	\$0.09	\$0,1293459	50
rofessional recording of name (OCP alone)	USOD1	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,50
rofessional recording of name (UCP alone)	USODI	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4.50
	USOD2	\$250.00	\$250.00	\$250.00	\$250.00	\$250 00	\$250.00	\$250.00	\$250.00	\$250
RAM or front-end loading, per TOPS switch	U\$0D2	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225
ABS or back-and loading, per IVS BAS or 0- automation loading, per NAV shelf	USOD2	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270
	N/A	\$9.61	NA	NA	NA	NA	NA	NA	NA	N
ecording Charge per Branded Announcement Disconnect Initial	N/A	\$9.61	NA	NA	NA	NA	NA	NA	NA	
lecording Charge per Branded Announcement - Disconnect - Subsequent				+		t		1	t	t
WARD OPERATOR SERVICES	N/A	\$1.16	NA	\$0.921083	NA	\$0.86	\$1 14	NA	\$1 15	N
		₩1.10		PO.02 1000						
		E1 18	NA	\$0.921091	NA	\$0.86	5114	I NA	\$1.15	I N4
Verification, per minute Verification and Emergency Interrupt, per minute Verification, per call		\$1.16 NA	NA \$0.80	\$0.921083 NA	NA \$1.00	\$0.86 NA	\$1.14 NA	NA \$0.54	\$1 15 NA	N4 \$0 9

Attactiment 2 Exhibit C Rates - Page 15

BELLSOUTH/CLEC-1 RATES NETWORK ELEMENTS ____AND OTHER SERVICES

e

a rates contained within this Exhibit were negotiated as a whole within the negotiations of the terms i	and conditions contained	within the attachm	ient and each rat	e, term and condi		ndent upon the o		and conditions w	ithin this Attachn	nent
ESCRIPTION	USOC	AL	FL.	GA	KY	LA	MS	NC	sc	TN
RECTORY ASSISTANCE SERVICES										
Arectory Assist Call Completion Access Svc (DACC), per call attempt	N/A	\$0.0598	\$0.03	\$0.0348712	\$0.058	\$0.04	\$0.0425585	\$0 036	\$0 0638883	\$0.12
all Completion Access Term charge per completed call	NA	NA	NA	NA	NA	NA	NA	ŇĂ	\$0.08	NA
lumber Services Intercept per query	N/A	\$0.0235	\$0.01	\$0.0097497	\$0.0086	\$0.02	\$0.0188268	\$0.0077	\$0.0124036	\$0 15
lumber Services Intercept per Intercept Query Update	N/A	NA	NA	NA	\$0.0055	NA	NA	NA	NA	NA
Nrectory Assistance Access Service Calls, per call		\$0.26	\$0.25	\$0 2124568	\$0.3136	\$0.20	\$0.2617159	\$0 271744	\$0 2619983	NA
rofessional recording of name (DA alone)		\$2,500.00	\$2,500.00	\$2,500.00	\$2,500.00	\$2,500.00	\$2,500.00	\$2,500.00	\$2,500.00	\$2,500
refessional recording of name (DA and OCP sione)		\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500.00	\$4,500
RAM or front-end loading, per TOPS switch		\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250 (
ABS or back-end loading, per IVS		\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225 (
BAS or 9- automation loading, per NAV shelf		\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.0
ecording Charge per Branded Announcement - Disconnect - Initial	N/A	\$9.61	NA	NA	NA	NA	NA	NA	NA	NA
ecording Charge per Branded Announcement – Disconnect – Subsequent	N/A	\$9.61	NA	NA	NA	NA	NA	NA	NA	NĂ
irectory Transport		_		ļ						
rectory Transport - Local Channel DS1, per month	N/A	\$35.52	\$43.64	\$38.36	\$36.32	\$43.83	\$38.91	BSTs FCC 1 Sec 9	\$37.20	\$133.1
			1	1	h	1	t	BSTs FCC 1		
NRC - 1st	N/A	\$503.57	\$242.45	\$356.15	\$637.46	\$339.69	\$494.83	Sec 9	\$534.81	\$868
NRC - Add'i	NA	\$442.84	\$225.44	\$312.89	\$546.94	\$298.29	\$435.28	BSTs FCC 1 Sec 9	\$462.81	\$486 i
NRC - Disconnect Charge - 1st	N/A	\$46.28	NA	NA NA	NA	\$33.02	\$46.85	NA NA	NA	3406 NA
NRC - Disconnect Charge - Add1	N/A	\$32.16	- NA	NA	NA	\$23.32	\$33.02	NA	NA	NA NA
		#J2.10	····	144		\$23.32	333.02	BSTs FCC 1	NA	NA
NRC - Incremental Charge-Manual Svc Order - NRC	SOMAN	\$61.99	NA NA	\$44.22	NA	\$42.34	\$59.58	Sec 9	\$87.99	NA
NRC - Incremental Charge-Manual Svc Order - NRC-Disconnect	SOMAN	\$29.27	- NA	NA	NA	\$19.48	\$27.41		\$3.11	
Turno - nicrotute title cuerdin-menoria and cuerdi - terco-placeminect		323.21	<u></u>			319.40	\$21.41	NA	\$3.11	NA
irectory Transport - Dedicated DS1 Level Interoffice per mile per mo	N/A	\$0.6923	\$0.6013	\$0,4523	\$0.45	\$0.78	\$0.6598	BSTs FCC 1 Sec 9	\$0.7598	\$23.0
rectory Transport - Dedicated DS1 Level Interoffice per facility termination per mo	NA	\$79.69	\$99.79	\$78.47	\$55.05	\$93,40	\$74.40	BSTs FCC 1 Sec 9	\$94.98	\$90.0
NRC - tst	NA	\$198.15	\$45.91	\$147.07	\$298 18	\$140.49	\$196.28	BSTs FCC 1 Sec 9	\$216.27	\$100
								BSTs FCC 1		
NRC - Add'i	N/A	\$148.18	\$44.18	\$111.75	\$231.18	\$106.69	\$147.31	Sec 9	\$162.70	\$100.
NRC - Disconnect Charge + 1st	NVA	\$25.44	NA	NA	NA	\$20.00	\$26.56	NA	NA	NA
NRC - Disconnect Charge - Add'l	N/A	\$20.42	NA	NA	NA	\$16.34	\$21.61	NA	NA	NA
				1				BSTs FCC 1		
NRC - Incrementel Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA NA	\$18.94	NA	\$18.14	\$25.52	Sec 9 BSTs FCC 1	\$39 63	NA
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$27.37	NA	NA	NA	\$18.14	\$25.52	Sec 9	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$12.97	NA	NA	NA	\$8.06	\$11.34			
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	SOMAN	\$12.97	NA NA	NA NA	NA NA		\$11.34	NA NA	NA	
Trave - werdensinger égielites - undernet gerande minder - missenandet - violat	OVINANA		+	NM	11/4	\$8.06	<u>all 34</u>		NA	NA
witched Common Transport per DA Access Service per call	N/A	\$0.0003	\$0.0003	\$0.0002906	\$0.000175	\$0.0003274	\$0 0002997	BSTs FCC 1 Sec 9	\$0.000327	NA
			1				1	BSTs FCC 1		
witched Common Transport per DA Access Service per call per mile	N/A	\$0.00003	\$0.00001	\$0.0000186	\$0.000004	\$0.0000175	\$0.0000202	Sec 9 BSTs FCC 1	\$0.0000303	NA
ccess Tandem Switching per DA Access Service per call	N/A	\$0.0023	\$0.00055	\$0.0019152	\$0.000763	\$0.0025257	\$0.0023713	Sec 9	\$0.0024809	NA
A interconnection, per DA Access Service Call	NVA	\$0.00269	NA	\$0.00269	NA	NA	NA	BSTs FCC 1 Sec 9	\$0.000269	NA
Nrectory Transport-Installation NRC, per trunk or signaling connection	N/A	40.002.00	<u>+</u>	40.002.03	193			301.3	40.000203	1174
			1			 	<u> </u>	BSTs FCC 1		 .
NRC + 1st	N/A	\$260.69	\$206.06	\$204.23	\$501.98	\$195.54	\$257.73	Sec 9	\$407 81	NA
NRC - Add't	NVA	\$5.95	\$4.71	\$4.42	\$13.32	\$4 23	\$5.85	BSTs FCC 1 Sec 9	\$11.00	NA
NRC - Disconnect Charge + 1st	N/A	\$173.46	NA NA	NA	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - Add'l	NVA	\$5.95	NA	NA	NA	NA	NA	NA	NA NA	NA
NRC + Incremental Charge - Manual Service Order - 1st	SOMAN	NA NA	NA NA	\$44,22	NA NA			N/A	NA	1993

٢

e

	·		·	<u>. </u>		ATES BY STAT	E			
DESCRIPTION	USOC	AL	FL	GA	КҮ		MS	NC	SC	TN
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	NA	NA	NA	NA	\$4.23	\$5.85	NA	NA	NA
irectory Assistance Database Service (DADS)							·			
Irectory Assistance Database Service charge per listing	N/Å	\$0.0446	\$0.001	\$0.0445	\$0.0193	\$0.0443	\$0.0447	\$0 00072	\$0.0444	NA
Irectory Assistance Database Service, per month	DBSOF	\$128.55	\$100.00	\$95.50	\$120.76	\$90.54	\$126.17	\$97 39	\$127.23	N/
Nrect Access to Directory Assistance Service (DADAS)								[
Nrect Access to Directory Assistance Service, per month	DBSDS	\$7,055.00	\$5,000.00	\$5,254.00	\$7,235.01	\$4,982.00	\$6,926.00	\$5,000.00	\$6,983.00	N/
Hrect Access to Directory Assistance Service, per guery	DBSDA	\$0.0472685	\$0.01	\$0.0469016	\$0.0052	\$0.0460	\$0.0461336	\$0.023	\$0.0468212	N/
Hrect Access to Directory Assistance Service, avc estab charge	DBSDE									
NRC	DBSDE	\$1,118.00	\$820.00	\$788.24	\$1,186.94	\$786.82	\$1,097.00	\$1,000.00	\$1,173.00	N/
NRC - Disconnect	DBSDE	\$81.83	NA	NA	NA	NA	NA	NA	NA	Ni
NRC - Incremental Charge Manual Service Order - 1st	SOMAN	NA.	NA	NA	NA	\$57.23	\$80.52	NA	NA	N/
	51 1 1978 BRG							L		TB
the max manifolds	CAM		\$0.00004		1		l	1		
NN, per message NN - BellSouth AIN SMS Access Service	CAM	NA	(interim)	NA ·	NA	NA	NA	NA	NA	N/
Service Establishment Charge, per state, initial set-up					ļ	/			NA	N
NRC	CAMSE	\$197.49	NA	\$90.25	NA	*153 2i	\$174.03		+	
NRC - Disconnect	CAMSE	\$114.22	NA NA	390.25 NA	NA NA	\$153.31 \$78.06	\$174.03	NA	\$296.16	N/
Port Connection - Dial/Shared Access	CRIMICE					\$70.00	\$133.90	NA	NA	N/
INRC	CAMOP	\$64.05	NA	\$29.66	NA	\$50.07	\$53,47	NA	P07.00	N/
NRC - Disconnect	CAMOP	\$27.04	NA	\$29.00 NA	NA NA	\$18.61	\$37.70	NA NA	\$87 29 NA	
Port Connection - ISDN Access	Co (mich	#21.04		·····			#37.7U		NA	N/
INRC	CAMIP	\$64.05	NA	\$29.66	NA	\$50.07	\$53.47	NA	\$87 29	Ň
NRC - Disconnect	CAMIP	\$27.04	NA	NA	NA NA	\$18.61	\$37.70	NA NA	307.29 NA	N/
User ID Codes - per User ID Code	- Orimiti	421.04				\$10.01	337.70		NA	N/
INRC	CAMAU	\$141.84	NA	\$84.43	NA	\$104.95	\$129.83	NA	\$202.08	NA
NRC - Disconnect	CAMAU	\$70.05	NA	NA	NA	\$48.95	\$79.91	NA NA	\$202.00 NA	N/
Security Card per User ID Code, initial or replacement	0.000	910.00		·····		#10.90		<u> </u>	<u></u>	142
INRC	CAMRC	\$142.13	NA	\$35.44	NA	\$125 33	\$131.54	NA	\$172.26	
NRC - Disconnect	CAMRC	\$35.26	NA	NA	NA	\$24.40	\$45 77	NA	NA	N
Storage, per unit (100Kb)	N/A	\$0.0026	NA	\$0.0023	NA	\$0.0029	\$0.0029	NA	\$0.0026	N/
Session per minute	N/A	\$0,0892	NA	\$0.0795604	NA	\$0.10	\$0.0975650	NA	\$0.0942966	N
CO. Performed Session, per minute	N/A	\$2.08	NA	\$2.06	NA	\$1.97	\$2.09	NA	\$2.07	NA
UN - BellSouth AIN Toolkit Service									42.07	
UN, Service Creation Tools	CAMBP	NA	TBD	NA	NA	NA	NA	NA	NA	NA
Service Establishment Charge, per state, initial set-up										
NRC	BAPSC	\$192.69	NA	\$86.74	NA	\$153.25	\$169.31	NA	\$291.41	NA
NRC - Disconnect	BAPSC	\$114.22	NA	NA	NA	\$78.05	\$135.96	NA	NA	N/
Training Session, per customer			1		· · · · · · · · · · · · · · · · · · ·		t			117
INRC	BAPVX	\$8,363.00	NA	\$8,348.00	NA	\$8,315.00	\$8,379.00	NA	\$8,333.00	N/
NRC - Disconnect	BAPVX	NA	NA	NA	NA	NA	NA	NA	NA	N/
Trigger Access Charge, per trigger, per DN, Term. Attempt		1		· · · · · · · · · · · · · · · · · · ·						
NRC	BAPTT	\$49.64	NA	\$19.13	NA	\$41.08	\$39.30	NA	\$73.02	N/
NRC - Disconnect	BAPTT	\$27.04	NA	NA	NA	\$18.60	\$37 70	NA	NA	NA
Trigger Access Charge, per trigger per DN, Off-Hook Delay										
	BAPTD	\$49.64	NA	\$114.80	NA	\$41.08	\$39.30	NA	\$73.02	NA
NRC - Disconnect	8APTD	\$27.04	NA	NA	NA	\$18.60	\$37.70	NA	NA	NA
Trigger Access Charge, per trigger, per DN, Off-Hook Immediate										
	BAPTM	\$49.64	NA	\$19.13	NA	\$41.08	\$39.30	NA	\$73.02	NA
NRC - Disconnect	BAPTM	\$27.04	NA	NA	NA	\$18.60	\$37.70	NA	NA	NA
Trigger Access Charge, per trigger, per DN, 10-Digit PODP										
NRC	BAPTO	\$117,98	NA	\$70.06	NA	\$92 99	\$106 90	NA	\$150.25	NA
NRC - Disconneci	BAPTO	\$37.90	NA	NA	NA	\$26.73	\$48 44	NA	NA	NA
Trigger Access Charge, per Irigger, per DN, CDP					· · · · · · · · · · · · · · · · · · ·					
NRC	BAPTC	\$117.98	NA	\$70.06	NA	\$92.99	\$106.90	NA	\$150.25	NA
NRC - Disconnect	BAPTC	\$37.90	NA NA	NA	NA	\$26.73	\$48 44	NA	NA	NA

Version2Q99:06/08/99

ß

Allachment 2 Exhibit C Rates - Page 16

Attachment 2 Exhibit C Rates - Page 17

BELLSOUTH/CLEC+1 RATES NETWORK ELEMENTS AND OTHER SERVICES

£

					R	ATES BY STAT	E			
SCRIPTION	usoc	AL	FL	GA	кү	LA	MS	NC	SC	TN
INRC	BAPTF	\$117.98	NA	\$70.06	NA	\$92.99	\$106.90	NA	\$150.25	N/
NRC - Disconnect	BAPTE	\$37.90	NA	NA	NA	\$26.73	\$48.44	NA	NA	N
Query Charge, per query	N/A	\$0.024	NA	\$0.0209223	NA	\$0.03	\$0.0256138	NA	\$0.0250662	N/
Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query	NVA .	\$0.006	NA	\$0.0053137	NA	\$0.0065	\$0.0065161	NA	\$0.0062979	N/
P Storage Charge, per SMS Access Acct, per 100 Kb	N/A	\$1.83	NA	\$1.46	NA	\$1.79	\$1.79	NA	\$1.73	N/
nthly Report - per AIN Toolkit Service Subscription	BAPMS	\$16.00	NA	\$15.96	NA	\$15.89	\$16.01	NA	\$15.93	N
INRC	BAPMS	\$44.56	NA	\$22.64	NA	\$34.61	\$44.02	NA	\$72.15	N
NRC - Disconnect	BAPMS	\$31.84	NA	NA	NA	\$21.97	\$31 28	NA	NA	N
ecial Study - per AIN Toolid Service Subscription	BAPLS	\$0.10	NA	\$0.0861109	NA	\$0.08	\$0.0810536	NA	\$0.0872769	N/
INRC	BAPLS	\$47.74	NA	\$22.64	NA	\$37.77	\$47.21	NA	\$47 35	Ň
NRC - Disconnect	BAPLS	\$15.90	NA	NA	NA	NA	NA	NA	NA	N
II Event Report - per AIN Toolikit Service Subscription	BAPDS	\$15.90	NA	\$15.87	NA	\$15.81	\$15.93	NA	\$15.84	N
INRC	BAPDS	\$44.56	NA	\$22.64	NA	\$34.61	\$44.02	NA	\$72.15	N
NRC - Disconnect	BAPDS	\$31.84	NA	NA	NA	\$21.97	\$31.28	NA	NA	N
Il Event special Study - per AIN Toolkit Service Subscription	BAPES	\$0.003	NA	\$0.0028704	NA	\$0.0026	\$0.0027018	NA	\$0.0029092	N
INRC	BAPES	\$47.74	NA	\$22.64	NA	\$37.77	\$47.21	NA	\$47.35	Ň
NRC - Disconnect	BAPES	\$15.90	NA	NA	NA	\$37.77	NA	NA	NA	Ň
LLING NAME (CHAR) CLIENT SERVICE	1 10 10 10 10 10 10 10 10 10 10 10 10 10	1								
IAM (Detabase Owner), Per Query	NA	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.0
AM (Non-Database Owner), Per Query *	NA	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0
INRC, applicable when World Access uses the Character Based User Interface (CHUI) method to kansmit the nemes to the BellSouth CNAM database	NA	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595
okume and term arrangements are also available.	· · · · · · · · · · · · · · · · · · ·						1	·		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 7	te anne e se	<u> </u>	(1		· · · · · · · · · · · · · · · · · · ·	
r four fiber strands, per route mile or fraction thereof, per month	UBNAX	\$59.64	\$55.35	\$44.22	\$64.64	\$65.29	\$70.35	\$49.88	\$72.45	\$52
NRC - 1st	UBNAX	\$1,693.00	\$1,262.00	\$1,355,29	\$2,304.00	\$1,258.00	\$1,789.00	\$2,277.00	\$2,406.00	\$1.21
NRC - Addi	UBNAX	\$368.21	\$283.34	\$273.69	\$740.93	\$267.29	\$364.94	\$733.08	\$765.30	\$169
NRC - Disconnect - 1st	UBNAX	\$625.66	\$453.61	NA	NA	\$427.19	\$600.99	NA	NA	\$453
NRC · Disconnect Add'l	UBNAX	\$466.87	\$339.34	NA	NA	\$312.82	\$439.38	NA	NA	\$339
r four fiber strands, per route foot or fraction thereof, per month	UBNAX	NA	NA	\$0.0084318	NA	NA	NA	NA	NA NA	N
NRC - 1st	UBNAX	NA	NA	\$1,355.29	NA	NA	NA	NA	NA	N
INRC - Add1	UBNAX	NA	NA	\$273.69	NA	NA	NA	NA	I NA	N
NRC - Disconnect - 1st	UBNAX	NA	NA	NA	NA	NA	NA	NA	NA	Ň
INRC - Disconnect - Add1	UBNAX	NA	NA	NA	NA	NA	NA	NA	NA	N
			1.7							
			† <u></u>		\$10.00 (Interim		r			
r Line or PBX Trunk, each		NA	NA	NA	Rale)	NA	NA	NA	NA	TB
NRC	· · · · · · · · · · · · · · · · · · ·	NA	NA	NA	NA	NA	NA	NA	NA	ŤB
stomized routing per unique line class code, per request, per switch				<u> </u>		NA	NA	NA	NA	N
INRC		\$230.60	NA	\$180.62	NA	NA	\$227.99	NA	\$226.22	N
NRC - Incremental Charge - Manual Service Order		\$25.93	NA NA	\$18.94	NA	NA	\$253.51	NA	\$27.84	N

•

:

Attacliment 2 Exhibit C Rates - Page 18

BELLSOUTH/CLEC-1 RATES NETWORK ELEMENTS AND OTHER SERVICES

×.

			·····	· · · · · · · · · · · · · · · · · · ·	R	ATES BY STAT	Ε			
ESCRIPTION	USOC	AL	FL	GA	КҮ	LA	MS	NG	sc	TN
5 When CLEC buys the switch at the network element rate it will receive vertical services at no additional charge, but when it buys combinations of elements to produce a BellSouth retail service, and thus comes under the resale pricing provisions, it must also pay the wholesale rate for vartical services, if those services are in the retail tantif on the effective date of the agreement. Vertical services which are not in the retail tantif but which can be provided by the switch will be available at no additional charges, (NC)	,									
This rate element is for use in those states with a different rate for additional minutes of use. (BatSouth and CLEC shall negotiate rates for this offering. If agreement is not reached within sixty (60) days of the Effective Date, either party may petition the Florida PSC to settle the disputed charge or charges. (FL)	······································									
8 This rate element is for those states w/o separate rates for 800 calls with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features.										
9 This charge is only applicable where signaling usage measurement or billing capability does not exist.										
10 Prices for AIN to be determined upon development of mediation device. (TN) 11 Price for Line Class Codes for Selective Routing shall be determined by the TRA. (TN)										

.

Attachment 3 Page 1

Attachment 3

Local Interconnection

Version2Q99:06/08/99

· ×

÷

TABLE OF CONTENTS

1. NETWORK INTERCONNECTION
2. INTERCONNECTION TRUNKING AND ROUTING
3. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION9
4. PARITY IN ORDERING AND PROVISIONING11
5. LOCAL DIALING PARITY11
6. INTERCONNECTION COMPENSATION12
7. FRAME RELAY SERVICE
8. OPERATIONAL SUPPORT SYSTEMS (OSS) RATES21
EXHIBIT A RATESExhibit A

• .

ς.

Local Interconnection: Call Transport and Termination

The rates, terms and conditions contained within this Attachment were negotiated as a whole and each rate, term and condition within the Attachment is interdependent upon the other rates, terms and conditions.

The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:

1. Network Interconnection

- 1.1 Interconnection is available to both Parties through: (1) delivery of a Party's facilities to a collocation arrangement or Fiber Meet arrangement as defined in this Agreement; or (2) interconnection via purchase of facilities from the other Party. Interconnection may be provided by the Parties at any other technically feasible point. Requests to BellSouth for interconnection at other points may be made through the Bona Fide Request/New Business Request process set out in General Terms and Conditions.
- 1.2 World Access must establish, at a minimum, a single Point of Presence, Interface, and Interconnection with BellSouth within the LATA for the delivery of World Access's originated local, intraLATA toll and transit traffic. If World Access chooses to interconnect at a single Point of Interconnection within a LATA, the interconnection must be at a BellSouth Access Tandem. Furthermore, World Access must establish Points of Interconnection at all BellSouth access and local tandems where World Access NXXs are "homed." A "Homing" arrangement is defined by a "Final" Trunk Group between the BellSouth Tandem and World Access End Office switch. A "Final" Trunk Group is the last choice telecommunications path between the Tandem and End Office switch. It is World Access's responsibility to enter its own NPA/NXX access and/or local tandem "homing" arrangements into the national Local Exchange Routing Guide (LERG).
- 1.2.1 In order for World Access to home its NPA/NXX(s) on a BellSouth Tandem, World Access's NPA/NXX(s) must be assigned to an Exchange Rate Center Area served by that BellSouth Tandem and as specified by BellSouth. The specified association between BellSouth Tandems and Exchange Rate Center Areas is defined in the BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide as it is revised from time to time.

Version2Q99:06/08/99

- 1.3 A <u>Point of Presence (POP)</u> is the physical location (a structure where the environmental, power, air conditioning, etc. specifications for a Party's terminating equipment can be met) at which a Party establishes itself for obtaining access to the other Party's network. The POP is the physical location within which the Point of Interfaces occur.
- 1.4 A <u>Point of Interface</u> is the physical telecommunications interface between BellSouth and World Access's interconnection functions. It establishes the technical interface and point of operational responsibility. The primary function of the Point of Interface is to serve as the terminus for the interconnection service. The Point of Interface has the following main characteristics:
 - 1. It is a cross-connect point to allow connection, disconnection, transfer or restoration of service.
 - 2. It is a point where BellSouth and World Access can verify and maintain specific performance objectives.
 - 3. It is specified according to the interface offered in the tariff or local interconnection agreement (for example: for DS1 service the FCC # 1 tariff specifies that the interface meets the technical specifications detailed in Generic Requirements GR-342-CORE, Issue 1, December 1995.)
 - 4. The Parties provide their own equipment (CPE) to interface with the DS0, DS1, DS3, STS1 and/or OCn circuits on the customer premises.
- 1.5 The **Point of Interconnection** is the point at which the originating Party delivers its originated traffic to the terminating Party's first point of switching on the terminating Party's common (shared) network for call transport and termination. Points of Interconnection are available at either Access Tandems, Local Tandems, or End Offices as described in this Agreement. World Access's requested Point of Interconnection will also be used for the receipt and delivery of transit traffic at BellSouth Access and Local Tandems. Points of Interconnection established at the BellSouth Local Tandem apply only to World Access-originated local and local originating and terminating transit traffic.
- 1.6 World Access, at its option, shall establish Points of Presence and Points of Interface for the delivery of its originated local and intraLATA toll traffic to BellSouth. The Point of Interface may not necessarily be established at the Point of Interconnection.
- 1.7 BellSouth shall designate the Points of Presence and Points of Interface for the delivery of its originated local and intraLATA toll traffic to World Access for call transport and termination by World Access.

1.8 Interconnection via Purchase of Facilities

1.8.1 Either Party may purchase Local Channel facilities from the Party's specified Point of Interface to its designated serving wire center. The Parties agree that charges for such Local Channel facilities are as set forth in Exhibit A to this

Version2Q99:06/08/99

Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for a Local Channel, the rate shall be as set forth in the appropriate BellSouth intrastate or interstate tariff for switched access services.

Additionally, either Party may purchase Dedicated Transport facilities from its designated serving wire center to the other Party's first point of switching. The Parties agree that charges for such Dedicated Transport facilities are as set forth in Exhibit A to this Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for Dedicated Transport, the rate shall be as set forth in the appropriate BellSouth intrastate or interstate tariff for switched access services.

- 1.8.2 For the purposes of this Attachment, Local Channel is defined as a switch transport facility between a Party's Point of Presence and its designated serving wire center.
- 1.8.3 For the purposes of this Attachment, Serving Wire Center is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its Point of Presence.
- 1.8.4 For the purposes of this Attachment, Dedicated Transport is defined as a switch transport facility between a Party's designated serving wire center and the first point of switching on the other Party's common (shared) network.
 - 1.9 BellSouth Multiple Tandem Access (MTA) provides for LATA wide BellSouth transport and termination of World Access-originated local and BellSouth transported intraLATA toll traffic by establishing a Point of Interconnection at a BellSouth access tandem with routing through multiple BellSouth access tandems as required. However, World Access must still establish Points of Interconnection at all BellSouth access tandems where World Access NXXs are "homed". If World Access does not have NXXs homed at a BellSouth access tandem within a LATA and elects not to establish Points of Interconnection at such BellSouth access tandem, World Access can order MTA in each BellSouth access tandem within the LATA where it does have a Point of Interconnection and BellSouth will terminate traffic to end-users served through those BellSouth access tandems where World Access does not have a Point of Interconnection. MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
 - 1.9.1 MTA does not include switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched Access traffic will be delivered to and by IXCs based on World Access's NXX Access Tandem homing arrangement as specified by World Access in the national Local Exchange Routing Guide (LERG).
 - 1.9.2 For World Access-originated local and intraLATA toll traffic that BellSouth transports but is destined for termination by a third Party network (transit traffic),

BellSouth MTA is required if multiple BellSouth access tandems are necessary to deliver the call to the third Party network.

- 1.9.3 With MTA, compensation for the termination of World Access's local traffic will be billed on an elemental basis at the rates specified in Exhibit A to this Attachment on a statewide basis.
- 1.9.4 To the extent World Access does not purchase MTA in a calling area that has multiple access tandems serving the calling area as defined by BellSouth, World Access must establish Points of Interconnection to every access tandem in the calling area in order to serve the entire calling area. To the extent World Access does not purchase MTA and provides intraLATA toll service to its customers, it may be necessary for it to establish a Point of Interconnection to additional BellSouth access tandems that serve end offices outside the local calling area.
- 1.10 Local Tandem Interconnection. This interconnection arrangement allows World Access to establish a Point of Interconnection at BellSouth local tandems for: (1) the delivery of World Access-originated local traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's GSST, section A3 served by those BellSouth local tandems, and (2) for local transit traffic transported by BellSouth for third party network providers who have also established Points of Interconnection at those BellSouth local tandems.
- 1.10.1 When a specified local calling area is served by more than one BellSouth local tandem, World Access must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, World Access may choose to establish a Point of Interconnection at the BellSouth local tandems where it has no codes homing but is not required to do so. World Access may deliver local traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where World Access does not choose to establish a Point of Interconnection. It is World Access's responsibility to enter its own NPA/NXX local tandem homing arrangements into the Local Exchange Routing Guide (LERG) either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to World Access's codes. Likewise, World Access shall obtain its routing information from the LERG.
- 1.10.2 Notwithstanding establishing Points of Interconnection to BellSouth's local tandems, World Access must also establish Points of Interconnection to BellSouth access tandems within the LATA on which World Access has NPA/NXX's homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth cannot switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error

z

will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff.)

1.10.3 BellSouth's provisioning of local tandem interconnection assumes that World Access has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

1.11 Fiber Meet

- 1.11.1 "Fiber-Meet" is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface (as opposed to an electrical interface) at a mutually agreed upon location, at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends (i.e. Point Of Interface).
- 1.11.2 If World Access elects to establish a Point of Interconnection with BellSouth pursuant to a Fiber Meet, World Access and BellSouth shall jointly engineer and operate a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of local traffic via a Local Channel facility at either the DS0, DS1, or DS3 level and shall be ordered via an Access Services Request ("ASR") in the initial phase of this offering. The Parties shall work jointly to determine the specific transmission system. However, World Access's SONET transmission must be compatible with BellSouth's equipment in the serving wire center. The same vendor's equipment and software version must be used, and the Data Communications Channel (DCC) must be turned off.
- 1.11.3 BellSouth shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the BellSouth Interconnection Wire Center ("BIWC").
- 1.11.4 World Access shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in World Access Interconnection Wire Center ("World Access Wire Center").
- 1.11.5 BellSouth shall designate a Point of Interface outside the BIWC as a Fiber Meet point, and shall make all necessary preparations to receive, and to allow and enable World Access to deliver, fiber optic facilities into the Point of Interface with sufficient spare length to reach the fusion splice point at the Point of Interface. BellSouth shall, wholly at its own expense, procure, install, and maintain the fusion splicing point in the Point of Interface. A Common Language Location Identification ("CLLI") code will be established for each Point of Interface. The code established must be a building type code. All orders shall

originate from the Point of Interface (i.e., Point of Interface to World Access, Point of Interface to BellSouth).

- 1.11.6 World Access shall deliver and maintain such strands wholly at its own expense. Upon verbal request by World Access, BellSouth shall allow World Access access to the Fiber Meet entry point for maintenance purposes as promptly as possible.
- 1.11.7 The Parties shall jointly coordinate and undertake maintenance of the SONET transmission system. Each Party shall be responsible for maintaining the components of their own SONET transmission system.
- 1.11.8 Each Party will be responsible for (i) providing its own transport facilities to the Fiber Meet, and (ii) the cost to build-out its facilities to such Fiber Meet.
- 1.11.9 Neither Party shall charge the other for its portion of the Fiber Meet facility used exclusively for non-transit local traffic (i.e. the Local Channel). Charges incurred for other services including dedicated transport facilities to the Point of Interconnection if applicable will apply. Charges for Switched and Special Access Services shall be billed in accordance with the applicable Access Service tariff (i.e. the BellSouth Interstate or Intrastate Access Services Tariff).

2. Interconnection Trunking and Routing

- 2.1 BellSouth and World Access shall establish interconnecting trunk groups and trunking configurations between networks including the establishment of one-way or two-way trunks in accordance with the BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide as it is revised from time to time.
- 2.2 Any World Access interconnection request that deviates from the standard trunking configurations as described in the BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide that affects traffic delivered to World Access from a BellSouth switch that requires special BellSouth switch translations and other network modifications will require World Access to submit a Bona Fide Request/New Business Request via the Bona Fide Request/New Business Request Process set forth in General Terms and Conditions.
- 2.3 All terms and conditions, as well as charges, both non-recurring and recurring, associated with interconnecting trunk groups between BellSouth and World Access not addressed in Exhibit A shall be as set forth in the appropriate BellSouth intrastate or interstate tariff for switched access services. For two-way trunking that carries the Parties' local and intraLATA toll traffic, excluding transit traffic, the Parties shall be compensated for the nonrecurring and recurring charges for trunks and DS1 facilities at 50% of the applicable contractual or tariff

rates for the services provided by each Party. World Access shall be responsible for ordering and paying for any two-way trunks carrying transit traffic.

The Parties shall utilize direct end office trunking under the following conditions:

(1) Tandem Exhaust - If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between World Access and BellSouth's subscribers.

(2) Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between a World Access switching center and a BellSouth end office, either Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a World Access switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed a single DS1 of local traffic per month. Either Party will install additional capacity between such points when overflow traffic between World Access's switching center and BellSouth's end office exceeds or is forecasted to exceed a single DS1 of local traffic per month. In the case of one way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of the conditions (1) or (2) above and agreement will not unreasonably be withheld.

- 2.5 Switched Access traffic will be delivered to and by IXCs based on World Access's NXX Access Tandem homing arrangement as specified by World Access in the national Local Exchange Routing Guide (LERG).
- 2.6 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible.

3. Network Design and Management for Interconnection

3.1 <u>Network Management and Changes.</u> Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of tollfree maintenance contact numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.

2.4

5

ŧ

- 3.2 Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Bellcore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide outof-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, offhook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.
- 3.3 Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- * 3.4 <u>Network Management Controls</u>. Both Parties will work cooperatively with each other to apply sound network management principles by invoking appropriate network management controls, *e.g.*, call gapping, to alleviate or prevent network congestion.
 - 3.5 Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks.

3.6 Forecasting Requirements.

3.6.1 The Parties shall exchange technical descriptions and forecasts of their interconnection and traffic requirements in sufficient detail necessary to establish the interconnections required to assure traffic completion to and from all customers in their respective designated service areas. In order for BellSouth to provide as accurate reciprocal trunking forecasts as possible to World Access, World Access must timely inform BellSouth of any known or anticipated events that may affect BellSouth reciprocal trunking requirements. If World Access refuses to provide such information, BellSouth shall provide reciprocal trunking forecasts based only on existing trunk group growth and BellSouth's annual estimated percentage of BellSouth subscriber line growth.

- 3.6.2 Both Parties shall meet every six months or at otherwise mutually agreeable intervals for the purpose of exchanging non-binding forecast of its traffic and volume requirements for the interconnection and network elements provided under this Agreement, in the form and in such detail as agreed by the Parties. The Parties agree that each forecast provided under this Section shall be deemed "Confidential Information" in the General Terms and Conditions Part A of this Agreement.
- 3.6.3 The trunk forecast should include trunk requirements for all of the interconnecting trunk groups for the current year plus the next two future years. The forecast meeting between the two companies may be a face-to-face meeting, video conference or audio conference. It may be held regionally or geographically. Ideally, these forecast meetings should be held at least semi-annually, or more often if the forecast is no longer usable. Updates to a forecast or portions thereof should be made whenever the Party providing the forecast deems that the latest trunk requirements exceed the original quantities by 24 trunks or 10%, whichever is greater. Either Party should notify the other Party if they have measurements indicating that a trunk group is exceeding its designed call carrying capacity and is impacting other trunk groups in the network. Also, either Party should notify the other Party if they know of situations in which the traffic load is expected to increase significantly and thus affect the interconnecting trunk requirements as well as the trunk requirements within the other Party's network. The Parties agree that the forecast information provided under this Section shall be deemed "Confidential Information" as set forth in the General Terms and Conditions of this Agreement.
- 3.6.4 For a non-binding trunk forecast, agreement between the two Parties on the trunk quantities and the timeframe of those trunks does not imply any liability for failure to perform if the trunks are not available for use at the required time.
- 3.6.5 <u>Signaling Call Information</u>. BellSouth and World Access will send and receive 10 digits for local traffic. Additionally, BellSouth and World Access will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

4.

Parity in Ordering and Provisioning

Each Party shall provide interconnection ordering and provisioning services to the other Party that are equal to the ordering and provisioning services the Parties provide themselves. Detailed procedures for ordering and provisioning BellSouth interconnection services are set forth in the BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide.

5. Local Dialing Parity

Each Party shall provide local dialing parity, meaning that each Party's customers will not have to dial any greater number of digits than the other Party's customers to complete the same call. In addition, under equivalent interconnection arrangements, World Access local service customers will experience at least the same quality as BellSouth local service customers regarding post-dial delay, call completion rate and transmission quality.

6. Interconnection Compensation

6.1 Compensation for Local Traffic

- 6.1.1 Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff. As clarification of this definition and for reciprocal compensation, Local Traffic does not include traffic that originates from or terminates to or through an enhanced service provider or information service provider. As further clarification, Local Traffic does not include calls that do not transmit information of the user's choosing. In any event, neither Party will pay reciprocal compensation to the other if the "traffic" to which such reciprocal compensation would otherwise apply was generated, in whole or in part, for the purpose of creating an obligation on the part of the originating carrier to pay reciprocal compensation for such traffic.
- 6.1.2 The Parties shall provide for the mutual and reciprocal recovery of the costs for the elemental functions performed in transporting and terminating local traffic on each other's network. The Parties agree that charges for transport and termination of calls on its respective networks are as set forth in Exhibit A to this Attachment.
- 6.1.3 For the purposes of this Attachment, Common (Shared) Transport is defined as the transport of one Party's traffic by the other Party over the other Party's common (shared) facilities between the other Party's tandem switch and end office switch and/or between the other Party's tandem switches.
- 6.1.4 For the purposes of this Attachment, Tandem Switching is defined as the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).
- 6.1.5 For the purposes of this Attachment, End Office Switching is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.

Version2Q99:06/08/99

- 6.1.6 If World Access utilizes a switch outside the LATA and BellSouth chooses to purchase dedicated or common (shared) transport from World Access for transport and termination of BellSouth originated traffic, BellSouth will pay World Access no more than the airline miles between the V & H coordinates of the Point of Interface within the LATA where World Access receives the BellSouth-originated traffic and the V & H coordinates of the BellSouth Exchange Rate Center Area that World Access terminating NPA/NXX is associated in the same LATA. For these situations, BellSouth will compensate World Access at either dedicated or common (shared) transport rates specified in Exhibit A and based upon the functions provided by World Access as defined in this Attachment.
- 6.1.7 Neither Party shall represent access services traffic (e.g. Internet Protocol (IP) Telephony, FGA, FGB, etc.) as Local Traffic for purposes of payment of reciprocal compensation.
- 6.2 Unidentifiable traffic. World Access shall utilize its NPA/NXXs in such a way and will provide the necessary information so that BellSouth shall be able to distinguish Local from IntraLATA Toll traffic for BellSouth originated traffic. World Access end users' assigned NPA/NXX line numbers shall be physically located in the BellSouth rate center with which the NPA/NXX has been associated. Whenever BellSouth delivers traffic to World Access for termination on World Access's network, if BellSouth cannot determine, because of the manner in which World Access has utilized its NXX codes whether the traffic is local or toll, BellSouth will charge the applicable rates for originating intrastate network access service as reflected in BellSouth's Intrastate Access Service Tariff. BellSouth will make appropriate billing adjustments if World Access can provide sufficient information for BellSouth to determine whether said traffic is local or toll.

6.3 <u>Percent Local Use.</u> Each Party will report to the other a Percentage Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding intermediary traffic. By the first of January, April, July and October of each year, BellSouth and World Access shall provide a positive report updating the PLU. Detailed requirements associated with PLU reporting shall be as set forth in BellSouth's Standard Percent Local Use Reporting Platform for Interconnection Purchasers, as it is amended from time to time during this Agreement. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.

6.4 Percentage Interstate Usage. For combined interstate and intrastate World Access traffic terminated by BellSouth over the same facilities, World Access will be

Version2Q99:06/08/99

required to provide a projected Percentage Interstate Usage ("PIU") to BellSouth. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to World Access. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU factor will be used for application and billing of local interconnection. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.

6.5

Audits. - On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and World Access shall retain records of call detail for a minimum of nine months from which a PLU and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit, and to the usage for the quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

6.6 Rate True-up

This section applies only to North Carolina and Tennessee.

- 6.6.1 The interim prices for Unbundled Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- 6.6.2 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process

in accordance with the provisions of Section 12 of the General Terms and Conditions and Attachment 1 of the Agreement.

- 6.6.3 The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated agreement" under Section 252(e) of the Act.
- 6.6.4 A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
 - (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
 - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of unbundled element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.
- 6.7 Compensation for IntraLATA Toll Traffic
- 6.7.1 <u>IntraLATA Toll Traffic</u>. IntraLATA Toll Traffic is defined as any telephone call that is not local or switched access per this Agreement.
- 6.7.2 <u>Compensation for intraLATA toll traffic</u>. For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff. The appropriate charges will be determined by the routing of the call. If World Access is the BellSouth end user's presubscribed interexchange carrier or if the BellSouth end user uses World Access as an interexchange carrier on a 101XXXX basis, BellSouth will charge World Access the appropriate BellSouth tariff charges for originating switched access services.
- 6.7.3 <u>Compensation for 800 Traffic</u>. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs.

- 6.7.4 <u>Records for 800 Billing</u>. Each Party will provide to the other the appropriate records necessary for billing intraLATA 800 customers. The records provided will be in a standard EMI format for a fee of \$0.013 per record.
- 6.7.5 <u>800 Access Screening</u>. Should World Access require 800 Access Ten Digit Screening Service from BellSouth, it shall have signaling transfer points connecting directly to BellSouth's local or regional signaling transfer point for service control point database query information. World Access shall utilize SS7 signaling links, ports and usage as set forth in Attachment 2. World Access will not utilize switched access FGD service. 800 Access Ten Digit Screening Service is an originating service that is provided via 800 Switched Access Service trunk groups from BellSouth's SS7 equipped end office or access tandem providing an IXC identification function and delivery of a call to the IXC based on the dialed ten digit number. The terms and conditions for this service are set out in BellSouth's Intrastate Access Services Tariff as amended.
- 6.8 Mutual Provision of Switched Access Service
- 6.8.1 <u>Switched Access Traffic</u>. Switched Access Traffic is as defined in the BellSouth Access Tariff. Additionally, IP Telephony traffic will be considered switched access traffic.
- 6.8.2 When BellSouth and World Access provide an access service connection between an interexchange carrier ("IXC") and each other, each Party will provide its own access services to the IXC on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. BellSouth will use the Multiple Exchange Carrier Access Billing (MECAB) system to establish meet point billing for all applicable traffic. Thirty (30)-day billing periods will be employed for these arrangements. The recording Party agrees to provide to the initial billing company, at no charge, the switched access detailed usage data within no more than sixty (60) days after the recording date. The initial billing company will provide the switched access summary usage data to all subsequent billing companies within 10 days of rendering the initial bill to the IXC. Each company will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary.
- 6.8.3 Where either company has been notified that the other company has a Billing Guarantee Practice, each company so notified (the Initial Billing Company or the recording company) will be held liable for any access revenues which it has caused to be determined unbillable under the guidelines of such Billing Guarantee Practice of the other company. Each company will provide complete

documentation to the other to substantiate any claim of unbillable access revenues. A negotiated settlement will be agreed upon between the companies.

- 6.8.4 Each company will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.
- 6.8.5 Each company agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 6.8.6 Each company also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.
- 6.8.7 All claims should be filed with the other company within 120 days of the receipt of the date of the unbillable usage.
- 6.8.8 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Company to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial billing Company. Each company agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 6.9 **Transit Traffic Service**. Each Party shall provide tandem switching and transport services for the other's transit traffic. Transit traffic is traffic originating on one Party's network that is switched and transported by the other Party and terminates on a third party's network. Rates for local transit traffic shall be the applicable call transport and termination charges as set forth in Exhibit A to this Attachment. Rates for intraLATA toll and Switched Access transit traffic shall be the applicable call transport and termination as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all transit traffic shall be pursuant to MECAB procedures. Wireless Type 1 traffic shall not be treated as transit traffic from a routing or billing perspective. Wireless Type 2A traffic shall not be treated as transit traffic from a routing or billing perspective until BellSouth and the Wireless carrier have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 6.9.1 The delivery of traffic which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates as set forth in Exhibit A to this Attachment. World Access is responsible for and shall negotiate the necessary agreements or the placement of valid orders with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier as a result of providing the transit

Version2Q99:06/08/99

function. An agreement or valid order with the terminating carrier will be established prior to the delivery of any transit traffic to BellSouth destined for the particular carrier's network. Further, World Access agrees to compensate BellSouth for any charges or costs for the delivery of transit traffic to a connecting carrier on behalf of World Access for which a valid contract or order has not been established. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

6.10 Interconnection with Enhanced Service Providers (ESPs)/Information Service Providers (ISPs). ESP/ISP traffic shall not be included in the interconnection compensation arrangements of this Agreement.

7. Frame Relay Service

- 7.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and World Access's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service in those states in which World Access is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between World Access and BellSouth Frame Relay Switches in the same LATA.
- 7.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("POI(s)") within the LATA. All POIs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 7.3 Upon the request of either Party, such interconnection will be established where BellSouth and World Access have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 7.4 The Parties agree to provision local and IntraLATA Frame Relay Service and Exchange Access Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the POIs.

- 7.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 7.5.1 If the data packets originate and terminate in locations in the same LATA, and consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 7.5.2 If the originating and terminating locations of the two way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 7.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, World Access may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies World Access that it has found that this method does not adequately represent the PLCU.
- 7.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 7.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and World Access will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. World Access will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of World Access's PLCU.
- 7.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and World Access will pay, the total non-recurring and recurring charges for the NNI port. World Access will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by World Access's PLCU.
- 7.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).

- 7.8 For the PVC segment between World Access and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 7.9 Compensation for PVC rate elements will be calculated as follows:
- 7.9.1 If World Access orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to World Access Frame Relay switch, BellSouth will invoice, and World Access will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and World Access Frame Relay switches. If the VC is a Local VC, World Access will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to World Access for the PVC segment.
- 7.9.2 If BellSouth orders a Local VC connection between a World Access subscriber's PVC segment and a PVC segment from World Access Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and World Access will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and World Access Frame Relay switches. If the VC is a Local VC, World Access will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to World Access for the PVC segment.
- 7.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No, 1.
- 7.9.4 If World Access requests a change, BellSouth will invoice and World Access will pay a Feature Change charge for each affected PVC segment.
- 7.9.4.1 If BellSouth requests a change to a Local VC, World Access will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 7.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 7.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No, 1.

- 7.10 World Access will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per section 8.5.3 above.
- 7.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.
- 7.12 If during the term of this Agreement, BellSouth obtains authority to provide interLATA Frame Relay in any State, the Parties agree to renegotiate this arrangement for the exchange of Frame Relay Service Traffic within one hundred eighty (180) days of the date BellSouth receives interLATA authority. In the event the Parties fail to renegotiate this Section 8 within the one hundred eighty day period, they will submit this matter to the appropriate State commission(s) for resolution.

8. Operational Support Systems (OSS) Rates

BellSouth has developed and made available the following mechanized systems by which World Access may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interface
EDI-PC	Electronic Data Interface – Personal Computer
TAG	Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS	AL, GA, LA, MS, SC	FL, KY, NC, TN
OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces	\$3.50	\$3.50
	SOMEC	SOMEC
Incremental charge per LSR received from the CLEC by means other than one of the OSS	See applicable rate element	\$19.99
interactive interfaces		SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

Version2Q99:06/08/99

In the event World Access provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

World Access will incur an OSS charge for an accepted LSR that is later canceled by World Access.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR.

Threshold Billing Plan

The Parties agree that World Access will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs **meets or** exceeds the threshold percentages shown below:

Year		Ratio: Mechanized/Total LSRs
1999	70%	
2000	80%	
2001	90%	

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

The Parties agree that any charges BellSouth is unable to bill on April 15, 1999 will be trued up on or about July 1, 1999.

BELLSOUTH/CLEC-1 RATES

Allachment 3
Exhibit A
Rates · Page 1

The rates contained within this Exhibit were negotiated as a whole within the negotiations of the terms and co	onditions contained will	hin the Atlachme	nt and each rate,	lerm and conditi	on is interdepen	dent upon the olf	er rates, terms a	and conditions wit	hin this Atlachm	ent.
		RATES BY STATE								
DESCRIPTION	usoc	AL	FL	GA	КУ	LA	MS	NC	sc	TN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TENNINATION)					1					
End Office Switching, per mou	NA	\$0.0016	NA	\$0.0016333	\$0.002562	NA	\$0.0023771	\$0.004	\$0.0019295	\$0.0019
Direct Local Interconnection, per mou (same as End Office Switching in FL & LA)	·····	NA	\$0.002	NA	NA	\$0.00209	NA	NA	NA	NA
Tandem Switching, per mou	N/A	\$0.00063	\$0.00029	\$0.0006757	\$0.001096	NA	\$0.0007834	\$0.0015	\$0.0006843	\$0.000676
Tandem Switching (assumes 5 miles of transport per mou)	N/A	NA	NA	NA	NA	\$0.00430	NA	NA	NA	NĂ
Tandem Local Interconnection, per mou (includes end office switching element)		NA	\$0.00325	NA	NA	\$0.00639	NA	NA	NA	NA
Multiple Tandem Switching, per mou (applies to initial landern only), effective 10/99		ŇÁ	\$0.00125	NA	NA	\$0.00430	NA	NA	NA	NA
Local Intermediary, per mou (applies to transit only)		NA	\$0.00125	NA	NA	\$0.00430	NA	NA	NA	NA
All terms and conditions, as well as charges, both non-recurring and recurring, associated with		BST State	BST State	BST State	BST State	BST State	BST Slate	BST Slale	BST State	BST Slate
interconnecting trunk groups between BellSouth and World Access shall be as set forth in		Access Tariff	Access Tariff	Access Tariff	Access Tariff	Access Tariff	Access Tariff	Access Tariff	Access Teriff	Access Tariff
Section E.6 of the appropriate BellSouth intrastate access tariff.		Rates	Rates	Rates	Rales	Rates	Rates	Rates	Rates	Rales
Tandem Intermediary Charge, per mou*	N/A	\$0.0015	NA	NA	\$0.001096	NA	NA	NA	NA	NA
*(This charge is applicable only to intermediary traffic and is applied in addition to applicable								1		
switching and/or interconnection charges.)		ł								
INTEROFFICE TRANSPORT		Che South	18 27 645 14					1		
Common (Shared) Transport			l	T	l					
Common (Shared) Transport per mile per mou	NA	\$0.00001	\$0.000012	\$0.000008	\$0.0000049	\$0.000083	\$0.0000091	\$0.00004	\$0.0000121	\$0.00004
Common (Shared) Transport Facilities Termination per mou	NA	\$0.00045	\$0.0005	\$0.0004152	\$0.000426	\$0.00047	\$0.0004281	\$0.00036	\$0.0004672	\$0.00036
Interoffice Transport - Dedicated - VG					[1		
Interoffice Transport - Dedicated - 2-Wire VG - per mile	UEA	\$0.03390	NA	\$0.0222	NA	\$0.0384	\$0.0323	NA	\$0.0373	NA
Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month	UEA	\$18.49	NA	\$17.07	NA	\$19.10	\$21.33	NA	\$21.42	NA
NRC - 1st	UEA	\$107.11	NA	\$79.61	NA	\$76.20	\$106.72	NA	* \$136.44	NA
NRC - Add'i	UEA	\$48.27	NA	\$36.08	NA	\$34.54	\$48.83	NA	\$51.37	NA
NRC - Disconnect Charge - 1st	UEA	\$37.16	NA	NA	NA	\$28.03	\$38.05	NA	NA	NA
NRC - Disconnect Charge - Add'l	UEA	\$5.88	NA	NĂ	NA	\$5.37	\$7.23	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	VÉA	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	N
NRC - Incremental Charge - Manual Service Order - Add'l	UEA	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	UEA	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'1	UEA	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	ŇA	NÁ
Interoffice Transport - Dedicated - DS0 - 56/64 KBPS						•				
Interoffice Transport - Dedicated - DS0 - per mile per month	JDI.	\$0.0339	NA	\$0.0222	NA	\$0.0384	\$0.0323	\$3.95	\$0.0373	\$1.90
Interoffice Transport - Dedicated - DS0 - facilities termination per month	UDL	\$17.81	NA	\$16.45	NA	\$16.37	\$20.64	\$38.37	\$20.71	\$38.37
NRC - 1st	UDI.	\$107.11	NA	\$79.61	NA	\$76.20	\$106.72	\$24.01	\$136.44	TBD
NRC - Add 1	UDL	\$48.27	NA	\$36.08	NA	\$34.54	\$48.83	\$24.01	\$51.37	TBD
NRC - Disconnect Charge - 1st	ŲDL	\$37.18	NA	NA	NA	\$28.03	\$38.05	NA	NA	NA
NRC - Disconnect Charge - Add'l	UDL	\$5.88	NA	NA	NA	\$5.37	\$7.23	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	UDL	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Add'1	UDL	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	UDL	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	UDL	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
Interoffice Transport - Dedicated - DS1				1			1	1		
Interoffice Transport - Dedicated - DS1 - per mile per month	USL	\$0.69	\$0.6013	\$0.4523	\$0.45	\$0.7831	\$0.6598	\$23.00	\$0.7598	\$23.00
Interoffice Transport - Dedicated - DS1 - facilities termination per month	USL	\$79.69	\$99.79	\$78.47	\$55.05	\$93.40	\$74.40	\$90.00	\$94.98	\$90.00
NRC - 1si	USL	\$198.15	\$45.91	\$147.07	\$298 18	\$140.49	\$196.28	\$100.49	\$216.27	\$100.49
NRC · Add1	USL.	\$148.18	\$44.18	\$111.75	\$231.23	\$106.69	\$147.31	\$100.49	\$162.70	\$100.49
NRC - Disconnect Charge - 1st	USL	\$25.44	NA	NA	NA	\$20.00	\$26.56	NA	NA	NA
NRC - Disconnect Charge - Add'I	USL	\$20.42	NA	NA	NA	\$16.34	\$21.61	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	USL	\$27.37	ŇA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Add'l	USL	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	USL	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	USL	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
Interoffice Transport - Dedicated - DS3	1	1	1	1	1			t	·····	
Interoffice Transport - Dedicated - DS3 - per mile per month	ÚE3	NA	NA	NA	NA	NA	\$15.02	\$175.00	\$40.00	NA

Version2Q99.06/08/99

•

BELLSOUTH/CLEC-1 RATES

						RATES BY STAT	IE			RATES BY STATE								
DESCRIPTION	USOC	AL	FL	64			MS	NC										
Interoffice Transport - Dedicated - DS3 - facilities fermination per month	UE3		NA		KY NA	LA NA	\$744.38	\$1,200.00	SC \$600.00									
INRC - 1st	UE3	NA	NA		NA	NA	\$686.74	\$67.19	\$67.19									
NRC - Add1	UE3		NA	NA	NA	NA	\$477.76	\$67.19	\$67.19									
NRC - Disconnect Charge - 1st	UE3	- NA	NA	NA	NA	NA	\$125.56	NA	NA									
NRC - Disconnect Charge - Add'l		NA	NA	NA	NA	NA	\$118.79	- NA	NA	t ñ								
NRC - Incremental Charge - Manual Service Order - 1st	UÉ3	NA	NA	NA	NA	NA	\$64.97		NA	1								
NRC - Incremental Charge - Manual Service Order - Add'l	UE3	NA	NA	NA	NA	NA	\$64.97	NA	NA									
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	UE3	NA	NA	NA	NA	NA	\$27.08	NA	NA	1 n								
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	UE3	NA	NA	- NA	NA	NA	\$27.08	NA	NA									
ocal Channel - Dedicated			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			┟╍╍┉╧┅╍╼┥		f								
ocal Channel - Dedicated - 2-Wire VG	N/A	\$14.61	NA	\$13.91	NA	\$14.94	\$17.83	NA	\$16.83	N N								
NRC - 1st	N/A	\$494.65	NA	\$362.95	NA	\$347.49	\$487.62	NA	\$554.00	N								
NRC - Add1	N/A	\$84.44	NA	\$62.40	NA	\$59.75	\$84.35	NA	\$88.58	N N								
NRC - Disconnect Charge - 1st	N/A	\$77.81	NA	NA	NA	\$53.68	\$77.69	NA	NA	1 N								
NRC - Disconnect Charge - Add'l	N/A	\$7.83	ŃA	NA	NA	\$6.60	\$8.95	NA	NA	1 N								
NRC - Incremental Charge - Manual Service Order - 1st	N/A	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$43.75	N N								
NRC - Incremental Charge - Manual Service Order - Add1	N/A	\$18.73	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	N								
NRC - Incremental Charge - Manual Service Order - Disconnect	N/A	\$17.75	NĂ	NA	NA	\$11.40	\$16.05	NA	NA	1 N								
ocal Channel - Dedicated - 4-Wire VG	N/A	\$15.77	NA	\$14.99	NA	\$18.21	\$19.03	NA	\$18.05	N								
NRC - 1st	N/A	\$502.43	NA	\$360.44	NA	\$352.75	\$495.25	NA	\$562.46	Ň								
NRC - Add'i	N/A	\$86.68	NA	\$64.05	NA	\$61.33	\$86.56	NA	\$91.57	N								
NRC - Disconnect Charge - 1st	N/A	\$78.71	NA	NA	NA	\$54.36	\$78.58	NA	NA	Ň								
NRC - Disconnect Charge - Add'l	N/A	\$8.53	NĂ	NA	NA	\$7.28	\$9.84	NA	NA	N								
NRC - Incremental Charge - Manual Service Order - 1st	N/A	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$43.75	N								
NRC - Incremental Charge - Manual Service Order - Add	N/A	\$18.73	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	N								
NRC - Incremental Charge - Manual Service Order - Disconnect	N/A	\$17.75	NÅ	NA	NA	\$11.40	\$16.05	NA	NA	Ň								
ocal Channel - Dedicated - DS1	NA	\$35.52	\$44.35	\$38.36	NA	\$43.80	\$38.91	NA	\$37.20	\$133								
NRC - 1st	N/A	\$503.57	\$246.50	\$356.15	NA	\$348.56	\$494.83	NA	\$534.81	\$868								
NRC - Add1	N/A	\$442.84	\$230.49	\$312.89	NA	\$300.30	\$435.28	NA	\$462.81	\$484								
NRC - Disconnect Charge - 1st	N/A	\$46.28	NA	NA	NA	\$24.15	\$46.85	NA	NA	Ň								
NRC - Disconnect Charge - Add'l	N/A	\$32.18	NA	NA	NA	\$21.31	\$33.02	NA	NA	N								
NRC - Incremental Charge - Manual Service Order - 1st	N/A	\$61.95	NA	\$44.22	NA	\$42.34	\$59.58	NA	\$87.99	N								
NRC - Incremental Charge - Manual Service Order - Add	N/A	NA	NA	NA	NA	NA	NA	NA	\$3.11	N								
NRC - Incremental Charge - Manual Service Order - Disconnect	N/A	\$29.27	NA	NA	NA	\$19.48	\$27.41	NA	NA	N								
ocal Channel - Dedicated - DS3	N/A	NA	NA	NA	NA	NA	\$533.33	NA	NA	N								
NRC - 1st	N/A	NA	NA	NA	NA	NA	\$526.67	NA	NA	Ň								
NRC - Add1	N/A	NA	NA	NA	NA	NA	\$493.71	NA	NA	N								
NRC - Disconnect Charge - 1st	N/A	NA	NA	NA	NA	NA	\$42.41	NA	NA	N								
NRC · Disconnect Charge - Add'l	N/A	NA	NA	NA	NA	NA	\$40.87	NA	NA	N								
NRC - Incremental Charge - Manual Service Order - 1st	N/A	NA	NA	NA	N	NA	\$31.49	NA	NA	Ň								
NRC - Incremental Charge - Manual Service Order - Add'	N/A	NA	NA	NA	NA	NA	\$31.49	NA	NA	N								
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	N/A	NA	NA	NA	NA	NA	\$25.35	NA	NA	N								
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	N/A	NA	NA	NA	NA	NĂ	\$25.35	NA	NA	N								

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth fariff or as negotiated by the panies upon request by either party.

1

.

Atlachment 3 Exhibit A Rales - Page 2

Attachment 4 Page 1

Attachment 4

Physical Collocation

Version2Q99:07/28/99

*

BELLSOUTH PHYSICAL COLLOCATION

The rates, terms and conditions contained within this Attachment were negotiated as a whole and each rate, term and condition within the Attachment is interdependent upon the other rates, terms and conditions.

1. SCOPE OF ATTACHMENT

1.1 <u>Scope of Attachment</u>. The rates, terms, and conditions contained within this Attachment shall only apply when World Access is occupying the collocation space as a sole occupant or as a Host pursuant to Section 4.

1.2 <u>Right to occupy</u>. Subject to Section 4 of this Attachment, BellSouth hereby grants to World Access a right to occupy that certain area designated by BellSouth within a BellSouth central office premises, of a size which is specified by World Access and agreed to by BellSouth (hereinafter "Collocation Space"). Notwithstanding the foregoing, BellSouth shall consider in its designation for cageless collocation any unused space within the BellSouth central office premises. The size specified by World Access may contemplate a request for space sufficient to accommodate World Access's growth within a two year period unless otherwise agreed to by the Parties.

1.2.1 <u>Space Reclamation</u>. In the event of space exhaust within a central office premises, World Access may be required to release space to BellSouth to be allocated to other physical collocation applicants when a minimum of fifty percent of the total amount of space in World Access's collocation arrangement is not being utilized within the first year of operation, or 100% of the total amount of space by the end of the second year of operation.

1.3 Use of Space. World Access shall use the Collocation Space for the purposes of installing, maintaining and operating World Access's equipment (to include testing and monitoring equipment) used or useful primarily to interconnect with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services. Pursuant to Section 5 following, World Access may at its option, place World Access-owned fiber entrance facilities to the Collocation Space. In addition to, and not in lieu of, interconnection to BellSouth services and facilities, World Access may connect to other interconnectors within the designated BellSouth Central Office (including to its other virtual or physical collocated arrangements) through co-carrier cross connect facilities designated by World Access pursuant to section 5.6 following. The Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.

1.4 <u>Rates and charges</u>. World Access agrees to pay the rates and charges identified at Exhibit A attached hereto.

2. SPACE NOTIFICATION

2.1 <u>Availability of Space</u>. Upon submission of an application pursuant to Section 6, BellSouth will permit World Access to physically collocate, pursuant to the terms of this Attachment, at any BellSouth central office premises, unless BellSouth has determined that there is no space available due to space limitations or no space available due to technical infeasibility. BellSouth will respond to an application within ten (10) business days as to whether space is available or not available within a BellSouth central office premises.

2.2 <u>Reporting</u>. Upon request from World Access, BellSouth will provide a written report specifying the amount of collocation space available at the central office premises requested, the number of collocators present at the central office premises, any modifications in the use of the space since the last report or the central office premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements.

2.2.1 The request from World Access must be written and must include the central office premises and Common Language Location Identification (CLLI) code of the central office premises. Such information regarding central office premises and CLLI code is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.

2.2.2 BellSouth will respond to a request for a particular Central Office location within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes up to and including five (5) Central Office locations within the same state. The response time for requests of more than five (5) shall be negotiated between the Parties. If BellSouth cannot meet the ten business day response time, BellSouth shall notify World Access and inform World Access of the time frame under which it can respond.

2.3 <u>Denial of Application</u>. After notifying World Access that BellSouth has no available space in the requested Central Office ("Denial of Application"), BellSouth will allow World Access, upon request, to tour the entire Central Office within ten (10) business days of such Denial of Application. In order to schedule said tour within ten (10) business days, the request for a tour of the Central Office must be received by BellSouth within five (5) business days of the Denial of Application.

2.4 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6).

2.5 <u>Waiting List</u>. On a first come first served basis, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the central office premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. Upon request BellSouth will advise World Access as to its position on the list.

2.6 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all central office premises that are without available space. BellSouth shall update such document within ten (10) business days of the

Denial of Application date. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5.

2.7 <u>State Agency Procedures</u>. Notwithstanding the foregoing, should any state regulatory agency impose a procedure different than procedures set forth in this section, that procedure shall supersede the requirements set forth herein.

3. COLLOCATION OPTIONS

3.1 Cageless. Except where local building code does not allow cageless collocation. BellSouth shall allow World Access to collocate World Access's equipment and facilities without requiring the construction of a cage or similar structure and without requiring the creation of a separate entrance to the Collocation Space. BellSouth shall allow World Access to have direct access to its equipment and facilities but may require World Access to use a central entrance to the BellSouth Central Office. BellSouth shall make cageless collocation available in single bay increments pursuant to Section 7. Except where World Access's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations. World Access must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6.5 following.

3.2 Cages and Adjacent Arrangement Enclosures. BellSouth shall authorize the enclosure of World Access's equipment and facilities at World Access's option or if required by local building code. World Access must arrange with a BellSouth certified contractor to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications and at its sole expense. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, World Access and World Access's BellSouth certified contractor must comply with local building code requirements. World Access's BellSouth certified contractor shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. The Certified Vendor shall bill World Access directly for all work performed for World Access pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor. World Access must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access World Access's locked enclosure prior to notifying World Access.

3.2.1 BellSouth has the right to review World Access's plans and specifications prior to allowing construction to start. BellSouth has the right to inspect the enclosure after construction to make sure it is designed and constructed according to BellSouth's guidelines and specifications and to require World Access to remove or correct at World Access's cost any structure that does not meet these standards.

Version2Q99:07/28/99

3.3 <u>Shared (Subleased) Caged Collocation</u>. World Access may allow other telecommunications carriers to share World Access's caged collocation arrangement pursuant to terms and conditions agreed to by World Access ("Host") and other telecommunications carriers ("Guests") and pursuant to this section with the following exceptions: (1) where local building code does not allow Shared (Subleased) Caged Collocation and (2) where the BellSouth central office premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. The terms and conditions of the agreement between the Host and its Guests shall be written and a copy provided to the BellSouth contact specified in Section 15 within ten (10) business days of its execution and prior to any Firm Order. Further, said agreement shall incorporate by reference the rates, terms, and conditions of this Attachment between BellSouth and World Access.

3.3.1 World Access shall be the sole interface and responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placements of Guest; for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. The initial Guest application shall require the assessment of an Application Fee, as set forth in Exhibit A. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provisions of the services and access to unbundled network elements.

3.3.2 World Access shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of World Access's Guests in the Collocation Space.

3.4 <u>Adjacent Collocation</u>. BellSouth will provide adjacent collocation arrangements ("Adjacent Arrangement") where space within the Central Office is legitimately exhausted, subject to technical feasibility, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Central Office property and where permitted by zoning and other applicable state and local regulations. The Adjacent Arrangement shall be constructed or procured by World Access and in conformance with BellSouth's design and construction specifications. Further, World Access shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for Adjacent Collocation.

3.4.1 Should World Access elect such option, World Access must arrange with a BellSouth certified contractor to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, World Access and World Access's contractor must comply with local building code requirements. World Access's contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. World Access's BellSouth Certified Vendor shall bill World Access directly for all work performed for World Access pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor. World Access must provide the local BellSouth building contact with two cards, keys or other access

device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access World Access's locked enclosure prior to notifying World Access.

3.4.2 BellSouth maintains the right to review World Access's plans and specifications prior to construction of an Adjacent Arrangement(s). BellSouth may inspect the Adjacent Arrangement(s) following construction and prior to commencement, as defined in Section 4.1 following, to ensure the design and construction comply with BellSouth's guidelines and specifications. BellSouth may require World Access, at World Access's sole cost, to correct any deviations from BellSouth's guidelines and specifications found during such inspection(s), up to and including removal of the Adjacent Arrangement, within five (5) business days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.

3.4.3 World Access shall provide a concrete pad, the structure housing the arrangement, HVAC, lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of interconnection. At World Access's option, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement.

3.4.4 BellSouth shall allow Shared (Subleased) Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.3 proceeding.

4. OCCUPANCY

4.1 <u>Commencement Date</u>. The "Commencement Date" shall be the day World Access's equipment becomes operational as described in Article 4.2, following.

Occupancy. BellSouth will notify World Access in writing that the Collocation 4.2 Space is ready for occupancy. World Access must place operational telecommunications equipment in the Collocation Space and connect with BellSouth's network within one hundred eighty (180) days after receipt of such notice. World Access must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such If World Access fails to place operational telecommunications equipment in the notice. Collocation Space within 180 calendar days and such failure continues for a period of thirty (30) days after receipt of written notice from BellSouth, then and in that event World Access's right to occupy the Collocation Space terminates and BellSouth shall have no further obligations to World Access with respect to said Collocation Space. Termination of World Access's rights to the Collocation Space pursuant to this paragraph shall not operate to release World Access from its obligation to reimburse BellSouth for all costs reasonably incurred by BellSouth in preparing the Collocation Space, but rather such obligation shall survive this Attachment. For purposes of this paragraph, World Access's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.

4.3 <u>Termination</u>. Except where otherwise agreed to by the Parties, World Access may terminate occupancy in a particular Collocation Space upon thirty (30) days prior written notice to BellSouth. Upon termination of such occupancy, World Access at its expense shall

Attachment 4 Page 7

remove its equipment and other property from the Collocation Space. World Access shall have thirty (30) days from the termination date to complete such removal, including the removal of all equipment and facilities of World Access's Guests; provided, however, that World Access shall continue payment of monthly fees to BellSouth until such date as World Access has fully vacated the Collocation Space. Should World Access fail to vacate the Collocation Space within thirty (30) days from the termination date, BellSouth shall have the right to remove the equipment and other property of World Access at World Access's expense and with no liability for damage or injury to World Access's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon expiration of this Attachment, World Access shall surrender the Collocation Space to BellSouth in the same condition as when first occupied by World Access except for ordinary wear and tear. World Access shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of an Adjacent Collocation arrangement at the termination of occupancy and restoring the grounds to their original condition.

5. USE OF COLLOCATION SPACE

5.1 Equipment Type. BellSouth permits the collocation of any type of equipment used or useful for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services. Such equipment used or useful for interconnection and access to unbundled network elements includes, but is not limited to transmission equipment including, but not limited to, optical terminating equipment and multiplexers, and digital subscriber line access multiplexers, routers, asyncronous transfer mode multiplexers, and remote switching modules. Nothing in this section requires BellSouth to permit collocation of equipment used solely to provide enhanced services; provided, however, that BellSouth may not place any limitations on the ability of requesting carriers to use all the features, functions, and capabilities of equipment collocated pursuant to this section.

5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards.

5.1.2 World Access shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Collocation Space or on the grounds of the central office premises.

5.1.3 World Access shall place a plaque or other identification affixed to World Access's equipment necessary to identify World Access's equipment, including a list of emergency contacts with telephone numbers.

5.2 <u>Entrance Facilities</u>. World Access may elect to place World Access-owned or World Access-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Central Office building housing the Collocation Space, such as an entrance manhole or a cable vault which are physically accessible by both parties. World Access will provide and place fiber cable at the point of

Attachment 4 Page 8

interconnection of sufficient length to be pulled through conduit and into the splice location. World Access will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to World Access's equipment in the Collocation Space. In the event World Access utilizes a non-metallic, risertype entrance facility, a splice will not be required. World Access must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. World Access is responsible for maintenance of the entrance facilities. At World Access's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions.

5.2.1 <u>Dual Entrance</u>. BellSouth will provide at least two interconnection points at each central office premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide World Access with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to World Access's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.

5.2.2 <u>Shared Use</u>. World Access may utilize spare capacity on an existing Interconnector entrance facility for the purpose of providing an entrance facility to another World Access collocation arrangement within the same BellSouth Central Office. World Access must arrange with BellSouth for BellSouth to splice the utilized entrance facility capacity to World Access-provided riser cable.

5.3 <u>Splicing in the Entrance Manhole</u>. Although not generally permitted, should World Access request a splice to occur in the entrance manhole(s), BellSouth, at its sole discretion, may grant such a request, provided that BellSouth will not unreasonably withhold approval of requests to make such a splice. When the request for a splice is granted to World Access by BellSouth, World Access shall ensure its employees or agents entering and/or performing work in the entrance manhole(s) are trained and comply with BellSouth procedures and OSHA requirements regarding access to manholes and that BellSouth personnel are notified and present for all entrances and work performed in the entrance manhole(s). Manhole covers shall be properly closed and secured at the conclusion of entry and/or work. Advance notification to BellSouth shall occur at a minimum of 48 hours prior to desired entry for normal work activities and at a minimum of 2 hours prior to desired entry in an out of service condition.

5.4 <u>Demarcation Point</u>. BellSouth will designate the point(s) of interconnection between World Access's equipment and/or network and BellSouth's network. Each party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame. World Access shall be responsible for providing, and World Access's BellSouth Certified Vendor shall be responsible for installing and properly labelling/stenciling, the common block, and necessary cabling pursuant to Section 6.4. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. World Access or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to subsection 5.5, following, and may self-provision cross-connects that may be required within the collocation space to activate service requests. At World Access's option, a Point of Termination (POT) bay or frame may be placed in the Collocation Space.

5.5 <u>World Access's Equipment and Facilities</u>. World Access, or if required by this Attachment, World Access's BellSouth certified vendor, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by World Access. Such equipment and facilities may include but are not limited to cable(s); equipment; and point of termination connections.

5.6 <u>Co-Carrier Cross-connect</u>. In addition to, and not in lieu of, obtaining interconnection with, or access to, BellSouth telecommunications services, unbundled network elements, and facilities, World Access may directly connect to other Interconnectors within the designated BellSouth Central Office (including to its other virtual or physical collocated arrangements) through facilities owned by World Access or through BellSouth facilities designated by World Access, at World Access's option. Such connections to other carriers may be made using either optical or electrical facilities. World Access may deploy such optical or electrical connections directly_between its own facilities and the facilities of other Interconnector(s) without being routed through BellSouth equipment.

5.6.1 If World Access requests a co-Carrier cross-connect after the initial installation, World Access must submit an application with a Subsequent Application Fee. World Access must use a Certified Vendor to place the co-Carrier cross connect, except in cases where World Access equipment and the equipment of the other Interconnector are located within contiguous collocation spaces. In cases where World Access's equipment and the equipment of the other Interconnector are located in contiguous collocation spaces. World Access will have the option to deploy the co-Carrier cross connects between the sets of equipment. Where cable support structure exists for such connection there will be a recurring charge per linear foot of support structure used. When cable support structures do not exist and must be constructed a non-recurring charge for the individual case will be assessed.

5.7 <u>Easement Space</u>. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give reasonable notice to World Access when access to the Collocation Space is required. World Access may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that World Access will not bear any of the expense associated with this work.

5.8 Access. Pursuant to Section 11, World Access shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. World Access agrees to provide the name, social security number, and date of birth of each employee, contractor, or agents provided with Access Keys or cards ("Access Keys") prior to the issuance of said Access Keys. Access Keys shall not be duplicated under any circumstances. World Access agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of World Access employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with World Access or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.

5.8.1 Lost or Stolen Access Keys. World Access shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. World Access will pay BellSouth \$250.00 per Access Key(s) lost or stolen. Should it become necessary for BellSouth to re-key buildings as a result of a lost Access Key(s) or for failure to return an Access Key(s), World Access shall pay for all reasonable costs associated with the re-keying.

5.9 Interference or Impairment. Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Collocation Space shall not interfere with or impair service provided by BellSouth or by any other Interconnector located in the Central Office; shall not endanger or damage the facilities of BellSouth or of any other Interconnector, the Collocation Space, or the Central Office; shall not compromise the privacy of any communications carried in, from, or through the Central Office; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of World Access violates the provisions of this paragraph, BellSouth shall give written notice to World Access, which notice shall direct World Access to cure the violation within forty-eight (48) hours of World Access's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the parties agree to consult immediately and, if necessary, to inspect the arrangement. If World Access fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or interference/impairment of the services provided by BellSouth or any other interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to World Access's equipment. BellSouth will endeavor, but is not required, to provide notice to World Access prior to taking such action and shall have no liability to World Access for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

5.10 Personalty and its Removal. Subject to requirements of this Attachment, World Access may place or install in or on the Collocation Space such facilities and equipment, including storage for and spare equipment, as it deems desirable for the conduct of business, provided that such equipment is telecommunications equipment, does not violate floor loading requirements, imposes or could impose or contains or could contain environmental conditions or hazards. Personal property, facilities and equipment placed by World Access in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personalty and may be removed by World Access at any time. Any damage caused to the Collocation Space by World Access's employees, agents or representatives during the removal of such property shall be promptly repaired by World Access at its expense.

5.11 <u>Alterations</u>. In no case shall World Access or any person acting on behalf of World Access make any rearrangement, modification, improvement, addition, repair, or other alteration to the Collocation Space or the BellSouth Central Office without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by World Access.

5.12 Janitorial Service. World Access shall be responsible for the general upkeep and cleaning of the Caged Collocation Space and shall arrange directly with a BellSouth certified

contractor for janitorial services. BellSouth shall provide a list of such contractors on a site-specific basis upon request.

6. ORDERING AND PREPARATION OF COLLOCATION SPACE

6.1 <u>Application for Space</u>. World Access shall submit an application document when World Access or World Access's Guest(s), as defined in Section 3.3, desires to request or modify the use of the Collocation Space.

6.1.1 Initial Application. For World Access or World Access's Guest(s) initial equipment placement, World Access shall submit to BellSouth a complete and accurate Application and Inquiry document (Bona Fide Application), together with payment of the Application Fee as stated in Exhibit A. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in World Access's Collocation Space(s) and an estimate of the amount of square footage required.

6.1.2 Subsequent Application Fee. In the event World Access or World Access's Guest(s) desire to modify the use of the Collocation Space. World Access shall complete an Application document detailing all information regarding the modification to the Collocation Space together with payment of the minimum Subsequent Application Fee as stated in Exhibit A. Said minimum Subsequent Application Fee shall be considered a partial payment of the applicable Subsequent Application Fee which shall be calculated as set forth below. BellSouth shall determine what modifications, if any, to the Central Office premises are required to accommodate the change requested by World Access in the Application. Such necessary modifications to the Central Office premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, and equipment additions. The fee paid by World Access for its request to modify the use of the Collocation Space shall be dependent upon the modification requested. Where the subsequent application does not require provisioning or construction work by BellSouth, no Subsequent Application Fee will be required and the pre-paid fee shall be refunded to World Access. The fee for an application where the modification requested has limited effect (e.g., does not require capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit A. All other modifications shall require a Subsequent Application Fee assessed at the applicable application fee. In the event such modifications require the assessment of a full Application Fee as set forth in Exhibit A, the outstanding balance shall be due by World Access within 30 calendar days following World Access's receipt of a bill or invoice from BellSouth.

6.2 <u>Application Response.</u> In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond within ten (10) business days of receipt of an Application whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a comprehensive written response within thirty (30) business days of receipt of a complete application. When multiple applications are submitted within a fifteen business day window, BellSouth will respond to the applications as soon as possible, but no later than the following: within thirty (30) business days for applications 1-5; within thirty-six (36) business days for applications 6-10; within forty-two (42) business days for applications 11-15.

*

Response intervals for multiple applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation. The Application Response will detail whether the amount of space requested is available or if the amount of space requested is not available, the amount of space that is available. The response will also include the configuration of the space. When BellSouth's response includes an amount of space less than that requested by World Access or differently configured, World Access must amend its application to reflect the actual space available prior to submitting a Bona Fide Firm Order.

6.3 Bona Fide Firm Order. World Access shall indicate its intent to proceed with equipment installation in a BellSouth Central Office by submitting a Bona Fide Firm Order to BellSouth. A Bona Fide Firm Order requires World Access to complete the Application/Inquiry process described in Subsection 6.1, preceding, and submit the Expanded Interconnection Bona Fide Firm Order document (BSTEI-1P-F) indicating acceptance of the written application response provided by BellSouth ("Bona Fide Firm Order") and all appropriate fees. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's response to World Access's Application/Inquiry. If World Access makes changes to its application in light of BellSouth's written Application Response, BellSouth will be required to re-evaluate and respond to the change(s). In this event, BellSouth's provisioning interval will not start until the re-evaluation and response to the change(s) is complete and the Bona Fide Firm Order is received by BellSouth and all appropriate fees and duties have been executed. If BellSouth needs to reevaluate World Access's application as a result of changes requested by World Access to World Access's original application, then BellSouth will charge World Access a fee based upon the additional engineering hours required to do the reassessment. Major changes such as requesting additional space or adding additional equipment may require World Access to resubmit the application with an application fee.

6.3.1 BellSouth will establish a firm order date, per request, based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of World Access's Bona Fide Firm Order within five (5) business days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date.

6.3.2 BellSouth will permit one accompanied site visit to World Access's designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to World Access.

6.3.3 Space preparation for the Collocation Space will not begin until BellSouth receives the Bona Fide Firm Order and all applicable fees.

6.3.4 World Access must submit to BellSouth the completed Access Control Request Form (RF-2906-A) for all employees or agents requiring access to the BellSouth Central Office a minimum of 30 calendar days prior to the date World Access desires access to the Collocation Space.

6.4 <u>Construction and Provisioning Interval</u>. BellSouth will negotiate construction and provisioning intervals per request on an individual case basis. Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon

Attachment 4 Page 13

as possible and within a maximum of 90 business days from receipt of a complete and accurate Bona Fide Firm Order. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other collocation space ("extraordinary conditions") within 130 business days of the receipt of a complete and accurate Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement.

6.4.1 <u>Joint Planning Meeting</u>. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and World Access will commence within a maximum of 15 business days from BellSouth's receipt of a Bona Fide Firm Order and the payment of agreed upon fees. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Application and affirmed in the Bona Fide Firm Order. The Collocation Space Completion time period will be provided to World Access during the joint planning meeting or as soon as possible thereafter. BellSouth will complete all design work following the joint planning meeting.

6.4.2 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within 7 business days of the completion of finalized construction designs and specifications.

6.4.3 <u>Acceptance Walk Through</u>. World Access and BellSouth will complete an acceptance walk through of each Collocation Space requested from BellSouth by World Access. BellSouth will correct any deviations to World Access's original or jointly amended requirements within five (5) business days after the walk through, unless the Parties jointly agree upon a different time frame.

6.5 <u>Use of Certified Vendor</u>. World Access shall select a vendor which has been approved as a BellSouth Certified Vendor to perform all engineering and installation work required in the Collocation Space. In some cases, World Access must select separate BellSouth Certified Vendors for transmission equipment, switching equipment and power equipment. BellSouth shall provide World Access with a list of Certified Vendors upon request. The Certified Vendor(s) shall be responsible for installing World Access's equipment and components, installing co-carrier cross connects, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and World Access upon successful completion of installation. The Certified Vendor shall bill World Access directly for all work performed for World Access pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor. BellSouth shall consider certifying World Access or any vendor proposed by World Access.

6.6 <u>Alarm and Monitoring</u>. BellSouth shall place environmental alarms in the Central Office for the protection of BellSouth equipment and facilities. World Access shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service World Access's Collocation Space. Upon request, BellSouth will provide World

Access with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by World Access. Both parties shall use best efforts to notify the other of any verified environmental hazard known to that party. The parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.

6.7 <u>Basic Telephone Service</u>. Upon request of World Access, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.

6.8 <u>Space Preparation</u>. BellSouth shall pro rate the costs of any renovation or upgrade to Central Office space or support mechanisms which is required to accommodate physical collocation. World Access's pro rated share will be calculated by multiplying such cost by a percentage equal to the amount of square footage occupied by World Access divided by the total Central Office square footage receiving renovation or upgrade. For this section, support mechanisms provided by BellSouth may include, but not be limited to heating/ventilation/air conditioning (HVAC) equipment, HVAC duct work, cable support structure, fire wall(s), mechanical upgrade, asbestos abatement, or ground plane addition. Such renovation or upgrade will be evaluated and the charges assessed on a per Central Office basis. BellSouth will reimburse World Access in an amount equal to World Access reasonable, demonstrative and mitigated expenditures incurred as a direct result of delays to the completion and turnover dates caused by BellSouth.

6.9 Virtual Collocation Transition. BellSouth offers Virtual Collocation pursuant to the rates, terms and conditions set forth in its F.C.C. Tariff No. 1. For the interconnection to BellSouth's network and access to BellSouth unbundled network elements, World Access may purchase 2-wire and 4-wire Cross-Connects as set forth in Exhibit A, and World Access may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5.1. In the event physical collocation space was previously denied at a location due to technical reasons or space limitations, and that physical collocation space has subsequently become available, World Access may transition its virtual collocation arrangements to physical collocation arrangements and pay the appropriate non-recurring fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by World Access, such information will be provided to World Access in BellSouth's written denial of physical collocation. To the extent that (i) physical collocation space becomes available to World Access within 180 days of BellSouth's written denial of World Access's request for physical collocation, and (ii) World Access was not informed in the written denial that physical collocation space would become available within such 180 days, then World Access may transition its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation credit for any World Access must arrange with a BellSouth certified vendor for the relocation of equipment from its virtual collocation space to its physical collocation space and will bear the cost of such relocation.

6.10 <u>Cancellation</u>. If, at anytime, World Access cancels its order for the Collocation Space(s), World Access will reimburse BellSouth for any expenses incurred up to the date that written notice of the cancellation is received. In no event will the level of reimbursement under this paragraph exceed the maximum amount World Access would have otherwise paid for work undertaken by BellSouth if no cancellation of the order had occurred.

6.11 Licenses. World Access, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.

7. RATES AND CHARGES

7.1 <u>Non-recurring Fees</u>. In addition to the Application Fee referenced in Section 6, preceding, World Access shall remit payment of a Cable Installation Fee and one-half (1/2) of the estimated Space Preparation Fee, as applicable, coincident with submission of a Bona Fide Firm Order. The outstanding balance of the actual Space Preparation Fee shall be due thirty (30) calendar days following World Access's receipt of a bill or invoice from BellSouth. Once the installation of the initial equipment arrangement is complete, a subsequent application fee may apply (as described in Subsection 7.4, when World Access requests a modification to the arrangement.

7.2 <u>Documentation</u>. BellSouth shall provide documentation to establish the actual Space Preparation Fee. The Space Preparation Fee will be pro rated as prescribed in Section 6, preceding.

7.3 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance fiber placed.

Floor Space. The floor space charge includes reasonable charges for lighting, 7.4 heat, air conditioning, ventilation and other allocated expenses associated with maintenance of the Central Office but does not include amperage necessary to power World Access's equipment. When the Collocation Space is enclosed, World Access shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, World Access shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event World Access's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, World Access shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement. Floor space charges are due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date World Access first occupies the Collocation Space, whichever is sooner.

7.5 <u>Power</u>. BellSouth shall supply -48 Volt (-48V) DC power for World Access's Collocation Space within the central office premises and shall make available AC power at World Access's option for Adjacent Arrangement collocation.

7.5.1 Charges for -48V DC power will be assessed per ampere per month based upon the certified vendor engineered and installed power feed fused ampere capacity.

Rates include redundant feeder fuse positions (A&B) and cable rack to World Access's equipment or space enclosure. When obtaining power from a BellSouth Battery Distribution Fuse Bay, fuses and power cables (A&B) must be engineered (sized), and installed by World Access's certified vendor. When obtaining power from a BellSouth Power Board, power cables (A&B) must be engineered (sized), and installed by World Access's certified power vendor. World Access's certified vendor must also provide a copy of the engineering power specification prior to the Commencement Date. In the event BellSouth shall be required to construct additional DC power plant or upgrade the existing DC power plant in a Central Office as a result of World Access's request to collocate in that Central Office ("Power Plant Construction"), World Access shall pay its pro-rata share of costs associated with the Power Plant Construction. The determination of whether Power Plant Construction is necessary shall be within BellSouth's sole, but reasonable, discretion. BellSouth shall comply with all BellCore (Telcordia) and ANSI Standards regarding power cabling, including BellCore (Telcordia) Network Equipment Building System (NEBS) StandardGR-63-CORE. BellSouth will notify World Access of the need for the Power Plant Construction and will estimate the costs associated with the Power Plant Construction if BellSouth were to perform the Power Plant Construction. The costs of power plant construction shall be pro-rated and shared among all who benefit from that construction. World Access shall pay BellSouth one-half of its prorata share of the estimated Power Plant Construction costs prior to commencement of the work. World Access shall pay BellSouth the balance due (actual cost less one-half of the estimated cost) within thirty (30) days of completion of the Power Plant Construction. World Access has the option to perform the Power Plant Construction itself; provided, however, that such work shall be performed by a BellSouth certified contractor and such contractor shall comply with BellSouth's guidelines and specifications. Where the Power Plant Construction results in construction of a new power plant room, upon termination of this Attachment World Access shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact. Where the Power Plant Construction results in an upgrade to BellSouth's existing power plant, upon termination of this Attachment, such upgrades shall become the property of BellSouth.

7.5.2 Charges for AC power will be assessed per breaker ampere per month based upon the certified vendor engineered and installed power feed fused ampere capacity. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth Service Panel, fuses and power cables must be engineered (sized), and installed by World Access's certified vendor. World Access's certified vendor must also provide a copy of the engineering power specification prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit A. AC power voltage and phase ratings shall be determined on a per location basis.

7.6 <u>Security Escort</u>. A security escort will be required whenever World Access or its approved agent desires access to the entrance manhole or must have access to the Central Office Premises after the one accompanied site visit allowed pursuant to subsection 6.2.2 prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. Rates for a security escort are assessed in one-half (1/2) hour increments according to the schedule appended hereto as Exhibit A.

7.7 <u>Rate "True-Up."</u> The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by final order, including any appeals, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having

jurisdiction over this agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, World Access shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to World Access. Each party shall keep its own records upon which a "true-up" can be based and any final payment from one party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.

7.8 <u>Other.</u> If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the parties upon request by either party. Payment of all other charges under this Attachment shall be due thirty (30) days after receipt of the bill (payment due date). World Access will pay a late payment charge of one and one-half percent (1-1/2%) assessed monthly on any balance which remains unpaid after the payment due date.

8. INSURANCE

8.1 World Access shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Article and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a BEST Insurance Rating of B + + X (B + + ten).

8.2 World Access shall maintain the following specific coverage:

8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an ADDITIONAL INSURED on ALL applicable policies as specified herein.

8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

8.2.3 World Access may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

8.3 The limits set forth in Subsection 6.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to World Access to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

Version2Q99:07/28/99

Attachment 4 Page 18

8.4 All policies purchased by World Access shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Central Office and shall remain in effect for the term of this Attachment or until all World Access's property has been removed from BellSouth's Central Office, whichever period is longer. If World Access fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from World Access.

8.5 World Access shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. World Access shall arrange for BellSouth to receive thirty (30) days advance notice of cancellation from World Access's insurance company. World Access shall forward a certificate of insurance and notice of cancellation to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 600 N. 19th Street, 18B3 Birmingham, Alabama 35203

8.6 World Access must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.

8.7 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9. MECHANICS LIENS

9.1 If any mechanics lien or other liens shall be filed against property of either party (BellSouth or World Access), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other party or by reason of any changes, or additions to said property made at the request or under the direction of the other party, the other party directing or requesting those changes shall, within thirty (30) days after receipt of written notice from the party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. INSPECTIONS

10.1 BellSouth shall conduct an inspection of World Access's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between World Access's equipment and equipment of BellSouth. BellSouth may conduct an inspection if World Access adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide World Access with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11. SECURITY AND SAFETY REQUIREMENTS

11.1 Only BellSouth employees, BellSouth certified vendors and authorized employees, authorized Guests, pursuant to Section 3.3, preceding, or authorized agents of World Access will be permitted in the BellSouth Central Office. World Access shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Central Office. The photo Identification card shall bear, at a minimum, the employee's name and photo, and World Access name. BellSouth reserves the right to remove from its premises any employee of World Access not possessing identification issued by World Access. World Access shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. World Access shall be solely responsible for ensuring that any Guest of World Access is in compliance with all subsections of this Section 11.

11.1.1 World Access will be required, at its own expense, to conduct a statewide investigation of criminal history records for each World Access employee being considered for work on the BellSouth Central Office, for the states/counties where World Access employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable.

11.1.2 World Access will be required to administer to their personnel assigned to the BellSouth Central Office security training either provided by BellSouth, or meeting criteria defined by BellSouth.

11.1.3 World Access shall not assign to the BellSouth Central Office any personnel with records of felony criminal convictions. World Access shall not assign to the BellSouth Central Office any personnel with records of misdemeanor convictions, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any World Access personnel who have been identified to have misdemeanor criminal convictions.

11.1.4 For each World Access employee requiring access to a BellSouth Central Office pursuant to this agreement, World Access shall furnish BellSouth, prior to an employee gaining such access, a notarized affidavit certifying that the aforementioned background check and security training were completed. The affidavit will contain a statement certifying no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, World Access will disclose the nature of the convictions to BellSouth at that time.

11.1.5 At BellSouth's request, World Access shall promptly remove from the BellSouth's premises any employee of World Access BellSouth does not wish to grant access to its premises pursuant to any investigation conducted by BellSouth.

Attachment 4 Page 20

Notification to BellSouth. BST reserves the right to interview World Access's 11.2 employees, agents, or contractors. World Access and its contractors shall cooperate fully with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by or involving World Access's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill World Access for all costs associated with investigations involving its employees, agents, or contractors if it can be reasonably established that World Access's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill World Access for BellSouth property which is stolen or damaged where an investigation determines the culpability of World Access's employees, agents, or contractors. World Access shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth premises is a possible security risk. BellSouth reserves the right to permanently remove from its premises any employee of World Access identified as posing a security risk to BellSouth or any other CLEC, or having violated BellSouth policies set forth in the BellSouth CLEC Security Training. World Access shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

11.3 Use of BellSouth Supplies by World Access Employees. Use of any BellSouth supplies by a World Access employee, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be considered theft and will be handled accordingly. Costs associated with such unauthorized use of BellSouth property may be charged to World Access as may be all associated investigative costs. At BellSouth's request, World Access shall promptly and permanently remove from BellSouth's Central Office any employee of World Access found to be in violation of this rule.

11.4 Use of Official Lines by World Access Employees. Except for local calls necessary in the performance of their work, World Access employees shall not use the telephones on BellSouth Central Office. Charges for unauthorized telephone calls made by a World Access's employees may be charged to World Access as may be all associated investigative costs. At BellSouth's request, World Access shall promptly and permanently remove from BellSouth's premises any employee of World Access found to be in violation of this rule.

11.5 <u>Accountability.</u> Full compliance with the Security requirements of this section shall in no way limit the accountability of any CLEC for the improper actions of its employees.

12. DESTRUCTION OF COLLOCATION SPACE

12.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for World Access's permitted use hereunder, then either party may elect within ten (10) days after such damage, to terminate this Attachment, and if either party shall so elect, by giving the other written notice of termination, both parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for World Access's permitted use, or is damaged and the option to terminate is not exercised by either party, BellSouth covenants and agrees to proceed promptly without expense to World Access, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by

storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. World Access may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a certified vendor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If World Access's acceleration of the project increases the cost of the project, then those additional charges will be incurred by World Access. Where allowed and where practical, World Access may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, World Access shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for World Access's permitted use, until such Collocation Space is fully repaired and restored and World Access's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where World Access has placed an Adjacent Arrangement pursuant to section 3.4, World Access shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

13. EMINENT DOMAIN

×.

13.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and World Access shall each have the right to terminate this Attachment and declare the same null and void, by written notice of such intention to the other party within ten (10) days after such taking.

14. NONEXCLUSIVITY

12.1 World Access understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

EXHIBIT A: BELLSOUTH/World Access RATES – ALABAMA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$7,124.00 Disconnect Charge
				\$1.73
PE1CA	Subsequent Application Fee	Per Request	NA	\$1600.00 Minimum
	(Note 1)			
PE1BB	Space Preparation Fee (Note 2)	<u></u>		
	Mechanical / HVAC*	Per ton (one ton minimum)		\$2,400.00
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1675.00
	Cable Racking / Fiber Duct	Per arrangement, square foot		ICB
	Frame / Aisle Lighting	Per arrangement, square foot		ICB
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3) Requested Prior to 6/1/99			
		D 5 400 8	\$189.86	NA
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$189.86	NA
PE1PJ	Floor Space	Per square foot	\$3.85	NA
PE1BD	Cable Installation	Per Cable	NA	\$2,335.00
				Disconnect Charge \$54.39
PE1PM	Cable Support Structure	Per entrance cable	\$23.23	NA

-

Rates marked with an asterisk (*) are interim and are subject to true-up

Version2Q99:07/28/99

.

EXHIBIT A: BELLSOUTH/World Access RATES - ALABAMA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	Power	_		
PE1PL	-48V DC Power	Per amp	\$7.14	ICB
	120V AC Power single phase*	Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	\$11.00	iCB
	120V AC Power three phase*	Per breaker amp	\$16.50	ICB
	277V AC Power three phase*	Per breaker amp	\$38.20	ICB
	Cross Connects (Note 4)	Per Cross Connect		First / Additional
PE1P2	2-wire		\$.28	\$30.76 / \$29.40
PE1P4	4-wire		\$.56	\$31.01 / \$29.58
PE1P1	DS-1		\$2.14	\$60.81 / \$41.71
PE1P3	DS-3		\$38.63	\$57.80 / \$39.81
PE1F2	2-fiber		\$10.44	\$73.00 / \$52.00
PE1F4	4-fiber		\$18.76	\$88.00 / \$67.00
				Disconnect
				Charges
	2-wire			First / Additional
	4-wire			\$12.75 / \$11.38
	DS-1			\$12.82 / \$11.39
	DS-3			\$12.85 / \$11.50
				\$14.93 / \$11.76
	Co-Carrier Cross-Connect (Note 5)			
	(Note 5)			
PE1ES	Fiber Arrangement	Cable Support	\$0.06	NA
Fiber		Structure, per linear		
		foot		
PE1DS	Copper or Coaxial	(existing)	\$0.03	NA
Copper		(
		Cable Support	NA	ICB
		Structure (new)		
PE1A1	Security Access System			
	Security system*	Per Central Office	\$52.00	
	New Access Card Activation*	Per Card		\$55.00
	Administrative change,	Per Card		\$35.00
	existing card* Replace lost or stolen card*	Per Card		\$250.00
				ACE0.00
	Space Availability Report*	Per Central Office		\$550.00
		Requested		

EXHIBIT A:	BELLSOUTH/World Access RATES - ALABAMA
	PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	POT Bay Arrangements Prior to 6/1/99	Per Cross Connect		
PE1PE	2 Wire Cross-Connect		\$0.08	NA
PE1PF	4 Wire Cross-Connect		\$0.17	NA
PE1PG	DS1 Cross-Connect		\$0.69	NA
PE1PH	DS3 Cross-Connect		\$4.74	NA
PE1B2	2 Fiber Cross-Connect		\$25.89	NA
PE1B4	4 Fiber Cross-Connect		\$34.91	NA
AEH	Additional Engineering Fee (Note 6)	Per request, First half hour/Add'l Half hour		First / Additional Basic Time - \$31.00 / \$22.00 Overtime - \$37.00 / \$26.00
PE1BT PE1OT	Security Escort Basic Time Overtime	Per 1/2 hour/Additional	NA NA NA	\$43.47/\$25.82 \$55.25/\$32.79 \$67.03/\$39.76

2

.

4

EXHIBIT A: BELLSOUTH/World Access RATES - ALABAMA PHYSICAL COLLOCATION (cont.)

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, World Access will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event World Access opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to World Access as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. World Access may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill World Access for the space enclosure, and this fee shall not be applicable.
- (4) **Cross Connects**: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

	·	Disconnect Charges
	First / Additional	First / Additional
2-wire	\$34.03 / \$32.67	\$14.48 / \$13.11
4-wire	\$34.28 / \$32.85	\$14.55 / \$13.12
DS-1	\$64.08 / \$44.98	\$14.58 / \$13.23
DS-3	\$61.07 / \$43.08	\$16.66 / \$13.49

- (5) Co-Carrier Cross-Connect: As stated in Section 1.2 of the Collocation Attachment, World Access may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling World Access-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, World Access agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/World Access RATES - FLORIDA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	\$15.53	\$3,248.00
PE1CA	Subsequent Application Fee (Note 1)	Per Request	NA	\$1600.00 Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton (one ton minimum)		\$2,400.00
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1675.00
	Cable Racking / Fiber Duct	Per arrangement, square foot		ICB
	Frame / Aisle Lighting	Per arrangement, square foot		ICB
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
·	Space Enclosure (Note 3) Requested Prior to 6/1/99			
PE1BW PE1BC PE1BF	Wire Cage Gypsum Board Cage Fire Rated Cage	Per first 100 sq. Ft. Per first 100 sq. Ft. Per first 100 sq. Ft.	\$41.99 \$84.10 \$99.73	NA NA NA
PE1CW PE1CC	Wire Cage Gypsum Board Cage	Per add'l 50 sq. Ft. Per add'l 50 sq. Ft.	\$4.14 \$9.35	NA NA
PEICC	Fire Rated Cage	Per add'i 50 sq. Ft.	\$9.35 \$11.30	NA NA
PE1PJ	Floor Space	Per sq. Ft.	\$4.25	NA
PE1BD	Cable Installation	Per Cable	\$2.77	\$1,056.00
PE1PM	Cable Support Structure		\$22.94	NA

Rates marked with an asterisk (*) are interim and are subject to true-up

Version2Q99:07/28/99

Attachment 4 Page 27

EXHIBIT A: BELLSOUTH/World Access RATES - FLORIDA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1PL	Power			
	-48V DC Power	Per amp	\$7.14	ICB
	120V AC Power single phase *	Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	\$11.00	ICB
	120V AC Power three phase*	Per breaker amp	\$16.50	ICB
	277V AC Power three phase*	Per breaker amp	\$38.20	ICB
	Cross Connects (Note 4)	Per Cross Connect		
PE1P2	2-wire		\$.0524	\$11.57
PE1P4	4-wire		\$.0524	\$11.57
PE11S	DS-1/DCS		\$8.085	\$69.64
PE11X	DS-1/DSX		\$.4110	\$69.64
PE13S	DS-3/DCS		\$56.97	\$528.00
PE13X	DS-3/DSX		\$10.06	\$528.00
PE1F2	Optical Cross Connects		\$6.46	\$2,431.00
···· - = =	Co-Carrier Cross-Connect	· · · · · · · · · · · · · · · · · · ·		
	(Note 5)			
PE1ES	Fiber Cable Support Structure, existing	Per linear foot	\$0.06	NA
PE1DS	Copper or Coaxial Cable Support Structure, existing	Per linear foot	\$0.03	NA
(TBD)	Cable Support Structure	Per new		
(/	Construction, new	construction	NA	ICB
PE1A2	Security Access System			
	Security System*	Per Central Office	\$95.00	
	New Access Card Activation*	Per request-5 cards	NA NA	\$85.12
	Administrative change, existing	Per Card		\$35.00
	card* Replace lost or stolen card*	Per Card	· .	\$250.00
	Space Availability Report *	Per Central Office Requested		\$550.00
	POT Bay (Note 6)		NA	NA

Version2Q99:07/28/99

.

EXHIBIT A: BELLSOUTH/World Access RATES - FLORIDA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
AEH	Additional Engineering Fee (Note 7)	Per request, First half hour/Add'l half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
	Security Escort Basic Time Overtime Premium Time	Per ¼ hour Per ¼ hour Per ¼ hour	NA NA NA	\$10.89 \$13.64 \$16.40

Note(s):

- N/A refers to rate elements which do not have a negotiated rate.
- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, World Access will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. BellSouth will pro rate the total shared space preparation costs among the collocators at each location based on the amount of square footage occupied by each collocator. This charge may vary depending on the location and type of arrangement requested.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. World Access may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill World Access for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: Rates shown are the equivalent per cross connect rates based on the Florida PSC Ordered rates as follows:

Cross Connects	Per Cross Connect	RC	NRC
2-wire	Per 100 X-Connects	\$5.24	\$1,157.00
4-wire	Per 100 X-Connects	\$5.24	\$1,157.00
DS-1/DCS	Per 28 X-Connects	\$226.39	\$1,950.00
DS-1/DSX	Per 28 X-Connects	\$11.51	\$1,950.00
DS-3/DCS	Per Cross Connect	\$56.97	\$ 528.00
DS-3/DSX	Per Cross Connect	\$10.06	\$528.00
Optical Cross Connects	Per Cross Connect	\$6.46	\$2,431.00

EXHIBIT A: BELLSOUTH/World Access RATES - FLORIDA PHYSICAL COLLOCATION (cont.)

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, World Access may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the direct connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the direct connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) POT Bays: BellSouth's Florida specific rates were established in the Florida Public Service Commission Docket No. 960833. The Commission did not set permanent rates for <u>POT Bays</u>, given the assumption by the parties to the Proceeding that they will always provide their own POT Bays. It will be necessary for World Access to provide its own POT Bays per BellSouth specifications and provide the necessary information from which BellSouth can inventory.
- (7) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling World Access-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, World Access agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

Attachment 4 Page 30

EXHIBIT A: BELLSOUTH/World Access RATES - GEORGIA PHYSICAL COLLOCATION

PE1BA PE1CA	Application Fee Subsequent Application Fee (Note 1)	Per Request	NA	\$2 050 00
PE1CA				\$3,850.00
PE1CA				
		Per Request	NA	\$1600.00 Minimum
				winimum
PE1BB	Space Preparation Fee	Per square foot	NA	\$100.00
	(Note 2)			
	Space Enclosure (Note 3)			<u></u>
	Cages Prior to 6/1/99			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$170.64	NA
PE1CW	Welded Wire-mesh	Per add'l 50 sq. ft.	\$17.33	NA
	Floor Space			
PE1PJ	Zone A	Per square foot	\$7.50	NA
PE1PK	Zone B	Per square foot	\$6.75	NA
				<u> </u>
PE1BD	Cable Installation	Per Cable	NA	\$2,750.00
PE1PM	Cable Support Structure	Per entrance cable	\$13.35	NA
PE1PL	Power			
	-48V DC Power	Per amp	\$7.14	ICB
1	120V AC Power single phase*	Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	\$11.00	ICB
	120V AC Power three phase*	Per breaker amp	\$16.50	ICB
	277V AC Power three phase*	Per breaker amp	\$38.20	ICB
	Cross Connects	Per Cross Connect		First / Additional
PE1P2	2-wire		\$.30	\$12.60 / \$12.60
PE1P4	4-wire		\$.50	\$12.60 / \$12.60
PE1P1	DS-1		\$8.00	
PE1P3	DS-3		\$72.00	\$155.00 / \$27.00
PE1F2	2-fiber		\$10.29	\$73.00 / \$52.00
PE1F4	4-fiber		\$18.50	\$88.00 / \$67.00
	·····			

Rates marked with an asterisk (*) are interim and subject to true-up

Version2Q99:07/28/99

Attachment 4 Page 31

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	Co-Carrier Cross-Connect (Note 4)			
PE1ES	Fiber Cable Support Structure, existing	Per linear foot	\$0.06	NA
PE1DS	Copper or Coaxial Cable Support Structure, existing	Per linear foot	\$0.03	NA
(TBD)	Cable Support Structure Construction, new	Per new construction	NA	ICB
PE1A1	Security Access System Security system*	Per Central Office	\$52.00	
ł	New Access Card Activation*	Per Card		\$55.00
	Administrative change, existing card*	Per Card		\$35.00
	Replace lost or stolen card*	Per Card		\$250.00
	Space Availability Report*	Per Central Office Requested		\$550.00
	POT Bay Arrangements Prior to 6/1/99	Per Cross Connect		
PE1PE	2 Wire Cross-Connect		\$0.40	NA
PE1PF	4 Wire Cross-Connect		\$1.20	NA
PE1PG	DS1 Cross-Connect		\$1.20	NA
PE1PH	DS3 Cross-Connect		\$8.00	NA
PE182	2 Fiber Cross-Connect		\$25.53	NA
PE1B4	4 Fiber Cross-Connect		\$34.43	NA
AEH	Additional Engineering Eng	Descent		Time (A dall)
AER	Additional Engineering Fee	Per request, First half hour/Add'		First /Add'l
	(Note 5)	Half hour	 	Basic Time -
				\$31.00/\$22.00
				Overtime - \$37.00/\$26.00
	· · · · · · · · · · · · · · · · · · ·			\$01.007\$20.00
	Security Escort			
PE1BT	Basic Time	Per 1/2	NA	\$41.00/\$25.00
PE10T	Overtime	hour/Additional	NA	\$48.00/\$30.00
PE1PT	Premium Time	Half-hour	NA	\$55.00/\$35.00
		<u> </u>		

EXHIBIT A: BELLSOUTH/World Access RATES - GEORGIA PHYSICAL COLLOCATION (cont.)

Version2Q99:07/28/99

EXHIBIT A: BELLSOUTH/World Access RATES - GEORGIA PHYSICAL COLLOCATION (cont.)

Note(s)

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, World Access will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers a portion of costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. This is a set fee of \$100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7061-U. In the event World Access opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to World Access as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. World Access may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill World Access for the space enclosure, and this fee shall not be applicable.
- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, World Access may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling World Access-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, World Access agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/World Access RATES - KENTUCKY PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$9,926.72
PE1CA	Subsequent Application Fee	Per Request	NA	\$1600.00
	(Note 1)			Minimum
PE1BB	Space Preparation Fee			
	(Note 2)			
	Mechanical / HVAC*	Per ton (one ton minimum)		\$2,400.00
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement,		ICB
	Frame / Aisle lighting	per square foot Per arrangement,		ICB
	Framework Ground Conductors	per square foot Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
-	Space Enclosure (Note 3)			
	Prior to 6/1/99			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$201.02	NA
PE1CW	Welded Wire-mesh	Per add'l 50 sq. ft.	\$20.42	NA
PE1PJ	Floor Space	Per square foot	\$5.00	NA
PE1BD	Cable Installation	Per Cable	NA	\$2,327.08
PE1PM	Cable Support Structure	Per entrance cable	\$24.23	NA
PE1PL	Power		-	· · · · · · · · · · · · · · · · · · ·
	-48V DC Power	Per amp	\$7.68	ICB
	120V AC Power single phase*	Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	\$11.00	ICB
	120V AC Power three phase*	Per breaker amp	\$16.50	ICB
	277V AC Power three phase*	Per breaker amp	\$38.20	ICB

Rates marked with an asterisk (*) are interim and are subject to true-up.

Version2Q99:07/28/99

EXHIBIT A:	BELLSOUTH/World Access RATES - KENTUCKY
	PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
·	Cross Connects	Per Cross Connect	()	First / Additional
PE1P2	2-wire		\$.31	\$54.21/\$51.07
PE1P4	4-wire		\$.62	· · ·
PE1P1	DS-1		\$1.92	
PE1P3	DS-3		\$39.94	1
PE1F2	2-fiber		\$13.28	
PE1F4	4-fiber		\$23.87	
	Co-Carrier Cross-Connect		· · · · · · · · · · · · · · · · · · ·	
	(Note 5)			
PE1ES	Fiber Arrangement Cable	Per linear foot	\$0.06	NA NA
Fiber	Support Structure	(existing)		
PE1DS	Copper or Coaxial	Per linear foot	\$0.03	NA
Copper	Arrangement	(existing)	40.00	
TBD	Cable Support Structure	Per new	NA	ICB
	Construction	construction		·
PE1A1	Security Access System		<u></u>	
	Security system	Per Central Office	\$52.00	
	New Access Card Activation	Per Card		\$55.00
	Administrative change,	Per Card		\$35.00
	existing card			
	Replace lost or stolen card	Per Card		\$250.00
TBD	Space Availability Report	Per Central Office	NA	\$550.00
100		Requested		+++++++++++++++++++++++++++++++++++++++
	POT Bay Arrangements Prior to 6/1/99	Per Cross Connect		
PE1PE	2 Wire Cross-Connect		\$0.06	NA
PE1PF	4 Wire Cross-Connect		\$0.15	NA
PE1PG	DS1 Cross-Connect		\$0.58	NA
PE1PH	DS3 Cross-Connect		\$4.51	NA
PE182	2 Fiber Cross-Connect		\$32.94	NA
PE184	4 Fiber Cross-Connect		\$44.42	NA
	Security Escort			
PE1BT	Basic Time	Per 1/2	NA	\$56.09/\$31.99
	Overtime	hour/Additional	NA	\$67.75/\$39.00
PE1OT PE1PT	Premium Time	Half-hour	NA	\$79.41/\$46.01

.

.

.

×.

EXHIBIT A: BELLSOUTH/World Access RATES - KENTUCKY PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
AEH	Additional Engineering Fee (Note 5)	Per request, First half hour/Add'l Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, World Access will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event World Access opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to World Access as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. World Access may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill World Access for the space enclosure, and this fee shall not be applicable.
- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, World Access may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling World Access-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, World Access agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

-

EXHIBIT A: BELLSOUTH/World Access RATES - LOUISIANA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$4,910.00
				
PE1CA	Subsequent Application Fee	Per Request	NA	\$1600.00
	(Note 1)			Minimum
PE1B8	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton		\$2,400.00
	Ground Bar*	(one ton minimum) Per Connection		# 7 00.00
	Ground bar	PerConnection		\$720.00
	Project Management*	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement,		ICB
		per square foot		
	Frame / Aisle lighting	Per arrangement,		ICB
		per square foot		
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		iCB
	Space Enclosure (Note 3)			
	Prior to 6/1/99			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$197.55	NA
PE1CW	Welded Wire-mesh	Per add'i 50 sq. ft.	\$20.07	NA
05401	Floor Deces		\$4.01	NA
PE1PJ	Floor Space	Per square foot	54.01	
PE1BD	Cable Installation	Per Cable	NA	\$1,706.00
				Disconnect charge
				\$36.00
PE1PM	Cable Support Structure	Per entrance cable	\$24.05	NA
PE1PL	Power			
1 6 176	-48V DC Power	Per amp	\$7.15	ICB
	120V AC Power single phase*	Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	\$11.00	ICB
	120V AC Power single phase 120V AC Power three phase*	Per breaker amp	\$16.50	ICB
	277V AC Power three phase*	Per breaker amp	\$38.20	ICB

Rates marked with an asterisk (*) are interim and are subject to true-up.

•

Attachment 4 Page 37 -----

EXHIBIT A: BELLSOUTH/World Access RATES - LOUISIANA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate	Non-Recurring
			(RC)	Rate (NRC)
	Cross Connects (Note 4)	Per Cross Connect		First / Additional
PE1P2	2-wire		\$.26	\$23.04/\$22.11
PE1P4	4-wire		\$.52	
PE1P1	DS-1		\$2.03	\$43.61/\$30.60
PE1P3	DS-3		\$36.27	\$41.46/\$29.20
PE1F2	2-fiber		\$10.20	\$73.00/\$52.00
PE1F4	4-fiber		\$18.34	\$88.00/\$67.00
				Disconnect
				charges
				First / Additional
	2-wire			\$9.48/\$8.54
	4-wire			\$9.53/\$8.55
	DS-1			\$9.56/\$8.63
	DS-3			\$11.06/\$8.86
				· · · · · · · · · · · · · · · · · · ·
				<u> </u>
	Co-Carrier Cross-Connect			
	(Note 5)			
PE1ES	Fiber Arrangement Cable	Per linear foot	\$0.06	NA
Fiber	Support Structure	(existing)	• • • • •	
PE1DS	Copper or Coaxial	Per linear foot	\$0.03	NA
Copper	Arrangement	(existing)	•••••	
TBD	Cable Support Structure	Pernew	NA	ICB
	Construction	construction		
PE1A1	Security Access System	D		· · · · · · · · · · · · · · · · · · ·
	Security system*	Per Central Office	\$52.00	· · ·
	New Access Card Activation*	Per Card		\$55.00
	Administrative change, existing card*	Per Card		\$35.00
	Replace lost or stolen card	Per Card		\$250.00
TBD	Space Availability Report*	Per Central Office		\$550.00
		Requested		

Rates marked with an asterisk (*) are interim and are subject to true-up.

Version2Q99:07/28/99

.

EXHIBIT A: BELLSOUTH/World Access RATES - LOUISIANA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
<u>-</u> ~-	POT Bay Arrangements	Per Cross Connect	· · · · · · · · · · · · · · · · · · ·	
	Prior to 6/1/99			
PE1PE	2 Wire Cross-Connect		\$0.0776	NA
PE1PF	4 Wire Cross-Connect		\$0.1552	NA
PE1PG	DS1 Cross-Connect		\$0.6406	NA
PE1PH	DS3 Cross-Connect		\$4.75	NA
PE1B2	2 Fiber Cross-Connect		\$25.30	NA
PE1B4	4 Fiber Cross-Connect		\$34.12	NA
· · · · ·	Security Escort			
PE1BT	Basic Time	Per 1/2	NA	\$32.35/\$19.95
PE10T	Overtime	hour/Additional	NA	\$40.50/\$25.00
PE1PT	Premium Time	Half-hour	NA	\$48.66/\$30.05
		Perment		First /Add'l
AEH	Additional Engineering Fee	Per request, First half		Basic Time -
	(Note 6)	hour/Add'l		\$31.00/\$22.00
		Half hour		Overtime -
				\$37.00/\$26.00
<u> </u>				

Rates marked with an asterisk (*) are interim and are subject to true-up.

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, World Access will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event World Access opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to World Access as prescribed in Section 7 of the Collocation Attachment.

EXHIBIT A: BELLSOUTH/World Access RATES - LOUISIANA PHYSICAL COLLOCATION (cont.)

- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. World Access may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill World Access for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

	······································	Disconnect Charges
	First / Additional	First / Additional
2-wire	\$24.92/\$23.99	\$10.56/\$9.62
4-wire	\$25.11/\$24.12	\$10.61/\$9.63
DS-1	\$45.49/\$32.48	\$10.64/\$9.71
DS-3	\$43.34/\$31.08	\$12.14/\$9.94

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, World Access may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling World Access-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, World Access agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/World Access RATES – MISSISSIPPI PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$6,993.00
				Disconnect charge
				\$1.70
PE1CA	Subsequent Application Fee	Per Request	NA	\$1600.00
	(Note 1)			Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton (one ton minimum)		\$2,400.00
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement, per square foot		ICB
	Frame / Aisle lighting	Per arrangement, per square foot		ICB
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
•	Space Enclosure (Note 3)			
	Prior to 6/1/99			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$205.08	NA
PE1CW	Welded Wire-mesh	Per add'i 50 sq. ft.	\$20.83	NA
PE1PJ	Floor Space	Per square foot	\$3.45	Disconnect charge
	· · · · · · · · · · · · · · · · · · ·			\$53.24
PE1BD	Cable Installation	Per Cable	NA	\$2,419.00
PE1PM	Cable Support Structure	Per entrance cable	\$22.90	NA
PE1PL	Power			
	-48V DC Power	Per amp	\$6.93	ICB
	120V AC Power single phase*	Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	\$11.00	ICB
	120V AC Power three phase*	Per breaker amp	\$16.50	ICB
	277V AC Power three phase*	Per breaker amp	\$38.20	ICB

Rates marked with an asterisk (*) are interim and are subject to true-up.

r,

.

EXHIBIT A: BELLSOUTH/World Access RATES - MISSISSIPPI PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	Cross Connects (Note 4)	Per Cross Connect		First / Additional
PE1P2	2-wire		\$.3996	\$30.93/\$29.59
PE1P4	4-wire		\$.7992	\$31.17/\$29.77
PE1P1	DS-1		\$2.90	
PE1P3	DS-3		\$53.31	
PE1F2	2-fiber		\$15.82	
PE1F4	4-fiber		\$28.43	\$88.00/\$67.00
				Disconnect
				Charges
				First / Additional
	2-wire			\$12.76/\$11.43
	4-wire			\$12.83/\$11.43
	DS-1			\$12.87/\$11.54
	DS-3			\$14.92/\$11.80
	Co-Carrier Cross-Connect (Note 5)			
PE1ES	Fiber Arrangement Cable	Per linear foot	\$0.06	NA
Fiber	Support Structure	(existing)		
PE1DS	Copper or Coaxial	Per linear foot	\$0.03	NA
Copper	Arrangement	(existing)		
TBD	Cable Support Structure	Per new	NA	ICB
	Construction	construction		
PE1A1	Security Access System			
	Security system*	Per Central Office	\$52.00	
	New Access Card Activation*	Per Card	+	\$55.00
	Administrative change,	Per Card		\$35.00
	existing card			•
	Replace lost or stolen card	Per Card		\$250.00
TBD	Space Availability Report*	Per Central Office		\$550.00
	Space Availability Report	Requested		φυσυ.υυ
		<u>Nerinesien</u>		

Rates marked with an asterisk (*) are interim and are subject to true-up.

EXHIBIT A: BELLSOUTH/World Access RATES - MISSISSIPPI PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	POT Bay Arrangements Prior to 6/1/99	Per Cross Connect		
PE1PE	2 Wire Cross-Connect		\$0.1195	NA
PE1PF	4 Wire Cross-Connect		\$0.2389	NA
PE1PG	DS1 Cross-Connect		\$0.9862	NA
PE1PH	DS3 Cross-Connect		\$5.81	NA
PE1B2	2 Fiber Cross-Connect		\$39.23	NA
PE1B4	4 Fiber Cross-Connect		\$52.91	NA
AEH	Additional Engineering Fee (Note 6)	Per request, First half		First /Add'l Basic Time -
		hour/Add'l		\$31.00/\$22.00
		Haif hour		Overtime - \$37.00/\$26.00
	Security Escort		-	
PE1BT	Basic Time	Per 1/2	NA	\$42.87/\$25.54
PE1OT	Overtime	hour/Additional	NA	\$54.43/\$32.41
PE1PT	Premium Time	Half-hour	NA	\$65.99/\$39.28
	· · · · · · · · · · · · · · · · · · ·			

Rates marked with an asterisk (*) are interim and are subject to true-up.

Note(s):

×ċ.

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, World Access will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event World Access opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to World Access as prescribed in Section 7 of the Collocation Attachment.

EXHIBIT A: BELLSOUTH/World Access RATES - MISSISSIPPI PHYSICAL COLLOCATION (cont.)

- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. World Access may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill World Access for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element. Disconnect Charges

		Discolation of angle
	First / Additional	First / Additional
2-wire	\$33.58 / \$32.24	\$14.27 / \$12.94
4-wire	\$33.82 / \$32.42	\$14.34 / \$12.94
DS-1	\$63.07 / \$44.33	\$14.38 / \$13.05
DS-3	\$60.10 / \$42.46	\$16.43 / \$13.31

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, World Access may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack_ structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling World Access-requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, World Access agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/World Access RATES – NORTH CAROLINA* PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$3,850.00
PE1CA	Subsequent Application Fee	Per Request	NA	\$1,600.00
	(Note 1)			Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC	Per ton (one ton minimum)		\$2,400.00
	Ground Bar	Per Connection		\$720.00
	Project Management	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement, per square foot		ICB
	Frame / Aisle lighting	Per arrangement,		ICB
		per square foot		-
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3)			
	Prior to 6/1/99		\$146.80	NA
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$140.80	NA
		December 1		NA
PE1PJ	Floor Space	Per square foot	\$7.50	NA
PE1BD	Cable Installation	Per Cable	NA	\$2,750.00
PE1PM	Cable Support Structure	Per entrance cable	\$13.35	NA
PE1PL	Power			
	-48V DC Power	Per amp	\$5.00	ICB
	120V AC Power single phase	Per breaker amp	\$5.50	ICB
	240V AC Power single phase	Per breaker amp	\$11.00	ICB
	120V AC Power three phase	Per breaker amp	\$16.50	ICB
	277V AC Power three phase	Per breaker amp	\$38.20	

*Rates are interim and subject to true-up.

÷

EXHIBIT A: BELLSOUTH/World Access RATES – NORTH CAROLINA* PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	Cross Connects	Per Cross Connect		First / Additional
PE1P2	2-wire		\$.30	\$19.20/\$19.20
PE1P4	4-wire		\$.50	
PE1P1	DS-1		\$8.00	
PE1P3	DS-3		\$72.00	
PE1F2	2-fiber		\$15.90	
PE1F4	4-fiber		\$28.50	1
	Co-Carrier Cross-Connect (Note 4)	· · · · · · · · · · · · · · · · · · ·		
PE1ES Fiber	Fiber Arrangement Cable Support Structure	Per linear foot (existing)	\$0.06	NA
PE1DS Copper	Copper or Coaxial Arrangement	Per linear foot (existing)	\$0.03	NA
TBD	Cable Support Structure Construction	Per new construction	NA	ICB
PE1A1	Security Access System Security system New Access Card Activation	Per Central Office Per Card	\$52.00	\$55.00
	Administrative change, existing card	Per Card		\$35.00
	Replace lost or stolen card	Per Card		\$250.00
TBD	Space Availability Report	Per Central Office Requested		\$550.00
		Requested		
	POT Bay Arrangements Prior to 6/1/99	Per Cross Connect		<u> </u>
PE1PE	2 Wire Cross-Connect		\$0.40	NA
PE1PF	4 Wire Cross-Connect		\$1.20	NA
PE1PG	DS1 Cross-Connect		\$1.20	NA
PE1PH	DS3 Cross-Connect		\$8.00	NA
PE1B2	2 Fiber Cross-Connect		\$39.30	NA
PE1B4	4 Fiber Cross-Connect		\$53.00	NA
	Security Escort			
PE1BT	Basic Time	Per 1/2	NA	\$41.00/\$25.00
PE1OT	Overtime	hour/Additional	NA	\$48.00/\$30.00
PE1PT	Premium Time	Half-hour	NA	\$55.00/\$35.00

*Rates are interim and subject to true-up.

Version2Q99:07/28/99

*

EXHIBIT A: BELLSOUTH/World Access RATES – NORTH CAROLINA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
AEH	Additional Engineering Fee (Note 5)	Per request, First half hour/Add'l Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, World Access will be assessed the full Application
- Fee for all subsequent activity for completed arrangements.
 - (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event World Access opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to World Access as prescribed in Section 7 of the Collocation Attachment.
 - (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. World Access may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill World Access for the space enclosure, and this fee shall not be applicable.
 - (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, World Access may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
 - (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling World Access-requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, World Access agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/World Access RATES - SOUTH CAROLINA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$4,850.00
PE1CA	Subsequent Application Fee	Per Request	NA	
	(Note 1)			Minimum
PE1BB	Space Preparation Fee		<u> </u>	
	(Note 2)			
	Mechanical / HVAC*	Per ton		\$2,400.00
		(one ton minimum)		
	Ground Bar*	Per Connection		\$720.00
		Per arrangement		
	Project Management*			\$1,675.00
		Per arrangement,		
	Cable Racking/Fiber Duct	per square foot		ICB
		Per arrangement,		
	Frame / Aisle lighting	per square foot		
		Per arrangement		
	Framework Ground			ICB
	Conductors	Bor orrangement		
	Extraordinary Modifications	Per arrangement		ICE
	Extraor uniary mounications			
	Space Enclosure (Note 3)			
0040144	Prior to 6/1/99		\$004 EC	NA NA
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'i 50 sq. ft.	\$224.60 \$22.81	
FEIGW	AAGIORO AANG-ILIESU		φ22.0	
PE1PJ	Floor Space	Per square foot	\$3.90	NA
PE1BD	Cable Installation	Per Cable	NA	\$2,217.00
PE1PM	Cable Support Structure	Per entrance cable	\$24.55	5 NA
PE1PL	Power			
PEIPL	-48V DC Power	Per amp	\$7.09	
	120V AC Power single phase*	Per breaker amp	\$5.50	
	240V AC Power single phase*	Per breaker amp	\$11.00	
	120V AC Power three phase*	Per breaker amp	\$16.50	1
	277V AC Power three phase*	Per breaker amp	\$38.20	
		· · ·		1

Rates marked with an asterisk (*) are interim and are subject to true-up.

Version2Q99:07/28/99

*

EXHIBIT A: BELLSOUTH/World Access RATES – SOUTH CAROLINA PHYSICAL COLLOCATION (cont.)

	USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
Ī		Cross Connects (Note 4)			First / Additional
	PE1P2	2-wire	Per Cross Connect	\$.3648	\$41.50/\$38.94
	PE1P4	4-wire	Per Cross Connect	\$ 7297	\$41.56/\$38.90
	PE1P1	DS-1	Per Cross Connect	\$2.70	\$70.79/\$50.78
	PE1P3	DS-3	Per Cross Connect	\$49.24	\$69.60/\$49.14
	PE1F2	2-fiber	Per Cross Connect	\$13.75	\$73.00/\$52.00
	PE1F4	4-fiber	Per Cross Connect	\$24.71	\$88.00/\$67.00
		Co-Carrier Cross-Connect (Note 5)			
	PE1ES Fiber	Fiber Arrangement Cable Support Structure	Per linear foot (existing)	\$0.06	NA
•	PE1DS Copper	Copper or Coaxial Arrangement	Per linear foot (existing)	\$0.03	i NA
	TBD	Cable Support Structure Construction	Per new construction	NA	ICB
	PE1A1	Security Access System Security system* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card	Per Central Office Per Card Per Card Per Card	\$52.00	\$55.00 \$35.00 \$250.00
	TBD	Space Availability Report*	Per Central Office Requested		\$550.00
	<u></u>	POT Bay Arrangements Prior to 6/1/99	Per Cross Connect		
	PE1PE	2 Wire Cross-Connect		\$.1091	NA
	PE1PF	4 Wire Cross-Connect		\$.2181	NA
	PE1PG	DS1 Cross-Connect		\$.9004	NA
	PE1PH	DS3 Cross-Connect		\$5.64	NA
	PE182 PE184	2 Fiber Cross-Connect 4 Fiber Cross-Connect		\$34.09 \$45.97	NA NA
	PE1BT	Security Escort Basic Time	Per 1/2	NA	\$43.00/\$25.57
	PEIDT	Overtime	hour/Additional	NA	\$54.62/\$32.46
	-	Premium Time	Half-hour	NA	\$66.24/\$39.35
1	PE1PT				

EXHIBIT A: BELLSOUTH/World Access RATES – SOUTH CAROLINA PHYSICAL COLLOCATION (cont.)

AEH	Additional Engineering Fee (Note 6)	Per request, First half hour/Add'l Half hour	First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
-----	--	---	--

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, World Access will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event World Access opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to World Access as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a onehundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. World Access may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill World Access for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

	First / Additional
2-wire	\$46.66 / \$44.10
4-wire	\$46.68 / \$44.02
DS-1	\$75.88 / \$55.87
DS-3	\$74.69 / \$54.23

(5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, World Access may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.

EXHIBIT A: BELLSOUTH/World Access RATES – SOUTH CAROLINA PHYSICAL COLLOCATION (cont.)

(6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling World Access-requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, World Access agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

• • •

EXHIBIT A: BELLSOUTH/World Access RATES – TENNESSEE* PHYSICAL COLLOCATION

*All Rates are interim and subject to true-up.

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$3,850.00
PE1CA	Subsequent Application Fee	Per Request	NA	\$1,600.00
PE1BB	(Note 1) Space Preparation Fee (Note 2)			Minumum
	Mechanical / HVAC	Per ton (one ton minimum)		\$2,400.00
	Ground Bar	Per Connection		\$720.00
	Project Management	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement, per square foot		ICB
	Frame / Aisle lighting	Per arrangement, per square foot		ICB
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3)			······
PE1BW PE1CW	Prior to 6/1/99 Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$190.79 \$19.38	NA NA
PE1PJ	Floor Space	Per square foot	\$7.50	NA
PE1BD	Cable Installation	Per Cable	NA	\$2,750.00
PE1PM	Cable Support Structure	Per entrance cable	\$13.35	NA
PE1PL	Power			
	-48V DC Power	Per amp	\$5.00	ICB
	120V AC Power single phase	Per breaker amp	\$5.50	ICB
i	240V AC Power single phase	Per breaker amp	\$11.00	ICB
	120V AC Power three phase	Per breaker amp	\$16.50	ICB
	277V AC Power three phase	Per breaker amp	\$38.20	ICB

۰,

Attachment 4 Page 52

EXHIBIT A: BELLSOUTH/World Access RATES - TENNESSEE* PHYSICAL COLLOCATION (cont.)

*Rates are interim and subject to true-up.

USOC	Rate Element Description	Unit	Recurring Rate	Non Desumine
0000	Nate Element Description	Unit	(RC)	Non-Recurring Rate (NRC)
	Cross Connects	Per Cross Connect		First / Additional
PE1P2	2-wire		\$.30	\$19.20/\$19.20
PE1P4	4-wire		\$.50	
PE1P1	DS-1		\$8.00	
PE1P3	DS-3		\$72.00	
PE1F2	2-fiber		\$15.90	
PE1F4	4-fiber		\$28.50	\$88.00/\$67.00
· · · · · · · · · · · · · · · · · · ·	Co-Carrier Cross-Connect			
	(Note 4)			
PE1ES Fiber	Fiber cable support structure, existing	Per linear foot	\$0.06	NA
PE1DS Copper	Copper or Coaxial cable support structure, existing	Per linear foot	\$0.03	NA
TBD	Cable Support Structure	Pernew	NA	ICB
100	Construction (new)	construction		
PE1A1	Security Access System			
	Security system	Per Central Office	\$52.00	
	New Access Card Activation	Per Card	<i>402.00</i>	\$55.00
	Administrative change,	Per Card		\$35.00
	existing card			400.00
	Replace lost or stolen card	Per Card		\$250.00
TBD	Space Availability Report	Per Central Office		\$550.00
		Requested	<u></u>	
	POT Bay Arrangements			
	Prior to 6/1/99			
PE1PE	2 Wire Cross-Connect	Per Cross Connect	\$0.40	NA
PE1PE	4 Wire Cross-Connect	Per Cross Connect	\$1.20	NA
PE1PG	DS1 Cross-Connect	Per Cross Connect	\$1.20	NA
PE1PH	DS3 Cross-Connect	Per Cross Connect	\$8.00	NA
PE1B2	2 Fiber Cross-Connect	Per Cross Connect	\$39.30	NA
PE1B4	4 Fiber Cross-Connect	Per Cross Connect	\$53.00	NA

¥

EXHIBIT A: BELLSOUTH/World Access RATES – TENNESSEE* PHYSICAL COLLOCATION (cont.)

*Rates are interim and subject to true-up.

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BT PE1OT PE1PT	Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$41.00/\$25.00 \$48.00/\$30.00 \$55.00/\$35.00
AEH	Additional Engineering Fee (Note 5)	Per request, First half hour/Add'l Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00

Note(s):

- N/A refers to rate elements which do not have a negotiated rate.
 - (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, World Access will be assessed the full Application Fee for all subsequent activity for completed arrangements.
 - (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event World Access opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to World Access as prescribed in Section 7 of the Collocation Attachment.
 - (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a onehundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. World Access may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill World Access for the space enclosure, and this fee shall not be applicable.

EXHIBIT A: BELLSOUTH/World Access RATES – TENNESSEE* PHYSICAL COLLOCATION (cont.)

- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, World Access may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling World Access-requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, World Access agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

Attachment 4 Page 55

> EXHIBIT B Page 1 of 4

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

1.1 <u>Compliance with Applicable Law</u>. BellSouth and World Access agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this agreement.

1.2 <u>Notice</u>. BellSouth and World Access shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each party is required to provide specific notice for known potential Imminent Danger conditions. World Access should contact 1-800-743-6737 for BellSouth MSDS sheets.

1.3 <u>Practices/Procedures</u>. BellSouth may make available additional environmental control procedures for World Access to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. World Access will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.

1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect World Access space with proper notification. BellSouth reserves the right to stop any World Access work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by World Access are owned by World Access. World Access will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by World Access or different hazardous materials used by World Access at BellSouth Facility. World Access must demonstrate

. . .

adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

Attachment 4 Page 57

> EXHIBIT B Page 2 of 4

1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by World Access to BellSouth.

1.7 Coordinated Environmental Plans and Permits. BellSouth and World Access will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and World Access will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, World Access must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.

1.8 Environmental and Safety Indemnification. BellSouth and World Access shall indemnify, defend and hold harmless the other party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, World Access agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. World Access further agrees to cooperate with BellSouth to ensure that World Access's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by World Access, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

-

Attachment 4 Page 58

2. Categories for Consideration of Environmental Issues (cont.)

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Pollution liability insurance EVET approval of contractor	Std T&C 450 GU-BTEN-001BT, Chapter 4 Std T&C 660-3 GU-BTEN-001BT, Chapter 10
Emergency response	Hazmat/waste release/spill firesafety emergency	GU-BTEN-001BT, Chapter Building Emergency Operations Plan (EOP) (specific to Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps Insurance	Std T&C 450 Std T&C 450-B (Contact E/S or your DEC/LDEC for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Pollution liability insurance EVET approval of contractor	Std T&C 450 GU-BTEN-001BT, Chapter 4 Std T&C 660-3 GU-BTEN-001BT, Chapter 10
Maintenance/operations work which may produce a waste	Protection of BST employees and equipment	Std T&C 450 GU-BTEN-001BT, Chapter 10

.

÷.

· ···· ---

Other maintenance work		29CFR 1910.147 29CFR 1910 Subpart O
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All HazMat & Waste Asbestos notification protection of BST employees and equipment	P&SM Manager - Procurement GU-BTEN-001BT, Chapter 4, GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Pollution liability insurance Manhole entry requirements EVET approval of contractor	Std T&C 450 Std T&C 660-3 BSP 620-145-011PR Issue A, August 1996 GU-BTEN-001BT, Chapter 10 RL9706008BT
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3

۰.

•

ý

Attachment 4 Page 60

> EXHIBIT B Page 4 of 4

3. **DEFINITIONS**

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

.

4.

Spill or Release. As defined in Section 101 of CERCLA.

ACRONYMS

- <u>DEC/LDEC</u> Department Environmental Coordinator/Local Department Environmental Coordinator
- GU-BTEN-001BT BellSouth Environmental Methods and Procedures
- EVET Environmental Vendor Evaluation Team
- P&SM Property & Services Management
- Std. T&C Standard Terms & Conditions
- NESC National Electrical Safety Codes

Attachment 5 Page 1

Attachment 5

Access to Numbers and Number Portability

e,

è.

*

-

TABLE OF CONTENTS

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2. NUMBER PORTABILITY PERMANENT SOLUTION	3
3. SERVICE PROVIDER NUMBER PORTABILITY	.4
4. SPNP IMPLEMENTATION	.4
5. RATES	.7
6. TRANSITION TO PERMANENT NUMBER PORTABILITY	8
7. TRUE-UP	.8
8. OPERATIONAL SUPPORT SYSTEM (OSS) RATES	.9
EX A SERVICE PROVIDER NUMBER PORTABILITY RATES Exhibit	A

• .

*

ACCESS TO NUMBERS and NUMBER PORTABILITY

The rates, terms and conditions contained within this Attachment were negotiated as a whole and each rate, term and condition within the Attachment is interdependent upon the other rates, terms and conditions.

1. Non-Discriminatory Access to Telephone Numbers

During the term of this Agreement, World Access shall contact Lockheed Martin for the assignment of numbering resources. In order to be assigned a Central Office Code, World Access will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).

For the purposes of the resale of BellSouth's telecommunications services by World Access, BellSouth will provide World Access with on line access to telephone numbers for reservation on a first come first served basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days. World Access acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth may request that World Access cancel its reservations of numbers. World Access shall comply with such request.

Further, upon World Access request and for the purposes of the resale of BellSouth's telecommunications services by World Access, BellSouth will reserve up to 100 telephone numbers per Common Language Location Identifier Code (CLLIC), for World Access's sole use. Such telephone number reservations shall be transmitted to World Access via electronic file transfer. Such reservations shall be valid for ninety (90) days from the reservation date. World Access acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity for World Access's reasonable need in that particular CLLIC.

2. Number Portability Permanent Solution

The FCC, the Commissions and industry forums are working towards a permanent approach to providing service provider number portability. Both Parties will implement a permanent approach as developed and approved by the Commission, the FCC and industry forums. Consistent with the requirements to move to Permanent Number Portability, Interim Service Provider Number Portability may be available only until such permanent solution is implemented in an end office.

3. Service Provider Number Portability

- 3.1 <u>Definition</u>. Until the industry-wide permanent solution is implemented in an end office, BellSouth shall provide Service Provider Number Portability ("SPNP"). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same serving wire center of his existing number.
- 3.2 <u>Methods of Providing Number Portability</u>. SPNP is available through either remote call forwarding or direct inward dialing trunks, at the election of World Access. Remote call forwarding (SPNP-RCF) is an existing switch-based BellSouth service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to World Access switch that serves the subscriber. SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. To order nonconsecutive telephone numbers or telephone numbers in less than blocks of twenty, the NBR process must be used. SS7 Signaling is required for the provision of either of these services.
- 3.3 <u>Signaling Requirements</u>. SS7 Signaling is required for the provision of SPNP services. SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable channelization rates are those specified in Section E6 in BellSouth's Intrastate Access Tariffs, incorporated herein by this reference. SPNP is available only for basic local exchange service.
- 3.4 <u>End User Line Charge</u>. Recovery of charges associated with implementing Number Portability through a monthly charge assessed to end users has been authorized by the FCC. This end user line charge will be as filed in FCC No. 1 and will be billed to World Access where World Access is a subscriber to local switching or where World Access is a reseller of BellSouth telecommunications services. This charge will not be discounted.

4. SPNP Implementation

Interim SPNP is available through remote call forwarding and direct inward dialing, under the following terms:

- 4.1 SPNP is available only where a CLEC or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic local exchange service to the affected end user. SPNP for a particular telephone number is available only from the central office originally providing local exchange service to the end user. SPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (*e.g.*, a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.
- 4.2 SPNP-RCF, as contemplated by this Agreement, is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by the CLEC or BellSouth, as appropriate. The forwarding company will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number.

SPNP-DID service, as contemplated by this Statement, provides trunk side access to end office switches for direct inward dialing to the other company's premises equipment from the telecommunications network to lines associated with the other company's switching equipment and must be provided on all trunks in a group arranged for inward service. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as said tariff is amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering company is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-

•

DID number group. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-Party, or other operatorassisted non-sent paid calls to the ported telephone number, BellSouth or the CLEC shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either company may request that the other block collect and third company nonsent paid calls to the SPNP-assigned telephone number. If a company does not request blocking, the other company will provide itemized local usage data for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each company shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMR standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. CLEC usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.

Each company shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of SPNP services. Each company shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each company shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adequately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other company or any of its end users. In the event that either company determines in its reasonable judgment that the other company will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that company may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.

4.6 Each company shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either company chooses to disconnect or terminate any SPNP

4.4

service, that company shall be responsible for designating the preferred standard type of announcement to be provided.

- 4.7 Each company shall be the other company's single point of contact for all repair calls on behalf of each company's end user. Each company reserves the right to contact the other company's customers if deemed necessary for maintenance purposes.
- 4.8 Neither company shall be responsible for adverse effects on any service, facility or equipment from the use of SPNP services. End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, end-to-end transmission characteristics cannot be specified by either company for such calls. Neither company shall be responsible to the other if any necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other company obsolete or renders necessary modification of the other company's equipment.
- * 4.9 For terminating IXC traffic ported to either company which requires use of either company's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other company will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other company to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other company at the tandem company's tariff rates via a process used by BellSouth to estimate the amount of ported switched access revenues due the other company. If an intraLATA toll call is delivered, the delivering company will pay terminating access rates to the other company. This subsection does not apply in cases where SPNP-DID is utilized for number portability.
 - 4.10 If, through a final and nonappealable order, the Federal Communications Commission ("FCC") issues regulations pursuant to 47 U.S.C. § 251 to require number portability different than that provided pursuant to this section, BellSouth will comply with that order.

5. Rates

Rates for service provider number portability are set out in Exhibit A to this Attachment. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

6. Transition to Permanent Number Portability

Once a long-term database method of providing Local Number Portability (LNP) is implemented in an end office pursuant to Federal Communications Commission or State commission orders, rules or regulations, with advance written notice, both Parties must withdraw its Interim Number Portability (INP) offerings. The transition from existing INP arrangements to LNP shall occur within one hundred twenty (120) days from the date LNP is implemented in the end office serving the telephone number. Neither Party shall charge the other Party for conversion from INP to LNP. The Parties shall comply with any INP/LNP transition processes established by the FCC and State commissions and appropriate industry number portability work groups.

Notwithstanding the foregoing, the Parties acknowledge that the FCC has determined once LNP has been deployed pursuant to the FCC's orders, rules and regulations, that all local exchange carriers (LECs) have the duty to provide LNP. Therefore, either Party, at any time, may seek appropriate legal or regulatory relief concerning the transition from INP to LNP or other related issues.

<u>True-up</u>

7.

This section applies only to North Carolina and Tennessee.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

- 7.1. The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions in the General Terms and Conditions and Attachment 1 of this Agreement.
- 7.2. The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item.

Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

- 7.3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
 - (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
 - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of network element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

* 8. Operational Support System (OSS) Rates

BellSouth has developed and made available the following mechanized systems by which World Access may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interface
EDI-PC	Electronic Data Interface – Personal Computer
TAG	Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS	AL, GA, LA, MS, SC	FL, KY, NC, TN
OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces	\$3.50	\$3.50
	SOMEC	SOMEC
Incremental charge per LSR received from the CLEC by means other than one of the OSS	See applicable rate element	\$19.99
interactive interfaces		SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event World Access provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

World Access will incur an OSS charge for an accepted LSR that is later canceled by World Access.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for network elements and other services ordered by means other than one of the interactive interfaces. These ordered network elements and other services manual additive NRCs will apply in these states, rather than the charge per LSR.

Threshold Billing Plan

The Parties agree that World Access will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:

Year	Ratio: Mechanized/Total LSRs
19 99	70%
2000	80%
2001	90%

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

The Parties agree that any charges BellSouth is unable to bill on April 15, 1999 will be trued up on or about July 1, 1999.

BELLSOUTH/CLEC-1 RATES SERVICE PROVIDER NUMBER PORTABILITY

÷.

The rates contained within this Exhibit were negotiated as a whole within the negotiations of the terms and conditions contained within the Attachment and each rate, term and condition is interdependent upon the other rates, terms and conditions within this Attachment RATES BY STATE USOC **DESCRIPTION** AL FL GA KY LA MS NC SC TN INTERNA SERVICE PROVIDER NUMBER PORTABLE ET 11. 11. 11 INPBL NA NA NA NA \$2.25 NA RCF, per number ported (Business Line), 10 paths ŇA NA NA **TNPRL** NA NA NA \$1.15 NA RCF, per number ported (Residence Line), 6 paths NA NA NA NA RCF, per number ported (Business Line) TNPBL \$2.13 NA \$2.03 NA \$2.29 \$2.34 NA \$2.17 \$1.50 **TNPBL** \$0.65 NA \$0.51 NA \$0.49 \$0.6441 \$0,7046 INRO NA NA NRC - Disconnect Charge INPRI \$0.07 NA ŇΑ NA \$0.05 \$0.50 \$0.0644 NA NA RCF, per number ported (Residence Line) TNPRL \$2.13 NA \$2.03 NA \$2.29 \$2.34 NA \$2.17 \$1.25 NR **TNPRI** \$0.65 NA \$0.51 NA \$0.49 \$0.6441 NA \$0.7046 NA INPRE NRC - Disconnect Charge \$0.07 NA MA NA \$0.05 \$0.0644 \$0.50 NA NA RCF, add'l capacity for simultaneous call forwarding, per additional path N/A \$0.32 NA \$0,2836 NA \$0.38 \$0,3838 NA \$0.3854 \$0.50 (++) Bus = TNPBD Res = TNPRD RCF, per service order, per location NRC - 1st TNP++ \$1.44 NA \$2.10 NA \$2.02 \$2.84 None \$1.37 \$25.00 NRC - Add1 TNP++ \$1.44 NA \$2.10 NA \$2.02 \$2.84 None \$1.37 \$25.00 \$2.01 NRC - Disconnect - 1st TNP++ \$1.44 NA NA NA \$2.84 NA NA NA NRC - Disconnect - Add1 TNP++ \$1.44 NA NA NA \$2.01 \$2.84 NA NA NA NRC - Incremental Charge - Manual Service Order - 1st SOMAN \$27.37 NA NA NA \$18,14 \$25.52 NA NA NA SOMAN NRC - Incremental Charge - Manual Service Order - Add'l \$27.37 NA NA NA 318 14 \$25.52 NA NA NA NRC - Incremental Charge - Manual Service Order - Disconnect - 1st SOMAN \$17.77 NĀ NA NA \$11.41 \$16.06 NA \$44.70 NA NRC - Incremental Charge - Menual Service Order - Disconnect - Add1 SOMAN \$17.77 NA NA NA \$11.41 \$16.06 NA \$44.70 NA 114.14 19. 65 DID per number ported, Residence - NRC TNPDR \$1,18 NA \$0.93 NA \$0.89 \$1.17 NA \$2.25 NA NA DID per number ported, Residence - NRC - Disconnect TNPOR \$1.18 NA NA NA \$0.90 \$1.17 NA NA DID per number ported, Business - NRC TNPDB \$1.18 NA \$0.93 NA \$0.89 \$1.17 NA \$2.25 NA DID per number ported, Business - NRC - Disconnect TNPDB \$1.18 ŇÅ NA NA \$0.90 \$1.17 NA NA NA DID per service order, per location INRC - 1st TNPRD \$1.44 NA \$2.10 NA \$2.02 \$2.84 NA \$1.37 NA NRC - Addi TNPRD \$1.44 \$2.10 NA \$2.02 \$2.84 NA NA \$1.37 NA NRC - Disconnect - 1st TNPRD \$1.44 NA ŇĂ NA \$2.01 \$2.84 NA \$44.70 NA NRC - Disconnect - Add1 TNPRD \$1.44 NA NA NA \$2.01 \$2.84 NA \$44.70 NA NRC - Incremental Charge - Manual Service Order - 1st SOMAN \$27.37 NA \$18.94 NA \$18,14 \$25.52 NA NA NA SOMAN NRC - Incremental Charge - Manual Service Order - Add'l \$27.37 NA NA NA \$18,14 \$25.52 NA NA NA NRC - Incremental Charge - Manual Service Order - Disconnect - 1st SOMAN \$17.77 NA NA NA \$11.41 \$16.06 NA NA NA NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l SOMAN \$17.77 NA NA NA \$11.41 \$16.06 NA NA NA DiD, per trunk termination, initial TNPT2 NA \$11.84 \$10.73 NA \$12 46 \$13.78 NA \$13.16 NA DID, per trunk termination, initial - NRC TNPT2 \$173.73 NA \$135.47 NA \$129.69 \$171.68 NA \$218.03 NA DID, per trunk termination, initial - Disconnect TNPT2 \$50,43 NA NA NA \$37.85 \$49.66 NA NA NA NA **DiD, per trunk termination, Subsequent** TNPT2 \$11.84 NA \$10.73 \$12.46 \$13.78 NA \$13.16 NA DID, per trunk termination, Subsequent - NRC TNPT2 \$51.35 NA \$39.53 NA \$37.85 \$50.69 NA \$73.63 NA NA **DID, per trunk termination, Subsequent - Disconnect** TNPT2 \$25.00 NA NA NA \$18.75 \$24.71 NA NA NOTES: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth lariff or as negotiated by the Parties upon request by either Party. 1 Until the FCC issues its order implementing a cost recovery mechanism for permanent number portability, the Company will track its costs of providing interim SPNP with sufficient detail to verify the costs. This will facilitate the Florida PSCs consideration of the recovery of these costs in Docket 950737-TP. (FL) 2 BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an

interim number portability option. (KY)

j = 1, j =

Attachment 5 Exhibit A Rates - Page 1

Attachment 6 Page 1 .

Attachment 6

Ordering and Provisioning

•.

- - - - -

TABLE OF CONTENTS

1. QUALITY OF ORDERING AND PROVISIONING	.3
2. ACCESS TO OPERATIONAL SUPPORT SYSTEMS	.3
3. MISCELLANEOUS ORDERING AND PROVISIONING GUIDELINES	.5

•

ORDERING AND PROVISIONING

The rates, terms and conditions contained within this Attachment were negotiated as a whole and each rate, term and condition within the Attachment is interdependent upon the other rates, terms and conditions.

1. Quality of Ordering and Provisioning

- 1.1 BellSouth shall provide ordering and provisioning services to World Access that are equal to the ordering and provisioning services BellSouth provides to itself or any other CLEC, where technically feasible. Detailed guidelines for ordering and provisioning are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate, and as they are amended from time to time during this Agreement.
- 1.2 BellSouth will perform provisioning services during the following normal hours of operation:

Monday - Friday - 8:00AM - 5:00PM location time (excluding holidays) (Resale/Network Element non coordinated, coordinated orders and order coordinated - Time Specific)

Saturday - 8:00 AM - 5:00 PM location time (excluding holidays) (Resale/Network Element non coordinated orders)

Times are either Eastern or Central time based on the location of the work being performed.

All other World Access requests for provisioning and installation services are considered outside of the normal hours of operation and may be performed subject to the application of overtime billing charges.

2. Access to Operational Support Systems

- 2.1 BellSouth shall provide World Access access to several operations support systems. Access to these support systems is available through a variety of means, including electronic interfaces. BellSouth also provides the option of placing orders manually (e.g., via facsimile) through the Local Carrier Service Center. The operations support systems available are:
- 2.2 <u>Pre-Ordering</u>. BellSouth provides electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, and upon Commission approval of confidentiality protections, to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the

Telecommunications Access Gateway (TAG). Customer record information includes any and all customer specific information, including but not limited to, customer specific information in CRIS and RSAG. World Access agrees not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission and further agrees that World Access will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.

- 2.3 <u>Service Ordering and Provisioning</u>. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides an Electronic Data Interchange (EDI) arrangement for resale requests and certain network elements and other services. As an alternative to the EDI arrangement, BellSouth also provides through LENS and TAG an ordering and provisioning capability that is integrated with the LENS and TAG pre-ordering capability.
- 2.4 <u>Service Trouble Reporting and Repair</u>. Service trouble reporting and repair allows World Access to report and monitor service troubles and obtain repair services. BellSouth shall offer World Access service trouble reporting in a nondiscriminatory manner that provides World Access the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides World Access an estimated time to repair, an appointment time of a commitment time, as appropriate, on trouble reports. BellSouth provides two options for electronic trouble reporting. For exchange services, BellSouth offers World Access access to the Trouble Analysis Facilitation Interface (TAFI). For individually designed services, BellSouth provides electronic trouble reporting through an electronic communications gateway. If the CLEC requests BellSouth to repair a trouble after normal working hours, the CLEC will be billed the appropriate overtime charges associated with this request pursuant to BellSouth's tariffs.
- 2.5 <u>Migration of World Access to New BellSouth Software Releases</u>. BellSouth will issue new software releases for its electronic interfaces as needed to improve operations and meet standards and regulatory requirements. When a new release is implemented, BellSouth will continue to support both the new release (N) and the prior release (N-1). When BellSouth makes the next release (N+1), BellSouth will eliminate support for the (N-1) release and support the two newest releases (N and N+1). Thus, BellSouth will always support the two most current releases. BellSouth will issue documents to World Access with sufficient notice to allow World Access to make the necessary changes to their systems and operations to migrate to the newest release in a timely fashion.
- 2.6 <u>Rates.</u> All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from the carriers who utilize the services. Charge for use of Operational Support Systems shall be as set forth in Attachments 1 and 2 of this Agreement.

3. Miscellaneous Ordering and Provisioning Guidelines

- 3.1 <u>Pending Orders</u>. To ensure the most efficient use of facilities and resources, orders placed in the hold or pending status by World Access will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if World Access wishes to reinstate an order, World Access may be required to submit a new service order.
- 3.2 Single Point of Contact. World Access will be the single point of contact with BellSouth for ordering activity for network elements and other services used by World Access to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. World Access and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes including Un-PIC. Pursuant to such an order, BellSouth may disconnect any network element associated with the service to be disconnected and being used by World Access to provide service to that end user and reuse such network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify World Access that such an order has been processed, but will not be required to notify World Access in advance of such processing.
- 3.3 <u>Use of Facilities</u>. When a customer of a CLEC elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to CLEC by BellSouth for retail or resale service, loop and/or port for that customer. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility.
- 3.3.1 Upon receipt of a service order, BellSouth will do the following:
- 3.3.1.1 Process disconnect and reconnect orders to provision the service which shall be due dated using current interval guidelines.
- 3.3.1.2 Reuse the serving facility for the retail, resale service, or network element at the same location.
- 3.3.1.3 Notify World Access subsequent to the disconnect order being completed.

- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected interexchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- . 3.6 <u>Cancellation Charges</u>. If World Access cancels an order for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.4.

Attachment 7

Billing and Billing Accuracy Certification

.

\$

TABLE OF CONTENTS

1. PAYMENT AND BILLING ARRANGEMENTS	6
2. BILLING ACCURACY CERTIFICATION	,
3. BILLING DISPUTES	į
4. RAO HOSTING	,
5. OPTIONAL DAILY USAGE FILE	L.
6. ACCESS DAILY USAGE FILE14	ł
7. ENHANCED OPTIONAL DAILY USAGE FILE	1
EXHIBIT A – RATESEXHIBIT A	

.

ĸ

.

*

BILLING AND BILLING ACCURACY CERTIFICATION

The rates, terms and conditions contained within this Attachment were negotiated as a whole and each rate, term and condition within the Attachment is interdependent upon the other rates, terms and conditions.

1. Payment and Billing Arrangements

- 1.1 <u>Billing</u>. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that World Access requests. BellSouth will bill and record in accordance with this Agreement those charges World Access incurs as a result of World Access purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.
- 1.1.1 For any service(s) BellSouth orders from World Access, World Access shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.2 <u>Master Account</u>. After receiving certification as a local exchange company from the appropriate regulatory agency, World Access will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA"), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Address (ACNA) and a tax exemption certificate, if applicable.
- 1.3 Payment Responsibility. Payment of all charges will be the responsibility of World Access. World Access shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by World Access from World Access's customer. BellSouth will not become involved in billing disputes that may arise between World Access and its customer. Payments made

to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.

1.4 <u>Payment Due</u>. The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.7, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon proof of tax exempt certification from World Access, the total amount billed to World Access will not include those taxes or fees for which the CLEC is exempt. World Access will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of World Access.
- 1.6 <u>Late Payment</u>. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Service Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, whichever BellSouth determines is appropriate.
- 1.7 Discontinuing Service to World Access. The procedures for discontinuing service to World Access are as follows:
- 1.7.1 BellSofth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by World Access of the rules and regulations contained in BellSouth's tariffs.
- 1.7.2 If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to World Access that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day

following the date of the notice. In addition, BellSouth may, at the same time, give thirty days notice to World Access at the billing address to discontinue the provision of existing services to World Access at any time thereafter.

- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and World Access's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to World Access without further notice.
- 1.7.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, World Access's services will be discontinued. Upon discontinuance of service on World Access's account, service to World Access's end users will be denied. BellSouth will reestablish service at the request of the end user or World Access for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. World Access is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen days after an end user's service has been denied and no arrangements to reestablish service will be disconnected.
- 1.8 Deposit Policy. When purchasing services from BellSouth, World Access will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, the Company reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or in its sole discretion some other form of security. Any such security deposit shall in no way release the customer from his obligation to make complete and timely payments of his bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of the Company, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, the Company reserves the right to request additional security and/or file a Uniform Commercial Code (UCC1) security interest in World Access's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.
- 1.9 <u>Rates.</u> Rates for Optional Daily Usage File (ODUF), Enhanced Optional Daily Usage File (EODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in the contract, the rate for the specific service

2

or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. Billing Accuracy Certification

- 2.1 Upon request, BellSouth and World Access will agree upon a billing quality assurance program for all billing elements covered in this Agreement that will eliminate the need for post-billing reconciliation. Appropriate terms for access to any BellSouth documents, systems, records, and procedures for the recording and billing of charges will be part of that program.
- 2.2 As part of the billing quality assurance program, BellSouth and World Access will develop standards, measurements, and performance requirements for a local billing measurements process. On a regular basis BellSouth will provide World Access with mutually agreed upon performance measurement data that substantiates the accuracy, reliability, and integrity of the billing process for local billing. In return, World Access will pay all bills received from BellSouth in full by the payment due date.
- 2.3 Local billing discrepancies will be addressed in an orderly manner via a mutually agreed upon billing exemption process.
- 2.3.1 Each Party agrees to notify the other Party upon identifying a billing discrepancy. The Parties shall endeavor to resolve any billing discrepancy within sixty (60) calendar days of the notification date. A mutually agreed upon escalation process will be established for resolving local billing discrepancies as part of the billing quality assurance program.
- 2.3.2 Closure of a specific billing period will occur by joint agreement of the Parties whereby the Parties agree that such billing period is closed to any further analysis and financial transactions except those resulting from regulatory mandates. Closure will take place within a mutually agreed upon time interval from the Bill Date. The month being closed represents those charges that were billed or should have been billed by the designated Bill Date.

3. Billing Disputes

3.1 Where the Parties have not agreed upon a billing quality assurance program, billing disputes shall be handled pursuant to the terms of this section.

÷

- 3.1.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date.
- 3.2 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment penalty shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

4. RAO Hosting

- 4.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to World Access by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
 - 4.2 World Access shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
 - 4.3 Applicable compensation amounts will be billed by BellSouth to World Access on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
 - 4.4 World Access must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from World Access to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the

completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of World Access and will coordinate all associated conversion activities.

- 4.5 BellSouth will receive messages from World Access that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 4.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from World Access.
- 4.7 All data received from World Access that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- 4.8 All data received from World Access that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
 - 4.9 BellSouth will receive messages from the CMDS network that are destined to be processed by World Access and will forward them to World Access on a daily basis.
 - 4.10 Transmission of message data between BellSouth and World Access will be via CONNECT:Direct.
 - 4.11 All messages and related data exchanged between BellSouth and World Access will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
 - 4.12 World Access will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
 - 4.13 Should it become necessary for World Access to send data to BellSouth more than sixty (60) days past the message date(s), World Access will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and World Access to notify all affected Parties.

- 4.14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or World Access) identified and agreed to, the company responsible for creating the data (BellSouth or World Access) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- 4.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from World Access, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify World Access of the error condition. World Access will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, World Access will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 4.16 In association with message distribution service, BellSouth will provide World Access with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 4.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.
- 4.18 RAO Compensation
- 4.18.1 Rates for message distribution service provided by BellSouth for World Access are as set forth in Exhibit A to this Attachment.
- 4.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
- 4.18.3 Data circuits (private line or dial-up) will be required between BellSouth and World Access for the purpose of data transmission. Where a dedicated line is required, World Access will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. World Access will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by

BellSouth and the associated charges assessed to World Access. Additionally, all message toll charges associated with the use of the dial circuit by World Access will be the responsibility of World Access. Associated equipment on the BellSouth end, including a modern, will be negotiated on a case by case basis between the Parties.

4.18.4 All equipment, including modems and software, that is required on World Access end for the purpose of data transmission will be the responsibility of World Access.

4.19 Intercompany Settlements Messages

- 4.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by World Access as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between World Access and the involved company(ies), unless that company is participating in NICS.
- 4.19.2 Both traffic that originates outside the BellSouth region by World Access and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by World Access, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by World Access, involves a company other than World Access, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 4.19.3 Once World Access is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 4.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of World Access. BellSouth will distribute copies of these reports to World Accesson a monthly basis.
- 4.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of World Access. BellSouth will distribute copies of these reports to World Access on a monthly basis.
- 4.19.6 BellSouth will collect the revenue earned by World Access from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of World

÷.

Access. BellSouth will remit the revenue billed by World Access to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on World Access. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to World Access via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

4.19.7 BellSouth will collect the revenue earned by World Access within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of World Access. BellSouth will remit the revenue billed by World Access within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to World Access via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and World Access agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

5. Optional Daily Usage File

3

- 5.1 Upon written request from World Access, BellSouth will provide the Optional Daily Usage File (ODUF) service to World Access pursuant to the terms and conditions set forth in this section.
- 5.2 The World Access shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 5.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a World Access customer.

Charges for delivery of the Optional Daily Usage File will appear on World Accesss' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 5.4 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5.5 Messages that error in the billing system of World Access will be the responsibility of World Access. If, however, World Access should encounter significant volumes of errored messages that prevent processing by World Access

. . .

~ 🛒

within its systems, BellSouth will work with World Access to determine the source of the errors and the appropriate resolution.

5.6 The following specifications shall apply to the Optional Daily Usage Feed.

5.6.1 USAGE TO BE TRANSMITTED

- 5.6.1.1 The following messages recorded by BellSouth will be transmitted to World Access:
 - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
 - measured billable Local
 - Directory Assistance messages
 - intraLATA Toll
 - WATS & 800 Service

-N11

-Information Service Provider Messages

-Operator Services Messages

-Operator Services Message Attempted Calls (Network Element only)

-Credit/Cancel Records

-Usage for Voice Mail Message Service

- 5.6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 5.6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to World Access.

\$

*

5.6.1.4 In the event that World Access detects a duplicate on Optional Daily Usage File they receive from BellSouth, World Access will drop the duplicate message (World Access will not return the duplicate to BellSouth).

5.6.2 PHYSICAL FILE CHARACTERISTICS

- 5.6.2.1 The Optional Daily Usage File will be distributed to World Access via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 5.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and World Access for the purpose of data transmission. Where a dedicated line is required, World Access will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. World Access will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to World Access. Additionally, all message toll charges associated with the use of the dial circuit by World Access will be the responsibility of World Access. Associated equipment on the BellSouth end, including a modern, will be negotiated on a case by case basis between the Parties. All equipment, including moderns and software, that is required on World Access end for the purpose of data transmission will be the responsibility of World Access.
- 5.6.3 PACKING SPECIFICATIONS
- 5.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 5.6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to World Access which BellSouth RAO that is sending the message. BellSouth and World Access will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by World Access and resend the data as appropriate.

3

The data will be packed using ATIS EMI records.

5.6.4 PACK REJECTION

5.6.4.1 World Access will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. World Access will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to World Access by BellSouth.

5.6.5 CONTROL DATA

World Access will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate World Access received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by World Access for reasons stated in the above section.

5.6.6 TESTING

5.6.6.1 Upon request from World Access, BellSouth shall send test files to World Access for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that World Access set up a production (LIVE) file. The live test may consist of World Access's employees making test calls for the types of services World Access requests on the Optional Daily Usage File. These test calls are logged by World Access, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

6. Access Daily Usage File

- 6.1. Upon written request from World Access, BellSouth will provide the Access Daily Usage File (ADUF) service to World Access pursuant to the terms and conditions set forth in this section.
- 6.2 The World Access shall furnish all relevant information required by BellSouth for the provision of the Access Daily Usage File.
- 6.3 The Access Daily Usage Feed will contain access messages associated with a port that World Access has purchased from BellSouth

- 6.4 Charges for delivery of the Access Daily Usage File will appear on World Accesss' monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6.5 Messages that error in the billing system of World Access will be the responsibility of World Access. If, however, World Access should encounter significant volumes of errored messages that prevent processing by World Access within its systems, BellSouth will work with World Access to determine the source of the errors and the appropriate resolution.
- 6.6 USAGE TO BE TRANSMITTED
- 6.6.1 The following messages recorded by BellSouth will be transmitted to World Access:

Interstate and intrastate access records associated with a port.

Undetermined jurisdiction access records associated with a port.

6.6.2 When World Access purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows:

Originating from Network Element and carried by Interexchange Carrier:

BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF

Originating from network element and carried by BellSouth (World Access is BellSouth's toll customer):

BellSouth will bill resale toll rates to World Access and send toll record for the end user toll billing purposes via ODUF (Optional Daily Usage File). Access record will be sent to World Access via ADUF.

•

Terminating on network element and carried by Interexchange Carrier:

BellSouth will bill network element to World Access and send access record to World Access.

Terminating on network element and carried by BellSouth:

BellSouth will bill network element to World Access and send access record to World Access.

- 6.6.3 BellSouth will perform duplicate record checks on records processed to the Access Daily Usage File. Any duplicate messages detected will be dropped and not sent to World Access.
- 6.6.4 In the event that World Access detects a duplicate on the Access Daily Usage File they receive from BellSouth, World Access will drop the duplicate message (World Access will not return the duplicate to BellSouth.)

6.6.5 PHYSICAL FILE CHARACTERISTICS

- 6.6.5.1 The Access Daily Usage File will be distributed to World Access via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.6.5.2 Data circuits (private line or dial-up) may be required between BellSouth and World Access for the purpose of data transmission. Where a dedicated line is required, World Access will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. World Access will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to World Access. Additionally, all message toll charges associated with the use of the dial circuit by World Access will be the responsibility of World Access. Associated equipment on the BellSouth end, including a modern, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on World Access end for the purpose of data transmission will be the responsibility of World Access.

6.6.6 PACKING SPECIFICATIONS

- 6.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.6.6.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to World Access which BellSouth RAO

that is sending the message. BellSouth and World Access will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by World Access and resend the data as appropriate.

The data will be packed using ATIS EMI records.

6.6.7 PACK REJECTION

6.6.7.1 World Access will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. World Access will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to World Access by BellSouth.

6.6.8 CONTROL DATA

World Access will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate World Access received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by World Access for reasons stated in the above section.

6.6.9 TESTING

*

6.6.9.1 Upon request from World Access, BellSouth shall send test files to World Access for the Access Daily Usage File. Testing shall consist of actual calls made from live accounts. A call log shall be supplied along with test request information. The Parties agree to review and discuss the file's content and/or format.

7. Enhanced Optional Daily Usage File

- 7.1 Upon written request from World Access, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to World Access pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 7.2 The World Access shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 7.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on World Accesss' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 7.4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 7.5 Messages that error in the billing system of World Access will be the responsibility of World Access. If, however, World Access should encounter significant volumes of errored messages that prevent processing by World Access within its systems, BellSouth will work with World Access to determine the source of the errors and the appropriate resolution.
- 7.6 The following specifications shall apply to the Optional Daily Usage Feed.
- 7.6.1 USAGE TO BE TRANSMITTED
- 7.6.1.1 The following messages recorded by BellSouth will be transmitted to the World Access:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call From Number To Number Connect Time Conversation Time Method of Recording From RAO Rate Class Message Type Billing Indicators Bill to Number

- 7.6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to World Access.
- 7.6.1.3 In the event that World Access detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, World Access will drop the duplicate message (World Access will not return the duplicate to BellSouth).

×č.

7.6.2 PHYSICAL FILE CHARACTERISTICS

- 7.6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to World Access over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among World Access's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and World Access for the purpose of data transmission. Where a dedicated line is required, World Access will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. World Access will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to World Access. Additionallygall message toll charges associated with the use of the dial circuit by World Access will be the responsibility of World Access. Associated equipment on the BellSouth end, including a modern, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on World Access end for the purpose of data transmission will be the responsibility of World Access.

7.6.3 PACKING SPECIFICATIONS

- 7.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to World Access which BellSouth RAO that is sending the message. BellSouth and World Access will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by World Access and resend the data as appropriate.

The data will be packed using ATIS EMI records.

Allachmant 7 Exhibit A Rates - Page 1

ì

BELLSOUTH/CLEC-1 RATES ODUF/EDOUF/ADUF/CMDS

\$.

stes contained within this Exhibit were negotialed as a whole within the r					R	ATES BY STAT	E			
SCRUPTION .	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	1 AM							* 0.000	\$0 0002862	\$0.00
UF: Recording, per message	NA	\$0.0002	\$0.008	\$0.008	\$0.0008611	\$0.00019	\$0.0001179	\$0.008	\$0 0032344	\$0.00
UF: Message Processing, per message	N/A	\$0.0033	\$0.004	\$0.004	\$0 0032357	\$0.0024	\$0.0032089	\$0.004		500
DUF: Message Processing, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	<u>\$0 00</u>
UF: Message Processing, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0 004	\$0.004	\$0.004	
DS: Message Processing, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.0
	N/A	\$55.19	\$54.95	\$54.95	\$55.68	\$47.30	\$54.62	\$54 95	\$54 72	\$54
UF: Message Processing, per magnetic tape provisioned	NVA	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47 30	\$47.30	\$47.30	\$47 :
DUF: Message Processing, per magnetic tape provisioned	NA NA	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95	\$54
UP: Message Processing, per magnetic tape provisioned		\$0.00004	\$0.001	\$0.001	\$0.0000365	\$0.00003	\$0.0000354	\$0.001	\$0 0000357	\$0.0
UF: Data Transmission (CONNECT:DIRECT), per message	NA NA	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0 0000364	\$0 0000
OUF: Data Transmission (CONNECT:DIRECT), per massage	NVA	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.0
UF: Data Transmission (CONNECT:DIRECT), per message		\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.00
IDS: Data Transmission (CONNECT:DINECT), per message										
TES:				•						

 $e_{i,j} \in \mathcal{A}_{i}$

Attachment 8 Page 1

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

.

Version2Q99:06/08/99

-

Attachment 8 Page 2

Rights-of-Way, Conduits and Pole Attachments

The rates, terms and conditions contained within this Attachment were negotiated as a whole and each rate, term and condition within the Attachment is interdependent upon the other rates, terms and conditions.

> Pursuant to terms and conditions negotiated between World Access and BellSouth's Competitive Structure Provisioning Center and pursuant to 47 U.S.C. § 224, BellSouth will provide nondiscriminatory access to poles, ducts, conduit, and rights-of-way owned or controlled by BellSouth.

Attachment 9 Page 1 ______

Attachment 9

Performance Measurements

٠

.

*

a ng pana ng

TABLE (OF CO	NTENTS
---------	-------	--------

CATEGORY	FUNCTION*	PAGE #
Pre-Ordering OSS	1. Average OSS Response Interval	3
	2. OSS Interface Availability	5
Ordering	1. Percent Flow-through Service Requests (Summary)	6
	2. Percent Flow-through Service Requests (Detail)	8
	3. Flow-through Error Analysis	10
	4. Percent Rejected Service Requests	14
	5. Reject Interval	15
	6. Firm Order Confirmation Timeliness	16
	7. Speed of Answer in Ordering Center	17
Provisioning	1. Mean Held Order Interval & Distribution Intervals	18
÷	2. Average Jeopardy Notice Interval & Percentage of	20
	Orders Given Jeopardy Notices	
	3. Percent Missed Installation Appointments	21
	4. Average Completion Interval Order Completion	23
	Interval Distribution	
	5. Average Completion Notice Interval	25
	6. Coordinated Customer Conversions	27
	7. Percent Provisioning Troubles w/i 30 days	28
	8. Total Service Order Cycle Time	30
Maintenance & Repair	1. Missed Repair Appointments	32
1	2. Customer Trouble Report Rate	34
	3. Maintenance Average Duration	36
	4. Percent Repeat Troubles w/i 30 days)	38
	5. Out of Service > 24 Hours	40
	6. OSS Interface Availability	42
	7. OSS Response Interval and Percentages	43
	8. Average Answer Time - Repair Centers	44
Billing	1. Invoice Accuracy	45
o	2. Mean Time to Deliver Invoices	46
	3. Usage Data Delivery Accuracy	47
	4. Usage Data Delivery Completeness	48
	5. Usage Date Delivery Timeliness	49
	6. Mean Time to Deliver Usage	50
Operator Services (Toll) and	1. Average Speed to Answer (Toli)	51
Directory Assistance	2. Percent Answered within "X" Seconds (Toll)	52
Directory / toolotanee	3. Average Speed to Answer (DA)	53
	4. Percent Answered within "X" Seconds (DA)	54
E911	1. Timeliness	55
~~~	2. Accuracy	56
	3. Mean Interval	50
Trunk Group Performance	1. Trunk Group Service Report	58
THE GLOUP I OF COMMINS	2. Trunk Group Service Detail	59
Collocation	1. Average Response Time	60
Constantin	2. Average Arrangement Time	61
	3. % of Due Dates Missed	62
Appendix A	Reporting Scope	63
		65
Appendix B	Glossary of Acronyms and Terms	
Appendix C	Audit Plan	70

* These reports are subject to change due to regulatory requirements or to correct errors, etc.

.

#### PRE-ORDERING - OSS

Average OSS Response Time and Response Inter	val
Definition:	V 41
Average response time and response intervals are to within certain intervals for accessing legacy dates the second	the average times and number of requests responded ta associated with appointment scheduling, service & or Telephone Numbers (TNs), and Customer Service
Exclusions:	
None	
Business Rules:	
determined by summing the response times for all period and dividing by the total number of legacy starts when the client application (LENS or TAG legacy system and ends when the appropriate resp	r/order information from a given legacy system is requests submitted to the legacy during the reporting requests for that day X 100. The response interval for CLECs and RNS for BST) submits a request to th onse is returned to the client application. The number that take less than 2.3 seconds and the number, which
Level of Disaggregation:	
<ul> <li>RSAG – Address (Regional Street Address C used to validate customer addresses</li> </ul>	Guide- Address) - stores street address information
facilities available and telephone numbers wo	• •
	Load Administration and Selection) - acts as a t are available for assignment by the system. It enable serve telephone numbers.
offerings and availability.	) - stores information about product and service
	em used to access the Business Office Customer
	ows BST servers, including LENS, access to legacy
-	ment System) - provides information on capacity,
• • •	on Systems ) - Information on feature and rate
Calculation:	<u></u>
$\Sigma[(Date & Time of Legacy Response) - (Date & T$	[ime of Request to Legacy)] / (Number of Legacy
Requests During the Reporting Period) X 100 Report Structure:	
Not CLEC Specific	· · · · · · · · · · · · · · · · · · ·
Not product/service specific	
Regional Level	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
	Report Month
Report Month	<ul> <li>Legacy Contract (per reporting dimension)</li> </ul>
<ul> <li>Report Month</li> <li>Legacy Contract (per reporting dimension)</li> </ul>	
•	Response Interval
• Legacy Contract (per reporting dimension)	Response Interval     Regional Scope

•

System	Contract	Data	< 2.3 sec	> 6 sec	Avg. Sec	# of Calls
RSAG	RSAGTEN	Address	x	x	x	x
RSAG	RSAGADDR	Address	x	x	x	x
ATLAS	ATLASTN	TN	x	x	x	x
DSAP	DSAPDDI	Schedule	x	x	x	x
CRIS	CRSACCTS	CSR	x	x	x	x
OASIS	OASISNET	Feature/Service	x	x	x	x
OASIS	OASISBSN	Feature/Service	x	x	x	x
OASIS	OASISCAR	Feature/Service	x	x	x	x
OASIS	OASISLPC	Feature/Service	x	x	x	x
OASIS	OASISMTN	Feature/Service	x	x	x	x
OASIS	OASISOCP	Feature/Service	x	x	x	x

## LEGACY SYSTEM ACCESS TIMES FOR RNS

## LEGACY SYSTEM ACCESS TIMES FOR LENS

System	Contract	Data	< 2.3 sec	> 6 sec	Avg. Sec	# of Calls
RSAG	RSAGTEN	Address	x	x	x	x
RSAG	RSAGADDR	Address	x	x	x	x
ATLAS	ATLASTN	TN	x	x	x	x
DSAP	DSAPDDI	Schedule	x	x	x	x
HAL	HALCRIS	CSR	x	x	x	x
COFFI	COFIUSOC	Feature/Service	x	x	x	x
P/SIMS	PSIMSORB	Feature/Service	x	x	x	x

•

## PRE-ORDERING

Report/Measurement:			
OSS Interface Availability			
Definition:			
	ailable compared to scheduled availability. Availability all Legacy systems accessed by them are captured		
Exclusions:	an Legacy systems accessed by them are captured		
None	· · · · · · · · · · · · · · · · · · ·		
Business Rules:			
	entages for the BST systems, which are used by CLEC BST results allow conclusions as to whether an equal nparable customer experience.		
Level of Disaggregation:			
Regional Level			
Calculation:			
(Functional Availability) / (Scheduled Availabil	ity) X 100		
Report Structure:	· · · · · · · · · · · · · · · · · · ·		
Not CLEC Specific			
<ul> <li>Not product/service specific</li> </ul>			
Regional Level			
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience		
Report Month	Report Month		
<ul> <li>Legacy contract type (per reporting</li> </ul>	<ul> <li>Legacy contract type (per reporting</li> </ul>		
dimension)	dimension)		
Regional Scope	Regional Scope		
Retail Analog/Benchmark:			
Retail Analog			

## **OSS Interface Availability**

OSS Interface	% Availability
LENS	X
LEO Mainframe	X
LEO UNIX	X
LESOG	X
EDI	X
HAL	X
BOCRIS	X
ATLAS/COFFI	X
RSAG/DSAP	X
SOCS	X

فند

## ORDERING

	port/Measurement: Percent Flow Through Service Requests (Summary)
	finition:
	The percentage of Local Service Requests (LSR) submitted electronically via the CLEC mechanized
	rdering process that flow through to the BellSouth Telecommunications' (BST) Operations Support
	systems (OSS) without manual intervention
	clusions:
•	Fatal Rejects
•	Manual Fallout
	CLEC System Fallout
_	siness Rules:
	he CLEC mechanized ordering process includes all LSRs, which are submitted through one of the three
8 ] F	ateway interfaces (TAG, EDI, and LENS), and flow through to SOCS without manual intervention. These LSRs can be divided into two classes of service; Business and Residence, and two types of service; Resale and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are, submitted manually (e.g., fax, and courier), or are not designed to flow through,
	e., Manual Fallout.
	Definitions:
Ī f	Tatal Rejects: Errors that prevent an LSR, submitted by the CLEC, from being processed further. When a SR is submitted by a CLEC, LEO will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO will reject the SR and the CLEC will receive a Fatal Reject.
A v L	Auto-Clarification: errors that occur due to invalid data within the LSR. LESOG will perform data alidity checks to ensure the data within the LSR is correct and valid. For example, if the address on the SR is not valid according to RSAG, the CLEC will receive an Auto-Clarification.
Č s F	<u>Aanual Fallout</u> : errors that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC ubmits an LSR, LESOG will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout.
2	. Complex services* . Expedites (requested by the CLEC)
	. Special pricing plans
	Denials-restore and conversion, or disconnect and conversion orders
	. Partial migrations
	. Class of service invalid in certain states with some types of service
	. New telephone number not yet posted to BOCRIS
	Low volume such as activity type "T" (move)
	. Pending order review required 0. More than 25 business lines
	1. Restore or suspend for UNE combos
	2. Transfer of calls option for the CLEC's end users
	3. CSR inaccuracies such as invalid or missing CSR data in CRIS
*	Attached is a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.
Б Г	<b>Cotal System Fallout:</b> Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC as clarification. If it is determined the error is BST caused, the LCSC epresentative will correct the error.

.

#### ORDERING - (Percent Flow Through Service Requests (Summary) - Continued)

#### Calculation:

Percent Flow Through Service Requests =  $\Sigma$ [(Total number of valid service requests that flow-through to the BST OSS)] / (Total number of valid service requests delivered to the BST OSS) X 100

Description:

Percent Flow Through = (The total number of LSRs that flow through LESOG to the BST OSS) / (the number of LSRs passed from LEO to LESOG) –  $\Sigma$ [(the number of LSRs that fall out for manual processing) + (the number of LSRs that are returned to the CLEC for clarification) + (the number of LSRs that contain errors made by CLECs)] X 100.

#### **Report Structure:**

- CLEC Aggregate
  - Region
- BST Aggregate
   > Region

Level of Disaggregation:	
Region	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
<ul> <li>Report month</li> <li>Total number of LSRs received, by interface, by CLEC:         <ul> <li>TAG</li> <li>EDI</li> <li>LENS</li> </ul> </li> <li>Total number of errors by type, by CLEC:         <ul> <li>Fatal rejects</li> <li>Total fallout for manual processing</li> <li>Auto clarification</li> <li>CLEC caused system fallout</li> </ul> </li> <li>Total number of errors by error code</li> </ul>	<ul> <li>Report month</li> <li>Total number of errors by type:</li> <li>&gt; BST system error</li> </ul>
Retail Analog/Benchmark:	i
Retail Analog: BST Residence Flow Through	

•

 $\mathbf{t}^2$ 

_

.

## ORDERING

	ort/Measurement:
_	ercent Flow Through Service Requests (Detail)
	nition:
A	detailed list by CLEC of the percentage of Local Service Requests (LSR) submitted electronically via
th	e CLEC mechanized ordering process that flow through to the BellSouth Telecommunications' (BST)
	perations Support Systems (OSS) without manual or human intervention.
	usions:
•	Fatal Rejects
٠	Auto Clarification
٠	Manual Fallout
٠	CLEC System Failout
	ness Rules:
ga Ti se ло	the CLEC mechanized ordering process includes all LSRs, which are submitted through one of the three teway interfaces (TAG, EDI, and LENS), and flow through to SOCS without manual intervention. here LSRs can be divided into two classes of service; Business and Residence, and two types of rvice; Resale and Unbundled Network Elements (UNE). The CLEC mechanized ordering process doe t include LSRs, which are, submitted manually (e.g., fax, and courier), or are not designed to flow rough, i.e., Manual Fallout.
France for the second s	Expedites (requested by the CLEC) Special pricing plans Denials-restore and conversion, or disconnect and conversion orders Partial migrations
	Class of service invalid in certain states with some types of service
7.	New telephone number not yet posted to BOCRIS
	Low volume such as activity type "T" (move)
	Pending order review required
	. More than 25 business lines
	. Restore or suspend for UNE combos
	. Transfer of calls option for the CLEC's end users
13	. CSR inaccuracies such as invalid or missing CSR data in CRIS
e <u>To</u> by	Attached is a list of services, including complex services, and whether LSRs issued for the services are ligible to flow through. <b>tal System Fallout:</b> Errors that require manual review by the LCSC to determine if the error is caused the CLEC, or is due to system functionality. If it is determined the error is caused by the CLEC, the GR will be sent back to the CLEC as clarification. If it is determined the error is BST caused, the LCSC

## ORDERING - (Percent Flow Through Service Requests (Detail) - Continued)

Calculation:		
	umber of valid service requests that flow-through to	
the BST OSS) / (Total number of valid service requ	ests delivered to the BST OSS) X 100	
Description:		
Percent Flow Through = The total number of LSRs	that flow through LESOG to the BST OSS / (the	
number of LSRs passed from LEO to LESOG) – $\Sigma$ [		
	to the CLEC for clarification + the number of LSRs	
that contain errors made by CLECs)] X 100.		
Report Structure:		
<ul> <li>Provides the flow through percentage for each (</li> </ul>	CLEC (by alias designation) submitting LSRs through	
the CLEC mechanized ordering process. The re	port provides the following:	
CLEC (by alias designation)		
Number of fatal rejects		
Mechanized interface used		
Total mechanized LSRs		
Total manual fallout		
Number of auto clarifications returned to CLEC		
> Number of validated LSRs		
Number of BST caused fallout		
> Number of CLEC caused failout		
Number of Service Orders Issued		
<ul> <li>Base calculation</li> <li>CLEC error excluded calculation</li> </ul>		
	· · · · · · · · · · · · · · · · · · ·	
Level of Disaggregation:		
CLEC Specific (by alias designation to protect of the second	ULEC specific proprietary data)	
> Region Data Retained Relating to CLEC Experience	Data Ratainad Balating to PST Experience	
Report month	Data Retained Relating to BST Experience	
•	Report month	
<ul> <li>Total number of LSRs received, by interface, by CLEC</li> </ul>	<ul> <li>Total number of errors by type:</li> <li>&gt; BST system error</li> </ul>	
> TAG	BS1 system error	
> EDI		
> LENS		
• Total number of errors by type, by CLEC		
<ul> <li>Fatal rejects</li> </ul>		
<ul> <li>Total fallout for manual processing</li> </ul>		
<ul> <li>Auto clarification</li> </ul>		
> CLEC errors		
Total number of errors by error code		
Retail Analog/Benchmark:		
Retail Analog: BST Residence Flow Through		

.

## ORDERING

-

Flow Through Error Analysis					
Definition:					
An analysis of each error type (by error code) that	t was experienced by the LSRs that did not flow				
through to SOCS.					
Exclusions:					
Each Error Analysis is error code specific; therefore	ore exclusions are not applicable.				
Business Rules:					
gateway interfaces (TAG, EDI, and LENS), and f intervention. These LSRs can be divided into two types of service; Resale and Unbundled Network number of errors by type. The CLEC mechanized	all LSRs, which are submitted through one of the thr flow through to provisioning SOCS without manual o classes of service; Business and Residence, and two Elements (UNE). This measurement captures the tota d ordering process does not include LSRs, which are,				
submitted manually (e.g., fax, and courier).					
Calculation:	· · · · · · · · · · · · · · · · · · ·				
Σ Of errors by type.					
Report Structure:					
	ror code). The report is in descending order by count of				
each error code and provides the following:					
Error Type (by error code)					
<ul> <li>Percent of each error type</li> <li>Percent of each error type</li> </ul>	Count of each error type				
<ul> <li>Cumulative percent</li> </ul>					
<ul> <li>Error Description</li> </ul>					
<ul> <li>CLEC Caused Count of each error cod</li> </ul>					
<ul> <li>Percent of CLEC by CLEC caused con</li> <li>Percent of CLEC by CLEC caused con</li> </ul>	Percent of aggregate by CLEC caused count				
<ul> <li>BST Caused Count of each error code</li> </ul>					
<ul> <li>Percent of aggregate by BST caused could be added by BST caused could by BS</li></ul>					
<ul> <li>Percent of BST by BST caused count</li> </ul>					
Level of Disaggregation:					
Region					
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience				
Report month	Report month				
<ul> <li>Total number of LSRs received</li> </ul>	• Total number of errors by type (by error				
<ul> <li>Total number of errors by type ( by error</li> </ul>	code)				
code)	> BST system error				
CLEC caused error					
Retail Analog/Benchmark:					

•

• • •

#### Attachment BellSouth Flow-through Analysis For CLECs LSRs placed via EDI or TAG

	BellSouth Service	Flow-through	Complex	Complex	Design	Can ordering this service cause
	Offered to CLEC via	if no BST or	Service	Order	Service	fall out for a reason other than
	resale or UNE	CLEC Errors (Yes/No)	(Yes/No)	(Yes/No)	(Yes/No)	errors or complex? If so, what reason?
1	Flat Rate/Residence	Yes	No	No	по	
2	Flat Rate/Business	Yes	No	No	no	
3	Pay Phone Provider	No	No	No	no	
4	Measured Rate/Res.	Yes	No	No	no	
5	Measured Rate/Bus.	Yes	No	No	no	
6	Area Plus	Yes	No	No	no	
7	Package/Complete	Yes	No	No	no	
	Choice and area plus					
8	Optional Calling Plan	Yes	No	No	no	
9	Ga. Community Calling	Yes	No	No	no	
10	Call Waiting Deluxe	Yes	No	No	no	
11	Call Waiting	Yes	No	No	по	
12	Caller ID	Yes	No	No	no	<u></u>
13	Speed Calling	Yes	No	No	no	
14	3 Way Calling	Yes	No	No	no	
15	Call Forwarding- Variable	Yes	No	No	no	
16	Remote Access to CF	Yes	No	No	no	
17	Enhanced Caller ID	Yes	No	No	no	
18	Memory Call	Yes	No	No	no	
19	Memory Call Ans. Svc.	Yes	No	No	по	
20	MTS	Yes	No	No	no	
21	RCF	Yes	No	No	no	
22	Ringmaster	Yes	No	No	no	
23	Call Tracing	Yes	No	No	no	
24	Call Block	Yes	No	No	no	
25	Repeat Dialing	Yes	No	No	no	
26	Call Selector	Yes	No	No	no	
27	Call Return	Yes	No	No	no	
28	Preferred Call Forward	Yes	No	No	no	
29	Touchtone	Yes	No	No	no	
30	Visual Director	Yes	No	No	no	
31	INP (all types?)	Yes	UNE	No	no	
32	Unbundled Loop-	Yes	UNE	No	Yes-	· · · · · · · · · · · · · · · · · · ·
	Analog 2W, SL1, SL2				designed,	
					no-non-	
					designed	
33	2 wire analog port	Yes	UNE	No	no	
34	Local Number Portability (always?)	Yes	UNE	No	no	
35	Accupulse	No	Yes	Yes	yes	See note at bottom of matrix.
36	Basic Rate ISDN	No	Yes	Yes	yes	LSR electronically submitted; no flow through

.

	BellSouth Service	Flow-through	Complex	Complex	Design	Can ordering this service cause
	Offered to CLEC via	if no BST or	Service	Order	Service	fall out for a reason other than
	resale or UNE	CLEC Errors (Yes/No)	(Yes/No)	(Yes/No)	(Yes/No)	errors or complex? If so, what reason?
37	DID	No*	Yes	Yes	Yes	* yes with OSS 99
38	Frame Relay	No	Yes	Yes	yes	
39	Megalink	No	Yes	Yes	yes	
40	Megalink-T1	No	Yes	Yes	yes	······································
41	Native Mode LAN	No	·Yes	Yes	yes	· · · · · · · · · · · · · · · · · · ·
	Interconnection (NMLI)					
42	Pathlink Primary Rate ISDN	No	Yes	Yes	yes	
43	Synchronet	No	Yes	Yes	yes	LSR electronically submitted; no flow through
44	PBX Trunks	No	Yes	Yes	Yes	LSR electronically submitted; no flow through
45	LightGate	No	Yes	Yes	yes	
46	Smartpath	No	Yes	Yes	yes	
47	Hunting	No	Yes	no	no	LSR electronically submitted; no flow through
48	CENTREX	No	Yes	Yes	no	
49	FLEXSERV	No	Yes	Yes	yes	
50	Multiserv	No	Yes	Yes	yes	
51	Off-Prem Stations	No	Yes	Yes	yes	
52	SmartRING	No	Yes	Yes	yes	
53	FX	No	Yes	Yes	yes	
54	Tie Lines	No	Yes	Yes	Yes	
55	WATS	No	Yes	Yes	yes	
56	4 wire analog voice grade loop	No	UNE	Yes	yes- designed, no-non- designed	
57	4 wire DS1 & PRI digital loop	No	UNE	Yes	yes	
58		No	UNE	Yes	yes	
59	4 wire DS1 & PRI digital loop	No	UNE	Yes	yes	
60	ADSL	No*	UNE	Yes	yes	* yes as of OSS'99?
61	HDŚL	No	UNE	Yes	yes	
62	2 wire analog DID trunk port	No	UNE	Yes	Yes	
63	2 wire ISDN digital line side port	No	UNE	Yes	yes	
64	4 wire ISDN DSI digital trunk ports	No	UNE	Yes	yes	
65	UNE Combinations	y-loop+port	UNE	Yes	yes	
66	Directory Listings (simple)	No*	UNE	Yes	no	* yes as of OSS'99

	BellSouth Service Offered to CLEC via resale or UNE	Flow-through if no BST or CLEC Errors (Yes/No)	Complex Service (Yes/No)	Complex Order (Yes/No)	Design Service (Yes/No)	Can ordering this service cause fall out for a reason other than errors or complex? If so, what reason?
67	Directory Listings (complex)	No*	UNÉ	yes	no	* yes as of OSS'99, captions and indentions
68	ESSX	No	Yes	Yes	no	

Note for last column: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, for denials – restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through), class of service invalid in certain states with some TOS – e.g. gov't, or cannot be changed when changing main TN on C activity, low volume – e.g. activity type T=move, pending order review required, more than 25 business lines, restore or suspend for UNE combos, transfer of calls option for CLEC end user – fixed with release 6.0, new TN not yet posted to BOCRIS. All but the last one are unique to the CLEC environment.

## ORDERING

Percent Rejected Service Requests	
Definition:	
	of total Local Service Requests (LSRs) received which considered valid when it is electronically submitted by
	the data received is correctly formatted and complete.
Exclusions:	
Service Requests canceled by the CLEC	<u> </u>
Business Rules:	· · · · · · · · · · · · · · · · · · ·
LEO edit checks in the ordering systems (EDI, 7	when it is submitted electronically but does not pass TAG, LEO, LESOG) and is returned to the CLEC.
There are two types of "Rejects" in the Mechani	its to electronically submit an LSR but required fields
A Fatal Reject occurs when a CLEC attemp	is returned to the CLEC before it is considered an LSR
are not populated correctly and the request a	is electronically submitted but rejected from LESOG
• An Auto Clarification is a valid LSR, which because it does not pass further edit checks	
Partially Mechanized: A valid LSR, which is e	electronically submitted (via EDI or TAG), but cannot
be processed electronically and "falls out" for m	anual handling. It is then put into "clarification" and
(rejected) sent back to the CLEC.	<b>v i</b>
Non Mechanized: An LSR which is faxed or m	ailed to the LCSC for processing and is "clarified"
(rejected) back to the CLEC by the BST service	representative.
Retail Analog/Benchmark	
	mber of Rejected Service Requests) / (Total Number o
Service Requests Received) X 100 during the m	
Report Structure:	
Fully Mechanized, Partially Mechanized, T	otal Mechanized, Non-Mechanized
State and Region	
CLEC Specific	
CLEC Aggregate	
Level of Disaggregation:	
Produce Reporting Levels	
<ul> <li>Resale Residence</li> </ul>	
<ul> <li>Resale Business</li> </ul>	
<ul> <li>Resale Specials</li> </ul>	
-	
> UNE > UNE Loop with NP	
> UNE Loop with NP	
<ul><li>UNE Loop with NP</li><li>Other</li></ul>	
<ul> <li>UNE Loop with NP</li> <li>Other</li> <li>Trunks</li> </ul>	Data Retained Relating to RST Performance
<ul> <li>UNE Loop with NP</li> <li>Other</li> <li>Trunks</li> <li>Data Retained Relating to CLEC Experience:</li> </ul>	Data Retained Relating to BST Performance:
<ul> <li>UNE Loop with NP</li> <li>Other</li> <li>Trunks</li> </ul> Data Retained Relating to CLEC Experience: <ul> <li>Report Month</li> </ul>	Report Month
<ul> <li>UNE Loop with NP</li> <li>Other</li> <li>Trunics</li> </ul> Data Retained Relating to CLEC Experience: <ul> <li>Report Month</li> <li>Total number of LSRs</li> </ul>	<ul> <li>Report Month</li> <li>Total number of LSRs</li> </ul>
<ul> <li>UNE Loop with NP</li> <li>Other</li> <li>Trunks</li> </ul> Data Retained Relating to CLEC Experience: <ul> <li>Report Month</li> <li>Total number of LSRs</li> <li>Total number of Rejects</li> </ul>	<ul> <li>Report Month</li> <li>Total number of LSRs</li> <li>Total number of Errors</li> </ul>
<ul> <li>UNE Loop with NP</li> <li>Other</li> <li>Trunks</li> </ul> Data Retained Relating to CLEC Experience: <ul> <li>Report Month</li> <li>Total number of LSRs</li> <li>Total number of Rejects</li> <li>Total Number of Errors</li> </ul>	<ul> <li>Report Month</li> <li>Total number of LSRs</li> <li>Total number of Errors</li> <li>Adjusted Error Volume</li> </ul>
<ul> <li>UNE Loop with NP</li> <li>Other</li> <li>Trunks</li> </ul> Data Retained Relating to CLEC Experience: <ul> <li>Report Month</li> <li>Total number of LSRs</li> <li>Total number of Rejects</li> </ul>	<ul> <li>Report Month</li> <li>Total number of LSRs</li> <li>Total number of Errors</li> </ul>

·

.

· _ · -

5

#### ORDERING

Reject Interval	
Definition:	
Reject Interval is the average reject time from re is considered valid when it is electronically sub- insure the data received is correctly formatted an	ceipt of an LSR to the distribution of a Reject. An LSI nitted by the CLEC and passes LEO edit checks to d complete.
Exclusions:	
Service Requests canceled by CLEC	
Business Rules:	
	receipt of a valid LSR (date and time stamp in EDI, the stamp of reject in LEO). Fatal Rejects and Auto echanized category.
<ul> <li>Partially Mechanized: The elapsed time from TAG) until it falls out for manual handling a</li> </ul>	om receipt of a valid LSR (date and time stamp in ED) and is rejected back to the CLEC.
Total Mechanized = Combination of Fully	Mechanized and Partially Mechanized LSRs.
<ul> <li>Non-Mechanized: The elapsed time from re stamp) until notice of the reject is returned to</li> </ul>	eccipt of a valid LSR (date and time stamp from FAX to the CLEC via LON.
Calculation:	
	equest Rejection) - (Date and Time of Service Request
Receipt)] / (Number of Service Requests Rejecte	
Report Structure:	
CLEC Specific	
CLEC Aggregate	
<ul> <li>Fully Mechanized, Partially Mechanized, To</li> </ul>	tal Mechanized Non-Mechanized Trunks
Level of Disaggregation:	
Product Reporting Levels	
Interconnection Trunks	
> Resale – Residence	
Resale - Business	
> Resale – Design	
> UNE Design	
> UNE Non- Design	
> UNE Loop with and w/o NP	
Geographic Scope	
State, Region and further geographic d	isaggregation as required by State Commission Order
<ul> <li>Mechanized: 0-4 minutes, 4-8 minutes, 8-12 hours, &gt;24 hours.</li> </ul>	minutes, 12-60 minutes, 0-1 hour 1-8 hours, 8-24
<ul> <li>Non-mechanized: 0-1 hour, 1-4 hours, 4-8 h hours &gt;24 hours</li> </ul>	ours, 8-12 hours, 12-16 hours, 16-20 hours, 20-24
• Average Interval in Days.	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
Reject Interval	Reject Interval
<ul> <li>Total Number of LSRs</li> </ul>	<ul> <li>Total number of LSRs</li> </ul>
Total number of Errors	Total number of Errors
State and Region	State and Region

## ORDERING

Firm Order Confirmation Timeliness	
Definition:	
Interval for Return of a Firm Order Confirmation	(FOC Interval) is the average response time from receipt of
valid LSR to distribution of a firm order confirm	ation.
Exclusions:	
Rejected LSRs	
Partially Mechanized or Non-Mechanized L	SRs received and/or FOCd outside of normal business hours
Business Rules:	<u>, and the second s</u>
Mechanized - The elapsed time from receip	t of a valid LSR (date and time stamp in EDI, TAG) until the
LSR is processed and appropriate service or	ders are generated in SOCS.
	rom receipt of an electronically submitted LSR which falls
out for manual handling by the LCSC person	nnel until appropriate service orders are issued by a BST
	y (DOE) or Service Order Negotiation Generation System
(SONGS).	
Total Mechanized = Combination of Fully	
Non-Mechanized - The elapsed time from r	eceipt of an LSR (fax receive date and time stamp) until
appropriate service orders are issued by BST	Service representative via Direct Order Entry (DOE) or
Service Order Negotiation Generation Syste	m (SONGS) in SOCS.
Calculation:	
Firm Order Confirmation Timeliness = $\Sigma$ [(Date a	and Time of Firm Order Confirmation) - (Date and Time of
Service Request Receipt)] / (Number of Service	Requests Confirmed in Reporting Period)
Report Structure:	
<ul> <li>Fully Mechanized, Partially Mechanized, To</li> </ul>	otal Mechanized, Non-Mechanized
CLEC Specific	
CLEC Aggregate	
Level of Disaggregation:	
Product Reporting Levels	
Interconnection Trunks	
Resale – Residence	
Resale – Business	
Resale – Design	
> UNE Design	
> UNE Non- Design	
UNE Loop with and w/o NP	
Trunks	
Geographic Scope	
	isaggregation (MSA) as required by State Commission Orde
• < 10 and > 10 Circuits/Lines	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
Interval for FOC	Interval for FOC
<ul> <li>Total number of LSRs</li> </ul>	<ul> <li>Total Number of LSRs</li> </ul>
	- Casa and Danian
State and Region Retail Analog/Benchmark:	State and Region

.

•

.

## ORDERING

Speed of Answer in Ordering Center	
Definition:	
Measures the average time a customer is in queu	le.
Exclusions:	
None	
Business Rules:	selected (i.e. 1 for Resale Consumer, 2 for Resale
The clock stops when a BST service representat is determined by measuring and accumulating th BellSouth automatic call distributor (ACD) until Service Center (LCSC) answers the CLEC call. Calculation:	I enters the queue for that particular group in the LCSC ive in the LCSC answers the call. The speed of answer as elapsed time from the entry of a CLEC call into the I the a service representative in BSTs Local Carrier
(Total time in seconds to reach the LCSC) / (Tot	tal Number of Calls) in the Reporting Period.
Report Structure:	
CLEC Aggregate	
BST Aggregate	
Level of Disaggregation:	
CLEC Aggregate	
BST Aggregate	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
<ul> <li>Mechanized tracking through LCSC Automatic Call Distributor</li> </ul>	<ul> <li>Mechanized tracking through BST Retail center support systems</li> </ul>
Automatic Call Dist lottor	

-

## PROVISIONING

Mean	Held Order Interval & Distribution Intervals
Definitio	n;
When	delays occur in completing CLEC orders, the average period that CLEC orders are held for BST reasons,
	ng a delayed completion, should be no worse for the CLEC when compared to BST delayed orders.
Exclusio	
	ny order canceled by the CLEC will be excluded from this measurement.
	order Activities of BST associated with internal or administrative use of local services.
Business	
Mean is esta as cor numb repres	Held Order Interval: This metric is computed at the close of each report period. The held order interval blished by first identifying all orders, at the close of the reporting interval, that both have not been reported inpleted in SOCS and have passed the currently committed due date for the order. For each such order, the er of calendar days between the committed due date and the close of the reporting period is established and ents the held order interval for that particular order. The held order interval is accumulated by the standard
in a ca order	ings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated aregory is then divided by the number of held orders within the same category to produce the mean held interval.
the to: Held	Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and al and average days. Order Distribution Interval: This measure provides data to report total days held and identifies these in ories of >15 days and > 90 days. (orders counted in >90 days are also included in >15 days).
Calculat	
Меал	Held Order Interval:
Comn Held (# of	porting Period Close Date – Committed Order Due Date) / (Number of Orders Pending and Past The nitted Due Date) for all orders pending and past the committed due date. Order Distribution Interval: Orders Held for $\geq$ 90 days) / (Total # of Orders Pending But Not Completed) X 100 Orders Held for $\geq$ 15 days) / (Total # of Orders Pending But Not Completed) X 100
· · · · · · · · · · · · · · · · · · ·	tructure:
	LEC Specific
	•
	LEC Aggregate
	ST Aggregate
	Disaggregation:
	roduct Reporting Levels
	POTS - Residence
	POTS – Business
	> DESIGN
	> PBX > CENTREX
	> ISDN
	<ul> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> </ul>
	<ul> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> </ul>
	<ul> <li>UNE Loop Other with INP (Design and Non-Design)</li> </ul>
	<ul> <li>UNE Loop Other without INP (Design and Non-Design)</li> </ul>
	> UNE Other (Design and Non-Design)
	Switching (Under development)
	<ul> <li>Local Transport (Under development)</li> </ul>
	<ul> <li>Combos (Under development)</li> </ul>
	NP (Under development as separate category)
	Local Interconnection Trunks
• 0	eographic Scope
	State, Region, and further geographic disaggregation (MSA) as required by State Commission Order

PROVISIONING - (Mean Held Order Interval & Distribution Interv	als – Continued)

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
<ul> <li>Report Month</li> <li>CLEC Order Number and PON (PON)</li> <li>Order Submission Date (TICKET_ID)</li> <li>Committed Due Date (DD)</li> <li>Service Type(CLASS_SVC_DESC)</li> <li>Hold Reason</li> <li>Total line/circuit count (under development)</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>BST Order Number</li> <li>Order Submission Date</li> <li>Committed Due Date</li> <li>Service Type</li> <li>Hold Reason</li> <li>Geographic Scope</li> </ul>
NOTE: Code in parentheses is the corresponding header found in the raw data file.	
Retail Analog/Benchmark:	
CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail CLEC Design / BST Design CLEC PBX, CENTREX, ISDN/ BST PBX, CENT Interconnection Trunks-CLEC / Interconnection Tr UNEs-Retail Analog (under development at this ti	runks –BST

-

## PROVISIONING

Report/Measurement: Average Jeopardy Notice Interval & Percentage of	
Definition:	Orders Given Jeopardy Notice
	itted due date is in jeopardy, it will provide advance notice to
the CLEC.	lited due date is in jeopardy, it will provide advance notice to
Exclusions:	
<ul> <li>Any order canceled by the CLEC will be exclu</li> </ul>	ded Come at in a second s
<ul> <li>Orders held for CLEC end user reasons</li> </ul>	idea nom mis measurement
<ul> <li>Orders submitted to BST through non-mechani</li> </ul>	in d maked.
Business Rules:	ized methods
the CLEC. The number of committed order in a s	tted due date is in jeopardy it will provide advance notice to eport period is the number of orders that have a due date in
the reporting period.	eport period is the number of orders that have a due date in
Calculation:	
	of Scheduled Due Date on Service Order) - (Date and Time
of Jeopardy Notice)]/[Number of Orders Notified of	
	(Number of Orders Given Jeopardy Notices in Reporting
Period) / (Number of Orders Committed (due) in R	
Report Structure:	
CLEC Specific and CLEC Aggregate	······································
	imated release date of 8/15/99 for June reporting)
Level of Disaggregation:	made release date of 0/15/77 for June reporting)
Product Reporting Levels	
<ul> <li>Product Reporting Levels</li> <li>POTS – Residence</li> </ul>	
<ul> <li>POTS – Residence</li> <li>POTS – Business</li> </ul>	
> DESIGN	
> PBX	
> CENTREX	
> ISDN	
UNE 2 Wire Loop with INP (Design an	id Non-Design)
> UNE 2 Wire Loop without INP (Design	
> UNE Loop Other with INP (Design and	
UNE Loop Other without INP (Design)	and Non-Design)
> UNE Other (Design and Non-Design)	
Switching (Under development)	
<ul> <li>Local Transport (Under development)</li> </ul>	
Combos (Under development)	•••••
> NP (Under development as separate ca	legory)
Local Interconnection Trunks	
Geographic Scope	isaggregation (MSA) as required by State Commission Orde
	Data Retained Relating to BST Experience
Data Retained Relating to CLEC Experience     Report Month	• Under development (8/99)
	C Citaci developinent (0777)
<ul> <li>Date and Time Jeopardy Notice sent</li> <li>Committed Due Date</li> </ul>	
Service Type	
NOTE: Code in parentheses is the corresponding header found in the raw data file.	
Retail Analog/Benchmark:	

÷

## PROVISIONING

Report/Me Percent N	Aissed Installation Appointments
Definition:	
"Percent	missed installation appointments" monitors the reliability of BST commitments with respect to
committe	d due dates to assure that CLECs can reliably quote expected due dates to their retail customer as
compared	to BST.
Exclusions	
• Car	celed Service Orders
Ord	er Activities of BST or the CLEC associated with internal or administrative use of local services
(Re	cord Orders, Test Orders, etc.)
	connect (D) & From (F) orders
<b>Business</b> R	
	lissed Installation Appointments (MA) is the percentage of total orders processed for which BST is
unable to	complete the service orders on the committed due dates. Missed Appointments caused by end-user
reasons w	ill be included and reported separately. A business day is any time period within the same date frame,
which me	ans there cannot be a cutoff time for commitments as certain types of orders are, requested to be worked
after stand	lard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in
some area	s and the customer is offered a greater range of intervals from which to select.
Calculation	
Percent N	lissed Installation Appointments = $\Sigma$ (Number of Orders Not Complete by Committed Due Date in
Reporting	Period) / (Number of Orders Completed in Reporting Period) X 100
Report Stri	
CLEC	Specific
CLEC	Aggregate
• BST A	Aggregate Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the
• BST A Report exp Here, Total percentage of	Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user
BST     Report exp     Here, Total     percentage of     Level of Dis	Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation:
BST     Report exp     Here, Total     percentage of     Level of Dis     Rep	Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits
BST     Report exp     Here, Total     percentage of     Level of Dis     Rep     Dis	Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch
BST     Report exp     Here, Total     percentage of     Level of Dis         Rep         Dis         Proo	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch fuct Reporting Levels
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Dis</li> <li>Rep</li> <li>Dis</li> <li>Proc</li> <li>&gt;</li> </ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS – Residence
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Dis</li> <li>Rep</li> <li>Dis</li> <li>Proo</li> <li>&gt;</li> </ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user laggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS – Residence POTS – Business
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Dis</li> <li>Rep</li> <li>Dis</li> <li>Proo</li> <li>&gt;</li> <li>&gt;</li> </ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user laggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS – Residence POTS – Business DESIGN
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of Dis</li> <li>Rep</li> <li>Dis</li> <li>Proo</li> <li>&gt;</li> <li>&gt;</li> </ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user laggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS – Residence POTS – Business DESIGN PBX
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Disp</li> <li>Disp</li> <li>Procossi</li> <li>&gt;</li> <li>&gt;&lt;</li></ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user laggregation: orted in categories of <10 line/circuits; > 10 line/circuits patch / No Dispatch fuct Reporting Levels POTS – Residence POTS – Business DESIGN PBX CENTREX
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of Disp</li> <li>Disp</li> <li>Procost</li> <li>&gt;</li> <li< td=""><td>Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user laggregation: orted in categories of &lt;10 line/circuits; &gt; 10 line/circuits patch / No Dispatch fuct Reporting Levels POTS – Residence POTS – Business DESIGN PBX CENTREX ISDN</td></li<></ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user laggregation: orted in categories of <10 line/circuits; > 10 line/circuits patch / No Dispatch fuct Reporting Levels POTS – Residence POTS – Business DESIGN PBX CENTREX ISDN
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Disp</li> <li>Disp</li> <li>Procost</li> <li>&gt;</li> <li>&gt;<!--</td--><td>Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user saggregation: orted in categories of &lt;10 line/circuits; &gt; 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS – Residence POTS – Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design)</td></li></ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user saggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS – Residence POTS – Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design)
<ul> <li>BST A</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Dis</li> <li>Proc</li> <li>&gt;</li> &lt;</ul>	Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design)
<ul> <li>BST A</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Disp</li> <li>Disp</li> <li>Processory</li> <li>&gt;</li> <l< td=""><td>Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of &lt;10 line/circuits; &gt; 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design)</td></l<></ul>	Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design)
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Dis</li> <li>Proof</li> <li>&gt;</li> <l< td=""><td>Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of &lt;10 line/circuits; &gt; 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design)</td></l<></ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design)
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Dis</li> <li>Prod</li> <li>&gt;</li> <li< td=""><td>Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of &lt;10 line/circuits; &gt; 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Cother (Design and Non-Design)</td></li<></ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch fuct Reporting Levels POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Cother (Design and Non-Design)
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Dis</li> <li>Prod</li> <li>&gt;</li> <li< td=""><td>Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of &lt;10 line/circuits; &gt; 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS - Residence POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Cother (Design and Non-Design) Switching (Under development)</td></li<></ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS - Residence POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Cother (Design and Non-Design) Switching (Under development)
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Dis</li> <li>Prod</li> <li>&gt;</li> <li< td=""><td>Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of &lt;10 line/circuits; &gt; 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS – Residence POTS – Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Cher (Design and Non-Design) UNE Other (Design and Non-Design) Switching (Under development) Local Transport (Under development)</td></li<></ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS – Residence POTS – Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Cher (Design and Non-Design) UNE Other (Design and Non-Design) Switching (Under development) Local Transport (Under development)
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Disp</li> <li>Disp</li> <li>Processory</li> <li>&gt;</li> <li></li></ul>	Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop with UNP (Design and Non-Design) UNE 2 Wire Loop with UNP (Design and Non-Design) UNE Loop Other with UNP (Design and Non-Design) UNE Loop Other with UNP (Design and Non-Design) UNE Composition of the second of t
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Disp</li> <li>Disp</li> <li>Provide</li> <li>&gt;</li> <li>&gt;<!--</td--><td>Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user laggregation: orted in categories of &lt;10 line/circuits; &gt; 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS - Residence POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Combot (Under development) Local Transport (Under development) Combos (Under development) NP (Under development as separate category)</td></li></ul>	Aggregate lanation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user laggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS - Residence POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Combot (Under development) Local Transport (Under development) Combos (Under development) NP (Under development as separate category)
<ul> <li>BST</li> <li>Report exp</li> <li>Here, Total</li> <li>percentage of</li> <li>Level of Disp</li> <li>Disp</li> <li>Prov</li> <li>&gt;</li> <li>&gt;</li></ul>	Aggregate anation: The difference between End User MA and Total MA is the result of BST caused misses. MA is the total % of orders missed either by BST or CLEC end user and End User MA represents the of orders missed by the end user aggregation: orted in categories of <10 line/circuits; > 10 line/circuits batch / No Dispatch tuct Reporting Levels POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Composition of the second of

.

-

# PROVISIONING (Percent Missed Installation Appointments - Continued)

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience	
<ul> <li>Report Month</li> <li>CLEC Order Number and PON (PON)</li> <li>Committed Due Date (DD)</li> <li>Completion Date (CMPLTN DD)</li> <li>Status Type</li> <li>Status Notice Date</li> <li>Standard Order Activity</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>BST Order Number</li> <li>Committed Due Date</li> <li>Completion Date</li> <li>Status Type</li> <li>Status Notice Date</li> <li>Standard Order Activity</li> <li>Geographic Scope</li> </ul>	
NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark:		
CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail CLEC Design / BST Design CLEC PBX, CENTREX, ISDN/ BST PBX, CENTREX, ISDN Interconnection Trunks-CLEC / Interconnection Trunks -BST UNEs-Retail Analog (under development at this time)		

¥9.

#### PROVISIONING

Avera	ge Completion Interval (OCI) & Order Completion Interval Distribution
Definition	l:
The a	verage completion interval" measure monitors the interval of time it takes BST to provide service for the CLEC
or its'	own customers. The "Order Completion Interval Distribution" provides the percentage of orders completed
within	certain time periods.
Exclusion	
• Ca	inceled Service Orders
• Oi	der Activities of BST or the CLEC associated with internal or administrative use of local services
	ecord Orders, Test Orders, etc.)
	(Disconnect) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new
	dress).
	"Appointment coded orders (where the customer has requested a later than offered interval)
Business	
The act	ual completion interval is determined for each order processed during the reporting period. The Completion
interva	is the elapsed time from when BST issues a FOC or SOCS date time stamp receipt of an order from the CLE(
	's actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops
	he technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each
	ng dimension. The accumulated time for each reporting dimension is then divided by the associated total
	of orders completed
Calculatio	מי <u>י</u> או איז
Average (	Completion Interval:
Σ[(Co	mpletion Date & Time) - (Order Issue Date & Time) ] / Σ (Count of Orders Completed in Reporting Period)
	mpletion Interval Distribution:
Σ (Sen	vice Orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100
Report St	
• CI	.EC Specific
	EC Aggregate
	ST Aggregate
	isaggregation:
• Di	spatch/No Dispatch categories applicable to all levels except trunks.
	sidence & Business reported in day intervals = 0,1,2,3,4, 5, 5+
	VE and Design reported in day intervals = 0-5, 6-10, 11-15, 16-20, 21-25, 26-30, 30+
	Levels are reported <10 line/circuits; >10 line/circuits
	oduct Reporting Levels
	POTS – Residence
۶	
>	
>	PBX
Þ	CENTREX
· >	
>	
>	······································
>	
>	
>	
>	
>	
>	
2	
7	
	cographic Scope
	State, Region, and further geographic disaggregation (MSA) as required by State Commission Order

## PROVISIONING -(Average Completion Interval (OCI) & Order Completion Interval Distribution - Continued)

· . ·

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience		
<ul> <li>Report Month</li> <li>CLEC Company Name</li> <li>Order Number (PON)</li> <li>Submission Date &amp; Time (TICKET_ID)</li> <li>Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Geographic Scope</li> <li>NOTE: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>			
Retail Analog/Benchmark			
CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail CLEC Non-UNE Design / BST Design CLEC PBX, CENTREX, ISDN/ BST PBX, CENTREX, ISDN Interconnection Trunks-CLEC / Interconnection Trunks-BST UNEs-Retail Analog (under development at this time)			

.

*

# PROVISIONING

-

	erage Completion Notice Interval
Defini	tion:
Th	e Completion Notice Interval is the elapsed time between the BST reported completion of work and the
iss	uance of a valid completion notice to the CLEC.
Exclu	sions:
٠	Non-mechanized Orders
٠	Cancelled Service Orders
	Order Activities of BST associated with internal or administrative use of local services
•	D & F orders
Busin	ess Rules:
	asurement of interval of completion date and time by a field technician on dispatched orders, and SPM on
	due date for non-dispatched orders; to the release of a notice to the CLEC/BST of the completion status.
	e field technician notifies the CLEC the work was complete and then he enters the completion information in
	computer. This information switches through to the SOCS systems either completing the order or rejecting
	order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and
	n completed by the WMC. The notice is returned on each individual order submitted and as the notice is
	t electronically, it can only be switched to those orders that were submitted by the CLEC electronically.
	ation:
	Date and Time of Notice of Completion) - (Date and Time of Work Completion) / (Number of Orders
	mpleted in Reporting Period)
	t Structure:
•	CLEC Specific
•	CLEC Aggregate
•	BST Aggregate (in development-expected release date 08/15/99 reporting)
Level	of Disaggregation:
٠	Reporting intervals in Hours: 0-1, 1-2, 2-4, 4-8, 8-12, 12-24, > 24, plus Overall Average Hour Interval
٠	Reported in categories of <10 line/circuits; > 10 line/circuits
٠	Product Reporting Levels
	POTS – Residence
	> POTS – Business
	> DESIGN
	> PBX
	> CENTREX
	> ISDN
	UNE 2 Wire Loop with INP (Design and Non-Design)
	UNE 2 Wire Loop without INP (Design and Non-Design)
	UNE Loop Other with INP (Design and Non-Design)
	UNE Loop Other without INP (Design and Non-Design)
	UNE Other (Design and Non-Design)
	> Switching (Under development)
	> Local Transport (Under development)
	Combos (Under development)
	> NP (Under development as separate category)
	> Local Interconnection Trunks
•	

•

<b>PROVISIONING</b> -	(Average Completion Notice Interval- Continued)	

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month CLEC Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding	BST Analog expected release 8/15/99 reports
header found in the raw data file.	
Retail Analog/Benchmark:	
Under Development at this time 8/15/99	

16

.

#### PROVISIONING

Report/Measurement: Coordinated Customer Conversions	
Definition:	
This category measures the average time it takes BST to	disconnect an unbundled loop from the BST
switch and cross connect it to a CLEC's equipment. The and without INP, and where the CLEC has requested B	is measurement applies to service orders with
Exclusions:	or to provide a coordinated catover.
Any order canceled by the CLEC will be excluded	from this measurement
<ul> <li>Delays due to CLEC following disconnection of th</li> </ul>	
<ul> <li>Unbundled Loops where there is no existing subscr</li> </ul>	
Business Rules:	
Where the service order includes INP, the interval inclu translation time to place the line back in service on the p entire cutover time for the service order and then divide average per item interval for each service order.	ported line. The interval is calculated for the
Calculation:	
Σ [(Completion Date and Time for Cross Connection of Time of an Unbundled Loop)] / Total Number of Unbur	
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	
<ul> <li>Reported in intervals &lt;=5 minutes; &gt;5,&lt;15 minutes</li> </ul>	
<ul> <li>Product Reporting Levels</li> </ul>	s, >15 minutes, plus Overan Average interval
<ul> <li>UNE Loops without INP</li> </ul>	
> UNE Loops with INP	
Geographic Scope	
	egation as required by State Commission Order
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	<ul> <li>No BST Analog Exists</li> </ul>
CLEC Order Number	
• Committed Due Date (DD)	
<ul> <li>Service Type (CLASS_SVC_DESC)</li> </ul>	
Cutover Start Time	
Cutover Completion time	
• Portability start and completion times (INP Orders)	
• Total Items:	
NOTE: Code in parentheses is the corresponding header found in the raw data file.	
Retail Analog/Benchmark:	

.

#### PROVISIONING

<ul> <li>Provisioning Troubles within 30 days of Service Order Activity</li> <li>Definition:</li> <li>Percent Provisioning Troubles within 30 days of Installation measures the quality and accuracy of instal activities.</li> <li>Exclusions:</li> <li>Canceled Service Orders</li> <li>Order Activities of BST or the CLEC associated with internal or administrative use of local service Orders, Test Orders, etc.)</li> <li>D &amp; &amp; Forders</li> </ul> Business Rules: Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 after completion for a trouble report. D & Forders are excluded as there is no subsequent activity following a disconnect. Calculation: % Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders are excluded as there is no subsequent activity following a disconnect. Caleudarion: % Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders 30 days following service order(s) completion) / (All Service Orders in a completed in the repor calendar month) X 100 Report Structure: Evel of Disaggregation: Evel of Disaggregation: Evel of Disaggregation: Evel of Disaggregation: Evel Or Disaggregation: Evel Or Disaggregation: Der Residence POTS – Residence POTS – Residence POTS – Residence POTS – Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop with INP (Design and Non-Design) UNE Coup Other with INP (Design and Non-Design) UNE Coup Other with INP (Desig	·······
activities.         Exclusions: <ul> <li>Canceled Service Orders</li> <li>Order Activities of BST or the CLEC associated with internal or administrative use of local service Orders, Test Orders, etc.)</li> <li>D &amp; F orders</li> </ul> Business Rules:         Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repear Report Rate.         Reports are calculated searching in the prior report period for completed service orders and following 3C after completion for a trouble report.         D & F orders are excluded as there is no subsequent activity following a disconnect.         Calculation:            % Provisioning Troubles within 30 days of Service Order Activity = Σ (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the report calendar month) X 100         Report Structure: <ul> <li>CLEC Specific</li> <li>CLEC Aggregate</li> <li>BST Aggregate</li> <li>Level of Disaggregation:</li> <li>Reported in categories of &lt;10 line/circuits; &gt;10 line/circuits</li> <li>Dispatch / No Dispatch</li> <li>POTS - Residence</li> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>SIDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Des</li></ul>	
activities.         Exclusions:         Canceled Service Orders         Order Activities of BST or the CLEC associated with internal or administrative use of local service Orders, Test Orders, etc.)         D & F orders         Business Rules:         Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repear Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 3C after completion for a trouble report.         D & F orders are excluded as there is no subsequent activity following a disconnect.         Calculation:         % Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repor calendar month) X 100         Report Structure:         C CLEC Specific         C CLEC Aggregate         Level of Disaggregation:         R Reported in categories of <10 line/circuits; > 10 line/circuits         > Dispatch / No Dispatch         POTS - Residence         P POTS - Business         > DESIGN         > PBX         > CENTREX         > ISDN         > UNE Loop Other with INP (Design and Non-Design)         > UNE Loop Other with INP (Design and Non-Design) </td <td>accuracy of installatio</td>	accuracy of installatio
<ul> <li>Canceled Service Orders</li> <li>Order Activities of BST or the CLEC associated with internal or administrative use of local service Orders, Test Orders, etc.)</li> <li>D &amp; F orders</li> <li>Business Rules:</li> <li>Measures the quality and accuracy of completed orders. The first trouble report from a service order afte completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 after completion for a trouble report.</li> <li>D &amp; F orders are excluded as there is no subsequent activity following a disconnect.</li> <li>Calculation:</li> <li>% Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repo calendar month) X 100</li> <li>Report Structure:</li> <li>CLEC Specific</li> <li>CLEC Aggregate</li> <li>BST Aggregate</li> <li>Level of Disaggregation:</li> <li>Reports I categories of &lt;10 line/circuits; &gt; 10 line/circuits</li> <li>Dispatch / No Dispatch</li> <li>POTS - Residence</li> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>SIDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 1 Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>VNE Other (Design and Non-Design)</li> <li>NP (Under development)</li> <li>Local Transport (Under development)</li> <li>Local Interconnection Tranks<!--</td--><td>r doodrady or mouthand</td></li></ul>	r doodrady or mouthand
<ul> <li>Order Activities of BST or the CLEC associated with internal or administrative use of local service Orders, Test Orders, etc.)</li> <li>D&amp; Forders</li> <li>D&amp; Forders</li> <li>Business Rules:</li> <li>Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 after completion for a trouble report.</li> <li>D&amp; F orders are excluded as there is no subsequent activity following a disconnect.</li> <li>Calculation:</li> <li>% Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repo- calendar month) X 100</li> <li>Report Structure:</li> <li>CLEC Specific</li> <li>CLEC Specific</li> <li>CLEC Specific</li> <li>CLEC Specific</li> <li>Ports - Residence</li> <li>POTS - Residence</li> <li>POTS - Residence</li> <li>POTS - Residence</li> <li>POTS - Residence</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop with Orl (Design and Non-Design)</li> <li>UNE 2 Wire Loop with Orl (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other with Orl (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>VINE Other (Design and Non-Design)</li> <li>VINE Loop Other without INP (Design and Non-Design)</li> <li>VINE Other (Design and Non-Design)</li> <li>VINE Loop Othe</li></ul>	
Orders, Test Orders, etc.)         ● D&F orders         Business Rules:         Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 after completion for a trouble report.         D & F orders are excluded as there is no subsequent activity following a disconnect.         Calculation:         % Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repor calendar month) X 100         Report Structure:         • CLEC Specific         • Product Reporting Levels         > Ports - Residence         ● Prots - Residence         ● Ports - Susiness         > DESIGN         > Report Unit Loop with INP (Design and Non-Design)         > UNE	······································
Orders, Test Orders, etc.)         ● D&F orders         Business Rules:         Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 after completion for a trouble report.         D & F orders are excluded as there is no subsequent activity following a disconnect.         Calculation:         % Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repor calendar month) X 100         Report Structure:         • CLEC Specific         • Product Reporting Levels         > Ports - Residence         ● POTS - Residence	ise of local services (R
<ul> <li>D &amp; F orders</li> <li>Business Rules:</li> <li>Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 after completion for a trouble report.</li> <li>D &amp; F orders are excluded as there is no subsequent activity following a disconnect.</li> <li>Calculation:</li> <li>% Provisioning Troubles within 30 days of Service Order Activity = Σ (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the report calendar month) X 100</li> <li>Report Structure:</li> <li>CLEC Specific</li> <li>CLEC Aggregate</li> <li>BST Aggregation:</li> <li>Reported in categories of &lt;10 line/circuits; &gt; 10 line/circuits</li> <li>Dispatch / No Dispatch</li> <li>Profts - Residence</li> <li>POTS - Residence</li> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop with UNP (Design and Non-Design)</li> <li>UNE 2 Wire Loop with UNP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Coup Other without INP (Design and Non-Design)</li> <li>UNE Coup Other without INP (Design and Non-Design)</li> <li>UNE Coby Other without INP (Design and Non-Design)</li> <li>UNE Coby Other without INP (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>Combos (Under development)</li> <li>Local Transport (Under development)</li> <li>Local Interconnection Trunks</li> </ul>	ise of local services (IC
Measures the quality and accuracy of completed orders. The first trouble report from a service order afte completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 after completion for a trouble report. D & F orders are excluded as there is no subsequent activity following a disconnect. Calculation: % Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repo calendar month) X 100 Report Structure: CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Reported in categories of <10 line/circuits; > 10 line/circuits Dispatch / No Dispatch POTS - Residence POTS - Residence POTS - Business > DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE 2 Wire Loop other without INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) > UNE 2 Other (Design and Non-Design) > UNE Other (Design and Non-Design) > UNE Other (Design and Non-Design) > UNE Comp Other without INP (Design and Non-Design) > UNE Other (Design and Non-Design) > Switching (Linder development) > Combos (Under development) > Local Interonne	
completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate.         Reports are calculated searching in the prior report period for completed service orders and following 3G after completion for a trouble report.         D & F orders are excluded as there is no subsequent activity following a disconnect.         Calculation:         % Provisioning Troubles within 30 days of Service Order Activity = Σ (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the reportaler a month) X 100         Report Structure:         • CLEC Specific         • CLEC Specific         • CLEC Specific         • CLEC Aggregate         • BST Aggregation:         • Report d in categories of <10 line/circuits; > 10 line/circuits         • Dispatch / No Dispatch         • Profuct Reporting Levels         > POTS - Residence         • POTS - Business         > DESIGN         > PBX         > CENTREX         > ISDN         > UNE 2 Wire Loop with INP (Design and Non-Design)         > UNE Loop Other with INP (Design and Non-Design)         > UNE Loop Other with INP (Design and Non-Design)         > UNE Loop Other with INP (Design and Non-Design)         > UNE Coop Other with INP (Design and Non-Design)         > UNE Coop Other without INP (Design and Non-Desig	
completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 3G after completion for a trouble report. D & F orders are excluded as there is no subsequent activity following a disconnect. <b>Calculation:</b> % Provisioning Troubles within 30 days of Service Order Activity = ∑ (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repo- calendar month) X 100 <b>Report Structure:</b> • CLEC Specific • CLEC Aggregate • BST Aggregate • BST Aggregate • Dispatch / No Dispatch • Product Reporting Levels > POTS - Residence • POTS - Residence • POTS - Residence • POTS - Business > DESIGN > PBX > CENTREX > ISDN • UNE 2 Wire Loop with INP (Design and Non-Design) • UNE 2 Wire Loop without INP (Design and Non-Design) • UNE 2 Wire Loop without INP (Design and Non-Design) • UNE Loop Other with INP (Design and Non-Design) • UNE Loop Other with INP (Design and Non-Design) • UNE Loop Other with INP (Design and Non-Design) • UNE Comp Other with INP (Design and Non-Design) • UNE Loop Other with INP (Design and Non-Design) • UNE Loop Other with INP (Design and Non-Design) • UNE Comp Other without INP (Design and Non-Design) • UNE Comp Other without INP (Design and Non-Design) • UNE Comp Other without INP (Design and Non-Design) • UNE Other (Design and Non-Design) • NP (Under development) • Local Transport (Under development) • Local Interconnection Trunks	a service order after
Reports are calculated searching in the prior report period for completed service orders and following 30 after completion for a trouble report. D & F orders are excluded as there is no subsequent activity following a disconnect. Calculation: % Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repo- calendar month) X 100 Report Structure: • CLEC Specific • CLEC Specific • CLEC Aggregate • BST Aggregate • BST Aggregation: • Reported in categories of <10 line/circuits; > 10 line/circuits • Dispatch / No Dispatch • Product Reporting Levels > POTS - Residence • POTS - Residence • POTS - Business > DESIGN > PBX > CENTREX > ISDN • UNE 2 Wire Loop with INP (Design and Non-Design) • UNE 2 Wire Loop with INP (Design and Non-Design) • UNE 2 Wire Loop with UNP (Design and Non-Design) • UNE Loop Other with UNP (Design and Non-Design) • UNE Loop Other with UNP (Design and Non-Design) • UNE Loop Other with UNP (Design and Non-Design) • UNE Coop Other without INP (Design and Non-Design) • UNE Other (Design and Non-Design) • Switching (Under development) • Local Transport (Under development) • Local Interconnection Trunks	neat Report Rate
after completion for a trouble report. D & F orders are excluded as there is no subsequent activity following a disconnect. Calculation: % Provisioning Troubles within 30 days of Service Order Activity = 2 (Trouble reports on all completed orders < 30 days following service order(s) completion) / (All Service Orders in a completed in the repo- calendar month) X 100 Report Structure: CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Reported in categories of <10 line/circuits; > 10 line/circuits Dispatch / No Dispatch Product Reporting Levels > POTS - Residence POTS - Business > DESIGN > PBX > CENTREX > ISDN > UNE 2 Wire Loop with INP (Design and Non-Design) > UNE 2 Wire Loop with ONP (Design and Non-Design) > UNE 2 Wire Loop with ONP (Design and Non-Design) > UNE 2 Wire Loop with ONP (Design and Non-Design) > UNE Loop Other with ONP (Design and Non-Design) > UNE Loop Other with ONP (Design and Non-Design) > UNE Cother (Design and Non-Design) > Switching (Under development) > Combos (Under development) > Combos (Under development) > Combos (Under development) > Local Interconnection Trunks	s and following 30 day
<ul> <li>D &amp; F orders are excluded as there is no subsequent activity following a disconnect.</li> <li>Calculation:</li> <li>% Provisioning Troubles within 30 days of Service Order Activity = ∑ (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the report calendar month) X 100</li> <li>Report Structure:</li> <li>CLEC Specific</li> <li>CLEC Aggregate</li> <li>BST Aggregate</li> <li>Level of Disaggregation:</li> <li>Reported in categories of &lt;10 line/circuits; &gt; 10 line/circuits</li> <li>Dispatch / No Dispatch</li> <li>Product Reporting Levels</li> <li>&gt; POTS - Residence</li> <li>&gt; POTS - Business</li> <li>&gt; DESIGN</li> <li>&gt; PBX</li> <li>&gt; CENTREX</li> <li>&gt; ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>&gt; UNE Loop Other with Out INP (Design and Non-Design)</li> <li>&gt; UNE Loop Other with Out INP (Design and Non-Design)</li> <li>&gt; UNE Loop Other with Out INP (Design and Non-Design)</li> <li>&gt; UNE Comp Other without INP (Design and Non-Design)</li> <li>&gt; UNE Comp Other without INP (Design and Non-Design)</li> <li>&gt; UNE Comp Other without INP (Design and Non-Design)</li> <li>&gt; UNE Comp Other without INP (Design and Non-Design)</li> <li>&gt; UNE Comp Other without INP (Design and Non-Design)</li> <li>&gt; UNE Comp Other without INP (Design and Non-Design)</li> <li>&gt; UNE Comp Other without INP (Design and Non-Design)</li> <li>&gt; UNE Comp Other without INP (Design and Non-Design)</li> <li>&gt; UNE Comp Other development)</li> <li>&gt; Local Transport (Under development)</li> <li>&gt; Combos (Under development)</li> <li>&gt; Local Interconnection Trunks</li> </ul>	s and tonowing 50 day
Calculation:         % Provisioning Troubles within 30 days of Service Order Activity = Σ (Trouble reports on all completed orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the report amonth) X 100         Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation:         • Reported in categories of <10 line/circuits; > 10 line/circuits         • Dispatch / No Dispatch         • Product Reporting Levels         > POTS - Residence         • POTS - Business         > DESIGN         > PBX         > CENTREX         > ISDN         > UNE 2 Wire Loop with INP (Design and Non-Design)         > UNE 2 Wire Loop without INP (Design and Non-Design)         > UNE Loop Other with INP (Design and Non-Design)         > UNE Loop Other without INP (Design and Non-Design)         > UNE Cother (Design and Non-Design)         > UNE Other (Design and Non-Design)         > UNE Other (Design and Non-Design)         > UNE Other without INP (Design and Non-Design)         > UNE Cother without INP (Design and Non-Design)         > UNE Cother (Design and Non-Design)         > UNE Other (Design and Non-Design)         > UNE Other (Design and Non-Design)         > Switching (Under deve	
orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repo calendar month) X 100 Report Structure: • CLEC Specific • CLEC Aggregate • BST Aggregate • BST Aggregation: • Reported in categories of <10 line/circuits; > 10 line/circuits • Dispatch / No Dispatch • Product Reporting Levels > POTS - Residence • POTS - Residence • POTS - Business > DESIGN > PBX > CENTREX > ISDN • UNE 2 Wire Loop with INP (Design and Non-Design) > UNE 2 Wire Loop without INP (Design and Non-Design) > UNE 2 Wire Loop without INP (Design and Non-Design) > UNE Loop Other with INP (Design and Non-Design) > UNE Loop Other without INP (Design and Non-Design) > UNE Loop Other without INP (Design and Non-Design) > UNE Loop Other without INP (Design and Non-Design) > UNE Cother (Design and Non-Design) > UNE Cother (Design and Non-Design) > UNE Other (Design and Non-Design) > Switching (Under development) > Local Transport (Under development) > Combos (Under development) > NP (Under development a separate category) > Local Interconnection Trunks	
orders ≤ 30 days following service order(s) completion) / (All Service Orders in a completed in the repo calendar month) X 100 Report Structure: • CLEC Specific • CLEC Aggregate • BST Aggregate • BST Aggregation: • Reported in categories of <10 line/circuits; > 10 line/circuits • Dispatch / No Dispatch • Product Reporting Levels > POTS - Residence • POTS - Residence • POTS - Business > DESIGN > PBX > CENTREX > ISDN • UNE 2 Wire Loop with INP (Design and Non-Design) > UNE 2 Wire Loop without INP (Design and Non-Design) > UNE 2 Wire Loop without INP (Design and Non-Design) > UNE Loop Other with INP (Design and Non-Design) > UNE Loop Other without INP (Design and Non-Design) > UNE Loop Other without INP (Design and Non-Design) > UNE Loop Other without INP (Design and Non-Design) > UNE Cother (Design and Non-Design) > UNE Cother (Design and Non-Design) > UNE Other (Design and Non-Design) > Switching (Under development) > Local Transport (Under development) > Combos (Under development) > NP (Under development a separate category) > Local Interconnection Trunks	ts on all completed
calendar month) X 100 Report Structure: CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Reported in categories of <10 line/circuits; > 10 line/circuits Dispatch / No Dispatch Product Reporting Levels POTS - Residence POTS - Residence POTS - Business DESIGN PBX CENTREX ISDN UNE 2 Wire Loop with INP (Design and Non-Design) UNE 2 Wire Loop without INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other with INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Loop Other without INP (Design and Non-Design) UNE Cother (Design and Non-Design) Switching (Under development) Combos (Under development) NP (Under development) NP (Under development) NP (Under development) NP (Under development) NP (Under development) Local Interconnection Trunks	n of the report
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         • Level of Disaggregation:         • Reported in categories of <10 line/circuits; > 10 line/circuits         • Dispatch / No Dispatch         • Product Reporting Levels         > POTS - Residence         • POTS - Business         > DESIGN         > PBX         > CENTREX         > ISDN         > UNE 2 Wire Loop with INP (Design and Non-Design)         > UNE 2 Wire Loop without INP (Design and Non-Design)         > UNE Loop Other with INP (Design and Non-Design)         > UNE Loop Other with INP (Design and Non-Design)         > UNE Loop Other without INP (Design and Non-Design)         > UNE Loop Other without INP (Design and Non-Design)         > UNE Loop Other without INP (Design and Non-Design)         > UNE Cother (Design and Non-Design)         > UNE Cother (Design and Non-Design)         > UNE Other (Design and Non-Design)         > UNE Cother (Design and Non-Design)         > Switching (Under development)         > Local Transport (Under development)         > Combos (Under development)         > NP (Under development as separate category)         > Local Interconnection Trunks	upleted in the report
<ul> <li>CLEC Specific</li> <li>CLEC Aggregate</li> <li>BST Aggregate</li> <li>BST Aggregate</li> <li>Level of Disaggregation:</li> <li>Reported in categories of &lt;10 line/circuits; &gt; 10 line/circuits</li> <li>Dispatch / No Dispatch</li> <li>Product Reporting Levels</li> <li>&gt; POTS - Residence</li> <li>&gt; POTS - Business</li> <li>&gt; DESIGN</li> <li>&gt; PBX</li> <li>&gt; CENTREX</li> <li>&gt; ISDN</li> <li>&gt; UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>&gt; UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>&gt; UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>&gt; UNE Loop Other without INP (Design and Non-Design)</li> <li>&gt; UNE Loop Other without INP (Design and Non-Design)</li> <li>&gt; UNE Loop Other without INP (Design and Non-Design)</li> <li>&gt; UNE Loop Other without INP (Design and Non-Design)</li> <li>&gt; UNE Cher (Design and Non-Design)</li> <li>&gt; UNE Cher (Design and Non-Design)</li> <li>&gt; Switching (Linder development)</li> <li>&gt; Combos (Under development)</li> <li>&gt; NP (Under development)</li> <li>&gt; NP (Under development as separate category)</li> <li>&gt; Local Interconnection Trunks</li> </ul>	
<ul> <li>CLEC Aggregate</li> <li>BST Aggregate</li> <li>Level of Disaggregation: <ul> <li>Reported in categories of &lt;10 line/circuits; &gt; 10 line/circuits</li> <li>Dispatch / No Dispatch</li> <li>Product Reporting Levels</li> <li>POTS - Residence</li> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul> </li> </ul>	
<ul> <li>BST Aggregate</li> <li>Level of Disaggregation: <ul> <li>Reported in categories of &lt;10 line/circuits; &gt; 10 line/circuits</li> <li>Dispatch / No Dispatch</li> <li>Product Reporting Levels</li> <li>POTS - Residence</li> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Compos (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul></li></ul>	
Level of Disaggregation:         • Reported in categories of <10 line/circuits; > 10 line/circuits         • Dispatch / No Dispatch         • Product Reporting Levels         > POTS - Residence         • POTS - Business         > DESIGN         > PBX         > CENTREX         > ISDN         > UNE 2 Wire Loop with INP (Design and Non-Design)         > UNE 2 Wire Loop without INP (Design and Non-Design)         > UNE Loop Other with INP (Design and Non-Design)         > UNE Loop Other without INP (Design and Non-Design)         > UNE Loop Other without INP (Design and Non-Design)         > UNE Loop Other without INP (Design and Non-Design)         > UNE Loop Other without INP (Design and Non-Design)         > UNE Loop Other without INP (Design and Non-Design)         > UNE Cother (Design and Non-Design)         > UNE Cother (Design and Non-Design)         > UNE Other (Design and Non-Design)         > Switching (Under development)         > Local Transport (Under development)         > Combos (Under development)         > NP (Under development as separate category)         > Local Interconnection Trunks	
<ul> <li>Reported in categories of &lt;10 line/circuits; &gt; 10 line/circuits</li> <li>Dispatch / No Dispatch</li> <li>Product Reporting Levels</li> <li>POTS - Residence</li> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Cother (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>Dispatch / No Dispatch</li> <li>Product Reporting Levels</li> <li>POTS - Residence</li> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other with UNP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Composition of the second seco</li></ul>	
<ul> <li>Product Reporting Levels         <ul> <li>POTS - Residence</li> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other with UNP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul> </li> </ul>	
<ul> <li>POTS - Residence</li> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Cother (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>POTS - Business</li> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Cother (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>DESIGN</li> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Cother (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>PBX</li> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>CENTREX</li> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>ISDN</li> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>UNE 2 Wire Loop with INP (Design and Non-Design)</li> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>UNE 2 Wire Loop without INP (Design and Non-Design)</li> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>UNE Loop Other with INP (Design and Non-Design)</li> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>UNE Loop Other without INP (Design and Non-Design)</li> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>UNE Other (Design and Non-Design)</li> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>Switching (Under development)</li> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>Local Transport (Under development)</li> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>Combos (Under development)</li> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
<ul> <li>NP (Under development as separate category)</li> <li>Local Interconnection Trunks</li> </ul>	
Local Interconnection Trunks	
> State, Region, and further geographic disaggregation (MSA) as required by State Commission	State Commission And

_____

_

## PROVISIONING - (% Provisioning Troubles within 30 days of Service Order Activity - Continued)

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience	
Report Month	Report Month	
<ul> <li>CLEC Order Number and PON</li> </ul>	BST Order Number	
<ul> <li>Order Submission Date(TICKET_ID)</li> </ul>	Order Submission Date	
Order Submission Time (TICKET ID)	Order Submission Time	
Status Type	Status Type	
Status Notice Date	Status Notice Date	
Standard Order Activity	Standard Order Activity	
Geographic Scope	Geographic Scope	
NOTE: Code in parentheses is the corresponding		
header found in the raw data file.		
Retail Analog/Benchmark:		
CLEC Residence Resale / BST Residence Retail		
CLEC Business Resale / BST Business Retail		
CLEC Design / BST Design		
CLEC PBX, CENTREX, ISDN/ BST PBX, CENTREX, ISDN		
Interconnection Trunks-CLEC / Interconnection T	runks -BST	
UNEs-Retail Analog (Under Development at this	time)	

•

. .

### PROVISIONING

-

	otal Service Order Cycle Time (TSOCT) (under development 3Q99)
	ition:
T	his is a new measurement under development to measure the total service order cycle time from receipt
of	a valid service order request to the completion of the service order.
Ēxciu	isions:
٠	Canceled Service Orders
•	Order Activities of BST or the CLEC associated with internal or administrative use of local services
•	(Record Orders, Test Orders, etc.)
· •	D (Disconnect) and F (From) orders. (From is disconnect side of a move order when the customer
	moves to a new address).
•	"L" Appointment coded orders (where the customer has requested a later than offered interval)
Busir	ess Rules:
Th	e interval is determined for each order processed during the reporting period. This measurement
	mbines two reports: FOC (Firm Order Confirmation) with Average Order Completion Interval.
	is interval starts with the receipt of a valid service order request and stops when the technician or
	stem completes the order in SOCS. Elapsed time for each order is accumulated for each reporting
	mension. The accumulated time for each reporting dimension is then divided by the associated total
กบ	mber of orders completed
Calcu	liation :
To	Dal Service Order Cycle Time
(u	nder development)
Repo	rt Structure:
٠	CLEC Specific
٠	CLEC Aggregate
· •	BST Aggregate
Level	of Disaggregation:
•	ISDN Orders included in Non Design - GA Only
٠	Dispatch/No Dispatch categories applicable to all levels except trunks.
٠	
•	Product Reporting Levels
-	Interconnection Trunks
	> POTS - Residence
	> POTS - Business
	DESIGN
	> PBX
	> CENTREX
	> ISDN
	UNE 2 Wire Loop with INP (Design and Non-Design)
	UNE 2 Wire Loop without INP (Design and Non-Design)
	<ul> <li>UNE Loop Other with INP (Design and Non-Design)</li> </ul>
	UNE Loop Other without INP (Design and Non-Design)
	UNE Other (Design and Non-Design)
	Switching (Under development)
	<ul> <li>Local Transport (Under development)</li> </ul>
	Combos (Under development)
	NP (Under development as separate category)
	Local Interconnection Trunks
•	Geographic Scope State, Region and further geographic disaggregation as required by State Commission Order
	> State, Region and further geographic disaggregation as required by State Commission Order

# PROVISIONING - (Total Service Order Cycle Time (TSOCT) - Continued

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
<ul> <li>Report Month</li> <li>Interval for FOC</li> <li>CLEC Company Name</li> <li>Order Number (PON)</li> <li>Submission Date &amp; Time (TICKET_ID)</li> <li>Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Geographic Scope</li> </ul> NOTE: Code in parentheses is the corresponding header found in the raw data file.	<ul> <li>Report Month</li> <li>CLEC Order Number</li> <li>Order Submission Date &amp; Time</li> <li>Order Completion Date &amp; Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
Retail Analog/Benchmark	
Under development (BST retail analog available a	at this time would be Average Completion Interval)

.

•

.

.

### MAINTENANCE & REPAIR

Report/Measurement:		
Missed Repair Appointments		
Definition:		
The percent of trouble reports not cleared by the		
Exclusions:	committed date and time.	
<ul> <li>Trouble tickets canceled at the CLEC reques</li> </ul>		
BST trouble reports associated with internal	or administrative service.	
Customer Provided Equipment (CPE) troubl	es or CLEC Equipment Trouble.	
Business Rules:		
I ne negotiated commitment date and time is esta	blished when the repair report is received. The cleared	
time is the date and time that BST personnel clea	r the trouble and closes the trouble report in his	
Computer Access Terminal (CAT) or Workstation	n. If this is after the Commitment time, the report is	
nagged as a Missed Commitment of a missed f	epair appointment. When the data for this measure is	
confected for BST and a CLEC, it can be used to a	compare the percentage of the time repair appointments	
are missed due to BST reasons. Note: Appointme	ent intervals vary with force availability in the POTS	
Calculation:	indard interval appointments of no greater than 24 hours.	
Percentage of Missed Repair Appointments = $\Sigma$ (0	Count of Customer Troubles Not Cleared by the	
Quoted Commitment Date and Time) / $\Sigma$ (Total T	Frouble reports closed in Reporting Period) X 100	
Report Structure:		
CLEC Specific		
<ul> <li>CLEC Aggregate</li> </ul>		
<ul> <li>BST Aggregate</li> </ul>		
Level of Disaggregation:		
ISDN Troubles included in Non-Design - GA	ONLY	
<ul> <li>Product Reporting Levels</li> </ul>		
POTS – Residence, Business		
> Design		
> PBX, CENTREX and ISDN		
UNE 2 Wire Loop (Design and Non – I	Design)	
> UNE Loop Other (Design and Non Des	ign)	
<ul> <li>UNE Other (Design and Non – Design)</li> </ul>		
Switching, Local Transport and Combo	s (under development)	
Local Interconnection Trunks		
<ul> <li>Dispatch/No Dispatch categories applicable t</li> </ul>	o all product levels	
<ul> <li>Geographic Scope</li> </ul>		
State, Region and further geographic dis	saggregation as required by State Commission Order	
(e.g. Metropolitan Service Area - MSA)		
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience	
Report Month	Report Month	
CLEC Company Name     Submission Data & Time (TICKET ID)	BST Company Code	
• Submission Date & Time (TICKET_ID)	Submission Date & Time	
Completion Date (CMPLTN_DT)	Completion Date	
<ul> <li>Service Type (CLASS_SVC_DESC)</li> </ul>	Service Type	
<ul> <li>Disposition and Cause (CAUSE_CD &amp;</li> </ul>	<ul> <li>Disposition and Cause (Non-Design /</li> </ul>	
CAUSE_DESC)	Non-Special Only)	
<ul> <li>Geographic Scope</li> </ul>	Trouble Code (Design and Trunking Services)	
	<ul> <li>Geographic Scope</li> </ul>	
NOTE: Code in parentheses is the corresponding		
header found in the raw data file.		

# MAINTENANCE & REPAIR - (Missed Repair Appointments - Continued)

CLEC Residence-Resale / BST Residence-Retail

CLEC Business-Resale / BST Business-Retail

CLEC Design-Resale / BST Design-Retail

CLEC PBX, Centrex, and ISDN Resale/ BST PBX, Centrex, and ISDN Retail

CLEC Trunking-Resale / BST Trunking-Retail

UNEs - Retail Analog (under development at this time.)

ڪ

#### MAINTENANCE & REPAIR

Customer Trouble Report Rate	
Definition:	
Initial and repeated customer direct or referred troubles rep	ported within a calendar month per 100 lines/
circuits in service.	······································
Exclusions:	
<ul> <li>Trouble tickets canceled at the CLEC request.</li> </ul>	
BST trouble reports associated with administrative ser	vice.
<ul> <li>Customer provided Equipment (CPE) troubles or CLE</li> </ul>	C equipment troubles.
Business Rules:	
Customer Trouble Report Rate is computed by accumulatin	ig the number of maintenance initial and
repeated trouble reports during the reporting period. The re	sulting number of trouble reports are divided by
the total "number of service" lines, ports or combination of	existing for the CLEC's and BST respectively
at the end of the report month.	
Calculation:	
Customer Trouble Report Rate = (Count of Initial and Report	
Period) / (Number of Service Access Lines in service at Er	d of the Report Period) X 100
Report Structure:	·····
CLEC Specific	
CLEC Aggregate	
BST Aggregate.	
Level of Disaggregation:	
ISDN Troubles included in Non Design - GA Only	
<ul> <li>Product Reporting Levels</li> </ul>	
POTS Residence and Business	
> Design	
PBX, CENTREX, and ISDN	
UNE 2 Wire Loop (Design and Non – Design)	
> UNE Loop Other (Design and Non – Design)	
UNE Other (Design and Non – Design) South line - Level Transmett and Combas (under	development)
<ul> <li>Switching , Local Transport, and Combos (under</li> </ul>	development)
> Local Interconnection Trunks	
Dispatch/No Dispatch categories applicable to all prod	luct levels
Geographic Scope	ion of required by State Commission Order (8)
State, Region and further geographic disaggregat	ion as required by State Commission Order (e.g
Metropolitan Service Area - MSA) Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
	Report Month
Report Month	BST Company Code
CLEC Company Name     Ticket Submission Data & Time (TICKET, ID)	Ticket Submission Date & Time
Ticket Submission Date & Time (TICKET_ID)     Ticket Completion Date (CMPI_TN_DT)	Ticket Completion Date
Ticket Completion Date (CMPLTN_DT)     Saming Tyme (CLASS_SVC_DESC)	Service Type
<ul> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp;</li> </ul>	<ul> <li>Disposition and Cause (Non-Design /</li> </ul>
<ul> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> </ul>	Non-Special Only)
<ul> <li># Service Access Lines in Service at the end of period</li> </ul>	• Trouble Code (Design and Trunking
Geographic Scope	Services)
	• # Service Access Lines in Service at the
NOTE: Code in parentheses is the corresponding header	end of period
found in the raw data file.	Geographic Scope

•

## MAINTENANCE & REPAIR - (Customer Trouble Report Rate - Continued)

Retail Analog/Benchmar	k:	
CLEC Residence-Resal	e / BST Residence -Retail	
CLEC Business-Resale	/ BST Business-Retail	
CLEC Design-Resale /	BST Design-Retail	
CLEC PBX, Centrex an	Id ISDN Resale/ BST PBX, Centrex, and ISDN Retail	
CLEC Trunking-Resale	/ BST Trunking-Retail	
UNEs - Retail Analog (	under development at this time)	

×.

#### **MAINTENANCE & REPAIR**

	rt/Measurement:
N	Maintenance Average Duration
	ition:
T th	he Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to e time the trouble report is cleared.
	isions:
	Trouble reports canceled at the CLEC request
	BST trouble reports associated with administrative service
•	Customer Provided Equipment (CPE) troubles or CLEC Equipment Troubles.
1 <b>-</b> 1	Trouble reports greater than 10 days
Busin	ess Rules:
	or Average Duration the clock starts on the date and time of the receipt of a correct repair request. The
	ock stops on the date and time the service is restored (when the technician completes the trouble ticket
	his/her CAT or work system).
	lation:
M	aintenance Average Duration = $\Sigma$ (Date and Time of Service Restoration) – (Date and Time Trouble
	cket was Opened) / $\Sigma$ ( Total Closed Troubles in the reporting period)
	rt Structure:
•	CLEC Specific
•	BST Aggregate
٠	CLEC Aggregate
Level	of Disaggregation:
	SDN Troubles included in Non Design - GA Only
•	Product Reporting Levels
	POTS- Residence and Business
	> Design
	PBX, CENTREX, and ISDN
	UNE 2 Wire Loop (Design Non – Design)
	UNE Loop Other (Design Non – Design)
	> UNE Other (Design Non – Design)
	Switching, Local Transport and Combos (under development)
	Local Interconnection Trunks
٠	Dispatch/No Dispatch categories applicable to all product levels
•	Geographic Scope
	State, Region and further geographic disaggregation as required by State Commission Order (e.g. Metropolitan Service Area - MSA)

.

-

-7

# MAINTENANCE & REPAIR - (Maintenance Average Duration - Continued)

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
<ul> <li>Report Month</li> <li>Total Tickets (LINE_NBR)</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TIME_ID)</li> <li>Ticket Completion Date (C) (D) (D) (D)</li> </ul>	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BST Company Code</li> <li>Ticket Submission Date</li> </ul>
<ul> <li>Ticket Completion Date (CMPLTN_DT</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li>Geographic Scope</li> </ul> NOTE: Code in parentheses is the corresponding header found in the raw data file.	<ul> <li>Ticket submission Time</li> <li>Ticket completion Date</li> <li>Ticket Completion Time</li> <li>Total Duration Time</li> <li>Service Type</li> <li>Disposition and Cause (Non – Design / Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>
Retail Analog/Benchmark:	
CLEC Residence-Resale / BST Residence-Resale CLEC Business-Resale / BST Business-Retail CLEC Design-Resale / BST Design-Retail CLEC PBX, Centrex and ISDN Resale / BST PB CLEC Trunking-Resale /BST Trunking-Retail UNEs - Retail Analog (under development at this	X, Centrex and ISDN Retail

. . ñ

## MAINTENANCE & REPAIR

Report/Measurement: Percent Repeat Troubles within 30 Days	
Definition:	
	ous trouble report received within 30 calendar days as
a percent of total troubles reported.	ous abuble report received within 30 calendar days as
Exclusions:	······································
Trouble Reports canceled at the CLEC reque	
BST Trouble Reports associated with admini	
Customer Provided Equipment (CPE) Trouble	es or CLEC Equipment Troubles.
Business Rules:	· 
Includes Customer trouble reports received within	30 days of an original Customer trouble report.
Calculation:	
Percentage of Missed Repair Appointments = (Co	
trouble report was logged for the same service lin	e within a continuous 30 days) / (Total Trouble
Reports Closed in Reporting Period) X 100	· · · · · · · · · · · · · · · · · · ·
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	
Level of Disaggregation:	
ISDN Troubles included in Non Design - GA	Only
<ul> <li>Product Reporting Levels</li> </ul>	
POTS Residence and Business	
> Design	
PBX, CENTREX and ISDN	
UNE 2 Wire Loop (Design and Non – I	
UNE Loop Other (Design and Non - D	esign)
UNE Other (Design Non - Design)	
<ul> <li>Switching, Local Transport and Combo</li> </ul>	s (under development)
Local Interconnection Trunks	
<ul> <li>Dispatch/No Dispatch categories applicable t</li> </ul>	o all product levels
Geographic Scope	
	saggregation as required by State Commission Order
(e.g. Metropolitan Service Area - MSA)	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
<ul> <li>Total Tickets (LINE_NBR)</li> </ul>	Total Tickets
<ul> <li>CLEC Company Name</li> </ul>	BST Company Code
<ul> <li>Ticket Submission Date &amp; Time</li> </ul>	Ticket Submission Date
(TICKET_ID)	Ticket Submission Time
<ul> <li>Ticket Completion Date (CMPLTN_DT)</li> </ul>	Ticket Completion Date
<ul> <li>Total and Percent Repeat Trouble Reports</li> </ul>	Ticket Completion Time
within 30 Days (TOT_REPEAT)	Total and Percent Repeat Trouble Reports
Service Type	within 30 Days
<ul> <li>Disposition and Cause (CAUSE_CD &amp;</li> </ul>	Service Type
CAUSE_DESC)	<ul> <li>Disposition and Cause (Non – Design/</li> </ul>
Geographic Scope	Non-Special only)
	Trouble Code (Design and
NOTE: Code parentheses is the corresponding header format found in the raw data file.	Trunking Services)

.

Attachment 9 Page 39

Ξ.

Ņ

# MAINTENANCE & REPAIR - (Percent Repeat Troubles within 30 Days - Continued)

#### Retail Analog/Benchmark:

CLEC Residence-Resale / BST Residence-Retail

CLEC Business- Resale / BST Business-Retail

CLEC Design-Resale / BST Design-Retail

CLEC PBX, Centrex and ISDN Resale / BST PBX, Centrex and ISDN Retail

CLEC Trunking-Resale / BST Trunking-Retail

UNEs - Retail Analog (under development at this time)

-----

## MANTENANCE & REPAIR

······································
be called or cannot call out) the percentage of trouble
s are considered to be out of service.)
sate considered to be out of service.)
st
strative service
es or CLEC Equipment Troubles.
es of CLEC Equipment Troubles.
nd cleared in excess of 24 hours. The clock begins
the trouble is counted if the time exceeds 24 hours.
te trouble is counted in the time exceeds 24 hours.
es OOS > 24 Hours) / Total OOS Troubles in
10005 × 24 110013) / 1001 0005 1100003 m
Only
,
Design)
esign)
s (under development)
all product levels
aggregation as required by State Commission Order
Data Retained Relating to BST Experience
Report Month
Total Tickets
BST Company Code
Ticket Submission Date
Ticket Submission time
Ticket Completion Date
Ticket Completion Time
Percent of Customer Troubles out of Service > 24 Hours
Service type     Dispectition and Course (Non-Design)
<ul> <li>Disposition and Cause (Non – Design/ Non-Special only)</li> </ul>
<ul> <li>Trouble Code (Design and Trunking Services)</li> </ul>

## MANTENANCE & REPAIR - (Out of Service (OOS) > 24 Hours - Continued)

#### Retail Analog/Benchmark:

- CLEC Residence-Resale / BST Residence- Retail
- CLEC Business- Resale / BST Business-Retail
- CLEC Design-Resale / BST Design-Retail
- CLEC PBX, Centrex and ISDN Resale / BST PBX, Centrex and ISDN Retail
- CLEC Trunking-Resale /BST Trunking- Retail
- UNEs Retail Analog (under development at this time.)

÷

## MAINTENANCE & REPAIR

OSS Interface Availability	
Definition:	
The percentage of time the OSS Interface is fund Availability percentage for the CLEC and BST is by them are captured.	ctionally available compared to scheduled availability. interface systems and for the legacy systems accessed
Exclusions:	
None	
Business Rules:	
This measure is designed to compare the OSS as systems.	vailability versus scheduled availability of BST's legacy
Calculation:	
OSS Interface Availability = (Actual System Fu	nctional Availability) / (Actual planned System
Availability) X 100	
Report Structure:	
CLEC Aggregate	
<ul> <li>BST Aggregate</li> </ul>	
<ul> <li>BST/CLEC</li> </ul>	•
Level of Disaggregation:	
Region	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Availability of CLEC TAFI	Availability of BST TAFI
<ul> <li>Availability of LMOS HOST, MARCH</li> </ul>	<ul> <li>Availability of LMOS HOST, MARCH</li> </ul>
and SOCS	and SOCS
<ul> <li>CRIS, PREDICTOR, LNP, and OSPCM</li> </ul>	
(under development at this time)	
Retail Analog/Benchmark:	
Parity by design; Retail Analog	

1

## MAINTENANCE & REPAIR

Report/Measurement:	
OSS Response Interval and Percentages	
Definition:	
The response intervals are determined by subtra the interface until the response is received from each interval category are reported, along with t categories.	icting the time a request is received on the BST side of the legacy system. Percentages of requests falling into the actual number of requests falling into those
Exclusions:	
Queries received during scheduled system main	itenance time.
Business Rules:	
from BST's legacy systems the information requ	quired for the CLEC and BST interface system to obtain uired to handle maintenance and repair functions. The st is received and the clock stops when the response has requester.
and Time for Category "X") / (Number of Queri	e and Time for Category "X") - (Query Request Date es Submitted in the Reporting Period)
and Time for Category "X") / (Number of Queri where, "X" is 0-4, $\geq 4$ to 10, $\geq 10$ , $\geq 30$ second	es Submitted in the Reporting Period)
and Time for Category "X") / (Number of Queri where, "X" is 0-4, ≥4 to 10, ≥10, ≥30 second Report Structure:	es Submitted in the Reporting Period)
and Time for Category "X") / (Number of Queri where, "X" is 0-4, $\geq 4$ to 10, $\geq 10$ , $\geq 30$ second	es Submitted in the Reporting Period)
and Time for Category "X") / (Number of Queri where, "X" is 0-4, ≥4 to 10, ≥10, ≥30 second <b>Report Structure:</b> • CLEC • BST Residence	es Submitted in the Reporting Period)
and Time for Category "X") / (Number of Queri where, "X" is 0-4, ≥4 to 10, ≥10, ≥30 second <b>Report Structure:</b> • CLEC • BST Residence • BST Business (BST Total is under developr	es Submitted in the Reporting Period) ds.
and Time for Category "X") / (Number of Queri where, "X" is 0-4, ≥4 to 10, ≥10, ≥30 second <b>Report Structure:</b> • CLEC • BST Residence • BST Business (BST Total is under developr and function as appropriate. Level of Disaggregation: Region	es Submitted in the Reporting Period) ds.
and Time for Category "X") / (Number of Queri where, "X" is 0-4, ≥4 to 10, ≥10, ≥30 second <b>Report Structure:</b> • CLEC • BST Residence • BST Business (BST Total is under developr and function as appropriate. Level of Disaggregation: Region Data Retained Relating to CLEC Experience	es Submitted in the Reporting Period) ds.
and Time for Category "X") / (Number of Queri where, "X" is 0-4, ≥4 to 10, ≥10, ≥30 second <b>Report Structure:</b> • CLEC • BST Residence • BST Business (BST Total is under developr and function as appropriate. Level of Disaggregation: Region	es Submitted in the Reporting Period) ds. nent at this time) by interface for each legacy system
and Time for Category "X") / (Number of Queri where, "X" is 0-4, ≥4 to 10, ≥10, ≥30 second <b>Report Structure:</b> • CLEC • BST Residence • BST Business (BST Total is under developr and function as appropriate. Level of Disaggregation: Region Data Retained Relating to CLEC Experience	es Submitted in the Reporting Period) ds. nent at this time) by interface for each legacy system Data Retained Relating to BST Experience • BST Business and Residence transaction

3

•

ļ,

-

## MAINTENANCE & REPAIR

Report/Measurement:	
Average Answer Time – Repair Centers	
Definition:	· · · · · · · · · · · · · · · · · · ·
This measure demonstrates an average response trepresentative. The average time a CLEC Rep is answer.	time for the CLEC representative to contact a BST in queue waiting for the LCSC or UNE Center Rep to
Exclusions:	
None	
Business Rules:	
	uired for CLEC & BST from the time of the ACD starts when the CLEC Rep makes a choice to be put in stops when the repair attendant answers the call.
Region. CLEC/BST Service Centers and BST Re	enair Centers are regional
Calculation:	
Average Answer Time for BST's Repair Centers	= (Time BST Repair Attendant Answers Call) - (Time
of entry into queue until ACD Selection) / (Tota	ii number of calls by reporting period)
Report Structure:	
CLEC Aggregate	
BST/CLEC Aggregate	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
CLEC Average Answer Time	BST Average Answer Time
Retail Analog/Benchmark:	
Retail Analog	
Audit Verification	

-

#### BILLING

Invoice Accuracy	
Definition:	
This measure provides the percentage accuracy or difference between the total billed revenue and to the current month.	of the billing invoices for a CLEC by dividing the otal adjustment revenues by total billed revenues durin
Exclusions:	
<ul> <li>Any invoices rejected due to formatting or c</li> </ul>	ontent errors
<ul> <li>Adjustments not related to billing errors (e.g.</li> </ul>	g., credits for service outage, special promotion credits
adjustments to satisfy the customer)	
Business Rules:	
on bills determined to be incorrect. This is a mer sampling analysis of local bills prior to transmiss sample from each bill period that draws from a n	those delivered by BST. CLECs request adjustments asure of billing accuracy. BellSouth conducts a manu- sion of the bills. This bill verification process includes nix of different customer types and types of service. ducts and services. Internal measurements and control
Calculation:	
Invoice Accuracy = (Total Billed Revenues during	current month) - (Total Adjustment Revenues during
current month) / Total Billed Revenues during curre	nt month X 100
current monuny/ rotal office Revendes during curre	
Report Structure:	
Report Structure:     CLEC Specific	
Report Structure:         • CLEC Specific         • CLEC Aggregate	
Report Structure:     CLEC Specific	
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate	
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :	
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE	
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE         > Interconnection	
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE         > Interconnection         • Geographic Scope	
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE         > Interconnection         • Geographic Scope         > Region	
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE         > Interconnection         • Geographic Scope         > Region         Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE         > Interconnection         • Geographic Scope         > Region         Data Retained Relating to CLEC Experience:         • Report Month	Data Retained Relating to BST Performance:
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE         > Interconnection         • Geographic Scope         > Region         Data Retained Relating to CLEC Experience:         • Report Month         • Invoice Type	Data Retained Relating to BST Performance:         • Report Month         • Invoice Type
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE         > Interconnection         • Geographic Scope         > Region         Data Retained Relating to CLEC Experience:         • Report Month         • Invoice Type         > CRIS	Data Retained Relating to BST Performance:         ● Report Month         ● Invoice Type         > CRIS
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE         > Interconnection         • Geographic Scope         > Region         Data Retained Relating to CLEC Experience:         • Report Month         • Invoice Type         > CRIS         > CABS	Data Retained Relating to BST Performance:         • Report Month         • Invoice Type         > CRIS         > CABS
Report Structure:         • CLEC Specific         • CLEC Aggregate         • BST Aggregate         Level of Disaggregation :         • Product Reporting Levels         > Resale         > UNE         > Interconnection         • Geographic Scope         > Region         Data Retained Relating to CLEC Experience:         • Report Month         • Invoice Type         > CRIS	Data Retained Relating to BST Performance:         ● Report Month         ● Invoice Type         > CRIS

.

.

## BILLING

Mean Time to Deliver Invoices	
Definition:	
This measure provides the mean interval for billi	ng invoices
Exclusions:	
Any invoices rejected due to formatting or conte	nt errors.
Business Rules:	1. I. I. I. CY FOR in an arread upon
Measures the mean interval for timeliness of bill	ing records delivered to CLECs in an agreed upon
	isiness days, and CABS-based invoices in calendar
days.	
Calculation:	Transmission Date)- (Close Date of Scheduled Bill
Cycle)] / (Count of Invoices Transmitted in Repo	
Report Structure:	/ mig x verou /
CLEC Specific	<u> </u>
CLEC Aggregate	
BST Aggregate	
Level of Disaggregation:	
Product / Invoice Type	
> Resale	
> UNE	
Interconnection	
Geographic Scope	
> Region	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
Invoice Type	Invoice Type
> CRIS	> CRIS
> CABS	> CABS
Invoice Transmission Count	Invoice Transmission Count
Date of Scheduled Bill Close	Date of Scheduled Bill Close
Retail Analog/Benchmark:	

•

----

### BILLING

Usage Data Delivery Accuracy	
Definition:	
This measurement captures the percentage of rec	
transmitted error free and in an agreed upon form	
measurement against BST Data Packet Transmis	ssion.
Exclusions:	
None	
Business Rules:	
The accuracy of usage records delivered by BST	to the CLEC must provide CLECs with the
opportunity to deliver bills at least as accurate as	s those delivered by BST.
Calculations:	
	nber of usage data packs sent during current month) -
	ansmission during current month)] / (Total number of
usage data packs sent during current month) X 1	00
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	
Level of Disaggregation:	· · · · · · · · · · · · · · · · · · ·
<ul> <li>Product / Invoice Type</li> </ul>	
> Resale	
> UNE	
> Interconnection	
Geographic Scope	
> Region	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
Record Type	Record Type
BellSouth Recorded	
> Non BellSouth Recorded	
Retail Analog/Benchmark:	

••

1

...

### BILLING

Usage Data Delivery Completeness	
Definition:	
by other carriers) processed and transmitted, to the record) create date. A parity measure is also pro	led usage data (BellSouth recorded and usage recorded he CLEC, within thirty (30) days of the message (usage wided showing completeness of BST messages ss, Completeness and Mean Time to Deliver Usage
Exclusions:	
None	
Business Rules:	
and transmission of both types of usage data deli	strate the level of quality and timeliness of processing ivered to the appropriate CLEC. The usage data will be data processing center once daily. Method of delivery
Calculation:	
current month that are within thirty (30) days of number of Recorded usage records delivered dur	imber of Recorded usage records delivered during the the message (usage record) create date) / $\Sigma$ (Total ing the current month) X 100
Report Structure	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	······································
Level of Disaggregation:	
Product / Invoice Type	
<ul> <li>Resale</li> </ul>	
> UNE > Interconnection	
Geographic Scope	
<ul> <li>Geographic Scope</li> <li>Region</li> </ul>	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Monthly
Record Type	Record Type
<ul> <li>BellSouth Recorded</li> </ul>	
Non BellSouth Recorded	
Retail Analog/Benchmark:	
Retail Analog	

0

_

#### BILLING

.

Report/Measurement:	
Usage Data Delivery Timeliness	
Definition:	
by other carriers) delivered to the appropriate CL A parity measure is also provided showing timel	led usage data (BellSouth recorded and usage recorded LEC within six (6) calendar days from initial recording. liness of BST messages processed and transmitted via ime to Deliver Usage measures are reported on the same
Exclusions:	
None	
Business Rules:	
and transmission of both types of usage data deli mechanically transmitted or mailed to the CLEC is at the option of the CLEC. Calculation:	strate the level of quality and timeliness of processing ivered to the appropriate CLEC. The usage data will be data processing center once daily. Method of delivery ber of usage records sent within six (6) calendar days
from initial recording/receipt) / $\Sigma$ (Total number	
Report Structure:	
<ul> <li>CLEC Aggregate</li> <li>CLEC Specific</li> <li>BST Aggregate</li> </ul>	
Level of Disaggregation:	
Resale	
• UNE	
Interconnection	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
<ul> <li>Report Month</li> <li>Record Type</li> <li>BellSouth Recorded</li> <li>Non-BellSouth Recorded</li> </ul>	Report Monthly     Record Type
Retail Analog/Benchmark:	
Retail Analog	

---

## BILLING

Mean Time to Deliver Usage	······································	
Definition:		
measure is also provided showing timeliness of E	kes to deliver Usage Records to a CLEC. A parity 3ST messages processed and transmitted via CMDS. liver Usage measures are reported on the same report.	
Exclusions:		
None		
Business Rules:		
data to the appropriate CLEC. Usage data is med processing center once daily. Method of delivery	the the average number of days it takes to deliver Usage chanically transmitted or mailed to the CLEC data y is at the option of the CLEC.	
Calculation:		
Mean Time to Deliver Usage = $\Sigma$ (Record volum Record) / total record volume	e X estimated number of days to deliver the Usage	
Report Structure:		
CLEC Aggregate		
CLEC Aggregate     CLEC Specific		
BST Aggregate		
Level of Disaggregation:		
Resale		
• UNE		
• Interconnection		
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:	
Report Month	Report Monthly	
Record Type	Record Type	
BellSouth Recorded		
Non-BellSouth Recorded		
Retail Analog/Benchmark:		

****

## **OPERATOR SERVICES AND DIRECTORY ASSISTANCE**

	/Measurement:
	ed to Answer Performance/Average Speed to Answer – Toll
Definit	
	asurement of the average time in seconds calls wait before answered by a toll operator.
Exclus	
	is abandoned by customers are not reflected in the average speed to answer but are reflected in the version tables where the percent answered within "X" seconds is determined.
	ss Rules:
repi acci syst	call waiting measurement scan starts when the customer enters the queue and ends when a BST esentative answers the call. The average speed to answer is determined by measuring and umulating the seconds of wait time from the entry of a customer into the BST call management em queue until the customer is transferred to a BST representative. No distinction is made between EC customers and BST customers.
Calcul	ation:
repo con thro serv call calc tabl	Average Speed to Answer for toll is calculated by using data from monthly system measurement orts taken from the centralized call routing switches. The "total call waiting seconds" is a sub- uponent of this measure which BST systems calculate by monitoring the number of calls in queue bughout the day multiplied by the time (in seconds) between monitoring events. The "total calls red" is the other sub-component of this measure, which BST systems record as the total number of s handled by Operator Services toll centers. Since calls abandoned are not reflected in the sulation, the percent answered within the required timeframe is determined by using conversion es with input for the abandonment rate.
	Structure:
Rep	orted for the aggregate of BST and CLECs
• 5	State
Level o	f Disaggregation:
Nor	le
Data R	etained (on Aggregate Basis)
corr ●	the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final putation; therefore, no raw data file is available in PMAP. Month Call Type (Toll)
•	Average Speed of Answer
	Analog/Benchmark
Pari	ty by Design

-

- --

Ĩ.

## **OPERATOR SERVICES AND DIRECTORY ASSISTANCE**

	t/Measurement:
	eed to Answer Performance/Percent Answered within "X" Seconds – Toll
Defini	
sec	easurement of the percent of toll calls that are answered in less than "X" seconds. The number of conds represented by "X" is thirty, except where a different regulatory benchmark has been set ainst the Average Speed to Answer by a State Commission.
Exclu	sions:
	Is abandoned by customers are not reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are reflected in the average speed to answer but are ref
~~~~	ess Rules:
rep acc sys	e call waiting measurement scan starts when the customer enters the queue and ends when a BST presentative answers the call. The average speed to answer is determined by measuring and sumulating the seconds of wait time from the entry of a customer into the BST call management tem queue until the customer is transferred to a BST representative. No distinction is made between EC customers and BST customers.
Calcu	lation:
Sta of	e Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore itistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined ameters of work time, number of operators, max queue size and call abandonment rates.
	t Structure:
Re	ported for the aggregate of BST and CLECs
•	State
Level	of Disaggregation:
No	ne
Data 1	Retained (on Aggregate Basis)
	the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final
co	nputation; therefore, no raw data file is available in PMAP.
٠	Month
•	Call Type (Toll)
٠	Average Speed of Answer
	Analog/Benchmark
Pa	ity by Design

×.

<u>منہ</u>

OPERATOR SERVICES AND DIRECTORY ASSISTANCE

	leasurement:
Speed	to Answer Performance/Average Speed to Answer - Directory Assistance (DA)
Definition	1:
Measu	rement of the average time in seconds calls wait before answer by a DA operator.
Exclusion	IS:
Calls a	abandoned by customers are not reflected in the average speed to answer but are reflected in the
conver	rsion tables where the percent answered within "X" seconds is determined.
Business	Rules:
The ca	Il waiting measurement scan starts when the customer enters the queue and ends when a BST
repres	entative answers the call. The average speed to answer is determined by measuring and
accum	ulating the seconds of wait time from the entry of a customer into the BST call management
system	a queue until the customer is transferred to a BST representative. No distinction is made between
CLEC	customers and BST customers.
Calculati	on:
	verage Speed to Answer for DA is calculated by using data from monthly system measurement
	s taken from the centralized call routing switches. The "total call waiting seconds" is a sub-
	onent of this measure which BST systems calculate by monitoring the number of calls in queue
throug	hout the day multiplied by the time (in seconds) between monitoring events. The "total calls
	" is the other sub-component of this measure, which BST systems record as the total number of
	andled by Operator Services DA centers. Since calls abandoned are not reflected in the
	ation, the percent answered within the required timeframe is determined by using conversion
	with input for the abandonment rate.
Report St	
Report	ed for the aggregate of BST and CLECs
• St	ate
Level of I	Disaggregation:
None	
Data Reta	ained (on Aggregate Basis)
For the	e items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final
compu	station; therefore, no raw data file is available in PMAP.
• M	onth
• Ca	all Type (DA)
• A	verage Speed of Answer
	alog/Benchmark
Parity	by Design

±

OPERATOR SERVICES AND DIRECTORY ASSISTANCE

Report/Measurement:

Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA) Definition:

Measurement of the percent of DA calls that are answered in less than "X" seconds. The number of seconds represented by "X" is twenty, except where a different regulatory benchmark has been set against the Average Speed to Answer by a State Commission.

Exclusions:

Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables where the percent answered within "X" seconds is determined.

Business Rules:

The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.

Calculation:

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure:

Reported for the aggregate of BST and CLECs

State

Level of Disaggregation:

None

Data Retained (on Aggregate Basis)

For the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.

Month

• Call Type (DA)

• Average Speed of Answer

Retail Analog/Benchmark

Parity by Design

<u>E911</u>

	ort/Measurement: 911/Timeliness
	lition:
M	leasures the percentage of batch orders for E911 database updates (to CLEC resale and BST retail cords) processed successfully within a 24-hour period.
	isions:
•	Any resale order canceled by a CLEC Facilities-based CLEC orders
Busir	ness Rules:
or S(O	he 24-hour processing period is calculated based on the date and time processing starts on the batch ders and the date and time processing stops on the batch orders. Mechanical processing starts when CC (BST's E911 vendor) receives E911 files containing batch orders extracted from BST's Service rder Communication System (SOCS). Processing stops when SCC loads the individual records to the 911 database. No distinctions are made between CLEC resale records and BST retail records.
Calcu	llation:
	911 Timeliness = Σ (Number of batch orders processed within 24 hours + Total number of batch ders submitted) X 100
Repo	rt Structure:
Re	eported for the aggregate of CLEC resale updates and BST retail updates
٠	State
•	Region
Level	s of Disaggregation:
N	one
Data	Retained
•	Report month
٠	Aggregate data
	l Analog/Benchmark
Re	etail Analog

<u>E911</u>

-	t/Measurement:
Defini	
Me	asures the individual E911 telephone number (TN) record updates (to CLEC resale and BST retail
	ords) processed successfully for E911 with no errors.
Exclus	ions:
•	Any resale order canceled by a CLEC
•	Facilities-based CLEC orders
Busine	ess Rules:
cyc tele	curacy is based on the number of records processed without error at the conclusion of the processing ele. Mechanical processing starts when SCC (BST's E911 vendor) receives E911 files containing ephone number (TN) records extracted from BST's Service Order Communication System (SOCS). distinctions are made between CLEC resale records and BST retail records.
Calcu	ation:
E9	11 Accuracy = Σ (Number of record individual updates processed with no errors + Total number of
i nd	ividual record updates) X 100
Repor	t Structure:
Rep	ported for the aggregate of CLEC resale updates and BST retail updates
٠	State
•	Region
Level	of Disaggregation:
No	nê
Data F	Retained
. •	Report month
٠	Aggregate data
Retail	Analog/Benchmark
	ail Analog

•

,

.

<u>E911</u>

·

.

Report/Measurement:	
E911/Mean Interval	
Definition:	
Measures the mean interval processing of E911 batch orders (to update CLEC resale and BST retai records).	
Exclusions:	
Any resale order canceled by a CLEC	
Facilities-based CLEC orders	
Business Rules:	
The processing period is calculated based on the date and time processing starts on the batch orders the date and time processing stops on the batch orders. Data is posted in 4-hour increments up to a beyond 24 hours. No distinctions are made between CLEC resale records and BST retail records.	
Calculation:	
E911 Mean Interval = \sum (Date and time of batch order completion – Date and time of batch order submission) + (Number of batch orders completed)	
Report Structure:	
Reported for the aggregate of CLEC resale updates and BST retail updates	
State	
Region	
Level of Disaggregation:	
None	
Data Retained (on Aggregate Basis)	
Report month	
Aggregate data	
Retail Analog/Benchmark	
Retail Analog	

TRUNK GROUP PERFORMANCE

Report/Measurement:	
Trunk Group Service Report	
Definition:	
A report of the percent blocking above the Measur	red Blocking Threshold (MBT) on all final trunk
groups between CLEC Points of Termination and	BST end offices or tandems.
Exclusions:	
 Trunk groups for which valid traffic data is not 	ot available
 High use trunk groups 	
Business Rules:	
Traffic trunking data measurements are validated a	
System/Trunking (TNDS/TK), a Telcordia (BellC	ore) supported application, on an hourly basis for
Average Business Days (Monday through Friday).	
observed blocking ratio (calls blocked divided by	calls attempted), are averaged for a 20 day period,
and the busy hour is selected. The busy hour avera	ge data for each trunk group is captured for reporting
purposes. Although all trunk groups are available	for reporting, the report highlight those trunk groups
with blocking greater than the Measured Blocking	
	exceeded the MBT. The MBT for CTTG is 2% and
the MBT for all other trunk groups is 3%.	······································
Calculation:	
Measured blocking = (Total number of blocked ca	lls) / (Total number of attempted calls) X 100
Report Structure:	
BST Aggregate	
> CTTG	
> Local	
CLEC Aggregate	
BST Administered CLEC Trunk	
> CLEC Administered CLEC Trunk	
CLEC Specific DET A label of ECT.	
BST Administered CLEC Trunk	
CLEC Administered CLEC Trunk	
Level of Disaggregation: State	·····
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report month	Report month
Total trunk groups	Total trunk groups
• Total trunk groups for which data is available	• Total trunk groups for which data is available
• Trunk groups with blocking greater than the	• Trunk groups with blocking greater than the
MBT	MBT
• Percent of trank groups with blocking greater	 Percent of trunk groups with blocking greater
than the MBT a	than the MBT
Retail Analog/Benchmark:	
Retail Analog	

<#2. ₩ 111 · · ·

_

7

-

TRUNK GROUP PERFORMANCE

Τr	unk Group Service Detail	
Defin	ition:	
A	detailed list of all final trunk groups between C	LEC Points of Presence and BST end offices or
tai	ndems, and the actual blocking performance wh	en the blocking exceeds the Measured Blocking
Th	reshold (MBT) for the trunk groups.	Ç Di di di di
Exclu	sions:	
•	Trunk groups for which valid traffic data is n	ot available
٠	High use trunk groups	
Busin	ess Rules:	
	affic trunking data measurements are validated	and processed by the Total Network Data
		ore) supported application, on an hourly basis for
		. The traffic load sets, including offered load and
		calls attempted), are averaged for a 20 day period,
		age data for each trunk group is captured for reporting
pu	rposes. Although all trunk groups are available	for reporting, the report highlight those trunk groups
		g Threshold (MBT) and the number of consecutive
mo	onthly reports that the trunk group blocking has	exceeded the MBT. The MBT for CTTG is 2% and
the	e MBT for all other trunk groups is 3%.	
Calcu	lation:	
M	easured Blocking = (Total number of blocked ca	alls) / (Total number of attempted calls) X 100
Repo	rt Structure:	
٠	BST Specific	CLEC Specific
	Traffic Identity	Traffic Identity
	> TGSN	> TGSN
	> Tandem	> Tandem
•	> End Office	> CLEC POT
	> Description	Description
	Observed Blocking	Observed Blocking
	Busy Hour	Busy Hour
	Number Trunks	Number Trunks
	Valid study days	Valid study days
	> Number reports	> Number reports
	> Remarks	Remarks
	of Disaggregation:	
Sta		Deta Detained Datation to DOT Francisco
	Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
	Report month	Report month
	Total trunk groups	Total trunk groups
•	Total trunk groups for which data is available	Total trunk groups for which data is available Total trunk groups with blocking groups that the
•	Trunk groups with blocking greater than the MBT	• Trunk groups with blocking greater than the MBT
•	Percent of trunk groups with blocking greater than the MBT	 Percent of trunk groups with blocking greater than the MBT
•	Traffic identity, TGSN, end points,	• Traffic identity, TGSN, end points,
	description, busy hour, valid study days,	description, busy hour, valid study days,
	number reports	number reports

~

COLLOCATION

Co	Ilocation/Average Response Time
Defini	
Me col	asures the average time (counted in business days) from the receipt of a complete and accurate location application (including receipt of application fees) to the date BellSouth responds in writing
Exclu	sions:
•	Requests to augment previously completed arrangements Any application cancelled by the CLEC
Busin	ess Rules:
acc	e clock starts on the date that BST receives a complete and accurate collocation application companied by the appropriate application fee. The clock stops on the date that BST returns a ponse. The clock will restart upon receipt of changes to the original application request.
Calcu	
Av Res	erage Response Time = Σ (Request Response Date) – (Request Submission Date) / Count of sponses Returned within Reporting Period.
Repor	t Structure:
•	Individual CLEC (alias) aggregate Aggregate of all CLECs
Level	of Disaggregation:
•	State, Region and further geographic disaggregation as required by State Commission Order Virtual Physical
Data F	Retained:
•	Report period Aggregate data
	Analog/Benchmark:
Und	ler development

•

COLLOCATION

	t/Measurement:
	location/Average Arrangement Time
Defini	
Fid	asures the average time (counted in business days) from the receipt of a complete and accurate Bona e firm order (including receipt of appropriate fee) to the date BST completes the collocation angement.
Exclu	
٠	Any Bona Fide firm order cancelled by the CLEC
· •	Bona Fide firm orders to augment previously completed arrangements
٠	Time for BST to obtain permits
٠	Time during which the collocation contract is being negotiated
Busin	rss Rules:
acc res exp	clock starts on the date that BST receives a complete and accurate Bona Fide firm order ompanied by the appropriate fee. The clock stops upon submission of the permit request and tarts upon receipt of the approved permit. Changes (affecting the provisioning interval or capital penditures) that are submitted while provisioning is in progress may alter the completion date. The ck stops on the date that BST completes the collocation arrangement.
Calcu	ation:
Co	erage Arrangement Time = Σ (Date Collocation Arrangement is Complete) – (Date Order for location Arrangement Submitted) / Total Number of Collocation Arrangements Completed during porting Period.
	t Structure:
•	Individual CLEC (alias) aggregate
•	Aggregate of all CLECs
Level	of Disaggregation:
•	State, Region and further geographic disaggregation as required by State Commission Order Virtual Physical
Data I	letained:
•	Report period
٠	Aggregate data
Retail	Analog/Benchmark:
I In	der development

-

•

COLLOCATION

C	ollocation/Percent of Due Dates Missed
Defin	ition:
Μ	easures the percent of missed due dates for collocation arrangements.
Exclu	isions:
•	Any Bona Fide firm order cancelled by the CLEC
•	Bona Fide firm orders to augment previously completed arrangements
•	Time for BST to obtain permits
•	Time during which the collocation contract is being negotiated
	ness Rules:
ac	the clock starts on the date that BST receives a complete and accurate Bona Fide firm order companied by the appropriate fee. The clock stops on the date that BST completes the collocation rangement.
	alation:
	of Due Dates Missed = Σ (Number of Orders not completed w/i ILEC Committed Due Date during eporting Period) / Number of Orders Completed in Reporting Period) X 100
	rt Structure:
•	Individual CLEC (alias) aggregate
•	Aggregate of all CLECs
Leve	of Disaggregation:
•	State, Region and further geographic disaggregation as required by State Commission Order
٠	Virtual
•	Physical
Data	Retained:
	Report period
•	Aggregate data
Retai	l Analog/Benchmark:
	nder development

Appendix A: Reporting Scope*

Standard Service Groupings	Pre-Order, Ordering
	Resale Residence
	Resale Business
	Resale Special
	Local Interconnection Trunks
	• UNE
	UNE - Loops w/LNP
	Provisioning
	• UNE Non-Design
	UNE Design
	UNE Loops w/LNP
	Local Interconnection Trunks
	Resale Residence
	Resale Business
	Resale Design
	BST Trunks
	BST Residence Retail
	BST Business Retail
	Maintenance and Repair
	Local Interconnection Trunks
	UNE Non-Design
	UNE Design
	Resale Residence
	Resale Business
	BST Interconnection Trunks
	BST Residence Retail
	BST Business Retail
	Local Interconnection Trunk Group Blockage
	BST CTTG Trunk Groups
•	CLEC Trunk Groups

Attachment 9 Page 64

Appendix A: Reporting Scope

Standard Service Order Activities These are the generic BST/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.	 New Service Installations Service Migrations Without Changes Service Migrations With Changes Move and Change Activities Service Disconnects (Unless noted otherwise)
Pre-Ordering Query Types: Maintenance Query Types:	 Address Telephone Number Appointment Scheduling Customer Service Record Feature Availability
Report Levels	 CLEC RESH CLEC MSA CLEC State CLEC Region Aggregate CLEC State Aggregate CLEC Region BST State BST Region

* Scope is report, data source and system dependent, and, therefore, will differ with each report.

Version2Q99:07/28/99

Appendix B: Glossary of Acronyms and Terms

	_		
	A	ACD	Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.
		AGGREGATE	Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.
		ASR	Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.
		ATLAS	Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.
		ATLASTN	ATLAS software contract for Telephone Number
~		AUTO CLARIFICATION	The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.
	B	BILLING	The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.
		BOCRIS	Business Office Customer Record Information System - A front-end presentation manager used by BellSouth organizations to access the CRIS database.
		BRC	Business Repair Center – The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.
		BST	BellSouth Telecommunications, Inc.
	2	CKTID	A unique identifier for elements combined in a service configuration
		CLEC	Competitive Local Exchange Carrier
		CMDS	Centralized Message Distribution System - BellCore administered national system used to transfer specially formatted messages among companies.
		COFFI	Central Office Feature File Interface - A BellSouth Operations System database which maintains Universal Service Order Code (USOC) information based on current tariffs.

•

C	COFIUSOC	COFFI software contract for feature/service information
	CRIS	Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.
	CRSACCTS	CRIS software contract for CSR information
	CSR	Customer Service Record
,	CTTG	Common Transport Trunk Group - Final trunk groups between BST & Independent end offices and the BST access tandems.
D	DESIGN	Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities
	DISPOSITION & CAUSE	Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.
	pleth	Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS
	DLR	Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.
	DOE	Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.
	DSAP	DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non- designed services and UNEs.
	DSAPDDI	DSAP software contract for schedule information
E	E911	Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.
	EDI	Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra company business documents in a public standard format.
F	FATAL REJECT	The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated
	FLOW- THROUGH	In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BST OSS without manual or human intervention.
1	FOC	Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

.

Appendix B: Glossary of Acronyms and Terms - Continued

G		
Н	HAL	"Hands Off" Assignment Logic - Front end access and error resolution
ļ		logic used in interfacing BellSouth Operations Systems such as ATLAS,
ľ		BOCRIS, LMOS, PSIMS, RSAG and SOCS.
Į	HALCRIS	HAL software contract for CSR information
<u>-</u>	ISDN	Integrated Services Digital Network
K	· · · · · · · · · · · · · · · · · · ·	
L	LCSC	Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.
:	LEGACY SYSTEM	Term used to refer to BellSouth Operations Support Systems (see OSS)
	LENS	Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.
	LEO	Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.
	LESOG	Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.
	LMOS	Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.
	LMOS HOST	LMOS host computer
	LMOSupd	LMOS updates
	LNP	Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.
	LOOPS	Transmission paths from the central office to the customer premises.
	LSR	Local Service Request – A request for local resale service or unbundled network elements from a CLEC.
М	MAINTENANCE & REPAIR	The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.
	MARCH	A BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

.

Appendix B: Glossary of Acronyms and Terms - Continued

Appendix B: Glossary of Acronyms and Terms – Cont	inued
---	-------

N	NC	"No Circuits" - All circuits busy announcement
0	OASIS	Obtain Availability Services Information System - A BellSouth front-
		end processor, which acts as an interface between COFFI and RNS.
		This system takes the USOCs in COFFI and translates them to English
]		for display in RNS.
}	OASISBSN	OASIS software contract for feature/service
	OASISCAR	OASIS software contract for feature/service
	OASISLPC	OASIS software contract for feature/service
	OASISMTN	OASIS software contract for feature/service
[OASISNET	OASIS software contract for feature/service
[OASISOCP	OASIS software contract for feature/service
[ORDERING	The process and functions by which resale services or unbundled
		network elements are ordered from BellSouth as well as the process by
		which an LSR or ASR is placed with BellSouth.
	OSPCM	Outside Plant Contract Management System - Provides Scheduling
	-	Information.
	0.00	
	OSS	Operations Support System - A support system or database which is
		used to mechanize the flow or performance of work. The term is used to
		refer to the overall system consisting of hardware complex, computer
		operating system(s), and application which is used to provide the
		support functions.
	OUT OF SERVICE	Customer has no dial tone and cannot call out.
P	POTS	Plain Old Telephone Service
	PREDICTOR	The BellSouth Operations system which is used to administer proactive
		maintenance and rehabilitation activities on outside plant facilities,
		provide access to selected work groups (e.g. RRC & BRC) to
		Mechanized Loop Testing and switching system I/O ports, and provide
		certain information regarding the attributes and capabilities of outside
		plant facilities.
	PREORDERING	The process and functions by which vital information is obtained,
		verified, or validated prior to placing a service request.
	PROVISIONING	The encourse and free stress by which are seen with the sector of the
	PROVISIONING	The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper
	*	billing and accounting functions.
		outing and decounting functions.
	PSIMS	Product/Service Inventory Management System - A BellSouth database
		Operations System which contains availability information on switching
	1	system features and capabilities and on BellSouth service availability.
		This database is used to verify the availability of a feature or service in
		an NXX prior to making a commitment to the customer.
		• • • • • • • • • • • • • • • • • • • •
	PSIMSORB	PSIMS software contract for feature/service
	PSIMSORB	PSIMS software contract for feature/service

Q		
R	RNS	Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.
	RRC	Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.
	RSAG	Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.
	RSAGADDR	RSAG software contract for address search
1	RSAGTN	RSAG software contract for telephone number search
S	SOCS	Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.
	SOIR	Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911.
T	TAFI	Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.
	TAG	Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi- directional flow of information between BellSouth's OSSs and participating CLECs.
	TN	Telephone Number
	TOTAL MANUAL FALLOUT	The number of LSRs which are entered electronically but require manual entering into a service order generator.
U	UNE	Unbundled Network Element
v		
W	WTN	A unique identifier for elements combined in a service configuration
X		
Y		
Z		
Σ		Sum of:

Appendix B: Glossary of Acronyms and Terms - Continued

Appendix C

BELLSOUTH'S AUDIT POLICY:

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit for every CLEC with which it has a contract. As of June, 1999, that would equate to over 732 audits per year and that number is continually growing. BellSouth is in the process of developing a proposed set of reasonable controls associated with individual CLEC audits. If requested by a Public Service Commission, BellSouth will conduct a comprehensive audit of the aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years, to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

for

World Access

BellSouth Standard Interconnection Agreement

Agreement Effective Date:	Agreement Expiration Date:
Account Manager:	Account Manager Tel No:

Attachment Name/Number	Section Number	Version Date	Planned Activities
Terms/Conditions PartA	1		
Terms/Conditions PartA			
	2		
	3		
	4		
	5	- 	
	6	·	
	7		
	8		· · · · · · · · · · · · · · · · · · ·
	9		
	10		
	11		
	12		
	13		
	14		
	15	ļ	
	16		
	17		· · · · ·
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	. 26		
Terms/Conditions Part B			

Version2Q99:06/08/99

,

.

for

World Access

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
I-Resale	1	<u> </u>	
	2		
	3		
	4		······································
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
	Exhibit G		
	Exhibit H		
2-Network Elements & Other Services	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		

Version2Q99:06/08/99

for

World Access

.

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	i.		
	9	1	
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
······································	6		
	7		
	8		
	Exhibit A		4
4-Physical Collocation	1 .		
	2		
	3		٥ <u></u>
	4		*
	5		
	6		
	7		
	8		
	9		

Version2Q99:06/08/99

Attachment 10-Residence Page 3

World Access BeilSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name/Number	Number	Date	
	10		
	11		
	12		
	13		
	14		
	Exhibit A		
	Exhibit B		
5-Access to Numbers &			
Number Portability	1		
	2		
····	3		
	4		
	5		
	6		
	7	<u> </u>	
	8		
	Exhibit A		
6-Ordering/Provisioning	1		·
	2		
7 P.111 0 P.111	3		
7-Billing & Billing			
Accuracy Certification	1		
	2		
······	3		
	4		
······································	5	<u> </u>	
	6		
······································	7	<u> </u>	
8 DOW/Conduits (Date Att	Exhibit A	<u> </u>	
8-ROW/Conduits/PoleAtt	1		

Version2Q99:06/08/99

for

World Access BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
9-Perf Measurement	Pre-Ordering		
	Ordering		
	Provisioning		
	Maint/Repair		
	Billing		
	Opr Svcs/DA		
	E911		
	Trunk Grp Perf		
	Collocation		
	Appendix A		
	Appendix B		· · · · · · · · · · · · · · · · · · ·
	Appendix C		

AGREEMENT IMPLEMENTATION TEMPLATE (Business) for World Access BellSouth Standard Interconnection Agreement

37 1

Agreement Effective Date:	Agreement Expiration Date:
Account Manager:	Account Manager Tel No:

Attachment Name	Section No.	Version Date	Planned Activities
Terms/Conditions PartA	1		
	2		
	3		
	4		
	5		
	6	······································	
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		······································
	18		
	19		······································
	20		
	21		
	22		
····	23		
	24		
	25		
	26		
Terms/Conditions Part B			*

AGREEMENT IMPLEMENTATION TEMPLATE (Business) for World Access BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
1-Resale	1		
	2		
	3		
	4		······································
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12	· · · · · · · · · · · · · · · · · · ·	
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
	Exhibit G		
	Exhibit H		· · · · · · · · · · · · · · · · · · ·
2-Network Elements & Other Services	1		
	2	······	
	3		
	4		
	5		
	6		
	7		· · · · · · · · · · · · · · · · · · ·
	8		

Attachment 10-Business Page 7

AGREEMENT IMPLEMENTATION TEMPLATE (Business)

•

.

for World Access BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	A familie Activities
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	Exhibit A		
	Exhibit B		
	Exhibit C	·····	
3-Local Interconnection	1		
	2		
	3		
	4		
	5	— — — — — — — — — — — — — — — — — — —	
	6		
	7		
	8		
	Exhibit A		4
4-Physical Collocation	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		· · · · · · · · · · · · · · · · · · ·
	9		

AGREEMENT IMPLEMENTATION TEMPLATE (Business)

for

11

World Access BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	
	10		
	11		
	12		
	13		
	14		
	Exhibit A		
	Exhibit B		
5-Access to Numbers & Number Portability	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	Exhibit A		
6-Ordering/Provisioning	1		
	2		
	3		
7-Billing & Billing			
Accuracy Certification	1		
	2		
	3		
	4		
	5		
	6		
	7		
	Exhibit A		
8-ROW/Conduits/PoleAtt	1		

Attachment 10-Business Page 9

AGREEMENT IMPLEMENTATION TEMPLATE (Business) for World Access

BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
9-Perf Measurement	Pre-Ordering		
	Ordering		
	Provisioning	·	
	Maint/Repair		
	Billing		
	Opr Svcs/DA		
	E911		
	Trunk Grp Perf		
	Collocation	····	
	Appendix A		
	Appendix B		
	Appendix C		

`