

ATTACHMENT C

BellSouth Telecommunications, Inc.  
FPSC Docket No. 990649-TP  
Request for Confidential Classification  
Page 1 of 1  
5/8/00

REQUEST FOR CONFIDENTIAL CLASSIFICATION OF BELL SOUTH'S  
RESPONSE TO STAFF'S SECOND REVISED ORDER ON PROCEDURE;  
ORDER NO. PSC-00-0540-PCO-TP ISSUED MARCH 16, 2000 IN FLORIDA  
DOCKET NO. 990649-TP

Highlighted Copy of Proprietary Material

*Att 3/16/07 (entire document)*  
**DECLASSIFIED**  
**CONFIDENTIAL**

This confidentiality request was filed by or  
for a "telco" for DN 05741-00. No ruling  
is required unless the material is subject to a  
request per 119.07, FS, or is admitted in the  
record per Rule 25-22.006(8)(b), FAC.

*appeal*  
DOCUMENT NUMBER-DATE  
05741 MAY-88  
FPSC-RECORDS/REPORTING

BSTLM

RService: A.1.1 (2-WIRE ANALOG VOICE GRADE LOOP - SERVICE LEVEL 1)

Geographical Unit: MIAMFLHLD50

Quantity: 119616

Services Reported: a b c d e j A

Services Returned: a b c d e j

Scenario: 2-wire centers

Options: Local loop o Excluding poles and conduit

000010

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mir Total	EFI Total	TelrcMir	TelrcEFI
NID	63362	NIDAerialCU	22C		1	0	0.131573	Terminals Pair	178884.6	79068.06	1.495491	0.661016
NID	63362	NIDBuriedCU	45C		1	0	0.398139	Terminals Pair	541303.5	239259.5	4.525344	2.00023
DROP	63362	AerialCU	22C		1	12	12.04213	Feet Pair	64302.63	328440.3	0.537576	2.745789
DROP	63362	BuriedCU	45C		1	36	36.43943	Feet Pair	228055.5	1359575	1.906563	11.36616
DTBT	21560	AerialCU	22C		0	0	4.48E-02	Terminals Pair	75312.01	0	0.629615	0
DTBT	21560	BuriedCU	45C		0	0	0.135474	Terminals Pair	227893.9	0	1.905212	0
DTBT	24433	IntrabuildingCU	52C		0	0	0.154331	Terminals Pair	267392.3	0	2.235423	0
DT-FDI	103583	AerialCU	22C		0	269	269.7017	Feet Pair	306827.8	0	2.565107	0
DT-FDI	71521	AerialCU24G	22C4		0	460	460.1975	Feet Pair	676561.2	0	5.65611	0
DT-FDI	103583	BuriedCU	45C		0	540	541.6291	Feet Pair	565116.8	0	4.724425	0
DT-FDI	71521	BuriedCU24G	45C4		0	923	924.1928	Feet Pair	1315086	0	10.99423	0
DT-FDI	103583	UndergroundCU	5C		0	275	274.4869	Feet Pair	265870.4	0	2.222699	0
DT-FDI	71521	UndergroundCU24G	5C4		0	468	468.3626	Feet Pair	607923.2	0	5.08229	0
BLDGCABLE	12377	BuildingCU	12C		0	1	1.034728	Feet Pair	1263.016	0	1.06E-02	0
BLDGCABLE	12056	BuildingCU24G	12C4		0	1	1.007892	Feet Pair	1669.371	0	0.013956	0
BLDGCABLE	12377	IntrabuildingCU	52C		0	11	11.29677	Feet Pair	9447.133	0	7.90E-02	0
BLDGCABLE	12056	IntrabuildingCU24G	52C4		0	9	9.259004	Feet Pair	8216.198	0	6.87E-02	0
FDI	239132	AerialCU	22C		0	0	0.248282	Terminals Pair	153147.9	0	1.28033	0
FDI	239132	BuriedCU	45C		0	0	0.7513	Terminals Pair	496468.4	0	4.150518	0
FDI-DLC	130479	AerialCU	22C		0	9	8.61173	Feet Pair	6500.006	0	5.43E-02	0
FDI-DLC	72764	AerialCU24G	22C4		0	9	8.867045	Feet Pair	8843.503	0	7.39E-02	0
FDI-DLC	130479	BuriedCU	45C		0	17	17.29453	Feet Pair	12354.79	0	0.103287	0
FDI-DLC	72764	BuriedCU24G	45C4		0	18	17.80726	Feet Pair	17328.33	0	0.144866	0
FDI-DLC	130479	UndergroundCU	5C		0	9	8.764523	Feet Pair	6038.962	0	5.05E-02	0
FDI-DLC	72764	UndergroundCU24G	5C4		0	9	9.024369	Feet Pair	8393.223	0	7.02E-02	0
DLC-RT	58911	CommonINTEGRATED	257C		40	0	0	DS0	2155266	0	18.01821	0
DLC-RT	58911	HardwiredINTEGRATED	257C		37	0	0	DS0	2430909	0	20.32261	0
DLC-RT	683	Plug-inINTEGRATED	257C		46	0	5.71E-03	CENTREX Service	39346.21	0	0.328938	0
DLC-RT	480	Plug-inINTEGRATED	257C		46	0	4.01E-03	COIN Service	196911.8	0	1.646199	0
DLC-RT	688	Plug-inINTEGRATED	257C		46	0	5.75E-03	PBX Service	90436.49	0	0.756057	0
DLC-RT	8	Plug-inINTEGRATED	257C		46	0	6.69E-05	PBXX Service	1057.5	0	8.84E-03	0
DLC-RT	57045	Plug-inINTEGRATED	257C		46	0	0.476901	POTS Service	3226733	0	26.97576	0
DLC-RT	7	Plug-inINTEGRATED	257C		46	0	5.85E-05	POTSX Service	775.32	0	6.48E-03	0
DLC-CO	963081	AerialCU	22C		0	827	827.6108	Feet Pair	583178.3	0	4.875421	0

**PRIVATE/PROPRIETARY**  
 Contains Private and/or Proprietary Information.  
 May not be used or Disclosed Outside The BellSouth Corporation

DOCUMENT NUMBER-DATE  
 05741 MAY-88  
 FPSC-RECORDS/REPORTING

BSTLM

RService: A.1.1. (2-WIRE ANALOG VOICE GRADE LOOP - SERVICE LEVEL 1)

Geographical Unit: MIAMFLHLS0

Quantity: 119616

Services Reported: a b c d e j A

Services Returned: a b c d e j

Scenario: 2-wire centers

Options: Local loop o Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
DLC-CO	453992	AerialFO	822C	0	1654	1653.433	Feet	DS0	31185.78	0	0.260716	0
DLC-CO	963081	BuriedCU	45C	0	1662	1662.067	Feet	Pair	1094823	0	9.152817	0
DLC-CO	453992	BuriedFO	845C	0	3321	3320.511	Feet	DS0	62627.77	0	0.523573	0
DLC-CO	963081	UndergroundCU	5C	0	843	842.3028	Feet	Pair	542630.7	0	4.536439	0
DLC-CO	453992	UndergroundFO	85C	0	1683	1682.769	Feet	DS0	31744.69	0	0.265388	0
DLC-COT	58911	Common*all	257C	6	0	0	*ALL	DS0	1725594	0	14.42611	0
DLC-COT	58911	Common*all	257C	6	0	0	*NSW	DS0	175152.1	0	1.464286	0
DLC-COT	58911	CommonUniversal	257C	6	0	0	*ALL	DS0	86149.96	0	0.720221	0
DLC-COT	58911	Hardwired*all	257C	3	0	0	*ALL	DS0	294409	0	2.461285	0
DLC-COT	58911	Hardwired*all	257C	3	0	0	*NSW	DS0	470435.4	0	3.93288	0
DLC-COT	683	Plug-inUniversal	257C	12	0	5.71E-03	CENTREX	Service	42449.54	0	0.354882	0
DLC-COT	480	Plug-inUniversal	257C	12	0	4.01E-03	COIN	Service	140266.9	0	1.172643	0
DLC-COT	696	Plug-inUniversal	257C	12	0	5.82E-03	PBX	Service	86129.28	0	0.720048	0
DLC-COT	57052	Plug-inUniversal	257C	12	0	0.47696	POTS	Service	3476170	0	29.06108	0

000011

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement**

BSTLM

RService: A.1.2. (2-WIRE ANALOG VOICE GRADE LOOP - SERVICE LEVEL 2)

Geographical Unit: MIAMFLHDS0

Quantity: 119616

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

c	d	e	j	A
d	d	e	j	

000013

CostElem	NodeService	OCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
NID	63362	NIDAerialCU	22C		1	0 0.131573	Terminals	Pair	178884.6	79068.06	1.495491	0.661016
NID	63362	NIDBuriedCU	45C		1	0 0.398139	Terminals	Pair	541303.5	239259.5	4.525344	2.00023
DROP	63362	AerialCU	22C		1	12 12.04213	Feet	Pair	64302.63	328440.3	0.537576	2.745789
DROP	63362	BuriedCU	45C		1	36 36.43943	Feet	Pair	228055.5	1359575	1.906563	11.36616
DTBT	21560	AerialCU	22C		0	0 4.48E-02	Terminals	Pair	75312.01		0 0.629615	0
DTBT	21560	BuriedCU	45C		0	0 0.135474	Terminals	Pair	227893.9		0 1.905212	0
DTBT	24433	IntrabuildingCU	52C		0	0 0.154331	Terminals	Pair	267392.3		0 2.235423	0
DT-FDI	103583	AerialCU	22C		0	269 269.7017	Feet	Pair	306827.8		0 2.565107	0
DT-FDI	71521	AerialCU24G	22C4		0	460 460.1975	Feet	Pair	676561.2		0 5.65611	0
DT-FDI	103583	BuriedCU	45C		0	540 541.6291	Feet	Pair	565116.8		0 4.724425	0
DT-FDI	71521	BuriedCU24G	45C4		0	923 924.1928	Feet	Pair	1315086		0 10.99423	0
DT-FDI	103583	UndergroundCU	5C		0	275 274.4869	Feet	Pair	265870.4		0 2.222699	0
DT-FDI	71521	UndergroundCU24G	5C4		0	468 468.3626	Feet	Pair	607923.2		0 5.08229	0
BLDGCABLE	12377	BuildingCU	12C		0	1 1.034728	Feet	Pair	1263.016		0 1.06E-02	0
BLDGCABLE	12056	BuildingCU24G	12C4		0	1 1.007892	Feet	Pair	1669.371		0 0.013956	0
BLDGCABLE	12377	IntrabuildingCU	52C		0	11 11.29677	Feet	Pair	9447.133		0 7.90E-02	0
BLDGCABLE	12056	IntrabuildingCU24G	52C4		0	9 9.259004	Feet	Pair	8216.198		0 6.87E-02	0
FDI	239132	AerialCU	22C		0	0 0.248282	Terminals	Pair	153147.9		0 1.28033	0
FDI	239132	BuriedCU	45C		0	0 0.7513	Terminals	Pair	496468.4		0 4.150518	0
FDI-DLC	130479	AerialCU	22C		0	9 8.61173	Feet	Pair	6500.006		0 5.43E-02	0
FDI-DLC	72764	AerialCU24G	22C4		0	9 8.867045	Feet	Pair	8843.503		0 7.39E-02	0
FDI-DLC	130479	BuriedCU	45C		0	17 17.29453	Feet	Pair	12354.79		0 0.103287	0
FDI-DLC	72764	BuriedCU24G	45C4		0	18 17.80726	Feet	Pair	17328.33		0 0.144866	0
FDI-DLC	130479	UndergroundCU	5C		0	9 8.764523	Feet	Pair	6038.962		0 5.05E-02	0
FDI-DLC	72764	UndergroundCU24G	5C4		0	9 9.024369	Feet	Pair	8393.223		0 7.02E-02	0
DLC-RT	58911	CommonINTEGRATED	257C		40	0 0 *		DS0	2155266		0 18.01821	0
DLC-RT	58911	HardwiredINTEGRATED	257C		37	0 0 *		DS0	2430909		0 20.32261	0
DLC-RT	683	Plug-inINTEGRATED	257C		46	0 5.71E-03	CENTREX	Service	39346.21		0 0.328938	0
DLC-RT	480	Plug-inINTEGRATED	257C		46	0 4.01E-03	COIN	Service	196911.8		0 1.646199	0
DLC-RT	688	Plug-inINTEGRATED	257C		46	0 5.75E-03	PBX	Service	90436.49		0 0.756057	0
DLC-RT	8	Plug-inINTEGRATED	257C		46	0 6.69E-05	PBXX	Service	1057.5		0 8.84E-03	0
DLC-RT	57045	Plug-inINTEGRATED	257C		46	0 0.476901	POTS	Service	3226733		0 26.97576	0
DLC-RT	7	Plug-inINTEGRATED	257C		46	0 5.85E-05	POTSX	Service	775.32		0 6.48E-03	0
DLC-CO	963081	AerialCU	22C		0	827 827.6488	Feet	Pair	583178.3		0 4.875421	0

**PROPRIETARY**  
 Not for Disclosure Outside BellSouth  
 Except by Written Agreement

BSTLM

RService: A.1.2. (2-WIRE ANALOG VOICE GRADE LOOP - SERVICE LEVEL 2)

Geographical Unit: MIAMFLHLD50

Quantity: 119616

Services Reported: a b c d e j A

Services Returned: a b c d e j

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
DLC-CO	453992	AerialFO	822C	0	1654	1653.433	Feet	DS0	31185.78	0	0.260716	0
DLC-CO	963081	BuriedCU	45C	0	1662	1662.067	Feet	Pair	1094823	0	9.152817	0
DLC-CO	453992	BuriedFO	845C	0	3321	3320.511	Feet	DS0	62627.77	0	0.523573	0
DLC-CO	963081	UndergroundCU	5C	0	843	842.3028	Feet	Pair	542630.7	0	4.536439	0
DLC-CO	453992	UndergroundFO	85C	0	1683	1682.769	Feet	DS0	31744.69	0	0.265388	0
DLC-COT	58911	Common*all	257C	6	0	0	*ALL	DS0	1725594	0	14.42611	0
DLC-COT	58911	Common*all	257C	6	0	0	*NSW	DS0	175152.1	0	1.464286	0
DLC-COT	58911	CommonUniversal	257C	6	0	0	*ALL	DS0	86149.96	0	0.720221	0
DLC-COT	58911	Hardwired*all	257C	3	0	0	*ALL	DS0	294409	0	2.461285	0
DLC-COT	58911	Hardwired*all	257C	3	0	0	*NSW	DS0	470435.4	0	3.93288	0
DLC-COT	683	Plug-inUniversal	257C	12	0	5.71E-03	CENTREX	Service	42449.54	0	0.354882	0
DLC-COT	480	Plug-inUniversal	257C	12	0	4.01E-03	COIN	Service	140266.9	0	1.172643	0
DLC-COT	696	Plug-inUniversal	257C	12	0	5.82E-03	PBX	Service	86129.28	0	0.720048	0
DLC-COT	57052	Plug-inUniversal	257C	12	0	0.47696	POTS	Service	3476170	0	29.06108	0

Proprietary and Confidential

000014

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.10.1 (4-W56 OR 64 KBPS DIGITAL GRADE LOOP)

Geographical Unit: MIAMFLHLS0

Quantity: 303

Services Reported: i 1

Services Returned: i

Scenano: 2-wire centers

Options: Local loop on Excluding poles and conduit

000016

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
NID	62	NIDAerialCU	22C	1	0	0.050825	Terminals	Pair	348.2958	124.6888	1.149491	0.411514
NID	62	NIDBuriedCU	45C	1	0	0.153796	Terminals	Pair	1053.942	377.3074	3.478358	1.245239
DROP	62	AerialCU	22C	1	6	6.019173	Feet	Pair	119.4938	495.8576	0.394369	1.636494
DROP	62	BuriedCU	45C	1	18	18.21399	Feet	Pair	516.059	2052.6	1.703165	6.774257
DTBT	110	AerialCU	22C	0	0	0.090173	Terminals	Pair	792.4538	0	2.615359	0
DTBT	110	BuriedCU	45C	0	0	0.272863	Terminals	Pair	2397.958	0	7.914052	0
DTBT	70	IntrabuildingCU	52C	0	0	0.173267	Terminals	Pair	1571.811	0	5.187495	0
DT-FDI	281	AerialCU	22C	0	374	374.592	Feet	Pair	1719.625	0	5.675329	0
DT-FDI	132	AerialCU24G	22C4	0	281	281.4703	Feet	Pair	1826.496	0	6.02804	0
DT-FDI	281	BuriedCU	45C	0	751	752.2753	Feet	Pair	3110.859	0	10.26686	0
DT-FDI	132	BuriedCU24G	45C4	0	564	565.2634	Feet	Pair	3487.079	0	11.50851	0
DT-FDI	281	UndergroundCU	5C	0	381	381.2382	Feet	Pair	1449.025	0	4.782261	0
DT-FDI	132	UndergroundCU24G	5C4	0	286	286.4643	Feet	Pair	1573.827	0	5.194147	0
BLDGCABLE	52	BuildingCU	12C	0	2	1.716172	Feet	Pair	8.7692	0	2.89E-02	0
BLDGCABLE	18	BuildingCU24G	12C4	0	1	0.594059	Feet	Pair	3.2224	0	1.06E-02	0
BLDGCABLE	52	IntrabuildingCU	52C	0	18	17.88366	Feet	Pair	79.3922	0	0.26202	0
BLDGCABLE	18	IntrabuildingCU24G	52C4	0	7	6.621287	Feet	Pair	26.7048	0	8.81E-02	0
FDI	606	AerialCU	22C	0	0	0.248386	Terminals	Pair	721.3102	0	2.380562	0
FDI	606	BuriedCU	45C	0	0	0.751614	Terminals	Pair	2301.181	0	7.594655	0
FDI-DLC	314	AerialCU	22C	0	24	23.85815	Feet	Pair	83.3328	0	0.275026	0
FDI-DLC	143	AerialCU24G	22C4	0	7	6.614604	Feet	Pair	30.6452	0	0.101139	0
FDI-DLC	314	BuriedCU	45C	0	48	47.91319	Feet	Pair	160.8662	0	0.530912	0
FDI-DLC	143	BuriedCU24G	45C4	0	13	13.28379	Feet	Pair	59.935	0	0.197805	0
FDI-DLC	314	UndergroundCU	5C	0	24	24.28146	Feet	Pair	84.1268	0	0.277646	0
FDI-DLC	143	UndergroundCU24G	5C4	0	7	6.731964	Feet	Pair	29.1726	0	9.63E-02	0
DLC-RT	167	CommonINTEGRATED	257C	40	0	0	*	DS0	12208.74	0	40.29286	0
DLC-RT	167	HardwiredINTEGRATED	257C	37	0	0	*	DS0	13779.68	0	45.47748	0
DLC-RT	167	Plug-inINTEGRATED	257C	46	0	0.551155	4-WIRE	Service	65057.48	0	214.7112	0
DLC-CO	2430	AerialCU	22C	0	822	822.4866	Feet	Pair	2923.201	0	9.647527	0
DLC-CO	1162	AerialFO	822C	0	1639	1639.009	Feet	DS0	112.6824	0	0.371889	0
DLC-CO	2430	BuriedCU	45C	0	1652	1651.761	Feet	Pair	5494.792	0	18.13463	0
DLC-CO	1162	BuriedFO	845C	0	3292	3291.545	Feet	DS0	226.272	0	0.746772	0
DLC-CO	2430	UndergroundCU	5C	0	837	837.0796	Feet	Pair	2740.93	0	9.045973	0
DLC-CO	1162	UndergroundFO	85C	0	1668	1668.09	Feet	DS0	114.6972	0	0.378539	0

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement**

BSTLM

RService: A.10.1 (4-W56 OR 64 KBPS DIGITAL GRADE LOOP)

Geographical Unit: MIAMFLHLS0

Quantity: 303

Services Reported: 1 1

Services Returned: 1

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
DLC-COT	167	Common*all	257C	6	0	0	*ALL	DS0	9815.941	0	32.39585	0
DLC-COT	167	Common*all	257C	6	0	0	*NSW	DS0	1006.107	0	3.320484	0
DLC-COT	167	CommonUniversal	257C	6	0	0	*ALL	DS0	496.9166	0	1.639989	0
DLC-COT	167	Hardwired*all	257C	3	0	0	*ALL	DS0	1657.928	0	5.471709	0
DLC-COT	167	Hardwired*all	257C	3	0	0	*NSW	DS0	2681.956	0	8.851339	0
DLC-COT	167	Plug-inUniversal	257C	12	0	0.551155	4-WIRE	Service	56726.1	0	187.2149	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

000017

BSTLM

RService: A.12.5 (UNBUNDLED LOOP CONCENTRATION - USLC FEEDER INTERFACE)

Geographical Unit: MIAMFLHLS0

Quantity: 114

Services Reported: k p t K

Services Returned: p

Scenario: 2-wire centers

Options: Local loop onl FO fed only Non Wideband only Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
DLC-CO	631 Aerial	FO	822C	0	3015	3014.617	Feet	DS0	1335.533	0	11.7152	0
DLC-CO	631 Buried	FO	845C	0	6054	6054.112	Feet	DS0	2681.822	0	23.52476	0
DLC-CO	631 Underground	FO	85C	0	3068	3068.104	Feet	DS0	1359.257	0	11.92331	0
DLC-COT	114 Common	*all	257C	6	0	0	*ALL	DS0	81263.64	0	712.8389	0
DLC-COT	114 Common	*all	257C	6	0	0	*NSW	DS0	8196.718	0	71.90103	0
DLC-COT	114 Common	Universal	257C	6	0	0	*ALL	DS0	4110.151	0	36.05396	0
DLC-COT	114 Hardwired	*all	257C	3	0	0	*ALL	DS0	13734.6	0	120.479	0
DLC-COT	114 Hardwired	*all	257C	3	0	0	*NSW	DS0	22009.71	0	193.0677	0
DLC-COT	114 Plug-in	Universal	257C	12	0	1	DS1	Service	37828.38	0	331.8279	0
CO-Adder	114 MDF	-DS1	377C	3	0	0			1596	0	14	0

Proprietary and Confidential

000019

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by written agreement.**



BSTLM

RService: A.2.1. (SUB-LOOP FEEDER PER 2-WIRE ANALOG VOICE GRADE LOOP)

Geographical Unit: MIAMFLHLDSD

Quantity: 119616

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop onl Excluding poles and conduit

c  
A

d  
d

e  
e

j  
j

A

E

000021

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
FDI	239132	AerialCU	22C	0	0	0.248282	Terminals	Pair	153147.9	0	1.28033	0
FDI	239132	BuriedCU	45C	0	0	0.7513	Terminals	Pair	496468.4	0	4.150518	0
FDI-DLC	130479	AerialCU	22C	0	9	8.61173	Feet	Pair	6500.006	0	5.43E-02	0
FDI-DLC	72764	AerialCU24G	22C4	0	9	8.867045	Feet	Pair	8843.503	0	7.39E-02	0
FDI-DLC	130479	BuriedCU	45C	0	17	17.29453	Feet	Pair	12354.79	0	0.103287	0
FDI-DLC	72764	BuriedCU24G	45C4	0	18	17.80726	Feet	Pair	17328.33	0	0.144866	0
FDI-DLC	130479	UndergroundCU	5C	0	9	8.764523	Feet	Pair	6038.962	0	5.05E-02	0
FDI-DLC	72764	UndergroundCU24G	5C4	0	9	9.024369	Feet	Pair	8393.223	0	7.02E-02	0
DLC-RT	58911	CommonINTEGRATED	257C	40	0	0	*	DS0	2155266	0	18.01821	0
DLC-RT	58911	HardwiredINTEGRATED	257C	37	0	0	*	DS0	2430909	0	20.32261	0
DLC-RT	683	Plug-inINTEGRATED	257C	46	0	5.71E-03	CENTREX	Service	39346.21	0	0.328938	0
DLC-RT	480	Plug-inINTEGRATED	257C	46	0	4.01E-03	COIN	Service	196911.8	0	1.646199	0
DLC-RT	688	Plug-inINTEGRATED	257C	46	0	5.75E-03	PBX	Service	90436.49	0	0.756057	0
DLC-RT	8	Plug-inINTEGRATED	257C	46	0	6.69E-05	PBX	Service	1057.5	0	8.84E-03	0
DLC-RT	57045	Plug-inINTEGRATED	257C	46	0	0.476901	POTS	Service	3226733	0	26.97576	0
DLC-RT	7	Plug-inINTEGRATED	257C	46	0	5.85E-05	POTSX	Service	775.32	0	6.48E-03	0
DLC-CO	963081	AerialCU	22C	0	827	827.6188	Feet	Pair	583178.3	0	4.875421	0
DLC-CO	453992	AerialFO	822C	0	1654	1653.433	Feet	DS0	31185.78	0	0.260716	0
DLC-CO	963081	BuriedCU	45C	0	1662	1662.067	Feet	Pair	1094823	0	9.152817	0
DLC-CO	453992	BuriedFO	845C	0	3321	3320.511	Feet	DS0	62627.77	0	0.523573	0
DLC-CO	963081	UndergroundCU	5C	0	843	842.3028	Feet	Pair	542630.7	0	4.536439	0
DLC-CO	453992	UndergroundFO	85C	0	1683	1682.769	Feet	DS0	31744.69	0	0.265388	0
DLC-COT	58911	Common*all	257C	6	0	0	*ALL	DS0	1725594	0	14.42611	0
DLC-COT	58911	Common*all	257C	6	0	0	*NSW	DS0	175152.1	0	1.464286	0
DLC-COT	58911	CommonUniversal	257C	6	0	0	*ALL	DS0	86149.96	0	0.720221	0
DLC-COT	58911	Hardwired*all	257C	3	0	0	*ALL	DS0	294409	0	2.461285	0
DLC-COT	58911	Hardwired*all	257C	3	0	0	*NSW	DS0	470435.4	0	3.93288	0
DLC-COT	683	Plug-inUniversal	257C	12	0	5.71E-03	CENTREX	Service	42449.54	0	0.354882	0
DLC-COT	480	Plug-inUniversal	257C	12	0	4.01E-03	COIN	Service	140266.9	0	1.172643	0
DLC-COT	696	Plug-inUniversal	257C	12	0	5.82E-03	PBX	Service	86129.28	0	0.720048	0
DLC-COT	57052	Plug-inUniversal	257C	12	0	0.47696	POTS	Service	3476170	0	29.06108	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement**

BSTLM

RService: A 2.2 (SUB-LOOP DISTRIBUTION PER 2-WIRE ANALOG VOICE GRADE LOOP)

Geographical Unit: MIAMFLHDS0

Quantity: 119616

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

	g	d	e	j	A	F
	g	d	e	j		

000023

CostElem	Node	Service	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
NID	63362	NIDAerial	CU	22C	1	0	0.131573	Terminals	Pair	178884.6	79068.06	1.495491	0.661016
NID	63362	NIDBuried	CU	45C	1	0	0.398139	Terminals	Pair	541303.5	239259.5	4.525344	2.00023
DROP	63362	Aerial	CU	22C	1	12	12.04213	Feet	Pair	64302.63	328440.3	0.537576	2.745789
DROP	63362	Buried	CU	45C	1	36	36.43943	Feet	Pair	228055.5	1359575	1.906563	11.36616
DTBT	21560	Aerial	CU	22C	0	0	4.48E-02	Terminals	Pair	75312.01	0	0.629615	0
DTBT	21560	Buried	CU	45C	0	0	0.135474	Terminals	Pair	227893.9	0	1.905212	0
DTBT	24433	Intrabuilding	CU	52C	0	0	0.154331	Terminals	Pair	267392.3	0	2.235423	0
DT-FDI	103583	Aerial	CU	22C	0	269	269.7017	Feet	Pair	306827.8	0	2.565107	0
DT-FDI	71521	Aerial	CU24G	22C4	0	460	460.1975	Feet	Pair	676561.2	0	5.65611	0
DT-FDI	103583	Buried	CU	45C	0	540	541.6291	Feet	Pair	565116.8	0	4.724425	0
DT-FDI	71521	Buried	CU24G	45C4	0	923	924.1928	Feet	Pair	1315086	0	10.99423	0
DT-FDI	103583	Underground	CU	5C	0	275	274.4869	Feet	Pair	265870.4	0	2.222699	0
DT-FDI	71521	Underground	CU24G	5C4	0	468	468.3626	Feet	Pair	607923.2	0	5.08229	0
BLDGCABLE	12377	Building	CU	12C	0	1	1.034728	Feet	Pair	1263.016	0	1.06E-02	0
BLDGCABLE	12056	Building	CU24G	12C4	0	1	1.007892	Feet	Pair	1669.371	0	0.013956	0
BLDGCABLE	12377	Intrabuilding	CU	52C	0	11	11.29677	Feet	Pair	9447.133	0	7.90E-02	0
BLDGCABLE	12056	Intrabuilding	CU24G	52C4	0	9	9.259004	Feet	Pair	8216.198	0	6.87E-02	0
FDI	239132	Aerial	CU	22C	0	0	0.248282	Terminals	Pair	153147.9	0	1.28033	0
FDI	239132	Buried	CU	45C	0	0	0.7513	Terminals	Pair	496468.4	0	4.150518	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.2.23. (SUB-LOOP - PER 2-WIRE ANALOG VOICE GRADE LOOP SL2 / FEEDER ONLY)

Geographical Unit: MIAMFLHLDSD

Quantity: 119616

Services Reported: a b c d e i A E Q

Services Returned: a b c d e i

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

000025

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
FDI	239132	AerialCU	22C	0	0	0.248282	Terminals	Pair	153147.9	0	1.28033	0
FDI	239132	BuriedCU	45C	0	0	0.7513	Terminals	Pair	496468.4	0	4.150518	0
FDI-DLC	130479	AerialCU	22C	0	9	8.61173	Feet	Pair	6500.006	0	5.43E-02	0
FDI-DLC	72764	AerialCU24G	22C4	0	9	8.867045	Feet	Pair	8843.503	0	7.39E-02	0
FDI-DLC	130479	BuriedCU	45C	0	17	17.29453	Feet	Pair	12354.79	0	0.103287	0
FDI-DLC	72764	BuriedCU24G	45C4	0	18	17.80726	Feet	Pair	17328.33	0	0.144866	0
FDI-DLC	130479	UndergroundCU	5C	0	9	8.764523	Feet	Pair	6038.962	0	5.05E-02	0
FDI-DLC	72764	UndergroundCU24G	5C4	0	9	9.024369	Feet	Pair	8393.223	0	7.02E-02	0
DLC-RT	58911	CommonINTEGRATED	257C	40	0	0	*	DSO	2155266	0	18.01821	0
DLC-RT	58911	HardwiredINTEGRATED	257C	37	0	0	*	DSO	2430909	0	20.32261	0
DLC-RT	683	Plug-inINTEGRATED	257C	46	0	5.71E-03	CENTREX	Service	39346.21	0	0.328938	0
DLC-RT	480	Plug-inINTEGRATED	257C	46	0	4.01E-03	COIN	Service	196911.8	0	1.646199	0
DLC-RT	688	Plug-inINTEGRATED	257C	46	0	5.75E-03	PBX	Service	90436.49	0	0.756057	0
DLC-RT	8	Plug-inINTEGRATED	257C	46	0	6.69E-05	PBXX	Service	1057.5	0	8.84E-03	0
DLC-RT	57045	Plug-inINTEGRATED	257C	46	0	0.476901	POTS	Service	3226733	0	26.97576	0
DLC-RT	7	Plug-inINTEGRATED	257C	46	0	5.85E-05	POTSX	Service	775.32	0	6.48E-03	0
DLC-CO	963081	AerialCU	22C	0	827	827.6188	Feet	Pair	583178.3	0	4.875421	0
DLC-CO	453992	AerialFO	822C	0	1654	1653.433	Feet	DSO	31185.78	0	0.260716	0
DLC-CO	963081	BuriedCU	45C	0	1662	1662.067	Feet	Pair	1094823	0	9.152817	0
DLC-CO	453992	BuriedFO	845C	0	3321	3320.511	Feet	DSO	62627.77	0	0.523573	0
DLC-CO	963081	UndergroundCU	5C	0	843	842.3028	Feet	Pair	542630.7	0	4.536439	0
DLC-CO	453992	UndergroundFO	85C	0	1683	1682.769	Feet	DSO	31744.69	0	0.265388	0
DLC-COT	58911	Common*all	257C	6	0	0	*ALL	DSO	1725594	0	14.42611	0
DLC-COT	58911	Common*all	257C	6	0	0	*NSW	DSO	175152.1	0	1.464286	0
DLC-COT	58911	CommonUniversal	257C	6	0	0	*ALL	DSO	86149.96	0	0.720221	0
DLC-COT	58911	Hardwired*all	257C	3	0	0	*ALL	DSO	294409	0	2.461285	0
DLC-COT	58911	Hardwired*all	257C	3	0	0	*NSW	DSO	470435.4	0	3.93288	0
DLC-COT	683	Plug-inUniversal	257C	12	0	5.71E-03	CENTREX	Service	42449.54	0	0.354882	0
DLC-COT	480	Plug-inUniversal	257C	12	0	4.01E-03	COIN	Service	140266.9	0	1.172643	0
DLC-COT	696	Plug-inUniversal	257C	12	0	5.82E-03	PBX	Service	86129.28	0	0.720048	0
DLC-COT	57052	Plug-inUniversal	257C	12	0	0.47696	POTS	Service	3476170	0	29.06108	0

Proprietary and Confidential

PROPRIETARY

Not for Disclosure Outside BellSouth

Except by Written Agreement.

BSTLM

RService: A.2.25. (SUB-LOOP - PER 2-WIRE ISDN DIGITAL GRADE LOOP / FEEDER ONLY)

Geographical Unit: MIAMFLHLS0

Quantity: 563

Services Reported: f g

Services Returned: f g

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

P

000027

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
FDI	1124	AerialCU	22C	0	0	0.247945	Terminals	Pair	685.4517	0	1.217499	0
FDI	1124	BuriedCU	45C	0	0	0.750279	Terminals	Pair	2227.667	0	3.956779	0
FDI-DLC	620	AerialCU	22C	0	12	12.12546	Feet	Pair	40.2865	0	7.16E-02	0
FDI-DLC	284	AerialCU24G	22C4	0	10	10.44853	Feet	Pair	45.7694	0	8.13E-02	0
FDI-DLC	620	BuriedCU	45C	0	24	24.35099	Feet	Pair	77.1317	0	0.137001	0
FDI-DLC	284	BuriedCU24G	45C4	0	21	20.98328	Feet	Pair	88.4978	0	0.15719	0
FDI-DLC	620	UndergroundCU	5C	0	12	12.3406	Feet	Pair	38.673	0	6.87E-02	0
FDI-DLC	284	UndergroundCU24G	5C4	0	11	10.63391	Feet	Pair	43.2289	0	7.68E-02	0
DLC-RT	359	CommonINTEGRATED	257C	40	0	0	*	DS0	39150.48	0	69.53904	0
DLC-RT	359	HardwiredINTEGRATED	257C	37	0	0	*	DS0	42866.27	0	76.13903	0
DLC-RT	359	Plug-inINTEGRATED	257C	46	0	0.637655	BRI-ISDN	Service	108106.9	0	192.0194	0
DLC-CO	4398	AerialCU	22C	0	557	557.496	Feet	Pair	1852.642	0	3.29066	0
DLC-CO	2664	AerialFO	822C	0	2143	2142.222	Feet	DS0	504.0135	0	0.895228	0
DLC-CO	4398	BuriedCU	45C	0	1120	1119.593	Feet	Pair	3481.571	0	6.183963	0
DLC-CO	2664	BuriedFO	845C	0	4302	4302.122	Feet	DS0	1012.15	0	1.797779	0
DLC-CO	4398	UndergroundCU	5C	0	568	567.3874	Feet	Pair	1720.086	0	3.055215	0
DLC-CO	2664	UndergroundFO	85C	0	2180	2180.23	Feet	DS0	513.0552	0	0.911288	0
DLC-COT	359	Common*all	257C	6	0	0	*ALL	DS0	31334.65	0	55.65656	0
DLC-COT	359	Common*all	257C	6	0	0	*NSW	DS0	3213.05	0	5.707017	0
DLC-COT	359	CommonUniversal	257C	6	0	0	*ALL	DS0	1570.165	0	2.788925	0
DLC-COT	359	Hardwired*all	257C	3	0	0	*ALL	DS0	5331.924	0	9.470558	0
DLC-COT	359	Hardwired*all	257C	3	0	0	*NSW	DS0	8602.146	0	15.27912	0
DLC-COT	359	Plug-inUniversal	257C	12	0	0.637655	BRI-ISDN	Service	91226.52	0	162.0364	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.2.29 (SUB-LOOP - PER 4-WIRE 56 OR 64 KBPS DIGITAL GRADE LOOP / FEEDER ONLY)

Geographical Unit: MIAMFLHLS0

Quantity: 303

Services Reported: i i

Services Returned: i

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

600000

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
FDI	606	AerialCU	22C	0	0	0.248386	Terminals	Pair	721.3102	0	2.380562	0
FDI	606	BuriedCU	45C	0	0	0.751614	Terminals	Pair	2301.181	0	7.594655	0
FDI-DLC	314	AerialCU	22C	0	24	23.85815	Feet	Pair	83.3328	0	0.275026	0
FDI-DLC	143	AerialCU24G	22C4	0	7	6.614604	Feet	Pair	30.6452	0	0.101139	0
FDI-DLC	314	BuriedCU	45C	0	48	47.91319	Feet	Pair	160.8662	0	0.530912	0
FDI-DLC	143	BuriedCU24G	45C4	0	13	13.28379	Feet	Pair	59.935	0	0.197805	0
FDI-DLC	314	UndergroundCU	5C	0	24	24.28146	Feet	Pair	84.1268	0	0.277646	0
FDI-DLC	143	UndergroundCU24G	5C4	0	7	6.731964	Feet	Pair	29.1726	0	9.63E-02	0
DLC-RT	167	CommonINTEGRATED	257C	40	0	0	*	DS0	12208.74	0	40.29286	0
DLC-RT	167	HardwiredINTEGRATED	257C	37	0	0	*	DS0	13779.68	0	45.47748	0
DLC-RT	167	Plug-inINTEGRATED	257C	46	0	0.551155	4-WIRE	Service	65057.48	0	214.7112	0
DLC-CO	2430	AerialCU	22C	0	822	822.4866	Feet	Pair	2923.201	0	9.647527	0
DLC-CO	1162	AerialFO	822C	0	1639	1639.009	Feet	DS0	112.6824	0	0.371889	0
DLC-CO	2430	BuriedCU	45C	0	1652	1651.761	Feet	Pair	5494.792	0	18.13463	0
DLC-CO	1162	BuriedFO	845C	0	3292	3291.545	Feet	DS0	226.272	0	0.746772	0
DLC-CO	2430	UndergroundCU	5C	0	837	837.0796	Feet	Pair	2740.93	0	9.045973	0
DLC-CO	1162	UndergroundFO	85C	0	1668	1668.09	Feet	DS0	114.6972	0	0.378539	0
DLC-COT	167	Common*all	257C	6	0	0	*ALL	DS0	9815.941	0	32.39585	0
DLC-COT	167	Common*all	257C	6	0	0	*NSW	DS0	1006.107	0	3.320484	0
DLC-COT	167	CommonUniversal	257C	6	0	0	*ALL	DS0	496.9166	0	1.639989	0
DLC-COT	167	Hardwired*all	257C	3	0	0	*ALL	DS0	1657.928	0	5.471709	0
DLC-COT	167	Hardwired*all	257C	3	0	0	*NSW	DS0	2681.956	0	8.851339	0
DLC-COT	167	Plug-inUniversal	257C	12	0	0.551155	4-WIRE	Service	56726.1	0	187.2149	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A 5.1. (2-WIRE ISDN DIGITAL GRADE LOOP)

Geographical Unit: MIAMFLHDS0

Quantity: 563

Services Reported: f g

Services Returned: f g

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

000031

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
NID	300 NID	AerialCU	22C	1	0	0.132355	Terminals	Pair	848.7912	376.8862	1.507622	0.669425
NID	300 NID	BuriedCU	45C	1	0	0.400505	Terminals	Pair	2568.433	1140.455	4.562048	2.025675
DROP	300	AerialCU	22C	1	13	12.6109	Feet	Pair	319.2101	1563.369	0.566981	2.776854
DROP	300	BuriedCU	45C	1	38	38.16053	Feet	Pair	1131.26	6471.552	2.009343	11.49476
DTBT	104	AerialCU	22C	0	0	4.59E-02	Terminals	Pair	381.704	0	0.677982	0
DTBT	104	BuriedCU	45C	0	0	0.138842	Terminals	Pair	1155.034	0	2.051569	0
DTBT	118	IntrabuildingCU	52C	0	0	0.157194	Terminals	Pair	1269.701	0	2.255242	0
DT-FDI	387	AerialCU	22C	0	291	291.4108	Feet	Pair	1616.708	0	2.871595	0
DT-FDI	282	AerialCU24G	22C4	0	515	515.1005	Feet	Pair	3208.018	0	5.698078	0
DT-FDI	387	BuriedCU	45C	0	584	585.2265	Feet	Pair	2850.823	0	5.063629	0
DT-FDI	282	BuriedCU24G	45C4	0	1033	1034.452	Feet	Pair	6196.119	0	11.00554	0
DT-FDI	387	UndergroundCU	5C	0	297	296.5812	Feet	Pair	1306.055	0	2.319813	0
DT-FDI	282	UndergroundCU24G	5C4	0	524	524.2397	Feet	Pair	2846.457	0	5.055873	0
BLDGCABLE	93	BuildingCU	12C	0	2	1.651865	Feet	Pair	6.6869	0	1.19E-02	0
BLDGCABLE	25	BuildingCU24G	12C4	0	0	0.44405	Feet	Pair	2.4663	0	4.38E-03	0
BLDGCABLE	93	IntrabuildingCU	52C	0	23	23.04618	Feet	Pair	80.9161	0	0.143723	0
BLDGCABLE	25	IntrabuildingCU24G	52C4	0	4	4.129663	Feet	Pair	16.1615	0	2.87E-02	0
FDI	1124	AerialCU	22C	0	0	0.247945	Terminals	Pair	685.4517	0	1.217499	0
FDI	1124	BuriedCU	45C	0	0	0.750279	Terminals	Pair	2227.667	0	3.956779	0
FDI-DLC	620	AerialCU	22C	0	12	12.12546	Feet	Pair	40.2865	0	7.16E-02	0
FDI-DLC	284	AerialCU24G	22C4	0	10	10.44853	Feet	Pair	45.7694	0	8.13E-02	0
FDI-DLC	620	BuriedCU	45C	0	24	24.35099	Feet	Pair	77.1317	0	0.137001	0
FDI-DLC	284	BuriedCU24G	45C4	0	21	20.98328	Feet	Pair	88.4978	0	0.15719	0
FDI-DLC	620	UndergroundCU	5C	0	12	12.3406	Feet	Pair	38.673	0	6.87E-02	0
FDI-DLC	284	UndergroundCU24G	5C4	0	11	10.63391	Feet	Pair	43.2289	0	7.68E-02	0
DLC-RT	359	Common	INTEGRATED	257C	40	0	0 *	DSO	39150.48	0	69.53904	0
DLC-RT	359	Hardwired	INTEGRATED	257C	37	0	0 *	DSO	42866.27	0	76.13903	0
DLC-RT	359	Plug-in	INTEGRATED	257C	46	0	0.637655	BRI-ISDN Service	108106.9	0	192.0194	0
DLC-CO	4398	AerialCU	22C	0	557	557.496	Feet	Pair	1852.642	0	3.29066	0
DLC-CO	2664	AerialFO	822C	0	2143	2142.222	Feet	DSO	504.0135	0	0.895228	0
DLC-CO	4398	BuriedCU	45C	0	1120	1119.593	Feet	Pair	3481.571	0	6.183963	0
DLC-CO	2664	BuriedFO	845C	0	4302	4302.122	Feet	DSO	1012.15	0	1.797779	0
DLC-CO	4398	UndergroundCU	5C	0	568	567.3874	Feet	Pair	1720.086	0	3.055215	0
DLC-CO	2664	UndergroundFO	85C	0	2180	2180.23	Feet	DSO	513.0552	0	0.911288	0

**PROPRIETARY**  
 Not for Disclosure Outside BellSouth  
 Except by Written Agreement

BSTLM

RService: A.5.1. (2-WIRE ISDN DIGITAL GRADE LOOP)

Geographical Unit: MIAMFLHLS0

Quantity: 563

Services Reported: 1 g

Services Returned: 1 g

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

D  
||

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
DLC-COT	359	Common*all	257C	6	0	0	*ALL	DS0	31334.65	0	55.65656	0
DLC-COT	359	Common*all	257C	6	0	0	*NSW	DS0	3213.05	0	5.707017	0
DLC-COT	359	CommonUniversal	257C	6	0	0	*ALL	DS0	1570.165	0	2.788925	0
DLC-COT	359	Hardwired*all	257C	3	0	0	*ALL	DS0	5331.924	0	9.470558	0
DLC-COT	359	Hardwired*all	257C	3	0	0	*NSW	DS0	8602.146	0	15.27912	0
DLC-COT	359	Plug-inUniversal	257C	12	0	0.637655	BRI-ISDN	Service	91226.52	0	162.0364	0

Proprietary and Confidential

000032

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.7.1. (2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP)

Geographical Unit: MIAMFLHLSO

Quantity: 52104

Services Reported: ab c d e j A C

Services Returned: ab c d e j

Scenario: 2-wire centers

Options: Local loop o CU fed only Under 12K ft only Excluding poles and conduit

000034

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
NID	23872 NID	AerialCU	22C	1	0	0.113801	Terminals	Pair	67775.65	30317.26	1.300776	0.581861
NID	23872 NID	BuriedCU	45C	1	0	0.34436	Terminals	Pair	205088.5	91739.98	3.936137	1.760709
DROP	23872 Aerial	CU	22C	1	10	9.917917	Feet	Pair	23569.93	125982.8	0.452363	2.41791
DROP	23872 Buried	CU	45C	1	30	30.01157	Feet	Pair	83461.38	521504.1	1.601823	10.00891
DTBT	9568 Aerial	CU	22C	0	0	4.56E-02	Terminals	Pair	32205.39	0	0.618098	0
DTBT	9568 Buried	CU	45C	0	0	0.138021	Terminals	Pair	97453.42	0	1.870364	0
DTBT	14343 Intrabuilding	CU	52C	0	0	0.206457	Terminals	Pair	159874	0	3.068363	0
DT-FDI	37757 Aerial	CU	22C	0	140	140.35	Feet	Pair	65354.18	0	1.254302	0
DT-FDI	42241 Aerial	CU24G	22C4	0	448	448.5545	Feet	Pair	276996.4	0	5.316221	0
DT-FDI	37757 Buried	CU	45C	0	281	281.8582	Feet	Pair	120772.9	0	2.31792	0
DT-FDI	42241 Buried	CU24G	45C4	0	899	900.8107	Feet	Pair	544599.6	0	10.45216	0
DT-FDI	37757 Underground	CU	5C	0	143	142.8402	Feet	Pair	57076.25	0	1.095429	0
DT-FDI	42241 Underground	CU24G	5C4	0	457	456.513	Feet	Pair	254006	0	4.87498	0
BLDGCABLE	5490 Building	CU	12C	0	1	1.053662	Feet	Pair	540.068	0	0.010365	0
BLDGCABLE	8853 Building	CU24G	12C4	0	2	1.699102	Feet	Pair	1250.549	0	2.40E-02	0
BLDGCABLE	5490 Intrabuilding	CU	52C	0	14	13.65082	Feet	Pair	4576.352	0	8.78E-02	0
BLDGCABLE	8853 Intrabuilding	CU24G	52C4	0	16	15.80853	Feet	Pair	6144.485	0	0.117927	0
FDI	104118 Aerial	CU	22C	0	0	0.248171	Terminals	Pair	67276.52	0	1.291197	0
FDI	104118 Buried	CU	45C	0	0	0.750965	Terminals	Pair	218017.6	0	4.184278	0
FDI-DLC	47419 Aerial	CU	22C	0	4	3.857412	Feet	Pair	1357.521	0	2.61E-02	0
FDI-DLC	42308 Aerial	CU24G	22C4	0	9	9.15097	Feet	Pair	4076.331	0	7.82E-02	0
FDI-DLC	47419 Buried	CU	45C	0	8	7.746657	Feet	Pair	2553.986	0	4.90E-02	0
FDI-DLC	42308 Buried	CU24G	45C4	0	18	18.37746	Feet	Pair	8007.829	0	0.153689	0
FDI-DLC	47419 Underground	CU	5C	0	4	3.925852	Feet	Pair	1224.222	0	0.023496	0
FDI-DLC	42308 Underground	CU24G	5C4	0	9	9.313331	Feet	Pair	3879.594	0	7.45E-02	0
DLC-CO	404634 Aerial	CU	22C	0	1547	1547.251	Feet	Pair	474595	0	9.10861	0
DLC-CO	404634 Buried	CU	45C	0	3107	3107.27	Feet	Pair	890946.4	0	17.09939	0
DLC-CO	404634 Underground	CU	5C	0	1575	1574.703	Feet	Pair	441301.2	0	8.469623	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**



BSTLM

RService: A.8.1. (4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP)

Geographical Unit: MIAMFLHLS0

Quantity: 116

Services Reported: i 1

Services Returned: i

Scenario: 2-wire centers

Options: Local loop on CU fed only Under 12K ft only Excluding poles and conduit

000036

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
NID	19 NID	AerialCU	22C	1	0	4 07E-02	Terminals	Pair	105.9818	35.9032	0.913636	0.30951
NID	19 NID	BuriedCU	45C	1	0	0.123109	Terminals	Pair	320.699	108.6428	2.764647	0.936576
DROP	19 Aerial	CU	22C	1	5	4.616672	Feet	Pair	34.0712	148.509	0.293717	1.28025
DROP	19 Buried	CU	45C	1	14	13.97003	Feet	Pair	155.8682	614.751	1.343691	5.299578
DTBT	48 Aerial	CU	22C	0	0	0.10278	Terminals	Pair	334.6456		0.2884876	0
DTBT	48 Buried	CU	45C	0	0	0.311013	Terminals	Pair	1012.637		0.8729626	0
DTBT	34 Intrabuilding	CU	52C	0	0	0.219828	Terminals	Pair	766.037		0.6603767	0
DT-FDI	65 Aerial	CU	22C	0	181	181.4373	Feet	Pair	237.897		0.2050836	-0
DT-FDI	82 Aerial	CU24G	22C4	0	309	308.5808	Feet	Pair	659.6844		0.5686934	0
DT-FDI	65 Buried	CU	45C	0	363	364.3718	Feet	Pair	444.242		0.3829672	0
DT-FDI	82 Buried	CU24G	45C4	0	618	619.7082	Feet	Pair	1317.895		0.1136116	0
DT-FDI	65 Underground	CU	5C	0	184	184.6564	Feet	Pair	213.9624		0.1844503	0
DT-FDI	82 Underground	CU24G	5C4	0	314	314.0558	Feet	Pair	619.8336		0.5343393	0
BLDGCABLE	20 Building	CU	12C	0	2	1.724138	Feet	Pair	3.0974		0.0026702	0
BLDGCABLE	14 Building	CU24G	12C4	0	1	1.206897	Feet	Pair	2.3264		0.201E-02	0
BLDGCABLE	20 Intrabuilding	CU	52C	0	23	22.95259	Feet	Pair	33.3384		0.02874	0
BLDGCABLE	14 Intrabuilding	CU24G	52C4	0	15	14.87069	Feet	Pair	21.641		0.018656	0
FDI	232 Aerial	CU	22C	0	0	0.248386	Terminals	Pair	281.4828		0.2426576	0
FDI	232 Buried	CU	45C	0	0	0.751614	Terminals	Pair	889.2316		0.766579	0
FDI-DLC	90 Aerial	CU	22C	0	3	3.051291	Feet	Pair	4.0814		0.352E-02	0
FDI-DLC	98 Aerial	CU24G	22C4	0	9	8.580017	Feet	Pair	15.537		0.013394	0
FDI-DLC	90 Buried	CU	45C	0	6	6.127763	Feet	Pair	7.675		0.662E-02	0
FDI-DLC	98 Buried	CU24G	45C4	0	17	17.23084	Feet	Pair	30.8658		0.0266084	0
FDI-DLC	90 Underground	CU	5C	0	3	3.105429	Feet	Pair	3.7326		0.322E-02	0
FDI-DLC	98 Underground	CU24G	5C4	0	9	8.732248	Feet	Pair	14.92		0.0128621	0
DLC-CO	938 Aerial	CU	22C	0	1782	1782.659	Feet	Pair	2426.658		0.2091946	0
DLC-CO	938 Buried	CU	45C	0	3580	3580.028	Feet	Pair	4560.729		0.3931663	0
DLC-CO	938 Underground	CU	5C	0	1815	1814.287	Feet	Pair	2278.817		0.1964497	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.9.1. (4-WIRE DS1 DIGITAL LOOP)

Geographical Unit: MIAMFLHLD50

Quantity: 329

Services Reported: k p

K

Services Returned: p

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

000038

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EF1 Total	TelncMtrl	TelncEF1
NID	36 NIUAerial	CU	22C	1	0	5.83E-03	Terminals	Pair	1518.782	64.944	4.61636	0.197398
NID	36 NIUBuried	CU	45C	1	0	0.017631	Terminals	Pair	4595.818	196.5096	13.96905	0.597294
NID	195 NIUCU		257C	19	0	1.187591	Terminals	Service	28146.3	0	85.55106	0
DROP	38 Aerial	CU	22C	1	3	3.451304	Feet	Pair	67.771	255.1408	0.205991	0.775504
DROP	38 Buried	CU	45C	1	10	10.44363	Feet	Pair	303.1986	1056.152	0.921576	3.210188
DTBT	62 Aerial	CU	22C	0	0	4.68E-02	Terminals	Pair	430.4918	0	1.308486	0
DTBT	62 Buried	CU	45C	0	0	0.141642	Terminals	Pair	1302.663	0	3.959461	0
DTBT	42 Intrabuilding	CU	52C	0	0	9.57E-02	Terminals	Pair	936.9404	0	2.847843	0
DT-FDI	157 Aerial	CU	22C	0	185	185.1652	Feet	Pair	903.0562	0	2.744852	0
DT-FDI	79 Aerial	CU24G	22C4	0	188	188.5694	Feet	Pair	1189.787	0	3.616373	0
DT-FDI	206 Aerial	FO	822C	0	292	291.808	Feet	DS0	3497.141	0	10.62961	0
DT-FDI	157 Buried	CU	45C	0	371	371.8585	Feet	Pair	1607.181	0	4.885049	0
DT-FDI	79 Buried	CU24G	45C4	0	378	378.6949	Feet	Pair	2285.693	0	6.947395	0
DT-FDI	206 Buried	FO	845C	0	586	586.0242	Feet	DS0	7023.293	0	21.34739	0
DT-FDI	157 Underground	CU	5C	0	188	188.4505	Feet	Pair	719.5196	0	2.18699	0
DT-FDI	79 Underground	CU24G	5C4	0	192	191.9151	Feet	Pair	1031.491	0	3.13523	0
DT-FDI	206 Underground	FO	85C	0	297	296.9854	Feet	DS0	3559.205	0	10.81825	0
BLDGCABLE	54 Building	CU	12C	0	2	1.641337	Feet	Pair	9.2238	0	2.80E-02	0
BLDGCABLE	15 Building	CU24G	12C4	0	0	0.455927	Feet	Pair	2.954	0	8.98E-03	0
BLDGCABLE	54 Intrabuilding	CU	52C	0	19	18.75	Feet	Pair	87.3658	0	0.26555	0
BLDGCABLE	15 Intrabuilding	CU24G	52C4	0	4	3.818389	Feet	Pair	18.6816	0	5.68E-02	0
FDI	390 Aerial	CU	22C	0	0	0.14722	Terminals	Pair	460.584	0	1.399951	0
FDI	390 Buried	CU	45C	0	0	0.445486	Terminals	Pair	1480.041	0	4.529001	0
FDI-DLC	380 Aerial	CU	22C	0	14	14.13308	Feet	Pair	50.8822	0	0.154657	0
FDI-DLC	89 Aerial	CU24G	22C4	0	2	2.331354	Feet	Pair	11.245	0	3.42E-02	0
FDI-DLC	306 Aerial	FO	822C	0	22	21.62013	Feet	DS0	415.3416	0	1.262436	0
FDI-DLC	380 Buried	CU	45C	0	28	28.38279	Feet	Pair	98.2478	0	0.298626	0
FDI-DLC	89 Buried	CU24G	45C4	0	5	4.681947	Feet	Pair	21.9038	0	6.66E-02	0
FDI-DLC	306 Buried	FO	845C	0	43	43.41869	Feet	DS0	834.0072	0	2.534976	0
FDI-DLC	380 Underground	CU	5C	0	14	14.38383	Feet	Pair	50.8516	0	0.154564	0
FDI-DLC	89 Underground	CU24G	5C4	0	2	2.372718	Feet	Pair	10.6878	0	3.25E-02	0
FDI-DLC	306 Underground	FO	85C	0	22	22.00373	Feet	DS0	422.724	0	1.284875	0
DLC-RT	114 Common	INTEGRATED	257C	40	0	0	*	DS0	106628.6	0	324.099	0
DLC-RT	114 Hardwired	INTEGRATED	257C	37	0	0	*	DS0	109324.9	0	332.2944	0

PROPRIETARY

Not for Disclosure Outside BellSouth

Except by Written Agreement

BSTLM

RService: A 9.1 (4-WIRE DS1 DIGITAL LOOP)

Geographical Unit: MIAMFLHLS0

Quantity: 329

Services Reported: k p

K

Services Returned: p

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

000039

CostElem	NodeServiceCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
DLC-RT	114 Plug-inINTEGRATED	257C	46	0	0.346505	DS1	Service	42326.78	0	128.6528	0
DLC-CO	2440 AerialCU	22C	0	456	455.6875	Feet	Pair	1741.123	0	5.292167	0
DLC-CO	1593 AerialFO	822C	0	2376	2375.576	Feet	DS0	2538.005	0	7.7143	0
DLC-CO	2440 BuriedCU	45C	0	915	915.1356	Feet	Pair	3278.963	0	9.966454	0
DLC-CO	1593 BuriedFO	845C	0	4771	4770.757	Feet	DS0	5096.383	0	15.49053	0
DLC-CO	2440 UndergroundCU	5C	0	464	463.7726	Feet	Pair	1607.752	0	4.886785	0
DLC-CO	1593 UndergroundFO	85C	0	2417	2417.725	Feet	DS0	2583.163	0	7.85156	0
DLC-COT	195 Common*all	257C	6	0	0	*ALL	DS0	137384.6	0	417.5823	0
DLC-COT	195 Common*all	257C	6	0	0	*NSW	DS0	13745.28	0	41.77897	0
DLC-COT	195 CommonUniversal	257C	6	0	0	*ALL	DS0	6826.697	0	20.74984	0
DLC-COT	195 Hardwired*all	257C	3	0	0	*ALL	DS0	23518.56	0	71.48498	0
DLC-COT	195 Hardwired*all	257C	3	0	0	*NSW	DS0	37431.85	0	113.7746	0
DLC-COT	195 Plug-inUniversal	257C	12	0	0.592705	DS1	Service	50170.38	0	152.4936	0
SONET-PREM	134 Common	257C	40	0	6.297872	DS1	Service	298641	0	907.7233	0
SONET-PREM	134 Hardwired	257C	37	0	6.297872	DS1	Service	48925.39	0	148.7094	0
SONET-PREM	134 Plug-in	257C	46	0	6.297872	DS1	Service	28103.04	0	85.41958	0
SONET-COT	134 Common	257C	6	0	6.297872	DS1	Service	54150.82	0	164.5922	0
SONET-COT	134 Hardwired	257C	3	0	6.297872	DS1	Service	8250.115	0	25.07634	0
SONET-COT	134 Plug-in	257C	12	0	6.297872	DS1	Service	24619.68	0	74.83186	0
CO-Adder	329 MDF-DS1	377C	3	0	0			4606	0	14	0

Proprietary and Confidential

PROPRIETARY  
Not for Disclosure Outside BellSouth  
Except by Written Agreement

BSTLM

RService: A.9.2. (SUB-LOOP FEEDER PER 4-WIRE DS1 DIGITAL LOOP)

Geographical Unit: MIAMFLHLS0

Quantity: 329

Services Reported: k p

K

Services Returned: p

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

000041

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
FDI	390	AerialCU	22C	0	0	0.14722	Terminals	Pair	460.584	0	1.399951	0
FDI	390	BuriedCU	45C	0	0	0.445486	Terminals	Pair	1490.041	0	4.529001	0
FDI-DLC	380	AerialCU	22C	0	14	14.13308	Feet	Pair	50.8822	0	0.154657	0
FDI-DLC	89	AerialCU24G	22C4	0	2	2.331354	Feet	Pair	11.245	0	3.42E-02	0
FDI-DLC	306	AerialFO	822C	0	22	21.62013	Feet	DS0	415.3416	0	1.262436	0
FDI-DLC	380	BuriedCU	45C	0	28	28.38279	Feet	Pair	98.2478	0	0.298626	0
FDI-DLC	89	BuriedCU24G	45C4	0	5	4.681947	Feet	Pair	21.9038	0	6.66E-02	0
FDI-DLC	306	BuriedFO	845C	0	43	43.41869	Feet	DS0	834.0072	0	2.534976	0
FDI-DLC	380	UndergroundCU	5C	0	14	14.38383	Feet	Pair	50.8516	0	0.154564	0
FDI-DLC	89	UndergroundCU24G	5C4	0	2	2.372718	Feet	Pair	10.6878	0	3.25E-02	0
FDI-DLC	306	UndergroundFO	85C	0	22	22.00373	Feet	DS0	422.724	0	1.284875	0
DLC-RT	114	CommonINTEGRATED	257C	40	0	0	*	DS0	106628.6	0	324.099	0
DLC-RT	114	HardwiredINTEGRATED	257C	37	0	0	*	DS0	109324.9	0	332.2944	0
DLC-RT	114	Plug-inINTEGRATED	257C	46	0	0.346505	DS1	Service	42326.78	0	128.6528	0
DLC-CO	2440	AerialCU	22C	0	456	455.6875	Feet	Pair	1741.123	0	5.292167	0
DLC-CO	1593	AerialFO	822C	0	2376	2375.576	Feet	DS0	2538.005	0	7.7143	0
DLC-CO	2440	BuriedCU	45C	0	915	915.1356	Feet	Pair	3278.963	0	9.966454	0
DLC-CO	1593	BuriedFO	845C	0	4771	4770.757	Feet	DS0	5096.383	0	15.49053	0
DLC-CO	2440	UndergroundCU	5C	0	464	463.7726	Feet	Pair	1607.752	0	4.886785	0
DLC-CO	1593	UndergroundFO	85C	0	2417	2417.725	Feet	DS0	2583.163	0	7.85156	0
DLC-COT	195	Common*all	257C	6	0	0	*ALL	DS0	137384.6	0	417.5823	0
DLC-COT	195	Common*all	257C	6	0	0	*NSW	DS0	13745.28	0	41.77897	0
DLC-COT	195	CommonUniversal	257C	6	0	0	*ALL	DS0	6826.697	0	20.74984	0
DLC-COT	195	Hardwired*all	257C	3	0	0	*ALL	DS0	23518.56	0	71.48498	0
DLC-COT	195	Hardwired*all	257C	3	0	0	*NSW	DS0	37431.85	0	113.7746	0
DLC-COT	195	Plug-inUniversal	257C	12	0	0.592705	DS1	Service	50170.38	0	152.4936	0
SONET-COT	134	Common	257C	6	0	6.297872	DS1	Service	54150.82	0	164.5922	0
SONET-COT	134	Hardwired	257C	3	0	6.297872	DS1	Service	8250.115	0	25.07634	0
SONET-COT	134	Plug-in	257C	12	0	6.297872	DS1	Service	24619.68	0	74.83186	0
CO-Adder	329	DSX1	257C	0	0	0			207.27	0	0.63	0
CO-Adder	329	MDF-DS1	377C	3	0	0			4606	0	14	0

Proprietary and Confidential  
Date: 04/06/2000

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: D.5.1. (Local Channel - Dedicated - 2-Wire Voice Grade)

Geographical Unit: MIAMFLHLDSD

Quantity: 1

Services Reported: h j

H

Services Returned: j

Scenario: 2-wire centers

Options: Local channel FO fed only; Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	MtrlTotal	EFI Total	TelricMtrl	TelricEFI
DT-FDI	2	AerialFO	822C	0	683	685.7932	Feet	DS0	2.5063	0	2.5063	0
DT-FDI	2	BuriedFO	845C	0	1371	1377.246	Feet	DS0	5.0341	0	5.0341	0
DT-FDI	2	UndergroundFO	85C	0	697	697.9609	Feet	DS0	2.5515	0	2.5515	0
BLDGCABLE	1	BuildingCU	12C	0	10	10	Feet	Pair	0.0564	0	0.0564	0
BLDGCABLE	1	IntrabuildingCU	52C	0	244	243.75	Feet	Pair	1.3746	0	1.3746	0
FDI-DLC	2	AerialFO	822C	0	7	7.203188	Feet	DS0	0.0264	0	0.0264	0
FDI-DLC	2	BuriedFO	845C	0	14	14.46582	Feet	DS0	0.0529	0	0.0529	0
FDI-DLC	2	UndergroundFO	85C	0	7	7.330991	Feet	DS0	0.0268	0	0.0268	.0

Proprietary and Confidential

000043

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: D.5.2. (LOCAL CHANNEL - DEDICATED - 4-WIRE VOICE GRADE)

Geographical Unit: MIAMFLHLS0

Quantity: 1

Services Reported: h j q H O

Services Returned: j

Scenario: 2-wire centers

Options: Local channel FO fed only Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
DT-FDI	2	AerialFO	822C	0	683	685.7932	Feet	DS0	2.5063	0	2.5063	0
DT-FDI	2	BuriedFO	845C	0	1371	1377.246	Feet	DS0	5.0341	0	5.0341	0
DT-FDI	2	UndergroundFO	85C	0	697	697.9609	Feet	DS0	2.5515	0	2.5515	0
BLDGCABLE	1	BuildingCU	12C	0	10	10	Feet	Pair	0.0564	0	0.0564	0
BLDGCABLE	1	IntrabuildingCU	52C	0	244	243.75	Feet	Pair	1.3746	0	1.3746	0
FDI-DLC	2	AerialFO	822C	0	7	7.203188	Feet	DS0	0.0264	0	0.0264	0
FDI-DLC	2	BuriedFO	845C	0	14	14.46582	Feet	DS0	0.0529	0	0.0529	0
FDI-DLC	2	UndergroundFO	85C	0	7	7.330991	Feet	DS0	0.0268	0	0.0268	0

Proprietary and Confidential

000045

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: D.5.24. (LOCAL CHANNEL DS1)

Geographical Unit: MIAMFLHLS0

Quantity: 1

Services Reported: p P

Services Returned: p

Scenario: 2-wire centers

Options: Local channel FO fed only Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
DT-FDI	2	AerialFO	822C	0	221	221.3118	Feet	DS0	21.8064	0	21.8064	0
DT-FDI	2	BuriedFO	845C	0	443	444.4499	Feet	DS0	43.788	0	43.788	0
DT-FDI	2	UndergroundFO	85C	0	225	225.2384	Feet	DS0	22.1928	0	22.1928	0
FDI-DLC	1	AerialFO	822C	0	2	1.987086	Feet	DS0	0.096	0	0.096	0
FDI-DLC	1	BuriedFO	845C	0	4	3.990571	Feet	DS0	0.1944	0	0.1944	0
FDI-DLC	1	UndergroundFO	85C	0	2	2.022342	Feet	DS0	0.0984	0	0.0984	0

Proprietary and Confidential

000047

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: P.1.1. (COMBO 2-WIRE VOICE GRADE ANALOG LOOP)

Geographical Unit: MIAMFLHDS0

Quantity: 119347

Services Reported: a b c d e

Services Returned: a b c d e

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

000049

CostElem	NodeServic	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	63325	NIDAerialCU	22C		1	0	0.131792	Terminals Pair	178782.2	79031.53	1.498004	0.6622
NID	63325	NIDBuriedCU	45C		1	0	0.398803	Terminals Pair	540993.7	239149	4.532948	2.003812
DROP	63325	AerialCU	22C		1	12	12.05853	Feet Pair	64258.94	328289	0.538421	2.75071
DROP	63325	BuriedCU	45C		1	37	36.48905	Feet Pair	227872.2	1358948	1.909325	11.38653
DTBT	21505	AerialCU	22C		0	0	4.48E-02	Terminals Pair	75140.01		0.629593	0
DTBT	21505	BuriedCU	45C		0	0	0.135433	Terminals Pair	227373.4		0.1905145	0
DTBT	24283	IntrabuildingCU	52C		0	0	0.153737	Terminals Pair	265768.8		0.2226858	0
DT-FDI	103437	AerialCU	22C		0	269	269.8083	Feet Pair	306435.9		0.2567605	0
DT-FDI	71389	AerialCU24G	22C4		0	460	460.4956	Feet Pair	675512.9		0.5660074	0
DT-FDI	103437	BuriedCU	45C		0	540	541.8432	Feet Pair	564389.8		0.4728982	0
DT-FDI	71389	BuriedCU24G	45C4		0	923	924.7914	Feet Pair	1313150		0.1100279	0
DT-FDI	103437	UndergroundCU	5C		0	275	274.5954	Feet Pair	265524.1		0.2224808	0
DT-FDI	71389	UndergroundCU24G	5C4		0	469	468.666	Feet Pair	607086.8		0.5086737	0
BLDGCABLE	12289	BuildingCU	12C		0	1	1.029687	Feet Pair	1256.648		0.105E-02	0
BLDGCABLE	11994	BuildingCU24G	12C4		0	1	1.004969	Feet Pair	1662.706		0.139E-02	0
BLDGCABLE	12289	IntrabuildingCU	52C		0	11	11.2506	Feet Pair	9391.441		0.787E-02	0
BLDGCABLE	11994	IntrabuildingCU24G	52C4		0	9	9.243268	Feet Pair	8181.586		0.686E-02	0
FDI	238594	AerialCU	22C		0	0	0.248282	Terminals Pair	152822.1		0.1280486	0
FDI	238594	BuriedCU	45C		0	0	0.751299	Terminals Pair	495444.3		0.4151292	0
FDI-DLC	130172	AerialCU	22C		0	9	8.576442	Feet Pair	6467.525		0.542E-02	0
FDI-DLC	72627	AerialCU24G	22C4		0	9	8.86873	Feet Pair	8826.782		0.740E-02	0
FDI-DLC	130172	BuriedCU	45C		0	17	17.22366	Feet Pair	12292.48		0.102998	0
FDI-DLC	72627	BuriedCU24G	45C4		0	18	17.81065	Feet Pair	17295.79		0.014492	0
FDI-DLC	130172	UndergroundCU	5C		0	9	8.728609	Feet Pair	6008.506		0.503E-02	0
FDI-DLC	72627	UndergroundCU24G	5C4		0	9	9.026084	Feet Pair	8377.398		0.702E-02	0
DLC-RT	58774	CommonINTEGRATED	257C		40	0	0	DS0	2149746		0.1801257	0
DLC-RT	58774	HardwiredINTEGRATED	257C		37	0	0	DS0	2424705		0.2031643	0
DLC-RT	683	Plug-inINTEGRATED	257C		46	0	5.72E-03	CENTREX Service	39346.21		0.329679	0
DLC-RT	480	Plug-inINTEGRATED	257C		46	0	4.02E-03	COIN Service	196911.8		0.164991	0
DLC-RT	688	Plug-inINTEGRATED	257C		46	0	0.005765	PBX Service	90436.49		0.0757761	0
DLC-RT	8	Plug-inINTEGRATED	257C		46	0	6.70E-05	PBXX Service	1057.5		0.886E-03	0
DLC-RT	56908	Plug-inINTEGRATED	257C		46	0	0.476828	POTS Service	3218981		0.2697161	0
DLC-RT	7	Plug-inINTEGRATED	257C		46	0	5.87E-05	POTSX Service	775.32		0.650E-03	0
DLC-CO	960721	AerialCU	22C		0	827	827.4167	Feet Pair	581711.9		0.4874122	0

PROPRIETARY

Not for Disclosure Outside BellSouth

Except by Written Agreement



BSTLM

RService: P.1.1. (COMBO 2-WIRE VOICE GRADE ANALOG LOOP)

Geographical Unit: MIAMFLHLS0

Quantity: 119347

Services Reported: a b c d e

Services Returned: a b c d e

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

CostElem	NodeServiceCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
DLC-CO	453245 AerialFO	822C	0	1655	1654.527	Feet	DS0	31057.39	0	0.260228	0
DLC-CO	960721 BuriedCU	45C	0	1662	1661.662	Feet	Pair	1092068	0	9.150361	0
DLC-CO	453245 BuriedFO	845C	0	3323	3322.708	Feet	DS0	62369.92	0	0.522593	0
DLC-CO	960721 UndergroundCU	5C	0	842	842.0972	Feet	Pair	541246.1	0	4.535063	0
DLC-CO	453245 UndergroundFO	85C	0	1684	1683.883	Feet	DS0	31614.01	0	0.264892	0
DLC-COT	58774 Common*all	257C	6	0	0	*ALL	DS0	647150.6	0	5.422429	0
DLC-COT	58774 CommonIntegrated	257C	6	0	0	*SW	DS0	86062.9	0	0.721115	0
DLC-COT	58774 Hardwired*all	257C	3	0	0	*ALL	DS0	118124.8	0	0.989759	0
DLC-COT	58774 HardwiredIntegrated	257C	3	0	0	*SW	DS0	138416.5	0	1.159782	0
DLC-COT	683 Plug-inIntegrated	257C	12	0	5.72E-03	CENTREX	Service	10215.14	0	0.085592	0
DLC-COT	480 Plug-inIntegrated	257C	12	0	4.02E-03	COIN	Service	7343.393	0	6.15E-02	0
DLC-COT	686 Plug-inIntegrated	257C	12	0	5.83E-03	PBX	Service	10745.74	0	9.00E-02	0
DLC-COT	56915 Plug-inIntegrated	257C	12	0	0.476887	POTS	Service	689461	0	5.776944	0

Proprietary and Confidential

000050

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM  
 RService: P.4.1. (COMBO 2-WIRE VOICE GRADE ISDN LOOP)  
 Geographical Unit: MIAMFLHLD0  
 Quantity: 563  
 Services Reported: f g  
 Services Returned: f g  
 Scenario: 2-wire centers  
 Options: Local loop on Excluding poles and conduit

CostElem	NodeServiceCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	300 NIDAerialCU	22C	1	0	0.132355	Terminals	Pair	848.7912	376.8862	1.507622	0.669425
NID	300 NIDBuriedCU	45C	1	0	0.400505	Terminals	Pair	2568.433	1140.455	4.562048	2.025675
DROP	300 AerialCU	22C	1	13	12.6109	Feet	Pair	319.2101	1563.369	0.566981	2.776854
DROP	300 BuriedCU	45C	1	38	38.16053	Feet	Pair	1131.26	6471.552	2.009343	11.49476
DTBT	104 AerialCU	22C	0	0	4.59E-02	Terminals	Pair	381.704	0	0.677982	0
DTBT	104 BuriedCU	45C	0	0	0.138842	Terminals	Pair	1155.034	0	2.051569	0
DTBT	118 IntrabuildingCU	52C	0	0	0.157194	Terminals	Pair	1269.701	0	2.255242	0
DT-FDI	387 AerialCU	22C	0	291	291.4108	Feet	Pair	1616.708	0	2.871595	0
DT-FDI	282 AerialCU24G	22C4	0	515	515.1005	Feet	Pair	3208.018	0	5.698078	0
DT-FDI	387 BuriedCU	45C	0	584	585.2265	Feet	Pair	2850.823	0	5.063629	0
DT-FDI	282 BuriedCU24G	45C4	0	1033	1034.452	Feet	Pair	6196.119	0	11.00554	0
DT-FDI	387 UndergroundCU	5C	0	297	296.5812	Feet	Pair	1306.055	0	2.319813	0
DT-FDI	282 UndergroundCU24G	5C4	0	524	524.2397	Feet	Pair	2846.457	0	5.055873	0
BLDGCABLE	93 BuildingCU	12C	0	2	1.651865	Feet	Pair	6.6869	0	1.19E-02	0
BLDGCABLE	25 BuildingCU24G	12C4	0	0	0.44405	Feet	Pair	2.4663	0	4.38E-03	0
BLDGCABLE	93 IntrabuildingCU	52C	0	23	23.04618	Feet	Pair	80.9161	0	0.143723	0
BLDGCABLE	25 IntrabuildingCU24G	52C4	0	4	4.129663	Feet	Pair	16.1615	0	2.87E-02	0
FDI	1124 AerialCU	22C	0	0	0.247945	Terminals	Pair	685.4517	0	1.217499	0
FDI	1124 BuriedCU	45C	0	0	0.750279	Terminals	Pair	2227.667	0	3.956779	0
FDI-DLC	620 AerialCU	22C	0	12	12.12546	Feet	Pair	40.2865	0	7.16E-02	0
FDI-DLC	284 AerialCU24G	22C4	0	10	10.44853	Feet	Pair	45.7694	0	8.13E-02	0
FDI-DLC	620 BuriedCU	45C	0	24	24.35099	Feet	Pair	77.1317	0	0.137001	0
FDI-DLC	284 BuriedCU24G	45C4	0	21	20.98328	Feet	Pair	88.4978	0	0.15719	0
FDI-DLC	620 UndergroundCU	5C	0	12	12.3406	Feet	Pair	38.673	0	6.87E-02	0
FDI-DLC	284 UndergroundCU24G	5C4	0	11	10.63391	Feet	Pair	43.2289	0	7.68E-02	0
DLC-RT	359 CommonINTEGRATED	257C	40	0	0	"	DS0	39150.48	0	69.53904	0
DLC-RT	359 HardwiredINTEGRATED	257C	37	0	0	"	DS0	42866.27	0	76.13903	0
DLC-RT	359 Plug-inINTEGRATED	257C	46	0	0.637655	BRI-ISDN	Service	108106.9	0	192.0194	0
DLC-CO	4398 AerialCU	22C	0	557	557.496	Feet	Pair	1852.642	0	3.29066	0
DLC-CO	2664 AerialFO	822C	0	2143	2142.222	Feet	DS0	504.0135	0	0.895228	0
DLC-CO	4398 BuriedCU	45C	0	1120	1119.593	Feet	Pair	3481.571	0	6.183963	0
DLC-CO	2664 BuriedFO	845C	0	4302	4302.122	Feet	DS0	1012.15	0	1.797779	0
DLC-CO	4398 UndergroundCU	5C	0	568	567.3874	Feet	Pair	1720.086	0	3.055215	0
DLC-CO	2664 UndergroundFO	85C	0	2180	2180.25	Feet	DS0	513.0552	0	0.911288	0

PROPRIETARY

Not for Disclosure Outside BellSouth  
 Except by Written Agreement.

000052

BSTLM

RService: P.4.1. (COMBO 2-WIRE VOICE GRADE ISDN LOOP)

Geographical Unit: MIAMFLHLSO

Quantity: 563

Services Reported: f g

Services Returned: f g

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

CostElem	NodeServiceCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
DLC-COT	359 Common*all	257C	6	0	0	*ALL	DSO	12952.1	0	23.00551	0
DLC-COT	359 CommonIntegrated	257C	6	0	0	*SW	DSO	1847.224	0	3.281037	0
DLC-COT	359 Hardwired*all	257C	3	0	0	*ALL	DSO	2330.366	0	4.139194	0
DLC-COT	359 HardwiredIntegrated	257C	3	0	0	*SW	DSO	3052.888	0	5.422537	0
DLC-COT	359 Plug-inIntegrated	257C	12	0	0.637655	BRI-ISDN	Service	47706.37	0	84.73601	0

Proprietary and Confidential

000053

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A 13.1 (2-WIRE COPPER - SHORT)

Geographical Unit: MIAMFLHDS0

Quantity: 14981

Services Reported: a b c d e j A Q

Services Returned: a b c d e j

Scenario: 2-wire centers

Options: Local loop on CU fed on Under 18K ft only Excluding poles and conduit

000055

CostElem	NodeServicCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
NID	6585 NIDAerialCU	22C		1	0	0.10918	Terminals Pair	18717	8338.892	1.249382	0.556631
NID	6585 NIDBuriedCU	45C		1	0	0.330377	Terminals Pair	56637.53	25233.57	3.780624	1.684371
DROP	6585 AerialCU	22C		1	9	9.43373	Feet Pair	6455.159	34652.62	0.43089	2.313104
DROP	6585 BuriedCU	45C		1	29	28.54642	Feet Pair	22891.06	143444.5	1.528006	9.575093
DTBT	1955 AerialCU	22C		0	0	3.24E-02	Terminals Pair	5927.195		0.395647	0
DTBT	1955 BuriedCU	45C		0	0	9.81E-02	Terminals Pair	17935.72		0.197231	0
DTBT	5490 IntrabuildingCU	52C		0	0	0.274848	Terminals Pair	61403.34		4.098748	0
DT-FDI	8066 AerialCU	22C		0	83	83.14569	Feet Pair	10427.35		0.696038	0
DT-FDI	16529 AerialCU24G	22C4		0	463	464.0557	Feet Pair	79911.95		0.533422	0
DT-FDI	8066 BuriedCU	45C		0	166	166.9775	Feet Pair	19115.66		0.1275994	0
DT-FDI	16529 BuriedCU24G	45C4		0	929	931.941	Feet Pair	157197.3		10.49311	0
DT-FDI	8066 UndergroundCU	5C		0	85	84.62091	Feet Pair	9119		0.608704	0
DT-FDI	16529 UndergroundCU24G	5C4		0	472	472.2892	Feet Pair	73527.91		4.908077	0
BLDGCABLE	1147 BuildingCU	12C		0	1	0.765636	Feet Pair	79.2769		5.29E-03	0
BLDGCABLE	4343 BuildingCU24G	12C4		0	3	2.899005	Feet Pair	693.744		4.63E-02	0
BLDGCABLE	1147 IntrabuildingCU	52C		0	16	16.17048	Feet Pair	1308.292		8.73E-02	0
BLDGCABLE	4343 IntrabuildingCU24G	52C4		0	23	22.89275	Feet Pair	2814.665		0.187882	0
FDI	29926 AerialCU	22C		0	0	0.248087	Terminals Pair	19804.53		1.321976	0
FDI	29926 BuriedCU	45C		0	0	0.750711	Terminals Pair	64622.46		4.313628	0
FDI-DLC	10250 AerialCU	22C		0	2	1.992458	Feet Pair	181.444		1.21E-02	0
FDI-DLC	16956 AerialCU24G	22C4		0	12	12.44265	Feet Pair	1544.733		0.103113	0
FDI-DLC	10250 BuriedCU	45C		0	4	4.001359	Feet Pair	345.078		0.023034	0
FDI-DLC	16956 BuriedCU24G	45C4		0	25	24.98799	Feet Pair	3047.627		0.203433	0
FDI-DLC	10250 UndergroundCU	5C		0	2	2.02781	Feet Pair	167.8431		1.12E-02	0
FDI-DLC	16956 UndergroundCU24G	5C4		0	13	12.66342	Feet Pair	1465.998		9.79E-02	0
DLC-CO	94763 AerialCU	22C		0	2216	2216.581	Feet Pair	183946.2		12.27864	0
DLC-CO	94763 BuriedCU	45C		0	4451	4451.453	Feet Pair	344959.5		23.02647	0
DLC-CO	94763 UndergroundCU	5C		0	2256	2255.908	Feet Pair	184660.8		12.32634	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM  
 RService: A.13.7. (2-WIRE COPPER LOOP - LONG)  
 Geographical Unit: MIAMFLHLD50  
 Quantity: 104635  
 Services Reported: a b c d e j A Q  
 Services Returned: a b c d e j  
 Scenario: 2-wire centers  
 Options: Local loop on CU fed only: Over 18K ft only Excluding poles and conduit

000057

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	55976 NIDAerialCU		22C		1	0	0.132878	Terminals Pair	157977.7	69827.58	1.509798	0.667344
NID	55976 NIDBuriedCU		45C		1	0	0.402087	Terminals Pair	478039.9	211298	4.568643	2.019382
DROP	55976 AerialCU		22C		1	12	12.25386	Feet Pair	57086.78	290029.5	0.54558	2.771821
DROP	55976 BuriedCU		45C		1	37	37.08012	Feet Pair	202477.7	1200574	1.935086	11.47392
DTBT	19605 AerialCU		22C		0	0	4.65E-02	Terminals Pair	69384.82		0.663113	0
DTBT	19605 BuriedCU		45C		0	0	0.140827	Terminals Pair	209958.1		2.006577	0
DTBT	18943 IntrabuildingCU		52C		0	0	0.137077	Terminals Pair	205989		1.968643	0
DT-FDI	157513 AerialCU24G		22C4		0	879	879.5954	Feet Pair	1106231		10.57228	0
DT-FDI	157513 BuriedCU24G		45C4		0	1763	1766.45	Feet Pair	2161234		20.65498	0
DT-FDI	157513 UndergroundCU24G		5C4		0	896	895.2016	Feet Pair	1006050		9.61485	0
BLDGCABLE	557 BuildingCU		12C		0	0	5.32E-02	Feet Pair	60.8479		5.82E-04	0
BLDGCABLE	18386 BuildingCU24G		12C4		0	2	1.757156	Feet Pair	2404.485		2.30E-02	0
BLDGCABLE	557 IntrabuildingCU		52C		0	0	0.457483	Feet Pair	377.7499		3.61E-03	0
BLDGCABLE	18386 IntrabuildingCU24G		52C4		0	17	17.44851	Feet Pair	13162.62		0.125796	0
FDI	209144 AerialCU		22C		0	0	0.248236	Terminals Pair	134364.6		1.284126	0
FDI	209144 BuriedCU		45C		0	0	0.751162	Terminals Pair	439471.6		4.200044	0
FDI-DLC	887 AerialCU		22C		0	0	1.68E-02	Feet Pair	12.3293		1.18E-04	0
FDI-DLC	183634 AerialCU24G		22C4		0	15	14.68891	Feet Pair	12958.29		0.123843	0
FDI-DLC	887 BuriedCU		45C		0	0	3.38E-02	Feet Pair	22.7072		2.17E-04	0
FDI-DLC	183634 BuriedCU24G		45C4		0	29	29.49904	Feet Pair	25382.79		0.242584	0
FDI-DLC	887 UndergroundCU		5C		0	0	1.71E-02	Feet Pair	10.1118		9.66E-05	0
FDI-DLC	183634 UndergroundCU24G		5C4		0	15	14.94953	Feet Pair	12286.23		0.11742	0
DLC-CO	2157348 AerialCU		22C		0	10341	10340.69	Feet Pair	6140591		58.68582	0
DLC-CO	2157348 BuriedCU		45C		0	20766	20766.71	Feet Pair	11509737		109.9989	0
DLC-CO	2157348 UndergroundCU		5C		0	10524	10524.16	Feet Pair	6082742		58.13296	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.2.30. (SUB-LOOP - PER 2-WIRE COPPER LOOP SHORT / FEEDER ONLY)

Geographical Unit: MIAMFLHLS0

Quantity: 14981

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on CU fed only Under 10K ft only Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
FDI	29926	AerialCU	22C		0	0 0.248087	Terminals	Pair	19804.53	0	1.321976	0
FDI	29926	BuriedCU	45C		0	0 0.750711	Terminals	Pair	64622.46	0	4.313628	0
FDI-DLC	10250	AerialCU	22C		0	2 1.992458	Feet	Pair	181.444	0	1.21E-02	0
FDI-DLC	16956	AerialCU24G	22C4		0	12 12.44265	Feet	Pair	1544.733	0	0.103113	0
FDI-DLC	10250	BuriedCU	45C		0	4 4.001359	Feet	Pair	345.078	0	0.023034	0
FDI-DLC	16956	BuriedCU24G	45C4		0	25 24.98799	Feet	Pair	3047.627	0	0.203433	0
FDI-DLC	10250	UndergroundCU	5C		0	2 2.02781	Feet	Pair	167.8431	0	1.12E-02	0
FDI-DLC	16956	UndergroundCU24G	5C4		0	13 12.66342	Feet	Pair	1465.998	0	9.79E-02	0
DLC-CO	94763	AerialCU	22C		0	2216 2216.581	Feet	Pair	183946.2	0	12.27864	0
DLC-CO	94763	BuriedCU	45C		0	4451 4451.453	Feet	Pair	344959.5	0	23.02647	0
DLC-CO	94763	UndergroundCU	5C		0	2256 2255.908	Feet	Pair	184660.8	0	12.32634	0

Proprietary and Confidential

000059

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.2.40. (SUB-LOOP - PER 2-WIRE COPPER LOOP SHORT / DISTRIBUTION ONLY)

Geographical Unit: MIAMFLHDS0

Quantity: 14981

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on CU fed only Under 18K ft only Excluding poles and conduit

c d e j A Q  
c d e j

000062

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	6585 NID	AerialCU	22C		1	0 0.10918	Terminals	Pair	18717	8338.892	1.249382	0.556631
NID	6585 NID	BuriedCU	45C		1	0 0.330377	Terminals	Pair	56637.53	25233.57	3.780624	1.684371
DROP	6585 Aerial	CU	22C		1	9 9.43373	Feet	Pair	6455.159	34652.62	0.43089	2.313104
DROP	6585 Buried	CU	45C		1	29 28.54642	Feet	Pair	22891.06	143444.5	1.528006	9.575093
DTBT	1955 Aerial	CU	22C		0	0 3.24E-02	Terminals	Pair	5927.195	0	0.395647	0
DTBT	1955 Buried	CU	45C		0	0 9.81E-02	Terminals	Pair	17935.72	0	1.197231	0
DTBT	5490 Intrabuilding	CU	52C		0	0 0.274848	Terminals	Pair	61403.34	0	4.098748	0
DT-FDI	8066 Aerial	CU	22C		0	83 83.14569	Feet	Pair	10427.35	0	0.696038	0
DT-FDI	16529 Aerial	CU24G	22C4		0	463 464.0557	Feet	Pair	79911.95	0	5.33422	0
DT-FDI	8066 Buried	CU	45C		0	166 166.9775	Feet	Pair	19115.66	0	1.275994	0
DT-FDI	16529 Buried	CU24G	45C4		0	929 931.941	Feet	Pair	157197.3	0	10.49311	0
DT-FDI	8066 Underground	CU	5C		0	85 84.62091	Feet	Pair	9119	0	0.608704	0
DT-FDI	16529 Underground	CU24G	5C4		0	472 472.2892	Feet	Pair	73527.91	0	4.908077	0
BLDGCABLE	1147 Building	CU	12C		0	1 0.765636	Feet	Pair	79.2769	0	5.29E-03	0
BLDGCABLE	4343 Building	CU24G	12C4		0	3 2.899005	Feet	Pair	693.744	0	4.63E-02	0
BLDGCABLE	1147 Intrabuilding	CU	52C		0	16 16.17048	Feet	Pair	1308.292	0	8.73E-02	0
BLDGCABLE	4343 Intrabuilding	CU24G	52C4		0	23 22.89275	Feet	Pair	2814.665	0	0.187882	0
FDI	29926 Aerial	CU	22C		0	0 0.248087	Terminals	Pair	19804.53	0	1.321976	0
FDI	29926 Buried	CU	45C		0	0 0.750711	Terminals	Pair	64622.46	0	4.313628	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.6.1. (2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP)

Geographical Unit: MIAMFLHLS0

Quantity: 14981

Services Reported: a b c d e j A B

Services Returned: a b c d e j

Scenario: 2-wire centers

Options: Local loop on CU fed only Under 18K ft only Excluding poles and conduit

000064

CostElem	NodeServiceCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI	
NID	6585 NIDAerialCU	22C		1	0	0.10918	Terminals Pair	18717	8338.892	1.249382	0.556631	
NID	6585 NIDBuriedCU	45C		1	0	0.330377	Terminals Pair	56637.53	25233.57	3.780624	1.684371	
DROP	6585 AerialCU	22C		1	9	9.43373	Feet Pair	6455.159	34652.62	0.43089	2.313104	
DROP	6585 BuriedCU	45C		1	29	28.54642	Feet Pair	22891.06	143444.5	1.528006	9.575093	
DTBT	1955 AerialCU	22C		0	0	3.24E-02	Terminals Pair	5927.195		0	0.395647	0
DTBT	1955 BuriedCU	45C		0	0	9.81E-02	Terminals Pair	17935.72		0	1.197231	0
DTBT	5490 IntrabuildingCU	52C		0	0	0.274848	Terminals Pair	61403.34		0	4.098748	0
DT-FDI	8066 AerialCU	22C		0	83	83.14569	Feet Pair	10427.35		0	0.696038	0
DT-FDI	16529 AerialCU24G	22C4		0	463	464.0557	Feet Pair	79911.95		0	5.33422	0
DT-FDI	8066 BuriedCU	45C		0	166	166.9775	Feet Pair	19115.66		0	1.275994	0
DT-FDI	16529 BuriedCU24G	45C4		0	929	931.941	Feet Pair	157197.3		0	10.49311	0
DT-FDI	8066 UndergroundCU	5C		0	85	84.62091	Feet Pair	9119		0	0.608704	0
DT-FDI	16529 UndergroundCU24G	5C4		0	472	472.2892	Feet Pair	73527.91		0	4.908077	0
BLDGCABLE	1147 BuildingCU	12C		0	1	0.765636	Feet Pair	79.2769		0	5.29E-03	0
BLDGCABLE	4343 BuildingCU24G	12C4		0	3	2.899005	Feet Pair	693.744		0	4.63E-02	0
BLDGCABLE	1147 IntrabuildingCU	52C		0	16	16.17048	Feet Pair	1308.292		0	8.73E-02	0
BLDGCABLE	4343 IntrabuildingCU24G	52C4		0	23	22.89275	Feet Pair	2814.665		0	0.187882	0
FDI	29926 AerialCU	22C		0	0	0.248087	Terminals Pair	19804.53		0	1.321976	0
FDI	29926 BuriedCU	45C		0	0	0.750711	Terminals Pair	64622.46		0	4.313628	0
FDI-DLC	10250 AerialCU	22C		0	2	1.992458	Feet Pair	181.444		0	1.21E-02	0
FDI-DLC	16956 AerialCU24G	22C4		0	12	12.44265	Feet Pair	1544.733		0	0.103113	0
FDI-DLC	10250 BuriedCU	45C		0	4	4.001359	Feet Pair	345.078		0	0.023034	0
FDI-DLC	16956 BuriedCU24G	45C4		0	25	24.98799	Feet Pair	3047.627		0	0.203433	0
FDI-DLC	10250 UndergroundCU	5C		0	2	2.02781	Feet Pair	167.8431		0	1.12E-02	0
FDI-DLC	16956 UndergroundCU24G	5C4		0	13	12.66342	Feet Pair	1465.998		0	9.79E-02	0
DLC-CO	94763 AerialCU	22C		0	2216	2216.581	Feet Pair	183946.2		0	12.27864	0
DLC-CO	94763 BuriedCU	45C		0	4451	4451.453	Feet Pair	344959.5		0	23.02647	0
DLC-CO	94763 UndergroundCU	5C		0	2256	2255.908	Feet Pair	184660.8		0	12.32634	0

Proprietary and Confidential

PROPRIETARY  
Not for Disclosure Outside BellSouth  
Except by Written Agreement.



BSTLM

RService: A.1.1. (2-WIRE ANALOG VOICE GRADE LOOP - SERVICE LEVEL 1)

Geographical Unit: ORPKFLRWDS0

Quantity: 17397

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

c	d	e	j	A
e	e	j	A	

000067

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
NID	12836	NIDAerialCU	22C	1	0	4.48E-02	Terminals	Pair	8966.744	4138.395	0.515419	0.23788
NID	12836	NIDBuriedCU	45C	1	0	0.693059	Terminals	Pair	138813.5	64063.16	7.97916	3.682426
DROP	12836	AerialCU	22C	1	5	4.895567	Feet	Pair	4146.404	17193.38	0.23834	0.988296
DROP	12836	BuriedCU	45C	1	76	75.78611	Feet	Pair	73502.18	364107.5	4.224991	20.92933
DTBT	1401	AerialCU	22C	0	0	4.89E-03	Terminals	Pair	1208.985	0	0.069494	0
DTBT	1401	BuriedCU	45C	0	0	7.56E-02	Terminals	Pair	18715.72	0	1.075802	0
DTBT	2250	IntrabuildingCU	52C	0	0	9.70E-02	Terminals	Pair	24915.8	0	1.43219	0
DT-FDI	10636	AerialCU	22C	0	42	42.49548	Feet	Pair	7453.967	0	0.428463	0
DT-FDI	15368	AerialCU24G	22C4	0	222	222.4941	Feet	Pair	51204.36	0	2.943287	0
DT-FDI	10636	BuriedCU	45C	0	531	531.3985	Feet	Pair	84227.28	0	4.841483	0
DT-FDI	15368	BuriedCU24G	45C4	0	2782	2782.25	Feet	Pair	622055	0	35.75645	0
DT-FDI	10636	UndergroundCU	5C	0	126	126.4552	Feet	Pair	18509.57	0	1.063952	0
DT-FDI	15368	UndergroundCU24G	5C4	0	663	662.0829	Feet	Pair	133168.2	0	7.654667	0
BLDGCABLE	733	BuildingCU	12C	0	0	0.421337	Feet	Pair	73.1089	0	4.20E-03	0
BLDGCABLE	1517	BuildingCU24G	12C4	0	1	0.871989	Feet	Pair	193.0432	0	1.11E-02	0
BLDGCABLE	733	IntrabuildingCU	52C	0	5	4.937274	Feet	Pair	563.9381	0	3.24E-02	0
BLDGCABLE	1517	IntrabuildingCU24G	52C4	0	9	8.890541	Feet	Pair	1186.947	0	6.82E-02	0
FDI	34792	AerialCU	22C	0	0	6.07E-02	Terminals	Pair	5230.412	0	0.30065	0
FDI	34792	BuriedCU	45C	0	0	0.939268	Terminals	Pair	86068.02	0	4.947291	0
FDI-DLC	12438	AerialCU	22C	0	0	0.417422	Feet	Pair	48.2691	0	2.77E-03	0
FDI-DLC	15018	AerialCU24G	22C4	0	6	6.485659	Feet	Pair	927.5641	0	5.33E-02	0
FDI-DLC	12438	BuriedCU	45C	0	5	5.219789	Feet	Pair	564.7601	0	3.25E-02	0
FDI-DLC	15018	BuriedCU24G	45C4	0	81	81.10203	Feet	Pair	11719.56	0	0.673654	0
FDI-DLC	12438	UndergroundCU	5C	0	1	1.242136	Feet	Pair	126.7548	0	7.29E-03	0
FDI-DLC	15018	UndergroundCU24G	5C4	0	19	19.29959	Feet	Pair	2669.868	0	0.153467	0
DLC-RT	6716	CommonINTEGRATED	257C	40	0	0	*	DS0	239347.4	0	13.75797	0
DLC-RT	1	CommonONU	257C	40	0	0	*	DS0	72	0	4.14E-03	0
DLC-RT	6716	HardwiredINTEGRATED	257C	37	0	0	*	DS0	306464.8	0	17.61595	0
DLC-RT	1	HardwiredONU	257C	37	0	0	*	DS0	176.9167	0	1.02E-02	0
DLC-RT	39	Plug-inINTEGRATED	257C	46	0	2.24E-03	COIN	Service	16476.92	0	0.947113	0
DLC-RT	16	Plug-inINTEGRATED	257C	46	0	9.20E-04	PBX	Service	2293.5	0	0.131833	0
DLC-RT	6659	Plug-inINTEGRATED	257C	46	0	0.382767	POTS	Service	376617.4	0	21.64841	0
DLC-RT	2	Plug-inINTEGRATED	257C	46	0	1.15E-04	POTSX	Service	158.22	0	9.09E-03	0
DLC-RT	1	Plug-inONU	257C	46	0	5.75E-05	PQTS	Service	120	0	6.90E-03	0

PROPRIETARY

Not for Disclosure Outside BellSouth

Except by Written Agreement

BSTLM

RService: A 1.1. (2-WIRE ANALOG VOICE GRADE LOOP - SERVICE LEVEL 1)

Geographical Unit: ORPKFLRWDS0

Quantity: 17397

Services Reported: a b c d e j A

Services Returned: a b c e j A

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

890000

CostElem	NodeService CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
DLC-CO	65362 AerialCU	22C	0	128	128.4055	Feet	Pair	13108.04	0	0.753466	0
DLC-CO	31043 AerialFO	822C	0	271	271.1325	Feet	DS0	1581.457	0	9.09E-02	0
DLC-CO	65362 BuriedCU	45C	0	1606	1605.689	Feet	Pair	153891.7	0	8.845877	0
DLC-CO	31043 BuriedFO	845C	0	3390	3390.465	Feet	DS0	19784.68	0	1.137246	0
DLC-CO	65362 UndergroundCU	5C	0	382	382.1006	Feet	Pair	33042.59	0	1.899327	0
DLC-CO	31043 UndergroundFO	85C	0	807	806.8179	Feet	DS0	4707.934	0	0.270618	0
DLC-COT	6717 Common*all	257C	6	0	0	*ALL	DS0	214997	0	12.35828	0
DLC-COT	6717 Common*all	257C	6	0	0	*NSW	DS0	20540.89	0	1.180714	0
DLC-COT	6717 CommonUniversal	257C	6	0	0	*ALL	DS0	10661.65	0	0.612844	0
DLC-COT	6717 Hardwired*all	257C	3	0	0	*ALL	DS0	36857.71	0	2.118625	0
DLC-COT	6717 Hardwired*all	257C	3	0	0	*NSW	DS0	54663.74	0	3.142136	0
DLC-COT	39 Plug-inUniversal	257C	12	0	2.24E-03	COIN	Service	12178.16	0	0.700015	0
DLC-COT	16 Plug-inUniversal	257C	12	0	9.20E-04	PBX	Service	2193.12	0	0.126063	0
DLC-COT	6662 Plug-inUniversal	257C	12	0	0.38294	POTS	Service	406215.8	0	23.34976	0

Proprietary and Confidential

**PROPRIETARY**  
Not for Disclosure Outside BellSouth  
Except by Written Agreement

BSTLM

RService: A.1.2. (2-WIRE ANALOG VOICE GRADE LOOP - SERVICE LEVEL 2)

Geographical Unit: ORPKFLRWDS0

Quantity: 17397

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

c	d	e	j	A
cl	e	j	A	

0200070

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	12836	NIDAerialCU	22C	1	0	4.48E-02	Terminals	Pair	8966.744	4138.395	0.515419	0.23788
NID	12836	NIDBuriedCU	45C	1	0	0.693059	Terminals	Pair	138813.5	64063.16	7.97916	3.682426
DROP	12836	AerialCU	22C	1	5	4.895567	Feet	Pair	4146.404	17193.38	0.23834	0.988296
DROP	12836	BuriedCU	45C	1	76	75.78611	Feet	Pair	73502.18	364107.5	4.224991	20.92933
DTBT	1401	AerialCU	22C	0	0	4.89E-03	Terminals	Pair	1208.985	0	0.069494	0
DTBT	1401	BuriedCU	45C	0	0	7.56E-02	Terminals	Pair	18715.72	0	1.075802	0
DTBT	2250	IntrabuildingCU	52C	0	0	9.70E-02	Terminals	Pair	24915.8	0	1.43219	0
DT-FDI	10636	AerialCU	22C	0	42	42.49548	Feet	Pair	7453.967	0	0.428463	0
DT-FDI	15368	AerialCU24G	22C4	0	222	222.4941	Feet	Pair	51204.36	0	2.943287	0
DT-FDI	10636	BuriedCU	45C	0	531	531.3985	Feet	Pair	84227.28	0	4.841483	0
DT-FDI	15368	BuriedCU24G	45C4	0	2782	2782.25	Feet	Pair	622055	0	35.75645	0
DT-FDI	10636	UndergroundCU	5C	0	126	126.4552	Feet	Pair	18509.57	0	1.063952	0
DT-FDI	15368	UndergroundCU24G	5C4	0	663	662.0829	Feet	Pair	133168.2	0	7.654667	0
BLDGCABLE	733	BuildingCU	12C	0	0	0.421337	Feet	Pair	73.1089	0	4.20E-03	0
BLDGCABLE	1517	BuildingCU24G	12C4	0	1	0.871989	Feet	Pair	193.0432	0	1.11E-02	0
BLDGCABLE	733	IntrabuildingCU	52C	0	5	4.937274	Feet	Pair	563.9381	0	3.24E-02	0
BLDGCABLE	1517	IntrabuildingCU24G	52C4	0	9	8.890541	Feet	Pair	1186.947	0	6.82E-02	0
FDI	34792	AerialCU	22C	0	0	6.07E-02	Terminals	Pair	5230.412	0	0.30065	0
FDI	34792	BuriedCU	45C	0	0	0.939268	Terminals	Pair	86068.02	0	4.947291	0
FDI-DLC	12438	AerialCU	22C	0	0	0.417422	Feet	Pair	48.2691	0	2.77E-03	0
FDI-DLC	15018	AerialCU24G	22C4	0	6	6.485659	Feet	Pair	927.5641	0	5.33E-02	0
FDI-DLC	12438	BuriedCU	45C	0	5	5.219789	Feet	Pair	564.7601	0	3.25E-02	0
FDI-DLC	15018	BuriedCU24G	45C4	0	81	81.10203	Feet	Pair	11719.56	0	0.673654	0
FDI-DLC	12438	UndergroundCU	5C	0	1	1.242136	Feet	Pair	126.7548	0	7.29E-03	0
FDI-DLC	15018	UndergroundCU24G	5C4	0	19	19.29959	Feet	Pair	2669.868	0	0.153467	0
DLC-RT	6716	CommonINTEGRATED	257C	40	0	0	*	DS0	239347.4	0	13.75797	0
DLC-RT	1	CommonONU	257C	40	0	0	*	DS0	72	0	4.14E-03	0
DLC-RT	6716	HardwiredINTEGRATED	257C	37	0	0	*	DS0	306464.8	0	17.61595	0
DLC-RT	1	HardwiredONU	257C	37	0	0	*	DS0	176.9167	0	1.02E-02	0
DLC-RT	39	Plug-inINTEGRATED	257C	46	0	2.24E-03	COIN	Service	16476.92	0	0.947113	0
DLC-RT	16	Plug-inINTEGRATED	257C	46	0	9.20E-04	PBX	Service	2293.5	0	0.131833	0
DLC-RT	6659	Plug-inINTEGRATED	257C	46	0	0.382767	POTS	Service	376617.4	0	21.64841	0
DLC-RT	2	Plug-inINTEGRATED	257C	46	0	1.15E-04	POTSX	Service	158.22	0	9.09E-03	0
DLC-RT	1	Plug-inONU	257C	46	0	5.75E-05	POTS	Service	120	0	6.90E-03	0

PROPRIETARY

Not for Disclosure Outside BellSouth

Except by Written Agreement.

BSTLM

RService: A.1.2. (2-WIRE ANALOG VOICE GRADE LOOP - SERVICE LEVEL 2)

Geographical Unit: ORPKFLRWDS0

Quantity: 17397

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

d e j A  
e j A

000071

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
DLC-CO	65362	AerialCU	22C	0	128	128.4055	Feet	Pair	13108.04	0	0.753466	0
DLC-CO	31043	AerialFO	822C	0	271	271.1325	Feet	DS0	1581.457	0	9.09E-02	0
DLC-CO	65362	BuriedCU	45C	0	1606	1605.689	Feet	Pair	153891.7	0	8.845877	0
DLC-CO	31043	BuriedFO	845C	0	3390	3390.465	Feet	DS0	19784.68	0	1.137246	0
DLC-CO	65362	UndergroundCU	5C	0	382	382.1006	Feet	Pair	33042.59	0	1.899327	0
DLC-CO	31043	UndergroundFO	85C	0	807	806.8179	Feet	DS0	4707.934	0	0.270618	0
DLC-COT	6717	Common*all	257C	6	0	0	*ALL	DS0	214997	0	12.35828	0
DLC-COT	6717	Common*all	257C	6	0	0	*NSW	DS0	20540.89	0	1.180714	0
DLC-COT	6717	CommonUniversal	257C	6	0	0	*ALL	DS0	10661.65	0	0.612844	0
DLC-COT	6717	Hardwired*all	257C	3	0	0	*ALL	DS0	36857.71	0	2.118625	0
DLC-COT	6717	Hardwired*all	257C	3	0	0	*NSW	DS0	54663.74	0	3.142136	0
DLC-COT		39 Plug-inUniversal	257C	12	0	2.24E-03	COIN	Service	12178.16	0	0.700015	0
DLC-COT		16 Plug-inUniversal	257C	12	0	9.20E-04	PBX	Service	2193.12	0	0.126063	0
DLC-COT		6662 Plug-inUniversal	257C	12	0	0.38294	POTS	Service	406215.8	0	23.34976	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A 10.1 (4-W56 OR 64 KBPS DIGITAL GRADE LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 63

Services Reported: i 1

Services Returned: i

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

000073

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	12 NID	AerialCU	22C		1	0	1.16E-02	Terminals Pair	16.4422	6.131	0.260987	9.73E-02
NID	12 NID	BuriedCU	45C		1	0	0.178919	Terminals Pair	254.538	94.9042	4.040286	1.506416
DROP	12	AerialCU	22C		1	2	1.727258	Feet Pair	8.3836	25.259	0.133073	0.400937
DROP	12	BuriedCU	45C		1	27	26.73892	Feet Pair	168.4878	534.9068	2.67441	8.490584
DTBT	20	AerialCU	22C		0	0	1.93E-02	Terminals Pair	38.9248		0.617854	0
DTBT	20	BuriedCU	45C		0	0	0.298198	Terminals Pair	602.5752		9.564686	0
DTBT	18	IntrabuildingCU	52C		0	0	0.214286	Terminals Pair	424.9956		6.745962	0
DT-FDI	35	AerialCU	22C		0	28	28.48667	Feet Pair	29.8728		0.474171	0
DT-FDI	46	AerialCU24G	22C4		0	105	104.7632	Feet Pair	144.2088		2.289029	0
DT-FDI	35	BuriedCU	45C		0	356	356.2208	Feet Pair	321.4752		5.102781	0
DT-FDI	46	BuriedCU24G	45C4		0	1310	1310.045	Feet Pair	1765.235		28.01961	0
DT-FDI	35	UndergroundCU	5C		0	85	84.76871	Feet Pair	65.6802		1.042543	0
DT-FDI	46	UndergroundCU24G	5C4		0	312	311.7472	Feet Pair	390.817		6.203444	0
BLDGCABLE	2	BuildingCU	12C		0	0	0.31746	Feet Pair	0.4022		6.38E-03	0
BLDGCABLE	16	BuildingCU24G	12C4		0	3	2.539683	Feet Pair	3.8404		6.10E-02	0
BLDGCABLE	2	IntrabuildingCU	52C		0	2	2.083333	Feet Pair	2.3636		3.75E-02	0
BLDGCABLE	16	IntrabuildingCU24G	52C4		0	21	20.83333	Feet Pair	24.7366		0.392644	0
FDI	124	AerialCU	22C		0	0	5.97E-02	Terminals Pair	37.6746		0.59801	0
FDI	124	BuriedCU	45C		0	0	0.924413	Terminals Pair	604.99		9.603016	0
FDI-DLC	51	AerialCU	22C		0	0	0.43919	Feet Pair	0.4474		7.10E-03	0
FDI-DLC	41	AerialCU24G	22C4		0	2	1.717271	Feet Pair	1.7302		2.75E-02	0
FDI-DLC	51	BuriedCU	45C		0	5	5.491993	Feet Pair	4.8112		0.076368	0
FDI-DLC	41	BuriedCU24G	45C4		0	21	21.47418	Feet Pair	21.24		0.337143	0
FDI-DLC	51	UndergroundCU	5C		0	1	1.306912	Feet Pair	0.9992		1.59E-02	0
FDI-DLC	41	UndergroundCU24G	5C4		0	5	5.11014	Feet Pair	4.8186		7.65E-02	0
DLC-RT	18	CommonINTEGRATED	257C		40	0	0	DS0	1269.604		20.15244	0
DLC-RT	1	CommonONU	257C		40	0	0	DS0	144		2.285714	0
DLC-RT	18	HardwiredINTEGRATED	257C		37	0	0	DS0	1345.322		21.35431	0
DLC-RT	1	HardwiredONU	257C		37	0	0	DS0	353.8334		5.616403	0
DLC-RT	18	Plug-inINTEGRATED	257C		46	0	0.285714	4-WIRE Service	6954.961		110.3962	0
DLC-RT	1	Plug-inONU	257C		46	0	1.59E-02	4-WIRE Service	500		7.936508	0
DLC-CO	220	AerialCU	22C		0	209	208.6316	Feet Pair	151.7828		2.409251	0
DLC-CO	119	AerialFO	822C		0	215	215.1308	Feet DS0	288.3062		4.576289	0
DLC-CO	220	BuriedCU	45C		0	2609	2608.902	Feet Pair	1786.736		28.36089	0

PROPRIETARY

Not for Disclosure Outside BellSouth  
Except by Written Agreement.

BSTLM

RService: A.10.1 (4-W 56 OR 64 KBPS DIGITAL GRADE LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 63

Services Reported: i |

Services Returned: i

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
DLC-CO	119	BuriedFO	845C	0	2690	2690.173	Feet	DS0	3605.268	0	57.22647	0
DLC-CO	220	UndergroundCU	5C	0	621	620.8319	Feet	Pair	383.26	0	6.083492	0
DLC-CO	119	UndergroundFO	85C	0	640	640.1719	Feet	DS0	857.9326	0	13.61798	0
DLC-COT	19	Common*all	257C	6	0	0	*ALL	DS0	12709.38	0	201.7361	0
DLC-COT	19	Common*all	257C	6	0	0	*NSW	DS0	444.1042	0	7.049273	0
DLC-COT	19	CommonUniversal	257C	6	0	0	*ALL	DS0	509.1564	0	8.081848	0
DLC-COT	19	Hardwired*all	257C	3	0	0	*ALL	DS0	2475.694	0	39.29673	0
DLC-COT	19	Hardwired*all	257C	3	0	0	*NSW	DS0	828.82	0	13.15587	0
DLC-COT	19	Plug-inUniversal	257C	12	0	0.301587	4-WIRE	Service	6954.96	0	110.3962	0

Proprietary and Confidential

000074

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.12.5 (UNBUNDLED LOOP CONCENTRATION - USLC FEEDER INTERFACE)

Geographical Unit: ORPKFLRWDS0

Quantity: 7

Services Reported: k p

K

Services Returned: p

Scenario: 2-wire centers

Options: Local loop on FO fed only Non Wideband only Excluding poles and conduit

CostElem	NodeServiceCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
DLC-CO	26 AerialFO	822C	0	698	698.6413	Feet	DS0	33.7608	0	4.822971	0
DLC-CO	26 BuriedFO	845C	0	8736	8736.389	Feet	DS0	422.3952	0	60.34217	0
DLC-CO	26 UndergroundFO	85C	0	2079	2078.97	Feet	DS0	100.5096	0	14.35851	0
DLC-COT	7 Common*all	257C	6	0	0	*ALL	DS0	5437.601	0	776.8001	0
DLC-COT	7 Common*all	257C	6	0	0	*NSW	DS0	507.2304	0	72.46149	0
DLC-COT	7 CommonUniversal	257C	6	0	0	*ALL	DS0	272.5104	0	38.93006	0
DLC-COT	7 Hardwired*all	257C	3	0	0	*ALL	DS0	925.1664	0	132.1666	0
DLC-COT	7 Hardwired*all	257C	3	0	0	*NSW	DS0	1356.545	0	193.7921	0
DLC-COT	7 Plug-inUniversal	257C	12	0	1	DS1	Service	2774.68	0	396.3829	0
CO-Adder	7 MDF-DS1	377C	3	0	0			98	0	14	0

Proprietary and Confidential

000075

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.2.1. (SUB-LOOP FEEDER PER 2-WIRE ANALOG VOICE GRADE LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 17397

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

c	d	e	j	A	E
1	e	j	A		

000078

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
FDI	34792	AerialCU	22C	0	0	6.07E-02	Terminals	Pair	5230.412	0	0.30065	0
FDI	34792	BuriedCU	45C	0	0	0.939268	Terminals	Pair	86068.02	0	4.947291	0
FDI-DLC	12438	AerialCU	22C	0	0	0.417422	Feet	Pair	48.2691	0	2.77E-03	0
FDI-DLC	15018	AerialCU24G	22C4	0	6	6.485659	Feet	Pair	927.5641	0	5.33E-02	0
FDI-DLC	12438	BuriedCU	45C	0	5	5.219789	Feet	Pair	564.7601	0	3.25E-02	0
FDI-DLC	15018	BuriedCU24G	45C4	0	81	81.10203	Feet	Pair	11719.56	0	0.673654	0
FDI-DLC	12438	UndergroundCU	5C	0	1	1.242136	Feet	Pair	126.7548	0	7.29E-03	0
FDI-DLC	15018	UndergroundCU24G	5C4	0	19	19.29959	Feet	Pair	2669.868	0	0.153467	0
DLC-RT	6716	CommonINTEGRATED	257C	40	0	0	*	DS0	239347.4	0	13.75797	0
DLC-RT	1	CommonONU	257C	40	0	0	*	DS0	72	0	4.14E-03	0
DLC-RT	6716	HardwiredINTEGRATED	257C	37	0	0	*	DS0	306464.8	0	17.61595	0
DLC-RT	1	HardwiredONU	257C	37	0	0	*	DS0	176.9167	0	1.02E-02	0
DLC-RT	39	Plug-inINTEGRATED	257C	46	0	2.24E-03	COIN	Service	16476.92	0	0.947113	0
DLC-RT	16	Plug-inINTEGRATED	257C	46	0	9.20E-04	PBX	Service	2293.5	0	0.131833	0
DLC-RT	6659	Plug-inINTEGRATED	257C	46	0	0.382767	POTS	Service	376617.4	0	21.64841	0
DLC-RT	2	Plug-inINTEGRATED	257C	46	0	1.15E-04	POTSX	Service	158.22	0	9.09E-03	0
DLC-RT	1	Plug-inONU	257C	46	0	5.75E-05	POTS	Service	120	0	6.90E-03	0
DLC-CO	65362	AerialCU	22C	0	128	128.4055	Feet	Pair	13108.04	0	0.753466	0
DLC-CO	31043	AerialFO	822C	0	271	271.1325	Feet	DS0	1581.457	0	9.09E-02	0
DLC-CO	65362	BuriedCU	45C	0	1606	1605.689	Feet	Pair	153891.7	0	8.845877	0
DLC-CO	31043	BuriedFO	845C	0	3390	3390.465	Feet	DS0	19784.68	0	1.137246	0
DLC-CO	65362	UndergroundCU	5C	0	382	382.1006	Feet	Pair	33042.59	0	1.899327	0
DLC-CO	31043	UndergroundFO	85C	0	807	806.8179	Feet	DS0	4707.934	0	0.270618	0
DLC-COT	6717	Common*all	257C	6	0	0	*ALL	DS0	214997	0	12.35828	0
DLC-COT	6717	Common*all	257C	6	0	0	*NSW	DS0	20540.89	0	1.180714	0
DLC-COT	6717	CommonUniversal	257C	6	0	0	*ALL	DS0	10661.65	0	0.612844	0
DLC-COT	6717	Hardwired*all	257C	3	0	0	*ALL	DS0	36857.71	0	2.118625	0
DLC-COT	6717	Hardwired*all	257C	3	0	0	*NSW	DS0	54663.74	0	3.142136	0
DLC-COT	39	Plug-inUniversal	257C	12	0	2.24E-03	COIN	Service	12178.16	0	0.700015	0
DLC-COT	16	Plug-inUniversal	257C	12	0	9.20E-04	PBX	Service	2193.12	0	0.126063	0
DLC-COT	6662	Plug-inUniversal	257C	12	0	0.38294	POTS	Service	406215.8	0	23.34976	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**



BSTLM

RService: A.2.2. (SUB-LOOP DISTRIBUTION PER 2-WIRE ANALOG VOICE GRADE LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 17397

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

c d e j A F  
c j A

080000

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
NID	12836	NIDAerialCU	22C	1	0	4.48E-02	Terminals	Pair	8966.744	4138.395	0.515419	0.23788
NID	12836	NIDBuriedCU	45C	1	0	0.693059	Terminals	Pair	138813.5	64063.16	7.97916	3.682426
DROP	12836	AerialCU	22C	1	5	4.895567	Feet	Pair	4146.404	17193.38	0.23834	0.988296
DROP	12836	BuriedCU	45C	1	76	75.78611	Feet	Pair	73502.18	364107.5	4.224991	20.92933
DTBT	1401	AerialCU	22C	0	0	4.89E-03	Terminals	Pair	1208.985	0	0.069494	0
DTBT	1401	BuriedCU	45C	0	0	7.56E-02	Terminals	Pair	18715.72	0	1.075802	0
DTBT	2250	IntrabuildingCU	52C	0	0	9.70E-02	Terminals	Pair	24915.8	0	1.43219	0
DT-FDI	10636	AerialCU	22C	0	42	42.49548	Feet	Pair	7453.967	0	0.428463	0
DT-FDI	15368	AerialCU24G	22C4	0	222	222.4941	Feet	Pair	51204.36	0	2.943287	0
DT-FDI	10636	BuriedCU	45C	0	531	531.3985	Feet	Pair	84227.28	0	4.841483	0
DT-FDI	15368	BuriedCU24G	45C4	0	2782	2782.25	Feet	Pair	622055	0	35.75645	0
DT-FDI	10636	UndergroundCU	5C	0	126	126.4552	Feet	Pair	18509.57	0	1.063952	0
DT-FDI	15368	UndergroundCU24G	5C4	0	663	662.0829	Feet	Pair	133168.2	0	7.654667	0
BLDGCABLE	733	BuildingCU	12C	0	0	0.421337	Feet	Pair	73.1089	0	4.20E-03	0
BLDGCABLE	1517	BuildingCU24G	12C4	0	1	0.871989	Feet	Pair	193.0432	0	1.11E-02	0
BLDGCABLE	733	IntrabuildingCU	52C	0	5	4.937274	Feet	Pair	563.9381	0	3.24E-02	0
BLDGCABLE	1517	IntrabuildingCU24G	52C4	0	9	8.890541	Feet	Pair	1186.947	0	6.82E-02	0
FDI	34792	AerialCU	22C	0	0	6.07E-02	Terminals	Pair	5230.412	0	0.30065	0
FDI	34792	BuriedCU	45C	0	0	0.939268	Terminals	Pair	86068.02	0	4.947291	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.2.23. (SUB-LOOP - PER 2-WIRE ANALOG VOICE GRADE LOOP SL2 / FEEDER ONLY)

Geographical Unit: ORPKFLRWDS0

Quantity: 17397

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

c	d	e	j	A	E	Q
g	e	j	A			

000082

CostElem	NodeServiceCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelcMtrl	TelcEFI
FDI	34792 AerialCU	22C		0	0	6.07E-02 Terminals	Pair	5230.412	0	0.30065	0
FDI	34792 BuriedCU	45C		0	0	0.939268 Terminals	Pair	86068.02	0	4.947291	0
FDI-DLC	12438 AerialCU	22C		0	0	0.417422 Feet	Pair	48.2691	0	2.77E-03	0
FDI-DLC	15018 AerialCU24G	22C4		0	6	6.485659 Feet	Pair	927.5641	0	5.33E-02	0
FDI-DLC	12438 BuriedCU	45C		0	5	5.219789 Feet	Pair	564.7601	0	3.25E-02	0
FDI-DLC	15018 BuriedCU24G	45C4		0	81	81.10203 Feet	Pair	11719.56	0	0.673654	0
FDI-DLC	12438 UndergroundCU	5C		0	1	1.242136 Feet	Pair	126.7548	0	7.29E-03	0
FDI-DLC	15018 UndergroundCU24G	5C4		0	19	19.29959 Feet	Pair	2669.868	0	0.153467	0
DLC-RT	6716 CommonINTEGRATED	257C	40	0	0	*	DS0	239347.4	0	13.75797	0
DLC-RT	1 CommonONU	257C	40	0	0	*	DS0	72	0	4.14E-03	0
DLC-RT	6716 HardwiredINTEGRATED	257C	37	0	0	*	DS0	306464.8	0	17.61595	0
DLC-RT	1 HardwiredONU	257C	37	0	0	*	DS0	176.9167	0	1.02E-02	0
DLC-RT	39 Plug-inINTEGRATED	257C	46	0	2.24E-03	COIN	Service	16476.92	0	0.947113	0
DLC-RT	16 Plug-inINTEGRATED	257C	46	0	9.20E-04	PBX	Service	2293.5	0	0.131833	0
DLC-RT	6659 Plug-inINTEGRATED	257C	46	0	0.382767	POTS	Service	376617.4	0	21.64841	0
DLC-RT	2 Plug-inINTEGRATED	257C	46	0	1.15E-04	POTSX	Service	158.22	0	9.09E-03	0
DLC-RT	1 Plug-inONU	257C	46	0	5.75E-05	POTS	Service	120	0	6.90E-03	0
DLC-CO	65362 AerialCU	22C		0	128	128.4055 Feet	Pair	13108.04	0	0.753466	0
DLC-CO	31043 AerialFO	822C		0	271	271.1325 Feet	DS0	1581.457	0	9.09E-02	0
DLC-CO	65362 BuriedCU	45C		0	1606	1605.689 Feet	Pair	153891.7	0	8.845877	0
DLC-CO	31043 BuriedFO	845C		0	3390	3390.465 Feet	DS0	19784.68	0	1.137246	0
DLC-CO	65362 UndergroundCU	5C		0	382	382.1006 Feet	Pair	33042.59	0	1.899327	0
DLC-CO	31043 UndergroundFO	85C		0	807	806.8179 Feet	DS0	4707.934	0	0.270618	0
DLC-COT	6717 Common*all	257C	6	0	0	*ALL	DS0	214997	0	12.35828	0
DLC-COT	6717 Common*all	257C	6	0	0	*NSW	DS0	20540.89	0	1.180714	0
DLC-COT	6717 CommonUniversal	257C	6	0	0	*ALL	DS0	10661.65	0	0.612844	0
DLC-COT	6717 Hardwired*all	257C	3	0	0	*ALL	DS0	36857.71	0	2.118625	0
DLC-COT	6717 Hardwired*all	257C	3	0	0	*NSW	DS0	54663.74	0	3.142136	0
DLC-COT	39 Plug-inUniversal	257C	12	0	2.24E-03	COIN	Service	12178.16	0	0.700015	0
DLC-COT	16 Plug-inUniversal	257C	12	0	9.20E-04	PBX	Service	2193.12	0	0.126063	0
DLC-COT	6662 Plug-inUniversal	257C	12	0	0.38294	POTS	Service	406215.8	0	23.34976	0

Proprietary and Confidential

**PROPRIETARY**  
 Not for Disclosure Outside BellSouth  
 Except by Written Agreement.

BSTLM

RService: A.2.25. (SUB-LOOP - PER 2-WIRE ISDN DIGITAL GRADE LOOP / FEEDER ONLY)

Geographical Unit: ORPKFLRWDS0

Quantity: 68

Services Reported: f g

Services Returned: f g

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

D

000084

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelncMtrl	TelncEFI
FDI	136 Aerial	CU	22C	0	0	0.060678	Terminals	Pair	20.0082	0	0.294238	0
FDI	136 Buried	CU	45C	0	0	0.939322	Terminals	Pair	330.3284	0	4.857771	0
FDI-DLC	53 Aerial	CU	22C	0	0	0.449728	Feet	Pair	0.1976	0	2.91E-03	0
FDI-DLC	52 Aerial	CU24G	22C4	0	2	2.56095	Feet	Pair	1.5596	0	2.29E-02	0
FDI-DLC	53 Buried	CU	45C	0	6	5.623767	Feet	Pair	2.3204	0	3.41E-02	0
FDI-DLC	52 Buried	CU24G	45C4	0	32	32.02423	Feet	Pair	19.377	0	0.284956	0
FDI-DLC	53 Underground	CU	5C	0	1	1.33827	Feet	Pair	0.5245	0	7.71E-03	0
FDI-DLC	52 Underground	CU24G	5C4	0	8	7.620703	Feet	Pair	4.4189	0	6.50E-02	0
DLC-RT	22 Common	INTEGRATED	257C	40	0	0	*	DS0	2336.739	0	34.36381	0
DLC-RT	22 Hardwired	INTEGRATED	257C	37	0	0	*	DS0	2794.418	0	41.09438	0
DLC-RT	22 Plug-in	INTEGRATED	257C	46	0	0.323529	BRI-ISDN	Service	7430.76	0	109.2759	0
DLC-CO	214 Aerial	CU	22C	0	114	113.6169	Feet	Pair	45.1554	0	0.66405	0
DLC-CO	104 Aerial	FO	822C	0	226	225.8169	Feet	DS0	12.7881	0	0.18806	0
DLC-CO	214 Buried	CU	45C	0	1421	1420.76	Feet	Pair	531.1744	0	7.811388	0
DLC-CO	104 Buried	FO	845C	0	2824	2823.801	Feet	DS0	160.0011	0	2.352957	0
DLC-CO	214 Underground	CU	5C	0	338	338.0937	Feet	Pair	113.669	0	1.671603	0
DLC-CO	104 Underground	FO	85C	0	672	671.9707	Feet	DS0	38.0733	0	0.559901	0
DLC-COT	22 Common	*all	257C	6	0	0	*ALL	DS0	2071.311	0	30.46046	0
DLC-COT	22 Common	*all	257C	6	0	0	*NSW	DS0	197.934	0	2.910794	0
DLC-COT	22 Common	Universal	257C	6	0	0	*ALL	DS0	101.9448	0	1.499188	0
DLC-COT	22 Hardwired	*all	257C	3	0	0	*ALL	DS0	356.982	0	5.249735	0
DLC-COT	22 Hardwired	*all	257C	3	0	0	*NSW	DS0	534.8616	0	7.865612	0
DLC-COT	22 Plug-in	Universal	257C	12	0	0.323529	BRI-ISDN	Service	6160.32	0	90.59294	0

Proprietary and Confidential

PROPRIETARY  
Not for Disclosure Outside BellSouth  
Except by Written Agreement.

BSTLM

RService: A 2.29. (SUB-LOOP - PER 4-WIRE 56 OR 64 KBPS DIGITAL GRADE LOOP / FEEDER ONLY)

Geographical Unit: ORPKFLRWS0

Quantity: 63

Services Reported: 1

Services Returned: 1

Scenario: 2-wire centers

Options: Local loop onExcluding poles and conduit

980000

CostElem	NodeServiceCostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFITotal	TelricMtrl	TelricEFIT
FDI	124 AerialCU	22C	0	0	5.97E-02	Terminals	Pair	37.6746	0	0.59801	0
FDI	124 BuriedCU	45C	0	0	0.924413	Terminals	Pair	604.99	0	9.603016	0
FDI-DLC	51 AerialCU	22C	0	0	0.43919	Feet	Pair	0.4474	0	7.10E-03	0
FDI-DLC	41 AerialCU24G	22C4	0	2	1.717271	Feet	Pair	1.7302	0	2.75E-02	0
FDI-DLC	51 BuriedCU	45C	0	5	5.491993	Feet	Pair	4.8112	0	0.076368	0
FDI-DLC	41 BuriedCU24G	45C4	0	21	21.47418	Feet	Pair	21.24	0	0.337143	0
FDI-DLC	51 UndergroundCU	5C	0	1	1.306912	Feet	Pair	0.9992	0	1.59E-02	0
FDI-DLC	41 UndergroundCU24G	5C4	0	5	5.11014	Feet	Pair	4.8186	0	7.65E-02	0
DLC-RT	18 CommonINTEGRATED	257C	40	0	0	*	DS0	1269.604	0	20.15244	0
DLC-RT	1 CommonONU	257C	40	0	0	*	DS0	144	0	2.285714	0
DLC-RT	18 HardwiredINTEGRATED	257C	37	0	0	*	DS0	1345.322	0	21.35431	0
DLC-RT	1 HardwiredONU	257C	37	0	0	*	DS0	353.8334	0	5.616403	0
DLC-RT	18 Plug-inINTEGRATED	257C	46	0	0.285714	4-WIRE	Service	6954.961	0	110.3962	0
DLC-RT	1 Plug-inONU	257C	46	0	1.59E-02	4-WIRE	Service	500	0	7.936508	0
DLC-CO	220 AerialCU	22C	0	209	208.6316	Feet	Pair	151.7828	0	2.409251	0
DLC-CO	119 AerialFO	822C	0	215	215.1308	Feet	DS0	288.3062	0	4.576289	0
DLC-CO	220 BuriedCU	45C	0	2609	2608.902	Feet	Pair	1786.736	0	28.36089	0
DLC-CO	119 BuriedFO	845C	0	2690	2690.173	Feet	DS0	3605.268	0	57.22647	0
DLC-CO	220 UndergroundCU	5C	0	621	620.8319	Feet	Pair	383.26	0	6.083492	0
DLC-CO	119 UndergroundFO	85C	0	640	640.1719	Feet	DS0	857.9326	0	13.61798	0
DLC-COT	19 Common*all	257C	6	0	0	*ALL	DS0	12709.38	0	201.7361	0
DLC-COT	19 Common*all	257C	6	0	0	*NSW	DS0	444.1042	0	7.049273	0
DLC-COT	19 CommonUniversal	257C	6	0	0	*ALL	DS0	509.1564	0	8.081848	0
DLC-COT	19 Hardwired*all	257C	3	0	0	*ALL	DS0	2475.694	0	39.29673	0
DLC-COT	19 Hardwired*all	257C	3	0	0	*NSW	DS0	828.82	0	13.15587	0
DLC-COT	19 Plug-inUniversal	257C	12	0	0.301587	4-WIRE	Service	6954.96	0	110.3962	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.5.1. (2-WIRE ISDN DIGITAL GRADE LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 68

Services Reported: f g

Services Returned: f g

Scenario: 2-wire centers

Options: Local loop o Excluding poles and conduit

D

880000

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	55 NID	AerialCU	22C	1	0	4.91E-02	Terminals	Pair	38.587	18.1518	0.567456	0.266938
NID	55 NID	BuriedCU	45C	1	0	0.759746	Terminals	Pair	597.3665	280.9928	8.784801	4.132247
DROP	55 Aerial	CU	22C	1	5	5.439597	Feet	Pair	18.4252	75.3775	0.270959	1.108493
DROP	55 Buried	CU	45C	1	84	84.208	Feet	Pair	323.5282	1596.283	4.757768	23.47475
DTBT	3 Aerial	CU	22C	0	0	2.68E-03	Terminals	Pair	2.7021	0	3.97E-02	0
DTBT	3 Buried	CU	45C	0	0	4.14E-02	Terminals	Pair	41.831	0	0.615162	0
DTBT	6 Intrabuilding	CU	52C	0	0	6.62E-02	Terminals	Pair	66.8246	0	0.982715	0
DT-FDI	33 Aerial	CU	22C	0	37	36.70278	Feet	Pair	32.0248	0	0.470953	0
DT-FDI	50 Aerial	CU24G	22C4	0	188	187.9969	Feet	Pair	164.0996	0	2.413229	0
DT-FDI	33 Buried	CU	45C	0	459	458.9619	Feet	Pair	327.6399	0	4.818234	0
DT-FDI	50 Buried	CU24G	45C4	0	2351	2350.869	Feet	Pair	1984.125	0	29.17831	0
DT-FDI	33 Underground	CU	5C	0	109	109.2177	Feet	Pair	65.0058	0	0.955968	0
DT-FDI	50 Underground	CU24G	5C4	0	560	559.4286	Feet	Pair	422.4889	0	6.213072	0
BLDGCABLE	1 Building	CU	12C	0	0	0.147059	Feet	Pair	0.1324	0	1.95E-03	0
BLDGCABLE	5 Building	CU24G	12C4	0	1	0.735294	Feet	Pair	0.5825	0	8.57E-03	0
BLDGCABLE	1 Intrabuilding	CU	52C	0	1	0.827206	Feet	Pair	0.4637	0	6.82E-03	0
BLDGCABLE	5 Intrabuilding	CU24G	52C4	0	7	6.893382	Feet	Pair	4.2818	0	6.30E-02	0
FDI	136 Aerial	CU	22C	0	0	0.060678	Terminals	Pair	20.0082	0	0.294238	0
FDI	136 Buried	CU	45C	0	0	0.939322	Terminals	Pair	330.3284	0	4.857771	0
FDI-DLC	53 Aerial	CU	22C	0	0	0.449728	Feet	Pair	0.1976	0	2.91E-03	0
FDI-DLC	52 Aerial	CU24G	22C4	0	2	2.56095	Feet	Pair	1.5596	0	2.29E-02	0
FDI-DLC	53 Buried	CU	45C	0	6	5.623767	Feet	Pair	2.3204	0	3.41E-02	0
FDI-DLC	52 Buried	CU24G	45C4	0	32	32.02423	Feet	Pair	19.377	0	0.284956	0
FDI-DLC	53 Underground	CU	5C	0	1	1.33827	Feet	Pair	0.5245	0	7.71E-03	0
FDI-DLC	52 Underground	CU24G	5C4	0	8	7.620703	Feet	Pair	4.4189	0	6.50E-02	0
DLC-RT	22 Common	INTEGRATED	257C	40	0	0	*	DS0	2336.739	0	34.36381	0
DLC-RT	22 Hardwired	INTEGRATED	257C	37	0	0	*	DS0	2794.418	0	41.09438	0
DLC-RT	22 Plug-in	INTEGRATED	257C	46	0	0.323529	BRI-ISDN	Service	7430.76	0	109.2759	0
DLC-CO	214 Aerial	CU	22C	0	114	113.6169	Feet	Pair	45.1554	0	0.66405	0
DLC-CO	104 Aerial	FO	822C	0	226	225.8169	Feet	DS0	12.7881	0	0.18806	0
DLC-CO	214 Buried	CU	45C	0	1421	1420.76	Feet	Pair	531.1744	0	7.811388	0
DLC-CO	104 Buried	FO	845C	0	2824	2823.801	Feet	DS0	160.0011	0	2.352957	0
DLC-CO	214 Underground	CU	5C	0	338	338.0937	Feet	Pair	113.669	0	1.671603	0
DLC-CO	104 Underground	FO	85C	0	672	671.9707	Feet	DS0	38.0733	0	0.559901	0

PROPRIETARY

Not for Disclosure Outside BellSouth

Copyright © 1997 BellSouth Corporation

BSTLM

RService: A.5.1 (2-WIRE ISDN DIGITAL GRADE LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 68

Services Reported: f g

Services Returned: f g

Scenario: 2-wire centers

Options: Local loop o Excluding poles and conduit



CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
DLC-COT	22	Common*all	257C	6	0	0	*ALL	DS0	2071.311	0	30.46046	0
DLC-COT	22	Common*all	257C	6	0	0	*NSW	DS0	197.934	0	2.910794	0
DLC-COT	22	CommonUniversal	257C	6	0	0	*ALL	DS0	101.9448	0	1.499188	0
DLC-COT	22	Hardwired*all	257C	3	0	0	*ALL	DS0	356.982	0	5.249735	0
DLC-COT	22	Hardwired*all	257C	3	0	0	*NSW	DS0	534.8616	0	7.865612	0
DLC-COT	22	Plug-inUniversal	257C	12	0	0.323529	BRI-ISDN	Service	6160.32	0	90.59294	0

Proprietary and Confidential

680000

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.7.1 (2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 10008

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on CU fed only Under 12K ft only Excluding poles and conduit

000091

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	6504	NIDAerialCU	22C		1	0	3.94E-02	Terminals Pair	4513.362	2041.796	0.450975	0.204016
NID	6504	NIDBuriedCU	45C		1	0	0.610447	Terminals Pair	69870.56	31607.07	6.981471	3.158181
DROP	6504	AerialCU	22C		1	4	4.189173	Feet Pair	1967.94	8485.641	0.196637	0.847886
DROP	6504	BuriedCU	45C		1	65	64.85074	Feet Pair	35282.37	179704.2	3.525417	17.95606
DTBT	1076	AerialCU	22C		0	0	6.52E-03	Terminals Pair	880.9001	0	8.80E-02	0
DTBT	1076	BuriedCU	45C		0	0	0.10099	Terminals Pair	13636.77	0	1.362587	0
DTBT	1910	IntrabuildingCU	52C		0	0	0.143135	Terminals Pair	21230.3	0	2.121333	0
DT-FDI	6612	AerialCU	22C		0	36	35.93973	Feet Pair	3425.528	0	0.342279	0
DT-FDI	8950	AerialCU24G	22C4		0	196	196.0009	Feet Pair	24455.4	0	2.443585	0
DT-FDI	6612	BuriedCU	45C		0	449	449.4201	Feet Pair	39043.32	0	3.901211	0
DT-FDI	8950	BuriedCU24G	45C4		0	2451	2450.957	Feet Pair	297749.5	0	29.75115	0
DT-FDI	6612	UndergroundCU	5C		0	107	106.947	Feet Pair	8553.188	0	0.854635	0
DT-FDI	8950	UndergroundCU24G	5C4		0	584	583.2463	Feet Pair	64217.15	0	6.416582	0
BLDGCABLE	503	BuildingCU	12C		0	1	0.502598	Feet Pair	47.8089	0	4.78E-03	0
BLDGCABLE	1407	BuildingCU24G	12C4		0	1	1.405875	Feet Pair	176.2462	0	1.76E-02	0
BLDGCABLE	503	IntrabuildingCU	52C		0	4	4.273456	Feet Pair	305.1881	0	3.05E-02	0
BLDGCABLE	1407	IntrabuildingCU24G	52C4		0	14	14.42409	Feet Pair	1095.075	0	0.10942	0
FDI	20016	AerialCU	22C		0	0	0.060678	Terminals Pair	3020.689	0	0.301827	0
FDI	20016	BuriedCU	45C		0	0	0.939322	Terminals Pair	51193.18	0	5.115226	0
FDI-DLC	7600	AerialCU	22C		0	0	0.368625	Feet Pair	22.9845	0	2.30E-03	0
FDI-DLC	8482	AerialCU24G	22C4		0	8	8.463797	Feet Pair	662.4586	0	6.62E-02	0
FDI-DLC	7600	BuriedCU	45C		0	5	4.609587	Feet Pair	269.4702	0	0.026925	0
FDI-DLC	8482	BuriedCU24G	45C4		0	106	105.8383	Feet Pair	8356.826	0	0.835015	0
FDI-DLC	7600	UndergroundCU	5C		0	1	1.096928	Feet Pair	61.4607	0	6.14E-03	0
FDI-DLC	8482	UndergroundCU24G	5C4		0	25	25.186	Feet Pair	1906.541	0	0.190502	0
DLC-CO	31936	AerialCU	22C		0	201	201.4576	Feet Pair	11842.02	0	1.183255	0
DLC-CO	31936	BuriedCU	45C		0	2519	2519.192	Feet Pair	139082.3	0	13.89711	0
DLC-CO	31936	UndergroundCU	5C		0	600	599.4839	Feet Pair	29841.06	0	2.981721	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.8.1. (4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 43

Services Reported: 1

Services Returned: 1

Scenario: 2-wire centers

Options: Local loop on CU fed only Under 12K ft only Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	MtrlTotal	EFI Total	TelcMtrl	TelcEFI	
NID	5	NIDAerialCU	22C		1	0	7.06E-03	Terminals	Pair	6.7878	2.0496	0.157856	4.77E-02
NID	5	NIDBuriedCU	45C		1	0	0.109224	Terminals	Pair	105.0814	31.7246	2.443753	0.737781
DROP	5	AerialCU	22C		1	1	0.981779	Feet	Pair	2.4294	8.294	5.65E-02	0.192884
DROP	5	BuriedCU	45C		1	15	15.19848	Feet	Pair	60.1308	175.6428	1.398391	4.084716
DTBT	12	AerialCU	22C		0	0	1.69E-02	Terminals	Pair	22.5338		0.524042	0
DTBT	12	BuriedCU	45C		0	0	0.262136	Terminals	Pair	348.8352		8.112447	0
DTBT	18	IntrabuildingCU	52C		0	0	0.313953	Terminals	Pair	424.9956		9.883619	0
DT-FDI	19	AerialCU	22C		0	8	7.68206	Feet	Pair	7.0508		0.163972	0
DT-FDI	41	AerialCU24G	22C4		0	111	110.7506	Feet	Pair	97.5196		2.267898	0
DT-FDI	19	BuriedCU	45C		0	96	96.06283	Feet	Pair	70.9722		1.650516	0
DT-FDI	41	BuriedCU24G	45C4		0	1385	1384.918	Feet	Pair	1187.196		27.60921	0
DT-FDI	19	UndergroundCU	5C		0	23	22.85976	Feet	Pair	13.511		0.314209	0
DT-FDI	41	UndergroundCU24G	5C4		0	330	329.5644	Feet	Pair	263.3162		6.123633	0
BLDGCABLE	2	BuildingCU	12C		0	0	0.465116	Feet	Pair	0.4022		9.35E-03	0
BLDGCABLE	16	BuildingCU24G	12C4		0	4	3.72093	Feet	Pair	3.8404		8.93E-02	0
BLDGCABLE	2	IntrabuildingCU	52C		0	3	3.052326	Feet	Pair	2.3636		5.50E-02	0
BLDGCABLE	16	IntrabuildingCU24G	52C4		0	31	30.52326	Feet	Pair	24.7366		0.57527	0
FDI	86	AerialCU	22C		0	0	0.060678	Terminals	Pair	26.4068		0.614112	0
FDI	86	BuriedCU	45C		0	0	0.939322	Terminals	Pair	439.477		10.2204	0
FDI-DLC	30	AerialCU	22C		0	0	0.338665	Feet	Pair	0.17		3.95E-03	0
FDI-DLC	36	AerialCU24G	22C4		0	2	2.027759	Feet	Pair	1.381		3.21E-02	0
FDI-DLC	30	BuriedCU	45C		0	4	4.234952	Feet	Pair	2.0058		0.046647	0
FDI-DLC	36	BuriedCU24G	45C4		0	25	25.35678	Feet	Pair	16.9518		0.394228	0
FDI-DLC	30	UndergroundCU	5C		0	1	1.007778	Feet	Pair	0.4548		1.06E-02	0
FDI-DLC	36	UndergroundCU24G	5C4		0	6	6.03407	Feet	Pair	3.8512		8.96E-02	0
DLC-CO	137	AerialCU	22C		0	299	299.2052	Feet	Pair	148.5274		3.454126	0
DLC-CO	137	BuriedCU	45C		0	3741	3741.51	Feet	Pair	1748.854		40.67103	0
DLC-CO	137	UndergroundCU	5C		0	891	890.3549	Feet	Pair	375.0146		8.72127	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

000093



BSTLM

RService: A.9.1 (4-WIRE DS1 DIGITAL LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 27

Services Reported: k p

Services Returned: p

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

K

560005

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	4	NIUAerialCU	22C	1	0	5.92E-04	Terminals	Pair	41.224	1.7624	1.526815	6.53E-02
NID	4	NIUBuriedCU	45C	1	0	9.16E-03	Terminals	Pair	638.176	27.2872	23.63615	1.010637
NID	24	NIUCU	257C	19	0	1.787534	Terminals	Service	3464.16	0	128.3022	0
DROP	4	AerialCU	22C	1	1	1.295786	Feet	Pair	2.9994	8.8364	0.111089	0.327274
DROP	4	BuriedCU	45C	1	20	20.05948	Feet	Pair	59.0112	187.1256	2.1856	6.930578
DTBT	3	AerialCU	22C	0	0	6.74E-03	Terminals	Pair	5.6778	0	0.210289	0
DTBT	3	BuriedCU	45C	0	0	0.104369	Terminals	Pair	87.8962	0	3.255415	0
DTBT	10	IntrabuildingCU	52C	0	0	0.277778	Terminals	Pair	247.5528	0	9.168622	0
DT-FDI	14	AerialCU	22C	0	51	51.31298	Feet	Pair	24.6524	0	0.913052	0
DT-FDI	12	AerialCU24G	22C4	0	47	47.25433	Feet	Pair	27.6176	0	1.022874	0
DT-FDI	6	AerialFO	822C	0	8	8.144276	Feet	DSO	23.3064	0	0.8632	0
DT-FDI	14	BuriedCU	45C	0	641	641.6599	Feet	Pair	263.6567	0	9.765064	0
DT-FDI	12	BuriedCU24G	45C4	0	591	590.9072	Feet	Pair	328.1294	0	12.15294	0
DT-FDI	6	BuriedFO	845C	0	102	101.8428	Feet	DSO	291.4776	0	10.79547	0
DT-FDI	14	UndergroundCU	5C	0	153	152.6937	Feet	Pair	54.7962	0	2.029489	0
DT-FDI	12	UndergroundCU24G	5C4	0	141	140.6163	Feet	Pair	71.5678	0	2.650659	0
DT-FDI	6	UndergroundFO	85C	0	24	24.23519	Feet	DSO	69.372	0	2.569333	0
BLDGCABLE	6	BuildingCU	12C	0	2	2.222222	Feet	Pair	1.1838	0	4.38E-02	0
BLDGCABLE	7	BuildingCU24G	12C4	0	3	2.592593	Feet	Pair	1.7318	0	6.41E-02	0
BLDGCABLE	6	IntrabuildingCU	52C	0	15	14.58333	Feet	Pair	6.9616	0	0.257837	0
BLDGCABLE	7	IntrabuildingCU24G	52C4	0	15	14.58333	Feet	Pair	8.0322	0	0.297489	0
FDI	48	AerialCU	22C	0	0	5.39E-02	Terminals	Pair	14.2408	0	0.527437	0
FDI	48	BuriedCU	45C	0	0	0.834953	Terminals	Pair	219.8904	0	8.144089	0
FDI-DLC	21	AerialCU	22C	0	0	0.359571	Feet	Pair	0.1234	0	4.57E-03	0
FDI-DLC	15	AerialCU24G	22C4	0	1	0.97983	Feet	Pair	0.3988	0	1.48E-02	0
FDI-DLC	16	AerialFO	822C	0	0	0.357323	Feet	DSO	1.0224	0	3.79E-02	0
FDI-DLC	21	BuriedCU	45C	0	4	4.496369	Feet	Pair	1.4528	0	5.38E-02	0
FDI-DLC	15	BuriedCU24G	45C4	0	12	12.25261	Feet	Pair	4.9858	0	0.184659	0
FDI-DLC	16	BuriedFO	845C	0	4	4.468267	Feet	DSO	12.7872	0	0.4736	0
FDI-DLC	21	UndergroundCU	5C	0	1	1.069986	Feet	Pair	0.3232	0	1.20E-02	0
FDI-DLC	15	UndergroundCU24G	5C4	0	3	2.915713	Feet	Pair	1.131	0	4.19E-02	0
FDI-DLC	16	UndergroundFO	85C	0	1	1.063299	Feet	DSO	3.0456	0	0.1128	0
DLC-RT	7	CommonINTEGRATED	257C	40	0	0		DSO	6030.485	0	223.3513	0
DLC-RT	7	HardwiredINTEGRATED	257C	37	0	0		DSO	7237.38	0	268.0511	0

PROPRIETARY

Not for Disclosure Outside BellSouth

Except by Written Agreement

BSTLM

RService: A.9.1. (4-WIRE DS1 DIGITAL LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 27

Services Reported: k p

K

Services Returned: p

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

000000

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EF1 Total	TelricMtrl	TelricEF1
DLC-RT	7	Plug-inINTEGRATED	257C	46	0	0.259259	DS1	Service	2912.02	0	107.8526	0
DLC-CO	108	AerialCU	22C	0	208	207.9644	Feet	Pair	64.7458	0	2.397993	0
DLC-CO	57	AerialFO	822C	0	232	232.0242	Feet	DS0	71.784	0	2.658667	0
DLC-CO	108	BuriedCU	45C	0	2600	2600.559	Feet	Pair	762.221	0	28.23041	0
DLC-CO	57	BuriedFO	845C	0	2901	2901.423	Feet	DS0	897.8832	0	33.25493	0
DLC-CO	108	UndergroundCU	5C	0	619	618.8467	Feet	Pair	163.8448	0	6.068326	0
DLC-CO	57	UndergroundFO	85C	0	690	690.4421	Feet	DS0	213.6576	0	7.913244	0
DLC-COT	24	Common*all	257C	6	0	0	*ALL	DS0	19635.18	0	727.2291	0
DLC-COT	24	Common*all	257C	6	0	0	*NSW	DS0	1747.02	0	64.70444	0
DLC-COT	24	CommonUniversal	257C	6	0	0	*ALL	DS0	828.9	0	30.7	0
DLC-COT	24	Hardwired*all	257C	3	0	0	*ALL	DS0	3721.068	0	137.8173	0
DLC-COT	24	Hardwired*all	257C	3	0	0	*NSW	DS0	4769.873	0	176.662	0
DLC-COT	24	Plug-inUniversal	257C	12	0	0.888889	DS1	Service	5436.679	0	201.3585	0
SONET-PREM	3	Common	257C	40	0	0.555556	DS1	Service	1984.689	0	73.507	0
SONET-PREM	3	Hardwired	257C	37	0	0.555556	DS1	Service	1398.88	0	51.81037	0
SONET-PREM	3	Plug-in	257C	46	0	0.555556	DS1	Service	708.48	0	26.24	0
SONET-COT	3	Common	257C	6	0	0.555556	DS1	Service	2310.6	0	85.57778	0
SONET-COT	3	Hardwired	257C	3	0	0.555556	DS1	Service	1129.888	0	41.84771	0
SONET-COT	3	Plug-in	257C	12	0	0.555556	DS1	Service	708.48	0	26.24	0
CO-Adder	27	MDF-DS1	377C	3	0	0			378	0	14	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**



BSTLM

RService: D.5.24. (LOCAL CHANNEL DS1)

Geographical Unit: ORPKFLRWDS0

Quantity: 2

Services Reported: p P

Services Returned: p

Scenario: 2-wire centers

Options: Local channel FO fed only Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
DT-FDI	4	AerialFO	822C	0	73	73.29848	Feet	DS0	15.5376	0	7.7688	0
DT-FDI	4	BuriedFO	845C	0	916	916.5848	Feet	DS0	194.3184	0	97.1592	0
DT-FDI	4	UndergroundFO	85C	0	219	218.1167	Feet	DS0	46.248	0	23.124	0
BLDGCABLE	2	BuildingCU	12C	0	10	10	Feet	Pair	0.3608	0	0.1804	0
BLDGCABLE	2	IntrabuildingCU	52C	0	75	75	Feet	Pair	2.2316	0	1.1158	0
FDI-DLC	4	AerialFO	822C	0	3	3.21591	Feet	DS0	0.6816	0	0.3408	0
FDI-DLC	4	BuriedFO	845C	0	40	40.2144	Feet	DS0	8.5248	0	4.2624	0
FDI-DLC	4	UndergroundFO	85C	0	9	9.569691	Feet	DS0	2.0304	0	1.0152	0

Proprietary and Confidential

000100

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: P.1.1. (COMBO 2-WIRE VOICE GRADE ANALOG LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 17272

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

c d e  
f

000102

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
NID	12832	NIDAerialCU	22C	1	0	4.51E-02	Terminals	Pair	8964.031	4137.403	0.518992	0.239544
NID	12832	NIDBuriedCU	45C	1	0	0.697857	Terminals	Pair	138771.4	64047.8	8.034475	3.708187
DROP	12832	AerialCU	22C	1	5	4.929392	Feet	Pair	4145.405	17189.26	0.240007	0.995209
DROP	12832	BuriedCU	45C	1	76	76.30974	Feet	Pair	73481.28	364020.2	4.254359	21.07574
DTBT	1398	AerialCU	22C	0	0	4.91E-03	Terminals	Pair	1205.799	0	6.98E-02	0
DTBT	1398	BuriedCU	45C	0	0	7.60E-02	Terminals	Pair	18666.4	0	1.080732	0
DTBT	2150	IntrabuildingCU	52C	0	0	9.34E-02	Terminals	Pair	23805.55	0	1.378274	0
DT-FDI	10625	AerialCU	22C	0	43	42.74965	Feet	Pair	7444.577	0	0.43102	0
DT-FDI	15235	AerialCU24G	22C4	0	222	222.4618	Feet	Pair	50907.86	0	2.947421	0
DT-FDI	10625	BuriedCU	45C	0	535	534.577	Feet	Pair	84120.64	0	4.870347	0
DT-FDI	15235	BuriedCU24G	45C4	0	2782	2781.846	Feet	Pair	618364	0	35.80153	0
DT-FDI	10625	UndergroundCU	5C	0	127	127.2116	Feet	Pair	18485.03	0	1.070231	0
DT-FDI	15235	UndergroundCU24G	5C4	0	663	661.9869	Feet	Pair	132339.4	0	7.66208	0
BLDGCABLE	718	BuildingCU	12C	0	0	0.415702	Feet	Pair	71.7895	0	4.16E-03	0
BLDGCABLE	1432	BuildingCU24G	12C4	0	1	0.829088	Feet	Pair	183.6321	0	1.06E-02	0
BLDGCABLE	718	IntrabuildingCU	52C	0	5	4.904614	Feet	Pair	555.384	0	3.22E-02	0
BLDGCABLE	1432	IntrabuildingCU24G	52C4	0	9	8.671549	Feet	Pair	1142.338	0	6.61E-02	0
FDI	34542	AerialCU	22C	0	0	6.07E-02	Terminals	Pair	5193.689	0	0.3007	0
FDI	34542	BuriedCU	45C	0	0	0.939268	Terminals	Pair	85470.36	0	4.948492	0
FDI-DLC	12314	AerialCU	22C	0	0	0.416958	Feet	Pair	47.9114	0	2.77E-03	0
FDI-DLC	14901	AerialCU24G	22C4	0	6	6.520325	Feet	Pair	925.9437	0	5.36E-02	0
FDI-DLC	12314	BuriedCU	45C	0	5	5.213986	Feet	Pair	560.5156	0	0.032452	0
FDI-DLC	14901	BuriedCU24G	45C4	0	81	81.53553	Feet	Pair	11699.41	0	0.677363	0
FDI-DLC	12314	UndergroundCU	5C	0	1	1.240755	Feet	Pair	125.7864	0	7.28E-03	0
FDI-DLC	14901	UndergroundCU24G	5C4	0	19	19.40275	Feet	Pair	2665.302	0	0.154313	0
DLC-RT	6708	CommonINTEGRATED	257C	40	0	0	*	DS0	239039.1	0	13.83969	0
DLC-RT	1	CommonONU	257C	40	0	0	*	DS0	72	0	4.17E-03	0
DLC-RT	6708	HardwiredINTEGRATED	257C	37	0	0	*	DS0	306155.3	0	17.72553	0
DLC-RT	1	HardwiredONU	257C	37	0	0	*	DS0	176.9167	0	1.02E-02	0
DLC-RT	39	Plug-inINTEGRATED	257C	46	0	2.26E-03	COIN	Service	16476.92	0	0.953967	0
DLC-RT	16	Plug-inINTEGRATED	257C	46	0	9.26E-04	PBX	Service	2293.5	0	0.132787	0
DLC-RT	6651	Plug-inINTEGRATED	257C	46	0	0.385074	POTS	Service	376165.3	0	21.77891	0
DLC-RT	2	Plug-inINTEGRATED	257C	46	0	1.16E-04	POTSX	Service	158.22	0	9.16E-03	0
DLC-RT	1	Plug-inONU	257C	46	0	5.79E-05	POTS	Service	120	0	6.95E-03	0

PROPRIETARY

Not for Disclosure Outside BellSouth

Except by Written Agreement

Quantity: 17272

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

CostItem	Nodes	Service	Cost	Comp	FRC	SubFRC	Length	Units	Units	UM	Cost	UM	Total	Eff	Total	Telnc	Mini	Telnc	Mini	Eff
DLC-CO	64970	Aerial	CU		22C	0	128	128.0037	Feet	Par	12975.13	0	0.751223	0						0
DLC-CO	30822	Aerial	FO		822C	0	273	272.7664	Feet	DSO	1580.075	0	9.15E-02	0						0
DLC-CO	64970	Buried	CU		45C	0	1601	1600.664	Feet	Par	152327.6	0	8.819339	0						0
DLC-CO	30822	Buried	FO		845C	0	3411	3410.896	Feet	DSO	19767.39	0	1.144476	0						0
DLC-CO	64970	Underground	CU		5C	0	381	380.9048	Feet	Par	32704.74	0	1.893512	0						0
DLC-CO	30822	Underground	FO		85C	0	812	811.6799	Feet	DSO	4703.82	0	0.272338	0						0
DLC-COT	6709	Common	all		257C	6	0	0	ALL	DSO	108154.5	0	6.261841	0						0
DLC-COT	6708	Common	integrated		257C	6	0	0	SW	DSO	11016.73	0	0.637838	0						0
DLC-COT	6709	Hardware	all		257C	3	0	0	ALL	DSO	20698.54	0	1.198387	0						0
DLC-COT	6709	Hardware	integrated		257C	3	0	0	SW	DSO	17100.69	0	0.990082	0						0
DLC-COT	39	Plug	integrated		257C	12	0	2.26E-03	COIN	Service	586.8682	0	3.40E-02	0						0
DLC-COT	16	Plug	integrated		257C	12	-0	9.26E-04	PBX	Service	240.2064	0	0.013907	0						0
DLC-COT	6654	Plug	integrated		257C	12	0	0.385248	POTS	Service	78680.34	0	4.55537	0						0

Proprietary and Confidential

000103

PROPRIETARY  
 Not for Disclosure Outside BellSouth  
 Except by Written Agreement

BSTLM

RService: P.4.1 (COMBO 2-WIRE VOICE GRADE ISDN LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 68

Services Reported: 1 g

Services Returned: 1 g

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

000105

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelrcMtrl	TelrcEFI
NID	55 NIDAerial	CU	22C	1	0	4.91E-02	Terminals	Pair	38.587	18.1518	0.567456	0.266938
NID	55 NIDBuried	CU	45C	1	0	0.759746	Terminals	Pair	597.3665	280.9928	8.784801	4.132247
DROP	55 Aerial	CU	22C	1	5	5.439597	Feet	Pair	18.4252	75.3775	0.270959	1.108493
DROP	55 Buried	CU	45C	1	84	84.208	Feet	Pair	323.5282	1596.283	4.757768	23.47475
DTBT	3 Aerial	CU	22C	0	0	2.68E-03	Terminals	Pair	2.7021	0	3.97E-02	0
DTBT	3 Buried	CU	45C	0	0	4.14E-02	Terminals	Pair	41.831	0	0.615162	0
DTBT	6 Intrabuilding	CU	52C	0	0	6.62E-02	Terminals	Pair	66.8246	0	0.982715	0
DT-FDI	33 Aerial	CU	22C	0	37	36.70278	Feet	Pair	32.0248	0	0.470953	0
DT-FDI	50 Aerial	CU24G	22C4	0	188	187.9969	Feet	Pair	164.0996	0	2.413229	0
DT-FDI	33 Buried	CU	45C	0	459	458.9619	Feet	Pair	327.6399	0	4.818234	0
DT-FDI	50 Buried	CU24G	45C4	0	2351	2350.869	Feet	Pair	1984.125	0	29.17831	0
DT-FDI	33 Underground	CU	5C	0	109	109.2177	Feet	Pair	65.0058	0	0.955968	0
DT-FDI	50 Underground	CU24G	5C4	0	560	559.4286	Feet	Pair	422.4889	0	6.213072	0
BLDGCABLE	1 Building	CU	12C	0	0	0.147059	Feet	Pair	0.1324	0	1.95E-03	0
BLDGCABLE	5 Building	CU24G	12C4	0	1	0.735294	Feet	Pair	0.5825	0	8.57E-03	0
BLDGCABLE	1 Intrabuilding	CU	52C	0	1	0.827206	Feet	Pair	0.4637	0	6.82E-03	0
BLDGCABLE	5 Intrabuilding	CU24G	52C4	0	7	6.893382	Feet	Pair	4.2818	0	6.30E-02	0
FDI	136 Aerial	CU	22C	0	0	0.060678	Terminals	Pair	20.0082	0	0.294238	0
FDI	136 Buried	CU	45C	0	0	0.939322	Terminals	Pair	330.3284	0	4.857771	0
FDI-DLC	53 Aerial	CU	22C	0	0	0.449728	Feet	Pair	0.1976	0	2.91E-03	0
FDI-DLC	52 Aerial	CU24G	22C4	0	2	2.56095	Feet	Pair	1.5596	0	2.29E-02	0
FDI-DLC	53 Buried	CU	45C	0	6	5.623767	Feet	Pair	2.3204	0	3.41E-02	0
FDI-DLC	52 Buried	CU24G	45C4	0	32	32.02423	Feet	Pair	19.377	0	0.284956	0
FDI-DLC	53 Underground	CU	5C	0	1	1.33827	Feet	Pair	0.5245	0	7.71E-03	0
FDI-DLC	52 Underground	CU24G	5C4	0	8	7.620703	Feet	Pair	4.4189	0	6.50E-02	0
DLC-RT	22 Common	INTEGRATED	257C	40	0	0		DS0	2336.739	0	34.36381	0
DLC-RT	22 Hardwired	INTEGRATED	257C	37	0	0		DS0	2794.418	0	41.09438	0
DLC-RT	22 Plug-in	INTEGRATED	257C	46	0	0.323529	BRI-ISDN	Service	7430.76	0	109.2759	0
DLC-CO	214 Aerial	CU	22C	0	114	113.6169	Feet	Pair	45.1554	0	0.66405	0
DLC-CO	104 Aerial	FO	822C	0	226	225.8169	Feet	DS0	12.7881	0	0.18806	0
DLC-CO	214 Buried	CU	45C	0	1421	1420.76	Feet	Pair	531.1744	0	7.811388	0
DLC-CO	104 Buried	FO	845C	0	2824	2823.801	Feet	DS0	160.0011	0	2.352957	0
DLC-CO	214 Underground	CU	5C	0	338	338.0937	Feet	Pair	113.669	0	1.671603	0
DLC-CO	104 Underground	FO	85C	0	672	671.9707	Feet	DS0	38.0733	0	0.559901	0

PROPRIETARY

Not for Disclosure Outside BellSouth

Except by Written Agreement

BSTLM

RService: P.4.1. (COMBO 2-WIRE VOICE GRADE ISDN LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 68

Services Reported: f g

Services Returned: f g

Scenario: 2-wire centers

Options: Local loop on Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
DLC-COT	22	Common*all	257C		6	0	0 *ALL	DS0	1144.29	0	16.8278	0
DLC-COT	22	CommonIntegrated	257C		6	0	0 *SW	DS0	120.0099	0	1.764851	0
DLC-COT	22	Hardwired*all	257C		3	0	0 *ALL	DS0	216.1162	0	3.17818	0
DLC-COT	22	HardwiredIntegrated	257C		3	0	0 *SW	DS0	180.4066	0	2.653039	0
DLC-COT	22	Plug-inIntegrated	257C		12	0	0.323529 BRI-ISDN Service		2651.158	0	38.98761	0

Proprietary and Confidential

000106

**PROPRIETARY**  
Not for Disclosure Outside BellSouth  
Except by Written Agreement



BSTLM

RService: A.13.1. (2-WIRE COPPER - SHORT)

Geographical Unit: ORPKFLRWDS0

Quantity: 8489

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on CU fed only Under 18K ft only Excluding poles and conduit

c d e j A Q  
s j A

000108

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	5122	NIDAerialCU	22C		1	0	3.66E-02	Terminals Pair	3566.866	1612.158	0.420175	0.189911
NID	5122	NIDBuriedCU	45C		1	0	0.566758	Terminals Pair	55218.12	24955.96	6.504668	2.939799
DROP	5122	AerialCU	22C		1	4	4.009609	Feet Pair	1594.725	6699.367	0.187858	0.789182
DROP	5122	BuriedCU	45C		1	62	62.07099	Feet Pair	28868.46	141870.5	3.40069	16.71228
DTBT	1028	AerialCU	22C		0	0	7.35E-03	Terminals Pair	896.0312		0.105552	0
DTBT	1028	BuriedCU	45C		0	0	0.11375	Terminals Pair	13871.07		1.634005	0
DTBT	1856	IntrabuildingCU	52C		0	0	0.163977	Terminals Pair	20555.48		2.421425	0
DT-FDI	5049	AerialCU	22C		0	22	22.27695	Feet Pair	1791.138		0.210995	0
DT-FDI	8795	AerialCU24G	22C4		0	215	215.1161	Feet Pair	21206.61		2.498128	0
DT-FDI	5049	BuriedCU	45C		0	279	278.5694	Feet Pair	20221.56		2.38209	0
DT-FDI	8795	BuriedCU24G	45C4		0	2690	2689.99	Feet Pair	255388		30.08458	0
DT-FDI	5049	UndergroundCU	5C		0	66	66.29027	Feet Pair	4385.138		0.516567	0
DT-FDI	8795	UndergroundCU24G	5C4		0	641	640.1281	Feet Pair	55460.92		6.533269	0
BLDGCABLE	881	BuildingCU	12C		0	1	1.037814	Feet Pair	84.3109		9.93E-03	0
BLDGCABLE	975	BuildingCU24G	12C4		0	1	1.148545	Feet Pair	120.2543		1.42E-02	0
BLDGCABLE	881	IntrabuildingCU	52C		0	13	12.94322	Feet Pair	706.8154		8.33E-02	0
BLDGCABLE	975	IntrabuildingCU24G	52C4		0	9	8.742196	Feet Pair	661.5008		7.79E-02	0
FDI	16940	AerialCU	22C		0	0	6.05E-02	Terminals Pair	2629.855		0.309796	0
FDI	16940	BuriedCU	45C		0	0	0.93722	Terminals Pair	44613.95		5.255501	0
FDI-DLC	7388	AerialCU	22C		0	0	0.52359	Feet Pair	26.6297		3.14E-03	0
FDI-DLC	8635	AerialCU24G	22C4		0	3	2.657497	Feet Pair	185.6661		2.19E-02	0
FDI-DLC	7388	BuriedCU	45C		0	6	6.547397	Feet Pair	311.9965		0.036753	0
FDI-DLC	8635	BuriedCU24G	45C4		0	33	33.23153	Feet Pair	2291.631		0.269953	0
FDI-DLC	7388	UndergroundCU	5C		0	1	1.558063	Feet Pair	69.8841		8.23E-03	0
FDI-DLC	8635	UndergroundCU24G	5C4		0	8	7.908001	Feet Pair	517.6664		6.10E-02	0
DLC-CO	19890	AerialCU	22C		0	371	370.7105	Feet Pair	18990.33		2.237051	0
DLC-CO	19890	BuriedCU	45C		0	4635	4635.67	Feet Pair	221654.7		26.11081	0
DLC-CO	19890	UndergroundCU	5C		0	1103	1103.136	Feet Pair	47790.23		5.629666	0

Proprietary and Confidential

PROPRIETARY

Not for Disclosure Outside BellSouth  
Except by Written Agreement

BSTLM

RService: A.13.7. (2-WIRE COPPER LOOP - LONG)

Geographical Unit: ORPKFLRWDS0

Quantity: 8908

Services Reported: a b

Services Returned: a b

Scenario: 2-wire centers

Options: Local loop on CU fed only Over 18K ft only Excluding poles and conduit

c d e j A Q  
e j A

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	7714 NID	AerialCU	22C	1	0	5.25E-02	Terminals	Pair	5399.92	2526.24	0.606188	0.283592
NID	7714 NID	BuriedCU	45C	1	0	0.813419	Terminals	Pair	83595.92	39107.68	9.384365	4.390175
DROP	7714	AerialCU	22C	1	6	5.727525	Feet	Pair	2554.991	10494.78	0.28682	1.17813
DROP	7714	BuriedCU	45C	1	89	88.66529	Feet	Pair	44689.04	222247.8	5.016731	24.94924
DTBT	373	AerialCU	22C	0	0	2.54E-03	Terminals	Pair	312.9541	0	3.51E-02	0
DTBT	373	BuriedCU	45C	0	0	3.93E-02	Terminals	Pair	4844.656	0	0.543855	0
DTBT	394	IntrabuildingCU	52C	0	0	3.32E-02	Terminals	Pair	4360.327	0	0.489484	0
DT-FDI	10947	AerialCU24G	22C4	0	514	514.5415	Feet	Pair	56380.98	0	6.329252	0
DT-FDI	10947	BuriedCU24G	45C4	0	6433	6434.252	Feet	Pair	687222.5	0	77.14667	0
DT-FDI	10947	UndergroundCU24G	5C4	0	1530	1531.138	Feet	Pair	149857.4	0	16.82279	0
BLDG CABLE	394	BuildingCU24G	12C4	0	0	0.442299	Feet	Pair	57.4974	0	6.45E-03	0
BLDG CABLE	394	IntrabuildingCU24G	52C4	0	6	6.339807	Feet	Pair	382.5684	0	4.29E-02	0
FDI	17750	AerialCU	22C	0	0	0.060453	Terminals	Pair	2600.187	0	0.291893	0
FDI	17750	BuriedCU	45C	0	0	0.935843	Terminals	Pair	38852.16	0	4.361491	0
FDI-DLC	1140	AerialCU	22C	0	0	0.062122	Feet	Pair	3.5751	0	4.01E-04	0
FDI-DLC	16636	AerialCU24G	22C4	0	4	4.830023	Feet	Pair	366.2251	0	4.11E-02	0
FDI-DLC	1140	BuriedCU	45C	0	1	0.77682	Feet	Pair	41.952	0	4.71E-03	0
FDI-DLC	16636	BuriedCU24G	45C4	0	60	60.3986	Feet	Pair	4498.153	0	0.504957	0
FDI-DLC	1140	UndergroundCU	5C	0	0	0.184857	Feet	Pair	9.0246	0	1.01E-03	0
FDI-DLC	16636	UndergroundCU24G	5C4	0	14	14.37286	Feet	Pair	1015.711	0	0.114022	0
DLC-CO	45126	AerialCU	22C	0	1033	1033.849	Feet	Pair	55706	0	6.253481	0
DLC-CO	45126	BuriedCU	45C	0	12928	12928.1	Feet	Pair	650017	0	72.97002	0
DLC-CO	45126	UndergroundCU	5C	0	3077	3076.458	Feet	Pair	145507.7	0	16.33449	0

Proprietary and Confidential

000110

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement**

BSTLM

RService: A.2.30 (SUB-LOOP - PER 2-WIRE COPPER LOOP SHORT / FEEDER ONLY)

Geographical Unit: ORPKFLRWDS0

Quantity: 8489

Services Reported: a b c d e j A Q

Services Returned: a b c e j A

Scenario: 2-wire centers

Options: Local loop on CU fed only, Under 18K ft only Excluding poles and conduit

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
FDI	16940	AerialCU	22C		0	0	6.05E-02	Terminals Pair	2629.855	0	0.309796	0
FDI	16940	BuriedCU	45C		0	0	0.93722	Terminals Pair	44613.95	0	5.255501	0
FDI-DLC	7388	AerialCU	22C		0	0	0.52359	Feet Pair	26.6297	0	3.14E-03	0
FDI-DLC	8635	AerialCU24G	22C4		0	3	2.657497	Feet Pair	185.6661	0	2.19E-02	0
FDI-DLC	7388	BuriedCU	45C		0	6	6.547397	Feet Pair	311.9965	0	0.036753	0
FDI-DLC	8635	BuriedCU24G	45C4		0	33	33.23153	Feet Pair	2291.631	0	0.269953	0
FDI-DLC	7388	UndergroundCU	5C		0	1	1.558063	Feet Pair	69.8841	0	8.23E-03	0
FDI-DLC	8635	UndergroundCU24G	5C4		0	8	7.908001	Feet Pair	517.6664	0	6.10E-02	0
DLC-CO	19890	AerialCU	22C		0	371	370.7105	Feet Pair	18990.33	0	2.237051	0
DLC-CO	19890	BuriedCU	45C		0	4635	4635.67	Feet Pair	221654.7	0	26.11081	0
DLC-CO	19890	UndergroundCU	5C		0	1103	1103.136	Feet Pair	47790.23	0	5.629666	0

Proprietary and Confidential

000112

**PROPRIETARY**  
Not for Disclosure Outside BellSouth  
Except by Written Agreement.

BSTLM

RService: A.2.40 (SUB-LOOP - PER 2-WIRE COPPER LOOP SHORT / DISTRIBUTION ONLY)

Geographical Unit: ORPKFLRWDS0

Quantity: 8489

Services Reported: a b c d e j A Q

Services Returned: a b c e j A

Scenario: 2-wire centers

Options: Local loop on CU fed only Under 18K ft only Excluding poles and conduit

000114

CostElem	NodeServiceC	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	5122	NIDAerialCU	22C	1	0	3.66E-02	Terminals	Pair	3566.866	1612.158	0.420175	0.189911
NID	5122	NIDBuriedCU	45C	1	0	0.566758	Terminals	Pair	55218.12	24955.96	6.504668	2.939799
DROP	5122	AerialCU	22C	1	4	4.009609	Feet	Pair	1594.725	6699.367	0.187858	0.789182
DROP	5122	BuriedCU	45C	1	62	62.07099	Feet	Pair	28868.46	141870.5	3.40069	16.71228
DTBT	1028	AerialCU	22C	0	0	7.35E-03	Terminals	Pair	896.0312	0	0.105552	0
DTBT	1028	BuriedCU	45C	0	0	0.11375	Terminals	Pair	13871.07	0	1.634005	0
DTBT	1856	IntrabuildingCU	52C	0	0	0.163977	Terminals	Pair	20555.48	0	2.421425	0
DT-FDI	5049	AerialCU	22C	0	22	22.27695	Feet	Pair	1791.138	0	0.210995	0
DT-FDI	8795	AerialCU24G	22C4	0	215	215.1161	Feet	Pair	21206.61	0	2.498128	0
DT-FDI	5049	BuriedCU	45C	0	279	278.5694	Feet	Pair	20221.56	0	2.38209	0
DT-FDI	8795	BuriedCU24G	45C4	0	2690	2689.99	Feet	Pair	255388	0	30.08458	0
DT-FDI	5049	UndergroundCU	5C	0	66	66.29027	Feet	Pair	4385.138	0	0.516567	0
DT-FDI	8795	UndergroundCU24G	5C4	0	641	640.1281	Feet	Pair	55460.92	0	6.533269	0
BLDGCABLE	881	BuildingCU	12C	0	1	1.037814	Feet	Pair	84.3109	0	9.93E-03	0
BLDGCABLE	975	BuildingCU24G	12C4	0	1	1.148545	Feet	Pair	120.2543	0	1.42E-02	0
BLDGCABLE	881	IntrabuildingCU	52C	0	13	12.94322	Feet	Pair	706.8154	0	8.33E-02	0
BLDGCABLE	975	IntrabuildingCU24G	52C4	0	9	8.742196	Feet	Pair	661.5008	0	7.79E-02	0
FDI	16940	AerialCU	22C	0	0	6.05E-02	Terminals	Pair	2629.855	0	0.309796	0
FDI	16940	BuriedCU	45C	0	0	0.93722	Terminals	Pair	44613.95	0	5.255501	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

BSTLM

RService: A.6.1. (2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP)

Geographical Unit: ORPKFLRWDS0

Quantity: 8489

Services Reported: a b c d e j A B

Services Returned: a b c e j A

Scenario: 2-wire centers

Options: Local loop on CU fed only Under 10K ft only Excluding poles and conduit

000116

CostElem	NodeService	CostComp	FRC	SubFRC	Length	Units	UnitsUOM	CostUOM	Mtrl Total	EFI Total	TelricMtrl	TelricEFI
NID	5122	NIDAerialCU	22C		1	0 3.66E-02	Terminals	Pair	3566.866	1612.158	0.420175	0.189911
NID	5122	NIDBuriedCU	45C		1	0 0.566758	Terminals	Pair	55218.12	24955.96	6.504668	2.939799
DROP	5122	AerialCU	22C		1	4 4.009609	Feet	Pair	1594.725	6699.367	0.187858	0.789182
DROP	5122	BuriedCU	45C		1	62 62.07099	Feet	Pair	28868.46	141870.5	3.40069	16.71228
DTBT	1028	AerialCU	22C		0	0 7.35E-03	Terminals	Pair	896.0312		0 0.105552	0
DTBT	1028	BuriedCU	45C		0	0 0.11375	Terminals	Pair	13871.07		0 1.634005	0
DTBT	1856	IntrabuildingCU	52C		0	0 0.163977	Terminals	Pair	20555.48		0 2.421425	0
DT-FDI	5049	AerialCU	22C		0	22 22.27695	Feet	Pair	1791.138		0 0.210995	0
DT-FDI	8795	AerialCU24G	22C4		0	215 215.1161	Feet	Pair	21206.61		0 2.498128	0
DT-FDI	5049	BuriedCU	45C		0	279 278.5694	Feet	Pair	20221.56		0 2.38209	0
DT-FDI	8795	BuriedCU24G	45C4		0	2690 2689.99	Feet	Pair	255388		0 30.08458	0
DT-FDI	5049	UndergroundCU	5C		0	66 66.29027	Feet	Pair	4385.138		0 0.516567	0
DT-FDI	8795	UndergroundCU24G	5C4		0	641 640.1281	Feet	Pair	55460.92		0 6.533269	0
BLDGCABLE	881	BuildingCU	12C		0	1 1.037814	Feet	Pair	84.3109		0 9.93E-03	0
BLDGCABLE	975	BuildingCU24G	12C4		0	1 1.148545	Feet	Pair	120.2543		0 1.42E-02	0
BLDGCABLE	881	IntrabuildingCU	52C		0	13 12.94322	Feet	Pair	706.8154		0 8.33E-02	0
BLDGCABLE	975	IntrabuildingCU24G	52C4		0	9 8.742196	Feet	Pair	661.5008		0 7.79E-02	0
FDI	16940	AerialCU	22C		0	0 6.05E-02	Terminals	Pair	2629.855		0 0.309796	0
FDI	16940	BuriedCU	45C		0	0 0.93722	Terminals	Pair	44613.95		0 5.255501	0
FDI-DLC	7388	AerialCU	22C		0	0 0.52359	Feet	Pair	26.6297		0 3.14E-03	0
FDI-DLC	8635	AerialCU24G	22C4		0	3 2.657497	Feet	Pair	185.6661		0 2.19E-02	0
FDI-DLC	7388	BuriedCU	45C		0	6 6.547397	Feet	Pair	311.9965		0 0.036753	0
FDI-DLC	8635	BuriedCU24G	45C4		0	33 33.23153	Feet	Pair	2291.631		0 0.269953	0
FDI-DLC	7388	UndergroundCU	5C		0	1 1.558063	Feet	Pair	69.8841		0 8.23E-03	0
FDI-DLC	8635	UndergroundCU24G	5C4		0	8 7.908001	Feet	Pair	517.6664		0 6.10E-02	0
DLC-CO	19890	AerialCU	22C		0	371 370.7105	Feet	Pair	18990.33		0 2.237051	0
DLC-CO	19890	BuriedCU	45C		0	4635 4635.67	Feet	Pair	221654.7		0 26.11081	0
DLC-CO	19890	UndergroundCU	5C		0	1103 1103.136	Feet	Pair	47780.23		0 5.629666	0

Proprietary and Confidential

**PROPRIETARY**  
**Not for Disclosure Outside BellSouth**  
**Except by Written Agreement.**

Bst2000\_Inputs.xls

**OC48 - Line Cards (SONET Terminals-SONET Cards)**

Item	Vend "A" Material Cost	Vend "B" Material Cost	Service Capacity	Total Placing Hours
DS1	604	570	4	0
DS3	2982	1449	3	0
STS1	3138	1449	3	0
OC1	2946	2946	3	0
OC3	6576	1800	1	0
OC12	26000	9000	1	0

000121

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or disclosed Outside The BellSouth Company.  
Except as otherwise provided in a Written Agreement.

Bst2000\_Inputs.xls

**OC3 - Line Cards (SONET Terminals-SONET Cards)**

<b>Item</b>	<b>Vend "A" Material Cost</b>	<b>Vend "B" Material Cost</b>	<b>Service Capacity</b>	<b>Total Placing Hours</b>
DS1	604	570	4	0
DS3	1564	2400	1	0
STS1	866	2800	1	0
OC1	2946	2946	1	0

000122

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or disclosed Outside The BellSouth Company.  
Except as otherwise in written Agreement.

**OC12 - Line Cards (SONET Terminals-SONET Cards)**

<b>Item</b>	<b>Vend "A" Material Cost</b>	<b>Vend "B" Material Cost</b>	<b>Service Capacity</b>	<b>Total Placing Hours</b>
DS1	604	570	4	0
DS3	2856	2898	3	0
STS1	3456	2898	3	0
OC1	2946	2946	3	0
OC3	3790	2898	1	0

000123

**PRIVATE/PROPRIETARY**  
Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company.  
Except as may be required by a Written Agreement.



Bst2000\_Inputs.xls

**OC1 - Line Cards (SONET Terminals-SONET Cards)**

<b>Item</b>	<b>Vend "A" Material Cost</b>	<b>Vend "B" Material Cost</b>	<b>Service Capacity</b>	<b>Total Placing Hours</b>
DS1	604	570	4	0

000124

**PRIVATE/PROPRIETARY**

*Contains Private and/or Proprietary Information.  
May not be used or disclosed Outside The BellSouth Company  
Except pursuant to a Written Agreement.*

Bst2000\_Inputs.xls

**OC48 - SONET Term (SONET Terminals-SONET COT)**

Item	Vend "A" Material Cost	Vend "B" Material Cost	DS1 Capacity	Total Placing Hours
Optical shelf - Hardwire (Low)	0	2214	672	0
Optical shelf - Hardwire (High)	12046.5	3700.5	1344	0
Optical Common Equip (Low)	0	1300	672	0
Optical Common Equip (High)	25391	49081	1344	0
Interface MUX Working Card (28 DS1 Capacity)	0	570	28	0
OC12 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Working Card (84 DS1 Capacity)	6576	6469	84	0
Interface MUX Equipment (28 DS1 Capacity)	1470	1320	28	0
OC12 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Equipment (84 DS1 Capacity)	98	360	84	0
Interface MUX Equipment (336 DS1 Capacity)	0	2749	336	0
Interface MUX Equipment (1344 DS1 Capacity)	3138	0	1344	0
OC12 Interface MUX Commons	0	0	0	0
OC48 Interface MUX Commons	7986	9416	84	0
Interface MUX - Hardwire (28-56 DS1 Capacity)	830.64	0	56	0
OC12 Interface MUX - Hardwire (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX - Hardwire (84 DS1 Capacity)	0	300	84	0
Batt. Backup	0	0	0	0
Data communications Link	881	881	1344	0
Fiber Splicing Terminal	4160.16	4160.16	1344	0
DSX-1 Panel	829.64	829.64	56	0
DSX-3 Panel	4099.92	4099.92	672	0
LGX	2628	2628	1344	0

000127

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
 May not be used or disclosed outside The BellSouth Company  
 Except as permitted by a Written Agreement.

**OC3 - SONET Term (SONET Terminals-SONET COT)**

Item	Vend "A" Material Cost	Vend "B" Material Cost	DS1 Capacity	Total Placing Hours
Optical shelf - Hardwire (Low)	750	330	84	0
Optical shelf - Hardwire (High)	0	0	0	0
Optical Common Equip (Low)	7986	9416	84	0
Optical Common Equip (High)	0	0	0	0
Interface MUX Working Card (28 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (28 DS1 Capacity)	1470	1320	28	0
OC12 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (336 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (1344 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Commons	0	0	0	0
OC48 Interface MUX Commons	0	0	0	0
Interface MUX - Hardwire (28-56 DS1 Capacity)	0	0	0	0
OC12 Interface MUX - Hardwire (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX - Hardwire (84 DS1 Capacity)	0	0	0	0
Batt. Backup	0	0	0	0
Data communications Link	881	881	84	0
Fiber Splicing Terminal	4160.16	4160.16	1344	0
DSX-1 Panel	829.64	829.64	56	0
DSX-3 Panel	4099.92	4099.92	672	0
LGX	0	0	0	0

000128

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
 May not be used or Disclosed Outside The BellSouth Company  
 Except Pursuant to a Written Agreement.

**OC12 - SONET Term (SONET Terminals-SONET COT)**

Item	Vend "A" Material Cost	Vend "B" Material Cost	DS1 Capacity	Total Placing Hours
Optical shelf - Hardwire (Low)	1324	1130	336	0
Optical shelf - Hardwire (High)	0	0	0	0
Optical Common Equip (Low)	17124	23663	336	0
Optical Common Equip (High)	0	0	0	0
Interface MUX Working Card (28 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Working Card (84 DS1 Capacity)	3790	2898	84	0
OC48 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (28 DS1 Capacity)	1470	1320	28	0
OC12 Interface MUX Equipment (84 DS1 Capacity)	98	360	84	0
OC48 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (336 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (1344 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Commons	7986	9416	84	0
OC48 Interface MUX Commons	0	0	0	0
Interface MUX - Hardwire (28-56 DS1 Capacity)	0	0	0	0
OC12 Interface MUX - Hardwire (84 DS1 Capacity)	720	200	84	0
OC48 Interface MUX - Hardwire (84 DS1 Capacity)	0	0	0	0
Batt. Backup	0	0	0	0
Data communications Link	881	881	336	0
Fiber Splicing Terminal	4160.16	4160.16	1344	0
DSX-1 Panel	829.64	829.64	56	0
DSX-3 Panel	4099.92	4099.92	672	0
LGX	2628	2628	1344	0

000129

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
 May not be used or Disclosed Outside The BellSouth Company  
 Except pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**OC1 - SONET Term (SONET Terminals-SONET COT)**

Item	Vend "A" Material Cost	Vend "B" Material Cost	DS1 Capacity	Total Placing Hours
Optical shelf - Hardwire (Low)	1796	1796	28	0
Optical shelf - Hardwire (High)	0	0	0	0
Optical Common Equip (Low)	1497	1497	28	0
Optical Common Equip (High)	0	0	0	0
Interface MUX Working Card (28 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (28 DS1 Capacity)	1473	1473	28	0
OC12 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (336 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (1344 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Commons	0	0	0	0
OC48 Interface MUX Commons	0	0	0	0
Interface MUX - Hardwire (28-56 DS1 Capacity)	0	0	0	0
OC12 Interface MUX - Hardwire (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX - Hardwire (84 DS1 Capacity)	0	0	0	0
Batt. Backup	0	0	0	0
Data communications Link	881	881	84	0
Fiber Splicing Terminal	4160.16	4160.16	1344	0
DSX-1 Panel	829.64	829.64	56	0
DSX-3 Panel	0	0	0	0
LGX	0	0	0	0

000130

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
 May not be used or disclosed Outside The BellSouth Corporation.  
 Except Pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**OC48 - SONET Term (SONET Terminals-SONET RT)**

Item	Vend "A" Material Cost	Vend "B" Material Cost	DS1 Capacity	Total Placing Hours
Optical shelf - Hardwire (Low Capacity)	0	2214	672	0
Optical shelf - Hardwire (High Capacity)	12046.5	3700.5	1344	0
Optical Common Equip (Low Capacity)	0	1300	672	0
Optical Common Equip (High Capacity)	25391	49081	1344	0
Interface MUX Working Card (28 DS1 Capacity)	0	570	28	0
OC12 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Working Card (84 DS1 Capacity)	6576	6469	84	0
Interface MUX Equipment (28 DS1 Capacity)	1470	1320	28	0
OC12 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Equipment (84 DS1 Capacity)	98	360	84	0
Interface MUX Equipment (336 DS1 Capacity)	0	2749	336	0
Interface MUX Equipment (1344 DS1 Capacity)	3138	0	1344	0
OC12 Interface MUX Commons	0	0	0	0
OC48 Interface MUX Commons	7986	9416	84	0
Interface MUX - Hardwire (28-56 DS1 Capacity)	830.64	0	56	0
OC12 Interface MUX - Hardwire (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX - Hardwire (84 DS1 Capacity)	0	300	84	0
Belt Backup (Hard)	2134	2134	1344	0
Belt Backup (Common)	1608	1608	1344	0
Fiber Splicing Terminal	4160.16	4160.16	1344	0
DSX-1 Panel	829.64	829.64	56	0
DSX-3 Panel	4099.92	4099.92	672	0
Ltie	450	450	1344	0

000132

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
 May not be used or Disclosed Outside The BellSouth Company.  
 Except Pursuant to a Written Agreement.

OC3 - SONET Term (SONET Terminals-SONET RT)

Item	Vend "A" Material Cost	Vend "B" Material Cost	DS1 Capacity	Total Pacing Hours
Optical shelf - Hardware (Low Capacity)	750	330	84	0
Optical shelf - Hardware (High Capacity)	0	0	0	0
Optical Common Equip (Low Capacity)	7986	9416	84	0
Optical Common Equip (High Capacity)	0	0	0	0
Interface MUX Working Card (28 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (28 DS1 Capacity)	1470	1320	28	0
OC12 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (336 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (1344 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Common	0	0	0	0
OC48 Interface MUX Common	0	0	0	0
Interface MUX - Hardware (28-56 DS1 Capacity)	0	0	0	0
OC12 Interface MUX - Hardware (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX - Hardware (84 DS1 Capacity)	0	0	0	0
Batt. Backup (Hard)	2134	2134	84	0
Batt. Backup (Common)	1608	1608	84	0
Fiber Splicing Terminal	4160.16	4160.16	1344	0
DSX-1 Panel	829.64	829.64	56	0
DSX-3 Panel	4099.92	4099.92	672	0
Lite	0	0	0	0

000133

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
 May not be Used or Disclosed Outside The BellSouth Company.  
 Except Pursuant to a Written Agreement.

OC12 - SONET Term (SONET Terminals-SONET RT)

Item	Vend "A" Material Cost	Vend "B" Material Cost	DS1 Capacity	Total Placing Hours
Optical shelf - Hardware (Low Capacity)	1324	1130	336	0
Optical shelf - Hardware (High Capacity)	0	0	0	0
Optical Common Equip (Low Capacity)	17124	23663	336	0
Optical Common Equip (High Capacity)	0	0	0	0
Interface MUX Working Card (28 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Working Card (84 DS1 Capacity)	3780	2898	84	0
OC48 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (28 DS1 Capacity)	1470	1320	28	0
OC12 Interface MUX Equipment (84 DS1 Capacity)	86	360	84	0
OC48 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (336 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (1344 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Common	7886	9416	84	0
OC48 Interface MUX Common	0	0	0	0
Interface MUX - Hardware (28-56 DS1 Capacity)	0	0	0	0
OC12 Interface MUX - Hardware (84 DS1 Capacity)	720	200	84	0
OC48 Interface MUX - Hardware (84 DS1 Capacity)	0	0	0	0
Batt. Backup (Hard)	2134	2134	0	0
Batt. Backup (Common)	1608	1608	336	0
Fiber Splicing Terminal	4180.16	4180.16	336	0
DSX-1 Panel	829.64	829.64	1344	0
DSX-3 Panel	4089.92	4089.92	56	0
Lite	450	450	672	0
			1344	0

0000100

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
 May not be used or Disclosed Outside The BellSouth Company.  
 Except Pursuant to a Written Agreement.



**OC1 - SONET Term (SONET Terminals-SONET RT)**

Item	Vend "A" Material Cost	Vend "B" Material Cost	DS1 Capacity	Total Placing Hours
Optical shelf - Hardwire (Low Capacity)	1796	1796	28	0
Optical shelf - Hardwire (High Capacity)	0	0	0	0
Optical Common Equip (Low Capacity)	1497	1497	28	0
Optical Common Equip (High Capacity)	0	0	0	0
Interface MUX Working Card (28 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Working Card (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (28 DS1 Capacity)	1473	1473	28	0
OC12 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX Equipment (84 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (336 DS1 Capacity)	0	0	0	0
Interface MUX Equipment (1344 DS1 Capacity)	0	0	0	0
OC12 Interface MUX Commons	0	0	0	0
OC48 Interface MUX Commons	0	0	0	0
Interface MUX - Hardwire (28-56 DS1 Capacity)	0	0	0	0
OC12 Interface MUX - Hardwire (84 DS1 Capacity)	0	0	0	0
OC48 Interface MUX - Hardwire (84 DS1 Capacity)	0	0	0	0
Batt. Backup (Hard)	2134	2134	28	0
Batt. Backup (Common)	1608	1608	28	0
Fiber Splicing Terminal	4160.16	4160.16	1344	0
DSX-1 Panel	829.64	829.64	56	0
DSX-3 Panel	0	0	0	0
Ltie	0	0	0	0

000135

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
 May not be used or Disclosed Outside The BellSouth Company  
 Except Pursuant to a Written Agreement.

Bst2000\_Inputs.xls

Vendor "B" DLC - Channel (DLC/ONU-COT)

Item	Material Cost	Service Capacity	Total Placing Hours
POTS	76	2	0
COIN	296	1	0
BRI-ISDN	225	1	0
CENTREX	76	2	0
SW-VGSS	198	2	0
NSW-VGSS	490	1	0
4-WIRE	250	1	0
DS1	604	4	0
HDSL	121	1	0
ADSL	NA	1	0
PBX	198	2	0

000137

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company  
Except Pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**Vendor "B" DLC - CE (DLC/ONU-COT)**

<b>Item</b>	<b>Material Cost</b>	<b>DSO Capacity</b>	<b>Total Placing Hours</b>
CO CE Optical Bank/Shelf	2443.44	2016	0
CE Bank/Shelf Common Equip.	17331	672	0
TSI Integrated	NA	NA	0
TSI Universal	NA	NA	0
TSI Protect	8852	2016	0
CO channel bank/metallic shelf SW	754	96	0
SW Channel Bank/Shelf CE	NA	NA	0
CO channel bank/metallic shelf NSW	754	96	0
NSW Channel Bank/Shelf CE	NA	NA	0
CO DS1 channel units for integration	604	24	0
Optical ONU Bank/Shelf	534	8	0
Optical Line Units	70	1	0
HDSL Common Equipment	0	24	0
ADSL Common Equipment	NA	1	0
DSX Panel	820	2016	0
Bay	1300	672	0
D4 Bay	NA	48	0
D4 Shelf	NA	48	0
D4 Channel Unit	NA	2	0

000138

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company  
Except Pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**Vendor "A" DLC - Channel (DLC/ONU-COT)**

<b>Item</b>	<b>Material Cost</b>	<b>Service Capacity</b>	<b>Total Placing Hours</b>
POTS	254	4	0
COIN	516	4	0
BRI-ISDN	594	4	0
CENTREX	254	4	0
SW-VGSS	389	4	0
NSW-VGSS	389	4	0
4-WIRE	517	2	0
DS1	327	1	0
HDSL	121	1	0
ADSL	327	1	0
PBX	389	4	0

000139

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company.  
Except as permitted by a Written Agreement.

Bst2000\_Inputs.xls

**Vendor "A" DLC - CE (DLC/ONU-COT)**

<b>Item</b>	<b>Material Cost</b>	<b>DSO Capacity</b>	<b>Total Placing Hours</b>
CO CE Optical Bank/Shelf	96.5	2016	0
CE Bank/Shelf Common Equip.	3486	2016	0
TSI Integrated	1617	672	0
TSI Universal	1617	672	0
TSI Protect	1617	672	0
CO channel bank/metallic shelf SW	877	224	0
SW Channel Bank/Shelf CE	1201	224	0
CO channel bank/metallic shelf NSW	877	224	0
NSW Channel Bank/Shelf CE	1201	224	0
CO DS1 channel units for integration	50	1	0
Optical ONU Bank/Shelf	NA	8	0
Optical Line Units	NA	1	0
HDSL Common Equipment	0	24	0
ADSL Common Equipment	NA	1	0
DSX Panel	NA	2016	0
Bay	1727	672	0
D4 Bay	NA	48	0
D4 Shelf	NA	48	0
D4 Channel Unit	NA	2	0

000140

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Corporation.  
Except Pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**Vendor "B" DLC - Channel (DLC/ONU-DLCRT)**

<b>Item</b>	<b>Material Cost</b>	<b>Service Capacity</b>	<b>Total Placing Hours</b>
POTS	60	2	0
POTSX	60	2	0
COIN	365	1	0
COINX	365	1	0
BRI-ISDN	225	1	0
BRI-ISDNX	225	1	0
CENTREX	60	2	0
CENTREXX	60	2	0
SW-VGSS	150	2	0
SW-VGSSX	150	2	0
NSW-VGSS	490	1	0
NSW-VGSSX	490	1	0
4-WIRE	250	1	0
4-WIREX	250	1	0
DS1	604	4	0
DS1X	604	4	0
HDSL	121	1	0
HDSLX	121	1	0
ADSL	NA	1	0
ADSLX	NA	1	0
PBX	150	2	0
PBXX	150	2	0

000143

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or disclosed Outside The BellSouth Company.  
Except Pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**Vendor "B" DLC - CE (DLC/ONU-DLCRT)**

<b>Item</b>	<b>Material Cost</b>	<b>DSO Capacity</b>	<b>Total Placing Hours</b>
RT CE Optical Bank/Shelf	750	2016	0
CE Bank/Shelf Common Equip. (Integrated)	14747	672	0
CE Bank/Shelf Common Equip. (Universal)	19787	672	0
TSI	NA	NA	
TSI Protect	8852	2016	
RT channel bank /Shelf (Metallic)	500	96	0
Channel Bank/Shelf CE	NA	NA	0
ADSL Common Equipment	NA	NA	0
HDSL Common Equipment	NA	NA	0
Optical ONU Bank/Shelf	534	8	0
Optical Shelf CE	137	8	0
Optical Line Units	70	1	0
DSX Panel	820	2016	0
Batteries, Environ. Equip., Etc.	2336	672	0
Bay	1508	672	0
ONU Cabinet (e.g. CAD-12)	NA	NA	NA
Cabinet Small (includes Batt. Etc.)	NA	NA	0
Cabinet Medium (includes Batt. Etc.)	18229	480	0
Cabinet Large (includes Batt. Etc.)	26977	1344	0
Cabinet Xtra Large (includes Batt. Etc.)	37633	2016	0
Mini-Hut	NA	7257	0
Maxi -Hut	NA	9792	0
CEV 16	NA	8064	0
CEV 24	NA	12086	0

000144

**PRIVATE/PROPRIETARY**  
 Contains Private and/or Proprietary Information.  
 May not be used or disclosed outside The BellSouth Company.  
 Except pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**Vendor "A" DLC - Channel (DLC/ONU-DLCRT)**

<b>Item</b>	<b>Material Cost</b>	<b>Service Capacity</b>	<b>Total Placing Hours</b>
POTS	211	4	0
POTSX	211	4	0
COIN	588	4	0
COINX	588	4	0
BRI-ISDN	594	4	0
BRI-ISDNX	594	4	0
CENTREX	211	4	0
CENTREXX	211	4	0
SW-VGSS	425	4	0
SW-VGSSX	425	4	0
NSW-VGSS	425	4	0
NSW-VGSSX	425	4	0
4-WIRE	517	2	0
4-WIREX	517	2	0
DS1	327	1	0
DS1X	327	1	0
HDSL	695	1	0
HDSLX	695	1	0
ADSL	NA	1	0
ADSLX	NA	1	0
PBX	425	4	0
PBXX	425	4	0

000145

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company.  
Except Pursuant to a Written Agreement.



Bst2000\_Inputs.xls

**Vendor "A" DLC - CE (DLC/ONU-DLCRT)**

<b>Item</b>	<b>Material Cost</b>	<b>DSO Capacity</b>	<b>Total Placing Hours</b>
RT CE Optical Bank/Shelf	96.5	2016	0
CE Bank/Shelf Common Equip. (Integrated)	2783	2016	0
CE Bank/Shelf Common Equip. (Universal)	2783	2016	0
TSI	1617	672	0
TSI Protect	1617	672	0
RT channel bank /Shelf (Metallic)	877	224	0
Channel Bank/Shelf CE	1523	224	0
ADSL Common Equipment	NA	1	0
HDSL Common Equipment	NA	1	0
Optical ONU Bank/Shelf	NA	8	0
Optical Shelf CE	NA	8	0
Optical Line Units	NA	1	0
DSX Panel	NA	56	0
Batteries, Environ. Equip., Etc.	2900	672	0
Bay	1745	672	0
ONU Cabinet (e.g. CAD-12)	NA	NA	NA
Cabinet Small (includes Batt. Etc.)	17482	448	0
Cabinet Medium (includes Batt. Etc.)	23762	672	0
Cabinet Large (includes Batt. Etc.)	49349	1344	0
Cabinet Xtra Large (includes Batt. Etc.)	89768	2240	0
Mini-Hut	NA	7257	0
Maxi -Hut	NA	9792	0
CEV 16	NA	8064	0
CEV 16	NA	12096	0

000146

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company.  
Except Pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**ONU 96 - Channel (DLC/ONU-DLCRT)**

<b>Item</b>	<b>Material Cost</b>	<b>Service Capacity</b>	<b>Total Placing Hours</b>
POTS	324	4	0
POTSX	800	4	0
COIN	665	4	0
COINX	665	4	0
BRI-ISDN	700	4	0
BRI-ISDNX	700	4	0
CENTREX	581	4	0
CENTREXX	581	4	0
SW-VGSS	581	4	0
SW-VGSSX	581	4	0
NSW-VGSS	581	4	0
NSW-VGSSX	581	4	0
4-WIRE	809	2	0
4-WIREX	809	2	0
DS1	800	1	0
DS1X	800	1	0
HDSL	NA	1	0
HDSLX	NA	1	0
ADSL	NA	1	0
ADSLX	NA	1	0
PBX	581	4	0
PBXX	581	4	0

000147

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary information.  
May not be used or Disclosed Outside The BellSouth Company.  
Except Pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**ONU 96 - CE (DLC/ONU-DLCRT)**

<b>Item</b>	<b>Material Cost</b>	<b>DSO Capacity</b>	<b>Total Placing Hours</b>
RT CE Optical Bank/Shelf	1200	96	0
CE Bank/Shelf Common Equip. (Integrated)	400	48	0
CE Bank/Shelf Common Equip. (Universal)	400	48	0
TSI	NA	NA	NA
TSI Protect	NA	NA	NA
RT channel bank /Shelf (Metallic)	NA	NA	NA
Channel Bank/Shelf CE	NA	NA	NA
ADSL Common Equipment	1	1	0
HDSL Common Equipment	1	1	0
Optical ONU Bank/Shelf	NA	NA	NA
Optical Shelf CE	NA	NA	NA
Optical Line Units	NA	NA	NA
DSX Panel	NA	NA	NA
Batteries, Environ. Equip., Etc.	NA	NA	NA
Bay	NA	NA	NA
ONU Cabinet (e.g. CAD-12)	500	96	0
Cabinet Small (includes Batt. Etc.)	NA	NA	NA
Cabinet Medium (includes Batt. Etc.)	NA	NA	NA
Cabinet Large (includes Batt. Etc.)	NA	NA	NA
Cabinet Xtra Large (includes Batt. Etc.)	NA	NA	NA
Mini-Hut	NA	NA	NA
Maxi -Hut	NA	NA	NA
CEV 16	NA	NA	NA
CEV 24	NA	NA	NA

000148

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company  
Except Pursuant to a Written Agreement.

Bat2000\_Inputs.xls

**ONU 24 - Channel (DLC/ONU-DLCRT)**

<b>Item</b>	<b>Material Cost</b>	<b>Service Capacity</b>	<b>Total Placing Hours</b>
POTS	120	4	0
POTSX	120	4	0
COIN	350	1	0
COINX	350	1	0
BRI-ISDN	405	1	0
BRI-ISDNX	405	1	0
CENTREX	120	4	0
CENTREXX	120	4	0
SW-VGSS	450	1	0
SW-VGSSX	450	1	0
NSW-VGSS	450	1	0
NSW-VGSSX	450	1	0
4-WIRE	250	1	0
4-WIREX	250	1	0
DS1	604	4	0
DS1X	604	4	0
HDSL	121	1	0
HDSLX	121	1	0
ADSL	NA	1	0
ADSLX	NA	1	0
PBX	450	1	0
PBXX	450	1	0

000149

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company.  
Except Pursuant to a Written Agreement.

**ONU 24 - CE (DLC/ONU-DLCRT)**

<b>Item</b>	<b>Material Cost</b>	<b>DSO Capacity</b>	<b>Total Placing Hours</b>
RT CE Optical Bank/Shelf	0	24	0
CE Bank/Shelf Common Equip. (Integrated)	216	24	0
CE Bank/Shelf Common Equip. (Universal)	216	24	0
TSI	NA	NA	NA
TSI Protect	NA	NA	NA
RT channel bank /Shelf (Metallic)	NA	NA	NA
Channel Bank/Shelf CE	NA	NA	NA
ADSL Common Equipment	NA	1	0
HDSL Common Equipment	NA	1	0
Optical ONU Bank/Shelf	NA	NA	NA
Optical Shelf CE	NA	NA	NA
Optical Line Units	NA	NA	NA
DSX Panel	NA	NA	NA
Batteries, Environ. Equip., Etc.	NA	NA	NA
Bay	NA	NA	NA
ONU Cabinet (e.g. CAD-12)	464	24	0
Cabinet Small (includes Batt. Etc.)	NA	NA	NA
Cabinet Medium (includes Batt. Etc.)	NA	NA	NA
Cabinet Large (includes Batt. Etc.)	NA	NA	NA
Cabinet Xtra Large (includes Batt. Etc.)	NA	NA	NA
Mini-Hut	NA	NA	NA
Maxi -Hut	NA	NA	NA
CEV 18	NA	NA	NA
CEV 24	NA	NA	NA

000150

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
 May not be used or Disclosed Outside The BellSouth Company  
 Except as permitted in a Written Agreement.

Bst2000\_Inputs.xls

**COT Fiber Termination (DLC/ONU-Other)**

<b>Plant Type</b>	<b>Type or Size</b>	<b>Material Cost</b>
Fiber Terminating Frame	6	100.27
Fiber Terminating Frame	12	133
Fiber Terminating Frame	24	468.17
Fiber Terminating Frame	48	1115.25
Fiber Terminating Frame	72	2826
Fiber Terminating Frame	96	2948.12
Fiber Terminating Frame	144	4628.16
Fiber Terminating Frame	216	10709.28

000155

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company  
Except Pursuant to a Written Agreement

Bst2000\_Inputs.xls

**NID/NIU (Material)**

<b>Plant Type</b>	<b>Type or Size</b>	<b>Material Cost</b>
HDSL Modem	1	144.34
NID	2	4.84
NID	6	8.38
NIDIntandProt	1	7.83
NIU	1	169.85

000200

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company  
Except Pursuant to a Written Agreement.

Bst2000\_Inputs.xls

**Indoor FDI Terminals Primitives (Material)**

<b>Plant Type</b>	<b>Type</b>	<b>Item</b>	<b>Capacity</b>	<b>Material Cost</b>
Indoor FDI Terminals	FDI66Connector	66 -type Punch-Down Connector Blocks (50 pair)	50	5.46
Indoor FDI Terminals	FDIBackboard	Backboard (In) (200 pair )	200	8.87
Indoor FDI Terminals	FDI189Protector	189 type Protector (100 pair)	100	307.81
Indoor FDI Terminals	FDI303Connector	303 type connector (100 pair includes coils)	100	0
Indoor FDI Terminals	FDI303Rack	Iron Racks for 303 (per 100 pair)	100	0

000201

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company  
Except Pursuant to a Written Agreement.



Bst2000\_Inputs.xls

<b>Drop (Material)</b>		
<b>Plant Type</b>	<b>Type or Size</b>	<b>Material Cost</b>
Aerial	2	0.0889
Aerial	6	0.1567
Buried	2	0.0738
Buried	5	0.1193

000209

**PRIVATE/PROPRIETARY**

Contains Private and/or Proprietary Information.  
May not be used or Disclosed Outside The BellSouth Company.  
Except Pursuant to a Written Agreement.