RECEIVED-FPSC



BellSouth Telecommunications, Inc Suite 400 150 South Monroe Street Tallahassee, Florida 32301-1556

October 25, 2000

850 224-7798 UU OCT 25 PM 4:47

RECORDS AND REPORTING Marshall M. Criser III Regulatory Vice President

Mrs. Blanca S. Bayo Director, Division of Records and Reporting Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Fax 850 224-5073

001611-TP

Re: Approval of the negotiation Interconnection Agreement by BellSouth Telecommunications, Inc. ("BellSouth") and North American Telecommunications Corp. d/b/a Southeast Telephone Company pursuant to Sections 251, 252 and 271 of the Telecommunications Act of 1996

Dear Mrs. Bayo:

Pursuant to section 252(e) of the Telecommunications Act of 1996, BellSouth and North American Telecommunications Corporation are submitting to the Florida Public Service Commission their negotiated agreement for the interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth telecommunications services to North American Telecommunications Corp. The agreement was negotiated pursuant to sections 251, 252 and 271 of the Act.

Pursuant to section 252(e) of the Act, the Commission is charged with approving or rejecting the negotiated agreement between BellSouth and North American Telecommunications Corp. within 90 days of its submission. The Commission may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement with the public interest, convenience and necessity. Both parties represent that neither of these reasons exists as to the agreement they have negotiated and that the Commission should approve their agreement.

Very truly yours,

Marshall M. Criser To

Regulatory Vice President

DOCUMENT NUMBER-DATE

an init

The Agreement entered into by and between North American Telecommunications Corporation and BellSouth Telecommunications, Inc., dated 09/25/2000, for the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee consists of the following:

ITEM	NO.
	PAGES
Title Page	1
Table of Contents	3
General Terms and Conditions	38
Attachment 1	44
Attachment 2	146
Attachment 3	24
Attachment 4	62
Attachment 5	12
Attachment 6	21
Attachment 7	20
Attachment 8	2
Attachment 9	108
Attachment 10	10
Attachment 11	3
TOTAL	494

09/25/00

AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND NORTH AMERICAN TELECOMMUNICATIONS CORPORATION

Table of Contents

1.	INTRODUCTION
2.	INTERPRETATION AND CONSTRUCTION
3.	EFFECTIVE DATE
4.	TERM OF THE AGREEMENT
5.	RESALE
6.	UNBUNDLED NETWORK ELEMENTS
7.	INTERCONNECTION
8.	COLLOCATION
9.	NUMBERS AND NUMBER PORTABILITY
10.	OPERATIONAL SUPPORT SYSTEMS
11.	BILLING
12.	RIGHTS OF WAY, CONDUITS AND POLE ATTACHMENTS
13.	BIRECTORY LISTINGS
14.	PARITY
	BONA FIDE REQUEST/NEW BUSINESS REQUEST PROCESS FOR FURTHER UNBUNDLING 8
16.	LOCAL DIALING PARITY
17.	LAW ENFORCEMENT AND CIVIL PROCESS
18.	PERFORMANCE MEASUREMENTS
19.	LIABILITY AND INDEMNIFICATION
20.	DISCLAIMER OF REPRESENTATIONS AND WARRANTIES 12
21.	INTELLECTUAL PROPERTY RIGHTS AND INDEMNIFICATION
22.	TREATMENT OF PROPRIETARY AND CONFIDENTIAL INFORMATION
23.	ASSIGNMENTS
24.	ESCALATION PROCEDURES
25.	EXPEDITE PROCEDURES
26.	RESOLUTION OF DISPUTES
27.	TAXES

Table of Contents

28.	NETWORK MAINTENANCE AND MANAGEMENT	
29.	CHANGES IN SUBSCRIBER CARRIER SELECTION	. 19
30.	FORCE MAJEURE	. 20
31.	YEAR 2000 COMPLIANCE	. 20
32.	BINDING EFFECT	. 20
33.	CONSENT	. 21
34.	MODIFICATION OF AGREEMENT	. 21
35.	WAIVERS	. 21
36.	EXPENSES	. 22
37.	RELATIONSHIP OF PARTIES	. 22
38.	THIRD PARTY BENEFICIARIES	. 22
39.	COOPERATION ON PREVENTING END USER FRAUD	
40.	GOOD FAITH PERFORMANCE	. 22
41.	INDEPENDENT CONTRACTORS	
42.	SUBCONTRACTING	
43.		
	SURVIVAL OF OBLIGATIONS	
	CUSTOMER INQUIRIES	
46.	COMPLIANCE WITH APPLICABLE LAW	. 24
47.	LABOR RELATIONS	. 24
48.	COMPLIANCE WITH THE COMMUNICATIONS LAW ENFORCEMENT ACT OF 1994 ("CALEA")	. 24
49.	ADDITIONAL FAIR COMPETITION REQUIREMENTS	. 25
50.	GOVERNING LAW	. 25
51.	ARM'S LENGTH NEGOTIATIONS	. 25
52.	NONEXCLUSIVE DEALINGS	. 25
53.	NOTICES	. 25
54.	RULE OF CONSTRUCTION	. 26
55.	HEADINGS OF NO FORCE OR EFFECT	. 26

.

Table of Contents

59.	SIGNATURE	27
58.	ENTIRE AGREEMENT	27
57.	FILING OF AGREEMENT	27
56.	MULTIPLE COUNTERPARTS	26

.

AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and North American Telecommunications Corporation d/b/a Southeast Telephone Company ("NATC"), a Delaware corporation, and shall be deemed effective as of the Effective Date specified in Section 3 hereof. This Agreement may refer to either BellSouth or NATC or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is an Incumbent Local Exchange Carrier ("ILEC") as defined by the Telecommunications Act of 1996 ("the FTA"), authorized to provide Telecommunications Services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, NATC is or seeks to become a Competitive Local Exchange Carrier ("CLEC") authorized to provide Telecommunications Services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, both Parties wish to interconnect their facilities and exchange local traffic for termination, and NATC wishes to purchase unbundled Network Elements and resell BellSouth's Telecommunications Services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, specifically by means of exercising their rights and fulfilling their obligations pursuant to Sections 251 and 252 of the Communications Act of 1934, as amended by the Federal Telecommunications Act of 1996 ("the Act").

NOW THEREFORE, in consideration of the mutual agreements contained herein, and other good and valuable consideration, the sufficiency of which are hereby acknowledged, BellSouth and NATC agree as follows:

1. INTRODUCTION

- 1.1 This Agreement sets forth the terms, conditions and prices under which BellSouth agrees to provide to NATC (a) services for Resale (hereinafter referred to as Resale Services), (b) unbundled Network Elements, (c) Interconnection, (d) Collocation, and (e) all other features and arrangements described in this Agreement.
- 1.2 The Network Elements, and Resale Services provided pursuant to this Agreement may be connected by NATC to other Network Elements, Resale Services or Access Services provided by BellSouth, or to any network components or services provided by NATC itself or by any other vendor or Telecommunications Carrier. Subject to the requirements of this Agreement, NATC may at any time add,

delete, relocate or modify the Resale Services or Network Elements purchased hereunder.

- 1.3 BellSouth and NATC may fulfill the requirements imposed upon them by this Agreement by themselves or may cause their agents to take action to fulfill such responsibilities.
- 1.4 This Agreement includes and incorporates herein the Attachments to this Agreement, and all Appendices, Exhibits, Schedules, Addenda and Amendments hereto.

2. INTERPRETATION AND CONSTRUCTION

- 2.1 Capitalized terms used in this Agreement shall have the respective meanings specified in Part B hereof, or As Defined by the Act.
- 2.2 The definitions in Part B hereof shall apply equally to both the singular and plural forms of the terms defined. Whenever the context may require, any pronoun used in this Agreement shall include the corresponding masculine, feminine and neuter forms. The words "include," "includes" and "including" shall be deemed to be followed by the phrase "without limitation" throughout this Agreement. The words "shall" and "will" are used interchangeably throughout this Agreement and the use of either connotes a mandatory obligation. The use of one or the other shall not mean a different degree of right or obligation for either Party.
- 2.3 References herein to Articles, Sections, Exhibits, Attachments, Appendices, and Schedules shall be deemed to be references to Articles and Sections of, and Exhibits, Attachments, Appendices and Schedules to, this Agreement unless the context shall otherwise require.
- 2.4 The headings of the Articles, Sections, Exhibits, Attachments, Appendices and Schedules are inserted for convenience of reference only and are not intended to be a part of or to affect the meaning or interpretation of this Agreement.
- 2.5 Unless the context shall otherwise require, any reference to any agreement, other instrument (including BellSouth, NATC or any third party offerings, guides or practices), statute, regulation, rule or Tariff is to such agreement, instrument, statute, regulation, rule or tariff as amended and supplemented from time to time (and, in the case of a statute, regulation, rule or Tariff, to any successor provision).
- 2.6 Subject to the terms set forth in Attachment 2 regarding rates and charges, and the Resale Discount set forth in Attachment 1, each Party hereby incorporates by reference those provisions of its Tariffs that govern the provision of any of the services or facilities provided hereunder. However, if any provision of this Agreement and any applicable Tariff cannot be reasonably construed or interpreted to avoid conflict, the provision contained in this Agreement shall prevail. If any provision contained in the main body of this Agreement and any

Attachment, Schedule, Appendix or Exhibit hereto cannot reasonably be construed or interpreted to avoid conflict, the provision contained in the main body of this Agreement shall prevail. The fact that a condition, right, obligation, or other term appears in this Agreement but not in any such Tariff shall not be interpreted as, or be deemed grounds for finding of a conflict for purposes of this Section 2 or in a tariff and not in this Agreement.

2.7 Technical references that describe the practices, procedures and specifications for certain services (and the applicable interfaces relating thereto) are listed in Attachment 2 and other relevant Attachments hereto to assist the Parties in meeting their respective responsibilities hereunder.

3. EFFECTIVE DATE

This Agreement becomes effective on the date when executed by both Parties (the "Effective Date").

4. TERM OF THE AGREEMENT

- 4.1 The term of this Agreement shall be three (3) years, beginning on the Effective Date, and shall apply to the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee. If, as of the expiration of this Agreement, a Subsequent Agreement (as defined in Section 4.2 below) has not been executed by the Parties, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Sections 4.3 and 4.4 below.
- 4.2 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations with regard to the rates, terms, and conditions of any service arrangement described herein to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- 4.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 4.2, above, the Parties are unable to satisfactorily negotiate new resale and/or local interconnection terms, conditions and prices, either Party may petition the Commission to establish appropriate local interconnection and/or resale arrangements pursuant to 47 U.S.C. 252. The Parties agree that, in such event, they shall encourage the Commission to issue its order regarding the appropriate local Interconnection and/or Resale arrangements no later than the expiration date of this Agreement. The Parties further agree that in the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the Services herein without Commission, or negotiated by the Parties, will be effective retroactive to the day following the expiration date

of this Agreement. Until the Subsequent Agreement becomes effective, the Parties shall continue to Interconnect, exchange traffic, provide Resale Services and Network Elements, pursuant to the terms and conditions of this Agreement.

- 4.4 Notwithstanding the foregoing, in the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and either no arbitration proceeding has been filed in accordance with Section 4.3 above, or the Parties have not mutually agreed (where permissible) to extend the arbitration window for petitioning the applicable Commission(s) for resolution of those terms upon which the Parties have not agreed, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to NATC pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to provide services to NATC pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective retroactive to the day following expiration of this Agreement.
- 4. 5 Subject to Section 1 of Attachment 7 of this Agreement, where termination would affect the services(s) provided by the purchaser thereof to its End Users, the Network Elements and Resale Services provided hereunder are vital to NATC (or, if applicable, to BellSouth) and must be continued without interruption. When NATC provides or retains another vendor to provide such comparable Network Elements or Resale Services, BellSouth and NATC agree to cooperate in an orderly and efficient transition of affected facilities and services to NATC or such other vendor. The Parties shall coordinate as necessary to ensure that the levels and quality of the Network Elements and Resale Services is not degraded. Each Party will exercise its best efforts to effect an orderly and efficient transition to the replacement provider of facilities and/or services.

5. RESALE

BellSouth shall make available to NATC for resale each of the Telecommunications Services it provides at retail to subscribers that are not Telecommunications Carriers on a nondiscriminatory basis, without unreasonable or discriminatory restrictions, and at a discount reflecting its avoided costs, pursuant to the rates, terms and conditions contained in Attachment 1 hereto and in accordance with the Act, including Sections 251(b)(1), 251(c)(4) and 252(d)(3), and all applicable FCC and State Commission rules, regulations, orders and policies (hereafter, "Requirements").

6. UNBUNDLED NETWORK ELEMENTS

BellSouth shall provide NATC nondiscriminatory access to unbundled Network Elements at just, reasonable and nondiscriminatory rates, terms and conditions for the provision of Telecommunications Services pursuant to the rates, terms and conditions in Attachment 2 hereto in accordance with the Act, including Sections 251(c)(3) and 252(d)(1), and all applicable FCC and State Commission Requirements.

7. INTERCONNECTION

BellSouth shall provide for the Interconnection of NATC's facilities and equipment with BellSouth's network at any technically feasible point within BellSouth's network at just, reasonable and nondiscriminatory rates, terms and conditions, pursuant to the terms and conditions of Attachment 3 hereto and the prices in Attachment 3 hereto and in accordance with the Act, including Sections 251(a), 251(b)(5), 251(c)(2), 252(d)(1), 252(d)(2), and all applicable FCC and State Commission Requirements.

8. COLLOCATION

BellSouth shall permit Physical Collocation of NATC's equipment at the premises of BellSouth as necessary for Interconnection and access to unbundled Network Elements . on a just, reasonable, and nondiscriminatory basis, pursuant to the rates, terms and conditions set forth in Attachment 4 hereto and in accordance with the Act, including Section 251(c)(6), and all applicable FCC and State Commission Requirements. BellSouth shall permit Virtual Collocation pursuant to the terms of BellSouth's FCC Tariff No. 1.

9. NUMBERS AND NUMBER PORTABILITY

BellSouth shall provide NATC with nondiscriminatory access to telephone numbers and Local Number Portability pursuant to the terms and conditions set forth in Attachment 5 hereto, and in accordance with the Act, including Sections 251(b)(2), 251(b)(3), 251(e), and applicable FCC and State Commission Requirements.

10. OPERATIONAL SUPPORT SYSTEMS

BellSouth shall provide NATC with nondiscriminatory access to BellSouth's Operations Support Systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing of Resale Services and unbundled Network Elements, pursuant to the terms and conditions of Attachment 6, and consistent with the Act, including Sections 251(c)(3), 251(d)(1), and 252(d)(1), applicable State statutes, all applicable FCC and State Commission Requirements.

BellSouth has developed and made available the following mechanized systems by which NATC may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interface

TAGTelecommunications Access GatewayRoboTAG™Enhanced TAG system*

*RoboTAG shall be available at a price to be negotiated by the Parties.

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS	AL, GA, LA, MS, SC	FL, KY, NC, TN
OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces	\$3.50	\$3.50
	SOMEC	SOMEC
Incremental charge per LSR received from the CLEC by means other than one of the OSS	See applicable rate element	\$19.99
interactive interfaces		SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event NATC provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

NATC will incur an OSS charge for an accepted LSR that is later canceled by NATC .

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR.

Threshold Billing Plan

The Parties agree that NATC will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:

Year	Ratio: Mechanized/Total LSRs	
2000	80%	
2001	90%	

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

11. BILLING

BellSouth shall provide intercarrier billing arrangements to NATC pursuant to the rates, terms and conditions of Attachment 7 hereto, and in accordance with the Act, and applicable FCC and State Commission Requirements.

12. RIGHTS OF WAY, CONDUITS AND POLE ATTACHMENTS

BellSouth shall offer NATC non-discriminatory access to its poles, ducts, conduits and rights of way, pursuant to terms and conditions set forth in Attachment 8 hereto, and in accordance with the Act, including Sections 224, and 251(b)(4), applicable State statutes, and all applicable FCC and State Commission Requirements. Such access to rights-of-way, conduit and pole attachments shall be at least equal in quality to, and at rates, terms and conditions at least as favorable, as comparable arrangements provided by BellSouth to itself, its Subsidiaries or Affiliates, or to any other Telecommunications Service Provider.

13. DIRECTORY LISTINGS

BellSouth shall make available to NATC's End Users White Page Directory Listing in accordance with the Act, and all applicable FCC and State Commission Requirements. BellSouth shall include NATC subscriber listings in BellSouth's Directory Assistance database(s) at no charge provided NATC does not charge for such listings. BellSouth and NATC shall formulate appropriate procedures regarding lead time, timeliness, format and content of listing information.

14. PARITY

When NATC purchases, pursuant to Attachment 1 of this Agreement, Telecommunications Services from BellSouth for the purposes of Resale to End Users. BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, Subsidiaries and End Users to the extent technically feasible. The quality of a Network Element provided pursuant to Attachment 2 of this Agreement, as well as the quality of the access to such Network Element provided by BellSouth to NATC, shall be at least equal in quality to that which BellSouth provides to itself. The quality of the Interconnection between the networks of BellSouth and NATC shall be at a level that is equal to that which BellSouth provides itself, a Subsidiary, an Affiliate, or any other- Person. The Interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by NATC. "Equal in quality" in each instance also means the same interface specifications, provisioning, installation, maintenance, testing and repair intervals for the same services, or facilities.

15. BONA FIDE REQUEST/NEW BUSINESS REQUEST PROCESS FOR FURTHER UNBUNDLING

BellSouth shall, upon request of NATC, provide NATC access to its Network Elements at any technically feasible point for the provision of NATC's Telecommunications Services where such access is necessary and failure to provide access would impair the ability of NATC to provide services that it seeks to offer. Any request by NATC for access to a Network Element, Interconnection option, or for the provisioning of any service or product that is not already available, shall be treated as a Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth in Attachment 11 hereto.

16. LOCAL DIALING PARITY

BellSouth shall provide local dialing parity As Described by the Act and required by FCC rules, regulations and policies. NATC End Users shall not have to dial any greater number of digits than BellSouth End Users to complete the same call. In addition, NATC End Users shall experience at least the same service quality as BellSouth End Users in terms of post-dial delay, call completion rate and transmission quality.

17. LAW ENFORCEMENT AND CIVIL PROCESS

- 17.1 <u>Intercept Devices</u>. Local and federal law enforcement agencies periodically request information or assistance from Local Exchange Carriers. When either Party receives a request associated with an End User of the other Party, the receiving Party will refer such request to the appropriate Party, unless the request directs the receiving Party to attach a pen register, trap-and-trace or form of intercept on the Party's own facilities, in which case that Party will comply with any valid request, to the extent the receiving Party is able to do so.
- 17.2 Subpoenas. NATC agrees that BellSouth will respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to NATC end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. NATC agrees that in cases where NATC receives subpoenas or court ordered requests for call detail records for targeted telephone numbers belonging to NATC end users, NATC will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth. Billing for call detail information will be generated by BellSouth and directed to the law enforcement agency initiating the request. NATC will provide NATC end user and/or other customer information that is available to NATC in response to subpoenas and court orders for their own customer records. BellSouth will redirect subpoenas and court ordered requests for NATC end user and/or other customer information to NATC for the purpose of providing this information to the law enforcement agency.
- 17.3 <u>Law Enforcement Emergencies</u>. If a Party receives a request from a law enforcement agency to implement at its switch a temporary number change, temporary disconnect, or one-way denial of outbound calls for an End User of the other Party, the receiving Party will comply so long as it is a valid emergency request. Neither Party shall be held liable for any claims or damages arising from compliance with such requests.

18. PERFORMANCE MEASUREMENTS

The Parties agree that the services offered and rendered by BellSouth pursuant to this Agreement shall be provisioned at parity to the service levels and intervals for which BellSouth performs such services for itself, its Affiliates or any other Person or Telecommunications Carrier. The Parties further agree that the service level specified for each item addressed by the Performance Measurements set forth in Attachment 9 shall be at parity. BellSouth agrees to meet the performance standard of parity as measured by the relevant Performance Measurements for each reporting period during the term of this Agreement and any extension thereof. In addition to the service quality measurements described in Attachment 9, no later than third quarter of 2000, BellSouth shall also provide to NATC a disaggregation report for the provisioning and maintenance of (1) enhanced extended links ("EELs") and (2) Frame Relay resale. These additional disaggregation reports shall be provided to NATC as a separate, NATC-specific report published each month on BellSouth's PMAP website rather than as part of the standard service quality measurements.

19. LIABILITY AND INDEMNIFICATION

- 19.1 <u>BellSouth Liability</u>. BellSouth shall take financial responsibility for its own actions in causing, or its lack of action in preventing, unbillable or uncollectible NATC revenues.
- 19.2 <u>NATC Liability</u>. In the event that NATC consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of NATC under this Agreement.
- 19.3 <u>Liability for Acts or Omissions of Third Parties</u>. Neither BellSouth nor NATC shall be liable for any act or omission of another telecommunications company providing a portion of the services provided under this Agreement.
- 19.4 Limitation of Liability.
- 19.4.1 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its Customer and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to Customer or third Party for (i) any loss relating to or arising out of this Agreement, whether based in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs at the time of such loss.
- 19.4.2 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by NATC, any NATC Customer or by any other Person or entity, for damages associated with any of the services provided by BellSouth pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, BellSouth's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages by NATC, any NATC Customer or any other Person or entity, resulting from the gross negligence or willful misconduct of BellSouth, shall not be subject to such limitation of liability.

- 19.4.3 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by BellSouth, any BellSouth Customer or by any other Person or entity, for damages associated with any of the services provided by NATC pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, NATC's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages by BellSouth, any BellSouth Customer or any other Person or entity resulting from the gross negligence or willful misconduct of NATC, shall not be subject to such limitation of liability.
- 19.5 Neither Party shall be liable for damages to the other Party's terminal location, POI or the other Party's Customers' premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment and associated wiring, except to the extent the damage is caused by such Party's gross negligence or willful misconduct or by a company's failure to properly ground a local loop after disconnection.
- 19.6 Except to the extent caused by gross negligence or willful misconduct neither Party shall be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 19.7 Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the Customer of the Party receiving services arising from such Party's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement. Notwithstanding the foregoing, to the extent that a claim, loss or damage is caused by the gross negligence or willful misconduct of a supplying Party, the receiving Party shall have no obligation to indemnify, defend and hold harmless the supplying Party hereunder.

20. DISCLAIMER OF REPRESENTATIONS AND WARRANTIES

EXCEPT AS EXPRESSLY PROVIDED UNDER THIS AGREEMENT, NEITHER PARTY HERETO MAKES OR RECEIVES ANY WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THE SERVICES, FACILITIES, FUNCTIONS AND PRODUCTS PROVIDED UNDER OR CONTEMPLATED BY THIS AGREEMENT, AND THE PARTIES DISCLAIM THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE.

21. INTELLECTUAL PROPERTY RIGHTS AND INDEMNIFICATION

- 21.1 <u>No License</u>. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement.
- 21.2 <u>Publicity</u>. Each Party is strictly prohibited from any use, including but not limited to use in sales, marketing or advertising of Telecommunications Services, of the other Party's name, service mark, trademark or logo. Either Party may reference the name of the other party in connection with factual statements in response to questions from Customers or potential Customers regarding the source of the underlying service.
- 21.3 <u>Ownership of Intellectual Property</u>. Any intellectual property which originates from or is developed by a Party shall remain in the exclusive ownership of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 21.4 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of copyright, trademarks or trade secrets, or other potential intellectual property infringement arising solely from the use by the receiving Party of such service and will indemnify the receiving Party for any damages awarded based solely on such claims. Such indemnification shall not, however, extend to claims for patent infringement to the extent the alleged infringement results from:
- 21.4.1 Modification of the service by someone other than the providing Party and/or its subcontractors, where there would be no such infringement or violation in the absence of such modification; or

- 21.4.2 The combination, operation or use of the service with any product, data or apparatus not provided by the providing Party and/or its subcontractors, where there would be no such infringement or violation in the absence of such combination, operation or use; or
- 21.4.3 conformance to specifications of the indemnitee which would necessarily result in infringement.
- 21.5 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense, but subject to the limitations of liability set forth below: (i) modify or replace the applicable facilities or equipment (including software) while maintaining its form and function, or (ii) obtain a license sufficient to allow such use to continue.
- 21.5.1 In the event (i) or (ii) are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 21.5.2 Promptly after receipt of notice of any claim or the commencement of any action for which a Party may seek indemnification pursuant to this Section, such Party ("Indemnified Party") shall promptly give written notice to the other Party ("Indemnifying Party") of such claim or action, but the failure to so notify the Indemnifying Party shall not relieve the Indemnifying Party of any liability it may have to the Indemnified Party except to the extent the Indemnifying Party has actually been prejudiced thereby. The Indemnifying Party shall be obligated to assume the defense of such claim, at its own expense. The Indemnified Party shall cooperate with the Indemnifying Party's reasonable requests for assistance or information relating to such claim, at the Indemnifying Party's expense. The Indemnified Party shall have the right to participate in the investigation and defense of such claim or action, with separate counsel chosen and paid for by the Indemnified Party.
- 21.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

22. TREATMENT OF PROPRIETARY AND CONFIDENTIAL INFORMATION

22.1 For the purposes of this Agreement, "Confidential Information" means confidential or proprietary technical or business information given by the Discloser to the Recipient. All Confidential Information shall be in writing or other tangible form and clearly marked with a confidential, private or proprietary legend. In addition, by way of example and not limitation, all orders for Facilities and Services provided herein, placed by either Party pursuant to this Agreement, and, information that would constitute Customer Proprietary Network Information ("CPNI") of either Party's Customers pursuant to the Act and the rules and regulations of the FCC, and Recorded Usage Data, whether disclosed by one Party to the other or otherwise acquired by one Party from the other in the course of the performance of this Agreement, shall be deemed Confidential Information of either Party for all purposes under this Agreement.

- 22.2 For a period of five (5) years from the receipt of Confidential Information from the Discloser, except as otherwise specified in this Agreement, the Recipient agrees (a) to use it only for the purpose of performing under this Agreement, (b) to hold it in confidence and disclose it to no one other than its employees having a need to know for the purpose of performing under this Agreement, and (c) to safeguard it from unauthorized use or disclosure using at least the same degree of care with which the Recipient safeguards its own Confidential Information. If the Recipient wishes to disclose the Discloser's Confidential Information to a thirdparty agent or consultant, such agent or consultant must have agreed in writing to comply with and be bound by the terms of this Section 22. Each Party expressly commits, without limitation, that no Confidential Information of the other Party will be made available to any employee, agent or consultant with retail sales, marketing or sales management-related functions other than as expressly provided in this Agreement.
- 22.3 The Recipient may make copies of Confidential Information only as reasonably necessary to perform its obligations under this Agreement. All such copies will be subject to the same restrictions and protections as the original and will bear the same copyright and proprietary rights notices as are contained on the original.
- 22.4 The Recipient agrees to return all Confidential Information in tangible form received from the Discloser, including any copies made by the Recipient within thirty (30) days after a written request is delivered to the Recipient, or to destroy all such Confidential Information if directed to do so by Discloser except for Confidential Information that the Recipient reasonably requires to perform its obligations under this Agreement. If either Party becomes aware that it has lost or made an unauthorized disclosure of the other Party's Confidential Information, it will notify such other party immediately and use reasonable efforts to retrieve the lost or wrongfully disclosed information.
- 22.5 The Recipient will have no obligation to safeguard Confidential Information: (a) which was in the possession of the Recipient free of restriction prior to its receipt from the Disclosure; (b) after it becomes publicly known or available through no breach of this Agreement by the Recipient; (c) after it is rightfully acquired by the Recipient free of restrictions on its disclosure; or (d) after it is independently developed by personnel of the Recipient to whom the Discloser's Confidential Information had been previously disclosed. In addition, either Party will have the right to disclose Confidential Information to any mediator, arbitrator, state or federal regulatory body, or court, in the conduct of any mediation, arbitration or approval of this Agreement, so long as, in the absence of an applicable protective

order, the Discloser has been promptly notified by the Recipient and so long as the Recipient undertakes all lawful measures to avoid disclosing such information until Discloser has had reasonable time to negotiate a protective order or confidentiality agreement, as applicable, with any such mediator, arbitrator, state or regulatory body or court, and complies with any protective order that covers the Confidential Information.

- 22.6 The Parties acknowledge that an individual End User may simultaneously seek to become or be a Customer of both Parties. Nothing in this Agreement is intended to limit the ability of either Party to use customer specific information lawfully obtained from End Users or sources other than the Disclosing Party.
- 22.7 Each Party's obligations to safeguard Confidential Information disclosed prior to expiration or termination of this Agreement will survive such expiration or termination of the Agreement.
- 22.8 Each Party agrees that the Discloser may be irreparably injured by a disclosure of Confidential Information in breach of this Agreement by the Recipient or its representatives, and the Discloser shall be entitled to seek equitable relief, including injunctive relief and specific performance, in the event of any breach or threatened breach of the confidentiality provisions of this Agreement. Such remedies shall not be deemed to be the exclusive remedies for a breach of this Agreement, but shall be in addition to all other remedies available at law or in equity.

23. ASSIGNMENTS

Neither Party hereto may assign or otherwise transfer its rights or obligations under this Agreement, except with the prior written consent of the other Party hereto, which consent shall not be unreasonably withheld; provided, however, that, so long as the performance of any assignee is guaranteed by the assignor: (i) either Party may assign its rights and delegate its benefits, duties and obligations under this Agreement, without the consent of the other Party, to any Affiliate of such Party and (ii) either Party may assign its rights and delegate its benefits, duties and obligations under this Agreement, without the consent of the other, to any person or entity that obtains control of all or substantially all of such assigning Party's assets, by stock purchase, asset purchase, merger, foreclosure, or otherwise. Each Party shall notify the other in writing of any such assignment. Nothing in this Section is intended to impair the right of either Party to utilize subcontractors.

24. ESCALATION PROCEDURES

Each Party hereto shall provide the other party hereto with the names and telephone numbers or pagers of their respective managers up to the Vice Presidential level for the escalation of unresolved matters relating to their performance of their duties under this Agreement. Each Party shall supplement and update such information as necessary to facilitate prompt resolution of such matters. Each Party further agrees to establish an automatic internal escalation procedure relating to unresolved disputes arising under this Agreement.

25. EXPEDITE PROCEDURES

Each Party shall promptly establish a nondiscriminatory procedure for expediting installation and repair of facilities provided pursuant to this Agreement.

26. **RESOLUTION OF DISPUTES**

Except as otherwise provided herein, any dispute, controversy or claim 26.1(individually and collectively, a "Dispute") arising under this Agreement shall be resolved in accordance with the procedures set forth in this Section. In the event of a Dispute between the Parties relating to this Agreement, and upon the written request of either Party, each of the Parties shall appoint within ten (10) calendar days after a Party's receipt of such request, a designated representative who has authority to settle the Dispute and who is at a higher level of management than the persons with direct responsibility for administration of this Agreement. The designated representatives shall meet as often as they reasonably deem necessary in order to discuss the Dispute and negotiate in good faith in an effort to resolve such Dispute. The specific format for such discussions will be left to the discretion of the designated representatives; however, all reasonable requests for relevant information made by one Party to the other Party shall be honored. If the Parties are unable to resolve issues related to a Dispute within thirty (30) days after a Party's request is made for appointment of designated representatives as set forth above, either Party may seek relief from the appropriate state regulatory agency of any Dispute upon which the Parties hereto are unable to reach agreement or may seek such other relief to which it is entitled to under Applicable Law. Notwithstanding the foregoing, in no event shall the Parties permit the pendency of a Dispute to disrupt service to any NATC or BellSouth End User, unless such service is damaging or interfering with customer services or network operations.

27. TAXES

- 27.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 27.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

- 27.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 27.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 27.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By</u> <u>Providing Party</u>.
- 27.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 27.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 27.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- 27.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 27.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 27.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with

respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 27.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 27.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 27.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 27.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 27.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- 27.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 27.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 27.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 27.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 27.5 <u>Mutual Cooperation</u>. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

28. NETWORK MAINTENANCE AND MANAGEMENT

- 28.1 The Parties shall work cooperatively to implement this Agreement. The Parties shall exchange appropriate information (e.g., maintenance contact numbers, network information, information required to comply with law enforcement and other security agencies of the Government, etc.) as reasonably required to implement and perform this Agreement.
- 28.2 Each Party hereto shall design, maintain and operate their respective networks as necessary to ensure that the other Party hereto receives service quality which is consistent with generally accepted industry standards at least at parity with the network service quality given to itself, its Affiliates, its End Users or any other Telecommunications Carrier.
- 28.3 Neither Party shall use any service or facility provided under this Agreement in a manner that impairs the quality of service to other Telecommunications Carriers' or to either Party's End Users. Each Party will provide the other Party notice of any such impairment at the earliest practicable time.
- 28.4 BellSouth agrees to provide NATC prior notice consistent with applicable FCC rules and the Act of changes in the information necessary for the transmission and routing of services using BellSouth's facilities or networks, as well as other changes that affect the interoperability of those respective facilities and networks. This Agreement is not intended to limit BellSouth's ability to upgrade its network through the incorporation of new equipment, new software or otherwise so long as such upgrades are not inconsistent with BellSouth's obligations to NATC under the terms of this Agreement.

29. CHANGES IN SUBSCRIBER CARRIER SELECTION

29.1 Both Parties hereto shall apply all of the principles set forth in 47 C.F.R. § 64.1100 to the process for End User selection of a primary Local Exchange Carrier. BellSouth shall not require a disconnect order from an NATC Customer or another LEC in order to process an NATC order for Resale Service for an NATC End User. Until the FCC or the Commission adopts final rules and procedures regarding a Customer's selection of a primary Local Exchange Carrier, unless already done so, NATC shall deliver to BellSouth a Blanket Representation of Authorization that applies to all orders submitted by NATC under this Agreement that require a primary Local Exchange Carrier change. Both Parties hereto shall retain on file all applicable documentation of authorization, including letters of authorization, relating to their End User's selection as its primary Local Exchange Carrier, which documentation shall be available for inspection by the other Party hereto upon reasonable request during normal business hours.

29.2 If an End User denies authorizing a change in his or her primary Local Exchange Carrier selection to a different local exchange carrier ("Unauthorized Switching"), the Party receiving the End User complaint shall switch or caused to be switched that End User back to his preferred carrier in accordance with Applicable Law.

30. FORCE MAJEURE

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

31. YEAR 2000 COMPLIANCE

Each Party warrants that it has implemented a program the goal of which is to ensure that all software, hardware and related materials (collectively called "Systems") delivered, connected with the other Party or supplied in the furtherance of the terms and conditions specified in this Agreement: (i) will record, store, process and display calendar dates falling on or after January 1, 2000, in the same manner, and with the same functionality as such software records, stores, processes and calendar dates falling on or before December 31, 1999; and (ii) shall include without limitation date data century recognition, calculations that accommodate same century and multicentury formulas and date values, and date data interface values that reflect the century.

32. **BINDING EFFECT**

This Agreement shall be binding on and inure to the benefit of the respective successors and permitted assigns of the Parties.

33. CONSENT

Where consent, approval or mutual agreement is required of a Party, it shall not be unreasonably withheld or delayed, unless otherwise expressly provided herein.

34. MODIFICATION OF AGREEMENT

- 34.1 BellSouth shall make available, pursuant to 47 USC § 252(i) and the FCC rules and regulations regarding such availability, to NATC, at the same rates, and the same terms and conditions, any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement and for the identical term of such other agreement.
- 34.2 If NATC changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of NATC to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 34.3 Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).
- 34.4 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of NATC or BellSouth to perform any material terms of this Agreement, NATC or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in Section 26.

35. WAIVERS

Except as otherwise provided in this Agreement, no amendment or waiver of any provision of this Agreement, and no consent to any default under this Agreement, will be effective unless the same is in writing and signed by an authorized representative of the Party against whom such amendment, waiver or consent is claimed. A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the specific performance of any and all of the provisions of this Agreement.

General Terms and Conditions – Part A Page 22

36. EXPENSES

Except as specifically set out in this Agreement, or as otherwise required by a regulatory agency with jurisdiction, each Party shall be solely responsible for its own expenses involved in all activities related to the subject of this Agreement.

37. RELATIONSHIP OF PARTIES

This Agreement shall not establish, be interpreted as establishing, or be used by either Party to establish, or to represent their relationship as any form of agency, partnership or joint venture. Neither Party shall have any authority to bind the other or to act as an agent for the other unless written authority, separate form this Agreement, is provided. Nothing in this Agreement shall be construed as providing for the sharing of profits or losses arising out of the efforts of either or both of the Parties. Nothing herein shall be construed as making either Party responsible or liable for the obligations and undertakings of the other Party.

38, THIRD PARTY BENEFICIARIES

This Agreement does not provide, and shall not be construed to provide, third parties with any benefit, remedy, claim, liability, reimbursement, cause of action, or other privilege.

39. COOPERATION ON PREVENTING END USER FRAUD

The Parties agree to cooperate fully with one another to investigate, minimize, prevent, and take corrective action in cases of fraud.

40. GOOD FAITH PERFORMANCE

In the performance of their obligations under this Agreement the Parties will act in good faith and consistently with the intent of the Act. Where notice, approval or similar action by a Party is permitted or required by any provision of this Agreement (including without limitation, the obligation of the Parties to further negotiate the resolution of new or open issues under this Agreement), such action will not be unreasonably delayed, withheld or conditioned.

41. INDEPENDENT CONTRACTORS

Each Party is an independent contractor, and has and hereby retains the right to exercise full control of and supervision over its own performance of its obligations under this Agreement, and retains full control over the employment, direction, compensation and discharge of its employees assisting in the performance of such obligations. Each Party shall be solely responsible for all matters relating to payment of such employees, including compliance with social security taxes, withholding taxes and all other regulations governing such matters. Subject to the limitations on liability and except as otherwise provided in this Agreement, each Party shall be responsible for (i) its own acts and performance of all obligations imposed by Applicable Law in connection with its activities, legal status and property, real or personal and, (ii) the acts of its own Affiliates, employees, agents and contractors during the performance of the Party's obligations hereunder.

42. SUBCONTRACTING

If any obligation is performed through a subcontractor, each Party shall remain fully responsible for the performance of this Agreement in accordance with its terms, including any obligations either Party performs through subcontractors, and each Party shall be solely responsible for payments due the Party's subcontractors. No contract, subcontract or other Agreement entered into by either Party with any third party in connection with the provision of any facilities or services provided herein, shall provide for any indemnity, guarantee or assumption of liability by, or other obligation of, the other Party to this Agreement with respect to such arrangement, except as consented to in writing by the other Party. No subcontractor shall be deemed a third party beneficiary for any purposes under this Agreement. Any subcontractor who gains access to CPNI or Confidential Information covered by this Agreement shall be required by the subcontracting Party to protect such CPNI or Confidential Information to the same extent that the subcontracting Party is required to protect the same under the terms of this Agreement.

43. SEVERABILITY

If any term, condition or provision of this Agreement is held to be invalid or unenforceable for any reason, such invalidity or unenforceability shall not invalidate the entire Agreement, unless such construction would be unreasonable. The Agreement shall be construed as if it did not contain the invalid or unenforceable provision or provisions, and the rights and obligations of each Party shall be construed and enforced accordingly. Provided, however, that in the event such invalid or unenforceable provision or provisions are essential elements of this Agreement and substantially impair the rights or obligations of either Party, the Parties shall promptly negotiate a replacement provision or provisions. If impasse is reached, the Parties will resolve said impasse under the dispute resolution procedures set forth in Section 26.

44. SURVIVAL OF OBLIGATIONS

Any liabilities or obligations of a Party for acts or omissions prior to the cancellation or termination of this Agreement, and any obligation of a Party under the provisions regarding indemnification, Confidential Information, limitations on liability, and any other provisions of this Agreement which, by their terms are contemplated to survive (or to be performed after) termination of this Agreement, shall survive cancellation or termination thereof.

45. CUSTOMER INQUIRIES

45.1 Each Party shall refer all questions regarding the other Party's services or products directly to the other Party at a telephone number specified by that Party.

General Terms and Conditions – Part A Page 24

45.2 Each Party shall ensure that each of their representatives who receive inquiries regarding the other Party's services: (i) provide the numbers described in Section 45.1 to callers who inquire about the other Party's services or products, and (ii) do not in any way disparage or discriminate against the other Party or its products or services.

46. COMPLIANCE WITH APPLICABLE LAW

- 46.1 Each Party shall comply at its own expense with all applicable federal, state, and local statutes, laws, rules, regulations, codes, final and nonappealable orders, decisions, injunctions, judgments, awards and decrees that relate to its obligations under this Agreement. Nothing in this Agreement shall be construed as requiring or permitting either Party to contravene any mandatory requirement of Applicable Law, and nothing herein shall be deemed to prevent either Party from recovering its cost or otherwise billing the other Party for compliance with the Order to the extent required or permitted by the term of such Order.
- 46.2 Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

47. LABOR RELATIONS

Each Party shall be responsible for labor relations with its own employees. Each Party agrees to notify the other Party as soon as practicable whenever such Party has knowledge that a labor dispute concerning its employees is delaying or threatens to delay such Party's timely performance of its obligations under this Agreement and shall endeavor to minimize impairment of service to the other Party (by using its management personnel to perform work or by other means) in the event of a labor dispute to the extent permitted by Applicable Law.

48. COMPLIANCE WITH THE COMMUNICATIONS LAW ENFORCEMENT ACT OF 1994 ("CALEA")

Each Party represents and warrants that any equipment, facilities or services provided to the other Party under this Agreement comply with CALEA. Each Party shall indemnify and hold the other Party harmless from any and all penalties imposed upon the other Party for such other Party's noncompliance, and shall at the non-compliant Party's sole cost and expense, modify or replace any equipment, facilities or services provided to the other Party under this Agreement to ensure that such equipment, facilities and services fully comply with CALEA.

49. ADDITIONAL FAIR COMPETITION REQUIREMENTS

- 49.1 In the event that either Party transfers facilities or other assets to an Affiliate which are necessary to comply with its obligations under this Agreement, the obligations hereunder shall survive and transfer to such Affiliate.
- 49.2 BellSouth shall allow local exchange customers of NATC to select BellSouth for the provision of intraLATA toll services on a nondiscriminatory basis; provided, however, that prior to establishment of BellSouth as the intraLATA toll carrier for NATC local exchange customers, the Parties shall negotiate a billing and collections agreement on commercially reasonable terms whereby NATC shall bill the customer on BellSouth's behalf and shall collect from the customer and remit to BellSouth intraLATA toll revenues. NATC agrees to bill its customers on BellSouth's behalf for both presubscribed and "dial around" intraLATA toll traffic. The Parties shall exchange customer record data on a timely basis as necessary to bill such customers for intraLATA toll usage.
- 49.3 BellSouth shall not use information derived from providing services or facilities to NATC to create a lead or other information base for a "winback" sales program.

50. GOVERNING LAW

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

51. ARM'S LENGTH NEGOTIATIONS

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

52. NONEXCLUSIVE DEALINGS

This Agreement does not prevent either Party from providing or purchasing services or facilities to or from any other Person, nor does it obligate either Party to provide or purchase any services or facilities not specifically provided herein.

53. NOTICES

53.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

CLEC Account Team 9th Floor 600 North 19th Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

North American Telecommunications Corporation

Vice President Marketing & External Affairs North American Telecommunications Corporation 875 Merrick Avenue Westbury, NY 11590

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- 53.2 Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 53.3 BellSouth shall provide NATC notice via Internet posting of price changes and of changes to the terms and conditions of services available for resale.

54. RULE OF CONSTRUCTION

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

55. HEADINGS OF NO FORCE OR EFFECT

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

56. MULTIPLE COUNTERPARTS

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

57. FILING OF AGREEMENT

Upon execution of this Agreement BellSouth shall file with the appropriate state Commission pursuant to the requirements of Section 252 of the Act. Each Party shall cooperate with the other and with any applicable regulatory agency to obtain regulatory approval of this Agreement. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, NATC shall be responsible for the costs of publishing the required notice and the filing fee shall be borne by both Parties equally.

For electronic filing purposes in the State of Louisiana, the CLEC Louisiana Certification Number must be incorporated into the Agreement prior to filing with the Commission. When and if NATC becomes certificated in the State of Louisiana as a CLEC, NATC will provide such certification number to BellSouth for incorporation into this Agreement by way of an amendment. Upon execution of such an amendment containing NATC's Louisiana CLEC certification number, this Agreement will be electronically filed with the Louisiana Commission.

58. ENTIRE AGREEMENT

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes-prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them, and neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

The following services are included as options for purchase by NATC. NATC shall elect said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF) Enhanced Optional Daily Usage File (EODUF) Access Daily Usage File (ADUF) Line Information Database (LIDB) Storage Centralized Message Distribution Service (CMDS) Calling Name (CNAM)

59. SIGNATURE

Signatures transmitted by the Parties by facsimile shall have the same effect as original signatures as of the date transmitted by the executing Party.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

BellSouth Telecommunications, Inc.

Şignature Jerry Hendrix Name

North American Telecommunications Corporation d/b/a Southeast Telephone Company

Charles 16-111

Signature

<u>Charles H. McGlone</u> Name

<u>Senior Director – Customer Markets</u> Title

Date

VP Marketing & External Affairs Title

Date

Definitions

1 "Act" means the Communications Act of 1934 (47 U.S.C. 151 et seq.), as amended by the Telecommunications Act of 1996, and as from time to time interpreted and implemented in the duly authorized rules and regulations of the FCC or a State Commission within its state of jurisdiction.

2 "ADSL" or "Asymmetrical Digital Subscriber Line" means a transmission technology which transmits an asymmetrical digital signal of up to 6 Mbps to the End User and up to 640 Kbps from the End User.

3 "Affiliate" is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

4 "Agreement" refers to this Interconnection Agreement between NATC and BellSouth and all Attachments, Appendices, Exhibits, Schedules and Addenda or Amendments hereto.

5 "AMA" means the Automated Message Accounting structure inherent in switch technology that initially records telecommunication message information. AMA format is contained in the Automated Message Accounting document, published by Telcordia as GR-1100-CORE which defines the industry standard for message recording.

6 "Applicable Law" means all laws, regulations, and orders applicable to each Party's performance of its obligations hereunder.

7 "As Defined in the Act" means as specifically defined by the Act and as from time to time interpreted in the duly authorized rules and regulations of the FCC or a State Commission within its state of jurisdiction.

8 "As Described in the Act" means as described in or required by the Act and as from time to time interpreted in the duly authorized rules and regulations of the FCC or the Commission.

9 "Automatic Location Identification" or "ALI" means a feature by which the service address associated with the calling party's listed telephone number identified by ANI as defined herein, is forwarded to the PSAP for display. Additional telephones with the same number as the calling party's, including secondary locations and off-premise extensions will be identified with the service address of the calling party's listed number.

10 "Automatic Number Identification" or "ANI" means a signaling parameter which refers to the number transmitted through a network identifying the calling party.

11 "Bellcore" now known as "Telcordia"

12 "Bill Date" means the date that a bill is issued by a party.

13 "Bona Fide Request" as defined in Attachment 11.

14 "Business Day" means a day on which banking institutions are required to be open for business in New York.

15 "Calling Party Number" or "CPN" is a Common Channel Signaling ("CCS") parameter which refers to the number transmitted through a network identifying the calling party.

16 "Carrier Identification Code" or "CIC" is a three-digit or four digit or five digit number that identifies a specific Interexchange Carrier.

17 "Central Office Switch" means a switch used to provide Telecommunications Services, including, but not limited to:

17.1 "End Office Switches" which are used to terminate Customer station Loops for the purpose of interconnection to each other and to trunks; and

17.2 "Tandem Office Switches" or "Tandems" which are used to connect and switch trunk circuits between and among other Central Office Switches.

18 "Centralized Message Distribution System" or "CMDS" is the Telcordia (formerly BellCore) administered national system, based in Kansas City, Missouri, used to exchange Exchange Message Interface (EMI) formatted data among host companies.

19 "CLASS Features" means certain CCIS-based features available to Customers including but not limited to: Automatic Call Back; Call Trace; Caller Identification and related blocking features; Distinctive Ringing/Call Waiting; Selective Call Forward; and Selective Call Rejection.

20 "Collocation" is As Described in the Act and FCC Rules and Orders, and as further defined in Attachment 4 hereto.

21 "Commercial Mobile Radio Service" or "CMRS" is As Defined in the Act.

22 "Commission" is defined as the appropriate regulatory agency in each of BellSouth's nine state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

23 "Common Channel Signaling" or "CCS" means the signaling system, developed for use between switching systems with stored-program control, in which all of the signaling information for one or more groups of trunks is transmitted over a dedicated high-speed data link rather than on a per-trunk basis. The current industry standard for common carrier network signaling is SS7.1.33 "Competitive Local Exchange Carrier" or "CLEC" means any Local Exchange Carrier other than BellSouth, operating as such in BellSouth's certificated territory.

24 "Confidential Information" is As Defined in Part A hereof.

25 "Cross Connection" means a jumper cable or similar connection provided pursuant to Collocation at the digital signal cross connect, Main Distribution Frame or other suitable frame or panel between (i) the Collocating Party's equipment and (ii) the equipment or facilities of the housing party. 26 "Customer" or "End User" means a third-party residence or business that subscribes to Telecommunications Services provided by either of the Parties.

27 "Customer of Record" means the entity responsible for placing applications for service; requesting additions, rearrangements, maintenance or discontinuance of service; and payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.

28 "Customer Proprietary Network Information" or "CPNI" is As Defined in the Act.

29 "Customer Specific Arrangement" or "CSA" means a service arrangement negotiated with an individual customer that includes rates, terms or conditions that differ from those included in BellSouth's intrastate retail services tariff.

30 "Daily Usage File" or "DUF" is the compilation of messages or copies of messages in standard Exchange Message Interface (EMI) format exchanged from BellSouth to an CLEC.

31 "Dark Fiber" is as defined in Attachment 2 of this Agreement. 1.45 "Data Management System" or "DMS" means a system of manual procedures and computer processes used to create, store and update the data required to provide the Selecting Routing ("SR") and ALI features.

32 "Demarcation Point" means a point on a property or premises where the Customer's service is located as determined by the applicable LEC. This point is where network access recurring charges and the LEC's responsibility stop and beyond which Customer responsibility begins.

33 "Deposit" means assurance provided by a customer in the form of cash, surety bond or bank letter of credit.

34 "Dialing Parity" is As Defined in the Act.

35 "Digital Signal Level" means one of several transmission rates in the time-division multiplex hierarchy.

36 "Digital Signal Level 0" or "DS0" means the 64 Kbps zero-level signal in the timedivision multiplex hierarchy.

37 "Digital Signal Level 1" or "DS1" means the 1.544 Mbps first-level signal in the time-division multiplex hierarchy. In the time-division multiplexing hierarchy of the telephone network, DS1 is the initial level of multiplexing.

38 "Digital Signal Level 3" or "DS3" means the 44.736 Mbps third-level in the timedivision multiplex hierarchy. In the time-division multiplexing hierarchy of the telephone network, DS3 is defined as the third level of multiplexing.

39 "Dispute" is As Defined in Part A hereof.

40 "End User Customer Location" means the physical location of the premises where an End User makes use of the Telecommunications Services.

41 "Exchange Access" is As Defined in the Act.

42 "Exchange Area" means an area, defined by the Commission, for which a distinct local rate schedule is in effect.

43 "Exchange Message Interface" or "EMI" is the nationally administered standard format for the exchange of data among the Exchange Carriers within the telecommunications industry.

44 "FCC" means the Federal Communications Commission.

45 "FCC Regulations" means the effective rules, regulations, requirements, orders and policies adopted or issued by the FCC, as each may be revised from time to time.

46 "Feeder" is As Defined in Attachment 2.

47 "Fiber-Meet" or "Mid-Span Meet" as defined in Attachment 3 of this Agreement.

48 "Grandfathered Services" is As Defined in Attachment 1 of this Agreement

49 "Hazardous Substances" is As Defined in Attachment 4 of this Agreement.

50 "HDSL" or "High-Bit Rate Digital Subscriber Line" means a transmission technology which transmits up to a DS1-level signal, using any one of the following line codes: 2 Binary / 1 Quartenary ("2B1Q"), Carrierless AM/PM, Discrete Multitone ("DMT"), or 3 Binary / 1 Octel ("3B1O").

51 "Incumbent Local Exchange Carrier" or "ILEC" is As Defined in the Act. For purposes of this Agreement, BellSouth is an Incumbent Local Exchange Carrier.

52 "Independent Telephone Company" or "ITC" means any entity other than BellSouth which, with respect to its operations within the states covered by this Agreement, is an Incumbent Local Exchange Carrier.

53 "Information Service" means the offering of a capability for generating, acquiring, storing, transforming, processing, retrieving, utilizing, or making available information via telecommunications, and includes electronic publishing, but does not include any use of any such capability for the management, control, or operation of a telecommunications system or the management of a telecommunications service.

54 "Inside Wire" or "Inside Wiring" means all wire, cable, terminals, and associated equipment or materials on the Customer's side of the Rate Demarcation Point.

55 "Integrated Digital Loop Carrier" is as described in Attachment 2 of this Agreement.

56 Intercompany Settlements (ICS) is the revenue associated with charges billed by a company other than the company in whose service area such charges were incurred. ICS on a

national level includes third number and credit card calls and is administered by Telcordia (formerly BellCore)'s Calling Card and Third Number Settlement System (CATS). Included is traffic that originates in one Regional Bell Operating Company's (RBOC) territory and bills in another RBOC's territory.

57 "Interconnection" is As Described in the Act.

58 "Interexchange Carrier" or "IXC" means a carrier that provides, directly or indirectly, interLATA or intraLATA Telephone Toll Services.

59 "Interim Number Portability" or "INP" is As Described in the Attachment 5 of this Agreement.

60 "InterLATA" is As Defined in the Act.

61 "IntraLATA Toll Traffic" means all basic intraLATA message services calls other than Local Traffic.

62 "Integrated Services Digital Network" (ISDN) means a switched network service that provides end-to-end digital connectivity for the simultaneous transmission of voice and data, as set forth in Attachment 2.

63 "Line Information Data Base(s)" or "LIDB" is as described in Attachment 2 of this Agreement.

64 "Local Access and Transport Area" or "LATA" is As Defined in the Act.

65 "Local Exchange Carrier" or "LEC" is As Defined in the Act.

66 "Local Interconnection" is defined as 1) the delivery of local traffic to be terminated on each Party's local network so that end users of either Party have the ability to reach end users of the other Party without the use of any access code or substantial delay in the processing of the call; 2) the LEC network features, functions, and capabilities set forth in this Agreement; and 3) Service Provider Number Portability sometimes referred to as temporary telephone number portability to be implemented pursuant to the terms of this Agreement.

67 "Local Loop" element is As Defined in Attachment 2 of this Agreement.

68 "Local Number Portability" or "LNP" means the ability of users of Telecommunications Services to retain, at the same location, existing telephone numbers without impairment of quality, reliability, or convenience when switching from one Telecommunications Carrier to another.

69 "Local Traffic" is as defined in Attachment 3 of this Agreement.

70 "Main Distribution Frame" means the distribution frame of the Housing Party used to interconnect cable pairs and line and trunk equipment terminals on a switching system.

71 "MECAB" means the Multiple Exchange Carrier Access Billing (MECAB) document prepared by the Billing Committee of the Ordering and Billing Forum ("OBF"), which functions under the auspices of the Carrier Liaison Committee ("CLC") of the Alliance for Telecommunications Industry Solutions ("ATIS"). The MECAB document, published by Telcordia as Special Report SR-BDS-000983, contains the recommended guidelines for the billing of an Exchange Access service provided by two or more LECs, or by one LEC in two or more states, within a single LATA.

72 "MECOD" means the Multiple Exchange Carriers Ordering and Design (MECOD) Guidelines for Access Services - Industry Support Interface, a document developed by the Ordering/Provisioning Committee under the auspices of OBF. The MECOD document, published by Telcordia as Special Report SR-STS-002643, establishes methods for processing orders for Exchange Access service which is to be provided by two or more LECs.

73 "Meet-Point Billing" means the process whereby each Party bills the appropriate tariffed rate for its portion of a jointly provided Switched Exchange Access Service as agreed to in the Agreement for Switched Access Meet Point Billing.

74 "NECA" refers to the National Exchange Carriers Association.

75 "Network Element" is defined to mean a facility or equipment used in the provision of a telecommunications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a telecommunications service. BellSouth offers access to the Network Elements, unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; operator systems; signaling; access to call-related databases; dark fiber as set forth in Attachment 2 of this Agreement. 1.110 "Network Interface Device" or "NID" is as described in Attachment 2 of this Agreement.

76 "Non-Intercompany Settlement System" or "NICS" is the Telcordia (formerly BellCore) system that calculates non-intercompany settlements amounts due from one company to another within the same RBOC region. It includes credit card, third number and collect messages.

77 "North American Numbering Plan" or "NANP" means the numbering plan used in the United States that also serves Canada, Bermuda, Puerto Rico and certain Caribbean Islands. The NANP format is a 10-digit number that consists of a 3-digit NPA code (commonly referred to as the area code), followed by a 3-digit NXX code and 4-digit line number.

78 "Numbering Plan Area" or "NPA" also is sometimes referred to as an area code. There are two general categories of NPAs, "Geographic NPAs" and "Non-Geographic NPAs." A Geographic NPA is associated with a defined geographic area, and all telephone numbers bearing such NPA are associated with services provided within that geographic area. A Non-Geographic NPA, also known as a "Service Access Code" or "SAC Code," is typically associated with a specialized telecommunications service which may be provided across multiple geographic NPA areas (e.g., 800, 900, 700, 500 and 888 are examples of Non-Geographic NPAs).

79 "NXX Code" or "End Office Code" means the three digit switch entity indicator (i.e., the first three digits of a seven digit telephone number).

80 "OBF" means the "Ordering and Billing Forum", which functions under the auspices of the Carrier Liaison Committee (CLC) of the Alliance for Telecommunications Industry Solutions (ATIS).

81 "OCN" refers to an Operating Company Number.

82 "Optical Carrier Level 3" or "OC3" is As Defined in Attachment 2.

83 "Optical Carrier Level 12" or "OC12" is As Defined in Attachment 2.

84 "Optical Line Terminating Multiplexor" or "OLTM" is As Defined in Attachment 2.

85 "Party" means either BellSouth or NATC, and "Parties" means BellSouth and NATC.

86 "Percent of Interstate Usage" or "PIU" is defined as a factor to be applied to terminating access services minutes of use to obtain those minutes that should be rated as interstate access services minutes of use. The numerator includes all interstate "nonintermediary" minutes of use, including interstate minutes of use that are forwarded due to service provider number portability less any interstate minutes of use for Terminating Party Pays services, such as 800 Services. The denominator includes all "non-intermediary", local, interstate, intrastate, toll and access minutes of use adjusted for service provider number portability less all minutes attributable to terminating Party pays services.

87 "Percent Local Usage" or "PLU" is defined as a factor to be applied to intrastate terminating minutes of use. The numerator shall include all "non-intermediary" local minutes of use adjusted for those minutes of use that only apply local due to Service Provider Number Portability. The denominator is the total intrastate minutes of use including local, intrastate toll, and access, adjusted for Service Provider Number Portability less intrastate terminating Party pays minutes of use.

88 "Performance Measurements" is as described in Attachment 9 hereto.

- 89 "Person" is As Defined in the Act.
- 90 "Physical Collocation" is As Defined in the Act.
- 91 "PIC" means Primary or Presubscribed Interexchange Carrier.

92 "Public Safety Answering Point" or "PSAP" means an answering location for 9-1-1 calls originating in a given area. A PSAP may be designated as Primary or Secondary, which refers to the order in which calls are directed for answering. Primary PSAPs respond first. Secondary PSAPs receive calls on a transfer basis only, and generally serve as a centralized answering location for a particular type of emergency call. PSAPs are staffed by employees of

Service Agencies such as police, fire or emergency medical agencies or by employees of a common bureau serving a group of such entities.

93 "Publisher" means BellSouth's White Pages and Yellow Pages Directories publisher(s), i.e., currently "BAPCO."

94 "Rate Center" means the specific geographic point which has been designated by a given LEC as being associated with a particular NPA-NXX code which has been assigned to the LEC for its provision of Telephone Exchange Service. The Rate Center is the finite geographic point identified by a specific V&H coordinate, which is used by that LEC to measure, for billing purposes, distance sensitive transmission services associated with the specific Rate Center. Rate Centers will be identical for each Party until such time as NATC is permitted by an appropriate regulatory body to create its own Rate Centers within an area.

95 "Reciprocal Compensation" is As Described in the Act, and refers to the payment arrangement for transport and termination of Local Traffic specified in Attachment 3.

96 "Resale" means an activity wherein a certificated CLEC subscribes to the Telecommunications Services of BellSouth and then reoffers those telecommunications services to the public (with or without "adding value").

97 "Resale Service Area" means the area, as defined in a state Commission approved certificate of operation, within which a CLEC may offer resold local exchange telecommunications service.

98 "Resale Services" means the BellSouth local services provided to NATC for Resale pursuant to the terms of Attachment 1 hereto.

99 "Revenue Accounting Office" (RAO) Status Company is a local exchange company/alternate local exchange company that has been assigned a unique RAO code. Message data exchanged among RAO status companies is grouped (i.e. packed) according to From/To/Bill RAO combinations.

100 "Serving Wire Center" or "SWC" is as described in Attachment 3 of this Agreement.

101 "Shared Tenant Service" or "STS" is as defined in BellSouth's appropriate General Subscriber Service Tariff.

102 "Shared Transport" or "Common Transport" is as defined in Attachment 2 of this Agreement.

103 "Signal Transfer Points" ("STPs") are signaling message switches that interconnect Signaling Links to route signaling messages between switches and databases. STPs enable the exchange of Signaling System 7 ("SS7") messages between switching elements, database elements and STPs. STPs provide access to various BellSouth and third party network elements such as local switching and databases.

General Terms and Conditions – Part B Page 37

104 "Signaling Links" are dedicated transmission paths carrying signaling messages between carrier switches and signaling networks. Signal Link Transport is a set of two or four dedicated 56 kbps transmission paths between NATC designated Signaling Points of Interconnection that provide a diverse transmission path and cross connect to a BellSouth Signal Transfer Point.

105 "Subsidiary" means a corporation or other legal entity owned or controlled by a Party.

106 "Switched Access Traffic" is as described in Attachment 3 of this Agreement.

107 "Synchronous Optical Network" or "SONET" means an optical interface standard that allows inter-networking of transmission products from multiple vendors. The base rate is 51.84 Mbps (OC-I/STS-1) and higher rates are direct multiples of the base rate, up to 13.22 Gpbs.

108 "Tariff" means any applicable federal or state tariff of a Party, that is filed and effective with the FCC or Commission, each as may be amended by the Party from time to time, under which a Party offers a particular service, facility, or arrangement. A Tariff shall not include BellSouth's "Statement of Generally Available Terms and Conditions for Interconnection, Unbundled Network Elements, Ancillary Services and Resale of Telecommunications Services" which has been approved or is pending approval by the Commission pursuant to Section 252(f) of the Communications Act of 1934, 47 U.S.C. § 252(f).

- 109 "Tax" is As Defined in Part A hereof.
- 110 "Technically Feasible Point" is As Described in the Act.
- 111 "Telecommunications" is As Defined in the Act.

112 "Telecommunications Act of 1996" means Public Law 104-104 of the United States Congress effective February 8, 1996 as amended, and any rules, and regulations promulgated thereunder.

- 113 "Telecommunications Carrier" is As Defined in the Act.
- 114 "TRS" refers to Telecommunications Relay Service.
- 115 "Telecommunications Service" is As Defined in the Act.
- 116 "Telcordia" is the former Bell Communications Research, Inc.
- 117 "Telephone Exchange Service" is As Defined in the Act.
- 118 "Telephone Toll Service" is As Defined in the Act.

119 "Toll Traffic" means traffic that is originated by a Customer of one Party on that Party's network and terminates to a Customer of the other Party on that Party's network and is not Local Traffic or ancillary traffic. Toll Traffic may be either "IntraLATA Toll Traffic" or "InterLATA Toll Traffic," depending on whether the originating and terminating points are within the same LATA.

120 "Transit Traffic" means any traffic that originates from or terminates at NATC's network, "transits" BellSouth's network substantially unchanged, and terminates to or originates from a third carrier's network, as the case may be. "Transit Traffic Service" provides NATC with the ability to use its connection to a BellSouth Tandem for the delivery of calls which originate or terminate with NATC and terminate to or originate from a carrier other than BellSouth, such as another CLEC, an ILEC other than BellSouth. In these cases, neither the originating nor terminating End User is an End User of BellSouth. This service is provided through BellSouth's Tandems.

121 "Transport" network element is as defined in Attachment 2 of this Agreement.

- 122 "Transport and Termination" is as described in the Act.
- 123 "V&H Coordinates" means vertical and horizontal coordinates.
- 124 "Virtual Collocation" is As Defined in the Act.

125 "Voice Grade" means either an analog signal of 300 to 3000 Hz or a digital signal of 56/64 kilobits per second. When referring to digital voice grade service (a 56/64 kbps channel), the term "DS-0" may also be used.

126 "White Pages Directories" means directories or the portion of co-bound directories which include a list in alphabetical order by name of the telephone numbers and addresses of telecommunication company customers.

4

Attachment 1

.

۰.

Resale

RESALE

1. Discount Rates

NATC shall be permitted to purchase all Telecommunications Services that BellSouth provides at retail to subscribers that are not Telecommunications Carriers at a wholesale discount rate off of the retail rate for the Telecommunications Service. The wholesale discount shall be as set forth in Exhibit A to this Attachment, attached hereto and incorporated herein by this reference. Such discount shall reflect the costs avoided or avoidable by BellSouth when selling a service for wholesale purposes as established by the applicable state Commissions.

2. Resale at Wholesale Rates – Section 251(c)(4)

- 2.1 At the request of NATC, BellSouth shall make available to NATC for resale at wholesale rates all Telecommunications Services that BellSouth provides at retail to subscribers who are not Telecommunications Carriers, as required by Section 251(c)(4) of the Act (the "Resale Services") and applicable FCC orders and rules, at the terms, conditions and limitations set forth in this Agreement. Resale Services shall include, but not be limited to, the following categories of Telecommunications Services as long as they continue to be provided by BellSouth:
 - (i) Local Service Residence, as described in the applicable Tariff;
 - (ii) Local Service Business, as described in the applicable Tariff;
 - (iii) Message Toll Service, as described in the applicable Tariff;
 - (iv) PBX Trunk, as described in the applicable Tariff;
 - (v) ISDN Services, as described in the applicable Tariff;
 - (vi) Centrex Service, as described in the applicable Tariff;
 - (vii) Private Line Services, as described in the applicable Tariff;
 - (viii) IntraLATA Inbound Services, as described in the applicable Tariff;
 - (ix) Customer Owned Pay Telephone Access Line Services, as described in the applicable Tariff; and
 - (x) Frame Relay Service, as described in the applicable Tariff.

The Resale Services shall be made available to NATC at the discount rates set forth in this Attachment to the Agreement.

2.2 Other Services

- 2.2.1. BellSouth may, at its sole discretion, and as agreed to by NATC, make available to NATC under this Agreement services other than Telecommunications Services for resale at rates, terms and conditions agreed upon by the Parties.
- "Grandfathered Services" include any Telecommunications Services. 2.2.2. which BellSouth offers to existing subscribers of applicable retail services, but not to new subscribers. BellSouth agrees to make Grandfathered Services available to NATC for resale to any End User of BellSouth that subscribes to a Grandfathered Service from BellSouth at the time of its selection of NATC as its service provider; provided that if such Grundfathered Services are provided under a Shared Tenant Service arrangement, such Grandfathered Services shall be available for resale by NATC to all existing and future tenants of the premises covered by the Shared Tenant Service arrangement. If a local Telecommunications Service is subsequently classified as a Grandfathered Service by BellSouth, BellSouth agrees to continue to sell such Grandfathered Service to NATC for resale to NATC's Customers that subscribe to such Grandfathered Service at the time it is so classified by BellSouth, on the same terms and conditions that BellSouth sales the service to its own end users.
- 2.2.3. Excepting the application of the wholesale discount specified in Exhibit A hereto, each Party acknowledges that Resale Services shall be available to NATC on the same basis as offered by BellSouth to itself or to any Subsidiary, Affiliate, or any other Person to which BellSouth directly provides the Resale Services, including BellSouth's retail Customers and other resellers of BellSouth's Telecommunications Services, provided that such Resale Services shall be provided (i) only in those service areas in which such Resale Services (or any feature or capability thereof) are offered by BellSouth as an incumbent LEC to any other Person, and (ii) to the same extent as BellSouth's retail Telecommunications Services are subject to the availability of facilities.

3. General Provisions

3.1 BellSouth shall make available Telecommunications Services for resale at the rates set forth herein to this Attachments and subject to the exclusions and limitations set forth in <u>Exhibit B</u> to this Agreement. Unless otherwise set forth in this Attachment, neither Party hereby waives its rights to appeal or otherwise challenge any decision regarding resale that resulted in the discount rates contained in <u>Exhibit A</u> or the exclusions and limitations contained in <u>Exhibit B</u>.

The Parties reserve the right to pursue any and all legal and/or equitable remedies, including appeals of any decisions. If such appeals or challenges result in changes in the discount rates or exclusions and limitations, the Parties agree that appropriate modifications to this Agreement will be made promptly to make its terms consistent with the outcome of the appeal.

3.2 NATC may purchase Resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:

- 3.2.1 NATC must resell services to other End Users.
- 3.2.2 NATC must order services through resale interfaces, i. e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to Section 3 of the General Terms and Conditions.
- 3.2.3 NATC cannot be a CLEC for the single purpose of selling to itself.
- 3.3 BellSouth shall not be required to provide to NATC Resale Services at a wholesale rate when those services are offered at a special promotional rate if:
 - (a) Such promotions involve rates that will be in effect for not more than ninety (90) days; and
 - (b) Such promotional offerings are not used to evade the wholesale rate obligation; for example, by making available a series of ninety (90) day promotional rates.
- 3.4 The provision of services by BellSouth to NATC does not constitute a joint undertaking for the furnishing of any service.
- 3.5 NATC will be the Customer of Record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and expect payment from NATC for all services.
- 3.6 NATC will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein.
- 3.7 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth.
- 3.8 BellSouth maintains the right to serve directly any End User within the service area of NATC. BellSouth will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with End Users of NATC.

- 3.9 Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.10 Current telephone numbers may normally be retained by the End User. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to require the continuance of service through any particular Central Office. BellSouth reserves the right to change such numbers, or the Central Office designation associated with such numbers, or both, whenever such change is reasonably necessary to the conduct of business.
- 3.11 For the purpose of the resale of BellSouth's Telecommunications Services by NATC, BellSouth will provide NATC with an on line access to telephone numbers for reservation on a first come first serve basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days. NATC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC) and in such instances BellSouth may request on a nondiscriminatory basis that NATC cancel its reservations of numbers. NATC shall comply with such request.
- 3.12 Further, upon NATC's request, and for the purpose of the resale of BellSouth's telecommunications services by NATC, BellSouth will reserve up to 100 telephone numbers per CLLIC, for NATC's sole use. Such telephone number reservations shall be valid for ninety (90) days from the reservation date. NATC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity of NATC's reasonable need in that particular CLLIC.
- 3.13 BellSouth may provide any Telecommunications Service it offers to its End Users or facility for which a charge is not established herein, as long as it is offered on the same terms to NATC at rates that reflect the resale discount expressed in Exhibit A hereto.
- 3.14 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.15 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.16 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.17 BellSouth accepts no responsibility to any person for any unlawful act committed by NATC or its End Users as part of providing service to NATC for purposes of resale or otherwise.

7/7/00 Version

- 3.18 The Parties will cooperate fully with law enforcement agencies with subpoenas and court orders as specified in Section 17 of the General Terms and Conditions of this Agreement.
- 3.19 The characteristics and methods of operation of any circuits, facilities or equipment provided by any person or entity other than BellSouth shall not:
 - 3.19.1. Interfere with or impair service over any facilities of BellSouth, its Affiliates, or its connecting and concurring carriers involved in its service;
 - 3.19.2. Cause damage to BellSouth's plant;
 - 3.19.3. Impair the privacy of any communications; or
 - 3.19.4. Create hazards to any BellSouth employees or the public.
- 3.20 NATC assumes the responsibility of notifying BellSouth regarding less than standard operations with respect to services provided by NATC.
- 3.21 Facilities and/or equipment utilized by BellSouth to provide service to NATC remain the property of BellSouth.
- 3.22 White Page Directory Listings will be provided in accordance with regulations set forth in Section A6 of the General Subscriber Services Tariff and will be available for resale.
- 3.23 BellSouth shall provide electronic access to customer record information to NATC; provided that NATC has the appropriate Letter(s) of Authorization. BellSouth shall provide customer record information in accordance with the terms of Attachment 6 (OSS, O&P) hereto.
- 3.24 Where available to BellSouth's end users, BellSouth shall provide the following Telecommunications Services at a discount to allow for voice mail services:
 - Simplified Message Desk Interface Enhanced ("SMDI-E")
 - Simplified Message Desk Interface ("SMDI") Message Waiting Indicator ("MWI") stutter dialtone and message waiting light feature capabilities
 - Call Forward on Busy/Don't Answer ("CF-B/DA")
 - Call Forward on Busy ("CF/B")
 - Call Forward Don't Answer ("CF/DA")
- 3.25 BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale at rates charged to BellSouth End Users, but without the wholesale discount.

- 3.26 BellSouth's Inside Wire Maintenance Service Plan shall be made available for resale at rates, terms and conditions offered to BellSouth End Users, but without the wholesale discount.
- 3.27 Recovery of charges associated with implementing Number Portability through monthly charges assessed to end users has been authorized by the FCC. This end user line charge will be billed to Resellers of BellSouth's telecommunications services and will be as filed in the BellSouth FCC No. 1 tariff. This charge will not be discounted.
- 3.28 BellSouth shall refer all questions regarding any NATC service or product directly to NATC. BellSouth shall use its best efforts to ensure that all BellSouth representatives who receive inquiries regarding NATC services do not in any way disparage or discriminate against NATC or its products or services
- 3.29 The same quality standards that BellSouth requires of its employees when contacting BellSouth End Users (e.g., honesty, respect and courtesy) shall apply when its employees are in contact with NATC End Users.

4. BellSouth's Provision of Services to NATC

- 4.1 NATC agrees that its resale of BellSouth services shall be as follows:
 - 4.1.1. The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
 - 4.1.2. Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital end users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone Provider (IPP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
 - 4.1.3. BellSouth reserves the right to periodically audit services purchased by NATC to establish authenticity of use. Such audit shall not occur more than once in a calendar year. NATC shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit.
- 4.2 Resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features, e.g. a

usage allowance per month, shall not be aggregated across multiple resold services.

- 4.3 NATC may resell services only within the specific resale service area as defined in its certificate.
- 4.4 Telephone numbers transmitted via any resold service feature are intended solely for the use of the End User of the feature. Resale of this information is prohibited.
- 4.5 NATC may provide both flat and measured rate service on the same business premise to the same subscribers (End Users) only in accordance with Section A2 of BellSouth's General Subscriber Tariff.

5. New Resale Services; Changes in Provision of Resale Services

BellSouth shall use best efforts to provide NATC forty-five (45) days advance notice via Internet posting of changes to the prices, terms or conditions of services available for Resale. To the extent that revisions occur between the time BellSouth notifies NATC of changes under this Agreement and the time the changes are scheduled to be implemented, BellSouth will notify NATC of such revisions consistent with its internal notification process; provided that, NATC shall not utilize any notice given under this subsection to market resold offerings of that service in advance of BellSouth. In addition, upon request BellSouth shall furnish NATC with copies of publicly available service descriptions regarding the Resale Services. Notwithstanding the foregoing, NATC shall not utilize any such BellSouth service descriptions as part of its own sales or marketing efforts.

6. Maintenance of Services

- 6.1 NATC will adhere to the reasonable and nondiscriminatory procedures established by BellSouth regarding maintenance and installation of service.
- 6.2 Services resold under BellSouth's Tariffs and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 6.3 NATC or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth, other than by connection or disconnection to any interface means used, except with the written consent of BellSouth.
- 6.4 NATC accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.

5

- 6.5 NATC will be BellSouth's single point of contact for all repair calls on behalf of NATC's End Users. The parties agree to provide one another with toll-free contact numbers for such purposes.
- 6.6 BellSouth will bill NATC for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 6.7 BellSouth reserves the right to contact NATC's End Users, if deemed necessary, for maintenance purposes.

7. Establishment of Service

- 7.1 After receiving certification as a Local Exchange Company from the appropriate regulatory agency, unless it has already done so, NATC will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for NATC's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, BellSouth will begin taking orders for the resale of service.
- 7.2 Service orders will be in a standard format designated by BellSouth. All Local Service Requests ("LSRs") submitted for products and services under this Attachment will be subject to the OSS charges set forth in the General Terms and Conditions of this Agreement.
- 7.3 When notification is received from NATC that a current End User of BellSouth will subscribe to NATC's service, standard service order intervals for the appropriate class of service will apply.
- 7.4 BellSouth will not require End User confirmation prior to establishing service for NATC's End User customer. NATC must, however, be able to demonstrate End User authorization upon request.
- 7.5 NATC will be the single point of contact with BellSouth for all subsequent ordering activity resulting in additions or changes to resold services except that BellSouth will accept a request directly from the End User for conversion of the End User's service from NATC to BellSouth or will accept a request from another CLEC for conversion of the End User's service from NATC to the other LEC. BellSouth will notify NATC within five (5) business days via US mail that such a request has been processed.

- 7.6 If BellSouth determines that an unauthorized change in local service to NATC has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess NATC as the CLEC initiating the unauthorized change, the unauthorized change charge described in BellSouth FCC. Tariff No. 1, Section 13 or applicable state tariff. Appropriate nonrecurring charges, as set forth in Section A4 of the General Subscriber Service Tariff, will also be assessed to NATC. These charges will be refunded if NATC provides satisfactory proof of authorization.
- 7.7 BellSouth reserves the right to secure a deposit not to exceed two (2) estimated months billing. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.
 - 7.7.1 The fact that a security deposit has been made in no way relieves from complying with BellSouth's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of BellSouth providing for the discontinuance of service for non-payment of any sums due BellSouth.
 - 7.7.2 BellSouth reserves the right to increase the security deposit requirements when, in its sole judgment, circumstances so warrant and gross monthly billing has increased beyond the level initially used to determine the security deposit.
 - 7.7.3 In the event that NATC defaults on its account, service to NATC will be terminated and any security deposits held will be applied to its account.
 - 7.7.4 Interest on a security deposit shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.
- 7.8 Orders to switch services "as is" shall be treated as a change of service and shall *not* be treated as a disconnection and subsequent reconnection of service.
- 7.9 BellSouth shall provide NATC notification of disconnects, updated and delivered once daily, via an electronic process known as OUTPLOC.

8. Payment And Billing Arrangements

- 8.1 BellSouth shall bill NATC on a current basis all applicable charges and credits.
- 8.2 Payment of all charges will be the responsibility of NATC. NATC shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by NATC from NATC's End User. BellSouth will not become involved in billing disputes that may arise between NATC and its End

User. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an End User's account.

- 8.3 BellSouth will render bills each month on established bill days for each of NATC's accounts,
- 8.4 BellSouth will bill NATC, in advance charges for all services to be provided during the ensuing billing period except charges associated with service usage, which charges will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill NATC, and NATC will be responsible for and remit to BellSouth, all government mandated surcharges applicable to resold services including but not limited to 911 and E911 charges, telecommunications relay charges (TRS), and franchise fees.
- 8.5 The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
 - 8.5.1. If the payment due date falls on a Sunday or on a holiday which is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 8.7 following, shall apply.
 - 8.5.2. If NATC requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to NATC.
- 8.6 Billing Disputes
 - 8.6.1 Any billing disputes shall be handled in accordance with Section 26 of the General Term and Conditions and Attachment 7 of this Agreement.
- 8.7 Upon proof of tax exempt certification from NATC, the total amount billed to NATC will not include any taxes due from the end user to reflect the tax exempt certification and local tax laws. NATC will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to NATC's end user.
- 8.8 If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of

the General Subscriber Services Tariff and Section B2 of the Private Line Service Tariff.

- 8.9 Any switched access charges properly billed to interexchange carriers for access to the resold local exchange lines will be billed by, and due to, BellSouth. NATC shall bill access charge components properly billed to End Users.
- 8.10 BellSouth will not perform billing and collection services for NATC as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 8.11 Pursuant to 47 CFR Section 51.617, BellSouth will bill NATC directly the end user common line charges in the amount identical to the end user common line charges BellSouth bills its end users.
- 8.12 In general, BellSouth will not become involved in disputes between NATC and NATC's End User customers over resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, NATC shall contact the designated Service Center for resolution. BellSouth will make every effort to assist in the resolution of the dispute and will work with NATC to resolve the matter in as timely a manner as possible. NATC may be required to submit documentation to substantiate the claim.

9. Discontinuance of Service

- 9.1 The procedures for discontinuing service to an End User are as follows:
 - 9.1.1. Where possible, BellSouth will deny service to NATC's End User on behalf of, and at the request of, NATC. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of NATC.
 - 9.1.2. At the request of NATC, BellSouth will disconnect -an NATC End User customer.
 - 9.1.3. All requests by NATC for denial or disconnection of an End User for nonpayment must be in writing.
 - 9.1.4. NATC will be made solely responsible for notifying the End User of the proposed disconnection of the service.
 - 9.1.5. BellSouth will continue to process calls made to the Annoyance Call Center and will advise NATC when it is determined that annoyance calls are originated from one of their End User's locations. BellSouth shall be indemnified, defended and held harmless by NATC and/or the End User

against any claim, loss or damage arising from providing this information to NATC. It is the responsibility of NATC to take the corrective action necessary with its End Users who make annoying calls. Failure to do so will result in BellSouth's disconnecting the End User's service.

- 9.1.6. Use of Facilities. When an End User of NATC elects to discontinue service from NATC and to transfer service to another LEC, including BellSouth, BellSouth shall have the right to reuse the facilities provided to NATC for retail or Resale service or as, unbundled Loops or unbundled Ports for that End User. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state, and BellSouth has received an order to establish new service, or transfer service from an End User or an End User's CLEC, at the same address served by the denied facility.
 - 9.1.6.1. The foregoing applies when BellSouth has received a new order from the End User or the End User's new LEC for a retail service or Resale service or for a UNE which the End User or the End User's new LEC has indicated constitutes a transfer of service from the LEC to another provider (i.e., the order is not for a new line or an additional line).
 - 9.1.6.2. The order for retail service, Resale service, unbundled Loop and/or Port can be for either Exchange or private line service.
- 9.2 The procedures for discontinuing service to NATC are as follows:
 - 9.2.1. BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by NATC of the rules and regulations of BellSouth's Tariffs.
 - 9.2.2. If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to NATC, that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by NATC to receive notices of noncompliance, and discontinue the provision of existing services to NATC at any time thereafter.
 - 9.2.3. In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
 - 9.2.4. If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and NATC's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to NATC without further notice.

- 9.2.5. If payment is not received or arrangements made for payment by the date given in the written notification, NATC's services will be discontinued. Upon discontinuance of service on a NATC's account, service to NATC's End Users will be denied. BellSouth will also reestablish service at the request of the End User or NATC upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. NATC is solely responsible for notifying the End User of the proposed disconnection of the service.
- 9.2.6. If within fifteen days after an End User's service has been denied no contact has been made in reference to restoring service, the End User's service will be disconnected.

10. Functionality Required to Support Resale Service.

- 10.1 LEC Assigned Telephone Calling Card Numbers. Effective as of the date of an End User's subscription to NATC's service, BellSouth shall block the LEC-assigned telephone line calling card number (including area code) ("TLN") from the Line Identification Database ("LIDB"), unless otherwise agreed by NATC in the Implementation Plan.
- 10.2 Telephone Assistance Programs. Telephone Assistance Programs shall be available for Resale as indicated in Exhibit B to this Attachment. Upon conversion to NATC's Resale Service of an existing Telecommunications Assistance Program Customer, no exchange of qualification documentation is necessary.
- 10.3 9-1-1 Services. BellSouth shall provide to NATC "911" emergency call routing services in accordance with the terms of Attachment 2 to the Agreement.
- 10.4 Special Services. If BellSouth makes a notation on the Customer Service Record ("CSR") of End Users who qualify for certain services available to physically challenged individuals (e.g., special discounts) ("Special Services"), BellSouth shall provide such data to NATC on the CSR made available to BellSouth for its End Users. For usage by an NATC End User of a Telephone Relay Service ("TRS"), BellSouth shall provide NATC with all billing information furnished to BellSouth by the provider of the TRS.
- 10.5 TTY/TDD. BellSouth shall cooperate with NATC to provide services and equipment necessary to serve TTY/TDD customers at rates, terms and conditions set forth in a separate agreement to be negotiated between the Parties.

11. Resale of Customer Specific Arrangements

11.1 CSAs shall be available for resale at the wholesale discount set forth in Exhibit A of this Attachment; provided, however, that in the event the Commission establishes a specific discount for CSAs such discount shall apply thereafter. NATC may resell a CSA to the end user for whom the CSA was constructed or to end users similarly situated to the specific end user for whom the CSA was constructed. Customers shall be deemed to be similarly situated when the quantity of use; time of use; manner of service; and costs of rendering the service are the same. In cases where NATC resells an existing CSA, no termination or rollover charges shall apply to the assignment of the CSA to NATC provided that NATC assumes the obligations set forth within the CSA. Notwithstanding the foregoing, BellSouth may impose a single service order charge (not to exceed the level of tariffed service order charges for comparable services) to recover the cost of changing the billing name on the account.

12. Line Information Database (LIDB)

- 12.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit C.
- 12.2 BellSouth will provide LIDB Storage upon written request to NATC Account Manager stating requested activation date.

13. RAO Hosting

- 13.1 The RAO Hosting Agreement is included in this Attachment as Exhibit D. Rates for BellSouth's Centralized Message Distribution System (CMDS) are as set forth in Exhibit H of this Attachment.
- 13.2 BellSouth will provide RAO Hosting upon written request to its Account Manager stating requested activation date.

14. Optional Daily Usage File (ODUF)

- 14.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as <u>Exhibit E</u>. Rates for ODUF are as set forth in <u>Exhibit H</u> of this Attachment.
- 14.2 BellSouth will provide Optional Daily Usage File (ODUF) service upon written request to its Account Manager stating requested activation date.

15. Enhanced Optional Daily Usage File (EODUF)

- 15.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as <u>Exhibit F</u>. Rates for EODUF are as set forth in <u>Exhibit H</u> of this Attachment.
- 15.2 BellSouth will provide Enhanced Optional Daily Usage File (EODUF) service upon written request to its Account Manager stating requested activation date.

16. Calling Name Delivery (CNAM) Database Service

- 16.1 Calling Name Delivery (CNAM) Database Service Agreement is included in this Attachment as <u>Exhibit F</u>. Rates for CNAM are as set forth in <u>Exhibit H</u> of this Attachment.
- 16.2 BellSouth will provide Calling Name Delivery (CNAM) Database service upon written request to its Account Manager stating requested activation date.

Attachment 1 Page 17 Exhibit A

EXHIBIT A

APPLICABLE DISCOUNTS

The Telecommunications Services available for purchase by NATC for the purposes of resale to NATC End Users shall be available at the following discount off of the retail rate.

STATE	RESIDENCE	BUSINESS	CSAs***	
ALABAMA	16.3%	16.3%	<u> </u>	
FLORIDA	21.83%	16.81%		
GEORGIA	20.3%	17.3%	<u> </u>	
KENTUCKY	16.79%	15.54%		
LOUISIANA	20.72%	20.72%	9.05%	
MISSISSIPPI	15.75%	15.75%		
NORTH CAROLINA	21.5%	17.6%	· · · · · · · · · · · · · · · · · · ·	
SOUTH CAROLINA	14.8%	14.8%	8.98%	
TENNESSEE**	16%	16%		

DISCOUNT*

* When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.

** In Tennessee, if CLEC provides its own operator services and directory services, the discount shall be 21.56%. CLEC must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.

*** Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

Attachment 1 Page 18 Exhibit B

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE

Type of		. AL		FL		GA		KY		LA	
	Service	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	Resate ?	Discount?
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3	Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
4	Promotions - < 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Note 3	Note 3	Yes	Yes.
6	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
7	N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
8	AdWatch SM Svc (See Note 6)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9	MemoryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
13	End User Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Type of	I	MS	1	NC		SC	TN			
	Service	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?		
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		
2	Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		
3	Promotions - > 90 Days	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 2		
4	Promotions - < 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Ycs	No		
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3		
6	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		
7	N11 Services	No	No	No	No	Yes	Yes	Yes	Yes		

Ŧ

Attachment 1 Page 19 Exhibit B

8	AdWatch SM Svc (See Note 6)	Yes	No	Yes	No	Yes	No	Yes	No
9	MemoryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	Ńo	Yes	No	Yes	No	Yes	No
	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No
12	Non-Recurring Charges	Yes	No						
	End User Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No

Applicable Notes:

- **<u>1</u>** Grandfathered services can be resold only to existing subscribers of the grandfathered service.
- 2 Where available for resale, promotions will be made available only to end users who would have qualified for the promotion had it been provided by BellSouth directly.
- Lifeline/Link Up services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services. In Kentucky, NATC is responsible for funding its own Lifeline and Link Up benefit. In Tennessee, NATC shall purchase BellSouth's Message Rate Service at the stated tariff rate, less the wholesale discount. NATC must further discount the wholesale Message Rate Service to Lifeline customers with a discount which is no less than the minimum discount that BellSouth now provides. NATC is responsible for recovering the Subscriber Line Charge from the National Exchange Carriers Association interstate toll settlement pool just as BellSouth does today. The maximum rate that NATC may charge for Lifeline Service shall be capped at the flat retail rate offered by BellSouth.
- 4 Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.
- 5 AdWatchSM Service is tariffed as BellSouth[®] AIN Virtual Number Call Detail Service.

LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

I. SCOPE

A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of the Local Exchange Company and pursuant to which BST, its LIDB customers and Local Exchange Carrier shall have access to such information. Local Exchange Carrier understands that BST provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.

- B. LIDB is accessed for the following purposes:
 - 1. Billed Number Screening
 - 2. Calling Card Validation
 - 3. Fraud Control

C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify the Local Exchange Company of fraud alerts so that the Local Exchange Company

Attachment 1 Page 21 EXHIBIT C

may take action it deems appropriate. Local Exchange Company understands and agrees BST will administer all data stored in the LIDB, including the data provided by Local Exchange Company pursuant to this Agreement, in the same manner as BST's data for BST's end user customers. BST shall not be responsible to Local Exchange Company for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

Local Exchange Company understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Local Exchange Company further understands that these billing and collection customers of BST query BST's LIDB to determine whether to accept various billing options from end users. Additionally, Local Exchange Company understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on Local Exchange Company's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate Local Exchange Company's data from BST's data and the parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

(a) The Local Exchange Company agrees that it will accept responsibility for telecommunications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. Local Exchange Company authorizes BST to place such charges on Local Exchange Company's bill from BST and agrees that it shall pay all such charges. Charges for which Local Exchange Company hereby takes responsibility include, but are not limited to, collect and third number calls.

(b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.

(c) Local Exchange Company shall have the responsibility to render a billing statement to its end users for these charges, but Local Exchange Company's obligation to pay BST for the charges billed shall be independent of whether Local Exchange Company is able or not to collect from the Local Exchange Company's end users.

(d) BST shall not become involved in any disputes between Local
 Exchange Company and the entities for which BST performs billing and collection.
 BellSouth will not issue adjustments for charges billed on behalf of an entity to Local
 Exchange Company. It shall be the responsibility of the Local Exchange Company and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

This Agreement will be effective as of _____, 2000, and will continue in effect for one year, and thereafter may be continued until terminated by either party upon thirty (30) days written notice to the other party.

III. FEES FOR SERVICE AND TAXES

7/7/00 Version

A. The Local Exchange Company will not be charged a fee for storage services provided by BST to the Local Exchange Company, as described in Section I of this Agreement.

B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by the Local Exchange Company. The Local Exchange Company shall have the right to have BST contest with the imposing jurisdiction, at the Local Exchange Company's expense, any such taxes that the Local Exchange Company deems are improperly levied.

IV. INDEMNIFICATION

To the extent not prohibited by law, each party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying party or its agents or contractors in connection with the indemnifying party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying party under this Section agrees to defend any suit brought against the other party for any such loss, cost, claim, injury or liability. The indemnified party agrees to notify the other party promptly, in writing, of any written claims, lawsuits, or demands for which the other party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The

indemnifying party shall not be liable under this Section for settlement by the indemnified party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying party has unreasonably failed to assume such defense.

V. LIMITATION OF LIABILITY

Neither party shall be liable to the other party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

VI. MISCELLANEOUS

A. It is understood and agreed to by the parties that BST may provide similar services to other companies.

B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either party to violate any such legal or regulatory requirement and either party's obligation to perform shall be subject to all such requirements.

C. The Local Exchange Company agrees to submit to BST all advertising, sales

promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and the Local Exchange Company further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.

D. This Agreement constitutes the entire agreement between the Local Exchange Company and BST which supersedes all prior agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.

E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.

F. Neither party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers. G. This Agreement shall be deemed to be a contract made under the laws of the

State of Georgia, and the construction, interpretation and performance of this Agreement and

all transactions hereunder shall be governed by the domestic law of such State.

RESALE ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

This is a Resale Addendum to the Line Information Data Base Storage Agreement dated ______, 2000, between BellSouth Telecommunications, Inc. ("BST"), and Local Exchange Company ("Local Exchange Company"), effective the ______ day of ______, 2000.

I. GENERAL

This Addendum sets forth the terms and conditions for Local Exchange Company's provision of billing number information to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number information provided by Local Exchange Company, and BST will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. DEFINITIONS

A. Billing number - a number used by BST for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

1. C. S

B. Line number - a ten digit number assigned by BST that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.

C. Special billing number - a ten digit number that identifies a billing account established by BST in connection with a resold local exchange service or with a SPNP arrangement.

D. Calling Card number - a billing number plus PIN number assigned by BST.

E. PIN number - a four digit security code assigned by BST which is added to a billing number to compose a fourteen digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by the Local Exchange Company.

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number or Calling Card number as assigned by BST and toll billing exception indicator provided to BST by the Local Exchange Company.

III. RESPONSIBILITIES OF PARTIES

A. BST will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. The Local Exchange Company will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.

B. Under normal operating conditions, BST shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BST will issue line-based calling cards only in the name of Local Exchange Company. BST will not issue line-based calling cards in the name of Local Exchange Company's individual end users. In the event that Local Exchange Company wants to include calling card numbers assigned by the Local Exchange Company in the BST LIDB, a separate agreement is required.

C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.

D. BST is authorized to use the billing number information to perform the following functions for authorized users on an on-line basis:

1. Validate a 14 digit Calling Card number where the first 10 digits are a

a da ana ang ang

line number or special billing number assigned by BST, and where the last four digits (PIN) are a security code assigned by BST.

2. Determine whether the Local Exchange Company has identified the billing number as one which should not be billed for collect or third number calls, or both.

RAO Hosting

- 1. RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to NATC by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 2. NATC shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3. Applicable compensation amounts will be billed by BellSouth to NATC on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 4. NATC must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from NATC to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of NATC and will coordinate all associated conversion activities.
- 5. BellSouth will receive messages from NATC that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 6. BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from NATC.
- 7. All data received from NATC that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- 8. All data received from NATC that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 9. BellSouth will receive messages from the CMDS network that are destined to be processed by NATC and will forward them to NATC on a daily basis.

- 10. Transmission of message data between BellSouth and NATC will be via CONNECT:Direct.
- 11. All messages and related data exchanged between BellSouth and NATC will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 12. NATC will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 13. Should it become necessary for NATC to send data to BellSouth more than sixty (60) days past the message date(s), NATC will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and NATC to notify all affected Parties.
- 14. In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or NATC) identified and agreed to, the company responsible for creating the data (BellSouth or NATC) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- 15. Should an error be detected by the EMI format edits performed by BellSouth on data received from NATC, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify NATC of the error condition. NATC will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, NATC will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 16. In association with message distribution service, BellSouth will provide NATC with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 17. In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.
- 18. RAO Compensation

- 18.1 Rates for message distribution service provided by BellSouth for NATC are as set forth in Exhibit A to this Attachment.
- 18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
- 18.3 Data circuits (private line or dial-up) will be required between BellSouth and NATC for the purpose of data transmission. Where a dedicated line is required, NATC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. NATC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to NATC. Additionally, all message toll charges associated with the use of the dial circuit by NATC will be the responsibility of NATC. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- 18.4 All equipment, including modems and software, that is required on the NATC end for the purpose of data transmission will be the responsibility of NATC.
- 19. Intercompany Settlements Messages
 - 19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by NATC as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between NATC and the involved company(ies), unless that company is participating in NICS.
 - 19.2 Both traffic that originates outside the BellSouth region by NATC and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by NATC, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by NATC, involves a company other than NATC, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
 - 19.3 Once NATC is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
 - 19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of NATC. BellSouth will distribute copies of these reports to NATC on a monthly basis.

- 19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of NATC. BellSouth will distribute copies of these reports to NATC on a monthly basis.
- 19.6 BellSouth will collect the revenue earned by NATC from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of NATC. BellSouth will remit the revenue billed by NATC to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on NATC. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to NATC via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 19.7 BellSouth will collect the revenue earned by NATC within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of NATC. BellSouth will remit the revenue billed by NATC within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to NATC via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and NATC agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

Optional Daily Usage File

- 1 Upon written request from NATC, BellSouth will provide the Optional Daily Usage File (ODUF) service to NATC pursuant to the terms and conditions set forth in this section.
- 2 The NATC shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a NATC customer.
- Charges for delivery of the Optional Daily Usage File will appear on the NATC's monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 4 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5 Messages that error in the billing system of the NATC will be the responsibility of the NATC. If, however, the NATC should encounter significant volumes of errored messages that prevent processing by the NATC within its systems, BellSouth will work with the NATC to determine the source of the errors and the appropriate resolution.
- 6 The following specifications shall apply to the Optional Daily Usage Feed.
 - 6.1 Usage To Be Transmitted
 - 6.1.1 The following messages recorded by BellSouth will be transmitted to the NATC:
 - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
 - measured billable Local

- Directory Assistance messages
- intraLATA Toll
- WATS & 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to NATC.
- 6.1.4 In the event that NATC detects a duplicate on Optional Daily Usage File they receive from BellSouth, NATC will drop the duplicate message (NATC will not return the duplicate to BellSouth).

Attachment 1 EXHIBIT E Page 36

6.2 Physical File Characteristics

- 6.2.1 The Optional Daily Usage File will be distributed to NATC via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and NATC for the purpose of data transmission. Where a dedicated line is required, NATC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. NATC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated with the use of the dial circuit by NATC will be the responsibility of NATC. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on NATC.

6.3 Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to NATC which BellSouth RAO that is sending the message. BellSouth and NATC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by NATC and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 Pack Rejection

6.4.1 NATC will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. NATC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to NATC by BellSouth.

6.5 Control Data

NATC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate NATC received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by NATC for reasons stated in the above section.

6.6 Testing

6.6.1 Upon request from NATC, BellSouth shall send test files to NATC for the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that NATC set up a production (LIVE) file. The live test may consist of NATC's employees making test calls for the types of services NATC requests on the Optional Daily Usage File. These test calls are logged by NATC, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1 Upon written request from NATC, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to NATC pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2 The NATC shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- Charges for delivery of the Enhanced Optional Daily Usage File will appear on the NATC's monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5 Messages that error in the billing system of the NATC will be the responsibility of the NATC. If, however, the NATC should encounter significant volumes of errored messages that prevent processing by the NATC within its systems, BellSouth will work with the NATC to determine the source of the errors and the appropriate resolution.
- 6 The following specifications shall apply to the Optional Daily Usage Feed.
 - 6.1 Usage To Be Transmitted
 - 6.1.1 The following messages recorded by BellSouth will be transmitted to NATC:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Attachment 1 EXHIBIT F Page 39

Date of Call From Number To Number Connect Time Conversation Time Method of Recording From RAO Rate Class Message Type Billing Indicators Bill to Number

- 6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to NATC.
- 6.1.3 In the event that NATC detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, NATC will drop the duplicate message (NATC will not return the duplicate to BellSouth).

6.2 Physical File Characteristics

- 6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to NATC over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among NATC's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and NATC for the purpose of data transmission. Where a dedicated line is required, NATC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. NATC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to

attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to NATC. Additionally, all message toll charges associated with the use of the dial circuit by NATC will be the responsibility of NATC. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on NATC end for the purpose of data transmission will be the responsibility of NATC.

6.3 Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to NATC which BellSouth RAO that is sending the message. BellSouth and NATC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by NATC and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

Attachment 1 EXHIBIT F Page 41

CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

1.00 DEFINITIONS

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides NATC the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling

technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

SERVICE CONTROL POINTS (SCPs) - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTS (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

2.0 ATTACHMENT

- 2.01 This Attachment contains the terms and conditions where BellSouth will provide to the NATC access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.02 NATC shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to NATC's access to BellSouth's CNAM Database Services and shall be addressed to NATC's Account Manager.

3.00 PHYSICAL CONNECTION AND COMPENSATION

- 3.01 BellSouth's provision of CNAM Database Services to NATC requires interconnection from NATC to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.02 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, NATC, shall provide its own CNAM SSP. NATC's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.03 If NATC elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that NATC desires to query.

3.04 <u>Out-Of-Region Customers.</u> If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and BellCore's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the parties and writing shall, by this reference become an integral part of this Agreement.

4.00 CNAM RECORD INITIAL LOAD AND UPDATES

- 4.01 The mechanism to be used by NATC for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by NATC in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of NATC to provide accurate information to BellSouth on a current basis.
- 4.02 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.03 NATC CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each party consistent with state and/or federal regulation.

BELLSOUTH/NATC RATES ODUF/EDOUF/CMDS/CNAM

Attachment 1 Exhibit H Rates - Page 1

٠

DESCRIPTION	USOC	AL	RL.	GA	KY	LA	MS	NC	sc	TN TN
	this could be a	医结肠 机动用	建中美学生			THE REPORT	1 Harr - 7		Tillindat i d	1 . T
ODUF. Recording, per message	NA	\$0.0002	\$0.008	\$0.008	\$0.0006611	\$0.00019	\$0.0001179	\$0.008	\$0.0002862	\$0.008
ODUF: Measage Processing, per measage	NA	\$0.0033	\$0.004	\$0.004	\$0.0032357	\$0.0024	\$0.0032089	\$0.004	\$0.0032344	\$0.004
EODUF: Massage Processing, per message	NA	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
CMDS: Measage Proceeding, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
ODUP: Message Processing, per magnetic tape provisioned	N/A	\$55.19	\$54.95	\$54.85	\$55.68	\$47.30	\$54.62	\$54.95	\$54.72	\$54.95
EODUF: Message Processing, per magnetic tape provisioned	N/A	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.90	\$47,30	\$47.30
ODUF: Deta Transmission (CONNECT:DIRECT), par massage	N/A	\$0.00004	\$0.001	\$0.001	\$0.0000365	\$0.00003	\$0.0000354	\$0.001	\$0.0000357	\$0.001
EODUP: Data Transmission (CONNECT: DiRECT), par message	N/A	\$0.000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.00003
CatOS: Data Transmission (CONNECT:DRECT), per reservage	N/A	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001
		State in the second		Station Lines	SALEY SALAH I	LC-COLARCHINE		Stophender, Phil		10 J. 20
CILANI (Database Owner), Per Guary	NA	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	50.016
CHAM (Non-Database Owner), Per Query*	NA	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01
NRC, applicable when e-spire uses the Character Based User Interface (CHUI) method to transmit										
the names to the BellSouth CNAM detabese	N/A	\$595.00	\$595.00	\$596.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.0
* Volume and term arrangements are also available.		i								

•

. ,

•

Attachment 2

.

•

Network Elements and Other Services

.

TABLE OF CONTENTS

.

1.	INTRODUCTION
2.	UNBUNDLED LOOPS
3.	INTEGRATED DIGITAL LOOP CARRIERS
4.	<u>NETWORK INTERFACE DEVICE</u>
5.	UNBUNDLED LOOP CONCENTRATION (ULC) SYSTEM
6.	SUB-LOOP ELEMENTS
7.	LOCAL SWITCHING
8.	<u>TRANSPORT</u>
10.	OPERATOR SYSTEMS
11.	SIGNALING
12.	SIGNALING TRANSFER POINTS (STPS)
13.	SERVICE CONTROL POINTS/DATABASES
13.8	CALLING NAME (CNAM) DATABASE SERVICE
14.	<u>DARK FIBER</u>
15.	SS7 NETWORK INTERCONNECTION
16.	BASIC 911 AND E911
17.1.	<u>GENERAL</u>
17.2.	OPERATIONAL SUPPORT SYSTEMS (OSS)
1.00	DEFINITIONS
2.0	ATTACHMENT
3.00	PHYSICAL CONNECTION AND COMPENSATION
4.00	CNAM RECORD INITIAL LOAD AND UPDATES
EXI	IBIT A – LIDB STORAGE AGREEMENTEXHIBIT A
EXI	IIBIT B – CNAM DATABASE SERVICESEXHIBIT B
EXI	HBIT C – RATESEXHIBIT C

C:\WINDOWS\TEMP\ATT2CLEA. DOC 7/13/00 Version

.

•

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1. Introduction

- 1.1 Network Element is defined to mean a facility or equipment used in the provision of a telecommunications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a telecommunications service. BellSouth offers access to the Network Elements, unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; operator systems; signaling; access to call-related databases; dark fiber as set forth in this Attachment.
- 1.2 BellSouth shall, upon request of NATC, and to the extent technically feasible, provide to NATC access to its network elements for the provision of NATC's telecommunications service. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.3 NATC may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner NATC chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by NATC for combining to the designated NATC collocation space. The network elements shall be provided as set forth in this Attachment.
- 1.4 BellSouth will provide the following combined network elements for purchase by NATC. The rate of the following combined network elements is the sum of the individual element prices as set forth in this Attachment. Order Coordination as defined in Section 2 of Attachment 2 of this Agreement is available for each of these combinations:
 - SL2 loop and cross connect
 - Port and cross connect
 - Port and cross connect and common (shared) transport
 - Port and vertical features
 - SL2 Loop with loop concentration
 - Port and common (shared) transport
 - SL2 Loop and LNP
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards.

- 1.6 In the event that any final and nonappealable legislative, regulatory, judicial or other legal action modifies or redefines the "Network Elements" in a manner which materially affects the terms of this Attachment or the Network Elements and/or prices set forth herein, either Party may, on thirty (30) days written notice, require renegotiation of such terms, and the Parties shall renegotiate in good faith such new terms in accordance with such legislative, regulatory, judicial or other legal action. In the event such new terms are not renegotiated within ninety (90) days after the notice for renegotiation, either Party may petition the Commission for resolution of the dispute between the Parties. Each Party reserves the right to seek judicial review of any Commission ruling concerning this Attachment.
- 1.7 NATC will adopt and adhere to the reasonable and nondiscriminatory standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service.
- 1.8 BellSouth will provide reasonable and nondiscriminatory access to Network Elements on an unbundled basis, pursuant to the terms, conditions and rates set forth in this attachment, and in accordance with all effective rules and decisions of the FCC and the Commission.

2. <u>Unbundled Loops</u>

2.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to the local loop on an unbundled basis pursuant to the following terms and conditions and at the rates approved by the Commission and set forth in this Attachment.

2.2 Definition

- 2.2.1 The local loop network element is defined as a transmission facility between a distribution frame (or its equivalent) in an incumbent LEC central office and the loop demarcation point at an end-user customer premises, including inside wire owned by the incumbent LEC. The local loop network element includes all features, functions, and capabilities of such transmission facility. Those features, functions, and capabilities include, but are not limited to, Dark Fiber as described in Section 14 of this Attachment, attached electronics (except those electronics used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), and loop conditioning. The local loop includes, but is not limited to, DSI, DS3, fiber, and other high capacity loops. Unless otherwise requested, all loops will be provisioned with a Network Interface Device ("NID").
- 2.2.2 The provisioning of service to a CLEC will require cross-office cabling and crossconnections within the central office to connect the loop to a local switch or to

other transmission equipment in collocation space. These cross-connects are a separate element and are not considered a part of the loop.

BeilSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination - Time Specific."

"Order Coordination" refers to standard BellSouth service order coordination involving SL2 voice loops and all digital loops. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and NATC advised.

"Order Coordination – Time Specific" refers to service order coordination in which NATC requests a specific time for a service order conversion to take place. Loops on a single service order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. NATC may specify a time between 8:00 a.m. and 5:00 p.m. (location time) Monday through Friday (excluding holidays). If NATC specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

Where facilities are available, BellSouth will install loops within a 5-7 business days interval. For orders of 14 or more loops, the installation will be handled on a project basis and the intervals will be set by the BellSouth project manager for that order. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is 3-5 business days and is separate from the installation interval. For expedite requests by NATC, expedite charges will apply for intervals less than 5 days. The charges outlined in BST's FCC # 1 Tariff, Section 5.1.1, will apply. If NATC cancels an order for network elements and other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC #1 Tariff, Section 5.4.

If NATC modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be reimbursed by NATC.

2.2.3 Intervals for loop conversions shall be as follows: (1) for single loop conversions per location, the conversion shall be completed within fifteen (15) minutes; (2) for up to ten (10) loop conversions per location, the conversion of all loops shall be completed within sixty (60) minutes, and each individual loop conversion shall be completed within fifteen (15) minutes; (3) for loop conversions not exceeding thirty (30) loops per location and not determined complex or exceptionally large, the conversion of all loops shall be completed within one hundred and twenty (120) minutes: and (4) all loops above a thirty loop quantity, or ten (10) loop quantity and determined as complex (a cut that requires more operation than a single cut point), will be negotiated by NATC and BellSouth prior to the due date.

2.2.4 BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels - Service Level One (SL1) and Service Level Two (SL2). SL1 loops will be non-designed, will not have test points, and will not come with any Order Coordination (OC) or engineering information/circuit make-up data. Upon issuance of an order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its customers. If NATC requests work to be done for SL1s that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

> SL2 loops shall have test points, will be designed with a Design Layout Record provided to NATC, and will be provided with Order Coordination. The OC feature will allow NATC to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

- 2.2.5 BellSouth will also offer Unbundled Digital Loops (UDL). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a Design Layout Record (DLR).
- 2.2.6 As a chargeable option on all loops except UVL-SL1, BellSouth will offer Order Coordination - Time Specific (OC-TS). This will allow NATC the ability to specify the time that the coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.
- 2.2.7 NATC will be responsible for testing and isolating troubles on the loops. Once NATC has isolated a trouble to the BellSouth provided loop, NATC will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop if a trouble actually exists. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.
- 2.2.8 If NATC reports a trouble on SL1 loops and no trouble actually exists, BellSouth will charge NATC for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.
- 2.2.9 If NATC reports a trouble on SL2 loops and no trouble actually exists, BellSouth will charge NATC for any dispatching and testing, (outside the CO) required by BellSouth in order to confirm the loop's working status.
- 2.4 <u>Technical Requirements</u>

- 2.4.1 To the extent available within BST's Network at a particular location, BellSouth will offer loops capable of supporting telecommunications services such as: POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, ADSL, HDSL, DS1 and digital data (up to 64 kb/s). Additional services may include digital PBXs, primary rate ISDN, xDSL, and Nx 64 kb/s. If a requested loop type is not available, then the CLEC can use the Special Construction process to request that BellSouth place facilities or otherwise modify facilities in order to meet the CLEC's request.
- 2.4.1.1 The loop will support the transmission, signaling, performance and interface requirements of the services described in 2.3.1 above. It is recognized that the requirements of different services are different, and that a number of types or grades of loops are required to support these services. Services provided over the loop by NATC will be consistent with industry standards and BST's TR73600.
- 2.4.1.2 In some instances, NATC will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that NATC can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. NATC will determine the type of service that will be provided-over the loop. In some cases, NATC may be required to pay additional charges for the removal of certain types of equipment. BellSouth's Special Construction process will be used to determine the costs and feasibility of these activities.

In cases in which NATC has requested that BellSouth remove equipment from the BellSouth loop, BellSouth will no longer be expected to maintain and repair the loop to the standards specified for that loop type in the TR73600 and other standards referenced in this Agreement.

NATC, in performance of its obligations pursuant to the preceding Section, shall maintain records that will reflect that pursuant to NATC's request BellSouth has removed certain equipment from BellSouth provided loops and as such the loop may not perform within the technical specifications associated with that loop type. NATC will not report to BellSouth troubles on said loops where the loops are not performing within the technical specifications of that loop type.

In addition, NATC recognizes there may be instances where a loop modified in this manner may be subjected to normal network configuration changes that may cause the circuit characteristics to be changed and may create an outage of the service that NATC has placed on the loop. If this occurs, BellSouth will work cooperatively with NATC to restore the circuit to its previous modified status as quickly as possible. NATC will pay the Time and Materials costs associated with BellSouth's work efforts needed to bring the loop back to its previous modified status.

2.4.2 The loop shall be provided to NATC in accordance with the following Technical References:

BellSouth's TR73600, Unbundled Local Loop Technical Specification

- 2.4.2.1 Telcordia (formerly BellCore) TR-NWT-000057, Functional Criteria for Digital Loop Carrier Systems, Issue 2, January 1993.
- 2.4.2.2 Telcordia (formerly BellCore) TR-NWT-000393, Generic Requirements for ISDN Basic Access Digital Subscriber Lines.
- 2.4.2.3 ANSI T1.102 1993, American National Standard for Telecommunications -Digital Hierarchy - Electrical Interfaces.
- 2.4.2.4 ANSI T1.403 1989, American National Standard for Telecommunications -Carrier to Customer Installation, DS1 Metallic Interface Specification.

2.5 Loop Conditioning

- 2.5.1 Subject to applicable and effective FCC rules and orders, BellSouth shall condition loops, as requested by NATC, whether or not BellSouth offers advanced services to the End User on that loop.
- 2.5.2 Loop conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, bridge taps, low pass filters, and range extenders.
- 2.5.3 BellSouth shall recover the cost of loop conditioning requested by NATC at the non-recurring cost-based rates set forth in this Attachment.
- 2.5.4 To the extent technically feasible and using testing equipment that exists within BellSouth's network, BellSouth shall test and report trouble for all the features, functions, and capabilities of conditioned loops, and may not restrict testing to voice-transmission only.

3. Integrated Digital Loop Carriers

3.1.1 Where BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local loop and BellSouth has a suitable alternate facility available, BellSouth will make arrangements to permit NATC to order a contiguous local loop. To the extent it is technically feasible, these arrangements will provide NATC with the capability to serve end users at a level that is at parity with the level of service BellSouth provides its customers. If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. NATC will then have the option of paying the one-time SC rates to place the loop facilities or NATC may chose some other method of providing service to the end-user (e.g., Resale, private facilities, etc.).

4. <u>Network Interface Device</u>

4.1 <u>Definition</u>

4.1.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. BellSouth shall permit NATC to connect its own loop facilities to on-premises wiring through BellSouth's network interface device, or at any other technically feasible point.

4.2 <u>Technical Requirements</u>

- 4.2.1 The Network Interface Device shall provide a clean, accessible point of connection for the inside wiring and for the Distribution Media and shall maintain a connection to ground that meets the requirements set forth below.
- 4.2.2 The NID shall be capable of transferring electrical analog or digital signals between the customer's inside wiring and the Distribution Media.
- 4.2.3 All NID posts or connecting points shall be in place, secure, usable and free of any rust or corrosion. The protective ground connection shall exist and be properly installed. The ground wire will also be free of rust or corrosion and have continuity relative to ground.
- 4.2.4 The NID shall be capable of withstanding all normal local environmental variations.
- 4.2.5 Where feasible, the NID shall be physically accessible to NATC designated personnel. In cases where entrance to the end user's premises is required to give access to the NID, NATC shall obtain entrance permission directly from the end user.
- 4.2.6 BellSouth shall offer the NID as a stand-alone component. Additionally, NATC may connect its loop to any spare capacity on the BellSouth NID. Where necessary to comply with an effective Commission order, BellSouth will allow NATC to disconnect the BellSouth loop from the BellSouth NID in order to connect NATC's loop to the BellSouth NID. In these cases, NATC accepts all liability associated with this process and it is NATC's responsibility to make sure the disconnected BellSouth loop is properly grounded.
- 4.3 Interface Requirements

- 4.3.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the following technical references:
- 4.3.1.1 Telcordia (formerly BellCore) Technical Advisory TA-TSY-000120 "Customer Premises or Network Ground Wire";
- 4.3.1.2 Telcordia (formerly BellCore) Generic Requirement GR-49-CORE "Generic Requirements for Outdoor Telephone Network Interface Devices";
- 4.3.1.3 Telcordia (formerly BellCore) Technical Requirement TR-NWT-00239 "Indoor Telephone Network Interfaces";
- 4.3.1.4 Telcordia (formerly BellCore) Technical Requirement TR-NWT-000937 "Generic Requirements for Outdoor and Indoor Building Entrance".

5. <u>Unbundled Loop Concentration (ULC) System</u>

- 5.1.1 BellSouth will provide to NATC loop concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 5.1.2 ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high speed connection from the concentrator will be at the electrical DS1 level and may connect to NATC at NATC's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

6. <u>Sub-loop Elements</u>

6.1 Where facilities permit and subject to applicable and effective FCC rules and orders, BellSouth shall offer access to its Unbundled Sub Loop (USL), Unbundled Sub Loop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements. BellSouth shall provide nondiscriminatory access, in accordance with § 51.311 and section 251(c)(3) of the Act, to the subloop on an unbundled basis pursuant to the following terms and conditions and at the rates set forth in this Attachment.

- 6.2 Unbundled Sub-Loop (USL)
- 6.2.1 Definition
- 6.2.1.1 The subloop network element is defined as any portion of the loop that is technically feasible to access at terminals in BellSouth's outside plant, including inside wire owned and controlled by BellSouth, if any. An accessible terminal is any point on the loop where technicians can access the wire or fiber within the cable without removing a splice case to reach the wire or fiber within. Such points may include, but are not limited to, the pole or pedestal, the network interface device, the minimum point of entry, the single point of interconnection, the main distribution frame, the remote terminal, and the feeder/distribution interface.
- 6.2.1.2 *Technical feasibility.* Subject to applicable and effective FCC rules and orders, if the Parties are unable to reach agreement, pursuant to voluntary negotiations, as to whether it is technically feasible, or whether sufficient space is available, to unbundle the subloop at the point where a carrier requests, BellSouth shall have the burden of demonstrating to the Commission, pursuant to state arbitration proceedings under section 252 of the Act, that there is not sufficient space available, or that it is not technically feasible, to unbundle the subloop at the point requested.
- 6.2.1.3. Best practices. Once any state commission has determined that it is technically feasible to unbundle subloops at a designated point, BellSouth shall have the burden of demonstrating, pursuant to state arbitration proceedings under section 252 of the Act, that it is not technically feasible, or that sufficient space is not available, to unbundle its own loops at such a point.
- 6.2.1.4. Subloop access via collocation. Where requested by NATC, BellSouth shall provide access to the subloop in accordance with the FCC's collocation rules, 47 C.F.R. §§ 51.321-323.
- 6.2.1.5. Single point of interconnection. Subject to applicable and effective FCC rules and orders, BellSouth shall provide a single point of interconnection at multi-unit premises that is suitable for use by multiple carriers. This obligation is in addition to BellSouth's obligation to provide nondiscriminatory access to subloops at any technically feasible point. If the Parties are unable to negotiate terms and conditions regarding a single point of interconnection, issues in dispute, including compensation due BellSouth under forward-looking pricing principles, shall be resolved under the dispute resolution processes set forth in this Agreement.
 - 6.2.2 Requirements for All Unbundled Sub-Loops
 - 6.2.2.1 Unbundled Sub-Loops shall be capable of carrying all signaling messages or tones needed to provide telecommunications services.

Unbundled Sub-Loop shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. In these scenarios, NATC would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal or cross-box. This cable would be connected, by a BST technician, to a cross-connect panel within the BellSouth RT/cross-box. NATC's cable pairs can then be connected to BST's USL within the BST cross-box by the BST technician.

- 6.2.3 Interface Requirements
- 6.2.3.1 Unbundled Sub-Loop shall be equal to or better than each of the applicable interface requirements set forth in the following technical references:
- 6.2.3.2 Telcoroia (formerly BellCore) TR-NWT-000049, "Generic Requirements for Outdoor Telephone Network Interface Devices," Issued December 1,1994.
- 6.3 Unbundled Sub-Loop Concentration System (USLC)
- 6.3.1 BellSouth will provide NATC with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into NATC's collocation space. TR-008 and TR303 interface standards are available.
- 6.3.2 USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of NATC's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of NATC's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.
- 6.3.3 In these scenarios NATC would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow NATC's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS l level.
- 6.4 Unbundled Network Terminating Wire (UNTW)

6.4.1 BellSouth will provide NATC with access to its Unbundled Network Terminating Wire (UNTW) pursuant to the following terms and conditions at rates as set forth in this Attachment, and in a manner consistent with applicable and effective FCC rules and decisions, including, but not limited to 47 C.F.R § 51.319.

6.5 Definition

UNTW is twisted copper wire that extends from BellSouth's point-of-entry into a multi-dwelling unit (MDU) complex or multi-tenant unit (MTU) complex to the point of demarcation at the end-users location. The UNTW will not include a Network Interface Device (NID).

6.6 Requirements

- 6.6.1 BellSouth will offer spare pairs that are available to an end-users premises to NATC. Available spare pairs are defined as pairs that are not being utilized by BellSouth or by a third party to provide an End User with working service at the time of NATC's request for UNTW. If BellSouth has relinquished the first pair to NATC and the End User decides to change local service providers to BellSouth, NATC will relinquish the first pair back to BellSouth.
- 6.6.2 Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an End User's premises in response to a request from such End User and no additional pairs are available, NATC agrees to surrender its spare pair(s) upon request by BellSouth.
- 6.6.3 If an End User of NATC desires to receive local exchange service from a service provider who is not a Party to this Agreement, and such third party service provider needs access to the BellSouth UNTW to provide local exchange service to the End User, then NATC agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.
- 6.6.4 If NATC has placed NTW at a location and an End User desires to receive local exchange service from BellSouth and BellSouth needs access to NATC's NTW to provide local exchange service to the End User, then NATC agrees to surrender the requisite number of its spare pair(s) upon request by BellSouth.
- 6.6.5 In new construction, where possible, both Parties may at their option and with the property owner's agreement install their own NTW. In existing construction, BellSouth shall not be required to install new or additional NTW beyond existing NTW to provision the services of NATC.
- 6.7 <u>Technical Requirements</u>

6.7.1 In these scenarios, BellSouth will connect the requested UNTW pairs to a crossconnect panel designed for CLEC access to BellSouth's NTW. NATC will be required to place a cross-box, terminal, or other similar device and deliver a cable to this cross-connect panel. NATC will then connect their cable to the crossconnect panel to access the requested UNTW pairs.

7. <u>Switching</u>

BellSouth agrees to offer access to local switching pursuant to the following terms and conditions and at the rates set forth in this Attachment.

7.1 Definition

- 7.1.1 Subject to applicable and effective FCC rules and orders, BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in FCC Rule 51.319(c)(1)(B), to NATC for the provision of a telecommunications service. Subject to applicable and effective FCC rules and orders, BellSouth shall be required to provide nondiscriminatory access in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act to packet switching capability on an unbundled basis to NATC for the provision of a telecommunications service as described in Rule 51.319(c)(3)(B).
- 7.1.1.1 Local Circuit Switching Capability, including Tandem Switching Capability. The local circuit switching capability network element is defined as:
 - 1. Line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card;
 - 2. Trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and
 - 3. All features, functions and capabilities of the switch, which include, but are not limited to:
 - a. The basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to the incumbent LEC's customers, such as a telephone number, white page listing and dial tone, and
 - b. All other features that the switch is capable of providing, including but not limited to, customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch.

- 7.1.1.2 Subject to applicable and effective FCC rules and orders, notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for NATC in cases where NATC intends to use such facilities to serve End Users with four or more voice grade (DS0) equivalents or lines, BellSouth provides nondiscriminatory, unrestricted, cost-based access to the enhanced extended link ("EEL") throughout Density Zone 1, and BellSouth's local circuit switches are located in:
 - 1. The top 50 Metropolitan Statistical Areas as set forth in Appendix B of the *Third Report and Order and Fourth Further Notice of Proposed Rulemaking* in CC Docket No. 96-98, and
 - 2. Density Zone I, as defined in FCC Rule 69.123, as of January 1, 1999.
- 7.1.1.3 Local Tandem Switching Capability. The tandem switching capability network element is defined as:
 - (A) Trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card;
 - (B) The basic switch trunk function of connecting trunks to trunks; and
 - (C) The functions that are centralized in tandem switches (as distinguished from separate end office switches), including but not limited, to call recording, the routing of calls to operator services, and signaling conversion features.

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

- 7.1.1.4 Packet Switching Capability. The packet switching capability network element is defined as the basic packet switching function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units, and the functions that are performed by Digital Subscriber Line Access Multiplexers, including but not limited to:
 - 1. The ability to terminate copper customer loops (which includes both a low band voice channel and a high-band data channel, or solely a data channel);
 - 2. The ability to forward the voice channels, if present, to a circuit switch or multiple circuit switches;
 - 3. The ability to extract data units from the data channels on the loops, and
 - 4. The ability to combine data units from multiple loops onto one or more trunks connecting to a packet switch or packet switches.

- 7.1.1.5 Subject to applicable and effective FCC rules and orders, BellSouth shall provide nondiscriminatory access to unbundled packet switching capability only in cases where each of the following conditions are satisfied:
 - 1. BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
 - 2. There are no spare copper loops capable of supporting the xDSL services the requesting carrier seeks to offer;
 - 3. BellSouth has not permitted a requesting carrier to deploy a Digital Subscriber Line Access Multiplexer at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has the requesting carrier obtained a virtual collocation arrangement at these subloop interconnection points as defined by FCC Rule 51.319(b); and
 - 4. BellSouth has deployed packet switching capability for its own use.
- 7.1.2 A featureless port is one that has a line port, switching functionality, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by NATC. Any features that are not currently then capable but are technically feasible through the switch can be requested through the BFR process.
- 7.1.3 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to NATC purchasing local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of calls to a requested directory assistance services platform or operator services platform. NATC customers may use the same dialing arrangements as BellSouth customers, but obtain a NATC branded service.
- 7.2 <u>Technical Requirements</u>
- 7.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Packet Switching function of Local Switching.
- 7.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in Telcordia (formerly BellCore)'s Local Switching Systems General Requirements (FR-NWT-000064).
- 7.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.

7.2.1.3	Subject to this section, BellSouth shall route calls on a per line or per screening
	class basis to (1) BellSouth platforms providing Network Elements or additional
	requirements (2) Operator Services platforms, (3) Directory Assistance platforms,
	and (4) Repair Centers. Any other routing requests by NATC will be made
	pursuant to the Bona Fide Request/ New Business Request Process as set forth in
	General Terms and Conditions.

- 7.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.
- 7.2.1.5 BellSouth shall activate service for an NATC customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to NATC's services without loss of switch feature functionality as defined in this Agreement.
- 7.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 7.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.
- 7.2.1.8 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non discriminatory manner.
- 7.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.
- 7.2.1.10 Special Services provided by BellSouth will include the following:
- 7.2.1.10.1 Telephone Service Prioritization;
- 7.2.1.10.2 Related services for handicapped;
- 7.2.1.10.3 Soft dial tone where required by law; and
- 7.2.1.10.4 Any other service required by law.
- 7.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STP). These capabilities shall adhere to Telcordia (formerly BellCore) specifications - TCAP (GR-1432-CORE), ISUP(GR-905-CORE), Call Management (GR-1429-CORE), Switched Fractional DS1 (GR-1357-CORE), Toll Free Service (GR-1428-CORE), Calling Name (GR-1597-CORE), Line Information Database (GR-954-CORE), and Advanced Intelligent Network (GR-2863-CORE).

- 7.2.1.12 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.
- 7.2.1.13 BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to NATC, upon a reasonable request from NATC. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process.
- 7.2.1.14 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other Party. Such feature offerings shall include but are not limited to:
- 7.2.1.14.1 Basic and primary rate ISDN;
- 7.2.1.14.2 Residential features;
- 7.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS);
- 7.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and
- 7.2.1.14.5 Advanced intelligent network triggers supporting NATC and BellSouth service applications.

BellSouth shall offer to NATC all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are:

- 7.2.1.14.5.1 Off-Hook Immediate
- 7.2.1.14.5.2 Off-Hook Delay
- 7.2.1.14.5.3 Termination Attempt
- 7.2.1.14.5.4 6/10 Public Office Dialing Plan
- 7.2.1.14.5.5 Feature Code Dialing
- 7.2.1.14.5.6 Customer Dialing Plan
- 7.2.1.14.6 When the following triggers are supported by BellSouth, BellSouth will make these triggers available to NATC:
- 7.2.1.14.6.1 Private EAMF Trunk
- 7.2.1.14.6.2 Shared Interoffice Trunk (EAMF, SS7)
- 7.2.1.14.6.3 N11

7.2.1.14.6.4 Automatic Route Selection

- 7.2.1.15 Where capacity exists, BellSouth shall assign each NATC customer line the class of service designated by NATC (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from NATC customers to NATC directory assistance operators at NATC's option.
- 7.2.1.16 Where capacity exists, BellSouth shall assign each NATC customer line the class of services designated by NATC (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from NATC customers to NATC operators at NATC's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to an NATC Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged.
- 7.2.1.17 Local Switching shall be offered in accordance with the requirements of the following technical references:
- 7.2.1.17.1 Telcordia (formerly BellCore) GR-1298-CORE, AIN Switching System Generic Requirements, as implemented in BellSouth's switching equipment;
- 7.2.1.17.2 Telcordia (formerly BellCore) GR-1299-CORE, AIN Switch-Service Control Point (SCP)/Adjunct Interface Generic Requirements;
- 7.2.1.17.3 Telcordia (formerly BellCore) TR-NWT-001284, AIN 0.1 Switching System Generic Requirements;
- 7.2.1.17.4 Telcordia (formerly BellCore) \$R-NWT-002247, AIN Release 1 Update.
- 7.2.2 Interface Requirements
- 7.2.2.1 BellSouth shall provide the following interfaces to loops:
- 7.2.2.2 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 7.2.2.3 Coin phone signaling;
- 7.2.2.4 Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;
- 7.2.2.5 Two-wire analog interface to PBX;
- 7.2.2.5.1 Four-wire analog interface to PBX;
- 7.2.2.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);

- 7.2.2.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;
- 7.2.2.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 7.2.2.9 Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 7.2.2.10 BellSouth shall provide access to the following but not limited to:
- 7.2.2.11 SS7 Signaling Network or Multi-Frequency trunking if requested by NATC;
- 7.2.2.12 Interface to NATC operator services systems or Operator Services through appropriate trunk interconnections for the system; and
- 7.2.2.13 Interface to NATC directory assistance services through the NATC switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other NATC required access to interexchange carriers as requested through appropriate trunk interfaces.

8. Interoffice Transmission Facilities

BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to NATC for the provision of a telecommunications service.

8.1 Interoffice transmission facility network elements include:

- Dedicated transport, defined as BellSouth's transmission facilities, including all technically feasible capacity-related services including, but not limited to, DS1, DS3 and OCn levels, dedicated to a particular customer or carrier, that provide telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and NATC;
- 2. Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics;
- 3. Shared transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network.

8.1.1 BellSouth shall:

- 1. Provide NATC exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 2. Provide all technically feasible transmission facilities, features, functions, and capabilities that NATC could use to provide telecommunications services;
- 3. Permit, to the extent technically feasible, NATC to connect such interoffice facilities to equipment designated by NATC, including but not limited to, NATC's collocated facilities; and
- 4. Permit, to the extent technically feasible, NATC to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.

8.2 Technical Requirements of Common (Shared) Transport

- 8.2.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.
- 8.2.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.
- 8.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 8.2.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the following technical references (as applicable for the transport technology being used):
- 8.2.4.1 ANSI T1.101-1994, American National Standard for Telecommunications -Synchronization Interface Standard Performance and Availability;
- 8.2.4.2 ANSI T1.102-1993, American National Standard for Telecommunications -Digital Hierarchy - Electrical Interfaces;
- 8.2.4.3 ANSI T1.102.01-199x, American National Standard for Telecommunications -Digital Hierarchy - VT1.5;

8.2.4.4	ANSI T1.105-1995, American National Standard for Telecommunications -
	Synchronous Optical Network (SONET) - Basic Description including Multiplex
	Structure, Rates and Formats;

- 8.2.4.5 ANSI T1.105.01-1995, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Automatic Protection Switching;
- 8.2.4.6 ANSI T1.105.02-1995, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Payload Mappings;
- 8.2.4.7 ANSI T1.105.03-1994, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Jitter at Network Interfaces;
- 8.2.4.8 ANSI T1.105.03a-1995, American National Standard for Telecommunications -Synchronous Optical Network (SONET): Jitter at Network Interfaces - DS1 Supplement;
- 8.2.4.9 ANSI T1.105.05-1994, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Tandem Connection;
- 8.2.4.10 ANSI T1.105.06-199x, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Physical Layer Specifications;
- 8.2.4.11 ANSI T1.105.07-199x, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Sub STS-1 Interface Rates and Formats;
- 8.2.4.12 ANSI T1.105.09-199x, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Network Element Timing and Synchronization;
- 8.2.4.13 ANSI T1.106-1988, American National Standard for Telecommunications -Digital Hierarchy - Optical Interface Specifications (Single Mode);
- 8.2.4.14 ANSI T1.107-1988, American National Standard for Telecommunications -Digital Hierarchy - Formats Specifications;
- 8.2.4.15 ANSI T1.107a-1990 American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);
- 8.2.4.16 ANSI T1.107b-1991 American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications;
- 8.2.4.17 ANSI T1.117-1991, American National Standard for Telecommunications -Digital Hierarchy - Optical Interface Specifications (SONET) (Single Mode -Short Reach);

- 8.2.4.18 ANSI T1.403-1989, Carrier to Customer Installation, DS1 Metallic Interface Specification;
- 8.2.4.19 ANSI T1.404-1994, Network-to-Customer Installation DS3 Metallic Interface Specification;
- 8.2.4.20 ITU Recommendation G.707, Network node interface for the synchronous digital hierarchy (SDH);
- 8.2.4.21 ITU Recommendation G.704, Synchronous frame structures used at 1544, 6312, 2048, 8488 and 44736 kbit/s hierarchical levels;
- 8.2.4.22 Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;
- 8.2.4.23 Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;
- 8.2.4.24 Telcordia (formerly BellCore) GR-253-CORE, Synchronous Optical Network Systems (SONET); Common Generic Criteria;
- 8.2.4.25 Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.);
- 8.2.4.26 Telcordia (formerly BellCore) TR-NWT-000776, Network Interface Description for ISDN Customer Access;
- 8.2.4.27 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991;
- 8.2.4.28 Telcordia (formerly BellCore) ST-TEC 000052, Telecommunications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;
- 8.2.4.29 Telcordia (formerly BellCore) ST-TEC-000051, Telecommunications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987.
- 8.3 Dedicated Transport
- 8.3.1. BellSouth shall offer Dedicated Transport in each of the following ways:
- 8.3.1.1 As capacity on a shared facility
- 8.3.1.2 As a circuit (e.g., DS0, DS1 or DS3) dedicated to NATC.

- 8.3.2 When Dedicated Transport is provided as a system it shall include:
- 8.3.2.1 Transmission equipment such as multiplexers, line terminating equipment, amplifiers, and regenerators;
- 8.3.2.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable.
- 8.3.3 Unbundled Local Channel
- 8.3.3.1 The Unbundled Local Channel is the dedicated transmission path between NATC's Point of Presence and the BellSouth Serving Wire Center.
- 8.3.3.2 BellSouth currently offers Unbundled Local Channels for switched traffic. Rates for these elements are listed in this Attachment. For those states that do not contain rates in this Attachment for DS1 and DS3 switched Local Channels, the rates in the applicable State Access Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true-up, and the Parties will amend the Agreement to reflect the new rates.
- 8.3.3.3 BellSouth currently offers Unbundled Local Channels for non-switched traffic at DS1 and DS3 levels at rates as set forth in Exhibit C to this Attachment.
- 8.3.4 <u>Technical Requirements</u>

This Section sets forth technical requirements for all Dedicated Transport.

- 8.3.4.1 When BellSouth provides Dedicated Transport as a circuit or a system, the entire designated transmission circuit or system (*e.g.*, DS0, DS1,DS3) shall be dedicated to NATC designated traffic.
- 8.3.4.2 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, DS1 and DS3 transport systems, SONET (or SDH) Bi-directional Line Switched Rings, SONET (or SDH) Unidirectional Path Switched Rings, and SONET (or SDH) point-to-point transport systems (including linear add-drop systems), at all available transmission bit rates. While SONET Ring facilities are not available in every application, they are typically available in the major metropolitan areas.
- 8.3.4.3 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards.
- 8.3.4.4 Where applicable, for DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.

- 8.3.4.5 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 8.3.4.5.1 DS0 Equivalent;
- 8.3.4.5.2 DS1 (Extended SuperFrame ESF and D4 channel bank shall be provided);
- 8.3.4.5.3 DS3 where applicable (M13 multiplexer shall be provided);
- 8.3.4.5.4 SDH Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 8.3.4.6 When Dedicated Transport is provided as a system, BellSouth shall design the system according to our network infrastructure to allow for the termination points specified by NATC.
- 8.3.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the following technical references:
- 8.3.5.1 ANSI T1.231-1993 American National Standard for Telecommunications -Digital Hierarchy - Layer 1 In-Service Digital Transmission performance monitoring.
- 8.3.5.1.1 ANSI T1.102-1993, American National Standard for Telecommunications -Digital Hierarchy - Electrical Interfaces;
- 8.3.5.1.2 ANSI T1.106-1988, American National Standard for Telecommunications -Digital Hierarchy - Optical Interface Specifications (Single Mode);
- 8.3.5.1.3 ANSI T1.107-1988, American National Standard for Telecommunications -Digital Hierarchy - Formats Specifications;
- 8.3.5.1.4 ANSI T1.107a-1990 American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);
- 8.3.5.1.5 ANSI T1.107b-1991 American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications;
- 8.3.5.1.6 Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;
- 8.3.5.1.7 Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;
- 8.3.5.1.8 Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.);

- 8.3.5.1.9 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991;
- 8.3.5.1.10 Telcordia (formerly BellCore) \$T-TEC 000052, Telecommunications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;
- 8.3.5.1.11 Telcordia (formerly BellCore) \$T-TEC-000051, Telecommunications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987;

9. Tandem Switching

- 9.1 Tandem Switching is as defined in Section 7.1.1.3 of this Attachment.
- 9.2 Technical Requirements
- 9.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 9.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 9.2.1.2 Tandem Switching will provide screening as jointly agreed to by NATC and BellSouth;
- 9.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 9.2.1.4 Tandem Switching shall provide access to Toll Free number portability database as designated by NATC;
- 9.2.1.5 Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));
- 9.2.1.6 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 9.2.1.7 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.
- 9.2.2 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs, CAPs and CLEC switches.

- 9.2.3 Tandem Switching shall provide local tandeming functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC).
- 9.2.4 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.
- 9.2.5 Tandem Switching shall record billable events and send them to the area billing centers designated by NATC. Tandem Switching will provide recording of all billable events as jointly agreed to by NATC and BellSouth.
- 9.2.6 Upon a reasonable request from NATC, BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its interconnections. The results and reports of the testing shall be made immediately available to NATC.
- 9.2.7 BellSouth shall maintain NATC's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.
- 9.2.8 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non discriminatory manner.
- 9.2.9 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth switching network shall be mutually agreed to by NATC and BellSouth.
- 9.2.10 Tandem Switching shall process originating toll-free traffic received from NATC local switch.
- 9.2.11 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 9.3 Interface Requirements
- 9.3.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.
- 9.3.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.
- 9.3.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.
- 9.3.4 Tandem Switching shall interconnect with NATC's switch, using two-way trunks, for traffic that is transiting via BellSouth network to interLATA or intraLATA

carriers. At NATC's request, Tandem Switching shall record and keep records of traffic for billing.

- 9.3.5 Tandem Switching shall provide an alternate final routing pattern for NATC traffic overflowing from direct end office high usage trunk groups.
- 9.4 Tandem Switching shall meet or exceed (i.e., be more favorable to NATC) each of the requirements for Tandem Switching set forth in the following technical references:
- 9.4.1 Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90;
- 9.4.2 GR-905-CORE covering CCSNIS;
- 9.4.3 GR-1429-CORE for call management features; and GR-2863-CORE and Telcordia (formerly BellCore) GR-2902-CORE covering CCS AIN interconnection

10. Operator Systems

BellSouth agrees to offer access to operator systems pursuant to the terms and conditions following and at the rates set forth in this Attachment.

10.1 Definition

Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

10.2 Operator Service

10.2.1 Definition

Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls), and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

11.2.2 Requirements

10.2.2.1 When NATC requests BellSouth to provide Operator Services, the following requirements apply:

- 10.2.2.1.1 BellSouth shall complete 0+ and 0- dialed local calls.
- 10.2.2.1.2 BellSouth shall complete 0+ intraLATA toll calls.
- 10.2.2.1.3 BellSouth shall complete calls that are billed to NATC end user's calling card that can be validated by BellSouth.
- 10.2.2.1.4 BellSouth shall complete person-to-person calls.
- 10.2.2.1.5 BeliSouth shall complete collect calls.
- 10.2.2.1.6 BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
- 10.2.2.1.7 BellSouth shall complete station-to-station calls.
- 10.2.2.1.8 BellSouth shall process emergency calls.
- 10.2.2.1.9 BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
- 10.2.2.1.10 BellSouth shall process emergency call trace, as they do for their End users prior to the Effective Date. Call must originate from a 911 provider.
- 10.2.2.1.11 BellSouth shall process operator-assisted directory assistance calls.
- 10.2.2.2 BellSouth shall adhere to equal access requirements, providing NATC local end users the same IXC access as provided to BellSouth end users.
- 10.2.2.3 BellSouth shall exercise at least the same level of fraud control in providing Operator Service to NATC that BellSouth provides for its own operator service.
- 10.2.2.4 BellSouth shall perform Billed Number Screening when handling Collect, Personto-Person, and Billed-to-Third-Party calls.
- 10.2.2.5 BellSouth shall direct customer account and other similar inquiries to the customer service center designated by NATC.
- 10.2.2.6 BellSouth shall provide a feed of customer call records in "EMI" format to NATC in accordance with CLECODUF standards specified in Attachment 7.
- 10.2.3 Interface Requirements

With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of NATC, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

10.3 Directory Assistance Service

10.3.1 Definition

Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

10.3.2 <u>Requirements</u>

- 10.3.2.1 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by NATC's end user, BellSouth shall provide calleroptional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. If not available, NATC may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.
- 10.3.2.2 Directory Assistance Service Updates
- 10.3.2.2.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.2.2.1.1 New end user connections: BellSouth will provide service to NATC that is equal to the service it provides to itself and its end users;
- 10.3.2.2.1.2 End user disconnections: BellSouth will provide service to NATC that is equal to the service it provides to itself and its end users; and
- 10.3.2.2.1.3 End user address changes: BellSouth will provide service to NATC that is equal to the service it provides to itself and its end users;
- 10.3.2.3 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 Branding for Operator Call Processing and Directory Assistance

- 10.4.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to NATC end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows NATC to have its calls custom branded with NATC name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.
- 10.4.2 BellSouth offers four service levels of branding to NATC when ordering Directory Assistance and/or Operator Call Processing.
- 10.4.2.1 Service Level 1 BellSouth Branding

- 10.4.2.2 Service Level 2 Unbranded
- 10.4.2.3 Service Level 3 Custom Branding
- 10.4.2.4 Service Level 4 Self Branding (applicable only to NATC for Resale or use with an Unbundled Port when routing to an operator service provider other than BeilSouth).
- 10.4.3 For Resellers and Use with an Unbundled Port
- 10.4.3.1 BellSouth Branding is the Default Service Level.
- 10.4.3.2 Unbranding, Custom Branding, and Self Branding require NATC to order selective routing for each originating BellSouth end office identified by NATC. Rates for Selective Routing are set forth in this Attachment.
- 10.4.3.3 Customer Branding and Self Branding require NATC to order dedicated trunking from each BellSouth end office identified by NATC, to either the BellSouth Traffic Operator Position System (TOPS) or NATC Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.3.4 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by NATC to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4 For Facilities Based Carriers
- 10.4.4.1 All Service Levels require NATC to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which NATC requires service

Directory Assistance customized branding uses:

- the recording of the name;
- the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.

Operator Call Processing customized branding uses:

- the recording of the name;
- the front-end loading of the DRAM in the TOPS Switch;

- the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
- the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).
- 10.4.4.3 BellSouth will provide to NATC purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. NATC end users may use the same dialing arrangements as BellSouth end users, but obtain a NATC branded service.

10.5 Directory Assistance Database Service (DADS)

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to NATC end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (Data System assisted)). NATC agrees that Directory Assistance Database Service (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, NATC agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, NATC authorizes the inclusion of NATC Subscriber listings in the BellSouth Directory Assistance products.
- 10.5.2 BellSouth shall provide NATC initially with a base file of subscriber listings which reflect all listing change activity occurring since NATC's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by NATC and BellSouth. NATC agrees to assume the costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.3 BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to NATC on a Business, Residence, or combined Business and Residence basis. NATC agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after NATC receives the Base File.
- 10.5.4 BellSouth is authorized to include NATC Subscriber List Information in its Directory Assistance Database Service (DADS) and its Directory Publishers Database Service (DPDS). Any other use by BellSouth of NATC Subscriber List Information is not authorized and with the exception of a request for DADS or DPDS, BellSouth shall refer any request for such information to NATC.

10.5.5 Rates for DADS are as set forth in this Attachment.

10.6 Direct Access to Directory Assistance Service

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide NATC's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow NATC to utilize its own switch, operator workstations and optional audio subsystems.
- 10.6.2 BellSouth will provide DADAS from its DA location. NATC will access the DADAS system via a telephone company provided point of availability. NATC has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.
- 10.6.3 A specified interface to each NATC subsystem will be provided by BellSouth. Interconnection between NATC system and a specified BellSouth location will be pursuant to the use of NATC owned or NATC leased facilities and shall be appropriate sized based upon the volume of queries being generated by NATC.
- 10.6.4 The specifications for the three interfaces necessary for interconnection are available in the following documents:
- 10.6.4.1 DADAS to Subscriber Operator Position System---Northern Telecom Document CSI-2300-07; Universal Gateway/ Position Message Interface Format Specification
- 10.6.4.2 DADAS to Subscriber Switch Northern Telecom Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification
- 10.6.4.3 DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern Telecom as a licensed access protocol—Northern Telecom Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification
- 10.6.5 Rates for DADAS are as set forth in this Attachment.

11. <u>Signaling</u>

ą

BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling

systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

11.1 Definition of Signaling Link Transport

Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.

- 11.2 <u>Technical Requirements</u>
- 11.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 11.2.2 Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 11.2.2.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and
- 11.2.2.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).
- 11.2.3 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 11.2.3.1 An A-link layer shall consist of two links.
- 11.2.3.2 A B-link layer shall consist of four links.
- 11.2.4 A signaling link layer shall satisfy a performance objective such that:
- 11.2.4.1 There shall be no more than two minutes down time per year for an A-link layer; and
- 11.2.4.2 There shall be negligible (less than 2 seconds) down time per year for a B-link layer.
- 11.2.5 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 11.2.5.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and

- 11.2.5.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 11.3 Interface Requirements
- 11.3.1 There shall be a DS1 (1.544 Mbps) interface at the NATC-designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

12. <u>Signaling Transfer Points (STPs)</u>

- 12.1 <u>Definition</u> Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches
- 12.2 <u>Technical Requirements</u>
- 12.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
- 12.2.1.1 BellSouth Local Switching or Tandem Switching;
- 12.2.1.2 BellSouth Service Control Points/DataBases;
- 12.2.1.3 Third-party local or tandem switching;
- 12.2.1.4 Third-party-provided STPs.
- 12.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to BellSouth SS7 network. This explicitly includes the use of BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to BellSouth SS7 network (*i.e.*, transient messages). When BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 12.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between an NATC local switch and third party local switch, BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between NATC local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

- 12.2.4 STPs shall provide all functions of the MTP as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. This includes:
- 12.2.4.1 Signaling Data Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements,
- 12.2.4.2 Signaling Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements, and
- 12.2.4.3 Signaling Network Management functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements.
- 12.2.5 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a NATC or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform form form form to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a NATC database, then NATC agrees to provide BellSouth with the Destination Point Code for the NATC database.
- 12.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12.4.5 of this Attachment. All OMAP functions will be on a "where available" basis and can include:
- 12.2.6.1 MTP Routing Verification Test (MRVT) and
- 12.2.6.2 SCCP Routing Verification Test (SRVT).
- 12.2.7 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is an NATC or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by NATC and BellSouth.
- 12.2.8 STPs shall be on parity with BellSouth.

12.2.9 SS7 Advanced Intelligent Network (AIN) Access

- 12.2.9.1 When technically feasible and upon request by NATC, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the NATC SS7 network to exchange TCAP queries and responses with an NATC SCP.
- 12.2.9.2 SS7 AIN Access shall provide NATC SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and NATC SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the NATC SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

12.3 Interface Requirements

- 12.3.1 BellSouth shall provide the following STPs options to connect NATC or NATCdesignated local switching systems or STPs to BellSouth SS7 network:
- 12.3.1.1 An A-link interface from NATC local switching systems; and,
- 12.3.1.2 A B-link interface from NATC local STPs.
- 12.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.
- 12.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting NATC local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and NATC will work jointly to establish mutually acceptable SPOIs.
- 12.3.4 BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and NATC will work jointly to establish mutually acceptable SPOIs.
- 12.3.5 BellSouth shall provide MTP and SCCP protocol interfaces that shall conform to all sections relevant to the MTP or SCCP in the following specifications:

- 12.3.5.1 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 12.3.5.2 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 12.3.6 <u>Message Screening</u>
- 12.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from NATC local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the NATC switching system has a legitimate signaling relation.
- 12.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from NATC local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the NATC switching system has a legitimate signaling relation.
- 12.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from NATC from any signaling point or network interconnected through BellSouth's SS7 network where the NATC SCP has a legitimate signaling relation.
- 12.4 STPs shall be equal to or better than all of the requirements for STPs set forth in the following technical references:
- 12.4.1 ANSI T1.111-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Message Transfer Part (MTP);
- 12.4.2 ANSI T1.111A-1994 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement;
- 12.4.3 ANSI T1.112-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP);
- 12.4.4 ANSI T1.115-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks;
- 12.4.5 ANSI T1.116-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP);
- 12.4.6 ANSI T1.118-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI);

Attachment 2 Page 39

- 12.4.7 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP); and
- 12.4.8 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

13. Service Control Points/DataBases

13.1 Definition

- 13.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 13.1.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

13.2 Technical Requirements for SCPs/Databases

Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to NATC in accordance with the following requirements.

- 13.2.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 13.2.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 13.2.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 13.2.4 Database Availability

Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.

13.2.5 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for NATC customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

13.3 Local Number Portability Database

13.3.1 Definition

The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

13.4 Line Information Database (LIDB)

BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

13.4.1 Definition

The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth CCS network and other CCS networks. LIDB also interfaces to administrative systems.

13.4.2 <u>Technical Requirements</u>

BellSouth will offer to NATC any additional capabilities that are developed for LIDB during the life of this Agreement.

- 13.4.2.1 BellSouth shall process NATC's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to NATC what additional functions (if any) are performed by LIDB in the BellSouth network.
- 13.4.2.2 Within two (2) weeks after a request by NATC, BellSouth shall provide NATC with a list of the customer data items which NATC would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 13.4.2.3 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked, shall not exceed 30 minutes per year.
- 13.4.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 13.4.2.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 13.4.2.6 All additions, updates and deletions of NATC data to the LIDB shall be solely at the direction of NATC. Such direction from NATC will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 13.4.2.7 BellSouth shall provide priority updates to LIDB for NATC data upon NATC's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 13.4.2.8 BellSouth shall provide LIDB systems such that no more than 0.01% of NATC customer records will be missing from LIDB, as measured by NATC audits. BellSouth will audit NATC records in LIDB against DBAS to identify record mismatches and provide this data to a designated NATC contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to NATC within one business day of audit. Once reconciled records are received back from NATC, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact NATC to negotiate a time frame for the updates, not to exceed three business days.
- 13.4.2.9 BellSouth shall perform backup and recovery of all of NATC's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs

backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 13.4.2.10 BellSouth shall provide NATC with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between NATC and BellSouth.
- 13.4.2.11 BellSouth shall prevent any access to or use of NATC data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by NATC in writing.
- 13.4.2.12 BellSouth shall provide NATC performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by NATC at least at parity with BellSouth Customer Data. BellSouth shall obtain from NATC the screening information associated with LIDB Data Screening of NATC data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to NATC under the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.
- 13.4.2.13 BellSouth shall accept queries to LIDB associated with NATC customer records, and shall return responses in accordance with industry standards.
- 13.4.2.14 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 13.4.2.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 13.4.3 Interface Requirements

BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 13.4.3.1 The interface to LIDB shall be in accordance with the technical references contained within.
- 13.4.3.2 The CCS interface to LIDB shall be the standard interface described herein.
- 13.4.3.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

13.5 <u>Toll Free Number Database</u>

The Toll Free Number Database is a SCP that provides functionality necessary for toll free (e.g., 800 and 888) number services by providing routing information and additional so-called vertical features during call set-up in response to queries from SSPs. BellSouth shall provide the Toll Free Number Database in accordance with the following:

- 13.5.1 <u>Technical Requirements</u>
- 13.5.1.1 BellSouth shall make BellSouth Toll Free Number Database available for NATC to query with a toll-free number and originating information.
- 13.5.1.2 The Toll Free Number Database shall return carrier identification and, where applicable, the queried toll free number, translated numbers and instructions as it would in response to a query from a BellSouth switch.
- 13.5.1.3 The SCP shall also provide, at NATC's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:
- 13.5.1.3.1 Network Management;
- 13.5.1.3.2 Customer Sample Collection; and
- 13.5.1.3.3 Service Maintenance

13.6 Automatic Location Identification/Data Management System (ALI/DMS)

The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

- 13.6.1 <u>Technical Requirements</u>
- 13.6.1.1 BellSouth shall offer NATC a data link to the ALI/DMS database or permit NATC to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to NATC immediately after NATC inputs information into the ALI/DMS database. Alternately, NATC may utilize BellSouth, to enter end user information into the data base on a demand basis, and validate end user information on a demand basis.
- 13.6.1.2 The ALI/DMS database shall contain the following end user information:
- 13.6.1.2.1 Name;

- 13.6.1.2.2 Address;
- 13.6.1.2.3 Telephone number; and
- 13.6.1.2.4 Other information as appropriate (e.g., whether a end user is blind or deaf or has another disability).
- 13.6.1.3 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless NATC requests otherwise and shall be updated if NATC requests, provided NATC supplies BellSouth with the updates.
- 13.6.1.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 13.6.1.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.

13.6.2 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for NATC end users shall meet industry standards.

- 13.7 <u>Calling Name (CNAM) Database Service.</u> The Agreement for Calling Name (CNAM) with standard pricing is included as Exhibit B to this Attachment. NATC must provide to its account manager a written request with a requested activation date to activate this service. If NATC is interested in requesting CNAM with volume and term pricing, NATC must contact its account manager to request a separate CNAM volume and term Agreement.
- 13.8 SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the following technical references:
- 13.8.1 GR-246-CORE, Bell Communications Research Specification of Signaling System Number 7, ISSUE 1 (Telcordia (formerly BellCore), December 199);
- 13.8.2 GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP). (Telcordia (formerly BellCore), March 1994);

Attachment 2 Page 45

- 13.8.3 GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service 6, Issue 1, Rev. 1 (Telcordia (formerly BellCore), October 1995);
- 13.8.4 GR-1149-CORE, OSSGR Section 10: System Interfaces, Issue 1 (Telcordia (formerly BellCore), October 1995) (Replaces TR-NWT-001149);
- 13.8.5Telcordia (formerly BellCore) GR-1158-CORE, OSSGR Section 22.3: Line
Information Database 6, Issue (Telcordia (formerly BellCore), October 1995);
- 13.8.6 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service (Telcordia (formerly BellCore), May 1995); and
- 13.8.7 BOC Notes on BellSouth Networks, SR-TSV-002275, ISSUE 2, (Telcordia (formerly BellCore), April 1994).
- 13.9Service Creation Environment and Service Management System (SCE/SMS)Advanced Intelligent Network (AIN) Access.
- 13.9.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide NATC the capability that will allow NATC and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.
- 13.9.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (*e.g.*, help desk, system administrator) resources available to NATC. Scheduling procedures shall provide NATC equivalent priority to these resources
- 13.9.3 BellSouth SCP shall partition and protect NATC service logic and data from unauthorized access, execution or other types of compromise.
- 13.9.4 When NATC selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable NATC to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- 13.9.5 When NATC selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. NATC access will be provided via remote data connection (e.g., dial-in, ISDN).

Attachment 2 Page 46

13.9.6 When NATC selects SCE/SMS AIN Access, BellSouth shall allow NATC to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (e.g., service customization and end user subscription).

14. DARK FIBER

BellSouth agrees to offer access to Dark Fiber pursuant to the terms and conditions following and at the rates set forth in this Attachment.

14.1.1 Dark Fiber is defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics. NATC may utilize Dark Fiber for either loops or transport. Dark Fiber does not have electronics on either end of the Dark Fiber segment. It may be strands of optical fiber existing in aerial or underground structure. No regeneration or optical amplification will be included with this element.

14.2 <u>Requirements</u>

- 14.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. BellSouth shall offer all Dark Fiber to NATC pursuant to the prices set forth in this Attachment.
- 14.2.2 NATC may test the quality of the Dark Fiber to confirm its usability and performance specifications.
- 14.2.3 BellSouth shall use its best efforts to provide to NATC information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from NATC ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation").
- 14.2.4 BellSouth shall use its best efforts to make Dark Fiber available to NATC within thirty (30) business days after it receives written confirmation from NATC that the Dark Fiber previously deemed available by BellSouth is wanted for use by NATC. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable NATC to connect or splice NATC provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.

15. <u>SS7 Network Interconnection</u>

15.1.1 Definition

SS7 Network Interconnection is the interconnection of NATC local Signaling Transfer Point Switches (STP) and NATC local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), NATC local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 15.1.2 <u>Technical Requirements</u>
- 15.1.2.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 15.1.2.1.1 BellSouth local or tandem switching systems;
- 15.1.2.1.2 BellSouth DBs; and
- 15.1.2.1.3 Other third-party local or tandem switching systems.
- 15.1.2.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and NATC or other third-party switching systems with A-link access to the BellSouth SS7 network.

If traffic is routed based on dialed or translated digits between an NATC local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the NATC local STPs and BellSouth or other third-party local switch.

- 15.1.2.3 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).
- 15.1.2.4 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
- 15.1.2.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 15.1.2.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 15.1.2.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 15.1.2.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management

procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an NATC local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of NATC local STPs, and shall not include SCCP Subsystem Management of the destination.

- 15.1.2.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 15.1.2.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 15.1.2.8 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 15.1.2.9 SS7 Network Interconnection shall be equal to or better than the following performance requirements:
- 15.1.2.9.1 MTP Performance, as specified in ANSI T1.111.6;
- 15.1.2.9.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 15.1.2.9.3 ISDNUP Performance, as specified in ANSI T1.113.5.
- 15.1.3 Interface Requirements
- 15.1.3.1 BellSouth shall offer the following SS7 Network Interconnection options to connect NATC or NATC-designated local or tandem switching systems or STPs to the BellSouth SS7 network:
- 15.1.3.1.1 A-link interface from NATC local or tandem switching systems; and
- 15.1.3.1.2 B-link interface from NATC STPs.
- 15.1.3.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting NATC local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and NATC will work jointly to establish mutually acceptable SPOI.

- 15.1.3.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and NATC will work jointly to establish mutually acceptable SPOI.
- 15.1.3.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the following specifications:
- 15.1.3.4.1 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 15.1.3.4.2 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 15.1.3.4.3 Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and
- 15.1.3.4.4 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 15.1.3.5 BellSouth shall set message screening parameters to block accept messages from NATC local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the NATC switching system has a legitimate signaling relation.
- 15.1.4 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the following technical references:
- 15.1.4.1 ANSI T1.110-1992 American National Standard Telecommunications Signaling System Number 7 (SS7) - General Information;
- 15.1.4.2 ANSI T1.111-1992 American National Standard for Telecommunications -Signaling System Number 7 (S\$7) - Message Transfer Part (MTP);
- 15.1.4.3 ANSI T1.111A-1994 American National Standard for Telecommunications -Signaling System Number 7 (S\$7) - Message Transfer Part (MTP) Supplement;
- 15.1.4.4 ANSI T1.112-1992 American National Standard for Telecommunications -Signaling System Number 7 (S\$7) - Signaling Connection Control Part (SCCP);
- 15.1.4.5 ANSI T1.113-1995 American National Standard for Telecommunications -Signaling System Number 7 (S\$7) - Integrated Services Digital Network (ISDN) User Part;

- 15.1.4.6 ANSI T1.114-1992 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Transaction Capabilities Application Part (TCAP);
- 15.1.4.7ANSI T1.115-1990 American National Standard for Telecommunications -
Signaling System Number 7 (SS7) Monitoring and Measurements for Networks;
- 15.1.4.8 ANSI T1.116-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP);
- 15.1.4.9 ANSI T1.118-1992 American National Standard for Telecommunications -Signaling System Number 7 (S\$7) - Intermediate Signaling Network Identification (ISNI);
- 15.1.4.10 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 15.1.4.11 Telcordia (formerly BellCorè) GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service;
- 15.1.4.12 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 15.1.4.13 Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and,
- 15.1.4.14 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

16. **Basic 911 and E911**

If NATC orders network elements and other services, then NATC is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.

16.1 Definition

Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

16.2 <u>Requirements</u>

- 16.2.1 <u>Basic 911 Service Provisioning.</u> For Basic 911 service, BellSouth will provide to NATC a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. NATC will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. NATC will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, NATC will be required to discontinue the Basic 911 procedures and being using E911 procedures.
- 16.2.2 E911 Service Provisioning. For E911 service, NATC will be required to install a minimum of two dedicated trunks originating from the NATC serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMAtype signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. NATC will be required to provide BellSouth daily updates to the E911 database. NATC will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available. NATC will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. NATC shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 16.2.3 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on NATC beyond applicable charges for BellSouth trunking arrangements.
- 16.2.4 Basic 911 and E911 functions provided to NATC shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

<u>Detailed Practices and Procedures</u>. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and NATC to follow in providing 911/E911 services.

17. Combinations

17.1 For purposes of this Section, references to "Already Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

17.2 **EELs**

- 17.2.1 Where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 17.3 below.
- 17.2.2 Subject to Section 17.2.3 below, BellSouth will provide access to the EEL in the combinations set forth in 17.3 following. This offering is intended to provide connectivity from an end user's location through that end user's SWC to NATC's POP serving wire center. The circuit must be connected to NATC's switch for the purpose of provisioning telecommunications services, including telephone exchange service, to NATC's end-user customers. Except as provided for in paragraph 22 of the FCC's Supplemental Order Clarification, released June 2, 2000, in CC Docket No. 96-98 ("June 2, 2000 Order"), the EEL will be connected to NATC's facilities in NATC's collocation space at the POP SWC. NATC may purchase BellSouth's access facilities between NATC's POP and NATC's collocation space at the POP SWC.
- 17.2.3 BellSouth shall provide EEL combinations to NATC in the state of Georgia regardless of whether or not such EELs are Already Combined. In all other states, BellSouth shall make available to NATC those EEL combinations described in Section 4.3 below only to the extent such combinations are Already Combined.
- 17.2.4 BellSouth will make available EEL combinations to NATC in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, in the Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs, regardless of whether or not such EELs are Already Combined.
- 17.2.5 Additionally, BellSouth shall make available to NATC a combination of an unbundled loop and tariffed special access interoffice facilities. To the extent NATC will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The combination of an unbundled loop and tariffed special access interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be

eligible for conversion to UNEs as described in Section 17.5 below. Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

- 17.3 <u>EEL Combinations</u>
- 17.3.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 17.3.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 17.3.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 17.3.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 17.3.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 17.3.6 DS1 Interoffice Channel + DS1 Local Loop
- 17.3.7 DS3 Interoffice Channel + DS3 Local Loop
- 17.3.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 17.3.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 17.3.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 17.3.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 17.3.12 4wire VG Interoffice Channel + 4-wire VG Local Loop
- 17.3.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 17.3.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop

17.4 Other Network Element Combinations

In the state of Georgia, BellSouth shall make available to NATC, in accordance with Section 17.6 below: (1) combinations of network elements other than EELs that are Already Combined; and (2) combinations of network elements other than EELs that are not Already Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to NATC, in accordance with Section 17.6 below, combinations of network elements other than EELs only to the extent such combinations are Already Combined.

17.5 Special Access Service Conversions

- 17.5.1 NATC may not convert special access services to combinations of loop and transport network elements, whether or not NATC self-provides its entrance facilities (or obtains entrance facilities from a third party), unless NATC uses the combination to provide a "significant amount of local exchange service" (as described in Section 17.5.2 below), in addition to exchange access service, to a particular customer.
- 17.5.2 For the purpose of special access conversions, a "significant amount of local exchange service" is as defined in the FCC's June 2, 2000 Order. The Parties agree to incorporate by reference paragraph 22 of the June 2, 2000 Order. When NATC requests conversion of special access circuits, NATC will self-certify to BellSouth in the manner specified in paragraph 29 of the June 2, 2000 Order that the circuits to be converted qualify for conversion. In addition there may be extraordinary circumstances where NATC is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in paragraph 22 of June 2, 2000 Order. In such case, NATC may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon NATC's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 17.5.3 Upon request for conversions of up to 15 circuits from special access to EELs, BellSouth shall perform such conversions within seven (7) days from BellSouth's receipt of a valid, error free service order from NATC. Requests for conversions of fifteen (15) or more circuits from special access to EELs will be provisioned on a project basis. Conversions should not require the special access circuit to be disconnected and reconnected because only the billing information or other administrative information associated with the circuit will change when NATC requests a conversion. The Access Service Request process will be used for conversion requests.
- 17.5.4 BellSouth may, at its sole expense, and upon thirty (30) days notice to NATC, audit NATC's records not more than once in any twelve month period, unless an audit finds non-compliance with the local usage options referenced in the June 2, 2000 Order, in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. If, based on its audits, BellSouth concludes that NATC is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process set forth in this Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from NATC.

17.6 Rates

- 17.6.1 Georgia
- 17.6.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 17.3, whether Already Combined or new, are as set forth in this Attachment.
- 17.6.1.2 On an interim basis, for combinations of loop and transport network elements not set forth in Section 17.3, where the elements are not Already Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination. These interim rates shall be subject to true-up based on the Commission's review of BellSouth's cost studies.
- 17.6.1.3 To the extent that NATC seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, NATC, at its option, can request that such rates be determined pursuant to the Bona Fide Request/New Business Request (NBR) process set forth in this Agreement.
- 17.6.2 All Other States
- 17.6.2.1 Subject to Section 17.2.3 and 17.4 preceding, all other states, the rates for (1) Already Combined EEL combinations set forth in Section 17.3, and (2) other combinations of network elements that are Already Combined in the network will be the sum of the recurring rates for the individual network elements plus a nonrecurring charge as specified in Exhibit A hereto.
- 17.6.2.2 Rates for new EEL combinations in Density Zone 1 in the Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs shall be as set forth in Exhibit A hereto; provided, however, that to the extent a rate is not established in Exhibit A, the rate shall be the sum of the recurring and nonrecurring charges for the individual network elements as set forth in Exhibit A to this Attachment, unless otherwise established by the Commission.

17.7 Port/Loop Combinations

- 17.7.1 At NATC's request, BellSouth shall provide access to combinations of port and loop network elements, as set forth in Section 17.7.4 below, that are Already Combined in BellSouth's network except as specified in Sections 17.7.1.1 and 17.7.1.2 below, consistent with the requirements of 47 C.F.R. 315(b) and all applicable FCC and Commission rules and policies.
- 17.7.1.1 BellSouth shall not provide access to combinations of unbundled port and loop network elements in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.

- 17.7.1.2 In accordance with effective and applicable FCC rules, BellSouth shall not provide unbundled circuit switching in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, of the Atlanta, Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs to NATC if NATC's customer has 4 or more DS0 equivalent lines.
- 17.7.2 In Georgia, BellSouth shall provide combinations of port and loop network elements to NATC regardless of whether or not such combinations are Already Combined except in those locations where BellSouth is not required to provide unbundled circuit switching, as set forth in Section 17.7.1.1 above. In all other states, and subject to Sections 17.7.1.1 and 17.7.1.2 above, BellSouth shall provide combinations of port and loop network elements to NATC only to the extent such elements are Already Combined.
- 17.7.3 Rates for Combinations of Loop and Port Network Elements
- 17.7.3.1 Rates for combinations of loop and port network elements, as set forth in Section 17.7.4, are provided in Exhibit A of this Attachment.
- 17.7.3.2 Rates for Circuit Switching
- 17.7.3.2.1 Rates for circuit switching, where BellSouth is not required, pursuant to Sections17.7.1.1 and 17.7.1.2, to provide circuit switching are as set forth in Exhibit A of this Attachment.
- 17.7.4 Combination Offerings
- 17.7.4.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 17.7.4.2 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 17.7.4.3 2-wire CENTREX port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 17.7.4.4. 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 17.7.4.5 2-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

17.7.4.6 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

18. <u>Rates</u>

18.1. <u>General</u>

The prices that NATC shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

18.2. Operations Support Systems ("OSS")

BellSouth shall provide nondiscriminatory access in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act to OSS on an unbundled basis to NATC for the provision of a telecommunications service. OSS functions consist of preordering, ordering, provisioning, maintenance and repair, and billing functions supported by BellSouth's databases and information. Subject to applicable and effective FCC rules and orders, BellSouth, as part of its duty to provide access to the pre-ordering function, shall provide NATC with nondiscriminatory access to the same detailed information about the loop that is available to its own retail unit. The rate associated with BellSouth's provision of loop qualification information shall be as set forth in this Attachment.

All Local Service Requests ("LSRs") submitted for products and services under this Attachment will be subject to the OSS charges set forth in the General Terms and Conditions of this Agreement.

18.3 True-up

This section applies only to Tennessee.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

1. The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body

having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.

2. The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:

- (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
- (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
- (c) It shall include as an issue the geographic deaveraging of network element and other services prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

18.4 Geographic Deaveraging

The Parties acknowledge that this Agreement contains geographically deaveraged rates consistent with 47 C.F.R. 51.507(f) for all states except North Carolina. Upon adoption of geographically deaveraged rates by the North Carolina Utilities Commission, the Parties shall amend this Agreement to include such rates. Prior thereto, rates for the state of North Carolina shall be as set forth in this Agreement.

Attachment 2 Page 59

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

I. SCOPE

A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of the Local Exchange Company and pursuant to which BST, its LIDB customers and Local Exchange Carrier shall have access to such information. Local Exchange Carrier understands that BST provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.

- B. LIDB is accessed for the following purposes:
 - 1. Billed Number Screening
 - 2. Calling Card Validation
 - 3. Fraud Control

C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, billto-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify the Local Exchange Company of fraud alerts so that the Local Exchange Company may take action it deems appropriate. Local Exchange Company understands and agrees BST will administer all data stored in the LIDB, including the data provided by Local Exchange Company pursuant to this Agreement, in the same manner as BST's data for BST's end user customers. BST shall not be responsible to Local Exchange Company for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

Local Exchange Company understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Local Exchange Company further understands that these billing and collection customers of BST query BST's LIDB to determine whether to accept various billing options from end users. Additionally, Local Exchange Company understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on Local Exchange Company's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate Local Exchange Company's data from BST's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

(a) The Local Exchange Company agrees that it will accept responsibility for telecommunications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. Local Exchange Company authorizes BST to place such charges on Local Exchange Company's bill from BST and agrees that it shall pay all such charges. Charges for which Local Exchange Company hereby takes responsibility include, but are not limited to, collect and third number calls.

(b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.

(c) Local Exchange Company shall have the responsibility to render a billing statement to its end users for these charges, but Local Exchange Company's obligation to pay BST for the charges billed shall be independent of whether Local Exchange Company is able or not to collect from the Local Exchange Company's end users.

(d) BST shall not become involved in any disputes between Local Exchange Company and the entities for which BST performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Local Exchange Company. It shall be the responsibility of the Local Exchange Company and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

This Agreement will be effective as of ______, 199_, and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

III. FEES FOR SERVICE AND TAXES

A. The Local Exchange Company will not be charged a fee for storage services provided by BST to the Local Exchange Company, as described in Section I of this Agreement.

B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by the Local Exchange Company. The Local Exchange Company shall have the right to have BST contest with the imposing jurisdiction, at the Local Exchange Company's expense, any such taxes that the Local Exchange Company deems are improperly levied.

IV. INDEMNIFICATION

To the extent not prohibited by law, each Party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying Party or its agents or contractors in connection with the indemnifying Party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying Party under this Section agrees to defend any suit brought against the other Party for any such loss, cost, claim, injury or liability. The indemnified Party agrees to notify the other Party promptly, in writing, of any written claims, lawsuits, or demands for which the other Party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying Party shall not be liable under this Section for settlement by the indemnified Party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying Party has unreasonably failed to assume such defense.

V. LIMITATION OF LIABILITY

Neither Party shall be liable to the other Party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other Party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

VI. MISCELLANEOUS

A. It is understood and agreed to by the Parties that BST may provide similar services to other companies.

B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the

federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either Party to violate any such legal or regulatory requirement and either Party's obligation to perform shall be subject to all such requirements.

C. The Local Exchange Company agrees to submit to BST all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and the Local Exchange Company further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.

D. This Agreement constitutes the entire Agreement between the Local Exchange Company and BST which supersedes all prior Agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.

E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.

F. Neither Party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers.

G. This Agreement shall be deemed to be a contract made under the laws of the State of Georgia, and the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such State.

FACILITIES BASED ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

This is a Facilities Based Addendum to the Line Information Data Base Storage Agreement dated
______, 199 ___, between BellSouth Telecommunications, Inc. ("BST"), and
______("Local Exchange Company"), effective the _____ day of

_____, 199 ____.

I. GENERAL

This Addendum sets forth the terms and conditions for Local Exchange Company's provision of billing number information to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number information provided by Local Exchange Company, and BST will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. **DEFINITIONS**

A. Billing number - a number that the Local Exchange Company creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

B. Line number - a ten digit number that identifies a telephone line administered by the Local Exchange Company.

C. Special billing number - a ten digit number that identifies a billing account established by the Local Exchange Company.

D. Calling Card number - a billing number plus PIN number.

E. PIN number - a four digit security code assigned by the Local Exchange Company which is added to a billing number to compose a fourteen digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by the Local Exchange Company.

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number, Calling Card number and toll billing exception indicator provided to BST by the Local Exchange Company.

III. RESPONSIBILITIES OF PARTIES

A. The Local Exchange Company will provide its billing number information to BST's LIDB each business day by a method that has been mutually agreed upon by both Parties.

B. BST will store in its LIDB the billing number information provided by the Local Exchange Company. Under normal operating conditions, BST shall include the Local Exchange Company's billing number information in its LIDB no later than two business days following BST's receipt of such billing number information, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the Local Exchange Company's working telephone numbers.

C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.

D. BST is authorized to use the billing number information provided by the Local Exchange Company to perform the following functions for authorized users on an on-line basis:

1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by the Local Exchange Company, and where the last four digits (PIN) are a security code assigned by the Local Exchange Company.

2. Determine whether the Local Exchange Company or the subscriber has identified the billing number as one which should not be billed for collect or third number calls, or both.

E. The Local Exchange Company will provide its own billing number information to BST for storage and to be used for Billed Number Screening and Calling Card Validation. The Local Exchange Company will arrange and pay for transport of updates to BST.

IV. COMPLIANCE

Unless expressly authorized in writing by the Local Exchange Company, all billing number information provided pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

Attachment 2 Page 65

EXHIBIT B

CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

1.00 DEFINITIONS

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides NATC the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

SERVICE CONTROL POINTs (SCPs) - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTs (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

2.0 ATTACHMENT

- 2.01 This Attachment contains the terms and conditions where BellSouth will provide to the NATC access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.02 NATC shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to NATC's access to BellSouth's CNAM Database Services and shall be addressed to NATC's Account Manager.

3.00 PHYSICAL CONNECTION AND COMPENSATION

- 3.01 BellSouth's provision of CNAM Database Services to NATC requires interconnection from NATC to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.02 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, NATC NATC shall provide its own CNAM SSP. NATC's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.03 If NATC elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that NATC desires to query.

3.04 Out-Of-Region Customers

If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Bellcore's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and writing shall, by this reference become an integral part of this Agreement.

4.00 CNAM RECORD INITIAL LOAD AND UPDATES

4.01 The mechanism to be used by NATC for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by NATC in the BellSouth specified format and shall contain records for every working

telephone number that can originate phone calls. It is the responsibility of NATC to provide accurate information to BellSouth on a current basis.

- 4.02 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.03 NATC CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES

•

Atlachment 2 Exhibit D Rates - Page 1

		AND OTHER SE	RVICES								_
	1	1			84	TES BY STA	TE			1	
DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN	
NIDa											
NID to NID Cross Connect, 2-Wire or 4-Wire, NRC	UNDC2	NA	\$6.15	NA	NA	NA	NA	NA	NA	NA	
NID to NID Cross Connect, 2-Wire or 4-Wire, NRC	UNDC4	NA	\$6.15	NĀ	NA	NA	NA	NA	NA	NA NA	
(NID, 1-2 lines	UND12	NA	NA	NA	NĂ	NA	NA	NA	NA	NA	
I NRC - 1st	UND12	TBN	TBD	TBD	TBD	TBD		TBO	TBD	TBN	
I INRC - Add"	UND12	TBN	TBD	TBD	TBO	TBD	TBD	TBD	TBD	TBN	
NRC - Disconnect Charge - 1st	UND12	TBN	TBD	TBD	TBD	180	TBD	TBD	180	TBN	
NRC - Disconnect Charge - Add'i	UND12	TBN	TBO	TBD	TBO	TBD	TBD	TBD	TBD	TBN	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBN	
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	TBN	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBN	
NID, 1-6 lines	UND16	NA	NA	NA ·	TBD	NA	NA	NA	NA	NA	
NRC - 1st	UND16	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Add'l	UND16	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TEN	TBN	
NRC - Disconnect Charge - 1st	UND16	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - Add'l	UND16	TBN	TBN	TBN	TBN	TBN	TEN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
Nonrecurring Charge - customer transfer, feature additions, changes (1)		\$5.00	NA	NA	NA	NA	\$5.00	NA	NA	NA	-
LOOP, EXCLUDING NID											
2-Wire Analog VG Loop (Standard), per month	TBD	NA		NA	\$18.20	NA	NA	NA	NA	NA	
NRC . 1st	<u> </u>	NA	NA	NA	\$86.08	NA	NA	NA	NA	NA	
NRC - Addi		NÁ	NA	NA	\$58.57	NA	NA	NA	NA	NA	
2-Wire Analog VG Loop (Customized), per month	TBD	NA	NA	NA	\$21.41	NA	NA	NA	NA	NA	
NRC - 1st		NA	NA	NA	\$236.75	NA	NA	NA	NA	NA	
NRC Add'I		NA	NA	NA	\$177.10	NA	NA	NA	NA	NA	
4-Wire Analog VG Loop (Standard), per month	TBD	NA	NA	NA	\$26.38 \$457.14	NA NA	NA NA	NA NA	NA NA	NA NA	
NRC 1st		NA	NA					NA NA	NA	NA NA	
NRC - AddT		NA	NA NA	NĀ	\$348.83	NA NA	NA NA	NA NA	NA NA		
2-Wire ISDN Digital Grade Loop (Standard), per month	TBD	NA	NA NA	NA NA	\$29.65 \$541.28	NA	NA NA	NA	NA	NA	
NRC 1st	<u> </u>	NA			\$541_28 \$431.61	NA	NA NA	NA NA	NA NA	NA NA	
NRC - Add1		NA	NA NA	NA NA	\$10.63	NA NA	NA NA	NA	NA NA	NA NA	
2-Wire ADSL Loop (Standard), per month	TBD	NA NA	NA NA	NA NA	\$713.50	NA	NA	NA NA	NA		
NRC - 1st	_ 			NA NA	\$713.50	NA NA	NA NA	NA	NA NA	NA NA	
NRC - Add'l	TBD	NA NA	NA NA	NA NA	\$7.40	NA	NA NA	NA NA	NA NA	NA NA	
2-Wire HDSL Loop (Standerd), per month		NA NA		NA NA	\$713.50	NA NA	NA NA	NA		NA NA	<u> </u>
NRC - 1st		NA NA	NA NA		\$609.44	NA NA	NA -	NA	NA	NA	
	TBD			NA	\$9.70	NA	NA NA	NA	NA		···-
4-Wire HDSL Loop (Standard), per month		NA NA		NA NA	\$748.93	NA	NA	NA	NA	NA NA	
			NA NA	NA	\$646.17	NA	NA	NA	NA NA	NA NA	
I I LOOP, INCLUDING NID		-+	1 100	<u> </u>	1 40-10.17		+ " <u>~</u>		<u> </u>	t	
		+	<u> </u>	┼────	 			f	[ff	
2-Wire Analog VG Loop-SL1, per month	UEAL2		NA	NA	NA	NA	NA	\$15.88	NA	NA	
RC - Statewide, per month	UEAL2	\$15.24	\$13.75	\$14.21	\$14.79	\$14.96	\$15.58	TBD	\$18.48	\$15.92	
RC - Zone 1, per month (Note 2)	UEAL2	\$15.24	\$20.13	\$14.21	\$27,68	\$25.69	\$20.65	TBD	\$27.87	\$20,79	
RC - Zone 2, per month (Note 2)		\$29.75	\$44.40	\$26.08	\$47.78	\$52.47	\$29.51	TBD	\$36.91	\$27.18	
RC - Zone 3, per month (Note 2)		NA	NA	NA NA	NA	302.47 NA	\$38.94	NA	NA	NA	— —-
RC - Zone 4, per month (Note 2)	UEAL2	\$59.03	\$80.00	\$42.54	NA NA	\$40.69	\$59.25	\$57.99	\$70.44	\$78.93	
NRC - 1st	UEAL2	\$59.03 \$43.14	\$80.00	\$31,33	NA NA	\$40.66	\$43.67	\$42,37	\$44.05	\$78.95	
NRC - Add1	UEAL2	\$15.21	NA	NA	NA NA	\$16.48	\$16.35	NA	NA	NA	
NRC - Disconnect Charge - 1st		1 910-21				2 310.48					_

Version 2000:8/10/00

BELLSOUTH/NATC RATES NETWORK ELEMENTS

.

.

		AND OTHER SE								
NRC - Disconnect Charge - Add'	UEAL2	\$3.22	NA	NA	NA I	\$3.36	\$4.06	NA	NA	NA
NRC - Incremental Charge - Madual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.22	NA
	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect		- 9 17-37	14/1				<i><i>(</i></i>),000			
2-Wire Analog VG Loop-SL2 whoop or ground start signaling, per month	UEAL2	NA	NA	NA	NA	NA	NA	\$19.50	NA	NA
RC - Statewide, per month			\$13.75	\$16.84	\$17.27	\$17.65	\$18.35	TBD	\$21.57	\$15.92
RC - Zone 1, per month (Note 2)	UEAL2	\$17.95			\$32.32	\$30.32	\$10.33	TBD	\$32.53	\$20.79
RC - Zone 2, per month (Note 2)	UEAL2	\$29.16	\$20.13	\$19.45			\$34.77	TBD	\$43.06	\$27.18
RC - Zone 3, per month (Note 2)	UEAL2	\$52.84	\$44.40	\$30.92	\$55.78	\$61.93		NA	NA NA	NA
RC - Zone 4, per month (Note 2)	UEAL2	NA	NA	NA	NA	NA	\$45,88	\$142.97		\$192.97
NRC - 1st	UEAL2	\$145.46	\$140.00	\$104.17	NA	\$99.69	\$144.01		\$178.12	
NRC - Add'l	UEAL2	\$108,40	\$42.00	\$78.10	NA	\$74.73	\$107.70	\$106.56	\$128.80	\$140.72
NRC - Disconnect Charge - 1st	UEAL2	\$40.31	NA	NA	NA	\$28.73	\$40.98	NA	NA	NA
NRC - Disconnect Charge - Add1	UEAL2	\$26.01	NA	NA	NA	\$18.87	\$26.95	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$26.95	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSI.	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$65.00
2-Wire Analog VG Loop-SL2 w/ reverse battery signaling, per month										
RC - Statewide, per month	UEAP2	NA	NA	NA	NA ·	NA	NA	\$19.50	NA	NA
RC - Zone 1, per month (Note 2)	UEAR2	\$17.95	\$13.75	\$16.84	\$17.27	\$17.65	\$18.35	T80	\$21.57	\$15.92
RC - Zone 2, per month (Note 2)	UEAP2	\$29.16	\$20.13	\$19.45	\$32.32	\$30.32	\$24.33	TBD	\$32.53	\$20.79
RC - Zone 3, per month (Note 2)	UEAR2	\$52.84	\$44.40	\$30.92	\$55.78	\$61.93	\$34.77	TBD	\$43.08	\$27.18
RC - Zone 4, per month (Note 2)	UEAR2	NA	NA	NA	NA	NA	\$45.88	NA	NA	NA
NRC - 1st	UEAR2	\$145.46	\$140.00	\$104.17	NA	\$99.69	\$144.01	\$142.97	\$178.12	\$192.97
	UEAFI2	\$108.40	\$42.00	\$78.10	NA	\$74.73	\$107.70	\$106.56	\$128.80	\$140.72
NRC - Disconnect Charge - 1st	UEAR2	\$40.31	NA	NA	NA	\$28.73	\$40.98	NA	•••• NA•••••	NĂ I
NRC - Disconnect Charge - Add1	UEAR2	\$26.01	NA	NA	NA	\$18.87	\$26.95	NA	NA	NA
NRC - Incremental Charge - Nou 1	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44,42	NA
	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$26.95	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	OCOCL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	<u> </u>	340.33	400.00	•34.22	110					
4-Wire Analog VG Loop, per month	UEAL4	NA	NA	NA	NA		NA	\$27.49	NA	NA
RC - Statewide, per month					NA NA	\$24.36	\$22.38	TBD	\$29.47	\$15.92
AC - Zone 1, per month (Note 2)	UEAL4	\$24.01	\$24.26	\$22.26			\$29.67	TBD	\$44.44	\$20.79
RC - Zone 2, per month (Note 2)	UEAL4	\$39.00	\$35.51	\$25.70	NA	\$41.85		TBO	\$58.85	\$27.18
RC - Zone 3, per month (Note 2)	UEALA	\$70.67	\$78.35	\$40.85	NA	\$85.47	\$42.40	. = =	NA	NA
RC - Zone 4, per month (Note 2)	UEAL4	NA	NA	NA	NA	NA	\$55.96	NA		
NRC - 1st	UEAL4	\$293.70	\$141.00	\$206.95	NÁ	\$198.10	\$289.06	\$288.47	\$383.39	\$58.50
NRC - Add'l	UEAL4	\$241.76	\$43.00	\$170.57	NA	\$163.26	\$238.19	\$237,45	\$286.77	\$31.00
NRC - Disconnect Charge - 1 st	UËAL4	\$108.96	NA	NA	NA	\$74.27	\$108.14	NA	ŇA	NA
NRC - Disconnect Charge - Add'l	UEAL4	\$57.01	NA	NA	NA	\$39.44	\$57.28	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.06	NA
NRC - Incremental Charge - Manual Service Order - Add'1	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
2-Wire ISDN Digital Grade Loop, per month			1	1	1	1		1		
RC - Statewide, per month	UIL2X	NA	NA	- NA	NA	NA	NÄ	\$24.98	NA	NA
RC - Zone 1, per month (Note 2)	UIL2X	\$23.23	\$32.94	\$21.89	\$23.66	\$21.15	\$21.86	TBD	\$26.68	\$15.92
	UIL2X	\$37.74	\$47,35	\$25.27	\$44.28	\$36.22	\$28.97	TBD	\$40.24	\$20.79
RC - Zone 2, per month (Note 2)	U1L2X	\$68.38	\$104.47	\$40.17	\$76.42	\$74.19	\$41.40	TBD	\$53.29	\$27.18
RC - Zone 3, per month (Note 2)		900.30 NA	NA	NA	NA NA	NA	\$54.64	NA	NA	NA
RC - Zone 4, per month (Note 2)	U1L2X				NA	\$223.27	\$326.38	\$325.91	\$423.04	\$58.50
NRC - 1st	U1L2X	\$331.85	\$306.00	\$233.38			\$252.00	\$251,31	\$301.75	\$31.00
NRC - Add1	U1L2X	\$255.87	\$283.00	\$180.35	NA	\$172.63			NA	NA
NRC - Disconnect Charge - 1 st	U1L2X	\$108.95	NA		NA	\$74.27	\$108.14	NA		

Version 2000:8/10/00

Attachment 2 Exhibit D

.

Rates - Page 3

.

		NETWORK ELL AND OTHER SE								
NPC - Disconnect Charge - Add1	UIL2X	\$57.01	NA	NA	NA	\$39.44	\$57.27	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
NBC - Incremental Charge - Manual Service Order - Add't	SOMAN	\$12.97	ŇA .	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSI.	\$45.99	\$55.00	\$34.22	\$55.00	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
2-Wire Universal Digital Carrier (UDC), statewide, per month	UDC2X	NA	NA	NA	NA	NA	NA NA	\$24.98	NA	NA
Zone 1, per month	UDC2X	\$23.23	\$32.94	\$21.89	\$23.66	\$21.15	\$21.86	TBD	\$26.68	\$15.92
Zons 2, per month	UDC2X	\$37.74	\$47.35	\$25.27	\$44.28	\$36.22	\$28. <u>9</u> 7	TBD	\$40.24	\$20.79
Zone 3, per month	UDC2X	\$68.38	\$104.47	\$40.17	\$76.42	\$74.19	\$41.40	TBD	\$53.29	\$27.16
Zone 4, per month	UDC2X	NA	NA	NA .	NA	NA	\$54.64	NA	NA	NA
NRC - 1st	UDC2X	\$331.85	\$306.00	\$233.38	NA	\$223.27	\$326.38	\$325.91	\$423.04	\$58.50
NRC - AddT	UDC2X	\$255.87	\$283.00	\$180.35	NA	\$172.63	\$252.00	\$251.31	\$301.75	\$31.00
NRC - Disconnect Charge - 1st	UDC2X	\$108.95	NA	NA	NA	\$74.27	\$108.14	NA	NA	NA
NRC - Disconnect Charge - Add'l	UDC2X	\$57.01	NA	NA	NĀ	\$39.44	\$57.27	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NĂ	NA	\$11.41	\$16.06	NA	NA	NA
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	\$55.00	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
2-Wire Asymmetrical Dig Subscriber Line (ADSL) Compatible Loop, <u>includes</u> manual service inquiny and facility reservation, statewide, per month								A14.00		*10 40
AC - Statewide, per month	UAL2X	NA	NA	NA	NA	NA	NA	\$14.60	NA 617.10	\$18.46
RC - Zone 1, per month (Note 2)	UAL2X	\$12.09	\$12.78	\$11.23	\$8.79	\$11.90	\$10.87	TBD	\$17.10	\$15.93
RC - Zone 2, per month (Note 2)	UAL2X	\$19.64	\$18.72	\$12.97	\$16.45	\$20.43	\$14.40	TBD	\$25.79	\$20.05 \$28.74
RC - Zone 3, per month (Note 2)	UAL2X	\$35.59	\$41.29	\$20.62	\$28.40	\$41.73	\$20.58	TBD	\$34.15 NA	NA NA
RC - Zone 4, per month (Note 2)	UAL2X	NA	NA	NA	NA	NA	\$27.16	NA	\$600.61	\$640.79
NRC - 1st	UAL2X	\$514.21	\$113.85	\$359.73	NA	\$343.13	\$504.82	\$504.90	\$507.33	\$541.94
NRC - Add1	UAL2X	\$464.58	\$99.61	\$325.15	NA	\$310.03	\$456.24	\$456.17 NA	NA	NA
NRC - Disconnect Charge - 1st	UAL2X	\$106.65	NA	NA	NA NA	\$72.54 \$39.42	\$105.86	\$26.94	NA	NA NA
NRC - Disconnect Charge - Add'l	SOMAN	\$56.98	NA	NA	NA NA		\$57.25 \$25.52	\$12.76	\$44.42	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA NA	\$18.14 \$8.06	\$11.34	#12.70 NA	\$13.55	NA NA
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42				NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.77	NA	NA	NA NA	\$11.41	\$16.06 \$45.27	\$45.34	\$45.43	\$55.00
NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	NA	\$32.77	\$40.27	\$40.34	340.43	\$05.00
2-Wire Asymmetrical Dig Subscriber Line (ADSL) Compatible Loop, without		NA	NA	NA	NA	NA	NA	\$14.60	NA	\$18.46
manual service inquiry and facility reservation, statewide, per month	UAL2W UAL2W	\$12.09	\$12.78	\$11.23	\$8.70	\$11.90	\$10.87	TBD	\$17.10	TBD
Zone 1, per month		\$12.09	\$12.78	\$11.23	\$16.46	\$20.43	\$14.40	TBD	\$25.79	TBD
Zone 2, per month	UAL2W UAL2W	\$19.64	\$18.72 \$41.29	\$12.97	\$10.40	\$41.73	\$20,58	TBD	\$34.15	TBD
Zone 3, per month	UAL2W	830-59 NA	NA	NA NA	NA	NA	\$27.16	NA NA	NA	
Zone 4, per month	UAL2W	\$375.21	\$113.85	\$220.73	\$574.50	\$204.13	\$365.82	\$365.90	\$461.60	\$501.79
NRC - 1st		\$375.21	\$99.61	\$186.15	\$470.44	\$171.03	\$317.24	\$317.17	\$368.33	\$402.94
NRC - Add1	UAL2W UAL2W	\$325.55	NA	NA	NA	\$72.54	\$105.86	NA NA	NA	NA NA
NRC - Disconnect Charge - 1st	UAL2W UAL2W	\$56.98	NA NA	NA	NA	\$39,42	\$57.25	\$26.94	NA -	NA
NRC - Disconnect Charge - Add'l	SOMAN	\$27.37	NA NA	\$18.94	NA NA	\$18.14	\$25.52	\$12.76	\$44.42	
NRC - Incremental Charge - Manual Service Order - 1st	and the second sec	\$27.37	NA	\$8.42	NA	\$8.08	\$11.34	NA NA	\$13.55	
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$17.77	NA NA	<u>30.42</u> NA	NA NA	\$11.41	\$16.06	NA	NA NA	NA -
NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSL	\$45.99	\$55.00	\$34.22	\$55.00	\$32.77	\$45.27	\$45.34	\$45,43	\$55.00
I I INHU - Incremental Unarge - Order Coordination - Time Specific (per LSH)	- <u>sr</u>	e+0.55	400.00	+				+,0,4,7		
2-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop, <u>includes</u> manual service inquiry and facility reservation, statewide, per month										
RC - Statewide, per month	UHL2X	NA	NA	NA	NA	NA	NA	\$11.98	NA	\$13.46
PC - Zone 1, per month (Note 2)	UHL2X	\$9.41	\$9.60	\$7.88	\$6.29	\$8.97	\$8.50	TBD	\$12.21	\$11.62

BELLSOUTHINATC RATES

NETWORK ELEMENTS AND OTHER SERVICES \$11.78 \$15.41 \$11.28 TBD \$18.41 \$14.62 UHL2X \$9.09 RC - Zone 2, per month (Note 2) \$15.29 \$14,35 \$24.39 \$20.96 \$31,48 \$16.10 TBD RC - Zone 3, per month (Note 2) \$14.46 \$20.33 UHL2X \$27.70 \$31.65 \$21.25 NA NA NA NA NA RC - Zone 4, per month (Note 2) UHL2X NA NA NA \$504.82 \$504.90 \$600.61 \$640.79 UHL2X \$514.21 \$113.85 \$359.73 NA \$343.13 NRC - 1st \$507.33 \$456.24 \$456.17 \$541.94 UHL2X \$464.58 \$99.61 \$325.15 NA \$310.03 NRC - Add1 NA UHL2X \$106.65 NA NA NA \$72.54 \$105.86 NA NA NRC - Disconnect Charge - 1st П NA NA UHL2X NA NA NA \$39.42 \$57.25 NA NRC - Disconnect Charge - Add1 \$56.98 П \$18.14 \$25.52 \$26.94 \$44.42 NA INRC - Incremental Charge - Manual Service Order - 1st SOMAN \$27.37 NA \$18.94 NA \$8.42 NA \$8.06 \$11.34 \$12.76 \$13.55 NA SOMAN \$12.97 NA NRC - Incremental Charge - Manual Service Order - Add'l NA NA NA NA \$11.41 \$16.06 NA SOMAN \$17.77 NA NRC - Incremental Charge - Manual Service Order - Disconnect \$45.43 \$55.00 \$45.27 \$45.34 \$55.00 \$34.22 \$55.00 \$32.77 NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) OCOSL \$45.99 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop, without NA NA \$11.98 NA \$13.46 UHL2W NA NA NA NA manual service inquiry and facility reservation, statewide, per month \$6.29 \$8.97 \$8.50 TBD \$12.21 TED Zone 1, per month UHL2W \$9.41 \$9.BO \$7.88 UHL2W \$11.78 \$15.41 \$11.26 TBD \$18.41 TED \$15.29 \$14.35 \$9.09 Zone 2, per month \$16.10 TBD \$24.39 TBD \$20.33 \$31,48 UHL2W \$27.70 \$31.65 \$14.48 Zone 3, per month \$21.25 NA NA NA NA NA NA UHL2W NA NA Zone 4, per month \$365.90 \$461.60 \$501.79 \$574.50 \$204.13 \$365.82 NRC - 1st UHL2W \$375.21 \$113.85 \$220.73 \$317.17 \$368.33 \$402.94 NRC - Add1 UHL2W \$325.58 \$99.61 \$186.15 \$470.44 \$171.08 \$317.24 П \$105.86 NA NA NA UHL2W \$106.65 NA NA NA \$72.54 NRC - Disconnect Charge - 1st NA NA \$57.25 NA NRC - Disconnect Charge - Add1 UHL2W \$56,98 NA NA NA \$39,42 \$26.94 \$44.42 NA \$25.52 NRC - Incremental Charge - Manual Service Order - 1st SOMAN \$27.37 NA \$18.94 NA \$18,14 \$13.55 NA \$11.94 NRC - Incremental Charge - Manual Service Order - AddT SOMAN \$12.97 NA \$8,42 NA \$8.06 \$12.76 NA NA NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN \$17.77 ŇĂ NA NA \$11.41 \$16.06 NA \$55.00 OCOSL \$55.00 \$55.00 \$32.77 \$45.27 \$45.34 \$45.43 NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) \$45.99 \$34.22 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loop, includes manual service inquiry and facility reservation, per month, statewide NA NA NA \$13.97 NA \$17.91 NA NÁ NA **UHL4X** RC - Statewide, per month \$10.36 \$15.46 \$10.39 \$7.68 \$12.97 TBO \$16.21 \$14.75 PC - Zone 1, per month (Note 2) UHL4X \$11.52 ПТ \$19.46 \$13.79 TBD \$24.45 \$21,59 \$14.38 \$21.76 PC - Zone 2, per month (Note 2) ÜHL4X \$18,71 \$12.00 \$44.44 \$19.62 TRO \$32.38 \$27.88 FIC - Zone 3, per month (Note 2) UHL4X \$33.90 \$47.64 \$19.07 \$24,82 \$25.90 NA NA NA RC - Zone 4, per month (Note 2) UHL4X NA NA NA NA NA \$531.21 \$531.35 \$625.11 \$666.70 \$116.91 \$378.86 NA \$361.45 NRC - 1st UHL4X \$541.13 \$532.78 \$568.86 \$101.71 \$344.28 NĂ \$328.35 \$482.63 \$482.62 UHL4X \$491.50 NRC - Addl NÄ NA \$72.54 \$105.86 NA NA Π NRC - Disconnect Charge - 1st UHLAX \$106.65 NA NA NA UHLAX \$56.98 NA NA NA \$39.42 \$57.25 NA NA NRC - Disconnect Charge - Add'I П NA NA \$18.14 \$25.52 \$26.94 \$44.06 NRC - Incremental Charge - Manual Service Order - 1st SOMAN NA \$18.94 \$27.37 П NA \$11.34 \$12.76 \$13.55 SOMAN \$12.97 NA \$8.42 NA \$8.06 NRC - Incremental Charge - Manual Service Order - Add'l \$16.06 NA NA NA NA \$11.41 NA NA NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN \$17.77 \$45.34 \$45.43 \$55.00 OCOSL \$55.00 \$34.22 \$55.00 \$32.77 \$45.27 NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) \$45.99 4-Wire High BR Rate Dig Subscriber Line (HDSL) Competible Loop, without \$17.91 NA NA NA NA \$13.97 NA manual service inquiry and facility reservation, per month, statewide UHL4W NA NA TBD UHL4W \$11.52 \$14.75 \$10.39 \$7.68 \$12.67 \$10.36 TBD \$16.21 Zone 1, per month \$21.59 \$13.73 TBD \$24.45 TBD UHL4W \$12.00 \$14.38 \$21.76 \$18.71 Zone 2 per month TBD TBD \$32.38 UHL4W 224.82 \$44.44 \$19.62 \$47.64 \$19.07 Zone 3, per month \$33.90 NA NA ŇA \$25.90 NA NÁ Zone 4, per month UHL4W NA NA NA \$527.70 \$609.93 \$222.45 \$392.21 \$392.35 \$486.11 NRC-1st UHLAW \$402.13 **\$**116.91 \$239.86 \$343.63 \$343.62 \$393.78 \$429.86 \$189.35 UHL4W \$352.50 \$101.71 \$205.28 \$507.17 NRC - Add1 NA \$105.86 NA NA UHL4W \$106.65 NA NA NA \$72.54 NRC - Disconnect Charge - 1st NA ŇĂ NA \$39.42 \$57.25 UHL4W \$56.98 NA NA NA INRC - Disconnect Charge - Add1 \$26.94 \$44.06 NA SOMAN \$27.37 NA \$18.94 NA \$18,14 \$25,52 NRC - Incremental Charge - Manual Service Order - 1st \$11.34 \$12.76 \$13.55 NA SOMAN NA \$8,42 ŇÅ \$8,06 \$12.97 NRC - Incremental Charge - Manual Service Order - Add'I

BELLSOUTHINATC RATES

Version 2000;8/10/00

NETWORK ELEMENTS IND OTHER SERVICES NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN \$17.77 NA NA NA \$11.41 \$16.06 NA NA NA NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) OCOSL \$45.99 \$55.00 \$34.22 \$55.00 \$32.77 \$45.27 \$45.34 \$45.43 \$55.00 4-Wire DS1 Digital Loop, per month NA LISEXX NA NA NA NA NA \$62.78 TBD RC - Statewide, per month NA USLXX \$51.74 \$64.69 \$55.53 \$50.26 \$56.32 \$50.99 \$59.61 TBD RC - Zone 1, per month (Note 2) TBD IRC - Zone 2, per month (Note 2) USLXX \$84.05 \$94.71 \$64.13 \$94.06 \$96.73 \$67.58 TBD \$89.90 TBD \$162.34 \$197.57 \$119.06 USEXX \$152.29 \$208.93 \$101.93 \$96.58 TBD RC - Zone 3, per month (Note 2) TED NA FIC - Zone 4, per month (Note 2) USLXX NA NA NA NA NA \$127.47 NA NA NBC - 1st USI XX \$610.13 \$540.00 \$429.98 \$949.BO \$410.38 \$599.09 \$714.84 \$715.77 TBD NRC - Add1 USI XX \$380.26 \$465.00 \$268,18 \$523.27 \$255.48 \$373.90 \$421.47 \$421.50 TBD NRC - Disconnect Charge - 1st ŇÅ USUX \$134.77 NA NA NA \$92.35 \$133.53 NA NA NRC - Disconnect Charge - Add'I USLXX \$55.97 NA NA NA \$38,44 \$56.25 NA NA NA NRC - Incremental Charge - Manual Service Order - 1st SOMAN \$27.37 NA \$18.94 NA \$18.14 \$25.52 \$26.94 \$43.77 NA NRC - Incremental Charge - Manual Service Order - Add'I \$11.34 SOMAN \$12.97 NA NA \$12.76 NA \$8.42 \$8.06 \$13.55 NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN \$17.77 NA NA NA \$11.41 \$16.06 NA NA NA NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) OCOSL \$55.00 \$34.52 \$55.00 \$45.34 ŇĂ \$49.18 \$33.05 \$48.17 \$48.47 4-Wire 56 Kbps Dig Grade Loop, per month \$32.67 \$42.23 RC - Statewide, per month UDL56 NA NA NA NA NA NA NA \$27.33 \$39.08 NA \$27.50 \$25.61 RC - Zone 1, per month (Note 2) UDL56 \$25.75 TED \$34.26 \$36.45 \$44.40 \$57.21 NA \$47.24 \$33.94 RC - Zone 2, per month (Note 2) UDL56 \$29.74 TED \$51.67 \$45,87 RC - Zone 3, per month (Note 2) UDL56 \$80.45 \$126.22 \$47.27 NA \$96.48 \$48.51 TBD \$68.43 \$65.75 RC - Zone 4, per month (Note 2) UDL56 NA NA NĂ ŇA \$64.02 NA NA NA NA NBC - 1st UDI.56 \$498.05 \$654.72 \$348.55 NA \$333.28 \$489.00 \$489.04 \$602.73 \$643.00 NBC - Add1 UDL56 \$343.70 \$428.45 \$241.20 NA \$230.50 \$337.93 \$337.51 \$393.50 \$421.26 NRC - Disconnect Charge - 1st \$129.62 NA UDL56 NA NA \$87.99 \$128.36 NA \$44.05 NA NRC - Disconnect Charge - Add'l UDL56 \$64.25 NA NA NA \$44.24 \$64.35 NA \$13.55 NA NRC - Incremental Charge - Manual Service Order - 1st SOMAN \$27.37 NA \$18.94 NA \$18,14 \$25.52 \$26.94 NA NA Π NRC - Incremental Charge - Manual Service Order - Add'l SOMAN \$12.97 NA \$8.42 NA \$8.06 \$11.34 \$12.76 NA NA NRC - Incremental Charge - Manual Service Under - Manual Service Und NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN \$17.77 NA NA NÁ \$11.41 \$16.06 NA NA NA OCOSL \$45.99 \$55.00 \$34.22 NA \$32.77 \$45.27 \$45.34 \$45.43 \$55.00 4-Wire 64 Kbps Dig Grade Loop, per month RC - Statewide, per month UDL64 NA NA NA NA NA NA \$12.67 \$41.70 \$42.23 RC - Zone 1, per month (Note 2) UDL64 \$27.33 \$39.08 \$25.75 NA \$27.50 \$25.61 TED \$34,26 \$36,45 RC - Zone 2, per month (Note 2) UDL64 \$44.40 \$57.21 \$29,74 NA \$47.24 \$33.94 TBD \$51.67 \$45.87 \$126.22 RC - Zone 3, per month (Note 2) UDL64 \$80,45 \$47.27 NA \$96.48 \$48.51 TED \$68.43 \$65.75 RC - Zone 4, per month (Note 2) UDL64 NA NA NA NA \$64.02 NA NA NA NÁ NRC - 1st UDL 64 \$498.05 \$654.72 \$348.55 NA \$333.28 \$488.00 \$489.04 \$643.00 \$802.73 \$393,50 \$421,26 NRC - Add'l UDL64 \$343.70 \$428.45 \$241.20 NA \$230.50 \$337.93 \$337.51 NRC - Disconnect Charge - 1st UDL64 \$129.62 NA NA \$87.99 \$128.36 NA \$44.06 NA NA LIDI 64 NA NÅ NĂ ŇĀ \$13.55 NA NRC - Disconnect Charge - Add'l \$64.25 \$44.24 \$64.35 SOMAN \$18.94 ŇÄ NA \$27.37 NA \$18.14 \$25.52 \$26.94 NRC - Incremental Charge - Manual Service Order - 1st NA NRC - Incremental Charge - Manual Service Order - Add's SOMAN \$12.97 NA \$8,42 NA \$8.06 \$11.34 \$12.76 NA NA SOMAN NA NA Π NRC - Incremental Charge - Manual Service Order - Disconnect \$17.77 NA NA NA \$11.41 \$16.06 NA NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) OCOSL \$45.99 \$55.00 \$34.22 NĂ \$32.77 \$45.27 \$45.34 \$45,43 \$55.00 2-Whe Unbundled Copper Loop/Short (less than or equal to 18kft), includes manual service inquiry and facility reservation, per month, statewide * UCLPB \$15.11 \$18.00 \$13.97 \$11.89 \$21.00 \$19.00 \$20.81 RC - Statewide, per month NA \$12.16 \$18.60 \$18.80 UCLPB TBD \$19.80 TEO \$16.85 TBD \$18.90 \$19.85 RC - Zone 1, per month (Note 2) RC - Zone 2, per month (Note 2) UCLPB TBD \$27.23 \$22.86 180 \$25.85 \$22.34 180 \$28.50 \$24.98 RC - Zone 3, per month (Note 2) UCLPB TBD \$60.07 \$36.34 TBD \$39,14 \$31.92 TBD \$37.75 \$35.81 UCLPB NA NA \$42.13 NA RC - Zone 4, per month (Note 2) NÅ NA ŇÅ NA NA \$514.21 \$340.00 \$713.50 NRC - 1st UCLPB \$395.16 \$340.00 \$504.82 \$450.00 \$600.61 \$270.01 П INRC - Add1 UCLPB \$464.58 \$300.00 \$217.39 \$609.44 \$300.00 \$456.24 \$390.00 \$507.33 \$234.63 UCLPB TBD TBD \$142.27 NA \$72.54 \$105.86 NA \$74.54 NRC - Disconnect Charge - 1st NA

BELLSOUTHINATC BATES

Version 2000:8/10/00

-

BELLSOUTHINATC RATES NETWORK ELEMENTS

			AND OTHER SI	ERVICES							
11	NRC - Disconnect Charge - Add'l	UCLPB	TBD	TBD	\$37.86	NA	\$39,42	\$57.25	NA	NĂ	\$39.14
П	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$47.00	\$47.00	\$18.94	\$47.00	\$18.14	\$25.52	\$47.00	\$47.00	NA
Π	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$21.00	\$21.00	\$8.42	\$21.00	\$8.06	\$11.34	\$21.00	\$25.52	NA
П	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	\$142.27	\$17.77	\$11.41	\$16.06	NA	\$21.00	NA
П	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'J	SOMAN	\$17.77	NA	\$37.86	\$17.77	\$11.41	\$16.06	NA	\$21.00	NA
Π	NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	\$16.00	\$16.00	\$36.46	\$16.00	\$32.77	\$45.27	\$16.00	\$45.43	\$34.29
Π					1						
Π				1		1					<u>├</u>
2	Wire Unbundled Copper Loop/Short (less than or equal to 18kft), without					1]		
	anual service inquiry and facility reservation, per month, statewide	UCLPW	NA	NA	NA	NA	NA	NA	\$19.00	NA	\$12.16
╎┤═╕	Zone 1, per month	UCLPW	TBO	\$18.60	\$11.90	TBD	TBD	\$16.85	TBD	TBD	TBD
	Zone 2, per month	UCLPW	TBD	\$27.23	\$13.74	TBD	TED	\$22,34	TED	TBD	
	Zone 3, per month	UCLPW	TBD	\$60.07	\$21.83	TBD	TBD	\$31.92	TBD	TBD	TBD
	Zone 4, per month	UCLPW	NA	NA	NA NA	NA		\$42.13	NA	NA	NA IBD
	NRC - 1st	UCLPW	\$375.21	\$201.00	\$154.13	\$574.50	\$201.00	\$365.82	\$311.00	\$461.61	
H	NRC - Add1	UCLPW	\$325.58	\$161.00	\$139.75	\$470.44	\$161.00	\$317.24	\$251.00	\$968.33	\$131.01
H^{-}	NRC - Disconnect Charge - 1st	UCLPW	TBD	TBD	\$140.73	NA	\$72.54	\$105.86	3201.00 NA	NA	
H^{-}	NRC - Disconnect Charge - Add1	UCLPW	TBD	TBD	\$37.45	NA	\$39.42	the second s	NA		\$74.54
H^{-}	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$47.00	\$47.00	NA	\$47.00	\$18.14	\$57.25 \$25.52	\$47.00	NA \$47.00	\$39.14
┢╋┈	NRC - Incremental Charge - Manual Service Order - Addit	SOMAN	\$21.00	\$21.00	NA NA	\$21.00	\$8.06	\$11.34	\$47.00 \$21.00	\$47.00	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	\$17.77	\$11.41	\$16.06	NA		NA NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Addi	SOMAN	\$17.77	NA	NA	\$17.77	\$11.41	\$16.06	NA	\$21.00	
	NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	\$16.00	\$16.00	\$36.46	NA	\$32.77	\$45.27	\$16.00	\$21.00	NA T
H^{-}		OOLHO	910.00	410.00	4000.40	1967	\$0K.11	440.21	\$10.00	\$45,43	\$34.29
	RC - Statewide, per month RC - Zone 1, per month (Note 2)	UCL2L	\$40.00 TBD	\$35.00 \$18.60	\$41.61 \$19.90	\$40.00 TBD	\$37.00 \$18.80	\$45.00 \$16.85	\$35.00 TBD	\$40.00	\$35.00
╞┿╾	RC - Zone 2, per month (Note 2)	UCL2L		\$18.60 \$27.23	\$19.80 \$22.86	TBD	\$18.80 \$25.85	\$16.85 \$22.34	TBD	\$18.90	\$19.85
┢╆╌	RC - Zone 3, per month (Note 2)			\$2 /23	322.00	1 1151.1					
			I ton	£80.07						\$28.50	\$24.98
11			TBD	\$60.07	\$36.34	TBD	\$39.14	\$31.92	TBD	\$37.75	\$35.81
μ_	RC - Zone 4, per month (Note 2)	UCL2L	NA	NA	\$36.34 NA	TBD NA	\$39.14 NA	\$31.92 \$42.13	TBD NA	\$37.75 NA	\$35.81 NA
	RC - Zone 4, per month (Note 2) NRC - 1st	UCL2L UCL2L	NA \$514.21	NA \$340.00	\$38.34 NA \$395.16	TBD NA \$713.50	\$39.14 NA \$340.00	\$31.92 \$42.13 \$504.82	TBD NA \$450.00	\$37.75 NA \$600.61	\$35.81 NA \$270.01
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'l	UCL2L UCL2L UCL2L	NA \$514.21 \$464.58	NA \$340.00 \$300.00	\$36.34 NA \$395.16 \$217.39	TBD NA \$713.50 \$609.44	\$39.14 NA \$340.00 \$300.00	\$31.92 \$42.13 \$504.82 \$456.24	TBD NA \$450.00 \$390.00	\$37.75 NA \$600.61 \$507.33	\$35.81 NA \$270.01 \$234.63
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'I NRC - Disconnect Charge - 1st	UCL2L UCL2L UCL2L UCL2L	NA \$514.21 \$464.58 NA	NA \$340.00 \$300.00 NA	\$36.34 NA \$395.16 \$217.39 \$142.27	TBD NA \$713.50 \$609.44 NA	\$39.14 NA \$340.00 \$300.00 \$72.54	\$31.92 \$42.13 \$504.82 \$456.24 \$105.86	TBD NA \$450.00 \$390.00 NA	\$37.75 NA \$600.61 \$507.33 NA	\$35.81 NA \$270.01 \$234.63 \$74.54
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'l NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l	UCL2L UCL2L UCL2L UCL2L UCL2L	NA \$514.21 \$464.58 NA NA	NA \$340.00 \$300.00 NA NA	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86	TBD NA \$713.50 \$609.44 NA NA	\$39.14 NA \$340.00 \$300.00 \$72.54 \$39.42	\$31.92 \$42.13 \$504.82 \$458.24 \$105.86 \$57.25	TBD NA \$450.00 \$390.00 NA NA	\$37.75 NA \$600.61 \$507.33 NA NA	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'I NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'I NRC - Disconnect Charge - Add'I NRC - Incremental Charge - Manual Service Order - 1st	UCL2L UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN	NA \$514.21 \$464.58 NA NA \$47.00	NA \$340.00 \$300.00 NA NA \$47.00	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94	TBD NA \$713.50 \$609.44 NA NA \$47.00	\$39.14 NA \$340.00 \$300.00 \$72.54 \$39.42 \$18.14	\$31.92 \$42.13 \$504.82 \$456.24 \$105.86 \$57.25 \$25.52	TBD NA \$450.00 \$390.00 NA NA \$47.00	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00	\$36.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'l NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 4dd'l	UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN	NA \$514.21 \$464.58 NA NA \$47.00 \$21.00	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$8.42	TBD NA \$713.50 \$609.44 NA NA \$47.00 \$21.00	\$39.14 NA \$340.00 \$300.00 \$72.54 \$39.42 \$18.14 \$8.06	\$31.92 \$42.13 \$504.82 \$456.24 \$105.88 \$57.25 \$25.52 \$11.34	TBD NA \$450.00 \$390.00 NA NA \$47.00 \$21.00	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52	\$35.81 NA \$270.01 \$234.83 \$74.54 \$39.14 NA NA
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add"I NRC - Incremental Charge - Add"I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st	UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN	NA \$514.21 \$464.58 NA NA \$47.00 \$21.00 \$17.77	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$8.42 \$142.27	TBD NA \$713.50 \$809.44 NA NA \$47.00 \$21.00 \$17.77	\$39.14 NA \$340.00 \$300.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41	\$31.92 \$42.13 \$504.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.08	TBD NA \$450.00 \$390.00 NA NA \$47.00 \$21.00 NA	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add"I NRC - Incremental Charge - Add"I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add"L	UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN SOMAN	NA \$514.21 \$464.58 NA NA \$47.00 \$21.00 \$21.00 \$17.77 \$17.77	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA NA	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$8.42 \$142.27 \$37.86	TBD NA \$713.50 \$609.44 NA NA \$47.00 \$21.00 \$17.77 \$17.77	\$39.14 NA \$340.00 \$300.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41	\$31.92 \$42.13 \$504.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$16.06	TBD NA \$450.00 \$390.00 NA NA \$47.00 \$21.00 NA NA	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00 \$21.00	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA NA
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add"I NRC - Incremental Charge - Add"I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st	UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN	NA \$514.21 \$464.58 NA NA \$47.00 \$21.00 \$17.77	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$8.42 \$142.27	TBD NA \$713.50 \$809.44 NA NA \$47.00 \$21.00 \$17.77	\$39.14 NA \$340.00 \$300.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41	\$31.92 \$42.13 \$504.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.08	TBD NA \$450.00 \$390.00 NA NA \$47.00 \$21.00 NA	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'l NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L NRC - Incremental Charge - Manual Order Coordination - per loop Mre Unbundled Copper Loop/Long (greater than 18kft), without manual service	UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN SOMAN	NA \$514.21 \$464.58 NA NA \$47.00 \$21.00 \$21.00 \$17.77 \$17.77	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA NA	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$8.42 \$142.27 \$37.86	TBD NA \$713.50 \$609.44 NA NA \$47.00 \$21.00 \$17.77 \$17.77	\$39.14 NA \$340.00 \$300.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41	\$31.92 \$42.13 \$504.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$16.06	TBD NA \$450.00 \$390.00 NA NA \$47.00 \$21.00 NA NA	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00 \$21.00	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA NA
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Stat NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Order Coordination - per loop Mire Unbundled Copper Loop/Long (greater than 18kft), without menual service quiry and facility reservation, per month, statewide	UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN UCLMC	NA \$514.21 \$464.58 NA NA \$47.00 \$21.00 \$21.00 \$17.77 \$17.77	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA NA	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$8.42 \$142.27 \$37.86	TBD NA \$713.50 \$609.44 NA NA \$47.00 \$21.00 \$17.77 \$17.77	\$39.14 NA \$340.00 \$300.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41	\$31.92 \$42.13 \$504.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$16.06	TBD NA \$450.00 \$390.00 NA NA \$47.00 \$21.00 NA NA	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00 \$21.00	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA NA
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - 1st NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Order Coordination - per loop Mre Unbundled Copper Loop/Long (greater than 18kft), without menual service ulry and facility reservation, per month, statewide Zone 1, per month	UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN SOMAN UCLMC	NA \$514.21 \$464.58 NA \$47.00 \$21.00 \$17.77 \$17.77 \$16.00	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA NA \$16.00	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$8.42 \$142.27 \$37.86 \$38.46	TBD NA \$713.50 \$609.44 NA NA \$47.00 \$21.00 \$17.77 \$17.77 \$16.00	\$39.14 NA \$340.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41 \$12.77	\$31.92 \$42.13 \$604.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$46.27	TBD NA \$450.00 \$390.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$46.00	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00 \$21.00 \$45.43	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA NA \$34.29
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'l NRC - Disconnect Charge - 1st NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRE - Incremental Charge - Manual Service Order - Disconnect - Add'l. Net Unbundled Copper Loop/Long (great	UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN UCLMC	NA \$514.21 \$464.58 NA NA \$47.00 \$21.00 \$17.77 \$17.77 \$18.00 \$40.00	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA NA \$16.00 \$35.00	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$84.42 \$142.27 \$37.86 \$36.46 \$36.46 \$37.00	TBD NA \$713.50 \$609.44 NA \$47.00 \$21.00 \$17.77 \$16.00 \$40.00	\$39.14 NA \$340.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41 \$32.77 \$37.00	\$31.92 \$42.13 \$604.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$45.27 \$45.20 \$45.00	TBD NA \$450.00 \$390.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00 \$21.00 \$45.43 \$40.00	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA NA \$34.29 \$35.00
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'I NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. Net - Increme	UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN SOMAN UCLMC	NA \$514.21 \$464.58 NA NA \$47.00 \$21.00 \$17.77 \$17.77 \$16.00 \$40.00 TBD	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA \$16.00 \$35.00 TBD	\$38.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$84.42 \$18.94 \$84.42 \$18.94 \$84.42 \$18.94 \$86.42 \$18.94 \$37.86 \$38.46 \$37.00 TBD	TBD NA \$713.50 \$609.44 NA NA \$47.00 \$21.00 \$17.77 \$16.00 \$17.77 \$16.00 \$19.00 \$40.00 TBD	\$39.14 NA \$340.00 \$300.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41 \$11.41 \$11.41 \$32.77 \$37.00 TBD	\$31.92 \$42.13 \$504.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$16.06 \$46.27 \$445.27 \$445.27 \$445.00 TBD	TBD NA \$450.00 \$390.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$45.00 \$36.00 TBD	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00 \$21.00 \$45.43 \$45.43 \$45.43	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA \$34.29 \$35.00 TBD
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'l NRC - Disconnect Charge - 1st NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l. NRE - Incremental Charge - Manual Service Order - Disconnect - Add'l. Net Unbundled Copper Loop/Long (great	UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN UCLMC UCL2W UCL2W UCL2W	NA \$514.21 \$464.58 NA \$47.00 \$21.00 \$17.77 \$17.77 \$16.00 \$40.00 TBD TBD	NA \$340.00 \$300.00 NA \$47.00 \$21.00 NA \$16.00 \$35.00 TBD	\$38.34 NA \$395.16 \$142.27 \$37.86 \$142.27 \$37.86 \$18.94 \$84.42 \$142.27 \$37.86 \$38.46 \$38.46 \$37.00 TBD	TBD NA \$713.50 \$609.44 NA \$47.00 \$21.00 \$21.00 \$17.77 \$17.77 \$17.77 \$16.00 \$40.00 TBD TBD	\$39.14 NA \$340.00 \$702.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41 \$322.77 \$37.00 TBD	\$31.92 \$42.13 \$604.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$16.06 \$45.27 \$45.27 \$45.00 TBD	TBD NA \$450.00 \$390.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$46.00 \$16.00 \$385.00 TBD TBD	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00 \$21.00 \$45.43 \$40.00 TBD TBD	\$36.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA NA \$34.29 \$35.00 TBD TBD
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'I NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I.	UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN UCLMC UCL2W UCL2W UCL2W UCL2W	NA \$514.21 \$464.58 NA \$47.00 \$21.00 \$17.77 \$17.77 \$16.00 TBD TBD TBD	NA \$340.00 \$300.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA S16.00 TBD TBD TBD TBD	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$6.42 \$142.27 \$37.86 \$36.46 \$36.46 \$36.46 \$37.00 TBD TBD	TBD NA \$713.50 \$609.44 NA \$47.00 \$21.00 \$17.77 \$17.77 \$16.00 \$40.00 TBD TBD TBD	\$39.14 NA \$340.00 \$70.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41 \$11.41 \$11.41 \$32.77 \$37.00 TBD TBD	\$31.92 \$42.13 \$604.82 \$458.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$16.06 \$16.06 \$465.27 \$45.27 \$45.27 \$45.27 \$45.27 \$45.20 TBD TBD	TBD NA \$450.00 \$390.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$46.00 \$16.00 TBD TBD TBD	\$37.75 NA \$600.61 \$507.33 NA \$47.00 \$25.52 \$21.00 \$25.52 \$21.00 \$25.52 \$21.00 \$45.43 \$	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA NA \$34.29 \$35.00 TBD TBD TBD TBD TBD
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'I NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I.	UCL2L UCL2L UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN SOMAN UCLMC UCL2W UCL2W UCL2W UCL2W UCL2W	NA \$514.21 \$464.58 NA \$47.00 \$21.00 \$17.77 \$17.77 \$17.77 \$16.00 TBD TBD TBD TBD TBD	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA \$16.00 TBD TBD TBD TBD TBD TBD	\$38.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$8.42 \$142.27 \$37.86 \$36.46 \$36.46 \$37.00 TBD TBD TBD NA	TBD NA \$713.50 \$609.44 NA \$47.00 \$21.00 \$17.77 \$17.77 \$16.00 \$40.00 TBD TBD TBD TBD TBD	\$39.14 NA \$340.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41 \$11.41 \$32.77 \$37.00 TBD TBD TBD TBD NA	\$31.92 \$42.13 \$604.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$16.06 \$45.27 \$45.27 \$45.27 \$45.27 \$45.27 BD TBD TBD NA	TBD NA \$450.00 \$390.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$16.00 TBD TBD TBD TBD TBD NA \$311.00	\$37.75 NA \$600.61 \$507.33 NA \$47.00 \$25.52 \$21.00 \$25.52 \$21.00 \$25.52 \$21.00 \$45.43 \$45.43 \$40.00 TBD TBD TBD TBD TBD TBD NA \$461.61	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA NA \$34.29 \$35.00 TBD TBD TBD TBD TBD NA \$131.01
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'I NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I.	UCL2L UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN SOMAN UCLMC UCL2W UCL2W UCL2W UCL2W UCL2W UCL2W	NA \$514.21 \$464.58 NA \$47.00 \$21.00 \$17.77 \$17.77 \$17.77 \$16.00 TBD TBD TBD TBD TBD TBD NA \$375.21	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 NA NA \$16.00 \$35.00 TBD TBD TBD TBD TBD TBD TBD NA \$201.00	\$36.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$8.42 \$142.27 \$37.86 \$36.46 \$36.46 \$37.00 TBD TBD TBD TBD NA \$154.13	TBD NA \$713.50 \$609.44 NA \$47.00 \$21.00 \$17.77 \$17.77 \$16.00 \$40.00 TBD TBD TBD TBD TBD TBD NA \$574.50	\$39.14 NA \$340.00 \$72.54 \$39.42 \$18.14 \$8.06 \$11.41 \$11.41 \$11.41 \$32.77 \$37.00 TBD TBD TBD TBD TBD NA \$201.00	\$31.92 \$42.13 \$604.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$45.27 \$45.27 \$45.27 \$45.20 TBD TBD TBD TBD NA \$365.82	TBD NA \$450.00 \$390.00 NA NA \$47.00 \$21.00 NA \$16.00 TBD TBD TBD TBD NA	\$37.75 NA \$600.61 \$507.33 NA \$47.00 \$25.52 \$21.00 \$25.52 \$21.00 \$25.52 \$21.00 \$45.43 \$	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA \$34.29 \$35.00 TBD TBD TBD TBD TBD TBD TBD NA \$131.01 \$95.63
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'I NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'I NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Order Coordination - per loop Mme Unbundled Copper Loop/Long (greater than 18kft), without menual service quiry and facility reservation, per month, statewide Zone 1, per month Zone 2, per month Zone 3, per month Zone 4, per month NRC - Add'I	UCL2L UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN SOMAN UCLMC UCL2W UCL2W UCL2W UCL2W UCL2W UCL2W UCL2W	NA \$514.21 \$464.58 NA \$47.00 \$21.00 \$17.77 \$17.77 \$17.77 \$16.00 TBD TBD TBD TBD TBD TBD TBD TBD TBD	NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 \$21.00 \$21.00 \$21.00 \$25.00 TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD	\$38.34 NA \$395.16 \$217.39 \$142.27 \$37.86 \$18.94 \$84.42 \$142.27 \$37.86 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.46 \$38.45 \$38.55\$\$35\$\$35\$\$35\$\$35\$\$35\$\$35\$\$35\$\$35\$\$35\$	TBD NA \$713.50 \$609.44 NA NA \$47.00 \$21.00 \$21.00 \$17.77 \$16.00 \$17.77 \$16.00 \$40.00 TBD TBD TBD TBD TBD NA \$47.50 \$470.44	\$39.14 NA \$340.00 \$702.54 \$39.42 \$18.14 \$80.66 \$11.41 \$11.41 \$12.77 \$37.00 TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD	\$31.92 \$42.13 \$504.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$46.07 \$46.00 TBD TBD TBD TBD TBD TBD NA \$366.82 \$317.24	TBD NA \$450.00 \$390.00 NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$16.00 \$35.00 TBD TBD TBD NA \$311.00 \$251.00	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00 \$21.00 \$21.00 \$245.43 \$45.43 \$45.43 \$461.61 \$368.33 NA	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA NA \$34.29 \$35.00 TBD TBD TBD TBD TBD TBD TBD XA \$131.01 \$95.63 \$74.54
	RC - Zone 4, per month (Note 2) NRC - 1st NRC - Add'I NRC - Disconnect Charge - 1st NRC - Disconnect Charge - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I. NRC - Incremental Charge - Service Order - Disconnect - Add'I. NRC - Incremental Charge - 1st	UCL2L UCL2L UCL2L UCL2L SOMAN SOMAN SOMAN SOMAN UCLMC UCL2W UCL2W UCL2W UCL2W UCL2W UCL2W UCL2W UCL2W UCL2W UCL2W	NA \$514.21 \$464.58 NA \$47.00 \$21.00 \$17.77 \$17.77 \$16.00 TBD TBD TBD TBD TBD TBD XA \$375.21 \$325.58 NA	NA \$340.00 \$300.00 NA \$47.00 \$21.00 NA \$16.00 \$35.00 TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD	\$38.34 NA \$395.16 \$142.27 \$37.86 \$18.94 \$6.42 \$142.27 \$37.86 \$38.46 \$386.46 \$386.46 \$386.46 \$37.00 TBD TBD TBD TBD TBD TBD TBD TBD TBD	TBD NA \$713.50 \$609.44 NA NA \$47.00 \$21.00 \$21.00 \$17.77 \$17.77 \$16.00 \$16.00 TBD TBD TBD TBD TBD TBD TBD TBD S574.50 \$470.44 NA	\$39.14 NA \$340.00 \$70.00 \$72.54 \$39.42 \$18.14 \$39.42 \$18.14 \$39.42 \$18.14 \$39.42 \$18.14 \$39.42 \$18.14 \$11.41 \$32.77 \$37.00 TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD	\$31.92 \$42.13 \$404.82 \$456.24 \$105.86 \$57.25 \$25.52 \$11.34 \$16.06 \$45.27 \$445.00 TBD TBD TBD TBD TBD TBD TBD TBD TBD TBD	TBD NA \$450.00 \$390.00 NA NA \$47.00 \$21.00 NA \$47.00 \$21.00 NA \$16.00 \$35.00 TBD TBD TBD NA \$311.00 \$251.00 NA	\$37.75 NA \$600.61 \$507.33 NA NA \$47.00 \$25.52 \$21.00 \$21.00 \$45.43 \$40.00 TBD TBD TBD TBD TBD TBD TBD TBD TBD	\$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 NA NA \$34.29 \$35.00 TBD TBD TBD TBD TBD TBD TBD NA \$131.01 \$95.63

BELLBOUTHINATC RATES NETWORK ELEMENTS AND OTHER SECONDER

.

.

			AND OTHER SE	AMCES							
I	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	TBD	\$17. <u>77</u>	\$11.41	\$16.06	NA	\$21.00	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L	SOMAN	\$17.77	NA	TBD	\$17.77	\$11.41	\$16.06	NA	\$21.00	NA
	NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	\$16.00	\$16.00	\$36.46	\$16.00	\$32.77	\$45.27	\$16.00	\$45.43	\$34.29
-	Wire Unbundled Copper Loop/Short (less then or equal to 18kft), includes										
	anual service inquity and facility reservation, per month, statewide *	UCL4S	TBD	TBD	\$19.34	TBD	TBD	TBD	TBD	TBD	TBD
100	Zone 1, per month	UCL4S	TBD	TBD	\$15.65	TBD	TBD	TBD	TBD	TBD	TBD
-	Zone 2, per month	UCLAS	TBD	TBD	\$19.22	TBD	TBD	TBD	TBD	TBD	TBD
┢	Zone 3, per month	UCL4S	180	TBD	\$30.55	TBD	TBD	TBD	TBD	TBD	TBD
-	Zone 4, per month	UCL4S	NA	NA	NA	NA	NA	TBD	NA	NA	NA
┝╍╍	NRC - 1st	UCL4S	TBD	TBD	\$353.80	TBD	TBD	TBD	TBD	TBD	TBD
	NPIC - Add'I	UCL4S	TBD	TBD	\$162.61	TBD	TBD	TBD	TBD	TBD	TBD
	NRC - Disconnect Charge - 1st	UCLAS	TBD	TBD	\$156.25	TBD	TBD	TBD	TBD	TBD	TBD
<u> </u>	NRC - Disconnect Charge - Add1	UCL4S	TBD	TBD	\$41.96	TBD	TBD	TBD	TBD	TBD	TBD
-	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD	TBD	NA	TBD	TBD	TBD	TBD	TBD	TBD
	INRC - Incremental Charge - Manual Service Order - Add1	SOMAN	TBD	TBD	NA	TBD	TBD	TBD	TBD	TBD	TBD
┞	NRC - Incremental Charge - Manual Service Order - Addr NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBD	TBD	NA	TBD	TBD	TBD	ТВО	TBD	тво
+	NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	<u>+ твр</u>	TBD	\$36.46	TBD	TBD	TBD	TBD	TBD	TBD
┢											
	Wire Unbundied Copper Loop/Short (less than or equal to 18kft), <u>without</u>	UCL4W	тво	тво	\$19.34	TBD	тво	TBD	тво	тво	TBD
1010	anual service inquiry and facility reservation, per month, statewide	UCL4W	TBD	TBD	\$16.65	TBD	TBD	TBD	TBD	TBD	
┣	Zone 1, per month	UCL4W	TBD	TBD	\$19.22	TBD		TBD	TBD	TBD	
⊢	Zone 2, per month	UCL4W	TBD		\$30.55	TBD	TBD	TBD	TBD	TBD	TBD
	Zone 3, per month	UCL4W	NA NA	NA NA	NA	NA	NA	NA	NA	NA	NA
⊢	Zone 4, per month	UCLAW		TBD	\$214.80	TBD	TBD	TED	TBD	TBD	TBD
-	NNG - 1st NRC - Add1	UCL4W	1 TBD	TBD	\$162.61	TBD	TBD	TBD	TBD	TBD	TBD
⊢	NRC - Disconnect Charge - 1st	UCL4W	TBD	TBD	\$156.25	TBD	TBD	TBD	TBD	TBD	TBD
┢	NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add1	UCL4W	TBD	TBD	\$41.96	TBD	180	TBD	TBD	TBD	TED
┢	NRC - Incremental Charge - Add t NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD	TBD	NA	TBD	TBD	TBD	TBD	TBD	
╂	NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	TBD	TBD	NA	TBD	TBD	180	TBD	TBD	
+	NRC - Incremental Charge - Manual Service Order - Add 1 NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBD	TBD	NA NA	TBO	TBD	TBO	TBD	TBD	TBD
┞	NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Order Coordination - per loop	UCLMC	TBD	TBD	\$36.46	TBD	TBD	TBD	TBD	TBD	TBD
	Wire Unbundled Copper Loop/Long (greater than 18kft), <u>includes</u> manual								1785		тво
	ervice ingury and reservation, per month, statewide	UCL4L		TBD	\$55.86	TBD	TBD TBD	TBD	TBD TBD	TBD	TBD
	Zone 1, per month	UCLAL	TBD	TBD	\$47.56	TBD		TBD			
	Zone 2, per month	UCL4L	TBD	TBD	\$54.92	TBD	1 180 1 1780	TBD		TBD	TBD
1	Zone 3, per month	UCL4L	TBD	TBD	\$87.30	TBD	NA	TBN	NA	NA	NA NA
	Zone 4, per month	UCL4L	NA	NA	NA	NA	TBD	18N 180	TBD	TBD	TED
	NRC - 1st	UCL4L	TBD	TBD	\$397.06	TBD			180	TBD	TBD
	NRC - Add1	UCL4L	TBD	TBD	\$227.88	TBD	TBD	180			
	NRC - Disconnect Charge - 1st	UCL4L	TBO	TBD	\$156.25	TBD	TBD	TBO	180	TBD	TBD
	NRC - Disconnect Charge - Add'l	UCL4L	TBD	TBD	\$41.96	TBD	TBO	TBD	TBD	TBO	TBD
Γ	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBD	TBO	NA	TBD	TBD	TBD	180	TBD	TBD
Γ	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN		TBD	NA	TBD	TBD	TBD	TED	TBD	TBD
	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBD	TBD	NA	TBD	TBD	OBT	TBD	TBO	TBD
F	NRC - Incremental Charge - Manual Order Coordination - per toop	UCLMC		TBO	\$36.46	TBD	TBO	TBD	TBD	TBO	TBD
4	Wire Unbundled Copper LoopfLong (greater than 18kft), without manual service	100.00		700	65F 00	TBD	TBD	тво	TBD	тво	TBD
lin	quiry and facility reservation, per month, statewide	UCL40	TBD	TBD	\$55.86	TBD	TBD	TBD	TBD	TIBD	
1	Zone 1, per month	UCL40	TBO	TBD	\$47.56				TBD	TBD	TBO
1	Zone 2, per month	UCL40		TBD	\$54.92	TBD	TBD		TBD		
	Zone 3, per month	UCL40	TBD	TBO	\$87.30	TBD	TBD	TBD		TBD	TBD
1	Zone 4, per month	UCL40	NA	NA	NA	NA	NA	TBN	NA	NA	NA

Version 2000;8/10/00

Image: Second Chage - Ltd LCLAD TBD TBD<			NELLSOUTHINAT	EMENTS							Exhibit D Rates - Page 6	
Image: Discorrect Charge - Lat UGL40 TB0 TB0 <th< th=""><th>NRC - 1st</th><th>UCL40</th><th>TBD</th><th>TBD</th><th>\$397.06</th><th>TBD</th><th>TBD</th><th>TBD</th><th>TBD</th><th>TBO</th><th>TBD</th><th></th></th<>	NRC - 1st	UCL40	TBD	TBD	\$397.06	TBD	TBD	TBD	TBD	TBO	TBD	
Image: Discoverse: Origing - Addity UCL40 TBD	NRC - Add1	UCL40	TBD	TBD	\$227.88	TBD	TBD _	TBD	TBD	TBD	TBD	
Image: Instand Survay Deck: 18 SOMAN TBD TBD <th< td=""><td>NRC - Disconnect Charge - 1st</td><td>UCL40</td><td>TBD</td><td>TBO</td><td>\$156.25</td><td>TBD</td><td>TBD</td><td>TBD</td><td>TBD</td><td>TBD</td><td>TBD</td><td></td></th<>	NRC - Disconnect Charge - 1st	UCL40	TBD	TBO	\$156.25	TBD	TBD	TBD	TBD	TBD	TBD	
Image: Inter-Incomment Charge-Manual Service Oxfor - 141 EXXXVI TBD TBD TND TRD TBD TND TBD TND TRD TBD TND TRD TBD TND	NRC - Disconnect Charge - Add'l	UCL40	TBD	TBD	\$41.96	TBD	TBD	TBD	TBD	TBD	TBD	
Image: Next - recommental Congene - Manual Service Oxider - Admin SOMAW TBD TBD <td></td> <td>SOMAN</td> <td>TBD</td> <td>TBD</td> <td>NA</td> <td>TBD</td> <td>TBD</td> <td>TBD</td> <td>TBD</td> <td>TBD</td> <td>TBD</td> <td>(</td>		SOMAN	TBD	TBD	NA	TBD	TBD	TBD	TBD	TBD	TBD	(
Image: Incremental Charge: Manual Service Order - Deconnect: SQUAN TBO		SOMAN	TBO	TBD	NA	TBD	TBD	TBD	TBD	TBD	TBD	
Image: Incomparation long: Manual Octor Coordination _ per loop UELKC TB0		SOMAN	TBD	TBD	NA	TBD	TBD	TBO	TBD	TBD	TBD	
Dest Local Long File		UCLMC	TBD	TBD	\$36.46	TBD	TBD	TBD	TBD	TBD	TBD	
Endst Understein Loop - per million TLSRD \$10.56 \$11.71 \$10.56 \$11.71 \$10.50 \$10			1							<u> </u>		
DisS Unsudied Loop- per facility Termination UESPX F410.06 F407.81 S405.05 F407.81 F413.00 F407.81 F413.00 F407.81 F413.00 F407.81 F413.00 F407.81 F413.00 F407.81 F413.00 F407.81 F407.85 F507.22 F772.22 F772.23 F773.42 F773.10		1LSND	\$10.85	\$11.97	\$8.90	\$43.69	\$11.26	\$54.39	\$11.40	\$15.53	\$30.53	(
Imit: Function UBBYX 9840.54 8910.54 8920.50 FL0P1.00 8977.22 FTS 20 FTS 42 FTS 20 INTC: Fuelgy Tamination Decomet - 14t UBBYX 5502.54 <		UE3PX	\$419.65					\$427.81	\$413.09	\$421.60	\$400.21	
Image Failing Function USBYN 4408.82 440.82								\$975.22		\$735.42	\$726.16	
Image: Energity Emmination - Disconnect - 1st UESPX \$121.72 \$223.20 \$122.31 NA \$102.36 \$100.28 INIC: Facily Termination - Disconnect - 4dd1 UESPX \$113.44 NA \$100.28 NA NA \$100.28 NA NA \$100.28 NA											\$411.64	
Image: Facility Termination: Display: S118_24 S118_24 S118_24 S118_24 S102_59 NA NA S102_59 NRC: Manual Svocting, part LSR S004AN NA S12_51 S12_50 S12_50 </td <td></td> <td>\$103.96</td> <td></td>											\$103.96	
Image Sectory, per LSR SOMAN NA S17.3 NA <									NA	NA		
Implementation Bit Rote Named Service Order, per LSR disconnect SOMEC NA									NA	NA		
INRC: Elsconto: Security: Status St												
ImPC - Electronic Size Order, part LBP disconnect SOMAN S												F
INRC - Incremental Cherge - Manual Stor Oxfer - 14d1 SOMANN \$\$34.34 \$\$34.32 \$\$86.82 \$\$50.00 \$\$42.28 NA INRC - Incremental Cent - Manual Svc. Oxfer - Abd1 SOMANN \$\$34.32 \$\$34.32 \$\$86.82 \$\$50.00 \$\$42.38 NA INRC - Incremental Cent - Manual Svc. Oxfer - Abd1 SOMANN \$\$18.03 NA \$\$17.55 NA \$\$34.32 \$\$86.82 \$\$50.00 \$\$42.38 NA												
INRC Inreger-Manual Svc. Order - AddT SOMAN \$88.49 NA \$15.03 NA \$15.03 NA \$28.59 NA NA INRC Inreger-Manual Svc. Order vs. Elect-Disconnect-AddT SOMAN \$19.03 NA \$15.03 NA \$28.59 NA NA NA ISTS-1 Longerturbic Coll Loop. pr Endity Termination 11.6ND \$10.05 \$11.20 \$43.90 \$11.20 \$42.80 \$11.40 \$15.28 \$20.21 ISTS-1 Unburdled Local Loop. pr Endity Termination 10.055 \$11.27 \$42.00 \$11.20 \$42.80 \$11.40 \$15.28 \$30.21 INRC - STS-1 - Feadity Termination - AddT UDLS1 \$44.94.0 \$30.30 \$43.80 \$42.12 \$42.81 \$42.12 \$42.83 \$42.12 \$42.83 \$42.12 \$42.83												
INPC - Incremental Cost - Manual Src. Octar vs. Bied-Neconmech ddf SOMAN \$19.03 N.A. \$18.03 N.A. \$28.99 N.A. N.A. N.A. INPC - Incremental Cost - Manual Src. Octar vs. Bied-Neconmech ddf SOMAN \$19.03 N.A. \$18.09 N.A. \$28.59 N.A. N.A. N.A. ISTS-1 Unburdied Local Loop - per fanily Termination UDLS1 \$44.94.31 \$449.40 \$390.24 \$456.55 \$464.20 \$477.25 \$477.25 \$470.26 \$470.26 \$477.25 \$470.26 \$470.26 \$470.26 \$470.26 \$477.25 \$470.26 \$470.26 \$470.26 \$470.26 \$472.25 \$470.26 \$470.26 \$472.25 \$470.26												
INFC Introductor Status Stat											NA	· · · · ·
Instration Instratinstration Instration												
STS-T Urbundled Local Loop- per Pailly Termination 1LSN D \$10.85 \$11.97 \$48.00 \$47.30 \$11.20 \$15.53 \$300.53 STS-T Urbundled Local Loop- per Pailly Termination - 4drt UDLS1 \$449.44 \$300.34 \$450.56 \$445.23 \$427.30 \$428.34 \$470.22 \$775.25 \$775.42 \$775.25 \$775.42 \$470.23 \$400.21 INRC - STS-1 Facility Termination - Obsconnet - AddT UDLS1 \$400.24 \$572.1 \$61.03 \$500.59 \$41.44 \$11.20 \$515.55 \$154.07 NA \$110.26 \$100.26<										1	1	
STS-1 Unburded Load Loap-per Facility Termination UDLS1 \$449.40 \$930.34 \$449.40 \$930.34 \$442.80 \$442.83 \$442.83 \$442.83 \$442.83 \$440.21 NRC_STS-1-Facility Termination - Lis UDLS1 \$406.82 \$532.19 \$408.40 \$560.471 \$573.1 \$654.71 \$573.42 \$778.43 \$778.42 \$778.43 \$778.42 \$778.42 \$778.42 \$778.42 \$778.42 \$778.42 \$778.42 \$778.42 \$778.42 \$778.42 \$778.42 \$778.42		1i 5ND	\$10.85	\$11.97	\$8.90	\$49.69	\$11.29	\$54.39	\$11.40	\$15.53	\$30.53	
NRC CTS-1 Facility Termination - 1st UDLS1 9490.54 6999.50 91.091 559.45 579.45												
NRC = 575 -1 Factby Termination - AddT UDLS 1 \$426.8.0 \$552.16 \$426.4.0 \$552.16 \$426.4.0 \$552.16 \$426.4.0 \$552.16 \$426.4.0 \$552.16 \$426.4.0 \$552.16 \$426.4.0 \$552.16 \$426.4.0 \$513.4.5 \$134.4.17 \$534.4.5 \$130.50 NA \$113.54 \$110.4.5 \$110.4.5 \$110.4.5 \$110.4.5 \$110.4.5 \$110.4.5 \$110.4.5 \$110.4.5 \$110.4.5 \$110.50 \$130.50 NA NA <td></td> <td>ŧ —</td>												ŧ —
NRC - STS -1 - FactBy Termination - Disconnect - 1st UDLS1 \$12172 \$22220 \$12231 NA \$11375 \$134.07 NA NA \$103.90 NRC - STS -1 - FactBy Termination - Disconnect - Add1 LDLS1 \$112.84 \$162.91 NA \$110.90 \$130.90 NA NA NA \$10.90 NA NA NA \$10.90 NA NA NA NA \$10.90 NA States States <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>h</td></td<>												h
INRC - 5TS-1 - Facility Termination - Disconnect - AddTl UDIS1 \$116.84 \$156.12 \$119.14 NA \$110.80 \$130.59 NA NA S10.05 NRC - Marual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA SSSD												
NRC - Namual Svc Order, per LSR SOMAN NA \$\$19.99 NA NA \$\$19.99 NA N												<u> </u>
NRC Manual Svc Order, per LSR disconnect SOMAN NA NA <td></td> <td>h</td>												h
NRC - Electronic Sv: Order, per LSR SOMEC \$3.50												
NRC - Electronic Svo Order, per LSR disconnect SOMEC NA SOMEC NA SOMAN \$38.48 NA \$37.55 NA \$34.92 \$88.62 \$55.00 \$54.28 NA NRC - STS - 1- Incremental Charge-Manual Svc Order - 4dd1 SOMAN \$38.48 NA \$37.55 NA \$34.92 \$86.62 \$55.00 \$54.28 NA NRC - STS - 1- Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-4dd1 SOMAN \$19.03 NA \$18.03 NA \$16.77 \$28.59 NA NA NA INRC - STS - 1- Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-4dd1 SOMAN \$19.03 NA \$18.03 \$16.77 \$28.58 \$41.27 \$28.58 \$41.27 \$28.58 \$41.27							and the second se					(
NRC - STS - Incremental Charge - Manual Svc Order - 1st SOMAN \$38.48 NA \$37.55 NA \$34.92 \$58.62 \$55.00 \$54.28 NA NRC - STS - Incremental Charge - Manual Svc Order - AddT SOMAN \$58.48 NA \$37.55 NA \$34.92 \$58.62 \$55.00 \$54.28 NA NRC - STS - Incremental Charge - Manual Svc Order - AddT SOMAN \$58.48 NA \$37.55 NA \$34.92 \$58.62 \$55.00 \$54.28 NA NRC - STS - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-1st SOMAN \$19.03 NA \$18.03 NA \$16.77 \$28.59 NA NA NA OC3 - Local Loop CC3 - per Mile TBO \$89.23 \$60.6 \$67.5 \$33.15 \$29.58 \$41.27 \$24.69 \$11.78 \$23.16 Local Loop - OC3 - per Mile TBO \$89.23 \$60.140 \$630.21 \$713.29 \$73.86 \$688.86 \$611.38 \$701.71 \$602.20 NRC - OC3 - Facility Termination - Disconnect - 1st TBD \$413.05												
NRC - STS-1 - Incremental Charge - Manual Svc. Order - Add1 SCMAN \$38.48 NA \$37.55 NA \$34.82 \$68.62 \$55.00 \$64.26 NA INRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-tadd1 SOMAN \$19.03 NA \$16.07 \$28.59 NA NA NA \$16.77 \$28.59 NA NA NA \$16.77 \$28.59 NA												
INRC - STS 1 - Incremental Cost - Manual Svc, Order vs. Elect-Disconnect-1st SOMAN \$19.03 NA \$18.03 NA \$10.03 \$11.04 \$10.05 <td></td> <td>• •</td> <td></td>											• •	
Inflo STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-AddT SOMAN \$19.03 NA \$18.03 NA \$18.07 \$28.59 NA NA NA I Cost-Local Loop - OC3 - per Mile TBD \$82.23 \$9.06 \$6.75 \$33.15 \$29.56 \$41.27 \$24.69 \$11.78 \$23.66 I Local Loop - OC3 - per Facility Termination TBD \$691.33 \$691.40 \$630.21 \$773.29 \$773.65 \$688.88 \$611.36 \$701.71 \$620.20 I NRC - OC3 - Facility Termination - Ist TBD \$944.69 \$947.69 \$1,642 \$1,025 \$1,427 \$1,411 \$1,044 \$1,050 I NRC - OC3 - Facility Termination - Disconnect - 1st TBD \$412.25 \$412.05 \$413.00 \$661.23 \$402.63 \$549.77 \$131.65 NA \$100.59 I NRC - OC3 - Facility Termination - Disconnect - 1st TBD \$118.54 \$100.19 \$119.14 NA \$99.46 \$130.59 \$128.19 NA \$100.59 I												
Dire Dire <thdire< th=""> Dire Dire <thd< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></thd<></thdire<>												
Local Loop - OC3 - per Mile TBD \$8.23 \$9.08 \$6.75 \$33.15 \$29.58 \$41.27 \$24.69 \$11.78 \$23.16 Local Loop - OC3 - per Facility Termination TBD \$691.33 \$651.40 \$630.21 \$713.29 \$753.65 \$689.68 \$611.36 \$701.71 \$820.29 NRC - OC3 - Facility Termination - 1st TBD \$949.63 \$974.02 \$947.69 \$1,427 \$1,427 \$1,411 \$1.044 \$1,050 NRC - OC3 - Facility Termination - Add1 TBD \$413.38 \$412.25 \$41.205 \$41.30 \$661.23 \$549.17 \$542.73 \$605.88 \$411.64 NRC - OC3 - Facility Termination - Disconnect - 1st TBD \$118.54 \$109.19 \$119.14 NA \$102.16 \$134.07 \$131.65 NA \$103.36 NRC - OC3 - Facility Termination - Disconnect - Add1 TBD \$118.54 \$109.19 \$119.14 NA \$199.99 NA NA \$103.39 \$128.19 NA \$100.59 NRC - Manual Svc Order, per LSR SOMAN NA \$21.73		CONVIL			¥.0000		a.co.//				1	t
Local Loop - OC3 - per Facility Termination TBD \$691.33 \$651.40 \$630.21 \$773.29 \$753.85 \$889.68 \$611.36 \$701.71 \$820.20 NRC - OC3 - Facility Termination - 1st TBD \$949.63 \$974.02 \$947.69 \$1,543 \$1,025 \$1,427 \$1,411 \$1,044 \$1,050 NRC - OC3 - Facility Termination - 0isconnect - 1st TBD \$4413.38 \$4412.05 \$413.00 \$661.23 \$402.63 \$549.17 \$565.88 \$411.84 NRC - OC3 - Facility Termination - Disconnect - 1st TBD \$118.54 \$109.19 \$119.14 NA \$102.16 \$134.07 \$131.65 NA \$100.59 NRC - OC3 - Facility Termination - Disconnect - AddT TBD \$118.54 \$109.19 \$119.14 NA \$102.16 \$134.07 \$131.65 NA \$100.59 NRC - Manual Svc Order, per LSR SOMAN NA \$128.19 NA \$100.59 NRC - Manual Svc Order, per LSR SOMAN NA \$33.50 \$33.50 \$33.50 \$33.50 \$33.50 \$33.50 \$35.5			69.23		\$6.75	\$33.15	\$20.59	\$41 27	\$24.69	\$11 78	\$23.16	
NRC - OC3 - Facility Termination - 1st TBD \$949.63 \$974.02 \$947.69 \$1,543 \$1,025 \$1,427 \$1,411 \$1,044 \$1,050 NRC - OC3 - Facility Termination - Add1 TBD \$413.38 \$412.05 \$413.00 \$661.28 \$402.63 \$549.17 \$542.73 \$506.88 \$411.64 NRC - OC3 - Facility Termination - Disconnect - 1st TBD \$121.72 \$112.44 \$122.31 NA \$102.16 \$134.07 \$131.65 NA \$103.36 NRC - OC3 - Facility Termination - Disconnect - Add1 TBD \$121.72 \$118.54 \$102.16 \$134.07 \$131.65 NA \$103.36 NRC - Manual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA NA NA \$102.59 \$128.19 NA \$100.59 NRC - Manual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA NA NA NA \$10.59 \$128.19 NA \$10.59 \$128.19 \$128.19 \$108.59 \$128.105 \$128.105												<u> </u>
NRC - OC3 - Facility Termination - Add1 TBD \$413.38 \$412.05 \$413.00 \$661.23 \$402.63 \$549.17 \$642.73 \$605.88 \$411.64 NRC - OC3 - Facility Termination - Disconnect - 1st TBD \$121.72 \$112.44 \$122.31 NA \$102.16 \$134.07 \$131.65 NA \$103.36 NRC - OC3 - Facility Termination - Disconnect - Add1 TBD \$118.54 \$109.19 \$119.14 NA \$399.46 \$130.59 \$128.19 NA \$100.59 NRC - Manual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA NA NA NA \$100.59 NRC - Manual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA S0.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
INRC - OC3 - Facility Termination - Disconnect - 1st TBD \$121.72 \$112.44 \$122.31 NA \$102.16 \$134.07 \$131.65 NA \$103.36 INRC - OC3 - Facility Termination - Disconnect - AddTI TBD \$118.54 \$109.19 \$119.14 NA \$99.46 \$130.59 \$128.19 NA \$100.59 INRC - Manual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA NA NA \$109.99 INRC - Manual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA NA NA NA INRC - Manual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA NA NA \$109.99 INRC - Manual Svc Order, per LSR SOMAN NA \$3.87 NA NA NA NA NA NA INRC - Electronic Svc Order, per LSR disconnect SOMAN \$3.50 \$2.77 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 <td></td> <td><u> </u></td>												<u> </u>
INRC - OC3 - Facility Termination - Disconnect - Add1 TBD \$118.54 \$109.19 \$119.14 NA \$99.46 \$130.59 \$128.19 NA \$100.59 NRC - Manual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA NA NA NA \$19.99 NA NA NA \$19.99 NA NA NA NA NA \$19.99 NA NA NA \$19.99 NA NA NA NA NA \$19.99 NA S0.99.20 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50												
NRC · Manual Svc Order, per LSR SOMAN NA \$21.73 NA \$19.99 NA NA NA NA \$19.99 NA NA NA NA \$19.99 NA NA NA \$19.99 NA Stato <td>NRC - OC3 - Facility Termination - Disconnect - 1st</td> <td></td> <td><u> </u></td>	NRC - OC3 - Facility Termination - Disconnect - 1st											<u> </u>
NRC - Manual Svc Order, per LSR disconnect SOMAN NA \$3.87 NA <							and the second se					
NRC - Electronic Svc Order, per LSR SOMEC \$3.50 \$2.77 \$3.50												I
Image: NRC - DC3 - Incremental Charge-Manual Svc Order - 1st SOMEC NA \$\$2.43 NA NA <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>h</td></t<>												h
Image: NRC - OC3 - Incremental Charge-Manual Svc Order - 1st SOMAN \$38.48 NA \$37.55 \$93.12 \$50.25 \$88.62 \$69.34 \$54.26 NA Image: NRC - OC3 - Incremental Charge-Manual Svc Order - Add'I SOMAN \$38.48 NA \$37.55 \$93.12 \$50.25 \$69.84 \$54.26 NA Image: NRC - OC3 - Incremental Charge-Manual Svc Order vs. Elect-Disconnect-1st SOMAN \$38.48 NA \$37.55 \$93.12 \$50.25 \$69.862 \$69.34 \$54.26 NA Image: NRC - OC3 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st SOMAN \$19.03 NA \$18.03 NA \$20.94 \$28.59 \$29.76 NA NA Image: NRC - OC3 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'I SOMAN \$19.03 NA \$18.03 NA \$20.94 \$28.59 \$29.76 NA NA Image: NRC - OC3 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'I SOMAN \$19.03 NA \$18.03 NA \$20.94 \$28.59 \$29.76 NA NA Image: Oct - 12 L												<u></u>
NRC - OC3 - Incremental Charge - Manual Svc Order - Add'I SOMAN \$38.48 NA \$37.55 \$93.12 \$50.25 \$69.34 \$54.26 NA NRC - OC3 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-1st SOMAN \$19.03 NA \$18.03 NA \$20.94 \$28.59 \$29.76 NA NA NRC - OC3 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st SOMAN \$19.03 NA \$18.03 NA \$20.94 \$28.59 \$29.76 NA NA NRC - OC3 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'I SOMAN \$19.03 NA \$18.03 NA \$20.94 \$28.59 \$29.76 NA NA OC -12 Local Loop			• • •									
NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st SOMAN \$19.03 NA \$18.03 NA \$20.94 \$28.59 \$29.76 NA NA NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add1 SOMAN \$19.03 NA \$18.03 NA \$20.94 \$28.59 \$29.76 NA NA OC -12 Local Loop												Ļ
NRRG - OC3 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add1 SOMAN \$19.03 NA \$18.03 NA \$29.76 NA NA DC -12 Local Loop									<i>+</i>			<u> </u>
OC-12 Local Loop												
	NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add1	SOMAN	\$19.03	NA	\$18.03	NA	\$20.94	\$28.59	\$29.76	NA NA	NA	
								ļ	L			
111 LOCALLOOD · UC12 · DBL Wate 1210 314,50 328,51]	Local Loop - OC12 - per Mile	TBD	\$10.13	\$11.18	\$8.31	\$40.80	\$36.40	\$50.79	\$30.38	\$14.50	\$28.51	

Version 2000:8/10/00

Attachment 2 Exhibit D Rates - Page B

•

.

			NETWORK EL								
		<u>,</u>	AND OTHER SI		1 40 400 00						
┟┧┷┢	Local Loop - OC12 - per Facility Termination	TBD	\$2,557	\$2,068	\$2,109.00	\$2,457	\$2,571	\$2,371	\$2,122	\$2,663	\$2,079
┶┥╼┿	NRC - OC12 - Facility Termination - 1st	TBO	\$1,165	\$1,193	\$1,162.00	\$1,858	\$1,245	\$1,742	\$1,722	\$1,259	\$1,276
\square	NRC - OC12 - Facility Termination - Add I	TBD	\$413.38	\$412.05	\$413.00	\$661.29	\$402.63	\$549.17	\$542.73	\$505.88	\$411.64
	NRC - OC12 - Facility Termination - Disconnect - 1st	TBD	\$121.72	\$112.44	\$122.31	NA	\$102.16	\$134.07	\$131.65	NA	\$103.36
	NRC - OC12 - Facility Termination - Disconnect - Add1	TBD	\$118.54	\$109.19	\$119.14	NA	\$99.46	\$130.59	\$128.19	NA	\$100.59
	NRC - Manual Svc Order, per LSR	SOMAN	ŇA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
Π	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
Π	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
h-h-	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0,43	NA	NA	NA	NA	NA	NA	NA
	NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	\$38.48	NA	\$37.55	\$93.12	\$50.25	\$68.62	\$69.34	\$54,26	NA
	NRC - OC12 - Incremental Charge - Manual Svc Order - Add1	SOMAN	\$38.48	NA	\$37.55	\$93.12	\$50,25	\$68.62	\$69.34	\$54.26	
	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	\$19.03	NA	\$18.03	NA	\$20.94	\$28.59	\$29,76	NA	
	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Add'I	SOMAN	\$19.03	NA	\$18.03	NA	\$20.94	\$28.59	\$29.76	NA	NA I
loc.	48 Local Loop	000000	410.00		Q10.00		460,04	460.05	44.3.70		<u> </u>
HŤ	Local Loop - OC48 - per Mile	TBD	\$33.22	\$36.67	\$27.25	\$133.84	\$119.40	\$166.59	\$120.02	\$47.57	\$93.50
┟╋╼╊╸	Local Loop - OC48 - per Facility Termination	TBD	\$1,713	\$1.699	\$1,598.00						
┢╋╾╋╴	Local Loop - OC12 interface on OC48 Facility	TBD	the second s			\$2,129	\$2,268	\$1,753	\$1,677	\$1,733	\$1,832
┝╉╾╋╾			\$736.71	\$592.09	\$594.80	\$725.77	\$723.29	\$667.00	\$582.68	\$773,40	\$570.54
┢╋╌╋╴	NRC - OC48 - Facility Termination - 1st	TBD	\$1,165	\$1,193	\$1,162.00	\$1,858	\$1,245	\$1,742	\$1,722	\$1,259	\$1,278
╘╋┹╋	NRC - OC48 - Facility Termination - Add1	TBD	\$413.38	\$412.05	\$413.00	\$661.23	\$402.63	\$549.17	\$542.73	\$505.88	\$411.64
	NRC - OC48 - Interface OC12 on OC48 - 1st	TBD	\$121.72	\$472.77	\$539.36	\$844.21	\$532.13	\$729.04	\$720.81	\$635.04	\$544.55
	NRC - OC48 - Interface OC12 on OC48 - Add1	TBD	\$118.54	\$329.91	\$317.38	\$516.89	\$304.90	\$404.94	\$400.38	\$410.02	\$311.39
++	NRC - OC48 - Facility Termination - Disconnect - 1st	087	\$121.72	\$108.95	\$122.31	NA	\$102.16	\$134.07	\$131.65	NA	\$103.36
	NRC - OC48 - Facility Termination - Disconnect - Add1	TED	\$118.54	\$106.01	\$119.14	NA	\$99.46	\$130.59	\$128.19	NA	\$100.59
	NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBD	\$121.72	\$108.95	\$122.31	NA	\$102.16	\$134.07	\$131.65	NA	\$103.36
\pm	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add1	TBD	\$118.54	\$106.01	\$119.14	NA	\$99.46	\$130.59	\$128.19	NA	\$100.59
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-1s	SOMAN	\$19.03	NA	\$37.55	NA	\$20.94	\$28.59	\$29.76	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-Ac	SOMAN	\$19.03	NA	\$37,55	NA	\$20.94	\$28.59	\$29.76	NA	
┝╉╍╊╸	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st	SOMAN	\$19.03	NA	\$37.55	NA	\$20.94	\$28.59	\$29.76	NA	
┝╋┯╋	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add1	SOMAN	\$19.03	NA	\$37.55	NA					NA
++	NRC - OC-48 - Incremental Charge-Manual Svc Order-1st	SOMAN		NA			\$20.94	\$28.59	\$29.76	NA	NA
++-			\$38.48		\$18.03	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NA
╋╌╂╸	NRC - OC-48 - Incremental Charge Manual Svc Order Add'I	SOMAN	\$38.48	NA	\$18.03	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NA .
	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc Order	SOMAN	\$38.48	NA	\$18.03	\$93.12	\$50.25	\$68.62	\$69.34	NA	NA
++	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc Order	SOMAN	\$38.48	NA	\$18.03	\$93.12	\$50.25	\$68.62	\$69.34	NA	NA
Unb	undied Loop Modification				l						
11	NRC - Load Col/Equipment Removal per 2 Wire pair - Loops less than or equal		1							ľ	
	to 18km	ULM2L	\$80.55	\$80.55	\$69.28	\$80.55	\$80.55	\$80.55	\$80.55	\$80.55	\$80.55
	NRC - Load Coll/Equipment Removal per 2 Wire pair - Loops greater than 18kft -									1	
	1st	ULM2G	\$880.00	\$880.00	\$757.04	\$880.00	\$680.00	\$880.00	\$880.00	\$860.00	\$880.00
	NRC - Load Col/Equipment Removal per 2 Wire pair - Loops greater than 18kft -									-	
	Add1	ULM2G	\$27.30	\$27.30	\$23.49	\$27.30	\$27.30	\$27.30	\$27.30	\$27.30	\$27.30
	NRC - Load Coil/Equipment Removal per 4 Wire pair - Loops less than or equal						427300	421,200	42.100		98L7 AD0
	to 18kft	ULM4G	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
┿╋	NRC - Load Coll/Equipment Removal per 4 Wire pair - Loops greater than 18kft -		1.01		1.01						TBN
1 1		ULM4L	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
1 1		ULWIYL	NON L	1.0414		104N		IDAN		1BIN	TEN
4	1st										
+	NRC - Load Col/Equipment Removal per 4 Wire pair - Loops greater than 18kt -	1 10 14 44	17731								
	NRC - Load Col/Equipment Removal per 4 Wire pair - Loops greater than 18kt - Add1	ULM4L	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Load Col/Equipment Removal per 4 Wire pair - Loops greater than 18kt -	ULM4L ULMBT	11BN \$121.14	TBN \$121.14	TBN \$79.99	TBN \$121.14	TBN \$121.14	TBN \$121.14	TBN \$121.14	TBN \$121.14	TBN \$121.14
	NRC - Load Col/Equipment Removal per 4 Wire pair - Loops greater than 18kft - Add1 NRC - Bridge Tap Removal per pair unloaded		-								and the second se
	NRC - Load Col/Equipment Removal per 4 Wire pair - Loops greater than 18kt - Add1		-								and the second se

BELLSOUTHINATC RATES

1

RELLSOUTHMATC RATES NETWORK ELEMENTS

		AND OTHER SE	RVICES								
Cross-Box Set-Up											
		Į									
NRC - Set-Up per Cross Box location in the field - CLEC Feeder Facility set-up	USBSA	TBN	TBN	\$421.08	TBN	TBN	TBN	TBN	TBN	TEN	
NRC - Set-Up per Cross Box location in the field - per 25 pair panel set-up	USBSB	TBN	TBN	\$67.10	TBN	TBN	TBN	TBN	TBN	TBN	L
NRC - Set-Up per Building Equipment Room - CLEC Feeder Facility set-up	USBSC	TBN	TBN	\$394.74	TRIN	TEN	TBN	TBN	TBN	TBN	<u>i</u>
NRC - Set-Up per Building Equipment Room - per 25 pair panel set-up	USBSD	TBN	TBN	\$154.57	TEN	TBN	TBN	TBN	TBN	TIBN	L
Loop Distribution per 2-Wire Analog VG Sub-Loop, per month	USBN2	TBN	TBN	\$9,12	\$10.83	TBN	TBN	TBN	TBN	TBN	L
NRC - 1st	USBN2	TBN	TEN	\$207.01	\$459.85	TBN	TBN	TBN	TBN	TEN	
	USBN2	TBN	TBN	\$171.32	\$352.89	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	USBN2	TBN	TEN	TBD	TBN	TEN_	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - Add1	USBN2	TBN	TBN	TBD	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	\$18.94	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	TEN	TBN	\$8.42	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBD	TBN	TBN _	TBN	TBN	TBN	TEN	
NRC - Incremental Charge - Manual Order Coordination - per loop	USEMC	TBN	TBN	\$34.22	TBN	TBN	TBN	TBN	TBN	TBN	
Loop Distribution per 4-Wire Analog VG Sub-Loop, per month	USBN4	TBN	TBN	\$8.32	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - 1st	USBN4	TBN	TBN	\$219.35	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Add1	USBN4	TBN	TBN	\$72.99	TBN	TBN	TBN	TBN	TEIN	TEN	
NRC - Disconnect Charge - 1st	USBN4	TBN	TBN	\$123.72	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - Add1	USBN4	TEN	TBN	\$28.77	TBN	TBN	TEN	TEN	TBN	TBN	1
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	NA NA	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - AddT	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TEN	TEN	L
NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN	TBN	\$34.22	TBN	TBN	TBN	TBN	TBN	TBN	
Loop Distribution per 2 Wire Unbundled Copper Sub-Loop, per month	UCS2X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - 1st	UCS2X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Add1	UC\$2X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	UCS2X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TEN	TBN	
NRC - Disconnect Charge - Add1	UCS2X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	L
NRC - incremental Charge - Manual Service Order - Add'i	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Order Coordination - per toop	USBMC	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
Loop Distribution per 4 Wire Unbundled Copper Sub-Loop, per month	UCS4X	TBN	TBN	TBN	TBN	TBN	TON	TBN	TBN	TBN	L
NRC - 1st	UCS4X	TBN	TEN	TBN	TEIN	TEN	TBN	TBN	TBN	TBN	
NRC - Add1	UC\$4X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	UCS4X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - Add'l	UCS4X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	L
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	L
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN	TBN	TBN	TBN	TBN	TEN	TBN	TBN	TEN	
Sub-Loop-Intrabuilding Network Cable (INC) (a.k.a., riser cable), 2W analog, per mo		TBN	TBN	\$1.81	TBN	TBN	TBN	TBN	TBN	TBN	L
NRC - 1st	USBR2	TBN	TBN	\$137.03	TEIN	TBN	TEN	TBN	TBN	TEN	
NRC - Addt	USBR2	TBN	TBN	\$41.59	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	USBR2	TBN	TBN	\$115.85	TBN	TBN	TBN	TEN	TBN	TBN	L
NRC - Disconnect Charge - Add"	USBFR2	TBN	TBN	\$19.17	TEN	TBN	TBN	TBN	TBN	TEN	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Addit	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN	TBN	\$34.22	TBN	TBN	TBN	TBN	TBN	TBN	
Sub-Loop-Intrabuilding Network Cable (a.k.a.,riser cable), 4W analog, per month	USBFI4	TBN	TBN	\$2.96	TEN	TBN	TBN	TBN	TBN	TBN	
NRC - 1st	USBR4	TBN	TBN	\$176.46	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Add1	USBR4	TBN	TBN	\$55.11	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	USBR4	TBN	TBN	\$122.17	TBN	TBN	TBN	TBN	TBN	TEN	

Version 2000:8/10/00

BELLSOUTHWATC RATES

٠

			AND OTHER SE								
	NRC - Disconnect Charge - Add'l	USBR4	TBN	TBN	\$19.57	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN
П	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Incremental Charge - Manual Order Coordination - per loop	USBMC	TBN	TBN	\$34.22	TBN	TBN	TBN	TBN	TEN	TBN
							L				
	B-LOOP FEEDER	ļ	-l								
14	Cross-Box Set-Up							'			
							1 !	i i			
+	NRC - DS0 Set-Up per Cross Box location - CLEC Distribution Facility set-up	USBFW	TBN	TBN	\$421.08	TBN	TBN	TBN	TBN	TBN	TEN
┶┶	NRC - DS0 Set-Up per Cross Box location - per 25 pair panel set-up	USBFX	TBN	TBN	\$67.10	TBN	TBN	TBN	TBN	TBN	TEN
					1	· · · · ·	1 1				
+	NRC - DS1 Set-Up per Cross Box location - CLEC Distribution Facility set-up	USBFY	TBN	TBN	TBIN	TBN	TBN	TBN	TBN	TBN	TBN
┿╉	NRC - DS1 Set-Up per Cross Box location - per pair panel set-up	USBFZ	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN
┶┶							<u> </u>	'	<u></u>		
2-11	Ire Analog VG Ground-Start Unbundled Sub-Loop Feeder, per month	USBFA	TBN	TBN	\$8.58	TBN	TBN	TBN	TBN	TBN	TBN
╋╍╊	NRC - 1st NRC - Addī	USBFA	TBN TBN	TBN TBN	\$206.44	TBN	TBN	TBN	TBN	TBN	TBN
+	NRC - Disconnect Charge - 1st	USBFA USBFA		TBN	\$170.05	TBN	TBN	TBN	TBN	TBN	TBN
╋╍╂	NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'1	USBFA	TBN TBN	TBN	TBN TBN	TBN TBN	TBN	TBN	TBN	TBN	TBN
╉╂	NRC - Disconnect Charge - Add 1 NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN		TBN	TBN	TBN	TBN	TBN	TBN
╉┈╂	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	\$18.94 \$8.42	TBN	TBN TBN	TBN	TBN	TBN	TBN
╉╋	NRC - Incremental Charge - Manual Service Order - Add I	SOMAN	TBN	TBN	58.42 TBN	TBN	TBN	TBN TBN	TBN	TBN	TBN
╉╍╂	NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN	TBN	1BN \$34.22	TBN	TBN	TBN			TBN
╉╋	har in - nimenonimi cuitikõite - laitingi cuida i contribution - haj toch				339.44			IBN	TBN	TBN	TBN
12.	I Fire Analog VG Loop-Start Unbundled Sub-Loop Feeder, per month	USBFB	TBN	TBN	\$8.58	TBN	TBN	TBN	TBN	TBN	TBN
1	NRC - 1st	USBFB	TBN	TEN	\$206.44	TBN	TBN	TBN		TBN	TEN
++	NRC - Add')	USBFB	TBN	TBN	\$170.05	TBN	TBN	TBN	TBN	TBN	TBN
+	NRC - Disconnect Charge - 1st	USBFB	TBN	TBN	TBN	TEN	TBN	TBN	TBN	TBN	TBN
╪╪	NRC - Disconnect Charge - Add1	USBFB	TBN	TBN	TEN	TBN	TBN	TBN	TBN	TBN	TEIN
++	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	\$18.94	TBN	TBN	TBN	TBN	TBN	TBN
╋╌╉	NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN	TBN	TBN	\$8.42	TBN	TEN	TBN	TBN	TBN	TBN
++	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN
++	NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN	TBN	\$34.22	TEN	TBN	TBN	TBN	TBN	TBN
++			1								
2-1	Fire Analog VG Reverse Battery Unbundled Sub-Loop Feeder, per month	USBFC	TBN	TBN	\$8,58	TEN	TBN	TBN	TBN	TBN	TBN
1 T	NRC - 1st	USBFC	TBN	TBN	\$206.44	TBN	TBN	TBN	TEN	TBN	TBN
11	NRC - Add1	USBFC	TBN	TBN	\$170.05	TBN	TBN	TBN	TBN	TEN	TBN
	NRC - Disconnect Charge - 1st	USBFC	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Disconnect Charge - Add'l	USBFC	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	\$18.94	TBN	TBN	TBN	TBN	TBN	TBN
TT	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN	TBN	\$8.42	TBN	TBN	TBN	TBN	TBN	TEN
	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN	TBN	\$34.22	TBN	TBN	TBN	TBN	TBN	TBN
										1	
4-W	The Analog VG Ground-Start Unbundled Sub-Loop Feeder, per month	USBFD	TBN	TBN	\$19.91	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - 1st	USBFD	TBN	TBN	\$243.41	TBN	TBN	TEN	TBN	TBN	TBN
	NRC - Addit	USBFD	TBN	TBN	\$81.32	TBN	TBN	TEN	TBN	TBN	TBN
	NRC - Disconnect Charge - 1st	USBFD	TBN	TBN	\$134.77	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Disconnect Charge - Add'l	USBFD	TBN	TBN	\$33.93	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN
T	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	NĂ	TBN	TBN	TBN	TBN	TBN	TBN
	NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN	TBN	\$34.22	TBN	TBN	TBN	TEN	TBN	TBN

ND OTHER SERVICES 4-Wire Analog VG Loop-Start Unbundled Sub-Loop Feeder, per month USBFE TBN \$19.91 TEN TBN TBN TBN TBN TBN TEN INRC - 1st USBFE TBN TBN TBN \$243.41 TBN TBN TEN TEN TEN NRC - AddT USBFE TBN TEN TBN \$81.32 TBN TBN TEN **TBN** TEN NRC - Disconnect Charge - 1st TBN USBFE TBN \$134.77 TBN TBN TBN TEN TBN TEN NRC - Disconnect Charge - Add'I USBFE TBN TBN \$33.93 TBN TBN TEN TEN TBN TEN NRC - Incremental Charge - Manual Service Order - 1st SOMAN TBN TBN NA TBN TEN TBN TEN TBN TEN NRC - Incremental Charge - Manual Service Order - Add1 SOMAN TBN TBN NA **TBN** TBN TEN TEN TBN TBN INRC - Incremental Charge - Manual Service Order - Disconnect TEN SOMAN TBN NA **TBN** TBN TBN TBN TBN TBN NRC - Incremental Charge - Manual Order Coordination - per loop ПТ TED TBN TBN \$34.22 TEN TEN TBN TBN TBN TBN 2-Wire ISDN Unbundled Sub-Loop Feeder, per month USUFF TEIN TEN TBN TEN \$17.73 TBN TBN TBN TBN NRC - 1st USBFF TEN TEN \$208.50 TBN TBN TBN TBN TBN TBN NRC - AddT USBFF TEN TEN \$62.31 TEN TEN TBN TBN TBN TBN NRC - Disconnect Charge - 1st USBFF TBN TEN \$119.68 TBN TBN TBN TBN TBN TBN NRC - Disconnect Charge - Add1 USBEE TBN TEN TT \$29.58 TBN TBN TBN TBN TEN TEN NRC - Incremental Charge - Manual Service Order - 1st SOMAN TBN TBN NA TEN TBN TBN TBN TBN TEN NRC - Incremental Charge - Manual Service Order - Add1 SOMAN TBN TT TBN NÄ TEN TBN TEN TBN TBN TBN HT NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBN TEN NA TBN TBN TBN TBN TBN TEN NRC - Incremental Charge - Manual Order Coordination - per loop TBD TBN TBN \$34.22 TBN TBN TBN TBN TBN TEN 4-Wire DSI Unbundled Sub-Loop Feeder, per month TBN USBFG TBN TBN TBN TEN TBN TBN TBN TEN NRC - 1st TBN USBFG TEN TBN TBN TBN TBN TBN TBN TBN NRC - Add1 TBN F USBFG TEN TBN TEN TBN TBN TBN TBN THN NRC - Disconnect Charge - 1st USBFG TBN TEN TBN TEN TBN TBN TBN TBN TBN NRC - Disconnect Charge - Add TBN USBFG TBN TBN TBN TBN TBN TBN TBN TBN NRC - Incremental Charge - Manual Service Order - 1st TBN ПП SOMAN TEN TBN TBN TBN TBN TBN TBN TBN NRC - Incremental Charge - Manual Service Order - Add'I SOMAN TBN TBN TBN TBN TBN TBN TBN TEN TEN NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBN TBN TBN TBN TBN TBN TEN TBN TBN NRC - Incremental Charge - Manual Order Coordination - per loop TBN TBD TBN TBN **TBN** TBN TBN TBN TBN TBN 2-Wire Copper Unbundled Sub-Loop Feeder, per month TBN USBFH TEN TEN TEN TEN TEN TBN TEN TEN NRC - 1st USBEH TBN TBN TEN TBN TBN TEN TBN TBN TEN NRC - Add'l USBFH TBN TBN TBN TEN TBN TEN TBN TBN TBN NRC - Disconnect Charge - 1st USBFH TBN TBN TEN TBN TBN TBN TBN TBN TBN ПТ NRC - Disconnect Charge - Add'l USBEH TBN TEN TEN TEN TEN TBN TBN TBN TEN SOMAN П NRC - Incremental Charge - Manual Service Order - 1st TBN TEN TBN TBN TBN TBN TBN TBN TBN NAC - Incremental Charge - Manual Service Order - AddT SOMAN TBN TEN TBN TBN TBN TBN TBN TBN TBN SOMAN NRC - Incremental Charge - Manual Service Order - Disconnect TBN TEN TEN TBN TEN TBN TBN TBN TBN NRC - Incremental Charge - Manual Order Coordination - per loop TBD TBN TBN TBN TEN TBN TBN TBN TBN TBN 4-Wire Copper Unbundled Sub-Loop Feeder, per month USBFJ TBN TBN TBN TEN TBN TBN TEN TEN TBN NPC - 1st USBFJ TBN TBN TBN TBN TEN TÊN TBN TBN TBN NRC - Addi TBN TBN USBFJ TBN TBN TBN TEN TBN TEN TBN HT NRC - Disconnect Charge - 1st USBFJ TBN TBN TBN TBN TBN TEN TBN TBN TBN NRC - Disconnect Charge - Add'l USBFJ TBN TEN TBN TBN TBN TEN TBN TBN TBN NRC - Incremental Charge - Manual Service Order - 1st SOMAN TBN TBN TBN TBN TBN TEN TBN TBN TBN NRC - Incremental Charge - Manual Service Order - AddT SOMAN TBN TEN TBN TBN TBN TEN TBN TEN TBN NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBN TEN TEN TBN TBN TBN TBN TBN TBN NRC - Incremental Charge - Manual Order Coordination - per loop TBN TEN TBN TBN TBD TBN TBN TBN TBN TBN 4-Wire 2.4 KBPS Digital Unbundled Sub-Loop Feeder, per month USBFK TBN TEN TEN TBN TBN TBN TBN TBN TBN I INRC - 1st USBEK TEN TEN TBN TEN **TBN** TBN TBN TEN TEN INRC - Add1 USBEK TBN TEN TBN TBN TBN TBN TBN TBN TBN NRC - Disconnect Charge - 1st USBFK TBN TBN TBN TBN TEN TBN TBN TBN TBN NRC - Disconnect Charge - Add1 USBFK TBN TBN TBN TBN **ŤBN** TBN ŤÊN TBN TEN

BELLSOUTHINATC RATES

NETWORK ELEMENTS

,

Version 2000:8/10/00

Allachment 2 Exhibit D Flates - Page 13

-

SELLOOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES

•

		AND OTHER S									
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN	TBN	TBN	TBN	TBN	TBN	TEN	TBN	TBN	
		<u> </u>				1		F	1		
4-Wire 4.8 KBPS Digital Unbundled Sub-Loop Feeder, per month	U\$8FL	TBN	TBN	TEN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - 1st	USBFL	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Add1	USBFL	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	USBFL	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - Add'l	USBFL	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Add'1	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TEN	
		L									
4-Wire 9.5 KBPS Digital Unbundled Sub-Loop Feeder, per month	USBFM	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TEN	TBN	
NRC - 1st	USBFM	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Add'i	USBFM	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	USBFM	TBN	TBN	TBN	TBN	TBN	TEN	TBN	TBN	TBN	
NRC - Disconnect Charge - Add'l	USBFM	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN	TBN	TEN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
4-Wine 19.2 KBPS Digital Unbundled Sub-Loop Feeder, per month	USBFN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
I INRC-AddT	USBEN	TBN TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	USBEN		TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	USBFN	TBN TBN	TBN	TBN	TBN	TBN	TEN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - 1st	USBEN	TBN	TBN	TBN		TBN	TBN	TBN	TEIN	TBN	
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN SOMAN	TBN	TBN	TBN	TBN TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Add 1	SOMAN	TBN	TBN	TBN	TBN	TBN TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
Intro - molentes da criarge - Manual Order Coordination - per log		1014		1014	ISN	IBN	TBN	TBN	TBN	TBN	
4-Wire 56 KBPS Digital Unbundled Sub-Loop Feeder, per month	USBFO	TBN	TBN	TBN	TBN	TBN	TBN				
I INRC - 1st	USBFO	TBN	TBN	TEN	TBN	TBN	TEN	TBN TBN	TBN	TBN	
NRC - Add1	USBFO	TBN	TÊN	TBN	TBN	TEN	TBN	TBN	TBN	TBN	-
NRC - Disconnect Charge - 1st	USBFO	TBN	TBN	TBN	TBN	TBN	TBN	. =	TBN	TBN	
NRC - Disconnect Charge - Add"	USBFO	TBN	TBN	TBN	TEN	TBN	TBN	TBN TBN	TBN TBN	TBN	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	TBN	TEN	TBN	TBN	TBN		TBN	
NRC - incremental Charge - Manual Service Order - Add?	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TEN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	·
the second secon		+			PIG: 1			1041	12414	TBN	
4-Wire 64 KBPS Digital Unbundled Sub-Loop Feeder, per month	USBFP	TBN	TBN	TBN	TBN	TBN	TBN	TEN	70.1		
NBC - 1st	US8FP	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN TBN	TBN	
NRC - Add1	USBFP	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Disconnect Charge - 1st	USBFP	TBN	TBN	TBN	TÊN	TBN	TBN	TBN	TBN		
NRC - Disconnect Charge - Add't	USBFP	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TSN	TBN	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN		TBN	
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	TBN	TBN	TBN	TBN	TBN I			
NRC - Incremental Charge - Manual Order Coordination - per loop	TBD	TÊN	TBN	TBN	TEN	TBN	TBN	TEN	TBN TBN	TBN T	
The second secon		-			+ 614	1 DIA		100	I BN	180	
		1	L	l	L!						

Version 2000;8/10/00

BELLSOUTHINATC RATES NETWORK ELEMENTS

.

			AND OTHER S	ERVICES								
	ounded Sub-Loop Modification			T~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1	1	<u> </u>	<u> </u>	T		<u> </u>	
┝╪╪┊╌┼	NRC - Load Coll/Equipment Removal per 2 Wire pair	ULM2X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
┝┼┇╶╽	NRC - Load Coll/Equipment Removal per 4 Wire pair	ULM4X	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN		
	NRC - Bridge Tap Removal per pair unloaded	ULMBT	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	
			1	1	T	<u> </u>				1 1 1581	TBN	
Loo	p Make Up		1		1	<u> </u>		<u> </u>				<u> </u>
	NRC - Loop Makeup - Preordering Without Reservation, per working facility				· · · · · ·	· · · · · · · · · · · · · · · · · · ·			<u> </u>		┟┈───╁	
	queried (Manual)	UMKLW	\$134.00	\$134.00	\$134.00	\$134.00	\$134.00	\$134.00	A104 00			
111	Loop Makeup - Preordering Without Reservation, per spare facility queried					0.00.00	0104.00	4134.00	\$134.00	\$134.00	\$134.00	
	(Manual) Maximum number of spare facilities per manual LMUSI is (3).]	UMKLW	\$134.00	\$134.00	\$134.00	\$134.00	\$134.00	\$134.00	6 /0/00		I	
					4104.00		3134.00		\$134.00	\$134.00	\$134.00	
	NRC - Loop Makeup - Preordering With Reservation, per spare facility queried				1						1	
	(Manual) Maximum number of spare facilities per manual LMUSI is (3).]	UMKLP	\$140.00	\$140.00	\$140.00	\$140.00	\$140.00	\$140.00	\$140.00	.		
	NRC - Loop Maksup - Preordering Without Reservation, per working facility				41.10.00	· · · · · · · · · · · ·	41-0.00	\$140.00	\$140.00	\$140.00	\$140.00	
	queried (Mechanized)	TBD	\$1.08	\$1.08	\$1.08	\$1.08	\$1.08	\$1.08				
	Loop Makeup - Preordering Without Reservation, per spare facility queried	····			1.00	\$1.00	- er.06	31.08	\$1.08	\$1.08	\$1.08	
	(Mechanized) Maximum number of spare facilities per mechanized LMUSI is	1		İ.							1	
	[(10).]	TBD	\$1.08	\$1.08	\$1.08	\$1.08	\$1.08	\$1.08				
1	Loop Makeup - Preordering With Reservation, per spare facility queried						41.00		\$1.08	\$1.08	\$1.08	
	(Mechanized) Maximum number of spare facilities per mechanized LMUSI is	1	1		1							
<u> </u>	(10).]	TBD	\$1.08	\$1.08	\$1.08	\$1.08	\$1.08	\$1.08	\$1.08			
							41.00	\$1.06	\$1.08	\$1.08	\$1.08	
Unb	undled Network Terminating Wire, per pair, per month	UENPP	TBN	TBN	\$1.37	TBN	TBN	TBN	TBN			
	RC - UNTW Pair, per pair	UENPP	TBN	TBN	\$2.48	TBN	TBN	TBN	TBN	TBN	TBN	
	RC - Disconnect Charge, per pair	UENPP	TBN	TBN	\$1.74	TBN	TBN	TBN		TBN	TBN	
	RC - Incremental Charge - Manual Service Order	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN	
	RC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	TBN	TBN	NA	TBN	TBN	TBN	TBN	TBN	TBN	
							1014		TBN	TBN	TBN	
Sub	Loop Concentration - Channelization Sys (Outside CO)				-							
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	TED	\$18.94	TED	TED	TBD				
	NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$12.97	TBD	\$8.42	TBD	TBO	TBD	TBD	TBD	160	
11 [R008 - System A (96 channel capacity - channels 1-96), per month	UCT8A	TBN	\$792.49	\$724.79	\$757.00	TBN		TBD	TBD	TBD	
	NRC - 1st	UCT8A	TBN	\$640.93	\$632.36	\$633.94	TBN	TBN	TBN	TBN	\$683.78	
	NRC - Add'l	UCTBA	TBN	\$315.03	\$310.82	\$311.60	TBN	TBN	TBN	TBN	\$634.31	
T	R008 - System B (96 channel capacity - channels 97-192), per month	UCTBB	TEN	\$155.32	\$92.91	\$95.60	TBN	TBN	TBN	TBN	\$311.78	
	NRC - 1st	UCT8B	TBN	\$640.93	\$632.36	\$633.94		TBN	TBN	TBN	\$102.12	
	NRC - Add1	UCT8B	TEN	\$315.03	\$310.82	\$311.60	TBN TBN	TBN	TBN	TBN	\$634.31	
ΠΠ	R303 - System A (96 channel capacity - channels 1-96), per month	UCT3A	TBN	\$835.72	\$764.42	\$799.95		TBN TRN	TBN	TBN	\$311.78	
	NRC - 1st	UCTSA	TBN	\$640.93	\$632.36	\$633.94	TEN	TBN	TBN	TBN	\$726.87	
ПΤ	NRC - AddT	UCT3A	TBN	\$315.03	\$310.82	\$033.94 \$311.60	TBN	TBN	TBN	TBN	\$634.31	
1 1	R303 - System B (96 channel capacity - channels 97-192), per month	UCT3B	TBN	\$198.55	\$132.54		TBN	TBN	TBN	TBN	\$311.78	
	NRC - 1st	UCT3B	TBN	\$640.93	\$632.36	\$138.55	TBN	TBN	TBN	TBN	\$145.21	
	NRC - AddT	UCTSE	TBN	\$315.03	\$310.82	\$633.94	TBN	TBN	TBN	TBN	\$634.31	
	S1 Feeder Interface, per month	UCTES	TBN	\$78.43		\$311.60	TBN	TBN	TBN	TBN	\$311.78	
	NRC 1st	UCTES	TBN	\$422.74	\$72.12	\$77.02	TBN	TBN	TBN	TBN	\$76.73	
	NRC Add1	UCIFS	TBN	\$200.74	\$425.74	\$418.13	TEN	TBN	TBN	TBN	\$418.37	
i ic	hannel interface - 2 Wire Voice - Loop Start , per month	TBD	TBN	\$2.62	\$196.06	\$198.56	TBN	TBN	TBN	TBN	\$198.67	
	NRC 1st	TBD	TBN		\$2.38	\$2.68	TBN	TBN	TBN	TBN	\$2.61	
	NRC Addi	TBD	TBN	\$42.39	\$41.82	\$41.92	TBN	TBN	TBN	TBN	\$41.95	
	hannel interface - 2 Wire ISDN, per month	ULCC1	TEN	\$42.15	\$41.58	\$41.69	TBN	TBN	TBN	TBN	\$41.71	
Ħ Ē	INPC 1st			\$10.49	\$9.53	\$10.72	TBN	TBN	TBN	TBN	\$10.43	·
		ULCC1	TBN	\$42.39	\$41.82	\$41.92	TBN	TBN	TBN	TBN	\$41.95	-
	NBC Artri	111.004										
	NRC Add1	ULCC1	TBN	\$42.15	\$41.58	\$41.69	TBN	TBN	TBN	TBN	\$41.71	
	hannal Interface - 2 Wire Voice - Ground Start or Revence Battery, per month	TBD	TBN	\$15.59	\$14.17	\$41.69 \$15.94	TBN	TBN	TBN TBN		\$41.71	
				the second s						TBN TBN TBN	\$41.71 \$15.51 \$41.95	

Version 2000:8/10/00

BELLSOUTHINATC RATES NETWORK ELEMENTS

.

.

		AND OTHER SI								
Channel Interface - 4 Wire Voice, per month	ULCC4	TBN	\$9.30	\$8.45	\$9.50	TBN	TBN	TBN	TBN	\$9.26
NRC 1st	ULCC4	TBN	\$42.39	\$41.82	\$41.92	TBN	TBN	TBN	TBN	\$41.95
NRC Add'i	ULCC4	TBN	\$42.15	\$41.58	\$41.69	TBN	TBN	TBN	TBN	\$41.71
Test Circuit, per month	UCTTC	TBN	\$45.46	\$41.30	\$46.44	TBN	TBN	TBN	TBN	\$45.22
NRC 1st	UCTIC	TBN	\$42.39	\$41.82	\$41.92	TBN	TBN	TBN	TEN	\$41.95
INRC Add1	UCTTC	TBN	\$42.15	\$41.58	\$41.69	TBN	TBN	TBN	TBN	\$41.71
Channel Interface - Digital 56Kbps, per month	ULCC5	TBN	\$13.78	\$12.51	\$14.08	TBN	TBN	TBN	TBN	\$13.71
NRC 1st	ULCC5	TBN	\$42.39	\$41.82	\$41.92	TBN	TBN	TBN	TBN	\$41.95
NRC Add1	ULCC5	TEN	\$42.15	\$41.58	\$41.69	TBN	TBN	TBN	TEN	\$41.71
Chennel Interface - Digital 64Kbps, per month	ULCC6	TBN	\$13.78	\$12.51	\$14.08	TBN	TBN	TBN	TBN	\$13.71
NRC 1st	ULCC6	TBN	\$42.39	\$41.82	\$41.92	TBN	TBN	TBN	TBN	\$41.95
NRC Add1	ULCO6	TBN	\$42.15	\$41.58	\$41.69	TBN	TBN	TBN	TBN	\$41.71
Loop Concentration System (Inside C.O.)										
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	TBD	\$18.94	TBD	\$18.14	\$25.52	TBD	\$44.06	TBD
NRC - Incremental Charge - Manual Service Order - Add't	SOMAN	\$12.97	TBD	\$8.42	TBD	\$8.06	\$11.34	TBD	\$13.55	TBD
TR008 -System A (96 channel capacity - channels 1-96), per month	UCT8A	\$327.44	\$400.33	\$316.63	\$394.00	\$306.74	\$454.79	\$375.96	\$399.21	\$380.06
NRC - 1st	UCTBA	\$1,115.10	\$1,128.75	\$1,111.95	\$1,116.15	\$1,117.20	\$1,115.10	\$1,113.00	\$1,119.30	\$1,114.05
NRC - Add'i	UCT8A	NA	NA	NA	NA	NA	NA	NA	NA	NA
TR006 -System B (96 channel capacity - channels 97-192), per month	UCT88	\$67.41	\$70.48	\$65.27	\$72.21	\$76.58	\$73.30	\$65.96	\$71.91	\$68.71
NRC - 1st	UCT8B	\$464.57	\$470.41	\$463.37	\$465.11	\$465.64	\$464.71	\$463.74	\$466.38	\$464.21
INRC - Add1	UCT8B	NA	NA	NA	NA	NA	NA	NA	NĂ	NA
TR303 - System A (96 channel capacity - channels 1-96), per month	UCT3A	\$375.18	\$450.24	\$362.87	\$445.14	\$385.97	\$506.70	\$422.68	\$450.13	\$428.73
NRC - 1st	UCT3A	\$1,115,10	\$1,128.75	\$1,111.95	\$1,116.15	\$1,117.20	\$1,115.10	\$1,113.00	\$1,119.30	\$1,114.05
NRC - Add1	UCT3A	NA	NA	NA	NA	NA	NA		NA	NA
TR903 - System B (96 channel capacity - channels 97-192), per month	UCT3B	\$111.30	\$118.76	\$110.02	\$121.45	\$129.05	\$123.52	\$111.17	\$121.16	\$115.79
	UCT3B	\$464.57	\$470.41	\$463.37	\$465.11	\$465.64	\$464.71	\$483.74	\$466.38	\$464.21
OG1 Interface, per month	UCT3B	NA	NA	NA	NA	NA	NA	NA	NA	NA
INRC 1st	UCTCO	\$6.42	\$8.47	\$6.15	\$403.20	\$7.35	\$6.99	\$6.27	\$6.79	\$6.49
		\$367.70	\$372.32	\$366.72	\$132.18	\$368.54	\$367.80	\$367.04	\$369.13	\$367.41
Channel Interface - 2 Wire Voice - Loop Start , per month	TBD	\$132.03	\$133.69 \$2.66	\$130.63 \$2.44	\$132.18 \$2.79	\$132.33 \$2.91	\$132.07	\$131.79	\$132.54	\$131_92
NRC 1st	TBD	\$35.77	\$36.23	\$35.68	\$35.82	\$35.86	\$2,77	\$0.89	2.69	\$2.58
	TBD	\$35.55	\$36.02		\$35.62		\$35.78	\$35.73	\$35.91	\$35.74
Channel Interface - 2 Wire ISON, per month	ULCC1	\$10.19	\$10.67	\$35.48	\$11.18	\$35.66 \$11.66	\$35.37 \$11.10	\$35.49	\$35.71	\$35.54
NRC 1st	ULCC1	\$35.77	\$36.23	\$35.68	\$35.82	\$35.86	\$35.78	\$9.95	\$10.76	\$10.30
NRC Add1	ULCCI	\$35.55	\$36.02	\$35,48	\$35.62	\$35.66	\$35.37	\$35.71	\$35.91	\$35.74
Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month	TBD	\$15.15	\$15.85	\$14.51	\$16.62	\$17.33	\$16.46	\$35.51	\$35.71	\$35.54
. INRC 1st	TBD	\$35.77	\$36.23	\$35.68	\$35.82	\$35.86	\$35.78	\$14.80 \$35.71	\$16.01	\$15.32
INPIC Addri	TBD	\$35.55	\$36.02	\$35.48	\$35.62	\$35.66	\$35.37	\$35.51	\$35.91 \$35.71	\$35.74 \$35.54
Chennel Interface - 4 Wire Voice, per month	ULCCA	\$9.04	\$9.44	\$8.65	\$9.91	\$10.34	\$9,83	\$33.51 \$8.82	\$9.55	
INRC 1st	ULCCA	\$35.77	\$36.23	\$35.68	\$35.82	\$35.86	\$35.78	\$36.71	\$35.91	\$9.13 \$35.74
NRC Addi	ULCC4	\$35.55	\$36.02	\$35,48	\$35.62	\$35.66	\$35.37	\$35.51	\$35.71	\$35.54
Test Circuit, per month		\$44.16	\$46.14	\$42.30	\$48,43	\$50.53	\$47,85	\$43.13	\$46.66	\$44.65
	UCTTC	\$95.77	\$36.23	\$35.68	\$35.82	\$35.86	\$35.78	\$35.71	\$35.91	\$35.74
I INRC Add'I	UCTTC	\$35.55	\$36.02	\$35.48	\$35.62	\$35.66	\$35.37	\$35.51	\$35.71	\$35.54
Channel Interface - Digital 561Ops, per month	ULCCS	TBN	TBN	TBN	TBN	TEN	TBN	TBN		330.54 TBN
INRC 1st	ULCCS	TBN	TBN	TBN	TEN	TBN	TBN	TBN	TBN	TBN
NRC Add'	ULCCS	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN
Channel Interface - Digital 64Kbps, per month	ULCC6	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN TBN
INRC 1st	ULCC6	TEN	TBN	TBN TBN						
INRC Add'I	ULCC6	TEN	TBN							
		t								
LINE SHARING	<u> </u>	<u> </u>							·····	
System Splitter - 96 Line Capacity	<u> </u>	∱ -								
RC - Per month	ULSDA	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00	\$100.00
					0.00.00		<u></u>			

Version 2000;8/10/00

1

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES INRC - 1st **ULSDA** \$150.00 \$150.00 \$150.00 \$300.00 \$150.00 \$300.00 \$300.00 \$300.00 \$150.00 INRC - Add ULSDA \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 NRC - Disconnect П ULSDA \$150.00 \$150.00 \$150.00 NA \$150.00 NA NA NA \$150.00 System Splitter - 24 Line Capacity П RC - Per month ULSDB \$25.00 \$25.00 \$25.00 \$25,00 \$25.00 \$25.00 \$25.00 \$25.00 \$25.00 NRC - 1st Π ULSOB \$150.00 \$150.00 \$150.00 \$300.00 \$150.00 \$300.00 \$300.00 \$300.00 \$150.00 NRC - Add **ULŞDB** \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 NRC - Disconnect ULSDB \$150.00 \$150.00 NA \$150.00 NA \$150.00 NA NA \$150.00 Π Loop Capacity, Line Activation Per Occurrence RC - Per Month ULSDC \$6.00 \$8.00 \$6.00 \$6.00 \$6.00 \$6.00 \$6.00 \$6.00 \$6.00 NRC - 1st ULSDC \$40.00 \$40.00 \$40.00 \$40.00 \$40.00 \$40.00 \$40.00 \$40.00 \$40.00 NRC - Add ULSDC \$22.00 \$22.00 \$22.00 \$22,00 \$22.00 \$22.00 \$22.00 \$22.00 \$22.00 Subsequent Activity - Per Occurrence NRC 1st ULSDS \$30.00 \$30.00 \$30.00 \$90.00 \$30.00 \$30.00 \$30.00 \$30.00 \$30.00 NRC - Addi ULSDS \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 П П NRC - Incremental Charge - Manual Service Order - 1st SOMAN \$47.00 \$47.00 \$18.94 \$47.00 \$18.14 \$25.52 \$47.00 \$47.00 NA П NRC - Incremental Charge - Manual Service Order - Add't SOMAN \$21.00 \$21.00 \$8.42 \$21.00 \$8.06 \$11.34 \$21.00 \$25.52 NA NRC - Incremental Charge - Manual Service Order - Disconnect - 1st SOMAN \$17.77 NĂ \$142.27 \$17.77 \$11.41 \$16.06 NĂ \$21.00 NA NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l SOMAN \$17.77 NA \$37.86 \$17.77 \$11.41 \$16.06 NA \$21.00 NA SOMEC NRC - Electronic Svc Order, per LSR \$3.50 \$2.77 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 NRC - Electronic Svc Order, per LSR disconnect SOMEC NA \$0.43 NA NA ŇA NA NA NA NA Rates subject to true-up

BELLSOUTHNATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

.

Attachment 2 Exhibit D Rates - Page 17

	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	L BICHANGE SMITCHING (PURIS)										
2-₩	re Analog Line Port (Res., Bus.), per month								T		
	2-Wire Voice Grade Line Port (Residence), per month		-]		T			
	2- wire voice unbundled port - residence	UEPRL	\$2.07	\$2.00 - Note	\$1.85 - Note 1	\$2.61 - Note 1	\$2.20	\$2.11	\$2.19	\$2.35	\$1.90 - Note 1
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	2-wire voice unbundled port outgoing only - residence	UEPRO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2,35	\$1.90
	2-wire voice grade unbundled Alabama extended local dialing parity port with caller					Ĩ				1	
	ID	UEPAR	\$2.07	NA	NA	NA	NA	NA	NA	NA	NA I
11	2-wire voice grade unbundled Kentucky extended local dialing parity port with		1					I		1	
	caller ID	UEPRM	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
	2-wire voice grade unbundled Louisiana extended local dialing parity port with				1					1	
	caller ID	UEPAS	NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
	2-wire voice grade unbundled Mississippi extended local dialing parity port with										
	caller ID	UEPAT	NA	NA	NA	NA	NA	\$2.11	NA	NA	NA
	2-wire voice grade unbundled South Carolina extended local dialing parity port with		1					· · · · · · · · · · · · · · · · · · ·			
╇╼┥╌	caller ID	UEPAU	NA	NA	NA	NA	NA	NA	NA NA	\$2.35	NA
	2-wire voice grade unbundled Tennessee extended local dialing parity port with				1				ļ		
++	caller ID	UEPAQ	NA	NA	NA	NA	<u>NA</u>	NA	NA	NA	\$1.90
++	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$2.00	NA	NA	NA	NA	NA	NA	NA
++	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA	NA	NA	ŇĂ	\$2.20	NA	NA	NA	NA
┼╌╄╌	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence				ĺ	! !					
44	(LW8)	UEPAJ	NA NA	NA NA	NA	NA	<u>NA</u>	NA	NA	\$2.35	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		1		}						
<u>i </u>	(F2R)	UEPAK	NA	NA	NA	NA	<u>NA</u>	NA	NA	NA	\$1.90
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										
┢╌┟╴	(TACER)	UEPAL	NA	NA	NA	NA	NA	<u>NA</u>	NA	NA	\$1.90
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)										1
+ +		UEPAM	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)										
++		VEPAN	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)									1	
+		UEPAO	NA .	NA .	NA	NA	NA	NA	NA	NA	\$1.90
++	2-wire voice unbundled res, low usage line port with Caller ID (LUM)	UEPAP	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
╋╍┼╍	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)				_				[
╉╋	LOCAL NOMBER FORTABILIT (REQUIRES ONE PER PORT)	LNPCX	1					·			
++	2 Wile Vales Cards I ins Red/Rushesse) and month			+						1	L
╉┼┼╴	2-Wire Voice Grade Line Port(Business), per month 2-wire voice unbundled port without Caller ID	115001	-	+							
╋╋	2-wire voice unbundled port with unbundled port with Caller+E484 1D	UEPBL	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
++			\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
++	2 wire voice unbundled outgoing only port	UEPBO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	2-wire volce grade unbundled Alabama extended local dialing parity port with caller			1		I I					
╉╌╂╌	its	UEPAW	\$2.07	NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice grade unbundled Kentucky extended local dialing parity port with online ID										1 7
╁╌╂┉	caller ID	VEPBM	NA	NA	NA	\$2.61	NA	NA	NA	NA	• NA
	2-wire voice grade unbundled Louisiana extended local dialing parity port with		1		l		•				
	caller ID	UEPAX	NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
	2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID	LICDAN		1	l						
┢┼		UEPAY	NA	NA	NA	NA	NA	\$2.11	NA	NA	NA
	2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID		1	1						· · · · ·	
┥┦╌		UEPAZ	NA	NA	NA	<u>NA</u>	NA	NA	NA	\$2.35	NA
11	2-wire voice grade unbundled Tennessee extended local clialing parity port with caller ID	UEPAV		1							
╋╋			NA fra ort	NA	NA	NA	NA	NA	NA	NA	\$1.90
1	2-wire voice unbundled incoming only post with Caller ID	UEPB1	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

٠

Attachment 2 Exhibit D Rates - Page 18

-

DES	CRIPTION	USOC	AL	FL.	GA	KY		MS	NC	SC	TN
	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA	NĂ	NA	NA	\$2.20	NA	NA NA	NA	NA
	2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA	NÁ	NA	NA	NA	NA	NA	\$2.35	NA NA
	2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option		1		†*************				1		
	(TACC1)	UEPAC	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
Π	2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option								<u> </u>		
	(TACC2)	UEPAD	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
T	2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port	<u> </u>									
	(B2F)	UEPAE	Í NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
			T	[· · · · · · · · · · · · · · · · · · ·	1		
	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX			1				1		1
\square							1			i	1
	Non-Recurring Charges (NRC) - 1st (Residence)				1				1		1
				1							BST GSST
┟┈┠	2- wire voice unbundled port - residence	UËPAL	\$21.93	\$38.00	\$17.16	\$37.78	\$18.43	\$22,98	\$21.60	\$24.98	A4.3.1
											BST GSST
\square	2-wire voice unbundled port with caller ID - residence	UEPRC	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.96	\$24.04	\$24.98	A4.3.1
							_		1		BST GSST
╉╌┠╸	2-wire voice unbundled port outgoing only - residence	UEPRO	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	A4.3.1
11										1	BST GSST
++	2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	A4.3.1
╉╼╋╸	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$38.00	NA	NA	NA	NA	NA	NA	NA
++	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
╀╋	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA	NA	NA	-NA	\$16.43	NA	NA	NA	NA
11	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8)										
╉╌╋		UEPAJ		NA	NA		NA	NA	NA	\$24.98	NA
+	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)		1		1						BST GSST
++	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence	UEPAK	NA	NA	NA	NA	NA	NA	NA	NA	A4.3.1
	(TACER)	UEPAL	1		1	1			l		BST GSST
╉┼╂	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence	VEFAL	NA	NA	NA	NA	NA	NA	NA NA	NA	A4.3.1
	(TACSR)	UEPAM	NA	NA	NA	.					BST GSST
╀┼╴	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence	UEFAM	144			NA	NA	NA	NA	NA	A4.3.1
	(1MF2X)	UEPAN	NA	NA	NA	NA	NA	NA			BST GSST
╀┼	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence						NA	<u>NA</u>	NA	NA	A4.9.1
	(2MR)	UEPAO	NA	NA	NA	NA	NA	NA	NA		BSTGSST
							184	NA	N/A	NA	A4.3.1 BST GSST
	2-wire voice unbundled Res Low Usage Line Port with Caller+E563 ID (LUM)	UEPAP	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	A4.3.1
1-1-			-	400.00	477.10	457.70	410.45	322.80	424.04	<u>≱∠4.30</u>	1 1.3.1
	NRC - Add7 (Residence)		+	<u> </u>		 	-		· · · · · · · · · · · · · · · · · · ·		+
			1	-	1	<u> </u>				·	BSTGSST
	2- wire voice unbundled port - residence -	UEPRL	\$21.93	\$15.00	\$17.16	\$37.78	\$16,43	\$22,98	\$21.60	\$24.98	A4.3.1
							÷.0.+0		421.00		BST GSST
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$9.08	\$24,98	A4.3.1
\square				<u></u>	<u></u>			-	43.00		BST GSST
	2-wire voice unbundled port outgoing only - residence	UEPRO	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
T			1								BSTGSST
	2-wire volce unbundled area plus port with caller ID - residence	UEPRM	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22,98	\$9.06	\$24.98	A4.3.1
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$15.00	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NĂ	NA	NA	NA	\$16.43	NA	NA	NA	NA NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA NA
T	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence		1	<u> </u>		t				1.46%	+
	(LW8)	UEPAJ	NA	NA	NA	NA	NA	NA	NA	\$24.98	NA
Т	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence					<u> </u>					BSTGSST
	(F2R)										

BELLSOUTHMATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

Attachment 2 Exhibit D Rates - Page 19

DESCRIPTION		USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	ce unbundled Tennessee Area Calling port with Caller ID - residence	UEPAL	NA	NA	NA	NA	NA	NA	NA	NA	BST GSST M.3.1
	ce unbundled Tennessee Area Calling port with Caller ID - residence	UEPAM	NA	NA	NA	NA	NA	NA	NA	NA	BST GSST A4,3.1
2-wire voi	ce unbundled Tennessee Area Calling port with Caller ID - residence	UEPAN	NA	NA	NA	NA	NA	NA	NA	NA	BST GSST A4.3.1
	ce unbundled Tennessee Area Calling port with Caller ID - residence		1					NA	NA	NA	BST GSS1 A4.3.1
(2MR)		UEPAO	NA .	NA	NA	NA	NA				BST GSS
2-wire voi	ce unbundled Res Low Usage Line Port with Caller ID (LUM)	UEPAP	\$21.93	\$15.00	\$17.18	\$37.78	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1
NRC - Su	bsequent Activity	USASC	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
NRC - 1st	(Business)										
2-wire Vol	ce Unbundled Port without Caller ID	UEPBL	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$21.60	\$24.98	BST GSS A4.3.1
2 withe Vol	a unbundled port with Caller ID	UEPBC	\$21.93	\$38.00	\$17.16	\$37,55	\$16.43	\$22,98	\$24.04	\$24.98	BST GSS A4.3.1
		UEPBO	\$21.99	\$38.00	\$17.16	\$37.55	\$16.43	\$22.96	\$24.04	\$24.98	BST GSS A4.3.1
	se unbundled outgoing only port		1					\$22.98	\$24.04	\$24.98	BST GSS A4.3.1
2-wire voi	be unbundled Area Plus Port with Caller ID	UEPBM	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43		1		BST GSS
	ce unbundied incoming only Port with Caller ID	UEPB1	\$21.93 NA	\$38.00	\$17.16 NA	\$37.55 NA	\$16.43	\$22.98 NA	\$24.04 NA	\$24.98 NA	A4.3.1
	ce unbundled LA Bus Area Calling Port with Caller ID (BUC) ce unbundled SC Bus Area Calling Port with Caller ID+E587 (LMB)	UEPAB	NA	NA -	NA		NA	NA	NA	\$24.98	NA
		UEPAC	NA	NA	NA	NA	NA	NA	NA	NA	BST GSS
	ce unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1)		1	1	1				NA	NA	BST GSS
	ce unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2) ce unbundled TN Bus 2-way Collienville and Memphis Local Calling Port	UEPAD	NA	<u>NA</u>	NA	NÀ	<u>NA</u>	NA	T		BST GSS
(82F)		UEPAE	NA	NA	<u>NA</u>	NA	NA	<u>NA</u>	<u>NA</u>	NA	A4.3.1 BST GSS
			- 	<u> </u>	<u> </u>	<u> </u>	<u> </u>	 	┠───	<u> </u>	A4.3.1 BST GSS
NRC - Ad	d'i (Business)	UEPBL	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$9.08	\$24.98	A4.3.1 BST GSS
2-wire voi	ce unbundled port without Caller ID	UEPBL	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$21.60	\$24.98	A4.9.1
2.wize VO	ce unbundled port with Caller ID	UEPBC	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.96	\$9.08	\$24.98	BST GSS A4.3.1
		UEPBO	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98	\$9.06	\$24,98	BST GSS A4.3.1
	ce unbundled outgoing only port			1	1	1			\$9.06	\$24.98	BST GSS
2-wire voi	ce unbundled Area Plus Port with Caller ID	UEPBM	\$21.93	\$15.00	\$17.16	\$37.55	\$16.43	\$22.98			BST GSS
	ce unbundled incoming only port with Caller ID ce unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPB1	\$21.93 NA	\$15.00 NA	\$17.16 NA	\$37.55 NA	\$16.43 \$16.43	\$22.96 NA	\$9.08 NA	\$24.98 NA	A4.3.1 NA
	ce unbundled CA Bus Area Calling Port with Caller ID (BOC) ce unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA	NA	NA	NA	NA	NA	NA	\$24.98	NA BST GS
2-wire vo	ce unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1)	UEPAC	NA	NA	NA	NA	NA	<u>NA</u>	NA	NA	A4.3.1
2-wine voi	ce unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2)	UEPAD	NA	NA	NA	NA	NA	NA	NA	NA	BST GSS A4.3.1
2-wire voi (B2F)	ce unbundled TN Bus 2-way Collierville and Memphis Locall Calling Port	UEPAE	NA	NA	NA	NA	NA	NA	NA	NA	BST GSS A4.3.1
		West Aller		1		+	t	<u> </u>	1	1	T

-

BELLSOUTHWATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

•

Attachment 2 Exhibit D Rates - Page 20

ł

DES	RIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	NRC - Subsequent Activity	USASC	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
				1	1		+ · · · · · · ·				
	NERC - Disconnect Charge - 1st				· · · · · · · · · · · · · · · · · · ·	i					f
	2- wire voice unbundled port - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled port with caller ID - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled port outgoing only - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled area plus port with caller ID - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled Florida area calling with caller ID - residence		NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)		NA	NA	1 NA	NA	\$4.38	NA	NA	NA	NA
	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)		NA	NA	NA	NA	\$4.38	NA	NA	NA	NA
	2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence										
11	(LW8)		NA	NA	NA	I NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										
	(F2R)		NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence										
	(TACER)		NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence	······································	1		h						
	(TACSR)		I NA	NA	NA	NA	NA	NA	NA	NA	NA I
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence					1					
	(1MF2X)		NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence			-							
	(2MR)		NA	NA	NA	NA	NA	NA	NA	NA	NA I
	2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM)		\$6.21	NA	NA	NÁ	\$4.38	\$6.56	NA	NA	NA
			1								
	2-wire voice unbundled port without Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
\mathbf{T}	2-wire voice unbundled port with Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundied outgoing only Port		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
1.1	2-wire voice unbundled Area Plus Port with Caller ID	·	\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NÁ	NA
	2-wire voice unbundled incoming only Port with Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)		NA	NA	NA	NA	\$4.38	NA	NA	NA	NA
	2-wire voice unbundles SC Bus Area Calling Port with Caller ID (LMB)		NA	NA	NA	NA	NA	NA	NA	NA	NA
			1			1				<u> </u>	
	2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1)		I NA	NA	NA	NA	NA	NA	NA	NA	NA
					<u> </u>						
	2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2)		I NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled TN Bus 2-Way Collierville and Memohis Local Calling Port	No 1400 -				1 · · · · · ·					
	(627)		NA	NA	NA	NA	NA	NA	NA	NA	NA
	f - ·				<u> </u>						
	NRC - Disconnect Charge - Add'l										
	2- wire voice unbundled port - residence		\$6.21	NA	NA	NĂ	\$4.38	\$6.56	NA	NA	NA
++	2-wire voice unbundled port with caller ID - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
++	2-wire voice unbundled port outgoing only - residence		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
11	2-wire voice unbundled area plus port with caller ID ~ residence		\$6.21	NA	- NA	NA	\$4.38	\$6.56	NA	NA	NA
++	2-wire volce unbundled Florida area calling with caller ID - residence		NA	NA	NA	NA	NA	80.50 NA	NA	NA	NA NA
	2-wire voice unbundied Louisiana Area Plus with caller ID - residence (RUL)		NA	NA	NA NA	NA	\$4.38	NA	NA	NA NA	NA NA
++	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)		NA NA	NA	NA	NA	\$4.38	NA NA	NA NA	NA	NA
╈	2-wine voice unbundled South Carolina Area Calling port with Caller ID - residence	7 45.	<u> </u>				39.30	NA			NA
	(LW8)		NA	NA	NA	NA	NA	NA	1 NA		
++-	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence								NA	NA	NA
	(F2R)		NA	NA	NA	NA	NA	NA			1
╉╋	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		- ***			NA		NA .	NA	NA	NA
	(TACER)		NA	NA	NA	NA		NA			
╉╋	2-wire voice unbundled Tennessee Area Calling port with Caller 10 -rcsidence			PNP .			NA	NA	NA	NA	NA
	(TACSR)		NA	NA		1		NI A	1	1	
ᆂᆂ				NA NA	NA		NA	NA	NA	NA	NA NA

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

٠

Attachment 2 Exhibit 0 Rates - Page 21

DES		USOC	AL	FL	GA	KY	LA	NS	NC	SC	TN
T	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		1								
	(1MF2X)		NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		1	<u> </u>					1		
	(2MR)		NA	NA	Í NA Í	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM)		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
┝╋╶┇╸											
┝┼╌╂╌	2-wire voice unbundled port without Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
	2-wire voice unbundled port with Caler ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
╶┨╌┨╼	2-wire voice unbundled outgoing only port		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
┝╋╋╋	2-wire voice unbundled Area Plus Port with Caller ID		\$6.21	NA	NA	NA	\$4.38	\$6.56	NA	NA	NA
++-	2-wire voice unbundled incoming only port with Caller ID		\$6.21	NA	NA	NA	\$4.39	\$6.56	NA	NA	NA
	2-wire voice unbundled LA Bus Area Calling Port with Caller (D (BUC)		NA	NA	NA	NA	\$4,38	NA	NA	NA	NĂ
	2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)		NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option		1		· · · · ·						
	(TACC1)		NA	NA	NA	NA	NA	NA	NA	NA	NA
			T								
	2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2)		NA	NA	NA	NA	NA	NA	NA	NA	NA
TT	2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port		}	}			· · · · · · · · · · · · · · · · · · ·				
	(B2F)		NA	NA		NA	NA	NA	NA	NA	NA
	NRC - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of										[
	the OSS interactive interfaces	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$44.42	NA
	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$14.63	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$10.39	\$16.06	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	SOMAN	\$1.44	NA	NA	NA	NA	NA	NÄ	NA	Ň
									L		· · · · · · · · · · · · · · · · · · ·
All av	ailable features, per month	UEPVF	\$5.55	NA	NA	NA	\$8.28	\$6.75	NA	\$6.29	NA
++	NRC - 1st (all types)		\$24.72	NA	NA	NA	NA	\$21.42	NA	\$36.24	NA
++	NRC - Add'l (al types)		\$24.72	NA	NA	NA	NA	\$21.42	NA	\$36.24	NA
++	NRC - Disconnect Charge - 1st	····	\$18.41	NA	NA	NA	NA	\$19.68	NA	NA	NA
	NRC - Disconnect Charge - Add'l		\$18.41	NA	NA	NA	NA	\$19.68	NA	NA	NA
++	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	NA	NA	NA	\$25.52	NA	\$44.42	NA
++	NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$12.97	NA	NA	NA	NA	\$11.34	NA	\$14.63	ž
++	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	NA	\$16.08	NA	NA	NA
┥	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'I	SOMAN	\$1.44	NA	NA	NA	NA	NA	NA	NA	NA
	a available feature, per month	UEPVF	NA	NA	NA	NA	\$8.28	\$3.31	NA	\$3.03	NA
++	NRC - 1st (all types)		NA	NA	NA	NA	NA	\$3.06	NA	\$4.53	NA
┼╌┾━	NRC - Add'1 (all types) NRC - Disconnect Charge - 1st		NA	NA	NA	NA	NA	\$3.06	NA	\$4.53	NA
++	NRC - Disconnect Charge - 1st NRC - Disconnect Charge - AddT		NA	NA		NA	NA	\$8.20	NA	NA	NA
++	NRC - Disconnect Charge - Add1 NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	\$8.20	NA	NA	NA
╉		SOMAN SOMAN	NA NA	NA NA	NA	NA	NA	\$25.52	NA	\$44.42	NA
++	NRC - Incremental Charge - Manual Service Order - Add'1 NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA NA	NA NA	NA	NA	NA	\$11.34	NA NA	\$14.63	NA
++				NA NA	NA NA	NA	NA	\$16.06	NA	NA	NA
++-	NRC - Incremental Charge - Manual Service Order - Disconnect - AddT	SOMAN		NA	NA	NA	NA	NA	NA	NA	NĂ
	Lander WG Best env month	UEP4A	+		#0 47	N/A		60 M	P D 00	+0.000	
<u></u>	e Analog VG Port, per month INRC - 1st	UEP4A UEP4A	NA NA	\$9.14 \$5.86	\$8.47 \$17.16	NA NA	\$10.13	\$9.60	\$8.69	\$2.28 \$3.50	NA
++-	NRC - Addi	UEP4A	NA NA	\$5.86 \$5.86	\$17.16	NA	\$16.43	\$22.98	\$21.69		NA
┽╋	NRC - Add I	BFR	NA NA	30.00 NA			\$16,43	\$22.98	\$21.69	\$3.50	NA
++	NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l	BFR		NA NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
++	http://www.wisconstance.com	SOMAN		NA NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
++	NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add1	SOMAN			\$18.94	NA	\$18.14	\$25.52	\$26.85	NA	NA
+++	NRC - Incremental Charge - Manual Service Order - Add I NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA NA	NA NA	\$8.42	NA	\$8.06	\$11.34	\$12.67	NA	NA
1 1	Intro - incremental Charge - Manual Service Order - Disconnect - 1st	SCHMAN	I NA		NA	NA	\$8.94	\$16.06	NA	NA	NÄ

BELLSOUTH/INATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

•

٠

Attachment 2 Exhibit D Rates - Page 22

DES	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
	e DID Port, per month	UEPP2	\$12.08	TED	\$11.35	NA	\$13.12	\$14.63	\$12.36	\$12.08	\$12.68
	NRC - 1st	UEPP2	\$50.00	190	\$61.91	NA	\$59.28	\$83.09	\$81.84	\$50.00	8\$T GSST A4.3.1
H^{-}		UEPP2	\$18.00	тво	\$61.91	NA	\$59.28	\$83.09	\$81.84	\$50.00	BST GSST A4.3.1
┶┶	NRC - AddT	UEPP2	NA	NA	NA	NA	\$9.20	\$13.48	NA	NA	NA
	NRC - Disconnect Charge - 1st	UEPP2	NA	NA	NA	NA	\$9.20	\$13.48	NA	NA	NA
	NRC - Disconnect Charge - Add'l	SOMAN	NA NA	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA NA	NA	\$8.42	NA	\$8.06	\$11.94	\$12.76	NA	NA
	NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	NA NA	NA	NA	NA	\$10.39	\$16.07	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	UEPDO	\$130.23	\$125.00	\$120.80	NA	\$149.27	\$146.46	\$123.65	\$130.23	\$120.00
4-W	e DS1 Port w/DID capability, per month	UEPDO	\$130.23	\$125.00	\$120.00	110					Tobe
	NRC - 1st	UEPDD	\$50.00	\$112.00	\$89.4 4	NA	\$85.63	\$117.81	\$116.59	\$60.00	negotiated To be
	NRC - AddT	UEPDD	\$18.00	\$91.00	\$52.46	NA	\$50.23	\$71.18 \$12.94	\$69.92 NA	\$60.00 NA	negotiated
	NRC - Disconnect Charge - 1st	UEPDD .	NA	NA	NA	NA	\$8.82		NA	NA	NA
TT	NRC - Disconnect Charge - Add"	UEPDD	NA	NA	NA	NA	\$8.82	\$12.94	NA \$26.94	NA NA	NA
	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18.94	NA	\$18.14	\$25.52	\$12.76	NA NA	NA
	NRC - Incremental Charge - Manual Service Order - Add [*]	SOMAN	NA	NA	\$8.42	NA	\$8.06		\$12.70 NA	NA	NA
\square	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	NA	NA	NA	NA	\$10.39	\$16.06		\$33.74	\$1.90
2-W	rs ISDN Port(2) (3), per month	UIPMA	\$16.42	\$13.00	\$13.47	\$12.33	\$23.33	\$51.91	\$24.50		BST GSST
11	NRC - 1st	U1PMA	\$63.24	\$88.00	\$47.37	\$90.48	\$45.35	\$63.59	\$62.29	\$65.79	A4.3.1 BST GSST
\square	NRC - Add'l	U1PMA	\$83.24	\$66.00	\$47.37	\$84.53	\$45.35	\$63.59	\$62.29	\$65.79	A4.8.1
+	NRC - Disconnect Charge - 1st	UIPMA	\$5.69	NA	NA	NA	\$4.31	\$7.04	NA	NA	NA
╇	NRC - Disconnect Charge - Add1	UIPMA	\$5.69	NA	NA	NĂ	\$4.31	\$7.04	NA	NA	NA
++	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$56.19	NA	\$39.96	NA	\$38.29	\$53.87	\$55.30	\$67.52	NA
╉╋	NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$56.19	NA	\$39.98	NA	\$38.29	\$53.87	\$55.30	\$67.52	NA
┿╋	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$12.97	NA	NA	NA	\$6.65	\$11.34	NA	NA	NA
╉┈╋╴	NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$12.97	NA	NA	NA	\$6.65	\$11.34	NA	NA	NA
++	NRC - User Profile per B Channel (4)	UIUMA	NA	NA	NA	\$5.61	NA	NA	NA	NA	NA_
	re ISDN Port(2) (3) Including all available features, per month	UIPMA	NA	NA	NA	NA	NA	NA	NA	\$38.68	NA
2.1	NRC - 1st	UIPMA	NA	NA	NA	NA	NA	NA	NA	\$106.40	NA
++	NRC - Add1	UIPMA	NA	NA	NA	NA	NA	NA	NA	\$106.40	NA
++	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	ŇA	\$67.52	NA
╉╌╋	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$67.52	NA
	ine ISDN Port(2) (3) including three available features, per month	UIPMA	NA	NA	NA	NA	NA	NA	NA	\$36.01	NA
2-W	NRC - 1st	UIPMA	NA	NA	NA	NA	NA	NA	NA	\$70.32	NA
++		UIPMA	NA	NA	NA	NÁ	NA	NA	NA	\$70.32	NA
╉╌╉	NRC - Add1 NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NĂ	NA	\$67.52	NA
┈╁╾┿	NHC - Incremental Charge - Manual Service Order - Ist	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$67.52	NA
	NRC - Incremental Charge - Manual Service Order - Add1	UEPEX	\$186.02	NA	\$163.16	NA	\$194.72	\$213.21	\$179.75	\$214.79	\$308.00
- +-₩	ire ISDN DS1 Port, per month		+ + + + + + + + + + + + + + + + + + + +	+	1	1	1		1	1	To be
	NRC - 1st	UEPEX	\$244.85	NA	\$186.90	NA	\$181.89	\$244.12	\$241.63	\$278.37	negotiated
	NRC - Add'i	UEPEX	\$244.85	NA	\$186.80	NA	\$181.89	\$244.12	\$241.63 NA	\$278.37 NA	negotiated
	NRC - Disconnect Charge - 1st	UEPEX	\$51.19	NA	NA	NA	\$27.11	\$53.32		NA	NA
++	NRC - Disconnect Charge - Add'l	UEPEX	\$51.19	NA	NA	NA	\$27.11	\$53.32			NA NA
+ 1	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$54.75	NA	\$37.68	NA	\$33.18	\$51.03	\$53.89	\$65,48	
-+-+	NBC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$54.75	NA	\$37.88	NA	\$33.18	\$51.03	\$53.89	\$65.48	NA
++	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$11.53	NA .	NA	NA	\$7.73	\$8.51	NA	NA	NA
++	NRC - Incremental Charge - Manual Service Order - Disconnect - Add"	SOMAN	\$11.53	NA	NA	NA	\$7.73	\$8.51	NA	NA	NA
	fire ISDN DS1 Port including all available features, per month	UEPEX	NA	NA	NA	\$275.48	NA NA	NA	NA	\$251.00	NA

BELLSOUTHWATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

•

Attachment 2 Exhibit D Rates - Page 23

	SCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
Ť	INRC - 1st	UEPEX	NA	NA	NA	\$181.27	NA	NA	NA	\$311.73	NA
	NRC - Add1	UEPEX	NA	NA	NA	\$116.42	NA	NA	NA	\$311.73	NA
+	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$65.48	NA
+-	NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$65.48	NA
	Vice Analog Line Port (PBX), per month		<u> </u>								
12-1	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.18	\$2.35	\$1.90
+-	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
-1-	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
-	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
-	LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS	UEPLD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS	UEPT2	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1_90
+	TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS	UEPTO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
+	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING										
11	PORT	UEPA2	\$2.07	NA	NA	NA	NA	NA	NA	NA	NA
+ -	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA		1								
	CALLING PORT	UEPL2	NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
+	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE		T							1 7	
	CALLING PORT	UEPT2	NA	NA	NA	NA	NA	NA	NA	NA	\$1,90
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING									ļ ·	
	PORT	UEPTO	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$2.07	\$2.00	\$1,85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
-	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD										
	CAPABLE PORT	UEPXE	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
H	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING	,		I				1			
	PORT WITHOUT LUD	UEPXF	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
1	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT					I				1	
	WITHOUT LUD	UEPXJ	NA _	NA	NA	\$2.61	NA	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL									·	NA
	CALLING PORT	UEPXK	NA	<u>NA</u>	NA	NA	\$2.20	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY							-	******	\$2.35	\$1.90
1_	ADMINISTRATIVE CALLING PORT	UEPXL	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	32.30	
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY		40.00					\$2.11	\$2.00	\$2.35	\$1.90
	ROOM CALLING PORT	UEPXM	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	342.11	342.00	- 06-30	- 8 1.30
					i	1		1	1		
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL	1100001		NA	NA	NA	NA	NA	NA	NA	\$1.90
	ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	NA				140				
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL			-	A 1 105	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
	DIACOUNT ROOM CALLING PORT	UEPXO	\$2.07	\$2.00	\$1.85	1	*****	- <u> </u>	- WE.00		Ψ 1.207
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL		NA	NA	NA	NA	\$2.20	NA	NA	NA	NA
4	DISCOUNT CALLING PORT	UEPXP					- + <i>e.ev</i>	<u>+ "`</u>		t	
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY		NA	NA	NA	NA	NA	\$2.11	NA	NA	NA
Ц	CALLING PORT	UEPXQ		1164			- ····	1 4946.11 ···		- · · · · ·	
11	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL		NA	NA	NA	NA	NA	\$2.11	NA	NA	NA
ЦL	CALLING PORT	UEPXR UEPXS	NA \$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
Щ.	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEFAB		+ <u>3×.00</u>	- (co.ie		- see	-	4444	+	
	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS	UEPXT	NA	NA	NA	NA	NA	NA	NA	\$2.35	NA
1.1	CALLING PORT			L	1,	1 170	1	1	1 (1971		

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

٠

Attachment 2 Exhibit D Rates - Page 24

DESC		USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
}	2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	SICOVIC									
	2-WIRE VOICE UNBUNDLED P BA COLLIERVILLE & MEAFRIS CALLING FORT	UEPXU	NA	NA		NA	NA	NA	NA	NA	\$1.90
	CALLING PORT	UEPXV	NA	NA	NA	NA	NA				A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1
				004				NA	NA	NA	\$1.90
	UNBUNDLED LOOP BILLING USOC (REQUIRES ONE PER PORT)	UEPLX		<u> </u>	<u> </u>						
				T							
	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCP		ļ							
	NRC - 1st	UEPPC	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.96	\$24.04	\$24.36	NA
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$21.93	\$38.00	\$17.16	\$36.47	\$16,43	\$22.98	\$21.60	\$24.36	NA
	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.96	\$24.04	\$24.36	NA
	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$21.93	\$38.00	\$17.16	\$36.47	\$16,43	\$22.98	\$24.04	\$24.35	NA
	LINE SIDE UNBUNDLED INCOMING PBX TRUNK + BUSINESS	UEPP1	\$21.93	\$38.00	\$17.16	\$36.47	\$16,43	\$22.98	\$24.04	\$24.36	NA
	LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS	UEPLD	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22,96	\$24.04	\$24.36	NA
	TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS	UEPT2	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
	TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS	UEPTO	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING			1							
_	PORT	UEPA2	\$21.93	NA	NA	NA	NA	NA NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA		1								
	CALLING PORT	UEPL2	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$21.93	\$38.00	\$17.16	\$36.47	\$16,43	\$22.98	\$24.04	\$24.36	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE						-				
	CALLING PORT	UEPT2	NA	NĂ	NA	NA	NA	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT							1			1
		UEPTO	NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXA	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.96	\$24.04	\$24.36	NA
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL POTEL PORTS	UEPXB	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINAL SPORT	UEPXC	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD FORT	UEPXD	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
	CAPABLE PORT	UEPXE	\$21.93	\$38.00	\$17.16	ADD 47	e10.10				}
_	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING	UEFAE	<u>\$21.93</u>	\$38.00	\$17.10	\$36.47	\$18.43	\$22.98	\$24.04	\$24.36	NA
	PORT WITHOUT LUD	UEPXF	NA	NA	NA	\$36.47	NA				
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	NA NA	NA	NA	\$36.47	NA NA	NA NA	NA	<u>NA</u>	NA
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	NA NA	NA NA	NA	\$36.47	NA		NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT	UEFAN		1		\$30.47	<u>~~~</u>	NA	NA	NA	NĂ
	WITHOUT LUD	VEPXJ	NA	NA	NA	\$36.47	NA	NA	NA	NA	
_	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL			<u> </u>	<u> </u>	400.47	- 1 1 2	<u> </u>		<u> </u>	NA
	CALLING PORT	UEPXK	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY		1961			· · · · ·					
	ADMINISTRATIVE CALLING PORT	UEPXL.	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22,98	\$24.04	\$24.36	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY					400.11	*	442.00		4804.00	
	ROOM CALLING PORT	UEPXM	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
			1	1	1						
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL		1				1	Į	!	1	1
	ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	NA	NA	NA	NA	NA	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL		1	1	1			t <u> </u>		<u> </u>	
	DIACOUNT ROOM CALLING PORT	UEPXO	\$21.93	\$38.00	\$17.15	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL		1	1				1		<u> </u>	
	DISCOUNT CALLING PORT	UEPXP	NA	NA	NA	NA	\$16.43	NA	NA	NA I	NA
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY		1	1				r			
14	CALLING PORT	UEPXQ	I NA	NA	NA	NA	NA	\$22.98	NA	NA	NA

BELLSOUTHWATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

•

Attachment 2 Exhibit D Reles - Page 25

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL		1								
CALLING PORT	UEPXR	NA	NA	NA	NA	NA	\$22.98	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS										
CALLING PORT	UEPXT	NA	NA	NA	NA	NA	NA	NA	\$24.36	NA
		-								
2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	NA	NA	NA	NA	NA	NA	NA	NA NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV										
CALLING PORT	UEPXV	NA	NA	NA	NA	NA	NA	NA	NA	NA
			· · · · · · · · · · · · · · · · · · ·							
Subsequent Activity	USASC	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
			41020	• • • • • • • • • • • • • • • • • • •		4.0.00				
NRC - Add'i										
2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.96	\$21.60	\$24.36	NA
LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UÉPPC	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
	UEPP1	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPLD		\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.30	NA
LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS	UEPT2	\$21.93		\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA NA
TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS			\$15.00							
TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS	UEPTO	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NĂ
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING					1				l	1
PORT	UEPA2	\$21.93	NA	NA	NA	NA	NA	NA	<u>. NA</u>	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA					l					
CALLING PORT	UEPL2	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE					f					
CALLING PORT	UEPT2	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING					1				1	
PORT	UEPTO	NA	NA	NA	<u>NA</u>	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE LINBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.96	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD			1	1	1					1
CAPABLE PORT	UEPXE	\$21.93	\$15.00	\$17.16	\$36.47	\$16,43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING									1	1
PORT WITHOUT LUD	UEPXF	NA	NA	NA	\$36.47	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	NÁ	NA	NA	\$37.47	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	NA	NA	NA	\$38.47	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT										
WITHOUT LUD	UEPXJ	NA	NA	NA	\$39.47	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL					408.41					<u> </u>
CALLING PORT	UEPXK	NA	NA	NA	NA	\$16.43	NA	NA	NA	NA
	UEFAN	<u> </u>		11/14						
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY										
	UEPXL	\$21.93	\$15.00	\$17.16	\$36.47	\$16,43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY									-	
ROOM CALLING PORT	UEPXM	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
				1	1			l		
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL		1		1			l	l	I	I
ECONOMY ADMINIATRATIVE CALLING PORTENNESSEE CALLING PORT	UEPXN	NA	NA	NA	NA	NA	NA	NA	NA	<u>NA</u>
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL		1	1	1			ł .	Ι.	I .	1
DIACOUNT ROOM CALLING PORT	UEPXO	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL				1			[1		1
DISCOUNT CALLING PORT	UEPXP	NA	NA NA	NA	NA	\$18.43	NA	NA	NA	NA

BELLSOUTHWATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

DES	CRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	NT
11	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY										
	CALLING PORT	UEPXQ	NA	NA	NA	NA	NA	\$22.98	NA	NA	NA
++	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL										
	CALLING PORT	UEPXR	NA	NA	NA	NA	NA	\$22.98	NA		NA
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	NA
17	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS										
11	CALLING PORT	UEPXT	NA	NA	NA	NA	NA	NA	NA	\$24.36	NA
TT										1	
	2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	NA	NA	NA	NA	NA	NA	NA	NA	NA
TT	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV										
	CALLING PORT	UEPXV	NA	NA	NA	NA	NA	NA	NA	NA	NA
				· · · · · · · · · · · · · · · · · · ·		1					
	NRC - Disconnect Charge - 1st			L							
	2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NĀ
	LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
\square	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA NA	NA
	TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING			1							
	PORT		\$6.21	NA NA	NA	NA	<u>NA</u>	NA	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA		1	1							50 A .
++	CALLING PORT		NA	NA	NA	NA	\$3.77	NA	NA	NA	NA
++	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE				1	1		l		1	NA
╇	CALLING PORT		NA NA	NA NA	NA		NA	NA	NA	NA	
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING		NA	NA	NA	NA	NA	NA	NA	NA	NA
++	PORT 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT		\$6.21	NA	NA		\$3.77	\$8.56	NA	NA NA	NA
╉┉╉┈	2-WIRE VOICE UNBUNDLED PEX TOLL TERMINAL HOTEL PORTS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA NA	NA
++	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL FORTS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA NA	NA
╋╋	2-WIRE VOICE UNBUNDLED PBX LD DOD JERMINALS PORT		\$6.21	NA NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
╀┼	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD FORT		3021			1 10	\$3.77		180		
	CAPABLE PORT		\$6.21	NA	NA NA	NA	\$3.77	\$6.56	NA	NA	NA
┿╋	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING			<u>130</u>			00.71				
	PORT WITHOUT LUD		NA	NA	NA	NA	NA	NA	NA	NA	NA
++	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT		NA NA	NA	NA	NA	NA	NA	NA	NA	NA
╉╋	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
++	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT							1			
	WITHOUT LUD		NA	NA	NA	NA	NA	NA	NA	NA	NA
++	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL			1						+	
11	CALLING PORT		NA	NA	NA	NA	\$3.77	NA	NA	NA	NA
╈	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY			+				<u>+</u>			
	ADMINISTRATIVE CALLING PORT		\$6.21	NA NA	NA	NA NA	\$3.77	\$6.56	NA	NA	NA
╋╋	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY	· · ·	+	t ·····	t	†	1	t	1 ·····	1	l
	ROOM CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
╀╂			1	1		1	1	1	1	1	1
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL		I		l			1	1	1	
11	ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT		NA	NA	NA	NA	NA	NA	NA	I NA	NA
++	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL		1	1		<u></u>	1	1	1		1
	DIACOUNT ROOM CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	I NA	NA
++	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL			1		†	<u> </u>	1	1	1	<u> </u>
11	DISCOUNT CALLING PORT		\$6.21	I NA	NA	NA	\$3.77	\$6.56	NA	NA	NA

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

٠

Attachment 2 Eschibit D Plates - Page 27

DESCRIPTION		USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
2-WIRE VOICE UNBL	INDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY										
CALLING PORT			NA	NA	NA	NA	NA	\$6.56	NA	NA	NA .
2-WIRE VOICE UNBL	JNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL										NA
CALLING PORT			NA	NA	NA	NA	NA	\$6.56	NA	NA	NA NA
	INDLED 1-WAY OUTGOING PBXMEASURED PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	<u> </u>
	JNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS				NA	NA	NA	NA	NA	NA	NA
CALLING PORT			NA	NA .	INA		110		197		1967
	INDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
	INDLED PBA COLLIERVILLE & MEMPHIS CALLING FORM				h		141				
CALLING PORT	INDLED 2-WAT PDA (ENNESSEE REGIONSENT		NA	NA	NA	NA	NA	NA	NA	NA	NA
CALLINGTON											
NRC - Disconnect Cl	harme - Addii										
	INDLED COMBINATION 2-WAY PBX TRUNK - Residence		\$6.21	NA	NA	NA	\$3.77	\$6.56	NÁ	NA	NA
	LED COMBINATION 2-WAY PBX TRUNK - BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	ED OUTWARD PBX TRUNK - BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	LED INCOMING PBX TRUNK - BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6,56	NA	NA	NA
	RMINAL PBX TRUNK-BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NÁ	NA	NA
	PLAN PBX TRUNK - BUSINESS	•	\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA NA
TN OUTWARD CALL	NG PLAN PBX TRUNK - BUSINESS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNB	UNDLED 2-WAY COMBINATION PBX ALABAMA CALLING										
PORT			\$6.21	NA	NA	NA	NA	<u>NA</u>	NA	NA	NA
2-WIRE VOICE UNBU	JNDLED 2-WAY COMBINATION PBX LOUISIANA		}		1	l					I
CALLING PORT			NA	NA	NA	NA	\$3.77	NA	NA	NA	NA
	UNDLED PBX LD TERMINAL PORTS		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA .	NA	NA
	UNDLED 2-WAY COMBINATION PBX TENNESSEE				i	I			1		NA
CALLING PORT			NA	NA	NA	NA	NA	NA	NA	NA	
	UNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING					NA	NA	NA	NA	NA	NA
PORT			NA	NA	NA NA	NA	\$3.77	\$6.56	NA NA	NA	NA NA
	UNDLED 2-WAY COMBINATION PBX USAGE PORT		\$6.21	NA	NA NA	NA NA	\$3.77	\$6.56	NA	NA NA	NA
	UNDLED PBX TOLL TERMINAL HOTEL PORTS		\$6.21	NA NA		NA NA	\$3.77	\$6.56	NA	NA	NA
2-WIRE VOICE UNB	UNDLED PBX LD DDD TERMINALS PORT		\$6.21 \$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
	UNDLED PBX LD TERMINAL SWITCHBOARD PORT		30-21	na.							
	UNDLED PBX LD TERMINAL SWITCHBOARD IDD		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
CAPABLE PORT	UNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING				<u> </u>			40.00	1		
			NA	NA	NA	NA	NA	NA	NA	NA	NA
PORT WITHOUT LUI	UNDLED PBX KENTUCKY LUD AREA CALLING PORT		NA	NA	NA	NA	NA	NA	1 NA	NA	NA
	UNDLED PBX KENTUCKY PREMIUM CALLING PORT		NA	NA	NA	NĂ	NA	NA	NA	NA	NA
	UNDLED 2-WAY KENTUCKY AREA CALLING PORT	<u> </u>					1		1	1	
WITHOUT LUD			NA	NA	NA NA	NA	NA	NA	NA NA	NA	NA
	UNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL							1			
CALLING PORT			NA	NA	NA	NA	\$3.77	NA NA	NA	NA	NA
	UNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY	•		1	1	1		1			1
ADMINISTRATIVE C			\$6.21	NA	NA NA	NA	\$3.77	\$6.56	NA	NA	NA
	UNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY			1		1	1		1		1
ROOM CALLING PO			\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
					1		1			1	
2-WIRE VOICE UNB	UNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL			1	1	1				1	
ECONOMY ADMINIA	TRATIVE CALLING PORTTENNESSEE CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE LINB	UNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL				1	T	1				1
DIACOUNT ROOM C	CALLING PORT		\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	
2-WIRE VOICE UNB	UNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL										l
DISCOUNT CALLING			\$6.21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

Attachment 2 Exhibit D Rates - Page 28

•

DESCRIPT		USOC	AL	FL	ĜA	КҮ		MS	NC	<u>sc</u>	TN
	VIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY						·				
	LLING PORT		NA	NA	NA	NA	NA	\$6.56	NA	NA	NA
	VIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL										
CAL			NA	NA	NA	NA	NA	\$6.56	NA	NA	NA
2-W	VIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT		\$6,21	NA	NA	NA	\$3.77	\$6.56	NA	NA	NA
2-14	VIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS										
CAL	LUNG PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
-+-+											
2-W	/IRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT		NA	NA	NA	NA	NA	NA	NA	NA	NA
	I'RE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV										
	LING PORT		NA I	NA	NA	NA	NA	NA	NA	NA	NA
+-+**-											
	C - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of		1 1				-				
	OSS interactive interfaces	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	C - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$41.86	NÁ
	C - Incremental Charge - Manual Service Order - Ist	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	\$12.76	\$14.46	NA
	C - Incremental Charge - Wathball Service Order - Add F	SOMAN	\$17.77	NA NA	NÅ	NA	\$8.94	\$16.06	NĂ	NA	NA
INH	C - Incremental Charge - Manual Service Order - Disconnect - 1st				NA	NA	NA	NA NA	NA	NA NA	NA
	C - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$0.48	NA	NA .	NA	<u>NA</u>			N	
	alog Hunting, per line per month	HTGUX	See features	NA	NA	\$0.29	NA	See features	NA	See features	NA
	C - 1st	HTGUX	See features	NA	NĂ	\$2.14	NA	See features	NA	See features	NA
NRO	C - Add1	HTGUX	See features	NA	NA	\$2.14	NA	See features	NA	See features	NA
Coln Port	, per month		\$2.34	NA	\$2.05	\$3.04	\$2.50	\$2.92	NA	\$2,77	\$1.90
											BST GSS
	C-1st		\$21.93	NA	\$17.16	\$40.71	\$16.43	\$22.98	NA	\$24.75	A4.3.1
++											BST GSST
INBO	C - Add'l		\$21.93	NA	\$17.16	\$40.71	\$16.43	\$22.98	NA	\$24.75	A4.3.1
	C - Disconnect Charge - 1st		\$5,21	NA	NA	NA	\$4.15	\$6.56	NA	NA	NA
	C - Disconnect Charge - AddT		\$5.21	NA	NA	NA	\$4.15	\$6.56	NA	NA	NA
	C - Incremental Charge - Manual Service Order - 1st	SOMAN	\$25.93	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$43.48	NA
	C - Incremental Charge - Manual Service Order - Add1	SOMAN	\$12.97	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$14.57	NA
	C - Incremental Charge - Manual Service Order - Aud 7	SOMAN	\$16.33	NA	NA	NA	\$9.86	\$16.06	NA	NA	NA
		SOMAN	\$0.48	NA	NA	NA	NÁ	NA	NA	NA	NA
	C - Incremental Charge - Manual Service Order - Disconnect - Add1	SUMAN	\$0.40	NA	NA			<u>"``</u>			
					61 8	NÁ	NĂ	NA	\$2.59	NA	NA
	ola Port, per month		NA	NA	NA	NĂ					NA
	C - 1st		NA	NA	NA	NA	NA	NA	\$21.60	NA	
	C - Add1		NA	NA	NA	NA	ŇĂ	NA	\$21.60	NA	NA
NR	C - Disconnect Charge - 1st		NA	NA	NA	NA	NA	NA	NA	NA	NA
INA	C - Disconnect Charge - Add1		NA	NA	NA	NA	NA	NA	NA	NA	NA
INR	C - Incremental Charge - Manual Service Order - 1st		NA	NA	NA	NA	NA	NA	\$26.94	NA	NA
	C - Incremental Charge - Manual Service Order - Add1		NA	NA	NA	NA	NA	NA	\$12.76	NA	NA .
INR	C - Incremental Charge - Manual Service Order - Disconnect - 1st		NA	NA	NA	NA	NA	NA	NA	NA	NA
	C - Incremental Charge - Manual Service Order - Disconnect - Add1		NA	NA	NA	NA	NA	NA	NA	NA	NA
	A MARCHARD AND A MARCHARD AND A AND A PROPERTY AND A MARCH					1		1			
	L FEATURES					t		1		1	
TENICA			┉╉┯┯┯╾╋	No addl		No add1				+	
		A174			NA		\$8.28	NA	NA	See above	NA
	Iching Features offered with Port, Per month	N/A	NA	charge	NA NA	charge NA	\$6.26 NA	\$1.32	\$0,89	\$1.10	NA
LOCAL SWII			\$1.12	NA NA							NA
Three-Wa	ry Calling, per month			MA	NA	I NA	NA	\$1.02	\$1.51	\$1.51	NA NA
Three Wa	C		\$1.03								
Three-Wa	C C Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	
Three-Wa	C C Disconnect			NA NA	NA NA	NA	NA	\$0.0755	\$0.17	\$0.1247	NA
Three-Wa	C C - Disconnect r Changeable Speed Calling, per month		\$0.55	NA	NA	NA NA	NA NA	\$0.0755 \$1.02	\$0.17 \$1.51	\$0.1247 \$1.51	NA NA
Three Wa NR Customer	C C - Disconnect r Changeable Speed Calling, per month	· · · · · · ·	\$0.55 \$0.08	NA NA	NA NA	NA	NA	\$0.0755	\$0.17	\$0.1247	NA

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

DESCRIPTION	USOC	AL			1 100		MS			
		\$1.03	FL.	GA NA	KY NA	NĂ	\$1.02	NC .		NA
NRC - Disconnect		\$0.55	NA NA	NA NA	NA NA	NA NA	\$1.02	\$1.51	\$1.51	NA
		\$0.55	NA NA	NA	NA NA	NA NA	\$0.5466	NA \$0.85		NA
Remote Activation of Call Fordwarding, per month		\$1.03	NA	NA NA	NA NA	NA	\$1.02	\$1.51	\$0.3743	NA NA
		\$0.55	NA	NA	NA NA	NA NA			\$1.51	
NRC - Disconnect		\$0.05	NA NA	NA	NA NA	NA NA	\$0.5466	NA \$0.01	NA NA	NA NA
Cancel Call Walting, per month		\$1.03	NA NA	NA NA	NA NA	NA	\$1.02	\$1.51	\$0.0099	NA
NRC - Disconnect		\$1.05	NA	NA	NA NA	NA NA	\$0.5466	<u>- 91.51</u> NA	\$1.51 NA	NA NA
Automatic Caliback, per month		\$0.29	NA	NA NA	NA NA	NA	\$0.9977	\$0.66	\$0,8015	NA NA
Automatic Californic, per montri T INRC		\$1.03	NA NA	NA NA	NA NA	NA NA	\$0.9977	\$1.51	\$1.51	NA NA
NRC - Disconnect		\$0.55	NA	NA	NA NA	NA	\$0.5466	NA NA	NA	NA NA
Autometic Recall, per month		\$0.35	NA	NA NA	NA NA	NA	\$0.3164	\$0.29	\$0,3102	NA
NRC	· · · · ·	\$1.03	NA	NA NA		NA NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA NA	NA NA	NA NA
Calling Number Delivery, per month		\$0.22	NA	NA	NA	NA	\$0.1817	\$0.33	\$0.3272	NA
Caund remain convery, per month		\$1.03	NA	NA NA	NA NA	NA	\$1.02	\$1.51	\$1.51	NA NA
INRC - Disconnect		\$0.55	NA	NA NA		NA NA	\$0.5466	81.51 NA	\$1.51 NA	NA NA
Calling Number Delivary Blocking, per month		\$1.17	NA	NA	NA NA	NA NA	\$0.9913	\$0.02	\$0.3684	NA
NRC		\$1.03	NA	NA	NA -	NĂ	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Customer Originated Trace, per month		\$0.14	NA	NA	NA NA	NA	\$0,1918	\$0.14	\$0.1402	NA
INRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NĂ	NA	NA	\$0.5466	NA	NA	NA
Selective Call Rejection, per month		\$0.13	NA	NA	NA	NA	\$0.1721	\$0.13	\$0.1528	NA
		\$1.03	NA	NA	NA NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Selective Call Forwarding, per month		\$0.05	NA	NA	NA	NA	\$0.1050	\$0.28	\$0.1287	NA
		\$1.03	NA	NA	NA	NA	\$1.02	\$1,51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA NA	NA
Selective Call Acceptance, per month		\$0.29	NA	NA	NA	NA	\$0,4010	\$0.33	\$0.3283	NA
INRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NAC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Multiline Hunt Service (Rotary)	•			+ · · · · · ·					+	
Service per line, (in addition to port), per month		\$0.11	NA	NA	Í NA	NA	\$0,1271	\$0.14	\$0,1301	NA
INRC		\$1.03	NA	NA	NA	NÁ	\$1.02	\$1.51	\$1,51	NA
NPC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call Forwarding Variable, per month		\$0.05	NA	NA	NA	NĂ	\$0.0474	\$0.10	\$0.0768	NA
INRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call Forwarding Busy Line, per month		\$0.03	NA	NA	NA	NA	\$0.0279	\$0.08	\$0.0603	NA
		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call Forwarding Don't Answer All Calls, per month		\$0.03	NA	NA	NA	NÁ	\$0.0308	\$0.09	\$0.0655	NĂ
		\$1.03	NA	NA	NA NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA NA	NA
Remote Call Forwarding, per month		\$1.36	NA	NA	NA	NA	\$1.47	\$0.95	\$1.41	NA
		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call Transfer, per month		\$0.12	NA	NA	NA	NA	\$0,1404	\$0.14	\$0.1392	NA
		\$1.03	NA	NĂ	NA	NÁ	\$1.02	\$1.51	\$1.51	NA
INRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call Hold, per month		\$0.03	NA NA	NA NA	NA	NA	\$0.0190	\$0.15	\$0.0677	NA
		\$1.03	NA NA	NA NA	NA NA	NA	\$1.02	\$1.51	\$1.51	NA NA
INRC – Disconnect		\$0.55	NA NA	NA NA	NA NA	NA	\$0.5466	NA NA	NA	NA NA
I I MIC - DISCOMINGCE		CC.U&	I NA	An j	I NA		j \$0.3400			NA

BELLSOUTHNATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

.

.

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC .	TN
Toll Restricted Service, per month		\$0.04	NA	NA	NA	NA	\$0.0387	\$0.10	\$0.0743	NA
		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Nessage Waiting Indicator - Stutter Dial Tone, per month	1	\$0.03	NA	NA	NA	NA	\$0.0358	\$0.03	\$0.0318	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Anonymous Call Rejection, per month	1	\$0.93	NA	NA	NA	NA	\$0.9519	\$1.29	\$1.13	NA
		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
NRC - Disconnect	L	\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Shared Call Appearances of a DN, per month		\$0.41	NA	NA	NA	NA	\$0.5015	\$0.29	\$0.3513	NA
I NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.47	\$1,47	NA
NRC - Disconnect		\$0.55	NA	NĂ	NA	NA	\$0.5466	NA	NA	NA
Multiple Call Appearances, per month		\$0.09	NA NA	NA	NA	NA	\$0.0932	\$0.07	\$0.0691	NA
NRC		\$1.03	NA	NA	NA	NA	\$1.02	\$1.47	\$1.47	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NÁ	\$0.5466	NA	NA	NA
ISDN Bridged Call Exclusion, per month		\$0.00	NA	NA	NA	NA	\$0.0013	\$0.0011	\$0.0013	NA
	<u> </u>	\$1.03	NA	NA	NA	NA	\$1.02	\$1.47	\$1.47	NA
NRC - Disconnect		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
Call by Call Access, per month	I	\$28.29	NA	NA	NA	NA	\$50.89	\$19.83	\$0.3621	NA
		\$28.94	NA	NA	NA	NA	\$28.61	\$33.33	\$33.36	NA
NRC - Disconnect		\$5.22	NA	NA	NA	NA	\$5.16	NA	NA	NA
Privacy Release, per month		\$0.01	NA	NA	NA	NA	\$0.0030	\$0.0041	\$0.0116	NA
NRC - Disconnect	<u> </u>	\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
	ļ	\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NĂ
Multi Appearance Directory Number Calls, per month		\$0.10	NA	NA	NA	NA	\$0.1115	\$0.13	\$0.1048	NA
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
Make Set Busy, per month		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
		\$0.01	NA	NA	NA	NA	\$0.0013	\$0.0020	\$0.0101	NA
NRC - Disconnect		\$1.03	NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
Teen Service (Res. Dist. Alerting Service), per month		\$0.55 \$0.15	NA NA	NA NA	NA NA	NA NA	\$0.5466	NA	NA	NA
NRC		\$1.03	NA NA	NA NA	NA	NA NA	\$0.1071	\$0.26	\$0.2149	NA
NRC - Disconnect		\$0.55	NA NA	NA	NA	NA	\$1.02	\$1.51	\$1.51	NA
Code Restriction and Diversion, per month		\$0.05	NA NA	NA	NA NA	NA NA	\$0.5466	NA	NA	NA
		\$1.03	NA NA	NA	NA NA	NA NA	\$0.0464	\$0.09	\$0.0708	NA
NRC - Disconnect	┼─────	\$0.55	NA	NA	NA NA	NĀ NĀ	\$0.5466	\$1.51 NA	\$1.51 NA	N
Call Parts, per month		\$0.05	NA	NA	NA	NA	\$0.5466			NA
		\$1.03	NA NA	NA	NA	NA	\$0.0443	\$0.09 \$1.51	\$0.0694	NA
NRC - Disconnect	+	\$0.55	NA	NA	NA	NA NA	\$0.5466		\$1.51 NA	NA
Automatic Line, per month		\$0.09	NA	NA	NA	NA	\$0.5405 \$0.1111	\$0.14	\$0.1179	NA NA
INRC		\$1.03	NA	NÁ	NA	NA	\$1.02	\$1.51	\$0.1179	NA
NRC - Disconnect	1	\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA NA	NA NA
	1		<u> </u>		·····				······································	
2-WIRE ISDN BRI FEATURES	1		t							
Shared Primary Number-First Appr On Each Add'I Terminal	DS1FJ	TBD	TBD	TBD	тво	TBD	TBD	TBD	TBD	TBÒ
Secondary Only Dn (Shared/Non-Shared) First Appearance	LLDSF	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Shared Secondary Only Dn-First Appr On Each Add'I Term	DS1F1	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	
Shared Non-ISDN DN	DOE	TBD	TBD	TBD	TBD	TBD	TBD	TBD	ТВО	TBD
Privacy Release	DS1FU	TBD	TBO	TBD	TBD	TBD	• TBD	TBD	ТВО	TBD
Manuel Exclusion	DS1FM	TBD	TBD	TBO	TBD	TBD	TBD	TBD	TBD	TBD
Call Forwarding Variable-Voice Or Voice/Data	LLNCV	TBD	TBD	TBD	TBO	TBD	TBD	TBD	TBD	TBD
Call Forwarding Variable - Data	LLOCD	TBD	TBD	TBD	TBO	TBD	TBD	TBD	TBD	TBD
Call Forwarding Variable - Feature Button - Voice	GJXCF	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Call Forwarding Variable - Feature Button - Data	LLPCD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD

BELLSOUTHWATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

Atlackment 2 Exhibit D Rates - Page 31

DESCRIPTION	USOC	AL.	FL:	GA	KY	LA	MS	NC	SC	TN
Call Forwarding Busy Line - Voice Or Voice/Data	LLOCV	TBD	TBD	TBD	TBO	TBD	TBD	TBD	TBD	TBD
Call Forwarding Busy Line - Data	LLRCD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Call Friding Busy Line-Prommbi-Voice Or Voice/Data	M6AVA	TBD	TBD	TBD	TBD	TBD	TBO	TBD	TBD	TBD
Call Forwarding Busy Line - Programmable - Data	M6ADF	TBD	TBO	TBD	TBO	TBD	TBD	TBD	TBD	TBD
Call Forwarding Don't Answer - Voice Or Voice/Data	LLSCV	TBD	TBD	TBD	TBD	TBD	16D	TBD	TBD	TBD
Call Forwarding Don't Answer - Data	LLUCD	TBD	TBO	TBD	TBD	TBD	TBO	TBD	TBD	TBD
Call Forwing Don't Answer-Prommble Voice Or Voice/Data	M6BVA	TBD	TBD	TBD	TBO	TBD	TBD	TBD	TBD	TBD
Call Forwarding Don't Answer - Programmable - Data	M6BDF	TBD	TEO	TBD	TBO	TBD	TBD	TBD	TBD	TBD
Call Frwdrig Multiple Simultaneous - Voice Or Voice/Data	M6CV5	TBD	TBO	TBD	TBO	TBD	TBO	TBD	TBD	TBD
Call Forwarding Multiple Simultaneous - Data	M6CD5	TBD	THEO	TBD	TED	TBD	TBO	TBD	TBD	TBD
Conference, Drop, Hold And Transfer	DS1FN	TBD	TBO	TBD	TBO	TBD	TBD	TBD	TBD	TBD
Six-Way Conference, Drop, Hold And Transfer	LLY6P	TBD	TBD	TBD	TBD	TBD	TED	TBO	TBD	TBD
Multi-Line Hunt Group - Voice Or Voice/Data	HTG	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Multi-Line Hunt Group - Data	HTGSD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Speed Calling	LLZSU	TBD	TBD	TBD	TBO	TBD	1160	T90	TBD	TBD
Visual Message Walting Indicator	LLAVP	TBD	TBO	TBD	TBD	TBD	1180	TBD	TBD	TBD
Audible Message Waiting Indicator	MWW	TBD	TBO	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Additional Call Appearance, PDN Or DN	DS1FG	TBD	TBO	TBD	TBD	TBD	TBD	TBO	TBD	TBD
Call Tracing	NST	TBD	TED	TBD	TBD	TBD	TBO	TBD	TBD	TBD
Call Return	NSS	TBD	TBD	TBD	TBO	TBD	TBD	TBD	TBD	TBD
Preferred Call Forwarding	NCE	TBD	TBO	TBD	TBO	TBD	TBD	TBO	TBD	TBD
Call Block	NSY	TBD	TBD	TBD	TBO	TBD	TBO	TBO	TBD	TBD
Repeat Dialing	NSQ	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Per Line Blocking For Agencies/Law Enforcement	NOB	TED	TBD	TBD	TBD	TBD	TBO	TBD	TBD	TBD
Per Line Blocking For Non-Pub Customers	NOBNN	TBD	TBO	TBD	TBD	TBD	TBO	TBO	TBD	TBD
Per Line Blocking For General Public	NOBPC	TBD	TBO	.TBD	TBD	TBD	TBD	TBO	TBD	TBD
Per Line Blocking For Non-Pub, And Non-Listed Customer	NOBPP	TBD	TBD	TBD	TBD	TBD	TBD	TEO	TBD	TBD
Per Line Blocking For Non-Pub Customers	NOBNP	TBD	TBD	TBD	TBD	178D	TBD	TBD	TBD	TBD
Per Line Blocking For Non-Pub Customers	NOBNR	TBD	TBD	TBO	TBD	TBD	TBD	TBD	TBD	TBD
Call Return Denial Of. Per Activation	BCR	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Repeat Dialing, Denial Of, Per Activation	BAD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Automatic Line/Direct Connect	M6GN9	TED	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Make Set Busy	M6MPD	TBD	TBD	TBD	TBD	TBD	TED	TBD	TBD	TBD
Selective Call Acceptance	M6K16	TBD	TBD	TBD	TB0	TBD	TBD	TBD	TBD	TBD
Call Park/Call Retrieve	M6HP6	TBD	TBD	180	TBD	TBO	TBD	TBD	TBD	TBD
Call Transfer System Exception	M6QTD	TÉD	TBD	TBD	TBD	TBO	TBD	TBD	TBD	TBD
Make Set Busy - Intragroup	M6MGD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBO	TBD
All Customized Code Restrictions	CREX+	TBD	TBD	180	TBD	TBD	TBD	TBD	TBD	TBD
Additional Listings	CLT	TBD	TBD	TBD	TED	TBD	TBD	TBD	TBD	TBD
Additional Listing No Rate	FLT	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cross Reference Listing	ЦŢ	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Non-Pub Listing No Rate	NP3	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Non-List Listing	NLT	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Non-List Listing No Rate	NLE	78D	TBD	TBD	176D	TBD	TBD	TBD	TBD	TBD
Atternate Call Listing	FNA	TBO	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Manual Service Order Charge	SOMAN	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
All Selective Class Of Call Screening	SRG++	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
ISDN Message Waiting Indication-Lamp, per month	1	\$0.01	NA	NA	NA	NA	\$0.0105	\$0.0107	\$0.0138	NA
		\$1.03	NA	NA	NA	ŇA	\$1.02	\$1.47	\$1.47	NA
NRC - Disconnect	1	\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
ISON Feature Function Bultons		NA	NA	NA	NA	NA	NA	NA		<u> </u>
	~	\$1.03	NA	NA	NA	NA	\$1.02	\$1,51	\$1.51	NA
		\$0.55	NA	NA	NA	NA	\$0.5466	NA	NA	NA
NRC - Disconnect	_ 		NA	NA	NA	NA	NA	NA		
Subsequent Ordering Charge – (per order, per line)										
NPC - Electronic - 1st		NA \$2,88	NA NA	NA NA	NA	NA	\$2.84	\$5.42	\$1.96	NA

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES PORTS

.

.

Attachment 2 Exhibit D Rates - Page 32

DES	CRIPTIÓN	USOC	AL	FL	GA	KY	LA	MS	NC	90	TN
hπ	NRC - Electronic - Add'l		\$0.96	NA	NA	NA	NA	\$0.95	\$0.95	\$0.71	NA
	NRC - Manual - 1st		\$4.80	NA	NA	NA	NA	\$4.73	\$1.89	\$7.35	NA
	NRC - Manual - Add1		\$0.96	NA	NA	NA	NA	\$0.95	NA	\$0.95	NA
} †−†	NRC - Disconnect		\$2.88	NA	NA	NA	NA	\$2.84	NA	NA	NA
L. <u>é –</u> L			1								
Ünb	undled Port Usage Charges										
End	Office Switching (Port Lisage)										
TE	nd Office Switching Function, per mou	N/A	\$0.0018	\$0.0175	\$0.0016333	\$0.002562	\$0.0021		\$0.0017000	\$0.0019295	\$0.0019
1 16	nd Office Switching Function, add'l mou (5)	N/A	NA	\$0.005	NA	NA	NA	NA	<u>NA</u>	NA	NA
	nd Office Interoffice Trunk Port-Shared, per mou	Ń/A	\$0.0002	NA	\$0.0001564	NA	\$0.0002	\$0.0001927	NA	\$0.0002581	NA
		-									
Tan	dem Switching (Port Usage) (Local or Access Tandem)										
	andem Switching Function per mou	N/A	\$0.00063	\$0.00029	\$0.0006757		\$0.0008	\$0.0007834		\$0.0006843	
1 7	andem Interoffice Trunk Port - Shared per mou			NA	\$0.0002126	NA	\$0.0003	\$0.0002834	NA	\$0.0004034	NA
Con	mon (Shared) Transport			L							
	Common (Shared) Transport per mile per mou	N/A	\$0.00001	\$0.000012			\$0.0000083			\$0.0000121	\$0.00004
\square	Common (Shared) Transport Facilities Termination per mou	N/A	\$0.00045	\$0.0005	\$0.0004152	\$0.000426	\$0.00047	\$0.0004281	\$0.00034	\$0.0004672	\$0.00036
			┥────	f			f	{	<u> </u>		
NOT							ļ	<u> </u>			
	Port rate includes all available features.	<u></u>	<u> </u>	 			ļ	[
	2 Transmission/usage charges associated with POTS circuit switched usage will			1]		1	1.	· ·
4 I I	also apply to circuit switched voice and/or circuit switched data transmission by B-				1		ļ		1	1	
┝┼╍┽╴	Channels associated with 2-wire ISDN ports.						<u> </u>		<u>↓</u>		
	Access to B Channel or D Channel Packet capabilities will be avail- able only			1				1			
	through BFR/New Business Request Process. Rates for the packet capabilities		1	1						1	
	will be determined via the Bona Fide Request/New Business Request Process.										
	4 This rate element is for those states which have a specific rate for User Profile per		<u> </u>	+			h	· · · · · ·	<u> </u>	<u>+</u>	
	B Channel.										
Π	5 This rate element is for use in those states with a different rate for additional									1	1
	minutes of use.		<u> </u>	<u> </u>	L		L		L	L	·

.

.

BELLSOUTH WATC PATES NETWORK ELEMENTS AND OTHER SERVICES TRANSPORT

•

Attachment 2 Exhibit D Rates - Page 33

	1	<u> </u>								
				GA	KY	LA	NS.	NC	SC	TN
UNBUNDLED DEDICATED TRANSPORT - Local Channel	USOC	AL	FL.	<u>ua</u>	<u></u>					
Local Channel - Dedicated - 2-Wire VG		\$14.61	\$26,31	\$13.91	\$22.26	\$14.94	\$17.83	\$14.83	\$16.83	\$19.02
Monthly Recurring per month		\$494.65	\$369.37	\$382.95	\$585.15	\$347.49	\$487.62	\$553.80	\$554.00	\$199.33
NRC - 2-wire VG - 1st		\$88.44	\$66.88	\$62.40	\$98.53	\$69.75	\$84.35	\$89.69	\$88.58	\$24.16
NRC - 2-wire VG - Add1		\$77.81	\$68.45	NA	NA	\$53.68	\$77.69	NA	NA	\$54.81
NRC - 2-Wire VG - Disconnect Chg - 1st			\$06.40	NA	NA NA	\$6.60	\$8.95	NA	NA	\$4.80
NRC - 2-Wire VG - Disconnect Chg - Add1	ULDV2 SOMAN	\$7.63 NA	\$21.73	NA NA	\$19.99	NA	NA	NA	NA	\$19.99
NRC - Manuel Svc Order, per LSR	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
NRC - Manual Svc Order, per LSR disconnect	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NRC - Electronic Svc Order, per LSR	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR disconnect	SOMAN	\$27.37	NA NA	\$18.94	\$41.46	\$18.14	\$25.50	\$42.17	\$43.75	NA
NRC - 2-Wire VG - Incremental Charge-Manual Svc Order - 1st	SOMAN	\$18.37	NA	\$8.42	\$11.99	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - 2-Wire VG - Incremental Charge-Manual Svc Order - Add"L		\$17.75	NA	NA	NA	\$11,40	\$16.05	NA	NA	NA
NRC - 2-Wire VG - Incremental Charge-Manual Svc Order-Disconnec		#17.75								
Local Channel - Dedicated - 4-Wire VG										
Monthly Recurring per month		\$15.77	\$27.48	\$14.99	\$23.38	\$16.21	\$19.03	\$15.87	\$18.05	\$20,14
NRC - 4-Wire VG - 1st	ULDV4	\$502.43	\$390.25	\$368.44	\$585.15	\$352.75	\$495.25	\$562.23	\$562.46	\$201.53
NRC - 4-Wire VG - Add1	ULDV4	\$86.68	\$67.75	\$64.05	\$98.53	\$61.33	\$86.56	\$92.67	\$91.57	\$24.83
NRC - 4-Wire VG - Disconnect Chg - 1st	ULDV4	\$78.71	\$69.32	NA	NA	\$54.36	\$78.58	NA	NA	\$55.52
NRC - 4-Wire VG - Disconnect Chg - Add1	ULDV4	\$8.53	\$6.85	NĂ	NA	\$7.28	\$9.84	NA	NA	\$5.51
NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA NA	NA	NA	\$19.99
NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR	SOMEC	NA	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NBC - Electronic Svc Order, per LSB disconnect	SOMEC	\$3.50	\$0.43	NA	NA	NA	NA	NA	NA	NA
NAC - 4-Wire VG - Incremental Charge-Manual Svc Order - 1st	SOMAN	\$27.37	NA	\$18.94	\$41.46	\$18.14	\$25.52	\$42.17	\$43.64	NA
NRC - 4-Wire VG - Incremental Charge-Manual Svc Order - Add1	SOMAN	\$18.73	NA	\$8.42	\$t1.99	\$8.06	\$11.34	\$12.76	\$13.55	NA
NRC - 4-Wire VG - Incremental Charge-Manual Svc Order-Disconnec	t SOMAN	\$17.75	NA	NA	NA	\$11.40	\$17.25	NA	NA	NA
		/				Į		_	· · ·	
Local Channel - Dedicated - DS1							- 100 01	1000 000	\$37.20	\$40.27
DS1 per month	ULDF1	\$35.52	\$42.98	\$38.36	\$43.80	\$43.80	\$38.91	\$35.68	\$534.81	\$277.35
NRC - DS1 - 1st	ULDF1	\$503.57	\$357.86	\$356.15	\$538.95	\$348.56	\$494.83	\$534.48	\$462.81	\$233.26
NRC - DS1 - Add1	ULDF1	\$442.84	\$309.95	\$312.89	\$464.94	\$300.30	\$435.28	\$462.69	NA NA	\$33.18
NRC - DS1 - Disconnect Chg - 1st	ULDF1	\$46.28	\$41.46	NA	NA	\$24.15	\$46.85	NA	NA NA	\$22.30
NRC - DS1 - Disconnect Chg - Add'l	ULDF1	\$32.18	\$28.51	NA	NA	\$21.31	\$33.02	NA NA	NA NA	\$19.99
NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA NA	NA NA	NA	NA	NA
NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	\$3,50	\$3.50	\$3.50	\$3.50	\$3.50
NRC - Electronic Svc Order, per LSR	SOMEC		\$2.77	\$3.50	\$3.50 NA	83.50 NA	NA	NA NA	NA	NA
NRC - Electronic Svc Order, per LSR disconnect	SOMEC		\$0.43	NA	\$87.71	\$42.34	\$59.58	\$86.15	\$87.99	NA
NRC - DS1 - Incremental Charge-Manual Svc Order - 1st	SOMAN		NA	\$44.22	887.71 NA	542.34 NA	NA NA	\$1.77	\$3.11	NA
NRC - DS1 - Incremental Charge-Manual Svc Order - Add1	SOMAN		NA NA	NA NA	NA NA	\$19.48	\$27.40		NA	NA NA
NRC - DS1 - Incremental Charge-Manual Svc Order-Disconnect	SOMAN	\$29.27		NA	+ <u> </u>	a 13.46	4027.440	<u> </u>		<u> </u>
			+	4	+		t		1	1
Local Channel - Dedicated - DS3	1L5NC	\$8.44	\$9.32	\$7.00	\$34.00	\$30.34	NA	NA	\$12.08	\$23.76
DS3 - per mile per month	ULDF3	\$535.92	\$560.39	\$521.54	\$635.09	\$669.01	\$533.33	\$498.87	\$493,31	\$607.28
DS3 - Facility Termination per month		\$640.54	\$910.45	\$646.47	\$1,091	\$709.14	\$526.67	\$562.25	\$735.42	\$726.16
NRC - DS3 - Facility Termination - 1st	ULDF3		\$532.19	\$431.05	\$661,23	\$402.63	\$493.71	\$527.88	\$519.31	\$411.64
			\$223.20	\$123.65	NA	\$102.16	\$42.41	NA	NA	\$103.36
NRC - DS3 - Facility Termination - Disconnect - 1st	ULDF3		\$156.12	\$120.44	NA	\$99.46	\$40.87	NA	NA	\$100.59
NRC - DS3 - Facility Termination - Disconnect - Add1	SOMAN		\$21.73	5120.44 NA	\$19.99	NA	NA	NA	NA	\$19.99
NRC - Manual Svc Order, per LSR	SOMAN		\$3.87	NA	NA NA	NA	NA	T NA	NA	NA
NRC - Manual Svc Order, per LSR disconnect	SOMEC		\$2,77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NRC - Electronic Svc Order, per LSR	SOMEC		\$0,43	NA	NA NA	NA NA	NA NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR disconnect	SOMAN		NA	\$37.96	\$93.12	\$50.25	\$31.49	\$56.25	\$54.26	NA
NRC - DS3 -Incremental ChargeManual Svc Order - 1st	SOMAN		NA	\$37.96	\$93.12	\$50.25	\$31.49	\$56.25	\$54.26	NA
NRC - DS3 - Incremental ChargeManual Svc Order - Add'l	OC MAIN	1 400.40	1	401.00						

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES TRANSPORT

NA NA NA \$25.35 NA \$20.94 NRC - DS3 - Incremental Charge - Manual Svc Order-Disconnect -1st NRC - DS3 - Incremental Charge - Manual Svc Order-Disconnect-Add1 \$19.03 \$18.23 SOMAN NA NA \$20.94 \$25.35 NA NA NA SOMAN \$19.03 NA \$18.23 Local Channel - Dedicated - STS-1 NA \$12.08 \$25.11 \$7.00 \$34.00 \$8.77 \$38.98 1L5NC \$8.44 \$9.32 STS-1 - per mile per month \$558.00 \$531.39 \$512.00 \$481.14 \$615.65 ULDFS \$525.40 \$569.67 \$523.20 \$635.09 STS-1 - Facility Termination per month \$594.71 \$1.084.33 \$757.25 \$735.42 \$1,085.73 \$910.45 \$646.47 \$1,091 ULDES \$640.54 NPC - STS-1 - Facility Termination - 1st \$682.13 \$396.54 \$534.95 \$519.31 \$683.01 ULDFS \$426.82 \$532.19 \$431.05 \$661.23 NRC - STS-1 - Facility Termination - Add1 \$42.41 ŇĂ \$103.36 \$113.75 NA ULDFS \$121.72 \$223.20 \$123.65 NA NRC - STS-1 - Facility Termination - Disconnect - 1st NA \$100.59 \$40 87 NA ŇA \$110.80 ULDFS \$118.54 \$156.12 \$120.44 NRC - STS-1 - Facility Termination - Disconnect - Add'I NA \$19.99 NÅ NA NA NA \$19.99 SOMAN \$21.73 NA NRC - Manual Svc Order, per LSR NA NA NA NA NA NA NA NA SOMAN \$3.87 NRC - Manual Svc Order, per LSR disconnect \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$2.77 SOMEC \$3.50 NRC - Electronic Svc Order, per LSR NÁ NA NA NA \$0.43 NA NA NA NA NRC - Electronic Svc Order, per LSR disconnect SOMEC \$54.26 \$96.10 \$55.00 NA \$37.96 \$93.12 \$34.92 SOMAN \$38.48 NA NRC - STS-1 -Incremental Charge--Manual Svc Order - 1st NA \$96.10 \$55.00 \$54.26 \$34.92 SOMAN \$38.48 ŇĂ \$37.96 \$93.12 NRC - STS-1 - Incremental Charge-Manual Svc Order - Add1 \$25.35 NA NA NA SOMAN \$18.23 NA \$16.77 NRC - STS-1 - Incremental Charge-Manual Svc Order-Disconnect -1st \$19.03 NA \$25.35 NA NA NA \$16.77 SOMAN \$19.03 NA \$18.23 NA NRC - STS-1 - Incremental Charge-Manual Svc Order-Disconnect-Add'l Local Chennel - Dedicated - OC3 \$19.95 \$35.55 \$21.27 \$10.15 \$28.56 \$25.48 \$5.88 TBD \$7.09 \$9.08 OC3 per mile per month \$493.31 \$1,263 \$1,179 \$873.23 \$914.18 \$924.18 \$1,493 TBD \$1,123 \$651.40 OC3 Facility Termination per month \$735.42 \$1,543 \$1,050 \$1,543 \$1.025 \$1,427.00 \$949.63 \$974.02 \$958.02 TED NRC - OC3 - Facility Termination - 1st \$670.92 \$519.31 \$411.64 \$661.23 \$549.17 \$417.50 \$402.63 \$413.38 \$412.05 TED NRC - OC3 - Facility Termination - Add1 \$103.36 \$134.07 NA NA \$102.16 \$121.72 \$112.44 \$123.65 NA NRC - OC3 - Facility Termination - Disconnect Chg - 1st TEO \$130.59 NA NA \$100.59 \$120.44 NA \$99.46 NRC - OC3 - Facility Termination - Disconnect Chg - Add1 TBD \$118.54 \$109.19 NA NÁ NA \$19.99 NA SOMAN NA \$21.73 ŇÅ \$19.99 NRC - Manual Svc Order, per LSR NĂ NA NA NA NA SOMAN \$3.87 NA NA NRC - Manual Svc Order, per LSR disconnect NA \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 \$2.77 \$3.50 SOMEC \$3.50 NRC - Electronic Svc Order, per LSR NĂ NA NA NA NA \$0.43 NA NA NRC - Electronic Svc Order, per LSR disconnect SOMEC NA NA \$68.62 \$99.10 \$54.26 \$37.96 \$93.12 \$50.25 SOMAN \$38.48 NÁ NRC - OC3 - Incremental Charge-Manual Svc Order - 1st \$99.10 \$54,26 NA \$37.96 \$50.25 \$68.62 \$93,12 ŃA NRC - OC3 - Incremental Charge - Manual Svc Order - Add'i SOMAN \$38.48 NA NA NA \$28.59 \$20.94 \$18.23 NA NRC - OC3 - Incremental Charge-Manual Svc Order-Disconnect-1st SOMAN \$19.03 NA NA NA NA \$18.23 NĂ \$20.94 \$28.59 NRC - OC3 - Incremental Change--Manual Svc Order-Disconnect-Add1 SOMAN \$19.03 NA Local Channel - Dedicated - OC12 \$50.79 \$30.38 \$14.50 \$28.51 \$8.40 \$40.80 \$36,40 \$10.13 \$11.18 TBD OC12 per mile per month \$3,414.00 \$3,316 \$4.414 \$7.158 \$3,220 \$4.492 \$3,895 \$5.630 \$2,068 TBD OC12 Facility Termination per month \$1,742.00 \$1,853 \$1,259 \$1,276 \$1,245 \$1,175 \$1,858 \$1,165 \$1,193 TBD NRC - OC12 - Facility Termination - 1st \$549.17 \$870.92 \$505.88 \$411.64 \$402.63 \$417.50 \$661.23 TBD \$413.38 \$412.05 NRC - OC12 - Facility Termination - Add'I NA NA \$103.36 \$102.16 \$134.07 \$121.72 \$112.44 TBD \$123.65 ŇĀ NRC - OC12 - Facility Termination -Disconnect Chg - 1st \$130.59 NA NA \$100.59 \$99.46 \$118.54 \$109.19 \$120.44 NA NRC - OC12 - Facility Termination - Disconnect Chg - Addi TBD NA NA \$19.99 \$19.99 NA ŇA SOMAN NA \$21.73 NA NRC - Manual Svc Order, per LSR NA NÅ NA NA NÄ NA ÑĂ SOMAN ŇÅ \$3.87 NRC - Manual Svc Order, per LSR disconnect \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 SOMEC \$2.77 \$3.50 \$3.50 \$3.50 NRC - Electronic Svc Order, per LSR NA NA NA NA SOMEC NA NA NA NA \$0.43 NRC - Electronic Svc Order, per LSR disconnect \$68.62 \$99,10 \$54.26 NA \$50.25 \$93,12 NRC - OC12 - Incremental Charge - Marual Svc Order - 1st NRC - OC12 - Incremental Charge - Manual Svc Order - Add1 SOMAN \$38.48 NA \$37.90 NA \$99.10 \$54.26 \$50.25 \$68.62 \$97.96 \$93.12 SOMAN \$38.48 NA NA ŇA \$20.94 \$28.59 NA SOMAN \$19.03 NA \$18.23 NA NRC - OC12 - Incremental Charge-Manual Svc Order-Disconnect-1st NA NA NÅ \$20.94 \$28.59 NÁ NRC - OC12 - Incremental Charge-Manual Svc Order-Disconnect-Add" SOMAN \$19.03 NA \$18.23 Local Channel - Dedicated - OC48 \$47.57 \$133.B4 \$119,40 \$166.59 \$99.66 \$93.50 \$36.67 \$27.55 TBD \$33.22 OC48 per mile per month \$1,842 \$1,853 \$1,768.00 \$1,637 \$2,156 \$2,311 \$1.947 \$1.699 \$1,689 TED OC48 Facility Termination per month

\$699.62 \$592.09

\$1,165 \$1,193

TBD

TBD

\$564.15

\$1,175

\$728.61

\$1,858

\$668.36

\$1,742.00 \$1,853

\$706.85

\$1,245

\$584.78

\$773.40 \$572.61

\$1,259

\$1,276

OC48 - Interface OC12 on OC48 per month

NRC - OC48 - Facility Termination - 1st

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES TRANSPORT

		1	1					1	T		1
H	NFIC - OC48 - Facility Termination -Add"	TBD	B440.00	4410.00		-		A	L	L	
H+	NRC - OC48 - Interface OC12 on OC48 - 1st	TBD	\$413.38	\$412.05	\$417.50	\$661.23	\$402.63	\$549.17	\$670.92	\$505.88	\$411.64
 	NRC -OC48 - Interface OC12 on OC48 -Add1	TBD	\$540.10	\$547.98	\$545.24	\$844.21	\$532.13	\$729.04	\$852.47	\$635.04	\$544.55
			\$317.48	\$314.49	\$320.83	\$516.89	\$304.90	\$404.94	\$528.57	\$410.02	\$311.39
H	NRC - OC48 - Facility Termination - Disconnect Chg - 1st	TBD_	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	NA	L NA	\$103.36
H+	NRC - OC48 - Facility Termination - Disconnect Chg - AddT	TBD	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$130.59	NA	NA	\$100.59
H	NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - 1st	TBD	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	NA	NA	\$103.36
	NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - Add1	TBO	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$130.59	NA	NA NA	\$100.59
μ	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
μ	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
ш	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NĂ	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Incremental Charge-Manual Svc Order - 1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$99.10	\$54.26	NA
	NRC - OC48 - incremental Charge-Manual Svc Order - Add1	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$99.10	\$54.26	NA
	NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic-1	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$99.10	\$54.26	NA
	NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic-A	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$99.10	\$54.26	NA
	NRC - OC48 - Incremental Charge-Manual Svc Order-Disconnect-1st	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	NA		NA
	NRC - OC48 - Incremental Charge-Manual Svc Order-Disconnect-AddT	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	NA	NA NA	NA
ПТ	NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic-D	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	NA	NA	NA
	NRC - OC48 -Interface-incremental Cost-Manual Svc. Order vs. Electronic-D	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	NA NA		NA
					41020		420.04	- 420.05	<u> </u>		NA
	UNBUNDLED DEDICATED TRANSPORT - Interoffice Channel		· · · ·		· · · · ·		<u>+</u>	<u> </u>	<u> </u>	<u> </u>	
	Interoffice Transport - Dedicated - 2-wire VG		··	<u> </u>		ł	<u> </u>	 	ł		
	2-Wire VG - per mile per month	11.5XX	\$0.0339	\$0.0100	\$0.0222	\$0.0301	\$0.0384	\$0.0323	\$0.0282	1	40.0470
	2-Wire VG - Facility Termination per month	U1TV2	\$18.49	\$26.72	\$17.07	\$27.66	\$19,10	\$21.33		\$0.0373	\$0.0173
	NRC - 2-wire VG - Facility Termination -1st	UITV2	\$107.11	\$81.73	\$79.61	\$142.31			\$18.01	\$21.42	\$18.33
┠╉╼╂╼	NRC - 2-wire VG - Facility Termination - Add1	U1TV2	\$48.27	\$55.26	\$36.08	\$56.21	\$76.20	\$106.72	\$137.48	\$136.44	\$55.39
H^{-}	NRC - 2-wire VG -Facility Termination - Disconnect Charge -1st	UITV2	\$37.16	\$31.26	NA	NA	\$34.54	\$48.83	\$52.58	\$51.37	\$17.37
┞╋╌╋╾	NRC - 2-wire VG - Facility Termination - Disconnect Charge -Addit	U1TV2	\$5.88	\$12.88	NA	NA	\$28.03	\$38.05	NA	NA	\$27.96
┝╂╌╂╼	NRC - Manual Svc Order, per LSR	SOMAN	30.00 NA	\$21.73	NA NA		\$5.37	\$7.23	NA	NA	\$3.51
┝┼┼┼	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA			\$19.99	NA	NA	NA	NA	\$19.99
H+	NRC - Electronic Svc Order, per LSR		\$3.50	\$3.87	NA	NA	NA	NA	NA	NA	ŇA –
┝╋╴╄╾	NRC - Electronic Svc Order, per LSR disconnect	SOMEC			\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
┝╇╋╋	NRC - 2-wire VG - Incremental Charge - Manual Svc Order - 1st	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	NĂ
┝╫╺╋╸	NHC - 2-wee VG - Incremental ChargeManual SVC Order - 1st	SOMAN		NA	\$18.94	\$37.21	\$18.14	\$25.52	\$38.07	\$39.63	NA
┝╉╌┠╌	NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'	SOMAN									
			\$27,57	NA	\$18.94	\$37.21	\$18,14	\$25.52	\$38.07	\$39.63	NA
┝╋╌╋━	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect-1st	SOMAN	\$12.97	NA	NA	NÁ	\$8.06	\$25.52 \$11.34	\$38.07 NA		NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect-1st NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - Add1									\$39.63	
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect-Add1	SOMAN	\$12.97	NA	NA	NÁ	\$8.06	\$11.34	NA	\$39.63 NA	NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - Add1	SOMAN	\$12.97 \$12.97	NA NA	NA NA	NA NA	\$8.06 \$8.06	\$11.34 \$11.34	NA NA	\$39.63 NA NA	NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - Add1 Common (Shared) Transport	SOMAN	\$12.97 \$12.97	NA NA \$0.000012	NA NA \$0.000008	NA NA \$0.0000049	\$8.06 \$8.06 \$0.0000083	\$11.34 \$11.34 \$0.0000091	NA NA \$0.00001	\$39.63 NA NA \$0.0000121	NA NA \$0,00004
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - Add1	SOMAN SOMAN	\$12.97 \$12.97	NA NA \$0.000012	NA NA	NA NA \$0.0000049	\$8.06 \$8.06 \$0.0000083	\$11.34 \$11.34 \$0.0000091	NA NA \$0.00001	\$39.63 NA NA \$0.0000121	NA NA \$0,00004
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - Add1 Common (Shared) Transport per mile per mou Common (Shared) Transport per mile per mou (Common (Shared) Transport Facilities Termination per mou	SOMAN SOMAN NA	\$12.97 \$12.97 \$12.97 \$0.00001	NA NA \$0.000012	NA NA \$0.000008	NA NA \$0.0000049	\$8.06 \$8.06 \$0.0000083	\$11.34 \$11.34 \$0.0000091	NA NA \$0.00001	\$39.63 NA NA	NA NA \$0,00004
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - Add1 Common (Shared) Transport per mile per mou Common (Shared) Transport per mile per mou Icommon (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - 4-wire VG	SOMAN SOMAN NA	\$12.97 \$12.97 \$12.97 \$0.00001	NA NA \$0.000012	NA NA \$0.000008	NA NA \$0.0000049	\$8.06 \$8.06 \$0.0000083	\$11.34 \$11.34 \$0.0000091	NA NA \$0.00001	\$39.63 NA NA \$0.0000121	NA NA \$0,00004
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - Add1 Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - 4-wire VG	SOMAN SOMAN NA	\$12.97 \$12.97 \$12.97 \$0.00001	NA NA \$0.000012	NA NA \$0.000008	NA NA \$0.0000049	\$8.06 \$8.06 \$0.0000083 \$0.00047	\$11.34 \$11.34 \$0.0000091 \$0.0004281	NA NA \$0.00001 \$0.00034	\$39.63 NA NA \$0.0000121 \$0.0004672	NA NA \$0.00004 \$0.00036
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - Add1 Common (Shared) Transport per mile per mou Common (Shared) Transport Pacifities Termination per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month	SOMAN SOMAN NA NA	\$12.97 \$12.97 \$0.00001 \$0.00045	NA NA \$0.000012 \$0.0005	NA NA \$0.000008 \$0.0004152	NA NA \$0.0000049 \$0.000426 NA	\$8.06 \$8.06 \$0.0000063 \$0.00047	\$11.34 \$11.34 \$0.0000091 \$0.0004281	NA NA \$0.00001 \$0.00034	\$39.63 NA NA \$0.0000121 \$0.0004672 NA	NA NA \$0.00004 \$0.00038
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - AddT Common (Shared) Transport per mile per mou Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination per month	SOMAN SOMAN NA NA	\$12.97 \$12.97 \$0.00001 \$0.00045	NA NA \$0.000012 \$0.0005 \$0.0100	NA NA \$0.000008 \$0.0004152 NA NA	NA NA \$0.0000049 \$0.0000426 NA NA	\$8.06 \$8.06 \$0.0000063 \$0.00047	\$11.34 \$11.34 \$0.0000091 \$0.0004281 NA NA	NA NA \$0.00001 \$0.00034 NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA	NA NA \$0.00004 \$0.00038 NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - AddT Common (Shared) Transport per mile per mou (Common (Shared) Transport Pacifities Termination per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination -1st	SOMAN SOMAN NA NA 1L5XX U1TV4	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA	NA NA \$0.000012 \$0.0005 \$0.0100 \$23.82 \$81.73	NA NA \$0.000008 \$0.0004152 NA NA NA	NA NA \$0.0000049 \$0.000426 NA NA	\$8.06 \$8.06 \$0.000083 \$0.00047 NA NA	\$11.34 \$11.34 \$0.0000091 \$0.0004281 NA NA NA	NA NA \$0.00001 \$0.00034 NA NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA	NA NA \$0.00004 \$0.00038 NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect-AddT Common (Shared) Transport per mile per mou Common (Shared) Transport per mile per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - AddT	SOMAN SOMAN NA NA 1L5XX U1TV4 U1TV4 U1TV4	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA	NA NA \$0.000612 \$0.0006 \$23.82 \$81.73 \$55.26	NA NA \$0.000008 \$0.0004152 NA NA NA NA	NA NA \$0.000049 \$0.000426 NA NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00047 NA NA NA	\$11.34 \$11.34 \$0.000091 \$0.0004281 NA NA NA NA	NA NA \$0.00001 \$0.00034 NA NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA	NA NA \$0.00004 \$0.00036 NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect-AddT Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - AddT NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st	SOMAN SOMAN NA NA 1L5XX U1TV4 U1TV4 U1TV4 U1TV4	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA NA	NA NA \$0.000012 \$0.0005 \$0.0005 \$0.0100 \$23.82 \$81.73 \$55.26 \$31.26	NA NA \$0.000008 \$0.0004152 NA NA NA NA NA	NA NA \$0.000049 \$0.000426 NA NA NA NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00007 NA NA NA NA NA	\$11.34 \$11.34 \$0.0000091 \$0.0004281 NA NA NA NA NA	NA NA \$0.00001 \$0.00034 NA NA NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA NA NA	NA NA \$0.00004 \$0.00036 NA NA NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - AddT Common (Shared) Transport per mile per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - AddT NRC - 4-wire VG - Facility Termination - AddT NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT	SOMAN SOMAN NA NA IL5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA NA NA	NA NA \$0.000012 \$0.0006 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88	NA NA \$0.000008 \$0.0004152 NA NA NA NA NA NA	NA NA \$0.000049 \$0.000426 NA NA NA NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00047 NA NA NA NA NA	\$11.34 \$11.34 \$0.0000091 \$0.0004281 NA NA NA NA NA	NA NA \$0.00001 \$0.00034 NA NA NA NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA NA NA NA	NA NA \$0.00004 \$0.00038 NA NA NA NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - AddT Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - AddT NRC - 4-wire VG - Facility Termination - AddT NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT NRC - Manual Svc Order, per LSR	SOMAN SOMAN NA NA NA 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA NA NA NA	NA NA \$0.000012 \$0.0005 \$0.0100 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88 \$21.73	NA NA \$0.000008 \$0.0004152 NA NA NA NA NA NA NA	NA NA \$0.000049 \$0.000426 NA NA NA NA NA NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00047 NA NA NA NA NA NA	\$11.34 \$11.34 \$0.000091 \$0.0004281 NA NA NA NA NA NA NA	NA NA \$0.00001 \$0.00034 NA NA NA NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA NA NA NA NA	NA NA \$0.00004 \$0.00038 NA NA NA NA NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect-AddT Common (Shared) Transport per mile per mou Common (Shared) Transport per mile per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - AddT NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT1 NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT1 NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT1 NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT1 NRC - Manual Svc Order, per LSR disconnect	SOMAN SOMAN NA NA NA 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMAN	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA NA NA NA NA NA	NA NA \$0.000012 \$0.0005 \$0.0005 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88 \$21.73 \$3.87	NA NA \$0.000008 \$0.0004152 NA NA NA NA NA NA NA NA NA	NA NA \$0.000049 \$0.000426 NA NA NA NA NA NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00047 NA NA NA NA NA NA NA NA	\$11.34 \$11.34 \$0.000091 \$0.0004281 NA NA NA NA NA NA NA NA NA	NA NA S0.00001 \$0.00034 NA NA NA NA NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA NA NA NA NA NA	NA NA \$0.00004 \$0.00036 NA NA NA NA NA NA NA NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect-AddT Common (Shared) Transport per mile per mou Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - par mile per month A-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - Manual Svc Order, per LSR NRC - Electronic Svc Order, per LSR	SOMAN SOMAN NA NA NA 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMAN SOMEC	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA NA NA NA NA NA NA NA	NA NA NA \$0.000012 \$0.0005 \$0.0005 \$23.82 \$81.73 \$55.28 \$31.26 \$12.88 \$31.28 \$31.26 \$12.83 \$2.77	NA NA \$0.000008 \$0.0004152 NA NA NA NA NA NA NA NA NA NA NA	NA NA \$0.000049 \$0.000426 NA NA NA NA NA NA NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00047 NA NA NA NA NA NA NA NA NA	\$11.34 \$11.34 \$0.000091 \$0.0004261 \$0.0004261 NA NA NA NA NA NA NA NA	NA NA \$0.00001 \$0.00034 NA NA NA NA NA NA NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA NA NA NA NA NA NA NA	NA NA \$0.00004 \$0.00038 NA NA NA NA NA NA NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect-AddT Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - par mile per month 4-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination -1st NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT NRC - Manual Svc Order, per LSR NRC - Electronic Svc Order, per LSR NRC - Electronic Svc Order, per LSR	SOMAN SOMAN NA NA 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMAN SOMAN SOMEC	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA NA NA NA NA NA NA NA	NA NA NA \$0.000012 \$0.0005 \$0.0005 \$0.0005 \$23.82 \$81.73 \$52.6 \$31.26 \$12.88 \$21.73 \$3.87 \$2.77 \$0.43	NA NA \$0.000008 \$0.0004152 NA NA NA NA NA NA NA NA NA NA NA	NA NA \$0.000049 \$0.00049 \$0.000426 NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00047 NA NA NA NA NA NA NA NA NA	\$11.34 \$11.34 \$0.000091 \$0.0004281 NA NA NA NA NA NA NA NA NA NA	NA NA NA \$0.00001 \$0.00034 NA NA NA NA NA NA NA NA NA NA NA NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA NA NA NA NA NA NA NA NA	NA NA \$0.00004 \$0.00038 NA NA NA NA NA NA NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - AddT Common (Shared) Transport per mile per mou Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - 0sconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT NRC - Manual Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR disconnect NRC - 4-wire VG - Incremental Charge -Manual Svc Order - 1st	SOMAN SOMAN NA NA NA 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMAN SOMAC SOMAC	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA NA NA NA NA NA NA NA	NA NA NA \$0.000012 \$0.0006 \$23.82 \$81.73 \$55.28 \$31.26 \$12.88 \$21.73 \$3.87 \$2.77 \$0.43 NA	NA NA \$0.000008 \$0.0004152 NA NA NA NA NA NA NA NA NA NA NA	NA NA S0.000049 \$0.000426 NA NA NA NA NA NA NA NA NA NA NA NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00047 NA NA NA NA NA NA NA NA NA	\$11.34 \$11.34 \$0.000091 \$0.0004281 NA NA NA NA NA NA NA NA NA NA	NA NA NA \$0.00001 \$0.00034 NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA NA NA NA NA NA NA NA NA NA NA	NA NA \$0.00004 \$0.00038 NA NA NA NA NA NA NA NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - AddT Common (Shared) Transport per mile per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination per month NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - Manual Svc Order, per LSR NRC - Electronic Svc Order, per LSR disconnect NRC - 4-wire VG - Incremental Charge-Manual Svc Order - 1st NRC - 4-wire VG - Incremental Charge-Manual Svc Order - 1st NRC - 4-wire VG - Incremental Charge-Manual Svc Order - 4Add*	SOMAN SOMAN NA NA NA 11550X U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMAN SOMEC SOMAN	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA NA NA NA NA NA NA NA NA	NA NA NA \$0.000012 \$0.0005 \$0.0005 \$0.0100 \$23.82 \$81.73 \$55.26 \$31.26 \$12.88 \$21.73 \$3.87 \$2.77 \$0.43 \$0.43 NA NA	NA NA \$0.000006 \$0.0004152 NA NA NA NA NA NA NA NA NA NA NA NA	NA NA \$0.000049 \$0.000428 NA NA NA NA NA NA NA NA NA NA NA NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00047 NA NA NA NA NA NA NA NA NA NA NA	\$11.34 \$11.34 \$0.000091 \$0.0004281 NA NA NA NA NA NA NA NA NA NA NA	NA NA NA \$0.00001 \$0.00034 NA NA NA NA NA NA NA NA NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA NA NA NA NA NA NA NA NA	NA NA \$0.00004 \$0.00038 NA NA NA NA NA NA NA NA NA
	NRC - 2-wire VG - Incremental Charge - Manual Svc Order-Disconnect - AddT Common (Shared) Transport per mile per mou Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - 4-wire VG 4-Wire VG - per mile per month 4-Wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - 1st NRC - 4-wire VG - Facility Termination - 0sconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st NRC - 4-wire VG - Facility Termination - Disconnect Charge -AddT NRC - Manual Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR disconnect NRC - 4-wire VG - Incremental Charge -Manual Svc Order - 1st	SOMAN SOMAN NA NA NA 1L5XX U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 U1TV4 SOMAN SOMEC SOMAN SOMAN SOMAN	\$12.97 \$12.97 \$0.00001 \$0.00045 NA NA NA NA NA NA NA NA NA NA	NA NA NA \$0.000012 \$0.0006 \$23.82 \$81.73 \$55.28 \$31.26 \$12.88 \$21.73 \$3.87 \$2.77 \$0.43 NA	NA NA \$0.000008 \$0.0004152 NA NA NA NA NA NA NA NA NA NA NA	NA NA S0.000049 \$0.000426 NA NA NA NA NA NA NA NA NA NA NA NA NA	\$8.06 \$8.06 \$0.0000083 \$0.00047 NA NA NA NA NA NA NA NA NA	\$11.34 \$11.34 \$0.000091 \$0.0004281 NA NA NA NA NA NA NA NA NA NA	NA NA NA \$0.00001 \$0.00034 NA NA	\$39.63 NA NA \$0.0000121 \$0.0004672 NA NA NA NA NA NA NA NA NA NA NA NA NA	NA NA \$0.00004 \$0.00038 NA NA NA NA NA NA NA NA NA NA

BELLSOUTHANATC RATES NETWORK ELEMENTS AND OTHER SERVICES TRANSPORT

Atlachment 2 Exhibit D Rates - Page 36

				1	r	1	· · · · · · · ·	1		-	
┨┥┥		····		<u> </u>	<u> </u>				<u> </u>		
Interoffice Transc	ort - Dedicated - DSO - 56	-					+	<u> </u>			
DS0 - per mile per		11.500	\$0.0339	\$0.0100	\$0.0222	\$0.0301	\$0.0384	-	-		+
DS0 - Facility Term	ination per month	UITDS	\$17.B1	\$19.46	\$16.45	\$26.95		\$0.0323	\$0.0282	\$0.0373	\$0.1
NRC DS0 1	acility Termination - 1st	01705	\$107.11	\$81.74	\$79.61	\$142.31	\$18.37	\$20.64	\$17.40	\$20.71	\$17
	acility Termination - Add1	UITDS	\$48.27	\$55.26	\$36.08		\$76.20	\$106.72	\$137.48	\$136.44	\$55
	acity Termination - Disconnect Charge - 1st	01705	\$37.16	\$31.26		\$56.21	\$34.54	\$48.83	\$52.58	\$51.37	\$17
	acity Termination - Disconnect Charge - Add'l	UITDS	\$5,88	\$12.88	NA NA	NA	\$28.03	\$38.05	NA	NA	\$27
	Svc Order, per LSR	SOMAN	NA NA	\$21.73	NA	NA	\$5.37	\$7.23	NA	NA	\$3
	I Svc Order, per LSR disconnect	SOMAN	NA			\$19.99	NA	NA	NA	NA	\$19
	ic Svc Order, per LSR	SOMEC	\$3.50	\$3.87	NA	NA	NĂ	NA	NA	NĂ	N
NBC . Flecto	nic Svc Order, per LSR disconnect	SOMEC	33.50 NA	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3
NPC DS0 J	cremental Charge-Manual Svc Order - 1st	SOMAN	\$27.37	\$0.43	NA	NA	NA	NA	NA	NA	N
	cremental Charge-Manual Svc Order - Add't	SOMAN		NA	\$18.94	\$37.21.	\$18.14	\$25.52	\$38.07	\$39.63	N
	cremental Charge-Manual Svc Order-Disconnect-1st	SOMAN	\$27.37	NA	\$18.94	\$37.21	\$18.14	\$25.52	\$38.07	\$39.63	N
NRC . 050 4	cremental Charge-Manual Svc Order-Disconnect-Ist	SOMAN	\$12.97	NA NA	NA	NA	\$8.06	\$11.34	NA	NA	I N
1 1010-000-0	All the real critering - Marida SVC Criter-Disconnect-Addit	SUMAN	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	N
Interoffice Transe	ort - Dedicated -64 KBPS			ļ	<u> </u>		<u> </u>	<u> </u>			
DS0 - per mile per		11 0000	-	-		-		L			
DS0 - Facility Term		1L5XX	\$0.0339	\$0.0100	\$0.0222	\$0.0301	\$0.0384	\$0.0323	\$0.0282	\$0.0373	\$0.1
		U1TD6	\$17.81	\$19.46	\$16.45	\$26.95	\$18.37	\$20.64	\$17.40	\$20.71	\$17
	acilly Termination - 1st	U1TD6	\$107.11	\$81.74	\$79.61	\$142.31	\$76.20	\$106.72	\$137.48	\$136.44	\$55
	acility Termination - Add1	U1TD6	\$48.27	\$55.26	\$36.08	\$56.21	\$34.54	\$48.83	\$52.58	\$51.37	\$17
	city Termination - Disconnect Charge - 1st	U1106	\$37.16	\$31.26	NA	NA	\$28.03	\$38.05	NA	NA	\$27
	acility Termination - Disconnect Charge - Add" Svc Order, per LSR	U1TD6	\$5.88	\$12.88	NA	NA	\$5.37	\$7.23	NA	NA	\$3.
	I Svc Order, per LSR disconnect	SOMAN	NA	\$21.73	NA	\$19.99	NA	ŇĂ	NA	NA	\$19
		SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	Ń
NRC - Electron	ic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.
	nic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	N
	remental Charge-Manual Svc Order - 1st remental Charge-Manual Svc Order - Add1	SOMAN	\$27.37	NA	\$18.94	\$37.21	\$18.14	\$25.52	\$38.07	\$39.63	N
		SOMAN	\$27.37	NA	\$18.94	\$37.21	\$18.14	\$25.52	\$38.07	\$39.63	N
	cremental Charge-Manual Svc Order-Disconnect-1st	SOMAN	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	N.
Dau - In	cremental Charge-Manual Svc Order-DisconnectAddT	SOMAN	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	Ň
Interoffice Transp	rt - Dedicated - DS1										<u> </u>
DS1 - per mile per s	nonth	1L5XX	\$0.6920	\$0.2035	\$0.3068	\$0.4500	\$0,7831	\$0.6598	\$0.0783	\$0.7598	00.0
DS1 - Facility Term	netion per month	UITFI	\$79.69	\$93.31	\$63.39	\$55.05	\$93.40	\$74,40	\$71.29	\$94,96	\$0.3
	cility Termination - 1st	UITFI	\$198.15	\$179.99	\$147.07	\$298.18	\$140.49	\$196.28	\$217.17		\$75
	acility Termination - Add'l	U1TF1	\$148.18	\$164.95	\$111.75	\$231.23	\$106.69	\$147.31	\$163.75	\$216.27	\$145
	acility Termination - Disconnect Charge - 1st	UITFI	\$25.44	\$30,54	NA	NA	\$20.00	\$26.56		\$162.70	\$105
NRC - DSt - I	acility Termination -Disconnect Charge - Add'I	UITFI	\$20.42	\$26.97	NA	NA	\$16.34	\$21.61	NA NA	<u>NA</u>	\$19
	Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA			NA	\$14
	Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA NA	NA NA	NA	NA .	NA	\$19
	ic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50		NĂ	NA	NA	Ň
	nic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	33.50 NA	NA NA	\$3.50 NA	\$3.50	\$3.50	\$3.50	3
	cremental Charge-Manual Svc Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA		NA	NA	NA	N N
	cremental Charge-Manual Svc Order - Add'i	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$38.07	\$39.63	N
	cremental Charge-Manual Svc Order-Disconnect-1st	SOMAN	\$12.97	NA NA	- \$18.94 NA	NA NA	\$18.14	\$25.52	\$38.07	\$39.63	Ń
	cremental Charge-Manual Svc Order-Disconnect-Add1	SOMAN	\$12.97	NA	NA NA	NA	\$8.06	\$11.31	NA	NA	N
	Statistical analysis and the analysis and an analysis and and an analysis and and an analysis and and an		<i>Q</i> [Z . 3]	196	INA .	NA	\$8.06	\$11.34	NA	NA	N
Interoffice Tracers	rt - Dedicated - D\$3								I		
DS3 - per mile per r		11 294				A10.55					
DS3 -Facility Termin		1L5XX	\$4.98	\$4.25	\$2.75	\$12.62	\$14.04	\$15.02	\$12.98	\$8.13	\$5.
		U1TF3	\$898.15	\$1,130	\$796.59	\$1,204	\$1,101	\$744.38	\$720.38	\$967.70	\$760
	actity Termination -1st	U1TF3	\$511.77	\$562.06	\$516.67	\$946.23	\$611.41	\$686.74	\$794.94	\$606.72	\$625
	acity Termination - Add1	U1TF3	\$330.92	\$328.16	\$334.38	\$516.89	\$304.90	\$477.76	\$579.55	\$423.45	\$311
	cliky Termination - Disconnect Charge - 1st	U1TF3	\$121.72	\$112.44	\$123.65	NĂ	\$102.16	\$125.56	NA	NA	\$103
I NRC DS3 1	acility Termination - Disconnect Charge - Add'i	U1TF3	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$118.79	NA	NA	\$100.

BELLSOUTH/MATC RATES NETWORK ELEMENTS AND OTHER SERVICES TRANSPORT

.

Attachment 2 Exhibit D Rates - Page 37

+		1	ł	1				1	1		— —
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA			<u> </u>	
	NRC - Manual Svc Order, per LSR disconnect	SOMAN		\$3.87	NA	NA	NA NA	NA	NA	NA	\$19.
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	NA	NA	NA	N
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	ŇĂ	\$0.43	NA	NA NA	NA	\$3.50	\$3.50	\$3.50	\$3.
	NRC - DS3 - incremental Charme-Manual Svc Order - 1 et	SOMAN		NA	\$37.96	\$93.12	\$50.25	NA	NA	NA	N
	NRC - DS3 - Incremental Charge-Manual Svc Order - Add1	SOMAN		NA	\$37.96	\$93.12	\$50.25	\$64.97	\$91.26	\$54.26	N
	NFIC - US3 - Incremental Charge-Manual Svc Order-Disconnect- 1st	SOMAN		NA	\$18,23	NĂ		\$64.97	\$91.26	\$54.26	N
	NRC - DS3 - Incremental Charge-Manual Svc Order-Disconnect-Add1	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$27.08	NA	NA	N
		1		1 100	310.20		\$20.94	\$27.08	<u>NA</u>	NA	Ň
Junior.	roffice Transport - Dedicated - STS-1						·{	<u> </u>	<u> </u>		
STS-	-1 - per mile per month	11500	\$4.90	\$4.25	\$2.75	\$12.62	\$14.04		+		
STS-	1 Facility Termination per month	UITES	\$895.41	\$1,114	\$792.17	\$12.02		\$13.48	\$6.29	\$8.13	\$6.
	NRC - STS-1 - Facility Termination -1st	UITES	\$511.77	\$562.06	\$516.67	\$946.23	\$1,101	\$692.52	\$800.94	\$967.58	\$83
	NRC - STS-1 - Facility Termination - Add'l	UITES	\$330.92	\$328.16	\$454.82	\$516.89	\$611.41	\$858.15	\$624.86	\$606.72	\$856
	NRC - STS-1 - Facility Termination - Disconnect Charge - 1st	UITES	\$121.72	\$112.44	\$123.65		\$304.90	\$524.58	\$436.36	\$423.45	\$52
_1 . 1	NHC - STS-1 - Facility Termination - Disconnect Chame - Add1	UITES	\$118.54	\$109.19	\$120.44	NA NA	\$102.16	\$125.56	NA	NA	\$100
	NHC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	\$99.46	\$118.79	NA	NA	\$100
_	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA NA	NA	NA	NA	\$19
	NRC - Electronic Svc Order, per LSB	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	NA	NA	NA	NA	N.
-	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA NA	\$3.50	\$3.50	\$3.50	\$3.50	\$3.
1	NRC - STS-1 - Incremental Charge-Manual Svc Order - 1st	SOMAN	\$38.48	NA	\$37.96	\$93,12	NA \$50.25	NA	NA	NA	N
	NRC - STS-1 - Incremental Charge-Manual Svc. Order - Artert	SOMAN	\$38.48	NA	\$37.96	\$93.12		\$94.50	\$55.00	\$54.26	Ň
	NRC - DS3 - Incremental Charge-Manual Svc. Opter-Discovert-1st	SOMAN	\$19.03	NA	\$18.23	NA	\$50.25 \$20.94	\$94.50	\$55.00	\$54.26	Ń
	NRC - DS3 - Incremental Charge-Manual Svc Order-Disconnect-Add1	SOMAN	\$19.03	NĂ	\$18.23	NA NA		\$27.08	NA	NA	Ň
			• 10.00		410.20		\$20.94	\$27.08	NA	NA	N/
kiter	office Transport - Dedicated - OC3					ł		<u> </u>			
OC3	per mile per month	1L5XX	\$7.35	\$8.38	\$4.42	\$27.87	\$23.89	#40 OF			
0C3	-Facility Termination per month	TBD	\$2,475	\$3,043	\$2,211	\$3,390	\$2,990	\$18.35	\$14.10	\$9.75	\$13.
N	NRC - OC-3 - Facility Termination - 1st	TBD	\$820.85	\$876.46	\$828.22	\$1,399	\$927.35	\$1,892.00	\$2,071	\$2,802	\$2,1
N	NRC - OC-3 - Facility Termination - Add't	TBD	\$317.48	\$314.49	\$320.83	\$516.89	\$304.90	\$1,283.00	\$1,381	\$915.64	\$950
N	RC - OC-3 - Facility Termination - Disconnect Charge - 1st	TBD	\$121.72	\$112.44	\$123.65	NA		\$404.94	\$509.93	\$410.02	\$311
I N	HC - OC-3 - Facility Termination - Disconnect Chame - Add1	TBD	\$118.54	\$109.19	\$120.44	NA	\$102.16 \$99.46	\$134.07	NA	NA	\$103
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	\$130.59	NA	NĂ	\$100
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA -	NA	NA	NA	NA	\$19.
	NRC - Electronic Syc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	NA	NA	NA	N/
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA		\$3.50	\$3.50	\$3.50	\$3.5
N	IRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	NA \$50.25	NA \$68.62	NA	NA	N/
N	IFIC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Arid1	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25		\$94.77	\$54.26	N/
N	IRC - OC3 - Incremental Cost - Manual Svc Order vs. Flectronic-Disconnect.	SOMAN	\$19.03	NA	\$18.23	NA		\$68.62	\$94.77	\$54.26	N/
N	RC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Disconnect-	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	NA	NĂ	N/
1					41020		\$20.94	\$28.59	NA	NA	N⁄
Intero	flice Transport - Dedicated - OC12										
OC12	-per mile per month	1L5XX	\$19.26	\$26.91	\$15.21	\$84.88	A-74.44	A			L
OC12	Facility Termination	780	\$9,763	\$11,685	\$8,291	\$12,344	\$74.44	\$60.42	\$30.38	\$32.52	\$49.
<u> </u> N	RC - OC12- Facility Termination - 1st	TBD	\$1,036	\$1,095	\$1,045		\$11,517	\$7,162.00	\$2,122	\$11,132	\$8,0
N	RC - OC12- Facility Termination - Add1	180	\$317.48	\$314.49	\$320.83	\$1,713 \$516.89	\$1,147	\$1,598.00	\$1,722	\$1,131	\$1,17
N	RC - OC12 - Facility Termination - Disconnect Cho - 1st	TBD	\$121.72	\$112.44	\$123.65		\$304.90	\$404.94	\$542.73	\$410.02	\$311.
N	RC - OC12 - Facility Termination + Disconnect Cho - Addt	TBD	\$118.54	\$109.19	\$120.44	NA NA	\$102.16	\$134.07	\$131.65	NA	\$103
L. N	IRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA		\$99.46	\$130.59	\$128.19	NA	\$100
	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA NA	\$19.99	NA	NA	NA	NA	\$19.9
N	IRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77		NA	NA	NA	NA	NA	
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA NA		\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.5
N	RC - OC12 - Incremental Cost - Manuel Svc Order vs. Electronic-1st	SOMAN	\$38.48	\$0,43	NA	NA	NA	NA	NA	NA	ŇĂ
N	RC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic-Add1	SOMAN		NA NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NĂ
N	RC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic varia	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	NA
N	RC - OC12 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-Add	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	\$29.76	NA	NA
	CONTRACTOR INCLUDER OF COUCE VO. LINE USED (INSCI-ADD)	OUMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	\$29.76	NA	NĂ

Version 2000:8/10/00

.

BELLSOUTHWATC PATES NETWORK ELEMENTS AND OTHER SERVICES TRANSPORT

.

Attachment 2 Exhibit D Rates - Page 38

•

T			<u> </u>	I	r	r	<u> </u>	T	ľ		1
╈								<u> </u>			+
	Interoffice Transport - Dedicated - OC48										1
	OC48 -per mile per month	1L5XX	\$30.65	\$34.66	\$25.98	\$138.02	\$128.59	\$102.43	\$120.02	\$45.92	\$10
1	OC48 -Facility Termination per month	TBD	\$11,691	\$12,554	\$11,255	\$16,017	\$14,950	\$11,480.00	\$1,677	\$967.58	\$11
Ľ	OC48 -per Interface OC12 on OC48 per month	TBD	\$1,424	\$1,208	\$1,149	\$1,497	\$1,451	\$1,351.00	\$582.66	\$1,561	\$1.
	NRC - OC48 - Facility Termination - 1st	TBD	\$1,036	\$1,095	\$1,045	\$1,713	\$1,147	\$1,598.00	\$1,722	\$1,131	\$1
	NRC - OC48 - Facility Termination - Add1	TBD	\$317.49	\$314.49	\$320.83	\$516.89	\$304.90	\$404.94	\$542.73	\$410.02	1 \$31
	NRC - OC48 - Interface OC12 on OC48 - 1st	TBD	\$540.10	\$547.98	\$545.24	\$844.21	\$532.13	\$729.04	\$720.81	\$635.04	\$54
	NRC - OC48 - Interface OC12 on OC48 - Add'l	TBO	\$317.48	\$314.49	\$320.83	\$516.89	\$304.90	\$404.94	\$400.38	\$410.02	\$31
	NRC - OC48 - Facility Termination - Disconnect Chg - 1st	TBD	\$121.72	\$112.44	\$123.65	NA	\$102.16	\$134.07	\$131.65	NA	\$10
1	NRC - OC48 - Facility Termination - Disconnect Chg - Add1	TBD	\$118.54	\$109.19	\$120.44	NA NA	\$99.46	\$130.59	\$128.19	NA	\$10
	NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st	TBD	\$121.72	\$112,44	\$123.65	NA	\$102.16	\$134.07	\$131.65	NA	\$10
	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add1	TBD	\$118.54	\$109.19	\$120.44	NA	\$99.46	\$130.59	\$128.19	NA	\$10
Г	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$1
Г	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	
	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3
Г	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA	NA	NA	
	NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-1st	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	t i
Γ	NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-Add1	SOMAN	\$36.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	t i
1	NRC - OC48 - Interface- Incremental Cost - Manual Svc. Order vs. Electronic-	SOMAN	\$38.48	NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54,26	1
Г	NRC - OC48 - Interface- Incremental Cost - Manual Svc. Order vs. Electronic-	SOMÁÑ		NA	\$37.96	\$93.12	\$50.25	\$68.62	\$69.34	\$54.26	
ľ	NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st		\$19.03	NA	\$18.23	NA	\$20.94	\$28,59	\$29.76	NA	
Τ	NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add	SOMAN	\$19.03	NA	\$18.23	NĂ	\$20.94	\$28,59	\$29.76	NA	t i
1	NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Disconne	SOMAN	\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	\$29.76	NA	1 1
T	NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Disconne		\$19.03	NA	\$18.23	NA	\$20.94	\$28.59	\$29.76	NA	
Г								+			
	UNBUNDLED CHANNELIZATION										1
1	D\$3 Channelization (D\$3 to D\$1)			h		1					1
	per Channelized System (28 DS1) per month	MQ3	\$225.36	\$222.61	\$184.02	\$236.32	\$245.84	\$229.30	\$226.91	\$200.01	1 222
1	NRC - 1st	MQ3	\$265.87	\$359.20	\$268.81	\$425.41	\$259.76	\$356.80	\$351.95	\$321.54	\$26
T	NRC - Addil	MQ3	\$188.51	\$299.24	\$190.84	\$303.33	\$182.64	\$247.40	\$243.76	\$234.30	\$18
t	NRC -1st - Disconnect	MQ3	\$71.76	\$189.04	\$73.29	NA	\$60.96	\$79.94	\$77.90	NA	56
F	NRC -Add1 - Disconnect	MQS	\$52.03	\$186.37	\$60.61	NA	\$50.46	\$65.20	\$63.32	NA	\$50
1-	per interface per month (COCI)	UC1D1	\$17.22	\$14.51	\$11.14	\$8.52	\$7.55	\$5.58	\$4.61	\$11.99	5
t	NRC - 1st	UC1D1	\$12.05	\$13.26	\$12.15	\$15.86	\$12.29	\$15.85	\$15.76	\$12.05	51
t	NRC - Add'	UC1D1	\$8.69	\$9.50	\$8.76	\$11.36	\$8,80	\$11.35	\$11.28	\$8.68	\$9
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA NA	51
╞	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA NA	NA	NA NA	
t	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50		N N
H	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	\$0.43	NA	NA	NA	NA NA	NA	\$3.50 NA	1
⊢	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st	SOMAN	\$15.61	NA	\$14.91	\$41.47	\$19.74	\$26.95	NA \$28.13		
╋	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'i	SOMAN	\$7,39	NA	\$6.63	\$11.99				\$25.59	82
╀	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st	SOMAN		NA	\$10.82		\$8.77	\$11.98	\$13.39	\$8.92	\$10
	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Tst	SOMAN	\$0.9469	NA NA	\$10.82 NA	NA NA	\$12.43	\$16.97	\$18.26	Ň	\$14
1	In werkender Cost-Head Car Sac, Crown 43, Elect Practilinger + April	SCHMMUX	30.3409	NA.	NA	N/A	NA	NA	\$1.48	NA	\$1
F			<u> </u>					┫			
	INST Channelleation (INST to DSN)				A	\$200.01	A005			.	
	DS1 Champelization (DS1 to DS0)	100	A400.00				\$209.87	\$146.87	\$177.72	\$147.51	\$16
	per Channelized System (24 DS0) per month	MQ1	\$136.82	\$154.74	\$127.60						\$19
	per Chammelized System (24 DSO) per month NRC - 1st	MQ1	\$197.98	\$183.57	\$200.38	\$302.82	\$193.63	\$271.52	\$267.19	\$220.89	
	per Charmelized System (24 DSO) per month NRC - 1st NRC - Addt	MQ1 MQ1	\$197.98 \$123.12	\$183.57 \$126.16	\$200.38 \$124.93	\$302.82 \$184.20	\$118.37	\$164.56	\$161.43	\$137.15	\$11
	per Charmelized System (24 DSO) per month NRC - 1st NRC - Add? NRC - Add?	MQ1 MQ1 MQ1	\$197.98 \$123.12 \$30.18	\$183.57 \$126.16 \$19.68	\$200.38 \$124.93 \$31.37	\$302.82 \$184.20 NA	\$118.37 \$26.44	\$164.56 \$36.38	\$161.43 \$34.55	\$137.15 NA	\$11 \$2
	per Channelized System (24 DS0) per month NRC - 1st NRC - Addt NRC - Addt NRC - Addt NRC - Addt - Disconnect	MQ1 MQ1	\$197.98 \$123.12	\$183.57 \$126.16	\$200.38 \$124.93	\$302.82 \$184.20	\$118.37	\$164.56	\$161.43	\$137.15	\$11 \$2
	per Channelized System (24 DSO) per month NRC - 1st NRC - Add? NRC - Add? NRC - Add? - Disconnect - Interface (COCI)	MQ1 MQ1 MQ1 MQ1	\$197.98 \$123.12 \$30.18 \$18.86	\$183.57 \$126.16 \$19.68 \$18.29	\$200.38 \$124.93 \$31.37 \$19.97	\$302.82 \$184.20 NA NA	\$118.37 \$26.44 \$16.83	\$164.56 \$36.38 \$11.98	\$161.43 \$34.55 \$21.14	\$137.15 NA	\$11 \$2
	per Chamnelized System (24 DSO) per month NRC - 1st NRC - Add' NRC - Add' NRC - Add' - Disconnect NRC - Add' - Disconnect - Interface (COCI) per OCU-DP(data) card per month (2.4-64/ds)	MQ1 MQ1 MQ1 MQ1 1D1DD	\$197.98 \$123.12 \$30.18 \$18,86 \$1.66	\$183.57 \$126.16 \$19.68 \$18.29 \$2.22	\$200.38 \$124.93 \$31.37 \$19.97 \$1.58	\$302.82 \$184.20 NA NA \$2.94	\$118.37 \$26.44 \$16.83 \$3.12	\$164.56 \$36.38 \$11.98 \$2.86	\$161.43 \$34.55	\$137.15 NA	\$11 \$2 \$1
	per Chamnelized System (24 DS0) per month NRC - 1st NRC - Add? NRC - Add? NRC - Add? NRC - Add? NRC - Add? NRC - 1st NRC - 1st NRC - 1st	MQ1 MQ1 MQ1 MQ1 1D1DD 1D1DD	\$197.98 \$123.12 \$30.18 \$18.86 \$1.66 \$12.05	\$183.57 \$126.16 \$19.68 \$18.29 \$2.22 \$13.26	\$200.38 \$124.93 \$31.37 \$19.97 \$1.68 \$12.15	\$302.82 \$184.20 NA NA \$2.94 \$15.86	\$118.37 \$26.44 \$16.83 \$3.12 \$12.29	\$164.56 \$36.38 \$11.98	\$161.43 \$34.55 \$21.14	\$137.15 NA NA	\$13 \$11 \$22 \$18 \$22 \$12
	per Chamnelized System (24 DSO) per month NRC - 1st NRC - Add' NRC - Add' NRC - Add' - Disconnect NRC - Add' - Disconnect - Interface (COCI) per OCU-DP(data) card per month (2.4-64/ds)	MQ1 MQ1 MQ1 MQ1 1D1DD	\$197.98 \$123.12 \$30.18 \$18,86 \$1.66	\$183.57 \$126.16 \$19.68 \$18.29 \$2.22	\$200.38 \$124.93 \$31.37 \$19.97 \$1.58	\$302.82 \$184.20 NA NA \$2.94	\$118.37 \$26.44 \$16.83 \$3.12	\$164.56 \$36.38 \$11.98 \$2.86	\$161.43 \$34.55 \$21.14 \$2.88	\$137.15 NA NA \$2.94	\$11 \$2 \$1 \$1 \$2

-

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES TRANSPORT

.

r	······································		· · · ·			••••	· · · · ·				
Ш				L							
Ш	NRC - 1st	UCICA	\$12.05	\$13.26	\$12.15	\$15.86	\$12.29	\$15.85	\$15.76	\$12.05	\$12.61
	NRC · Add'i	UCICA	\$8.69	\$9.50	\$8.76	\$11.36	\$8.90	\$11.35	\$11.28	\$8.68	\$9.03
\square	per VG card per month (DS0)	1D1VG		\$1.46	\$1.18	\$1.40	\$1.62	\$1.45	\$1.64	\$1.47	\$1.25
\square	NRC - 1st	1D1VG	\$12.05	\$13.26	\$12.15	\$15.86	\$12.29	\$15.85	\$15.76	\$12.05	\$12.61
\square	NRC - Add1	1D1VG	\$8.69	\$9.50	\$8.76	\$11.36	\$8.80	\$11.35	\$11.28	\$8.68	\$9.03
	NRC - Manual Svc Order, per LSR	SOMAN	NA	\$21.73	NA	\$19.99	NA	NA	NA	NA	\$19.99
TT	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	\$3.87	NA	NA	NA	NA	NA	NA	NA
ΠΤ	NRC - Electronic Svc Order, per LSR	SOMEC	\$3.50	\$2.77	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
ΠΤ	NRC - Electronic Svc Order, per LSR disconnect	SOMAN	NA	\$0.43	NA	NA	NA	NA	NA	NA	NA
пт	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st	SOMAN		NA	\$14.91	\$41.47	\$19.74	\$26.95	\$28.13	\$25.59	\$25.66
пт	Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'I	SOMAN	\$7.39	NA	\$6.63	\$11.99	\$8.77	\$11.98	\$13.33	\$8.92	\$15.81
ITT	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st	SOMAN	\$11.67	NA	\$10.82	NA	\$12.43	\$16.97	\$18.26	NA	\$14.21
	Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add1	SOMAN	\$0.9469	NA	NA	NA	NA	NA	\$1.48	NA	\$1.46
┢╽┥┝	UNBUNDLED DARK FIBER	 '	Į/				 				L
┝╉╶┿	Dark Fiber - Interoffice (four fiber strands) per route mile or fraction thereof, per mot	1L5DF	\$25.80	\$29.28	\$24.96	\$31.95	\$32.28		600.00		
H	NRC - Per each four-fiber dark fiber amangement - 1st		\$25.60	\$1,289	\$1.737.00	\$1.741.00	\$1,746.00	\$33.93 \$1.741.00	\$29.86	\$36.75	\$28.60
H+	NRC - Per each four-fiber dark fiber arrangement - 1st NRC - Per each four-fiber dark fiber arrangement - Add'l								\$1,738.00		
┝╋╾╋	NRC - Per each tour-toer dank tider attrangement - Add1	UDF14 UDF14	\$563.09	\$277.98 \$592.25	\$562.39	\$563.75	\$565.20	\$563.79	\$562.82	\$565.53	\$564.08
╘┼╌┼			NA NA		NA NA	NA	NA NA	NA	NA	NA	NA
┞╂╌╂	NRC -DisconnectAdd'l	UDF14		\$369.22	NA	NA	NA	NA	NA	NA	NA
H									A		
┝┥┞-	Dark Fiber - Local Channel(four fiber strands) per route mile or fraction thereof, per		\$70.82	\$59.03	\$54.63	\$49.07	\$64.72	\$71.55	\$56.47	\$100.37	\$60.06
H	NRC - Per each four-fiber dark fiber arrangement - 1st		\$1,739.00	\$1,289	\$1,737.00	\$1,741.00	\$1,746.00	\$1,741.00	\$1,738.00		
┝┼╌┾	NRC - Per each tour-fiber dark fiber arrangement - Add'i	UDFC4	\$563.09	\$277.98	\$562.39	\$563.75	\$565.20	\$563.79	\$562.82	\$565.53	\$564.08
μ	NRC -Disconnect-1st	UDFC4	NA	\$592.25	NA	NA	NA	NA	NA	NA	NA
┝╍┺	NRC -DisconnectAdd1	UDFC4	NA	\$369.22	NA	NA	NA	NA	NA	NÁ	NA
H				A						2	L
\downarrow	Dark Fiber - Local Loop (lour fiber strands) per route mile or fraction thereof, per mi		\$70.82	\$59.03	\$54.63	\$49.07	\$64.72	\$71.55	\$56.47	\$100.37	\$60.06
\square	NRC - Per each four-fiber dark fiber amangement - 1st		\$1,739.00		\$1,737.00	\$1,741.00	\$1,746.00			\$1,747.00	
\square	NRC - Per each four-fiber dark fiber arrangement - Add'i	UDFL4	\$563.09	\$277.98	\$562.39	\$563.75	\$565.20	\$563.79	\$562.82	\$565.53	\$564.08
μ	NRC -Disconnect-1st	UDFL4	NA	\$592.25	NA	NA	NA	NA	NA	NA	NA
\square	NRC -Disconnect-Add1	UDFL4	NA	\$369.22	NA	NA	NA	NA	NA	NA	NA
H		 '					L				
\mathbf{H}		·	Į								<u> </u>
Ш		'									
		L'									
ш		Ł									
Ш		l'									
LΠ											
			1								
ΠT			1								
					1 · · · ·		1			1	[
\square								1			

BELLSOUTHWATC RATES NETWORK ELEMENTS AND OTHER SERVICES LOOP/PORT COMBINATIONS

DESCRIPTION	USOC	AL	FL.	GA	T KY	LA	MS	NC 1	SC	TN
UNBUNDLED LOOP COMBINATIONS		1			1	11				
					1					
Unbundled Local Port Combinations (Note 4)						<u> </u> ;				
MARKET RAYES CONCLUDING ALL MERTICAL (PEATURES) (NON 1)		<u> </u>	+			<u> </u>	·	· · · · · · · · · · · · · · · · · · ·		······································
										
Cuestly Zone 1/Top a Million The Disc Equivalent										
		ļ			1			Greensboro- Winston Salem-		
					[Highpoint/		
		1	Orlando, Pt.			i		Citariotie-		
			Lauderdale.					Gastonia-Rock		
			Miami	Atlanta		New Orleans		HIII		Neetville
Customers with 4 or more DS0 Equivalent										John Colored
Currently Combined (Note2)		1			<u> </u>	<u>+</u> ···		<u> </u>	_	· · · · · · · · · · · · · · · · · · ·
2-Wire Voice Grade Loop with 2-Wire Line Port (Res. and Bus.)		1				t		1 1		
2-Wire Voice Grade Line Port (Res.), per month		1								
2- whe voice unbundled port - residence	UEPRI.	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice unbundled port with caller ID - residence	UEPRC	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice unbundled port outgoing only - residence	UEPRO	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID	UEPAR	NA	NA	NA	NA	NA	NA	NA	NA	NA
	UEPRM	NA	NA					1 1		•••
2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID	UEPHM	NA	<u> </u>	NA	NA NA	NA	NA	NA	<u>NA</u>	NA
2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID	UEPAS	NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-wire voice grade unbundled Mississippi extended local dialing parity port with caller					1965	314.00	Here .		<u>nun</u>	NR
	UEPAT	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice grade unbundled South Carolina extended local dialing parity port with		<u> </u>	1		1					
caller ID	UEPAU	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice grade unbundled Tennessee extended local dialing parity port with caller										
	UEPAQ	NA	NA	<u>NA</u>	NA	NA	NA	NA	NA	\$14.00
2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$14.00	NA	NA	NA	NA	NA	NA	NA
2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	NA NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-wire voice unbundled Louisiena Area Plus with caller ID - residence (AC7) 2-wire voice unbundled South Carolina Area Caling port with Caller ID - residence	UEPAH	<u> </u>	NA	NA	NA	\$14.00	NA	NA	NA	NA
(LW8)	UEPAJ	NA	NA	NA	NA	NA	NA	NA I	NA	NA
			1995	nn .		NA			NA	
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence			1							• · · · · · · · · · · · · · · · · · · ·
(TACER)	UEPAL,	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-wire voice unbundled Tennessae Area Calling port with Caller ID - residence		l –								
(TACSR)	UEPAM	NA	NA	<u>NA</u>	NA	NA	NA	NA	NA	\$14.00
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		l			1					
(1MF2X)	UEPAN	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
	1000-0		<u></u>							
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO UEPAP	NA NA	NA \$14.00	NA \$14.00	NA NA	NA	NA	NA	NA	\$14.00
2-wire voice unbundled res, low usage line port with Cafler ID (LUM) 2-Wire Voice Grade Line Port (Bus.), per month	UCI'AI'	1 NM				\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice unbundled port without Celler ID	UEPBL	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-wire voice unbundled port with unbundled port with Catler+E494 ID	UEPBC	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA NA	\$14.00
2-wire voice unbundled outgoing only port	UEPBO	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
		1			<u> </u>			+		
2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID	UEPAW	NA	NA	NA	NA	NA	NA	NA	NA	NA
		1			r					
2-wire voice grade unbundled Kentucky extanded local dialing parity port with caller ID	UEPBM	<u> NA</u>	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID	UEPAX	NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-wire voice grade unbundled Mississippi extended local dialing parity port with caller								ΙΤ		
	UEPAY	NA	NA	NA	NA	NA	NA	NA	<u>NA</u>	NA

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES LOOP/PORT COMBINATIONS

DESCRIPT		USOC	AL	FL	GA	KY	LA	MS	NC	SC	
2-wir	re voice grade unbundled South Carolina extended local dialing parity port with ar ID	UEPAZ	NA	NA	NA	NA	NA	NA	NA	NA	NA
	re voice grade unbundled Tennessee extended local dialing parity port with caller	UEPAV	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
200	re voice unbundled incoming only port with Caller ID	UEPB1	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00		\$14.00
	re voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	NA	NA	NA	NA	\$14.00	NA	NA	I NA I	NA
	re voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA	NA	NA	NA	NA	NA	NA		NA
- 2 -₩1	re voice automoted SC bus view Caung For with Caute IC (Card)		- 194								N
2-wir	re voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)	UEPAC	NA	NA	NA	NA	NA	NA	NA	NA	\$14,00
	ra voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)	UEPAD	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
(B2F)	re voice unbundled TN Bus 2-WAY Collierville and Memphis Local Celling Port	UEPAE	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-Wi	ire Voice Grade Loop (SL1) (Res. and Bus.)										
I IRC	2-Wire Voice Grade Loop - Statewide	UEPLX	NA	NA	NA ·	NA	NA	NA	\$14.18	NA	NA
I I I I I I I I I I I I I I I I I I I	2-Wire Voice Grade Loop Zone 1	UEPLX	NA	\$13.75	\$10.80	NA	\$14.05	NA	NA	NA	\$15.92
	2-Wire Voice Grade Loop Zone 2	UEPLX	NA	\$20.13	\$12.47	NA	\$24.14	NA	NÁ	NA	\$20.79
	2-Wire Voice Grade Loop Zone 3	UEPLX	NA	\$44.40	\$19.83	NA	\$49.30	NA	NA NA	NA T	\$27.18
	binstion Pates									<u> </u>	4427.10
	2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$28.18	NA T	NA
FRC -	2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	NA	\$27.75	\$24.80	NA	\$28.05	NA	NA	NA I	\$29.92
FIC	2-Wire Volce Grade Loop with 2-Wire Line Port, Zone 2 (Note 5)	Note 8	NA	\$34.13	\$26.47	NA	\$38.14	NA	NA	NA	\$34,79
TRC	2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 8	NA	\$58.40	\$33.63	NA	\$63.30	NA	NA	NA	\$41,18
Norr	recurring Charges		1			ſ					
	ire Voice Grade Line Port (Res. And Bus.)										
NRC	- 2- whe voice grade unbundled port/loop combination - 1st, with change	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC	- 2- wire voice grade unbundled port/loop combination - Add1, with change	TBD	· NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC	- 2- wire voice grade unbundled port/loop combination - 1st, no change	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41,50	NA	\$41.50
NRC	C - 2- wire voice grade unbundled port/loop combination - Add1, no change	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
NRC	2 - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	TBD	NA	\$10.00	\$10.00	NA	\$10.00	NA	\$10.00	NA	\$10.00
NBC	- 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic,										
	LSR received from the CLEC by one of the OSS interactive interfaces	SOMEC	NA	\$3.50	\$8.50	NA	\$3.50	NA	\$3.50	I NA I	\$3.50
	C - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual					<u> </u>				<u> </u>	43.30
	Order vs. Electronic - 1st	SOMAN	NA	\$19.99	\$33.76	NA	\$31.92	NA	\$40.18	NA	\$30.89
	- 2-Wine Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Order vs. Electronic - Add1	SOMAN	NA	\$19.99	\$7.86	NA	\$7.32	NA	\$9.45	NA	\$7.03
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update								40.10		
	tronic	TBO	NA	TBD	TBD	NA	\$2,11	NA	\$1.42	NA	TBD
	- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update aud Service Order	TBD	NA	TBD	TBD	NA	\$5.12	NA	\$10.27	NA	TBD
	- Incremental Manual Service Order Disconnect	TBD	NA	\$20.00	\$20.00	NA	\$20.00	NA	\$20.00	NA -	\$20,00
				1							
	e Voice Grade Loop with 2-Wire Line Port PBX										
	ire Analog Line Port (PBX), per month			1	L	L					
2 W	THE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	NA	_\$14.00	\$14.00	NA	\$14,00	NA	\$14.00	NA	\$14.00
	E SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
	SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA T	\$14.00
	SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
1 12.W	IRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING		1	<u>+</u>	+	t				┝───┼	T'T.W
		UEPA2	NA	NA	NA	NA	NA	NA	NA	NA	NA

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES LCOP/PORT COMBINATIONS

.

.

.

ESCRIPTION	USOC	AL.	FL	GA	KY I	L	¥9	NC	SC	TN
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING		1								
PORT	UEPL2	NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING									Γ Γ	
PORT	UEP12	NA	NA	<u>NA</u>	NA	NA	NA	NA	NA	\$14.00
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING										
PORT	UEPTO	NA	NA	NA	NA	NA	NA	NA	NA	\$14.00
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	NA	\$14.00	\$14.00	NA	\$14.00	N	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT	UEPXC	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00 \$14.00	NA NA	\$14.00 \$14.00
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE		NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
PORT	UEPXE		\$19.00	\$14.00	<u> </u>	314.00		314.00		\$14.00
	UEPXF	NA	NA	NA	NA	NA	NA	NA	NA I	NA
PORT WITHOUT LUD	UEFAF				<u> </u>			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	<u>NA</u>	<u>NA</u>	NA	NA	NA	NA	<u>NA</u>	NA	<u>NA</u>
		1			1					
2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH .	NA	NA	NA	NA NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT		f	f		f					
	UEPXJ	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING		<u> </u>								· · · · · · · · · · · · · · · · · · ·
PORT	UEPXK	NA	NA	NA	NA	\$14.00	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY		-	<u> </u>							
ADMINISTRATIVE CALLING PORT	UEPXL	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM					1					
CALLING PORT	UEPXM	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PEX HOTEL/HOSPITAL									f . 1	
ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	NA	NA	NA	NA ·	NA	NA	NA	NA	\$14.00
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL			T						1 1	
DIACOUNT ROOM CALLING PORT	UEPXO	NA	\$14.00	\$14.00	NA	\$14.00	NA	\$14.00	NA	\$14.00
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL			1						1	
DISCOUNT CALLING PORT	UEPXP	NA	NA	NA	NA	\$14.00	NA	NA	NA	<u>NA</u>
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY	1				1		1	NA	NA	NA
CALLING PORT	UEPXQ	NA	NA	NA	NA	NA	NA			nn .
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL	UEPXR	NA	NA	NA	NA	NA	NA	NA	NA I	NA
CALLING PORT	UEPXS	NA NA	\$14.00	\$14.00		\$14.00	NA	\$14.00	NA I	\$14.00
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PSXMEASURED FORT	UEPAS	<u></u>				\$14.00	1997			414.00
CALLING PORT	UEPXT	NA NA	NA	NA	NA	NA	NA	NA	l na l	NA
	UEFAI	+							<u> </u>	
2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	NA	NA	NA	NA	NA	NA	NA	I NA I	\$14.00
2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING	OLF NO					<u> </u>			<u> </u>	
PORT	UEPXV	NA	NA	NA	NA	NA	NA	NA	NA I	\$14.00
LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCP	1	+	1	+		j	1	<u> </u> }	· · · · · · · · · · · · · · · · · · ·
		1	i	i — –	<u> </u>			<u> </u>	1	
2-Wire Voice Grade Loop (SL1)		1		i —	1		1	i	<u>i t</u>	
RC - 2- Wire Voice Grade Loop - Statewide	UEPLX	NA	NA	NA	NA	NA	NA	\$14.18	NA	NA
RC - 2- Wire Voice Grade Loop - Zone 1	UEPLX	1 NA	\$13.75	\$10.80	NA	\$14.05	NA	NA	NA	\$15.92
RC - 2- Wire Voice Grade Loop - Zone 2	UEPLX	1 NA	\$20.13	\$12.47	NA	\$24.14	NA	NA	NA	\$20,79
RC - 2- Wire Voice Grade Loop - Zone 3	UEPLX	NA NA	\$44.40	\$19.83	NA	\$49.30	NA	NA	NA I	\$27.18
IRC - 2- Wire Voice Grade Loop - Zone 4	UEPLX	- NA	NA	NA	NA	NA	NA	NA	NA	NA
Combination Rates		1	1	· · · ·			1		<u> </u>	10 Tangar
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	ŇĂ	NA	NA	NA	NA	NA	\$28.18	NA	NA
RC - 2-Wire Volte Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	NA	\$27.75	\$24.80	NA	\$28.05	NA	NA	NA	\$29.92
RC - 2-Wire Voice Grade Loop with 2-Wire Line Fort, Zone 2 (Note 6)	Note 8	NA	\$34.13	\$26.47	NA	\$38.14	NÁ	NA	NA 1	\$34.79
RC* 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 8	NA	\$58.40	\$33.83	NA	\$63.30	NA	NA	NA	\$41.18

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES LOOP/PORT COMBINATIONS

.

.

.

100	SCRIPTION	USOC	ÀL .	PL.	GA	KY	LA	MS	NC	SC T	TN
12		0300		FL					140		
+	Nonrecurring Charges			<u>-</u>							<u> </u>
	NRC - 2- wire voice grade unbundled ponthoop combination - 1st, with change	TBD	NA	\$41.50	\$41,50	NA	\$41.50	NA	\$41,50	NA	\$41.50
	NRC - 2- wire voice grade unbundled port/loop combination - Add1, with change		NA	\$41.50	\$41_50	NA	\$41.50	NA	\$41.50	NA	\$41.50
\downarrow	NRC - 2- wire voice grade unbundled pon/loop combination - 1st, no change	180	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
Ľ	NRC - 2- wire voice grade unbundled pon/loop combination - AddI, no change	TBD	NA	\$41.50	\$41.50	NA	\$41.50	NA	\$41.50	NA	\$41.50
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	TBD	NA	\$10.00	\$10.00	\$10.00	\$10.00	NA	\$10.00	NA	\$10.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEC	NA	\$3.50	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - 1st	SOMAN	NA	\$19.99	\$33.67	NA	\$31.92	NA	\$40.18	NA	\$30.89
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add1	SOMAN	NA	\$19.99	\$7.98	NA	\$7,32	NA	\$9.45	NA	\$7.03
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update Electronic	TBD	NA	TBO	TBD	NA	\$2,11	NA	\$1.42	NA	TBD
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update Manual Service Order	TBD	NA	TBD	тво	NA	\$5.12	NA	\$10.27	NA	
	NRC - Incremental Manual Service Order Disconnect	TBD	NA	\$20.00	\$20.00	NA	\$20.00	NA	\$20.00	NA	\$20.00
-	ST 1452) HAT S (form / 1.3)										<u></u>
	2-Wire Voice Grade Loop with 2-Wire Line Port	~~~	<u> </u>	<u> </u>	┟─────				t		
+	2-Whe Voice Grade Line Port (Res.), per month		{	f	f			<u></u>			<u>, </u>
+	2- wre voice unbundled port - residence	UEPRL	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$1.69	\$1.90
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$2,20	\$2.00	\$1.79	\$2.61	\$2.55	\$2,12	\$2.28	\$3.69	\$1.90
	2-wire voice unbuildied port outgoing only - residence	UEPRO	\$2.20	\$2.00	\$1,79	\$2.61	\$2.55	\$2,12	\$2,28	\$3.69	\$1.90
	2-wire voice unburdied por dugung only residence 2-wire voice grade unburdied Alabama extended local dialing parity port with caller ID	UEPAR	\$2.20	\$2.00 NA	NA	NA	NA	NA	NA	NA	NA
	2-wire voice grade unbundled Kentucky extended local diating parity port with caller ID	UEPFM	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
	2-wire volce grade unbundled Louisiana extended local dialing parity port with caller ID	UEPAS	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
	2-wire voice grade unbundled Mississippi extended local clialing parity port with caller ID	UEPAT	NA	NA	NA	NA	NA	\$2.12	NA	NA	NA
	2-whe voice grade unbundled South Carofina extended local dailing parity port with caller ID	UEPAU	NA	NA	NA	NA	NA	NA	_NA	\$3.69	NA
Γ	2-wire voice grade unbundled Tennessee extended local clialing parity port with caller (D	UEPAQ	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
\Box	2-wite voice unbundled mee plus port with caller ID - residence	UEPRM	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.26	\$3.69	\$1.90
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	NA	\$2.00	NA	NA	NA	NA	NA	NA	NA
\Box	2-wire voice unbundled Louisiana Area Plus with celler ID - residence (RUL)	UEPAG	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
	2-wire voice unbundled Louisians Area Plus with caller ID - residence (AC7)	UEPAH	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
	2-wire voice unbundled South Carolina Area Caling port with Caller ID - residence (LW8)	UEPAJ	NA	NA	NA	NA	NA	NA	NA	\$3.69	NA
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	NA	NA	NA	NA	NA	NA	NA	NA	\$1,90
Γ	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
Г	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90

BELLSOUTHWATC PATES NETWORK ELEMENTS AND OTHER SERVICES LOOP/PORT COMBINATIONS

٠

DESCRIPTION	USOC	ÂL J	<u>я</u>	GA	KY I	LA	MS	NC	SC	TN
12-wire voice unbundled Tennessee Area Calling port with Caller ID - residence		t			[<u>''</u> f					
(1MF2X)	UEPAN	I NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
	<u></u>									
2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	NA	<u>N</u>	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled res, low usage line port with Caller ID (LUM)	UEPAP	\$2.20	\$2.00	\$1,79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-Wire Voice Grade Line Port (Bus.), per month										
2-wire voice unbundled port without Caller ID	UEPBL	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-wire voice unbundled port with unbundled port with Caller+E484 ID	UEPBC	\$2.20	\$2.00	\$1.79	\$2.61	82.55	\$2.12	\$2.28	\$3.69	\$1.90
2-wire voice unbundled outgoing only port	UEPBO	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID	UEPAW	\$2.20	NA	NA	NA	NA	NA	NA	NA	NA
2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID	UEPBM	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
2-wire voice grade unbundied Louistana extended local claiing parity port with caller ID	UEPAX	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
2-wire voice grade unbundled Mississippi extended local dialing parity port with caller					1					
	UEPAY	NA	NA	NA	<u>NA</u>	NA	\$2.12	NA	NA	NA
2-wire voice grade unbundled South Carolina extended local dialing parity port with										NA
caller 10	UEPAZ	NA	NA	NA	NA	NA	NA	NA	\$3.69	N
2-wire voice grade unbundled Tennassae extended local dialing parity port with caller ID	UEPAV	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled incoming only port with Caller ID	UEP81	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90 NA
2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	N N	NA	NA	NA	\$2.55	NA	NA	NA	
2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	UEPAB	NA	NA	NA	NA	NA	NA	NA	\$3.69	NA .
2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)	UEPAC	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)	UEPAD	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port (B2F)	UEPAE	NA	NA	NA	NA	NA	NA	NA	NA	\$1,90
2-Wire Voice Grade Loop (SL1)		NA		<u> </u>		NA	NA	\$14,18		NA
RC - 2- Whe Voice Grade Loop - Statewide	UEPLX	\$14.35	NA \$13.75	NA	NA \$14,79	\$14.05	\$14.59	NA	\$17.02	\$15.92
PiC - 2- Wire Voice Grade Loop - Zone 1 RC - 2- Wire Voice Grade Loop - Zone 2	UEPLX	\$14.35	\$13.75	\$10.80	\$14.78	\$14.05	\$19.33	NA NA	\$25.66	\$20,79
RC • 2- Wire Voice Grade Loop • Zone 2	UEPLX	\$42.24	\$44.40	\$19.63	\$47.78	\$49.30	\$27.63	NA	\$33.99	\$27.18
RC - 2- Wire Voice Grade Loop - Zone 3		NA NA	NA	319.63 NA	147.76 NA	NA	\$36.47	NA	NA I	NA
Combination Rates		190			, , , , , , , , , , , , , , , , , , , ,				+	
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA		NA	NA	NA	NA	\$16.46	I NA I	NA
IRC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	\$16.55	\$15.75	\$12.59	\$17.40	\$16.60	\$16.71	NA	1 \$20.71	\$17.84
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 6	\$25.51	\$22,13	\$14.26	\$30.29	\$26.69	\$21,45	NA	\$29.35	\$22.69
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	Note 6	\$44.44	\$48.40	\$21.62	\$50.39	\$51.85	\$29.75	NA	\$37.68	\$29.08
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6)	Note 8	NA	NA	NA	NA	NA	\$38.59	NA	NA	NA
Nonrecurring Charges		t		<u> </u>				 	1	
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is	USAC2	\$2.80	\$1,48	\$2.01	\$10.00	\$3,80	\$5.20	\$2.77	\$1.59	\$1.03
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add1, Switch as is	USAC2	50.41	\$0.93	\$0.3105	\$10.00	\$0,29	\$0.41	\$0.40	\$0.40	\$0.2886
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change	USACC	\$2.80	\$1.46	\$2.01	\$10.00	\$3.80	\$5.20	\$2.77	\$1.59	\$1.03
				1				1	1	
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add1, Switch with change	USACC	\$0,41	\$0.93	\$0,3108	\$10.00	\$0,29	\$0,41	\$0.40	\$0.40	\$0.2886
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the QSS Interactive interfaces (Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NRC - 2-Wire Voice Grade LoopLine Port Combination - Incremental Cost - Manual Syc. Order vs. Electronic - 1st	SOMAN	\$40.71	\$19.99	\$33.67	\$19.99	\$31.92	\$43.52	\$40.18	\$43.19	\$30.89
NPC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual	SOMAN	\$9.58	\$19.99	\$7.88	\$19.99	\$7.32	59.99	\$9.45	\$9.91	\$7.03
Sur Order ve Electronic - Adril										
Svc.Order vs. Electronic - Add1 NIPC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update	SUMPH								++	

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES LOOP/PORT COMBINATIONS

UEPD1

UECD1

UECD1

UECD1

UECD1

UECD1

Note 8

Note 8

Note 8

Note 8

Note 8

CBL

TBD

NA

\$17.85

\$29.16

\$52.84

NA

NA

TBD

TBD

TBD

NA

TBD

\$9,60

NA

\$18.28

\$22.34

\$27.97

NA

NA

\$27.88

\$31,94

\$37.57

NA

\$14.73

SCRIPTION	USOC	T AL	FL.	GA	KY	LA	#15	NC	SC	TN
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update			<u> </u>		1				tt-	
Manual Service Order	TBD	\$8.25	тво	180	TBD	\$5.12	\$6.88	\$10.27	\$8,91	\$7.97
NRC - Incremental Manual Service Order Disconnect	TBD	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00
HRCs for New (not Currently Combined) as ordered in Georgia:	•	í i		(1 1				1 1	
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPRL	NA	NA	\$22.14	NA	NA	NA	NA	NA I	NA
NHC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1	UEPRL	NA	NA	\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPRC	NA	NA	\$22.14	NA	NA	ŇĂ	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1	UEPRC	NA	ŇĂ	\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPRO	NA	NĂ	\$22.14	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Addi	UEPRO	NA	NA	\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPAP	NA	NA	\$22.14	NA	NA	NA	ŇĂ	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1	UEPAP	NA	NA	\$16.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPBL	NA	NA	\$22.14	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1	UEPBL	NA	NA	\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPBC	NA	NA	\$22.14	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Addi	UEPBC	NA	NA	\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPBO	NA I	NA	\$22.14	NA	NA	NA	NA	NA	NA
NRC - 2-Wine Voice Grade Loop with 2-Wire Line Port - New - AddT	UEPBO	NA	NA	\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPB1	NA	NA	\$22.14	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1	UEPB1	NA	NÁ	\$15.25	NA	NA	NA	NA	NÁ	NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	NA	NA	\$10.00	NA	NA	NA	NA	NA	NA
				1						
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st	TBD	NA	NA	\$8,45	NA	NA	NA	NA	I NA I	NA
	<u></u>				1				+	
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add		I								
THE PART AND A THE PA	TBD	NA	NA	\$3.91	NA	NA	NA	NA		NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic,		1		1			1		1 1	
per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.		<u> </u>			+		1 100		+ <u></u>	NM
Electronic - New - 1st	TED	NA	NA	\$37.06	NA	NA	NA	NA		NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.				407.00	+		<u>'</u> ~		┼┉┈┉┈╴┟╴	
Electronic - New - Add!	TBD	NA	NA	\$8.19	NA	NA	NA	NA	NA I	NA
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Undate		+ <u>···</u> ·		<u> </u>	<u>+</u>			197	┼───┼	1973
Electronic	TBD	NA	NA	TBO	NA	NA	NA	NA	NA I	NA
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update				<u> </u>	+' <u>*</u> `	183	· · · · · ·		<u> </u>	104
Manual Service Order	TBD	NA	NA	тво	NA	NA	NA S	NA	NA I	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.				1	+				<u> </u>	
Electronic - New - Disconnect	TBD	I NA	NA	\$11.17	NA	NA	NA	NA	NA I	NA
		+		+	+					

\$11.35

NA

\$16.84

\$19.45

\$30.92

NA

NA

\$28.19

\$30.80

\$42.27

NA

\$166.00

TBD

NA

\$17.27

\$2.2

\$55.78

NA

NA

TBD

TBD

TBD

NA

TBD

\$13.12

NA

\$17.65

\$30.32

\$61.93

NA

NA

\$30.77

\$43.44

\$75.05

NA

TBD

\$14,63

NA

\$18.35

\$24.33

\$34.77

\$45,88

NA

TBD

TBD

TBD

TED

TBD

\$12.12

\$11.76

NA

ŇΑ

NA

NA

\$23.79

NA

NA

NA

NA

\$13.26

TBD

NA

\$21.57

\$32.53

\$43.08

NA

ŇĂ

TBD

TBD

TBD

NA

TBD

\$8,78

NA

\$15.92

\$20.79

\$27.18

ŇA

ŇĂ

\$24.70

\$29.57

\$35.96

NA

\$8.76

Version 2000:8/10/00

2-Wire Voice Grade Loop (SL2) RC - 2- Wire Voice Grade Loop - Statewide

RC - 2- Wire Voice Grade Loop - Zone 2

RC - 2- Wire Voice Grade Loop - Zone 4

RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Statewide

NRC- 2- Wite Voice Grade Loop with 2- Wite DID Port - 1st

RC - 2-Wire Voice Grade Loop with 2-Wire DD Port, Zone 1 (Note 6) RC - 2-Wire Voice Grade Loop with 2-Wire DD Port, Zone 2 (Note 6)

RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 2 (Note 6)

RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone 3 (Note 6)

RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone4 (Note 6)

IRC - 2- Wire Voice Grade Loop - Zone 1

RC - 2- Wire Voice Grade Loop - Zone 3

2- Wire Voice Grade Loop - Bus Only with 2 -Wire DID Trunk Port 2 - Wire Line Port - DID Trunk Port, per month

Combination Rates

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES LOOP/PORT COMBINATIONS

.

ESCRIPTION	USOC	AL	- FL	GA	KY	LA	MS	NC	-SC	TN
NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Add	TBD	TBD	\$3.76	\$140.01	TBD	TBD	TED	\$8.39	TBO	\$5.75
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic,		1		l	1					
per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual										
Service Order - 1st	TED	TBD	TBD	\$37.88	тво	TEO	TBD	\$53.89	1 1180	\$41,43
	180	100	100	307.00	100					
NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual	-	TBO		A10.04	TBO	TBD	TBD	\$11.34	тво	\$9.80
Service Order - Add	180	- 180	TBD	\$16.84	160		160	411.34	180	40.00
									┝────┼┈	
2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port		1								
2-wire ISDN Digital Port per month	UÉPPB	\$16.42	\$13.00	\$13.47	\$12.33	\$23.33	\$51.91	\$24.37	\$33.74	\$18.21
2-Wire ISDN Digital Grade Loop										
RC - 2-Wire ISDN Digital Grade Loop - Statewide	USL2X	NA	NA	NA .	NA	ž	NA	\$19.08	NA	NA
AC - 2-Wire ISDN Digital Grade Loop - Zone 1	USL2X	\$23.23	\$32.34	\$21.89	\$23.66	\$21.15	\$21.86	NA	\$26.68	\$15.92
RC - 2-Wire ISDN Digital Grade Loop - Zone 2	USL2X	\$37.74	\$47.35	\$25.27	\$44.28	\$36.32	\$28.97	NA	\$40.24	\$20.79
RC - 2-Wire ISDN Digital Grade Loop - Zone 3	USL2X	\$68.38	\$104.47	\$40.17	\$78.42	\$74.19	\$41.40	NA	\$53.29	\$27.18
FIC - 2-Wire ISDN Digital Grade Loop - Zone 4	USL2X	NA	NA	NA	NA	NA	\$54.64	NA	NA	NA
Combination Rates		1			r –					
		*					1		· · · · ·	
					}			A 40 4-		
RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$43.45	NA	NA
RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 1	Note 8	\$39.65	\$45.34	\$35.36	\$35.99	\$44.48	\$73.77	NA	\$60.42	\$34.13
RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 2	Note 8	\$54.16	\$80.35	\$38.74	\$56.61	\$69.85	\$80.78	NA	\$73.96	\$39.00
RC - 2-Wire ISON Digital Grade Loop with 2-wire ISDN Digital Port - Zone 3	Note 8	\$84.80	\$117.47	\$53.64	\$88.75	\$97.52	\$93.31	NA	\$87.03	\$45.39
RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4	Note 8	5	NA	NA	NA	NA	\$108.55	NA		NA
		TBD		твр	тво	TBD	твр	\$174.35	1 130	\$117.23
NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion	USACE	160	\$3.02	IBD		(60	עסי	91/4.00		3117.20
							TBD	\$174.35	TBO	\$117.23
NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Addi conversion	USACB	. TBD	\$2.49	TBD	TBD	TBO		\$1/4,30		3117.23
NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature										AD40 AD
Subsequent Activity	USASB	TBD	TBD	TBD	TBD	TBD	118D	\$296.15		\$212.88
				1						
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic,				ł						
per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3,50
		<u> </u>							┢────┼	
									1	
4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port										
4 - Wire ISON DS1 Digital Trunk Port	UEPPP	\$186.02	\$125.00	\$163.16	\$275.48	\$194.72	\$213.21	\$179.01	\$214.79	\$78.40
4 - Wre DS1 Digital Loop		+	<u> </u>							
RC - 4- Wire DS1 Digital Loop- Statewide	USL4P	NA NA	NA	NA	NĂ	NA	NA	\$82.71	NA	NA
RC - 4- Wire DS1 Digital Loop- Zone 1	USLAP	\$51.74	\$64.69	\$55.53	\$50.26	\$56.32	\$50.99	NA	\$59.61	\$57.73
	USLAP	\$51.74	\$94.05	\$64.13	\$94.06	\$96.73	\$67,58	NA	589.90	\$75.40
RC - 4- Wire DS1 Digital Loop-Zone 2					\$162.34	\$197.57	\$96.58	NA	\$119.06	\$98.59
RC - 4- Wire DS1 Digital Loop-Zone 3	USLAP	\$152.29	\$206.93	\$101.93		NA	\$127.47	NA	NA T	NA
AC - 4-Wire DS1 Digital Loop - Zone 4	USL4P	NA	NA	NA	NA	NA	\$127.97		<u>+-∽-</u> +	144
Combination Rates		1	L	L		<u> </u>	1	#041 7	- NA	NA
FIC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$241.72		
RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 1	Note 8	\$237.76	\$189.69	\$218.69	\$325.74	\$251.04	\$264.20	NA	\$274.40	\$136.13
FIC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 2	Note 8	\$270.07	\$219.71	\$227,29	\$369.54	\$291.45	\$280.79	NA	\$304.69	\$153.90
PiC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 3	Note 8	\$338.31	\$333.93	\$265.09	\$437.82	\$392.29	\$309.79	<u>NA</u>	\$333.85	\$176.99
RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 4	Note 6	NA	NA	NA	NA	NA	\$340.68	NA	NA	NA
NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - 1st				I			I		1 T	
conversion	USACP	TBD	\$2.00	180	TBD	TBD	TBD	\$481.51	TBD	\$328.53
NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - Add1		1	1		1					
conversion	USACP	TBD	\$1.22	ТВО	TBD	TBD	TBD	\$481.51	1780	\$328.53
NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -		1	t	1	1		1			
Subsequent Channel Activation - Per Channel	USASP	TED	\$29.28	ТВО	TBD	тер	тво	\$36.92	1 730	\$28.39
NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -			- viaco	<u> </u>	1	·····	+	1	┼──┼	
Subsequent Inward/2-way Telephone Numbers	PR7TG	тво	\$0.99	TBD	TBD	тво	TBD	\$1.17	TBD	\$0,9353
I SARROW DRY WHENTY ZAMON I ALARDAYDO NI WIDOTS	PH/IG	100	30.39		1 100		1 .00			~~~~~

.

Bellsouth/matc rates Network elements And other services Loop/Port combinations

.

DESCRIPTION	USOC	AL	FL -	GA	KY	LA	MS	NC	SC	TN
NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -					<u> </u>		1	·	<u> </u>	
Subsequent Outward Telephone numbers	PR7TP	TBD	\$23,20	тво	I тво і	TBD	тво	\$28.17	TBD	\$22.36
INRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -				1						
Subsequent Inward Telephone Numbers	PH7ZT	TBO	\$46.41	TBD	780	TBD	ТВО	\$56.33	CET	\$44.71
NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination -		<u> </u>								
Subsequent Service Order Per Order	USASP	TBD	TBD	тво	TBD	TBD	тво	\$255.25	TBD	\$189.76
		<u> </u>					<u> </u>			
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic,		1		ł	1					
per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port		1		·		·	<u> </u>			
4 - Wire DID Trunk Port	TBD	TBD	\$63.85	\$120,80	TBD	\$149.27	\$146.46	\$123.52	TBD	\$35.55
4 - Wire DS1 Digital Looo			300.00	9120.00		3148.27	3140.40	- 9123.32		430.20
4 - Wire DS1 Digital Loop - Statewide	TBD	NA	NA		NĂ	NA	NA	\$62.71	NA	NA
4 - Wire DS1 Digital Loop - Statewide	TBD	\$51,74	\$64.69	\$55.53	\$50.26	\$56.32	\$50.99	NA NA	\$59.61	\$57.73
4 - Wire DS1 Digital Loop - Zone 2	TBD	\$84.05	\$94.71	\$65.55 \$64.13	\$30.20 \$94.06	\$96.73	\$67,58	NA NA	\$89.90	\$75.40
4 - Wire DSt Digital Loop - Zone 3	TBD	\$152.29	\$208.93	\$101,93	\$182.34	\$197.57	\$67.56		\$119.06	\$98.59
	TBD	NA	NA		\$162.34 NA	\$197.57 NA	\$95.55	NA NA	NA NA	390.29 NA
4 - Wire DS1 Digital Loop - Zone 4	180	<u> </u>		NA		N/A.	\$12/.4/		TVA .	
			NA		<u> </u>	NA		[<u></u>	NA	NĂ
4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Statewide	Note 8	NA FRG	NA \$128.54	NA \$176.33	NA TBD	NA \$205.59	NA	\$186.23	TBD	\$93,28
4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 1	Note 8	TBD				\$246.00	\$197.45	NA		\$110.95
4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 2	Note 8	TBO	\$158.55	\$184.93	TBD		\$214.04			
4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 3	Note 8	1180	\$272.78	\$222.73	TBD	\$346.84	\$243.04	NA	TBO	\$134.14
4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Zone 4	Note 8	NA	NA	NA	NA	NA	\$273.93	NA	NA	NA
NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - 1st	TED	TBD	TBD	\$519.42	TBD	TBO	TBD	\$490.38	TBD	\$312.91
NRC -4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - Add	TBD	180	TBD	\$320.64	TBO	TBD	TBD	\$490.38	780	\$312.91
NRC -4 - Wire DS1 Digital Loop with 4 - Wire DIDTrunk Port - Subsequent Channel										
Activation - Per Channel	TBD	TBD	TBD	TBD	TBD	TBD	TED	\$146.91	190	\$108.67
NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -								1		
Subsequent Telephone Numbers	TBD	TBD	TBD	TBD	TBD	TBD	TBD	\$120.98	TBD	\$88.68
NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -		l			1					4-•
Subsequent Signaling Changes	TBD	TBD	TBO	TBD	TBD	TBD	TBD	\$29.65	TBD	\$22.92
NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -		1							1 1	
Subsequent Service Order Per Order	TBD	TBO	TED	TBD	TBD	TBO	TBO	\$127.63	TBD	\$94.88
NRC - 4-Whe DS1 Digital Loop with 4-Wire DID Trunk Port Combination - OSS LSR		1					1			
Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive										
interfaces (Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
NRC- 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port - Incremental Cost- Manual					· · · · · · · · ·			1		
Service Order - 1st	TBD	1180	TBD	\$37.88	TBD	TBD	TBO	<u>11BO</u>	TBD	TBD
NRC- 4-Wire DS1 Digital Loop with 4-Wire DID Trunk Port - Incremental Cost- Manual					1					
Service Order - Add1	TBD	TBO	TBD	\$16.84	TBD	TBD	TEO	TBD	TBD	TBD
				ł	<u> </u>		1			
2-Wire Voice Grade Loop with 2-Wire Line Port PBX										
2-Wire Analog Line Port (PBX), per month		<u> </u>		1						
2 WIRE VOICE UNSUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRO	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$2.20	\$2.00	\$1,79	\$2.61	\$2.55	\$2,12	\$2.28	\$3.69	\$1.90
LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.26	\$3.69	\$1.90
LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS	UEPP1	\$2.20	\$2.00	\$1.79	\$2,61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIFE VOICE UNRUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING		†		T	†		1	1	1 1	
PORT	UEPA2	\$2.20	NA	I NA	I NA	NA	NA NA	NA	NA	NA
2-WIRE VOICE UNBLINDLED 2-WAY COMBINATION PBX LOUISIANA CALLING				t	t- <u></u>	<u> </u>	<u>⊢ —</u> —			
PORT	UEPL2	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
2-WIRE VOICE UNBLINDLED PBX LD TERMINAL PORTS	UEPLD	\$2,20	\$2.00	\$1,79	52.61	\$2.55	\$2.12	\$2,28	\$3.69	\$1,90
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING			46.00	arra		36.00	I.C.		40.03	41.00
PORT	UEPT2	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
	UEP12				1. MA		1 NA		TNA	
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING		I		1	1		1		1 1	
I IPORT	UEPTO	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES LOOP/PORT COMBINATIONS

DESCRIPTION	USOC	AL	<u>R</u>	GA	KY	<u></u>	MS	NC	SC	TN
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED PBX LD DOD TERMINALS PORT	UEPXC	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED PEX LD TERMINAL SWITCHBOARD IDD CAPABLE PORT	UEPXE _	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD	UEPXF	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXQ	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD	UEPXJ	NA	NA	NA	\$2.61	NA	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT	UEPXK	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT	UEPXL	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1,90
2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT	UEPXM	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT	UEPXO	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT	UEPXP	NA	NA	NA	NA	\$2.55	NA	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT	UEPXQ	NA	NA	NA	NA	NA	\$2.12	NA	NA	NA
2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT	UEPXR	NA	NA	NA	NA	NA	\$2.12	NA	NA	
2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PEXMEASURED PORT	UEPXS	\$2.20	\$2.00	\$1.79	\$2.61	\$2.55	\$2.12	\$2.28	\$3.69	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT	UEPXT	NA	NA	NA	NA	NA	NA	NA	\$3.69	NA
2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	NA	NA	NA	NA -	NA	NA	NA	NA	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	UEPXV	NA	NA	NA	NA	NA	NA	NA	NA	\$1.90
LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCP									
2-Wire Voice Grade Loop (SL1)				 				<u> </u>	+ − +	
AC + 2- Wire Voice Grade Loop (SLT)	UEPLX	NA	NA	NA	NA	NA	NA	\$14.18	NA	NA
RC - 2- Wire Voice Grade Loop - Scalewide	UEPLX	\$14.35	\$13.75	\$10.60	\$14.79	\$14.05	\$14.59	NA	\$17.02	\$15.92
IRC - 2- Wire Voice Grade Loop - Zone 2	UEPLX	\$23.31	\$20.13	\$12.47	\$27.66	\$24.14	\$19.33	NA	\$25.66	\$20.79
RC + 2- Wine Voice Grade Loop - Zone 3	UEPLX	\$42.24	\$44.40	\$19.83	\$47,78	\$49.30	\$27.63	NA -	\$33,99	\$27.18
RC - 2- Wire Voice Grade Loop - Zone 4	UEPLX	NA	NA	NA	NA	NA	\$36.47	NA	NA	NA
Combination Rates					1		1		++	
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide	Note 8	NA	NA	NA	NA	NA	NA	\$16.46	NA	NA
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	Note 8	\$16.55	\$15.75	\$12.59	IVALUE!	\$16.60	\$16.71	NA	\$20.71	\$17.84
IRC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	Note 8	\$25.51	\$22.13	\$14,26	EVALUE!	\$26.69	\$21.45	NA	\$29.35	\$22.69
PIC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 5)	Note 8	\$44.44	\$46.40	\$21.62	#VALUEI	\$51.85	\$29.75	NA	\$37.68	\$29.00
RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6)	Note 8	NA	NA	NA	NA	NA	\$38.59	NA	NA	NA
Nonrecurring Charges		1)	T	1		1		1 1	
NRC - 2-Wire Voice Grade Loog/Line Port Combination - 1st, Switch as is	USAC2	\$2.80	\$1.46	\$2.01	\$10.00	\$3.80	\$5.20	\$2.77	\$1.59	\$1.03
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add1, Switch as is	USAC2	\$0,41	\$0.93	\$0.3108	\$10.00	\$0.29	\$0.41	\$0.40	\$0.40	\$0.2886
INRC - 2-Wire Voice Grade Looo/Line Port Combination - 1st, Switch with change	USACC	\$2.80	\$1.46	\$2.01	\$10.00	\$3.80	\$5,20	\$2.77	\$1.59	\$1.03

\$1.46

\$0.93

\$0.41

USACC

\$10.00

\$10.00

\$3.80

\$0.29

\$0.41

\$2.01

\$0.3108

Attachment 2 Exhibit D Rates - Page 48

\$1.59

\$0.40

\$1.03

\$0.2886

.

\$0.40

Version 2000;8/10/00

NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change

NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change

BELLIGUITHINATC RATES NETWORK BLEMENTS AND OTHER SERVICES LOOP/PORT COMBINATIONS

•

.

.

.

Attachment 2 Extribit 0 Rates - Page 49

NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USOC	AL	FL.	GA	KY	<u> </u>	WS	NC	SC	TN
Intro - 2 whe wave charte cooprains Port Compination - Subsequent	USAS2	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	
MIRC - 2. Wire Maine Cande Loophing Dark Constitution Construction of							4.4.66		\$10.00	\$10.00
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic,		1	1	ļ		l				
per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)	SOMEC	\$3.50	\$3.50	\$3.50	\$3,50	\$3.50	\$3.50	\$3.50		
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual								\$3.50	\$3.50	\$3.50
Svc.Order vs. Electronic - 1st	SOMAN	\$40.71	\$19.99	\$33.67	\$19.99	\$31.92		.	1	
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual		1			318-85	<u></u>	\$43.52	\$40.18	\$43.19	\$30.89
Svc.Order vs. Electronic - Add1	SOMAN	\$9.58	\$19.99	\$7,88	1]]	
			\$13.33	\$7.88	\$19.99	\$7.32	\$0.99	\$9,45	\$9.91	\$7.03
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update										
Electronic	780	\$1.44			1					
NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update	180	31.44	TBD	TBD	TBD	\$2.11	\$2.87	\$1.42	\$0.71	\$0.76
Manual Service Order	780									
NRC - Incremental Manual Service Order Disconnect	TBO	\$8.25	TBD	TBD	TBD	\$5.12	\$6.88	\$10.27	\$8.91	\$7.97
	TBD	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00
		1 1			· · · · ·					
NRCs for New (not Currently Combined) as ordered in Georgie:		1					1		1 1	
INHU - 2-WIRE VOICE Grade LOOD with 2-Wire Line Port - New - 1st	UEPRD	NA								
INRC - 2-Wire Voice Grade Loop with 2-Wire Line Post - New - Add	UEPRD		NA	\$22.14	NA	NĂ	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPPC	NA	NA	\$15,25	NA	NA	NA	NA	NA	NA
NHC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Artri		NA	NA	\$22.14	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPPC	NA	NA	\$15.25	NA	NA	NA	NA	NA	NA NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPPO	NA	NA	\$22.14	NA	NA	NA	NA	NA	NA NA
NRC - 2-Wire Volce Grade Loop with 2-Wire Line Port - New - Add1	UEPPO	NA	NA	\$15.25	NA	NA	NA	NA	- NA	
NPC - 2 Wire Vote Courte Long wire 2-1998 Line Polt - New - 1st	UEPP1	NA	NA	\$22,14	NA	NA	NA I	NA NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add"	UEPP1	NÄ	NA	\$15,25	NA I	NA	NA I	NA NA		NA
NRC - 2-Wine Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPLD	NA	NA	\$22,14	NA	NA	NA NA		NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1	VEPLD	NA	NA	\$15.25		NA		NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXA	NA	NA	\$22.14			NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Arch	UEPXA	NA I	NA		NA	NA	NA	NA .	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1et	UEPXB		NA NA	\$15.25	NA	NA	NA NA	NA	NA	NA
INRC - 2-Wire Voice Grade Loop with 2-Wire Line Pod - New - Addi	UEPXB	NA I		\$22.14	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXC			\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1	and the second se	NA	NA	\$22.14	L NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXC	NA	NA	\$15.25	NA T	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1	UEPXD	NA	NA	\$22.14	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Addr NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXD	NA	NA	\$15.25	NA	NA	NA I	NA NA	NA	
NPC - 2-Wire Vole Grade Loop wen 2-Wire Line Port - New - 1st	UEPXE	NA	NA	\$22.14	NA	NA	NA I	NA		NA
NRC - 2-Wire Volce Grade Loop with 2-Wire Line Port - New - Add1	UEPXE	NA	NA	\$15,25	NA	NA	NA I		NA	NA
NRC - 2-Wire Voice Grader Loop with 2-Wire Line Port - New - 1st	UEPXL	NA	NA	\$22.14	NA	NA		NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add?	UEPXI	NA	NA				NA	NA	NA	NA
NRC · 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXM	- NA I		\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Artit	UEPXM		NA	\$22.14	NA	NA	NA	<u>NA</u>	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXN	NA	NA	\$15.25	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add		NA	NA	\$22.14	NA	NA	NA	NA	NA	
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Addr	UEPXO	NA	NA	\$15.25	NA _	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st	UEPXS	NA	NA	\$22.14	NA	NA	NA	NA	NA	<u>NA</u>
New - Add	UEPXS	NA	NA	\$15.25	NA	NA	NA	NA	NA	
					┝╾┍╧╩┺┻╋		<u> </u>		ANA .	NÁ
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USAS2	NA	NA	\$10.00	NA	NA	NA			
					+			NA	NA	NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st										
The constant and the part of the cost - New - Usconnect - 1st	TBD	NA	NA	\$8.45	NA	NA	NA	NA	NA	
						<u> </u>				NA
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Addi	TBD			1		J			l	
	עפו	<u>NA</u>	NA	\$3.91	NA	NA	NA	NA	NA	NA
NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic,		1								
per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7)							. 1	1	l	
INBC - 2 With Voins Conde Loss with 2 Vite	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	MA [
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.									NA	NA
Electronic - New - 1st	TBD	NA	NA	\$37.06	NAÌ	NA	NA		1	
NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs.		_						NA	NA	NA
Electronic - New - Add1	TBD	NA I	NA	fa / a	1					
		191		\$8.19	<u>NA</u>	NA	NA	NA I	NA	NA

Version 2000;8/10/00

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES LOOP/PORT COMBINATIONS

٠

•

.

		URAC	ALI	FL	GA	KY	LA	MS	NC	SC I	TN
D	DESCRIPTION	USOC	<u> </u>	rL						<u> </u>	
	NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update	TBD	NA	NA	тво	NA	NA	NA	NA	NA	NA
	NRC-2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update	TBD	NA	NA	тво	NA	NA	NA	NA	NA	NA
-	NRC - 2-Wire Volce Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Disconnect	TBD	NA	NA	\$11.17	NA	NA	NA	NA	NA	NA
F	All Other Loca/Port Combinations	TBD	TBD	TBÓ	Note 2	TBD	TBD	TBID	TBD	TBD	TBD
F						· · · · · · · · · · · · · · · · · · ·					
	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX		<u> </u>		 					
N	NOTES:										
Ē	Market Rates will apply in those areas where BellSouth is not required to provide circuit 1 switching pursuant to FCC rules.			<u> </u>		 					
	2 In Georgia, rates will apply for Currently Combined as well as not Currently Combined loop/port combinations unless otherwise identified.		· ·			· · · · · ·					
	3 In the absence of ordered rates by a State Commission, the recurring rates for Currently Combined combinations of loop/port network elements will be the sum of the recurring rates for the UNEs which make up the combinations, and the nonvecurring rates shall be as set forth in this section.										
	4 End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements.										
┢	5 Deleted										
	Effective May 1, 2000 statewide rates will be replaced by Deeveraged Loop Rates by Zone where available. Until approximately becamber 31, 2000 or until such time that BellSouth billing systems have been developed to handle the new zone rate structure, BellSouth will bill at the Zone 1 Deeveraged Loop rate level only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BellSouth will begin billing pursuant to CLEC-1's interconnection available.										
Γ	7 in the absence of ordered OSS rates by a state commission, BellSouth will offer regionwic	Se rates	~	1		+	┦ ┈━━━		<u> </u>	1	
1	8 There is not a unique combination USOC. CLEC should submit the loop and port USOCs	L	- 	↓			<u> </u>		+		
r				1	1		J		<u> </u>	<u> </u>	

.

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

.

	NHANCED EXTENDED LINKS (EELs)										
Ht	New EEL rates are the sum of the individual UNE network elements				i i						
	New EEL rates are the sum of the inclusional one inclusion electronic and the second s										
	(interoffice transport and loop [channelization if applicable].		-								
		USOC	ÂL	FL	GA	KY	LA	MS	NC	SC	TN
	DS1 Interoffice Channel and 2-wire VG Local Loop EEL:	USUC	<u>AL</u>			<u> </u>	┝ <u></u>			- 1	
	Recurring Charges		NA	\$17.00	\$16.51	NA	\$19.35	NA	\$19.50	NA	\$18.00
	2-wire VG Loop per month, statewide	UEAL2	NA NA	\$13.75	\$16.84	NA	\$17.65	NA	TBD	NA	\$15.92
	2-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA NA	\$13.75	\$19.45	NA	\$30.32	NA	TBD	NA	\$20.79
	2-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA NA	\$44,40	\$30.92	NA	\$61.93	NA	TBD	NA	\$27.18
	2-wire VG Loop per month, Zone 3 (Note 1)	NA NA	NA	NA NA	NA	NA	NA	NA	NA	NA	NA
ĹЦ	2-wire VG Loop per month, Zone 4 (Note 1)	1L5XX	NA	\$0,2035	\$0.31	NA	\$0.78	NA	\$0.78	NA	\$0.35
Ш	Interoffice Channel - Dedicated - DS1 - per mile per month	U1TF1	NA	\$93.31	\$63.39	NA	\$93.40	NA	\$93.40	NA	\$75.83
Ш	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	MQ1	NA	\$154.74	\$127.60	NA	\$209.87	NA	\$209.87	NA	\$165.21
ЦЦ	DS1 Channelized System per month	1D1VG	NA	\$1.46	\$1.18	NA	\$1.62	NA	\$1.62	NA	\$1.25
\square	VG (COCI) interface card per month	10110			41.10		t				
\square	Non-Recurring Charges - New EEL (Note 2)(Note 3)	U1TF1	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17	NA	\$165.53
Ш	NRC- DS1 interoffice Facility Termination - 1st	U1TF1	NA	\$247.73	\$112.77	NA	\$123.03	NA	\$163.75	NA	\$124.84
ЦĻ	NRC-DS1 interoffice Facility Termination - Add1	UEAL2	NA	\$271.29	\$122.51	NA	\$128.42	NA	\$142.97	NA	\$103.76
ЦЦ	NRC-2-wire VG Local Loop - 1st	UEAL2	NA	\$104.90	\$81.48	NA	\$93.60	NA	\$106.56	NA	\$65.84
┝┿┽	NRC-2-wire VG Local Loop - Add	MQ1	NA	\$127.67	\$138.85	NA	\$220.07	NA	\$193,63	NA	\$222.87
╘┷┹	NRC-DS1 Channelization System -1st	MQ1	NA	\$29.75	\$92.34	NA	\$135.20	NA	\$118.37	NA	\$135,80
Щ	NRC-DS1 Channelization System - Add1	1D1VG	NA	\$12.26	\$12.15	NA	\$12.29	NA	\$15,76	NA	\$12.61
Щ	NRC-VG(COCi)interface card -1st	1D1VG	NA	\$8.84	\$8.76	NA	\$8.80	NA	\$11.28	NA	\$9.03
┝╼╋╼┫	NRC-VG(COCI)interface card - Add NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - B	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
┝╋┩	NRC- 2-Wire VG Local Loop and Chamelized OST Interoffice Combination - N NRC- 2-wire VG Local Loop and Chamelized DS1 Interoffice Combination - N	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
H-1-1	NRC- 2-Wire VG Local Loop and Chamlezza DST interoffice Combination - N NRC- 2-wire VG Local Loop and Chamlezza DST Interoffice Combination - N	SOMAN	NA	NA	\$34.00	NA	\$242.20	NA	\$66.20	NA	NA
H	NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - N	SOMAN	NA	NA	\$27.79	NA	\$153.37	NA	\$51.40	NA	NA
H	NRC- 2-Wire VG Local Loop and Channelized DS1 Interoffice Combination - N	SOMAN	NA	NA	\$20.10	NA	\$45.91	NA	NA	NA	NA
H	NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - N	SOMAN	NA	NA	\$11.98	NA	\$8.06	NA	NA	NA	NA
H	NHC- 2-WHO VIS LOCAL COUP and Originiteszed Dor Interference Contestent		1						1		
H	DS1 Interoffice Channel and 4-wire VG Local Loop EEL:										
НЧ			<u> </u>		1		_				
HH	Recurring Charges 4-wire VG Loop per month, statewide	UEAL4	NA	\$30.00	\$25.86	NA	\$31.52	NA	\$27.49	NA	\$18.00
н	4-wire VG Loop per month, statewide	TBD	NA	\$24.26	\$22.26	NA	\$24.36	NA	NA	Ň	\$15.92
H	4-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA	\$35.51	\$78.35	NA	\$41.85	NA	NA	NA	\$20.79
HH	4-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA	\$78.35	\$0.00	NA	\$86.47	NA	NA	NA	\$27.18
HH	4-wire VG Loop per month; Zone 3 (Wate 1) 4-wire VG Loop per month; Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
HH	A-ware VG Loop per monin, 20ne 4 (Note 1) Interoffice Channel - Dedicated - DS1 - per mile per month	11.5XX	NA	\$0.2035	\$0.31	NA	\$0.78	NA	\$0.06	NA	\$0.35
H	Interoffice Channel - Dedicated - DS1 - per nice per month	U1TF1	NA	\$93.31	\$63.39	NA	\$93.40	NA	\$71.29	NA	\$75.83
H	DS1 Channelized System per month	MQ1	NA	\$154.74	\$18.23	NA	\$209.87	NA	\$177.72	NA	\$165.21
		1D1VG	NA	\$1.46	\$2.67	NA	\$1.62	NA	\$1.64	NA	\$1.25
H	VG (COCI) interface card per month Non-Recurring Charges - New EEL (Note 2) (Note 3)		1		l]		
H	Non-Hecuming Charges - New EEL (Note 2) (Note 3)	UTET	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$534.48	NA	\$165.53
H	NRC-DS1 interoffice Facility Termination - 1st NRC-DS1 interoffice Facility Termination - Add1		NA	\$247.73	\$112.77	NA	\$123.03	NA	\$462.69	NA	\$124.84
H		UEAL4	NA	\$271.29	\$275.61	NA	\$128.42	NA	\$288.47	NA	\$103.76
H	NRC-4-wire VG Local Loop - 1st	UEAL4	NA	\$104.90	\$225.76	NA	\$93.60	NA	\$237.45	NA	\$65.84
H-	NRC-4-wire VG Local Loop - Add'l	MQ1	NA	\$127.67	\$138.85	NA	\$220.07	NA	\$301.74	NA	\$222,87
H	NRC-DS1 Channelization System -1st NRC-DS1 Channelization System - Add1	MQ1	NA	\$29.75	\$92.34	NA	\$135.20	NA	\$182.57	NA	\$135.80
H	NING-USI Unannelization System - Adult	1D1VG	NA	\$12.26	\$12.15	NA	\$12.29	NA	\$15.76	NA	\$12.61
L	NRC-VG(COCI)interface card -1st										

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

.

.

Attachment 2 Exhibit D Rates - Page 52

.

									·····		
\mathbf{T}				ļ	j]		<u> </u>		i
11	New EEL rates are the sum of the individual UNE network elementa										
	(interoffice transport and loop [channelization if applicable].	1									
++	NRC-VG(COCI)interface card - Add	1D1VG	NA	\$8.84	\$8.78	NA	\$8.80	NA	\$11.28	NA	\$9.03
╶┼╶╂╴	NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Electro	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
++	NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manua	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
┹	NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual	SOMAN	NA	NA	\$30.42	NA	\$242.20	NA	\$66.20	NA	NA
++	NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual	SOMAN	NA	NA	\$18.76	NA	\$153.37	NA	\$51.40	NA	NA
╋	NRC-DS1 interoffice channel and 4-wire VS Local Loop Combination - Manual NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual	SOMAN	NA	NA	\$12.15	NA	\$45.91	NA	NA	NA_	NA
	NRC-DS1 Interoffice channel and 4-wire VG Local Loop Combination - Manual	SOMAN	NA	NA	\$8.76	NA	\$8.06	NA	NA	NA	NA
╺╫╌┠╴	NHC-DS1 mieromce chamier and 4-wire VG Local Loop Comonation - manual	SCHERE									
44											
14	DS1 Interoffice Channel and 2-wire ISDN Local Loop:										1
	Recurring Charges	1141 004	NA	\$40.00	\$25,43	NA	\$27.36	NA	\$24.96	NA	\$18.00
	2-wire ISDN Loop per month, statewide	U1L2X		\$32.34	\$21.89	NA NA	\$21.15	NA		NA	\$15.54
11	2-wire ISDN Loop per month, Zone 1 (Note 1)	TBD	NA NA		\$25.27	NA NA	\$36.22	NA	TBD	NA	\$19.55
	2-wire ISDN Loop per month, Zone 2 (Note 1)	TBD		\$47.35	\$40.17	NA	\$74.19	NA	TBD	NA	\$28.02
T L	2-wire ISDN Loop per month, Zone 3 (Note 1)	TBD	NA	\$104.47		NA NA	NA NA	NA	NA	NA	NA
	2-wire ISDN Loop per month, Zone 4 (Note 1)	NA .	NA	NA	NA		\$0.78	NA	\$0.08	NA	\$0.35
П	Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	<u>NA</u>	\$0.2035	\$0.31	NA	\$93.40	NA	\$71.29	NA	\$75.83
TT	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA	\$93.31	\$63.39	NA	\$209.87	NA NA	\$177.72	NA	\$165.21
TT	DS1 Channelized System per month	MQ1	NA	\$154.74	\$127.60	NA		<u>NA</u>	\$3.76	NA NA	\$3.33
Π	2-wire ISDN(BRITE COCI) per month	ÜCICA	NA	\$3.86	\$3.41	NA	\$4.18		33.10		
	Non-Recurring Charges - New EEL (Note 2)(Note 3)									NA	\$165.53
11	NRC- DSt interoffice Facility Termination - 1st	UITFI	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17		\$124.84
11	NRC-DS1 interoffice Facility Termination - AddT	U1TF1	NA	\$247.73	\$112.77	NA	\$123.03	NA	\$163.75	<u>NA</u>	\$124.04 \$58.50
11	NRC- 2-wire ISDN Local Loop - 1st	UTL2X	NA	\$271.29	\$122.51	NA	\$223.27	<u>NA</u>	\$325.91	NA	
++	NRC- 2-wire ISDN Local Loop - Add'l	U1L2X	NA	\$104.90	\$81.48	<u>NA</u>	\$172.63	NA	\$251.31	NA	\$31.00
++	NRC-DS1 Channelization System -1st	MQ1	NA	\$127.67	\$1 <u>38.85</u>	<u>NA</u>	\$220.07	NA	\$301.74	NA	\$222.87
++	NRC-DS1 Channelization System - Add'1	MQ1	NA	\$29.75	\$92.34	NA	\$135.20	NA	\$182.57	NA	\$135.80
++	NRC-2-wire BRITE(COCI)interface card -1st	UCICA	NA	\$12.26	\$12.15	NA	\$12.29	NA	\$15.76	NA	\$12.61
++	NRC-2-wire BRITE(COCI)interface card -Add1	UCICA	NA	\$8.84	\$8.76	NÄ _	\$8.80	NA	\$11.28	NA	\$9.03
++	NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Elec	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
╉	NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Man	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
┿╂	NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Man	SOMAN	NA	NA	\$34.00	NA	\$57.58	NA	\$38.07	NA	NA
++	NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Man	SOMAN	NA	NA	\$27.79	NA	\$36,31	NA	\$38.07	NA	NA
╺╋╍╋	NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Mar	SOMAN	NA	NA	\$20,10	NA	\$16.12	NA	NA	NA	NA
┽╂	NRC-DS1 Interoffice channel and 2-wire ISDN Local Loop Combination - Man	SOMAN	NA	NA	\$11.98	NA	\$8.06	NA	NA	NA	NA
┥┦	NHC-UST Interomice charmer and 24mer ISDN Cocar Loop Comonitation - man	<u>oom at</u>									
++	Post law of a set and a wine 52 thes I see I com			<u> </u>			1				
╧	DS1 Interoffice Channel and 4-wire 56 kbps Local Loop:			+		····					T
	Recurring Charges	1474 50	NA	\$48.33	\$29.92	NA	\$35.58	NA	\$32.67	NA	\$42.23
\square	4-wire 56kbps Loop per month, statewide	UDL56	<u> </u>	\$39.08	\$25.75	NA	\$27.50	NA	TBD	NA	\$36.45
\square	4-wire 56kbps Loop per month, Zone 1 (Note 1)	TBD	NA			NA	\$47.24	NA	TBD	NA	\$45.87
Ш	4-wire 56kbps Loop per month, Zone 2 (Note 1)	TBD	NA	\$57.21	\$29.74	NA NA	\$96.48	NA	TBD	NA	\$65.75
\square	4-wire 56kbps Loop per month, Zone 3 (Note 1)	TBD	NA	\$126.22	\$47.27		<u>\$90.40</u> NA	NA	NA NA	NA	NA
	4-wire 56kbps Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	\$0.78	NA NA	\$0.08	NA	\$0.35
	Interoffice Channel - Dedicated - DS1 - per mile per month	1 <u>L5XX</u>	NA	\$0.2035	\$0.31	NA			\$71,29	NA	\$75.83
Π	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	UITFI	NA	\$93.31	\$63.39	NA	\$93.40	NA		NA	\$165.21
	DS1 Channelized System per month	MQ1	NA _	\$154.74	\$18.23	NA	\$209.87	NA_	\$177.72		
	4-wire 56kbps card COCI per month	1D1D0	NA	\$2.22	\$1.06	NA	\$3.12	NA	\$2.88	NA	\$2.48
	Non-Recurring Charges - New EEL (Note 2) (Note 3)		I		<u> </u>			<u> </u>	-	<u> </u>	+
+	NRC- DS1 interoffice Facility Termination - 1st	U1TF1	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17	NA	\$165.53

		Ē	BELLSOUTHAN NETWORK E AND OTHER ENHANCED EXT	ELEMENTS SERVICES	r						ittachment 2 Exhibit D iss - Page 53
\square	New EEL rates are the sum of the individual UNE network elements				1					İ	
	(interoffice transport and loop [channelization if applicable].							NA	\$163.75	NA	\$124.84
┝╋╌┣╴	NRC-DS1 interoffice Facility Termination - Add'l	U1TF1	NA	\$247.73	\$112.77	NA	\$123.03	NA	\$183.75		\$643.00
	NRC-4-wire 56kbps Local Loop - 1st	UDL56	NA	\$271.29	\$443.56	NA	\$333.28 \$230.50	NA NA	\$337.51	- NA	\$421.26
	NRC-4-wire 56kbps Local Loop - Add1	UDL56	NA	\$104.90	\$269.01	NA NA	\$230.50	NA	\$301.74		\$222.87
	NRC-DS1 Channelization System -1st	MQ1	NA	\$127.67	\$138.85	NA	\$135.20	NA	\$182.57	NA	\$135.80
	NRC-DS1 Channelization System - Add1	MQ1	NA	\$29.75	\$92.34	NA	\$12.29	NA NA	\$15.76	NA	\$12.61
	NRC-4-wire 56kbps(COCI)interface card -1st	1D1D0	NA	\$12.26	\$12.15 \$8.76	NA	\$8.80	NA	\$11.28	NA	\$9.03
	NRC-4-wire 56kbps(COCI)interface card -Add1	1D1D0	<u>NA</u>	\$8.84	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
	NRC-OS1 interoffice channel and 4-wire 56kbps Local Loop Combination - El	SOMEC	NA	\$3,20 \$25,60	<u>\$3.50</u> NA	NA NA	NA NA	NA	NA	NA	\$19.99
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN	NA	<u>- 325.60</u> NA	\$34.00	NA NA	\$242.20	NA	\$38.07	NA	NA
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN SOMAN	NA	NA NA	\$27.79	NA NA	\$153.37	NA	\$38.07	NA	NA
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - Me	SOMAN SOMAN	NA NA	NA NA	\$20.10	NA NA	\$45.91	NA	NA	NA	NA
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN SOMAN	NA NA	NA NA	\$11.98	NA	\$8.06	NA	NA	NA	NA
	NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - M	SOMAN					40.00				
	DS1 Interoffice Channel and 4-wire 64 kbps Local Loop:								<u> </u>		┣───
┝╋╌╉╴	Recurring Charges					<u> </u>					640.00
	4-wire 64kbps Loop per month, statewide	UDL64	NA	\$48.33	\$29.92	NA	NA	NA	\$32.67	NA	\$42.23
┝╋┯	4-wire 64kbps Loop per month, Zone 1 (Nole 1)	TBD	NA	\$39.08	\$25.75	NA	\$27.50	NA	TBD	NA	\$36.45
┝╋╋	4-wire 64kbps Loop per month, Zone 2 (Note 1)	TBD	NA	\$57.21	\$29.74	NA	\$47.24	NA	TBD	NA	\$45.87
┝╍╉╴╂╌	4-wire 64kbps Loop per month, Zone 3 (Note 1)	TBD	NA	\$126.22	\$47.27	NA	\$96.48	NA	TBD	NA	\$65.75 NA
┝╋╋╋	4-wire 64kbps Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA	NA	NA	\$0.35
	Interoffice Channel - Dedicated - DS1 - per mile per month	1L5XX	NA	\$0.2035	\$0,31	NA	\$0.78	NA	\$0.08	NA NA	\$75.83
┝┟╋╸	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA	\$93.31	\$63.39	NA	\$93.40	NA	\$71.29	NA NA	\$165.21
┝╼╉╍╂╼	DS1 Channelized System per month	MQ1	NA	\$154.74	\$18.23	NA	\$209.87	NA	\$177.72	NA NA	\$100.21
┝╼╂╶╂╴	4-wire 64kbos card COCI per month	10100	NA	\$1.06	\$1.0 <u>6</u>	NA	\$3.12	NA	\$2.88	<u> </u>	\$2.40
	Non-Recurring Charges - New EEL (Note 2) (Note 3)									NA	\$165.53
┠╋╋	NRC- DS1 interoffice - 1st	U1TF1	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17	NA NA	\$105.55
┝╋╁	NRC- DS1 interoffice - Add'l	U1TF1	NA	\$247.73	\$112.77	NA	\$123.03	NA	\$163.75		\$124.04
┝┼┼┤	NRC-4-wire 64kbps Local Loop - 1st	UDL64	NA	\$271.29	\$443.56	NA	\$333.28	NA	\$489.04	NA	\$65.84
┝╂┼	NRC-4-wire 64kbps Local Loop - Add?	UDL64	NA	\$104.90	\$269.01	NA	\$230.50	NA	\$337.51	NA NA	\$222.87
┞┟┾	NRC-DS1 Channelization System -1st	MQ1	NA	\$127.67	\$138.85	NA	\$220.07	NA	\$301.74 \$288.33	NA NA	\$135.80
┝╂┿	NRC-DS1 Channelization System - Add1	MQ1	NA	\$29.75	\$92.34	NA	\$135.20	NA		NA NA	\$135.60
H^+	NRC-4-wire 64kbps(COCI)interface card -1st	1D100	NA	\$12.26	\$12.15	NA	\$12.29		\$15.76	NA NA	\$9.03
┢╋╋	NRC-4-wire 64kbps(COCI)interface card -Add"	10100	NA	\$8.84	\$8.76	NA	\$8.80	NA	\$11.28 \$3.50	NA	\$3.50
┝┼╋	NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - El	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	<u>\$3.50</u> NA	NA NA	\$3 <u>.50</u> \$19.99
H+	NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA	\$25.60	NA	NA	NA	NA NA	\$38.07	NA NA	\$19.59 NA
	NBC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	<u>NA</u>	NA	\$34.00	NA	\$242.20	NA	\$38.07	NA NA	NA NA
	MBC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA	NA	\$27.79	NA	\$153.37	NA		NA NA	NA
H^+	INBC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - Mi	SOMAN	NA	NA	\$20.10	NA	\$45.91	NA	NA NA		NA NA
H+	NRC-DS1 interoffice channel and 4-wire 64kbps Local Loop Combination - M	SOMAN	NA	NA	\$11.98	NA	\$8.06	NA	-+ NA		
\square			<u> </u>			<u>├</u>	+	<u> </u>		t	
	DS1 Interoffice Channel and DS1 Interoffice Local Loop:		┼────	+			+		1		
114	Recurring Charges	USLXX	NA	\$80.00	\$64.52	NA	\$72.86	NA	\$82.78	NA	NA
μĻ	DS1 Loop per month, State wide	TBD	NA NA	\$64.69	\$55.53	NA	\$56.32	NA	TBD	NA	NA
μ	DS1 Loop per month, Zone 1 (Note 1)	TBD	NA	\$94,71	\$64.13	NA	\$96.73	NA	TBD	NA	NA
	DS1 Loop per month, Zone 2 (Note 1)	TBD	NA NA	\$208.93	\$101.93	NA	\$197.57	NA	TBD	NA	NA
+++											1
	DS1 Loop per month, Zone 3 (Note 1) DS1 Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA NA	NA	NA	NA NA

.

-

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES , ENHANCED EXTENDED LINKS

					i		······	· · · · · · · · · · · · · · · · · · ·	<u>т т</u> т		
	iew EEL rates are the sum of the individual UNE network elements						1 [
	interoffice transport and loop [channelization if applicable].					A1.A	\$93.40	NA	\$71.29	NA	NA
	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	U1TF1	NA	\$93.31	\$63.39	NA	383.40	nun .	\$/1.29		
	Non-Recurring Charges - New EEL (Note 2) (Note 3)							A14		NA	NA
	VRC- DS1 interoffice - 1st	UITFI	NA	\$370.81	\$169.57	NA	\$160.49	NA	\$217.17		NA
	VRC- DS1 interoffice - Add1	U1TF1	NA	\$247.73	\$112.77	NA	\$123.03	NA	\$163.75	<u>NA</u>	NA NA
	NRC-DS1 Local Loop - 1st	USLXX	NA	\$434.24	\$535.73	NA	\$502.73	NA	\$714.84	NA	NA NA
	IRC-DS1 Local Loop - Add1	USLXX	<u>NA</u>	\$235.29	\$227.04	NA	\$293.92	<u></u>	\$421.47	NA.	
	RC-DS1 interoffice channel and DS1 Local Loop Combination - Electronic S	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
	IRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
	IRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc	SOMAN	NA	NA	\$34.00	NA	\$242.20	NA	\$38.07	NA	NA
	IRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc	SOMAN	NA	NA	\$27.79	NA	\$153.37	NA	\$38.07	NA	<u>NA</u>
	IRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc	SOMAN	NA	NA	\$20.10	NA	\$45.91	NA	NA	NA	NA
	IRC-DS1 interoffice channel and DS1 Local Loop Combination - Manual Svc	SOMAN	<u>NA</u>	NA	<u>\$11.90</u>	<u>NA</u>	\$8.06	NA	NA	NA	NA
					l				┥━━━━━┤	·	Į
1 10	DS3 Interoffice Channel and DS3 Local Loop:			!	<u> </u>		<u> </u>		J		1
T F	Recurring Charges										L
	DS3 Loop per Facility Termination per month	UE3PX	NA	\$407.58	\$394.59	NA	\$669.01	NA	\$387.01	NA	\$607.28
	DS3 Loop per mile	1L5ND	NA	\$11.97	\$8.99	NA	\$30.34	NA	\$32.53	NA	\$23.76
	nteroffice Channel - Dedicated - DS3 - FacilityTermination per month	1L5XX	NA	\$1,130	\$717.60	NA	\$1,101	NA	\$720.38		\$760_20
	nteroffice Channel - Dedicated - DS3 - per mile per month	U1TF3	NA	\$4.25	\$0.31	NA	\$14.04	NA	\$12.98	NA	\$5.89
	Von-Recurring Charges - New EEL (Note 2)(Note 3)										
+ + + #	NRC- DS3 interoffice - 1st	U1TF3	NA	\$682.89	\$456.02	ŇĂ	\$713.57	NA	\$794.94	NA	\$729.27
	VRC- DS3 interoffice - Add1	U1TF3	NA	\$288.32	\$255.71	NA	\$404.36	NA	\$579.55	NA	\$411.98
	NRC-DS3 Local Loop - 1st	UE3PX	NA	\$502.08	\$770.12	NA	\$811.30	NA	\$964.04	NA	\$829.52
	NRC-DS3 Local Loop - Add'I	UE3PX	NA	\$307.56	\$551.49	NA	\$502.09	NA	\$542.73	NA	\$512.23
╆┿╌╬	NRC-DS3 interoffice channel and DS3 Local Loop Combination - Electronic S	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
+ + +;	NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA _	\$19.99
┼┼╫	NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc	SOMAN	NA	NA	\$37.96	NA	\$100.50	NA	\$56.25	NA	NA
┽╌╫	NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc	SOMAN	NA	NA	\$37.96	NA	\$100.50	NA	\$56.25	NA	NA
┼┼┼╬	NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA	NA	NA	NA
┤┤─╬	NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA	NA	NA	NA
╁╍╋╼╫		•••••									
┼┽┼	STS-1 Interoffice Channel and STS-1 Local Loop:			1							
				1							1
	Recurring Charges	UDLS1	NA	\$449.40	\$426.19	NA	\$497.08	NA	\$387.01	NA	\$400.21
	STS-1 Loop per Facility Termination per month	1L5ND	NA	\$11.97	\$8.99	NA	\$497.08	NA	\$32.63	NA	\$30.53
	STS-1 Loop per mile	UITES	NA	\$1,114	\$792.17	NA	\$1,101	NA	\$800.94	NA	\$838.65
	Interoffice Channel - Dedicated - STS-1 - FacilityTermination per month	11.5XX	NA	\$4.25	\$2.75	NA	\$14.04	NA	\$6.29	NA	\$6.88
<u>∔ </u>	Interoffice Channel - Dedicated - STS-1 - per mile per month	11.577		• •• .20			1 41				1
	Non-Recurring Charges - New EEL (Note 2)(Note 3)	114750	NA	\$682.89	\$640.32	NA	\$713.57	NA	\$624.86	NA	\$961.62
	NRC- STS-1 interoffice - 1st	UITES		\$288.32	\$575.26	NA	\$404.36	NA	\$436.36	NA	\$625.84
	NRC- STS-1 interoffice - Add1	UITES	NA NA		the second second second second second second second second second second second second second second second s	NA	\$811.30	NA	\$964.04	NA	\$829.52
	NRC-STS-1 Local Loop - 1st	UDLS1	NA	\$502.08	\$770.12	NA	\$502.09	NA	\$542.73	NA	\$512.23
	NRC-STS-1 Local Loop - Add1	UDLS1	NA	\$307.56	\$551.49		\$3.50	NA NA	\$3.50	NA	\$3.50
	NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Electron	SOMEC	NA	\$3.20	\$3.50	NA	<u>\$3.50</u> NA	NA NA	<u>\$3.50</u>	NA	\$3.50
	NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA	\$25.60	NA	NA NA	\$100.50	NA NA	\$55.00	NA NA	NA
	NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA	NA NA	\$37.96			NA NA	\$55.00	NA NA	NA NA
	NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA	NA	\$37.96	NA	\$100.50				
	NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Menual	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA_	NA	NA	NA
	NRC-STS-1 Interoffice channel and STS-1 Local Loop Combination - Manual	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA	NA	NA NA	NA

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

.

.

				T 1	T		<u> </u>		r T		
\square				Į !] }		
	New EEL rates are the sum of the individual UNE network elements			1			l i		{	Į	
	(interoffice transport and loop (channelization if applicable).						{ }		<u> </u>		
				┨─────┤				<u> </u>	<u>}</u> }		
	DS3 Interoffice Channel and DS1 Local Loop:			┥───┥		·	├ ─────────────────────────		 		
	Recurring Charges								-		ATA
	DS1 Loop per month, State wide	USLXX_	NA	\$80.00	\$60.88	<u>NA</u>	\$72.86	NA	\$62.78	NA NA	NA NA
	DS1 Loop per month, Zone 1 (Note 1)	TBD	NA	\$64.69	\$55.53	NA	\$56.32	NA	TBD TBD	NA NA	NA
	DS1 Loop per month, Zone 2 (Note 1)	TBD	NA	\$94,71	\$84.13	NA	\$96.73	NA		NA	NA
	DS1 Loop per month, Zone 3 (Note 1)	TBD	NA	\$208.93	\$101.93	NA	\$197.57	NA	TBD	NA	NA NA
	DS1 Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA NA	NA \$720.38	NA NA	NA
	Interoffice Channel - Dedicated - DS3 - FacilityTermination per month	U1TF3	NA	\$1,130	\$717.60	NA	\$1,101	NA NA	\$12.98	NA	NA
	Interoffice Channel - Dedicated - DS3 - per mile per month	1L5XX	NA	\$4.25	\$6.46	<u>NA</u>	\$14.04	NA NA	\$12.90 \$226.81	NA	NA
	DS3 Channelized System per month	MQ3	NA	\$222.61	\$202.91	<u>NA</u>	\$245.84	NA NA	\$220.01 \$4.61	NA NA	NA
	DS3 Interface per month (DS1 COCI)	UC1D1	NA	\$14.51	\$0.67	NA	\$7.55	NA	34.01	- PUA	<u>_NA</u>
	Non-Recurring Charges - New EEL (Note 2)(Note 3)								\$794.94	NA	NA
	NRC- DS3 interoffice - 1st	U1TF3	NA	\$682.89	\$456.02	<u>NA</u>	\$713.57	NA NA		NA NA	NA NA
	NRC- D\$3 interoffice - Add1	UITF3	NA	\$288.32	\$255.71	<u>NA</u>	\$404.36	NA NA	\$579.55	NA	NA
	NRC-DS1 Local Loop - 1st	USLXX	NA	\$434.24	\$343.73	<u>NA</u>	\$502.73	NA NA	\$714.84 \$421.47	NA NA	NA NA
	NRC-DS1 Local Loop - Add1	USLXX	NA	\$235.29	\$192.75	<u>NA</u>	\$293.92 \$320.72	NA NA	\$351.95	NA	NA
	NRC-DS3 Channelization System -1st	MQ3	NA	\$240.04	\$189.93	NA		NA NA	\$243.76	NA NA	NA NA
	NRC-DS3 Channelization System - Add1	MQ3	NA	\$106.82	\$106.50	NA	\$233.10 \$12.29	NA NA	\$15.76	NA	NA
	NRC-DS1(COCI)interface card -1st	UCID1	NA	\$12.26	\$12.15	NA NA	\$12.29	<u> </u>	\$15.76	NA	NA
	NRC-DS1(COCI)interface card -Add1	UC1D1	NA	\$8.84	\$8.76	NA	\$3.50	NA NA	\$3.50	NA	NA
	NRC-DS3 interoffice channel and DS1 Local Loop Combination - Electronic S	SOMEC	NA	\$3.20	\$3.50	NA	33.50 NA	NÁ	NA 1	NA	NA -
\square	NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc	SOMAN	NA NA	\$25.60	\$34.00 \$27.79	NA	\$36.28	NA	\$91.28	NA	NA
	NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manuel Svc	SOMAN	NA NA	NA NA	\$20.10	NA	\$26.20	NA	\$91.26	NA	NA
	NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc	SOMAN	NA NA	NA NA	\$11.98	NA NA	\$19.47	NA	NA NA	NA	NA
╺╋╌╿	NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc	SOMAN		NA NA	GA GA	NA	\$8.06	NA	NA I	NA	NA
-+-+	NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc	SOMAN		<u> </u>	- 44	NA					
			<u></u>				<u>↓ </u>	<u> </u>			<u> </u>
	STS-1 Interoffice Channel and DS1 Local Loop:	-	<u>}</u>								
	Recurring Charges				\$60.88	NA	\$72.86	NA	\$62.78	NA	NA
	DS1 Loop per month, State wide	USLXX	NA	\$80.00		NA	\$56.32	NA	TBD	NA	NA
L L	DS1 Loop per month, Zone 1 (Note 1)	TBD	NA	\$64.69	\$22.88 \$26.42	NA NA	\$96.73	NA	TBD	NA	NA
\square	DS1 Losp per month, Zone 2 (Note 1)	TBD	NA	\$94.71	\$20.42 \$41.99	NA	\$197.57	NA	TBD	NA	NA NA
	DS1 Loop per month, Zone 3 (Note 1)	TBD	NA NA	\$208.93	NA NA	NA NA	3197.57 NA	NA	NA	NA	NA
	DS1 Loop per month, Zone 4 (Note 1)	NA	NA NA	NA	\$1,114	NA NA	\$1,101	NA	\$387.01	NA	NA
	Interoffice Channel - Dedicated - STS-1 - FacilityTermination per month	UITES		\$1,114		NA	\$14.04	NA	\$32.53	NA	
┝╌╋╍┩	Interoffice Channel - Dedicated - STS-1 - per mile per month	1L5XX	NA NA	\$4.25	\$4.25 \$184.02	NA NA	\$245.84	NA	\$226.81	NA .	NA
┝┥╇	DS3 Channelized System per month	MQ3	NA NA	\$14.51	\$184.02 \$11.14	<u>NA</u>	\$240.04	NA	\$4.61	NA	NA
	DS3 Interface per month (DS1 COCI)	UC1D1		914.51	- 3 11,14	- MA					<u> </u>
Ш	Non-Recurring Charges - New EEL (Note 2)(Note 3)	1101 101		-	A400.00	NA	\$502.73	NA	\$714.84	NA	NA
\square	NRC-D\$1 Local Loop - 1st	USLXX	NA	\$434.24	\$429.98		\$293.92	NA NA	\$421.47	NA NA	NA NA
\square	NRC-D\$1 Local Loop - Add1	USLXX	NA	\$235.29	\$268.18	NA NA	\$713.57	NA NA	\$624.86	NA NA	
μЦ	NRC- STS-1 interoffice - 1st	UITES	NA	\$682.89	\$770.12		\$/13.5/	NA NA	\$436.36	NA NA	
\square	NRC-STS-1 interoffice - Add1	UITES	NA	\$288.32	\$551.49	NA	\$320.72	NA	\$351.95	NA NA	
Щ	NRC-DS3 Channelization System -1st	MQ3	NA	\$240.04	\$342.10	NA		NA NA	\$243.76	NA NA	NA NA
Ш	NRC-DS3 Channelization System - Add1	MQ3	NA	\$106.82	\$251.45	NA	\$233.10 \$12.29	NA NA	\$15.76	NA NA	- NA
Ш	NBC-DS1(COCI)interface card -1st	UC1D1	NA	\$12.26	\$12.15	NA		NA NA	\$15.70	NA NA	NA NA
Ш	NRC-DS1(COCI)interface card -Add1	UCID1	NA	\$8.64	\$8.76	NA	\$8.80	N	<u>i</u> @11. <u>20</u>		1 1/10/4

											Attachment 2 Exhibit D es - Page 56
	New EEL rates are the sum of the individual UNE network elements (Interoffice transport and loop [channelization if applicable].										
	NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Electronic	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	NA
	NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	NA
	NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA	NA	\$56.90	NA	\$68.39	NA	\$55.00	NA	NA
	NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S		NA	NA	\$46.38	NA	\$58.31	NA	\$55.00	NA	NA
	NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S		NA	NA	\$37.17	NA	\$50.49	NA	NA	NA	NA
	NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual S	SOMAN	NA	NA	\$26.65	NA	\$29.00	NA	NA	NA	NA
	2-wire VG Interoffice Channel and 2-wire VG Local Loop:										
	Recurring Charges										
	2-wire VG Loop per month, statewide	UEAL2	NA	\$17.00	\$16.51	NA	\$19.35	NA	NA	NA	\$18.00
	2-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA	\$13.75	\$19.45	NA	\$17.85	NA	NA	NA	\$15.54
	2-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA	\$20.13	\$16.41	NA	\$30.32	NA	NA	NA	\$19.55
	2-wire VG Loop per month, Zone 3 (Note 1)	TBD	NA	\$44.40	\$30.92	NA	\$61.93	NA	NA	NA	\$28.02
	2-wire VG Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Interoffice Channel - Dedicated - 2-wire VG - FacilityTermination per month	U1TV2	NA	\$26.7 <u>2</u>	\$17.07	NA	\$19.10	NA	NA	NA	\$18.33
	Interoffice Channel - Dedicated - 2-wire VG - per mile per month	1L5XX	NA	\$0.0100	\$0.02	NA	\$0.04	NA	NA	NA	\$0,02
	Non-Recurring Charges - New EEL (Note 2)(Note 3)										
	NRC- 2-wire VG interoffice - 1st	U1TV2	NA	\$222.65	\$79.61	NA	\$104.23	NA	NA	<u>NA</u>	\$83.35
	NRC- 2-wire VG interoffice - Add1	U1TV2	NA	\$118.83	\$36.08	NA	\$39.91	NA	NA	NA	\$20.88
	NRC-2-wire VG Local Loop - 1st	UEAL2	NA	\$271.29	\$104.17	NA	\$128.42	NA	NA	NA	\$192.97
	NRC-2-wire VG Local Loop - Add1	UEAL2	NA	\$104.90	\$78.10	NA	\$93.60	NA	NA	NA	\$140.72
	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	NA	NA	\$3.50
	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	SOMAN	NA	\$25.60	NA	NA	NA	NA		NA	<u>\$19.99</u>
	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	SOMAN	NA	NA	\$37.88	NA	\$36.28	NA	NA	NA	NA
	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	SOMAN	NA	NA	\$27.36	NA	\$26.20	NA	NA	NA	NA
	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	SOMAN	NA	NA	NA	NA	\$19.47	NA	NA	NA	
	NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination -	SOMAN	<u>NA</u>	NA	NA	NA	\$8.06	<u>NA</u>	NA	<u>NA</u>	<u>NA</u>
	4-wire VG Interoffice Channel and 4-wire VG Local Loop:								·		
	Recurring Charges				L					L	
	4-wire VG Loop per month, statewide	UEAL4	NA	\$30.00	NA .	NA	NA	NA		NA	NA NA
	4-wire VG Loop per month, Zone 1 (Note 1)	TBD	NA	\$24.26	NA	NA	NA	NA	NA	NA	<u>NA</u>
	4-wire VG Loop per month, Zone 2 (Note 1)	TBD	NA	\$35.51	NA	NA	NA	NA	NA	NA	NA
	4-wire VG Loop per month, Zone 3 (Note 1)	TBD	NA	\$78.35	NA	NA	NA	NA	NA	NA	NA
	4-wire VG Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Interoffice Channel - Dedicated - 4-wire VG - FacilityTermination per month	U1TV4	NA	\$23.82	NA	NA	NA	NA	NA	NA	NÄ
	interoffice Channel - Dedicated - 4-wire VG - per mile per month	1L5XX	NA	\$0.0100	<u> </u>	NA	NA	NA	NA	NA	NA
	Non-Recurring Charges - New EEL (Note 2)(Note 3)		L	<u> </u>	L	I			<u> </u>		ļ
	NRC- 4-wire VG interoffice - 1st	U1TV4	NA	\$222.65	NA	NA	NA	NA	NA	NA	NA
	NRC- 4-wire VG interoffice - Add1	_U1TV4	NA	\$118.83	NA	NA	<u>NA</u>	N	NA	NA	NA
	NRC_4-wire VG Local Loop - 1st	UEAL4	NA	\$271.29	NA	NA	NA	NA	NA	NA	NA
ЦГ	NRC-4-wire VG Local Loop - Add1	UEAL4	NA	\$104.90	NA	NA	NA	NA	NA	NA	NA
	NRC-4-wire VG Interoffice channel and 4-wire VG Local Loop Combination -	SOMEC	NA	\$3.20	NA	NA	NA	NA	NA	NA	NA NA
	NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination -	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	NA
	NRC-4-wire VG Interoffice channel and 4-wire VG Local Loop Combination - I	SOMAN	NA	NA	NA	NA	NA	NA	<u>NA</u>	NA	NA
	NFIC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - I	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination -	SOMAN	NA	NA	NA		NA	NA	<u>NA</u>	NA	NA
	NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination -	SOMAN	NA	<u>NA</u>	<u> </u>		<u>NA</u>	<u>NA</u>	NA	NA	NA

٠

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

•

\square	New EEL rates are the sum of the individual UNE network elements (Interoffice transport and loop (channelization if applicable).										
\mathbb{H}	4-wire 56 kbps Interoffice Channel and 4-wire 56kbps Local Loop:				<u> </u>						
╄╌╋╌				<u> </u>			}	┢────	<u>}</u>	<u> </u>	Į
╇	Recurring Charges										<u> </u>
┢╍┠─	4-wire 56kbps Loop per month, statewide	UDL56	NA	\$48.33	NA	<u>NA</u>	\$35.58	ŇA	\$32.67	NA	\$42.23
┝╌╁╍	4-wire 56kbps Loop per month, Zone 1 (Note 1)		NA	\$24.26	TBD	NA	\$24.36	NA	TBD	NA	\$15.92
┢╋╋	4-wire 56kbps Loop per month, Zone 2 (Note 1) 4-wire 56kbps Loop per month, Zone 3 (Note 1)		NA	\$35.51	TBD	NA	\$41.85	NA	TBD	NA	\$20.79
╇	4-wire 56kbps Loop per month, Zone 3 (Note 1)	NA TBD	NA NA	\$78.35 NA	TBD	NA	\$86.47	NA	TBD	<u>NA</u>	\$27.18
+-	Interoffice Channel - Dedicated - 4-wire 56kbps - FacilityTermination per mon	U1TD5	NA NA	\$23.82	NA	NA		NA	NA	NA	NA
╋	Interoffice Channel - Dedicated - 4-wire 56kbps - Pacaty emination per mor	11.5XX	NA NA	\$0.0100	\$16.45	NA	\$18.37	NA	\$17.40	NA	\$17.74
╋	Non-Recurring Charges - New EEL (Note 2)(Note 3)		NA	30.0100	\$0.02	NA	\$0.04	NA	\$0.03	<u>NA</u>	\$0,17
	NRC- 4-wire 56kbps interoffice - 1st	U1TD6	N/A			<u> </u>		<u> </u>			ļ
╋	NRC- 4-wire 56kbps interoffice - 1st		NA	\$222.65	\$79.61	NA	\$104.23	NA	\$137.48	NA	\$83.35
┢		U1TD6	NA	\$118.83	\$36.08	NA	\$39.91	NA	\$52.58	NA	\$20.88
⊢	NRC-4-wire 56kbps Local Loop - 1st	U1TD5	NA	\$271.29	\$348.55	NA	\$421.27	NA	\$489.04	<u>NA</u>	\$643.00
⊢	NRC-4-wire 56kbps Local Loop - Add1	U1TD5		\$104.90	\$241.20	NA	\$274.74	NA	\$337.51	NĂ	\$421.28
⊢	NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMEC	NA	\$3.20	\$3.50	<u>NA</u>	\$3.50	NA	\$3.50	NA	\$3.50
┢┈	NRC-4-wire 56kbps Interoffice channel and 4-wire 56kbps Local Loop Combin	SOMAN	NA	\$25.60	NA	NA	NA	<u>NA</u>	NA	NA	\$19.99
╋	NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMAN	NA	NA	\$37.88	NA	\$36.28	NA	\$38.07	NA	NA
┢	NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMAN	NA	NA	\$27.36	NA	\$26.20	NA	\$38.07	NA	NA
┢──	NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SOMAN	NA	NA	NA	NA	\$11.41	NA	NA	<u>NA</u>	<u>NA</u>
⊢	NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combin	SÖMAN	NA	NA	NA	<u>NA</u>	NA	NA	<u>NA</u>	NA	NA
⊢									<u> </u>		
⊢	4-wire 64 kbps Interoffice Channel and 4-wire 64 kbps Local Loop:			 			<u> </u>				<u> </u>
⊢	Recurring Charges								<u> </u>		L
┢──	4-wire 64kbps Loop per month, statewide	UDL64	NA	\$48.33	\$30.72	NA	\$35.58	NA	\$32.67	NA	\$42.23
┢┈	4-wire 64kbps Loop per month, Zone 1 (Note 1)	TBD	NA	\$39.08	TBD	NA	\$27.50	NA	TBD	NA	\$36.45
⊢	4-wire 64kbps Loop per month, Zone 2 (Note 1)	TBD	NA	\$57.21	TBD	NA	\$47.24	NA	TBD	NA	\$45.87
 	4-wire 64kbps Loop per month, Zone 3 (Note 1)	TBD	NA	\$126.22	TBD	NA	\$96.48	NA	TBD	NA	\$65.75
	4-wire 64kbps Loop per month, Zone 4 (Note 1)	NA	NA	NA	NA	NA	NÄ	NA	NA	NA	NA
┢	Interoffice Channel - Dedicated - 4-wire 64kbps - FacilityTermination per mor	U1TD6	NA	\$19.46	\$16.45	NA	\$18.37	NA	\$17.40	<u>NA</u>	\$17.74
┣—	Interoffice Channel - Dedicated - 4-wire 64kbps - per mile per month	1L5XX	NA	\$0.0100	\$0.02	NA	\$0.04	NA	\$0.03	NA	\$0.17
L	Non-Recurring Charges - New EEL (Note 2)(Note 3)						<u> </u>	L			
⊢	NRC- 4-wire 64kbps interoffice - 1st	U1TD6	<u>NA</u>	\$222.65	\$79.61	NA	\$713.57	NA	\$137.48	NA NA	\$729.27
┢	NRC- 4-wire 64kbps interoffice - Add1	U1TD6	NA	\$118.83	\$36.08	NA	\$404.36	NA	\$52.58	NA	\$411.98
⊢	NRC-4-wire 64kbps Local Loop - 1st	UDL64	NA	\$271.29	\$348.55	NA	\$811.30	NA	\$489.04	NA	\$829.52
L	NRC-4-wire 64kbps Local Loop - Add1	UDL64	NA	\$104.90	\$241.20	NA	\$502.09	NA	\$337.51	NA	\$512.23
	NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMEC	NA	\$3.20	\$3.50	NA	\$3.50	NA	\$3.50	NA	\$3.50
⊢	NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	\$25.60	NA	NA	NA	NA	NA	NA	\$19.99
Ļ	NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	<u>NA</u>	\$37,96	NA	\$100.50	NA	\$38.07	NA	NA
L	NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	NA	\$37,96	NA	\$100.50	NA	\$38.07	NA	NA
L	NFIC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA	NA	NA	NA
1	NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combin	SOMAN	NA	NA	\$18.23	NA	\$41.88	NA	NA	NA	NA
1											· · · · · · · · · · · · · · · · · · ·
		USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
1	Local Loop:										[
Γ	2-Wire Analog Voice Grade Loop - Service Level 1	UEAL2	\$19.04	\$17.00	\$16.51	\$20.00	\$19.35	\$21,26	\$19.50	\$22,49	\$18.00
Γ	Zone 1	TBD	\$15.24	\$13.75	\$19.45	\$14.79	\$14.98	\$15.56	TBD	\$18.48	\$15,54
Т	Zone 2	TBD	\$24.75	\$20.13	\$16,41	\$27.68	\$25.69	\$20.65	TBD	\$27.87	\$19.55

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

.

Attachment 2 Exhibit D Rates - Page 58

- 			1				·		· · · · · · ·		
New EEL rates are the sum of the in	ndividual UNE network elements										
(interoffice transport and loop [cha	nnelization if applicable].										
Zone 3		TBD	\$44.85	\$44.40	\$30.92	\$47.78	\$52.47	\$29.51	TBD	\$36.91	\$28.02
Zone 4		TBD	NA	NA	NA	NA	NA	\$38.94	NA	<u>NA</u>	NA
NRC - Ordinarily Combined in GA (Note 5)										
NRC • 1st		UEAL2	NA	NA	\$104.17	NA_	NA	NA	NA	NA	NA
NRC - Add"I		UEAL2	NA	NA	\$78.1 <u>0</u>	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - 1st		UEAL2	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - Add'i		UEAL2	NA	NA	NA	NA	NA	NA	NA	NA	NA_
NRC - Electronic Svc Order, per LSR		SOMEC	NA	NA	\$3.50	NA_	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual S	ervice Order - 1st	SOMAN	<u>NA</u>	NA	\$18.94	NA	NA	NA	NA	NA	NA
NRC - incremental Charge - Manual S	ervice Order - Add'l	SOMAN	NA	NA	\$8.42	NA_	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual S	ervice Order - Disconnect	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC-All Existing Combination "Switch	As Is" Conversion Charge (Note 6)										
NRC-2/4-WIRE VG COMBINATION -	"Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
NRC-2/4-WIRE VG COMBINATION -	"Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
NRC- 2/4-WIRE VG COMBINATION -	"Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
NRC- 2/4-WIRE VG COMBINATION -	"Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
4-Wire Analog Voice Grade Loop		UEAL4	\$30.00	\$30.00	\$25.86	\$28.28	\$31.52	\$30.55	\$27.48	\$35.86	\$18.00
Zone 1		TBD	\$24.01	\$24.26	\$22.26	\$20.92	\$24.36	\$22.38	TBD	\$49.47	\$15.54
Zone 2		TBD	\$39.00	\$35.51	\$25.70	\$39.14	\$ <u>41</u> .85	\$29.67	TBD	\$44.44	\$19.55
Zone 3		TBD	\$70.67	\$78.35	\$40.85	\$67.56	\$85.47	\$42.40	TBD	\$58.65	\$28.02
Zone 4		TBD	NA	NA	NA	NA	NA	\$55.96	NA	NA	NA
NRC - Ordinarily Combined in GA (Note 5)										
INRC - 1st		UEAL4	NA	NA	\$206.95	NA	NA	NA	NA	NA	NA
NRC - Add1		UEAL4	NA	NA	\$170.57	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - 1st		UEAL4	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - Add'l		UEAL4	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR		SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual S	iervice Order - 1st	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual S		SOMAN	NA	NA	\$8.42	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge - Manual S		SOMAN	NA	NA	NA	NA	NA	NĀ	NA	NA	NA
NPC-All Existing Combination "Switch					1						
	"Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	"Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	"Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	- "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	0.000 0.000 0.000 0.000 0.000									<u> </u>	
2-Wire ISDN Digital Grade Loop		UIL2X	\$29.03	\$40.00	\$25.43	\$31.99	\$27.36	\$29.83	\$24.98	\$32.47	\$18.00
Zone 1	<u> </u>	TBD	\$23.23	\$32.34	\$21.89	\$23.66	\$21,15	\$21.86	TBD	\$26.68	\$15.54
Zone 2		TBD	\$37.74	\$47.35	\$25.27	\$44.28	\$36.32	\$28.97	TBD	\$40.24	\$19.55
Zone 3		TBD	\$68.38	\$104.47	\$40.17	\$76.42	\$74.19	\$41.40	TBD	\$53.29	\$28.02
Zone 4		TBD	NA	NA	NA	NA	NA	\$54.64	NA	NA NA	NA
NRC - Ordinarily Combined in GA (Note 5)			<u> </u>	<u> </u>	<u> </u>			<u> </u>	<u> </u>	<u>├'```</u>
NRC - 1st	ineres et	U1L2X	NA	NA	\$233.38	NA	NA	NA	NA	NÄ	NA
			NA NA	NA NA	\$190.35	NA NA	NA	NA	NA	NA NA	NA NA
NRC - Add1			NA NA	NA NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA	NA NA
NRC - Disconnect Dharge - 1st			NA NA	NA -		NA NA	NA	NA NA	NA NA	NA NA	NA NA
NRC - Disconnect Charge - Add1					\$3.50		NA NA				
NRC - Electronic Svc Order, per LSR		SOMEC	NA	NA		<u>NA</u>	NA NA	<u>NA</u>	NA	NA	NA_
NRC - Incremental Charge - Manual S	Service Order - 1st	SOMAN	NA	NA	\$18.94	NA		<u>NA</u>	NA	NA NA	NA

Verison 2000:8/10/00

BELLSOUTHANATC RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

.

Attachment 2 Exhibit D Rates - Page 59

-

			-								
	New EEL rates are the sum of the individual UNE network elements										
	(interoffice transport and loop [channelization if applicable].										l
┝┥┥		SOMAN	NA	NA	\$8.42	NA	NA	NA	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	NA	NA	NA NA		NA	NA	NA	NA	NA
-++	NRC - Incremental Charge - Manual Service Order - Disconnect	3044/11									
	NRC-All Existing Combination "Switch As Is' Conversion Charge (Note 6)	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
++	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
-∔-∔	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
┹┹	NHC- 2/4-WINE VG COMBINATION - "Switch As is "Conversion Charge - Or	DIVICIO	30.00	41 ,0.00	@12.01	40.00		40.00			
┿╋	A Miles Philippe District Create Loop	UDL56	\$34.15	\$48.33	\$29.92	NA	\$35.58	\$34.95	\$32.67	\$41.70	\$42.23
┿╋	4-Wire 56 kbps Digital Grade Loop	TBD	\$27.33	\$39.08	\$25.75	NA	\$27.50	\$25.61	TBD	\$34.26	\$36.45
++	Zone 1	TBD	\$44.40	\$57.21	\$29.74	NA	\$47.25	\$33.94	TBD	\$51.67	\$45.87
-++-	Zone 2	TBD	\$80,45	\$126.22	\$47.27	NA	\$96,48	\$48.51	TBD	\$68.43	\$65.75
++	Zone 3	TBD	NA	NA	NA	NA	NA	\$64.02	NA	NA	NA
++	Zone 4	100									
┽╋	NRC - Ordinarily Combined In GA (Note 5)	UDL56	NA	NA	\$348.55	NA	NA	NA	NA	NA	NA
┽╂	NRC - 1st	UDL56	NA	NA	\$241.20	NA	NA	NA	NA	NA	NA
++	NRC - Add'l	UDL56	NA	NA	NA	NA	NA	NA	NA	NA	NA
++	NRC - Disconnect Dharge - 1st	UDL56	NA NA	NA	NA	NA	NA	NA	NA	NA	NA
++	NRC - Disconnect Charge - Add'l	SOMEC	NA NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
++	NRC - Lectronic SVC Order, per LSH NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18.94	NA	NA	NA	NA	NA	NA
┥╋	NRC - Incremental Charge - Manual Service Order - Tac	SOMAN	NA	NA	\$8.42	NA	NA	NA	NA	NA	NA
-1-+	NRC - Incremental Charge - Manual Service Order - Addr	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
┿╋	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	00101						· · · · · · · · · · · · · · · · · · ·			
-+-+	INRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
++	NRC-2/4-WIRE VG COMBINATION - Smith As Is' Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
-+-+	NRC-2/4-WIRE VG COMBINATION - Switch As Is' Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
++	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
++	NEC 24-WIRE VE COMBINE TON - SWILLING IS CONTENDED ON AUGS - DE	011000							1		
╉╋	4-Wire 64 kbps Digital Grade Loop	UDL64	\$34.15	\$48.33	\$29.92	NA	\$35.58	\$34,95	\$32.67	\$41.70	\$42.23
++		TBD	\$27.33	\$39.08	\$25,75	NA	\$27.50	\$25.61	TBD	\$34.26	\$36,45
┈┟╌╂	Zone 1	TBD	\$44.40	\$57.21	\$29.74	NA	\$47.25	\$33.94	TBD	\$51.67	\$45.87
┿	Zone 2 Zone 3	TBD	\$80.45	\$126.22	\$47.27	NA	\$96.48	\$48.51	TBD	\$68.43	\$65.75
-∔-₽		TBD	NA	NA	NA	NA	NA	\$64.02	NA	NA	NA
++	Zone 4		<u> </u>		<u>_</u>						
	NRC - Ordinarily Combined in GA (Note 5)	UDL64	NA	NA	\$348.55	NA	NA	NA	NA	NA	NA
-∔-∔	NRC - 1st	UDL64	NA	NA	\$241.20	NA	NA	NA	NA	NA	NA
┽╀	NRC - Add1	UDL64	NA	NA	NA NA	NA	NA	NA	NA	NA	NA
∽┼┼	NRC - Disconnect Dharge - 1st	UDL64	NA -	NA	NA -	NA	NA	NA	NA	NĂ	NA
++	NRC - Disconnect Charge - Add'	SOMEC	NA	NA	\$3.50	NA NA	NA	NA	NA	NA	NA
++	NRC - Electronic Svc Order, per LSR	SOMAN	NA NA	NA	\$18.94	NA NA	NA	NA	NA	NA	NA
+	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$8.42		NA	NA	NA	NA	NA
+	NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	NA	NA	1 30.42 NA	NA	NA	NA	NA	NA	NA
┉╇╇	NRC - Incremental Charge - Manual Service Order - Disconnect	SOWAA		1994		·····		<u> ''''</u>			
┝╍┟╸┩	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - 1st		\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
+	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad			\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
\mathbf{H}	NRC- 2/4-WIRE VG COMBINATION · "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
\square	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	- -	- a12.01	+	1	40.00	\$0.00		
			1 804 6F	\$80.00	\$64.52	\$67.96	\$72.86	\$69.59	\$62.78	\$72.55	NA
	4-Wire DS1 Digital Loop	USLXX	\$64.65	\$60.00	004.02	06.104	\$1 <u>2.00</u>	400.00		1_012.00	

Verison 2000:8/10/00

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

.

	at the test of the test down 1995 actions a lamonte										I
	New EEL rates are the sum of the individual UNE network elements										l
\square	(Interoffice transport and loop [channelization if applicable].	TBD	\$51.74	\$64.69	\$55.53	\$50.28	\$56.32	\$50.99	TBD	\$59.61	NA
	Zone 1				\$64.13	\$94.06	\$96.73	\$67.58	TBD	\$89.90	NA NA
	Zone 2	<u>GBT</u>	\$84.05	\$94.71				\$96,58	TBD	\$69.90 \$119.06	NA NA
\square	Zone 3	TBD	\$152.29	\$208.93	\$101.93	\$162.34	319/.5/ NA		NA	3119.00 NA	NA NA
\square	Zone 4	TBD	NA	NA	<u>NA</u>	<u>NA</u>	NA	\$127.47	NA	N	N
	NRC - Ordinarily Combined in GA (Note 5)	1101 101								b 10	
Ш	NRC - 1st	USLXX	NA	NA	\$429.98	NA	NA	NA	NA	NA	NA
	NRC - Add1	USLXX	NA	NA	\$268.18	NA	NA	NA	NA	NA	NA
	NRC - Disconnect Charge - 1st	USLXX	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC - Disconnect Charge - Add1	USLXX	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
П	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$18. <u>94</u>	NA	NA	NA	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	NA	NA	\$8.42	NA	NA	NA	NA	NA	NA
	NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN_	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)								4-1-1-		AB A B
	NRC-2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Add	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
П	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	DS3 Loop										i
	per mile per month	1L5ND	\$10.85	\$11.97	\$8.90	\$43.69	\$38.96	\$54.39	\$32.53	\$15.53	\$30.53
	facitility termination per month	UE3PX	\$419.65	\$419.65	\$390.34	\$436.95	\$497.08	\$427.81	\$387.01	\$421.60	\$400.21
	NRC - Ordinarily Combined in GA (Note 5)						•			_	l
	NRC - Facility Termination - 1st	UESPX	NA	NA	\$639.50	NA	NA	NA	NA	NA	NA
	NRC - Facility Termination - Add1	UE3PX	NA	NA _	\$426.40	NA	NA	NA	NA	NA	NA
+	NRC - Facility Termination - Disconnect - 1st	UE3PX	NÁ	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - Facility Termination - Disconnect - Add'l	UE3PX	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
+	NRC - Manual Svc Order, per LSR	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
╶╂╾┥	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NRC - Incremental Charge-Manual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - Incremental Charge-Manual Svc Order - Add'l	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
╉	NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1s	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
+	NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Ad	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
+	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)			1			r		1		
+	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
+	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
╉	NRC- 2/4-WIRE VG COMBINATION - "Switch As is Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
-	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
╌┼─	THE ACTIVE ACTIVE ACTIVE ACTIVE CANDING TO A CONTRACT OF ACTIVE			<u> </u>							
-+-	STS-1 Loop		<u> </u>	<u> </u>	ļ						
╋		1L5ND	\$10.85	\$11.97	\$8.90	\$43.69	\$38.96	\$54.39	\$32.53	\$15.53	\$30.53
+	per mile per month	UDLS1	\$434.31	\$449.40	\$421.59	\$436.95	\$497.08	\$427.81	\$387.01	\$431.32	\$400.21
	facibility termination per month		1	******* <u>**</u>	4721.03	9-00-00					
-	NRC - Ordinarily Combined In GA (Note 5)	UDLS1	NA	NA	\$639.50	NA	NA	NA	NA	NA	NA
+	NRC - STS-1 - Facility Termination - 1st	UDLSI	NA NA	NA NA	\$426.40	NA NA	NA	NA	NÄ	NA	NA NA
	NRC - STS-1 - Facility Termination - Add7		NA NA	NA NA	\$122.31	NA NA	NA NA	NA NA	NA NA	NA	NA NA
	NRC - STS-1 - Facility Termination - Disconnect - 1st	UDLS1				NA NA	NA NA	NA NA	NA NA	NA NA	
_1	NRC - STS-1 - Facility Termination - Disconnect - Add1	UDLS1	NA	NA	\$119.14		<u>NA</u>	<u>NA</u>	j NA		NA

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

.

.

Attachment 2 Exhibit D Rates - Page 61

<u> </u>					<u> </u>						
	New EEL rates are the sum of the individual UNE network elements										
	(interoffice transport and loop [channelization if applicable].										l
-+-	NRC - Manual Svc Order, per LSR	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
+-	NRC - Manual Svc Order, per LSR disconnect	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
+	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
╋	NRC - Electronic Svc Order, per LSR disconnect	SOMEC	NA	NA	NA	NA	NA	NA	NA	NA	NA
-+-	NRC - STS-1 - Incremental Charge- Menual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NÄ	NA	NA
+	NRC - STS-1 - Incremental Charge-Manual Svc Order - Add1	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
+	NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Discon	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
+	NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Discon	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
╋	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)										
╋	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
╼	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
+	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
╈	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - DI	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+											
+	QC-3 Loop	1L5ND	\$1,123	\$9.08	\$6.75	\$33.15	\$29.58	\$41.27	\$24.69	\$11.78	\$23.16
+-	per mile per month	TBD	\$7.09	\$651.40	\$630.21	\$436.95	\$753.65	\$689.68	\$611.36	\$701.71	\$620.20
╈	facility termiantion per month						• • • • •				
+	NRC - Ordinarlly Combined In GA (Note 5)	· · ·									
╈	NRC - OC3 - Facility Termination - 1st	TBD	NA	NA	\$6.75	NA	NA	NA	NA	NA	NA
╋	NRC - OC3 - Facility Termination - Add'l	TBD	NA	NA	\$630.21	NA	NA	NA	NA	NA	NĂ
+	NRC - OC3 - Facility Termination - Disconnect - 1st	TBD	NA	NA	\$947.69	NA	NA	NÁ	NA	NA	NA
+	NRC - OC3 - Facility Termination - Disconnect - Add1	TBD	NA	NA	\$413.00	NA	NA	NA	NA	NÄ	NA
+	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
+	NRC - OC3 - Incremental Charge-Manual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	L NA
+	NRC - OC3 - Incremental Charge-Manual Svc Order - Add'i	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
-+-	NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconner	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
+	NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnet	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
+	NRC-All Existing Combination "Switch As Is' Conversion Charge (Note 6)										
1	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Dia	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+											
+	OC-12 Loop							[
+	per mile per month	11.5ND	\$10.13	\$11.18	\$8.31	\$40.80	\$36.40	\$50.79	\$30.38	\$14.50	\$28.51
/- † -	facility termination per month	TBD	\$5,630	\$2,068	\$2,109.00	\$2,457	\$2,571	\$2,371	\$2,122	\$2,663	\$2,079
+	NRC - Ordinarily Combined in GA (Note 5)		· · · · · · ·								
+	NRC - OC12 - Facility Termination - 1st	TBD	NA	ŇÁ	\$1.162.00	NA	NA	NA	NA	NA	NA
+-	NRC - OC12 - Facility Termination - Add'	TBD	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Facility Termination - Disconnect - 1st	TBD	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
-+	NRC - OC12 - Facility Termination - Disconnect - Add1	TBD	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
<u>-+-</u>	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	. NA	NA
-+-	NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
+	NRC - OC12 - Incremental Charge - Manual Svc Order - 1st NRC - OC12 - Incremental Charge - Manual Svc Order - Add1	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA NA	NA
┶┻┶	NRC - OC12 - Incremental Cost-Manual Svc. Order - Add 1 NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnet	SOMAN	NA	NA	\$18.03	NA NA	NA NA	NA	NA	NA NA	NA
1	NETO - OC 12 - IDCRETTIBINAL COSCHIABITURI SVC. CICIER VS. EIECT-DISCONNET	SOMAN	NA NA	NA NA	\$18.03	NA	NA NA	NA	NA	NA NA	NA NA
\square	I NDC OC10 In-manual Cont Uppublicup Option in Elast Disasses			1 197	- WID.00	1 197			1		
┢╋	NRC - OC12 - Incremental Cost-Manual Svc, Order vs. Elect-Disconned			1	1	[1	1	
	NRC - OC12 - Incremental Cost-Manual Svc, Order vs. Elect-Disconned NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13

Verison 2000:8/10/00

-

			ENHANCED EX								
	······································			· · · -	· · · · · · · · · · · · · · · · · · ·						
	New EEL rates are the sum of the Individual UNE network elements										
	(interoffice transport and loop [channelization if applicable].										
╀	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
-	INRC- 2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - Di INRC- 2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
+	NHC-24-WHE AC COMPINATION - SWICH AS IS CONVERSION CHANGE - DE	UNCOU	30.00	\$13.03				90.00		30.00	40.00
┿	OC-48 Loop										
┢		1L5ND	\$33.22	\$36.67	\$27.25	\$166.59	\$119.40	\$166.59	\$120.02	\$47.57	\$93.50
-	per mile per month facility termination per month	TBD	\$1,947	\$1,699	\$1,598.00	\$2,129	\$2,268	\$1,753	\$1,677	\$1,733	\$1,832
╋	OC-12 Interface on OC-48 Loop per month	TBD	\$699.62	\$592.09	\$594.80	\$725.77	\$723.29	\$667.00	\$582.66	\$773.40	\$570.54
╉	NRC - Ordinarily Combined in GA (Note 5)	100	4033.0E	4002.00	4004.00	Q12Q.11				4170.40	4010.01
╋	NRC - OC48 - Facility Termination - 1st	TBD	NA	NA	\$1,162.00	NA	NA	NA	NA	NA	NA
╀	NRC - OC48 - Facility Termination - Add'l	TBD	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
╋	NRC - OC48 - Interface OC12 on OC48 - 1st	TBD	NA	NA	\$539.36	NA	NA	NA	NA	NA	NA
╈	NIRC - OC48 - Interface OC12 on OC48 - Add'I	TBD	NA	NA	\$317.38	NA	NA	NA	NA	NA	NA
╀	NRC - OC48 - Facility Termination - Disconnect - 1st	TBD	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
t	NRC - QC48 - Facility Termination - Disconnect - AddT	TBD	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
+	NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBD	NA	NA	\$122.31	NA	NA	NA	NĂ	NA	NA
┢	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add1	TBD	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
┿	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
t	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Dise	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
t	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Dist	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
t	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
T	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-A	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
t	NRC - OC-48 - Incremental Charge-Manual Svc Order-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
t	NRC - OC-48 - Incremental ChargeManual Svc Order-Add1	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
t	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
T	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual	SOMAN	NA	NĂ	\$18.03	NA	NA	NA	NA	NA	NA
T	NRC-All Existing Combination "Switch As Is' Conversion Charge (Note 6)										
T	NRC-2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
T	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
Т	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di		\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Т	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Т											
T	Local Channels:										
	Local Channel - Dedicated - 2-Wire VG										
T	Monthly Recurring per month	ULDV2	\$14.61	\$26.31	\$18.28	\$22.26	\$14.94	\$17.83	\$14.83	\$16.83	\$19.02
1	NRC - Ordinarity Combined in GA (Note 5)						-				
T	NRC - 2-wire VG Local Channel - 1st	ULDV2	NA	NA	\$292.24	NA	NA	NA	NA	NA	NA
Т	NRC - 2-wire VG Local Channel -Add'l	ULDV2	NA	NA	\$63.61	NA	NA	NA	NA	NA	NA
T	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NÄ	NA	NA
Т	NRC - 2-Wire VG - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$34.00	NA	NA	NA	NA	NA	NA
T.	NRC - 2-Wire VG - Incremental Charge-Manual Svc Order - Add'l	SOMAN	NA	NA	\$21.58	NA	NA	NA	NA	NA	NA
Τ	NRC - 2-Wire VG - Incremental Charge-Manual Svc Order - Disconnect - 1s	SOMAN	NA	NA	\$22.48	NA	NA	NA	NA	NA	NA
T	NRC - 2-Wire VG - Incremental Charge-Manual Svc Order - Disconnect - Ad	SOMAN	NA	NA	\$8.17	NA	NA	NA	NA	NA	NA
	NRC-All Existing Combination "Switch As is" Conversion Charge (Note 6)										
Τ	NRC-2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.28	\$54.13
	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
T	NRC- 2/4-WIRE VG COMBINATION - 'Switch As Is' Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
			4	1			1	F			

.

٠

Attachment 2 Exhibit D Rates - Page 63

New EEL rates are the sum of the Individual UNE network elements (Interoffice transport and loop [channelization if applicable].									1	
Local Channel - Dedicated - 4-Wire VG								1		
		\$15.77	\$27.48	\$17.18	\$23.38	\$16.21	\$19.03	\$15.87	\$18.05	\$20.14
Monthly Recurring per month NRC - Ordinarity Combined In GA (Note 5)										
	ULDV4	NA T	NA	\$292.24	NA	NA I	NA	NA	NA	NA
NRC-4-wire VG Local Channel - 1st	ULDV4	NA	NA	\$63.61	NA	NA	NA	NA	NA	NA
NRC-4-wire VG Local Channel - Add1	SOMEC	NA I	NA	\$3.50	NA	NA	NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR	SOMAN	NA	NA	\$34.00	NA	NA	NA	NA	NA	NA
NRC - 4-Wire VG Local Channel - Incremental Charge-Manual Svc Order -	SOMAN	NA	NA	\$21.58	NA	NA	NA	NA	NA	NA
NRC - 4-Wire VG Local Channel - Incremental Charge-Manual Svc Order - NRC - 4-Wire VG Local Channel - Incremental Charge-Manual Svc Order -	SOMAN	NA	NA	\$22.48	NA	NA	NA	NA	NA	NA
NRC - 4-Wire VG Local Channel - Incremental Charge-Manual Svc Order -	SOMAN	NA	NA	\$8.17	NA	NA	NA	NA	NA	NA
	JOINNEY	- <u> </u>		4444						
NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
NRC-2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - 1s NRC-2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - Ad		\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
INNU-24-WINE VOLUCIONATION - SWILLIAS IS CONVERSION CHange - AD		\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - D		\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
INHC- 2/4-WINE VG COMBINATION - Swich As is Conversion Charge - De	00000		φ10.00							
Local Channel - Dedicated - DS1										
DS1 Monthly Recurring per month	ULDF1	\$35.52	\$42.98	\$38.57	\$43.80	\$43.80	\$38.91	\$35.68	\$37.20	\$40.27
INRC - Ordinarity Combined in GA (Note 5)	0000			400.07						
	ULDF1	NA	NA	\$169.57	NA	NA	NA	NA	NA	NÄ
NRC - DS1 Local Channel - 1st	ULDF1	NA NA	NA	\$112.77	NA	NA	NA	NA	NA	NA
NRC - DS1 Local Channel - Add1	SOMEC	NA		\$3.50	NA	NA	NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$34.00	NA	NA	NA	NA	NA	NA
NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - Tax	SOMAN	NA	NA	\$21.58	NA	NA	NA	NA	NA	NA
NRC - DS1 Local Channel - Incremental Charge-Manual SVC Order - Discon		NA	NA	\$22.48	NA	NA	NA	NA	NA	NA
NRC - DS1 Local Channel - Incremental Charge-Manual Svc Order - Discont	SOMAN	NA	NA	\$8.17	NA	NA	NA	NA	NA	NA
NRC-All Existing Combination "Switch As Is' Conversion Charge (Note 6)										
	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
NRC-DS1 COMBINATION - "Switch As is" Conversion Charge - 1st	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32,10	\$32.25	\$32.17
NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add" NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.02
NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect									T ====	<u>_</u>
Level Observed Dedicated DCD	USOC	AL	FL	GA	КҮ	LA	MS	NC	SC	TN
Locat Channel - Dedicated - DS3	1L5NC	\$8.44	\$9.32	\$7.00	\$34.00	\$30.34	NA	NA	\$12.08	\$23.76
DS3 Local Channel - per mile per month	ULDF3	\$525.40	\$560.39	\$523.20	\$635.09	\$558.00	\$531.39	\$512.00	\$481.14	\$615.6
DS3 Local Channel - Facility Termination per month		4323.40	3000.05							
NRC - Ordinarily Combined in GA (Note 5)	ULDF3	NA	NA	\$770.12	NA	NA	NA	NA	NA	NA
NRC - DS3 Local Channel Facility Termination - 1st	ULDF3	NA NA	NA NA	\$551.49	NA	NA	NA	NA	NA	NA
NRC - DS3 Local Channel - Facility Termination - Add'1	SOMEC	NA NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR		NA NA	NA NA	\$66.21	NA	NA	NA	NA	NA	NA
NRC - DS3 Local Channel - Incremental Charge - Manual Svc Order - 1st	SOMAN SOMAN	NA NA	NA NA	\$33.90	NA	NA	NA	NA	NA	NA
NRC - DS3 Local Channel - Incremental Charge-Manual Svc Order - Add"		NA NA	NA NA	\$36.15	NA	NA NA	NA	NA NA	NA	NA
NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - Discon		NA NA	NA NA	\$30.15 \$14.20	NA NA	NA NA	NA NA	NA	NA	NA
NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - Discon	SOMAN	NA		1 314.20				<u> </u>		
NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)		-	A14 000	071.0/	#E4.00	\$54.23	\$54.09	\$54.00	\$54.26	\$54.1
NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$71.04	\$54.09		\$32.16	\$32.10	\$32.25	\$32.1
NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add1	UNCCC	\$32.11	\$11.27	\$39.60	\$32.16	\$32.24	\$32.10 \$0.00	\$0.00	\$32.25 \$0.00	\$32.17
NRC- DS3 COMBINATION - "Switch As is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$0.00	\$0.00	\$0.00			\$0.00 \$0.00	
NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$ 0.00	\$0.00

-

٠.

Attachment 2 Exhibit D Rates - Page 64

-

$\tau \tau$			r		,		i	· · · · · · · · · · · · · · · · · · ·	···		r
	New EEL rates are the sum of the individual UNE network elements]			j			
	(interoffice transport and loop [channelization if applicable].										
╉┥	functionice astroport and toop ferminicipation in approviding.				·						
	Local Channel - Dedicated - STS-1							 			
t	STS-1 Local Channel - per mile per month	1L5NC	\$8.44	\$9.32	\$7.00	\$34.00	\$8.77	\$38.98	NA	\$12.08	\$25.11
H	STS-1 Local Channel - Facility Termination per month	ULDES	\$525.40	\$569.67	\$523.20	\$635.09	\$558.00	\$531.39	\$512.00	\$481.14	\$615.65
	NRC - Ordinarily Combined in GA (Note 5)	<u> </u>									
	NRC - STS-1 Local Channel Facility Termination - 1st	ULDES	NA	NA	\$770.12	NA	NA	NA	NA	NA	NA
	NRC - STS-1 Local Channel - Facility Termination - Add'l	ULDFS	NA	NA	\$551.49	NA	NA	NA	NA	NA	NA
4	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NĂ	NA	NA	ŇA	NA	NA
1	NRC - STS-1 Local Channel - Incremental Charge Manual Svc Order - 1st	SOMAN	NA	NA	\$37.96	ŇA	NA	NA	NA	NA	NA
-1	NRC - STS-1 Local Channel - Incremental Charge-Manual Svc Order - Addil	SOMAN	NA	NA	\$37.96	NA	NA	NA	NA	NA	NA
-†	NRC - STS-1 Local Channel - Incremental Charge-Manual Svc Order - Disco	SOMAN	NA	NA	\$18.23	NA	NA	NA	NA	NA	NA
1	NRC - STS-1 Local Channel - Incremental Charge-Manual Svc Order - Disco	SOMAN	NA	NA	\$18.23	NA	NA	NA	NA	NA	NA
1	NRC-All Existing Combination "Switch As Is' Conversion Charge (Note 6)										
┓	NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add"	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
1	INRC- STS-1 COMBINATION - "Switch As is" Conversion Charge - Disconnet	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1	NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconned	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
				_							
T	Local Channel - OC3										
1	Local Channel - OC3 - per Mile	TBA	\$8.23	\$7.83	\$6.75	\$33.15	\$29.58	\$41.27	\$24.69	\$11.78	\$23.16
1	Local Channel - OC3 - per Facility Termination	TBA	\$691.33	\$940.35	\$630.21	\$713.29	\$753.65	\$689.68	\$611.36	\$701.71	\$620.20
T	NRC - Ordinarily Combined in GA (Note 5)										
1	NRC - OC3 - Facility Termination - 1st	TBA	NA	NA	\$947.69	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Facility Termination - Add1	TBA /	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
	NRC - OC3 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
1	NRC - OC3 - Facility Termination - Disconnect - Add'l	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NÁ	\$3.50	NA	-NA	NA	NA	NA	ŇA
	NRC - OC3 - Incremental Charge-Manual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
1	NRC - OC3 - Incremental ChargeManual Svc Order - Add'l	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
1	NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
1	NRC - OC3 -Incremental Cost - Manual Svc, Order vs. Elect-Disconnect-Add	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)										
	NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
Ĩ	NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add"	UNCCC	\$32.11	\$11.27	\$26.99	\$32.18	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnec	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1	NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
T											
1	Local Channel - OC12	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
1	Local Channel - OC12 - per Mile	TBA	\$10.13	\$11.18	\$8.31	\$40.80	\$36.40	\$50.79	\$30.38	\$14.50	\$28.51
1	Local Channel - OC12 - per Facility Termination	TBA	\$2,557	\$2,753	\$2,109.00	\$2,457	\$2,571	\$2,371	\$2,122	\$2,663	\$2.079
1	NRC - Ordinarity Combined in GA (Note 5)									<u> </u>	
1	NRC - OC12 - Facility Termination - 1st	TBA	NA	NA	\$1,162.00	NA	NA	NA	NA	NA	ŇA
1	NRC - OC12 - Facility Termination - Add'l	TBA	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Facility Termination - Disconnect - Add'l	TBA	NA	NĂ	\$119.14	NA	NA	NA	NA	NA	NA
-	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA NA
	NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA		NA	NA	NA	NA
-	NRC - OC12 - Incremental Charge - Manual Svc Order - Add1	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA

,

1

			NETWORK I AND OTHER ENHANCED EX1	SERVICES						Rate	Exhibit D s - Page 65
	New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable].										
HH	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA	NA _	\$18.03	NA	NA	NA	<u>NA</u>	NA	NA
H	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Ad	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
H	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)										
H	NBC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
H	NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add1	UNCCC	\$32.11	\$11.27	\$26.99	\$32,16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
H	NBC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnel	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0 <u>.00</u>	\$0.00	\$0.00	\$0.00	\$0.00
Ħ	NRC- OC-12 COMBINATION - "Switch As Is' Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
┝╋┥	Local Channel - OC48	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
H	Local Channel - OC48 - per Mile	TBA	\$33.22	\$36.67	\$27.25	\$133.84	\$119.40	\$166.59	\$120.02	\$47.57	\$93.50
H	Local Channel - OC48 - per Facility Termination	TBA	\$1,713	\$1 <u>,944</u>	\$1,598.00	\$2,129	\$2,268	\$1,753	\$1,677	\$1,733	\$1,832
Н	Local Channel - OC12 interface on OC48 Facility	TBA	\$736.7 <u>1</u>	\$586.28	\$594.80	\$725.77	\$723.29	\$667.00	\$582.66	\$773.40	\$570.54
H	NRC - Ordinarily Combined in GA (Note 5)										
	NRC - OC48 - Facility Termination - 1st	TBA	NA	NA	\$1,175	NA	NA	NA	NA	NA	NA
H	NRC - OC48 - Facility Termination - Add1	TBA	NA	NA	\$417.50	NA	NA	NA	NA	NA	NA
ГГ	NRC - OC48 - Interface OC12 on OC48 - 1st	TBA _	NA	NA	\$545.24	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Add1	TBA	NA	NA	\$320.83	NA	NA	NA	NA	NA NA	NA NA
	NRC - OC48 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$123.65	NA	NA	NA	NA	NA NA	NA NA
	NRC - OC48 - Facility Termination - Disconnect - Add1	TBA	NA	NA	\$120.44	NA	NA	NA	NA NA	NA NA	NA NA
	NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBA	N	NA	\$123.65	NA	NA NA	NA NA	NA NA	NA NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Addfi	TBA	NA	NA	\$120.44	NA		NA NA		NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA NA	NA NA	NA NA	NA NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne	SOMAN	NA	NA.	\$18.23	NA NA	NA	NA NA	NA	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne	SOMAN	NA	NA NA	\$18.23	NA NA	NA NA	NA	NA NA	NA	NA
	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st	SOMAN	NA NA	NA NA	\$18.23 \$18.23	NA	NA NA	NA NA	NA	NA	NA
L	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Addl	SOMAN	NA NA	NA NA	\$10.23	NA	NA	NA NA	NA	NA	NA
╘┙	NRC - OC-48 - Incremental ChargeManual Svc Order-1st	SOMAN	NA	NA NA	\$37.96	NA	NA	NA	NA	NA	NA
Ц	NRC - OC-48 - Incremental Charge - Manual Svc Order-Add'	SOMAN SOMAN	NA	NA NA	\$37.96	NA NA	NA	NA NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc C		NA NA	NA	\$37.96	NA	NA NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc O	SOMAN		NA	1 457.50 1	<u> </u>	<u> </u>				
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note		AT 4 00	A11 077	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54,26	\$54.13
Щ	NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03 \$32.11	\$11.27 \$11.27	\$26.99	\$32,16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
Ц	NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add1		\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Ц.	NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
┝╌┾╍	NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNICC	\$0.00	\$13.03	\$12.01	30.00		40.00	40.00		
\vdash	High Capacity Loops:			· · · · · · · · · · · · · · · · · · ·	L				 	ļ	
h	Local Loop - Dedicated - DS3		L		<u> </u>	l			-		
IT	D\$3 Local Loop- per mile per month	1L5ND	\$10.85	\$11.97	\$8.99	\$43.69	\$11.26	\$32.53	\$11.40	\$15.53	\$30.53
П	DS3 Local Loop- per Facility Termination	UE3PX	\$419 <u>.65</u>	\$407.58	\$394.59	\$436.95	\$439.59	\$387.01	\$413.09	\$421.60	\$400.21
FT	NRC - Ordinarily Combined in GA (Note 5)						L		<u> </u>	<u> </u>	
	NRC - DS3 Local Channel - Facility Termination - 1st	UE3PX	NA	NA	\$770.12	NA	NA	NA	NA	NA	NA
	NRC - DS3 Local Channel - Facility Termination - Add'	UE3PX	NA	NA	\$551.49	NA	NA	NA	NA	NA	NA
	NBC - Flectronic Svc Order, per LSB	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC - DS3 Local Channel - Incremental Charge-Manual Svc Order - 1st	SOMAN	NA	NA	\$37.96	NA	NA		NA	NA	NA
	NRC - DS3 ocal Channel - incremental ChargeManual Svc Order - Add	SOMAN	NA	NA	\$37.96	NA	NA	NA NA	NA	NA	NA
	NBC - DS3 Locat Channel - Incremental Charge-Manual Svc Order - Discont	SOMAN	NA	NA	\$18.23	NA	NA	NA	NA	NA	NA
	NRC - DS3 Local Channel - Incremental Charge-Manual Svc Order - Discon	SOMAN	NA	NA	\$18.23	NA	NA	NA	NA	NA	
T	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note	6)	<u> </u>	1	1	1	<u> </u>	L	<u> </u>	L	I

BELLSOUTH/NATC RATES

NETWORK ELEMENTS

.

Attachment 2

Exhibit D

.

		AND OTHER							Rat	es - Page 66
		ENHANCED EX								
······································					<u>_</u>			· · · · · · · · · · · · · · · · · · ·	·····	r
New EEL rates are the sum of the individual UNE network elem	ante								Į	ł
				4		[1	1
(interoffice transport and loop [channelization if applicable].		\$54.03	\$11.27	\$58.43	AF4 00	454.00	\$54.09		L	
NRC-DS3 COMBINATION - "Switch As is" Conversion Charge - 1st		\$32.11	\$11.27	\$26.99	\$54.09 \$32.16	\$54.23	\$32.16	\$54.00	\$54.26	\$54.13
NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Ad NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - D	sconnect UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$ <u>32.24</u> \$0.00	\$0.00	\$32.10 \$0.00	\$32.25	\$32.17
NRC- DS3 COMBINATION - Switch As is Conversion Charge - D	sconnect UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00 \$0.00	\$0.00
INKC- US3 COMBINATION - SMICH AS IS CONVERSION CHarge - D	SUITEL UNCO		\$10.00	412,01		30.00			30.00	\$0.00
Local Loop - Dedicated - STS-1					· · · <u> </u>				<u> </u>	
STS-1 Local Loop - per mile	1L5ND	\$10.85	\$11.97	\$8.99	\$43.69	\$11,29	\$54.39	\$11.40	\$15.53	\$30.53
STS-1 Local Loop- per Facility Termination	UDLS1	\$419.65	\$449.40	\$426.19	\$436.95	\$454.28	\$427.81	\$428.93	\$431.32	\$400.21
NRC - Ordinarily Combined in GA (Note 5)		41.0.00			4400.00	3404.20		4720.33	3431.02	3400.21
NRC - STS-1 Local Loop - Facility Termination - 1st	UDLS1	NA	NA	\$770.12	NA	NA	NA	NA	NA NA	NA
NRC - STS-1 Local Loop - Facility Termination - Add1	UDLS1	NA	NA	\$551.49	NA	NA	NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA NA
NRC - STS-1 Local Loop - Incremental Charge-Manual Svc Order		NA	NA	\$37.96	NA	NA	NA	NA	NA NA	NA
NRC - STS-1 Local Loop - Incremental Charge - Manual Svc Order		NA	NA	\$37.96	NA	NA	NA	NA	NA	NA
NRC - STS-1 Local Loop - Incremental Charge-Manual Svc Order		NA	NA	\$18.23	NA	NA	NA	NA	NA	NA
NRC - STS-1 Local Loop - Incremental Charge-Manual Svc Order		NA	NA	\$18.23	NA	NA	NA	NA	NA	NA
NRC-All Existing Combination "Switch As Is" Conversion Char									· · · · · ·	
NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge -		\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
INRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge -		\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge -		\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge -		\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
						[
Local Loop - OC3										
Local Loop - OC3 - per Mile	TBA	\$8.23	\$9.08	\$6.75	\$33.15	\$29.58	\$41.27	\$24.69	\$11.78	\$23.16
Local Loop - OC3 - per Facility Termination	TBA	\$691.33	\$651.40	\$630.21	\$713.29	\$753.65	\$689.68	\$611.36	\$701.71	\$620.20
NRC - Ordinarily Combined In GA (Note 5)										
NRC - OC3 - Facility Termination - 1st	TBA	NA	NA	\$947.69	NA	NA	NA	NĂ	NA	NA
NRC - QC3 - Facility Termination - Add'l	TBA	NA	NA	\$413.00	NA	NA _	NA	NA	NA	NA
NRC - OC3 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
NRC - OC3 - Facility Termination - Disconnect - Add'l	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
NRC - OC3 - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
NRC - OC3 - Incremental ChargeManual Svc Order - Add'i	SOMAN	NĂ	NA	\$37.55	NA	NA	NA	NA	NA	NA
NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disco	nnect-1st SOMAN	NA	NA	\$18.03	NA	NA	NĂ	NA	NA	NA
NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disco	nnect-Add SOMAN	NA	<u>NA</u>	\$18.03	NA	NA	NA	NA	NA	NA
NRC-All Existing Combination "Switch As Is" Conversion Cha	rge (Note 6)									
NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1	stUNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - A		\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge -	Disconnec UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - I	Disconnec UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
				L						
Local Loop - OC12					<u> </u>					
Local Loop - OC12 - per Mile	TBA	\$10.13	\$11.18	\$8.31	\$40.80	\$36.40	\$50.79	\$30,38	\$14.50	\$28.51
Local Loop - OC12 - per Facility Termination	TBA	\$2,557	\$2,068	\$2,109.00	\$2,457	\$2,571	\$2,371	\$2,122	\$2,663	\$2,079
NRC - Ordinarily Combined in GA (Note 5)						1				
NRC - OC12 - Facility Termination - 1st	TBA	NA	NA	\$1,162.00	NA	NA	NA	NA	NĀ	NA
NRC - OC12 - Facility Termination - Add"	TBA	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
NRC - OC12 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA

.

ITT											
	New EEL rates are the sum of the individual UNE network elements				1				ł		
	(interoffice transport and loop [channelization if applicable].								1]	
	NRC - OC12 - Facility Termination - Disconnect - Add'l	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
ПТ	NRC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l	SOMAN	NA	NA	\$37.55	NA	NA	NÄ	NA	NA	NA
\square	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
HT	NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Add	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
\square	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6	5)									
	NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
Ht	NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add1	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
H^+	NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Local Loop - OC48				T			···			<u> </u>
	Local Loop - OC48 - per Mile	TBA	\$33.22	\$36.67	\$27.25	\$133.84	\$119.40	\$166.59	\$120.02	\$47.57	\$93.50
	Local Loop - OC48 - per Facility Termination	TBA	\$1,713	\$1,699	\$1,590.00	\$2,129	\$2,268	\$1,753	\$1,677	\$1,733	\$1,832
	Local Loop - OC12 interface on OC48 Facility	TBA	\$736.71	\$592.09	\$594.80	\$725.77	\$723.29	\$667.00	\$582.66	\$773.40	\$570.54
	NRC - Ordinarily Combined in GA (Note 5)										4010.04
	NRC - OC48 - Facility Termination - 1st	TBA	NA	NA	\$1,162.00	NA	NA	NA	NA	NA	NA
┝╋╋	NRC - OC48 - Facility Termination - Add'l	TBA	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA NA
┝╅╋	INRC - OC48 - Interface OC12 on OC48 - 1st	TBA	NA	NA	\$539.36	NA	NA	NA	- NA	NA	NA
┝╋╋	NRC - OC48 - Interface OC12 on OC48 - Add"	TBA	NA	NA	\$317.38	NA	NA	NA	NA	NA	NA
┝┾╋	INRC - OC48 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122,31	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Disconnect - Add1	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnel	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnel	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
H	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add1	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
┝╋╋	NRC - OC-48 - Incremental ChargeManual Svc Order-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
┡┼╂	NRC - OC-48 - Incremental Charge-Manual Svc Order-Add'i	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
╞╴┠╌╀╴	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc O	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc Q	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
Ht	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note (<u> </u>							
┝┼┼	NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.10
┝╆┼	NRC-OC-48 COMBINATION - Switch As Is "Conversion Charge - Ist	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32,25	\$54.13 \$32.17
┝╆╋	NRC- OC-48 COMBINATION - "Switch As is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	<u>\$32.17</u> \$0.00
┝╆╋	NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
┝╋╃	In the Construction of the	0.000	40.0 <u>0</u>	410.00		40.00	40.00				\$0.00
HH	Interoffice Channels:				<u> </u>						
┡╋╅	Interoffice Channel - Dedicated - 2-wire VG				├ ────┤	· · · · · · · · · · · · · · · · · · ·					
┝╋╃		1L5XX	\$0.03	\$0.0100	\$0.02		60.04				
┝╅╉	Interoffice Channel - Dedicated 2-wire VG - per mile per month	U1TV2	\$0.03 \$18.49			\$0.03	\$0.04	\$0.03	\$0.03	\$0.04	\$0.02
┝╋┽	Interoffice Channel - Dedicated 2-wire VG - Facility Termination per month	01172	\$10.49	\$26.72	\$17.07	\$27.66	\$19.1 <u>0</u>	\$21.33	\$18.01	\$21.42	\$18.33
┝╋╇	NRC - Ordinarily Combined in GA (Note 5)	1473/6									
┡╋╇	NRC - 2-wire VG Interoffice Channel - Facility Termination - 1st	U1TV2	NA	NA	\$79.61	NA	NA	NA	NA	NA	NA
┝╇╇	NRC - 2-wire VG Interoffice Channel - Facility Termination - Add'l	U1TV2	NA	NA	\$36.08	NA	NA	NA	NA	NA	NA
ш	NRC - Electronic Svc Order, per LSR	SOMEC		NA	\$3.50	NA	NA	NA	NA	NA	NA NA

.

.

.

							<u> </u>			<u> </u>		
TΤ	Т					ļ	1	1		1		
	N	ew EEL rates are the sum of the individual UNE network elements			1							
	6.	teroffice transport and loop (channelization if applicable).							NA	NA	NA	NA
++	IN	PC - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Orde	SOMAN	NA	NA	\$18.94	NA	NA	NA	NA I	NA	NĂ
╆╋	ĪN	BC - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Ordel	SOMAN	NA	NA	\$18.94	NA	<u>NA</u>		NA	- NA T	NA
+	TN	BC . 2-wire VG Interoffice Channel - Incremental Charge-Manual Svc Ordel	SOMAN	NA	NA	NA	NA	<u>NA</u>			- NA	NA
++	- INI	RC - 2-wire VG Internifice Channel - Incremental Charge - Manual Svc Orde	SOMAN	NA	NA	NA	NA	NA	NA			
╉╋		RC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)							\$54.00	\$54.26	\$54.13
┢╋	IN	RC-2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - 1st	UNCCC	\$54.03	\$11. <u>27</u>	\$58.43	\$54,09	\$54.23	\$54.09	\$32.10	\$32.25	\$32.17
┢╋		RC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$32.11	\$11. <u>27</u>	\$26.99	\$32.16	\$32.24	\$32.16	\$0.00	\$0.00	\$0.00
┢╋		RC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00		\$0.00	\$0.00
┝╋		RC- 2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - Di	UNCCC	\$0.00	\$13 <u>.03</u>	\$1 <u>2.6</u> 1	\$0.00	\$0.00	\$0.00			
┢╋	- 14											
H	10	teroffice Channel - Dedicated - 4-wire VG									NA	NA
⊢⊦	- 17	Interoffice Channel - Dedicated 4-wire VG - per mile per month	1L5XX	NA	\$0.0100	NA	NA	NA	NA	NA		NA
⊢⊦	+	Interoffice Channel - Dedicated 4-wire VG - Facility Termination per month	U1TV4	NA	\$23.82	NA	NA	NA	NA	NA		
┡╋		RC - Ordinarily Combined in GA (Note 5)									- NA	NA
H	-	RC - 4-wire VG Interoffice Channel - Facility Termination - 1st	U1TV4	NA	NA	NA	NA	NA	NA	NA	NA NA	NA NA
┝	- <u> N</u>	RC - 4-wire VG Interoffice Channel - Facility Termination - Add"1	U1TV4	NA	NA	NA	NA	NA	NA	NA		NA NA
┢╋	-12	HC - 4-WHE VIS INTERIORICE ORBITICE - Facility remainded. Free	SOMEC	NA	NA	NA	NA	NA	NA	NA	NA	
H	- <u>N</u>	RC - Electronic Svc Order, per LSR RC - 4-wire VG Interoffice Channel - Incremental Charge-Manual Svc Orde	SOMAN	NA	NA	NA		NA	NA	NA	NA	NA NA
┝┥	- <u>P</u>	RC - 4-wire VG Interoffice Channel - Incremental Charge-Manual Svc Orde	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	
Н	<u>_</u> [N	RC - 4-wire VG Interoffice Channel - Incremental Charge Manual Svc Orde	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
H		RC - 4-wire VG Interoffice Channel - Incremental Charge-Manual Svc Ordel	SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ц	-1 ^N	IRC-All Existing Combination "Switch As is" Conversion Charge (Note 6										
Ц	N	RC-All Existing Completion Switch As is Conversion Change (Note)	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	N	RC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
\square	N	RC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Ad	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
\square	N	IRC- 2/4-WIRE VG COMBINATION - "Switch As ts" Conversion Charge - De	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	N	IRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di					1					
Ш									T			
Ш		Interoffice Channel - Dedicated - DS0 - 56kbps	1L5XX	\$0.03	\$0.0100	\$0.02	\$0.0301	\$0.04	\$0.03	\$0.03	\$0.04	\$0.17
\Box		Interoffice Channel - Dedicated - DS0 - 56kbps - per mile per month	U1TD5	\$17.81	\$19.46	\$16.45	\$26.95	\$18.37	\$20.64	\$17.40	\$20.71	\$17.74
\cup		Interoffice Channel - Dedicated - DS0 - 56 kbps - Facility Termination per m		<u></u>	313.40	<u> </u>			1	1		
	N	RC - Ordinarily Combined in GA (Note 5)			NA	\$79.61	NA	NA	NA	NA	NA	NA
Π	T	IRC - 4-wire 56kbps Interoffice Channel - Facility Termination - 1st	U1TD5	NA	NA NA	\$36.08	NA	NA	NA	NA	NA	NA
	1	NRC - 4-wire 56 kbps Interoffice Channel - Facility Termination - Add'	U1TD5	NA		\$3.50	NA	- NA	NA	NA	NA	NA
	r	VRC - Electronic Svc Order, per LSR	SOMEC	NA		\$18.94		NA	NA	NA	NA	NA
Г	1	VRC - 4-wire 56 kbps Interoffice Channel - Incremental Charge-Manual Svc	SOMAN	NA		\$18.94	NA NA	T NA	1 NA	NA	NA	NA
Г	1	NRC - A-wire 58 kbos Interoffice Channel - incremental ChargeManual Svc	SOMAN	NA	NA	\$18.94 NA	NA NA	NA NA	NA	NA	NA	NA
Г	- 1	NRC - 4-wire 56 kbos Interoffice Channel - Incremental Charge-Manual Svc	SUMAN	NA	NA		NA NA	T NA	NA	NA	NA	NA
Т	Г Т	NBC - 4-wine 56 kbos Interoffice Channel - Incremental Charge-Manual Svc	SOMAN	NA	NA	NA		+	+	1	1	1
1		NRC-All Existing Combination "Switch As is" Conversion Charge (Note	6)		+			\$54,23	\$54.09	\$54.00	\$54.26	\$54.13
		NRC-2/A-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
┯		NRC-2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - Ad	UNCCC_	\$32.11	\$11.27	\$26.99	\$32.16	the second second second second second second second second second second second second second second second se	\$0.00	\$0.00	\$0.00	\$0.00
+	l	NRC- 2/4-WIRE VG COMBINATION - "Switch As is" Conversion Charge - De	UNCUC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00		\$0.00	\$0.00	\$0.00
╈	t-ť	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	<u></u>	- <u></u>	+
╋	t-ť			1						+		+
	╋╌╉	Interoffice Channel - Dedicated - DS0 - 64kbps		1		<u> </u>		<u></u>			\$0.04	\$0.17
+-		Interoffice Channel - Dedicated - DS0 - 64kbps - per mile per month	1L5XX	\$0.03	\$0.0100	\$0.02	\$0.0301	\$0.04	\$0.03	\$0.03	\$20.71	\$17.74
1	╂╋						00000	1 640 97	\$20.64	\$17.40	1 3620.//	
Ŧ	ТТ	Interoffice Channel - Dedicated - DS0 - 64 kbps - Facility Termination per m	U1TD6	\$17.81	\$19.46	\$16.45	\$26.95	\$18.37	96.0.07			

•

		Ð	HANCED EXTE	ENDED LINKS							
								1		1	
Г		1	1				1		1		
L	New EEL rates are the sum of the individual UNE network elements										NA
	in transition transport and loop [channelization if applicable].			NA	\$79.61	NA	NA	NA	NA	NA	NA
	This of the California Channel - Facility remination - rac	U1TD6	NA	NA	\$36.08	NA	NA	NA	NA	NA	NA
	NRC - 4-wire 64 kbps Interoffice Channel - Facility Termination - Add'I	U1TD6	NA		\$3.50	NA	NA	NA	NA	NA	NA
	The second	SOMEC	NA	NA	\$18.94	NA	NA	NA	NA	NA	
	Changed - Interneting Changed - Incremental United with the OVV	SOMAN	NA		\$18.94	NA	NA	NA	NA	NA	NA
		SOMAN	NA	NA	NA	NA	NA	NA	NA	NA	NA
		SOMAN	NA	NA		NA	NA	NA	NA	NA	NA
		SOMAN	NA	NA							
	NRC - 4-wire 64 kops intercence channel interview of the second s					\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - 1s	UNCOC	\$54.03	\$11.27	\$58.43		\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC-2/4-WIRE VG COMBINATION - Switch As Is' Conversion Charge - Ad NRC-2/4-WIRE VG COMBINATION - "Switch As Is' Conversion Charge - Ad	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC-2/4-WIRE VG COMBINATION - Switch As Is Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC-2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00		40.00			
	NRC- 2/4-WIRE VG COMBINATION - "Switch As Is" Conversion Charge - Di										
								\$0.66	\$0.08	\$0.76	\$0.35
	Interoffice Channel - Dedicated - DS1	1L5XX	\$0.69	\$0.2035	\$0.31	\$0.45	\$0.78	\$74.40	\$71.29	\$94.98	\$75.8
	Interoffice Channel - Dedicated - DS1 - per mile per month	UITEI	\$79.69	\$93.31	\$63.39	\$55.05	\$93.40	\$/4.40			
	Interoffice Channel - Dedicated - DS1 - Facility Termination per month	<u> </u>							NA	NA	NA
	NRC - Ordinarily Combined in GA (Note 5)	UITF1	NA	NA	\$169.57	NA	NA	NA		NA	NA
	integration - 1st		NA	NA	\$112.77	NA	NA	NA	- NA	NA	NA
	INBC - DS1 Interoffice Channel - Facility Termination - Add t	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA NA	NA	NA
	Line mut to Onder cor I BR	SOMAN	NA	NA	\$23.98	NA	NA	NA		NA	NA
	Line port lateration Chappel - Incremental Charge-Manual SVC VIORI - Tal	SOMAN	NA	NA	\$17.77	NA	NA	NA		- NA	NA
		SOMAN	NA	NA	\$15.13	NA	NA	NA	NA	NA NA	NA
	The second		NA	NA	\$7.02	NA	NA	NA	NA	194	
		SUMAN								AT4 00	\$54.1
	INDO ALL Evideting Combination "Switch As Is Conversion Change from t	-	\$54.03	\$11.27	\$58.43	\$54.09	\$54,23	\$54.09	\$54.00	\$54.26	\$32.1
	Turne por coupsing Tion - "Switch As is" Conversion Charge - 16			\$11.27	\$26.99	\$32,16	\$32.24	\$32.16	\$32.10	\$32.25	\$0.0
	the set optimitation "Switch As is" Conversion Charge - Aug	UNCCC	\$32.11	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.0
	LUDG DOA COMPINIATION . "Switch AS IS" CONVERSION UNDING - DISCOMMONT	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.0
	NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.05							<u> </u>
	NHC-DST CONDITION					1					
	Interoffice Channel - Dedicated - DS3 - per mile per month		<u> </u>		\$6.46	\$12.06	\$16.15	\$13.48	\$12.98	<u>\$19.14</u>	\$6.8
	Interoffice Channel - Dedicated - DS3 - per mile per month	1L5XX	\$4.96	\$4.25	\$717.60	\$1,112.02	\$1,131.09	\$686.84	\$720.38	\$904.49	\$840
	Interoffice Channel - Dedicated - Dos - Facility Termination per month	U1TF3	\$898.15	\$1,130	\$/1/.00	31,112.02	\$1,101.00				
	Interotice Channel - Deucated - Door rosking rosking						NA	NA	NA	NA	N/
	NRC - Ordinarity Combined in GA (Note 5)	U1TF3	NA	NA	\$578.97	NA	NA	NA NA	NA	NA	N/
	NRC - DS3 Interoffice Channel - Facility Termination - 1st	U1TF3	NA	NA	\$312.17	NA	NA NA	NA	NA	NA	N
	NRC - DS3 Interoffice Channel - Facility Termination - Add1	SOMEC	NA	NA	\$3.50	NA			NA	NA	N
	NRC - Electronic Svc Order, per LSR		NA	NA	\$51.27	NA	NA	NA NA	NA NA	NA	N
	NRC - Electronic SVC Order, per con NRC - DS3 Interoffice Channel - Incremental Charge - Manual Svc Order - 1s	SOMAN	NA	NA	\$38.87	NA	NA		1 NA	NA	N
			NA	NA	\$30.42	NA	NA		NA NA	NA NA	N
			NA	NA	\$18.76	NA	NA	NA	-	+	1
				1	1			I	-	\$54.26	\$54
	WOO At Eviding Combination "Switch As is Conversion Charge (rece		\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00		\$32
	LINGO SOO COLEDINATION Switch AS IS CORVEISION CHORE - 100			\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$0.
	There has a contraining the second of the second se	UNCCC	\$32.11	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
	LINE DOLONIATION SCHOOL OF LONGESUI VIRIUS - DISCULLING	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.
	NRC- DS3 COMBINATION - Switch As Is Conversion Charge - Disconnect	UNCCC	\$0.00	- a13.03			1				+-
	IND DO COMPLEXITOR ON THE COMPLEXITOR	1						1		1	
•											

Attachment 2 Exhibit D Rates - Page 69

.

• ,

Attachment 2 Exhibit D Rates - Page 70

	. E	ENHANCED EXT	ENDED LINKS							
	T	·····	T							
				1		1				
New EEL rates are the sum of the individual UNE network elements	1		1			1				
(Interoffice transport and loop [channelization if applicable].	1L5XX	\$4.98	\$9.32	\$2.75	\$12.62	\$14.04	\$15.02	\$12.98	\$8.13	\$5.89
Interoffice Channel - Dedicated - STS-1 - per mile per month	UITES	\$898.15	\$569.67	\$796.59	\$1,204	\$1,101	\$744.38	\$720.38	\$967.70	\$760.20
Interoffice Channel - Dedicated - STS-1 - Facility Termination per month	UIIFS									
NRC - Ordinarily Combined In GA (Note 5)	111750	NA	NÁ	\$640.32	NA	NA	NA	NA	NA	NA
NRC - STS-1 Interoffice Channel - Facility Termination - 1st	U1TFS U1TFS	NA	NA	\$575.26	NA	NA	NA	NA	NA	NA
NRC - STS-1 Interoffice Channel - Facility Termination - Add'l	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
NRC - Electronic Svc Order, per LSR	SOMAN	NA	NA	\$37.96	NA	NA	NA	NA	NA	NA
NRC - STS-1 Interoffice Channel - Incremental Charge Manual Svc Order	SOMAN SOMAN	NA	NA	\$37.96	NA	NA	NA	NA	NA	NA
NRC - STS-1 Interoffice Channel - Incremental Charge - Manual Svc Order - /	SOMAN	NA NA	- NA	\$18.23	NA	NA	NA	NA	NA	NA
NRC - STS-1 Interoffice Channel - Incremental Charge-Manual Svc Order -	SOMAN	NA	NA	\$18.23	NA	NA	NA	NA	NA	NA
NRC - STS-1 Interoffice Channel - Incremental Charge - Manual Svc Order - I										
NRC-All Existing Combination "Switch As is" Conversion Charge (Note		\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$32,11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add"		\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	- 		_	_				
						_				
Interoffice Channel - OC3	1L5XX	\$7.35	\$8.38	\$4.37	\$27.97	\$23.89	\$18.35	\$14.10	\$ <u>9.75</u>	\$13.45
Interoffice Channel - OC3 - per Mile		\$1.35	\$3,043	\$2,187.00	\$3,390	\$2,990	\$1,892.00	\$2,071	\$2,802	\$2,124
Interoffice Channel - OC3 - per Facility Termination										
NRC - Ordinarily Combined in GA (Note 5)		NA	NA	\$947.69	NA	NA	NA	NA	NA	NA
NRC - OC3 - Facility Termination - 1st	TBA	NA	NA	\$413.00	NA	NA	NA	NA	NA	NA
NRC - OC3 - Facility Termination - Add1	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA_
NRC - OC3 - Facility Termination - Disconnect - 1st	TBA TBA	NA NA	NA	\$119.14	NA	NA	NA	NA	NA	NA
NRC - OC3 - Facility Termination - Disconnect - Add1	SOMEC	NA NA	NA	\$3.50	NA	NA	NA	NA		NA
NRC - Electronic Svc Order, per LSR	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
NRC - OC3 - Incremental Charge-Manual Svc Order - 1st	SOMAN	NA	NA NA	\$37.55	NA	NA	NA	NA	NA	NA
I NRC - OC3 - Incremental Charge-Manual Svc Order - Add I		NA NA	NA	\$18.03	NA	NA	NA	NA	NA NA	NA
NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st	SOMAN SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add		<u></u>								
NRC-All Existing Combination "Switch As Is" Conversion Charge (Note	(0) 	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
I INRC-OC-3 COMPLINATION - "Switch As Is" Conversion Charge - 1st	UNULL	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add1	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1 I INOC. OC.2 COMBINATION - "Switch As Is" Conversion Charge - Disconney		\$0.00 \$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconne		30.00	313.03							
	+	<u> </u>		╉━━━━━	<u> </u>					
Interoffice Channel - OC12	+	\$19.26	\$26.91	\$15.05	\$84.88	\$74.44	\$60.42	\$30.38	\$32.52	\$49.80
Interoffice Channel - OC12 - per Mile	TBA	\$19.20	\$11,685	\$8,202.00	\$12,344	\$11.517	\$7,182.00	\$2,122	\$11,132	\$8,015
Interoffice Channel - OC12 - per Facility Termination	TBA	<u> </u>	+ * 1,000			1	1		1	
NRC - Ordinarily Combined in GA (Note 5)			- NA -	\$1,034.00	NA	NA	NA	NA	NA	NA
NRC - OC12 - Facility Termination - 1st	TBA	NA	NA NA	\$317.38	NA	NA	NA	NA	NA	NA
NRC - OC12 - Facility Termination - Add1	TBA	NA		\$122.31	NA	NA	NA	NA	NA	NA
INBC - OC12 - Facility Termination - Disconnect - 1st	TBA	NA		\$119.14	NA	NA	NA	NA	NA	NA
INRC - OC12 - Facility Termination - Disconnect - Addi	TBA	NA	NA	\$119.14	NA NA	NA	NA	NA	NA	NA
INBC - Flectronic Svc Order, per LSR	SOMEC	NA	NA	\$37.55	NA	NA NA	NA	NA	NA	NA
NBC -OC12 - Incremental Charge - Manual Svc Order - 1st	SOMAN	NA	NA		NA NA	NA	NA	NA	NA	NA
INBC - OC12 - Incremental Charge - Manual Svc Order - Add1	SOMAN	NA	NA	\$37.55	NA NA	NA	NA	NA	NA	NA
I NIPC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1:	st SOMAN	NA_	NA NA	\$18.03	NA NA	NA NA	NA NA	NA	NA	NA
NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-An	dd <u>SOMAN</u>	NA	NA	\$18.03	1		1			

BELLSOUTH/NATC RATES
NETWORK ELEMENTS
AND OTHER SERVICES
ENHANCED EXTENDED LINKS

.

			ENHANCEDEX	ENDED LINKS							
Π										·	
111	New EEL rates are the sum of the individual UNE network elements								ł	ļ	
	(interoffice transport and loop [channelization applicable].										
\mathbf{H}	NRC-All Existing Combination "Switch As is" Conversion Charge (Note 6)									
┟╌╂╼╂	NRC-OC-12 COMBINATION - "Switch As Is' Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add"	UNCCC	\$32,11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32,25	\$32.17
┝╉╉	NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnel	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Ht	INRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnel	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
77	Interoffice Channel - OC48										
	Interoffice Channel - OC48 - per Mile	TBA	\$30.65	\$34.66	\$25.70	\$138.02	\$128.59	\$102.43	\$120.02	\$45.92	\$106.55
	Interoffice Channel - OC48 - per Facility Termination	TBA	\$11,691	\$12,554	\$11,134.00	\$16,017	\$14,950	\$11,480.00	\$1,677	\$967.58	\$11,632
\square	Interoffice Channel - OC12 interface on OC48 Facility	TBA	\$1,424	\$1,208	\$1,137.00	\$1,497	\$1,451	\$1,351.00	\$582.66	\$1,561	\$1,170
	NRC - Ordinarily Combined In GA (Note 5)										
	NRC - OC48 - Facility Termination - 1st	TBA	NA	NA	\$1,034.00	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Add1	TBA	NA	NA	\$317.38	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - 1st	TBA	NA	NA	\$539.36	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Add1	TBA	NA	NA	\$317 <u>.38</u>	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NĂ	NA	NA
	NRC - OC48 - Facility Termination - Disconnect - Add1	TBA	NA	NA	\$119.14	NA	NA	NA	NA	NA .	NA
Ш	NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st	TBA	NA	NA	\$122.31	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l	TBA	NA	NA	\$37. <u>55</u>	NA	NA	NA	NA	NA	NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	<u>NA</u>	NA	NA	NA	<u>NA</u>
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconne	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st	SOMAN	NA	NA	\$37.55	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add1	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC-48 - Incremental Charge-Manual Svc Order-1st	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC-48 Incremental Charge-Manual Svc Order-Add'1	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	NA
	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc C	SOMAN	NA	NA	\$18.03	<u>_NA</u>	NA	NA	NA	NA	NA
\square	NRC - OC48 - Interface OC12 on OC48 - Incremental Charge-Manual Svc O	SOMAN	NA	NA	\$18.03	NA	NA	NA	NA	NA	<u>NA</u>
Ш	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6										
	NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$5 <u>4.03</u>	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
Ш	NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add1	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
LIII	NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- OC-48 COMBINATION - "Switch As is" Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	<u>\$0.00</u>	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
										 _	{
ЦЦ	Channelization:							}			<u>}</u>
Ш	DS3 Channelization										
	DS3 Channelized System per month	MQ3	\$225.38	\$222.61	\$202.91	\$236.32	\$245.84	\$229.30	\$226.81	\$200.01	\$222.98
	DS3 Interface per month (DS1 COCI)	UC1D1	\$17.22	\$14. <u>51</u>	\$0.67	\$8.52	\$7.55	\$5.58	\$4.61	\$11.99	\$3.91
	NRC - Ordinarity Combined in GA (Note 5)			L						[- <u>-</u>	l
	NRC - DS3 Channelization - 1st	MQ3	NA	NA	\$241.14	NA	NA	NA	NA	NA	NA
\Box	NRC - DS3 Channelization - Add'l	MQ3	NA	NA	\$130.02	NA	NA	NA	NA	NA	<u>NA</u>
	NRC - Channel Activation - 1st	UCIDI	NA	NA	\$12.15	NA	NA_	NA	NA	NA	NA
	NRC - Channel Activation - Add'l	UC1D1	NA	NA	\$8.76	NA	NA	NA	NA	NA	NA
\Box	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA	NA	NA	NA	NA
Ш	NRC - DS3 Channelization - Incremental ChargeManual Svc Order - 1st	SOMAN	NA	NA	\$14.91	NA	NA	NA	NA	NA	NA
Ш	NRC - DS3 Channelization - Incremental Charge Manual Svc Order - Add1	SOMAN	NA	NA	\$6.63	NA	NA	<u>NA</u>	NA	NA	NA
	NRC - DS3 Channelization - Incremental ChargeManual Svc Order - Discon	SOMAN	NA	NA	\$10.88	NA	NA	NA	NA	NA	NA
	NBC - DS3 Channelization - Incremental ChargeManual Svc Order - Discon	SOMAN	NA	NA	\$0.00	NA	NA	NA	NA	NA	NA

.

.

				<u> </u>							
	New EEL rates are the sum of the individual UNE network elements			1						Į	
	(interoffice transport and loop [channelization If applicable].			·							
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)	1				\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43		\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add1	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	<u>\$32.24</u> \$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- STS-1 COMBINATION - "Switch As Is' Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00 \$0.00	\$0.00	\$0.00	\$0.00
	NRC- STS-1 COMBINATION - "Switch As Is' Conversion Charge - Disconne	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00			
	OR				450.40		\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
	NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$32.24	\$32.16	\$32.10	\$32.25	\$32.17
	NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add1	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	<u>\$32.24</u> \$0.00	\$32.10	\$0.00	\$0.00	\$0.00
	NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- DS3 COMBINATION - 'Switch As Is' Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61 .	\$0.00	50.00	30.00			
	DS1 Channelization					A		A1 40 077	\$177.72	\$147.51	\$165.21
	DS1 Channelized System per month	MQ1	\$136.82	\$154.74	\$18.23	\$200.01	\$209.67	\$146.87	\$2.88	\$147.51	\$2.46
	OCU-DP(data) interface card per month (2.4-64kbs)	1D1DD	\$1.66	\$2.22	\$1.06	\$2.94	\$3.12	\$2.86	<u>\$2.00</u> \$1.64	\$2.34 \$1.47	\$1.25
	VG interface card per month	1D1VG	\$0.8586	\$1.46	\$2.67	\$1.40	\$1.62	\$1.45	\$3.76	\$4.21	\$3.33
	2-wire ISDN(BRITE card) per month	UC1CA	\$3.41	\$3.86	\$3.4 <u>1</u>	\$4.04	\$4.18	\$3.88	\$3.70	34.21	
	NRC - Ordinarily Combined in GA (Note 5)								NA	NA	NA
	NRC - DS1 Channelization - 1st	MQ1	NA	NA	\$138.85	NA	NA	NA	NA NA	NA	NA NA
	NRC - DS1 Channelization - Add1	MQ1	<u>NA</u>	NA	\$92.34	NA	NA	NA	NA NA	NA NA	NA NA
	NRC - Channel Activation VG - 1st	1D1VG	NA	NA	\$12.15	NA	NA	NA NA	NA NA	NA NA	NA NA
	NRC - Channel Activation VG - Addl	1D1VG	NA	NA	\$8.76	N	NA	NA NA	NA NA	NA	NA
	NRC - Channel Activation OCU-DP- 1st	1D1DD	NĂ	NA	\$12.15	NA	NA	NA NA	NA NA	NA NA	NA
	NRC - Channel Activation OCU-DP- Addi	1D1DD	NA	NA	\$8.76	NA	NA NA	NA NA	NA NA	NA NA	NA
	NRC - Channel Activation BRITE - 1st	UCICA	NA	NA	\$12.15	N S		NA NA	NA NA	NA	NA NA
	NRC - Channel Activation BRITE - Add1	UCICA	NA	NA	\$8.76	NA	<u>NA</u>	NA NA	NA NA	NA	NA NA
	NRC - Electronic Svc Order, per LSR	SOMEC	NA	NA	\$3.50	NA	NA		NA NA	NA NA	NA NA
	NRC - DS1 Channelization - Incremental Charge-Manual Svc Order - 1st	SOMAN	NA	NA	\$34.00	NA	NA NA	NA NA	NA	NA NA	NA NA
	NRC - DS1 Channelization - Incremental Charge-Manual Svc Order - Add1	SOMAN	NA	NA	\$27.79	NA	NA NA	NA NA	NA	NA	
1	NRC - DS1 Channelization - Incremental Charge-Manual Svc Order - Discon	SOMAN	NA	NA	\$20.10	NA	NA NA		NA NA	NA NA	
	NRC - DS1 Channelization - Incremental Charge-Manual Svc Order - Discon	SOMAN	NA	NA	\$11.98	NA	NA	NA			<u></u>
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6								AC 4 00	\$54.26	\$54.13
	NRC-DS1 COMBINATION - "Switch As is' Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$32.25	\$32.17
	NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add"	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$0.00	\$0.00
	NRC- DS1 COMBINATION - "Switch As Is' Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Ĩ	NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	1- 20100-	+ <u></u>
			L					l	<u> </u>		<u> </u>
Τ	Access to DCS - Customer Reconfiguration (FlexServ)		<u> </u>	 _			L	····			TBD
Τ	DS1 DSC Termination with DS0 Switching	TBD	TBD	\$28.72	\$22.86	TBD	TBD	TBD	TBD	TBD	
T	DS1 DSC Termination with DS1 Switching	TBD	TBD	\$12.23	\$8.64	TBD	TBO	TBD	TBD	TBD	
T	DS3 DSC Termination with DS1 Switching	TBD	TBD	\$154.31	\$151.85	TBD	TBD	TBD	TBD	TBD	TBD
Т	NRC - Ordinarily Combined In GA:						L	<u> </u>	<u> </u>		+
T	NRC - Customer Configuration Establishment	TBD	TBD	\$2.97	\$2.91	TBO	TBD	TBD	TBD	TBD	TBD
1	NRC - Customer Configuration Establishment - Disconnect	TBD	TBD	\$3.44	\$3.36	TBD	TBD	TBD	TBD	TBD	TBD
+	NRC- DS1 DSC Termination with DS0 Switching - 1st	TBD	TBD	\$51 <u>.50</u>	\$32.07	TBD	TBD	TBD	ТВО	TBD	TBD
╈	NBC- DS1 DSC Termination with DS0 Switching - Add'	TBD	TBD	\$39.64	\$31.49	TBD	TBD	TBD	TBD	TBD	TBD
-	NRC- DS1 DSC Termination with DS0 Switching - Disconnect - 1st	TBD	TBD	\$31.06	\$20.16	TBD	TBD	TBD	TBD	TBD	TBD
╈	NRC- DS1 DSC Termination with DS0 Switching - Disconnect - Add1	TBD	TBD	\$24.98	\$20.16	TBD	TBD	TBD	TBD	TBD	TBD
	NRC- DS1 DSC Termination with NRC- DS1 Switching - 1st	TBD	TBD	\$37.23	\$18.07	TBD	TBD	TBD	TBD	TBO	TBD

	-		BELLSOUTHA NETWORK AND OTHER ENHANCED EX	ELEMENTS SERVICES							ttachment 2 Exhibit D 15 - Page 73
\prod	New EEL rates are the sum of the individual UNE network elements (Interoffice transport and loop [channelization if applicable].										
H	NRC- DS1 DSC Termination with NRC- DS1 Switching - Add1	TBD	TBD	\$25.36	\$17.49	TBD	TBD	TBD	TBO	TBD	TBD
H	NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - 1st	TBD	TBD	\$22.81	\$12.10	TBD	TBD	TBD	T <u>BD</u>	TBD	TBD
H	NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - Add1	TBD	TBD	\$16.73	\$12.10	TBD	TBO	TBD	TBD	TBD	TBD
H	NRC- DS3 DSC Termination with DS1 Switching - 1st	TBD	TBD	\$51. <u>50</u>	\$32.07	TBD	TBD	TBD	TBD	TBD	TBO
H	NRC- DS3 DSC Termination with DS1 Switching - Add1	TBD	TBD	\$39.64	\$31.49	TBD	TBD	TBD	TBD	TBD	TBD
H	NRC- DS3 DSC Termination with DS1 Switching - Disconnect - 1st	TBD	TBD	\$31.06	\$20.16	TBD	TBD	TBD	TBD	TBD	TBD
H1	NRC- DS3 DSC Termination with DS1 Switching - Disconnect - Add1	TBD	TBD	\$24,98	\$20.16	TBD	TBD	TBD	TBD	TBD	TBD
	NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6)						_		·		<u> </u>
HH	NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st	UNCCC	\$54.03	\$11.27	\$58.43	\$54.09	\$54.23	\$54.09	\$54.00	\$54.26	\$54.13
H	NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add1	UNCCC	\$32.11	\$11.27	\$26.99	\$32.16	\$32.24	\$32.16	\$32.10	\$32,25	\$32.17
	NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$1 <u>3.03</u>	\$12.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect	UNCCC	\$0.00	\$13.03	\$12.61	\$0.00	\$0.00	\$0.00	\$0 <u>.00</u>	\$0.00	\$0.00
FT							L				'
П	Notes :		-								
Ш	1 Deaveraged Rates will be effective May 1, 2000							L			
H	2 New EELs will only be available in the State of Georgia and in density Zone 1 of	f the followi	ng MSAs in the	BeliSouth Re	egion:						
Ш	Florida - Miami, Orlando, Ft. Lauderdale										
H	Louisiana - New Orleans										L
HH	N. Carolina - Greensboro, Charlotte	_									L
	Tennessee - Nashville										L
H	3 Unapproved rates are subject to true up.			_			-				L
HH	4 Add together the recurring rates of all the applicable network elements in order	to obtain to	al monthly rec	urring rate.							
HH	* Examples:										<u>i</u>
H	- 2-wire VG Loop + Voice Grade Interface Card + DS1 Channelization System	n + DS1 Inte	roffice Chann	si ili	·						
	- DS1 Loop + DS1 Interface Card + DS3 Channelization System + DS3 Intero	fice Chann	el							1	<u> </u>
H	- DS3 Local Channel + DS3 Interoffice Channel + DS3 Channelization System	n + DS1 Inte	rface Card							1	<u> </u>
HH	5 The Ordinarily Combined in GA NRC applies to new combinations within the St	ate of Georg	¥a.								
H	6 The 'Switch As Is' NRC is a conversion charge. One SAI charge is applicable p	per circuit.									
H					1						
HH	┝╋╌╍╍╶╍╼╍╌╡╌╼╴╌╍┲╌╌╡		1		<u> </u>						
H			1			1					
H	┝┼╌╍────────────────────────────────────				1	l					

.

BELLSOUTH/NATC RATES NETWORK ELEMENTS AND OTHER SERVICES OSS/SWA BXX/DATABASES

*

Attachment 2 Exhibit D Rates - Page 74

.

DESCRIPTION	USOC	AL	FL	GA	KY	LA	MS	NC	SC	TN
Constitution Support Systems										
Recovery of incremental OSS costs, per CLP, per month	TBD	NA	NA	NA	NA	NA	NA	\$305.00	NA	NA
RC · OSS OLEC Deily Usage File: Recording, Per Message	TBD	\$0.0002	\$0.008	\$0.0001275	\$0.0008611		\$0.0001179	\$0.0003	\$0.0002862	\$0.008
IRC- OSS OLEC Daily Usage File: Message Processing, Per Message	TBD	\$0.0033	\$0.004	\$0.0082548	\$0.0032357	\$0.0024	\$0.0032089	\$0.0032	\$0.0032344	\$0.004
BC - OSS OLEC Daily Usage File: Message Distribution, Per Magnetic Tape	TBD	\$55.19	\$54.95	\$28.85	\$55.68	\$47.3000	\$54.62	\$54.61	\$54.72	\$54,95
RC - OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), Per	TBD	\$0.00004	\$0.001	\$0.0000434	\$0.0000365	\$0.0000300	\$0.0000354	\$0.00004	\$0.0000357	\$0.001
Access Dally Usage File (ADUF)										
FIC - ADUF, Message Processing, per message	TBD	\$0.004	\$0.004	\$0.0136327	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0_004
RC - ADUF, Message Distribution, per Magnetice Tape provisioned	TBD	NA	NA	NA_	NA	NA	NA	NA	NA	NA
RC - ADUF, Data Transmision (CONNECT:DIRECT), per message	TED	\$0.001	\$0.001	\$0.0000434	\$0.001	\$0.0000305	\$0.001	\$0.001	\$0.001	\$0.001
Enhanced Optional Delly Usage File (EODUF)										
Enhanced Optional Daily Usage File: Message Processing , Per Message	TBD	\$0.004	\$0.004	\$0.0034555	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
Enhanced Optional Daily Usage File: Message Processing, per magnetic tape	TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA
Enhanced Optional Daily Usage File: Data Transmision (CONNECT:DIRECT), per	TBD	NA _	NA	NA	NĂ	NA	NA	NA	NA	NA
			TBD							
8XX Access Ten Digit Screening (all types), per cell (Note 2)	N/A	\$0.0005	NA	\$0.0004868	NA	\$0.0005305	\$0.0005321	\$0.00050	\$0.0005227	NA
8XX Access Ten Digit Screening Svc. W/8XX No. Delivery							L		L	
per query	N/A	NA	NA	NA	\$0.0010	NA	NA	\$0.00365	NA	\$0,004
for BXX Numbers, with Optional Complex Features, per query	N/A	NA	NA .	NA	\$0.0011	NA	NA	\$0.00431	NA	\$0.004
8XX Access Ten Digit Screening Svc. W/POTS No. Delivery					<u> </u>		L			
per query	N/A	NA	NĂ	NA	\$0.0010	NA	NA	\$0.00383	NA	\$0.004
with Optional Complex Features, per query	N/A_	NA	NA	NA	\$0.0011	NA	NA	\$0.00431	NA	\$0,004
8XX Access Ten Digit Screening Svc. W/800 No. Delivery							L			
per message	N/A	<u>NA</u>	NA	NA	NA		NA	NA	NA	NA NA
for 8XX Numbers, w/Optional Complex Features, per message	N/A	NA	NA	NA_	NA	NA	NA	NA	NA	NA
SXX Access Ten Digit Screening Svc. W/POTS No. Delivery			L	4			L		<u> </u>	NA
per message	N/A	NA	NA_	NA	NA	NÁ	NA	NA	NA NA	NA NA
with Optional Complex Features, per message	N/A		NA	NĂ	NA	NA	NA	NA		<u> </u>
Reservation Charge per 8XX number reserved			L				+		1 10 00	\$30.00
NRC - 1st	NBR1X	\$7.13	NA	\$6.57	\$10.05	\$6.29	\$8.46	\$7.05	\$6.38	\$0.50
NBC - Addfi	NBR1X	\$0.97	NA	\$0.76	\$1.19	\$0.73	\$0.96	\$0.96	\$0.9583	30.50 NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$27.84 NA	NA NA
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	NA	NA	NA	NA	NA	NA	NA	1 100	
Per 8XX # Established w/o POTS (w/8XX No.) Translations			L						+	\$67.50
INRC - 1st	N/A	\$15.88	NA	\$12.81	\$30.59	\$12.27	\$17.04	\$23.82	\$22.63	
NRC - Addri	N/A	\$1.97	NA	\$1.45	\$3.22	\$1.39	\$1.93	\$2.73	\$2.73	\$1.50
NRC - Disconnect Charge - 1st	N/A	\$10.04	NA	NA	NA	\$8.30	\$11.32		\$42.95	NA
NRC - Disconnect Charge - Add1	N/A	\$0.97	NA	NA	NA	\$0.73	\$0.96	NA	NA	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$41.35	NĀ	NĂ
NRC - Incremental Charge - Manual Service Order - Add1	SOMÁN	NA NA	NA .	NA	NA	NA	NA	NA	NA	NA
NBC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$17.75	NA	NA	NĀ	\$11.40	\$16.05	NA	NA	NA
Per 8XX # Established with POTS Translations	···							l	<u> </u>	1
	NOFTX	\$15.88	NA	\$12.81	\$30.59	\$12.27	\$17.04	\$23.82	\$22.63	\$87.50
NRC - Addit	NBFTX	\$1.97	NA	\$1.45	\$3.22	\$1.39	\$1.93	\$2.73	\$2.73	\$1.50
NRC - Disconnect Charge - 1st	NEFTX	\$10.04	NA	NA	NA	\$8.30	\$11.32	NA	\$42.95	NA
NRC - Disconnect Charge - Add!	NBFIX	\$0.97	NA	NA	NA	\$0.73	\$0.96	NA	NA	NA_
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27,37	- NA	\$18.94	NA	\$18.14	\$25.52	\$41.35	NA	NA
NRC - Incremental Charge - Manual Service Order - Ist	SOMAN	NA	NA NA	NA	NA	NA	NA	NA	NA	NA
	SOMAN	\$17.75	NA NA	- NA	NA NA	\$11.40	\$16.05	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	30000		<u> </u>	<u></u>	<u> </u>	-t	+		<u> </u>	t
Customized Area of Service per 8XX Number	NBFCX	\$5.69	- NA	\$4.46	\$6.97	\$4.27	\$5.63	\$5.63	\$5.64	\$3.00
NRC - 1st	NOFCX	\$2.85	NA NA	\$2.23	\$3.49	\$2.14	\$2.81	\$2.82	\$2.82	\$1.50
NRC - Addri	SOMAN	NA	NA	NA NA	NA NA	NA	NA NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN				NA NA	NA	NA NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Add1	SUMAN						<u> </u>			

Version 2000:8/10/00

BELLSOUTHMATC PATES NETWORK ELEMENTS AND OTHER SERVICES OSS/SWA 8XX/DATABASES

.

•

DESCRIPTION	USOC	AL	FL.	GA	КҮ	LA	MS	NC		
Multiple Inter LATA Carrier Routing per Cerrier Requested per 8XX #			+				905	NC	SC	TN
NRC - 1st	N8FMX	\$8.66	NA	\$5.22	\$8,16	\$5.00	\$6.59			1
NRC - Addi	NBFMX	\$3,81	NA	\$2.99	\$4.67	\$5.00		\$6.59	\$6.60	\$3.50
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA -	NA	34.6/	NA	\$3.77	\$3.77	\$3.78	\$2.00
NRC - Incremental Charge - Manual Service Order - Add7	SOMAN	NA	NA NA		NA NA		NA	NA	NA	NA
Change Charge per request	00.000	- <u>-</u>		1 100	NA	NA	NA	NA	NA	NA
NRC - 1st	NBFAX	\$8.10	NA	\$7.33						L
NRC - Addri	NBFAX	\$0.97	NA	\$0.76	\$11.24	\$7.01	\$9.42	\$8.01	\$7.34	\$48.50
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA		\$1.19	\$0.73	\$0.96	\$0.96	\$0.9583	\$0.50
NRC - Incremental Charge - Manual Service Order - Add	SOMAN	NA	NA NA	\$18.94 NA	NA	\$18.14	\$25.52	\$26.94	\$27.84	NA
Call Handling and Destination Features		-+			NA	NA	NA	NA	NA	NA NA
NRC - 1st	NEFDX	\$5.69	NA	\$4.72	\$6.97	\$4.27				
NRC - Add1	NBFDX	NA	NA -	\$4.46	\$6.97		\$5.63	\$5.63	\$5.64	\$3.00
				01,40		\$4.27	\$5.63	NA	\$5.64	\$3.00
NEINTORNATION DATABASE ACCESSI LOB		1		1		+			<u> </u>	<u> </u>
LIDB Common Transport per query	OQT	\$0,00004	\$0.0003	\$0.0000338	\$0.00006	100000418	\$0.0000446	\$0.0003	\$0.0000442	\$0.0003
LIDB Validation per query	ÖQU	\$0.041003	\$0.041003	\$0.0105974	\$0.00938		\$0.0142132	\$0.013400		
LIDB Originating Point Code Establishment or Change - NRC	N/A	\$64.36	NĂ	\$50,30	\$107.60	\$48.17	\$63.63	\$91.00	\$61.62	NA NA
NBC - Incremental Charge - Electronic Service Order	TBD	NA	NA	NA	NA	NA	NA	\$62.26	NA NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$25.93	NA	\$18.94	NA	\$18.14	\$25.52	\$26.94	\$27.84	\$91.00
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	NA	NA	NA	NA	NA	NA	NA	\$27.84	NA
		1	<u> </u>							
- STANGIG ENCLOSED TO SERVICE STATES				<u> </u>		t		·	<u>+</u>	┼───
CC57 Signaling Connection, per link (A link) per month		\$18.79	\$5.00	\$17.05	\$16.31	\$19.48	\$21.58	\$155.00	\$21.79	\$155.00
NRC		\$171.98	\$400.00	\$131.96	\$354.95	\$126.34	\$169.72	\$510.00	\$277.07	\$510.00
NRC - Disconnect		\$135.70	NA	NA	NA	\$101.10	\$134.08	NA	\$42.95	NA
NRC - Incremental Charge - Manual Service Order	SOMAN	\$25.93	NA	\$18.94	NA	\$18.14	\$25.52	NA	NA	NA NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$16.31	NĂ	NA	NA	\$11.40	\$16.05	NA NA	NA	NA
CCS7 Signaling Connection, per link (B link) (also known as D link) per month		\$18.79	\$5.00	\$17.05	\$16.31	\$19.48	\$21.58	\$155.00	\$21.79	Not availab
NRC		\$171.98	\$400.00	\$131.96	\$354.95	\$128.34	\$169.72	\$510.00	\$277.07	\$510.00
NRC - Disconnect		\$195.70	NA	NA	NA	\$101.10	\$134.08	NA	\$42.95	NA
NRC - Incremental Charge - Manual Service Order	SOMAN	\$25.93	NA	\$18.94	NA	\$18.14	\$25.52	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$16.31	NA	NA	NA	\$11.40	\$16.05	NA	- NA	NA
CCS7 Signaling Termination, per STP port per month		\$148.72	\$113.00	\$133.99	\$174.08	\$161.99	\$161.12	\$132.88	\$156.33	\$355.00
CCS7 Signaling Usage, per ISUP message		\$0.00004	\$0.00001		\$0.000037893		\$0.0000456	\$0.00004	\$0.0000452	
(applicable when measurement and billing capability exists.)			<u> </u>					0.0000	40.000000	
CCS7 Signaling Usage, per TCAP message		\$0.0001	\$0.00004	\$0.0000870	\$0.000102042	\$0.0001052	\$0.0001115	\$0.00009	\$0.0001108	\$0.00005
(applicable when measurement and billing capability exists.)									40.0001100	<u> </u>
CCS7 Signaling Usage Surrogale, per link per LATA per mo (9)		\$376.12	\$64.00	\$340.67	\$329.98	\$406.71	\$406.53	\$338.98	\$396.55	\$395.00
CCS7 Signaling Point Code, Establishment or Change, per STP affected										
NRC		\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00
PENALOR LALLS PROPERTY AND AND ADDRESS OF THE REAL PROPERTY AND ADDRESS OF THE REAL PROPERTY AND ADDRESS OF THE REAL PROPERTY AND ADDRESS OF THE REAL PROPERTY										
Operator Provided Call Handling per min - Using BST LIDB	N/A	\$1.21	\$1.00	\$0.9680296	\$1.6016	\$0.91	\$1.19	\$1.20	\$121	NA
Call Completion Access Termination Charge per call attempt	N/A	\$0.08	NA	NA	NA	NA	NA	NA	\$0.06	NA
Operator Provided Call Handling per min - Using Foreign LIDB	N/A	\$1.25	\$1.00	\$1.02	\$1.6249	\$0.96	\$1.24	\$1.24	\$1.25	NĂ
Call Completion Access Termination Charge per call attempt	N/A	\$0.08	NA	NA	NA	NA	NA	NA	\$0.08	NA
Operator Provided Call Handling, per call	N/A	NA	NA	NA	NA	NA	NA	NA	NA	\$0.30
Fully Automated Call Handling per call - Using BST LIDB	N/A	\$0.11	\$0.10	\$0.0776409	\$0.0856	\$0.10	\$0.1072884	\$0.11	\$0.1115808	\$0.15
Fully Automated Call Handling per call - Using Foreign LIDB	N/A	\$0.13	\$0.10	\$0.0976984	\$0.1071	\$0.12	\$0,1253666	\$0.12	\$0.1293459	\$0.15
Professional recording of name (OCP alone)	USOD1	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	
Professional recording of name (DA and QCP alone)	USOD1	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00
DRAM or front-end loading, per TOPS switch	USOD2	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00
AABS or back-end loading, per NS	USOD2	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00
EBAS or 0- automation loading, per NAV shelf	US002	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00
Recording Charge per Branded Announcement – Disconnect – Initial	N/A	\$9.61	NA							36470.00

Version 2000:8/10/00

BELLSOUTHWATC RATES NETWORK ELEMENTS AND OTHER SERVICES OSS/SWA 800/DATABASES

.

.

.

Attachment 2 Exhibit D Rates - Page 76

.

ESCRIPTION ecording Charge per Branded Announcement - Disconnect - Subsequent	USOC N/A	<u>AL</u>	FL							
Actually even as her second se		\$9.61	NA	NA I	NĂ	NA	NA	NA	NA	NA
4 I										·
ARD OPERATOR SERVICES				1						
enfication, per minute	N/A	\$1.16	NA	\$0,921083	NÁ	\$0.86	\$1.14	\$1.15	\$1.15	NA
	N/A	\$1.16	NA	\$0.921083	NA	\$0.86	\$1.14	\$1.15	\$1.15	NA
erification and Emergency Interrupt, per minute		NA NA	\$0.80	NA	\$1.00	NA	NA	\$0.54	NA	\$0.90
erification, per call	N/A	NA NA	\$1.00	NA 1	\$1.111	NA	NA NA	\$0.65	NA	\$1,95
erification and Emergency Interrupt, per call		NA	31.00				197			
RECTORY ASSISTANCE SERVICES		\$0.10	\$0,10	\$0.10	\$0.10	\$0.10	\$0.10	\$0.062	\$0.10	\$0.10
rectory Assist Call Completion Access Svc (DACC), per call stiempt	N/A	NA NA	NA	NA NA	NA	NA	NA	NA	\$0.06	NA
all Completion Access Term charge per completed call	<u> </u>	\$0,0235	\$0.01	\$0.0097497	\$0.0086	\$0.02	\$0.0188268	\$0.0110	\$0.0124036	\$0.15
umber Services Intercept per query		NA	NA	NA	\$0.0055	NA	NA	NA	NA	NA
umber Services Intercept per Intercept Query Update		\$0.275	\$0.275	\$0.275	\$0.275	\$0.275	\$0.275	\$0.260000	\$0.275	\$0.275
Inactory Assistance Access Service Calls, per call		\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00
roleasional recording of name (DA alone)		\$7,000.00		\$7,000.00	\$7.000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7.000.00	\$7,000.00
roleasional recording of name (DA and OCP alone)	N/A	\$250.00	\$7,000.00	\$250,00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00
RAM or front-end loading, per TOPS switch		\$250.00	\$250.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00
ABS or beck-end loading, per IVS	N/A			<u>\$225.00</u> \$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00
BAS or 0- automation loading, per NAV sheli	N/A	\$270.00	\$270.00 NA	\$270.00 NA	<u>\$270.00</u> NA	3270.00 NA	<u>\$270.00</u>	NA	3270.00 NA	3270.00 NA
ecording Charge per Branded Announcement - Disconnect - Initial	N/A	\$9.61		NA NA	NA NA	NA NA	NA NA	NA	NA	NA
ecording Charge per Branded Announcement - Disconnect - Subsequent		\$9.61	<u>NA</u>		A		1904		<u> ''*'</u>	
		- 1	<u> </u>	{ł		}			┟	
		-	\$43.64	\$38.96	\$36.32	\$43.83	\$38.91	\$35.66	\$37.20	\$133.81
Inectory Transport - Local Channel DS1, par month	<u>N/A</u>	\$35.52	\$242,45	\$356.15	\$637.46	\$339.69	\$494.83	\$534.48	\$534.81	\$868.97
NRC - 1st	N/A	\$503.57 \$442.84		\$350.15	\$546.94	\$298.29	\$435.28	\$462.69	\$462.81	\$486.83
NRC - Add1	N/A		\$226.44	NA	3046.94 NA	\$33.02	\$46.85	NA	NA	NA
NRC - Disconnect Charge - 1st	N/A N/A	\$46.28	NA NA	NA NA		\$23.32	\$33.02	NA	NA I	NA
NRC - Disconnect Charge - Add1				\$44.22		\$42.34	\$59.58	\$96.15	\$87.99	NA
NRC - Incremental Charge-Manual Svc Order - NRC - 1st	SOMAN	\$61.99	NA NA		NA	NA NA	309.00	\$1.77	NA NA	NA
NRC - Incremental Charge-Manual Svc Order - NRC -addi	TBO	NA					\$27.41	NA	\$3.11	NA NA
NRC - Incremental Charge-Manual Svc Order - NRC-Disconnect	SOMAN	\$29.27	NA	NA	NA	\$19,48	\$0.6598	\$0.5753	\$0.7598	\$23.00
Irectory Transport - Dedicated DS1 Level Interoffice per mile per mo	N/A	\$0.6923	\$0.6013	\$0,4523	\$0.45	\$0.78	\$74.40	\$71.29	\$94.96	\$90.00
irectory Transport - Dedicated DS1 Level Interoffice per facility termination per mo		\$79.69	\$99.79	\$78.47	\$55.05	\$93.40		\$217.17	\$216.27	\$100.49
NRC - 1st	<u>N/A</u>	\$198.15	\$45.91	\$147.07	\$298.18	\$140.49	\$196.28 \$147.31	\$163.75	\$162.70	\$100.49
NRC - Addi	<u> N/A</u>	\$148.18	\$44.18	\$111.75	\$231.18	\$106.69		NA	NA	NA
NRC - Disconnect Charge - 1st	N/A	\$25.44	NA	NA	NA	\$20.00	\$26.56	NA NA	NA	NA
NRC - Disconnect Charge - Add"	N/A	\$20.42	NA	NA	NA	\$16.34	\$21.61	\$38.07	\$39.63	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	\$38.07	\$39.63	
NRC - Incremental Charge - Manual Service Order - Add7	SOMAN	\$27.37	NA	NA	NA	\$18.14	\$25.52	\$38.07 NA	NA	NA NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$12.97	NA	NA	NA	\$8.06	\$11.34		NA NA	NA NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	SOMAN	\$12.97	NA	NA	NA	\$8.06	\$11.34	50.00020	\$0.000327	NA NA
Whiched Common Transport per DA Access Service per cell	N/A	\$0.0003	\$0.0003	\$0.0002906	\$0.000175		\$0.0002997		\$0.000327	NA NA
witched Common Transport per DA Access Service per call per mile	<u>N/A</u>	\$0,00003	\$0.00001	\$0.0000166	\$0.000004					
ccess Tandem Switching per DA Access Service per call	N/A	\$0.0023	\$0.00055	\$0.0019152	\$0.000783		\$0.0023713	\$0.0021	\$0.0024809	NA_
A Interconnection, per DA Access Service Call	N/A	\$0.00269	NA	\$0.00269	NA	NA	NA	\$0.00	\$0.000269	NA
Prectory Transport-Installation NRC, per trunk or signaling connection	N/A		L					NA	P40304	<u>├──</u> ──
NRC - 1st	<u>N/A</u>	\$260.69	\$206.06	\$204.23	\$501.98	\$195.54	\$257.73		\$407.81	
INRC - Add'I	<u>N/A</u>	\$5.95	\$4.71	\$4.42	\$13.32	\$4.23	\$5.85	NA	\$11.00	NA
NRC - Disconnect Charge - 1st	N/A	\$173.46	NA	NA	NA	NA	NA	NA	NA	NA
NRC - Disconnect Charge - Add'l	N/A	\$5.95	NA	NA	NA	NÁ	NA	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$44.22	NA	\$130.05	\$171.49	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	NA	NA	NA	NA	\$4.23	\$5.85	NA	NA	NA_
NRC - Manual Service Order - 1st	TBD	NA	NA_	NA	NA	NA NA	NA	\$407.53	NA	NA
NRC - Manual Service Order - Add1	TBD	NA	NA	NA	NA	NA	NA	\$10.98	NA	NA
	1		<u> </u>							
ICC. A MANY TIMES CONSTRUCTIONS	<u> </u>		1	1	<u> </u>	1	r			
The second second second second second second second second second second second second second second second se										NA

Version 2000:8/10/00

BELLSOLITH/NATC PATES NETWORK ELEMENTS AND OTHER SERVICES OSS/SWA 8XX/DATABASES

.

Atlachment 2 Exhibit D Rates - Page 77

DESCRIPTION	USOC	AL	- a.	GA	КУ	LA	MS	NC	SC	TN
Directory Assistance Database Service, per month	DBSOF	\$128.55	\$100.00	\$95.50	\$120.76	\$90.54	\$126.17	\$126.26	\$127.23	NA
						1				
		···								
HALL ACCOUNT OF DESCRIPTION AND ADDRESS SERVICE (DADAS)				1						
Direct Access to Directory Assistance Service, per month	DBSDS	\$7,055.00	\$5,000.00	\$5,254.00	\$7,235.01	\$4,982.00	\$6,926.00	\$6,930.00	\$6,983.00	NA
Direct Access to Directory Assistance Service, per query	DESDA	\$0.0472685	\$0.01	\$0.0469016	\$0.0052	\$0.0460	\$0.0481336	\$0.0456	\$0.0468212	NA
Direct Access to Directory Assistance Service, svc estab charge	DBSDE									
	DBSDE	\$1,118.00	\$820.00	\$768.24	\$1,186.94	\$786.82	\$1,097.00	\$1,164.00	\$1,173.00	NĂ
NRC - Disconnect	DBSDE	\$81.83	NA	NĂ	NA	NA	NA	NA	NA	NA
NRC - Incremental Charge Manual Service Order - 1st	SOMAN	NA	NA	NA	NA	\$57.23	\$80.52	NA	NA	NA
										TBD
AIN, per message	CAM	NA	\$0.00004	NA	NA	NĂ	NA	NA	NA	NA
AIN - BellSouth AIN SMS Access Service	CAM								NA	NA
Service Establishment Charge, per state, initial set-up							1			
	CAMSE	\$197.49	NA	\$90.25	NA	\$153.31	\$174.03	\$294.77	\$296.16	NA
NRC - Disconnect	CAMSE	\$114.22	NA	NA	NA	\$78.05	\$135.96	NA	NA	NA
Port Connection - Dial/Shared Access			L							
	CAMOP	\$64.05	NA	\$29.66	NA	\$50.07	\$53.47	\$86.94	\$87.29	NA
NRC - Disconnect	CAMDP	\$27.04	NA	NA	NA	\$18.61	\$37.70	NA	NA	NA
Part Connection - ISDN Access			L	1-00000						NA
	CAM1P	\$64.05	<u>NA</u>	\$29.66		\$50.07	\$53.47	\$86.94	\$87.29	NA
NRC - Disconnect	CAM1P	\$27.04	NA	NĂ	NA	\$18.61	\$37.70	NA	NA	<u>NA</u>
User ID Codes - per User ID Code			f			-		4000	A	NA
NRC Disconnect	CAMAU	\$141.84	NA .	\$84.43	NA	\$104.95	\$129.83	\$200.83	\$202.08	NA NA
	CAMAU	\$70.05	NA	NA	NA _	\$48.95	\$79.91	NA	NA	NA
Security Card per User ID Code, initial or replacement	CAMRC	\$142.13	NA	\$35.44	NA	\$125.33	\$131.54	\$172.05	\$172.26	NA
INRC - Disconnect	CAMPIC	\$142.13	NA NA	335.44 NA	<u>NA</u>	\$125.33	\$45.77	NA	NA	NA
	N/A	\$0.0026		\$0.0023	NA NA	\$24.40	\$0.0029	\$0.0023	\$0.0028	NA
Storage, per unit (100Kb) Session per minute	N/A	\$0.0692		\$0.0795604	NA NA	\$0.0029 \$0.10	\$0.0975650		\$0.0942966	NA
C0. Performed Session, per minute	AVA	30.0892	<u>NA</u>	\$0.0785604	NA NA	\$1.97	\$2.09	\$2,08	\$0.0942300 \$2.07	NA
AIN - BeilSouth Ain Toolicit Service						31.97	<u> </u>	32.00	42.07	
Ain. Service Creation Tools	CAMBP	NA	TBD	NA	NA	NA	NA	NA	NA	NA
Service Establishment Charge, per state, initial set-up			100	<u> </u>			<u> </u>	<u> </u>	<u> </u>	
NRC	BAPSC	\$192.69		\$86.74	NA	\$153.25	\$169.31	\$290.05	\$291.41	NA
NRC - Disconnect	BAPSC	\$114.22	NA NA	NA	NA NA	\$78.05	\$135.96	NA NA	NA	NA -
Training Session, per customer	UNF OV		t				+ <u>*,</u> -			
I raining cessor, per customer	BAPVX	\$8,363.00	NA	\$8,348.00	NĂ	\$8,315.00	\$8,379.00	\$8,363.00	\$8,333.00	NA
NRC - Disconnect	BAPVX	NA NA	NA -	NA	NA NA	NA	NA NA	NA	NA	NA
Trigger Access Charge, per trigger, per DN, Term. Attempt		+						<u> </u>		
INRC	BAPTT	\$49.84	NA	\$19.13	NA	\$41,08	\$39.30	\$72.76	\$73.02	NA
INRC - Disconnect	BAPTT	\$27.04	NA -	NA	NA NA	\$18.60	\$37.70	NA	NA	NA
Trigger Access Charge, per trigger per DN, Off-Hook Delay		+	t	<u> </u>		÷.0.0v	†		t	
INRC	BAPTD	\$49.64	T NA	\$114.80	NA	\$41.08	\$39.30	\$72.76	\$73.02	NA
NRC - Disconnect	BAPTD	\$27.04	NA -	NA	NA	\$18.60	\$37.70	NA	NA	NA
Trigger Access Charge, per trigger, per DN, Off-Hook Immediate			t	+		1	† <u> </u>	<u> </u>	<u>fi</u>	
INRC	BAPTM	\$49.64	NA	\$19.13	NA	\$41.08	\$39.30	\$72,76	\$73.02	NA
NRC - Disconnect	BAPTM	\$27.04	NA	NA	NA -	\$18.60	\$37.70	NA	NA	NA
Trigger Access Charge, per trigger, per DN, 10-Digit PODP			t				+	1	1	
NRC	BAPTO	\$117.98	NA	\$70.06	NA	\$92.99	\$106.90	\$149.95	\$150.25	NA
NRC - Disconnect	BAPTO	\$37.90	NA -	NA	NA	\$26.73	\$48.44	NA	NA	NA
Trigger Access Charge, per trigger, per DN, CDP			t <u> </u>	t	·····	<u> </u>	†		1	
NRC	BAPTC	\$117.98	NA	\$70.06	NA	\$92,99	\$106.90	\$149.95	\$150.25	NA
NRC - Disconnect	BAPTC	\$37.90	NA NA	NA	NA	\$26.73	\$48.44	NA	NA	NA
Trigger Access Charge, per trigger, per DN, Feature Code			+ <u>·</u>	<u>† · · · · · · · · · · · · · · · · · · ·</u>			†		+	

Version 2000:8/10/00

.

BELLSOUTHMATC RATES NETWORK ELEMENTS AND OTHER SERVICES OSS/SWA 8XX/DATABASES

-

٠

Attachment 2 Exhibit D Fates - Page 78

Destriction Destrict BAPTING NA FAD Destrict NA Status S			· · · · ·							00	TN
Insc Decrement DAPPE Link LA LA <thla< th=""> <thla< th=""> LA</thla<></thla<>	DESCRIPTION	USOC	AL	FI.	GA	KY III		MS	NC	SC SC	
Descriptions Description Description <thdescription< th=""> <thdescription< th=""></thdescription<></thdescription<>											NA NA
Burger 1 Biologic Autor Coll Biologic Autor Autor Coll		BAPTE									NA
Instrum Instrum <t< td=""><td>Charge, per query</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NA</td></t<>	Charge, per query										NA
March Startes Startes Startes Startes Startes Startes Startes INTC Disconnect BAPHES Startes BAPHES Startes Startes<	Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query		\$0.006	NA	\$0.0053137	NA NA	\$0.0065	\$0.0065161	\$0.005	\$0.0062979	NA
Bit Control Bit Addition Bit Addition </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>A1.10</td> <td></td> <td></td>									A1.10		
Bench Papert. per All Toolal Service Subscription BA/NES \$10.00 NA \$10.30 \$10.20											NA
BRR: Disconce BAPIS Still Bit NA NA NA NA NA NA NA INIC: Discitions BAPIS Still Bit NA Still Bit Still Bit <t< td=""><td>Monthly Report - per AIN Toolkit Service Subscription</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NA</td></t<>	Monthly Report - per AIN Toolkit Service Subscription										NA
Spen Track Processing TAX-15 EX.10 NA EX.09 EX.09 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>NA</td>											NA
System ExATES EX7.74 NA EX2.74 NA EX2.74 NA EX2.77 FM 221 EX7.70 FM 221 EX7.75	NRC - Disconnect			•							NA
NRC BARCS 84774 NA 822.44 NA 827.77 97.21 97.20 97.20 97.20 Call Event Report - per AN Toolid Service Subscription BAPOS 812.90 NA 812.90 NA 812.90 NA 812.90 812.97	Special Study - per AIN Toolkit Service Subscription										NA
Call multi-robust reg. M DAPOS S15.00 S15.00 S15.80											NA
Cast = Friting: Dear Dock EARDOS EARDOS <theardos< th=""></theardos<>	NRC - Disconnect										NA
INPC DAPOS 544.56 NA 522.64 NA 534.67 544.02 571.20 572.15 NA INPC Discornect BAPOS 551.64 MA NA 521.27 551.28 NA 500.00 80.002 80.001 80.	Call Event Report - per AIN Toolkit Service Subscription	BAPDS	\$15.90								NA
Image: Image:		BAPDS	\$44.56								NA
Call Fewit special Study - per AN Toolkit Senterspiton BAPES \$0.0023074 NA \$0.00266 \$0.002670 S0.002 S0.0023002 NRC BAPES \$10.00 BAPES \$10.00 \$87.21 \$47.21 \$47.20 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>NA</td>											NA
INRC BAPES \$47.71 NA S87.77 S47.21 \$47.25 \$47.25 INRC - Disconnet BAPES \$15.90 NA S0.016 \$0.016 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NA</td></t<>											NA
INRC Disconnect BAPES 315.90 NA Stories		BAPES	\$47.74	NA	\$22.64	NA	\$37.77				NA
All And Realing (CAMB) OUTSINY SERVICE N/A SO.016 SO		BAPES	\$15.90	NA	NA	NA	\$37.77	NA	NA	NA	NA
CHAIL (Detablese Omeny, Per Cuery N/A \$0.016 \$0.016 \$0.016 \$0.016 \$0.016 \$0.017<		·	1								
CHAIL (Detablese Omeny, Per Cuery N/A \$0.016 \$0.016 \$0.016 \$0.016 \$0.016 \$0.017<											
OFNEM NA SO.01 SO	CNAM (Detabase Owner). Per Query	N/A	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016
OFF NAC \$595.00 \$595.20 \$505.00 \$505.0						\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01
Volume and term anagements are also available. NA NA <th< td=""><td>INRC, applicable when CLEC 1 uses the Character Based User Interface (CHUI)</td><td>N/A</td><td>\$595.00</td><td>\$595.00</td><td>\$595.00</td><td>\$595.00</td><td>\$595.00</td><td>\$595.00</td><td>\$595.00</td><td>\$595.00</td><td>\$595.00</td></th<>	INRC, applicable when CLEC 1 uses the Character Based User Interface (CHUI)	N/A	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00
Bar Define POurtres: NA NA <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>·</td>											·
IPer Line or PBX Trunk, each NA <			<u>+</u> ~		<u> </u>						
IPer Line or PBX Trunk, sech NA <			<u> </u>		<u> </u>			<u> </u>		1	
Initial of text relative with NA		~·	NA	NA	NA	\$10.00 (Interim	NA	NA	NA	NA	TBD
Intel Intel NA NA NA NA NA NA INRC USRCR \$230.60 \$229.65 \$180.62 \$229.65 \$20.65 \$10.65 NA NA NA NA NA NA \$10.65 \$10.65 \$10.65 \$10.65 \$10.65 \$10.65 \$10.65									NA	NA	TBD
Ubschnizzer Ubschlage Ubschlage Ubschlage State Stat					<u> </u>	<u> </u>			NA	NA	NA
NRC Incremental Charge Max \$18.94 NA \$18.94 NA \$18.94 NA \$25.52 NA \$27.94 INRC Incremental Colocation - Application Cost – Manual TBD NA NA NA NA NA NA \$25.52 NA \$27.94 INRC Virtual Colocation - Application Cost – Manual TBD NA N			5230.60	\$220.65	\$180.62	\$229.65			\$229.65	\$226.22	\$229.65
Invol Invol <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NA</td></th<>											NA
INRC - Virtual Collocation - Application Cost Per Cable - Manual TBD NA NA <thna< th=""> NA N</thna<>	NHSC - Incremental Charge - Manual Service Croel	······			410.04						
INRC - Virtual Collocation - Application Cost Per Cable - Manual TBD NA NA <thna< th=""> NA N</thna<>			+		<u> </u>			<u> </u>		1	
Inflor Virtual Collocation - Pague annual cost per Cable - Manual TBD NA		TEN	NA	NA	NA	NA	NA	NA -	\$3.622.00	NA NA	NA
Inflic Virtual Collocation Floor NA NA <th< td=""><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NA</td></th<>			1								NA
Inc Withai Colocation - Pick spits Quals Cell TBD NA											NA
Inc Vitual Colocation - Code support structure, per entrance cable TBD NA N											NA
Inc - Vital Concert Inc											NA
RC UEAC2 \$0.28 \$0.524 \$0.30 \$0.31 \$0.26 \$0.3996 \$0.09 \$0.3648 \$ NRC - 1st UEAC2 \$30.76 \$11.57 \$12.60 \$54.21 \$23.04 \$30.93 \$41.78 \$41.78 \$41.50 \$51.07 \$22.11 \$29.40 \$51.07 \$22.11 \$29.29 \$39.94 \$7 NRC - Add1 MEC - 1st - Manual Service Order TBD NA NA NA NA NA NA NA \$44.75 NA NRC - Add1 - Manual Service Order TBD NA NA NA NA NA NA NA NA \$47.75 NA NRC - Add1 - Manual Service Order TBD NA NA NA NA NA NA \$11.57 \$12.60 \$45.48 \$11.75 NA NRC - Disconnect - 1st UEAC2 \$11.37 NA NA NA NA NA NA NRC - 1st - Manual Service Order UEAC4 \$0.56 \$0.524 \$0.50		100	<u> </u>						\$10.00		
Inc. Ourse View View <t< td=""><td></td><td></td><td>60.20</td><td>60 624</td><td>1 20 30</td><td>en 91</td><td>\$1.28</td><td>60 3008</td><td>\$0.09</td><td>\$0.3649</td><td>\$0.30</td></t<>			60.20	60 624	1 20 30	en 91	\$1.28	60 3008	\$0.09	\$0.3649	\$0.30
Internal Service Order UEAC2 \$29.40 \$11.57 \$12.60 \$51.07 \$22.11 \$29.59 \$39.23 \$38.94 \$1 NRC - 1st - Manual Service Order TBD NA NA <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>\$19.20</td></t<>											\$19.20
NRC - Add1 NRC - Add1 NRA											\$19.20
NRC - 1st NRC - Marual Service Order TBD NA											NA
Inflic - Manual Service Order ICC NA											NA
Inflo Disconnect AddT UEAC2 \$11.38 NA NA NA \$8.54 \$11.43 NA NA 4 wire Cross-Connect UEAC2 \$11.38 NA											NA NA
Inflo Obsol Other Other <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NA</td></th<>											NA
RC UEAC4 \$0.56 \$0.524 \$0.62 \$0.52 \$0.7992 \$0.18 \$0.7297 \$ NRC - 1st UEAC4 \$80.71 \$11.57 \$12.60 \$\$4.23 \$23.23 \$31.17 \$41.191 \$41.56 \$ NRC - Add1 UEAC4 \$80.71 \$11.57 \$12.60 \$\$54.23 \$23.23 \$31.17 \$44.156 \$ NRC - Add1 UEAC4 \$80.43 \$11.57 \$12.60 \$\$60.96 \$22.24 \$29.77 \$\$98.90 \$ NRC - Add1 MRC - Manual Service Order TBD NA NA NA NA \$4.73 NA NRC - Add1 - Manual Service Order TBD NA NA NA NA NA NA \$4.73 NA NRC - Add1 - Manual Service Order TBD NA NA NA NA NA NA \$4.73 NA NRC - Disconnect - 1st UEAC4 \$12.82 NA NA NA \$4.40 NA		UEAC2	<u>\$11.38</u>	NA		<u>NA</u>	38.54	<u>11.43</u>			NA
Inc UEAC4 \$86.71 \$11.57 \$12.80 \$54.23 \$23.23 \$31.17 \$41.91 \$41.56 \$ NRC - Add1 UEAC4 \$60.43 \$11.57 \$12.60 \$50.96 \$22.24 \$29.77 \$39.25 \$38.90 \$ NRC - Add1 UEAC4 \$60.43 \$11.57 \$12.60 \$50.96 \$22.24 \$29.77 \$39.25 \$38.90 \$ NRC - Tst - Manual Service Order TBD NA NA NA NA NA \$4.73 NA NRC - Add1 - Manual Service Order TBD NA NA NA NA NA \$4.73 NA NRC - Disconnect - 1st UEAC4 \$12.82 NA NA NA NA NA NA			+					+			
NRC - 1st UEAC4 \$50.43 \$11.57 \$12.60 \$50.96 \$22.24 \$29.77 \$39.25 \$38.90 \$ NRC - 1st - Manual Service Order TBD NA NA NA NA NA NA \$4.73 NA NRC - 1st - Manual Service Order TBD NA NA NA NA NA \$4.73 NA NRC - Obscormect - 1st UEAC4 \$12.82 NA											\$0.50
NRC - AddT UEAC4 \$50.43 \$11.57 \$12.60 \$50.96 \$22.24 \$29.77 \$39.25 \$38.90 \$1 NRC - 1st - Manual Service Order TBD NA	NRC - 1st										\$19.20
NRC - Addr NA NA NA NA NA NA NA NRC - Disconnect - 1st UEAC4 \$12.82 NA NA NA NA NA											\$19.20
NRC - Add1 - Manual Service Order TBD NA	NRC - 1st - Manual Service Order										NA
NRC-Disconnect-1st UEAC4 \$12.82 NA NA NA \$9.53 \$12.83 NA NA											NA
		UEAC4									NA
		UEAC4	\$11.39	NA	NA	NA	\$8.55	\$11.43	NA	NA	NA
2-fiber Cross-Connect			1	T	T		l				
2100 NA \$15.64 \$15.13 \$15.64 \$		CNC2F	\$12.10	NA	\$15.64	\$15.64	\$19.13	\$15.64	\$15.99	\$15.06	\$15.64

Version 2000:8/10/00

BELLSOUTHINATC RATES NETWORK ELEMENTS AND OTHER SERVICES OSS/SWA 8XX/DATABASES

.

.

DESCRIPTION	USOC	AL	FL	GA	КҮ	LA	MS	NC	SC	TN
	CNC2F	\$55,46	NA	\$41.56	\$41.56	\$41.07	\$41.56	\$67.34	\$69.28	\$41.56
INRC - Add1	CNC2F	\$39.18	NA	\$29.82	\$29.82	\$29.63	\$29.82	\$48.55	\$48.89	\$29.82
NRC - Disconnect - 1st	CNC2F	\$16.83	NA	NA	NA	\$12.84	\$12.96	NA	NA	NA
NRC - Disconnect - Add'l	CNC2F	\$13.27	NA	NA	NA	\$10,29	\$10.34	NA	NA	NA
Littler Cross-Connect							<u> </u>		-	
	CNC4F	\$21,75	NA	\$28,11	\$28.11	\$34.38	\$28.11	\$28.74	\$27.08	\$28.11
INRC - 1st	CNC4F	\$66.71	NA	\$50.53	\$50.53	\$49.81	\$50.53	\$82.35	\$84.07	\$50.53
NRC - Add	CNC4F	\$50,43	NA	\$38.78	\$38.78	\$38.37	\$38.78	\$63.58	\$63.68	\$38.78
NRC - Disconnect - 1st	CNC4F	\$21.86	NA	NA	NA	\$16.75	\$16.97	NÁ	NA	NA
NRC - Disconnect - Add'l	CNC4F	\$18.31	NA	NA	NA	\$14.20	\$14.35	NA	NA	NA
DS1 Cross-Connects		1		<u></u>						
	TBD	NA	NA	NA	NA	NA	NA	\$0.97	NA	NA .
NRC - 1st	TBD	NA	NA	NA	NA	NA) NA	\$71.02	NA	NA
NRC - Addri	TBD	NA	NĂ	NA	NA	NA	NA	\$51.08	NA	NA NA
NRC - Manual Service Order - 1st	TBD	NA	NA	NA	NA	NA	NA	\$4.70	NA	NA
INRC - Manual Service Order - Add1	TBD	NA	NA	NA	NA	NA	NA	\$4.70	NA	L NA
DS3 Crose-Connects		1		1						
	780	NA	NA	NA	NA	NĂ	NA	\$12.33	NA	NA
INRC - 1st	TBO	NA	NA	NA	NA	NA	NA	\$69.84	NA	NĂ
NRC - Add1	TBD	NA	NA	NA	NA	NA	NA	\$49.43	NA	NA
NRC - Manual Service Order - 1st	TBD	NA	NA	NA	NA	NA	NA	\$4.70	NA	NA
NRC - Manual Service Order - Add1	TBD	NA	NA	NA	NA	NA	NA	\$4.70	NA	NA
				J	<u> </u>			1		
f no rate is identified in the contract, the rate for the specific service or function will be as a	et forth in applicat	e BellSouth ta	iff or as nego	tiated by the pa	arties upon reque	ist by either pa	rty			<u></u>
1 BellSouth and CLEC shall negotiate rates for this offering. If agreement is not reached within sixty (60) days of the Effective Date, either party may petition the Florida PSC to settle the disputed charge or charges. (FL)										
2 This rate element is for those states w/o separate rates for 800 calls with 900 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features.	,									
3 This charge is only applicable where signaling usage measurement or billing capability does not exist.		1]		<u> </u>	Ì	ļ	 		ļ
4 Prices for AIN to be determined upon development of mediation device. (TN)			l	<u> </u>	<u> </u>	L	{	f	ł	+
5 Price for Line Class Codes for Selective Routing shall be determined by the TRA. (TN)	1						<u> </u>	<u> </u>	<u> </u>	<u> </u>

.

Attachment 3 Page 1

Attachment 3

.

Local Interconnection

C:\WINDOWS\TEMP\AT334D~1. DOC7/7/00Version

TABLE OF CONTENTS

1.	NETWORK INTERCONNECTION	. 3
2.	INTERCONNECTION TRUNKING AND ROUTING	. 8
3.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION	. 9
4.	PARITY IN ORDERING AND PROVISIONING	11
5.	LOCAL DIALING PARITY	12
6.	INTERCONNECTION COMPENSATION	12
7.	FRAME RELAY SERVICE.	19
8.	OPERATIONAL SUPPORT SYSTEMS (OSS) RATES	22

Network Interconnection

The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:

1. NETWORK INTERCONNECTION

- 1.1 Interconnection is available to both Parties through: (1) delivery of a Party's facilities to a collocation arrangement or Fiber Meet arrangement as defined in this Agreement; or (2) interconnection via purchase of facilities from the other Party. Interconnection may be provided by the Parties at any other technically feasible point. Requests to BellSouth for interconnection at other points may be made through the Bona Fide Request/New Business Request process set out in Attachment 12.
- 1.2 NATC must establish, at a minimum, a single Point of Presence, Interface, and Interconnection with BellSouth within the LATA for the delivery of traffic originated by NATC. Each party hereto is free to define its own local calling area, subject to state commission approval where required. If NATC chooses to interconnect at a single Point of Interconnection within a LATA, the interconnection must be at a BellSouth Access Tandem. Furthermore, for LATAs served by multiple Access Tandems, NATC must establish trunks from the Point of Interconnection to the remaining Access Tandems where NATC's NXXs are homed. It is NATC's responsibility to enter its own NPA/NXX access homing arrangements into the LERG. In order for NATC to home its NPA/NXXs on a BellSouth tandem, NATC's NPA/NXX must be assigned within the Exchange Rate Center areas served by that BellSouth Tandem as specified by BellSouth. Any new Rate Centers established by either Party within a BellSouth tandem serving area must be approved by the Commission and defined in the Local Exchange Routing Guide ("LERG"). The specified association between BellSouth tandems and Exchange Rate Center areas will be defined in the LERG. A "Homing" arrangement is defined by a "Final" Trunk Group between the BellSouth Tandem and NATC 's End Office switch. A "Final" Trunk Group is the last choice telecommunications path between the Tandem and End Office switch. It is NATC's responsibility to enter its own NPA/NXX access and/or local tandem "homing" arrangements into the national Local Exchange Routing Guide (LERG).

- 1.3 A <u>Point of Presence (POP)</u> is the physical location (a structure where the environmental, power, air conditioning, etc. specifications for a Party's terminating equipment can be met) at which a Party establishes itself for obtaining access to the other Party's network. The POP is the physical location within which the Point of Interfaces occur.
- 1.4 A <u>Point of Interface</u> is the physical telecommunications interface between BellSouth and NATC's interconnection functions. It establishes the technical interface and point of operational responsibility. The primary function of the Point of Interface is to serve as the terminus for the interconnection service. The Point of Interface has the following main characteristics:
 - 1. It is a cross-connect point to allow connection, disconnection, transfer or restoration of service.
 - 2. It is a point where BellSouth and NATC can verify and maintain specific performance objectives.
 - 3. It is specified according to the interface offered in the tariff or local interconnection agreement (for example: for DS1 service the FCC # 1 tariff specifies that the interface meets the technical specifications detailed in Generic Requirements GR-342-CORE, Issue 1, December 1995.)
 - 4. The Parties provide their own equipment (CPE) to interface with the DS0, DS1, DS3, STS1 and/or OCn circuits on the customer premises.
- 1.5 The **Point of Interconnection** is the point at which the originating Party delivers its originated traffic to the terminating Party's first point of switching on the terminating Party's common (shared) network for call transport and termination. Points of Interconnection are available at either Access Tandems, Local Tandems, or End Offices as described in this Agreement. NATC's requested Point of Interconnection will also be used for the receipt and delivery of transit traffic at BellSouth Access and Local Tandems. Points of Interconnection established at the BellSouth Local Tandem shall not be used to interconnect for the exchange of Switched Access Traffic.
- 1.6 NATC, at its option, shall establish Points of Presence and Points of Interface for the delivery of traffic originated by NATC to BellSouth. The Point of Interface may not necessarily be established at the Point of Interconnection.
- 1.7 BellSouth shall designate the Points of Presence and Points of Interface for the delivery of traffic originated by BellSouth to NATC for call transport and termination by NATC.

1.8 Interconnection via Purchase of Facilities

1.8.1 Either Party may purchase Local Channel facilities from the Party's specified Point of Interface to its designated serving wire center. The Parties agree that charges for such Local Channel facilities are as set forth in Exhibit A to this Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for a Local Channel, the rate shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services as filed and effective with the appropriate Commission.

Additionally, either Party may purchase Dedicated Transport facilities from its designated serving wire center to the other Party's first point of switching. The Parties agree that charges for such Dedicated Transport facilities are as set forth in Exhibit A to this Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for Dedicated Transport, the rate shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services services as filed and effective with the appropriate Commission.

- 1.8.2 For the purposes of this Attachment, Local Channel is defined as a switched transport facility between a Party's Point of Presence and its designated serving wire center.
- 1.8.3 For the purposes of this Attachment, Serving Wire Center is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its Point of Presence.
- 1.8.4 For the purposes of this Attachment, Dedicated Transport is defined as a switch transport facility between a Party's designated serving wire center and the first point of switching on the other Party's common (shared) network.
- 1.9 BellSouth Multiple Tandem Access (MTA) provides for LATA wide BellSouth transport and termination of NATC-originated local and intraLATA toll traffic by establishing a Point of Interconnection at a BellSouth access tandem with routing through multiple BellSouth access tandems as required. However, NATC must still establish Points of Interconnection at all BellSouth access tandems where NATC NXXs are "homed". MTA shall be provisioned in accordance with BellSouth's reasonable and nondiscriminatory Ordering Guidelines.
- 1.9.1 MTA does not include switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched Access traffic will be delivered to and by IXCs based on NATC's NXX Access Tandem homing arrangement as specified by NATC in the national Local Exchange Routing Guide (LERG).
- 1.9.2 For NATC-originated local and intraLATA toll traffic that BellSouth transports but is destined for termination by a third party network (transit traffic), BellSouth MTA is required if multiple BellSouth access tandems are necessary to deliver the call to the third Party network.
- 1.9.3 To the extent NATC does not purchase MTA in a calling area that has multiple access tandems serving the calling area as defined by BellSouth, NATC must establish Points of Interconnection to every access tandem in the calling area in order to serve the entire calling area. To the extent NATC does not purchase MTA and provides intraLATA toll service to its customers, it may be necessary for it to establish a Point of Interconnection to additional BellSouth access tandems that serve end offices outside the local calling area.

- 1.10 Local Tandem Interconnection. This interconnection arrangement allows NATC to establish a Point of Interconnection at BellSouth local tandems for : (1) the delivery of NATC -originated local traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's GSST, section A3 served by those BellSouth local tandems, and (2) for local transit traffic transported by BellSouth for third party network providers who have also established Points of Interconnection at those BellSouth local tandems.
- 1.10.1 If NATC opts for local tandem interconnection when a specified local calling area is served by more than one BellSouth local tandem, NATC must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, NATC may choose to establish a Point of Interconnection at the BellSouth local tandems where it has no codes homing but is not required to do so. NATC may deliver local traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where NATC does not choose to establish a Point of Interconnection. It is NATC's responsibility to enter its own NPA/NXX local tandem homing arrangements into the Local Exchange Routing Guide (LERG) either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to NATC's codes. Likewise, NATC shall obtain its routing information from the LERG.
- 1.10.2 Notwithstanding establishing Points of Interconnection to BellSouth's local tandems, NATC must also establish Points of Interconnection to BellSouth access tandems within the LATA on which NATC has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth cannot switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff.)
- 1.10.3 BellSouth's provisioning of local tandem interconnection assumes that NATC has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

1.11 Fiber Meet

1.11.1 "Fiber-Meet" is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface (as opposed to an electrical interface) at a mutually agreed upon location, at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends (i.e. Point Of Interface).

- 1.11.2 If NATC elects to establish a Point of Interconnection with BellSouth pursuant to a Fiber Meet, NATC and BellSouth shall jointly engineer and operate a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect networks and routing of local traffic via a Local Channel facility at either the DS0, DS1, or DS3 level and shall be ordered via an Access Services Request ("ASR") in the initial phase of this offering. The Parties shall work jointly to determine the specific transmission system. However, NATC's SONET transmission must be compatible with BellSouth's equipment in the serving wire center and the Data Communications Channel (DCC) must be turned off.
- 1.11.3 BellSouth shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the BellSouth Interconnection Wire Center ("BIWC").
- 1.11.4 NATC shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the NATC Interconnection Wire Center (""NATC Wire Center").
- 1.11.5 BellSouth shall designate a Point of Interface outside the BIWC as a Fiber Meet point, and shall make all necessary preparations to receive, and to allow and enable NATC to deliver, fiber optic facilities into the Point of Interface with sufficient spare length to reach the fusion splice point at the Point of Interface. BellSouth shall, wholly at its own expense, procure, install, and maintain the fusion splicing point in the Point of Interface. A Common Language Location Identification ("CLLI") code will be established for each Point of Interface. The code established must be a building type code. All orders shall originate from the Point of Interface (i.e., Point of Interface to NATC, Point of Interface to BellSouth).
- 1.11.6 NATC shall deliver and maintain such strands wholly at its own expense. Upon verbal request by NATC, BellSouth shall allow NATC access to the Fiber Meet entry point for maintenance purposes as promptly as possible and in a reasonable and nondiscriminatory manner.
- 1.11.7 The Parties shall jointly coordinate and undertake maintenance of the SONET transmission system. Each Party shall be responsible for maintaining the components of their own SONET transmission system.
- 1.11.8 Each Party will be responsible for (i) providing its own transport facilities to the Fiber Meet, and (ii) the cost to build-out its facilities to such Fiber Meet.
- 1.11.9 Neither Party shall charge the other for its portion of the Fiber Meet facility used exclusively for non-transit local traffic (i.e. the Local Channel). Charges incurred for other services including dedicated transport facilities to the Point of Interconnection if applicable will apply. Charges for Switched and Special Access Services shall be billed in accordance with the applicable Access Service

tariff (*i.e.*, the providing Party's Interstate or Intrastate Access Services Tariff as filed and in effect with the FCC or appropriate Commission).

2. INTERCONNECTION TRUNKING AND ROUTING

- 2.1 BellSouth and NATC shall establish interconnecting trunk groups and trunking configurations between networks including the establishment of one-way or twoway trunks in accordance with applicable, reasonable and nondiscriminatory requirements of BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide as it is revised from time to time.
- 2.2 Any NATC interconnection request that deviates from the reasonable and nondiscriminatory standard trunking configurations as described in the *BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide* that affects traffic delivered to NATC from a BellSouth switch that requires special BellSouth switch translations and other network modifications will require NATC to submit a Bona Fide Request/New Business Request via the Bona Fide Request/New Business Request Process set forth in General Terms and Conditions.
 - 2.3 All terms and conditions, as well as charges, both non-recurring and recurring, associated with interconnecting trunk groups between BellSouth and NATC not addressed in Exhibit A shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services as filed and in effect with the FCC or appropriate state Commission. For two-way trunking that carries the Parties' local and intraLATA toll traffic only, excluding trunking that carries Transit Traffic. the Parties shall be compensated for the recurring charges for transport facilities and nonrecurring charges for facility additions based on the percentage of the total traffic originated by each Party. BellSouth shall determine the applicable percentages twice per year based on the previous 6 months' minutes of use billed by each Party. The Parties shall be compensated for nonrecurring charges for initial facilities based on the joint forecasts for circuits required by each Party. Each Party shall be responsible for ordering and paying for any facilities for twoway trunks carrying its transit traffic. Furthermore, each Party shall be responsible for the compensation for transport facilities for two-way trunking that it orders for its traffic but utilizes unidirectionally.
- 2.4 The Parties shall utilize direct end office trunking under the following conditions:

(1) Tandem Exhaust - If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between NATC's and BellSouth's subscribers. (2) Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between a NATC switching center and a BellSouth end office, either Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a NATC switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed a single DS1 of local traffic per month. Either Party will install additional capacity between such points when overflow traffic between NATC's switching center and BellSouth's end office exceeds or is forecasted to exceed a single DS1 of local traffic per month. In the case of one way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of the conditions (1) or (2) above and agreement will not unreasonably be withheld.

- 2.5 Switched Access traffic will be delivered to and by IXCs based on NATC's NXX Access Tandem homing arrangement as specified by NATC in the national Local Exchange Routing Guide (LERG).
- 2.6 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible.
- 2.7 Subject to Section 2.8 below, the standard interval used for the provision of local interconnection trunk groups shall in no event be longer than forty-five (45) working days from the receipt of an error-free ASR for the establishment of new local interconnection trunk groups comprised of 96 or fewer new trunks, or ten (10) working days from the receipt of an error-free ASR for orders of 96 or fewer trunks for additions to existing local interconnection trunk groups.
- 2.8 For orders that comprise a major project, the implementation and intervals shall be jointly planned and coordinated. Major projects are those that require the coordination and execution of multiple orders or related activities between and among BellSouth and NATC work groups, including but not limited to the initial establishment of interconnection or transit trunk groups in a service area, NXX code moves, re-homes, facility grooming or network rearrangements. Major projects also include orders for more than 96 new or additional trunks.

3. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

3.1 <u>Network Management and Changes</u>. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of tollfree maintenance contact numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.

- 3.2 <u>Interconnection Technical Standards</u>. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to BellCore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide outof-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, offhook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.
- 3.3 <u>Ouality of Interconnection</u>. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- 3.4 <u>Network Management Controls</u>. Both Parties will work cooperatively and in good faith to exchange applicable information and to apply sound network management principles by invoking appropriate network management controls, *e.g.*, call gapping, to alleviate or prevent trunk blocking and network congestion.
- 3.5 <u>Common Channel Signaling</u>. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks.
- 3.6 Forecasting Requirements.
- 3.6.1 The Parties shall exchange technical descriptions and forecasts of their interconnection and traffic requirements in sufficient detail necessary to establish the interconnections required to assure traffic completion to and from all customers in their respective designated service areas. In order for BellSouth to provide as accurate reciprocal trunking forecasts as possible to NATC, NATC must timely inform BellSouth of any known or anticipated events that may affect BellSouth reciprocal trunking requirements. If NATC refuses to provide such

information, BellSouth shall provide reciprocal trunking forecasts based only on existing trunk group growth and BellSouth's annual estimated percentage of BellSouth subscriber line growth.

- 3.6.2 Both Parties shall meet every six months or at otherwise mutually agreeable intervals for the purpose of exchanging non-binding forecast of its traffic and volume requirements for the interconnection and network elements provided under this Agreement, in the form and in such detail as agreed by the Parties. The Parties agree that each forecast provided under this Section shall be deemed "Confidential Information" in the General Terms and Conditions Part A of this Agreement.
- 3.6.3 The trunk forecast should include trunk requirements for all of the interconnecting trunk groups for the current year plus the next two future years. The forecast meeting between the two companies may be a face-to-face meeting, video conference or audio conference. It may be held regionally or geographically. Ideally, these forecast meetings should be held at least semi-annually, or more often if the forecast is no longer usable. Updates to a forecast or portions thereof should be made whenever the Party providing the forecast deems that the latest trunk requirements exceed the original quantities by 24 trunks or 10%, whichever is greater. Either Party should notify the other Party if they have measurements indicating that a trunk group is exceeding its designed call carrying capacity and is impacting other trunk groups in the network. Also, either Party should notify the other Party if they know of situations in which the traffic load is expected to increase significantly and thus affect the interconnecting trunk requirements as well as the trunk requirements within the other Party's network. The Parties agree that the forecast information provided under this Section shall be deemed "Confidential Information" as set forth in the General Terms and Conditions of this Agreement.
- 3.6.4 For a non-binding trunk forecast, agreement between the two Parties on the trunk quantities and the timeframe of those trunks does not imply any liability for failure to perform if the trunks are not available for use at the required time.
- 3.6.5 <u>Signaling Call Information</u>. BellSouth and NATC will send and receive 10 digits for local traffic. Additionally, BellSouth and NATC will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

4. PARITY IN ORDERING AND PROVISIONING

Each Party shall provide interconnection ordering and provisioning services to the other Party that are Equal in Quality to the ordering and provisioning services the Parties provide themselves. "Equal in Quality" shall have the meaning accorded in Section 51.305(a)(3) of the FCC's Rules, 47 C.F.R. § 51.305(a)(3).

Reasonable and nondiscriminatory procedures for ordering and provisioning BellSouth interconnection services are set forth in the BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide.

5. LOCAL DIALING PARITY

Each Party shall provide local dialing parity, meaning that each Party's customers will not have to dial any greater number of digits than the other Party's customers to complete the same call. In addition, under equivalent interconnection arrangements, NATC local service customers will experience at least the same quality as BellSouth local service customers regarding post-dial delay, call completion rate and transmission quality.

6. INTERCONNECTION COMPENSATION

- 6.1 Compensation for Call Transportation and Termination for Local Traffic and Inter-Carrier Compensation for ISP-Bound Traffic
- 6.1.1 Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or a corresponding Extended Area Service ("EAS") exchange.
- 6.1.2 The Parties will compensate each other on a mutual and reciprocal basis for the transport and termination of Local Traffic at the following rates:

1/1/00 - 12/31/00	\$.00200 per MOU
1/1/01 - 12/31/01	\$.00175 per MOU
1/1/02 12/31/02	\$.00150 per MOU

The Parties recognize and agree that they negotiated these annual rates together as a complete rate structure to apply over the full three-year term of this Agreement and that the parties would not have mutually agreed to accept a single annual rate in any single year. Nothing in this Paragraph shall limit NATC's rights pursuant to Paragraph 6.1.3.3.

6.1.3 The Parties have been unable to agree upon whether dial up calls to Information Service Providers ("ISPs") should be considered Local Traffic for purposes of this Agreement. Dial-up Calls are defined as calls to an ISP that are dialed by using a local dialing pattern (7 or 10 digits) by the calling party (hereinafter referred to as "ISP-bound traffic"). However, without prejudice to either Party's position concerning the application of reciprocal compensation to ISP-bound traffic, the Parties agree for purposes of this Agreement only to compensate each other for ISP- bound traffic at the same per minute of use rates set forth in Paragraph 6.1.2. It is expressly understood and agreed that this inter-carrier compensation mechanism for ISP-bound traffic is being established: (1) in consideration for a waiver and release by each party for any and all claims for reciprocal compensation for ISP-bound traffic exchanged between the parties prior to December 31, 1999, which is hereby given; and (2) subject to the terms and conditions in section 6.1.4.

- 6.1.3.1 The Parties recognize and agree that the FCC, courts of competent jurisdiction, or state commissions with jurisdiction over the Parties will issue subsequent decisions on ISP-bound traffic ("Subsequent Decisions"). Notwithstanding any provision in this Agreement to the contrary, the inter-carrier compensation mechanism established in section 6.1.3 shall continue at the rates set forth in section 6.1.2 for the full term of this Agreement without regard to such Subsequent Decisions, except as provided for in sections 6.1.3.2 and 6.1.3.3.
- 6.1.3.2 To the extent such Subsequent Decisions render the inter-carrier compensation mechanism for ISP-bound traffic set forth in section 6.1.3 in violation of applicable federal or state law, the Parties agree to amend this Agreement within thirty (30) days of the effective date of any such Subsequent Decision to conform the intercarrier compensation mechanism set forth in section 6.1.3 with such Subsequent Decision. In the event of such an amendment, there will no true-up for compensation paid prior to the amendment.
- 6.1.3.3 Nothing herein shall preclude NATC from exercising its rights under this Agreement or Section 252(i) of the 1996 Act and applicable FCC regulations to elect rates, terms, and conditions with respect to the payment of reciprocal compensation from any other approved interconnection agreement executed by BellSouth under which BellSouth is paying reciprocal compensation for ISP-bound traffic other than on an interim basis. The Parties recognize and agree that this provision is intended to ensure that NATC is treated in the same manner with respect to the payment of reciprocal compensation for ISP-bound traffic as the competing local exchange carrier from whose interconnection agreement NATC seeks to elect rates, terms, and conditions. Accordingly, NATC agrees that it will not seek to elect reciprocal compensation rates, terms, or conditions from another interconnection agreement unless those rates, terms, and conditions apply to ISP-bound traffic (other than on an interim basis), either by the express terms of that agreement, by voluntary action by BellSouth, or pursuant to an effective state commission or court order.
- 6.1.4 The Parties recognize and agree that the compensation for the transport and termination of Local Traffic set forth in section 6.1.2 and the inter-carrier compensation mechanism for ISP-bound traffic set forth in section 6.1.3 are intended to allow each Party to recover costs associated with such traffic. Accordingly, the Parties recognize and agree that such compensation will not be billed and shall not be paid for a call placed by an end user customer, or placed on behalf of an end user

customer, to establish or maintain a network connection if: (1) such call is not recognized by industry practice to constitute traffic (voice or data) which results from a telephone call; (2) the end user customer does not control the dialed number destination and content of that call; and (3) the primary purpose of that call is to generate the payment of reciprocal compensation as a result of establishing or maintaining the network connection.

- 6.2 Neither Party shall represent switched access traffic as Local Traffic for purposes of payment of reciprocal compensation.
- 6.3 Unidentifiable traffic. NATC shall utilize its NPA/NXXs in such a way and will provide the necessary information so that BellSouth shall be able to distinguish Local from IntraLATA Toll traffic for BellSouth originated traffic. NATC end users' assigned NPA/NXX line numbers shall be physically located in the BellSouth rate center with which the NPA/NXX has been associated. Whenever BellSouth delivers traffic to NATC for termination on the NATC 's network, if BellSouth cannot determine, because of the manner in which NATC has utilized its NXX codes whether the traffic is local or toll, BellSouth will charge the applicable rates for originating intrastate network access service as reflected in BellSouth's Intrastate Access Service Tariff. BellSouth will make appropriate billing adjustments if NATC can provide sufficient information for BellSouth to determine whether said traffic is local or toll.
- 6.4 <u>Percent Local Use.</u> Each Party will report to the other a Percentage Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding transit traffic. By the first of January, April, July and October of each year, BellSouth and NATC shall provide a positive report updating the PLU. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.
- 6.5 <u>Percentage Interstate Usage.</u> For combined interstate and intrastate NATC traffic terminated by BellSouth over the same facilities, NATC will be required to provide a projected Percentage Interstate Usage ("PIU") to BellSouth. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to NATC. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU factor will be used for application and billing of local interconnection. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.

<u>Audits</u>. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and NATC shall retain records of call detail for a minimum of nine months from which a PLU and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

6.7 Rate True-up

This section applies only to Tennessee.

- 6.7.1 The interim prices for Unbundled Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- 6.7.2 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by an effective order of the Commission which order meets the criteria of Section 6.7.4 below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
- 6.7.3 The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated agreement" under Section 252(e) of the Act.
- 6.7.4 A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a

final order in any other Commission proceeding which meets the following criteria:

- (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
- (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,(c) It shall include as an issue the geographic deaveraging of unbundled element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.
- 6.8 Compensation for IntraLATA Toll Traffic
- 6.8.1 <u>IntraLATA Toll Traffic</u>. IntraLATA Toll Traffic is defined as any traffic that originates and terminates within a single LATA, excluding Local Traffic or EAS.
- 6.8.2 <u>Compensation for intraLATA toll traffic</u>. For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in the terminating Party's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or state Commission. The appropriate charges will be determined by the routing of the call. If one Party is the other Party's end user's presubscribed interexchange carrier or if one Party's end user uses the other Party as an interexchange carrier on a 101XXXX basis, the originating Party will charge the other Party the appropriate originating switched access tariff rates as set forth in the originating Party's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate state Commission.
- 6.8.3 <u>Compensation for 800 Traffic</u>. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the providing Party's tariff as filed and in effect with the FCC or appropriate state Commission.
- 6.8.4 <u>Records for 800 Billing</u>. Each Party will provide to the other the appropriate records necessary for billing intraLATA 800 customers. The records provided will be in a standard EMI format for a fee of \$0.013 per record.
- 6.8.5 <u>800 Access Screening</u>. Should NATC require 800 Access Ten Digit Screening Service from BellSouth, it shall have signaling transfer points connecting directly to BellSouth's local or regional signaling transfer point for service control point database query information. NATC shall utilize SS7 signaling links, ports and usage as set forth in Attachment 2. NATC will not utilize switched access FGD service. 800 Access Ten Digit Screening Service is an originating service that is provided via 800 Switched Access Service trunk groups from BellSouth's SS7 equipped end office or access tandem providing an IXC identification function

and delivery of a call to the IXC based on the dialed ten digit number. The terms and conditions for this service are set out in BellSouth's Intrastate Access Services Tariff as amended.

- 6.9 Mutual Provision of Switched Access Service
- 6.9.1 <u>Switched Access Traffic</u>. Switched Access Traffic is defined as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 800/877/888), 900 access, and their successors or similar Switched Exchange Access Services. The Parties have been unable to agree as to whether "Voice-Over-Internet Protocol" transmissions ("VOIP") which cross LATA boundaries constitute Switched Access Traffic. Notwithstanding the foregoing, and without waiving any rights with respect to either Party's position as to the jurisdictional nature of VOIP, the Parties agree to abide by any effective and applicable FCC rules and orders regarding the nature of such traffic and the compensation payable by the Parties for such traffic, if any.
- 6.9.2 When BellSouth and NATC provide an access service connection between an interexchange carrier ("IXC") and each other, each Party will provide its own access services to the IXC on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. The Parties will use the Multiple Exchange Carrier Access Billing (MECAB) system to establish meet point billing for all applicable traffic including traffic terminated to ported numbers via INP and nongeographic NPAs. Thirty (30)-day billing periods will be employed for these arrangements. The recording Party agrees to provide to the initial billing company, at no charge, the switched access detailed usage data within no more than sixty (60) days after the recording date. The initial billing company will provide the switched access summary usage data to all subsequent billing companies within 10 days of rendering the initial bill to the IXC. Each company will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary by mutual agreement of the Parties.
- 6.9.3 In the event that either Party fails to provide switched access detailed usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable access revenues. A negotiated settlement will be agreed upon between the companies.

- 6.9.4 Each company will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.
- 6.9.5 In the event of a loss of data, both Parties shall cooperate to reconstruct the lost data and shall make best efforts to do so within 48 hours. If such reconstruction is not possible, the Parties shall use a reasonable estimate of the lost data, based on twelve (12) months of prior usage data; provided that if twelve (12) months of prior usage data is not available, the Parties shall base the estimate on as much prior usage data that is available; and further provided, however, that if reconstruction is required prior to the availability of at least three (3) months of prior usage data, the Parties shall defer such reconstruction until three (3) months of prior usage data is available. If the estimated billing is not accepted for payment by the affected Access Services Customer(s), the responsible Party shall be liable to the other Party for any resulting lost revenue. Lost revenue is revenue that could not be billed to Access Service customers. Lost revenue will be calculated by subtracting the amount actually paid by the affected Access Services Customer(s) from the estimated billing derived pursuant to the process set forth in this section.
- 6.9.6 Each company also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.
- 6.9.7 All claims should be filed with the other company within 120 days of the receipt of the date of the unbillable usage.
- 6.9.8 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Company to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial billing Company. Each company agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 6.10 **Transit Traffic Service**. Each Party shall provide tandem switching and transport services for the other's transit traffic. Transit traffic is traffic originating on one carrier's network that is switched and transported by a second carrier's network and terminates on a third carrier's network. Rates for local transit traffic shall be the applicable call transport and termination charges for Local Traffic, as set forth in Exhibit A to this Attachment. Rates for intraLATA toll and Switched Access transit traffic shall be the applicable call transport and termination rates as set forth in the providing Party's Intrastate or Interstate switched access tariff as filed and in effect with the FCC or appropriate state Commission. Wireless Type 1 traffic shall not be treated as transit traffic from a routing or billing perspective. Wireless Type 2A traffic shall not be treated as transit traffic from a routing or

billing perspective until either Party and the Wireless carrier have the capability to properly meet-point-bill in accordance with MECAB guidelines.

- 6.10.1 The delivery of traffic originated by NATC which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates as set forth in Exhibit A to this Attachment. NATC is responsible for establishing the necessary agreements or the placement of valid orders with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier as a result of providing the transit function. Further, NATC agrees to compensate BellSouth for any charges or costs for the delivery of transit traffic to a connecting carrier on behalf of NATC for which a valid contract or order has not been established. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.
- 6.10.2 Except for as provided in 6.10.3, transit charges shall only be assessed on the originating carrier and shall not be assessed on the terminating carrier.
- 6.10.3 Transit charges associated with the provisioning of toll free services (e.g., 800/888/877) shall be assessed upon the terminating carrier and shall not be imposed on the originating carrier.

7. FRAME RELAY SERVICE

- 7.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and NATC's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service in those states in which NATC is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between NATC and BellSouth Frame Relay Switches in the same LATA.
- 7.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually-agreed upon Frame Relay Service point(s) of interconnection ("POIs") within the LATA.
- 7.2.1 Upon the request of either Party, such interconnection will be established where BellSouth and NATC have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in the central office of a Party, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 7.2.2 The Parties agree to provision local and IntraLATA Frame Relay Service and Exchange Access Frame Relay Service (both intrastate and interstate) over Frame Relay Trunks between the respective Frame Relay switches and the POIs.

.3 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use ("PLCU") factor PLCU, determined as follows:

- (i) Frame Relay framed packet data is transported within Virtual Circuits ("VC"). For the purposes of calculating the PLCU, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- (ii) If the originating and terminating locations of the two way packet data traffic are not in the same LATA, the traffic on that VC is interLATA.
- (III) The PLCU shall be determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility at the end of the reporting period. The Parties agree to renegotiate the method for determining PLCU, at either Parties' request, and within 90 days, if either Party notifies the other that it has found that this method does not adequately represent the PLCU.
- (iv) If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 7.3 BellSouth will provide the Frame Relay Trunk(s) between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and NATC will pay, the total non-recurring and recurring charges for the trunk facility. NATC will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the trunk facility by one-half of NATC's PLCU.
- 7.3.1 If NATC requests interconnection outside the serving area in which the POI is located, then NATC may, at its option, purchase facilities and transport between Frame Relay Network Serving areas, as defined in Section A40 of the General Subscriber Service Tariff, according to the rates, terms and conditions of the applicable tariff General Subscriber Service Tariff for that state.
- 7.4 Each Party will provide a Frame Relay network-to-network interface ("NNI") port to the other Party for each trunk facility provided pursuant to 7.2, above. Compensation for NNI ports shall be based upon the NNI rates set forth in the BellSouth F.C.C Tariff No. 1. Pursuant to that tariff, NATC may select a monthto-month or term rate structure for the NNI ports BellSouth provides to NATC. Whatever rate structure NATC selects shall be deemed to be the same rate structure that applies to the NNI port NATC provides to BellSouth. There shall be no termination liability to either party for the local portion of the NNI port as determined by the NATC PLCU at the time of termination.

7.5 Compensation for the NNI ports shall be calculated as follows:

C:\WINDOWS\TEMP\AT334D-1. DOC7/7/00 Version

7.2.3

- 7.5.1 For NNI ports provided by BellSouth to NATC, BellSouth will invoice, and NATC will pay, the total non-recurring and recurring charges for the NNI port. NATC will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by one-half of NATC's PLCU.
- 7.5.2 For NNI ports provided by NATC to BellSouth, NATC will invoice, and BellSouth will pay, the total non-recurring and recurring charges for the NNI port. BellSouth will then invoice, and NATC will pay, an amount determined as follows: NATC's combined interLATA and local usage will be calculated by subtracting one-half of NATC's PLCU factor from one hundred percent. The difference will then be multiplied by the total charges initially billed by NATC for the NNI port. BellSouth will then invoice, and NATC will pay, this amount to BellSouth.
- 7.6 A Permanent Virtual Circuit ("PVC") is a logical channel from a frame relay network interface (e.g., NNI or User Network Interface) to another frame relay network interface. A PVC is created when a Data Link Channel Identifier ("DLCI") is mapped together with another DLCI. Neither Party will charge the other Party any DLCI or Committed Information Rate ("CIR") charges for the PVC from its Frame Relay switch to its own subscriber's premises.
- 7.7 For the PVC between the NATC and BellSouth Frame Relay switches, compensation for the DLCI and CIR charges are based upon the rates in the BellSouth FCC Tariff No. 1. Compensation for PVC and CIR rate elements shall be calculated as follows:
- 7.7.1 For PVCs between the BellSouth Frame Relay switch and the NATC Frame Relay switch, BellSouth will invoice, and NATC will pay, the total non-recurring and recurring DLCI and CIR charges. If the VC is a Local VC, NATC will invoice and BellSouth will pay, 100% of the DLCI and CIR charges initially billed by BellSouth for that PVC. If the VC is not local, no compensation will be paid to NATC for the PVC.
- 7.7.2 Each Party will compensate the other Party for any applicable Feature Change or Transfer of Service Charges as set forth in BellSouth's Tariff F.C.C. No. 1. A.6.3. The Parties agree to limit the sum of the CIR for the VCs on a given NNI port to not more than two times the port speed.
- 7.8 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariffs.

- 7.9 Until such time as BellSouth obtains authority to provide in-region, interLATA service, NATC will identify and report its PLCU to BellSouth on a quarterly basis.
- 7.10 Either Party may request a review or audit of the various service components, including but not limited to a Party's determination of its PLCU, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.
- 7.11 If during the term of this Agreement, BellSouth obtains authority to provide inregion, interLATA service, the Parties shall renegotiate the provisions of 7.3, 7.5, 7.7 and 7.9 to account for BellSouth's PLCU. In the event the parties are unable to reach agreement within one hundred eighty (180) days of the date BellSouth receives interLATA authority, the matter shall be resolved pursuant to the dispute resolution provisions set forth in the Interconnection Agreement.

8. OPERATIONAL SUPPORT SYSTEMS (OSS) RATES

All Local Service Requests ("LSRs") or Access Service Requests ("ASRs") submitted for products and services under this Attachment will be subject to the OSS charges set forth in the General Terms and Conditions of this Agreement.

BELLSOUTHINATC RATES LOCAL INTERCONNECTION

Attachment 3 Exhibit A Rates - Page 1

		RATES BY STATE								
DESCRIPTION	USOC	AL	R.	GA	KY	LA	MS	NC	sc	TN
	Single of the list of					1953 - 1868 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 - 1964 -	i alla in t	HURSON C		
End Office Smitching, per mou	<u>N/A</u>	\$0.0018	NA	\$0.0016333	\$0.002562	NA	\$0.0023771	\$0.004	\$0.0019295	\$0.0019
Direct Local Interconnection, per mou (same as End Office Switching In FL & LA)		NA	\$0.002	NA	NA	\$0.00209	NĂ	NA	NA	NA
Tandem Switching, per mou	N/A	\$0.00063	\$0.00029	\$0.0006757	\$0.001096	NA	\$0.0007834	\$0.0015	\$0.0006843	\$0.000676
Tandam Switching (assumes 5 miles of transport per mou)	N/A	NA	NA	NA	NA	\$0.00430	NA	NA	NA	NA
Tandem Local Interconnection, per mou (includes end office switching element)		NA	\$0.00325	NA	NA	\$0.00639	NA	NA	NA	NA
Multiple Tandem Switching, per mou (applies to initial tandem only), effective 10/99		NA	\$0.00125	NA	NA	\$0.00430	NA	NA	NA	NA
Local Internectary, per mou (applies to transit only)	<u>.</u>	NA	\$0.00125 BST State	BST State	NA BST State	\$0.00430	NA	NA	NA	NA
All terms and conditions, as well as charges, both non-recurring and recurring, associated with		BST State Access Tadif	Access Tarifi	Access Tariff	Access Tarifi	BST State	BST State	BST State	BST State	BST State
interconnecting trunk groups between BellSouth and e.spire shall be as set forth in Section E.6 of		Bates	Rates	Rates	Rates	Access Tanif Rates	Access Tariff Rates	Access Tariff Rates	Access Tariff Rates	Access Tariff
the appropriate BellSouth intrastate access tartif.	NA	\$0.0015	NA	NA	\$0.001096	NA NA	NA	NA	Mates NA	Rates NA
Tandem Intermediary Charge, per mou" "(This charge is applicable only to intermediary traffic and is applied in addition to applicable			100		30.001030		<u> </u>		nia -	<u> </u>
switching and/or interconnection charges.)]	
			House has a	067 Marine 10 An	an an an an an an an an an an an an an a	<u>形態体。在197</u> 5年	了。如果的了。""别子?	Signar biller hitter	S Barris Barris	
Common (Shered) Transport		\$0.00001	\$0.000012	\$0.000006	\$0,0000049	-			1	
Common (Shared) Transport per mile per mou	<u>N/A</u>	\$0.00045	\$0.00012	\$0.0004152	\$0.000426	\$0,000083	\$0.0000091 \$0.0004281	\$0.00004	\$0.0000121 \$0.0004672	\$0.00004
Common (Shared) Transport Facilities Termination per mou Interoffice Transport - Dedicated - VG	NA	30.0000	300003		40000020	+	300004281	3010036	50.0004672	\$0.00036
Interoffice Transport - Dedicated - 2-Wire VG - per mile	UEA	\$0.03390	NA	\$0.0222	NA	50.0384	\$0.0323	NA	\$0,0373	NA
Interdice Transport - Dedicated - 2-Wire VG - tabilities termination per month	UEA	\$18,49	NA	\$17.07	NA	\$19.10	\$21.33	NA NA	\$21,42	NA NA
INFC - 1st	UEA	\$107.11	NA	\$79.61	NA	\$76.20	\$106.72	NA	\$136.44	NA NA
NRC - Add1	UEA	\$48.27	NA	\$36.08	NA	\$34.54	\$48,83	NA	\$51.37	<u></u>
NRC - Disconnect Charge - 1st		\$37.16	NA	NA	NA	\$28.03	\$38.05	NA	NA NA	NA
NPC - Disconnect Charge - Add1		\$5.88	NA	NA	NA	\$5.37	\$7.23	NA	NA	NA NA
NRC - Incremental Charge - Manual Service Order - 1st	UEA	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA NA
NRC - Incremental Charge - Manuel Service Order - Add1	UEA	\$27.37	NA	S18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA
NPC - Incremental Charge - Manual Service Order - Disconnect - 1st	LIEA	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	UEA	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
Interoffice Transport - Dedicated - DE0 - 58/64 (KBPS						L	1			
Interrutice Transport - Dedicated - DS0 - per mile per month	UDL	\$0.0339	NA	\$0.0222	NA	\$0.0384	\$0.0323	\$3.95	\$0.0373	\$1.90
Interoffice Transport - Decicated - DS0 - tecilities termination per month	UDL	\$17.81	NA	\$16.45	NA	\$18.37	\$20.64	\$38.37	\$20.71	\$38.37
INIPC - 1st	UDL	\$107.11	NA	\$79.61	NA	\$76.20	\$106.72	\$24.01	\$136.44	TBD
NRC - Addi	UDL	\$48.27	NA	\$36.08	NA	\$34.54	\$48.83	\$24.01	\$51.37	TBD
NRC - Disconnect Charge - 1st	UDL	\$37.16	NA	NA	NA	\$28.03	\$38.05	NA	NA	NA
NRC - Disconnect Charge - Add1	UDL	\$5.88	NA	NA	NA	\$5.37	\$7.23	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	UDL	\$27.37	NA	\$18.94	- NA	\$18.14	\$25.52	NA	\$39.63	NA
NRC - Incremental Charge - Manual Service Order - Add'	UDL	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$39.63	NA
NRC - Incremental Charge - Menual Service Order - Disconnect - 1st	UDL	\$12.97	NA	NA	NA	\$8.06	\$11.34	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	UDL	\$12.97	NA	NA	NA NA	\$8.06	\$11.34	NA	NA	NA
Interaffice Transport - Declicated - DG1						<u> </u>		· · · · · · · · · · · · · · · · · · ·		<u> </u>
Interoffice Transport - Dedicated - DS1 - per mile per month	USL	\$0.69	\$0.6013	\$0.4523	\$0.45	\$0.7831	\$0.6598	\$23.00	\$0.7596	\$23.00
Interoffice Transport - Dedicated - DS1 - facilities termination per month	USL	\$79.69	\$99.79	\$78.47	\$55.05	\$93.40	\$74.40	\$90.00	\$94.96	\$90.00
MENC - 1et	USL	\$198.15	\$45.91	\$147.07	\$298.18	\$140.49	\$196.28	\$100.49	\$216.27	\$100.49
NRC - Add1	USL	\$148.18	\$44.18	\$111.75	\$231.23	\$106.69	\$147.31	\$100.49	\$162.70	\$100.49
NRC - Disconnect Charge - 1st	USL	\$25.44	NA NA	NA NA	NA NA	\$20.00	\$26.56	NA	NA	NA
NRC - Disconnect Charge - Add1		\$20.42	NA NA	\$18.94	NA NA	\$16.34	\$21.61	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	USL	\$27.37 \$27.37	NA NA	\$18.94		\$18.14	\$25.52 \$25.52	NA NA	\$39.63 \$39.63	NA
NRC - Incremental Charge - Hanual Service Order - Add1	USL	\$27.37	NA NA	\$18.94 NA	NA NA	\$18.14 \$8.06	\$25.52 \$11.34	NA NA		NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st		\$12.97		NA NA	NA NA		\$11.34	NA NA	NA NA	NA
NRC - Incremental Charge - Manuel Service Order - Disconnect - Add1	USL	16.516			<u> </u>	\$8.06	<u></u>			NA
Interoffice Transport - Declicated - DSS	UE3	NA	NA	NA	NA	NA	\$15.02	P175.00	\$40.00	NA
Interoffice Transport - Dedicated - DS3 - per mile per month Interoffice Transport - Dedicated - DS3 - facilities termination per month	<u> </u>	NA NA	NA NA	NA NA	NA		\$15.02	\$175.00	\$40.00	
	053	I FNA	1 194	1 100	1	1NA] 3/44.30	\$1,200.00	3000.00	INA INA
Intercence i transport - Decicianed - DSS - recimine commission per moner)	UE3	NA	NA	NA	NA	NA	\$666.74	\$67.19	\$67.19	NA

•

BELLSOUTHINATC RATES LOCAL INTERCONNECTION

						RATES BY STAT	E			
NRC - Disconnect Charge - 1st	UE3	NA	NA	NA I	NA	NA	\$125.56	NA	NA	I NA
NRC - Disconnect Charge - Add1	UÉ3	NA	NA	NA	NA	NA	\$118.79	NA	NA	NA
NRC - Incremental Charge - Menual Service Order - 1st	UE3	NA	NA	NA	NA	NA	\$64.97	NA	NA	T NA
NRC - Incremental Charge - Menual Service Order - Add's	UE3	NA	NA	NA	NA	NA	\$64.97	NA	NA	NA
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	UES	NA	NA	NA	NA	NA	\$27.08	NA	NA	NA
NPC - Incremental Charge - Menual Service Order - Disconnect - Add1	UES	NA	NA	NA	NA	NA	\$27.08	NA	NA	N
al Chennel - Dedicated				1						T
al Channel - Dedicated - 2-Wire VG	N/A	\$14.61	NA	\$13.91	NA	\$14.94	\$17.83	NA	\$16.83	N
NRC - 1at	N/A	\$494.65	NA	\$362.95	NA	\$347.49	\$487.62	NA	\$554.00	I N
NRC - Add1	N/A	\$84.44	NA	\$62,40	NA	\$59.75	\$84.35	NA	\$88.58	N
NRC - Disconnect Charge - 1st	NVA	\$77.81	NA	NA	NA	\$53.68	\$77.69	NA	NA	N
NRC - Disconnect Charge - Add'l	N/A	\$7.63	NA	NA	NA	\$6.60	\$8.95	NA	NA	1 N
NFIC - Incremental Charge - Manual Service Order - 1st	N/A	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$43.75	N
NRC - Incremental Charge - Manual Service Order - Add1	NA	\$18.73	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	N
NRC - Incremental Charge - Manual Service Order - Disconnect	NA	\$17.75	NA	NĂ	NA	\$11.40	\$16.05	NA	NA	N
al Checnel - Dudicated - 4-Wire VG	N/A	\$15.77	NA	\$14,99	NA	\$16.21	\$19.03	NA	\$18.05	Ň
NRC - 1st	N/A	\$502.43	NA	\$368.44	NA	\$352.75	\$495.25	NA	\$562.46	8
NRC - Add1	N/A	\$86.68	NA	\$84.05	NA	\$61,33	\$86.56	NA	\$91.57	1
NRC - Disconnect Charge - 1st	NA	\$78.71	NA	NA	NA	\$54,36	\$78.58	NA	NA	
NRC - Disconnect Charge - Add1	NA	\$8.53	NA	NA	NA	\$7.28	<u>\$9.84</u>	NA	NA	l
NRC - Incremental Charge - Manuel Service Order - 1st	NA	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	\$43.75	1
NRC - Incremental Charge - Manual Service Order - Add'l	N/A	\$18.73	NA	\$8.42	NA	\$8.06	\$11.34	NA	\$13.55	
NRC - Incremental Charge - Manual Service Order - Disconnect	NA	\$17.75	NA	NA	NA	\$11.40	\$16.05	NA	NA	
nal Channel - Dedicated - DS1	N/A N/A	\$35.52	\$44.35	\$38.36	NA	\$43.80	\$38.91	NA	\$37.20	\$13
NRC - 1et	N/A	\$563.57	\$246.50	\$356.15	NA	\$348.56	\$494.83	NA	\$534.81	\$86
NRC - Disconnect Charge - 1st		\$46.28	\$230.49	\$312.89	NA NA	\$300.30	\$435.28	<u>• NA</u>	\$462.81	\$48
		\$46.28	NA NA	NA NA	NA NA	\$24.15	\$46.85	NA	NA	· · · · ·
NRC - Deconnect Charge - Add1 NRC - Incremental Charge - Manual Service Order - 1st	N/A	\$61,95	NA	544.22	NA	\$21.31 \$42.34	\$33.02	NA	NA	
INRC - Incremental Charge - Manual Service Order - 1st	N/A N/A	NA	NA NA	NA NA	NA	342.34 NA	\$59.58 NA	NA	\$87.99	
NRC - Incremental Charge - Manual Service Order - Noc1	N/A	\$29.27	NA		NA	\$19,48	527.41	NA NA	\$3.11	
In the second se	NA NA	<u>NA</u>	NA	NA NA	NA	<u>- 315.46</u> NA	\$533.33	NA NA	NA	N N
INRC - 1st	N/A	NA NA	NA	NA	NA	NA	\$526.67	NA	NA NA	
INRC - Add1	NA	NA NA	NA		NA	NA	\$493,71	NA	NA	
NAC - Disconnect Charge - 1st	N/A	NA	NA	NA	NA	NA	\$42.41	NA	NA NA	 ;
NPC - Disconnect Charge - Add?	N/A	NA	NA	NA	NA NA	NA	\$40.87	NA	NA NA	
NPC - Incremental Charge - Manual Service Order - 1st	N/A	NA	NA	NA	NA	NA	\$31,49	NA	NA NA	 ;
NRC - Incremental Charge - Manual Service Order - Add1	NA	NA	NA	NA	NA	NA	\$31.49	NA	NA NA	
NFIC - Incremental Charge - Manual Service Order - Disconnect - 1st	N/A	NA	NA	NA I	NA	NA	\$25.35	NA NA	NA NA	
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'	N/A	NA	NA	NA	NA	NA	\$25.35	NA	NA	
In the second state of the				· · · · ·			1 warran			<u> </u>

.

.

Attachment 3 Exhibit A Rates - Page 2

•

Attachment 4

.

Physical Collocation

~

PHYSICAL COLLOCATION

1. SCOPE OF ATTACHMENT

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when NATC is occupying the collocation space as a sole occupant or as a Host pursuant to Section 4.
- 1.2 <u>Right to Occupy.</u> Subject to Section 4 of this Attachment, BellSouth hereby grants to NATC a right to occupy that certain area designated by BellSouth within a BellSouth Premises, of a size which is specified by NATC and agreed to by BellSouth (hereinafter "Collocation Space").

Premises is defined as BellSouth's central offices and serving wire centers, as well as all buildings or similar structures owned or leased by BellSouth that house its network facilities, and all structures that house BellSouth facilities on public rights-of-way, including but not limited to vaults containing loop concentrators or similar structures.

To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Premises other than BellSouth Central Offices, the Parties will negotiate said rates, terms, and conditions in accordance with the Bona Fide Request process specified in Attachment 12 of this Agreement. Notwithstanding the foregoing, BellSouth shall consider in its designation for cageless collocation any unused space within the BellSouth Premises. The size specified by NATC may contemplate a request for space sufficient to accommodate NATC's growth within a two year period unless otherwise agreed to by the Parties.

- 1.2.1 <u>Space Reclamation.</u> In the event of space exhaust within a BellSouth Premises, NATC may be required to release space to BellSouth to be allocated to other physical collocation applicants when 100% of the total amount of space is not being utilized by the end of the second year of operation.
- 1.3 <u>Use of Space.</u> NATC shall use the Collocation Space for the purposes of installing, maintaining and operating NATC's equipment (to include testing and monitoring equipment) used or useful primarily to interconnect with BellSouth services and facilities, including access to unbundled network elements, for the provision of Telecommunications Services. Pursuant to Section 5 following, NATC may at its option, place NATC owned or leased entrance facilities to the Collocation Space. In addition to, and not in lieu of, interconnection to BellSouth services and facilities, NATC may connect to other interconnectors within the designated BellSouth Premises (including to its other Virtual or Physical Collocation arrangements) through co-carrier cross connect facilities designated by NATC pursuant to Section 5 following. The Collocation Space may be used for any purpose consistent with FCC Rules and Orders regarding use of the

ILECs premises and generic state Commission Orders that are not in conflict therewith.

1.4 <u>Rates and Charges.</u> NATC agrees to pay the rates and charges identified at Exhibit A attached hereto.

2. SPACE NOTIFICATION

- 2.1 <u>Availability of Space</u>. Upon submission of an application pursuant to Section <u>6</u>, BellSouth will permit NATC to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Premises, unless there is no space available due to space limitations or no space available due to technical infeasibility. BellSouth will respond to an application within ten (10) business days as to whether space is available or not available within a BellSouth Premises.
- 2.2 <u>Reporting.</u> Upon request from NATC, BellSouth will provide a written report specifying the amount of Collocation Space available at Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report or the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
 - 2.2.1 The request from NATC must be written and must include the Premises and Common Language Location Identification (CLLI) code of the Premises. If applicable, information regarding central office premises and CLLI code is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.
 - 2.2.2 BellSouth will respond to a request for such a report for a particular Premises location within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes up to and including five (5) Premises locations within the same state. The response time for requests of more than five (5) shall be negotiated between the Parties, but BellSouth shall use best efforts to respond within thirty (30) days. If BellSouth cannot meet the specified response times, BellSouth shall notify NATC and inform NATC of the time frame under which it can respond.
- 2.3 <u>Denial of Application.</u> After notifying NATC that BellSouth has no available space in the requested Central Office ("Denial of Application"), BellSouth will allow NATC, upon request, to tour the entire Central Office within ten (10) business days of such Denial of Application. In order to schedule said tour within ten (10) business days, the request for a tour of the Central Office must be received by BellSouth within five (5) business days of NATC's receipt of the Denial of Application.
- 2.4 <u>Filing of Petition for Waiver.</u> Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6), and the FCC's

rules. Such petition shall include detailed floor plans or diagrams of the BellSouth Premises.

- 2.5 <u>Waiting List.</u> On a first come first served basis, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the Telecommunications Carriers on the waiting list when space becomes available according to how much space becomes available and the position of Telecommunications Carrier on said waiting list. Upon request, BellSouth will advise NATC as to its position on the list.
- 2.6 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Office Premises that are without available space. BellSouth shall update such document within ten (10) business days of the Denial of Application date. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5.
- 2.7 <u>State Agency Procedures.</u> Notwithstanding the foregoing, should any state regulatory agency impose a procedure different than procedures set forth in this section, that procedure shall supersede the requirements set forth herein, provided that such state agency procedures are not in conflict with FCC rules and Orders.

3. COLLOCATION OPTIONS

3.1 <u>Cageless</u>. BellSouth shall allow NATC to collocate NATC's equipment and facilities without requiring the construction of a cage or similar structure and without requiring the creation of a separate entrance to the Collocation Space. BellSouth shall allow NATC to have direct access to its equipment and facilities but may require NATC to use a central entrance to the BellSouth Premises. BellSouth shall make cageless collocation available in single bay increments pursuant to Section 7.

Except where NATC's equipment requires special technical considerations (*e.g.*, special cable racking, isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where technically feasible on a space-available basis, in accordance with the FCC's Rules. For equipment requiring special technical considerations, NATC must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to <u>Section 6.5</u> following.

3.2 <u>Caged Enclosures</u>. BellSouth shall authorize the enclosure of NATC's equipment and facilities at NATC's option. NATC, at its sole expense, must arrange with a BellSouth certified contractor to construct a collocation

arrangement enclosure in accordance with BellSouth's guidelines and specifications ("BellSouth Guidelines") provided that such BellSouth Guidelines are reasonable, nondiscriminatory, and consistent with applicable laws, rules and Orders. BellSouth will provide BellSouth Guidelines upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, NATC and NATC's BellSouth certified contractor must comply with such applicable and enforceable building code requirements to the same extent BellSouth complies with such building code requirements. NATC's BellSouth certified contractor shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. The Certified Vendor shall bill NATC directly for all work performed for NATC pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor. NATC must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access NATC's locked enclosure prior to notifying NATC.

- 3.2.1 BellSouth has the right to review NATC's plans and specifications prior to allowing construction to start. BellSouth has the right to inspect the enclosure after construction to make sure it is designed and constructed according to BellSouth's Guidelines and to require NATC to remove or correct at NATC's cost any structure that does not meet these standards.
- 3.3 <u>Shared Collocation.</u> NATC may allow other Telecommunications Carriers to sublease, license or otherwise share NATC's caged collocation arrangement pursuant to terms and conditions agreed to by NATC ("Host") and other Telecommunications Carriers ("Guests") and pursuant to this section except where BellSouth Premises is located within a leased space and BellSouth is not authorized by the lessor to offer such an option. NATC shall provide written notification within ten (10) business days of execution of any such agreement. Such notification shall identify the Guest and shall include appropriate contact information for the Guest.
 - 3.3.1 A shared collocation cage is a caged collocation space shared by two or more competitive LECs pursuant to terms and conditions agreed to by the competitive LECs. In making shared cage arrangements available, BellSouth may not increase the cost of site preparation or nonrecurring charges above the cost for provisioning such a cage of similar dimensions and material to a single collocating party. In addition, the incumbent must prorate the charge for site conditioning and preparation undertaken by the incumbent to construct the shared collocation cage or condition the space for collocation use, regardless of how many carriers actually collocate in that cage, by determining the total charge for site preparation and allocating that charge to a collocating carrier based on the percentage of the total space utilized by that carrier. BellSouth must make shared collocation available in single-bay increments or their equivalent, *i.e.*, a competing carrier can purchase space in increments small enough to collocate a single rack, or bay, of equipment.

- 3.3.2 NATC shall be the sole interface and responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placements of Guest; for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. The initial Guest application shall require the assessment of an Application Fee, as set forth in Exhibit A. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provisions of the services and access to unbundled network elements.
- 3.3.3 NATC shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of NATC's Guests in the Collocation Space, according to the terms of Section 19 of the General Terms and Conditions.

NATC and NATC's Guest(s) shall maintain, throughout the term of this Agreement, the insurance coverage required under Section 8 of this Attachment and shall name BellSouth as an additional insured in all such policies as set forth in Section 8 hereof. In the event NATC's Guest(s) fails to maintain such insurance as specified and/or to name BellSouth as an additional insured, NATC shall indemnify and hold harmless BellSouth from any and all claims, actions, and causes of action, of whatever kind or nature, arising out of the presence of NATC's Guest(s) in the Collocation Space.

4. OCCUPANCY

- 4.1 <u>Commencement Date.</u> The "Commencement Date" shall be the day NATC's equipment becomes operational as described in Section 4.2, following.
- 4.2 Occupancy. BellSouth will notify NATC in writing that the Collocation Space is NATC must place operational telecommunications ready for occupancy. equipment in the Collocation Space and connect with BellSouth's network within one hundred eighty (180) days after receipt of such notice. NATC must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. If NATC fails to place operational telecommunications equipment in the Collocation Space within 180 calendar days and such failure continues for a period of thirty (30) days after receipt of written notice from BellSouth, then and in that event NATC's right to occupy the Collocation Space terminates and BellSouth shall have no further obligations to NATC with respect to said Collocation Space. Termination of NATC's rights to the Collocation Space pursuant to this paragraph shall not operate to release NATC from its obligation to reimburse BellSouth for all costs reasonably incurred by BellSouth in preparing the Collocation Space, but rather such obligation shall survive this Attachment. For purposes of this paragraph, NATC's telecommunications equipment will be deemed operational when crossconnected to BellSouth's network for the purpose of service provision.

4.3 Termination. Except where otherwise agreed to by the Parties, NATC may terminate occupancy in a particular Collocation Space upon thirty (30) days' prior written notice to BellSouth. Upon termination of such occupancy, NATC at its expense shall remove its equipment and other property from the Collocation Space. NATC shall have thirty (30) days from the termination date to complete such removal, including the removal of all equipment and facilities of NATC's Guests; provided, however, that NATC shall continue payment of monthly fees to BellSouth until such date as NATC has fully vacated the Collocation Space. Should NATC fail to vacate the Collocation Space within thirty (30) days from the termination date, BellSouth shall have the right to remove the equipment and other property of NATC at NATC's expense and with no liability for damage or injury to NATC's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon expiration of NATC's Collocation Arrangement(s) pursuant to this Attachment, NATC shall surrender the Collocation Space to BellSouth in the same condition as when first occupied by the NATC except for ordinary wear and tear. NATC shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of an Adjacent Collocation arrangement at the termination of occupancy and restoring the grounds to their original condition.

5. USE OF COLLOCATION SPACE

5.1 <u>Equipment Type.</u> BellSouth shall permit the collocation of any type of equipment used or useful for interconnection or access to unbundled network elements. Whenever BellSouth objects to collocation of equipment by NATC for the purposes within the scope of section 251(c)(6) of the Act, BellSouth shall prove to the state commission that the equipment will not be actually used by NATC for the purpose of obtaining interconnection or access to unbundled network elements.

BellSouth may not object to the collocation of equipment on the grounds that the equipment does not comply with safety or engineering standards that are more stringent than the safety or engineering standards than BellSouth applies to its own equipment. BellSouth may not object to the collocation of equipment on the ground that the equipment fails to comply with National Equipment and Building Specifications performance standards.

If BellSouth denies collocation of NATC's equipment, citing safety standards, BellSouth must provide to NATC within five (5) business days of the denial, a list of all equipment that BellSouth locates within the central office premises in question, together with an affidavit attesting that all of that equipment meets or exceeds the safety standard that BellSouth contends NATC's equipment fails to meet.

Equipment used for interconnection and access to unbundled network elements includes, but is not limited to: (1) Transmission equipment including, but not limited to, optical terminating equipment and multiplexers, (2) Equipment being collocated to terminate basic transmission facilities pursuant to §§ 64.1401 and 64.1402 of Title 47 of the Code of Federal Regulations as of August 1, 1996, and

(3) Digital subscriber line access multiplexers, routers, asynchronous transfer mode multiplexers, and remote switching modules.

Nothing in this section requires BellSouth to permit collocation of equipment used solely for switching or solely to provide enhanced services; provided, however, that BellSouth may not place any limitations on the ability of NATC to use all the features, functions, and capabilities of equipment collocated pursuant to the above, including, but not limited to, switching and routing features and functions and enhanced services functionalities.

- 5.1.1 NATC shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Collocation Space or on the grounds of the BellSouth Premises.
- 5.1.2 NATC shall place a plaque or other identification affixed to NATC's equipment necessary to identify NATC's equipment, including a list of emergency contacts with telephone numbers.
- 5.2 <u>Entrance Facilities</u>. NATC may elect to place NATC owned or NATC leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault which are physically accessible by both parties. NATC will provide and place cable at the point of interconnection of sufficient length to be pulled through conduit and into the splice location. NATC will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to the NATC's equipment in the Collocation Space. In the event NATC utilizes a non-metallic, riser-type entrance facility, a splice will not be required. NATC must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. NATC is responsible for maintenance of the entrance facilities.
 - 5.2.1 <u>Dual Entrance</u>. BellSouth will provide at least two interconnection points at each BellSouth Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for Physical Collocation under this Attachment, BellSouth shall provide NATC with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested condult space available for installing a second entrance facility to NATC's arrangement. The location of the serving manhole(s) will be determined at the reasonable and nondiscriminatory discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response. BellSouth shall not deny a collocation application solely for the reason that dual entrance facilities are not available.

- 5.2.2 <u>Shared Use.</u> NATC may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another NATC collocation arrangement within the same BellSouth Premises. NATC must arrange with BellSouth for BellSouth to splice the utilized entrance facility capacity to NATC provided riser cable.
- 5.3 <u>Splicing in the Entrance Manhole.</u> Should NATC request a splice to occur in the entrance manhole(s), BellSouth shall grant such a request, provided that BellSouth will not unreasonably withhold approval of requests to make such a splice where technically feasible. When the request for a splice is granted to NATC by BellSouth, NATC shall ensure its employees or agents entering and/or performing work in the entrance manhole(s) are trained and comply with BellSouth procedures and OSHA requirements regarding access to manholes and that BellSouth personnel are notified and present for all entrances and work performed in the entrance manhole(s). Manhole covers shall be properly closed and secured at the conclusion of entry and/or work. Advance notification to BellSouth shall occur at a minimum of 48 hours prior to desired entry for normal work activities and at a minimum of 2 hours prior to desired entry in an out of service condition.
- 5.4 Demarcation Point. BellSouth will designate the point(s) of interconnection between NATC's equipment and/or network and BellSouth's network. BellSouth shall designate the closest demarcation point available. Each party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame. NATC shall be responsible for providing, and NATC's BellSouth Certified Vendor shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. NATC or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Subsection 5.5, following, and may self-provision cross-connects that may be required within the collocation space to activate service requests. At NATC's option, a Point of Termination (POT) bay or frame may be placed in the Collocation Space.
- 5.5 <u>NATC's Equipment and Facilities.</u> NATC, or if required by this Attachment, NATC's BellSouth Certified Vendor, is solely responsible for the design, engineering, installation, testing, provisioning, monitoring, maintenance and repair of the equipment and facilities used by NATC. Such equipment and facilities may include but are not limited to cable(s); equipment; and point of termination connections.
- 5.6 <u>Co-Carrier Cross-connect.</u> In addition to, and not in lieu of, obtaining interconnection with, or access to, BellSouth telecommunications services, unbundled network elements, and facilities, NATC may directly connect to other interconnectors within the designated BellSouth Premises (including to its other virtual or physical collocated arrangements) through facilities owned by NATC or through BellSouth facilities designated by NATC, at NATC's option. Such

connections to other carriers may be made using either optical or electrical facilities. NATC may deploy such optical or electrical connections directly between its own facilities and the facilities of other interconnector(s) without being routed through BellSouth equipment. BellSouth shall permit such connections with third-party carriers at any time during the term of this agreement.

- 5.6.1 If NATC requests a co-Carrier cross-connect after the initial installation, NATC must submit an application with a Subsequent Application Fee. NATC must use a Certified Vendor to place the co-Carrier cross connect, except in cases where the NATC equipment and the equipment of the other interconnector are located within contiguous collocation spaces. In cases where NATC's equipment and the equipment of the other interconnector are located in contiguous collocation spaces, NATC will have the option to deploy the co-Carrier cross connects between the sets of equipment. Where cable support structure exists for such connection there will be a recurring charge per linear foot of support structure used. When cable support structures do not exist and must be constructed a non-recurring charge for the individual case will be assessed.
- 5.7 <u>Right to Access Collocation Space.</u> From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (*e.g.*, running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give reasonable notice to NATC when access to the Collocation Space is required. NATC may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that NATC will not bear any of the expense associated with this work.
- 5.8 <u>Access.</u> Pursuant to Section 11, NATC shall have unescorted access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. NATC agrees to provide the name and one of the following: social security number, date of birth, or drivers license number of each employee, contractor, or agent provided with Access Keys or cards ("Access Keys") prior to the issuance of said Access Keys. Access Keys shall not be duplicated under any circumstances. NATC agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of NATC employees, contractors, Guests or agents after termination of the employment relationship, contractual obligation with NATC or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
 - 5.8.1 Lost or Stolen Access Keys. NATC shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. NATC will reimburse BellSouth for the cost of replacing Access Key(s) lost or stolen. Should it become necessary for BellSouth to re-key buildings as a result of a lost Access Key(s) or for failure to return an Access Key(s), NATC shall pay for all reasonable costs directly associated with the re-keying.

5.9 <u>Interference or Impairment.</u> Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Collocation Space shall not interfere with or impair service provided by BellSouth or by any other Interconnector located in the Premises; shall not endanger or damage the facilities of BellSouth or of any other Interconnector, the Collocation Space, or the Premises; shall not compromise the privacy of any communications carried in, from, or through the Premises; and shall not create an unreasonable risk of injury or death to any individual or to the public.

BellSouth shall not treat equipment deployed by NATC as interfering with or impairing service provided by BellSouth or another interconnector solely on the basis that such equipment is of a different type that has not previously been utilized in a BellSouth Premise.

If BellSouth determines in a reasonable and nondiscriminatory manner that any equipment or facilities of violates the provisions of this paragraph, BellSouth shall give written notice to NATC, which notice shall direct NATC to cure the violation within forty-eight (48) hours of NATC's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement. The Parties will act in good faith and in a cooperative manner to determine or isolate the source of the interference or impairment.

- 5.10 <u>Personalty and its Removal.</u> Subject to requirements of this Attachment, NATC may place or install in or on the Collocation Space such facilities and equipment, including storage for and spare equipment, as it deems desirable for the conduct of business; provided that such equipment is telecommunications equipment, does not violate floor loading requirements, imposes or could impose or contains or could contain environmental conditions or hazards. Personal property, facilities and equipment placed by NATC in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personalty and may be removed by NATC at any time. Any damage caused to the Collocation Space by NATC's employees, agents or representatives during the removal of such property shall be promptly repaired by NATC at its expense.
- 5.11 <u>Alterations.</u> In no case shall NATC or any person acting on behalf of NATC make any rearrangement, modification, improvement, addition, repair, or other alteration to the Collocation Space or the BellSouth Central Office without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by NATC.
- 5.12 <u>Janitorial Service</u>. NATC is responsible for keeping its Caged Collocation Space free of debris and in good order. NATC may elect to contract with a BellSouth certified vendor for the general upkeep and cleaning of the Caged Collocation Space. NATC shall arrange directly with the certified vendor for such janitorial services. BellSouth shall provide a list of such contractors on a site-specific basis upon request.

6. ORDERING AND PREPARATION OF COLLOCATION SPACE

- 6.1 <u>Application for Space</u>, NATC shall submit an application document when NATC, or NATC's Guest(s), as defined in Section 3.3, desires to request or modify the use of the Collocation Space.
 - 6.1.1 <u>Initial Application.</u> For NATC's or NATC's Guest(s) initial equipment placement, NATC shall submit to BellSouth a complete and accurate Application and Inquiry document (Bona Fide Application), together with payment of the Application Fee as stated in Exhibit A. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in NATC's Collocation Space(s) and an estimate of the amount of square footage required.
 - 6.1.2 <u>Subsequent Application Fee.</u> In the event NATC or NATC's Guest(s) desire to modify the use of the Collocation Space, NATC shall complete an Application document detailing all information regarding the modification to the Collocation Space together with payment of the minimum Subsequent Application Fee as stated in Exhibit A. Said minimum Subsequent Application Fee shall be considered a partial payment of the applicable Subsequent Application Fee, which shall be calculated as set forth below. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by NATC in the Application. Such necessarv modifications to the Premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, and equipment additions. The fee paid by NATC for its request to modify the use of the Collocation Space shall be dependent upon the modification requested. Where the subsequent application does not require provisioning or construction work by BellSouth, no Subsequent Application Fee will be required and the pre-paid fee shall be refunded to NATC. The fee for an application where the modification requested has limited effect (e.g., does not require capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit A. All other modifications shall require a Subsequent Application Fee assessed at the applicable application fee. In the event such modifications require the assessment of a full Application Fee as set forth in Exhibit A, the outstanding balance shall be due by NATC within thirty (30) calendar days following NATC's receipt of a bill or invoice from BellSouth.
- 6.2 <u>Application Response.</u> In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond within ten (10) business days of receipt of an Application whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a comprehensive written response within thirty (30) business days of receipt of a complete application. When multiple applications are submitted within a fifteen (15) business day window, BellSouth will respond to the applications as soon as

possible on a non-discriminatory basis, but no later than the following: within thirty (30) business days for applications 1-5; within thirty-six (36) business days for applications 6-10; within forty-two (42) business days for applications 11-15; within forty-five (45) business days for more than 15 applications.

The Application Response will detail whether the amount of space requested is available or if the amount of space requested is not available, the amount of space that is available. The response will also include the configuration of the space.

When BellSouth's response includes an amount of space less than that requested by NATC or differently configured, NATC must amend its application to reflect the actual space available prior to submitting a Bona Fide Firm Order. Such amendment by NATC will not require a supplemental application fee.

- 6.3 Bona Fide Firm Order. NATC shall indicate its intent to proceed with equipment installation in a BellSouth Central Office by submitting a Bona Fide Firm Order to A Bona Fide Firm Order requires NATC to complete the BeilSouth. Application/Inquiry process described in Subsection 6.1, preceding, and submit the Expanded Interconnection Bona Fide Firm Order document (BSTEI-1P-F) indicating acceptance of the written application response provided by BellSouth ("Bona Fide Firm Order") and all appropriate fees. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's response to NATC's Application/Inquiry. If NATC makes changes to its application in light of BellSouth's written Application Response, BellSouth will be required to re-evaluate and respond to the change(s). In this event. BellSouth's provisioning interval will not start until the re-evaluation and response to the change(s) is complete and the Bona Fide Firm Order is received by BellSouth and all appropriate fees and duties have been executed. If BellSouth needs to reevaluate NATC's application as a result of changes requested by NATC to NATC's original application, then BellSouth will charge NATC a fee based upon the additional engineering hours required to do the reassessment.
 - 6.3.1 BellSouth will establish a firm order date, per request, based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of NATC's Bona Fide Firm Order within five (5) business days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date.
 - 6.3.2 BellSouth will permit one accompanied site visit to NATC's designated collocation arrangement location after receipt of the Bona Fide Firm Order and prior to completing the Security Training requirements without charge to NATC.
 - 6.3.3 Space preparation for the Collocation Space will not begin until BellSouth receives the Bona Fide Firm Order and all applicable fees.
 - 6.3.4 NATC must submit to BellSouth the completed Access Control Request Form (RF-2906-C) for all employees or agents requiring access to the

BellSouth Central Office a minimum of thirty (30) calendar days prior to the date NATC desires access to the Collocation Space.

- Construction and Provisioning Intervals. BellSouth shall complete construction 6.4 and provisioning intervals per request on an individual case basis. Excluding the time interval required to secure the appropriate government licenses and permits; BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 business days from receipt of a complete and accurate Bona Fide Firm Order. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other collocation space ("extraordinary conditions") within 130 business days of the receipt of a complete and accurate Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement.
 - 6.4.1 <u>Joint Planning Meeting.</u> Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and NATC will commence within a maximum of fifteen (15) business days from BellSouth's receipt of a Bona Fide Firm Order and the payment of the agreed upon fees. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Application and affirmed in the Bona Fide Firm Order. The Collocation Space Completion time period will be provided to NATC during the joint planning meeting or as soon as possible thereafter. BellSouth will complete all design work following the joint planning meeting.
 - 6.4.2 <u>Permits.</u> Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within seven (7) business days of the completion of finalized construction designs and specifications.
 - 6.4.3 <u>Acceptance Walk Through.</u> NATC and BellSouth will complete an acceptance walk through of each Collocation Space requested from BellSouth by NATC. BellSouth will correct any deviations to NATC's original or jointly amended requirements within five (5) business days after the walk through, unless the Parties jointly agree upon a different time frame.
- 6.5 <u>Use of Certified Vendor.</u> NATC shall select a vendor which has been approved as a BellSouth Certified Vendor to perform all engineering and installation work required in the Collocation Space, or utilize its own employees to perform such work provided that NATC has been certified by BellSouth to perform such work. In some cases, NATC must select separate BellSouth Certified Vendors for transmission equipment, switching equipment and power equipment. BellSouth

shall provide NATC with a list of Certified Vendors and a statement of the criteria to qualify Certified Vendor, upon request. BellSouth shall not unreasonably withhold approval of any contractor proposed by NATC that meets the standard BellSouth criteria. The Certified Vendor(s) shall be responsible for installing NATC's equipment and components, installing co-carrier cross connects, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and NATC upon successful completion of installation. The Certified Vendor shall bill NATC directly for all work performed for NATC pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor. BellSouth shall consider certifying NATC or any vendor proposed by NATC.

- 6.6 <u>Alarm and Monitoring.</u> BellSouth shall place environmental alarms in the Central Office for the protection of BellSouth equipment and facilities. NATC shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service NATC's Collocation Space. Upon request, BellSouth will provide NATC with applicable tariffed services(s) to facilitate remote monitoring of collocated equipment by NATC. Both parties shall use best efforts to notify the other of any verified environmental hazard known to that party. The parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.
- 6.7 <u>Basic Telephone Service.</u> Upon request of NATC, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.
- 6.8 <u>Space Preparation.</u> BellSouth shall pro-rate the costs of any renovation or upgrade to Central Office space or support mechanisms which is required to accommodate Physical Collocation. NATC's pro rated share will be calculated by multiplying such cost by a percentage equal to the amount of square footage occupied by NATC divided by the total Central Office square footage receiving renovation or upgrade. For this section, support mechanisms provided by BellSouth may include, but not be limited to heating/ventilation/air conditioning (HVAC) equipment, HVAC duct work, cable support structure, fire wall(s), mechanical upgrade, asbestos abatement, or ground plane addition. Such renovation or upgrade will be evaluated and the charges assessed on a per Central Office basis. BellSouth will reimburse NATC in an amount equal to NATC reasonable, demonstrative and mitigated expenditures incurred as a direct result of delays to the completion and turnover dates caused by BellSouth.
- 6.9 <u>Virtual Collocation Transition.</u> BellSouth offers Virtual Collocation pursuant to the rates, terms and conditions set forth in its F.C.C. Tariff No. 1. For the interconnection to BellSouth's network and access to BellSouth unbundled network elements, NATC may purchase 2-wire and 4-wire Cross-Connects as set forth in Exhibit A, and NATC may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5.1.

In the event Physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and that Physical Collocation Space

has subsequently become available, NATC may transition its Virtual Collocation arrangement to a Physical Collocation arrangement and pay the appropriate non-recurring fees for Physical Collocation and for the rearrangement or reconfiguration of services terminated in the Virtual Collocation arrangement.

In the event that BellSouth knows when additional space for Physical Collocation may become available at the location requested by NATC, such information will be provided to NATC in BellSouth's written denial of Physical Collocation. To the extent that (i) Physical Collocation Space becomes available to NATC within one-hundred and eighty (180) days of BellSouth's written denial of NATC's request for Physical Collocation, and (ii) NATC was not informed in the written denial that Physical Collocation Space would become available within such one-hundred and one-hundred and eighty (180) days, then NATC may transition its Virtual Collocation arrangement to a Physical Collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such Virtual Collocation.

- 6.10 <u>Cancellation.</u> If, at anytime, NATC cancels its order for the Collocation Space(s), NATC will reimburse BellSouth for any expenses incurred up to the date that written notice of the cancellation is received. In no event will the level of reimbursement under this paragraph exceed the maximum amount NATC would have otherwise paid for work undertaken by BellSouth if no cancellation of the order had occurred.
- 6.11 <u>Licenses.</u> NATC, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.

7. RATES AND CHARGES

- 7.1 <u>Non-recurring Fees.</u> In addition to the Application Fee referenced in Section 6, preceding, NATC shall remit payment of a Cable Installation Fee and one-half (1/2) of the estimated Space Preparation Fee, as applicable, coincident with submission of a Bona Fide Firm Order. The outstanding balance of the actual Space Preparation Fee shall be due thirty (30) calendar days following NATC's receipt of a bill or invoice from BellSouth. Once the installation fee may apply, as described in Subsection 7.4, when NATC requests a modification to the arrangement.
- 7.2 <u>Documentation</u>. BellSouth shall provide documentation to establish the actual Space Preparation Fee. The Space Preparation Fee will be pro-rated as prescribed in Section 6, preceding.
- 7.3 <u>Cable Installation.</u> Cable Installation Fee(s) are assessed per entrance facility placed.

- 7.4 Floor Space. The floor space charge includes reasonable charges for lighting. heat, air conditioning, ventilation and other allocated expenses associated with maintenance of the Central Office but does not include amperage necessary to power NATC's equipment. When the Collocation Space is enclosed, NATC shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, NATC shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers)]. For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event NATC's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups. NATC shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement. Floor space charges are due beginning with the date on which BeilSouth releases the Collocation Space for occupancy or on the date NATC first occupies the Collocation Space, whichever is sooner.
- 7.5 <u>Power.</u> BellSouth shall supply 48 Volt (-48V) DC power for NATC's Collocation Space within the BellSouth Premises and shall make available AC power at NATC's option for Adjacent Arrangement collocation.
 - 7.5.1 Charges for -48V DC power will be assessed per ampere per month based upon the certified vendor engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and cable rack to NATC's equipment or space enclosure. When obtaining power from a BellSouth Battery Distribution Fuse Bay, fuses and power cables (A&B) must be engineered (sized), and installed by NATC's certified vendor. When obtaining power from a BellSouth Power Board, power cables (A&B) must be engineered (sized), and installed by NATC's certified power vendor. NATC's certified vendor must also provide a copy of the engineering power specification prior to the Commencement Date. In the event BellSouth shall be required to construct additional DC power plant or upgrade the existing DC power plant in a Central Office as a result of NATC's request to collocate in that Central Office ("Power Plant Construction"), NATC shall pay its pro-rata share of costs associated with the Power Plant Construction. The determination of whether Power Plant Construction is necessary shall be within BellSouth's sole, but reasonable, discretion. BellSouth shall comply with all BellCore (Telcordia) and ANSI Standards regarding power cabling, including BellCore (Telcordia) Network Equipment Building System (NEBS) Standard GR-63-CORE. BellSouth will notify NATC of the need for the Power Plant Construction and will estimate the costs associated with the Power Plant Construction if BellSouth were to perform the Power Plant Construction. The costs of power plant construction shall be pro-rated and shared among all who benefit from that construction. NATC shall pay BellSouth one-half of its prorata share of the estimated Power Plant Construction costs prior to commencement

of the work. NATC shall pay BellSouth the balance due (actual cost less one-half of the estimated cost) within thirty (30) days of completion of the Power Plant Construction. NATC has the option to perform the Power Plant Construction itself; provided, however, that such work shall be performed by a BellSouth certified contractor and such contractor shall comply with BellSouth's guidelines and specifications. Where the Power Plant Construction results in construction of a new power plant room, upon termination of this Attachment NATC shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact. Where the Power Plant Construction results in an upgrade to BellSouth's existing power plant, upon termination of this Attachment, such upgrades shall become the property of BellSouth.

- 7.5.2 Charges for AC power will be assessed per breaker ampere per month based upon the certified vendor engineered and installed power feed fused ampere capacity. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth Service Panel, fuses and power cables must be engineered (sized), and installed by NATC's certified vendor. NATC's certified vendor must also provide a copy of the engineering power specification prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit A. AC power voltage and phase ratings shall be determined on a per location basis.
- 7.6 <u>Security Escort.</u> A security escort will be required whenever NATC or its approved agent desires access to the entrance manhole or must have access to the Central Office Premises after the one accompanied site visit allowed pursuant to subsection 6.3.2 prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. Rates for a security escort are assessed in one-half (1/2) hour increments according to the schedule appended hereto as Exhibit A.
- 7.8 Rate "True-Up." The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by final order, including any appeals, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, NATC shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to NATC. Each party shall keep its own records upon which a "true-up" can be based and any final payment from one party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Partles regarding the amount of

such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.

7.9 <u>Other.</u> If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the parties upon request by either party. Payment of all other charges under this Attachment shall be due thirty (30) days after receipt of the bill (payment due date). NATC will pay a late payment charge of one and one-half percent (1-1/2%) assessed monthly on any balance which remains unpaid after the payment due date.

8. INSURANCE

- 8.1 NATC shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Article VI and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a BEST Insurance Rating of B ++ X (B ++ ten).
- 8.2 NATC shall maintain the following specific coverage:
 - 8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an ADDITIONAL INSURED on ALL applicable policies as specified herein.
 - 8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
 - 8.2.3 NATC may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 8.3 All policies purchased by NATC shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Central Office and shall remain in effect for the term of this Attachment or until all NATC's property has been removed from BellSouth's Central Office, whichever period is longer. If NATC fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from NATC.
- 8.4 NATC shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. NATC shall arrange for BellSouth to receive thirty (30) days advance notice of cancellation from NATC's

insurance company. NATC shall forward a certificate of insurance and notice of cancellation to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 600 N. 19th Street, 18B3 Birmingham, Alabama 35203

9. MECHANICS LIENS

9.1 If any mechanics lien or other liens shall be filed against property of either party (BellSouth or NATC), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other party or by reason of any changes, or additions to said property made at the request or under the direction of the other party, the other party directing or requesting those changes shall, within thirty (30) days after receipt of written notice from the party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. INSPECTIONS

10.1 BellSouth shall conduct an inspection of NATC's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between NATC's equipment and equipment of BellSouth. BellSouth may conduct an inspection if NATC adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide NATC with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11. SECURITY AND SAFETY REQUIREMENTS

11.1 Only BellSouth employees, BellSouth Certified Vendors and authorized employees, authorized Guests, pursuant to Section 3.3, preceding, or authorized agents of NATC will be permitted in the BellSouth Premises. NATC shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the NATC name. BellSouth reserves the right to remove from its Premises any employee of NATC not possessing identification issued by NATC. NATC shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premise. NATC shall be solely responsible for ensuring that any Guest of NATC is in compliance with all subsections of this Section 11.

- 11.1.1 NATC will be required, at its own expense, to conduct a statewide investigation of criminal history records for each NATC employee being considered for work on the BellSouth Premises, for the states/counties where the NATC employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable.
- 11.1.2 NATC will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 11.1.3 NATC shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. NATC shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, without advising BellSouth of the nature and gravity of the offense(s).

BellSouth reserves the right to refuse building access to any NATC personnel who have been identified to have misdemeanor criminal convictions.

- 11.1.4 For each NATC employee requiring access to a BellSouth Premises pursuant to this agreement, NATC shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, NATC will disclose the nature of the convictions to BellSouth at that time. In the alternative, NATC may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 11.1.5 At BellSouth's request, NATC shall promptly remove from the BellSouth's Premises any employee of NATC BellSouth does not wish to grant access to its Premises pursuant to any investigation conducted by BellSouth.
- 11.2 <u>Notification to BellSouth.</u> BST reserves the right to interview NATC's employees, agents, or contractors. NATC and its contractors shall cooperate fully with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by or involving NATC's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill NATC for all costs associated with reasonable and nondiscriminatory investigations involving its employees, agents, or contractors if it can be reasonably established that NATC's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill NATC for BellSouth property which is stolen or damaged where an investigation determines the culpability of NATC's employees, agents, or contractors. NATC shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth

Premises is a possible security risk. BellSouth reserves the right to permanently remove from its Premises any employee of NATC identified as posing a security risk to BellSouth or any other CLEC, or having violated BellSouth policies set forth in the BellSouth CLEC Security Training.

- 11.2.1 <u>Use of BellSouth Supplies by NATC Employees.</u> Use of any BellSouth supplies by a NATC employee, whether or not used routinely to provide telephone service (*e.g.*, plug-in cards,) will be considered theft and will be handled accordingly. Costs associated with such unauthorized use of BellSouth property may be charged to NATC as may be all associated investigative costs. At BellSouth's request, NATC shall promptly and permanently remove from BellSouth's Central Office any employee of NATC found to be in violation of this rule.
- 11.3 <u>Use of Official Lines by NATC Employees.</u> Except for local calls necessary or, in the performance of their work, NATC employees shall not use the telephones on BellSouth Central Office. Charges for unauthorized telephone calls made by a NATC's employees may be charged to NATC as may be all associated investigative costs. At BellSouth's request, NATC shall promptly and permanently remove from BellSouth's Premises any employee of NATC found to be in violation of this rule.
- 11.4 <u>Accountability.</u> Full compliance with the security requirements of this section shall in no way limit the accountability of any CLEC for the improper actions of its employees.

12. DESTRUCTION OF COLLOCATION SPACE

In the event a Collocation Space is wholly or partially damaged by fire, 12.1 windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for NATC's permitted use hereunder, then either party may elect within ten (10) days after such damage, to terminate this Attachment, and if either party shall so elect, by giving the other written notice of termination, both parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for NATC's permitted use, or is damaged and the option to terminate is not exercised by either party. BellSouth covenants and agrees to proceed promptly without expense to NATC, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. NATC may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a certified vendor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If NATC's acceleration of the project increases the cost of the project, then those additional charges will be incurred by NATC. Where allowed and where practical, NATC may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, NATC shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for NATC's permitted use, until such Collocation Space is fully repaired and restored and NATC's equipment installed therein (but in not event shall the abatement period extend beyond thirty (30) days after the Collocation Space is fully repaired and restored). Where NATC has placed an Adjacent Arrangement pursuant to section 3.4, NATC shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

13. EMINENT DOMAIN

13.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such collocation arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and NATC shall each have the right to terminate this Attachment and declare the same null and vold, by written notice of such intention to the other party within ten (10) days after such taking with respect to the affected Collocation arrangement.

14. NONEXCLUSIVITY

14.1 NATC understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

EXHIBIT A: BELLSOUTH/NATC RATES - ALABAMA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$7,124.00 Disconnect Charge \$1.73
PE1CA	Subsequent Application Fee (Note 1)	Per Request	NA	\$1600.00 Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton (one ton minimum)		\$2,400.00
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1675.00
	Cable Racking / Fiber Duct	Per arrangement, square foot		ICB
	Frame / Aisle Lighting	Per arrangement, square foot		ICB
	Framework Ground	Per arrangement		ICB
	Conductors Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3) Requested Prior to 6/1/99			
PE18W PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$189.86 \$19.29	NA NA
PE1PJ	Floor Space	Per square foot	\$3.85	NA
PE18D	Cable Installation	Per Cable	NA	\$2,335.00 Disconnect Charge \$54.39
PEIPM	Cable Support Structure	Per entrance cable	\$23.23	NA

Rates marked with an asterisk (*) are interim and are subject to true-up

EXHIBIT A: BELLSOUTH/NATC RATES - ALABAMA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1PL	Power -48V DC Power	Per amp	\$7.14	ICB
	120V AC Power single phase*	Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	\$11.00	ICB
	120V AC Power three phase*	Per breaker amp	\$16.50	ICB
	277V AC Power three phase*	Per breaker amp	\$38.20	ICB
		Per Cross Connect		First / Additional
PE1P2	Cross Connects (Note 4) 2-wire		\$.28	\$30.76 / \$29.40
PE1P2	4-wire		\$.56	\$31.01 / \$29.58
PE1P1	DS-1		\$2.14	\$60.81 / \$41.71
PE1P3	DS-3		\$38.63	\$57.80 / \$39.81
PE1F2	2-fiber		\$10.44	\$73.00 / \$52.00
PE1F2	4-fiber		\$18.76	\$88.00 / \$67.00
-				Disconnect
				Charges
	2-wire			First / Additional
	4-wire			\$12.75 / \$11.38
	DS-1			\$12.82 / \$11.39
	DS-3			\$12.85 / \$11.50
	· · · · · · · · · · · · · · · · · · ·			<u>\$14.93 / \$11.76</u>
	Co-Carrier Cross-Connect (Note 5)	· · · · · · · · · · · · · · · · · · ·		
PE1ES Fiber	Fiber Arrangement	Cable Support Structure, per linear	\$0.06	NA
		foot		
PE1DS Copper	Copper or Coaxial	(existing)	\$0.03	NA
		Cable Support Structure (new)	NA	ICB
PE1A1	Security Access System		· ···	
1	Security system*	Per Central Office	\$52.00	
	New Access Card Activation*	Per Card		\$55.00
	Administrative change,	Per Card		\$35.00
	existing card* Replace lost or stolen card*	Per Card		\$250.00
	Space Availability Report*	Per Central Office		\$550.00
		Requested	<u> </u>	

Attachment 4 Page 26

EXHIBIT A; BELLSOUTH/NATC RATES - ALABAMA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1PE PE1PF PE1PG PE1PH PE182 PE184	POT Bay Arrangements Prior to 6/1/99 2 Wire Cross-Connect 4 Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect	Per Cross Connect	\$0.08 \$0.17 \$0.69 \$4.74 \$25.89 \$34.91	NA NA NA NA NA
AEH	Additional Engineering Fee (Note 6)	Per request, First half hour/Add'l Half hour		First / Additional Basic Time - \$31.00 / \$22.00 Overtime - \$37.00 / \$26.00
PE1BT PE1OT PE1PT	Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$43.47/\$25.82 \$55.25/\$32.79 \$67.03/\$39.76

EXHIBIT A: BELLSOUTH/NATC RATES - ALABAMA PHYSICAL COLLOCATION (cont.)

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee In lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not ilmited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, NATC will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event NATC opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to NATC as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. NATC may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill NATC for the space enclosure, and this fee shall not be applicable.
- (4) **Cross Connects:** The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

		Disconnect Charges
	First / Additional	First / Additional
2-wire	\$34.03 / \$32.67	\$14.48 / \$13.11
4-wire	\$34.28 / \$32.85	\$14.55 / \$13.12
DS-1	\$64.08 / \$44.98	\$14.58 / \$13.23
DS-3	\$61.07 / \$43.08	\$16.66 / \$13.49
		e militere e e e e e e

- (5) Co-Carrier Cross-Connect: As stated in Section 1.2 of the Collocation Attachment, NATC may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling NATC - requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, NATC agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

.

EXHIBIT A: BELLSOUTH/NATC RATES - FLORIDA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	\$15.53	\$3,248.00
PE1CA	Subsequent Application Fee (Note 1)	Per Request	NA	\$1600.00 Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton		\$2,400.00
		(one ton minimum)		
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1675.00
	Cable Racking / Fiber Duct	Per arrangement,		ICB
		square foot		
	Frame / Aisle Lighting	Per arrangement;		ICB
		square foot		
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3)			
	Requested Prior to 6/1/99			
PE1BW	Wire Cage	Per first 100 sq. Ft.	\$41.99	NA
PE1BC	Gypsum Board Cage	Per first 100 sq. Ft.	\$84.10	NA
PE1BF	Fire Rated Cage	Per first 100 sq. Ft.	\$99.73	NA
PE1CW	Wire Cage	Per add'l 50 sq. Ft.	\$4.14	NA
PE1CC	Gypsum Board Cage	Per add'l 50 sq. Ft.	\$9.35	NA
PE1CF	Fire Rated Cage	Per add'l 50 sq. Ft.	\$11.30	NA
PE1PJ	Floor Space	Per sq. Ft.	\$4.25	NA
PE1BD	Cable Installation	Per Cable	\$2.77	\$1,056.00
			l	
PE1PM	Cable Support Structure		\$22.94	NA

Rates marked with an asterisk (*) are interim and are subject to true-up

Attachment 4 Page 29

EXHIBIT A: BELLSOUTH/NATC RATES - FLORIDA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1PL	Power			
	-48V DC Power	Per amp	\$7.14	ICB
	120V AC Power single phase *	Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	\$11.00	ICB
	120V AC Power three phase*	Per breaker amp	\$16.50	ICB
	277V AC Power three phase*	Per breaker amp	\$38.20	ICB
	Cross Connects (Note 4)	Per Cross Connect		
PE12C	2-wire		\$.0524	\$11.57
PE14C	4-wire		\$.0524	\$11.57
PE11S	DS-1/DCS		\$8.085	\$69.64
PE11X	DS-1/DSX		\$.4110	\$69.64
PE13S	DS-3/DCS		\$56.97	\$528.00
PE13X	DS-3/DSX		\$10.06	\$528.00
PE1F2	Optical Cross Connects		\$6.46	\$2,431.00
·····	Co-Carrier Cross-Connect			
	(Note 5)			
PE1ES	Fiber Cable Support Structure, existing	Per linear foot	\$0.06	NA
PE1DS	Copper or Coaxial Cable Support Structure, existing	Per linear foot	\$0.03	NA
(TBD)	Cable Support Structure	Per new		
	Construction, new	construction	NA	ICB
PE1A2	Security Access System			
	Security System*	Per Central Office	\$95.00	
	New Access Card Activation*	Per request-5 cards	NA	\$85.12
	Administrative change, existing	Per Card		\$35.00
	card* Replace lost or stolen card*	Per Card		\$250.00
	Space Availability Report *	Per Central Office	<u> </u>	\$550.00
····		Requested		
	POT Bay (Note 6)		NA	NA
			····	

Version 7/7/00

•

EXHIBIT A: BELLSOUTH/NATC RATES - FLORIDA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
AEH	Additional Engineering Fee (Note 7)	Per request, First half hour/Add'l half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
	Security Escort Basic Time Overtime Premium Time	Per ¼ hour Per ¼ hour Per ¼ hour	NA NA NA	\$10.89 \$13.64 \$16.40

Note(s):

- N/A refers to rate elements which do not have a negotiated rate.
- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in fieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, NATC will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. BellSouth will pro rate the total shared space preparation costs among the collocators at each location based on the amount of square footage occupied by each collocator. This charge may vary depending on the location and type of arrangement requested.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. NATC may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill NATC for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: Rates shown are the equivalent per cross connect rates based on the Florida PSC Ordered rates as follows:

Cross Connects	Per Cross Connect	<u>RC</u>	<u>NRC</u>
2-wire	Per 100 X-Connects	\$5.24	\$1,157.00
4-wire	Per 100 X-Connects	\$5.24	\$1,157.00
DS-1/DCS	Per 28 X-Connects	\$226.39	\$1,950.00
DS-1/DSX	Per 28 X-Connects	\$11.51	\$1,950.00
DS-3/DCS	Per Cross Connect	\$56.97	\$ 528.00
DS-3/DSX	Per Cross Connect	\$10.06	\$528.00
Optical Cross Connects	Per Cross Connect	\$6.46	\$2,431.00

EXHIBIT A: BELLSOUTH/NATC RATES - FLORIDA PHYSICAL COLLOCATION (cont.)

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, NATC may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the direct connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the direct connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) POT Bays: BellSouth's Florida specific rates were established in the Florida Public Service Commission Docket No. 960833. The Commission did not set permanent rates for <u>POT Bays</u>, given the assumption by the partles to the Proceeding that they will always provide their own POT Bays. It will be necessary for NATC to provide its own POT Bays per BellSouth specifications and provide the necessary information from which BellSouth can inventory.
- (7) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling NATC - requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, NATC agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/NATC RATES - GEORGIA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE18A	Application Fee	Per Request	NA	\$3,850.00
_				
PE1CA	Subsequent Application Fee	Per Request	NA	\$1600.00 Minimum
	(Note 1)			
PE18B	Space Preparation Fee	Per square foot	NĂ	\$100.00
	(Note 2)			
<u> </u>	Space Enclosure (Note 3)			
	Cages Prior to 6/1/99	Per first 100 sq. ft.	\$170.64	NA
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per add'l 50 sq. ft.	\$17.33	NA
PEICW			\$11.60	
	Floor Space			
PE1PJ	Zone A	Per square foot	\$7.50	NA
PE1PK	Zone B	Per square foot	\$6.75	NA
05400	Cable installation	Per Cable	NA	\$2,750.00
PE1BD	Cable Installation			
PE1PM	Cable Support Structure	Per entrance cable	\$13.35	NA
PE1PL	Power			
	-48V DC Power	Per amp	\$7.14	ICB
	120V AC Power single phase*	Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	- \$11.00	ICB
	120V AC Power three phase*	Per breaker amp	\$16.50	ICB ICB
·	277V AC Power three phase*	Per breaker amp	\$38.20	
	Cross Connects	Per Cross Connect	<u>+</u>	First / Additional
PE1P2	2-wire		\$.30	
PE1P4	4-wire		\$.50	\$12.60 / \$12.60
PE1P1	DS-1		\$8.00	\$155.00 / \$27.00
PE1P3	DS-3		\$72.00	
PE1F2	2-fiber		\$10.29	
PE1F4	4-fiber	1	\$18.50	\$88.00 / \$67.00
		1		

Rates marked with an asterisk (*) are interim and subject to true-up

EXHIBIT A: BELLSOUTH/NATC RATES - GEORGIA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1ES	Co-Carrier Cross-Connect (Note 4) Fiber Cable Support Structure, existing	Per linear foot	\$ 0.0 6	NA
PE1DS	Copper or Coaxial Cable Support Structure, existing	Per linear foot	\$0.03	NA
(TBD)	Cable Support Structure Construction, new	Per new construction	NA	(CB
PE1A1	Security Access System Security system* New Access Card Activation* Administrative change, existing card* Replace iost or stolen card*	Per Central Office Per Card Per Card Per Card	\$52.00	\$55.00 \$35.00 \$250.00
	Space Availability Report*	Per Central Office Requested		\$550.00
PE1PE PE1PF PE1PG PE1PH PE1B2 PE1B4	POT Bay Arrangements Prior to 6/1/99 2 Wire Cross-Connect 4 Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect	Per Cross Connect	\$0.40 \$1.20 \$1.20 \$8.00 \$25.53 \$34.43	NA NA NA NA NA
AEH	Additional Engineering Fee (Note 5)	Per request, First half hour/Add' Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
PE1BT PE1OT PE1PT	Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$41.00/\$25.00 \$48.00/\$30.00 \$55.00/\$35.00

EXHIBIT A: BELLSOUTH/NATC RATES - GEORGIA PHYSICAL COLLOCATION (cont.)

Note(s)

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, NATC will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers a portion of costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. This is a set fee of \$100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7061-U. In the event NATC opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to NATC as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. NATC may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill NATC for the space enclosure, and this fee shall not be applicable.
- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, NATC may connect to other CLECs within the designated Central Office in addition to, and not in lleu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling NATC requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, NATC agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/NATC RATES - KENTUCKY PHYSICAL COLLOCATION

		(RC)	Non-Recurring Rate (NRC)
Application Fee	Per Request	NA	\$9,926.72
Subsequent Application Fee (Note 1)	Per Request	NA	\$1600.00 Minimum
Space Preparation Fee			
(Note 2) Mechanical / HVAC*	Per ton		\$2,100.00
Ground Bort			#700 00
Ground Bar			\$720.00
Project Management*	Per arrangement		\$1,675.00
Cable Racking/Fiber Duct	Per arrangement,		ICB
Frame / Aiele lighting			ICB
Traine / Alsie lighting			
Framework Ground Conductors	Per arrangement		ICB
Extraordinary Modifications	Per arrangement		ICB
Space Enclosure (Note 3)			
	Den finst 400 en fi	*004 00	N14
Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'i 50 sq. ft.	\$201.02 \$20.42	. NA NA
Floor Space	Per square foot	\$5.00	NA
Cable Installation	Per Cable	. NA	\$2,327.08
Cable Support Structure	Per entrance cable	\$24.23	NĂ
Power			
-48V DC Power	Per amp	\$7.68	(CB
120V AC Power single phase*	Per breaker amp	\$5.50	ICB
240V AC Power single phase*	Per breaker amp	• · ·	ICB
120V AC Power three phase* 277V AC Power three phase*	Per breaker amp Per breaker amp	\$16.50 \$38.20	ICB ICB
	(Note 1) Space Preparation Fee (Note 2) Mechanical / HVAC* Ground Bar* Project Management* Cable Racking/Fiber Duct Frame / Aisle lighting Framework Ground Conductors Extraordinary Modifications Space Enclosure (Note 3) Prior to 6/1/99 Welded Wire-mesh Welded Wire-mesh Wire-mesh Wire-mesh Wire-mesh Wire-mesh Wire-mesh Wire-mesh Wire	(Note 1) Space Preparation Fee (Note 2) Mechanical / HVAC* Per ton Ground Bar* Per Connection Project Management* Per arrangement Cable Racking/Fiber Duct Per arrangement, Frame / Aisle lighting Per arrangement, Framework Ground Per arrangement Conductors Per arrangement Extraordinary Modifications Per arrangement Space Enclosure (Note 3) Per first 100 sq. ft. Prior to 6/1/99 Welded Wire-mesh Welded Wire-mesh Per first 100 sq. ft. Floor Space Per square foot Cable Installation Per Cable Power Per amp -48V DC Power Per amp 120V AC Power single phase* Per amp 120V AC Power single phase* Per breaker amp Per breaker amp Per breaker amp	(Note 1) Space Preparation Fee (Note 2) Mechanical / HVAC* Per ton (one ton minimum) Ground Bar* Per Connection Project Management* Per arrangement Cable Racking/Fiber Duct Per arrangement, per square foot Frame / Aisle lighting Per arrangement, per square foot Framework Ground Conductors Per arrangement Extraordinary Modifications Per arrangement Space Enclosure (Note 3) Prior to 6/1/99 Per first 100 sq. ft. Weided Wire-mesh Per first 100 sq. ft. Veided Wire-mesh Per add'i 50 sq. ft. Floor Space Per square foot Cable Installation Per Cable NA Per amp \$5.00 Cable Support Structure Per entrance cable Power -4&V DC Power 120V AC Power single phase* Per amp Per breaker amp \$11.00 Per breaker amp 240V AC Power single phase* Per breaker amp \$11.00 Per breaker amp 240V AC Power single phase* Per breaker amp 240.00

Rates marked with an asterisk (*) are interim and are subject to true-up

EXHIBIT A: BELLSOUTH/NATC RATES - KENTUCKY PHYSICAL COLLOCATION (cont.)

ment Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
nects	Per Cross Connect	·····	First / Additional
wire		\$.31	\$54.21/\$51.07
wire		\$.62	\$54.23/\$50.96
S-1		\$1.92	
S-3		\$39.94	
flber		-	
fiber		\$13.28 \$23.87	\$73.00/\$52.00 \$88.00/\$67.00
r Cross-Connect			
ngement Cable	Per linear foot	\$0.06	NA
tructure	(existing)	~	
Coaxial	Per linear foot	\$0.03	NA
ent	(existing)	40.00	
7111	(existing)		
port Structure	Pernew	NA	ICB
on	construction		
ccess System			
system	Per Central Office	\$52.00	
cess Card Activation	Per Card		\$55.00
trative change,	Per Card		\$35.00
card			
lost or stolen card	Per Card		\$250.00
allability Report	Per Central Office	NA	\$550.00
	Requested		
Arrangements	Per Cross Connect	<u>, , , , , , , , , , , , , , , , , , , </u>	
/1/99			
Wire Cross-Connect		\$0.06	NA
Wire Cross-Connect		\$0.15	NA
S1 Cross-Connect	((\$0.58	NA
S3 Cross-Connect		\$4.51	NA
Fiber Cross-Connect		\$32,94	NA
Fiber Cross-Connect		\$44.42	NA
scort	<u> </u>		
	Per 1/2	NA	\$56.09/\$31.99
emium Time		NA NA	\$79.41/\$46.01
as Ve	ic Time rtime	ic Time Per 1/2 rtime hour/Additional	ic Time Per 1/2 NA rtime hour/Additional NA

EXHIBIT A: BELLSOUTH/NATC RATES - KENTUCKY PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
AEH	Additional Engineering Fee (Note 5)	Per request, First half hour/Add'l Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00

Note(s):

- N/A refers to rate elements which do not have a negotiated rate.
- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, NATC will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event NATC opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to NATC as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. NATC may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill NATC for the space enclosure, and this fee shall not be applicable.
- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, NATC may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling NATC - requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, NATC agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/NATC RATES - LOUISIANA PHYSICAL COLLOCATION

Unit **Recurring Rate** USOC **Rate Element Description** Non-Recurring (RC) Rate (NRC) NA \$4,910.00 PE1BA **Application Fee** Per Request \$1600.00 NA Subsequent Application Fee Per Request PE1CA Minimum (Note 1) PE1BB **Space Preparation Fee** (Note 2) \$2,100.00 Mechanical / HVAC* Per ton (one ton minimum) Ground Bar* Per Connection \$720.00 Per arrangement \$1.675.00 **Project Management*** Cable Racking/Fiber Duct Per arrangement, ICBper square foot Per arrangement, **ICB** Frame / Aisle lighting per square foot **ICB** Framework Ground Per arrangement Conductors Per arrangement **ICB Extraordinary Modifications** Space Enclosure (Note 3) Prior to 6/1/99 NA \$197.55 Per first 100 sq. ft. PE1BW Welded Wire-mesh NA Per add'l 50 sq. ft. \$20.07 PE1CW Welded Wire-mesh NA Per square foot \$4.01 PE1PJ Floor Space \$1,706.00 NÁ **Cable Installation** Per Cable PE1BD Disconnect charge \$36.00 NA \$24.05 **Cable Support Structure** Per entrance cable PE1PM PE1PL Power **ICB** \$7.15 -48V DC Power Per amp ICB 120V AC Power single phase* Per breaker amp \$5.50 **ICB** \$11.00 240V AC Power single phase* Per breaker amp **ICB** \$16.50 Per breaker amp 120V AC Power three phase* \$38.20 ICB Per breaker amp 277V AC Power three phase*

Rates marked with an asterisk (*) are interim and are subject to true-up.

EXHIBIT A: BELLSOUTH/NATC RATES - LOUISIANA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring
05400	Cross Connects (Note 4)	Per Cross Connect		Rate (NRC) First / Additional
PE1P2 PE1P4	2-wire 4-wire		\$.26 \$.52	\$23.04/\$22.11 \$23.23/\$22.24
PE1P1	DS-1		\$2.03	\$43.61/\$30.60
PE1P3	DS-3		\$36.27	\$41.46/\$29.20
PE1F2	2-fiber		\$10.20	\$73.00/\$52.00
PE1F4	4-fiber		\$18.34	\$88.00/\$67.00
				Disconnect charges First / Additional
	2-wire			\$9.48/\$8.54
	4-wire			\$9.53/\$8.55
	DS-1			\$9.56/\$8.63
	DS-3			\$11.06/\$8.86
				· · · · · ·
	Co-Carrier Cross-Connect (Note 5)			
PE1ES Fiber	Fiber Arrangement Cable Support Structure	Per linear foot (existing)	\$0.06	NA
PE1DS Copper	Copper or Coaxial Arrangement	Per linear foot (existing)	\$0.03	NA
TBD	Cable Support Structure Construction	Per new construction	NA	ICB
PE1A1	Security Access System			
PEIAI	Security system*	Per Central Office	\$52.00	
	New Access Card Activation*	Per Card		\$55.00
	Administrative change,	Per Card		\$35.00
	existing card* Replace lost or stolen card	Per Card		\$250.00
TBD	Space Availability Report*	Per Central Office		\$550.00
<u> </u>		Requested		

Rates marked with an asterisk (*) are interim and are subject to true-up.

.

.

EXHIBIT A: BELLSOUTH/NATC RATES - LOUISIANA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	POT Bay Arrangements Prior to 6/1/99	Per Cross Connect		
PE1PE PE1PF PE1PG	2 Wire Cross-Connect 4 Wire Cross-Connect DS1 Cross-Connect		\$0.0776 \$0.1552 \$0.6406	NA NA NA
PE1PH PE1B2 PE1B4	DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect		\$4.75 \$25.30 <u>\$34.12</u>	NA NA NA
	Security Escort			
PE1BT PE1OT PE1PT	Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$32.35/\$19.95 \$40.50/\$25.00 \$48.66/\$30.05
AEH	Additional Engineering Fee (Note 6)	Per request, First half hour/Add'i Half hour		Firat /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00

Rates marked with an asterisk (*) are interim and are subject to true-up.

Note(s):

- N/A refers to rate elements which do not have a negotiated rate.
- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, NATC will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event NATC opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to NATC as prescribed in Section 7 of the Collocation Attachment.

EXHIBIT A: BELLSOUTH/NATC RATES - LOUISIANA PHYSICAL COLLOCATION (cont.)

- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. NATC may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill NATC for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

	First / Additional	Disconnect Charges First / Additional
2-wire	\$24.92/\$23.99	\$10.56/\$9.62
4-wire	\$25.11/\$24.12	\$10.61/\$9.63
DS-1	\$45.49/\$32.48	\$10.64/\$9.71
DS-3	\$43.34/\$31.08	\$12.14/\$9.94

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, NATC may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee. BellSouth's additional engineering, and other labor costs associated with handling NATC -requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, NATC agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/NATC RATES - MISSISSIPPI PHYSICAL COLLOCATION

USOC	rked with an asterisk (*) are inte Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$6,993.00 Disconnect charge \$1.70
PE1CA	Subsequent Application Fee (Note 1)	Per Request	NA	\$1600.00 Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton (one ton minimum)		\$2,100.00
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement, per square foot		(CB
	Frame / Aisle lighting	Per arrangement, per square foot		ICB
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3) Prior to 6/1/99			
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$205.08 \$20.83	NA NA
PE1PJ	Floor Space	Per square foot	\$3.45	Disconnect charge \$53.24
PE1BD	Cable Installation	Per Cable	NA	\$2,419.00
PE1PM	Cable Support Structure	Per entrance cable	\$22.90	NA
PE1PL	Power -48V DC Power 120V AC Power single phase* 240V AC Power single phase* 120V AC Power three phase* 277V AC Power three phase*	Per amp Per breaker amp Per breaker amp Per breaker amp Per breaker amp	\$6.93 \$5.50 \$11.00 \$16.50 \$38.20	ICB ICB ICB ICB ICB ICB

به مقامه، 1.1.445

EXHIBIT A: BELLSOUTH/NATC RATES - MISSISSIPPI PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	Cross Connects (Note 4) 2-wire 4-wire DS-1 DS-3 2-fiber 4-fiber	Per Cross Connect	\$.3996 \$.7992 \$2.90 \$53.31 \$15.82 \$28.43	First / Additional \$30.93/\$29.59 \$31.17/\$29.77 \$60.42/\$41.68 \$57.45/\$39.81 \$73.00/\$52.00 \$88.00/\$67.00 Disconnect
	2-wire 4-wire DS-1 DS-3			Charges First / Additional \$12.76/\$11.43 \$12.83/\$11.43 \$12.87/\$11.54 \$14.92/\$11.80
	Co-Carrier Cross-Connect (Note 5)		•	
PE1ES Fiber	Fiber Arrangement Cable Support Structure	Per linear foot (existing)	\$0.06	NA
PE1DS Copper	Copper or Coaxial Arrangement	Per linear foot (existing)	\$0.03	NA
TBD	Cable Support Structure Construction	Per new construction	NA	ICB
PE1A1	Security Access System Security system* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card	Per Central Office Per Card Per Card Per Card Per Card	\$52.00	\$55.00 \$35.00 \$250.00
TBD	Space Availability Report*	Per Central Office Requested		\$550.00

Rates marked with an asterisk (*) are interim and are subject to true-up.

Version 7/7/00

÷

EXHIBIT A: BELLSOUTH/NATC RATES - MISSISSIPPI PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	POT Bay Arrangements Prior to 6/1/99	Per Cross Connect		
PE1PE	2 Wire Cross-Connect		\$0.1195	NA
PE1PF	4 Wire Cross-Connect	1	\$0.2389	NA
PE1PG	DS1 Cross-Connect		\$0.9862	NA
PE1PH	DS3 Cross-Connect		\$5.81	NA
PE1B2	2 Fiber Cross-Connect	[]	\$39.23	NA
PE1B4	4 Fiber Cross-Connect		\$52.91	NA
AEH	Additional Engineering Fee (Note 6)	Per request, First half hour/Add'l Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
PE1BT PE1OT PE1PT	Security Escort Basic Time Overtime Premium Time	 Per 1/2 hour/Additional Half-hour 	NA NA NA	\$54.43/\$32.41

Rates marked with an asterisk (*) are interim and are subject to true-up.

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, NATC will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event NATC opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to NATC as prescribed in Section 7 of the Collocation Attachment.

EXHIBIT A: BELLSOUTH/NATC RATES - MISSISSIPPI PHYSICAL COLLOCATION (cont.)

- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a onehundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. NATC may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill NATC for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

	no may also so orabica n	Disconnect Charges
	First / Additional	First / Additional
2-wire	\$33.58 / \$32.24	\$14.27 / \$12.94
4-wire	\$33.82 / \$32.42	\$14.34 / \$12.94
DS-1	\$63.07 / \$44.33	\$14.38 / \$13.05
DS-3	\$60.10 / \$42.46	\$16.43 / \$13.31

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, NATC may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling NATC -requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, NATC agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/NATC RATES – NORTH CAROLINA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per request	NA	\$3,850.00
DELCA		Den no mont		£1 (00.00
PEICA	Subsequent Application Fee (Note 1)	Per request	NA	\$1,600.00 Minimum
	Space Preparation Fee			
	Central Office Modification	Per sq. ft.	\$1.57	
	Common Systems Modification – Cageless	Per sq. ft.	\$3.26	
	Common Systems Modification – Caged	Per cage	\$110.79	
	Power	Per nominal -48v	\$5.76	
		DC Amp		
	Space Enclosure (Note 2)			
PEIBW	Welded Wire-mesh	Per first 100 sq. ft.	\$102.76	· NA
PEICW	Welded Wire-mesh	Per add'l 50 sq. ft.	\$10.44	NA
PEIPJ	Floor Space	Per sq. ft.	\$3.45	NA
		1 41 541 10	φ3.10	
PEIBD	Cable Installation	Per cable	NA	\$2,305.00
PE1PM	Cable Support Structure	Per entrance cable	\$21.33	NA
				- <u></u>
PE1PL	Power -48V DC Power	Per amp	\$6.65	ICB
PEIFB	120V AC Power single phase*	Per breaker amp	\$5.50	ICB
PEIFD	240V AC Power single phase*	Per breaker amp	\$11.00	ICB
PEIFE	120V AC Power three phase*	Per breaker amp	\$16.50	ICB
PE1FG	277 AC Power three phase*	Per breaker amp	\$38.20	ICB
				First/Add'l
22100	Cross Connects (Note 3)	Per cross connect	¢0.22	\$41.78/\$39.23
PE1P2	2-wire		\$0.32 \$0.64	\$41.91/\$39.25
PE1P4 PE1P1	4-wire DS-1		\$0.64	\$71.02/\$51.08
PEIPI PEIP3	DS-1 DS-3		\$42.84	\$69.84/\$49.43
PEIFS PEIF2	2-fiber		\$15.99	\$67.34/\$48.55
PEIF2 PEIF4	4-fiber	}	\$28.74	\$82.35/\$63.56

Rates marked with an asterisk (*) are interim and are subject to true-up.

USOC	Rate Element Description	CAROLINA (continue Unit	Recurring Rate	Non-Recurring
	l		(RC)	Rate (NRC)
	Co-Carrier Cross-Connect (Note			
	4)			
PEIES	Fiber Cable Support Structure,	Per linear ft.	\$0,06	NA
Fiber	existing	}		
PE1DS	Copper or Coaxial Cable Support	Per linear ft.	\$0.03	NA
Copper	Structure, existing			
(TBD)	Cable Support Structure	Per new	NA	ICB
	Construction, new	construction		
PEIAX	Security Access System Security	Per premises	\$52.00	
	System*			
	New Access Card Activation*	Per card]	\$55.00
PEIAA	Administrative change, existing	Per card		\$35.00
	card*			
PEIAR	Replace lost or stolen card	Per card		\$250.00
		<u></u>		
PEISR	Space Availability Report*	Per premises		\$550.00
		requested		
		<u> </u>		
	POT Bay Arrangements	Per cross-connect		
	Prior to 6/1/99		en 10	NTA
PEIPE	2-Wire Cross-Connect		\$0.10	NA
PEIPF	4-Wire Cross-Connect		\$0.19	NA
PEIPG	DS1 Cross-Connect		\$0.79	NA NA
PEIPH	DS3 Cross-Connect		\$4.85	NA
PE1B2	2 Fiber Cross-Connect		\$39.67	NA
PE1B4	4 Fiber Cross-Connect	<u> </u>	\$53.49	
	Convite Pagart	Per half hr./Add'l		<u></u>
	Security Escort	half hr.		
DEIDT	Basic Time	11011 111 .	NA	\$42,92/\$25.56
PEIBT			NA	\$54.51/\$32.44
PEIOT	Overtime Premium Time		NA	\$66.10/\$39.32
PE1PT				4001201422102
AEH	Additional Engineering Fee (Note	Per request, first		First/Add'
ALLI -	5)	half hr/add'l half hr.		Basic Time
	37			\$31.00/\$22.00
		1	1	Overtime
		1	1	\$37.00/\$26.00

EXHIBIT A: BELLSOUTH/NATC RATES - NORTH CAROLINA PHYSICAL COLLOCATION (continued)

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, NATC will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Enclosure Fee: The Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. NATC may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill NATC for the space enclosure, and this fee shall not be applicable.
- (3) **Cross Connect:** The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

First/Additional
\$46.53/\$43.98
\$46.64/\$43.98
\$75.72/\$55.78
\$74.54/\$54.13

(4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, NATC may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.

EXHIBIT A: BELLSOUTH/NATC RATES - SOUTH CAROLINA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$4,850.00
PEICA	Subsequent Application Fee	Per Request	NA	\$1600.00
	(Note 1)			Minimum
PE1BB	Space Preparation Fee			
	(Note 2)			
	Mechanical / HVAC*	Per ton		\$2,100.00
		(one ton minimum)		4700.00
	Ground Bar*	Per Connection		\$720.00
		Per arrangement		\$1,675.00
	Project Management*	Per arrangement,		\$1,075.00
	Cable Racking/Fiber Duct	per square foot		ICB
	Gable Hacking/Hiber Door	Per arrangement,		
	Frame / Aisle lighting	per square foot		ICB
		Per arrangement		
	Framework Ground	, , , , , , , , , , , , , , , , , , ,		(CB
	Conductors			
		Per arrangement		100
	Extraordinary Modifications			ICB
	Space Enclosure (Note 3)			
	Prior to 6/1/99			
PE1BW	Weided Wire-mesh	Per first 100 sq. ft.	\$224.60	NA
PE1CW	Welded Wire-mesh	Per add'i 50 sq. ft.	\$22.81	NA
PE1PJ	Floor Space	Per square foot	\$3.90	NA
PE1BD	Cable Installation	Per Cable	NA	\$2,217.00
PE1PM	Cable Support Structure	Per entrance cable	\$24.55	NA
PE1PL	Power			
	-48V DC Power	Per amp	\$7.09	ICB ICB
	120V AC Power single phase*	Per breaker amp	\$5.50 \$11.00	
	240V AC Power single phase* 120V AC Power three phase*	Per breaker amp Per breaker amp	\$16.50	ICB
	277V AC Power three phase*	Per breaker amp	\$38.20	ICB
				

Rates marked with an asterisk (*) are interim and are subject to true-up.

÷

EXHIBIT A: BELLSOUTH/NATC RATES - SOUTH CAROLINA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	Cross Connects (Note 4)			First / Additional
PE1P2	2-wire	Per Cross Connect	\$.3648	\$41.50/\$38.94
PE1P4	4-wire	Per Cross Connect	\$.7297	\$41.56/\$38.90
PE1P1	DS-1	Per Cross Connect	\$2.70	\$70.79/\$50.78
PE1P3	DS-3	Per Cross Connect	\$49.24	\$69.60/\$49.14
PE1F3		Per Cross Connect	\$13.75	\$73.00/\$52.00
PE1F2 PE1F4	2-fiber 4-fiber	Per Cross Connect	\$24.71	\$88.00/\$67.00
·	Co-Carrier Cross-Connect (Note 5)			
PE1ES	Fiber Arrangement Cable	Per linear foot	\$0.06	NA
Fiber	Support Structure	(existing)	40100	
PE1DS Copper	Copper or Coaxial Arrangement	Per linear foot (existing)	\$0.03	NA
TBD	Cable Support Structure Construction	Per new construction	NA	îCB
PE1A1	Security Access System			
1 66 17 11	Security system*	Per Central Office	\$52.00	
	New Access Card Activation*	Per Card	40E.00	\$55.00
		Per Card		\$35.00
	Administrative change,	Fer Garu		<i>\$50.00</i>
	existing card* Replace lost or stolen card	Per Card		\$250.00
		Per Central Office		\$550.00
TBD	Space Availability Report*	Requested		\$550.00
	POT Bay Arrangements	Per Cross Connect	<u></u>	
	Prior to 6/1/99			
PE1PE	2 Wire Cross-Connect		\$.1091	NA
PE1PF	4 Wire Cross-Connect		\$.2181	NA
PE1PG	DS1 Cross-Connect		\$.9004	NA
PE1PH	DS3 Cross-Connect		\$5.64	NA
PE1B2	2 Fiber Cross-Connect		\$34.09	NA
PE1B2	4 Fiber Cross-Connect		\$45.97	NA
	Security Escort			
DEIDT		Per 1/2	NA	\$43.00/\$25.57
PE1BT	Basic Time		NA	\$54.62/\$32.46
PE1OT		hour/Additional		\$66.24/\$39.35
PE1PT	Premium Time	Half-hour	NA	400.24/408.00

EXHIBIT A: BELLSOUTH/NATC RATES - SOUTH CAROLINA PHYSICAL COLLOCATION (cont.)

AEH	Additional Engineering Fee (Note 6)	Per request, First half	First /Add'l Basic Time -
		hour/Add'l Half hour	\$31.00/\$22.00 Overtime - \$37.00/\$26.00

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, NATC will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event NATC opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to NATC as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee Is a monthly recurring fee, assessed per enclosure, per location with a onehundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. NATC may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill NATC for the space enclosure, and this fee shall not be applicable.
- (4) **Cross Connects**: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

	<u>First / Additiona</u>
2-wire	\$46.66 / \$44.10
4-wire	\$46.68 / \$44.02
DS-1	\$75.88 / \$55.87
DS-3	\$74.69 / \$54.23

(5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, NATC may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.

EXHIBIT A: BELLSOUTH/NATC RATES - SOUTH CAROLINA PHYSICAL COLLOCATION (cont.)

(6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling NATC - requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, NATC agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

EXHIBIT A: BELLSOUTH/NATC RATES - TENNESSEE* PHYSICAL COLLOCATION

USOC	are interim and subject to true Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$3,850.00
PE1CA	Subsequent Application Fee (Note 1)	Per Request	NA	\$1,600.00 Minimum
PE1BB	Space Preparation Fee			
	(Note 2) Mechanical / HVAC	Per ton (one ton minimum)		\$2,100.00
	Ground Bar	Per Connection		\$720.00
	Project Management	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement, per square foot		ICB
	Frame / Aisle lighting	Per arrangement,		ICB
	Framework Ground Conductors	per square foot Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3) Prior to 6/1/99			
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$190.79 \$19.38	NA NA
PE1PJ	Floor Space	Per square foot	\$7.50	NA
PE1BD	Cable Installation	Per Cable	NA	\$2,750.00
PE1PM	Cable Support Structure	Per entrance cable	\$13.35	NA
PEIPL	Power -48V DC Power	Per amp	\$5.00	ICB
	120V AC Power single phase	Per breaker amp	\$5.50	ICB
	240V AC Power single phase	Per breaker amp	\$11.00	ICB
	120V AC Power three phase 277V AC Power three phase	Per breaker amp Per breaker amp	\$16.50 \$38.20	ICB ICB

*All Rates are interim and subject to true-up.

EXHIBIT A: BELLSOUTH/NATC RATES - TENNESSEE* PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate	Non-Recurring
0000			(RC)	Rate (NRC)
	Cross Connects	Per Cross Connect		First / Additional
PE1P2	2-wire		\$.30	\$19.20/\$19.20
PE1P4	4-wire		\$.50	\$19.20/\$19.20
PE1P1	DS-1		\$8.00	
PE1P3	DS-3		\$72.00	
PE1F2	2-fiber		\$15.90	
PE1F4	4-fiber		\$28.50	\$88.00/\$67.00
	Co-Carrier Cross-Connect			
	(Note 4)			
PE1ES Fiber	Fiber cable support structure, existing	Per linear foot	\$0.06	NA
PE1DS Copper	Copper or Coaxial cable support structure, existing	Per linear foot	\$0.03	NA
TBD	Cable Support Structure Construction (new)	Per new construction	NA	ICB
			·····	
PE1A1	Security Access System	Dec Control Office	¢50.00	
	Security system	Per Central Office	\$52.00	\$55.00
	New Access Card Activation	Per Card		\$35.00
	Administrative change,	Per Card		400.00
	existing card Replace lost or stolen card	Per Card		\$250.00
				# 550.00
TBD	Space Availability Report	Per Central Office Requested		\$550.00
	POT Bay Arrangements			
	Prior to 6/1/99	}		J
PE1PE	2 Wire Cross-Connect	Per Cross Connect	\$0.40	NA
PE1PF	4 Wire Cross-Connect	Per Cross Connect	\$1.20	NA NA
PE1PG	DS1 Cross-Connect	Per Cross Connect	\$1.20	NA
PE1PH	DS3 Cross-Connect	Per Cross Connect	\$8.00	NA NA
	2 Fiber Cross-Connect	Per Cross Connect	\$39.30	NA NA
PE1B2		Per Cross Connect	\$53.00	NA

EXHIBIT A: BELLSOUTH/NATC RATES - TENNESSEE* PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BT PE1OT PE1PT	Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$41.00/\$25.00 \$48.00/\$30.00 \$55.00/\$35.00
AEH	Additional Engineering Fee (Note 5)	Per request, First half hour/Add'i Half hour		First /Add' Basic Time \$31.00/\$22.00 Overtime \$37.00/\$26.00

Note(s):

- N/A refers to rate elements which do not have a negotiated rate.
- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, NATC will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event NATC opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to NATC as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a onehundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. NATC may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill NATC for the space enclosure, and this fee shall not be applicable.

EXHIBIT A: BELLSOUTH/NATC RATES - TENNESSEE* PHYSICAL COLLOCATION (cont.)

- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, NATC may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling NATC -requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, NATC agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

> EXHIBIT B Page 1 of 6

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. <u>GENERAL PRINCIPLES</u>

- 1.1 <u>Compliance with Applicable Law</u>. BellSouth and NATC agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this agreement.
- 1.2 <u>Notice</u>. BellSouth and NATC shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each party is required to provide specific notice for known potential Imminent Danger conditions. NATC should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 <u>Practices/Procedures</u>. BellSouth may make available additional environmental control procedures for NATC to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. NATC will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the NATC space with proper notification. BellSouth reserves the right to stop any NATC work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

EXHIBIT B Page 2 of 6

- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by NATC are owned by NATC. NATC will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by NATC or different hazardous materials used by NATC at BellSouth Facility. NATC must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.
- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Premises, the party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by NATC to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits.</u> BellSouth and NATC will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and NATC will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, NATC must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 <u>Environmental and Safety Indemnification.</u> BellSouth and NATC shall indemnify, defend and hold harmless the other party from and against any claims (Including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying party, its agents, contractors, or employees concerning its operations at the Facility.

> EXHIBIT B Page 3 of 6

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, NATC agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. NATC further agrees to cooperate with BellSouth to ensure that NATC's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by NATC, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

> EXHIBIT B Page 4 of 6

2. <u>Categories for Consideration of Environmental Issues</u> (cont.)

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION		
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Pollution liability insurance EVET approval of contractor	Std T&C 450 GU-BTEN-001BT, Chapter 4 Std T&C 660-3 GU-BTEN-001BT, Chapter 10		
Emergency response	Hazmat/waste release/spill firesafety emergency	GU-BTEN-001BT, Chapter Building Emergency Operations Plan (EOP) (specific to Premises)		
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps Insurance	Std T&C 450 Std T&C 450-B (Contact E/S or your DEC/LDEC for copy of appropriate E/S M&Ps.) Std T&C 660		
Transportation of hazardous material	Pollution liability insurance EVET approval of contractor	Std T&C 450 GU-BTEN-001BT, Chapter 4 Std T&C 660-3 GU-BTEN-001BT, Chapter 10		
Maintenance/operations work which may produce a waste Other maintenance work	Protection of BST employees and equipment	Std T&C 450 GU-BTEN-001BT, Chapter 10 29CFR 1910.147 29CFR 1910 Subpart O		

Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager – Procurement GU-BTEN-001BT, Chapter 4, GU-BTEN-001BT, Chapter
	All HazMat & Waste	3
	Aspestos notification protection of BST	BSP 010-170-001BS (Hazcom)
· · · · · · · · · · · · · · · · · · ·	employees and equipment	
Manhole cleaning	Pollution liability insurance	Std T&C 450 Std T&C 660-3
	Manhole entry requirements	BSP 620-145-011PR Issue A, August 1996
	EVET approval of contractor	GU-BTEN-001BT, Chapter 10 RL9706008BT
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3

> EXHIBIT B Page 6 of 6

3. <u>DEFINITIONS</u>

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. <u>ACRONYMS</u>

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

EVET - Environmental Vendor Evaluation Team

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

NESC - National Electrical Safety Codes

Attachment 5

.

· .

Access to Numbers and Number Portability

TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS
2.	LOCAL NUMBER PORTABILITY
3.	TRANSITION TO PERMANENT NUMBER PORTABILITY9
4.	TRUE-UP9
5.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES10

~

•

ACCESS TO NUMBERS and NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

- 1.1 Nothing in this Agreement shall be construed to limit or otherwise adversely affect in any manner either Party's right to employ, or to request and be assigned, any Central Office (NXX) Codes pursuant to the Central Office Code Assignment Guidelines, as may be amended from time to time, or to establish, by Tariff or otherwise, Rate Center and Rating Points corresponding to such NXX Codes.
- 1.2 During the term of this Agreement, the Parties shall contact the applicable numbering resource administrator as determined by the FCC, for the assignment of numbering resources. In order to be assigned a Central Office Code, NATC will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.3 For the purposes of the resale of BellSouth's telecommunications services by NATC, BellSouth will provide NATC with on line access to telephone numbers for reservation on a first come first served basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days.
- 1.4 Further, upon NATC's request and for the purposes of the resale of BellSouth's telecommunications services by NATC, BellSouth will reserve up to 100 telephone numbers per Common Language Location Identifier Code (CLLIC), for NATC 's sole use. Such telephone number reservations shall be transmitted to NATC via electronic file transfer. Such reservations shall be valid for ninety (90) days from the reservation date. NATC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity for NATC 's reasonable need in that particular CLLIC.

2. Local Number Portability

- 2.1 The Parties shall provide local number portability on a reciprocal basis to each other to the extent technically feasible, and in accordance with the applicable rules and regulations as prescribed from time to time by the FCC and/or the Commission.
- 2.2 <u>Permanent Number Portability</u>

- 2.2.1 <u>Deployment of LNP.</u> Local Number Portability ("LNP") is a permanent number portability solution that allows End Users to keep their existing Telephone Line Numbers ("TLNs") when switching LECs. The Parties shall implement and deploy the Location Routing Number ("LRN") solution for LNP in accordance with orders, rulings and policies regarding LNP issued by the FCC and the applicable State Commissions, including, without limitation, the FCC prescribed permanent LNP geographic deployment schedules.
- 2.2.2 <u>Description of LNP</u>. LNP uses the industry standard LRN that assigns a unique 10-digit number to each Wire Center. To support LNP, LRN data is stored, and LNP services are provisioned on Advanced Intelligent Network ("AIN") elements that replace the dialed TLN with the LRN so that LNP calls can be routed to the proper Wire Center for connection to the dialed party. To obtain the LRN data and properly provision LNP services, carriers must be connected to independently operated Regional Number Portability Administration Centers ("NPACs"), which will manage LNP services and provide LNP call routing data to carriers.
- 2.2.3 Once LNP is implemented, either Party may withdraw its Interim Number Portability ("INP") offerings (as described in Section 2.8 hereafter), subject to (i) provision of reasonable advance notice to the other Party; and (ii) coordination to allow the seamless and transparent conversion of INP Customers to LNP.
- 2.2.4 <u>End User Line Charge</u> Recovery of charges associated with implementing Number Portability through a monthly charge assessed to end users has been authorized by the FCC. This end user line charge will be as filed in the BellSouth FCC No. 1 Tariff and will be billed to NATC where NATC is a subscriber to local switching or where NATC is a reseller of BellSouth telecommunications services. This charge will not be discounted.

2.3 Interim Number Portability

2.3.1 Service Provider Number Portability

2.3.1.1 Until the industry-wide permanent solution is implemented in an end office, BellSouth shall provide Service Provider Number Portability ("SPNP"). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same Rate Center for his Local Exchange Service.

- 2.3.1.2 SPNP is available through either remote call forwarding or direct inward dialing trunks, at the election of NATC. Remote call forwarding (SPNP-RCF) is an existing switch-based BellSouth service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the NATC switch that serves the subscriber. SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. To order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty, the NBR process must be used. SS7 Signaling is required for the provision of either of these services.
- 2.3.1.3 SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable channelization rates are those specified in Section E6 in BellSouth's Intrastate Access Tariffs, incorporated herein by this reference. SPNP is available only for basic Local Exchange Service.
- 2.3.1.4 SPNP is available only where NATC or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic Local Exchange Service to the affected End User. SPNP for a particular telephone number is available only from the Central Office originally providing Local Exchange Service to the End User. SPNP for a particular assigned telephone number will be disconnected when any End User, Commission, BellSouth, or NATC initiated activity (*e.g.*, a change in exchange boundaries) would normally result in a telephone number change had the End User retained his initial Local Exchange Service.
- 2.3.1.5 SPNP-RCF, as contemplated by this Agreement, is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in the Commission filed NATC or BellSouth Local Exchange Tariff(s) of the Party porting the SPNP-RCF telephone number. The forwarded-to number shall be specified by the NATC or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF End User cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding

of multiple simultaneous calls are available on a per path basis at separate rates in addition to the rates for SPNP-RCF.

2.3.1.6

SPNP-DID service, as contemplated by this Agreement, provides trunk side access to End Office switches for direct inward dialing to the other company's premises equipment from the telecommunications network to lines associated with the other company's switching equipment and must be provided on all trunks in a group arranged for inward service. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in Attachment 2. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering company is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A, as amended from time to time.

2.3.1.7 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-Party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or NATC shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either company may request that the other block collect and third company non-sent paid calls to the SPNP-assigned telephone number. If a company does not

request blocking, the other company will provide itemized local usage data for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each company shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMR standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. NATC usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.

2.3.1.8 Each Party shall be responsible for obtaining authorization from the End User for the handling of the disconnection of the End User's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adequately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other company will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that company may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.

- 2.3.1.9 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.
- 2.3.1.10 Each Party shall be the other Party's single point of contact for all repair calls on behalf of each company's end user. Each

Party reserves the right to contact the other company's customers if deemed necessary for maintenance purposes.

- 2.3.1.11 Neither Party shall be responsible for adverse effects on any service, facility or equipment from the use of SPNP services. End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, end-to-end transmission characteristics cannot be specified by either Party for such calls. Neither Party shall be responsible to the other if any necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other company obsolete or renders necessary modification of the other Party's equipment.
- 2.3.1.12 For terminating IXC traffic ported to either Party which requires use of either Party's Tandem switching, the Tandem provider will bill the IXC Tandem switching and a pro rata portion of the transport, and the other Party will bill the IXC local switching, the carrier common line (CCL), the Interconnection Charge and a portion of the transport. If the Tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the Tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other company at the tandem company's tariffed rates and remit the local switching, the Interconnection Charge, a pro rata portion of transport and CCL revenues to the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party. This subsection does not apply in cases where SPNP-DID is utilized for number portability. 2.3.1.13 If, through a final and effective order, the Federal Communications Commission ("FCC") issues regulations pursuant to 47 U.S.C. § 251 to require number portability different than that provided pursuant to this section, BellSouth will comply with that order.
- 2.3.1.14 Charges for INP shall be as specified in Exhibit A, provided that interim rates will be replaced or trued-up in accordance with regulatory requirements.

2.4 INP Requirements

2.4.1 Either Party will exchange with the other SS7 TCAP messages as required for the implementation of Customer Local Area Signaling Services (CLASS) or other features available. 2.4.2 Either Party shall notify the other of any technical or capacity limitations that would prevent use of a requested INP implementation in a particular End Office or Wire Center.

- 2.4.3 Either Party shall pass all Calling Party Number ("CPN") or Automatic Number Identification ("ANI") information to and from the ported number, whenever technically feasible.
- 2.4.4 Unless approved by NATC, BellSouth agrees not to issue Telephone Line Number ("TLN") based calling card numbers to End Users that port their numbers to NATC.
- 2.4.5 BellSouth and NATC shall cooperate in resolving all service calls involving the other Party's service, to avoid unnecessary service outages.

2.5 Number Portability Through NXX Migration

2.5.1 If the Parties mutually agree to use Local Exchange Routing Guide ("LERG") reassignment as the method to move an End User's telephone numbers from one Party's switch to the other Party's switch in a particular instance, the Parties shall enter into a separate written agreement that must address terms and conditions of the reassignment, including, but not limited to, ordering processes and specific implementation procedures for the reassignment of the appropriate NXX as shown in the LERG, to the new service providers switch, and any applicable rates.

3. Transition to Permanent Number Portability

Once a long-term database method of providing Local Number Portability (LNP) is implemented in an end office pursuant to Federal Communications Commission or State commission orders, rules or regulations, with advance written notice, both Parties must withdraw its Interim Number Portability (INP) offerings. The transition from existing INP arrangements to LNP shall occur within one hundred twenty (120) days from the date LNP is implemented in the end office serving the telephone number. Neither Party shall charge the other Party for conversion from INP to LNP. The Parties shall comply with any INP/LNP transition processes established by the FCC and State commissions and appropriate industry number portability work groups.

Notwithstanding the foregoing, the Parties acknowledge that the FCC has determined once LNP has been deployed pursuant to the FCC's orders, rules and regulations, that all local exchange carriers (LECs) have the duty to provide LNP. Therefore, either Party, at any time, may seek appropriate legal or regulatory relief concerning the transition from INP to LNP or other related issues.

4. True-up

This section applies only to Tennessee.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

- 4.1 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions in the General Terms and Conditions and Attachment 1 of this Agreement.
- 4.2. The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.
- 4.3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
 - (a) BellSouth and NATC is entitled to be a full Party to the proceeding;
 - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
 - (c) It shall include as an issue the geographic deaveraging of network element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

5. Operational Support System (OSS) Rates

è,

•

All Local Service Requests ("LSRs") submitted for products and services under this Attachment will be subject to the OSS charges set forth in the General Terms and Conditions of this Agreement.

.

· · .

,

BELLSOUTHWATC RATES SERVICE PROVIDER NUMBER PORTABILITY

				RATES BY STATE							
ESCRIPTION	USOC	AL.	R.	GA	KY	L.	MS	NC	sc	TN	
A CARLES A COMPANY A COMPANY A COMPANY A COMPANY A COMPANY A COMPANY A COMPANY A COMPANY A COMPANY A COMPANY A	وير مصرف المريخة والمريخة المريخة المراجع						har the start is	2			
CF, per number sorted (Besiness Line), 10 paths	(TNPBL	NA	NA	NA	NA	NA	NA	\$2.25	NA	NA	
CF, per number ported (Residence Line), 6 paths	TNPRL	NA	NA	NA	NA	NA	NA	\$1,15	NA	NA	
ICF, par number ported (Business Line)	TNPSL	\$2.13	NA	\$2.03	NA	\$2.29	\$2.34	NA	\$2.17	\$1.5	
INRC	TNPBL	\$0.65	NA	\$0.51	ŇA	\$0.49	\$0.6441	NA	\$0,7046	NA	
NRC - Disconnect Charge	TNPBL	\$0.07	NA	NA	NA	\$0.05	\$0.0644	\$0.50	NA	NA	
CF, per mather ported (Peeldence Line)	TNPRL	\$2,13	NA	\$2.03	NA	\$2.29	\$2.34	NA	\$2.17	\$1.2	
INPC	TNPRI	\$0.65	NA	\$0.51	NA	\$0.49	\$0,6441	· NA	\$0.7046	NA	
NRC - Disconnect Charge	TNPRL	\$0.07	NA	NA	NA	\$0.05	\$0.0644	\$0.50	NA	NA	
CF, add'I capacity for simultaneous call forwarding, per additional path	N/A	\$0.32	NA	\$0.2836	NA	\$0.38	\$0.3838	NA	\$0.3854	\$0.5	
	(++) Bus = TNPBD									f	
CF, per service order, per location	Res = TNPRO										
INFIC - 1st	TNP++	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	None	\$1.37	\$25.0	
NRC - Add1	TNP++	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	None	\$1,37	\$25.0	
NRC - Disconnect - 1st	TNP++	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA	
NRC - Disconnect - AddT	TNP++	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	NA	NA	
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27,37	NA	NA	NA	\$18.14	\$25.52	NA	NA	NA	
NPIC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$27.37	NA	NA	NA	\$18.14	\$25.52	NA	NA	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	\$44.70	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	\$44.70	NA NA	
									a la tenur man		
D per cumber ported, Residence - NRC	TNPOR	\$1.18	NA	\$0.93	NA	\$0.89	\$1.17	NA	\$2.25	NA	
ID per number ported, Residence - NRC - Disconnect	TNPOR	\$1.18	NA	NA NA	NA	\$0.90	\$1.17	NA	NA	NA	
D per musber ported, Business - HRC	TNPDB	\$1.18	NA	\$0.93	NA	\$0.89	\$1.17	NA	\$2.25	NA	
HD per number ported, Business - NRC - Disconnect	TNPDB	\$1,18	NA	NA	NA	\$0,90	\$1.17	NA	NA	NA NA	
ID per service order, per location							1		1	1	
NRC - 1st	TNPRD	\$1.44	NA	\$2.10	NA	\$2.02	\$2.84	NA	\$1.37	NA NA	
NRC - Add1	TNPRD	\$1.44	NA	\$2,10	NA	\$2.02	\$2.84	NA	\$1.37	NA	
NPC - Dieconnect - 1st	TNPBD	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	\$44.70	NA	
NRC - Disconnect - Addi	TNPRO	\$1.44	NA	NA	NA	\$2.01	\$2.84	NA	\$44,70	NA	
NPC - Incremental Charge - Menual Service Order - 1st	SOMAN	\$27.37	NA	\$18.94	NA	\$18.14	\$25.52	NA	NA	NA	
NAC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$27.37	NA	NA	NA	\$18.14	\$25.52	NA	NA	NA	
NRC - Incremental Charge - Manual Service Order - Disconnect - 161	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA NA	
	SOMAN	\$17.77	NA	NA	NA	\$11.41	\$16.06	NA	NA	NA	
	TNPT2	\$11.84	NA	\$10.73	NA	\$12.46	\$13.78	NA	\$13.16	NA NA	
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1				\$135.47	NA	\$129.69	\$171.68	NA	\$218.03	NA	
IID, për truck temaketikon, initiel	TNPT2	\$173.73	í NA								
32), per truck termination, initial 32), per truck termination, initial - NRC	TNPT2 TNPT2	\$173.73	NA			\$37.85	\$49.86	NA	NA .	NA	
IID, për trusk termination, initial IID, për trunk termination, initial - NRC IID, për trunk termination, initial - Disconnect	TNPT2	\$50.43	NA	NA	NA	\$37.85 \$12.46	\$49.86 \$13.78	NA NA	NA \$13.16	NA	
XD, per truck tempination, initial						\$37.85 \$12.46 \$37.85	\$49.86 \$13.78 \$50.69	NA NA NA	NA \$13.16 \$73.63	NA NA	

Attachment S Exhibit A Rates - Page 1

•

-

Attachment 6 Page 1

Attachment 6

.

•

Ordering and Provisioning

.

TABLE OF CONTENTS

1.	QUALITY OF ORDERING AND PROVISIONING	3
2.	ACCESS TO OPERATIONAL SUPPORT SYSTEMS	4
3.	MISCELLANEOUS ORDERING AND PROVISIONING GUIDELINES	6

ORDERING AND PROVISIONING

1. Quality of Ordering and Provisioning

1.1 BellSouth shall provide ordering and provisioning services to NATC that are equal to the ordering and provisioning services BellSouth provides to itself or any other CLEC. Detailed guidelines for ordering and provisioning are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate, and as they are amended from time to time during this Agreement. To the extent the Terms of this Attachment differ from BellSouth's Local Interconnection and Facilities Based Ordering Guide and Resale Guide, the rate terms and conditions of this Attachment shall take precedence.

BellSouth will perform provisioning services in the UNE Centers during the following normal hours of operation:

Monday - Friday - 8:00AM - 5:00PM Eastern time (excluding holidays) (Resale/Network Element non coordinated, coordinated orders and order coordinated - Time Specific)

Saturday - 8:00 AM - 5:00 PM Eastern time (excluding holidays) (Resale/Network Element non coordinated orders)

Field provisioning services shall be performed on the same schedule as set forth above; provided, however, that times shall be based upon location time rather than Eastern time.

All other NATC requests for provisioning and installation services are considered outside of the normal hours of operation and may be performed subject to the application of overtime billing charges at the labor rates set forth in BellSouth's FCC No. 1 tariff.

If BellSouth begins working on an order which is scheduled to be completed during standard hours, but, due solely to BellSouth's delay, completes the work after standard hours, no such additional charges shall apply. If NATC requests such provisioning services outside of normal hours of operation, BellSouth shall quote within three (3) Business Days of the request, a rate for such services in accordance with BellSouth's FCC No. 1 tariff. If NATC accepts BellSouth's quote, BellSouth shall provide the requested services. If BellSouth agrees to provide expanded standard coverage hours to any other Telecommunications Carrier, NATC shall be able immediately to avail itself of the same expanded hours on the same terms as made available to such other Telecommunications Carrier.

1.2

2. <u>Access to Operational Support Systems</u>

- 2.1 BellSouth shall provide NATC with access to OSS pre-order functions at parity to that provided by BellSouth to itself, its Affiliates, or any other Telecommunications Carrier. Access to these support systems is available through a variety of means, including electronic interfaces. BellSouth also provides the option of placing orders manually (e.g., via facsimile) through the Local Carrier Service Center. The operations support systems available are:
- 2.2 <u>Pre-Ordering</u>. Pre-ordering includes the activities undertaken by NATC to gather and verify information necessary to formulate an accurate order for End Users. BellSouth provides electronic access to the following pre-ordering functions: service address validation, telephone number selection, including vanity number selection and reservations, service and feature availability at serving wire center, due date information. Serving facilities information and Customer Service Record ("CSR") information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). CSR information includes any and all customer specific information, including but not limited to, customer specific information in CRIS and RSAG. NATC agrees not to view, copy, or otherwise obtain access to the CSR of any customer without that customer's permission and further agrees that NATC will obtain access to CSR information only in strict compliance with applicable FCC Rules and Orders and other laws, rules, or regulations of the State in which the service is provided.
- 2.2.1 <u>Interfaces</u>. BellSouth shall make available the following interfaces to NATC for access to pre-order functions: LENS; and TAG. Each such interface shall be available on a non-discriminatory basis in connection with pre-ordering for Resale services and UNES that are available electronically.
- 2.2.2 The Parties acknowledge that ordering requirements necessitate the use of current, real time pre-order information to accurately build service orders. Each pre-order interface shall be available except for downtime attributable to maintenance and upload, twenty-four (24) hours a day, seven (7) days a week.
- 2.2.3 NATC shall be permitted to reserve a number, including, without limitation, a vanity number, for up to thirty (30) days for End Users.
- 2.2.4 All CSR data exchanged must be in English text, and not only USOC or FID format, provided that such information is maintained in textual format by BellSouth. All other data shall be in a mutually agreed upon nomenclature.
- 2.2.5 Upon request, BellSouth shall provide NATC with pre-order information in batch transmission to the extent available or provided to any other Telecommunications Carrier on the same terms and conditions and at the same rates.
- 2.2.6 Pre-ordering functions shall be provided at parity as measured by the Performance Measurement metrics included in Attachment 9 hereto.



- 2.3 <u>Service Ordering and Provisioning</u>. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides an Electronic Data Interchange (EDI) arrangement for certain resale requests and certain network elements and other services. The EDI interface can be integrated with the TAG pre-ordering interface by NATC. As an alternative to the EDI arrangement, BellSouth also provides ordering and provisioning capability through TAG that can be integrated with the TAG pre-ordering capability by NATC. Also, as an alternative, BellSouth provides integrated pre-ordering, ordering, and provisioning capability through the LENS interface. Ordering and provisioning intervals shall be at provisioned at parity to what BellSouth provides to itself, its affiliates and/or other CLECs. Parity in performance shall be measured by the performance measurement metrics set forth in Attachment 9.
- 2.3.1 For generation of Resale service orders, ordering flows shall be available via such electronic interfaces for each of the following ordering functions: Conversion ("as is" or "with changes"); Change (features, listings, long distance); New Connect; Disconnect; From and To (change of premises with same service).
- 2.3.2 BellSouth shall provide to NATC an electronic interface for transmitting of orders, and receiving Firm Order Confirmation ("FOC"), completion notices, Due-Date Jeopardies, and, as available, other provisioning data and information. BellSouth shall provide NATC with a FOC for each Resale and UNE order. The FOC includes: purchase order number, telephone number, Local Service Request number, due date, and Service Order number.
- 2.3.3 BellSouth shall provision Resale Services and UNEs as prescribed in NATC service order requests. Access to status on electronically-submitted Resale services and UNEs shall be provided via the electronic interfaces. Access to status on manually-submitted service order requests shall be provided manually or via the Purchase Order Number ("PON") report on the internet.
- 2.3.4 BellSouth shall provide notice of a lack of facilities availability at parity to that BellSouth provides to itself, its Affiliates, or any other Telecommunications Carrier.
- 2.3.5 Order <u>Flow Through.</u> "Order Flow Through" is defined as the process whereby NATC's orders are transmitted electronically through the gateway and accepted into BellSouth's back office order systems without manual intervention. BellSouth shall provide Flow Through of electronic processes in a manner consistent with, at a minimum, at a level of quality equivalent to itself or to any CLEC with comparable systems.
- 2.4 <u>Service Trouble Reporting and Repair</u>. Service trouble reporting and repair allows NATC to report and monitor service troubles and obtain repair services. BellSouth shall offer NATC service trouble reporting in a non-discriminatory manner that provides NATC the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides NATC an estimated time to repair, an appointment time or a commitment time, as

appropriate, on trouble reports. BellSouth provides two options for electronic trouble reporting. For exchange services, BellSouth offers NATC access to the Trouble Analysis Facilitation Interface (TAFI). For individually services, BellSouth provides electronic trouble reporting through an communications gateway. If the CLEC requests BellSouth to repair after normal working hours, the CLEC will be billed the appropriate overtime charges associated with this request pursuant to BellSouth's tariffs.

- 2.5 <u>Migration of NATC to New BellSouth Software Releases</u>. BellSouth will issue new software releases for its electronic interfaces as needed to improve operations and meet standards and regulatory requirements. When a new release is implemented, BellSouth will continue to support both the new release (N) and the prior release (N-1). When BellSouth makes the next release (N+1), BellSouth will eliminate support for the (N-1) release and support the two newest releases (N and N+1). Thus, BellSouth will always support the two most current releases.
- 2.5.1 BellSouth will issue documents to NATC with sufficient notice to allow NATC to make the necessary changes to their systems and operations to migrate to the newest release in a timely fashion.
- 2.5.2 With respect to any modification or discontinuation that materially affects NATC's use of such interface, BellSouth shall provide NATC with advance notice of such modification or discontinuation consistent with applicable FCC requirements.
- 2.6 <u>Rates</u>. Charges for use of Operational Support Systems shall be as set forth in the General Terms and Conditions of this Agreement.

3. <u>Miscellaneous Ordering and Provisioning Guidelines</u>

- 3.1 <u>Pending Orders</u>. To ensure the most efficient use of facilities and resources, orders placed in the hold or pending status by NATC will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if NATC wishes to reinstate an order, NATC may be required to submit a new service order. If an NATC order is placed on hold by BellSouth then NATC will not have to submit a new order.
- 3.2 <u>Single Point of Contact</u>. NATC will be the single point of contact with BellSouth for ordering activity for network elements and other services used by NATC to provide services to its end users. BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. NATC and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes. Pursuant to such an order, BellSouth may disconnect any network element associated with the service to be

disconnected and being used by NATC to provide service to that end user and reuse such network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify NATC that such an order has been processed, but will not be required to notify NATC in advance of such processing. BellSouth will notify NATC within (2) business days via OUTPLOC that such disconnect has been completed.

- 3.3 <u>Use of Facilities</u>. When a customer of NATC elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to NATC by BellSouth for retail or resale service, loop and/or port for that customer. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to disconnect or transfer the NATC service.
- 3.3.1 Upon receipt of a service order, BellSouth will do the following:
- 3.3.1.1 Process disconnect and reconnect orders to provision the service which shall be due dated using nondiscriminatory procedures and intervals which are at parity to the provisioning intervals BellSouth provides itself or other CLECs;
- 3.3.1.2 Reuse the serving facility for the retail, resale service, or network element at the same location; and
- 3.3.1.3 Notify NATC subsequent to the disconnect order being completed in accordance with Section 3.2 above.
- 3.4 <u>Contact Numbers</u>.

The Parties agree to provide one another with toll-free contact numbers for the purpose of ordering, provisioning and maintenance of services. BellSouth shall provide single points of contact ("SPOC") for the provisioning of Resale Services (LCSC) and UNEs (UNE Center) ordered by NATC. Pre-ordering and ordering shall be available via an electronic interface seven (7) days a week, 24 hours a day.

BellSouth shall provide access to assistance for technical issues such as connectivity and passwords related to LENS, TAG and TAFI, and to the "EDI Central Group" for technical problems with EDI. Assistance will be available by telephone during normal business hours and through other contacts on nights, weekends and holidays.

- 3.5 <u>Disaster Recovery Plan</u>. BellSouth's Disaster Recovery Plan is as set forth in Exhibit A of this Attachment.
- 3.6 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected interexchange carriers with the Operating Company Number (OCN) of the local

provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

- 3.7 <u>Cancellation Charges.</u> If NATC cancels an order for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.4.
- 3.8 <u>Ordering and Provisioning Information</u>; BellSouth shall provide the following to NATC upon request:
- 3.8.1 Design Layout Records ("DLRs") for designed unbundled Network Elements;
- 3.8.2 Advance information on the details and requirements for planning and implementation of NPA splits; and
- 3.8.3 Access to the Regional Street Address Guide ("RSAG") information via LENS or TAG pre-ordering.
- 3.9 BellSouth and NATC shall establish mutually acceptable methods and procedures for handling all misdirected calls from NATC End Users. All misdirected calls to BellSouth from NATC End Users shall be given a recording (or a live statement) directing them to call an NATC-designated toll free number. NATC, on a reciprocal basis, shall refer all misdirected calls that NATC receives from BellSouth End Users to a BellSouth-designated number. NATC and BellSouth each shall be responsible for providing the other party with its current toll free number. The foregoing shall apply only when the Party receiving such call knows or has reason to know that the call is misdirected from an End User of the other Party hereto.
- 3.10 BellSouth shall provide order format specifications to NATC for all available services, features, and functions and for ancillary data required by BellSouth to provision these services.
- 3.11 BellSouth shall provide NATC with standard expected provisioning intervals for all unbundled Network Elements.
- 3.12 BellSouth shall not reconfigure any NATC service rearrangements of any NATC End User for Resale services, UNEs or Combinations, unless so directed by NATC. Any NATC End User that contacts BellSouth regarding a change to its NATC service (excluding changes in its local service provider) shall be advised to contact NATC. Any BellSouth End User that contacts NATC regarding a change in BellSouth service (excluding changes in its local service provider) shall be advised to contact BellSouth.
- 3.13 The Parties shall provide a generic intercept referral message that includes any new telephone number of an End User for the same period of time that BellSouth currently provides such a message for its own End Users. The intercept message shall be similar in format to the intercept referral message currently provided by BellSouth for its own End Users.

- 3.14 BellSouth shall perform all pre-testing necessary to ensure the services ordered meet the specifications outlined in the technical service description provided by BellSouth for the service being ordered.
- 3.15 Any written "leave behind" materials that BellSouth technicians provide to NATC End Users shall be non-branded materials that do not identify the work being performed as being by BellSouth. These materials shall include, without limitation, non-branded forms for the Customer and non-branded "not at home" cards.
- 3.16 If an NATC End User requests a change of service at the time of installation, BellSouth technicians shall direct them to contact NATC directly and provide a toll-free number supplied by NATC. When a BellSouth employee visits the premise of an NATC End User, the BellSouth employee shall inform the Customer that he or she is acting on behalf of NATC.
- 3.17 BellSouth shall provide telephone and/or facsimile notification of any NATC end user service request and charges therefore not authorized on the NATC service request, and obtain NATC's approval prior to commencing work.
- 3.18 Each Party shall train and direct its employees who have contact with End Users of the other Party in the process of provisioning, maintenance or repair not to disparage the other Party or its services in any way to the other Party's End Users.
- 3.19 When NATC places an LSR, NATC shall specify a requested Due Date, and BellSouth shall specify a Due Date based on the applicable intervals. In the event NATC's requested date is less than the standard interval, NATC shall contact BellSouth by telephone and the Parties shall negotiate an expedited Due Date. This situation shall be considered an expedited order for which expedite charges will apply in accordance with BellSouth FCC No. 1 Tariff. BellSouth shall not complete the order prior to the Due Date unless authorized by NATC. If BellSouth misses the Due Date, BellSouth shall promptly notify NATC of the revised installation Due Date. If NATC requests that an order be expedited, BellSouth shall notify NATC of the status of the order (i) by the end of the same Business Day when such expedite requests are made prior to noon; or (ii) by noon the following Business Day otherwise.
- 3.20 NATC and BellSouth shall agree to escalation procedures and contacts for resolving questions and disputes related to ordering and provisioning procedures or to the processing of individual orders, subject ultimately to the dispute resolution provisions of this Agreement. The Parties shall use best efforts to notify each other of any modifications to these contacts within ten (10) days of any such modifications.
- 3.21 BellSouth shall transmit to NATC a FOC or, in the alternative, notification of the lack of available facilities within time periods specified hereafter after BellSouth's receipt of a complete and correct order from NATC, provided, however, that an order for complex services requiring a service inquiry shall be

deemed received for these purposes only after completion of the service inquiry. The FOC shall contain a commitment date, which shall be established on a nondiscriminatory basis with respect to installation dates for comparable orders at such time. If NATC uses LENS, EDI, or any other electronic interface for the submission of the order, the FOC or notification shall be posted by BellSouth in such interface within twenty does not use these interfaces, or these interfaces are not available for the service or UNE being ordered, BellSouth shall transmit the FOC or notification by telecopier to a toll-free number provided by NATC within forty eight (48) hours of BellSouth's receipt of the order. When NATC submits a complete and correct LSR for SPNP and an associated unbundled Loop simultaneously, BellSouth shall likewise issue a FOC for both the Loop and the SPNP simultaneously.

3.23 For Local Service Requests submitted via an electronic interface, BellSouth shall notify NATC via the same electronic interface, of Rejections/Errors contained in any of the data element(s) field(s) contained on any NATC Local Service Request. For Local Service Requests submitted manually, BellSouth shall notify NATC by facsimile of such Rejections and Errors. BellSouth will notify NATC of Rejections or Errors in 95% of mechanized orders within one (1) hour from BellSouth's receipt of the order. BellSouth will notify NATC of Rejections or Errors in 85% of non-mechanized and partially mechanized orders within fortyeight (48) hours from BellSouth's receipt of the order.

BellSouth Disaster Recovery Plan

.

۰.

Version 1Q00:3/14/00

2000 BELLSOUTH

DISASTER RECOVERY PLANNING

For

CLECS

Version 1Q00:3/14/00

PAGE

CONTENTS

4 1.0 Purpose 2.0 Single Point of Contact 4 4 3.0 Identifying the Problem 5 Site Control 3.1 6 **Environmental Concerns** 3.2 6 4.0 The Emergency Control Center (ECC) 7 5.0 Recovery Procedures 7 5.1 CLEC Outage 7 5.2 BellSouth Outage 8 5.2.1 Loss of Central Office 5.2.2 Loss of a Central Office with Serving Wire Center Functions 8 5.2.3 Loss of a Central Office with Tandem Functions 8 9 5.2.4 Loss of a Facility Hub 9 5.3 Combined Outage (CLEC and BellSouth Equipment 9 6.0 T1 Identification Procedures 10 7.0 Acronyms

Version 1Q00:3/14/00

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire & life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.

2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.

3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.

- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involve with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

a) Place specialists and emergency equipment on notice;

b) Inventory the damage to determine what equipment and/or functions are lost;

c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;

d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and

e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

a) Place specialists and emergency equipment on notice;

b) Inventory the damage to determine what equipment and/or functions are lost;

c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;

d) Begin reconnecting service for Hospitals, Police and other emergency agencies;

e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;

f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

a) Placing specialists and emergency equipment on notice;

b) Inventorying the damage to determine what equipment and/or functions are lost;

c) Moving containerized emergency equipment to the stricken area, if necessary;

d) Reconnecting service for Hospitals, Police and other emergency agencies; and

e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

.

CO	-	Central Office (BellSouth)
DS3	-	Facility that carries 28 T1s (672 circuits)
ECC	-	Emergency Control Center (BellSouth)
CLEC	-	Competitive Local Exchange Carrier
NMC	-	Network Management Center
SWC	-	Serving Wire Center (BellSouth switch)
Ti	-	Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC. Attachment 7

Billing and Billing Accuracy Certification

TABLE OF CONTENTS

.

1.	PAYMENT AND BILLING ARRANGEME	NTS 3
2.	BILLING AND BILLING ACCURACY CER	TIFICATION 5
3.	BILLING DISPUTES	
4.	RAO HOSTING	
5.	OPTIONAL DAILY USAGE FILE	
6.	ACCESS DAILY USAGE FILE	
7.	ENHANCED OPTIONAL DAILY USAGE F	ILE 17
EXH	TBIT A – RATES	

.

BILLING AND BILLING ACCURACY CERTIFICATION

1. PAYMENT AND BILLING ARRANGEMENTS

- 1.1 <u>Billing</u>. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that NATC requests. BellSouth will bill and record in accordance with this Agreement those charges NATC incurs as a result of NATC purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.
- 1.1.1 For any service(s) BellSouth orders from NATC, NATC shall bill BellSouth in CABS format or in accordance with industry standards.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.2 <u>Master Account</u>. After receiving certification as a local exchange company from the appropriate regulatory agency, NATC will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA"), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Address (ACNA) and a tax exemption certificate, if applicable.
- 1.3 <u>Payment Responsibility</u>. Payment of all charges will be the responsibility of NATC. NATC shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by NATC from NATC's customer. BellSouth will not become involved in billing disputes that may arise between NATC and its customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 1.4 <u>Payment Due</u>. The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.7, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon proof of tax exempt certification from NATC, the total amount billed to NATC will not include those taxes or fees for which the CLEC is exempt. NATC will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of NATC.
- 1.6 <u>Late Payment</u>. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Service Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, whichever BellSouth determines is appropriate.
- 1.7 <u>Discontinuing Service to NATC</u>. The procedures for discontinuing service to NATC are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by NATC of the rules and regulations contained in BellSouth's tariffs.
- 1.7.2 If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to NATC that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty days notice to NATC at the billing address to discontinue the provision of existing services to NATC at any time thereafter.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and NATC's noncompliance continues,

7/7/00 Version

nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to NATC without further notice.

- 1.7.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, NATC's services will be discontinued. Upon discontinuance of service on NATC's account, service to the NATC's end users will be denied. BellSouth will reestablish service at the request of the end user or NATC for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. NATC is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.
- 1.8 When purchasing services from BellSouth, NATC will be Deposit Policy. required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, the Company reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or in its sole discretion some other form of security. Any such security deposit shall in no way release the customer from his obligation to make complete and timely payments of his bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of the Company, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, the Company reserves the right to request additional security and/or file a Uniform Commercial Code (UCC1) security interest in NATC's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.
- 1.9 <u>Rates.</u> Rates for Optional Daily Usage File (ODUF), Enhanced Optional Daily Usage File (EODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING AND BILLING ACCURACY CERTIFICATION

2.1 Upon request, BellSouth and NATC will agree upon a billing quality assurance program for all billing elements covered in this Agreement that will eliminate the need for post-billing reconciliation. Appropriate terms for access to any BellSouth documents, systems, records, and procedures for the recording and billing of charges will be part of that program.

- 2.2 As part of the billing quality assurance program, BellSouth and NATC will develop standards, measurements, and performance requirements for a local billing measurements process. On a regular basis BellSouth will provide NATC with mutually agreed upon performance measurement data that substantiates the accuracy, reliability, and integrity of the billing process for local billing. In return, NATC will pay all bills received from BellSouth in full by the payment due date.
- 2.3 Local billing discrepancies will be addressed in an orderly manner via a mutually agreed upon billing exemption process.
- 2.3.1 Each Party agrees to notify the other Party upon identifying a billing discrepancy. The Parties shall endeavor to resolve any billing discrepancy within sixty (60) calendar days of the notification date. A mutually agreed upon escalation process will be established for resolving local billing discrepancies as part of the billing quality assurance program.
- 2.3.2 Closure of a specific billing period will occur by joint agreement of the Parties whereby the Parties agree that such billing period is closed to any further analysis and financial transactions except those resulting from regulatory mandates. Closure will take place within a mutually agreed upon time interval from the Bill Date. The month being closed represents those charges that were billed or should have been billed by the designated Bill Date.

3. BILLING DISPUTES

- 3.1 Where the Parties have not agreed upon a billing quality assurance program, billing disputes shall be handled pursuant to the terms of this section.
- 3.1.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date.
- 3.2 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment penalty shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the

Private Line Service Tariff; and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

4. RAO HOSTING

- 4.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to NATC by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 4.2 NATC shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 4.3 Applicable compensation amounts will be billed by BellSouth to NATC on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 4.4 NATC must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from NATC to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of NATC and will coordinate all associated conversion activities.
- 4.5 BellSouth will receive messages from NATC that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 4.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from NATC.
- 4.7 All data received from NATC that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.

7/7/00 Version

- 4.8 All data received from NATC that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 4.9 BellSouth will receive messages from the CMDS network that are destined to be processed by NATC and will forward them to NATC on a daily basis.
- 4.10 Transmission of message data between BellSouth and NATC will be via CONNECT:Direct.
- 4.11 All messages and related data exchanged between BellSouth and NATC will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 4.12 NATC will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 4.13 Should it become necessary for NATC to send data to BellSouth more than sixty (60) days past the message date(s), NATC will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and NATC to notify all affected Parties.
- 4.14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or NATC) identified and agreed to, the company responsible for creating the data (BellSouth or NATC) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- 4.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from NATC, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify NATC of the error condition. NATC will correct the error(s) and will resend the entire pack to BellSouth for

7/7/00 Version

processing. In the event that an out-of-sequence condition occurs on subsequent packs, NATC will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

- 4.16 In association with message distribution service, BellSouth will provide NATC with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 4.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.
- 4.18 RAO Compensation
- 4.18.1 Rates for message distribution service provided by BellSouth for NATC are as set forth in Exhibit A to this Attachment.
- 4.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
- 4.18.3 Data circuits (private line or dial-up) will be required between BellSouth and NATC for the purpose of data transmission. Where a dedicated line is required, NATC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. NATC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to NATC. Additionally, all message toll charges associated with the use of the dial circuit by NATC will be the responsibility of NATC. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- 4.18.4 All equipment, including modems and software, that is required on the NATC end for the purpose of data transmission will be the responsibility of NATC.
- 4.19 Intercompany Settlements Messages
- 4.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by NATC as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between NATC and the involved company(ies), unless that company is participating in NICS.

- 4.19.2 Both traffic that originates outside the BellSouth region by NATC and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by NATC, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by NATC, involves a company other than NATC, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 4.19.3 Once NATC is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 4.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of NATC. BellSouth will distribute copies of these reports to NATC on a monthly basis.
- 4.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of NATC. BellSouth will distribute copies of these reports to NATC on a monthly basis.
- 4.19.6 BellSouth will collect the revenue earned by NATC from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of NATC. BellSouth will remit the revenue billed by NATC to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on NATC. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to NATC via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 4.19.7 BellSouth will collect the revenue earned by NATC within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of NATC. BellSouth will remit the revenue billed by NATC within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to NATC via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and NATC agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

5. OPTIONAL DAILY USAGE FILE

7/7/00 Version

- 5.1 Upon written request from NATC, BellSouth will provide the Optional Daily Usage File (ODUF) service to NATC pursuant to the terms and conditions set forth in this section.
- 5.2 The NATC shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 5.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a NATC customer.

Charges for delivery of the Optional Daily Usage File will appear on the NATC's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 5.4 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5.5 Messages that error in the billing system of NATC will be the responsibility of NATC. If, however, NATC should encounter significant volumes of errored messages that prevent processing by NATC within its systems, BellSouth will work with NATC to determine the source of the errors and the appropriate resolution.
- 5.6 The following specifications shall apply to the Optional Daily Usage Feed.
- 5.6.1 USAGE TO BE TRANSMITTED
- 5.6.1.1 The following messages recorded by BellSouth will be transmitted to the NATC:
 - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
 - measured billable Local
 - Directory Assistance messages
 - intraLATA Toll
 - WATS & 800 Service
 - N11
 - Information Service Provider Messages

- Operator Services Messages
- Operator Services Message Attempted Calls (Network Element only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 5.6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 5.6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to NATC.
- 5.6.1.4 In the event that NATC detects a duplicate on Optional Daily Usage File they receive from BellSouth, NATC will drop the duplicate message (NATC will not return the duplicate to BellSouth).
- 5.6.2 PHYSICAL FILE CHARACTERISTICS
- 5.6.2.1 The Optional Daily Usage File will be distributed to NATC via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 5.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and NATC for the purpose of data transmission. Where a dedicated line is required, NATC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. NATC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to NATC. Additionally, all message toll charges associated with the use of the dial circuit by NATC will be the responsibility of NATC. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including

modems and software, that is required on NATC end for the purpose of data transmission will be the responsibility of NATC.

- 5.6.3 PACKING SPECIFICATION\$
- 5.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 5.6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to NATC which BellSouth RAO that is sending the message. BellSouth and NATC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by NATC and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.4 PACK REJECTION
- 5.6.4.1 NATC will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. NATC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to NATC by BellSouth.
- 5.6.5 CONTROL DATA

NATC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate NATC received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by NATC for reasons stated in the above section.

- 5.6.6 TESTING
- 5.6.6.1 Upon request from NATC. BellSouth shall send test files to NATC for the Optional Daily Usage File. content and/or format. For NATC set up a production (LIVE) file. The live test may consist of NATC's employees making test calls for the types of services NATC requests on the Optional Daily Usage File. These test calls are logged by NATC, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be

completed within 30 calendar days from the date on which the initial test file was sent.

6. ACCESS DAILY USAGE FILE

- 6.1. Upon written request from NATC, BellSouth will provide the Access Daily Usage File (ADUF) service to NATC pursuant to the terms and conditions set forth in this section.
- 6.2 The NATC shall furnish all relevant information required by BellSouth for the provision of the Access Daily Usage File.
- 6.3 The Access Daily Usage Feed will contain access messages associated with a port that NATC has purchased from BellSouth.
- 6.4 Charges for delivery of the Access Daily Usage File will appear on the NATC's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6.5 Messages that error in the billing system of the NATC will be the responsibility of the NATC. If, however, the NATC should encounter significant volumes of errored messages that prevent processing by the NATC within its systems, BeliSouth will work with the appropriate resolution.
- 6.6 USAGE TO BE TRANSMITTED
- 6.6.1 The following messages recorded by BellSouth will be transmitted to NATC:

Interstate and intrastate access records associated with a port.

Undetermined jurisdiction access records associated with a port.

6.6.2 When NATC purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows:

Originating from Network Element and carried by Interexchange Carrier:

BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF

Originating from network element and carried by BellSouth (NATC is BellSouth's toll customer):

7/7/00 Version

BellSouth will bill resale toll rates to NATC and send toll record for the end user toll billing purposes via ODUF (Optional Daily Usage File). Access record will be sent to NATC via ADUF.

Terminating on network element and carried by Interexchange Carrier:

BellSouth will bill network element to NATC and send access record to NATC.

Terminating on network element and carried by BellSouth:

BellSouth will bill network element to NATC and send access record to NATC.

- 6.6.3 BellSouth will perform duplicate record checks on records processed to the Access Daily Usage File. Any duplicate messages detected will be dropped and not sent to NATC.
- 6.6.4 In the event that NATC detects a duplicate on the Access Daily Usage File they receive from BellSouth, NATC will drop the duplicate message (NATC will not return the duplicate to BellSouth).

6.6.5 PHYSICAL FILE CHARACTERISTICS

- 6.6.5.1 The Access Daily Usage File will be distributed to NATC via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.6.5.2 Data circuits (private line or dial-up) may be required between BellSouth and NATC for the purpose of data transmission. Where a dedicated line is required, NATC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. NATC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to NATC. Additionally, all message toll charges associated with the use of the dial circuit by NATC will be the responsibility of

NATC. Associated equipment on the BellSouth end, including a modern, will be negotiated on a case by case basis between the Parties. All equipment, including moderns and software, that is required on NATC end for the purpose of data transmission will be the responsibility of NATC.

6.6.6 PACKING SPECIFICATION\$

- 6.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.6.6.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to NATC which BellSouth RAO that is sending the message. BellSouth and NATC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by NATC and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 6.6.7 PACK REJECTION
- 6.6.7.1 NATC will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. NATC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to NATC by BellSouth.
- 6.6.8 CONTROL DATA

NATC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate NATC received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by NATC for reasons stated in the above section.

- 6.6.9 TESTING
- 6.6.9.1 Upon request from NATC, BellSouth shall send test files to NATC for the Access Daily Usage File. Testing shall consist of actual calls made from live accounts. A call log shall be supplied along with test request information. The Parties agree to review and discuss the file's content and/or format.

7/7/00 Version

7. ENHANCED OPTIONAL DAILY USAGE FILE

- 7.1 Upon written request from NATC, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to NATC pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 7.2 NATC shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 7.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- Charges for delivery of the Enhanced Optional Daily Usage File will appear on the NATC's monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 7.4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 7.5 Messages that error in the billing system of NATC will be the responsibility of NATC. If, however, NATC should encounter significant volumes of errored messages that prevent processing by NATC within its systems, BellSouth will work with NATC to determine the source of the errors and the appropriate resolution.
- 7.6 The following specifications shall apply to the Optional Daily Usage Feed.
- 7.6.1 USAGE TO BE TRANSMITTED
- 7.6.1.1 The following messages recorded by BellSouth will be transmitted to NATC:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call From Number To Number Connect Time Conversation Time Method of Recording From RAO Rate Class Message Type Billing Indicators

Bill to Number

- 7.6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to NATC.
- 7.6.1.3 In the event that NATC detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, NATC will drop the duplicate message (NATC will not return the duplicate to BellSouth).
- 7.6.2 PHYSICAL FILE CHARACTERISTICS
- 7.6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to NATC over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among NATC's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and NATC for the purpose of data transmission. Where a dedicated line is required, NATC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. NATC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in associated charges assessed to NATC. Additionally, all message toll charges associated with the use of the dial circuit by NATC will be the responsibility of NATC. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on NATC.
- 7.6.3 PACKING SPECIFICATIONS
- 7.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to NATC which BellSouth RAO that is sending the message. BellSouth and NATC will use the invoice sequencing to control data

exchange. BellSouth will be notified of sequence failures identified by NATC and resend the data as appropriate.

The data will be packed using ATIS EMI records.

•

BELLSOUTHWATC RATES ODUF/EDOUF/ADUF/CMDS

		r——			F	TATES BY STAT	E		<u> </u>	
	USOC	AL	FL.	GA	КҮ	LA	MS	NC	SC	<u>TN</u>
	and the providence of the						2 (h			
	NA	\$0.0002	\$0.008	\$0.008	\$0.0008611	\$0.00019	\$0.0001179	\$0.008	\$0.0002862	\$0.008
QOUF: Recording, per meesage	N/A	\$0.0033	\$0.004	\$0.004	\$0.0032357	\$0.0024	\$0.0032089	\$0.004	\$0.0032344	\$0.004
ODUF: Measage Proceeding, per measage	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
EODLIF: Measure Proceeding, per measure	NA NA	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
ADUF: Mossage Processing, per message	N/A	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004
CHDS: Hersege Processing, per missege		\$55.19	\$54.95	\$54.95	\$65.68	\$47.30	\$54.62	\$54.95	\$54.72	\$54.95
ODUF: Message Proceeding, per asignetic tape provisioned	N/A		\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30	\$47.30
ECOUP: Meaning Processing, per magnetic type provisioned	<u>NA</u>	\$47.30	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95	\$54.95
ADUP: Measage Processing, per magnetic tape provisioned	NA	\$54.95			\$0.0000365	\$0.00003	\$0.0000354	\$0.001	\$0.0000357	\$0.001
ODUF: Data Transmission (CONNECT:DIRECT), per message	N/A	\$0.00004	\$0.001	\$0.001			\$0.0000364	\$0.0000364	\$0,0000364	\$0.0000364
EODUR- Date Trenenisation (CONNECT: DIRECT), per message	N/A	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.001	\$0.001	\$0.001	\$0.001
ADUF: Data Transmission (CONNECT:DirdsCT), per mentage	<u>N/A</u>	\$0,001	\$0.001	\$0.001	\$0.001	\$0.001			\$0.001	\$0.001
	N/A	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	\$0.001	30.001	30.001
CLIDS: Date Transmission (CONNECT: DIRECT), per meanings	<u></u>									
NOTES:										
If no rate is identified in the contract, the rate for the specific service or function will be as set forth in application	ble BellSouth tariff or at	i negotiated by the	e parties upon re	quest by either p	arty				·	

.

.

,

Attachment 7 Exhibit A Rates - Page 1

٠

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

7/7/00 Version

Rights-of-Way, Conduits and Pole Attachments

Pursuant to terms and conditions negotiated between NATC and BellSouth's Competitive Structure Provisioning Center and pursuant to 47 U.S.C. § 224, BellSouth will provide nondiscriminatory access to poles, ducts, conduit, and rights-of-way owned or controlled by BellSouth.

Attachment 9 Page 1

Attachment 9

.

Performance Measurements

•

.

Version 1Q00: 3/6/00 7/7/00 Version

.

TABLE OF CONTENTS

Serv	ice Performance Measurements And Enfor	cement Mechanisms3
1.	Scope	
2.	Reporting	
	•	
EXH	libit D	
EXI	IBIT E	

Version 1Q00: 3/6/00 7/7/00 Version

Service Performance Measurements And Enforcement Mechanisms

1. <u>Scope</u>

This Attachment includes Enforcement Measurements with corresponding Enforcement Mechanisms applicable to this Agreement.

2. <u>Reporting</u>

- 2.1 In providing services pursuant to this Agreement, BellSouth will report its performance to NATC in accordance with BellSouth's Service Quality Measurements, which are contained in this Attachment as Exhibit A and in accordance with BellSouth's Enforcement Measurements, which are contained in this Attachment as Exhibit B.
- 2.2 BellSouth will make performance reports available to NATC on a monthly basis. The reports will contain information collected in each performance category and will be available to NATC through some electronic medium to be determined by BellSouth. BellSouth will also provide electronic access to the raw data underlying the performance measurements. Within thirty (30) days of execution of this Agreement, BellSouth will provide a detailed session of instruction to NATC regarding access to the reports and to the raw data as well as the nature of the format of the data provided.

3. Modifications to Measurements

- 3.1 Service Quality Measurements
- 3.1.1 BellSouth will update the Service Quality Measurements contained in Exhibit A of this Attachment each calendar quarter. BellSouth will not delete any Service Quality Measurement without prior written consent of NATC. NATC may provide input to BellSouth regarding any suggested additions, deletions or other modifications to the Service Quality Measurements. BellSouth will provide notice of all changes to the Service Quality Measurements via BellSouth's internet website.
- 3.1.2 Notwithstanding the foregoing, BellSouth may, from time to time, be ordered by a regulatory or judicial body to modify or amend the Service Quality Measurements. BellSouth will make all such changes to the Service Quality Measurements pursuant to Section 34 of the General Terms and Conditions of this Agreement, incorporated herein by reference
- 3.1.3 Notwithstanding any other provision of this Agreement, in the event a dispute arises regarding the modification or amendment of the

Service Quality Measurements, the parties will refer the dispute to the Commission.

- 3.2 Enforcement Measurements and Statistical Test
- 3.2.1 In order for BellSouth to accurately administer the Enforcement Measurements contained in Exhibit B of this Attachment, the Enforcement Measurements shall be modified or amended only if BellSouth determines such modification or amendment is necessary. However, BellSouth will not delete any Enforcement Measurement without prior written consent of NATC. BellSouth will notify NATC of any such modification or amendment to the Enforcement Measurements via BellSouth's internet website.
- 3.2.2 Notwithstanding the foregoing, BellSouth may, from time to time, be ordered by a regulatory or judicial body to modify or amend the Enforcement Measurements and/or Statistical Test. BellSouth will make all such changes to the Enforcement Measurements and/or Statistical Test pursuant to Section 34 of the General Terms and Conditions of this Agreement, incorporated herein by reference.
- 3.2.3 Notwithstanding any other provision of this Agreement, in the event a dispute arises regarding the modification or amendment of the Enforcement Measurements and/or Statistical Test, the parties will refer the dispute to the Commission.

4. Enforcement Mechanisms

4.1 Purpose

This section establishes meaningful and significant enforcement mechanisms voluntarily provided by BellSouth to verify and maintain compliance between BellSouth and NATC's operations as well as to maintain access to Operational Support System (OSS) functions. This section provides the terms and conditions for such self-effectuating enforcement mechanisms.

4.2 <u>Effective Date</u>

The enforcement mechanisms set forth in this section shall only become effective upon an effective FCC order, which has not been stayed, authorizing BellSouth to provide interLATA telecommunications services under section 271 of the Act within any state and shall apply to BellSouth's performance in each state in the BellSouth region.

4.3 Definitions

Version 1Q00: 3/6/00 7/7/00 Version

- 4.3.1 <u>Enforcement Measurement Elements</u> means the performance measurements set forth in Exhibit B, attached hereto and incorporated herein by this reference.
- 4.3.2 <u>Enforcement Measurement Benchmark</u> means a competitive level of performance negotiated by BellSouth used to compare the performance of BellSouth and NATC where no analogous process, product or service is feasible. See Exhibit B.
- 4.3.3 <u>Enforcement Measurement Compliance</u> means comparing performance levels provided to BellSouth retail customers with performance levels provided by BellSouth to the CLEC customer, as set forth in Exhibit C, attached hereto and incorporated herein by this reference.
- 4.3.4 <u>Test Statistic and Balancing Critical Value</u> is the means by which enforcement will be determine using statistically valid equations. See Exhibit C.
- 4.3.5 <u>Cell</u> is the point (below the wire center level) at which like-to-like comparisons are made. For example, all BellSouth retail POTS services, for residential customers, requiring a dispatch in a particular wire center, at a particular point in time will be compared directly to NATC resold services for residential customers, requiring a dispatch, in the same wire center, at a particular point in time. When determining compliance, these cells can have a positive or negative value. See Exhibit C.
- 4.3.6 <u>Affected Volume</u> means that proportion of the total NATC volume or CLEC Aggregate volume for which remedies will be paid.
- 4.3.7 <u>Parity Gap</u> refers to the incremental departure from a compliant-level of service. (See Exhibit D). This is also referred to as "diff" in the Statistical paper (See Exhibit C).
- 4.3.8 <u>Tier-1 Enforcement Mechanisms</u> means self-executing liquidated damages paid directly to NATC when BellSouth delivers non-compliant performance of any one of the Enforcement Measurement Elements for any month as calculated by BellSouth.
- 4.3.9 <u>Tier-2 Enforcement Mechanisms</u> means Assessments paid directly to a state Public Service Commission ("Commission") or its designee. Tier 2 Enforcement Mechanisms are triggered by three consecutive monthly failures in a quarter in which BellSouth performance is out of compliance or does not meet the benchmarks for the aggregate of all CLEC data as calculated by BellSouth for a particular Enforcement Measurement Element.

4.3.10 <u>Tier-3 Enforcement Mechanisms</u> means the voluntary suspension of additional marketing and sales of long distance services triggered by excessive repeat failures of those specific submeasures as defined in Exhibit D attached hereto and incorporated herein by this reference.

4.4 <u>Application</u>

- 4.4.1 The application of the Tier-1, Tier-2, and Tier-3 Enforcement Mechanisms does not foreclose other non-contractual legal and regulatory claims and remedies available to NATC.
- 4.4.2 Proof of damages resulting from BellSouth's failure to maintain Enforcement Measurement Compliance would be difficult to ascertain and, therefore, liquidated damages are a reasonable approximation of any contractual damage. Liquidated damages under this provision are not intended to be a penalty.

4.5 <u>Methodology</u>

- 4.5.1 Tier-I Enforcement Mechanisms will be triggered by BellSouth's failure to achieve Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for the State for a given Enforcement Measurement Element in a given month based upon a test statistic and balancing critical value calculated by BellSouth utilizing BellSouth generated data. The method of calculation is attached hereto as Exhibit D and incorporated herein by this reference.
- 4.5.1.1 Tier-1 Enforcement Mechanisms apply on a per transaction basis for each negative cell and will escalate based upon the number of consecutive months that BellSouth has reported non-compliance.
- 4.5.1.2 Fee Schedule for Tier-1 Enforcement Mechanisms is shown in Table-1 attached hereto as Exhibit E and incorporated herein by this reference. Failures beyond Month 6 (as set forth in Table 1) will be subject to Month 6 fees.
- 4.5.2 Tier-2 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for the State in a given calendar quarter based upon a statistically valid equation calculated by BellSouth utilizing BellSouth generated data. The method of calculation is attached hereto as Exhibit D and incorporated herein by reference.

- 4.5.2.1 Tier- 2 Enforcement Mechanisms apply, for an aggregate of all CLEC data generated by BellSouth, on a per transaction basis for each negative cell for a particular Enforcement Measurement Element.
- 4.5.2.2 Fee Schedule for Total Quarterly Tier-2 Enforcement Mechanisms is show in Table-2 attached hereto as Exhibit E and incorporated herein by this reference.
- 4.5.3 Tier-3 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for a State in a given calendar quarter. The method of calculation for specified submeasures is identical to the method of calculation for Tier-2 Enforcement Mechanisms as described above. The specific submeasures which are the mechanism for triggering and removing a Tier-3 Enforcement Mechanisms are described in more detail in Exhibit D attached hereto and incorporated herein by this reference.
- 4.6 Payment of Tier-1 and Tier-2 Amounts
- 4.6.1 If BellSouth performance triggers an obligation to pay Tier-1 Enforcement Mechanisms to NATC or an obligation to remit Tier-2 Enforcement Mechanisms to the Commission, BellSouth shall make payment in the required amount on or before the thirtieth (30th) day following the due date of the performance measurement report for the month in which the obligation arose.
- 4.6.2 For each day after the due date that BellSouth fails to pay NATC the required amount, BellSouth will pay interest to NATC at the maximum rate permitted by state law.
- 4.6.3 For each day after the due date that BellSouth fails to pay the Tier-2 Enforcement Mechanisms, BellSouth will pay the Commission an additional \$1,000 per day.
- 4.6.4 If NATC disputes the amount paid to NATC for Tier-1 Enforcement Mechanisms, NATC shall submit a written claim to BellSouth within sixty (60) days after the date of the performance measurement report for which the obligation arose. BellSouth shall investigate all claims and provide NATC written findings within thirty (30) days after receipt of the claim. If BellSouth determines NATC is owed additional amounts, BellSouth shall pay NATC such additional amounts within thirty (30) days after its findings along with interest paid at the maximum rate permitted by law.
- 4.6.5 At the end of each calendar year, BellSouth will have its independent auditing and accounting firm certify that the results of all Tier-1 and Tier-

2 Enforcement Mechanisms were paid and accounted for in accordance with Generally Accepted Account Principles (GAAP).

- 4.7 <u>Limitations of Liability</u>
- 4.7.1 BellSouth will not be responsible for NATC acts or omissions that cause performance measures to be missed or fail, including but not limited to accumulation and submission of orders at unreasonable quantities or times or failure to submit accurate orders or inquiries. BellSouth shall provide NATC with reasonable notice of such acts or omissions and provide NATC any such supporting documentation.
- 4.7.2 BellSouth shall not be obligated for Tier-1, Tier-2 or Tier 3 Enforcement Mechanisms for non-compliance with a performance measure if such noncompliance was the result of an act or omission by NATC that is in bad faith.
- 4.7.3 BellSouth shall not be obligated to pay Tier-1 Enforcement Mechanisms or Tier-2 Enforcement Mechanism for non-compliance with a performance measurement if such non-compliance was the result of any of the following: a Force Majeure event as set forth in the General Terms and Conditions of this Agreement; an act or omission by NATC that is contrary to any of its obligations under its Interconnection Agreement with BellSouth; an act or omission by NATC that is contrary to any of its obligations under the Act, Commission rule, or state law; an act or omission associated with third-party systems or equipment; or any occurrence that results from an incident reasonably related to the Y2K problem.
- 4.7.4 It is not the intent of the Parties that BellSouth be liable for both Tier-2 Enforcement Mechanisms and any other assessments or sanctions imposed by the Commission. NATC will not oppose any effort by BellSouth to set off Tier-2 Enforcement Mechanisms from any additional assessment imposed by the Commission.
- 4.7.5 Payment of any Tier-1 or Tier-2 Enforcement Mechanisms shall not be considered as an admission against interest or an admission of liability or culpability in any legal, regulatory or other proceeding relating to BellSouth's performance. The payment of any Tier-1 Enforcement Mechanisms to NATC shall release BellSouth for any liability associated with or related to the service performance measurement for the month for which the Enforcement Mechanisms was paid to NATC.
- 4.7.6 NATC acknowledges and argues that the Enforcement Mechanisms contained in this attachment have been provided by BellSouth on a completely voluntary basis in order to maintain compliance between

BellSouth and NATC. Therefore, NATC may not use the existence of this section or any payments of any Tier-1 or Tier-2 Enforcement Mechanisms under this section as evidence that BellSouth has not complied with or has violated any state or federal law or regulation.

- 4.8 Enforcement Mechanism Caps
- 4.8.1 BellSouth's liability for the payment of Tier-1 and Tier-2 Enforcement Mechanisms shall be collectively capped at \$625M per year for the entire BellSouth region as set forth below.

AL - \$54M	MS - \$44M
FL - \$122M	NC - \$77M
GA - \$131M	SC - \$47M
KY - \$34M	TN - \$57M
LA - \$59M	
Regior	al Total - \$625M

- 4.8.2 If BellSouth's liability for the payment of Tier-1 and Tier-2 Enforcement Mechanisms exceed the caps referenced in this attachment, NATC may commence a proceeding with the Commission to demonstrate why BellSouth should pay any amount in excess of the cap. NATC shall have the burden of proof to demonstrate why, under the circumstances, BellSouth should have additional liability.
- 4.9 <u>Dispute Resolution</u>
- 4.9.1 Notwithstanding any other provision of this Agreement, any dispute regarding BellSouth's performance or obligations pursuant to this Attachment shall be resolved by the Commission.

Attachment 9 Page 10

.

EXHIBIT A

· · · ·

Version 1Q00:3/6/00 7/7/00 Version

ORDERING

÷

Report/Measurement:	
O-7. Speed of Answer in Ordering Center	
Definition:	
Measures the average time a customer is in queue.	
Exclusions:	
None	
Business Rules:	
The clock starts when the appropriate option is sele	cted (i.e. 1 for Resale Consumer, 2 for Resale Multiline, and 3 for
	at particular group in the LCSC. The clock stops when a BST
service representative in the LCSC answers the call	. The speed of answer is determined by measuring and accumulating
	the BellSouth automatic call distributor (ACD) until the a service
representative in BSTs Local Carrier Service Center	r (LCSC) answers the CLEC call.
Calculation:	
(Total time in seconds to reach the LCSC) / (Total I	Number of Calls) in the Reporting Period.
Report Structure:	
CLEC Aggregate	
BST Aggregate (Combination of Residence Ser	vice Center and Business Service Center data under development)
Level of Disaggregation:	
CLEC Aggregate	
	vice Center and Business Service Center data under development)
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Mechanized tracking through LCSC	 Mechanized tracking through BST Retail center support
Automatic Call Distributor	systems
Retail Analog/Benchmark:	
	SC) is comparable to Speed of Answer in BST Business Offices.
See Appendix D	
	Revision Date: 02/16/00 (lg)

ORDERING - (LNP)

	·
Report/Measurement:	· · · · · · · · · · · · · · · · · · ·
LNP-8. Percent Rejected Service Requests	
Definition:	
	al Local Service Requests (LSRs) which are rejected due to error or ronically submitted by the CLEC and passes LNP Gateway edit
checks to insure the data received is correctly formatt	
Exclusions:	
Service Requests canceled by the CLEC	
• Fatal Rejects	
	with internal or administrative use of local services
(Record Orders, Test Orders, etc.) where identified	
Business Rules:	
	d electronically but does not pass edit checks in the ordering
systems (EDI, TAG, LNP Gateway, LAUTO) and is a	returned to the CLEC without manual intervention.
Fully Mechanized: There are two types of "Rejects"	
	electronically submit an LSR (via EDI or TAG) but required fields
are not populated correctly and the request is retu	urned to the CLEC.
	and for informational purposes ONLY. They are not considered in
the calculation of the percent of total LSRs reject	eted or the total number of rejected LSRs.
• An Auto Clarification is a valid LSR which is ele	ectronically submitted (via EDI or TAG), but is rejected from
	cks for order accuracy. Auto Clarifications are returned without
manual intervention.	
to the CLEC. Total Mechanized: Combination of Fully Mechanized	ed and Partially Mechanized rejects.
Calculation	
Percent Rejected Service Requests:	
	rting Period) / (Number of Service Requests Received in the
Reporting Period)] x 100	
Report Structure:	
• Fully Mechanized, Partially Mechanized, Total M	lechanized
CLEC Specific	
CLEC Aggregate	
Level of Disaggregation:	
 Product Reporting Levels 	
> LNP	
 UNE Loop with LNP Geographic Scope 	
 Geographic Scope State, Region 	
Retail Analog/Benchmark:	
See Appendix D	
no	
	Revision Date: 02/16/00 (lg)

ORDERING - (LNP)

Devent & Constant on the	
Report/Measurement: LNP-9. Reject Interval Distribution & Average R	Daiant Internal
Definition:	
Reject Interval is the average reject time from receipt of a	n LSR to the distribution of a Reject. An LSR is considered passes LNP Gateway edit checks to insure the data received is luded.
Exclusions:	
 Service Requests canceled by CLEC Fatal Rejects Order Activities of BST or the CLEC associated with Orders, Test Orders, etc.) where identifiable. 	internal or administrative use of local services (Record
Business Rules:	
the elapsed time from when BST receives LSR until that I	rocessed during the reporting period. The Reject interval is SR is rejected back to the CLEC. Elapsed time for each LSR plated time for each reporting dimension is then divided by the eject interval distribution.
An LSR is considered "rejected" when it is submitted el systems (EDI, TAG, LNP Gateway, LAUTO) and is retu	ectronically but does not pass edit checks in the ordering inned to the CLEC without manual intervention.
Fully Mechanized: There are two types of "Rejects" in th	e Fully Mechanized category:
 correctly and the request is returned to the CLEC. Fatal rejects are reported in a separate column, and in the calculation of the percent of total LSRs reject An Auto Clarification is a valid LSR which is elect LAUTO because it does not pass further edit check manual intervention. 	ronically submitted (via EDI or TAG), but rejected from ss for order accuracy. Auto Clarifications are returned without
<u>Partially Mechanized</u> : A valid LSR which is electronical electronically due to a CLEC error and "falls out" for mar to the CLEC.	lly submitted (via EDI or TAG), but cannot be processed nual handling. It is then put into "clarification", and sent back
Total Mechanized: Combination of Fully Mechanized an	d Partially Mechanized rejects.
Calculation:	
Service Requests Rejected in Reporting Period) Reject Interval Distribution:	& Time of Service Request Receipt)] / (Total Number of Total Number of Service Requests Rejected in Reporting
Report Structure:	
 Fully Mechanized, Partially Mechanized, Total Mecha CLEC Specific CLEC Aggregate 	nized

ORDERING - (LNP) - Reject Interval Distribution & Average Reject Interval - Continued)

~

Level of Disagg	regation:
• Reported in hours, >24	intervals = $0 - 4$ minutes, $4 - 8$ minutes, $8 - 12$ minutes, $12 - 60$ minutes, $0 - 1$ hours, $1 - 8$ hours, $8 - 24$ 4 hours
 Product Rep 	porting Levels
> LN	P
> UN	E Loop with LNP
 Geographic 	Scope
> .Sta	te, Region
 Average Int 	erval in Days
Retail Analog	Benchmark:
See Appendix D	

Revision Date: 02/16/00 (lg)

.

ORDERING - (LNP)

eport/Measurement:	
LNP-10. Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation	1
Average Interval	
efinition: Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a val	lid
Interval for Return of a firm order confirmation (FOC interval) is the average response time from receipt of a value LSR to distribution of a firm order confirmation.	iių.
cclusions:	<u></u> .
Rejected LSRs (Clarifications or Fatal Rejects) Output to the CLEC associated with intermed on administrative use of least corriges (Record)	
• Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record	
Orders, Test Orders, etc.) where identifiable.	
isiness Rules: The Firm Order Confirmation interval is determined for each FOC'd LSR processed during the reporting period.	The
Firm Order Confirmation interval is determined for each FOC d LSK processed during the reporting period. Firm Order Confirmation interval is the elapsed time from when BST receives an LSR until that LSR is confirm	
back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated ti	me for
each reporting dimension is then divided by the associated total number of orders completed to produce the Firm	Order
Confirmation timeliness interval distribution.	
 Mechanized - The elapsed time from receipt of a valid LSR until the LSR is processed and appropriate service 	ce
orders are generated in SOCS without manual intervention.	
 Partially Mechanized - The elapsed time from receipt of an electronically submitted LSR which falls out for 	F
manual handling by the LCSC personnel until appropriate service orders are issued by a BST service represent	tative
via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS).	
 Total Mechanized - Combination of Fully Mechanized and Partially Mechanized FOCs. 	<u>·</u>
liculation:	
Average FOC Interval:	
Σ [(Date & Time of Firm Order Confirmation) - (Date & Time of Service Request Receipt)] / (Total number of	
Service Requests Confirmed in the Reporting Period)	
FOC Interval Distribution:	
Σ[(Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in "X" minutes/hours in "X" minutes/hours in "X" minutes/hours in "X" minutes/hours in "X" minutes/hours in "X" minutes/hours in	ned in
the Reporting Period)] X 100	
eport Structure:	
Fully Mechanized, Partially Mechanized, Total Mechanized	·
CLEC Specific	
CLEC Aggregate	
evel of Disaggregation:	
 Reported in intervals = 0 - 15 minutes, 15 - 30 minutes, 30 - 45 minutes, 45 - 60 minutes, 90 - 120 minutes, 11 	20 -
240 minutes, 4 - 8 hours, 8 - 12 hours, 12 - 16 hours, 16 - 20 hours, 20 - 24 hours, 24 - 48 hours, >48 hours	
• Product Reporting Levels	
 LNP 	
> UNE Loop with LNP	
• Geographic Scope	
> .State, Region	
etail Analog/Benchmark:	
e Appendix D	

Revision Date: 02/16/00 (ig)

Attachment 9 Page 16

Provisioning Disaggregation

Product Reporting Levels

- Resale and Retail
 - > Pots Residence
 - > Pots Business
 - > Design
 - > PBX (Louisiana SQM)
 - > CENTREX (Louisiana SQM)
 - > ISDN (Louisiana SQM) (NOTE: ISDN included in POTS for Georgia Only)
 - ▶ ESSX (Louisiana SQM)
- Unbundled Network Elements
 - > UNE Design
 - > UNE Non Design
 - ▷ UNE 2 Wire Loop (Louisiana SQM)
 - > UNE Loop Other (Louisiana SQM)
 - > Unbundled Ports (Louisiana SQM)
- Trunks
 N L and Int
 - > Local Interconnection Trunks
- Geographic Scope
 - State, Region and further geographic disaggregation as required by State Commission Order (e.g. Metropolitan Service Area - MSA)

The following measure is the exception for all states: Coordinated Customer Conversion

Which is disaggregated as follows: UNE LOOPS with INP UNE LOOPS without INP

.

PROVISIONING

Report/Measurement:	
P-1. Mean Held Order Interva	al & Distribution Intervals
Definition:	
When delays occur in completing	CLEC orders, the average period that CLEC orders are held for BST reasons, pending
	o worse for the CLEC when compared to BST delayed orders.
Exclusions:	
Order Activities of BST associated	d with internal or administrative use of local services.
Business Rules:	
established by first identifying all completed in SOCS and have pass calendar days between the commi order interval for that particular c otherwise noted, and the reason for	metric is computed at the close of each report period. The held order interval is orders, at the close of the reporting interval, that both have not been reported as sed the currently committed due date for the order. For each such order, the number of tted due date and the close of the reporting period is established and represents the held order. The held order interval is accumulated by the standard groupings, unless or the order being held. The total number of days accumulated in a category is then ters within the same category to produce the mean held order interval. The interval is ns for Holidays or Sundays.
total and average days. Held Order Distribution Interva	pe of held order (facilities, equipment, other), total number of orders held, and the al: This measure provides data to report total days held and identifies these in ays. (orders counted in >90 days are also included in >15 days).
Calculation:	
Mean Held Order Interval:	
Σ (Reporting Period Close Date Due Date) for all orders pending	- Committed Order Due Date) / (Number of Orders Pending and Past The Committed g and past the committed due date.
Held Order Distribution Interve	
(# of Orders Held for ≥90 days)	/ (Total # of Orders Pending But Not Completed) X 100
	/ (Total # of Orders Pending But Not Completed) X 100
Report Structure:	
CLEC Specific	•
 CLEC Aggregate 	
BST Aggregate	
Level of Disaggregation:	
Circuit breakout < 10, > = 10	

PROVISIONING - Mean Held Order Interval & Distribution Intervals - Continued)

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
 Report Month CLEC Order Number and PON (PON) Order Submission Date (TICKET_ID) Committed Due Date (DD) Service Type(CLASS_SVC_DESC) Hold Reason Total line/circuit count Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BST Order Number Order Submission Date Committed Due Date Service Type Hold Reason Total line/circuit count Geographic Scope
Retail Analog/Benchmark:	
CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail CLEC Non-UNE Design / BST Design Interconnection Trunks-CLEC / Interconnection Trur UNEs-(See Appendix D)	ıks –BST
	Revision Date: 02/24/00 (taf)

.

PROVISIONING

•

.

Report/Measurement: P-2. Average Jeopardy Notice Interval & Perc	entage of Orders Given Jeonardy Notices
Definition:	
	itted due date is in jeopardy, it will provide advance notice to the CLEC
Exclusions:	
Orders held for CLEC end user reasons	
 Orders submitted to BST through non-mechan 	ized methods
Business Rules:	
	itted due date is in jeopardy it will provide advance notice to the CLEC.
The number of committed orders in a report period	d is the number of orders that have a due date in the reporting period.
Calculation:	
Average Jeopardy Interval = Σ [(Date and Tim	e of Scheduled Due Date on Service Order) - (Date and Time of
Jeopardy Notice)]/[Number of Orders Notified of	Jeopardy in Reporting Period).
	(Number of Orders Given Jeopardy Notices in Reporting Period) /
(Number of Orders Confirmed (due) in Reporting	Period)
Report Structure:	
CLEC Specific	
 CLEC Aggregate 	
BST Aggregate	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
 CLEC Order Number and PON 	BST Order Number
 Date and Time Jeopardy Notice sent 	 Date and Time Jeopardy Notice sent
Committed Due Date	Committed Due Date
• Service Type	Service type
NOTE: Code in parentheses is the corresponding header found in the raw data file.	
Retail Analog/Benchmark:	
95% > = 24 hours	Revision Date: 01/05/00 (taf)

.

PROVISIONING

P-3. Percent Missed Installation Appointmen	
Definition:	the mildhility of DOT commitments with some to committee day
	the reliability of BST commitments with respect to committed due
	ed due dates to their retail customer as compared to BST.
Exclusions:	,
Canceled Service Orders	the second of the second of the second Orders
	with internal or administrative use of local services (Record Orders,
Test Orders, etc.)	
• Disconnect (D) & From (F) orders	
End User Misses on Interconnection Trunks	
Business Rules:	
Percent Missed Installation Appointments is the perce	entage of total orders processed for which BST is unable to complete
the service orders on the confirmed due dates. Misse	d Appointments caused by end-user reasons will be included and
reported separately. A business day is any time period	d within the same date frame, which means there cannot be a cutoff
time for commitments as certain types of orders are re-	equested to be worked after standard business hours. Also, during
Daylight Savings Time, field technicians are schedule	ed until 9PM in some areas and the customer is offered a greater range
of intervals from which to select.	
Calculation:	
Percent Missed Installation Appointments = Σ (Numb	per of Orders Not Complete by Committed Due Date in Reporting
Period) / (Number of Orders Confirmed in Reporting	Period) X 100
Report Structure:	
CLEC Specific	
CLEC Specific CLEC Aggregate	
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U 	ser MA and Total MA is the result of BST caused misses. Here,
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: 	iser MA and Total MA is the result of BST caused misses. Here, ST or CLEC end user. The End User MA represents the percentage of
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= 1 	ST or CLEC end user. The End User MA represents the percentage of
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; > = 1 Dispatch/No Dispatch 	ST or CLEC end user. The End User MA represents the percentage of the second se
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= I Dispatch/No Dispatch Data Retained Relating to CLEC Experience 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= 1 Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month 	ST or CLEC end user. The End User MA represents the percentage of the formation of the second
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= I Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) 	ST or CLEC end user. The End User MA represents the percentage of the formation of the second
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; > = 1 Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD)
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= 1 Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD)
 CLEC Aggregate BST Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= 1 Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= 1 Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date
 CLEC Aggregate BST Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= 1 Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type
 CLEC Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= 1 Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date
 CLEC Aggregate BST Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; > = I Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Stanus Notice Date Standard Order Activity Geographic Scope 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity
 CLEC Aggregate BST Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; > = I Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Stanus Notice Date Standard Order Activity Geographic Scope 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity
 CLEC Aggregate BST Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; > = I Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity
 CLEC Aggregate BST Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= I Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Stanus Notice Date Standard Order Activity Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark: 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity
 CLEC Aggregate BST Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= I Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Stanus Notice Date Standard Order Activity Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark: CLEC Residence Resale / BST Residence Retail 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity
 CLEC Aggregate BST Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; > = 1 Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Stanus Notice Date Standard Order Activity Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark: CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity
 CLEC Aggregate BST Aggregate BST Aggregate Report explanation: The difference between End U. Total MA is the total % of orders missed either by BS orders missed by the CLEC or their end user. Level of Disaggregation: Reported in categories of <10 lines/circuits; >= I Dispatch/No Dispatch Data Retained Relating to CLEC Experience Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. Retall Analog/Benchmark: CLEC Residence Resale / BST Residence Retail 	ST or CLEC end user. The End User MA represents the percentage of 0 lines/circuits Data Retained Relating to BST Experience • Report Month • BST Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity • Geographic Scope

PROVISIONING

Report/Measur	
and the second second second second second second second second second second second second second second second	e Completion Interval (OCI) & Order Completion Interval Distribution
Definition:	
The "average its' own custo certain time p	completion interval" measure monitors the interval of time it takes BST to provide service for the CLEC or ners. The "Order Completion Interval Distribution" provides the percentage of orders completed within riods.
Exclusions:	
	Service Orders
	tivities of BST or the CLEC associated with internal or administrative use of local services Orders, Test Orders, etc.)
	unect) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new
	ntment coded orders (where the customer has requested a later than offered interval)
Business Rules:	
is the elapsed actual order c technician or	upletion interval is determined for each order processed during the reporting period. The completion interval ime from when BST issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BST's mpletion date. The clock starts when a valid order number is assigned by SOCS and stops when the ystem completes the order in SOCS. Elapsed time for each order is accumulated for each reporting
dimension. I completed.	e accumulated time for each reporting dimension is then divided by the associated total number of orders
completed. The interval b	reakout for UNE and Design is: $0.5 = 0.4.99$, $5.10 = 5.9.99$, $10.15 = 10.14.99$, $15.20 = 15.19.99$ $20.25 = 0 = 25.29.99$, $>= 30$ and greater.
completed. The interval b	eakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 =
completed. The interval b 20-24.99, 25-3 Calculation : Average Con Σ [(Compl	eakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 =
completed. The interval b 20-24.99, 25- Calculation : Average Con Σ [(Compl Order Comp	eakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 = 0 = 25-29.99, >= 30 and greater. pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period)
completed. The interval b 20-24.99, 25-3 Calculation : Average Con Σ [(Compl Order Comp Σ (Service Compl	eakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 = 0 = 25-29.99, >= 30 and greater. pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period) etion Interval Distribution: orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100
completed. The interval b 20-24.99, 25-3 Calculation : Average Con Σ [(Compl Order Comp Σ (Service Compl	reakout for UNE and Design is: $0.5 = 0.4.99$, $5.10 = 5.9.99$, $10.15 = 10.14.99$, $15.20 = 15.19.99$ $20.25 = 0 = 25.29.99$, $>= 30 = 30$ and greater. pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period) etion Interval Distribution: orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100 re:
completed. The interval b 20-24.99, 25-3 Calculation : Average Com Σ [(Compl Order Comp Σ (Service C Report Structu	eakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 = 0 = 25-29.99, >= 30 and greater. pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period) etion Interval Distribution: orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100 re: cific
completed. The interval b 20-24.99, 25- Calculation : Average Con Σ [(Compl Order Comp Σ (Service C Report Structu • CLEC Speceed	reakout for UNE and Design is: $0.5 = 0.4.99$, $5.10 = 5.9.99$, $10.15 = 10.14.99$, $15.20 = 15.19.99$ $20.25 = 0 = 25.29.99$, >= 30 and greater. pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period) etion Interval Distribution: orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100 re: cific pregate
completed. The interval b 20-24.99, 25-3 Calculation : Average Com Σ [(Compl Order Comp Σ (Service O Report Structur • CLEC Spo • CLEC Age • BST Aggr	reakout for UNE and Design is: $0.5 = 0.4.99$, $5.10 = 5.9.99$, $10.15 = 10.14.99$, $15.20 = 15.19.99$ $20.25 = 0 = 25.29.99$, $>= 30 = 30$ and greater. pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period) etion Interval Distribution: orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100 re: conficeres pletion Interval Distribution: progate
completed. The interval b 20-24.99, 25-3 Calculation : Average Com Σ [(Compl Order Comp Σ (Service O Report Structur • CLEC Spe • CLEC Age • BST Aggr Level of Disagg • ISDN Ord	eakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 = 0 = 25-29.99, >=30 = 30 and greater. pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period) etion Interval Distribution: Orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100 re: cific pregate orgate regation: press included in Non Design - GA Only
completed. The interval b 20-24.99, 25- Calculation : Average Com Σ [(Compl Order Comp Σ (Service C Report Structur • CLEC Spe • CLEC Ag • BST Aggr Level of Disagg • ISDN Ord • Dispatch/R	eakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 = 0 = 25-29.99, >=30 = 30 and greater. pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period) etion Interval Distribution: orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100 re: cific pregate regation: ars included in Non Design - GA Only to Dispatch categories applicable to all levels except trunks.
completed. The interval b 20-24.99, 25- Calculation : Average Com Σ [(Compl Order Comp Σ (Service C Report Structur • CLEC Spo • CLEC Age • BST Ager Level of Disage • ISDN Ord • Dispatch/T • Residence	<pre>reakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 = 0 = 25-29.99, >=30 = 30 and greater.</pre> pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period) etion Interval Distribution: orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100 re: cific rregate gate regation: ors included in Non Design - GA Only to Dispatch categories applicable to all levels except trunks. & Business reported in day intervals = 0,1,2,3,4, 5, 5+
completed. The interval b 20-24.99, 25- Calculation : Average Com Σ [(Compl Order Comp Σ (Service O Report Structu • CLEC Spe • CLEC Age • BST Aggr Level of Disagg • ISDN Ord • Dispatch/R • Residence • UNE and	eakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 = 0 = 25-29.99, >=30 = 30 and greater. pletion Interval: etion Date & Time) - (Order Issue Date & Time)] / Σ (Count of Orders Completed in Reporting period) etlon Interval Distribution: orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100 re: cific pregate regation: ars included in Non Design - GA Only to Dispatch categories applicable to all levels except trunks.

L

<u> PROVISIONING –</u>

(Average Completion Interval (OCI) & Order Completion Interval Distribution - Continued)

•

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
CLEC Company Name	BST Order Number
Order Number (PON)	Order Submission Date & Time
• Submission Date & Time (TICKET_ID)	Order Completion Date & Time
Completion Date (CMPLTN_DT)	Service Type
Service Type (CLASS_SVC_DESC)	Geographic Scope
Geographic Scope	
NOTE: Code in parentheses is the corresponding	
header found in the raw data file.	
Retail Analog/Benchmark	
CLEC Residence Resale / BST Residence Retail	
CLEC Business Resale / BST Business Retail	
CLEC Non-UNE Design / BST Design	
Interconnection Trunks-CLEC / Interconnection Tr	unks-BST
UNEs-(See Appendix D)	

Revision Date: 02/28/00 (taf)

.

PROVISIONING

P-5 AVERAGE COMPLETION NOTICE INTERVAL	
P-5. Average Completion Notice Interval	······
Definition:	the DOT
	between the BST reported completion of work and the issuance of a
valid completion notice to the CLEC.	
Exclusions:	
 Non-mechanized Orders 	
Cancelled Service Orders	
• Order Activities of BST associated with internal	or administrative use of local services
• D & F orders	
Business Rules:	
Measurement of interval of completion date and time	e by a field technician on dispatched orders, and SPM start time on the
due date for non-dispatched orders; to the release of	a notice to the CLEC/BST of the completion status. The field
technician notifies the CLEC the work was complete	and then he enters the completion time stamp information in his
computer. This information switches through to the	SOCS systems either completing the order or rejecting the order to the
Work Management Center (WMC). If the completio	n is rejected, it is manually corrected and then completed by the
WMC. The notice is returned on each individual or	ler submitted and as the notice is sent electronically, it can only be
switched to those orders that were submitted by the	CLEC electronically. The start time is the completion stamp either by
the field technician or the 5PM due date stamp; the e	end time is the time stamp the notice was submitted to the CLEC/BST
system.	
Calculation:	
Σ (Date and Time of Notice of Completion) – (Date	and Time of Work Completion) / (Number of Orders Completed in
Reporting Period)	
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	
Level of Disaggregation:	
• Reporting intervals in Hours: 0-1, 1-2, 2-4, 4-8, 8	3-12, 12-24, > 24, plus Overall Average Hour Interval
• Reported in categories of <10 line/circuits; >= 10	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
-	BST Order Number
CLEC Order Number	BST Order Number
CLEC Order NumberWork Completion Date	BST Order NumberWork Completion Date
 CLEC Order Number Work Completion Date Work Completion Time 	 BST Order Number Work Completion Date Work Completion Time
 CLEC Order Number Work Completion Date Work Completion Time. Completion Notice Availability Date 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date
 CLEC Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time
 CLEC Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type
 CLEC Order Number Work Completion Date Work Completion Time. Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type
 CLEC Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type
 CLEC Order Number Work Completion Date Work Completion Time. Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope
 CLEC Order Number Work Completion Date Work Completion Time. Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header
 CLEC Order Number Work Completion Date Work Completion Time. Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file.	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope
 CLEC Order Number Work Completion Date Work Completion Time. Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark:	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header
 CLEC Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark: CLEC Residence Resale / BST Residence Retail 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header
 CLEC Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark: CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header
 CLEC Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark: CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail CLEC Non-UNE Design / BST Design 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file.
 CLEC Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark: CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail 	 BST Order Number Work Completion Date Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Activity Type Geographic Scope NOTE: Code in parentheses is the corresponding header found in the raw data file.

,

PROVISIONING

Report/Measurement:	
P-6. Coordinated Customer Conversions	
Definition:	
This category measures the average time it takes BST to disco connect it to a CLEC's equipment. This measurement applies CLEC has requested BST to provide a coordinated cutover.	
Exclusions:	
 Any order canceled by the CLEC will be excluded from th 	is measurement.
• Delays due to CLEC following disconnection of the unbun	
• Unbundled Loops where there is no existing subscriber loc	op and loops where coordination in not requested.
Business Rules:	
Where the service order includes INP, the interval includes the place the line back in service on the ported line. The interval is and then divided by items worked in that time to give the aver	s calculated for the entire cutover time for the service order
Calculation:	
Σ [(Completion Date and Time for Cross Connection of an Co of an Coordinated Unbundled Loop)] / Total Number of Unbu reporting period.	oordinated Unbundled Loop)- (Disconnection Date and Tim indled Loop with Coordinated Conversions (items) for the
Report Structure:	
CLEC Specific	
•	
CLEC Aggregate	
CLEC Aggregate Level of Disaggregation:	utes, plus Overall Average interval
CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 minutes	کار این از این این این این این این این این این این
CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 minutes	Data Retained Relating to BST Experience
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 /li>	کار این از این این این این این این این این این این
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 /li>	Data Retained Relating to BST Experience
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 /li>	Data Retained Relating to BST Experience
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 /li>	Data Retained Relating to BST Experience
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 li>	Data Retained Relating to BST Experience
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 li>	Data Retained Relating to BST Experience
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 li>	Data Retained Relating to BST Experience
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 minutes; >17 minutes; >18 minutes; >18 minutes; >18 minutes; >19 minutes; >19 minutes; >19 minutes; >19 minutes; >19 minutes; >10 minute	Data Retained Relating to BST Experience
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 minutes; >17 minutes; >18 minutes; >18 minutes; >18 minutes; >19 minutes; >19 minutes; >19 minutes; >19 minutes; >10 minute	Data Retained Relating to BST Experience
 CLEC Aggregate Level of Disaggregation: Reported in intervals <=5 minutes; >5,< =15 minutes; >15 minutes; >17 minutes; >18 minute	 Data Retained Relating to BST Experience No BST Analog Exists

.

•

Revision Date: 02/28/00 (taf)

.

Report/Measurement:	
P-7. % Provisioning Troubles within 30 days o	of Service Order Activity
Definition:	
Percent Provisioning Troubles within 30 days of Install	lation measures the quality and accuracy of installation activities.
Exclusions:	
Canceled Service Orders	
 Order Activities of BST or the CLEC associated wi (R Orders, Test Orders, etc.) D & F orders 	th internal or administrative use of local services
Business Rules:	<u> </u>
Measures the quality and accuracy of completed orders counted in this measure. Subsequent trouble reports are the prior report period for completed service orders and	s. The first trouble report from a service order after completion is e measured in Repeat Report Rate. Reports are calculated searching in d following 30 days after completion for a trouble report.
D & F orders are excluded as there is no subsequent ac	tivity following a disconnect.
Calculation:	
% Provisioning Troubles within 30 days of Service Or following service order(s) completion) / (All Service O	der Activity = Σ (Trouble reports on all completed orders \leq 30 days orders completed in the report calendar month) X 100
Report Structure:	
CLEC Specific	
CLEC Aggregate	·
BST Aggregate	
Level of Disaggregation:	
• Reported in categories of <10 line/circuits; > = 10 l	line/circuits
Dispatch / No Dispatch	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
CLEC Order Number and PON	BST Order Number
 Order Submission Date(TICKET_ID) 	Order Submission Date
 Order Submission Time (TICKET_ID) 	Order Submission Time
Status Type	Status Type
Status Notice Date	Status Notice Date
Standard Order Activity	Standard Order Activity
Geographic Scope	Geographic Scope
NOTE: Code in parentheses is the corresponding	
header found in the raw data file.	
Retail Analog/Benchmark:	
CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail	
CLEC Non-UNE Design / BST Design	
Interconnection Trunks-CLEC / Interconnection Trunk	(3 -D 3 i
UNEs-(See Appendix D)	

Revision Date: 02/28/00 (taf)

•

Report/Measurement :	
P-8. Total Service Order Cycle Time (TSOCT)	
Definition:	
	from receipt of a valid service order request to the completion of the
service order.	
Exclusions:	
Canceled Service Orders	
 Order Activities of BST or the CLEC associated with 	th internal or administrative use of local services
(Record Orders, Test Orders, etc.)	
 D (Disconnect) and F (From) orders. (From'is disc address). 	connect side of a move order when the customer moves to a new
• "L" Appointment coded orders (where the customer	r has requested a later than offered interval)
• Orders with CLEC/Subscriber caused delays or CLI	
Business Rules:	
The interval is determined for each order processed dur	ing the reporting period. This measurement combines two reports:
FOC (Firm Order Confirmation) with Average Order C	
This interval starts with the receipt of a valid service or	der request and stops when the technician or system completes the
order in SOCS. Elapsed time for each order is accumul	lated for each reporting dimension. The accumulated time for each
reporting dimension is then divided by the associated to	otal number of orders completed.
Calculation :	
Total Service Order Cycle Time	
Σ (Date and Time of Service Request Receipt) – (Con	mpletion Date and Time of Service Order) (SOCS HIST-CD
DATE) / (Count of Orders Completed in Reporting P	eriod)
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	
Level of Disaggregation:	
• Reported in categories of < 10 line/circuits; > = 10 l	
• Dispatch/No Dispatch categories applicable to all le	
 Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, > = 	Data Retained Relating to BST Experience
Data Retained Relating to CLEC Experience	Report Month
 Report Month Interval for FOC 	BST Order Number
CLEC Company Name	Order Submission Date & Time
Order Number (PON)	Order Completion Date & Time
 Submission Date & Time (TICKET_ID) 	• Service Type
 Submission Date & Thite (TICKET_D) Completion Date (CMPLTN_DT) 	Geographic Scope
 Service Type (CLASS_SVC_DESC) 	
Geographic Scope	
NOTE: Code in parentheses is the corresponding header found in the raw data file.	
Retail Analog/Benchmark	

Revision Date: 02/28/00 (taf)

Report/Measurement:	
P-9. Service Order Accuracy GEORGIA ONI	LY
Definition:	
The "service order accuracy" measurement measures the	e accuracy and completeness of BST service orders by comparing
what was ordered and what was completed.	
Exclusions:	
Cancelled Service Orders	
• Order Activities of BST associated with internal or a	administrative use of local services
• & F orders	
Business Rules:	
profile and the order that the CLEC sent to BST. An or	a monthly reporting period, is compared to the original account der is "completed without error" if all service attributes and e original order) completely and accurately reflect the activity LEC order.
Calculation:	
	d without Error) / Σ (Orders Completed in Reporting Period) x 100
Report Structure:	
CLEC Aggregate	
Level of Disaggregation:	
• Reported in categories of <10 line/circuits; > = 10 l	line/circuits
Dispatch / No Dispatch	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Being investigated at this time
CLEC Order Number and PON	
 Local Service Request (LSR) 	
Order Submission Date	
Committed Due Date	
Service Type	
Standard Order Activity	
NOTE: Code in parentheses is the corresponding	
header found in the raw data file.	
Retail Analog/Benchmark: (Under Investigation)	

Revision Date: 01/05/00 (taf)

.

PROVISIONING

Report/Measurement:	
LNP-10. Percent Missed Installation	Appointments
Definition:	
	onitors the reliability of BST commitments with respect to committed due
dates to assure that CLECs can reliably quote	e expected due dates to their retail customer as compared to BST.
Exclusions:	
Canceled Service Orders	
Order Activities of BST or the CLEC as	sociated with internal or administrative use of local services (Record Orders,
Test Orders, etc.) where identifiable.	
Business Rules:	
complete the service orders on the committee included and reported in a separate category. there cannot be a cutoff time for commitmen	MI) is the percentage of total orders processed for which BST is unable to d due dates. Missed Appointments caused by end-user reasons will be A business day is any time period within the same date frame, which means ts as certain types of orders are requested to be worked after standard business field technicians are scheduled until 9PM in some areas and the customer is ch to select.
Calculation:	
Percent Missed Installation Appointments [(Number of Orders Not Completed by Com Reporting Period)] X 100	: mitted Due Date in Reporting Period) / (Number of Orders Completed in
Report Structure:	
 Mechanized (service orders generated by CLEC Specific CLEC Aggregate 	LSRs submitted via EDI or TAG)
End User MA represents the percentage of or Appointments and Total Missed Appointmer	nents is the total % of orders missed either by BST or the CLEC end user. rders missed by the CLEC end user. The difference between End User Missed its is the result of BST caused misses.
Level of Disaggregation:	
Product Reporting Levels	
> LNP	
UNE Loop Associated w/LNP	
Geographic Scope	
State, Region	
Retail Analog/Benchmark:	
See Appendix D	
· · · · · · · · · · · · · · · · · · ·	Revision Date: 02/16/00 (taf)

PROVISIONING - (LNP)

Report/Measurement	
	Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution
Definition:	
from NPAC (signifyi	is defined as the interval between the time the LNP Gateway receives the 'Number Ported' message ing the CLEC 'Activate') until the time that the Disconnect service order for an LSR is completed in effectively measures BST responsiveness by isolating it from impacts that are caused by CLEC
Exclusions:	
**	e Orders of BST or the CLEC associated with internal or administrative use of local services (Record Orders,) where identifiable.
Business Rules:	
reporting period. The Ported' message for a completed in SOCS.	eliness interval is determined for the last Disconnect service order processed on an LSR during the e Disconnect Timeliness interval is the elapsed time from when BST receives the last 'Number in LSR from NPAC (signifying the CLEC 'Activate') until the last Disconnect service order is Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for sion is then divided by the total number of selected disconnect orders which have been completed.
Calculation :	
Σ[(Disconnect Serv (Total Number of D Disconnect Timeline	Timeliness Interval: rice Order Completion Date & Time) - ('Number Ported' Message Received Date & Time)] / E isconnect Service Orders Completed in Reporting Period) ess Interval Distribution: rice Orders Completed in "X" days) / (Total Disconnect Service Orders Completed in Reporting
Report Structure:	
	vice orders generated by LSRs submitted via EDI or TAG)
Level of Disaggregation	n;
 Reported in day Product Reporti LNP Geographic Sco State, Region 	pe
Retail Analog/Benchn	
See Appendix D	
	Pavision Date: 02/16/00 (tat)

Revision Date: 02/16/00 (taf)

Report/Measurement :	
LNP-12. Total Service Order Cycle Time	
Definition:	
Total Service Order Cycle Time measures the interval from rec	ceipt of a valid service order request to the completion of the
final service order associated with that service request.	
Exclusions:	
Canceled Service Orders	
Order Activities of BST or the CLEC associated with interr	al or administrative use of local services (Record Orders,
Test Orders, etc.) where identifiable	
• "L" appointment coded orders (indicating the customer has	
• "S" missed appointment coded orders (indicating subscribe	r missed reasons), except for "SP" codes (indicating
subscriber prior due date requested).	
Business Rules:	
The interval is determined for each service request processed d	
two reports: FOC (Firm Order Confirmation) with Average Or	der Completion Interval.
	· · · · · · · · · · · · · · · · · · ·
This interval starts with the receipt of a valid service request an	ad stops when the technician or system completes all the
related service orders for the LSR in SOCS. Elapsed time for	each service request is accumulated for each reporting
dimension. The accumulated time for each reporting dimensio	
requests completed to produce the total service order cycle tim	¢
Calculation :	
Average Total Service Order Cycle Time:	
Σ [(Service Order Completion Date & Time) - (Service Requ	est Receipt Date & Time)] / Σ (Total Number Service
Requests Completed in Reporting Period)	
Total Service Order Cycle Time Interval Distribution:	
[Σ (Total Number of Service Requests Completed in "X" min	utes/hours) / (Total Number of Service Requests Received
in Reporting Period)] X 100	
Report Structure:	
 Mechanized (service orders generated by LSRs submitted 	uia EDI or TAG)
CLEC Specific CLEC Aggregate	
"W" Appointment Code Only (Company Offered)	<u> </u>
 Reported in day intervals 0 - 5, 5 - 10, 10 - 15, 15 - 20, 20 	25 25 20 30 dame
	- 23, 23 - 30, ~30 uays
Product Reporting Levels	
 LNP UNE Loop with LNP 	
• Geographic Scope	
 Geographic Scope State, Region 	
Retail Analog/Benchmark:	
See Appendix D	

Revision Date: 02/16/00 (taf)

Maintenance and Repair Level of Disaggregation

Product Reporting Levels

- Resale / Retail
 - > Pots Residence
 - Pots Business
 - PBX (Louisiana SQM)
 - ESSX (Louisiana SQM)
 - > CENTREX (Louisiana SQM)
 - ISDN (Louisiana SQM) (NOTE: ISDN Troubles included in Non-Design Georgia Only)
 - > Design
- Unbundled Network Elements
 - UNE Design
 - > UNE Non Design
 - > UNE 2 Wire Loop (Louisiana SQM)
 - > UNE Loop Other (Louisiana SQM)
 - Unbundled Ports (Louisiana SQM)
 - > UNE Other Non Design (Louisiana SQM)
- Trunks
 - Local Interconnection Trunks
- Dispatch/No Dispatch categories applicable to all product levels
- Geographic Scope

 State, Region and further geographic disaggregation (e.g. Metropolitan Service Area - MSA)

Version 1Q00:3/6/00 7/7/00 Version

Demont/Management.	
Report/Measurement:	
M&R-1. Missed Repair Appointments	
Definition:	- itend does and size
The percent of trouble reports not cleared by the com	mitted date and time.
Exclusions:	
• Trouble tickets canceled at the CLEC request.	And the formation of the second second second second second second second second second second second second se
BST trouble reports associated with internal or a	
• Customer Provided Equipment (CPE) troubles of Business Rules:	r CLEC Equipment Trouble.
The negotiated commitment date and time is establish and time that BST personnel clear the trouble and clos workstation. If this is after the Commitment time, the appointment. When the data for this measure is collect of the time repair appointments are missed due to BST	hed when the repair report is received. The cleared time is the date ses the trouble report in his Computer Access Terminal (CAT) or e report is flagged as a "Missed Commitment" or a missed repair cted for BST and a CLEC, it can be used to compare the percentage T reasons. Note: Appointment intervals vary with force availability ils are standard interval appointments of no greater than 24 hours.
Calculation:	
Percentage of Missed Repair Appointments = Σ (Cour	nt of Customer Troubles Not Cleared by the Quoted Commitment
Date and Time) / Σ (Total Trouble reports closed in R	eporting Period) X 100
Report Structure:	
•. CLEC Specific	
CLEC Aggregate	
BST Aggregate	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
CLEC Company Name	BST Company Code
• Submission Date & Time (TICKET_ID)	Submission Date & Time
Completion Date (CMPLTN_DT)	Completion Date
 Service Type (CLASS_SVC_DESC) 	Service Type
 Disposition and Cause (CAUSE_CD & 	 Disposition and Cause (Non-Design /Non-Special Only)
CAUSE_DESC)	 Trouble Code (Design and Trunking Services)
Geographic Scope	Geographic Scope
NOTE: Code in parentheses is the corresponding header found in the raw data file. Retail Analog/Benchmark	
CLEC Residence-Resale / BST Residence-Retail	
CLEC Residence-Resale / BST Residence-Resalt	
CLEC Design-Resale / BST Design-Retail	·
CLEC PBX, Centrex, and ISDN Resale/ BST PBX, (Centrex, and ISDN Retail
CLEC Trunking-Resale / BST Trunking-Retail	
UNEs - (See Appendix D)	
	Revision Date: 02/22/00 (see)
Manufact 1000:2/6/00	

M&R-2. Customer Trouble Report Rate	
Definition:	
Initial and repeated customer direct or referred troubles re	eported within a calendar month per 100 lines/ circuits in
service.	•
Exclusions:	
• Trouble tickets canceled at the CLEC request.	
BST trouble reports associated with administrative s	ervice.
• Customer provided Equipment (CPE) troubles or CL	
Business Rules:	
Customer Trouble Report Rate is computed by accumulat	ting the number of maintenance initial and repeated trouble
reports during the reporting period. The resulting number	of trouble reports are divided by the total "number of service"
lines, ports or combination that exist for the CLEC's and	BST respectively at the end of the report month.
Calculation:	
Customer Trouble Report Rate = (Count of Initial and Re	peated Trouble Reports in the Current Period) / (Number of
Service Access Lines in service at End of the Report Peri	od) X 100
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
CLEC Company Name	BST Company Code
 Ticket Submission Date & Time (TICKET_ID) 	Ticket Submission Date & Time
 Ticket Completion Date (CMPLTN_DT) 	Ticket Completion Date
• Service Type (CLASS_SVC_DESC)	• Service Type
 Disposition and Cause (CAUSE_CD & CAUSE_DESC) 	 Disposition and Cause (Non-Design / Non-Special Only)
• # Service Access Lines in Service at the end of	 Trouble Code (Design and Trunking Services)
period	# Service Access Lines in Service at the end of period
Geographic Scope	Geographic Scope
NOTE: Code in parentheses is the corresponding header	
found in the raw data file.	
Retail Analog/Benchmark:	
CLEC Residence-Resale / BST Residence - Retail	
CLEC Business-Resale / BST Business-Retail	
CLEC Design-Resale / BST Design-Retail	and ISDN Retail
	TCY' ATRI ISTALI IZERIT
CLEC PBX, Centrex and ISDN Resale/ BST PBX, Cent CLEC Trunking-Resale / BST Trunking-Retail	

Revision Date: 02/22/00 (see)

•

Report/Measurement:	
M&R-3. Maintenance Average Duration	
Definition:	
	from the receipt of the Customer Trouble Report to the time the
trouble report is cleared.	
Exclusions:	
 Trouble reports canceled at the CLEC request 	
BST trouble reports associated with administrat	ive service
Customer Provided Equipment (CPE) troubles of	or CLEC Equipment Troubles.
Trouble reports greater than 10 days	
Business Rules:	
For Average Duration the clock starts on the date and	d time of the receipt of a correct repair request. The clock stops on
	omer notified (when the technician completes the trouble ticket on
his/her CAT or work system).	
MOTE Customer on to DOT OF EC	
NOTE: Customer can be BST or CLEC	
Calculation:	of Service Restoration) - (Date and Time Trouble Ticket was
Maintenance Average Duration = Σ (Date and Third C)] Service Residuation) - (Date and This Trouble Trouble was
Opened) / Σ (Total Closed Troubles in the reporting)	
Report Structure:	
CLEC Specific	
BST Aggregate	
CLEC Aggregate	Data Retained Relating to BST Experience
Data Retained Relating to CLEC Experience	Report Month
• Report Month	Total Tickets
• Total Tickets (LINE_NBR)	BST Company Code
CLEC Company Name	BST Company Code Ticket Submission Date
• Ticket Submission Date & Time (TIME_ID)	Ticket submission Time
Ticket Completion Date (CMPLTN_DT	
• Service Type (CLASS_SVC_DESC)	Ticket completion Date Ticket Completion Time
Disposition and Cause (CAUSE_CD &	
CAUSE_DESC)	
Geographic Scope	 Service Type Disposition and Cause (Non - Design /Non-Special Only)
NOTE: On the in normalized in the company ding	 Disposition and Cause (Non - Design /Non-Special Only) Trouble Code (Design and Trunking Services)
NOTE: Code in parentheses is the corresponding header found in the raw data file.	
	Geographic Scope
Retail Analog/Benchmark:	
CLEC Residence-Resale / BST Residence-Resale	
CLEC Business-Resale / BST Business-Retail	
CLEC Design-Resale / BST Design-Retail	Contrar and ISINI Retail
CLEC PBX, Centrex and ISDN Resale / BST PBX, CLEC Trunking Resale / PST Trunking Retail	Center and DINA ICEAN
CLEC Trunking-Resale /BST Trunking-Retail	
UNEs - (See Appendix D)	

Revision Date: 02/22/00 (see)

MAINTENANCE & REPAIR

Report/Measurement:	
M&R-4. Percent Repeat Troubles within 30 I	Jays
Definition:	
Trouble reports on the same line/circuit as a previous	trouble report received within 30 calendar days as a percent of total
troubles reported.	
Exclusions:	
Trouble Reports canceled at the CLEC request	
BST Trouble Reports associated with administrat	tive service
Customer Provided Equipment (CPE) Troubles of	r CLEC Equipment Troubles.
Business Rules:	
Includes Customer trouble reports received within 30	days of an original Customer trouble report.
Calculation:	
Percent Repeat Troubles within 30 Days = (Count of C	Customer Troubles where more than one trouble report was logged
for the same service line within a continuous 30 days)	/ (Total Trouble Reports Closed in Reporting Period) X 100
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
 Total Tickets (LINE_NBR) 	Total Tickets
CLEC Company Name	BST Company Code
• Ticket Submission Date & Time (TICKET_ID)	 Ticket Submission Date
 Ticket Completion Date (CMPLTN_DT) 	Ticket Submission Time
 Total and Percent Repeat Trouble Reports 	Ticket Completion Date
within 30 Days (TOT_REPEAT)	Ticket Completion Time
Service Type	Total and Percent Repeat Trouble Reports within 30 Days
 Disposition and Cause (CAUSE_CD & 	Service Type
CAUSE_DESC)	Disposition and Cause (Non - Design/Non-Special only)
Geographic Scope	Trouble Code (Design and Trunking Services)
	Geographic Scope
NOTE: Code parentheses is the corresponding	
header format found in the raw data file.	
Retail Analog/Benchmark:	
CLEC Residence-Resale / BST Residence-Retail	
CLEC Business- Resale / BST Business-Retail	
CLEC Design-Resale / BST Design-Retail	Janiman and ISDN Patail
CLEC PBX, Centrex and ISDN Resale / BST PBX, C	CHIER SHITTELLA VERSI
CLEC Trunking-Resale / BST Trunking-Retail	
UNEs - Retail Analog (See Appendix D)	Revision date: 02/22/00 (see)

Report/Measurement:	
M&R-5. Out of Service (OOS) > 24 Hours	
Definition:	
For Out of Service Troubles (no dial tone, cannot be c	alled or cannot call out) the percentage of troubles cleared in
excess of 24 hours. (All design services are considered	to be out of service).
Exclusions:	
Trouble Reports canceled at the CLEC request	
BST Trouble Reports associated with administrat	ive service
Customer Provided Equipment (CPE) Troubles o	r CLEC Equipment Troubles.
Business Rules:	
Customer Trouble reports that are out of service and c	leared in excess of 24 hours. The clock begins when the trouble
report is created in LMOS and the trouble is counted i	f the time exceeds 24 hours.
Calculation:	
	OS > 24 Hours) / Total OOS Troubles in Reporting Period) X 100
Report Structure:	
CLEC Specific	
 BST Aggregate 	
CLEC Aggregate	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
Total Tickets	Total Tickets
 CLEC Company Name 	BST Company Code
 Ticket Submission Date & Time (TICKET_ID) 	Ticket Submission Date
 Ticket Completion Date (CMPLTN_DT 	Ticket Submission time
 Percentage of Customer Troubles out of 	Ticket Completion Date
 Service > 24 Hours (OOS>24_FLAG) 	Ticket Completion Time
 Service type (CLASS_SVC_DESC) 	• Percent of Customer Troubles out of Service > 24 Hours
 Disposition and Cause (CAUSE_CD & 	Service type
CAUSE-DESC)	 Disposition and Cause (Non – Design/Non-Special only)
Geographic Scope	Trouble Code (Design and Trunking Services)
	Geographic Scope
NOTE: Code in parentheses is the corresponding	
header found in the raw data file.	
Retail Analog/Benchmark:	
CLEC Residence-Resale / BST Residence- Retail	
CLEC Business- Resale / BST Business-Retail	
CLEC Design-Resale / BST Design-Retail	instant and ISDN Betail
CLEC PBX, Centrex and ISDN Resale / BST PBX, C	CHITCY AND IOFIN INCIMI
CLEC Trunking-Resale /BST Trunking- Retail	
UNEs Retail Analog – (See Appendix D)	

Revision Date: 02/22/00 (see)

Report/Measurement:	
M&R-6. Average Answer Time - Repair C	lenters
Definition:	
This measures the average time a customers is in C	<u>)ue.</u>
Exclusions:	
None	
Business Rules:	
This measure is designed to measure the time requires being answered. The clock starts when the CLEC and the clock stops when the repair attendant answ	ired for CLEC & BST from the time of the ACD choice to the time of Rep makes a choice to be put in queue for the next repair attendant vers the call.
(NOTE: The Column is a combined BST Residen	ce and Business number)
Level of Disaggregation:	
Region. CLEC/BST Service Centers and BST Rep	pair Centers are regional.
Calculation:	
Average Answer Time for BST's Repair Centers = queue until ACD Selection) / (Total number of ca	(Time BST Repair Attendant Answers Call) – (Time of entry into alls by reporting period)
Report Structure:	
CLEC Aggregate	· · · · · · · · · · · · · · · · · · ·
 BST Aggregate 	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
CLEC Average Answer Time	BST Average Answer Time
Retail Analog/Benchmark:	
For CLEC, Average Answer Times in UNE Center	r and BRMC are comparable to the Average Answer Times in the BST
Repair Centers.	-
See Appendix D	

Revision Date: 02/22/00 (see)

Report/Measurement: B-1, Invoice Accuracy	
B-1. Invoice Accuracy	
	of the billing invoices rendered to CLECs during the current month.
Exclusions:	of the bining involces tondered to effices during the current mouth.
	, credits for service outage, special promotion credits, adjustments to
 Adjustments not related to billing errors (e.g. satisfy the customer) 	, creatis for service outage, special promotion creatis, adjustments to
Business Rules:	
	I to the CLEC must enable them to provide a degree of billing accuracy
comparative to BST hills rendered to retail custom	ners BST. CLECs request adjustments on bills determined to be
incorrect The BellSouth Billing verification proc	cess includes manually analyzing a sample of local bills from each bill
per od. The bill verification process draws from a	mix of different customer billing options and types of service. An
end-to-end auditing process is performed for new	products and services. Internal measurements and controls are
maintained on all billing processes.	•
Calculation:	
Invoice Accuracy = (Total Billed Revenues durin	ng current month) - (Billing Related Adjustments during current
month) / Total Billed Revenues during current mo	inth X 100
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	· · · · · · · · · · · · · · · · · · ·
Level of Disaggregation :	
Product / Invoice Type	
> Resale	
> UNE	
> Interconnection	
Geographic Scope	
> Region	Date Date in the Lating to BOT Destance and
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
 Invoice Type Total Billed Revenue 	Retail Type CRIS
	> CABS
Billing Related Adjustments	Total Billed Revenue
	Billing Related Adjustments
Retail Analog/Benchmark	- Articley Avenueve a buj worklasse
CLEC Invoice Accuracy is comparable to BST In	voice Accuracy
See Appendix D	

Revision Date: 02/28/00 (dg)

.

•

.

BILLING

Report/Measurement:	
B-2. Mean Time to Deliver Invoices	
Definition:	
This measure provides the mean interval for billing	invoices
Exclusions:	
Any invoices rejected due to formatting or content of	errors.
Business Rules:	
Measures the mean interval for timeliness of billing	records delivered to CLECs in an agreed upon format. CRIS-based
invoices are measured in business days, and CABS-	based invoices in calendar days.
Calculation:	
Mean Time To Deliver Invoices = $\Sigma_{(Invoice Tr$	ansmission Date)- (Close Date of Scheduled Bill Cycle)] / (Count of
Invoices Transmitted in Reporting Period)	
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	
Level of Disaggregation:	
Product / Invoice Type	
Resale	
> UNE	
> Interconnection	
Geographic Scope	
▶ , Region	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
Invoice Type	• Retail Type
 Invoice Transmission Count 	> CRIS
 Date of Scheduled Bill Close 	> CABS
	• Invoice Transmission Count
	Date of Scheduled Bill Close
Retail Analog/Benchmark:	
CRIS-based invoices will be released for delivery v	within six (6) business days
CABS-based invoices will be released for delivery	within eight (8) calendar days.
	nd CABS Invoices are comparable to BST Average delivery
for both systems.	
See Appendix D	

Revision Date: 02/28/00 (dg)

Report/Measurement:	
B-3. Usage Data Delivery Accuracy	
Definition:	· · · · · · · · · · · · · · · · · · ·
the appropriate Competitive Local Exchange Carri	rded usage that is delivered error free and in an acceptable format to ier (CLEC). These percentages will provide the necessary data for use prmance. This measurement captures Data Delivery Accuracy rather g.
Exclusions:	
None	
Business Rules:	
of accuracy comparative to BST bills rendered to t	delivered by BST to the CLEC must enable them to provide a degree their retail customers. If errors are detected in the delivery process, Errors are corrected and the data retransmitted to the CLEC.
Calculations:	
Usage Data Delivery Accuracy = Σ [(Total number usage data packs requiring retransmission during c current month) X 100	er of usage data packs sent during current month) – (Total number of current month)] / (Total number of usage data packs sent during
Report Structure:	
CLEC Specific	
 CLEC Aggregate 	
BST Aggregate	
Level of Disaggregation:	
Geographic Scope	
Region	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
Record Type	Record Type
BellSouth Recorded	
Non BellSouth Recorded	
Retail Analog/Benchmark:	
CLEC Usage Data Delivery Accuracy is comparal	ble to BST Usage Data Delivery Accuracy
See Appendix D	

.

Revision Date: 02/28/00 (dg)

B-4. Usage Data Delivery Completeness	
Definition:	
This measurement provides percentage of complet and usage recorded by other companies and sent to thirty (30) days of the message recording date. A j messages processed and transmitted via CMDS. B billing location via CMDS as well as delivering bill Time to Deliver Usage measures are reported on the	e and accurately recorded usage data (usage recorded by BellSouth o BST for billing) that is processed and transmitted to the CLEC within parity measure is also provided showing completeness of BST BellSouth delivers its own retail usage from recording location to lling data to other companies. Timeliness, Completeness and Mean he same report.
Exclusions:	
None	
Business Rules: The purpose of these measurements is to demonstr CLEC. Method of delivery is at the option of the 0	rate the level of quality of usage data delivered to the appropriate CLEC.
Calculation:	
the current month) X 100	ig date) / Σ (Total number of Recorded usage records delivered during
Report Structure	· · · · · · · · · · · · · · · · · · ·
Report Structure CLEC Specific	
CLEC Specific	·
CLEC Specific CLEC Aggregate	·
CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Geographic Scope	
 CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Geographic Scope > Region 	
 CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Geographic Scope > Region Data Retained Relating to CLEC Experience: 	Data Retained Relating to BST Performance:
 CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Geographic Scope Region Data Retained Relating to CLEC Experience: Report Month 	Report Monthly
 CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Geographic Scope Region Data Retained Relating to CLEC Experience: Report Month Record Type 	
 CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Geographic Scope Region Data Retained Relating to CLEC Experience: Report Month Record Type BellSouth Recorded 	Report Monthly
 CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Geographic Scope Region Data Retained Relating to CLEC Experience: Report Month Record Type BellSouth Recorded Non BellSouth Recorded 	Report Monthly
 CLEC Specific CLEC Aggregate BST Aggregate Level of Disaggregation: Geographic Scope Region Data Retained Relating to CLEC Experience: Report Month Record Type BellSouth Recorded 	Report Monthly Record Type

Revision Date: 02/28/00 (dg)

Report/Measurement:	
B-5. Usage Data Delivery Timeliness	
Definition:	
companies and sent to BST for billing) that is deli- receipt of the initial recording. A parity measure i	led usage data (usage recorded by BST and usage recorded by other vered to the appropriate CLEC within six (6) calendar days from the s also provided showing timeliness of BST messages processed and s and Mean Time to Deliver Usage measures are reported on the same
Exclusions:	
None	
Business Rules:	
delivered to the appropriate CLEC. The usage dat processing center once daily. The Timeliness inte	e the level of timeliness for processing and transmission of usage data a will be mechanically transmitted or mailed to the CLEC data rval of usage recorded by other companies is measured from the date tes to the CLEC. Method of delivery is at the option of the CLEC.
Calculation:	
Usage Data Delivery Timeliness = Σ(Total numbe recording/receipt) / Σ(Total number of usage recording/receipt)	r of usage records sent within six (6) calendar days from initial rds sent) X 100
Report Structure:	
CLEC Aggregate	
CLEC Specific	
BST Aggregate	
Level of Disaggregation:	
Geographic Scope	
▶ Region	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Monthly
Record Type	Record Type
BellSouth Recorded	
Non-BellSouth Recorded	
Retail Analog/Benchmark:	1 Domition Data Dalimon Timalingga
CLEC Usage Data Delivery Timeliness is comparab	ie to BST Usage Data Delivery Timeliness
See Appendix D	

,

Revision date: 02/28/00 (dg)

. -

Report/Measurement:	
B-6. Mean Time to Deliver Usage	
Definition:	
This measurement provides the average time it tal provided showing timeliness of BST messages pr Mean Time to Deliver Usage measures are report	kes to deliver Usage Records to a CLEC. A parity measure is also occessed and transmitted via CMDS. Timeliness, Completeness and ed on the same report.
Exclusions:	
None	
Business Rules:	
The purpose of this measurement is to demonstrate appropriate CLEC. Usage data is mechanically tr Method of delivery is at the option of the CLEC. Calculation:	te the average number of days it takes BST to deliver Usage data to the ansmitted or mailed to the CLEC data processing center once daily.
	a V astimuted number of down to deliver the (lance Decent) (test)
record volume	e X estimated number of days to deliver the Usage Record) / total
Report Structure:	
CLEC Aggregate	
CLEC Specific	
 BST Aggregate 	
Level of Disaggregation:	
Geographic Scope	·
> Region	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Monthly
Record Type	Record Type
BellSouth Recorded	
Non-BeliSouth Recorded	
Retail Analog/Benchmark:	
Mean Time to Deliver Usage to CLEC is compara	ble to Mean Time to Deliver Usage to BST
See Appendix D	

Revision Date: 02/28/00 (dg)

.

OPERATOR SERVICES

the second second second second second second second second second second second second second second second se	Ieasurement: Speed to Answer Performance/Average Speed to Answer – Toll
Definitio	
	ement of the average time in seconds calls wait before answered by a toll operator.
Exclusion	
	bandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables he percent answered within "X" seconds is determined.
Business	Rules:
answers from th	I waiting measurement scan starts when the customer enters the queue and ends when a BST representative the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time e entry of a customer into the BST call management system queue until the customer is transferred to a BST intative. No distinction is made between CLEC customers and BST customers.
Calculati	on:
the cent systems between record a the calc	erage Speed to Answer for toll is calculated by using data from monthly system measurement reports taken from ralized call routing switches. The "total call waiting seconds" is a sub-component of this measure which BST calculate by monitoring the number of calls in queue throughout the day multiplied by the time (in seconds) in monitoring events. The "total calls served" is the other sub-component of this measure, which BST systems as the total number of calls handled by Operator Services toll centers. Since calls abandoned are not reflected in ulation, the percent answered within the required timeframe is determined by using conversion tables with input abandonment rate.
Report St	iructure:
	ported for the aggregate of BST and CLECs > State
Level of]	Disaggregation:
None	
	ained (on Aggregate Basis)
therefor	items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation; e, no raw data file is available in PMAP. onth
	ll Type (Toll)
	erage Speed of Answer
	alog/Benchmark
	y Design
	pendix D

Revision Date: 02/28/00 (tg)

.

OPERATOR SERVICES

leport/Measurement:	
OS-2. Speed to Answer Performance/Percent Answered within "X" Seconds - Toll	
Definition:	
Measurement of the percent of toll calls that are answered in less than "X" seconds. The number of seconds represent by "X" is thirty, except where a different regulatory benchmark has been set against the Average Speed to Answer by State Commission.	ited y a
Exclusions:	.
Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tab where the percent answered within "X" seconds is determined.	les
Business Rules:	
The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait tim from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.	e
Calculation:	
The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.	
Report Structure:	
 Reported for the aggregate of BST and CLECs State 	
Level of Disaggregation:	
None	
Data Retained (on Aggregate Basis)	
For the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.	
• Month	
Call Type (Toll)	
Average Speed of Answer	
Retail Analog/Benchmark	
Parity by Design	
See Appendix D	

Revision Date: 02/28/00 (tg)

OPERATOR SERVICES

	easurement: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)
Definition	
	ment of the average time in seconds calls wait before answer by a DA operator.
Exclusion	
Calls ab	andoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables e percent answered within "X" seconds is determined.
Business	
answers from the	waiting measurement scan starts when the customer enters the queue and ends when a BST representative the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time entry of a customer into the BST call management system queue until the customer is transferred to a BST tative. No distinction is made between CLEC customers and BST customers.
Calculatio	
the cent systems between record a the calcu	rage Speed to Answer for DA is calculated by using data from monthly system measurement reports taken from alized call routing switches. The "total call waiting seconds" is a sub-component of this measure which BST calculate by monitoring the number of calls in queue throughout the day multiplied by the time (in seconds) monitoring events. The "total calls served" is the other sub-component of this measure, which BST systems is the total number of calls handled by Operator Services DA centers. Since calls abandoned are not reflected in lation, the percent answered within the required timeframe is determined by using conversion tables with input bandonment rate.
Report St	ructure:
• Rep	orted for the aggregate of BST and CLECs
>	State
Level of I	isaggregation:
None	
Data Reta	ined (on Aggregate Basis)
For the	tems below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation;
	e, no raw data file is available in PMAP.
	nth
	I Type (DA)
	erage Speed of Answer
	alog/Benchmark
Parity by I	
See Apper	dix D

Revision Date: 02/28/00 (tg)

.

OPERATOR SERVICES

Report/Measurement:

OS-4. Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA) Definition:

Measurement of the percent of DA calls that are answered in less than "X" seconds. The number of seconds represented by "X" is twenty, except where a different regulatory benchmark has been set against the Average Speed to Answer by a State Commission.

Exclusions:

Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables where the percent answered within "X" seconds is determined.

Business Rules:

The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.

Calculation:

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure:

Reported for the aggregate of BST and CLECs

_≻ State

Level of Disaggregation:

None

Data Retained (on Aggregate Basis)

For the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.

• Month

• Call Type (DA)

• Average Speed of Answer

Retail Analog/Benchmark

Parity by Design

See Appendix D

Revision Date: 02/28/00 (tg)

,

<u>E911</u>

.

•---

Report/Measurement:	
E-1. Timeliness	
Definition:	
Measures the percentage of batch orders for E911 database updates (to CLEC resale and BST retail records) processed successfully within a 24-hour period.	
Exclusions:	
Any resale order canceled by a CLEC	
Facilities-based CLEC orders	
Business Rules:	
The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (BST's E911 vendor) receives E911 files containing batch orders extracted from BST's Service Order Communication System (SOCS). Processing stop when SCC loads the individual records to the E911 database. No distinctions are made between CLEC resale records and BST retail records.	ps
Calculation:	
E911 Timeliness = Σ (Number of batch orders processed within 24 hours + Total number of batch orders submitted) X 10	0
Report Structure:	
Reported for the aggregate of CLEC resale updates and BST retail updates	
> State	
> Region	
evels of Disaggregation:	—
None	
Data Retained	
Report month	
Aggregate data	<u></u>
Retail Analog/Benchmark	
Parity by Design	
See Appendix D	

.

Revision Date: 02/28/00 (tg)

٠

<u>E911</u>

Report/Measur	ment:
E-2. Accura	cy
Definition:	
	ndividual E911 telephone number (TN) record updates (to CLEC resale and BST retail records) processed
successfully fo	r E911 with no errors.
Exclusions:	
 Any resal 	e order canceled by a CLEC
 Facilities 	based CLEC orders
Business Rules:	
processing star	sed on the number of records processed without error at the conclusion of the processing cycle. Mechanical ts when SCC (BST's E911 vendor) receives E911 files containing telephone number (TN) records extracted ervice Order Communication System (SOCS). No distinctions are made between CLEC resale records and pords.
Calculation:	
E911 Accurac updates) X 10	$y = \Sigma$ (Number of record individual updates processed with no errors + Total number of individual record
Report Structur	
 Reported 	for the aggregate of CLEC resale updates and BST retail updates
⋟ Sta	
> Re	ion
Level of Disagg	regation:
None	
Data Retained	
 Report m 	onth
 Aggregat 	e data
Retail Analog/E	enchmark
Parity by Design	
See Appendix D	

Revision Date: 02/28/00 (tg)

.

<u>E911</u>

Report/Measu	rement:
	Interval
Definition:	
Measures the	mean interval processing of E911 batch orders (to update CLEC resale and BST retail records).
Exclusions:	
 Any res 	ale order canceled by a CLEC
 Facilitie 	s-based CLEC orders
Business Rules	
processing st	ng period is calculated based on the date and time processing starts on the batch orders and the date and time ops on the batch orders. Data is posted in 4-hour increments up to and beyond 24 hours. No distinctions are n CLEC resale records and BST retail records.
Calculation:	
E911 Mean I	nterval = Σ (Date and time of batch order completion – Date and time of batch order submission) + (Number
of batch orde	rs completed)
Report Struct	
	for the aggregate of CLEC resale updates and BST retail updates
	ate
	egion
Level of Disag	gregation:
None	
	(on Aggregate Basis)
 Report 1 	
 Aggrega 	
Retail Analog	
Parity by Desig	
See Appendix]	D

Revision Date: 02/28/00 (tg)

TRUNK GROUP PERFORMANCE

		nk Group Performance-Ag	zgregate
Defini			
		regate blocking information fo	or CLEC trunk groups and BeilSouth trunk groups.
Exclus	An and a second second		
			available for an entire study period
		trunk group information	
Busine	ess Rules:		
٠		blocking results are created us ach geographic area.	sing the statistical analysis package and are output into Excel with separate
		n or CLEC), and b) the differen	rated for: a) the monthly blocking by hour for each affecting group the between BellSouth blocking data and CLEC blocking data is calculated
٠	The TCBH hour with	I blocking is calculated by dete the highest usage is selected as	ermining the monthly averaging blocking for each hour for each trunk. The sthe TCBH and the blocking for that hour is reported.
	have af -	egorization: This report display	ys, over a reporting cycle, aggregate, weighted average blocking data for each
	hour of a c selected tr groups to type of tra aggregate	lay. Therefore, for each reporti unk groups. These groups are (each aggregate group, all trunk ffic that is transmitted on it def	ys, over a reporting cycle, aggregate, weighted average blocking data for each ing cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the n be generated. The categories to which trunk groups have been assigned for
	hour of a c selected tr groups to type of tra aggregate this report	lay. Therefore, for each reporti- unk groups. These groups are (each aggregate group, all trunk ffic that is transmitted on it def groups to that trunk reports can	ing cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the
	hour of a c selected tr groups to type of tra aggregate this report	lay. Therefore, for each reporti unk groups. These groups are (each aggregate group, all trunk ffic that is transmitted on it def groups to that trunk reports can are as follows: ting Categories:	ing cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the n be generated. The categories to which trunk groups have been assigned for
CL	hour of a c selected tr groups to type of tra aggregate this report	lay. Therefore, for each reporti unk groups. These groups are G each aggregate group, all trunk ffic that is transmitted on it def groups to that trunk reports can are as follows: ting Categories: <u>Point A</u>	ing cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the
CL	hour of a c selected tr groups to o type of tra aggregate this report LEC Affect tegory 1:	lay. Therefore, for each reporti unk groups. These groups are (each aggregate group, all trunk ffic that is transmitted on it def groups to that trunk reports can are as follows: ting Categories:	ing cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the n be generated. The categories to which trunk groups have been assigned for Point B
CL Cat Cat	hour of a c selected tr groups to o type of tra aggregate this report LEC Affect tegory 1: tegory 3:	lay. Therefore, for each reporti unk groups. These groups are (each aggregate group, all trunk ffic that is transmitted on it def groups to that trunk reports can are as follows: ting Categories: <u>Point A</u> BellSouth End Office	ing cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the n be generated. The categories to which trunk groups have been assigned for $\frac{Point B}{BellSouth Access Tandem}$
CL Cat Cat Cat Cat	hour of a c selected tr groups to o type of tra aggregate this report LEC Affect tegory 1: tegory 2: tegory 4: tegory 5:	lay. Therefore, for each reporti unk groups. These groups are (each aggregate group, all trunk ffic that is transmitted on it def groups to that trunk reports can are as follows: ting Categories: <u>Point A</u> BellSouth End Office BellSouth End Office BellSouth Local Tandem BellSouth Access Tandem	In cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the n be generated. The categories to which trunk groups have been assigned for Point B BellSouth Access Tandem CLEC Switch CLEC Switch CLEC Switch CLEC Switch
CL Cat Cat Cat Cat Cat	hour of a c selected tr groups to o type of tra aggregate this report LEC Affect tegory 1: tegory 3: tegory 4: tegory 5: tegory 10:	lay. Therefore, for each reporti unk groups. These groups are (each aggregate group, all trunk ffic that is transmitted on it def groups to that trunk reports can are as follows: ting Categories: <u>Point A</u> BellSouth End Office BellSouth End Office BellSouth Local Tandem BellSouth Access Tandem BellSouth End Office	ing cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the n be generated. The categories to which trunk groups have been assigned for BellSouth Access Tandem CLEC Switch CLEC Switch CLEC Switch BellSouth Local Tandem
CL Cat Cat Cat Cat Cat	hour of a c selected tr groups to o type of tra aggregate this report LEC Affect tegory 1: tegory 3: tegory 4: tegory 5: tegory 10:	lay. Therefore, for each reporti unk groups. These groups are (each aggregate group, all trunk ffic that is transmitted on it def groups to that trunk reports can are as follows: ting Categories: <u>Point A</u> BellSouth End Office BellSouth End Office BellSouth Local Tandem BellSouth Access Tandem	In cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the n be generated. The categories to which trunk groups have been assigned for Point B BellSouth Access Tandem CLEC Switch CLEC Switch CLEC Switch CLEC Switch
CL Cat Cat Cat Cat Cat	hour of a c selected tr groups to o type of tra aggregate this report LEC Affect tegory 1: tegory 3: tegory 4: tegory 2: tegory 10: tegory 10: tegory 10: tegory 10: tegory 10:	lay. Therefore, for each reporti unk groups. These groups are (each aggregate group, all trunk ffic that is transmitted on it def groups to that trunk reports can are as follows: ting Categories: <u>Point A</u> BellSouth End Office BellSouth End Office BellSouth Local Tandem BellSouth Access Tandem BellSouth End Office	ing cycle, 24 blocking data points are generated for two aggregate groups of CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups are first assigned to a category. A trunk group's end points and the fine a category. Selected categories of trunk groups are assigned to the n be generated. The categories to which trunk groups have been assigned for BellSouth Access Tandem CLEC Switch CLEC Switch CLEC Switch BellSouth Local Tandem

TRUNK GROUP PERFORMANCE - (Trunk Group Performance-Aggregate - Continued)

lculati Monthl		ed Average	Blocking:	<u></u>	· ··· · · · · · · · · · · · · · · · ·		
				valid measu	urement days v	within each we	eek) / Σ (Total number of valid
		s within each			•		
		· .	-	<u>Week 2</u>	Week 3	Week 4	Monthly
Exam			WEEK I	WCCK 4	WCCK J	WCCK 4	Monthly
	Hour	Dteal-las	10/	0.50/	20/	1.5%	1.8%
	1	Blocking	1%	0.5%	2%		1,070
	_	# Days	7	7	5	6	10/
	2	Blocking	0%	0%	0.2%	0.3%	.1%
	_	# Days	7	5	5	7	1 10/
	3	Blocking	1%	1%	0.5%	2%	1.1%
		# Days	7	7	7	7	
	24	Blocking	1%	0.5%	2%	1.5%	1.2%
	27	# Days	7	7	5	6	
		-		-		-	
					or a particular	trunk group is	calculated as follows:
<u>(1x5)</u> -		<u>2x4)+(1.5x4)</u>) =	1.2%	•		
	(5+5+4	+4)					
	<u></u>						
Aggre	gate Mont	hly Blocking					
(Mon	thly weigh	ited average	blocking value	ue for each	trunk group) X	(number of t	runks within each trunk group) / Σ
		cs in the aggr				•.	
•					Disting	Dia stain a	Ble sleine
xample:	Trunk	Trunks ir				Blocking	Blocking
	Group	Service				Hour 4	<u>Hour 24</u>
	A	24	3%	0%	1%	0%	0%
	B	144	2%	0%	1%	0.5%	0.5%
	С	528	0%	0.5%	1%	1%	1%
	D	316	1%	0%	1%	0.1%	0%
	E	940	1%	1%	4%	0%	0%
	Aggregate	}	0.8%	0.6%	2.4%	0.3%	0.3%
			داري المارة والمريد	- for have 1	to a low lated a	a fallowa	
Ine ag	geregate w	eignied mon		g lor nour i	is calculated a	a 10110ws.	
<u>(3x24</u>		+(0x528)+(1)		(0) = 0.1	870		
	•	+528+316+9	,		•		
The p	urpose of t	he Trunk Gr	oup Perform	ance Report	t is to provide	trunk blocking	measurements on CLEC and BST
trunk	proups for	comparison	only. It is no	t the intent	of the report th	hat it be used f	or network management and/or
	ering.		,		-		
	tructure:						
	LEC Aggre						
	 State 	Sanc					
		-tion.					
	Disaggree						
Trunk (Lata Detalant	Deleting to P	IST Experience
		eting to CLI	LU Experies				NAT RAPEI ICHCC
	port Mon				Report 1		
	otal Trunk			ľ		unk Groups	
	umber of]	runk Groups	by CLEC		 Aggrega 	ate Hourly ave	rage blocking
• Ni	ourly avera	age blocking	per trunk gr	oup			
							•
• Ho Zetail Ar	alog/Ren	chmark:					······································
• Ho Zetail Ar	alog/Ren	chmark: d in 24 hours	where CLE	C blockage	exceeds BST	blockage by m	ore than 0.5% = a miss using trun

.

TRUNK GROUP PERFORMANCE

Report/Measuren	nent: k Group Performance-CI	EC Specific
Definition:	K Group renormance-C1	
	king information for CLEC tru	ink grouns.
Exclusions:		
	me for which valid data is not	available for an entire study period
	runk group information	
Business Rules:	Tunk group mornation	
Aggregate	blocking results are created us ch geographic area.	ing the statistical analysis package and are output into Excel with separate
• For each ge	ographic area, plots are gener	ated for the monthly blocking by hour
• The TCBH	blocking is calculated by dete	rmining the monthly averaging blocking for each hour for each trunk. The the TCBH and the blocking for that hour is reported.
	ne menest usage is selected as	the fourt and the objecting for that hour is reported.
 Trunk Cate hour of a di order to assigned to assigned to 	gorization: This report display ay. Therefore, for each reporti- sign trunk groups to the CLEC the type of traffic that is transr	rs, over a reporting cycle, aggregate, weighted average blocking data for each ng cycle, 24 blocking data points are generated for CLEC trunk groups. In group, all trunk groups are first assigned to a category. A trunk group's end nitted on it define a category. Selected categories of trunk groups are runk reports can be generated. The categories to which trunk groups have
• Trunk Cate hour of a di order to ass points and assigned to been assign	gorization: This report display ay. Therefore, for each reporti- sign trunk groups to the CLEC the type of traffic that is transr the aggregate groups to that the	rs, over a reporting cycle, aggregate, weighted average blocking data for each ng cycle, 24 blocking data points are generated for CLEC trunk groups. In group, all trunk groups are first assigned to a category. A trunk group's end nitted on it define a category. Selected categories of trunk groups are runk reports can be generated. The categories to which trunk groups have
 Trunk Cate hour of a di- order to assigned to been assigned CLEC Affection 	gorization: This report display ay. Therefore, for each reporti- sign trunk groups to the CLEC the type of traffic that is transr the aggregate groups to that the ad for this report are as follow ng Categories: <u>Point A</u>	rs, over a reporting cycle, aggregate, weighted average blocking data for each ng cycle, 24 blocking data points are generated for CLEC trunk groups. In group, all trunk groups are first assigned to a category. A trunk group's end nitted on it define a category. Selected categories of trunk groups are runk reports can be generated. The categories to which trunk groups have vs: <u>Point B</u>
 Trunk Cate hour of a di order to ass points and assigned to been assign CLEC Affecti Category 1: 	gorization: This report display ay. Therefore, for each reporti- sign trunk groups to the CLEC the type of traffic that is transr the aggregate groups to that th and for this report are as follow ng Categories: <u>Point A</u> BellSouth End Office	As, over a reporting cycle, aggregate, weighted average blocking data for each ing cycle, 24 blocking data points are generated for CLEC trunk groups. In group, all trunk groups are first assigned to a category. A trunk group's end nitted on it define a category. Selected categories of trunk groups are runk reports can be generated. The categories to which trunk groups have vs: <u>Point B</u> BellSouth Access Tandem
 Trunk Cate hour of a di order to ass points and assigned to been assign CLEC Affecti Category 1: Category 3: 	gorization: This report display ay. Therefore, for each reporti- sign trunk groups to the CLEC the type of traffic that is transr the aggregate groups to that th and for this report are as follow ng Categories: <u>Point A</u> BellSouth End Office BellSouth End Office	As, over a reporting cycle, aggregate, weighted average blocking data for eaching cycle, 24 blocking data points are generated for CLEC trunk groups. In group, all trunk groups are first assigned to a category. A trunk group's end nitted on it define a category. Selected categories of trunk groups are runk reports can be generated. The categories to which trunk groups have vs: Point B BellSouth Access Tandem CLEC Switch
 Trunk Cate hour of a di order to ass points and i assigned to been assign CLEC Affecti Category 1: Category 2: Category 4: 	gorization: This report display ay. Therefore, for each reporti- sign trunk groups to the CLEC the type of traffic that is transr the aggregate groups to that th and for this report are as follow ng Categories: <u>Point A</u> BellSouth End Office BellSouth End Office BellSouth Local Tandem	As, over a reporting cycle, aggregate, weighted average blocking data for eaching cycle, 24 blocking data points are generated for CLEC trunk groups. In group, all trunk groups are first assigned to a category. A trunk group's end nitted on it define a category. Selected categories of trunk groups are runk reports can be generated. The categories to which trunk groups have vs: Point B BellSouth Access Tandem CLEC Switch CLEC Switch
 Trunk Cate hour of a di order to ass points and i assigned to been assign CLEC Affecti Category 1: Category 2: Category 4: Category 5: 	gorization: This report display ay. Therefore, for each reporti- sign trunk groups to the CLEC the type of traffic that is transr the aggregate groups to that th and for this report are as follow ng Categories: <u>Point A</u> BellSouth End Office BellSouth End Office	As, over a reporting cycle, aggregate, weighted average blocking data for eaching cycle, 24 blocking data points are generated for CLEC trunk groups. In group, all trunk groups are first assigned to a category. A trunk group's end nitted on it define a category. Selected categories of trunk groups are runk reports can be generated. The categories to which trunk groups have vs: Point B BellSouth Access Tandem CLEC Switch

.

and the state of the state of the state of the state of the state of the state of the state of the state of the

TRUNK GROUP PERFORMANCE - (Trunk Group Performance-CLEC Specific -- Continued)

and the second second

	y Weighte	d Average B						
(Block	ng data for	each hour X	number of v	alid measu	rement days v	vithin each we	ek) / Σ (Total number of val	id
measure	ement days	within each	week)					
Exam	ole:	• •.	Wcek 1	Week 2	Week 3	Week 4	Monthly	
-	Hour							
	1	Blocking	1%	0.5%	2%	1.5%	1.8%	
		# Days	7	7	5	6		
	2	Blocking	0%	0%	0.2%	0.3%	.1%	
		# Days	7	5	5	7		
	3	Blocking	1%	1%	0.5%	2%	1.1%	
		# Days	7	7	7	7	5	
	24	Blocking	1%	0.5%	2%	1.5%	1.2%	
	<i>#</i> **	# Days	7	7	5	6		
		•	•				calculated as follows:	
<u>[1x5]+</u>	(5+5+4+4	2 <u>x4)+(1.5x4)</u> 4)	=]	.2%			<u></u>	
(Mon	thly weigh	hly Blocking: ted average b is in the aggre	locking valu	e for each t	runk group) X	(number of tr	unks within each trunk grou	φ) / Σ
•	Trunk	s in the aggre Trunks in		Blocking	Blocking	Blocking	Blocking	
umpte.	Group	<u>Service</u>	-	-	-	Hour 4	<u>Hour 24</u>	
	A	24	3%	0%	1%	0%	0%	
	В	144	2%	0%	1%	0.5%	0.5%	
	Ē	528	0%	0.5%	1%	1%	1%	
	Ď	316	1%	0%	1%	0.1%	0%	
	E	940	1%	_1%_	4%	0%	<u>Q%</u>	
	Aggregate		0.8%	0.6%	2.4%	0.3%	0.3%	
<u>(3x24</u>))+(2x144)+ (24+144+	+ <u>(0x528)+(1x</u> +528+316+94	<u>316)+(1x940</u> 10)	<u>))</u> = 0.8				
The pu	pose of the	: Trunk Grou	p Performan	ce Report is	to provide tr	unk blocking t	neasurements on CLEC and	BST trun
groups	tor compar	ison only. It	is not the int	ent of the re	port that it be	used for netw	ork management and/or eng	meering.
	tructure:					<u></u>		
	EC Specif							
	unk Group							
• Tr	Disaggrega	ation:			<u></u>			
• Tr evel of l	7		C Ernarian		nto Deteined	Relating to B	ST Experience	
• Tr evel of I Trunk (~ Experien		 Report N 		N - Mahartana	
• Tr evel of I Trunk (ata Ret	ained Reis				- Acpoirt			
Tr trunk (ata Ret Ret	ained Rela port Mont	h		1	 Total Te 	nnir (innime		
Tr evel of I Trunk (ata Ret Ret To	ained Rela port Mont stal Trunk	h Groups	WCI EC		Total Tr A correspondence		rage blocking	
 Tr evel of l Trunk (ata Ret Ret Tc Nu 	ained Reis port Mont tal Trunk umber of T	h Groups runk Groups	•	10		unk Groups ite Hourly ave	rage blocking	
 Tr evel of I Trunk (ata Ret Ret Ret To No Hata 	ained Reis port Mont otal Trunk (umber of T ourly avera	h Groups runk Groups g o blocking p	•	up			rage blocking	·
 Tr evel of I Trunk (ata Ret Ret To Nu Ha etail Ar 	ained Rela port Mont tal Trunk (umber of T purly avera	h Groups runk Groups ge blocking <u>p</u> chmark:	er trunk gro		Aggrega	te Hourly aver	rage blocking ore than 0.5% = a miss using	g trunk

TRUNK GROUP PERFORMANCE

Report/Measurement:	
TGP-3. Trunk Group Service Report	
Definition:	
A report of the percent blocking above the Measured I	Blocking Threshold (MBT) on all final trunk groups between CLEC
Points of Termination and BST end offices or tandems	8
Exclusions:	
• Trunk groups for which valid traffic data is not av	vailable
High use trunk groups	
Business Rules:	
Traffic trunking data measurements are validated and	processed by the Total Network Data System/Trunking (TNDS/TK),
a Telcordia (BellCore) supported application, on an ho	ourly basis for Average Business Days (Monday through Friday).
The traffic load sets, including offered load and observe	ved blocking ratio (calls blocked divided by calls attempted), are
averaged for a 20 day period, and the busy hour is sele	ected. The busy hour average data for each trunk group is captured
for reporting purposes. Although all trunk groups are	available for reporting, the report highlight those trunk groups with
blocking greater than the Measured Blocking Thresho	ld (MBT) and the number of consecutive monthly reports that the
	T for CTTG is 2% and the MBT for all other trunk groups is 3%.
Calculation:	
Measured blocking = (Total number of blocked calls)	/ (Total number of attempted calls) X 100
Report Structure:	
BST Aggregate	
> CTTG	
Local	
 CLEC Aggregate 	
BST Administered CLEC Trunk	
 CLEC Administered CLEC Trunk 	,
CLEC Specific	
BST Administered CLEC Trunk	
CLEC Administered CLEC Trunk	
Level of Disaggregation:	
State	Dete Deteta de Deletino de DOT Deservice et
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report month	Report month
• Total trunk groups	• Total trunk groups
• Total trunk groups for which data is available	Total trunk groups for which data is available Total trunk groups for which data is available
 Trunk groups with blocking greater than the MBT 	 Trunk groups with blocking greater than the MBT Percent of trunk groups with blocking greater than the MBT
 Percent of trunk groups with blocking greater than the MBT 	
Retail Analog/Benchmark:	
CLEC Trunk Blockage/BST Trunk Blockage	
See Appendix D	

с. - с - с

Revision Date: 02/28/00 (tm)

TRUNK GROUP PERFORMANCE

Report/Measurement:	
TGP-4. Trunk Group Service Detail	
Definition:	TO D to AD 1007 and Office and the partial
A detailed list of all final trunk groups between CLI	EC Points of Presence and BST end offices or tandems, and the actual
	e Measured Blocking Threshold (MBT) for the trunk groups.
Exclusions:	
 Trunk groups for which valid traffic data is not 	available
High use trunk groups	
Business Rules:	`
Traffic trunking data measurements are validated an	d processed by the Total Network Data System/Trunking (TNDS/TK)
a Telcordia (BellCore) supported application, on an	hourly basis for Average Business Days (Monday through Friday).
The traffic load sets, including offered load and obs	erved blocking ratio (calls blocked divided by calls attempted), are
averaged for a 20 day period, and the busy hour is s	elected. The busy hour average data for each trunk group is captured
for reporting purposes. Although all trunk groups ar	e available for reporting, the report highlight those trunk groups with
blocking greater than the Measured Blocking Thres	hold (MBT) and the number of consecutive monthly reports that the
	ABT for CTTG is 2% and the MBT for all other trunk groups is 3%.
Calculation:	
Measured Blocking = (Total number of blocked call	s) / (Total number of attempted calls) X 100
leport Structure:	
BST Specific	CLEC Specific
 Traffic Identity 	> Traffic Identity
> TGSN	> TGSN
> Tandem	> Tandem
End Office	> CLEC POT
Description	> Description
Observed Blocking	Observed Blocking
Busy Hour	 Busy Hour Number Trunks
Number Trunks	
Valid study days	
Number reports	 Number reports Remarks
> Remarks	
evel of Disaggregation:	
State Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
	Report month
 Report month Total trunk groups 	Total trunk groups
	 Total trunk groups for which data is available
 Total trunk groups for which data is available Trunk groups with blocking greater than the 	• Trunk groups with blocking greater than the MBT
 I runk groups with blocking greater than the MBT 	 Percent of trunk groups with blocking greater than the MBT
 Percent of trunk groups with blocking greater 	• Traffic identity, TGSN, end points, description, busy hour,
than the MBT	valid study days, number reports
 Traffic identity, TGSN, end points, description, busy hour, valid study days, number reports 	
Retail Analog/Benchmark:	
CLEC Trunk Blockage/BST Blockage	
See Appendix D	

and the second second second second second second second second second second second second second second second

Revision Date: 02/28/00 (tm)

COLLOCATION

Report/Meas	
C-1. Ave	rage Response Time
Definition:	
	he average time (counted in business days) from the receipt of a complete and accurate collocation application
(including	receipt of application fees) to the date BellSouth responds in writing.
Exclusions:	
Reque	sts to augment previously completed arrangements
• Anya	pplication cancelled by the CLEC
Business Ru	
appropriate	starts on the date that BST receives a complete and accurate collocation application accompanied by the application fee. The clock stops on the date that BST returns a response. The clock will restart upon receipt of the original application request.
Calculation:	
Average Reporting	esponse Time = Σ (Request Response Date) – (Request Submission Date) / Count of Responses Returned within Period.
Report Stru	sture:
 Indivi 	dual CLEC (alias) aggregate
 Aggre 	gate of all CLECs
Level of Dis	
• State,	Region and further geographic disaggregation as required by State Commission Order
	fetropolitan Service Area – MSA)
Virtua	1
Physic	al
Data Retain	ed:
 Report 	t period
 Aggre 	gate data
	g/Benchmark:
See Appen	

1

and the second second second second second second second second second second second second second second second

Revision Date: 01/27/00 (tg)

COLLOCATION

	t/Measurement:
<u>C-2</u>	Average Arrangement Time
Definit	tion:
Mea: appr	sures the average time from the receipt of a complete and accurate Bona Fide firm order (including receipt of opriate fee) to the date BST completes the collocation arrangement.
Exclus	
•	Any Bona Fide firm order cancelled by the CLEC
	Bona Fide firm orders to augment previously completed arrangements
•	Time for BST to obtain permits
•	Time during which the collocation contract is being negotiated
Busine	ess Rules:
appr Char	clock starts on the date that BST receives a complete and accurate Bona Fide firm order accompanied by the opriate fee. The clock stops upon submission of the permit request and restarts upon receipt of the approved permit. nges (affecting the provisioning interval or capital expenditures) that are submitted while provisioning is in progress alter the completion date. The clock stops on the date that BST completes the collocation arrangement.
Calcul	
Aver	rage Arrangement Time = E(Date Collocation Arrangement is Complete) - (Date Order for Collocation ingement Submitted) / Total Number of Collocation Arrangements Completed during Reporting Period.
	t Structure:
	Individual CLEC (alias) aggregate Aggregate of all CLECs
	of Disaggregation:
•	State, Region and further geographic disaggregation as required by State Commission Order (e.g. Metropolitan Service Area – MSA) Virtual Physical
Data I	Retained:
•	Report period
•	Aggregate data
Retail	Analog/Benchmark:
See	Appendix D

Revision Date: 01/27/00 (tg)

..

COLLOCATION

Repor	t/Measurement:
<u>C-3</u>	. Percent of Due Dates Missed
Defini	
Mea	asures the percent of missed due dates for collocation arrangements.
Exclu	sions:
•	Any Bona Fide firm order cancelled by the CLEC
•	Bona Fide firm orders to augment previously completed arrangements
•	Time for BST to obtain permits
	Time during which the collocation contract is being negotiated
Busin	ess Rules:
The	clock starts on the date that BST receives a complete and accurate Bona Fide firm order accompanied by the ropriate fee. The clock stops on the date that BST completes the collocation arrangement.
Calcu	lation:
% 0 / Ni	f Due Dates Missed = Σ (Number of Orders not completed w/i ILEC Committed Due Date during Reporting Period) unber of Orders Completed in Reporting Period) X 100
	rt Structure:
	Individual CLEC (alias) aggregate
	Aggregate of all CLECs
Level	of Disaggregation:
•	State, Region and further geographic disaggregation as required by State Commission Order (e.g. Metropolitan Service Area-MSA)
•	Virtual
•	Physical
Data	Retained:
•	Report period
•	Aggregate data
Retai	l Analog/Benchmark:
	6 ≤ Commit Date

Revision Date: 01/27/00 (tg)

Standard Service Groupings	Pre-Order, Ordering
	> Resale Residence
· .	> Resale Business
	> Resale Special
	Local Interconnection Trunks
	> UNE
	> UNE - Loops w/LNP
	Provisioning
	> UNE Non-Design
	> UNE Design
	Local Interconnection Trunks
	> Resale Residence
	> Resale Business
	> Resale Design
	➤ BST Trunks
	> BST Residence Retail
	➢ BST Business Retail
	> BST Design Retail
	Maintenance and Repair
	> Local Interconnection Trunks
	> UNE Non-Design
	> UNE Design
	> Resale Residence
	> Resale Business
	> Resale Design
	> BST Interconnection Trunks
	▶ BST Residence Retail
	> BST Business Retail
	➢ BST Design Retail
	Local Interconnection Trunk Group Blockage
	> BST CTTG Trunk Groups
	> CLEC Trunk Groups

Appendix A: Reporting Scope*

.

Appendix A: Reporting Scope*

Standard Service Order Activities	➤ New Service Installations
These are the generic BST/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.	 Service Migrations Without Changes Service Migrations With Changes Move and Change Activities Service Disconnects (Unless noted otherwise)
Pre-Ordering Query Types:	 > Address > Telephone Number > Appointment Scheduling > Customer Service Record > Feature Availability
Maintenance Query Types:	
Report Levels	 CLEC RESH CLEC MSA CLEC State CLEC Region Aggregate CLEC State Aggregate CLEC Region BST State BST Region

* Scope is report, data source and system dependent, and, therefore, will differ with each report.

,

Appendix	B: Glossary	of Acronyms	and Terms
----------	-------------	-------------	-----------

.

A	ACD	Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.
	AGGREGATE	Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.
	ASR	Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.
	ATLAS	Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.
	ATLASTN	ATLAS software contract for Telephone Number
	AUTO CLARIFICATION	The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.
B	BILLING	The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.
	BOCRIS	Business Office Customer Record Information System - A front-end presentation manager used by BellSouth organizations to access the CRIS database.
	BRC	Business Repair Center – The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.
	BST	BellSouth Telecommunications, Inc.
С	CKTID	A unique identifier for elements combined in a service configuration
	CLEC	Competitive Local Exchange Carrier
	CMDS	Centralized Message Distribution System - BellCore administered national system used to transfer specially formatted messages among companies.
	COFFI	Central Office Feature File Interface - A BellSouth Operations System database which maintains Universal Service Order Code (USOC) information based on current tariffs.

.

C	COFIUSOC	COFFI software contract for feature/service information	
	CRIS	Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.	
	CRSACCTS	CRIS software contract for CSR information	
	CSR	Customer Service Record	
	CTTG	Common Transport Trunk Group - Final trunk groups between BST & Independent end offices and the BST access tandems.	
D	DESIGN	Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities	
E.	DISPOSITION & CAUSE	Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.	
	DLETH	Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS	
	DLR	Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.	
	DOE	Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format,	
	DSAP	DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and UNEs.	
	DSAPDDI	DSAP software contract for schedule information	
E	E911	Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.	
	EDI	Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra company business documents in a public standard format.	
F	FATAL REJECT	The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated	
	FLOW- THROUGH	In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BST OSS without manual or human intervention.	
	FOC	Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been repeived and accepted, including the specified commitment date.	

Appendix B: Glossary of Acronyms and Terms - Continued

G		
H	HAL	"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.
	HALCRIS	HAL software contract for CSR information
I	ISDN	Integrated Services Digital Network
K		
L		Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.
	LEGACY SYSTEM	Term used to refer to BellSouth Operations Support Systems (see OSS)
	LENS	Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.
I	LEO	Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.
	LESOG	Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.
	LMOS	Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.
	LMOS HOST	LMOS host computer
	LMOSupd	LMOS updates
	LNP	Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.
	LOOPS	Transmission paths from the central office to the customer premises.
	LSR	Local Service Request – A request for local resale service or unbundled network elements from a CLEC.
М	MAINTENANCE & REPAIR	The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.
	MARCH	A BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

,

Appendix B: Glossary of Acronyms and Terms - Continued

٠

· ···· -- --- ------

Appendix B: Glo	ossary of Acronyms ar	d Terms – Continued
-----------------	-----------------------	---------------------

N	NC	"No Circuits" - All circuits busy announcement
0	OASIS	Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.
	OASISBSN OASISCAR OASISLPC OASISMTN OASISNET OASISOCP	OASIS software contract for feature/service OASIS software contract for feature/service
	ORDERING	The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.
	OSPCM	Outside Plant Contract Management System - Provides Scheduling Information.
	OSS	Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.
	OUT OF SERVICE	Customer has no dial tone and cannot call out.
P	POTS	Plain Old Telephone Service
	PREDICTOR	The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.
	PREORDERING	The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.
	PROVISIONING	The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.
	PSIMS	Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.
	PSIMSORB	PSIMS software contract for feature/service

Ì

•

0]		
R	RNS	Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.	
	RRC	Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.	
	RSAG	Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.	
		RSAG software contract for address search	
	RSAGADDR	RSAG software contract for telephone number search	
	RSAGTN		
S	SOCS	Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.	
ļ	SOIR	Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911.	
T	TAFI	Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble 'reports.	
	TAG	Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.	
ļ	TN	Telephone Number	
1	TOTAL MANUAL FALLOUT	The number of LSRs which are entered electronically but require manual entering into a service order generator.	
U	UNE	Unbundled Network Element	
V			
W	WTN	A unique identifier for elements combined in a service configuration	
X			
Y			
Z			
Σ		Sum of:	

Appendix B: Glossary of Acronyms and Terms - Continued

Appendix C

BELLSOUTH'S AUDIT POLICY:

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) for each of the next five (5) years (2000 – 2005), to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.

2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).

3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit pollcy as growth and changes in the industry dictate.

	APPENDIX D Analogs and Benchmarks					
BST SQM Category	MEASURES AND SUB-METRICS	RESALE Retail Analogue	UNES Retail Analogue	Benchmark*		
Pre-Ordering	Percent Response Received within "X" seconds	Par	rity w/ retail where applicable.			
	OSS Interface Availability	'	<u></u>	99.5%		
		'		4		
Ordering	Percent Flow-Through Service Request Residence Business UNE			90% 80% 80%		
	CINE Percent Rejected Service Request	Diagnosti c		Diagnostic.		
<u>_</u>	Reject Interval (Mechanized)	UD	UD	95% within 1 hrs		
	Reject Interval (Non-Mechanized and Partially Mechanized)	UD	UD	85% < 24 hr		
	Firm Order Confirmation Timeliness (Mechanized) (Non-Mechanized and Partially	UD	UD	95% within 4 hrs 85% <48 Hrs		
	Mechanized)		×	85% <40 11		
	Speed of Answer in Ordering Center	X	^	<u>+</u>		
Provisioning	Mean Held Order Interval					
	Resale Residence	X				
(Resale Business	×		<u></u>		
i	Resale Design					
ſ	Resale PBX	<u> </u>				
	Resale Centrex	X		+		
{	Resale IDSN	<u> </u>	Retail Residence and Business			
<u> </u>	UNE Loop and Port Combos	 				
	UNE 2w Loop with NP – Non-Design		Retail Residence and Business Retail Residence and Business	- <u>}</u>		
	UNE 2w Loop without NP – Non-Design		Retail Residence and Business			
	UNE Loop Other with NP Non-Design		Retail Residence and Business	<u></u>		
	UNE Loop Other without NP Non-Design	\	Retail Residence and Business	+		
	UNE Other Non Design		Retail Residence and Business			
	UNE 2w Loop with NP - Design		Retail Residence and Business	-		
	UNE 2w Loop without NP – Design		Retail Design			
	UNE Loop Other with NP – Design		Ficiali Design			

.

BST SQM Category MEASURES AND SUB-METRICS Result Result Retail Analogue Benchmark • UNE Loop Other without NP - Design Retail Design Retail Design Benchmark • UNE Other Design Retail Design Retail Design Status • Local Interconnection Trunks X Retail Design Status • Resale Residence 95% >=24 H 95% >=24 H Status		APPENDIX D Analogs and Benchmarks					
• UNE Other Design Retail Design • Local Interconnection Trunks X • Average Jeopardy Notice Interval (Mechanized) 95% >=24 H • Resale Residence 95% >=24 H • Resale Design 95% >=24 H • Resale Centrex 95% >=24 H • Resale Contrex 95% >=24 H • Resale Contrex 95% >=24 H • UNE Coop and Port Combos 95% >=24 H • UNE Zw Loop with NP - Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP			RESALE Retail	Retail Analogue	Benchmark*		
• UNE Other Design Retail Design • Local Interconnection Trunks X • Resule Bosidence 95% >=24 H • Resule Business 95% >=24 H • Resule Design 95% >=24 H • Resule Centrex 95% >=24 H • Resule Centrex 95% >=24 H • Resule Centrex 95% >=24 H • Resule Dop and Port Combos 95% >=24 H • UNE Loop ofther With Or Non-Design 95% >=24 H • UNE 2w Loop with NP - Non-Design 95% >=24 H • UNE 2w Loop with NP - Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop other with NP Non-Design 95% >=24 H • UNE Loop other with NP Non-Design 95% >=24 H • UNE Loop other with NP - Design 95% >=24 H • UNE Loop other with NP - Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE Loop other with NP - Design		UNE Loop Other without NP - Design		Retail Design			
• Local Interconnection Trunks X Average Jeopardy Notice Interval (Mechanized) 95% • Resale Residence 96% >=24 H • Resale Residence 95% >=24 H • Resale Design 95% >=24 H • Resale Design 95% >=24 H • Resale Design 95% >=24 H • Resale DESX 95% >=24 H • Resale DESX 95% >=24 H • Resale DESX 95% >=24 H • Resale DESN 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE Zw Loop with NP - Non-Design 95% >=24 H • UNE Zw Loop with NP - Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Coup Other without NP Non-Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Coop Other without NP - Des				Retail Design			
Average Jeopardy Notice Interval (Mechanized) 95% >=24 H • Resale Residence 95% >=24 H • Resale Design 95% >=24 H • Resale Disk 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE Loop of Port Combos 95% >=24 H • UNE 2 w Loop with NP – Non-Design 95% >=24 H • UNE Loop Other with NP – Non-Design 95% >=24 H • UNE Loop Other with NP – Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE W Loop With NP - Design 95% >=24 H • UNE W Loop With NP - Design 95% >=24 H • UNE W Loop With NP - Design 95% >=24 H • UNE W Loop With NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP	<u> </u>		X		1		
• Resale Residence 95% >=24 H • Resale Dusiness 95% >=24 H • Resale Design 95% >=24 H • Resale DEX 95% >=24 H • Resale Centrex 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE 2w Loop with NP – Non-Design 95% >=24 H • UNE 2w Loop without NP – Non-Design 95% >=24 H • UNE Loop Other without NP Non-Design 95% >=24 H • UNE Loop Other without NP Non-Design 95% >=24 H • UNE Chop Other without NP Non-Design 95% >=24 H • UNE Chop Other without NP - Design 95% >=24 H • UNE Chop Other without NP - Design 95% >=24 H • UNE Chop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=		Average Jeopardy Notice Interval (Mechanized)					
• Resale Design 95% >=24 H • Resale PBX 95% >=24 H • Resale DSN 95% >=24 H • Resale IDSN 95% >=24 H • Resale IDSN 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE Zw Loop with NP – Non-Design 95% >=24 H • UNE Zw Loop with NP – Non-Design 95% >=24 H • UNE Zw Loop with NP – Non-Design 95% >=24 H • UNE Loop Other with NP - Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Cop Other with NP - Design 95% >=24 H • UNE W Loop without NP - Design 95% >=24 H • UNE W Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design					95% >=24 Hrs		
• Resale DBX 95% >=24 H • Resale Centrex 95% >=24 H • Resale IDSN 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE Loop with NP – Non-Design 95% >=24 H • UNE Loop ond Port Combos 95% >=24 H • UNE Loop ond Port Combos 95% >=24 H • UNE Loop Other with NP - Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE W Cop without NP - Design 95% >=24 H • UNE W Loop with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H		Resale Business			95% >=24 Hrs		
• Resale PBX 95% >=24 H • Resale Centrex 95% >=24 H • Resale IDSN 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE 2w Loop with NP – Non-Design 95% >=24 H • UNE 2w Loop with NP – Non-Design 95% >=24 H • UNE 2w Loop with NP – Non-Design 95% >=24 H • UNE 2w Loop with NP – Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Coop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Coop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Cober Other With NP - Design 95% >=24 H • UNE Cober Other With NP - Design 95% >=24 H • UNE Cober Other With NP - Design 95% >=24 H • Resale R					95% >=24 Hrs		
• Resale Centrex 95% >=24 H • Resale IDSN 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE 2w Loop with NP - Non-Design 95% >=24 H • UNE 2w Loop with NP - Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Coop Other without NP Non-Design 95% >=24 H • UNE Coop Other without NP Non-Design 95% >=24 H • UNE Coop Other without NP Non-Design 95% >=24 H • UNE Woop without NP - Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Other Design 95% >=24 H • Resale Residence X 95% >=24 H • Resale Residence X 95% >=24 H	<u> </u>				95% >=24 Hrs		
• Resale IDSN 95% >=24 H • UNE Loop and Port Combos 95% >=24 H • UNE Zw Loop with NP – Non-Design 95% >=24 H • UNE Zw Loop with NP – Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Colop Other with NP Non-Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Coop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Coop Other without NP - Design 95% >=24 H • Resale Business X 95% >=24	<u> </u>				95% >=24 Hrs		
• UNE Loop and Port Combos 95% >=24 H • UNE 2w Loop with NP - Non-Design 95% >=24 H • UNE 2w Loop with NP - Non-Design 95% >=24 H • UNE 2w Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE WL Cop with NP Non-Design 95% >=24 H • UNE WL Cop with NP - Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Mon-Design 95% >=24 H • Resale Business X 95% >=24 H • Resale Design X <td></td> <td></td> <td></td> <td></td> <td>95% >=24 Hrs</td>					95% >=24 Hrs		
• UNE 2w Loop with NP - Non-Design 95% >=24 H • UNE 2w Loop without NP - Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Coop Other with NP Non-Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • Coal Interconnection Trunks 2 • Resale Business X • Resale Business X					95% >=24 Hrs		
• UNE 2w Loop without NP – Non-Design 95% >=24 H • UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other without NP Non-Design 95% >=24 H • UNE Other Non Design 95% >=24 H • UNE Other Non Design 95% >=24 H • UNE Cher Non Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE 2w Loop without NP - Design 95% >=24 H • UNE 2w Loop without NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Coop Other with NP - Design 95% >=24 H • UNE Coop Other without NP - Design 95% >=24 H • UNE Coop Other without NP - Design 95% >=24 H • UNE Coop Other without NP - Design 95% >=24 H • UNE Coop Other without NP - Design 95% >=24 H • Resale Residence X • Resale Residence X • Resale Design X • Resale Design					95% >=24 Hrs		
• UNE Loop Other with NP Non-Design 95% >=24 H • UNE Loop Other without NP Non-Design 95% >=24 H • UNE Other Non Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Zw Loop with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Corp Other without NP - Design 95% >=24 H • UNE Corp Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • Orders given jeopardy notice (Mechanized) 95% >=24 H • Resale Residence X 95% >=24 H • Resale Business X 95% >=24 H • Resale Design X 95% >=24 H • Resale Residence X 95% >=24 H • Resale Design <	·				95% >=24 Hrs		
• UNE Loop Other without NP Non-Design 95% >=24 H • UNE Other Non Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Interconnection Trunks 95% >=24 H • Resale Residence X • Resale Residence X • Resale Residence X • Resale Design X • Resale Design X • Resale Design X • Resale Design X • Resale DSN X • Resale IDSN X • UNE Loop and Port Comb					95% >=24 Hrs		
• UNE Other Non Design 95% >=24 H • UNE 2w Loop with NP - Design 95% >=24 H • UNE 2w Loop without NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Cother Design 95% >=24 H • UNE Cother Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • Local Interconnection Trunks 95% >=24 H • Resale Residence X • Resale Residence X • Resale Design X • Resale Design X • Resale Design X • Resale Centrex X • Resale Centrex X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business • UNE					95% >=24 Hrs		
• UNE 2w Loop with NP - Design 95% >=24 H • UNE 2w Loop without NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • Local Interconnection Trunks 95% >=24 H • Resale Residence X • Resale Residence X • Resale Design X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop with NP - Non-Design	· · · · · · · · · · · · · · · · · · ·				95% >=24 Hrs		
• UNE 2w Loop without NP - Design 95% >=24 H • UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • Local Interconnection Trunks 95% >=24 H • Cocal Interconnection Trunks 95% >=24 H • Resale Residence X • Resale Residence X • Resale Business X • Resale Design X • Resale DSN X • UNE Loop and Port Combos Retail Residence and Business • UNE Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail					95% >=24 Hr:		
• UNE Loop Other with NP - Design 95% >=24 H • UNE Loop Other without NP - Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • UNE Other Design 95% >=24 H • Local Interconnection Trunks 95% >=24 H % of Orders given jeopardy notice (Mechanized) 95% >=24 H • Resale Residence X • Resale Residence X • Resale Business X • Resale Design X • Resale Centrex X • Resale Centrex X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business	r				95% >=24 Hr:		
• UNE Loop Other without NP - Design 95% >=24 H • UNE Other Design 95% >=24 H • Local Interconnection Trunks 95% >=24 H • Local Interconnection Trunks 95% >=24 H • Resale Residence X • Resale Residence X • Resale Business X • Resale Design X • Resale DBX X • Resale Centrex X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business					95% >=24 Hr		
• UNE Other Design 95% >=24 H • Local Interconnection Trunks 95% >=24 H % of Orders given jeopardy notice (Mechanized) 95% >=24 H • Resale Residence X • Resale Residence X • Resale Business X • Resale Design X • Resale Design X • Resale PBX X • Resale Centrex X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business	f		·		95% >=24 Hr:		
• Local Interconnection Trunks 95% >=24 H % of Orders given jeopardy notice (Mechanized) - • Resale Residence X • Resale Business X • Resale Design X • Resale PBX X • Resale Centrex X • Resale IDSN X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business	F				95% >=24 Hr:		
% of Orders given jeopardy notice (Mechanized) • Resale Residence X • Resale Business X • Resale Design X • Resale PBX X • Resale Centrex X • Resale IDSN X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business		Local Interconnection Trunks			95% >=24 Hr:		
• Resale Residence X • Resale Business X • Resale Design X • Resale Design X • Resale PBX X • Resale Centrex X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business	ļ						
• Resale Business X • Resale Design X • Resale PBX X • Resale Centrex X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business							
• Resale Design X • Resale PBX X • Resale Centrex X • Resale IDSN X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business	<u> </u>						
• Resale PBX X • Resale Centrex X • Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business							
• Resale Centrex X Image: Centrex • Resale IDSN X Image: Centrex • UNE Loop and Port Combos X Image: Centrex • UNE Loop and Port Combos Retail Residence and Business Image: Centrex • UNE 2w Loop with NP - Non-Design Retail Residence and Business Image: Centrex • UNE 2w Loop without NP - Non-Design Retail Residence and Business Image: Centrex							
• Resale IDSN X • UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business	 		X				
• UNE Loop and Port Combos Retail Residence and Business • UNE 2w Loop with NP - Non-Design Retail Residence and Business • UNE 2w Loop without NP - Non-Design Retail Residence and Business							
UNE 2w Loop with NP - Non-Design UNE 2w Loop without NP - Non-Design UNE 2w Loop without NP - Non-Design Retail Residence and Business				Retail Residence and Business	1		
UNE 2w Loop without NP - Non-Design Retail Residence and Business				Retail Residence and Business			
V UNL ZW LOOP Winted The The Decign			 		+		
	ļ	UNE Loop Other with NP Non-Design		Retail Residence and Business	+		

.

Version 1Q00: 3/6/00 DC01/HEITJ/115887.1

.

•

+

Attachment 9

	APPENDIX D Analogs and Benchmarks				
BST SQM Category	MEASURES AND SUB-METRICS	RESALE Retail Analogue	UNES Retail Analogue	Benchmark*	
	UNE Loop Other without NP Non-Design		Retail Residence and Business		
	UNE Other Non Design		Retail Residence and Business		
	UNE 2w Loop with NP – Design		Retail Residence and Business	1	
	UNE 2w Loop without NP - Design		Retail Residence and Business	T	
	UNE Loop Other with NP – Design		Retail Design		
	UNE Loop Other without NP - Design		Retail Design		
	UNE Other Design		Retail Design		
	Local Interconnection Trunks	X		· · ·	
	Percent Missed Installation Appointments				
<u> </u>	Resale Residence	X			
	Resale Business	X			
	Resale Design	X			
	Resale PBX	, X			
	Resale Centrex	X			
	Resale IDSN	X			
}	UNE Loop and Port Combos		Retail Residence and Business		
	UNE 2w Loop with NP – Non-Design		Retail Residence and Business		
· · · · · · · · · · · · · · · · · · ·	UNE 2w Loop without NP - Non-Design		Retail Residence and Business		
	UNE Loop Other with NP Non-Design		Retail Residence and Business		
	UNE Loop Other without NP Non-Design		Retail Residence and Business		
	UNE Other Non Design		Retail Residence and Business	Γ	
	UNE 2w Loop with NP – Design		Retail Residence and Business		
	UNE 2w Loop without NP - Design		Retail Residence and Business	Γ	
	UNE Loop Other with NP – Design		Retail Design		
	UNE Loop Other without NP – Design		Retail Design		
	UNE Other Design		Retail Design		
	Local Interconnection Trunks	X		T	
}	Order Completion Interval				
	Resale Residence	X			
	Resale Business	X			
	Resale Design	X			
	Resale PBX	X			
	Resale Centrex	X			

.

APPENDIX D Analogs and Benchmarks				
BST SQM Category	MEASURES AND SUB-METRICS	RESALE Retail Analogue	UNES Retail Analogue	Benchmark*
	Resale IDSN	X		
	UNE Loop and Port Combos		Retail Residence and Business	
	UNE 2w Loop with NP - Non-Design		Retail Residence and Business	
	UNE 2w Loop without NP - Non-Design		Retail Residence and Business	
	UNE Loop Other with NP Non-Design		Retail Residence and Business	
<u></u>	UNE Loop Other without NP Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	
	UNE 2w Loop with NP – Design		Retail Residence and Business	
<u> </u>	UNE 2w Loop without NP – Design		Retail Residence and Business	
	UNE Loop Other with NP – Design		Retail Design	
	UNE Loop Other without NP - Design	· · · · · · · · · · · · · · · · · · ·	Retail Design	
	UNE Other Design		Retail Design	
· <u>·</u> ······	Local Interconnection Trunks			
	Average Completion Notice Interval - Resale POTS (Mech)			
	Resale Residence	X		
	Resale Business	X		
	Resale Design	X		
	Resale PBX	X		
	Resale Centrex	X		
	Resale IDSN	X		<u> </u>
	UNE Loop and Port Combos		Retail Residence and Business	
	UNE 2w Loop with NP – Non-Design		Retail Residence and Business	
	UNE 2w Loop without NP Non-Design		Retail Residence and Business	
	UNE Loop Other with NP Non-Design		Retail Residence and Business	
	UNE Loop Other without NP Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	
_ _ _	UNE 2w Loop with NP – Design		Retail Residence and Business	
	UNE 2w Loop without NP – Design		Retail Residence and Business	
<u> </u>	UNE Loop Other with NP - Design		Retail Design	
	UNE Loop Other without NP - Design		Retail Design	
	UNE Other Design	······	Retail Design	
<u> </u>	Local Interconnection Trunks	X		
	Percent Provisioning Troubles within 30 Days			

•

.....

	APPENDIX D Analogs and Bench		<u>, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	
BST SQM Category	MEASURES AND SUB-METRICS	RESALE Retail Analogue	Retail Analogue	Benchmark*
	Resale Residence	X		
	Resale Business	X		
	Resale Design	X		
	Resale PBX	X		
	Resale Centrex	X		
	Resale IDSN	X		
l	UNE Loop and Port Combos		Retail Residence and Business	
l	UNE 2w Loop with NP - Non-Design		Retail Residence and Business	
l	UNE 2w Loop without NP - Non-Design		Retail Residence and Business	
	UNE Loop Other with NP Non-Design		Retail Residence and Business	· · · · · · · · · · · · · · · · · · ·
	UNE Loop Other without NP Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	
	UNE 2w Loop with NP – Design		Retail Residence and Business	
	UNE 2w Loop without NP – Design		Retail Residence and Business	
	UNE Loop Other with NP - Design		Retail Design	
	UNE Loop Other without NP - Design		Retail Design	
	UNE Other Design		Retail Design	
	Local Interconnection Trunks	· X		
	Total Service Order Cycle Time	Diag.	Diagnostic	Diagnostic
Maintenance	Customer Trouble Report Rate			
	Resale Residence	X		
	Resale Business	X		
<u> </u>	Resale Design	X		
	Resale PBX	Х		
·····	Resale Centrex	X		
	Resale IDSN	X		
	UNE Loop and Port Combos		Retail Residence and Business	
	UNE 2w Loop – Non-Design		Retail Residence and Business	
	UNE Loop Other - Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	
	UNE 2w Loop – Design		Retail Residence and Business	f
	UNE Loop Other – Design		Retail Design	
	UNE Other Design		Retail Design	f

-

•

.

	APPENDIX [Analogs and Benc		, <u>, , , , , , , , , , , , , , , , , , </u>	
BST SQM Category	MEASURES AND SUB-METRICS	RESALE Retail	UNES Retail Analogue	Benchmark*
		Analogue		
	Local Interconnection Trunks	X		
	Percent Missed Repair Appointments	′	İ	
	Resale Residence	X	1	
	Resale Business	<u> </u>	1	-
	Resale Design	X		
	Resale PBX	X		
	Resale Centrex	X		
	Resale IDSN	X		
	UNE Loop and Port Combos	/	Retail Residence and Business	
	UNE 2w Loop - Non-Design		Retail Residence and Business	1
	UNE Loop Other - Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	1
· · · · · · · · · · · · · · · · · · ·	UNE 2w Loop – Design		Retail Residence and Business	
	UNE Loop Other – Design		Retail Design	1
	UNE Other Design	T/	Retail Design	f
	Local Interconnection Trunks	X		<u> </u>
	Maintenance Average Duration			f
	Resale Residence	X	· · · · · · · · · · · · · · · · · · ·	
	Resale Business	X	,	
· · · · · · · · · · · · · · · · · · ·	Resale Design	X	(
	Resale PBX	X		l
	Resale Centrex	X	· · · · · · · · · · · · · · · · · · ·	·
· · · · · · · · · · · · · · · · · · ·	Resale IDSN	X		
·	UNE Loop and Port Combos		Retail Residence and Business	t
· · · · · · · · · · · · · · · · · · ·	UNE 2w Loop - Non-Design		Retail Residence and Business	l
	UNE Loop Other - Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	<u> </u>
· · · · · · · · · · · · · · · · · · ·	UNE 2w Loop – Design	+	Retail Residence and Business	l
	UNE Loop Other – Design	++	Retail Design	
	UNE Other Design		Retail Design	r
	Local Interconnection Trunks	x		/
·	Eccal Interconnection Tranks Percent Repeat Troubles within 30 Days		t	t
·	Resale Residence		t	t

.

Attachment 9

	APPENDIX I Analogs and Benc			
BST SQM	MEASURES AND SUB-METRICS	RESALE	UNES	I
Category		Retail	Retail Analogue	Benchmark
Calegory		Analogue		
	Resale Business	X		
·	Resale Design	X		
	Resale PBX	X	· ·	
··	Resale Centrex	X		
	Resale IDSN	X		
	UNE Loop and Port Combos		Retail Residence and Business	
	UNE 2w Loop - Non-Design		Retail Residence and Business	
	UNE Loop Other - Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	
	UNE 2w Loop – Design		Retail Residence and Business	
	UNE Loop Other – Design		Retail Design	
	UNE Other Design		Retail Design	
	Local Interconnection Trunks	X		
	Out of Service > 24hrs			
	Resale Residence	X		
·	Resale Business	X		
	Resale Design	X		
·	Resale PBX	X	· · · · · · · · · · · · · · · · · · ·	
	Resale Centrex	X		
<u>.</u>	Resale IDSN	X		
	UNE Loop and Port Combos		Retail Residence and Business	
<u> </u>	UNE 2w Loop – Non-Design		Retail Residence and Business	
	UNE Loop Other - Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	
	UNE 2w Loop – Design		Retail Residence and Business	
	UNE Loop Other – Design		Retail Design	
	UNE Other Design		Retail Design	
	Local Interconnection Trunks	X		
	OSS Interface Availability			
	All systems except ECTA	X		
	• ECTA			99.5%
	OSS Response Interval and %			1
	TAFI (Front End)	X		<u> </u>

.

٠

	APPENDIX D			
BST SQM	Analogs and Benchmarks MEASURES AND SUB-METRICS			<u> </u>
Category	MEASURES ARD SUB-METRICS	RESALE Retail	UNES Retail Analogue	Benchmark
		Analogue		
	 CRIS, DLETH, DLR, OSPCM, LMOS, LMOSUP, MARCH, Predictor, SOCS, LNP (Parity by Design) 	PBD		
	Average Answer Time - Repair Center	X		
Billing	Invoice Accuracy	+ <u>x</u>		
onun (g	Mean Time To Deliver Invoices		·	
	Usage Data Delivery Accuracy			
······································	Usage Data Delivery Timeliness	+ x		
	Usage Data Delivery Completeness			
	Mean Time to Deliver Usage	<u>x</u>		
		x		
Operator Services (Toll)	Average Speed to Answer	PBD		
	% Answered in "X" Seconds /	PBD		
Directory Assistance	Average Speed to Answer	PBD		
	% Answered in "X" Seconds	PBD		
E911	Timeliness	PBD		
	Accuracy	PBD		
	Mean Interval	PBD		
Trunk Group	Trunk Group Service Report (Percent Trunk Blockage)	+- <u>x</u>		
Performance	Any 2 hour period in 24 hours where CLEC blockage exceeds BST			1
(Blockage)	blockage by more than 0.5% = a miss using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BST.			
	Trunk Group Service Report (Percent Trunk Blockage)	X		· ·····
LNP	Average Disconnect Timeliness Interval	+		+
	Percent Missed Installation Appointments		Retail Residence and Business	+
	FOC Mechanized		Fields Fieldstorio and Businous	95% ≤4 hou
	% Reject Service Request	+	Diagnostic	00/0 27 //00
	Average Reject Interval Mechanized		Diagnostic	95% ≤1 ho
	TSOC		Diagnostic	
	% Flow Through	+		80%

.

Version 1Q00: 3/6/00 DC01/HEITJ/115887.1

.

Attachment 9

Page	77
------	----

	APPENDIX APPENDIX Analogs and Benc			
BST SQM Category	MEASURES AND SUB-METRICS	RESALE Retail Analogue	UNES Retail Analogue	Benchmark*
Customer Coordinated	Coordinated Customer Conversions - UNE Loop			95% <u><</u> 15min
Conversions	Coordinated Customer Conversions - LNP			95% <u><</u> 15 mir
Collocation +	% of Due Dates Missed			90% <u><</u> Comm Date
<u></u>	Average Response Time		FL PSC is addressing this in generic docket	
+A contract with each CLEC required.	Average Arrangement Time		FL PSC is addressing this in generic docket	

Note 1: PBD = Parity by Design. UD = Under Development - Benchmarks will be replaced when Analogs are complete.

Note2: The retail analog for UNE Non-Design and UNE 2w Loops – Design is the average of Retail Residence Dispatch and Retail Business Dispatch transactions for the particular month. The retail analog for other UNE Design is Retail Design Dispatch.

Note3: Analogs and Benchmarks will be re-evaluated periodically, at least once a year, to validate applicability.

Appendix E Modification of Performance Measurements

In the event that the FCC or any State Commission adopts, orders, or imposes on BellSouth any standards, measurements, or performance requirements in addition to or different from the standards, measurements, and performance requirements contained in this attachment, the Parties shall amend this Attachment to incorporate such standards, measurements, or performance requirements at either Party's request in accordance with

Section 35 of the General Terms and Conditions of this Agreement; provided, however, that if e spire elects to retain the performance measurements set forth in this Attachment rather than to adopt the standards, measurements, or performance measurements so ordered or imposed, BellSouth will continue to provide to

espire the performance measurements set forth herein.

EXHIBIT B

.

•

.

....

• -

.

•

۰.

. .

VSEEMIII TIER-1 SUBMETRICS

- u FOC Timeliness (Mechanized only)
- Reject Interval (Mechanized only)
- Order Completion Interval (Dispatch only) Resale POTS
- a Order Completion Interval (Dispatch only) Resale Design
- Order Completion Interval (No Dispatch only) UNE Loop and Port Combos
- Order Completion Interval ('w' code orders, Dispatch only) UNE Loops
- Order Completion Interval (Dispatch only) IC Trunks
- Percent Missed Installation Appointments Resale POTS
- Percent Missed Installation Appointments Resale Design
- Percent Missed Installation Appointments UNE Loop and Port Combos
- Percent Missed Installation Appointments UNE Loops
- Percent Provisioning Troubles within 4 Days Resale POTS
- Percent Provisioning Troubles within 4 Days Resale Design
- Percent Provisioning Troubles within 4 Days UNE Loop and Port Combos
- Percent Provisioning Troubles within 4 Days UNE Loops
- Customer Trouble Report Rate Resale POTS
- Customer Trouble Report Rate Resale Design
- Customer Trouble Report Rate UNE Loop and Port Combos
- Customer Trouble Report Rate UNE Loops
- Percent Missed Repair Appointments Resale POTS
- Percent Missed Repair Appointments Resale Design
- Percent Missed Repair Appointments UNE Loop and Port Combos
- Percent Missed Repair Appointments UNE Loops
- □ Maintenance Average Duration Resale POTS
- Maintenance Average Duration Resale Design
- Maintenance Average Duration UNE Loop and Port Combos
- Maintenance Average Duration UNE Loops
- Maintenance Average Duration IC Trunks
- Percent Repeat Troubles within 30 Days Resale POTS
- Percent Repeat Troubles within 30 Days Resale Design
- Percent Repeat Troubles within 30 Days UNE Loop and Port Combos
- Percent Repeat Troubles within 30 Days UNE Loops
- Percent Trunk Blockage
- LNP Disconnect Timeliness
- LNP Percent Missed Installation Appointment
- Coordinated Customer Conversions for UNE Loops
- Coordinated Customer Conversions for LNP
- Percent Missed Collocation Due Dates

VSEEMIII TIER-2 SUBMETRICS

- Percent Response Received within "X" seconds Pre-Order OSS
- a OSS Interface Availability
- Order Process Percent Flow-Through (Mechanized only)
- Order Completion Interval (Dispatch only) Resale POTS
- Order Completion Interval (Dispatch only) Resale Design
- Order Completion Interval (No Dispatch only) UNE Loop and Port Combos
- Order Completion Interval ('w' code orders, Dispatch only) UNE Loops
- Order Completion Interval (Dispatch only) IC Trunks
- Percent Missed Installation Appointments Resale POTS
- Percent Missed Installation Appointments Resale Design
- Percent Missed Installation Appointments UNE Loop and Port Combos
- Percent Missed Installation Appointments UNE Loops
- Percent Provisioning Troubles within 4 Days Resale POTS
- Percent Provisioning Troubles within 4 Days Resale Design
- Percent Provisioning Troubles within 4 Days UNE Loop and Port Combos
- Percent Provisioning Troubles within 4 Days UNE Loops
- Customer Trouble Report Rate Resale POTS
- Customer Trouble Report Rate Resale Design
- Customer Trouble Report Rate UNE Loop and Port Combos
- Customer Trouble Report Rate UNE Loops
- Percent Missed Repair Appointments Resale POTS
- Percent Missed Repair Appointments Resale Design
- Percent Missed Repair Appointments UNE Loop and Port Combos
- Percent Missed Repair Appointments UNE Loops
- Maintenance Average Duration Resale POTS
- Maintenance Average Duration Resale Design
- Maintenance Average Duration UNE Loop and Port Combos
- Maintenance Average Duration UNE Loops
- Maintenance Average Duration IC Trunks
- Percent Repeat Troubles within 30 Days Resale POTS
- Percent Repeat Troubles within 30 Days Resale Design
- Percent Repeat Troubles within 30 Days UNE Loop and Port Combos
- Percent Repeat Troubles within 30 Days UNE Loops
- a Billing Timeliness
- **Billing Accuracy**
- Usage Data Delivery Timeliness
- Usage Data Delivery Accuracy
- Percent Trunk Blockage
- **LNP Disconnect Timeliness**
- LNP Percent Missed Installation Appointment
- Coordinated Customer Conversions for UNE Loops
- Coordinated Customer Conversions for LNP
- Percent Missed Collocation Due Dates

VSEEMIII TIER-3 SUBMETRICS

- a Percent Missed Installation Appointments Resale POTS
- Percent Missed Installation Appointments Resale Design
- Percent Missed Installation Appointments UNE Loop and Port Combos
- Percent Missed Installation Appointments UNE Loops
- Percent Missed Repair Appointments Resale POTS
- Percent Missed Repair Appointments Resale Design
- Percent Missed Repair Appointments UNE Loop and Port Combos
- Percent Missed Repair Appointments UNE Loops
- Billing Timeliness
- Billing Accuracy
- Percent Trunk Blockage
- Percent Missed Collocation Due Dates

VSEEM III	MEASURES AND SUB-METRICS	RETAIL ANALOGUE	BENCH
		Resale (x) and UNEs	MARK
Pre-Ordering	Percent Response Received within "X" seconds	Retail Analogue + 4 sec	
- <u> </u>	OSS Interface Availability	x	
Ordering	Percent Flow-Through Service Request (Fully Mechanized only)		90%
Total X Magness and 42	Firm Order Confirmation Timeliness (Mechanized only)		95% ≤ 4
		· · · · · · · · · · · · · · · · · · ·	hrs
	Reject Interval (Mechanized only)		95% ≤
		l	hrs
Provisioning	Order Completion Interval (Dispatch only) - Resale POTS	×	_ <u>_</u>
	Order Completion Interval (Dispatch only) - Resale Design	X	
<u> </u>	Order Completion Interval (No Dispatch only) - UNE Loop & Port Combos	Retail Residence and Business	
	Order Completion Interval (Dispatch only) - UNE Loops	Design: Retail Design Dispatch 'w' Orders	
		Non-Design: Retail Res, Bus Dispatch 'w' Orders	
<u></u>	Order Completion Interval (Dispatch only) - IC Trunks	×	
	Percent Missed Installation Appointments – Resale POTS	X	<u> </u>
	Percent Missed Installation Appointments – Resale Design	X	
	Percent Missed Installation Appointments - UNE Loop and Port Combos	Retail Residence and Business	
	Percent Missed Installation Appointments – UNE Loops	Design: Retail Design	
<u> </u>		Non-Design: Retail Res, Bus 1	
	Percent Provisioning Troubles within 4 Days - Resale POTS	XX	
	Percent Provisioning Troubles within 4 Days - Resale Design	X	
	Percent Provisioning Troubles within 4 Days - UNE Loop and Port	Retail Residence and Business	
	Combos		
	Percent Provisioning Troubles within 4 Days - UNE Loops	Design: Retail Design	
		Non-Design: Retail Res, Bus ¹	
Maintenance	Customer Trouble Report Rate - Resale POTS	<u>x</u>	_ _
	Customer Trouble Report Rate – Resale Design	X	
	Customer Trouble Report Rate - UNE Loop and Port Combos	Retail Residence and Business	
	Customer Trouble Report Rate - UNE Loops	Design: Retail Design	1
		Non-Design: Retail Res, Bus 1	
	Percent Missed Repair Appointments - Resale POTS	X	
	Percent Missed Repair Appointments - Resale Design	x	
	Percent Missed Repair Appointments - UNE Loop and Port Combos	Retail Residence and Business	
~ <u> </u>	Percent Missed Repair Appointments - UNE Loops	Design: Retail Design	.
		Non-Design: Retail Res, Bus	

•

.

¹ The retail analog for UNE Non-Design is the average of all retail residence and retail business transactions for the particular month. NOTES: The retail

analog for UNE Design is calculated similarly using retail residence, business and design results. ² UD = Under Development

Maintenance			
Continued	Maintenance Average Duration – Resale POTS	×	
	Maintenance Average Duration - Resale Design	¥	
	Maintenance Average Duration - UNE Loop and Port Combos	Retail Residence and Business	
<u></u>	Maintenance Average Duration - UNE Loops	Design: Retail Design ¹ Non-Design: Retail Res, Bus ¹	
	Maintenance Average Duration – IC Trunks	X	
<u>_</u>	Percent Repeat Troubles within 30 Days – Resale POTS	×	
	Percent Repeat Troubles within 30 Days - Resale Design	X	
	Percent Repeat Troubles within 30 Days - UNE Loop and Port Combos	Retail Residence and Business	
	Percent Repeat Troubles within 30 Days - UNE Loops	Design: Retail Design ¹ Non-Design: Retail Res, Bus ¹	
Billing	Invoice Accuracy	Y	
	Mean Time To Deliver Invoices	X	
	Usage Data Delivery Accuracy	<u>x</u>	
	Usage Data Delivery Timeliness	<u>x</u>	
Trunk Blockage	Trunk Group Service Report (Percent Trunk Blockage)	X	
LNP	Average Disconnect Timeliness Interval		UD 2
	Percent Missed Installation Appointments		
cc	Coordinated Customer Conversions - UNE Loop		95% <u><</u> 15min
Conversions	Coordinated Customer Conversions - LNP		95% ≤
Collocation	% of Due Dates Missed		15 min
			<u>< 10%</u>

NOTES:

¹ The retail analog for UNE Non-Design is the average of all retail residence and retail business transactions for the particular month. The retail

analog for UNE Design is calculated similarly using retail residence, business and design results. ² UD = Under Development

EXHIBIT C

.

•

.

Statistical Methods for BellSouth Performance Measure Analysis

I. Necessary Properties for a Test Methodology

The statistical process for testing if competing local exchange carriers (CLECs) customers are being treat equally with BellSouth (BST) customers involves more than just a mathematical formula. Three key elements need to be considered before an appropriate decision process can be developed. These are

- the type of data,
- the type of comparison, and
- the type of performance measure.

Once these elements are determined a test methodology should be developed that complies with the following properties.

- <u>Like-to-Like Comparisons</u>. When possible, data should be compared at appropriate levels, e.g. wire center, time of month, dispatched, residential, new orders. The testing process should:
 - Identify variables that may affect the performance measure.
 - Record these important confounding covariates.
 - Adjust for the observed covariates in order to remove potential biases and to make the CLEC and the ILEC units as comparable as possible.
- <u>Aggregate Level Test Statistic</u>. Each performance measure of interest should be summarized by one overall test statistic giving the decision maker a rule that determines whether a statistically significant difference exists. The test statistic should have the following properties.
 - The method should provide a single overall index, on a standard scale.
 - If entries in comparison cells are exactly proportional over a covariate, the aggregated index should be very nearly the same as if comparisons on the covariate had not been done.
 - The contribution of each comparison cell should depend on the number of observations in the cell.
 - Cancellation between comparison cells should be limited.
 - The index should be a continuous function of the observations.
- <u>Production Mode Process</u>. The decision system must be developed so that it does not require intermediate manual intervention, i.e. the process must be a "black box."
 - Calculations are well defined for possible eventualities.
 - The decision process is an algorithm that needs no manual intervention.
 - Results should be arrived at in a timely manner.
 - The system must recognize that resources are needed for other performance measure-related processes that also must be run in a timely manner.
 - The system should be auditable, and adjustable over time.
- Balancing. The testing methodology should balance Type I and Type II Error probabilities.
 - P(Type I Error) = P(Type II Error) for well defined null and alternative hypotheses.
 - The formula for a test's balancing critical value should be simple enough to calculate using standard mathematical functions, i.e. one should avoid methods that require computationally intensive techniques.

- Little to no information beyond the null hypothesis, the alternative hypothesis, and the number of observations should be required for calculating the balancing critical value.

In the following sections we describe appropriate testing processes that adhere as much as possible to the testing principles.

Measurement Types

The performance measures that will undergo testing are of three types:

- 1) means
- 2) proportions, and
- 3) rates

While all three have similar characteristics (a proportion is the average of a measure that takes on only the values of 0 or 1), a proportion or rate is derived from count data while a mean is generally an average of interval measurements.

II. Testing Methodology - The Truncated Z

Many covariates are chosen in order to provide deep comparison levels. In each comparison cell, a Z statistic is calculated. The form of the Z statistic may vary depending on the performance measure, but it should be distributed approximately as a standard normal, with mean zero and variance equal to one. Assuming that the test statistic is derived so that it is negative when the performance for the CLEC is worse than for the ILEC, a positive truncation is done – i.e. if the result is negative it is left alone, if the result is positive it is changed to zero. A weighted average of the truncated statistics is calculated where a cell weight depends on the volume of BST and CLEC orders in the cell. The weighted average is re-centered by the theoretical mean of a truncated distribution, and this is divided by the standard error of the weighted average. The standard error is computed assuming a fixed effects model.

Proportion Measures

For performance measures that are calculated as a proportion, in each adjustment cell, the truncated Z and the moments for the truncated Z can be calculated in a direct manner. In adjustment cells where proportions are not close to zero or one, and where the sample sizes are reasonably large, a normal approximation can be used. In this case, the moments for the truncated Z come directly from properties of the standard normal distribution. If the normal approximation is not appropriate, then the Z statistic is calculated from the hypergeometric distribution. In this case, the moments of the truncated Z are calculated exactly using the hypergeometric probabilities.

Rate Measures

The truncated Z methodology for rate measures has the same general structure for calculating the Z in each cell as proportion measures. For a rate measure, there are a fixed number of circuits or units for the CLEC, n_{2j} and a fixed number of units for BST, n_{1j} . Suppose that the performance measure is a "trouble rate." The modeling assumption is that the occurrence of a trouble is independent between units and the number of troubles in n circuits follows a Poisson distribution with mean λ n where λ is the probability of a trouble in 1 circuit and n is the number of circuits.

In an adjustment cell, if the number of CLEC troubles is greater than 15 and the number of BST troubles is greater than 15, then the Z test is calculated using the normal approximation to the Poisson. In this case, the moments of the truncated Z come directly from properties of the standard normal distribution. Otherwise, if there are very few troubles, the number of CLEC troubles can be modeled using a binomial distribution with n equal to the total number of troubles (CLEC plus BST troubles.) In this case, the moments for the truncated Z are calculated explicitly using the binomial distribution.

Mean Measures

For mean measures, an adjusted t statistic is calculated for each like-to-like cell which has at least 7 BST and 7 CLEC transactions. A permutation test is used when one or both of the BST and CLEC sample sizes is less than 6. Both the adjusted t statistic and the permutation calculation are described in the technical appendix.

.

۰.

APPENDIX TECHNICAL DESCRIPTION

.

We start by assuming that any necessary trimming of the data is complete, and that the data are disaggregated so that comparisons are made within appropriate classes or adjustment cells that define "like" observations.

NOTATION AND EXACT TESTING DISTRIBUTIONS

Below, we have detailed the basic notation for the construction of the truncated z statistic. In what follows the word "cell" should be taken to mean a like-to-like comparison cell that has both one (or more) ILEC observation and one (or more) CLEC observation.

- L = the total number of occupied cells
- $j = 1, \dots, L;$ an index for the cells
- n_{ij} = the number of ILEC transactions in cell j
- n_{2j} = the number of CLEC transactions in cell j
- n_j = the total number transactions in cell j; $n_{1j} + n_{2j}$
- X_{ijk} = individual ILEC transactions in cell j; k = 1,..., n_{ij}
- X_{2jk} = individual CLEC transactions in cell j; k = 1,..., n_{2j}
- Y_{jk} = individual transaction (both ILEC and CLEC) in cell j

$$= \begin{cases} X_{1jk} & k = 1, \dots, n_{1j} \\ X_{2jk} & k = n_{1j} + 1, \dots, n_{j} \end{cases}$$

 $\Phi^{-1}(\cdot)$ = the inverse of the cumulative standard normal distribution function

For Mean Performance Measures the following additional notation is needed.

- $\overline{X}_{ij} =$ the ILEC sample mean of cell j $\overline{X}_{2j} =$ the CLEC sample mean of cell j $s_{1i}^2 =$ the ILEC sample variance in cell j
- 51 j
- s_{2i}^2 = the CLEC sample variance in cell j
- $y_{jk} =$ a random sample of size n_{2j} from the set of Y_{j1}, \ldots, Y_{jn_j} ; $k = 1, \ldots, n_{2j}$
- M_i = the total number of distinct pairs of samples of size n_{ij} and n_{2j} ;

_	$\binom{n_j}{}$
	(n _{ij})

The exact parity test is the permutation test based on the "modified Z" statistic. For large samples, we can avoid permutation calculations since this statistic will be normal (or Student's t) to a good approximation. For small samples, where we cannot avoid permutation calculations, we have found that the difference between "modified Z" and the textbook "pooled Z" is negligible. We therefore propose to use the permutation test based on pooled Z for small samples. This decision speeds up the permutation computations considerably, because for each permutation we need only compute the sum of the CLEC sample values, and not the pooled statistic itself.

A permutation probability mass function distribution for cell j, based on the "pooled Z" can be written as

$$PM(t) = P(\sum_{k} y_{jk} = t) = \frac{the \ number \ of samples \ that \ sum \ to \ t}{M_j}$$

and the corresponding cumulative permutation distribution is

$$CPM(t) = P(\sum_{k} y_{jk} \le t) = \frac{\text{the number of samples with sum } \le t}{M_{j}}$$

For Proportion Performance Measures the following notation is defined

a_{1j}= the number of ILEC cases possessing an attribute of interest in cell j

a_{2j} the number of CLEC cases possessing an attribute of interest in cell j

 $a_j =$ the number of cases possessing an attribute of interest in cell j; $a_{1j} + a_{2j}$

The exact distribution for a parity test is the hypergeometric distribution. The hypergeometric probability mass function distribution for cell j is

$$HG(h) = P(H = h) = \begin{cases} \frac{\binom{n_{1j}}{h}\binom{n_{2j}}{a_j - h}}{\binom{n_j}{a_j}}, \max(0, a_j - n_{2j}) \le h \le \min(a_j, n_{1j}) \\ 0 & \text{otherwise} \end{cases}$$

and the cumulative hypergeometric distribution is

CHG(x) = P(H \le x) =

$$\begin{cases}
0 & x < \max(0, a_j - n_{ij}) \\
\sum_{h=\max(0, a_j - n_{ij})}^{x} & HG(h), & \max(0, a_j - n_{ij}) \le x \le \min(a_j, n_{2j}). \\
1 & x > \min(a_j, n_{2j})
\end{cases}$$

For Rate Measures, the notation needed is defined as

 b_{ii} = the number of ILEC base elements in cell j

 b_{2i} = the number of CLEC base elements in cell j

 $b_j =$ the total number of base elements in cell $j; b_{1j} + b_{2j}$

 $\hat{\mathbf{r}}_{ij}$ = the ILEC sample rate of cell j; n_{ij}/b_{ij}

 \hat{r}_{2i} = the CLEC sample rate of cell j; n_{2j}/b_{2j}

 q_j = the relative proportion of CLEC elements for cell j; b_{2j}/b_j

The exact distribution for a parity test is the binomial distribution. The binomial probability mass function distribution for cell j is

$$BN(k) = P(B = k) = \begin{cases} \binom{n_j}{k} q_j^k (1 - q_j)^{n_j - k}, & 0 \le k \le n_j \\ 0 & \text{otherwise} \end{cases}$$

and the cumulative binomial distribution is

$$CBN(x) = P(B \le x) = \begin{cases} 0 & x < 0 \\ \sum_{k=0}^{x} BN(k), & 0 \le x \le n_{j} \\ 1 & x > n_{j} \end{cases}$$

CALCULATING THE TRUNCATED Z

The general methodology for calculating an aggregate level test statistic is outlined below.

1. Calculate cell weights, W_j. A weight based on the number of transactions is used so that a cell which has a larger number of transactions has a larger weight. The actual weight formulae will depend on the type of measure.

Mean Measure

$$\mathbf{W}_{j} = \sqrt{\frac{\mathbf{n}_{1j}\mathbf{n}_{2j}}{\mathbf{n}_{j}}}$$

Proportion Measure

$$\mathbf{W}_{j} = \sqrt{\frac{\mathbf{n}_{2j}\mathbf{n}_{1j}}{\mathbf{n}_{j}} \cdot \frac{\mathbf{a}_{j}}{\mathbf{n}_{i}} \cdot \left(1 - \frac{\mathbf{a}_{j}}{\mathbf{n}_{j}}\right)}$$

Rate Measure

$$W_{j} = \sqrt{\frac{b_{1j}b_{2j}}{b_{j}}} \cdot \frac{n_{j}}{b_{j}}$$

2. In each cell, calculate a Z value, Z_j. A Z statistic with mean 0 and variance 1 is needed for each cell.

- If $W_j = 0$, set $Z_j = 0$.
- Otherwise, the actual Z statistic calculation depends on the type of performance measure.

Mean Measure

$$Z_j = \Phi^{-1}(\alpha)$$

where α is determine by the following algorithm.

If $\min(n_{1j}, n_{2j}) > 6$, then determine α as

$$\alpha = P(t_{n_{1j}-1} \leq T_j),$$

that is, α is the probability that a t random variable with n_{ij} - 1 degrees of freedom, is less than

$$T_{j} = t_{j} + \frac{g}{6} \left(\frac{n_{1j} + 2n_{2j}}{\sqrt{n_{1j} n_{2j}(n_{1j} + n_{2j})}} \right) \left(t^{2} + \frac{n_{2j} - n_{1j}}{2n_{1j} + n_{2j}} \right),$$

where

$$t_{j} = \frac{\vec{X}_{1j} - \vec{X}_{2j}}{s_{1j}\sqrt{\frac{1}{n_{ij}} + \frac{1}{n_{2j}}}}$$

- and the coefficient g is an estimate of the skewness of the parent population, which we assume is the same in all cells. It can be estimated from the ILEC values in the largest cells. This needs to be done only once for each measure. We have found that separately leads to excessive variability in the "adjusted" t. We therefore use a single compromise value in all cells.
- Note, that t_j is the "modified Z" statistic. The statistic T_j is a "modified Z" corrected for the skewness of the ILEC data.

If $\min(n_{1j}, n_{2j}) \leq 6$, and

- a) $M_i \le 1,000$ (the total number of distinct pairs of samples of size n_{1j} and n_{2j} is 1,000 or less).
 - Calculate the sample sum for all possible samples of size n_{2i}.
 - Rank the sample sums from smallest to largest. Ties are dealt by using average ranks.
 - Let R₀ be the rank of the observed sample sum with respect all the sample sums.

$$\alpha = 1 - \frac{R_0 - 0.5}{M_i}$$

b) $M_i > 1,000$

- Draw a random sample of 1,000 sample sums from the permutation distribution.
- Add the observed sample sum to the list. There is a total of 1001 sample sums. Rank the sample sums from smallest to largest. Ties are dealt by using average ranks.
- Let R₀ be the rank of the observed sample sum with respect all the sample sums.

$$\alpha = 1 - \frac{R_0 - 0.5}{1001}.$$

Proportion Measure

$$Z_{j} = \frac{n_{j} a_{1j} - n_{1j} a_{j}}{\sqrt{\frac{n_{1j} n_{2j} a_{j} (n_{j} - a_{j})}{n_{j} - 1}}}$$

Rate Measure

$$Z_{j} = \frac{n_{ij} - n_{j} q_{j}}{\sqrt{n_{j} q_{j} (1 - q_{j})}}.$$

3. Obtain a truncated Z value for each cell, Z_j^* . To limit the amount of cancellation that takes place between cell results during aggregation, cells whose results suggest possible favoritism are left alone. Otherwise the cell statistic is set to zero. This means that positive equivalent Z values are set to 0, and negative values are left alone. Mathematically, this is written as

$$\mathbf{Z}_{j}^{*}=\min(\mathbf{0},\mathbf{Z}_{j}).$$

- 4. Calculate the theoretical mean and variance of the truncated statistic under the null hypothesis of parity, $E(Z_j^*|H_0)$ and $Var(Z_j^*|H_0)$. In order to compensate for the truncation in step 3, an aggregated, weighted sum of the Z_j^* will need to be centered and scaled properly so that the final aggregate statistic follows a standard normal distribution.
 - If $W_j = 0$, then no evidence of favoritism is contained in the cell. The formulae for calculating $E(Z_i^* | H_0)$ and $Var(Z_i^* | H_0)$ cannot be used. Set both equal to 0.
 - If $\min(n_{1j}, n_{2j}) > 6$ for a mean measure, $\min\left\{a_{1j}\left(1 \frac{a_{1j}}{n_{1j}}\right), a_{2j}\left(1 \frac{a_{2j}}{n_{2j}}\right)\right\} > 9$ for a proportion measure, or $\min\left(n_{1j}, n_{2j}\right) > 15$ and $n_j q_j (1 q_j) > 9$ for a rate measure then

$$E(Z_{j}^{*} | H_{0}) = -\frac{1}{\sqrt{2\pi}}$$
, and
 $Var(Z_{j}^{*} | H_{0}) = \frac{1}{2} - \frac{1}{2\pi}$.

• Otherwise, determine the total number of values for Z_j^* . Let z_{ji} and θ_{ji} , denote the values of Z_j^* and the probabilities of observing each value, respectively.

$$\begin{split} & E(Z_j^* \mid H_0) = \sum_i \theta_{ji} z_{ji} \text{,and} \\ & Var(Z_j^* \mid H_0) = \sum_i \theta_{ji} z_{ji}^2 - \left[E(Z_j^* \mid H_0) \right]^2. \end{split}$$

The actual values of the z's and θ 's depends on the type of measure, and the sums in the equations are over all possible values of the index i.

Mean Measure

$$N_{j} = \min(M_{j}, 1, 000), i = 1, ..., N_{j}$$

$$z_{ji} = \min\left\{0, 1 - \Phi^{-1}\left(\frac{R_{j} - 0.5}{N_{j}}\right)\right\} \text{ where } R_{i} \text{ is the rank of sample sum i}$$

$$\theta_{j} = \frac{1}{N_{j}}$$

Proportion Measure

$$z_{ji} = \min\left\{0, \frac{n_{j} i - n_{ij} a_{j}}{\sqrt{\frac{n_{ij} n_{2j} a_{j} (n_{j} - a_{j})}{n_{j} - 1}}}\right\}, \quad i = \min(a_{j}, n_{2j}), \dots, \max(0, a_{j} - n_{ij})$$

$$\theta_{ji} = HG(i)$$

Rate Measure

$$z_{ji} = \min\left\{0, \frac{i - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}}\right\}, \quad i = 0, \dots, n_j$$

$$\theta_{ji} = BN(i)$$

5. Calculate the aggregate test statistic, Z^{T} .

$$Z^{T} = \frac{\sum_{j} W_{j} Z_{j}^{*} - \sum_{j} W_{j} E(Z_{j}^{*} | H_{0})}{\sqrt{\sum_{j} W_{j}^{2} Var(Z_{j}^{*} | H_{0})}}$$

The Balancing Critical Value

There are four key elements of the statistical testing process:

- 1. the null hypothesis, H₀, that parity exists between ILEC and CLEC services
- 2. the alternative hypothesis, H_a , that the ILEC is giving better service to its own customers 3. the Truncated Z test statistic, Z^T , and
- 4. a critical value, c

The decision rule¹ is

•	If	$Z^T \leq c$	then	accept Ha.
•	If	$Z^T \ge c$	then	accept H ₀ .

There are two types of error possible when using such a decision rule:

¹ This decision rule assumes that a negative test statistic indicates poor service for the CLEC customer. If the opposite is true, then reverse the decision rule. Version 1Q00: 3/6/00

DC01/HEITJ/115887.1

Type I Error:	Deciding favoritism exists when there is, in fact, no favoritism,
Type II Error:	Deciding parity exists when there is, in fact, favoritism.

The probabilities of each type of each are:

Type I Error:
$$\alpha = P(Z^T < c \mid H_0)$$
.Type II Error: $\beta = P(Z^T \ge c \mid H_a)$.

We want a balancing critical value, $c_{\rm B}$, so that $\alpha = \beta$.

It can be shown that.

$$c_{B} = \frac{\sum_{j} W_{j} M(m_{j}, se_{j}) - \sum_{j} W_{j} \frac{-1}{\sqrt{2\pi}}}{\sqrt{\sum_{j} W_{j}^{2} V(m_{j}, se_{j})} + \sqrt{\sum_{j} W_{j}^{2} \left(\frac{1}{2} - \frac{1}{2\pi}\right)}}.$$

where

$$M(\mu, \sigma) = \mu \Phi\left(\frac{-\mu}{\sigma}\right) - \sigma \phi\left(\frac{-\mu}{\sigma}\right)$$
$$V(\mu, \sigma) = (\mu^{2} + \sigma^{2}) \Phi\left(\frac{-\mu}{\sigma}\right) - \mu \sigma \phi\left(\frac{-\mu}{\sigma}\right) - M(\mu, \sigma)^{2}$$

 $\Phi(\cdot)$ is the cumulative standard normal distribution function, and $\phi(\cdot)$ is the standard normal density function.

This formula assumes that Z_j is approximately normally distributed within cell j. When the cell sample sizes, n_{1j} and n_{2j} , are small this may not be true. It is possible to determine the cell mean and variance under the null hypothesis when the cell sample sizes are small. It is much more difficult to determine these values under the alternative hypothesis. Since the cell weight, W_j will also be small (see calculate weights section above) for a cell with small volume, the cell mean and variance will not contribute much to the weighted sum. Therefore, the above formula provides a reasonable approximation to the balancing critical value.

The values of m_i and se_i will depend on the type of performance measure.

Mean Measure

For mean measures, one is concerned with two parameters in each cell, namely, the mean and variance. A possible lack of parity may be due to a difference in cell means, and/or a difference in cell variances. One possible set of hypotheses that capture this notion, and take into account the assumption that transaction are identically distributed within cells is:

Under this form of alternative hypothesis, the cell test statistic Z_j has mean and standard error given by

$$m_{j} = \frac{-\delta_{j}}{\sqrt{\frac{1}{n_{ij}} + \frac{1}{n_{2j}}}}, \text{ and}$$
$$se_{j} = \sqrt{\frac{\lambda_{j}n_{1j} + n_{2j}}{n_{1i} + n_{2i}}}$$

Proportion Measure

For a proportion measure there is only one parameter of interest in each cell, the proportion of transaction possessing an attribute of interest. A possible lack of parity may be due to a difference in cell proportions. A set of hypotheses that take into account the assumption that transaction are identically distributed within cells while allowing for an analytically tractable solution is:

$$H_{0}: \frac{p_{2j}(1-p_{1j})}{(1-p_{2j})p_{1j}} = 1$$

$$H_{1}: \frac{p_{2j}(1-p_{1j})}{(1-p_{2j})p_{1j}} = \psi_{j} \qquad \qquad \psi_{j} > 1 \text{ and } j = 1,...,L.$$

These hypotheses are based on the "odds ratio." If the transaction attribute of interest is a missed trouble repair, then an interpretation of the alternative hypothesis is that a CLEC trouble repair appointment is ψ_j times more likely to be missed than an ILEC trouble.

Under this form of alternative hypothesis, the within cell asymptotic mean and variance of a_{ij} are given by²

$$E(a_{1j}) = n_j \pi_j^{(1)}$$

var $(a_{1j}) = \frac{n_j}{\frac{1}{\pi_j^{(1)} + \frac{1}{\pi_j^{(2)}} + \frac{1}{\pi_j^{(1)}}

where

² Stevens, W. L. (1951) Mean and Variance of an entry in a Contingency Table. *Biometrica*, **38**, 468-470. Version 1Q00: 3/6/00 DC01/HEITJ/115887.1

$$\begin{aligned} \pi_{j}^{(1)} &= f_{j}^{(1)} \left(n_{j}^{2} + f_{j}^{(2)} + f_{j}^{(3)} - f_{j}^{(4)} \right) \\ \pi_{j}^{(2)} &= f_{j}^{(1)} \left(-n_{j}^{2} - f_{j}^{(2)} + f_{j}^{(3)} + f_{j}^{(4)} \right) \\ \pi_{j}^{(3)} &= f_{j}^{(1)} \left(-n_{j}^{2} + f_{j}^{(2)} - f_{j}^{(3)} + f_{j}^{(4)} \right) \\ \pi_{j}^{(4)} &= f_{j}^{(1)} \left(n_{i}^{2} \left(\frac{2}{\psi_{j}} - 1 \right) - f_{j}^{(2)} - f_{j}^{(3)} - f_{j}^{(4)} \right) \\ f_{j}^{(1)} &= \frac{1}{2n_{j}^{2} \left(\frac{1}{\psi_{j}} - 1 \right)} \\ f_{j}^{(2)} &= n_{j}n_{1j} \left(\frac{1}{\psi_{j}} - 1 \right) \\ f_{j}^{(3)} &= n_{j}a_{j} \left(\frac{1}{\psi_{j}} - 1 \right) \\ f_{j}^{(4)} &= \sqrt{n_{j}^{2} \left[4n_{1j} \left(n_{j} - a_{j} \right) \left(\frac{1}{\psi_{j}} - 1 \right) + \left(n_{j} + \left(a_{j} - n_{1j} \right) \left(\frac{1}{\psi_{j}} - 1 \right) \right)^{2}} \end{aligned}$$

Recall that the cell test statistic is given by

$$Z_{j} = \frac{n_{j} a_{1j} - n_{1j} a_{j}}{\sqrt{\frac{n_{1j} n_{2j} a_{j} (n_{j} - a_{j})}{n_{j} - 1}}}.$$

Using the equations above, we see that Z_j has mean and standard error given by

$$m_{j} = \frac{n_{j}^{2} \pi_{j}^{(1)} - n_{ij} a_{j}}{\sqrt{\frac{n_{1j} n_{2j} a_{j} (n_{j} - a_{j})}{n_{j} - 1}}}, \text{ and}$$

$$se_{j} = \sqrt{\frac{n_{j}^{3} (n_{j} - 1)}{n_{1j} n_{2j} a_{j} (n_{j} - a_{j}) \left(\frac{1}{\pi_{j}^{(1)}} + \frac{1}{\pi_{j}^{(2)}} + \frac{1}{\pi_{j}^{(3)}} + \frac{1}{\pi_{j}^{(4)}}\right)}.$$

Rate Measure

A rate measure also has only one parameter of interest in each cell, the rate at which a phenomenon is observed relative to a base unit, e.g. the number of troubles per available line. A possible lack of parity may be due to a difference in cell rates. A set of hypotheses that take into account the assumption that transaction are identically distributed within cells is:

$$H_0: r_{1j} = r_{2j}$$

$$H_a: r_{2j} = \epsilon_j r_{1j}$$

$$\epsilon_j > i \text{ and } j = 1, ..., L.$$

Given the total number of ILEC and CLEC transactions in a cell, n_j , and the number of base elements, b_{1j} and b_{2j} , the number of ILEC transaction, n_{1j} , has a binomial distribution from n_j trials and a probability of

Attachment 9 Page 99

$$\mathbf{q}_{j}^{*} = \frac{\mathbf{r}_{ij}\mathbf{b}_{1j}}{\mathbf{r}_{ij}\mathbf{b}_{1j} + \mathbf{r}_{2j}\mathbf{b}_{2j}}$$

Therefore, the mean and variance of n_{1j}, are given by

$$E(n_{ij}) = n_j q_j^*$$

 $var(n_{ij}) = n_j q_j^* (1 - q_j^*)$

Under the null hypothesis

$$q_j^* = q_j = \frac{b_{lj}}{b_j},$$

but under the alternative hypothesis

$$q_j^* = q_j^a = \frac{b_{1j}}{b_{1j} + \varepsilon_j b_{2j}}.$$

Recall that the cell test statistic is given by

$$Z_{j} = \frac{n_{1j} - n_{j} q_{j}}{\sqrt{n_{j} q_{j} (1 - q_{j})}}.$$

Using the relationships above, we see that Z_i has mean and standard error given by

$$m_{j} = \frac{n_{j}(q_{j}^{*} - q_{j})}{\sqrt{n_{j}q_{j}(1 - q_{j})}} = (1 - \varepsilon_{j})\sqrt{\frac{n_{j}b_{1j}b_{2j}}{b_{1j} + \varepsilon_{j}b_{2j}}}, \text{ and}$$

$$se_{j} = \sqrt{\frac{q_{j}^{*}(1 - q_{j}^{*})}{q_{j}(1 - q_{j})}} = \sqrt{\varepsilon_{j}} \frac{b_{j}}{b_{1j} + \varepsilon_{j}b_{2j}}.$$

Determining the Parameters of the Alternative Hypothesis

In this appendix we have indexed the alternative hypothesis of mean measures by two sets of parameters, λ_j and δ_j . Proportion and rate measures have been indexed by one set of parameters each, ψ_j and e_j respectively. While statistical science can be used to evaluate the impact of different choices of these parameters, there is not much that an appeal to statistical principles can offer in directing specific choices. Specific choices are best left to telephony experts. Still, it is possible to comment on some aspects of these choices:

• Parameter Choices for λ_j . The set of parameters λ_j index alternatives to the null hypothesis that arise because there might be greater unpredictability or variability in the delivery of service to a CLEC customer over that which would be achieved for an otherwise comparable ILEC customer. While concerns about differences in the variability of service are important, it turns out that the truncated Z testing which is being recommended here is relatively insensitive to all but very large values of the λ_j . Put another way, reasonable differences in the values chosen here could make very little difference in the balancing points chosen.

- <u>Parameter Choices for δ</u>_i. The set of parameters δ_j are much more important in the choice of the balancing point than was true for the λ_j. The reason for this is that they directly index differences in average service. The truncated Z test is very sensitive to any such differences; hence, even small disagreements among experts in the choice of the δ_j could be very important. Sample size matters here too. For example, setting all the δ_j to a single value δ_j = δ might be fine for tests across individual CLECs where currently in Louisiana the CLEC customer bases are not too different. Using the same value of δ for the overall state testing does not seem sensible, however, since the state sample would be so much larger.
- <u>Parameter Choices for ψ_i or ε_i </u>. The set of parameters ψ_j or ε_j are also important in the choice of the balancing point for tests of their respective measures. The reason for this is that they directly index increases in the proportion or rate of service performance. The truncated Z test is sensitive to such increases; but not as sensitive as the case of δ_j for mean measures. Sample size matters here as well. As with mean measures, using the same value of ψ or ε for the overall state testing does not seem sensible since the state sample would be so much larger.

The bottom line here is that beyond a few general considerations, like those given above, a principled approach to the choice of the alternative hypotheses to guard against, must come from elsewhere.

DECISION PROCESS

Once Z^{T} has been calculated, it is compared to the balancing critical value to determine if the ILEC is favoring its own customers over a CLEC's customers.

This critical value changes as the ILEC and CLEC transaction volume change. One way to make this transparent to the decision maker, is to report the difference between the test statistic and the critical value, $diff = Z^T - c_B$. If favoritism is concluded when $Z^T < c_B$, then the diff < 0 indicates favoritism.

This make it very easy to determine favoritism: a positive diff suggests no favoritism, and a negative diff suggests favoritism.

.

ь

EXHIBIT D

۰ **ب**

Version 1Q00: 3/6/00 DC01/HEITJ/115887.1

BST VSEEM REMEDY PROCEDURE

TIER-1 CALCULATION FOR RETAIL ANALOGUES:

- 1. Calculate the overall test statistic for each CLEC; z^{T}_{CLEC1} (See Exhibit C)
- 2. Calculate the balancing critical value $\begin{pmatrix} C \\ B_{cteor} \end{pmatrix}$ that is associated with the alternative hypothesis (for fixed parameters δ , ψ or ε). (See Exhibit C)
- 3. If the overall test statistic is equal to or above the balancing critical value, stop here. Otherwise, go to step 4.
- Calculate the Parity Gap by subtracting the value of step 2. from that of step 1.;
 z^T_{CLEC1} ^C_{B α.εc1}
- Calculate the Volume Proportion using a linear distribution with slope of ¼. This can be accomplished by taking the absolute value of the Parity Gap from step 4. divided by 4;
 ABS((z^T_{CLEC1} ^C<sub>B_{CLEC1}) / 4). All parity gaps equal or greater to 4 will result in a volume proportion of 100%.
 </sub>
- Calculate the Affected Volume by multiplying the Volume Proportion from step 5. by the Total CLEC₁ Volume in the negatively affected cell; where the cell value is negative. (See Exhibit C)
- 7. Calculate the payment to NATC by multiplying the result of step 6. by the appropriate dollar amount from the fee schedule.

So, NATC payment = Affected Volume_{CLEC1} * \$\$ from Fee Schedule

	n _t	nc	MłAr	MIAc	Z ^T CLEC1	С _в	Parity Gap	Volume	Affected Volume
State	50000	600	9%	16%	-1.92	-0.21	1.71	Proportion 0.4275	volume
Cell					ZCLEC1				
1		150	0.091	0.112	-1.994				64
2		75	0,176	0.098	0.734				
3		10	0.128	0.333	-2.619				4
4		50	0.158	0.242	-2.878				21
5		15	0.245	0.075	1.345				
6		200	0.156	0.130	0.021				
7		30	0.166	0.233	-0.600				13
8		20	0.106	0.127	-0.065				9
9		40	0.193	0.218	-0.918				17
10		10	0.160	0.235	-0.660				4
								-	133

Example: NATC Missed Installation Appointments (MIA) for Resale POTS

where $n_t = ILEC$ observations and $n_c = NATC$ observations

Payout for NATC is (133 units) * (\$100/unit) = <u>\$13,300</u> **TIER-2 CALCULATION for RETAIL ANALOGUES**:

- 1. Tier-2 is triggered by three monthly failures of any VSEEM submetric in the same quarter.
- 2. Calculate the overall test statistic for the CLEC Aggregate using all transactions from the calendar quarter; z^T_{CLECA}
- 3. Calculate the balancing critical value (B_{CLECT}) that is associated with the alternative hypothesis (for fixed parameters δ , ψ or ε). (See Exhibit C)
- 4. If the overall test statistic is equal to or above the balancing critical value for the calendar quarter, stop here. Otherwise, go to step 5.
- 5. Calculate the Parity Gap by subtracting the value of step 3. from that of step 2.; z^T_{CLECA} - ^C_{B CLECA}
- Calculate the Volume Proportion using a linear distribution with slope of ¼. This can be accomplished by dividing the Parity Gap from step 5. by 4; ABS((z^T_{CLECA} ^C<sub>B_{CLECA}) / 4). All parity gaps equal or greater to 4 will result in a volume proportion of 100%.
 </sub>
- Calculate the Affected Volume by multiplying the Volume Proportion from step 6. by the Total CLEC_A Volume (CLEC Aggregate) in the negatively affected cell; where the cell value is negative (See Exhibit C).
- 8. Calculate the payment to State Designated Agency by multiplying the result of step 7. by the appropriate dollar amount from the fee schedule.

So, State Designated Agency payment = Affected Volume_{CLECA} * \$\$ from Fee Schedule

Ohaha	n _L	n _c	MIA	MIAc	Z ^T CLECA	CB	Parity Gap	Volume	Affected
State Quarter1	180000	2100	9%	16%	-1.92	-0.21	1.71	Proportion 0.4275	Volume
Cell					ZÇLECA				
1		500	0.091	0.112	-1.994				214
2		300	0.176	0.098	0.734				
3		80	0.128	0.333	-2.619				34
4		205	0.158	0.242	-2.878				88
5		45	0.245	0.075	1.345				
6		605	0.156	0.130	0.021				
7		80	0.166	0.233	-0.600				34
8		40	0.106	0.127	-0.065				17

Example: CLEC-A Missed Installation Appointments (MIA) for Resale POTS

Attachment 9 Page 104

9	165	0.193	0.218	-0.918
10	80	0.160	0.235	-0.660

71 <u>34</u> 492

where $n_1 = ILEC$ observations and $n_c = CLEC-A$ observations

Payout for CLEC-A is (492 units) * (\$300/unit) = \$147,600

Tier-3

Tier-3 uses the monthly CLEC Aggregate results in a given State. Tier-3 is triggered when five of the twelve Tier-3 sub-metrics experience consecutive failures in a given calendar quarter. The table below displays a situation that would trigger a Tier-3 failure, and one that would not.

			TIER-3 FALU X = Ma	NOT A TIER 3 FAILURE X = Mss			
Process Man	LI166	Jan	Feb	Mar	Jan	Feb	Mar
Research to the second state of the second sta	le POTS	X	X	X	X		
	le Design	X			x	<u> </u>	X
UNE	Loop & Port Combo		X				
	Loope	X	X	X			
Resal	le POTS	X	X	X	X		X
	le Design		X	X		X	
UNE	Loop & Port Combo				A 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	X	X
	Loops				X		
Burg	Accuracy	X	X	X			,
Billing	g Timelinese				X	X	X_
Perce	ant Trunk Blockage	×	X	X			
Perce	ent Missed Collocation Due Dates						

Tier-3 is effective immediately after quarter results, and can only be lifted when two of the five failed sub-metrics show compliance for two consecutive months in the following quarter.

All tiers standalone, such that triggering Tier-3 will not cease payout of any Tier-1 or Tier-2 failures.

TIER-1 CALCULATION FOR BENCHMARKS:

- 1. For each CLEC, with five or more observations, calculate monthly performance results for the State.
- 2. CLECs having observations (sample sizes) between 5 and 30 will use Table I below:

Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark	Sample Size	Equiv 9(Benci
5	60.00%	80.00%	16	7
6	66.67%	83.33%	17	7
7	71.43%	85.71%	18	7
8	75.00%	75.00%	19	7
9	66.67%	77.78%	20	- 6
10	70.00%	80.00%	21	7
11	72.73%	81.82%	22	7
12	75.00%	83.33%	23	7
13	76.92%	84.62%	24	7
14	78.57%	85.71%	25	
15	73.33%	86.67%	26	8
			27	8
			28	7

TABLE I	SMALL SAMPLE SIZE TABLE
	(95% Confidence)

Sample Size	Equivalent 90%	Equivalent 95%
	Benchmark	Benchmark
16	75.00%	87.50%
17	76.47%	82.35%
18	77.78%	83.33%
19	78.95%	84.21%
20	80.00%	85.00%
21	76.19%	85.71%
22	77.27%	86.36%
23	78.26%	86.96%
24	79.17%	87.50%
25	80.00%	88.00%
26	80.77%	88.46%
27	81.48%	88.89%
28	78.57%	89.29%
29	79.31%	86.21%
30	80.00%	86.67%

- 3. If the percentage (or equivalent percentage for small samples) is equal to or below the benchmark standard, stop here. Otherwise, go to step 4.
- 4. Determine the Volume Proportion by taking the difference between the benchmark and the actual performance result.
- 5. Calculate the Affected Volume by multiplying the Volume Proportion from step 4. by the Total CLEC₁ Volume.
- 6. Calculate the payment to NATC by multiplying the result of step 5. by the appropriate dollar amount from the fee schedule.

So, NATC payment = Affected Volume_{CLEC1} *\$\$ from Fee Schedule

Example: NATC Missed Installation Appointments (MIA) for UNE Loops

	n c	Benchmark	MIAc	Volume Proportion	Affected Volume
State	600	9%	12%	.03	18

Payout for NATC is (18 units) * (\$400/unit) = <u>\$7,200</u>

TIER-I CALCULATION FOR BENCHMARKS (IN THE FORM OF A TARGET):

- 1. For each, with five or more observations, CLEC calculate monthly performance results for the State.
- 2. CLECs having observations (sample sizes) between 5 and 30 will use Table I above.
- 3. Calculate the interval distribution based on the same data set used in step 1.
- 4. If the 'percent within' is equal to or exceeds the benchmark standard, stop here. Otherwise, go to step 5.
- 5. Determine the Volume Proportion by taking the difference between 100% and the actual performance result.
- 6. Calculate the Affected Volume by multiplying the Volume Proportion from step 5. by the Total CLEC₁ Volume.
- 7. Calculate the payment to NATC by multiplying the result of step 6. by the appropriate dollar amount from the fee schedule.

So, NATC payment = Affected Volume_{CLEC1} * \$\$ from Fee Schedule

Example: NATC Reject Timeliness

	nc	Benchmark	Reject Timeliness _c	Volume Proportion	Affected - Volume
State	600	95% within 1 hour	93% within 1 hour	.07	42

Payout for NATC is (42 units) • (100/unit) = 4.200

TIER-2 CALCULATIONS for BENCHMARKS:

Tier-2 calculations for benchmark measures are the same as the Tier-1 benchmark calculations except the CLEC Aggregate data having failed for three months in a given calendar quarter is being assessed.

Attachment 9 Page 107

EXHIBIT E

.

Version 1Q00: 3/6/00 DC01/HEITJ/115887.1 :

. . . _

Table-1

LIOUIDATED DAMAGES TABLE FOR TIER-1 MEASURES

.

PER AFFECTED ITEM									
	Month 1	Month 2	Month3	Month4	Month 5	Month 6			
Ordering	\$40	\$50	\$60	\$70	\$80	\$90			
Provisioning	\$100	\$125	\$175	\$250	\$325	\$500			
Provisioning UNE (Coordinated Customer Conversions)	\$400	\$450	\$500	\$550	\$650	\$800			
Maintenance and Repair	\$100	\$125	\$175	\$250	\$325	\$500			
Maintenance and Repair UNE	\$400	\$450	\$500	\$550	\$650	\$800			
LNP	\$150	\$250	\$500	\$600	\$700	\$800			
IC Trunks	\$100	\$125	\$175	\$250	\$325	\$500			
Collocation	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000			

Table-2

VOLUNTARY PAYMENTS FOR TIER-2 MEASURES

	Per Affected Item
OSS	\$20
Pre-Ordering	
Ordering	\$60
Provisioning	\$300
UNE Provisioning	\$875
(Coordinated Customer Conversions)	
Maintenance and Repair	\$300
UNE Maintenance and Repair	\$875
Billing	\$1.00
LNP	\$500
IC Trunks	\$500
Collocation	\$15,000

for North American Telecommunications Corporation BellSouth Standard Interconnection Agreement

Agreement Effective Date:	Agreement Expiration Date:
Account Manager:	Account Manager Tel No:

Attachment Name/Number	Section Number	Version Date	Planned Activities
Terms/Conditions PartA	1		· · · · · · · · · · · · · · · · · · ·
	2		
·····	3		
· · · · · · · · · · · · · · · · · · ·	4		
	5		
	6		
	7		
	8		
	9		
······································	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	- 24		
	25		
	26		
Terms/Conditions Part B			
1-Resale	1		

Version2Q99:06/08/99

for

North American Telecommunications Corporation BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
	Exhibit G		
	Exhibit H		
2-Network Elements & Other Services	1		
	2		
······································	3		
	4		
	5		
	6		
	7		
<u> </u>	8	1	
	9		
	10		

Version2Q99:06/08/99

-

for

North American Telecommunications Corporation

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	Exhibit A		
	Exhibit B		
	Exhibit C		/
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
· · · · · · · · · · · · · · · · · · ·	8		
	Exhibit A		
4-Physical Collocation	1		
	2		
	3		
	4		
	5		
	6		
	7		
· · · · · · · · · · · · · · · · ·	8		
	9	1	
	10	1 1	
	11		
······································	12	1	

Version2Q99:06/08/99

.

-

for

North American Telecommunications Corporation BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	13		
	14		
	Exhibit A		
	Exhibit B		
5-Access to Numbers &			
Number Portability	1		
	2		
	3		
	4		
·····	5		
	6		
	7		
	8		
	Exhibit A		
6-Ordering/Provisioning	1		
	2		
	3		
7-Billing & Billing			
Accuracy Certification	_ 1		
	2		
	3		
	4	T	
	5		
	6		
	7		
	Exhibit A	<u> </u>	
8-ROW/Conduits/PoleAtt	1	<u> -</u>	
9-Perf Measurement	Pre-Ordering		
	Ordering	<u>†</u>	
· · · · · · · · · · · · · · · · · · ·	Provisioning	<u>†</u> - <u> </u>	
	Maint/Repair	<u>}</u> ────────────────────────────────────	

Version2Q99:06/08/99

for

North American Telecommunications Corporation BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	Billing		
	Opr Svcs/DA		
	E911		
	Trunk Grp Perf		
	Collocation		
	Appendix A		· · ·
	Appendix B		
	Appendix C		

for

e•spire BellSouth Standard Interconnection Agreement

Agreement Effective Date:	Agreement Expiration Date:
Account Manager:	Account Manager Tel No:

Attachment Name	Section No.	Version Date	Planned Activities
Terms/Conditions PartA	1		
	2		
	3		
	4		
	5		
	6		
	7		· ·
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
Terms/Conditions Part B	1		
1-Resale	11		

٠

AGREEMENT IMPLEMENTATION TEMPLATE (Business) for e•spire

.

.

BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	· · · · · · · · · · · · · · · · · · ·
	2		
	3		
	4		
	5		
	6		
	7		•
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
	Exhibit G		
	Exhibit H		
2-Network Elements & Other Services	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		

.

Attachment 10-Business Page 7

for

e•spire

BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	Exhibit A		
4-Physical Collocation	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		

for

e●spire

BellSouth Standard Interconnection Agreement

.

.

Attachment Name	Section No.	Version Date	Planned Activities
Traint	13		
	15		
	Exhibit A		
	Exhibit B		
5-Access to Numbers &	Exhibit B		
Number Portability	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	Exhibit A		
6-Ordering/Provisioning	1		
	2		
	3		
7-Billing & Billing Accuracy Certification	1		
Accuracy existing and	2	{	
	3		
	4		
	5		
	6		
	7		
	Exhibit A		
8-ROW/Conduits/PoleAtt	1		
9-Perf Measurement	Pre-Ordering		
	Ordering		
	Provisioning		•
	Maint/Repair		

for

e•spire

BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
	Billing		
	Opr Svcs/DA		
	E911		
	Trunk Grp Perf		
	Collocation		
	Appendix A		
	Appendix B		
	Appendix C		

.

٠

ATTACHMENT 11 Page 1

Attachment 11

.

• • •.

Bona Fide Request and New Business Requests Process

Ň

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that NATC is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. NATC also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this <u>Attachment 11</u>.
- 2.0 Bona Fide Requests ("BFR") are to be used when NATC makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when NATC makes a request of BellSouth to provide a new or custom capability or function to meet NATC's business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between NATC and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- 3.0 A BFR shall be submitted in writing by NATC and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a NATC's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to NATC's Account Executive.
- 4.0 NATC may cancel a BFR or NBR at any time. If NATC cancels the request more than three (3) business days after submitting it, NATC shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If NATC does not cancel a BFR or NBR, NATC shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- 5.0 Within fifteen (15) business days of its receipt of a BFR or NBR from NATC, BellSouth shall respond to NATC by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the

ATTACHMENT 11 Page 3

Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection, Network Element, or is not otherwise required to be provided under the Act.

- 6.0 If BellSouth determines that the Interconnection, Network Element, or other facility or service option that is the subject of the BFR is technically feasible, BellSouth shall propose a firm price and a detailed implementation plan within forty (40) business days after receipt of the BFR. BellSouth may, but shall not be required, to provide a firm time and cost proposal for a NBR.
- 7.0 Within thirty (30) business days after its receipt of (i) a refusal of BellSouth to provide a BFR or NBR price quote, or (ii) the BFR or NBR price quote and implementation plan from BellSouth, NATC must either confirm or cancel its order for such facility or service option. If it believes such quote is not consistent with the requirements of the Act, NATC may at that time seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 8.0 Unless NATC agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 9.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- 10.0 Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.

7/7/00 Version