AUSLEY & MCMULLEN

ORIGINAL

ATTORNEYS AND COUNSELORS AT LAW

227 SOUTH CALHOUN STREET P.O. BOX 391 (ZIP 32302) TALLAHASSEE, FLORIDA 32301 (850) 224-9115 FAX (850) 222-7560

October 21, 2002

HAND DELIVERED

Ms. Blanca S. Bayo, Director Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850

21 PM 2: 5

Re: Environmental Cost Recovery Clause <u>FPSC Docket No. 020007-EI</u>

Dear Ms. Bayo:

Enclosed for filing in the above docket are the original and ten (10) copies of Tampa Electric Company's Statement of Issues and Positions.

Please acknowledge receipt and filing of the above by stamping the duplicate copy of this letter and returning same to this writer.

Thank you for your assistance in connection with this matter.

Sincerely,

James D. Beasley

JDB/pp Enclosure



All Parties of Record (w/enc.)

RECEIVED & FILED FPSC-BUREAU OF RECORDS

DDCUMENT NUMBER-DATE

11433 OCT 218

FPSC-COMMISSION CLERK

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Environmental Cost Recovery Clause.)

)

DOCKET NO. 020007-EI FILED: October 21, 2002

TAMPA ELECTRIC COMPANY'S STATEMENT OF ISSUES AND POSITIONS

Tampa Electric Company ("Tampa Electric" or "the company") hereby submits its Statement of the Issues and Positions to be taken up at hearing scheduled to commence on November 20, 2002 in the above docket.

Issue No. 1: What are the appropriate final environmental cost recovery true-up amounts for the period ending December 31, 2001?

Tampa Electric's Position: An under-recovery of \$1,001,138. (Witness: Bryant)

Issue No. 2: What are the estimated environmental cost recovery true-up amounts for the period January 2002 through December 2002?

Tampa Electric's Position: An over-recovery of \$3,457,263. (Witness: Bryant)

Issue No. 3: What are the total environmental cost recovery true-up amounts to be collected or refunded during the period January 2003 through December 2003?

Tampa Electric's Position: The total environmental cost recovery true-up amount to be collected in 2003 will be an over-recovery of \$2,456,125. (Witness: Bryant)

Issue No. 4: What are the appropriate projected environmental cost recovery amounts for the period January 2003 through December 2003?

Tampa Electric's Position: The appropriate amount of environmental costs projected to be recovered for the period January 2003 through December 2003 is \$25,795,266. (Witness: Bryant)

Issue No. 5: What depreciation rates should be used to develop the depreciation expense included in the total environmental cost recovery amounts for the period January 2002 through December 2002?

<u>**Tampa Electric's Position**</u>: The depreciation rates used to calculate the depreciation expense shall be the rates that are in effect during the period the allowed capital investment is in service. (Witness: Bryant)

Issue No. 6: What are the appropriate jurisdictional separation factors for the projected period January 2003 through December 2003?

Tampa Electric's Position: The demand jurisdictional separation factor is 95.43611%. The energy jurisdictional separation factors are calculated for each month based on retail kWh sales as a percentage of projected total system kWh sales. These are shown on the schedules sponsored by witness Bryant. (Witness: Bryant)

Issue No. 7: What are the appropriate environmental cost recovery factors for the period January 2003 through December 2003 for each rate group?

<u>**Tampa Electric's Position**</u>: The appropriate environmental cost recovery factors for the period January 2003 through December 2003 for each rate group are as follows:

Rate Class	Factor (¢/kWh)
RS, RST	0.144
GS, GST, TS	0.144
GSD, GSDT	0.143

GSLD, GSLDT, SBF	0.142
IS1, IST1, SBI1, SBIT1, IS3, IST3, SBI3, SBIT3	0.137
SL, OL	0.142
Average Factor	0.143
(Witness: Bryant)	

Issue No. 8: What should be the effective date of the environmental cost recovery factors for billing purposes?

<u>Tampa Electric's Position</u>: The factors should be effective beginning with the specified environmental cost recovery cycle and thereafter for the period January 2003 through December 2003. Billing cycles may start before January 1, 2003 and the last cycle may be read after December 31, 2003, so that each customer is billed for 12 month regardless of when the adjustment factor became effective. (Witness: Bryant)

DATED this **21**³ day of October 2002.

Respectfully submitted,

LEE L.WILLIS JAMES D. BEASLEY Ausley & McMullen Post Office Box 391 Tallahassee, FL 32302 (850) 224-9115

ATTORNEYS FOR TAMPA ELECTRIC COMPANY

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a true copy of the foregoing Statement of Issues and Positions

filed on behalf of Tampa Electric Company has been furnished by hand delivery (*) or U. S. Mail on this 2 | day of October 2002 to the following:

Ms. Marlene K. Stern* Staff Counsel Division of Legal Services Florida Public Service Commission 2540 Shumard Oak Boulevard Room 370 – Gunter Building Tallahassee, FL 32399-0850

Mr. Robert Vandiver Associate Public Counsel Office of Public Counsel 111 West Madison Street – Suite 812 Tallahassee, FL 32399-1400

Mr. John W. McWhirter, Jr.
McWhirter, Reeves, McGlothlin, Davidson, Decker, Kaufman, Arnold & Steen, P.A.
P.O. Box 3350
Tampa, FL 33601-3350

Mr. Joseph A. McGlothlin
Ms. Vicki Gordon Kaufman
McWhirter, Reeves, McGlothlin, Davidson, Decker, Kaufman, Arnold & Steen, P.A.
117 South Gadsden Street
Tallahassee, FL 32301

Mr. James A. McGee Associate General Counsel Florida Power Corporation 100 Central Avenue St. Petersburg, FL 33701-3324 Mr. Richard D. Melson Mr. Gary V. Perko Hopping Green & Sams, P.A. P. O. Box 6526 Tallahassee, FL 32314

Mr. John T. Butler Steel Hector & Davis LLP 200 South Biscayne Boulevard Suite 4000 Miami, FL 33131-2398

Mr. R. Wade Litchfield Florida Power & Light Company 700 Universe Blvd. Juno Beach, FL 33408

Ms. Susan Ritenour Gulf Power Company One Energy Place Pensacola, FL 32520

Mr. Jeffrey A. Stone Mr. Russell A. Badders Beggs and Lane Post Office Box 12950 Pensacola, FL 32591-2950

for Consumer