Dorothy Menasco

From:	Freedman, Maggie [Maggie.Freedman@ruden.com] on behalf of Cooke, Michael [Michael.Cooke@ruden.com]
Sent:	Thursday, November 17, 2011 4:32 PM
То:	Filings@psc.state.fl.us
Cc:	Patti Daniel; Ralph Jaeger; REILLY.STEVE@leg.state.fl.us; KByrd@givenslawgroup.com
Subject:	Docket No. 110020-WS - Application for certificates to provide water and wastewater service in Marion County by Equity LifeStyle Properties, Inc., OB Utility
Attachments: OB 11-17-11.pdf	

Docket No:

Docket No. 110020-WS – Application for certificates to provide water and wastewater service in Marion County by

Equity LifeStyle Properties, Inc., OB Utility Systems, L.L.C.

Person Filing:

Michael G. Cooke Ruden McClosky P.A. 215 S. Monroe Street, Suite 815 Tallahassee, FL 32301 (850) 412-2005 (850) 412-1305 facsimile Michael.Cooke@Ruden.com

Filed on behalf of: Equity LifeStyle Properties, Inc.

Total number of pages:

Two (2)

Description:

Copy of notes from the Customer Meeting

Maggie Freedman Legal Secretary

Ruden McClosky 215 South Monroe Street Suite 815 Tallahassee, FL 32301 Direct 850-412-2021 | Fax 850-412-1321 Maggie.Freedman@ruden.com | www.ruden.com

To subscribe to our advisories, please click here.

NOTICE: This e-mail message and any attachment to this e-mail message contains confidential information that may be legally privileged. If you are not the intended recipient, you must not review, retransmit, convert to hard copy, copy, use or disseminate this e-mail or any attachments to it. If you have received this e-mail in error, please notify us immediately by return e-mail or by telephone at 954-764-6660 and delete this message. Please note that if this e-mail message contains a forwarded message or is a reply to a prior message, some or all of the contents of this message or any attachments may not have been produced by the sender.

DOCUMENT NUMBER-DATE

08457 NOV 17 =

FPSC-COMMISSION CLERK

401 EAST JACKSON STREET SUITE 2700 TAMPA, FLORIDA 33602

(813) 222-6685 FAX: (813) 314-6985 MICHAEL.COOKE@RUDEN.COM

November 17, 2011

Ms. Ann Cole, Director Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850

Ruden McClosky

Re: Docket No. 110020 Application for certificates to provide water and wastewater service in Marion County by OB Utility Systems, L.L.C.

Dear Ms. Cole:

Enclosed for filing in the above referenced docket is a copy of notes regarding the recently held customer meeting at OB Utility Systems, L.L.C. The notes provide a list of issues raised by customers at the meeting and a brief response by Equity Lifestyle Properties, Inc., to the issues. For some issues, responses are still being determined, and ELS plans to file additional information in the near future.

Thank you for your assistance with this filing and please do not hesitate to contact me if you have any questions.

Sincerely,

held S. Coola

Michael G. Cooke

MGC/ Enclosure

DOCUMENT NUMBER-DATE

FPSC-COMMISSION CLERK

8457 NOV 17 =

:•

÷

FT. LAUDERDALE = MIAMI = NAPLES > ORLANDO = PORT ST. LUCIE + TALLAHASSEE = TAMPA + WEST PALM BEACH

Oak Bend Customer Meeting Notes - November 8, 2011

Customers raised the following questions/issues:

Customer concerns over water valves for remediation of line breaks - all valves are operable will be reviewed/ exercised with FRWA, as built plans are onsite

Meter accuracy/ installation – all sites have meters, common areas will have meters installed in the first quarter of 2012, will have all meters checked and calibrated with FRWA and replace the ones that do not work

WTP/WWTP compliance - both plants are in compliance and routinely inspected by the FDEP

Infrastructure concerns- will look at feasibility study of the lines and have a 2012 budget line item to replace infrastructure as needed

Emergency preparedness plan - ELS site staff and third party plant operator are filing plan by end of year 2011

Calculation of roll back to account for irrigation - TBD by ELS and customers

Meter reading company - readings will be done by radio read technology

÷.

47