

Writer's Direct Dial Number: (850) 521-1706
Writer's E-Mail Address: bkeating@gunster.com

September 12, 2014

E - Portal

Carlotta Stauffer
Commission Clerk
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850


Re: Docket No. 140004-GU – Natural Gas Conservation Cost Recovery Clause

Dear Ms. Stauffer:

Attached for electronic filing, please find a Florida City Gas's Preliminary List of Issues and Positions

Thank you for your assistance with this filing. As always, please don't hesitate to let me know if you have any questions whatsoever.

Sincerely,



Beth Keating
Gunster, Yoakley & Stewart, P.A.
215 South Monroe St., Suite 601
Tallahassee, FL 32301
(850) 521-1706

MEK
cc: Parties of Record

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Natural Gas)
Conservation Cost Recovery)
Clause)
_____)

Docket No. 140004-GU
Filed: September 12, 2014

**FLORIDA CITY GAS
PRELIMINARY STATEMENT OF ISSUES AND POSITIONS**

The following is the preliminary statement of issues and positions filed on behalf of Florida City Gas:

1. What are the final conservation cost recovery true-up amounts for the period January 2013 through December 2013?

Florida City Gas: An over-recovery of \$969,567, calculated based upon an end-of-period net true up over-recovery of \$1,697,819.

2. What are the total conservation cost recovery amounts to be collected during the period January 2015 through December 2015?

Florida City Gas: A total of \$4,791,999.

3. What are the conservation cost recovery factors for the period January 2015 through December 2015?

Florida City Gas: The appropriate factors are:


RATE CLASS	RATE/\$ PER THERM
GS-1, GS-100, GS-220, RSG, CSG (Sales & Transportation)	\$0.14392
GS-600 (Sales & Transportation)	\$0.07223
GS-1200 (Sales & Transportation)	\$0.04286
GS-6k (Sales & Transportation)	\$0.03565
GS-25000 (Sales & Transportation)	\$0.03546

RATE CLASS	RATE/\$ PER THERM
GS-60000 (Sales & Transportation)	\$0.03484
Gas Lights	\$0.06888
GS-120000 (Sales & Transportation)	\$0.02409
GS-250000 (Sales & Transportation)	\$0.02283

4. What should be the effective date of the conservation cost recovery factors for billing purposes?

Florida City Gas: The factors should be effective beginning with the specified conservation cost recovery cycle and thereafter for the period January 2015 through December 2015. Billing cycles may start before January 1, 2015 and the last cycle may be read after December 31, 2015, so that each customer is billed for twelve months regardless of when the adjustment factor became effective.

RESPECTFULLY SUBMITTED this 12th day of September, 2014.




Beth Keating
Gunster, Yoakley & Stewart, P.A.
215 South Monroe St., Suite 601
Tallahassee, FL 32301
(850) 521-1706

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a true and correct copy of the foregoing has been furnished by electronic or US Mail to the following parties of record this 12th day of September, 2014:

Florida Public Utilities Company/Florida Division of Chesapeake Utilities Corporation Cheryl Martin 911 South 8th Street Fernandina Beach, FL 32034	MacFarlane Ferguson Law Firm Ansley Watson, Jr. P.O. Box 1531 Tampa, FL 33601-1531
Messer Law Firm Norman H. Horton, Jr. P.O. Box 15579 Tallahassee, FL 32317	Office of Public Counsel J.R. Kelly/Patricia Christensen c/o The Florida Legislature 111 West Madison Street Room 812 Tallahassee, FL 32399-1400
Peoples Gas System Paula Brown Kandi Floyd P.O. Box 111 Tampa, FL 33601-0111	St. Joe Natural Gas Company, Inc. Mr. Andy Shoaf P.O. Box 549 Port St. Joe, FL 32457-0549
Sebring Gas System, Inc. Jerry H. Melendy, Jr. 3515 U.S. Highway 27 South Sebring, FL 33870	AGL Resources Inc. Elizabeth Wade Ten Peachtree Place Location 1470 Atlanta, GA 30309
Florida City Gas Carolyn Bermudez 933 East 25 th Street Hialeah, FL 33013-3498	Kelley Corbari Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399



Beth Keating
Gunster, Yoakley & Stewart, P.A.
215 South Monroe St., Suite 601
Tallahassee, FL 32301