

Lisa Smith

From: Office of Commissioner Passidomo
Sent: Friday, January 21, 2022 8:52 AM
To: Commissioner Correspondence
Subject: FW: Deny EU's application Docket# 20200226-SU

Please place the e-mail below in Docket No. 20200226.

Thank you!

From: Cori Palmere <cori.palmere@gmail.com>
Sent: Friday, January 21, 2022 8:35 AM
To: Office of Commissioner Passidomo <Commissioner.Passidomo@psc.state.fl.us>
Subject: Fwd: Deny EU's application Docket# 20200226-SU

Subject: Deny EU's application Docket# 20200226-SU

Dear Commissioners,
My name is Cori Palmere. My husband, Jim Palmere, and I live at 31 South Gulf Blvd. on Don Pedro Island. We are within the service district for the central sewer system being proposed by Environmental Utilities (EU). We strongly urge you to DENY EU's application for Original Certification or Authorization for the following reasons
1. Need - The need for service at this time is not warranted. No water testing has been done to determine there is currently a problem with our septic systems. Many of the homes on the island are not used

year round. We have chosen to live here because of the quiet way of life. Most streets are not paved. We have wildlife all around us. We have no crowds on the beach. There are so many stories of once peaceful barrier islands

becoming overdeveloped with high rise hotels, businesses and crowds. Putting in central sewers is the first step in changing our island forever. We are also concerned about the potential hazard of a leaking or broken sewer line that would connect our island to the mainland under the Intracoastal waterway

2. Financial- There has been no information provided to us regarding EU's ability to finance this project. The ability of EU to finance and manage this enormous project does not seem like something taxpayers should be worried about, and yet we are very worried about it. EU has no experience. It seems unimaginable that a project that will cost millions of dollars would be granted to a company with no experience. Have engineering firms been contacted to educate EU with the challenges of building a project of this magnitude on a bridgeless island with only small ferries as transport system? Additionally the cost of connection to the sewer by the homeowner has been estimated as high as \$20,000. There has been no plan shared about a pay-over-time option. It would be a financial hardship for some and personal loans would have to be taken out. I also understand that a generator would be needed by each homeowner to run the grinder pump in the event of a power outage. Some homes would need extensive electrical upgrading to

accommodate this generator. And
the list goes on.

Thank you for your service and
taking the time to consider our
concerns. Please accept this as our
request to DENY EU's application
Docket #20200226SU.

Sincerely,
Cori Palmere
cori.palmere@gmail.com
Jim Palmere
jim.palmere@gmail.com