



Jerry D. Hendrix
Vice President
Regulatory Relations

AT&T Florida
150 South Monroe St.
Suite 400
Tallahassee, FL 32301

T: 850-577-5550
F: 850-224-5073
Jerry.Hendrix@att.com
www.att.com

November 16, 2007

Beth Salak, Director
Competitive Markets and Enforcement
Florida Public Service Commission
Attn: Tariff Section
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399-0850

Dear Mrs. Salak:

Pursuant to Florida Statute 364.051, attached for filing with the Commission are the following pages of the General Subscriber Service Tariff:

General Subscriber Service Tariff

- | | | |
|-------------|---|----------------------|
| Section A12 | - | 4th Revised Page 113 |
| | - | 3rd Revised Page 128 |
| | - | Original Page 128.1 |

This General Subscriber Services Tariff filing introduces Caller ID for Centrex Control on DMS-100 switches.

Acknowledgment, date of receipt and authority number of this filing are requested.

Your consideration and approval will be appreciated.

Yours very truly,

Jerry D. Hendrix (slg)

Regulatory Vice President

Attachments

EXECUTIVE SUMMARY
Centrex Control Caller ID for DMS-100

Present Tariff, Proposed Tariff, Rationale for Change

The purpose of this tariff is to introduce Caller ID for Centrex Control customers served by Nortel DMS-100 facilities. Caller ID is currently available for Centrex Control customers served by other switching platforms.

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd)

A12.25.16 BellSouth Centrex Control (Cont'd)

A. Description of Service (Cont'd)

15. BellSouth Centrex Control provides the subscriber with the ability to print standard administrative reports. (P)
16. BellSouth Centrex Control subscribers may have capabilities beyond those indicated in this Tariff section that are not available to non-Centrex Control subscribers. (P)

B. Regulations

1. BellSouth Centrex Control is furnished subject to the availability of facilities and the ability of the software to control the requested feature. (P)
2. Limitations and use of BellSouth Centrex Control as stated in Section A2 of this Tariff will apply. (T)
3. Suspension of service at reduced rates as specified in A12.25.2 of this Tariff is not applicable if the customer utilizes BellSouth Centrex Control to deactivate station lines. Suspension of service by the Company will have reduced rates applicable as indicated in A12.25.2. (T)
4. In no event shall the Company be liable for any losses or damages of any kind resulting from the unavailability of its equipment or facilities or for any act, omission, or failure of performance by the Company, or its employees, or agents, in line with this Tariff.
5. To access the BellSouth Centrex Control database, the subscriber must use Internet access or (for service established prior to June 30, 2006, awaiting conversion to Internet access) a voice grade line or the equivalent. (C)
6. All BellSouth Centrex Control controllable lines in the 1AESS, 5ESS, DMS-100, and EWSD switches must be provisioned with a Caller ID Station Link. (P)(C)
7. For station lines equipped with BellSouth Centrex Control, the subscriber can verify and/or display the assignment of features on a single line, range of station lines or all station lines to determine which station line or station lines have a particular feature or service option. (P)
8. BellSouth Centrex Control changes must be entered in conjunction with the following: (P)
 - Prior to Company designated schedules, or
 - As priority changes, or
 - As future dated transactions by the subscriber.
9. The subscriber will be responsible for installation, maintenance and testing of compatible customer-provided equipment (CPE). (P)
10. The Company does not assume responsibility for the compatibility or suitability of the subscriber's (CPE) equipment.
11. The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provision of BellSouth Centrex Control render any facilities provided by a customer obsolete or require modification or alteration of such equipment or system or otherwise affect its use or performance. (P)
12. The subscriber must provide the Company with a central point of contact for inquiries and/or trouble reports involving station features.
13. The BellSouth Centrex Control subscriber is responsible for initiating a Service Order to correct any information pertaining to the Company's Published Directory Listings that changed as a result of a BellSouth Centrex Control TN swap. The appropriate Service Charges specified in Section A4 of this Tariff apply. (T)
14. ~~(DELETED)~~ (P)(T)
15. The subscriber must notify BellSouth when an available telephone number used or intended for use as an Additional Directory Number (ADN) is assigned, moved, or deleted by the subscriber in order to assure the appropriate treatment of required information such as PIC, 911, and repair service data. The Company is not responsible for any issues that may arise from inaccurate data or lack of subscriber notification. In the event any claim is brought against the Company in connection with any errors or omissions, the Company's liability shall be limited to one month's service for the BellSouth Centrex service station line or station lines involved.

ISSUED: November 16, 2007
BY: Marshall M. Criser III, President -FL
Miami, Florida

EFFECTIVE: December 3, 2007

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth[®]-Centrex Service (Cont'd)

(T)

A12.25.21 Standard Features List (Cont'd)

H. BellSouth[®]-Centrex Control - DMS-100 Non-Electronic Business Sets (Cont'd)

(T)

Feature Element	USOC
Call Selector, Per line	M4WSC
Call Tracing, Per line	M2KTA
Call Transfer (System exception), Per line	CENDS
Call Waiting Exempt, Per line	M2LED
Call Waiting Originating, Per line	M2LOA
Call Waiting Terminating w/ Cancel CW - Incoming only, Per line	M2LA6
Call Waiting Terminating w/ Cancel CW, Per line all calls	M2LCA
Caller ID Deluxe, Per line ^{1,2}	M2NA7 (N)
Caller ID Number Only, Per non-EBS line ^{1,2}	M2NBA (N)
Calling Name Delivery, Per line ^{1,2}	M2NC7 (N)
Calling Name Display, intragroup, Per line	M2NDD
Code Restriction of 011, Per line ¹	M2POA (F)
Code Restriction of 411, Per line ¹	M2P4A (F)
Code Restriction of 900, Per line ¹	M2P9A (E)
Code Restriction of N11, Per line ¹	M2PN1 (F)
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ^{1,2}	M2PCB (T)
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ^{1,2}	M2PCC (T)
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ^{1,2}	M2PCD (T)
Data Call Protection, Per line	M4YPG
Dial Call Waiting, Per line	M5CWC
Directed Call Park/Directed Call Retrieve, Per line	M5EDX
Directed Call Pickup - Barge in, Per line	M2VPA
Directed Call Pickup - Barge in exempt, Per line	M2VBD
Directed Call Pickup - Non-barge in, Per line	M2VNA
Directed Call Pickup - Non-barge in exempt, Per line	M2VC6
Executive Busy Override, Per line	M2YED
Executive Busy Override Exempt, Per line	M64EX
Group Intercom, Per line	M2ZGD
Hunting - Series Completion Circular, Per line	N/A
Hunting - Series Completion Regular, Per line	N/A
Last Number Redial, Per line	M65LX
MADN - Non-EBS - Primary Appearance ^{2,4}	M4CPB (T)
Make Line Busy, All Calls Per line	M69BX
Make Line Busy, Intragroup, Per line	M5FBX
Message Waiting Audible (Stutter Dial Tone), Per line	M3CAA
Preferred Call Forwarding, Per line	M5HPC
Repeat Dialing, Per line	M5JRC
Selective Call Acceptance, Per line	M3JA6
Speed Calling Long, Per additional line	M3YAA
Speed Calling Long, Per controlling line (30 number Shared)	M3Y30
Speed Calling Long, Per controlling line (50 number list)	M3Y50
Speed Calling Long, Per controlling line (70 number list)	M3Y70
Speed Calling Short, Per line (6 Numbers)	M5KSC
Station Restriction - Deny incoming from outside, Per line	M3RDE
Station Restriction - Full Denied Origination, Per line	M5ROC
Station Restriction - Full Denied Termination, Per line	M5LTC
Three Way Calling, Consultation Hold, Transfer, Per line - All Calls Unrestricted	M5UTC
Toll Restriction, Per line	M3ORA
Toll Restriction with Restriction from Mandatory Expanded Local Call Area, Per line	M3OMA

Note 1: Requires Caller ID, Per System in A12.25.12.

(M)

(N)

Material previously appearing on this page now appears on page(s) 128.1 of this section.

All BellSouth marks contained herein are owned by BellSouth Intellectual Property Corporation
All AT&T and BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariff are owned by AT&T Intellectual Property or AT&T affiliated companies.

ISSUED: November 16, 2007

EFFECTIVE: December 3, 2007

BY: Marshall M. Criser III, President -FL
Miami, Florida

- Note 2:** Feature operation is not guaranteed when used with Station Links provisioned in a different serving wire center. (N)
- Note ~~13~~:** Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature. (T)
- Note ~~24~~:** The initial establishment of this feature must be provisioned by the Company. Service Charges in Section A4. ~~of this Tariff~~ will not apply. (T)

Material previously appearing on this page now appears on page(s) 128.1 of this section.

All BellSouth marks contained herein are owned by BellSouth Intellectual Property Corporation
All AT&T and BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariff are owned by AT&T Intellectual Property or AT&T affiliated companies.

ISSUED: November 16, 2007

EFFECTIVE: December 3, 2007

BY: Marshall M. Criser III, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd)

(N)

A12.25.21 Standard Features List (Cont'd)

(N)

H. BellSouth Centrex Control - DMS-100 Non-Electronic Business Sets (Cont'd)

(N)

Feature Element	USOC
Speed Calling Long, Per additional line	M3YAA (M)
Speed Calling Long, Per controlling line (30 number Shared)	M3Y30 (M)
Speed Calling Long, Per controlling line (50 number list)	M3Y50 (M)
Speed Calling Long, Per controlling line (70 number list)	M3Y70 (M)
Speed Calling Short, Per line (6 Numbers)	M5KSC (M)
Station Restriction - Deny incoming from outside, Per line	M3RDE (M)
Station Restriction - Full Denied Origination, Per line	M5ROC (M)
Station Restriction - Full Denied Termination, Per line	M5LTC (M)
Three Way Calling, Consultation Hold, Transfer, Per line - All Calls Unrestricted	M5UTC (M)
Toll Restriction, Per line	M3ORA (M)
Toll Restriction with Restriction from Mandatory Expanded Local Call Area, Per line	M3OMA (M)

Material appearing on this page previously appeared on page(s) 128 of this section.

All AT&T and BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariff are owned by AT&T Intellectual Property or AT&T affiliated companies.

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd)

A12.25.16 BellSouth Centrex Control (Cont'd)

A. Description of Service (Cont'd)

15. BellSouth Centrex Control provides the subscriber with the ability to print standard administrative reports.
16. BellSouth Centrex Control subscribers may have capabilities beyond those indicated in this Tariff section that are not available to non-Centrex Control subscribers.

B. Regulations

1. BellSouth Centrex Control is furnished subject to the availability of facilities and the ability of the software to control the requested feature.
2. Limitations and use of BellSouth Centrex Control as stated in Section A2 will apply. (T)
3. Suspension of service at reduced rates as specified in A12.25.2 is not applicable if the customer utilizes BellSouth Centrex Control to deactivate station lines. Suspension of service by the Company will have reduced rates applicable as indicated in A12.25.2. (T)
4. In no event shall the Company be liable for any losses or damages of any kind resulting from the unavailability of its equipment or facilities or for any act, omission, or failure of performance by the Company, or its employees, or agents, in line with this Tariff.
5. To access the BellSouth Centrex Control database, the subscriber must use Internet access or (for service established prior to June 30, 2006, awaiting conversion to Internet access) a voice grade line or the equivalent.
6. All BellSouth Centrex Control controllable lines in the 1AESS, 5ESS, *DMS-100*, and EWSD switches must be provisioned with a Caller ID Station Link. (C)
7. For station lines equipped with BellSouth Centrex Control, the subscriber can verify and/or display the assignment of features on a single line, range of station lines or all station lines to determine which station line or station lines have a particular feature or service option.
8. BellSouth Centrex Control changes must be entered in conjunction with the following:
 - Prior to Company designated schedules, or
 - As priority changes, or
 - As future dated transactions by the subscriber.
9. The subscriber will be responsible for installation, maintenance and testing of compatible customer-provided equipment (CPE).
10. The Company does not assume responsibility for the compatibility or suitability of the subscriber's (CPE) equipment.
11. The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provision of BellSouth Centrex Control render any facilities provided by a customer obsolete or require modification or alteration of such equipment or system or otherwise affect its use or performance.
12. The subscriber must provide the Company with a central point of contact for inquiries and/or trouble reports involving station features.
13. The BellSouth Centrex Control subscriber is responsible for initiating a Service Order to correct any information pertaining to the Company's Published Directory Listings that changed as a result of a BellSouth Centrex Control TN swap. The appropriate Service Charges specified in Section A4 apply. (T)
14. The subscriber must notify BellSouth when an available telephone number used or intended for use as an Additional Directory Number (ADN) is assigned, moved, or deleted by the subscriber in order to assure the appropriate treatment of required information such as PIC, 911, and repair service data. The Company is not responsible for any issues that may arise from inaccurate data or lack of subscriber notification. In the event any claim is brought against the Company in connection with any errors or omissions, the Company's liability shall be limited to one month's service for the BellSouth Centrex service station line or station lines involved. (T)

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd)

(T)

A12.25.21 Standard Features List (Cont'd)

H. BellSouth Centrex Control - DMS-100 Non-Electronic Business Sets (Cont'd)

(T)

Feature Element	USOC	
Call Selector, Per line	M4WSC	
Call Tracing, Per line	M2KTA	
Call Transfer (System exception), Per line	CENDS	
Call Waiting Exempt, Per line	M2LED	
Call Waiting Originating, Per line	M2LOA	
Call Waiting Terminating w/ Cancel CW - Incoming only, Per line	M2LA6	
Call Waiting Terminating w/ Cancel CW, Per line all calls	M2LCA	
Caller ID Deluxe, Per line ^{1,2}	M2NA7	(N)
Caller ID Number Only, Per non-EBS line ^{1,2}	M2NBA	(N)
Calling Name Delivery, Per line ^{1,2}	M2NC7	(N)
Calling Name Display, intragroup, Per line	M2NDD	
Code Restriction of 011, Per line ³	M2POA	(T)
Code Restriction of 411, Per line ³	M2P4A	(T)
Code Restriction of 900, Per line ³	M2P9A	(T)
Code Restriction of N11, Per line ³	M2PN1	(T)
Code Restriction of 0+/0- and 00+/00-, Per line (Includes international operator calls) ³	M2PCB	(T)
Code Restriction of 1+ (except 1+800, 1+888, and other Toll Free Numbers), Per line ³	M2PCC	(T)
Code Restriction of Toll Free Numbers (1+800, 1+888, and other Toll Free Numbers), Per line ³	M2PCD	(T)
Data Call Protection, Per line	M4YPG	
Dial Call Waiting, Per line	M5CWC	
Directed Call Park/Directed Call Retrieve, Per line	M5EDX	
Directed Call Pickup - Barge in, Per line	M2VPA	
Directed Call Pickup - Barge in exempt, Per line	M2VBD	
Directed Call Pickup - Non-barge in, Per line	M2VNA	
Directed Call Pickup - Non-barge in exempt, Per line	M2VC6	
Executive Busy Override, Per line	M2YED	
Executive Busy Override Exempt, Per line	M64EX	
Group Intercom, Per line	M2ZGD	
Hunting - Series Completion Circular, Per line	N/A	
Hunting - Series Completion Regular, Per line	N/A	
Last Number Redial, Per line	M65LX	
MADN - Non-EBS - Primary Appearance ⁴	M4CPB	(T)
Make Line Busy, All Calls Per line	M69BX	
Make Line Busy, Intragroup, Per line	M5FBX	
Message Waiting Audible (Stutter Dial Tone), Per line	M3CAA	
Preferred Call Forwarding, Per line	M5HPC	
Repeat Dialing, Per line	M5JRC	
Selective Call Acceptance, Per line	M3JA6	

Note 1: Requires Caller ID, Per System in A12.25.12. (N)

Note 2: Feature operation is not guaranteed when used with Station Links provisioned in a different serving wire center. (N)

Note 3: Any type of Code Restriction not indicated in this section will be provided via the Automatic Route Selection-Basic feature or Automatic Route Selection-Deluxe feature. (T)

Note 4: The initial establishment of this feature must be provisioned by the Company. Service Charges in Section A4 will not apply. (T)

Material previously appearing on this page now appears on page(s) 128.1 of this section.

ISSUED: November 16, 2007

EFFECTIVE: December 3, 2007

BY: Marshall M. Criser III, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd) (N)

A12.25.21 Standard Features List (Cont'd) (N)

H. BellSouth Centrex Control - DMS-100 Non-Electronic Business Sets (Cont'd) (N)

Feature Element	USOC	
Speed Calling Long, Per additional line	M3YAA	(M)
Speed Calling Long, Per controlling line (30 number Shared)	M3Y30	(M)
Speed Calling Long, Per controlling line (50 number list)	M3Y50	(M)
Speed Calling Long, Per controlling line (70 number list)	M3Y70	(M)
Speed Calling Short, Per line (6 Numbers)	M5KSC	(M)
Station Restriction - Deny incoming from outside, Per line	M3RDE	(M)
Station Restriction - Full Denied Origination, Per line	M5ROC	(M)
Station Restriction - Full Denied Termination, Per line	M5LTC	(M)
Three Way Calling, Consultation Hold, Transfer, Per line - All Calls Unrestricted	M5UTC	(M)
Toll Restriction, Per line	M3ORA	(M)
Toll Restriction with Restriction from Mandatory Expanded Local Call Area, Per line	M3OMA	(M)

Material appearing on this page previously appeared on page(s) 128 of this section.

All AT&T and BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariff are owned by AT&T Intellectual Property or AT&T affiliated companies.