94

FPUC's Responses to Staff's Ninth Request for Production of Documents, Nos. 27-29

(Including Attachments)

DOCUMENTS REQUESTED

27. Please provide all documentation supporting any updates to the projected amount of rate case expense identified in FPUC's response to Staff's Thirteenth Set of Interrogatories No.142.

Company Response:

Please refer to the attached file "OPC POD 27 Natural Gas Rate Case Expense Projection".

28. Please provide all documentation supporting any updates to the projected balance of construction work in progress (CWIP) identified in FPUC's response to Staff's Thirteenth Set of Interrogatories No. 144.

Company Response:

The Company does not anticipate a change to the CWIP balance for the projected test year.

29. Please provide the Excel files of the MFR schedules filed by the Company on May 24,2022, with all formulas and support schedules in tact.

Company Response:

Please see the five jump drives and five DVDs of MFRs in native format delivered on May 31, 2022 to the clerk of the Public Service Commission and for which the clerk has noted that such materials were forwarded to staff, as referenced in document 03291-2022.

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION 20220067.GU Staff Hearing Exhibit 00287

)

)

)

)

In re: Petition for rate increase by Florida Public Utilities Company, Florida Division of Chesapeake Utilities Corporation, Florida Public Utilities – Fort Meade and Florida Public Utilities – Indiantown Division) Docket No. 20220067-GU

) Filed: October 13, 2022

DECLARATION

I hereby certify and affirm that I sponsored the Company's responses to STAFF'S NINTH SET OF REQUEST FOR PRODUCTION OF DOCUMENTS TO FLORIDA PUBLICUTILITIES COMPANY, Nos. 28 in Docket No. 20220067-GU. The responses are true and correct to the best of my knowledge.

Under penalty of perjury, I declare that I have read the foregoing declaration and the interrogatory responses identified above, and that the facts stated therein are true.

TIR

Jason Bennett, Declarant

Dated: 9/30/22