BELLSOUTH

BellSouth Telecommunications, Inc. Regulatory & External Affairs 150 South Monroe Street Suite 400 Tallahassee, FL 32301-1556

marshall criser@bellsouth com

Marshall M. Criser III
Vice President

Regulatory & External Affairs

840 224 7798 Fax 850 224 5073

February 16, 2004

040136-JP

Mrs. Blanca S. Bayo Director, Division of The Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Notice of the Adoption of CLEC agreement with modifications between BellSouth Telecommunications, Inc. ("BellSouth") and AT&T Communications of the Southern States, LLC d/b/a AT&T by Midwestern Telecommunications, Inc..

Dear Mrs. Bayó:

BellSouth Telecommunications, Inc. hereby provides notice to the Florida Public Service Commission of the adoption by Midwestern Telecommunications, Inc. of the Interconnection, Unbundling, Resale, and Collocation Agreement with modifications for the State of Florida entered into between BellSouth Telecommunications Inc. and AT&T Communications of the Southern States, LLC d/b/a AT&T, which was filed with this Commission on 10/26/01 in Docket No. 000731-TP.

Midwestern Telecommunications, Inc. is adopting the agreement and all amendments (if applicable), with modifications as provided by Section 252(i) of the Telecommunications Act of 1996.

Enclosed is the original and two (2) copies of the contract between BellSouth Telecommunications, Inc. and Midwestern Telecommunications, Inc., for your records.

If you have any questions please do not hesitate to contact Robyn Holland at (850) 222-9380.

Very truly yours,

Marhall M. Crusull Regulatory Vice President PR

02158 FEB 16 # FPSC-COMMISSION CLERK



Customer Name: Midwestern Telecommunications, Inc.

Midwestern Telecommunications, Inc Adoption of AT&T FL	2
Adoption Papers	3
Signature Page	9
Att4-Collocation-CentralOffice	10
Att1-ResaleDiscountsandRates	57
Att2-UNERates	58
Att3-LocalInterconnectionRates	115
Att4-CollocationRates	116
Att6 rates- ODUFEODUFADUF	121
Midwestern FL - TRO Amendment	122

By and Between

BellSouth Telecommunications, Inc.

And

Midwestern Telecommunications, Inc.

AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties (Effective Date), is entered into by and between Midwestern Telecommunications, Inc. (Midwestern Telecommunications), a Illinois corporation on behalf of itself, and BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, Midwestern Telecommunications has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and AT&T Communications of the Southern States, LLC d/b/a AT&T dated October 26, 2001, for the state of Florida.

NOW, **THEREFORE**, in consideration of the promises and mutual covenants of this Agreement, Midwestern Telecommunications and BellSouth hereby agree as follows:

1. Midwestern Telecommunications and BellSouth shall adopt in its entirety the AT&T Communications of the Southern States, LLC d/b/a AT&T Interconnection Agreement dated October 26, 2001, and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The AT&T Communications of the Southern States, LLC d/b/a AT&T Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

ITEM	NO.
	PAGES
Adoption Papers	6
Signature Page	1
Exhibit 1	47
Exhibit 2	65
Title Page	3
Table of Contents	2
General Terms and Conditions	44
Attachment 1	20
Attachment 2	110
Attachment 3	42
Attachment 4	40
Attachment 5	79
Attachment 6	43

Attachment 7	12
Attachment 8	39
Attachment 9	4
Attachment 10	5
Attachment 11	9
Attachment 12	2
Attachment 13	13
Amendment dated 04/18/2002	56
Amendment dated 09/06/2002	5
Amendment dated 10/16/2002	70
Amendment dated 11/26/2002	3
Amendment dated 03/11/2003	11
Amendment dated 05/16/2003	2
Amendment dated 11/09/2003	6
TOTAL	739

- 2. The Parties agree to delete Section 3.23 in Attachment 1 and replace with the following:
- 24.3 Notwithstanding the foregoing, BellSouth may provide Midwestern Telecommunications notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.
- 3. The Parties agree to delete Section 1.1.7 1.1.7.7 in Attachment 6 and replace with the following:
 - 1.1.7 Deposit Policy. Midwestern Telecommunications shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by Midwestern Telecommunications. Any such security deposit shall in no way release Midwestern Telecommunications from its obligation to make complete and timely payments of its bill. Midwestern Telecommunications shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Midwestern Telecommunications's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Midwestern Telecommunications

fails to remit to BellSouth any deposit requested pursuant to this Section, service to Midwestern Telecommunications may be terminated in accordance with the terms of Section 1.6 of this Attachment, and any security deposits will be applied to Midwestern Telecommunications's account(s). In the event Midwestern Telecommunications defaults on its account, service to Midwestern Telecommunications will be terminated in accordance with the terms of Section 1.6 above, and any security deposits will be applied to Midwestern Telecommunications's account.

- 1.1.7.1 Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Midwestern Telecommunications, shall be forwarded to the individual and/or address provided by Midwestern Telecommunications in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Midwestern Telecommunications as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from Midwestern Telecommunications to BellSouth's billing organization, the notice of discontinuance of services purchased by Midwestern Telecommunications under this Agreement provided for in Section 1.6.2 of this Attachment shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement.
 - 4. The Parties agree to delete Attachment 8 and replace with the following:

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

- 5. The Parties agree to delete Attachment 13 and Midwestern will negotiate a separate BAPCO agreement.
- 6. The Parties agree to delete the following in Attachment 3, as amended on April 18, 2002, and replace with the following:
- 5.3.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements (i.e., traffic that is exchanged over switched access trunk groups). Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body. ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one LATA to an ISP server or modem in the same LATA. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 5.3.1.1.1 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68

released April 27, 2001 ("ISP Order on Remand"), BellSouth and Midwestern Telecommunications, Inc. agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Midwestern Telecommunications, Inc. that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Midwestern Telecommunications, Inc. further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Midwestern Telecommunications, Inc. that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.

Delete 5.3.2, 5.3.3 - 5.3.3.4, 5.3.4, and 5.3.5, as amended on April 18, 2002, and replace with the following:

- 5.3.2 The Parties shall provide for the mutual and reciprocal recovery of the costs for the network facilities utilized in transporting and terminating Local Traffic on each other's network.
- 5.3.3 The Parties agree that charges for transport and termination of Local Traffic on their respective networks are as set forth in Exhibit A to this Attachment
- 5.3.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of ISP-bound Traffic
- 5.3.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Section 5.3.20 below.

Delete 5.3.10 and 5.3.11, as amended on April 18, 2002, and replace with the following:

Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C. Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the endto-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISPbound Traffic. If the BellSouth end user chooses Midwestern Telecommunications, Inc. as their presubscribed interexchange carrier, or if the BellSouth end user uses Midwestern Telecommunications, Inc. as an interexchange carrier on a 101XXXX basis, BellSouth will charge Midwestern Telecommunications, Inc. the appropriate BellSouth tariff charges for originating switched access services. Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.

- 5.3.11 If Midwestern Telecommunications, Inc. assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Midwestern Telecommunications, Inc. end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Midwestern Telecommunications, Inc. customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Midwestern Telecommunications, Inc. agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Midwestern Telecommunications, Inc. at BellSouth's switched access tariff rates.
- 5.3.11.1 If Midwestern Telecommunications, inc. does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Midwestern Telecommunications, Inc. NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Midwestern Telecommunications, Inc. can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.
 - 7. The Parties agree to add the following sentence to Section 2.1 of the General Terms and Conditions:
- 2.3 Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
 - 8. The Parties agree to delete in its entirety Attachment 4, Collocation, and replace with Exhibit 1 attached hereto and incorporated herein by this reference.
 - 9. The Parties agree to delete the rates in Attachments 1, 2, 3, 4 and 7 in their entirety and replace with the rates as set forth in Exhibit 2 attached hereto and incorporated herein by this reference.
- 10. In the event that Midwestern Telecommunications consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of Midwestern Telecommunications under this Agreement.
- 11. The term of this Agreement shall be from the Effective Date as set forth above and shall expire as set forth in section 2 of the General Terms and Conditions of the AT&T Communications of the Southern States, LLC d/b/a AT&T Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to section 2 of the General Terms and Conditions of the AT&T Communications of the Southern States, LLC d/b/a AT&T Interconnection Agreement, the effective date shall be October 26, 2001.
- 12. Midwestern Telecommunications shall accept and incorporate any amendments to the AT&T Communications of the Southern States, LLC d/b/a AT&T Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.
- 13. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th St., 8th floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Midwestern Telecommunications, Inc.

Jerry Holt 4749 Lincoln Mall Dr, Suite 600 Matterson, IL 60443 (708) 679-5000 Fax (708) 679-5063 Jerry.holt@midwestern.net

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc.	Midwestern Telecommunications, Inc.
By: Pet CFile	By: 1/5 Ho H
Name: PATITICA C. FENLEN	Jerry E. Holt
Title: Ass: 6 27867200	Title: CEO
Date: 10 /21/03	Date: September 30, 2003

Attachment 4

Physical Collocation

Exhibit 1 **BELLSOUTH**

PHYSICAL COLLOCATION

1. Scope of Attachment

- The rates, terms, and conditions contained within this Attachment shall only apply when Midwestern Telecommunications is physically collocated as a sole occupant or as a Host within a "BellSouth Premises" location pursuant to this Attachment. "BellSouth Premises" include BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to "BellSouth Premises" owned or leased by BellSouth. However, if the "BellSouth Premises" occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to Midwestern Telecommunications collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Midwestern Telecommunications to occupy a certain area designated by BellSouth within a "BellSouth Premises", or on BellSouth property upon which the "BellSouth Premises" is located, of a size which is specified by Midwestern Telecommunications and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by Midwestern Telecommunications may contemplate a request for space sufficient to accommodate Midwestern Telecommunications's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by Midwestern Telecommunications may contemplate a request for space sufficient to accommodate Midwestern Telecommunications's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate Midwestern
 Telecommunications's requested space preferences, if any. In allocating Collocation
 Space, BellSouth shall not materially increase Midwestern Telecommunications's cost
 or materially delay Midwestern Telecommunications's occupation and use of the
 Collocation Space, assign Collocation Space that will impair the quality of service or
 otherwise limit the service Midwestern Telecommunications wishes to offer, reduce

unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the "BellSouth Premises". Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the "BellSouth Premises". BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 Space Reclamation. In the event of space exhaust within a "BellSouth Premises", BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the "BellSouth Premises", including unutilized space held by Midwestern Telecommunications and other collocated telecommunications carriers in BellSouth's Premises. Midwestern Telecommunications will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.4.1 If physical Collocation Space is needed to accommodate another telecommunication carrier's request for physical collocation or BellSouth's own immediate space needs, BellSouth may reclaim from Midwestern Telecommunications any physical Collocation Space that is not being "efficiently used" or that cannot be proven to be needed within the two (2) year (18 months in Florida) planning period. This term ("efficiently used") shall mean that substantially all of the floor space is taken up by Midwestern Telecommunications's collocated equipment as described in Section 5.1 of this Attachment. In addition, BellSouth may reclaim, for the same reasons as those stated above, any space that is not being used at all to house Midwestern Telecommunications's equipment and/or facilities for collocation purposes. Midwestern Telecommunications will have one hundred eighty (180) calendar days from receipt of notice by BellSouth to Midwestern Telecommunications of the need for such physical Collocation Space to ensure that such space is being used in accordance with the terms and conditions herein and shall be responsible to justify to the Commission, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Midwestern Telecommunications shall use the Collocation Space for the purpose of installing, maintaining and operating Midwestern Telecommunications's equipment (including testing and monitoring equipment) necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to Midwestern Telecommunications may not be used for any purposes other than as specifically described herein or in any amendment hereto.

- 1.6 <u>Rates and Charges</u>. Midwestern Telecommunications agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or a National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Midwestern Telecommunications and at the Midwestern Telecommunications's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular "BellSouth Premises". This report will include the amount of Collocation Space available at the "BellSouth Premises" requested, the number of collocators present at the "BellSouth Premises", any modifications in the use of the space since the last report on the "BellSouth Premises" requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the "BellSouth Premises" for which the Space Availability Report was requested by Midwestern Telecommunications.
- 2.1.1 The request from Midwestern Telecommunications for a Space Availability Report must be in writing and include the "BellSouth Premises" street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the "BellSouth Premises". CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular "BellSouth Premises" within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) "BellSouth Premises" within the same state. The response time for Space Availability Report requests of more than five (5) "BellSouth Premises", whether the request are for the same state or for two or more states within the BellSouth Region, shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Midwestern Telecommunications and inform Midwestern Telecommunications of the timeframe under which it can respond.

3. Collocation Options

- 3.1 Cageless. BellSouth shall allow Midwestern Telecommunications to collocate Midwestern Telecommunications's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Midwestern Telecommunications to have direct access to Midwestern Telecommunications's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Midwestern Telecommunications's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Midwestern Telecommunications must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 <u>Caged.</u> At Midwestern Telecommunications's expense, Midwestern Telecommunications will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (hereinafter referred to as Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Midwestern Telecommunications and Midwestern Telecommunications's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Midwestern Telecommunications's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Midwestern Telecommunications and provide, at Midwestern Telecommunications's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Midwestern Telecommunications's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. Midwestern Telecommunications's BellSouth Certified Supplier shall bill Midwestern Telecommunications directly for all work performed for Midwestern Telecommunications to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Midwestern Telecommunications's BellSouth Certified Supplier. Midwestern Telecommunications must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Midwestern Telecommunications's locked enclosure prior to notifying Midwestern Telecommunications at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Midwestern Telecommunications.

- 3.2.1 BellSouth may elect to review Midwestern Telecommunications's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify Midwestern Telecommunications of its desire to execute this review in BellSouth's response to the Initial Application, if Midwestern Telecommunications has indicated its desire to construct its own enclosure. If Midwestern Telecommunications's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the date the firm order has been received by BellSouth. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of Midwestern Telecommunications's plans and specifications. Regardless of whether or not BellSouth elects to review Midwestern Telecommunications's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Midwestern Telecommunications's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Midwestern Telecommunications. BellSouth shall require Midwestern Telecommunications to remove or correct within seven (7) calendar days, at Midwestern Telecommunications's expense, any structure that does not meet Midwestern Telecommunications's plans and specifications or BellSouth's Specifications, as applicable.
- 3.3 Shared Caged Collocation. Midwestern Telecommunications may allow other telecommunications carriers to share Midwestern Telecommunications's caged collocation arrangement, pursuant to the terms and conditions agreed to by Midwestern Telecommunications (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the "BellSouth Premises" is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Midwestern Telecommunications. BellSouth shall be notified in writing by Midwestern Telecommunications upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Midwestern Telecommunications that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Midwestern Telecommunications. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Attachment between BellSouth and Midwestern Telecommunications.
- 3.3.1 Midwestern Telecommunications, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment. Midwestern Telecommunications is also responsible for ensuring that the safety and security requirements of this Attachment are fully

complied with by the Guest(s), its employees and agents. BellSouth shall provide Midwestern Telecommunications with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, Midwestern Telecommunications shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own initial and subsequent equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).

- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Midwestern Telecommunications shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Midwestern Telecommunications's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on "BellSouth Premises" property only when space within the requested "BellSouth Premises" is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the "BellSouth Premises" property. An Adjacent Arrangement shall be procured by Midwestern Telecommunications or constructed by the Midwestern Telecommunications's BellSouth Certified Supplier and must be in conformance with BellSouth's design and construction Specifications. Further, Midwestern Telecommunications shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 If Midwestern Telecommunications requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, Midwestern Telecommunications must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide the appropriate Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Midwestern Telecommunications and Midwestern Telecommunications's BellSouth Certified

Supplier shall comply with the more stringent local building code requirements. Midwestern Telecommunications's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Midwestern Telecommunications's BellSouth Certified Supplier shall bill Midwestern Telecommunications directly for all work performed for Midwestern Telecommunications to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Midwestern Telecommunications's BellSouth Certified Supplier. Midwestern Telecommunications must provide the local BellSouth Central Office Building Contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Midwestern Telecommunications's locked enclosure prior to notifying Midwestern Telecommunications at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

- 3.4.2 Midwestern Telecommunications must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its firm order. BellSouth shall review Midwestern Telecommunications's plans and specifications prior to the construction of an Adjacent Arrangement(s) to ensure Midwestern Telecommunications's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from Midwestern Telecommunications for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Midwestern Telecommunications's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Midwestern Telecommunications. BellSouth shall require Midwestern Telecommunications to remove or correct within seven (7) calendar days, at Midwestern Telecommunications's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, as applicable.
- 3.4.3 Midwestern Telecommunications shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Midwestern Telecommunications's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, subject to individual case basis (ICB) pricing. Midwestern Telecommunications's BellSouth Certified Supplier shall be responsible, at Midwestern Telecommunications's sole expense, for filing and obtaining any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow

- Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.
- 3.5 Direct Connect. BellSouth will permit Midwestern Telecommunications to directly interconnect between its own virtual/physical Collocation Space within the same central office by utilizing a Direct Connect. Midwestern Telecommunications shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by Midwestern Telecommunications. Midwestern Telecommunications-provisioned DC's shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, and a nonrecurring charge per cable, of the actual common cable support structure used by Midwestern Telecommunications to provision the Direct Connects between its virtual/physical Collocation Spaces. In those instances where Midwestern Telecommunications's virtual/physical Collocation Space is contiguous in the central office, Midwestern Telecommunications will have the option of using Midwestern Telecommunications's own technicians to deploy the Direct Connects using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. Midwestern Telecommunications will deploy such electrical or optical connections directly between its own facilities without being routed through BellSouth's equipment. Midwestern Telecommunications may not self-provision Direct Connects on any BellSouth distribution frame, POT, DSX (Digital System Cross-Connect) or LGX (Light Guide Cross-Connect). Midwestern Telecommunications is responsible for ensuring the integrity of the signal.
- 3.5.1 To place an order for Direct Connects, Midwestern Telecommunications must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of Direct Connects, the Subsequent Application Fee for Direct Connects, as defined in Exhibit B, will apply. If other modifications, in addition to the placement of Direct Connects are requested, either an Initial Application Fee or Subsequent Application Fee will apply, pursuant to Section 6.3.1 of this Attachment. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response to <customer short name>.
- 3.6 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Midwestern Telecommunications to interconnect between its virtual or physical collocation arrangement(s) and that (those) of another collocated telecommunications carrier within the same "BellSouth Premises". Both Midwestern Telecommunications's agreement and the other collocated telecommunications carrier's agreement must contain the CCXC rates, terms and conditions before BellSouth will permit the provisioning of CCXCs between the two collocated carriers. Midwestern Telecommunications is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.

- 3.6.1 Midwestern Telecommunications must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by Midwestern Telecommunications. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. Midwestern Telecommunications shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The Midwestern Telecommunications-provisioned CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used by Midwestern Telecommunications to provision the CCXC to the other collocated telecommunications carrier. In those instances where Midwestern Telecommunications's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space. Midwestern Telecommunications may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two contiguous cages. Midwestern Telecommunications shall deploy such electrical or optical cross-connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. Midwestern Telecommunications shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-Connect) or LGX (Light Guide Cross-Connect). Midwestern Telecommunications is responsible for ensuring the integrity of the signal.
- 3.6.2 To place an order for CCXCs, Midwestern Telecommunications must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If other modifications, in addition to the placement of CCXCs, are requested, either an Initial Application or Subsequent Application Fee will apply, pursuant to Section 6.3.1 of this Attachment. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to Midwestern Telecommunications.

4. Occupancy

4.1 Occupancy. BellSouth will notify Midwestern Telecommunications in writing when the Collocation Space is ready for occupancy (Space Ready Date). Midwestern Telecommunications will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in Midwestern Telecommunications's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If Midwestern

Telecommunications completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of Midwestern Telecommunications's acceptance of the Collocation Space (Space Acceptance Date). In the event Midwestern Telecommunications fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Midwestern Telecommunications on the Space Ready Date and billing will commence from that date. If Midwestern Telecommunications decides to occupy the space prior to the Space Ready Date, the date Midwestern Telecommunications occupies the space is deemed the new Space Acceptance Date and billing will begin from that date. Midwestern Telecommunications must notify BellSouth in writing that its collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice. For the purposes of this paragraph, Midwestern Telecommunications's telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Midwestern Telecommunications may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Midwestern Telecommunications and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Midwestern Telecommunications signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Midwestern Telecommunications jointly conduct an inspection, confirming that Midwestern Telecommunications has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to certain rate elements in Alabama, Florida, Georgia, Kentucky, Mississippi, South Carolina and Tennessee. The particular disconnect fees that would apply in each state are contained in Exhibit B of this Attachment. BellSouth may terminate Midwestern Telecommunications's right to occupy Collocation Space in the event Midwestern Telecommunications fails to comply with any provision of this Agreement, including payment of the applicable fees contained in Exhibit B of this Attachment.
- 4.2.1 Upon termination of occupancy, Midwestern Telecommunications, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by the Midwestern Telecommunications from the Collocation Space. Midwestern Telecommunications shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Midwestern Telecommunications's Guest(s),

unless Midwestern Telecommunications's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the Midwestern Telecommunications removal date. Midwestern Telecommunications shall continue the payment of all monthly recurring charges to BellSouth until the date Midwestern Telecommunications, and if applicable Midwestern Telecommunications's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If Midwestern Telecommunications or Midwestern Telecommunications's Guest(s) fails to vacate the Collocation Space within thirty (30) calendar days from the "Termination Date", BellSouth shall have the right to remove and dispose of the equipment and any other property of Midwestern Telecommunications or Midwestern Telecommunications's Guest(s), in any manner that BellSouth deems fit, at Midwestern Telecommunications's expense and with no liability whatsoever for Midwestern Telecommunications's property or Midwestern Telecommunications's Guest(s)'s property. Upon termination of Midwestern Telecommunications's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and Midwestern Telecommunications shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Midwestern Telecommunications, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Midwestern Telecommunications's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. Midwestern Telecommunications shall be responsible for the cost of removing any Midwestern Telecommunications constructed enclosure, together with any supporting structures (e.g., racking, conduits, or power cables), by the "Termination Date" and restoring the grounds to their original condition.

5. <u>Use of Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a "BellSouth Premises" must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized

databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a "BellSouth Premises" must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Midwestern Telecommunications's failure to comply with this Section.
- 5.1.3 Midwestern Telecommunications shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event Midwestern Telecommunications submits an application for terminations that will exceed the total capacity of the collocated equipment, Midwestern Telecommunications will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

Commencing with the most current calendar quarter after the effective date of this Attachment, and thereafter with respect to each subsequent calendar quarter during the term of this Attachment, Midwestern Telecommunications will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34A55, 675 W. Peachtree Street, Atlanta, Georgia 30375 listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or another entity that has a secured financial interest in such equipment. Equipment that satisfies both subparts (i) and (ii) of this section shall be defined as "Secured Equipment". If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.

- 5.2 Midwestern Telecommunications shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the "BellSouth Premises".
- 5.3 Midwestern Telecommunications shall place a plaque or affix other identification (e.g., stenciling) to Midwestern Telecommunications's equipment, including the appropriate

emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify Midwestern Telecommunications's equipment in the case of an emergency.

- 5.4 Entrance Facilities. Midwestern Telecommunications may elect to place Midwestern Telecommunications-owned or Midwestern Telecommunications-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the "BellSouth Premises" building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Midwestern Telecommunications will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Midwestern Telecommunications will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to Midwestern Telecommunications's equipment in the Collocation Space. In the event Midwestern Telecommunications utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Midwestern Telecommunications must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. Midwestern Telecommunications is responsible for the maintenance of the entrance facilities. At Midwestern Telecommunications's option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- 5.5.1 <u>Dual Entrance Facilities</u>. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by Midwestern Telecommunications for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Midwestern Telecommunications with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to Midwestern Telecommunications's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to Midwestern Telecommunications in the Application Response.
- 5.5.2 <u>Shared Use.</u> Midwestern Telecommunications may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to Midwestern Telecommunications's Collocation Space within the same "BellSouth Premises". BellSouth shall allow the splice, as long as the fiber is non-working fiber. Midwestern Telecommunications must arrange with BellSouth in

accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the Midwestern Telecommunications-provided riser cable to the spare capacity on the entrance facility. If Midwestern Telecommunications desires to allow another telecommunications carrier to use its entrance facilities, that other telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from <customer short name> authorizing BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on Midwestern Telecommunications's entrance facility.

- Demarcation Point. BellSouth will designate the point(s) of demarcation between Midwestern Telecommunications's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on BellSouth's designated conventional distributing frame (CDF). Midwestern Telecommunications shall be responsible for providing the necessary cabling, and Midwestern Telecommunications's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. Midwestern Telecommunications or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Midwestern Telecommunications's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Midwestern Telecommunications-provided Point of Termination Bay (POT Bay) in a common area within the "BellSouth Premises". Midwestern Telecommunications shall be responsible for providing, and Midwestern Telecommunications's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between Midwestern Telecommunications's Collocation Space and the demarcation point. Midwestern Telecommunications, its agent, or Midwestern Telecommunications's BellSouth Certified Supplier must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may selfprovision cross-connects that may be required within its own Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, if Midwestern Telecommunications desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.

- Midwestern Telecommunications's Equipment and Facilities. Midwestern Telecommunications, or if required by this Attachment, Midwestern Telecommunications's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Midwestern Telecommunications which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. Midwestern Telecommunications and its designated BellSouth Certified Supplier must follow and comply with all BellSouth Specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to Midwestern Telecommunications's Collocation Space. BellSouth retains the right to access Midwestern Telecommunications's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to Midwestern Telecommunications at least forty-eight (48) hours before access to Midwestern Telecommunications's Collocation Space is required. Midwestern Telecommunications may elect to be present whenever BellSouth performs work in the Midwestern Telecommunications's Collocation Space. The Parties agree that Midwestern Telecommunications will not bear any of the expense associated with this type of work.
- 5.9 Access. Pursuant to Section 12, Midwestern Telecommunications shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Midwestern Telecommunications agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Midwestern Telecommunications or Midwestern Telecommunications's Guest(s) that will be provided with access keys or cards (Access Keys), prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by Midwestern Telecommunications and returned to BellSouth Access Management within fifteen (15) calendar days of Midwestern Telecommunications's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper key acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. Midwestern Telecommunications agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of Midwestern Telecommunications's employees, suppliers, agents, or Guest(s) after termination of the employment relationship, the contractual obligation with Midwestern Telecommunications ends, upon the termination of this Attachment, or upon the termination of occupancy of Collocation Space in a specific "BellSouth Premises".

- 5.9.1 BellSouth will permit one (1) accompanied site visit to Midwestern Telecommunications's designated Collocation Space, after receipt of the BFFO. without charge to Midwestern Telecommunications. Midwestern Telecommunications must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to a "BellSouth Premises" at least thirty (30) calendar days prior to the date Midwestern Telecommunications desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Midwestern Telecommunications may submit a request for its one (1) accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event Midwestern Telecommunications desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit Midwestern Telecommunications to access the Collocation Space accompanied by a security escort, at Midwestern Telecommunications's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. Midwestern Telecommunications must request escorted access to its designated Collocation Space at least three (3) business days prior to the date such access is desired.
- 5.10 Lost or Stolen Access Devises. Midwestern Telecommunications shall immediately notify BellSouth in writing when any of its Access Keys have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access card as a result of a lost or stolen Access Device(s) or for failure of Midwestern Telecommunications's employees, suppliers, agents or Guest(s) to return an Access Device(s), Midwestern Telecommunications shall pay for the costs of re-keying or deactivating the Access card pursuant to the fees set forth in Exhibit B.
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Midwestern Telecommunications shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades. interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Midwestern Telecommunications violates the provisions of this paragraph, BellSouth shall provide written notice to Midwestern Telecommunications, which shall direct Midwestern Telecommunications to cure the violation within forty-eight (48) hours of Midwestern Telecommunications's receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.

- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Midwestern Telecommunications fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation including, without limitation, the interruption of electrical power to Midwestern Telecommunications's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to Midwestern Telecommunications prior to the taking of such action and BellSouth shall have no liability to Midwestern Telecommunications for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Midwestern Telecommunications fails to take curative action within forty-eight (48) hours of Midwestern Telecommunications's receipt of written notice, BellSouth will establish before the appropriate Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Midwestern Telecommunications or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Midwestern Telecommunications is significantly degrading the performance of other advanced services or traditional voice band services, Midwestern Telecommunications shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.12 Personalty and its Removal. Facilities and equipment placed by Midwestern Telecommunications in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Midwestern Telecommunications at any time. Any damage caused to the Collocation Space by Midwestern Telecommunications's employees, suppliers, agents or representatives during the installation or removal of such property shall be promptly repaired by Midwestern Telecommunications at its sole expense. If Midwestern Telecommunications decides to remove equipment from its Collocation Space and the removal requires no physical work be performed by BellSouth and Midwestern Telecommunications's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill Midwestern Telecommunications an

Administrative Only Application Fee as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response to Midwestern Telecommunications.

- Alterations. Under no condition shall Midwestern Telecommunications or any person acting on behalf of Midwestern Telecommunications make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the "BellSouth Premises", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such rearrangement, modification, augment, improvement, addition, and/or other alteration shall be paid by Midwestern Telecommunications, and shall require a Subsequent Application and will result in the assessment of either a Subsequent Application Fee, an Administrative Only Application Fee or an Initial Application Fee as set forth in Section 6.3.1, which will be billed by BellSouth on the date that BellSouth provides Midwestern Telecommunications with an Application Response.
- 5.14 <u>Janitorial Service</u>. Midwestern Telecommunications shall be responsible for the general upkeep of its Collocation Space. Midwestern Telecommunications shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a "BellSouth Premises"-specific basis, upon request.

6. Ordering and Preparation of Collocation Space

- 6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to Midwestern Telecommunications and BellSouth that are different from the procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For Midwestern Telecommunications's or Midwestern Telecommunications's Guest's(s') initial equipment placement, Midwestern Telecommunications shall input a Physical Expanded Interconnection Application Document (Initial Application) directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by Midwestern Telecommunications and will be billed by BellSouth on the date BellSouth provides Midwestern Telecommunications with an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event Midwestern Telecommunications or Midwestern Telecommunications's Guest(s) desires to modify its use of the Collocation Space Version 2Q03: 07/21/03

after a BFFO, Midwestern Telecommunications shall complete an application (Subsequent Application) that contains all of the detailed information associated with the alteration related to the Collocation Space, as defined in Section 5.13 of this Attachment. The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the alteration. BellSouth shall determine what modifications, if any, to the "BellSouth Premises" are required to accommodate the change requested by Midwestern Telecommunications in the application. Such modifications to the "BellSouth Premises" may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.3.1 Subsequent Application Fee. The application fee paid by Midwestern Telecommunications shall be dependent upon the level of assessment needed. If the modifications reflected on the Subsequent Application require no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. This Administrative Only Application Fee would be applicable in instances such as those associated with a Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, a modification to an application prior to receipt of the BFFO and a V-to-P Conversion (In Place). The fee for a Subsequent Application in which the modifications requested have limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee, as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Midwestern Telecommunications to submit the Subsequent Application with an Initial Application Fee. The appropriate nonrecurring application fee will be billed on the date BellSouth provides Midwestern Telecommunications with an Application Response.
- 6.4 Space Preferences. If Midwestern Telecommunications has previously requested and received a Space Availability Report for the "BellSouth Premises", Midwestern Telecommunications may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate the Midwestern Telecommunications's preference(s), Midwestern Telecommunications may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Midwestern Telecommunications with an Application Response.

- 6.5 Space Availability Notification.
- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within the requested "BellSouth Premises". BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items/revisions necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Midwestern Telecommunications of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Midwestern Telecommunications or space that is configured differently, no application fee will apply. If Midwestern Telecommunications decides to accept the available space, Midwestern Telecommunications must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Midwestern Telecommunications resubmits its application to accept the available space, BellSouth will bill Midwestern Telecommunications the appropriate application fee.
- 6.5.2 BellSouth will respond to a Florida or Tennessee application within fifteen (15) calendar days as to whether space is available or not available within a "BellSouth Premises". BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items/revisions necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill Midwestern Telecommunications an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Midwestern Telecommunications or space that is configured differently, if Midwestern Telecommunications decides to accept the available space, Midwestern Telecommunications must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 Denial of Application. If BellSouth notifies Midwestern Telecommunications that no space is available (Denial of Application), BellSouth will not assess an application fee to Midwestern Telecommunications. After notifying Midwestern Telecommunications that there is no available space in the requested "BellSouth Premises", BellSouth will allow Midwestern Telecommunications, upon request, to tour the entire "BellSouth Premises" within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, BellSouth must receive the request for a tour of the "BellSouth Premises" within five (5) calendar days of the Denial of Application.
- Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6).
 BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of

BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Midwestern Telecommunications to inspect any floor plans or diagrams that BellSouth provides to the Commission.

- Maiting List. On a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunication carriers that have either received a Denial of Application or, where it is publicly known that the "BellSouth Premises" is out of space, have submitted a Letter of Intent to collocate in that "BellSouth Premises". BellSouth will notify each telecommunication carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunication carrier on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunication carriers that have either received a Denial of Application or, where it is publicly known that the "BellSouth Premises" is out of space, have submitted a Letter of Intent to collocate in that "BellSouth Premises". Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunication carriers on the waiting list by mail when space becomes available according to the position of each telecommunication carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunication carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunication carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.
- When physical Collocation Space becomes available, Midwestern Telecommunications must submit an updated, complete, and accurate application to BellSouth within thirty (30) calendar days of notification by BellSouth that physical Collocation Space will be available in the requested "BellSouth Premises" previously out of space. If Midwestern Telecommunications has originally requested caged Collocation Space and cageless Collocation Space becomes available, Midwestern Telecommunications may refuse such space and notify BellSouth in writing within the thirty (30) day timeframe that Midwestern Telecommunications wants to maintain its place on the waiting list for caged Physical Collocation Space, without accepting the available cageless Collocation Space.

Midwestern Telecommunications may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Midwestern Telecommunications does not submit an application or

notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunication carrier on the waiting list and remove Midwestern Telecommunications from the waiting list. Upon request, BellSouth will advise Midwestern Telecommunications as to its position on the waiting list.

- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all "BellSouth Premises" that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space becomes available in a "BellSouth Premises" previously on the space exhaust list.
- 6.9 Application Response.
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when space has been determined to be available for physical (caged or cageless) arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida and Tennessee, within fifteen (15) calendar days of receipt of a Bona Fide Application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Midwestern Telecommunications to place a firm order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Midwestern Telecommunications submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10 <u>Application Modifications</u>.
- 6.10.1 If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of Midwestern Telecommunications, or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Midwestern Telecommunications the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the

application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification in which the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Midwestern Telecommunications to submit the application with an Initial Application Fee. The appropriate nonrecurring application fee will be billed on the date BellSouth provides Midwestern Telecommunications with an Application Response.

- 6.11 Bona Fide Firm Order.
- 6.11.1 Midwestern Telecommunications shall indicate its intent to proceed with equipment installation in a "BellSouth Premises" by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Midwestern Telecommunications's Bona Fide Application or Midwestern Telecommunications's application will expire.
- 6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of Midwestern Telecommunications's BFFO. BellSouth will acknowledge the receipt of Midwestern Telecommunications's BFFO within seven (7) calendar days of receipt, so that Midwestern Telecommunications will have positive confirmation from BellSouth that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, BellSouth will complete construction as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and Midwestern Telecommunications cannot agree upon a completion date, within forty-five (45) calendar days of receipt of

the BFFO for an initial request, or within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for physical caged Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for physical cageless Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant). Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from the ordered interval from the appropriate Commission.
- 7.1.3 When Midwestern Telecommunications adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or intervals will be imposed by BellSouth that would cause delay in Midwestern Telecommunications's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Midwestern Telecommunications, when Midwestern Telecommunications requests an augment that is identified in Sections 7.1.4.1, 7.1.4.2, 7.1.4.3, 7.1.4.4 and 7.1.4.5 ("Augment") after the Space Ready Date for existing physical Collocation Space. Unless otherwise set forth in Section 7.1.4.10, any such augment application will require a Subsequent Application and will result in the assessment of an Augment Application fee as set forth in Exhibit B.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:

- 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - Installation of Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) calendar days after BFFO. This category includes all requests for additional physical Collocation Space (caged or cageless).
- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) calendar days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.1.4.6 If Midwestern Telecommunications submits an augment application request that includes two augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or7.1.4.3 above, the provisioning interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If Midwestern Telecommunications submits an augment application request that includes three augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar days from the receipt of the BFFO would

apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval).

- 7.1.4.8 If Midwestern Telecommunications submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories, as outlined above, will be placed into the appropriate category as negotiated by Midwestern Telecommunications and BellSouth. If Midwestern Telecommunications and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category, identified in Section 7.1.4.4 and Section 7.1.4.5, would apply based on whether the augment request is for Midwestern Telecommunications's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to Midwestern Telecommunications at the time BellSouth provides Midwestern Telecommunications with the Application Response. Midwestern Telecommunications will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- 7.2 <u>Joint Planning</u>. Joint planning between BellSouth and Midwestern Telecommunications will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and BFFO. The Collocation Space completion interval will be provided to Midwestern Telecommunications during the joint planning meeting.
- Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will file for the appropriate permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- 7.4 <u>Acceptance Walkthrough</u>. Midwestern Telecommunications will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days after the Space Ready Date. In the event Midwestern Telecommunications fails to complete an acceptance walkthrough within this fifteen

- (15) day interval, the Collocation Space shall be deemed accepted by Midwestern Telecommunications on the Space Ready Date. BellSouth will correct any deviations to Midwestern Telecommunications's original or jointly amended design and/or specification requirements within seven (7) calendar days after the walkthrough, unless the Parties mutually agree upon a different timeframe.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Midwestern Telecommunications prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those "BellSouth Premises" in which Midwestern Telecommunications has physical Collocation Space with no POT bay or with a grand fathered POT bay provided by BellSouth. BellSouth cannot provide CFAs to Midwestern Telecommunications prior to the Provisioning Interval for those "BellSouth Premises" in which Midwestern Telecommunications has physical Collocation Space with a POT bay provided by Midwestern Telecommunications or virtual Collocation Space, until Midwestern Telecommunications provides BellSouth with the following information:

For physical Collocation Space with a Midwestern Telecommunications-provided POT bay, Midwestern Telecommunications shall provide BellSouth with a complete layout of the POT panels on an equipment inventory update (EIU) form, showing locations, speeds, etc.

- For virtual Collocation Space, Midwestern Telecommunications shall provide BellSouth with a complete layout of Midwestern Telecommunications's equipment on an equipment inventory update (EIU) form, including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Midwestern Telecommunications's BellSouth Certified Supplier.
- 7.5.1 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Midwestern Telecommunications. If the EIU form is provided within ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.2 BellSouth will bill Midwestern Telecommunications a nonrecurring charge, as set forth in Exhibit B, each time Midwestern Telecommunications requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to Midwestern Telecommunications.
- 7.6 <u>Use of BellSouth Certified Supplier</u>. Midwestern Telecommunications shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Midwestern Telecommunications and Midwestern Telecommunications's BellSouth Certified Supplier must follow and comply with all of BellSouth's Specifications, as outlined in the following BellSouth Technical

Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Midwestern Telecommunications must select different BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Midwestern Telecommunications with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Midwestern Telecommunications's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is completed, and notifying BellSouth's equipment engineers and Midwestern Telecommunications upon successful completion of the installation, etc. The BellSouth Certified Supplier shall bill Midwestern Telecommunications directly for all work performed for Midwestern Telecommunications pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Midwestern Telecommunications's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Midwestern Telecommunications or any supplier proposed by Midwestern Telecommunications and will not unreasonably withhold certification. All work performed by or for Midwestern Telecommunications shall conform to generally accepted industry standards.

- 7.7 Alarm and Monitoring. BellSouth shall place environmental alarms in the "BellSouth Premises" for the protection of BellSouth equipment and facilities. Midwestern Telecommunications shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service Midwestern Telecommunications's Collocation Space. Upon request, BellSouth will provide Midwestern Telecommunications with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Midwestern Telecommunications. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a "BellSouth Premises" due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Midwestern Telecommunications may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical Collocation Space and the rearrangement or reconfiguration of services currently being terminated in the virtual collocation arrangement If BellSouth knows when additional space for physical collocation may become available at the "BellSouth Premises" requested by Midwestern Telecommunications, such information will be provided to Midwestern Telecommunications in BellSouth's written denial of physical Collocation Space. To the extent that (i) physical Collocation Space becomes available to Midwestern Telecommunications within one hundred eighty (180) calendar days of BellSouth's written denial of Midwestern Telecommunications's request for physical Collocation Space, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Midwestern Telecommunications was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar day

period, then Midwestern Telecommunications may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Collocation Space. Midwestern Telecommunications must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual Collocation Space to cageless physical Collocation Space within thirty (30) calendar days and from virtual Collocation Space to caged physical Collocation Space within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical collocation arrangements if the potential conversion meets all of the following criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual Collocation Space; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to physical conversions (in-place) within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Midwestern Telecommunications an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to Midwestern Telecommunications.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, Midwestern Telecommunications cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Georgia, if Midwestern Telecommunications cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Midwestern Telecommunications for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the firm order not been cancelled.
- 7.11 <u>Licenses.</u> Midwestern Telecommunications, at its own expense, will be solely responsible for obtaining from the proper governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunication services to the public or to build-out, equip and/or occupy Collocation Space in a "BellSouth Premises".

7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess a nonrecurring application fee via a service order on the date BellSouth responds pursuant to Section 6.10 (Application Response).
- 8.1.1 In Tennessee, the application fee for caged Collocation Space is the planning fee for both Initial Applications and Subsequent Applications placed by Midwestern Telecommunications. Likewise, for cageless Collocation Space, the same Cageless Application Fee applies for both Initial Applications and Subsequent Applications placed by Midwestern Telecommunications. BellSouth will bill the appropriate nonrecurring application fee on the date that BellSouth provides an Application Response to Midwestern Telecommunications.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Midwestern Telecommunications's BFFO.
- 8.3 Recurring Charges. If Midwestern Telecommunications has met the applicable fifteen (15) calendar day walkthrough interval specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Midwestern Telecommunications fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval, billing for recurring charges will commence on the Space Ready Date. If Midwestern Telecommunications occupies the space prior to the Space Ready Date, the date Midwestern Telecommunications occupies the space is deemed the new Space Acceptance Date and billing for recurring charges will begin on that date.
- 8.4 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications assessed per arrangement, per square foot and Common Systems Modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Midwestern Telecommunications shall remit payment of the nonrecurring Firm Order Processing fee coincident with the submission of a BFFO. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, design and modification costs for network, building and support systems, etc. In the event Midwestern Telecommunications opts for cageless space, the space preparation fees will be assessed based on the total square footage of floor space dedicated to Midwestern Telecommunications as prescribed in this Section.
- 8.5 <u>Floor Space</u>. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the "BellSouth Version 2Q03: 07/21/03

Premises", but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed. Midwestern Telecommunications shall pay floor space charges based upon the number of square feet so enclosed. The minimum size for caged Collocation Space is 100 square feet. Additional caged Collocation Space may be requested in increments of 50 square feet. When the Collocation Space is not enclosed, Midwestern Telecommunications shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] x (width)of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Midwestern Telecommunications's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Midwestern Telecommunications shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Midwestern Telecommunications's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) upon Midwestern Telecommunications's request within the "BellSouth Premises"; however, the determination of whether BellSouth will permit the power configuration requested by Midwestern Telecommunications will be made at BellSouth's sole discretion, which shall not be unreasonably withheld. BellSouth will revise Midwestern Telecommunications's recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Midwestern Telecommunications's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Midwestern Telecommunications certifying the completion of the power reduction work, including the removal of the power cabling by Midwestern Telecommunications's BellSouth Certified Supplier.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Midwestern Telecommunications's BellSouth Certified Supplier. Likewise, when obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized) and installed by Midwestern Telecommunications's BellSouth Certified Supplier. Midwestern Telecommunications is responsible for contracting with a BellSouth Certified Supplier for the power distribution feeder cable running from a BellSouth BDFB or BellSouth power board to Midwestern Telecommunications's equipment. The determination of whether Midwestern Telecommunications's requested DC power will be provided from the BellSouth BDFB or BellSouth power board will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Midwestern Telecommunications must provide BellSouth with a copy of the engineering power specifications prior to the day on which Midwestern Telecommunications's equipment becomes operational (Commencement Date). BellSouth will provide the common

power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Midwestern Telecommunications's Collocation Space. Midwestern Telecommunications shall contract with a BellSouth Certified Supplier who will be responsible for the following power provisioning activities: installing, removing or replacing dedicated power cable support structure within Midwestern Telecommunications's arrangement, power cable feeds, and terminations of cable. A BellSouth Certified Supplier must perform all terminations at a BellSouth power board. Midwestern Telecommunications shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If Midwestern Telecommunications elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed Midwestern Telecommunications's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by Midwestern Telecommunications's BellSouth Certified Supplier, except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Midwestern Telecommunications's BellSouth Certified Supplier must also provide a copy of the engineering power Specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Midwestern Telecommunications's option, Midwestern Telecommunications may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, monthly recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Midwestern Telecommunications's equipment or space enclosure. Midwestern Telecommunications shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within Midwestern Telecommunications's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the costs associated with collocation power plant investment and the associated infrastructure.
- 8.6.4 In Alabama and Louisiana, Midwestern Telecommunications has the option to purchase power directly from an electric utility company. Under such an option, Midwestern Telecommunications is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The

actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Midwestern Telecommunications. Midwestern Telecommunications's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in the installation of this power arrangement. If Midwestern Telecommunications previously had power supplied by BellSouth, Midwestern Telecommunications may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc. utilized by Midwestern Telecommunications in provisioning said power will be billed on an ICB basis.

8.6.5 In South Carolina, Midwestern Telecommunications has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested "BellSouth Premises". Under such option, Midwestern Telecommunications is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Midwestern Telecommunications. Midwestern Telecommunications's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in the installation of this power arrangement, just as BellSouth is required to comply with these codes. Midwestern Telecommunications must submit an application to BellSouth for the appropriate amount of Collocation Space that Midwestern Telecommunications requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Midwestern Telecommunications's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charges that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement to purchase power directly from an electric utility company as provided herein. Midwestern Telecommunications shall be responsible for the recurring charges associated with the central office space needed for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. Midwestern Telecommunications would still retain the option of ordering its power needs directly from BellSouth.

- 8.6.6 If Midwestern Telecommunications desire to reduce the amount of power that it has requested from BellSouth, Midwestern Telecommunications must submit a Subsequent Application for this power reduction. If no other modifications to the Collocation Space are requested other than the reduction in power, the Power Reduction Only, Application fee, as set forth in Exhibit B, will apply. If other modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. BellSouth will bill the appropriate nonrecurring application fee on the date BellSouth provides an Application Response to Midwestern Telecommunications.
- 8.6.7 In Alabama and Louisiana, if Midwestern Telecommunications is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB in a specific central office, Midwestern Telecommunications must submit a Subsequent Application to BellSouth. A response to such application will be provided by BellSouth within seven (7) calendar days and no application fee will apply for the initial power reduction at each "BellSouth Premises" in which Midwestern Telecommunications is currently collocated.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever Midwestern Telecommunications or its approved agent desires access to the entrance manhole or must have access to a "BellSouth Premises" after the one (1) accompanied site visit allowed pursuant to Section 5.9 prior to completing BellSouth's Security Training requirements. The rates for security escort service are assessed, beginning with the scheduled escort time, pursuant to the fee schedule in Exhibit B. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Midwestern Telecommunications shall pay for such half-hour charges in the event Midwestern Telecommunications fails to show up.
- 8.8 Cable Record charges. These charges apply for work required to add or change existing cable records assigned to Midwestern Telecommunications in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. The Cable Record charges are assessed as nonrecurring fees in all BellSouth states, other than Louisiana, and will be billed upon receipt of Midwestern Telecommunications's BFFO. In Louisiana, the Cable Record charges are assessed on a monthly recurring basis and will be billed upon receipt of Midwestern Telecommunications's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

9.1 Midwestern Telecommunications shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance

companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.

- 9.2 Midwestern Telecommunications shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Midwestern Telecommunications's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Midwestern Telecommunications may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Midwestern Telecommunications to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Midwestern Telecommunications shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Midwestern Telecommunications's property has been removed from BellSouth's Premises, whichever period is longer. If Midwestern Telecommunications fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Midwestern Telecommunications
- 9.5 Midwestern Telecommunications shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Midwestern Telecommunications shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Midwestern Telecommunications's insurance company. Midwestern Telecommunications shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc.
Attn.: Risk Management Coordinator
17H53 BellSouth Center
675 W. Peachtree Street
Atlanta, Georgia 30375

- 9.6 Midwestern Telecommunications must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If Midwestern Telecommunications's net worth exceeds five hundred million dollars (\$500,000,000), Midwestern Telecommunications may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Midwestern Telecommunications shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Midwestern Telecommunications in the event that self-insurance status is not granted to Midwestern Telecommunications. If BellSouth approves Midwestern Telecommunications for self-insurance, Midwestern Telecommunications shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Midwestern Telecommunications's corporate officers. The ability to self-insure shall continue so long as the Midwestern Telecommunications meets all of the requirements of this Section. If Midwestern Telecommunications subsequently no longer satisfies this Section, Midwestern Telecommunications is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Midwestern Telecommunications to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Midwestern Telecommunications), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be

placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct an inspection of Midwestern Telecommunications's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Midwestern Telecommunications's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Midwestern Telecommunications adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Midwestern Telecommunications with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- 12.1 Unless otherwise specified, Midwestern Telecommunications will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Midwestern Telecommunications employee hired in the past five years being considered for work on the "BellSouth Premises", for the states/counties where the Midwestern Telecommunications employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Midwestern Telecommunications shall not be required to perform this investigation if an affiliated company of Midwestern Telecommunications has performed an investigation of the Midwestern Telecommunications employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Midwestern Telecommunications has performed a pre-employment statewide investigation of criminal history records of the Midwestern Telecommunications employee for the states/counties where the Midwestern Telecommunications employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- Midwestern Telecommunications will be required to administer to its personnel assigned to the "BellSouth Premises" security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Midwestern Telecommunications shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the "BellSouth Premises". The photo identification card shall bear, at a minimum, the employee's name and photo and Midwestern Telecommunications's name. BellSouth reserves the right to remove from a

"BellSouth Premises" any employee of Midwestern Telecommunications not possessing identification issued by Midwestern Telecommunications or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Midwestern Telecommunications shall not hold BellSouth harmless for any damages resulting from such removal of its personnel from a "BellSouth Premises". Midwestern Telecommunications shall be solely responsible for ensuring that any Guest(s) of Midwestern Telecommunications is in compliance with all subsections of this Section.

- Midwestern Telecommunications shall not assign to the "BellSouth Premises" any personnel with records of felony criminal convictions. Midwestern Telecommunications shall not assign to the "BellSouth Premises" any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Midwestern Telecommunications personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Midwestern Telecommunications chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Midwestern Telecommunications may, in the alternative, certify to BellSouth that it shall not assign to the "BellSouth Premises" any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Midwestern Telecommunications shall not knowingly assign to the "BellSouth Premises" any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Midwestern Telecommunications shall not knowingly assign to the "BellSouth Premises" any individual who was a former supplier of BellSouth and whose access to a "BellSouth Premises" was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- Telecommunications within five years of being considered for work on the "BellSouth Premises", who requires access to a "BellSouth Premises" pursuant to this Attachment, Midwestern Telecommunications shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Midwestern Telecommunications will disclose the nature of the convictions to BellSouth at that time. In the alternative, Midwestern Telecommunications may certify to BellSouth that it shall not assign to the "BellSouth Premises" any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

- 12.5.1 For all other Midwestern Telecommunications employees requiring access to a "BellSouth Premises" pursuant to this Attachment, Midwestern Telecommunications shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Midwestern Telecommunications shall promptly remove from the "BellSouth Premises" any employee of Midwestern Telecommunications BellSouth does not wish to grant access to a "BellSouth Premises" 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Midwestern Telecommunications is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Midwestern Telecommunications's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Midwestern Telecommunications's Security representative of such interview. Midwestern Telecommunications and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Midwestern Telecommunications's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Midwestern Telecommunications for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Midwestern Telecommunications's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Midwestern Telecommunications for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Midwestern Telecommunications's employees, agents, or suppliers and where Midwestern Telecommunications agrees, in good faith, with the results of such investigation. Midwestern Telecommunications shall notify BellSouth in writing immediately in the event that Midwestern Telecommunications discovers one of its employees already working on the "BellSouth Premises" is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Midwestern Telecommunications shall not hold BellSouth harmless for any damages resulting from such removal of its personnel from a "BellSouth Premises".
- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Midwestern Telecommunications's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Midwestern Telecommunications's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Midwestern Telecommunications, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Midwestern Telecommunications may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Midwestern Telecommunications's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Midwestern Telecommunications. Where allowed and where practical, Midwestern Telecommunications may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Midwestern Telecommunications shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Midwestern Telecommunications's permitted use, until such Collocation Space is fully repaired and restored and Midwestern Telecommunications's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Midwestern Telecommunications has placed an Adjacent Arrangement pursuant to Section 3.4, Midwestern Telecommunications shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Midwestern Telecommunications shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

Midwestern Telecommunications understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Midwestern Telecommunications agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 <u>Notice</u>. BellSouth and Midwestern Telecommunications shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Midwestern Telecommunications should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Midwestern Telecommunications to follow when working at a "BellSouth Premises" (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Midwestern Telecommunications will require its suppliers, agents and others accessing the "BellSouth Premises" to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Midwestern Telecommunications when operating in the "BellSouth Premises".
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Midwestern Telecommunications space with proper notification. BellSouth reserves the right to stop any Midwestern Telecommunications work operation that imposes Imminent Danger to the environment, employees or other persons in the area on BellSouth's Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the "BellSouth Premises" by Midwestern Telecommunications are owned by Midwestern Telecommunications. Midwestern Telecommunications will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Midwestern Telecommunications or different hazardous materials used by Midwestern

Telecommunications at a "BellSouth Premises". Midwestern Telecommunications must demonstrate adequate emergency response capabilities for its materials used or remaining at the "BellSouth Premises".

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a "BellSouth Premises", either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Midwestern Telecommunications to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Midwestern Telecommunications will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Midwestern Telecommunications will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Midwestern Telecommunications must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Midwestern Telecommunications shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the "BellSouth Premises".

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Midwestern Telecommunications agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Midwestern Telecommunications further agrees to cooperate with BellSouth to ensure that Midwestern Telecommunications's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Midwestern Telecommunications, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Midwestern Telecommunications's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises)
Contract labor/outsourcing for services with environmental implications to be performed on "BellSouth Premises" (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	Std T&C 450 Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O

		(OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a "BellSouth Premises" which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

RCM - Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

CRES – Corporate Real Estate and Services (formerly PS&M)

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

RESALE DIS	COUNTS AND RATES - Florida												Attachment ⁻	1	Exhibit [.] E	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			1			· · · · · ·	Nonrec	urring	Nonrecurring	Disconnect		·	OSS	Rates(\$)		
					<u> </u>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
											·					
APPLICABLE D	DISCOUNTS															(
	Residence %					21 83										L
	Business %					16 81										
	CSAs %				1	16 81										Í
OPERATIONAL	SUPPORT SYSTEMS (OSS) RATES															<u> </u>
	(1) CLEC should contact its contract negotiator if it prefers th											the BellSo	uth "regional	" service orde	ring charges	CLEC may
	ther the state specific Commission ordered rates for the servi	ce orde	ring cha	arges, or CLEC ma	y elect the re	gional service of	ordering charge	, however, CL	EC can not ob	tain a mixture	of the two					
	OSS - Electronic Service Order Charge, Per Local Service												1			l .
	Request (LSR) - Resale Only				SOMEC		3 50	0.00	3 50	0 00				İ		L
	OSS - Manual Service Order Charge, Per Local Service Request				1											
	(LSR) - Resale Only	į			SOMAN		19 99	0 00	19 99	0 00		l				1
	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															(
	Switch						93 55	93 55	1146	11 46						1
	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	NARE							1						
	Recording of DA Custom Branded Announcement	[3,000 00	3,000 00								
	Loading of DA Custom Branded Anouncement per Switch per				l .						T					
	OCN						1,170 00	1,170 00								£
DIRECTORY AS	SSISTANCE UNBRANDING via OLNS SOFTWARE				1											
	Loading of DA per OCN (1 OCN per Order)				T		420 00	420 00								
	Loading of DA per Switch per OCN						16 00	16 00			1					
OPERATOR AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000 00	7,000 00								
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500 00	500 00								
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170 00	1,170 00								
	SISTANCE UNBRANDING VIA OLNS SOFTWARE		1 1	• •		1					1					
	Loading of OA per OCN (Regional)						1,200 00	1,200 00						ĺ		1
ODUF/EODUF S					İ											
OPTION	NAL DAILY USAGE FILE (ODUF)				T											
	ODUF Recording, per message					0 0000071								<u> </u>		
	ODUF Message Processing, per message	 -	1 -		1	0.002146					1					i
	ODUF Message Processing, per Magnetic Tape provisioned		1 1		1	35 91										
	ODUF Data Transmission (CONNECT DIRECT), per message		1 1		1	0 00010375	-									1
	ICED OPTIONAL DAILY USAGE FILE (EODUF)		1 1			3 2 2 2 2 7 3 7 5										
LENHAN																$\overline{}$

JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						Rec		curring	Nonrecurring					Rates(\$)		
	<u> </u>				<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
The "Zon	ne" shown in the sections for stand-alone loops or loops as	nart of	a comi	l	ographicali	v Desveraged II	NE Zones To	view Geograp	hically Deaver	aged LINE Zone	Document	ne by Cont	ral Office refe	r to internet	Mohertor	
	vw interconnection belisouth com/become_a_clec/html/inter				og.upcui.	y ocaveragea o	ME Edites. 10	view Geograp	incany Deaver	igeo olac zona	s Designatio	nis by cent	rai Office, ren	s to internet	vvensite.	
PERATIONAL S	SUPPORT SYSTEMS (OSS)												I		1	
NOTE: (1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by	he State Comm	issions The	OSS charges c	urrently contai	ned in this rate	e exhibit are	the BellSo	uth "regional	service orde	ring charges	CLEC n
NOTE: (2 those ele ordering	ner the state specific Commission ordered rates for the servi 2) Any element that can be ordered electronically will be bills aments that cannot be ordered electronically at present per to charge, SOMAN, will be applied to a CLECs bill when it sub DSS - Electronic Service Order Charge, Per Local Service	ed acco	rding (-LO, th	to the SOMEC rate line listed SOMEC rate	sted in this	category Pleas	se refer to Bell	South's Busine	ss Rules for L	ocal Ordering	(BBR-LO) to	determine iabilities co	if a product of me on-line fo	can be ordere r that element	d electronical t Otherwise,	ly. For the manu
R	Request (LSR) - UNE Only				SOMEC		3 50	0.00	3 50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request LSR) - UNE Only				SOMAN		11 90	0 00	1 83	0 00						
	ATE ADVANCEMENT CHARGE				COMPA		1130	0 00	103	0.00			-			
NOTE: T	he Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No 1 Tariff, Section	n 5 as appli	icable.										
U	INE Expedite Charge per Circuit or Line Assignable USOC, per			JUEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC. USL, U11742, U11748, U117D1, U117D3, U117D1, U117D3, U117D1, UT17D4, UC18C, UC1BC, UC1BL, UC1C, UC1BL, UC1FC, UC1BL, UC1FC, UC1FL, UC1FC, UC1BL, UC1FC, UC1BL, UC1FC, UC1BL, UC1FC, UC1BL, UC1FC, UC1BL, UC1FC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UDLA8, UDLA8, UDLO3, ULD12, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNLD1, UNCOX, UNLD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UT1TUC, UT1TUC, UT1TUC, UT17US, UT1TUC, UT17US, UT												
	CHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200 00									
	NALOG VOICE GRADE LOOP					 	•	-	_				_			L
2-	-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEAL2	10 69	49 57	22 83	25 62	6 57						
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15 20	49 57	22 83	25 62	6 57						
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Inbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEAL2	26 97	49 57	22 83	25 62	6 57						
Pr	Indundred Miscellaneous Rate Element, Tag Loop at End User remise			UEANL	URETL.	[8 33	0.83								
	oop Testing - Basic 1st Half Hour				URET1		48 65	48 65								
	oop Testing - Basic Additional Half Hour				URETA	1	23 95	23 95								
CI	LEC to CLEC Conversion Charge Without Outside Dispatch															
	JVL-SL1) inbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO	-	15 78	8 94								
						i										
	roviding make-up (Engineering Information - ET)	- 1	- 1	UEANL I	UEANM	1 1	13 49	1				1		i i		

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Increments Charge - Manual Sv Order vs Electronic Disc Add'
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Adďi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1													1		l
	0.1400	(per LSR)		ļ	UEANL	ocosL		23 02					ļ				
	Z-WIR	E Unbundled COPPER LOOP	<u> </u>	J	1150	UE OOM	7.00										
	-	2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		1 2	UEQ UEQ	UEQ2X UEQ2X	7 69 10 92	44 98 44 98	20 90		5 09 5 09	ļ					
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 	3	UEQ	UEQ2X	19 38	44 98	20 90 20 90	19 65 19 65	5 09						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	-	ULG	JUL QZX	19 30	44 90	20 90	19 60	5.09				 	-	-
		Premise	1	i i	UEQ	URETL		8 33	0.83]		1
		Manual Order Coordination 2 Wire Unbundled Copper Loop -		1	O La Ca	UNETE		0 00	0 00			1				 -	
1		Non-Designed (per loop)			UEQ	UCLMC		9 00		i I			1				1
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for		†						 	•				ļ	-	
i		BST providing make-up (Engineering Information - E I)			UEQ	UEQMU		13 49		i							1
Ĺ.		Loop Testing - Basic 1st Half Hour			UEQ	URET1		48 65	48 65								
	7	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 95	23 95							1	
	i	CLEC to CLEC Conversion Charge Without Outside Dispatch	i i														
		(UCL-ND)			UEQ	UREWO		14 27	7 43						1		I
UNBU		EXCHANGE ACCESS LOOP											-				
<u> </u>	2-WIR	E ANALOG VOICE GRADE LOOP															L
i		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						ł				1					i
		Zone 1		1	UEPSR UEPSB	UEALS	10 69	49 57	22 83	25 62	6 57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1		1							1				i
		Zone 1	<u> </u>	1	UEPSR UEPSB	UEABS	10 69	49 57	22 83	25 62	6 57						L
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				i				1							ĺ
		Zone 2		2	UEPSR UEPSB	UEALS	15 20	49 57	22 83	25 62	6 57					ļ i	i
ļ		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-						!							ŀ		i
		Zone 2		2	UEPSR UEPSB	UEABS	15 20	49 57	22 83	25 62	6 57	ļ					
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3			UEPSR UEPSB	UEALS	00.00					Į.					ı
	-			3	DEPSK DEPSB	UEALS	26 97	49 57	22 83	25 62	6 57	ļ					ļ
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	26 97	49 57	20.00								ı
LINIDII	INDLED	EXCHANGE ACCESS LOOP		3	UEPSK UEPSB	UEABS	26 97	49 57	22 83	25 62	6 57						
UNDU		E ANALOG VOICE GRADE LOOP				- 								-			
_	2-1111	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12 24	135 75	82 47	63 53	12 01						ŀ
!		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	OLA	ULALZ	12 24	133 / 3	02 47	63 33	1201						
l		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17 40	135 75	82 47	63 53	12 01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		 -	1027	JOENEE	11 70	100 70	UZ 47	00 00	12.01						
		Ground Start Signaling - Zone 3		3	luea	UEAL2	30 87	135 75	82 47	63 53	12 01		1				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02		- 50 00	.201		-				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	12 24	135 75	82 47	63 53	12 01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1					-						
		Battery Signaling - Zone 2		2	UEA	UEAR2	17 40	135 75	82 47	63 53	12 01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					- 1										
	1	Battery Signaling - Zone 3		3	UEA	UEAR2	30 87	135 75	82 47	63 53	12 01						
		Order Coordination for Specified Conversion Time (per LSR)		1	UEA	OCOSL		23 02									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 71	36 35								
	4 100 ==	Loop Tagging - Service Level 2 (SL2)		L	UEA	URETL		11 21	1 10								
	4-WIRE	E ANALOG VOICE GRADE LOOP		 		1											
	+	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18 89	167 86	115 15	67 08	15 56						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26 84	167 86	115 15	67 08	15 56						
	-	4-Wire Analog Voice Grade Loop - Zone 3		_3	UEA	UEAL4	47 62	167 86	115 15	67 08	15 56						
	+	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02		ļ							
	2.18/100	CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP			UEA	UREWO		87 71	36 35								
	Z-VVIRE	2-Wire ISDN Digital Grade Loop - Zone 1		-	LICAL	LIAI DV	10.55	117.5-									
	-	2-Wise ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19 28	147 69	94 41	62 23	10 71						
	+	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	27 40	147 69	94 41	62 23	10 71						
	+	Order Coordination For Specified Conversion Time (per LSR)		3	UDN	U1L2X	48 62	147 69	94 41	62 23	10 71						
	1	Order Coordination For Specified Conversion Time (per LSR)		L	UDN	OCOSL		23 02									

JNBUNDLE	D NETWORK ELEMENTS - Florida													Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Intera m	Zone		BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
i_	0.50					ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UDN		UREWO		91 61	44 15								
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP		<u> </u>														ļ
1	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			l													
	1		1	UDC		UDC2X	19 28	147 69	94 41	62 23	10 71						
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		l	1													
	2		2	UDC		UDC2X	27 40	147 69	94 41	62 23	10 71						
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		ŀ]				· ·							
	_[3		3	UDC		UDC2X	48 62	147 69	94 41	62 23	10 71						
	CLEC to CLEC Conversion Charge without outside dispatch			UDC		UREWO		91 61	44 15								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP														
	2 Wire Unbundled ADSL Loop including manual service inquiry		Τ			1							-				
	& facility reservation - Zone 1		1	UAL		UAL2X	8 30	149 53	103 85	75 05	15 63						
	2 Wire Unbundled ADSL Loop including manual service inquiry					1			100 00	70.00	10 00						
	& facility reservation - Zone 2		2	UAL		UAL2X	11 80	149 53	103 85	75 05	15 63						1
	2 Wire Unbundled ADSL Loop including manual service inquiry		-	O/ 1.L		10, 22,	11.00	140 00	100 00	70 00	10 00						
	& facility reservation - Zone 3		3	UAL		UAL2X	20 94	149 53	103 85	75 05	15 63		1				1
- + -	Order Coordination for Specified Conversion Time (per LSR)		-	UAL		OCOSL	20 54	23 02	103 03	70 00	15 05						
			-	UAL		UCUSL		23 02									└
	2 Wire Unbundled ADSL Loop without manual service inquiry &		١.,	l .									l i				1
	facility reservator - Zone 1		1	UAL		UAL2W	8 30	124 83	71 12	60 64	9 12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &					1							·				1
	facility reservation - Zone 2		2	UAL		UAL2W	11 80	124 83	71 12	60 64	9 12					i	
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservation - Zone 3		3	UAL		UAL2W	20 94	124 83	71 12	60 64	9 12		1				1
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		23 02									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL		UREWO		86 19	40 39								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 1		1	UHL		UHL2X	7 22	159 09	113 41	75 05	15 63	i					1
	2 Wire Unbundled HDSL Loop including manual service inquiry			0.10		TOTAL TOTAL		103 03	11541	73 03	. 10 00						
	& facility reservation - Zone 2		2	UHL		UHL2X	10 26	159 09	113 41	75 05	15 63	i					1
	2 Wire Unbundled HDSL Loop including manual service inquiry			OFIL		Unitz	10 20	109 09	11341	/505	15 63						
	& facility reservation - Zone 3			l				4 # 0 00									i
			3	UHL		UHL2X	18 21	159 09	113 41	75 05	15 63						
	Order Coordination for Specified Conversion Time (per LSR)		-	UHL		OCOSL		23 02									
	2 Wire Unbundled HDSL Loop without manual service inquiry					1 1							1				í
	and facility reservation - Zone 1		1	UHL		UHL2W	7 22	134 40	80 69	60 64	9 12						Í
	2 Wire Unbundled HDSL Loop without manual service inquiry		ŀ			1]	!				í
	and facility reservation - Zone 2		2	UHL		UHL2W	10 26	134 40	80 69	60 64	9 12		- 1				í
	2 Wire Unbundled HDSL Loop without manual service inquiry																ĺ
	and facility reservation - Zone 3		3	UHL		UHL2W	18 21	134 40	80 69	60 64	9 12		ŀ	l			í
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		23 02									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO		86 12	40 39								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	-													
	4 Wire Unbundled HDSL Loop including manual service inquiry									-							
	and facility reservation - Zone 1		1	UHL		UHL4X	10 86	193 31	138 98	77 15	12 61	l					i
	4-Wire Unbundled HDSL Loop including manual service inquiry			0.12		OFFETA	10 00	133 01	130 30	- 17 13	12.01						
	and facility reservation - Zone 2		2	UHL		UHL4X	15 44	193 31	138 98	77.15	10.01						í
	4-Wire Unbundled HDSL Loop including manual service inquiry		-	UIL		UTL4A	15 44	183 31	130 90	77 15	12 61						
	and facility reservation - Zone 3		3	UHL		Luu Av	07.00	400.04	400.00	77.46			i i				í .
	Order Coordination for Specified Conversion Time (per LSR)		3			UHL4X	27 39	193 31	138 98	77 15	12 61						
				UHL		OCOSL		23 02									
	4-Wire Unbundled HDSL Loop without manual service inquiry					l 1	1					1	!				i .
-	and facility reservation - Zone 1		1	UHL		UHL4W	10 86	168 62	115 47	62 74	11 22						
1	4-Wire Unbundled HDSL Loop without manual service inquiry					1 1				I		1					1
	and facility reservation - Zone 2		2	UHL		UHL4W	15 44	168 62	115 47	62 74	11 22						
	4-Wire Unbundled HDSL Loop without manual service inquiry																
	and facility reservation - Zone 3			UHL		UHL4W	27 39	168 62	115 47	62 74	11 22	- 1		j		l	í
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		23 02				- 1	f				i
	CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO		86 12	40 39								
4-WIRI	DS1 DIGITAL LOOP					!	-										
	4-Wire DS1 Digital Loop - Zone 1		1	USL		USLXX	70 74	313.75	181 48	61 22	13 53						

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment		Exhibit: B	
ATEGORY	RATE ELEMENTS	Inter m	Zone	всѕ	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4	1-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100 54	313 75	181 48	61 22	13 53						
	1-Wire DS1 Digital Loop - Zone 3			USL	USLXX	178 39	313 75	181 48	61 22	13 53						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23 02									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101 07	43 04								
4-WIRE 1	19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP		T													
4	1 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	22 20	161 56	108 85	67 08	15 56						
4	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	31 56	161 56	108 85	67 08	15 56					i	
4	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	55 99	161 56	108 85	67 08	15 56						
4	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22 20	161 56	108 85	67 08	15 56			1	İ		
4	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31 56	161 56	108 85	67 08	15 56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55 99	161 56	108 85	67 08	15 56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23 02									
	Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22 20	161 56	108 85	67 08	15 56						
	Wire Unbundled Digital Loop 64 Kbps - Zone 2	l '		UDL	ÜDL64	31 56	161 56	108 85	67 08	15 56					1	
	Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55 99	161 56	108 85	67 08	15 56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23 02			•						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 11	49 74								
2-WIRE I	Unbundled COPPER LOOP		1													
2	2-Wire Unbundled Copper Loop/Short including manual service															
l lu	nguiry & facility reservation - Zone 1	1	1	UCL	UCLPB	8 30	148 50	102 82	75 05	15 63	i				ł	
2	2-Wire Unbundled Copper Loop/Short including manual service													-		
	nguiry & facility reservation - Zone 2	ŀ	2	UCL	UCLPB	11 80	148 50	102 82	75 05	15 63			i			
2	Wire Unbundled Copper Loop/Short including manual service															
l lir	nguiry & facility reservation - Zone 3		3	UCL	UCLPB	20 94	148 50	102 82	75 05	15 63				i		ł
C	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
	2-Wire Unbundled Copper Loop/Short without manual service															
l lr	nquiry and facility reservation - Zone 1		1	UCL	UCLPW	8 30	123 81	70 09	60 64	9 12						1
2	2-Wire Unbundled Copper Loop/Short without manual service	-														
l li	nquiry and facility reservation - Zone 2		2	UCL	UCLPW	11 80	123 81	70 09	60 64	9 12						l
2	2-Wire Unbundled Copper Loop/Short without manual service															
ır	nquiry and facility reservation - Zone 3		3	UCL	UCLPW	20 94	123 81	70 09	60 64	9 12			•			1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	1	9 00	9 00								
2	2-Wire Unbundled Copper Loop/Long - includes manual srvc									•						
l lin	nquiry and facility reservation - Zone 1		1	UCL	UCL2L	17 42	148 50	102 82	75 05	15 63						1
2	2-Wire Unbundled Copper Loop/Long - includes manual svc															1
l lr	nquiry and facility reservation - Zone 2		2	UCL	UCL2L	24 76	148 50	102 82	75 05	15 63						1
	2-Wire Unbundled Copper Loop/Long - includes manual svc															
ir ir	nquiry and facility reservation - Zone 3	L	3	UCL	UCL2L	43 94	148 50	102 82	75 05	15 63						L
	Order Coordination for Unbundled Copper Loops (per loop)	L		UCL	UCLMC		9 00	9 00								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	nquiry and facility reservation - Zone 1		1	UCL	UCL2W	17 42	123 81	70 09	60 64	9 12						
	2-Wire Unbundled Copper Loop/Long - without manual service															
	nquiry and facility reservation - Zone 2	L	2	UCL	UCL2W	24 76	123 81	70 09	60 64	9 12						L
	2-Wire Unbundled Copper Loop/Long - without manual service		I	-	i i									[
ır	nquiry and facility reservation - Zone 3		3	UCL	UCL2W	43 94	123 81	70 09	60 64	9 12					l	1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
	CLEC to CLEC Conversion Charge without outside dispatch													1		
	UCL -Des)	L	L	UCL	UREWO	I	97 21	42 47						i		
	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	11 83	177 87	132 76	77 15	17 73						
	1-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	16 81	177 87	132 76	77 15	17 73				l		1
	1-Wire Copper Loop/Short - including manual service inquiry					-			I							
	and facility reservation - Zone 3	L	3	UCL	UCL4S	29 82	177 87	132 76	77 15	17 73	L		1		<u></u>	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
4	1-Wire Copper Loop/Short - without manual service inquiry and					1							l			
	acility reservation - Zone 1		1	UCL	UCL4W	11 83	153 18	100 03	62 74	11 22			1		1	

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						· · · · · · · · · · · · · · · · · · ·	Nonrec	urrina	Nonrecurring	Disconnect			000			
			-	-	+ -	Rec	First	Add'1	First	Add'l	SOMEÇ	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	4-Wire Copper Loop/Short - without manual service inquiry and	_			1				1.10	Addi	COMEG	COMPAN	COMAN	JOHIAN	JOHN	JOHAN
	facility reservation - Zone 2		2	UCL	UCL4W	16 81	153 18	100 03	62 74	11 22						
	4-Wire Copper Loop/Short - without manual service inquiry and								l							
	facility reservation - Zone 3		3	UCL	UCL4W	29 82	153 18	100 03	62 74	11 22						
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual syc		├	UCL	UCLMC		9 00	9 00	· · · · · · · · · · · · · · · · · · ·							
ľ	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	31 10	177 87	132 76	77 15	17 73					1	
	4-Wire Unbundled Copper Loop/Long - includes manual svc		•	002	OUL IL	01.10	- ,,, ,,,	102.10	// 13	1773					-	
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	44 20	177 87	132 76	77 15	17 73					1	
	4-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	78 42	177 87	132 76	77 15	17 73						
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svc	-	-	UCL	UCLMC		9 00	9 00								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	31 10	153 18	100 03	62 74	11 22	1				I	
	4-Wire Unbundled Copper Loop/Long - without manual svc		<u> </u>	OCL	OCLAO	31 10	100 16	100 03	62 74	11 22						
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL4O	44 20	153 18	100 03	62 74	11 22	1				I	
	4-Wire Unbundled Copper Loop/Long - without manual svc															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	78 42	153 18	100 03	62 74	11 22						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00			· ·					
OOP MODIFI	CLEC to CLEC Conversion Charge without outside dispatch	-		UCL	UREWO		97 21	42 47								
OUT INCOME	LATION	-		UAL, UHL, UCL,												
				UEQ, ULS, UEA,	1 1	i										
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft			UEPSB	ULM2L		0 00	0 00			1				i	
	Unbundled Loop Modification, Removal of Load Coils - 2 wire															
	greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS, UEQ	ULM2G		343 12	343 12								
	less than or equal to 18K ft			UHL, UCL, UEA	ULM4L		0 00	0 00							1	
-	Unbundled Loop Modification Removal of Load Coils - 4 Wire			UHL, UCL, UEA	ULIVI4L		0 00	0.00								
	pair greater than 18k ft			UCL	ULM4G	i i	343 12	343 12								
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,		į										
1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR.	l	ŀ					1				1	
UB-LOOPS	per unbundled loop			UEP\$B	ULMBT		10 52	10 52								
	pop Distribution	-														
July 2.	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-										-					
	Up	1		UEANL	USBSA		487 23				1				1	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	'		UEANL	USBSB		6 25									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	١,		UEANL	USBSC		169 25				i					
i	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- '-		DEPANL	03830		109 23								-	
	Set-Up	1		UEANL	USBSD		38 65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6 46	60 19	21 78	47 50	5 26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	ŀ														
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	 	2	UEANL	USBN2	9 18	60 19	21 78	47 50	5 26						
	Zone 3	•	3	UEANL	USBN2	16 29	60 19	21 78	47 50	5 26					ŀ	
			<u> </u>		300.12	10 23	00 13	2110	7, 50	3 20			-			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	L		UEANL	USBMC		9 00	9 00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	7 37	68 83	30 42	49 71	6 60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	LIEANII	LICEN'A	40.45	20.00	00.40								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		 	UEANL	USBN4	10 47	68 83	30 42	49 71	6 60						
- 1	Zone 3	l	1	UEANL	USBN4	18 58	68 83	30 42	49 71	6 60	I				1	

MBONDLE	D NETWORK ELEMENTS - Florida			·							·		Attachment:		Exhibit, B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
						Rec	Nonreçu		Nonrecurring					Rates(\$)		
	 -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
İ	0.4.0.4.4.4.6.14.					1									ļ	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00							1	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	!_		UEANL	USBR2	3 96	51 84	13 44	47 50	5 26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	LIGHT		200	0.00			i				ľ	
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		 	UEANL	USBMC USBR4	9 37	9 00 55 91	9 00	49 71	6 60						ļ
	Sub-coop 4-vviile intrabunding Network Cable (INC)	-	1	DEANL	USBR4	937	55 91	17.51	49 / 1	6 60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		9 00	9 00			ľ					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5 15	60 19	21 78	47 50	5 26						+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7 31	60 19	21 78	47 50	5 26		-			1	-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	12 98	60 19	21 78	47 50	5 26						
	2 VIIIC COPPER CITE UNITED COOP ENSINE COOP - ZONE C		١	OL:	OCOZA	12 30	00 13	2170	47.30	3 20	-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00	9 00								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5 36	68 83	30 42	49 71	6 60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS4X	7 61	68 83	30 42	49 71	6 60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	13 51	68 83	30 42	49 71	6 60						
			<u> </u>		1		00 00	00 12				-				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	ĺ	9 00	9 00								
Unbur	idled Network Terminating Wire (UNTW)		†													
	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0 4572	18 02									
Netwo	rk Interface Device (NID)				02											
	Network Interface Device (NID) - 1-2 lines		·	UENTW	UND12		71 49	48 87								
	Network Interface Device (NID) - 1-6 lines		t	UENTW	UND16		113 89	89 07								—
	Network Interface Device Cross Connect - 2 W		-	UENTW	UNDC2		7 63	7 63								
	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		7 63	7 63								
B-LOOPS			1			ľ										
Sub-L	oop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		487 23				,	1				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA												
	set-up			UDN,UCL,UDL,UDC	USBFX		6 25	6 25								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ	•	522 41	11 32								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	6 41	92 75	51 24	58 45	13 07						1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFA	9 10	92 75	51 24	58 45	13 07						1
	Unbundled Sub-Loop Feeder Loop Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	16 15	92 75	51 24	58 45	13 07						
	Order Coordination for Specified Conversion Time, per LSR		L	UEA	OCOSL		23 02									
i	Unbundide Sub-Loop Feeder Loop 2 Wire Loop-Start, Voice		1									i				1
	Grade - Zone 1		1	UEA	USBFB	6 41	92 75	51 24	58 45	13 07						L
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice											1				1
	Grade - Zone 2		2	UEA	USBFB	9 10	92 75	51 24	58 45	13 07						L
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	16 15	92 75	51 24	58 45	13 07						
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23 02									[
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,					1										1
	Voice Grade - Zone 1		1	UEA	USBFC	6 41	92 75	51 24	58 45	13 07						
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery					1										1
	Voice Grade - Zone 2		2	UEA	USBFC	9 10	92 75	51 24	58 45	13 07						
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		١.,													1
+	Battery, Voice Grade - Zone 3		3	UEA	USBFC	16 15	92 75	51 24	58 45	13 07						-
_	Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		—	UEA	OCOSL		23 02									-
	Grade - Zone 1		1	L	LIGHT		400.00				[1
			1	UEA	USBFD	12 47	106 92	64 46	63 54	14 83						
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2			UCA.	LICES	47.70	400.00									1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		2	UEA	USBFD	17 73	106 92	64 46	63 54	14 83						
			1				1		į							i
	Grade - Zone 3		3	UEA	USBFD	31 45	106 92	64 46	63 54	14 83						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment	2	Exhibit B	
ATEGORY	RATE ELEMENTS	interi m	Zone	всѕ	usoc			RATES (\$)				Submitted	Incremental		Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
						5.	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
			T .			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23 02									1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	12 47	106 92	64 46	63 54	14 83						
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	17 73	106 92	64 46	63 54	14 83						
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_													
	Grade - Zone 3		3	UEA	USBFE	31 45	106 92	64 46	63 54	14 83						
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		-	UEA	OCOSL USBFF	14 83	23 02	00.00	00.04	10.10						
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	21 07	109 71 109 71	66 68 66 68	60 21	12 49						
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	37 39	109 71	66 68	60 21 60 21	12 49 12 49		 				
- 	Order Coordination For Specified Conversion Time, Per LSR		-3	UDN	OCOSL	31 39	23 02	80 00	50 Z1	1∠ 49	 	-				-
+	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14 83	109 71	66 68	60 21	12 49	ļ					
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	-		UDC	USBFS	21 07	109 71	66 68	60 21	12 49	l	l	-			
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	37 39	109 71	66 68	60 21	12 49						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	42 59	133 77	78 02	85 16	21 21					-	
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	60 53	133 77	78 02	85 16	21 21						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	107 39	133 77	78 02	85 16	21 21						
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23 02									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	3 76	85 27	42 24	58 54	10 82						
	Unbundled Sub-Loop Feeder Loop 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	5 35	85 27	42 24	58 54	10 82						
į.	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone					l										ĺ
	3		3	UCL	USBFH	9 49	85 27	42 24	58 54	10 82						
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23 02									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	7 32	99 66	57 20	60 98	12 28						
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10 40	99 66	57 20	60 98	12 28						
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	18 46	99 66	57 20	60 98	12 28						
-	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UCL UDL	USBFN	14 48	23 02 100 62	58 16	63 54	14 83						
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	20 59	100 62	58 16	63 54	14 83						
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	36 53	100 62	58 16	63 54	14 83						
+	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			ODE	OSDI I	30 33	100 02	30 10	03 34	14 03						
	Zone 1		1	UDL	USBFO	14 48	100 62	58 16	63 54	14 83						1
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			002	1000.0	1440	100 02	- 00 10	00 07	14 00						
	Zone 2		2	UDL	USBFO	20 59	100 62	58 16	63 54	14 83						ĺ
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -				 -=: 		02	22.10								
	Zone 3		3	UDL	USBFO	36 53	100 62	58 16	63 54	14 83						ſ
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23 02									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		_1	UDL	USBFP	14 48	100 62	58 16	63 54	14 83						
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															1
	Zone 2		2	UDL	USBFP	20 59	100 62	58 16	63 54	14 83						
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		١	l	Ι Τ	\exists	\neg		Ι Τ					_		1 -
	Zone 3			UDL	USBFP	36 53	100 62	58 16	63 54	14 83						
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23 02	_								
									ļ	•			-		·	
Sub-L	oop Feeder Sub Loop Feeder - DS3 - Per Mile Per Month	1		IIE3	11.50)	15.00										
-	Sub Loop Feeder - DS3 - Per Mile Per Month Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3 UE3	1L5SL USBF1	15 69 347 59	3,402 59	407 15	166 83	94 58						
- 	Sub Loop Feeder - STS-1 - Per Mile Per Month	- 1		UDLSX	1L5SL	15 69	3,402 39	407 15	100 03	94 38						
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	402 09	3,402 59	407 15	166 83	94 58						
JNBUNDLED	LOOP CONCENTRATION	· ·	_	ODLOK	JUD1 1	402 03	0,402 35	40, 10	100 63	34 30						t
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	449 49	359 42	359 42								
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53 44	149 76	149 76								
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	487 33	359 42	359 42								
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	90 05	149 76	149 76								
_	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 04	71 70	51 52	18 49	4 82						ſ

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment.	2	Exhibit [,] B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - ISDN Loop Interface (Brite	ĺ		LUDN		0.00	10.50	40.50	6.77	6.70						
-	Card) Unbundled Loop Concentration - UDC Loop Interface (Brite			UDN	ULCC1	8 00	16 59	16 50	6 77	6 73						
	Card)			UDC	ULCCU	8 00	16 59	16 50	6 77	6 73						
	Unbundled Loop Concentration2 Wire Voice-Loop Start or				0.000		,,,,,,	10 00								
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 00	16 59	16 50	6 77	6 73						
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			l	i											
	Loop Interface (SPOTS Card)			UEA	ULCCR	11 90	16 59	16 50	6 77	6 73						
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 10	16 59	16 50	6 77	6 73						
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34 68	16 59	16 50	6 77	6 73						
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop															
	Interface			UDL	ULCC7	10 51	16 59	16 50	6 77	6 73						<u> </u>
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop					40.51	40.55	40.55								
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop	ļ		UDL	ULCC5	10 51	16 59	16 50	6 77	6 73						
	Interface			UDL	ULCC6	10 51	16 59	16 50	6 77	6 73						
UNE OTHER.	PROVISIONING ONLY - NO RATE	<u> </u>		ODE	DEGGG	10 31	10 38	10.50		073						
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0 00	0 00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00	0 00									
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0 00									
UNE OFHER,	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,		1	ļ]					
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0 00	0 00									1
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									
1	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	1														1
- - -	rate	ļ	<u> </u>	UEA,USL,UCL,UDL	USBFR	0 00	0 00									
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0 00	0 00								-	
	no rate			USL	CCOEF	0 00	0 00									1
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
NOTE	: minimum billing period of three months for DS3/STS-1 Local	Loop				I										
	High Capacity Unbundled Local Loop - DS3 - Per Mile per		:													1
	month	<u> </u>		UE3	1L5ND	10 92										-
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386 88	556 37	343 01	139 13	96 84						1
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per				OLO: A	000 00	000 07	0.00.	100 10							
	month	ł		UDLSX	1L5ND	10 92										1
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	426 60	556 37	343 01	139 13	96 84						
LOOP MAKE-		-														
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		52 17	52 17								1
	Loop Makeup - Preordering With Reservation, per spare facility			O.VII.	J.III.C.IV	* -	02 11	02.11								
	queried (Manual)		ĺ	UMK	UMKLP		55 07	55 07								1
	ENCY SPECTRUM															
	SHARING		<u> </u>													
SPLIT	TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity - True up										-					
	pending approval by PSC	İ		ULS	ULSDA	119 72	379 13	0 00	347 90	0 00						1
	Line Sharing Splitter, per System 24 Line Capacity - True up			525	SEUDA	11012	3/8/13	0.00	34,7 90	0.00						
	pending approval by PSC			ULS	ULSDB	29 93	379 13	0 00	347 90	0 00						1
	Line Sharing Splitter, Per System, 8 Line Capacity	Ţ		ULS	ULSD8	8 33	379 13	0 00	347 90	0 00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-															
	deactivation (per LSOD)			UL\$	ULSDG		173 66	0 00	97 42	0 00	ļ					
. JEND U	ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	RUM	AKA LINE SHARING	l				L						L	

NRONDFE	D NETWORK ELEMENTS - Florida												Attachment.	2	Exhibit. B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			1			Rec	Nonrec First	urring Add'l	Nonrecurring					Rates(\$)	1	
	Line Sharing - per Line Activation -(BST Owned Splitter)		 	ULS	ULSDC	0.61	29 68	21 28	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
-	Elife diffalling - per Elife Activation -(DOT Owned Oplitter)		<u> </u>	OLO	OLSDC	0.01	29 00	21 20	19 57	9 61					ł	ļ
	Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(BST Owned Splitter)	R		urs	ULSDS		21 68	16 44								
	Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(DLEC Owned Splitter)	R		ULS	ULSCS		21 68	16 44								
	Line Sharing - per Line Activation (DLEC owned Splitter)	t		ULS	ULSCC	0.61	47 44	19 31	20 67	12 74						
LINE S	PLITTING	-			-	331	., .,	1001		12.17					<u> </u>	
END U	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter	- 1		UEPSR UEPSB	UREOS	0.61										· ·
	Line Splitting - per line activation BST owned - physical	- 1		UEPSR UEPSB	UREBP	0 61	29 68	21 28	19 57	9 61						<u> </u>
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1 134	29 68	21 28	19 57	9 61					1	
	TE SITE HIGH FREQUENCY SPECTRUM															
SPLIT	ERS-REMOTE SITE															
	Remote Site Line Share BellSouth Owned Splitter, 24 Port	- 1	\perp	ULS	ULSRB	46 07	114 81	0 00	86 20	0 00						
-	Remote Site Line Share Cable Pair Activation CLEC Owned at															
END	RS and deactivation			ULS	ULSTG	L	95 64	0.00	69 19	0 00						
END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	AKA I	LEMOT	E SITE LINE SHAR	ING											
	Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter RS Line Share Line Activation for End User served at RS, CLEC	1		ULS	ULSRC	0 61	40 00	22 00	19 57	9 61						
	Splitter Remote Site Line Share Subsequent Activity-RS BST Owned			ULS	ULSTC	0 61	40 00	22 00	19 57	9 61						
	Splitter Remote Site Line Share Subsequent Activity-RS CLEC Owned			ULS	ULSRS		49 15	17 83								
	Splitter	1		ULS	ULSTS		49 15	17 83								
	ENANCE				DED TO	-	10 10	11 00						**		
	No Trouble Found - per 1/2 hour increments - Basic						80 00	55 00								
	No Trouble Found - per 1/2 hour increments - Overtime						120 00	82 50								
	No Trouble Found - per 1/2 hour increments - Premium						160 00	110 00								
	DEDICATED TRANSPORT						1									
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimur	n billin	g perio	d - below D\$3≖one	month, DS3/S	STS-1=four mor	ıths									
	DEFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0 0091	-									
	Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			U1TVX	U1TV2	25 32	47 35	31 78	18 31	7 03						
	Rev Bat - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -			U1TVX	1L5XX	0 0091										
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	Ų1TR2	25 32	47 35	31 78	18 31	7 03						
	Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			U1TVX	1L5XX	0 0091								_		
	- Facility Termination			U1TVX	U1TV4	22 58	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	_		U1TDX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination	_		U1TDX	U1TD5	18 44	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U 1 TDX	U1TD6	18 44	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	88 44	105 54	98 47	21 47	19 05						

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit, B	
							-		-		Svc Order	Svc Order			Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	e BCS	usoc			RATES (\$)			perLSR	, ,	Order vs	Order vs	Order vs	Order vs
	73112 222111117	m									percan	percon				1
												ļ	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		_	1			1	Nonrec	urring	Nonrecurring	Disconnect		1	220	Rates(\$)	L	
			+		1	Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per					1	11130	Auu	11151	Addi	GOMEC	JOINAIL	JOHIAN	SUMAN	JOHAN	JOHAN
	month			U1TD3	1L5XX	3 87						i			l	,
	Interoffice Channel - Dedicated Transport - DS3 - Facility		-	01103	TESAX	3 67										
1	Termination per month		1	U1TD3	U1TF3	1.071 00	335 46	219 28	72 03	70 56	Į.	ľ				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	01103	011113	1,07100	333 40	213 20	12 00	70 30				-		
	month		1	U1TS1	1L5XX	3 87					1					
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	-	1	01101	TES/A	3 07										
	Termination	!		U1TS1	U1TFS	1,056 00	335 46	219 28	72 03	70 56						
1.00	AL CHANNEL - DEDICATED TRANSPORT	<u> </u>	-	01191	Ulira	1,056.00	333 46	219 20	72 03	/0 56						
	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billir	L	<u> </u>	I DC2=+++	L DOMETO	Infa								-		
NOI		ig penc					005.04	46.07	97.00	4.00				 		
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	<u> </u>		ULDVX	ULDV2	19 66	265 84	46 97	37 63	4 00			-	ļ		
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2	<u> </u>		ULDVX	ULDV2	27 94	265 84	46 97	37 63	4 00		<u> </u>	-	ļ	<u> </u>	
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	ULDVX	ULDV2	49 58	265 84	46 97	37 63	4 00	ļ	ļ				
- 1	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -		1 .			11						l		i		-
	Zone 1		1	ULDVX	ULDR2	19 66	265 84	46 97	37 63	4 00			1			
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -				I	1	İ		1			l		l		
	Zone 2		2	ULDVX	ULDR2	27 94	265 84	46 97	37 63	4 00						
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -					1								•		
	Zone 3			ULDVX	ULDR2	49 58	265 84	46 97	37 63	4 00						1
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1			ULDVX	ULDV4	20 45	266 54	47 67	44 22	5 33						
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX	ULDV4	29 06	266 54	47 67	44 22	5 33						
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	ULDVX	ULDV4	51 56	266 54	47 67	44 22	5 33						
	Local Channel - Dedicated - DS1 - Zone 1	ļ	1	ULDD1	ULDF1	36 49	216 65	183 54	24 30	16 95						
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	51 85	216,65	183 54	24 30	16 95						
	Local Channel - Dedicated - DS1 - Zone 3			ULDD1	ULDF1	92 00	216 65	183 54	24 30	16 95						
	Local Channel - Dedicated - DS3 - Per Mile per month		1	ULDD3	1L5NC	8 50										
	Local Channel - Dedicated - DS3 - Facility Termination		1	ULDD3	ULDF3	531 91	556 37	343 01	139 13	96 84						
	Local Channel - Dedicated - STS-1- Per Mile per month		1	ULDS1	1L5NC	8 50										
	Local Channel - Dedicated - STS-1 - Facility Termination		†	ULD\$1	ULDFS	540 69	556 37	343 01	139 13	96 84						
DARK FIBER			1		1022	0.000		0.00.	100.10	0001						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	-	†													
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	55 04						1				
	NRC Dark Fiber - Local Channel		<u> </u>	UDF, UDFCX	UDFC4	00 07	751 34	193 88	356 21	230 11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		_	001,0010/1	05.04		70.04	100 00	000 E1	200 11						
l	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26 85										ĺ
	NRC Dark Fiber - Interoffice Channel		 	UDF, UDFCX	UDF14	20 00	751 34	193 88	356 21	230 11	<u> </u>					
- -	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction		 	331, 351 OA	301 14		10104	150 00	330 21	230 11	L					
1	Thereof per month - Local Loop	1	1	UDF, UDFCX	1L5DL	55 04	J						1			1
	NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4	33 04	751 34	193 88	356 21	230 11			 			
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	331,00,00	301 24	 	13134	193 00	330 21	4 30 11						
	Thereof per month - Subloop Feeder		ì	UDF, UDFCX	UDFF4	31 32										1
	NRC Dark Fiber - Subloop Feeder	H	1	UDF, UDFCX	UDFF¢	3132	665 42	181 70	262 28	149 17			l			
				UUF, UUFGX	UDFFC	 		18 70	262 28	149 17						
VV ACCES	NRC Dark Fiber - Subloop Feeder - Service Inquiry					ļ l	587 65									
AX ACCESS	TEN DIGIT SCREENING	L	1	2112	1											
	8XX Access Ten Digit Screening, Per Call		 	OHD	ļ. 	0 0006252			-							
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	l	1													1
	Number Reserved		 	OHD	N8R1X		4 15	0 70								
	8XX Access Ten Digit Screening, Per 8XX No Established W/O		1		1				<u>-</u>							1
	POTS Translations		L	OHD	_		8 78	1 18	5 77	0 70						<u> </u>
	8XX Access Ten Digit Screening, Per 8XX No. Established With			l .	l											1
	POTS Translations		ļ	OHD	NBFTX	ļ	8 78	1 18	5 77	0 70						
	8XX Access Ten Digit Screening, Customized Area of Service		1			Ι Τ										1
	Per 8XX Number			OHD	N8FCX		4 15	2 07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															1
	Routing Per CXR Requested Per 8XX No			OHD	N8FMX	<u> </u>	4 85	2 78	<u> </u>					L		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4 85	0 70				[
T	8XX Access Ten Digit Screening, Call Handling and Destination															
1	Features		1	OHD	N8FDX	[4 15	4 15				1				1

CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc		Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Charge - Manual Svc Order vs	Charge - Manual Svc Order vs.				
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	i	L
						Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, w/ 8FL No Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No Delivery, per			онр		0 0006252										
	query		ļ	OHD		0 0006252										
LINE INFORMA	TION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query	<u> </u>	4	OQT												
	LIDB Validation Per Query		_	OQU		0 0000203										
	LIDB Originating Point Code Establishment or Change		}	OQU. OQU	NRBPX	0.0136959	55 13	55 13	55 13	55 13					-	
SIGNALING (C	CS7)		1	001,000	INNDEX	+		30 13	33 13	55 15			-	-	ļ	
	CCS7 Signaling Termination, Per STP Port	1		UDB	PT8SX	135 05								1		
	CCS7 Signaling Usage, Per TCAP Message	l .		UDB		0 0000607								 	t	1
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17 93	43 57	43 57	18 31	18 31				1		
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)		<u> </u>	UDB	TPP++	17 93	43 57	43 57	18 31	18 31						
	CCS7 Signaling Usage Per ISUP Message		<u> </u>	UDB	OTUES.	0 0000152								ļ		
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			UDB	STU56	694 32										
'	Establishment or Change, per STP affected			UDB	CCAPO		46 03	46 03	46 03	46 03					l	
E911 SERVICE	Establishment of Change, per 31F affected			ODB	CCAPO		40 03	46 03	46 03	46 03						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				 	21 94	265 84	46 97	37 63	4 00	 					
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29 62	265 84	46 97	37 63	4 00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57 22	265 84	46 97	37 63	4 00						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility								1							
	Termination		L			25 32	47 35	31 78	18 31	7 03						
	Local Channel - Dedicated - DS1 - Zone 1					35 28	216 65	183 54	21 47	19 05						
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3		<u> </u>			47 63 92 01	216 65	183 54	21 47	19 05						
	Interoffice Transport - Dedicated - DS1 Per Mile	ļ	 			0 1856	216 65	183 54	21 47	19 05	 					
-+-	Interoffice Transport - Dedicated - D3 17 et Mile		 			0 1050										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88 44	105 54	98 47	21 47	19 05						
CALLING NAM	E (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			25 35	25 35	19 01	19 01						
	CNAM For Non D8 Owners - Service Establishment			oqv			25 35	25 35	19 01	19 01						
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			oqv			1,592 00	1,177 00	352 36	259 09						
	CNAM For Non DB Owners - Service Provisioning With Point				ľ	l i									İ	
	Code Establishment CNAM for DB Owners, Per Query		-	OQV		0 001024	546 51	393 82	358 06	259 09						
	CNAM for Non DB Owners, Per Query		 	OQV		0 001024									-	-
LNP Query Ser	VICE		—	Cutv	+	0.001024					\vdash			 	 	
1	LNP Charge Per query		 	OQV		0 000852	•				i					
	LNP Service Establishment Manual	T					13 83	13 83	12 71	12 71						
	LNP Service Provisioning with Point Code Establishment						655 50	334 88	297 03	218 40						
	LL PROCESSING															
	Oper Call Processing - Oper Provided, Per Min - Using BST]													
	LIDB					1 20			ļ <u>.</u>							ļ
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB	ļ	l		i				l †						·	
	Oper Call Processing - Fully Automated, per Call - Using BST	-	ļ			1 24			-							
	LIDB				1	0 20										
-	Oper Call Processing - Fully Automated, per Call - Using				+	0.20										
	Foreign LIDB				1	0 20								1		
	ATOR SERVICES				1	<u> </u>	-							<u> </u>	<u> </u>	
	Inward Operator Services - Verification, Per Call					1 00								T		
	Inward Operator Services - Verification and Emergency Interrupt															
	,															
	- Per Call PERATOR CALL PROCESSING					1 95										

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)						Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
			\vdash			Rec	Nonrec		Nonrecurring		001150	000000		Rates(\$)	00****	
		<u> </u>			CDAGC		7,000 00	7,000 00	F⊧rst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV	!			CBAOS		7,000 00	7,000 00								
	per OCN	1			CBAOL		500 00	500 00								
UNEP		<u> </u>			CBAOL		300 00	300 00								
JOHE!	Recording of Custom Branded OA Announcement	i -	t				7,000 00	7,000 00			_					
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500 00	500 00								
Unbran	ding via OLNS for UNEP CLEC															_
	Loading of OA per OCN (Regional)	L					1,200 00	1,200 00								
	SSISTANCE SERVICES	<u> </u>	L													
	FORY ASSISTANCE ACCESS SERVICE	!			+	0 275			-		-					
	Directory Assistance Access Service Calls, Charge Per Call TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC'			+	0.2/5										
	Directory Assistance Call Completion Access Service (DACC),	T	-		+				-							
	Per Call Attempt	I			1	0 10										
	SSISTANCE SERVICES	t	 			1		***						***		
	FORY ASSISTANCE DATA BASE SERVICE (DADS)	L	L													
	Directory Assistance Data Base Service Charge Per Listing					0 04										
	Directory Assistance Data Base Service, per month				DBSOF	150 00										
	IRECTORY ASSISTANCE	<u> </u>														
Facility	Based CLEC		-											-		
	Recording and Provisioning of DA Custom Branded Announcement	ļ		AMT	CBADA		3,000 00	3,000 00								
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170 00	1,170 00						_		
	Recording of DA Custom Branded Announcement		-		+	1	3,000 00	3,000 00			-					
	Loading of DA Custom Branded Announcement per Switch per OCN						1.170 00	1,170 00								
	ding via OLNS for UNEP CLEC							.,								
	Loading of DA per OCN (1 OCN per Order)					1	420 00	420 00								
	Loading of DA per Switch per OCN						16 00	16 00								
SELECTIVE RO		I														
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93 55	93 55	12 71	12 71						
VIRTUAL COLL			-		_	ļ										-
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Solitting			UEPSR UEPSB	VE1LS	0 0502	11 57	11 57	0.00	0.00						
PHYSICAL COL			-	UEPSK UEPSB	VEILS	0 0502	1157	1157		0.00		-				
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	†	h		1											
	Splitting			UEPSR UEPSB	PE1LS	0 0276	8 22	7 22	5 74	4 58						I
AIN SELECTIVE	E CARRIER ROUTING	1														
	Regional Service Establishment			SRC	SRCEC		193,444 00		7,737 00							
	End Office Establishment			SRC	SRCEO		187 36	187 36	0 69	0 69						
	Query NRC, per query			SRC		0 0031868										
	JTH AIN SMS ACCESS SERVICE					 										-
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup	ļ .		A1N	CAMSE		43 56	43 56	44 93	44 93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access	1		A1N	CAMDP		8 64	8 64	10 03	10 03						1
	AIN SMS Access Service - Port Connection - ISDN Access	1		A1N	CAM1P	 	8 64	8 64	10 03	10 03						
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		38 66	38 66	29 88	29 88						
	AIN SMS Access Service - Security Card, Per User ID Code,										-					
	Initial or Replacement	ļ	ļ	A1N	CAMRC		75 10	75 10	12 93	12 93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	ļ	 			0 0028										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per	<u> </u>	1		+	0 7809									-	

	IDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
ATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	ŞOMAN
IN - BE	LLSO	JTH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,	1														
		Initial Setup	ļ		CAM	BAPSC		43 56	43 56	44 93	44 93						
		AIN Toolkit Service - Training Session, Per Customer		<u> </u>		BAPVX		8,439 00	8,439 00								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				L											
		DN. Term Attempt		-		BAPTT		8 64	8 64	10 03	10 03						
l		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD	ł	8 64	8 64	10 03	10 03						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-	-	BAPID		0 04	8 04	10.03	10 03				- · ·		
		DN, Off-Hook Immediate				ВАРТМ		8 64	8 64	10 03	10 03						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1		BAFTIN	1	0 04	0 04	10 03	10 03						
		DN, 10-Digit PODP			1	ВАРТО		38 06	38 06	15 86	15 86						
	-	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		+	 	12/11/0	1	00 00	- 00 00	10 00							
		DN. CDP				BAPTC		38 06	38 06	15 86	15 86						
-		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						****		1,4							
- 1		DN, Fealure Code	-	1	1	BAPTF		38 06	38 06	15 86	15 86						
		AIN Toolkit Service - Query Charge, Per Query		1			0 0535927										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		Т	1												
i		Subscription, Per Node, Per Query		ł			0 0063698										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes	<u> </u>				0 06			_							
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription	l	L	CAM	BAPMS	8 34	8 64	8 64	6 08	6 08						
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
		Subscription			CAM	BAPLS	3 73	9 56	9 56								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service														1	
		Subscription			CAM	BAPDS	4 73	8 64	8 64	6 08	6 08						
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
		Service Subscription	ļ	_	CAM	BAPES	0 12	9 56	9 56								
		TENDED LINK (EELs)		-44-	Countries And In Chann		all for LINE and			and a series County		Elemente					
		The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t															
		Minimum billing is one month for DS1 and below and three n				will apply for	ONE COMBINATION	ons provisione	das Current	iy Combined i	CIMUIN LICING	113					
		TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT				DRT							-				-
		First 2-Wire VG Loop (SL2) in Combination - Zone 1	1		IUNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81		•				
		First 2-Wire VG Loop (SL2) in Combination - Zone 2	 	2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81	-				 	-
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		T .	BROTA	102.22	0.0.	12. 00	00 01	12.10						l	
			1	i	UNC1X	1L5XX	0 1856					1					
		per month	1														
		Interoffice Transport - Dedicated - DS1 combination - Facility								I				. ,			
					UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
		Interoffice Transport - Dedicated - DS1 combination - Facility				U1TF1	88 44 146 77	174 46 101 42	122 46 71 62	45 61	17 95						
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X					45 61 0 00	17 95 0 00						
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month			UNC1X UNC1X	MQ1	146 77	101 42	71 62								
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month		1	UNC1X UNC1X	MQ1	146 77	101 42	71 62								
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1			UNC1X UNC1X UNCVX UNCVX	MQ1 1D1VG UEAL2	146 77 1 38 12 24	101 42 10 07 127 59	71 62 7 08 60 54	0 00	0 00 2 81						
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month		1 2	UNC1X UNC1X UNCVX	MQ1 1D1VG	146 77 1 38	101 42 10 07	71 62 7 08	0 00	0 00						
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNC1X UNC1X UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2	146 77 1 38 12 24 17 40	101 42 10 07 127 59 127 59	71 62 7 08 60 54	0 00 42 79 42 79	0 00 2 81 2 81	_					
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2			UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2	146 77 1 38 12 24 17 40 30 87	101 42 10 07 127 59 127 59 127 59	71 62 7 08 60 54 60 54 60 54	0 00 42 79 42 79 42 79	0 00 2 81 2 81 2 81						
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month		2	UNC1X UNC1X UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2	146 77 1 38 12 24 17 40	101 42 10 07 127 59 127 59	71 62 7 08 60 54	0 00 42 79 42 79	0 00 2 81 2 81						
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch - As-		2	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	146 77 1 38 12 24 17 40 30 87	101 42 10 07 127 59 127 59 127 59 10 07	71 62 7 08 60 54 60 54 60 54 7 08	0 00 42 79 42 79 42 79 0 00	2 81 2 81 2 81 0 00						112
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		3	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	146 77 1 38 12 24 17 40 30 87	101 42 10 07 127 59 127 59 127 59	71 62 7 08 60 54 60 54 60 54	0 00 42 79 42 79 42 79	0 00 2 81 2 81 2 81						
E		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch - As-		3	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	146 77 1 38 12 24 17 40 30 87	101 42 10 07 127 59 127 59 127 59 10 07	71 62 7 08 60 54 60 54 60 54 7 08	0 00 42 79 42 79 42 79 0 00	2 81 2 81 2 81 0 00						
E	XTEN	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As- is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA		2 3	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ROFFICE TRANSPO	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG UNCCC	146 77 1 38 12 24 17 40 30 87 1 38	101 42 10 07 127 59 127 59 127 59 127 59 10 07 8 98	71 62 7 08 60 54 60 54 60 54 7 08 8 98	0 00 42 79 42 79 42 79 0 00 8 98	0 00 2 81 2 81 2 81 0 00 8 98						
E	XTEN	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		3	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	146 77 1 38 12 24 17 40 30 87	101 42 10 07 127 59 127 59 127 59 10 07	71 62 7 08 60 54 60 54 60 54 7 08	0 00 42 79 42 79 42 79 0 00	2 81 2 81 2 81 0 00						
E	XTEN	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch - As- is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		2 3 1 INTE	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ROFFICE TRANSPO	MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC ORT	146 77 1 38 12 24 17 40 30 87 1 38	101 42 10 07 127 59 127 59 127 59 10 07 8 98	71 62 7 08 60 54 60 54 60 54 7 08 8 98	0 00 42 79 42 79 42 79 0 00 8 98	2 81 2 81 2 81 0 00 8 98						
E	XTEN	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As- is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA		2 3	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ROFFICE TRANSPO	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG UNCCC	146 77 1 38 12 24 17 40 30 87 1 38	101 42 10 07 127 59 127 59 127 59 127 59 10 07 8 98	71 62 7 08 60 54 60 54 60 54 7 08 8 98	0 00 42 79 42 79 42 79 0 00 8 98	0 00 2 81 2 81 2 81 0 00 8 98						

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Etectronic- 1st	Charge -	Charge -	Charge
				ļ		Rec	Nonrec		Nonrecurring					Rates(\$)		
			1	ļ <u>-</u>			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1	1					1 1		1					
	Per Month		1	UNC1X	1L5XX	0 1856										
- 1	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		1													
	Month		<u> </u>	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	146 77	101 42	71 62								
	Voice Grade COCI in combination - per month		ļ	UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00						L
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	ĺ													
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81			L		1	1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1					- 1										
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81	l					1
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00						
ļ	Nonrecurring Currently Combined Network Elements Switch -As-		1													
	Is Charge		ĺ	UNC1X	UNCCC		8 98	8 98	8 98	8 98						
EXT	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	ITEROFFICE TRAN	SPORT											
				_												
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81						ļ
							j		[
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81	1					
1																
ļ.	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81	l l					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month		1	UNC1X	1L5XX	0 1856										l
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	l i					ŧ
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								
	OCU-DP COCI (data) per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0.00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														i e	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1						72.00		12.10	20.						
1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	UNOUN -	- ODLOG	01 55	127 00	- 00 04	72 10	201						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81	i l					1
- -	Additional OCU-DP COCI (data) - in combination per month (2.4-		 	ONODA.	100200	00 33	121 33		72.13	201						
	64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						1
	Nonrecurring Currently Combined Network Elements Switch -As-			UNODA	10.00	2 10	10 07	7 00	0.00	0 00						
	Is Charge		ŀ	UNC1X	UNCCC		8 98	8 98	8 98	8 98						l
EXT	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DC1 IN				0 90	0 90	0.30	6 90						
EATE	THE CONTROL OF REPORT OF THE PERIOD OF THE P	AILD	D3 (114	TEROFFICE TRAIN	SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81						
	1 II St 4-44 II E 04 Rops Digital Olade Loop I/I Combination - Zone 1			UNCDA	UDL04	22 20	121 39	00 04	42 / 9	201						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	LINCDY	UDL64	31 56	407.50	00.64	40.70	0.04						1
	First 4-Wire 04Kbps Digital Grade Loop in Combination - Zone Z		4	UNCDX	UDL64	31 30	127 59	60 54	42 79	2 81						⊢—
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.00	407.50	60 54								ŀ
			_ 3	UNCDX	UUL64	55 99	127 59	60 54	42 79	2 81						
į	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINGAY	41 500	0.4050	i		l i							1
			-	UNC1X	1L5XX	0 1856										ļ
	interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month				1											
			<u> </u>	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95				_		
	1/0 Channel System in combination Per Month		_	UNC1X	MQ1	146 77	101 42	71 62			1					
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)		 	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				Lunia		,									í
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١	l .	1											1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1 . 1			ļ						T				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						i
	Additional OCU-DP COCI (data) - in combination - per month				1											i
	(2 4-64kbs)		1	UNCDX	1D10D	2 10	10 07	7 08	0 00	0 00						(

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -	Incremental Charge -	Charge -
									r==-						Diac rat	Disc Add I
						Rec	Nonrec First	urring Add'i	Nonrecurring First	Add'l	COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-						LIISI	Add 1	First	Add I	SUMEC	JOWAN	SUMAN	SOMAN	SUMAN	SUMAN
	is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						l
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	D DS1	NTER	OFFICE TRANSPO	RT					***						
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAY	114754	00.44	474.40	400.40	45.04	47.05						1
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98					1	1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	D DS3 I	NTER				0 20	0.90	0.30	0 30						<u> </u>
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3 87										İ
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18 23						
	3/1Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3			UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	Additornal DS1 COCt in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						-
	Nonrecurring Currently Combined Network Elements Switch -As-			.=	00.5.		10 07		0.00							
	Is Charge			UNC3X	UNCCC	İ	8 98	8 98	8 98	8 98						l .
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADE														f
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						-
	2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81						
	Month			UNCVX	1L5XX	0 0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25 32	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCVX	UNCCC		8 98	8 98	8 98	8 98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADE														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						1
	4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4 UEAL4	26 84 47 62	127 59	60 54	42 79	2 81						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						
	Month Interoffice Transport - 4-wire VG - Dedicated - Fer Wire Fer Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVX	1L5XX	0 0091										
	Termination per month			UNCVX	U1TV4	22 58	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCVX	UNCCC		8 98	8 98	8 98	8 98						L
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 II	NTEROF	FICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10 92										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386 88	249 97	162 05	67 10	26 82						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3 87	2.551	.52.05	3. 10	20 02						
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18 23						

UNBUN	DLE	NETWORK ELEMENTS - Florida							-					Attachment ^e	2	Exhibit: B	
CATEGO)RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
-		Nonrecurring Currently Combined Network Elements Switch -As-	├	-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Is Charge			UNC3X	UNCCC		8 98	8 98	8 98	8 98						
Ε	XTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		0.1000		0.50	0.00	0.50	0 30						
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10 92										
		STS-1 Local Loop in combination - Facility Termination per															
		month	<u> </u>	ļ	UNCSX	UDLS1	426 60	249 97	162 05	67 10	26 82				ļ		<u>_</u>
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3 87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility	l -		UNCOX	TIESTA	3 67										
		Termination per month			UNCSX	U1TFS	1,056 00	314 45	130 88	38 60	18 23						
		Nonrecurring Currently Combined Network Elements Switch -As-															
<u>-</u>	V	Is Charge		2000	UNCSX	UNCCC		8 98	8 98	8 98	8 98	ļ					
E		DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN			liu ou	10.00	105.50		10 =0		ļ					
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
		First 2-Wire ISDN Loop in Combination - Zone 2		3	UNCNX	U1L2X U1L2X	27 40 48 62	127 59	60 60 60 60	42 79	2 81 2 81	ļ					
		First 2-Wire ISDN Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - per mile	ļ	-3	UNCNA	UILZA	40 02	127 59	60 60	42 79	281					-	1
		per month			UNC1X	1L5XX	0 1856									1	
-		Interoffice Transport - Dedicated - DS1 combination - Facility			011011X	120,00	0 1000					ļ					
		Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	i					
		1/0 Channel System in combination - per month		1	UNC1X	MQ1	146 77	101 42	71 62			1					
		2-wire ISDN COCI (BRITE) - in combination - per month		1	UNÇNX	UC1CA	3 66	10 07	7 08	0 00	0 00						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1		_ 1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1											
		Combination - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINIONIN	1141.09		407.50	00.00	40.70	0.04						
		Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81	-					
		month			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-			OHSHIX.	COTON	3 30	10 01	1 00	0.00	0.00						
		Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
E	XTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSP			•									
		First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile						İ									
		Per Month			UNCSX	1L5XX	3 87	1				-				ļ	
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1.056 00	314 45	130 88	38 60	18 23					1	
		3/1 Channel System in combination per month			UNCSX	MQ3	211 19	199 28	118 64	40 34	39 07	1					
		DS1 COCI in combination per month		 	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00	 				l	
		Additional DS1Loop in the same STS-1 Interoffice Transport				1.0.0.			. 00	5 00	0.00					-	
		Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45	1					
-	1	Additional DS1Loop in the same STS-1 Interoffice Transport				I	Ι Τ				· -	-					
		Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45	ļ				ļ	ļ
		DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00					ļ	
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		8 98	8 98	8 98	8 98						
F	XTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT	FROFF		UNCCC		0 80	0 98	0 90	0.96	-		-	<u> </u>		-
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81	<u> </u>			-	 	
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81			-		t	<u> </u>
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0 0091					L				l	
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
- 1		Facility Termination per month			UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53	i .				l	

UNBUNDLE	D NETWORK ELEMENTS - Florida											-	Attachment	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-				l			_								,
EVTEN	Is Charge		<u> </u>	UNCDX	UNCCC		8 98	8 98	898	8 98		<u> </u>				
EXIEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT					107.50									
-	4-wire 64 kbps Looal Loop in Combination - Zone 1 4-wire 64 kbps Looal Loop in Combination - Zone 2			UNCDX	UDL64 UDL64	22 20 31 56	127 59 127 59	60 54 60 54	42 79 42 79	2 81 2 81						·
	4-wire 64 kbps Looal Loop in Combination - Zone 3	-		UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81		-				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		⊢ "	UNODA	ODLO+	33 33	121 33	00 34	42.73							
	Per Mile per month		1	UNCDX	1L5XX	0 0091					ŀ					, '
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1	011007	120701	3 5551										
	Facility Termination per month			UNCDX	U1TD6	18 44	94 70	52 59	50 49	21 53	Į.	ļ				i '
	Nonrecurring Currently Combined Network Elements Switch -As-					1			1							
	Is Charge			UNCDX	UNCCC		8 98	8 98	8 98	8 98	L					·
EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81		ļ				
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
	First 2-wire VG Loop (SL2) in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81						
1	Mile			UNC1X	1L5XX	0 1856			1							i
<u> </u>	First Interoffice Transport - Dedicated - DS1 combination -		-	ONCIA	ILOXX	0 1030										
	Facility Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						(
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	146 77	101 42	71 62	1001							
<u> </u>	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1 38	10 07	7 08	0.00	0.00					-	
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1						1								-	1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
1 1	Each Additional 2-Wire VG Loop(SL2) in the same DS1)	1			1 1										l .
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1				1	20.07	407.50	CO 54	40.70	0.04						i
	Interoffice Transport Combination - Zone 3 Each Additional Voice Grade COCI in combination - per month	ļ	3	UNCVX	1D1VG	30 87 1 38	127 59 10 07	60 54 7 08	42 79 0 00	2 81						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCVX	IDIVG	1 36	10 07	7 08	0 00	0.00	_					
	Channel System per month			UNC1X	1L5XX	0 1856			1							i
—	Each Additional DS1 Interoffice Channel Facility Termination in			011011	120701	0 1000										
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	1			1		1
	Each Additional DS1 COCI combination per month		—	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0.00	1					
	Nonrecurring Currently Combined Network Elements Switch -As-		1					"								
	is Charge			UNC1X	UNCCC	L	8 98	8 98	8 98	8 98						
EXTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX											_
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1		l	1											ł.
\vdash	Zone 1	ļ	1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -	ĺ	1 .	LINGUA	LIE N. 4	36.04	107.50	E0 C4	49.70	2.04						į.
	Zone 2 First 4-Wire Analog Voice Grade Local Loop in Combination -	-	2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81	 	 				
1 1	Zone 3	İ	3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81		1				i
	First Interoffice Transport - Dedicated - DS1 combination - Per	 -		UNUVA	JUAL4	47 62	127 39	00 34	42/9	201			 	<u> </u>		
i I	Mile Per Month			UNC1X	1L5XX	0 1856			ļ l					l		í
	First Interoffice Transport - Dedicated - DS1 - Facility	t		- 15	1.22.5	5.000			<u> </u>		· · · · · · · · · · · · · · · · · · ·	l		i		i
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95				l		i
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0.00	0 00						
	3/1 Channel System in combination per month		L	UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07			ļ			
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00	ļ		ļ			
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	1.	LINGUY	LIE AL 4		407.50	00 F :		0.01		ŀ		l		1
 	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1	 	1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81	-					
	Interoffice Transport Combination - Zone 2	l	2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						l
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNOVA	10EAL	20 04	127 39	00 34	42 /9	201	 	 				· · · · · · · · · · · · · · · · · · ·
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						į.
			·		1	02	.2, 00		2.10							

NUBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit. B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'l	Charge -	Increment Charge Manual So Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	<u></u>					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAN	1,500	0.4050]							
	Channel System per month			UNC1X	1L5XX	0 1856						ļ				
	Each Additional DS1 Interoffice Channel Facility Termination in			LINGAN	luates	88 44	474.40	400.40	45.04	47.05		ŀ		ļ		
_	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month	-		UNC1X UNCVX	U1TF1 1D1VG	1 38	174 46 10 07	122 46 7 08	45 61 0 00	17 95						
-	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	1 30	10 07	7 08	0.00	0.00					 	
1	Is Charge			UNC1X	UNCCC	i	8 98	8 98	8 98	8 98						
FXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	DEFICE				0 30	0.50	0.30	- 0 30	-				1	
LAIL	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	 	1	Transfort w/ 5/	111102									· · · · · · · · ·	 	
1	Zone 1		1	UNCDX	UDL56	22 20	174 46	122 46	42 79	2 81					ļ	ŀ
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		<u> </u>		1			.22 40	1		-				1	
	Zone 2		2	UNCDX	UDL56	31 56	174 46	122 46	42 79	2 81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		T -	1	1 1									İ	1	
	Zone 3	1	3	UNCDX	UDL56	55 99	174 46	122 46	42 79	2 81						
	First Interoffice Transport - Dedicated - DS1 combination - Per		T													
	Mile Per Month		İ	UNC1X	1L5XX	0 1856			1 1					l		
	First Interoffice Transport - Dedicated - DS1 - combination															
	Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)			UNCOX	1D1DD	2 10	10 07	7 08	0 00	0 00				l .		
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	Per each DS1 COCI in combination per month	ļ <u>.</u>	ļ	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1 1											
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22 20	174 46	122 46	42 79	2 81						
1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					I										
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	174 46	122 46	42 79	2 81					4	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		l _													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	174 46	122 46	42 79	2 81						
	OCU-DP COCI (data) COCI in combination per month (2 4-		1	LINCDY	40400	2.40	40.07	7.00	0.00	0.00						
	64kbs)		ļ	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						ļ
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		1	UNC1X	1L5XX	0 1856					'					
-	Each Additional DS1 Interoffice Channel Facility Termination in	-	ļ	UNCIA	ILDAX	0 1000			 							
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95		l			İ	
	Each Additional DS1 COCI in the same 3/1 channel system		 	ONCIX		00 44	174 40	122 40	43 01	17 90						
	combination per month		1	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-	1	011017	100101	1010	10 01	7 00	0.00							
	Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98		l				
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		T	1	1											-
	Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				1 1											
	Transport Combination - Zone 2	i	2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81				ļ		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0 1856										
	First Interoffice Transport - Dedicated - DS1 combination -		İ		1									1		
	Facility Termination Per Month		ļ	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95				ļ	ļ	
	Per each Channel System 1/0 in combination Per Month	-	!	UNC1X	MQ1	146 77	101 42	71 62	1						ļ	
}	Per each OCU-DP COCI (data) in combination - per month (2 4-64kbs)	Ì		LINGEN	40400	2.5	40.07	7.00	000	0.00					1	
			<u> </u>	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00				-	ļ	
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		-	UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						-
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<u> </u>	 	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00				-		
	Additional 4-vvire 64Kbps Digital Grade Loop in same DS1	l	1	I	1				l						l	
	Interoffice Transport Combination Zone 4	l	4													
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81					<u> </u>	

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
	-			-			Rec	Nonred First	urring Add'l	Nonrecurring		FOHEC	SOMAN		Rates(\$)	COMAN	COMAN
	-	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						First	Add I	First	Add'l	SUMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						1
	1	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		<u> </u>	01105/1	10000	35.55	12. 00	3007	12.0	201						
		combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						1
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month		ļ	UNC1X	1L5XX	0 1856										
		Each Additional DS1 Interoffice Channel Facility Termination in			I II ICAY	LIATEA	00.44	474.40	100.40	45.04	47.05						1
		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system		-	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
		combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0.00						í
	 	Nonrecurring Currently Combined Network Elements Switch -As-			CHOIX	100.01	13 10	10 01	7 00	0.00	0 00						
		Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						ı
	EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination											·				
	ļ	Transport - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						.
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination					27.40	407 50		40.70	0.04						í
		Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81			i			
		Transport - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81			j			ı
		First Interoffice Transport - Dedicated - DS1 combination - Per			UNCAX	101127	40 02	127 38	00 00	42.15	201			 			r
		Mile per month			UNC1X	1L5XX	0 1856										í
	· · · · · ·	First Interoffice Transport - Dedicated - DS1 combination -				1.22.00											1
	Į	Facility Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
		Per each Channel System 1/0 in combination - per month		l	UNC1X	MQ1	146 77	101 42	71 62								
	İ						1										Í
	.	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0 00						
	+	3/1 Channel System in combination per month		-	UNC3X	MQ3 UC1D1	211 19 13 76	199 28	118 64	40 34	39 07						
	1	Per each DS1 COCI in combination per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNC1X	00.001	13 /6	10 07	7 08	0 00	0 00						
		Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						í
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															í
	1	Combination - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81						i
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															i
		Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81						
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel										ŀ					İ
		system combination- per month Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0 00						
		Channel System per month			UNC1X	1L5XX	0 1856			l							Í
	+	Each Additional DS1 Interoffice Channel Facility Termination in			DITO IX	120,00	0 1030					· · ·					í
		same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	Ì					İ
		Each Additional DS1 COCI in the same 3/1 channel system															i
		combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						İ
		Nonrecurring Currently Combined Network Elements Switch -As-															Í
	EVEEL	Is Charge	TD 4 1 1 5	DOOT	UNC1X	UNCCC		8 98	8 98	8 98	8 98						
	EXIEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	IKANS		UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						<u> </u>
	+	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1			UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45	-					
	1	First 4-wire DS1 Digital Local Loop in Combination - Zone 3			UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ť		1-2-3	., 5 55	2,. ,0	12.52	Ŭ	,,,,,,,						
		Mile Per Month			UNC1X	1L5XX	0 1856										1
		First Interoffice Transport - Dedicated - DS1 combination -										1					
	-	Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						r-
	+	3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						i
	+	Per each DS1 COCI combination per month Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00	<u> </u>					
		Channel System per month		ļ	UNC1X	1L5XX	0 1856			1							İ
	+	Each Additional DS1 Interoffice Channel Facility Termination in			DITOTA	16000	0 1030							 			
	1	same 3/1 Channel System per month		ľ	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						i

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment [*]	2	Exhibit B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'i	Charge - Manual Svc Order vs	Increment Charge - Manual St Order vs Electronic Disc Add
			L			Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ach Additional DS1 COCI in the same 3/1 channel system				1										1	
	ombination per month		ļ	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00	ļ					ļ
I A	dditional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.													
1	dditional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45	ļ					
A P	aditional 4-wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45				1		
A A	dditional 4-Wire DS1 Digital Local Loop in Combination - Zone		+-	ONC IX	USEAN	100 34	21/13	121 02	3144	14 43	 			 	+	
3	admonal 4-14the Bott Digital Local Loop in Combination 20the		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45				1		
N	Ionrecurring Currently Combined Network Elements Switch -As-		<u></u>	0.1012	GGERT	11000	2,0	12.02	0,							
	Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98				1		
	ED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE								1				1	
	irst 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UOL56	22 20	127 59	60 54	42 79	2 81						
Fi	irst 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81	T				1	
	irst 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54		2 81						
Fi	irst 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile														T	
	er month			UNCDX	1L5XX	0 0091									1	
	irst 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	ermination per month		L	UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53					ļ	
	onrecurring Currently Combined Network Elements Switch -As-		1		1											
	Charge		L	UNCDX	UNCCC		8 98	8 98	8 98	8 98					<u> </u>	
	ED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
	irst 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81						
	irst 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	31 56	127 59	60 54		2 81						
	irst 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	irst I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile				11.500	0.0004			1							
	er month irst 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		ļ	UNCDX	1L5XX	0 0091										l
	ermination per month			UNCDX	U1TD6	18 44	94 70	52 59	50 49	21 53				ĺ		
	connecurring Currently Combined Network Elements Switch -As-		1	UNCUA	UTTUG	10 44	34 70	32 33	3043	21 33					1	
	Charge			UNCDX	UNCCC		8 98	8 98	898	8 98					1	
	TWORK ELEMENTS		1	011007	571000		0.00	0 00	0.00	0.00					1	
	ed as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a	Switch As Is cl	narge does app	oly									
	ed as ordinarily combined network elements in All States, the														1	
	ring Currently Combined Network Elements "Switch As Is"															
N	onrecurring Currently Combined Network Elements Switch -As-		i													
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8 98	8 98	8 98	8 98						
	onrecurring Currently Combined Network Elements Switch -As-		-													
	Charge - 56/64 kbps			UNCDX	UNCCC		8 98	8 98	8 98	8 98						
	onrecurring Currently Combined Network Elements Switch -As-			l	1		_			_					1	
	Charge - DS1		<u> </u>	UNC1X	UNCCC		8 98	8 98	8 98	8 98						
	onrecurring Currently Combined Network Elements Switch -As-		ŀ													
	Charge - DS3		<u> </u>	UNC3X	UNCCC		8 98	8 98	8 98	8 98						
	on/recurring Currently Combined Network Elements Switch -As- Charge - STS1			UNCSX	UNCCC	ļ	8 98	8 98	8 98	8 98						
	charge - 5151 ocal Channel - Dedicated Transport - minimum billing period	Bala	Dea-				8 98	8 98	8 98	0 90		-			-	
	ocal Channel - Dedicated Transport - Infilinium billing period ocal Channel - Dedicated - 2-Wire Voice Grade Zone 1	ı - belu		UNCVX	ULDV2	19 66	265 84	46 97	37 63	4 00					-	
	ocal Channel - Dedicated - 2-Wire Voice Grade Zone 2			UNCVX	ULDV2	27 94	265 84	46 97	37 63	4 00	-				 	
	ocal Channel - Dedicated - 2-Wire Voice Grade Zone 3			UNCVX	ULDV2	49 58	265 84	46 97	37 63	4 00	-				 	
	ocal Channel - Dedicated - 4-Wire Voice Grade Zone 1			UNCVX	ULDV4	20 45	266 54	47 67	44 22	5 33					†	
	ocal Channel - Dedicated - 4-Wire Voice Grade Zone 2			UNCVX	ULDV4	29 06	266 54	47 67	44 22	5 33						
	ocal Channel - Dedicated - 4-Wire Voice Grade Zone3			UNCVX	ULDV4	51 56	266 54	47 67	44 22	5 33					1	
	ocal Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	36 49	216 65	183 54	24 30	16 95						
	ocal Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	51 85	216 65	183 54	24 30	16 95						<u> </u>
	ocal Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	92 00	216 65	183 54	24 30	16 95	· · · · · · · · · · · · · · · · · · ·			l		
	ocal Channel - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5NC	8 50								·		
	ocal Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	531 91	556 37	343 01	139 13	96 84						
Lo	ocal Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	8 50								l		
	ocal Channel - Dedicated - STS-1 - Facility Termination		1	UNCSX	ULDFS	540 69	556 37	343 01	139 13	96 84						

	D NETWORK ELEMENTS - Florida												Attachment	2	Exhibit, B	
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Örder Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-		Incremental Charge -	Charge
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			_			1100	First	Add'l	First	AdďI	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	a. a			U1TD1,	I I	[ľ	
	Clear Channel Capability Extended Frame Option - per DS1		<u> </u>	ULDD1,UNC1X	CCOEF	0 00	0 00	0 00	0 00	0 00						L
ĺ	Class Channel Countrille B E			U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	-	ļ	ULDD1,UNC1X ULDD1, U1TD1,	CCOSF	0.00	0 00	0.00	0 00	0 00						ļ
1	Activity - per DS1			UNC1X, USL	NRCCC	1	65 01							i		
-	Activity - per Do I	-		U1TD3, ULDD3.	NRCCC		65 01							ļ		<u> </u>
	C-bif Parity Option - Subsequent Activity - per DS3	Ι.		UE3, UNC3X	NRCC3		50 01							ŀ		1
MULT	IPLEXERS			UES, UNUSA	INNOCS	-	30 01									
	: minimum billing period is one month for DS1 to DS0 Channel	Systen	and u	nterfaces												
	: minimum billing period is three months for D\$3 to D\$1 Chann										-					
	DS1 to DS0 Channel System per month	C. Oyu	1111 4111	UNC1X	MQ1	146 77	101 42	71 62								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	 	<u> </u>		1	17077	101 42	7102						 		
	month (2 4-64kbs) used for a Local Loop	l		UDL	1D1DD	2 10	10 07	7 08						1		1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	†			1.2.22		10 07	, 55						 	<u> </u>	
	month (2 4-64kbs) used for connection to a channelized DS1					1	l	1								1
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2 10	10 07	7 08	0.00	0.00				ł		1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	10.00	2.10	10 01	1.00	0.00	0,00						
i	month for a Local Loop			UDN	UC1CA	3 66	10 07	7 08								1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per				155.5		10 01	- 100								
	month used for connection to a channelized DS1 Local Channel															1
- 1	in the same SWC as collocation			U1TUB	UC1CA	3 66	10 07	7 08	0 00	0.00		: !				1
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
- 1	used for a Local Loop			UEA	1D1VG	1 38	10 07	7 08								i
	Voice Grade COCI - DS1 to DS0 Channel System - per month				T											
	used for connection to a channelized DS1 Local Channel in the	İ					i									ľ
	same SWC as collocation			U1TUC	1D1VG	1 38	10 07	7 08	0 00	0.00						1
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	STS-1 to DS1 Channel System per month			UNXCS	MQ3_	211 19	199 28	118 64	40 34	39 07						
	DS1 COCI used with Loop per month			USL	UC1D1	13 76	10 07	7 08								Í
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13 76	10 07	7 08	0 00	0 00						1
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13 76	10 07	7 08	0 00	0.00						
ŀ	DS3 Interface Unit (DS1 COCI) used with Local Channel per															1
	month			ULDD1	UC1D1	13 76	10 07	7 08	0 00	0.00						L
Sub-L	oop Feeder															ĺ.
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			UNC1X	USBFG	42 59	133 77	78 02	85 16	21 21						<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	60 53	133 77	78 02	85 16	21 21						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	107 39	133 77	78 02	85 16	21 21						
	LOCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports															
	: Although the Port Rate includes all available features in GA, F	Y, LA	L TN, ti	he desired features	will need to b	e ordered usin	g retail USOCs									
2-WIR	E VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 40	3 74	3 63	1 88	1 80						
																1
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 40	3 74	3 63	1 88	1 80						
	Fush 9. 41 0. 14 1 5 1 1 5			LIEBOR		!		!					:			i
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Calter ID - Res			LIEBOR	LIEBAE		2		امما							i
-				UEPSR	UEPAF	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area			LIEBOD	lucata											i
	Calling Plan, without Caller ID capability		<u> </u>	UEPSR	UEPA9	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire VG unbundled Florida extended			LIEBOR												i
	dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire VG unbundled Florida extended						ì									i
	dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPA8	1 40	3 74	3 63	1 88	1 80						·

NBUNDLE	D NETWORK ELEMENTS - Florida								_				Attachment	2	Exhibit B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring		CONTC	SOMAN		Rates(\$)	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID		-		ļ		First	Add'l	First	Add'l	SUMEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
	9			UEPSR	UEPRT	1 40	3 74	3 63	1 88	1 80			1			
_	Capability Subsequent Activity	-	-	UEPSR	USASC	0 00	0 00	0 00	1 00	1 00						
FEATU		-	 	ULFOR	DOAGC	0.00	0 00	0.00			-					
, LAIO	All Available Vertical Features		-	UEPSR	UEPVF	2 26	0.00	0 00		-						
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)		T						1							
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		ļ		T											
	Bus			UEPSB	UEPBL	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 40	3 74	3 63	1 88	1 80						
				l												
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		<u> </u>	UEPSB	UEPBO	1 40	3 74	3 63	1 88	1 80	ļ				↓	
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEBE:			2 ==								
	Caller ID - Bus		-	UEPSB	UEPB1	1 40	3 74	3 63	1 88	1 80	-				 	
	2-Wire voice unbundled incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1 40	3 74	3 63	1 88	1 80						ļ
-+	Subsequent Activity			UEPSB	USASC	0 00	0 00	0.00	1 56	1 60	ļ				ļ	
FEATU		-	├	UEFOB	USASC	0.00	0 00	0 00								
ILAIO	All Available Vertical Features	 	1	UEPSB	UEPVF	2 26	0 00	0 00			-		 	·	 	l
EXCHA	NGE PORT RATES (DID & PBX)		1	9E. 05	OL: 11			0 00								
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 40	39 06	18 18	12 35	0 7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 40	39 06	18 18	12 35	0 7187				"		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	1	1	UEPSP	UEPPO	1 40	39 06	18 18	12 35	0 7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 40	39 06	18 18	12 35	0 7187	L					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		ļ	UEPSP	UEPXB	1 40	39 06	18 18	12 35	0 7187					ļ	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		 -	UEPSP	UEPXC	1 40	39 06	18 18	12 35	0 7187		·			ļ	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		ļ	UEPSP	UEPXD	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		1	UEPSP	UEPXE	1 40	39 06	40.10	12 35	0.7107						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	UEPSP	UEPXE	1 40	39 06	18 18	12 35	0 7187						
	Administrative Calling Port	l		UEPSP	UEPXL	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEFOF	UCFAL	1 40	39 00	10 10	12 35	0 / 10/						
	Room Calling Port	l		UEPSP	UEPXM	1 40	39 06	18 18	12 35	0 7187			ľ			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			JE: 31	DEI AIV	1 40	30.00	10 10	14.30	0 / 10/					<u> </u>	
1	Discount Room Calling Port			UEPSP	UEPXO	1 40	39 06	18 18	12 35	0 7187					1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 		UEPSP	UEPXS	1 40	39 06	18 18	12 35	0 7187						
	Subsequent Activity			UEPSP	USASC	0 00	0 00	0 00							1	
FEATU	RES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2 26	0 00	0 00								
EXCHA	NGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1 40	3 74	3 63	1 88	1 80				_		
	Transmission/usage charges associated with POTS circuit st															
	Access to B Channel or D Channel Packet capabilities will be	availat	le only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabı	lities will be de	termined via t	he Bona Fid	e Request/l	New Business	Request Pro	cess.	
	OCAL EXCHANGE SWITCHING(PORTS)															
EXCHA	NGE PORT RATES															
-	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		-	UEPEX	UEPP2	8 73	78 41	15 82	41 94	4 26						
	capability		1	UEPDD	UEPDD	54 95	151 11	77 75	48 81	3 10						
-	Exchange Ports - 2-Wire ISDN Port (See Notes below)		-	UEPDD UEPTX, UEPSX	U1PMA	54 95 8 83	151 11 46 83	50 68	48 81 27 64	11 93	 					
-	All Features Offered		 	UEPTX, UEPSX	UEPVF	2 26	0 00	0 00	21 04	11 93						
	Exchange Ports - 2-Wire ISDN Port Channel Profiles		\vdash	UEPTX, UEPSX	U1UMA	0 00	0 00	0 00							 	
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availat							lities will be do	termined via t	he Bona Fid	e Request/I	New Business	Request Pro	cess.	
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availab	ole only	through BFR/New	Business Re	quest Process	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	e Request/I	New Business	Request Pro	cess.	
EXCHA	NGE PORT RATES (continued)	[<u>.</u>			<u>' </u>			1						1	
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability			UEPEX	UEPEX	82 74	174 61	95 17	49 80	18 23	r I		ı		1	

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Exchange Ports - 4-Wire ISDN DS1 Port		<u> </u>	UEPDX	UEPDX	82 74	First	Add'l	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS1 Cross-Connects		-		PE1P1	1 32	174 61 27 77	95 17 15 52	49 80 5 93	18 23 4 77					-	+
	Virtual collocation - Special Access & UNE, cross-connect per		+	DEFEX DEFEX	FEIFI	1 32	21 11	15 52	2 93	477						·
	DS1			UEPEX UEPDX	CNC1X	7 50	155 00	14 00								l .
Detaile	d E911 with Locator Capability (required with UEPEX port)		L										****			
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															1
1	Locator Capability - Initial Profile Establishment per CLEC per				l]	ł
	State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		_	UEPEX	UEP1A	0 00	1,809 00		151 12						ļ	
	Locator Capability - Subsequent Profile Changes, Additions,						1								1	1
	Defetions			UEPEX	UEP1B	0 00	175 66				1				i i	i .
New or	Additional PR! Telephone Numbers		1													·
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1				1								T	
	Locator Capability 2-way Telephone Numbers, per number in		İ								1					1
	E911 profile [New or Additional]		├	UEPEX	UEP1C	0 0699	0 5412									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in				1											1
	E911 profile [New or Additional]		1	UEPEX	UEP1D	0 0699	12 71	12 71								l .
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward		 	UEFEX	GEFID	0 0099	12 / 1	12 71								
	Telephone Numbers - Inward Data Only Option [New or															l .
	Additional]		1	UEPDX	UEP1E	0 00	0 5412									l .
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		i –													1
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0 00	25 42	25 42								l
LOCAL	NUMBER PORTABILITY															
wee	Local Number Portability (1 per port)		<u> </u>	UEPEX UEPDX	LNPCN	1 75										
INTER	ACE (Provsioning Only) Voice/Data		 	UEPEX	PR71V	0 00	0 00	0.00								
	Digital Data		 	UEPEX	PR71D	0.00	0 00	0 00								
	Inward Data		 	UEPDX	PR71E	0 00	0 00	0.00					***			
	Additional Channel		<u> </u>													
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0 00	15 48						-			r
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0 00	15 48									
	New or Additional Inward Data "B" Channel		L	UEPDX	PR7BD	0 00	15 48									
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00									1	
	New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel		 	UEPEX UEPEX	PR7BU PR7EX	0 00	15 48								_	
CALL			 	OLFEA	FR/EX	0.00	10 46	-	 						 	
JAN. 2	Inward		 	UEPEX UEPDX	PR7C1	0.00	0 00	0 00				-			t	
	Outward		<u> </u>	UEPEX	PR7CO	0.00	0 00	0 00					-			
	Two-way			UEPEX	PR7CC	0 00	0 00	0 00								
	DLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		ļ	1155715	UEDIO	7 25		0.00							ļ	
-	Unbundled Remote Call Forwarding Service, Area Calling, Res		-	UEPVR	UERAC	1 40	3 74	3 63	1 88	1 80					ļ	
	Unbundled Remote Call Forwarding Service, Local Calling - Res		1	UEPVR	UERLC	1 40	3 74	3 63	1 88	1 80						í
	Unbundled Remote Call Forwarding Service, Local Calling - Res		t	UEPVR	UERTE	1 40	3 74	3 63	1 88	1 80					 	
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 40	3 74	3 63	1 88	1 80						
Non-Re	curring															
	Unbundled Remote Call Forwarding Service - Conversion -															1
	Switch-as-is			UEPVR	USAC2		0 102	0 102								
	Unbundled Remote Call Forwarding Service - Conversion with			LIED ID												i
LINDUA	allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus		 - -	UEPVR	USACC		0 102	0 102							-	
UNDUN	DELD REMOTE CALL FORWARDING - BUS														 	
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1 40	3 74	3 63	1 88	1 80		į			[i
_			-	SE. 70	SEIVAG	1 40	374	3 03	1 30	1 00						
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1 40	3 74	3 63	1 88	1 80		1				i
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		L	UEPVB	UERTE	1 40	3 74	3 63	1 88	1 80				•		i
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1 40	3 74	3 63	1 88	1 80						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment.	2	Exhibit B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			-		<u> </u>	1100	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ł	Unbundled Remote Call Forwarding Service Expanded and			LIED ID			0.74	0.00		4.00						
Non D	Exception Local Calling		-	UEPVB	UERVJ	1 40	3 74	3 63	1 88	1 80					ļ	
Non-R	lecurring Unbundled Remote Call Forwarding Service - Conversion -				ļ											ļ.—
- 1	Switch-as-is		-	UEPVB	USAC2		0 102	0 102								
	Unbundled Remote Call Forwarding Service - Conversion with		t –	UEFVB	USACZ		0 102	0 102	· · · · · · · · · · · · · · · · · · ·						 	
	allowed change (PIC and LPIC)			UEPVB	USACC		0 102	0 102								
INBUNDI ED	LOCAL SWITCHING, PORT USAGE		f	OLI VO	GONGO		0 102	0 102						-	 	
	ffice Switching (Port Usage)		+													
	End Office Switching Function, Per MOU		†		†	0 0007662										
	End Office Trunk Port - Shared, Per MOU		1		1	0 000164										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0 0001319										
	Tandem Trunk Port - Shared, Per MOU					0 000235										
Comm	non Transport															
	Common Transport - Per Mile, Per MOU					0 0000035										
	Common Transport - Facilities Termination Per MOU					0 0004372										
NBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost E	Based Rates are applied where BellSouth is required by FCC an	d/or S	tate Co	mmission rule to pr	ovide Unbun	dled Local Swit	ching or Swite	ch Ports.								
Featur	res shall apply to the Unbundled Port/Loop Combination - Cos	Based	Rates	ection in the same	manner as th	ey are applied t	o the Stand-A	ione Unbundi	d Port section	of this Rate E	khibit					
End O	ffice and Tandem Switching Usage and Common Transport Us	age ra	tes in th	ne Port section of th	s rate exhibi	t shall apply to	all combination	ons of loop/po	rt network elen	nents except 1	or UNE Con	Port/Loop	Combination	ıs		
	rst and additional Port nonrecurring charges apply to Not Curre															
2-WIRI	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				T											
UNE P	ort/Loop Combination Rates		T													
	2-Wire VG Loop/Port Combo - Zone 1		1]	10 94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15 05										
	2-Wire VG Loop/Port Combo - Zone 3		3		ł	25 80										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	13 88								····		
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24 63							_			
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundled port with Caller ID - res		J	UEPRX	UEPRC	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundles res, low usage line port with Caller ID													i		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 17	53 31	26 46	27 50	8 37				i		
	2-Wire voice unbundles res, tow usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID															
	2-Wire voice unbundles res, tow usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without	-		UEPRX UEPRX	UEPAP UEPA1	1 17 1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37						
	2-Wire voice unbundles res, tow usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability			UEPRX	UEPAP	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1 17 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37						
	2-Wire voice unbundles res, tow usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability			UEPRX UEPRX	UEPAP UEPA1	1 17 1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1 17 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37						
FEATL	2-Wire voice unbundles res, tow usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
	2-Wire voice unbundles res, tow usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability PRES All Features Offered			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES AIF Features Offered L NUMBER PORTABILITY			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT UEPVF	1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered LNUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT UEPVF	1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT UEPVF LNPCX	1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31 0 00	26 46 26 46 26 46 26 46 26 46 0 00	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT UEPVF	1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability IRES All Features Offered Local Number PortABILITY Local Number PortAbility (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT UEPVF LNPCX USAC2	1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31 0 00	26 46 26 46 26 46 26 46 26 46 0 00	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
LOCAI	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT UEPVF LNPCX	1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31 0 00	26 46 26 46 26 46 26 46 26 46 0 00	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
LOCAI	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability JRES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IDNAL NRCS			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT UEPVF LNPCX USAC2	1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31 0 00	26 46 26 46 26 46 26 46 26 46 0 00	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
LOCAI	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability IRES IAII Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs IONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT UEPVF LNPCX USAC2 USACC	1 17 1 17 1 17 1 17 1 17 1 17 2 28 0 35	53 31 53 31 53 31 53 31 53 31 0 00 0 102 0 102	26 46 26 46 26 46 26 46 26 46 0 00 0 102	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						
NONR	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability JRES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IDNAL NRCS			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT UEPVF LNPCX USAC2	1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31 0 00	26 46 26 46 26 46 26 46 26 46 0 00	27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37						

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment.	2	Exhibit B	
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svo Order vs Electronic- Add'i	Charge -	Increment Charge Manual S Order vs Electronic Disc Add
1			t -			1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		<u> </u>
			1		1	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	ÜËAËN	10 69	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	15 20	49 57	22 83	25 62	6 57					 	
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	26 97	49 57	22 83	25 62	6.57						
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPRX	ŲEAED	12 24	135 75	82 47	63 53	12 01						f
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17 40	135 75	82 47	63 53	12 01						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	30 87	135 75	82 47	63 53	12 01						
INTER	ROFFICE TRANSPORT	-	1	02	100000	555.	100.10	<u> </u>	- 00 00							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1			-								
	Termination			UEPRX	U1TV2	25 32	47 35	31 78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI IV	- 11112	25 52	47 55	3170								
	or Fraction Mile			UEPRX	U1TVM	0 0091	0 00	0 00								1
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OCI TIX	CTTVIVI	0.0031	0 00	0 00								
	Port/Loop Combination Rates		+		+ - !				 							
<u></u>	2-Wire VG Loop/Port Combo - Zone 1		1			10 94								 	-	
	2-Wire VG Loop/Port Combo - Zone 2		2			15 05			-					-		├──
	2-Wire VG Loop/Port Combo - Zone 3		3			25 80								ļ		
LINE I	Loop Rates		-			25 60	-								 	
OIVE I	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UÉPBX	UEPLX	9 77									 	
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13 88										
				UEPBX	UEPLX										<u> </u>	
0.184	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24 63										
2-Win	e Voice Grade Line Port (Bus)				usoni		====									
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 17	53 31	26 46	27 50	8 37						1
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1 17	53 31	26 46	27 50	8 37		_				
	2-Wire voice unbundled Incoming Only Port without Caller ID]	1
	Capability			UEPBX	UEPBE	1 17	53 31	26 46	27 50	8 37					1	1
LOCA	L NUMBER PORTABILITY		ļ												ļ	ļ
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEAT														L		1
	All Features Offered			UEPBX	UEPVF	2 26	0 00	0 00								1
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED				<u> </u>											l
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0 102	0 102								1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch with change			UEPBX	USACC		0 102	0 102						İ		1
ADD	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0 00	0 00		:					i	i
OFF/C	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	10 69	49 57	22 83	25 62	6 57						1
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15 20	49 57	22 83	25 62	6 57						1
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPBX	UEAEN	26 97	49 57	22 83	25 62	6 57						ſ
	2 Wire Analog Voice Grade Extension Loop - Design			UEPBX	UEAED	12 24	135 75	82 47	63 53	12 01					· · · · · ·	
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	17 40	135 75	82 47	63 53	12 01						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	30 87	135 75	82 47	63 53	12 01						ſ
INTER	ROFFICE TRANSPORT		Ť		1		100.10		- 00 00	1201						(
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															(
	Termination			UEPBX	U1TV2	25 32	47 35	31 78								í
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1			20 02	7, 00	01.10							 	
-	or Fraction Mile		:	UEPBX	U1TVM	0 0091	0 00	0 00								í
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)					3 0001	0.00								 	(
	Port/Loop Combination Rates		t		+											
1	2-Wire VG Loop/Port Combo - Zone 1		1		+ +	10 94		-								
	2-Wire VG Loop/Port Combo - Zone 2		2		+ +	15 05										
	2-Wire VG Loop/Port Combo - Zone 3		3		+ +	25 80										
UNF	oop Rates		<u> </u>		+ +	20 00										
- JUNE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	13 88										

UNBUNDLED N	ETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					+	- 1	Nonrec	urana	Nonrecurring	Disconnect			000	Rates(\$)		
— 						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-14	Vire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24 63	11131	Auu	riist	Addi	JOHIEC	SCHIAN	JUMAN	SOMAN	SOMAIN	SOWIAN
	ce Grade Line Port Rates (RES - PBX)			OLI NO	- OLI EX	Z-7 00										
	Vire VG Unbundled Combination 2-Way PBX Trunk Port -			·	-				-						 	
Res				UEPRG	UEPRD	1 17	174 81	100 65	75 88	12 73				l		
	MBER PORTABILITY			OLFKO	OLFAD	' ''	174 01	100 65	73 66	12 73					 	
	cal Number Portability (1 per port)		_	UEPRG	LNPCP	3 15	0 00	0.00			-				-	
FEATURES				OLI IVO	EIWI OI	3 13	0.00	0.00	-						 	
	Features Offered			UEPRG	UEPVF	2 26	0 00	0 00							-	
	RRING CHARGES (NRCs) - CURRENTLY COMBINED			01,110	OLI VI	2 20	0.00								· · · · · · ·	
	Vire Voice Grade Loop/ Line Port Combination (PBX) -				-											
	nversion - Switch-As-Is	l	•	UEPRG	USAC2		8 45	1 91								
	Vire Voice Grade Loop/ Line Port Combination (PBX) -	i	<u>- </u>	OLITIO	100A02		8 43	1 31								
	nversion - Switch with Change	Ì	[]	UEPRG	USACC		8 45	1 91	į		:				I	
ADDITIONA				ULFING	- JUSACC		0 43	191			-					
	Vire Voice Grade Loop/ Line Port Combination (PBX) -							• •			-					
	bsequent Activity			UEPRG	USAS2	0 00	0 00	0.00	!		l i					
500	X Subsequent Activity - Change/Rearrange Multiline Hunt			UEFRO	U3A32	0 00	0.00	0.00							-	
	A Subsequent Activity - Change/Rearrange Multiline Hunt					l	7.00	* 00	i l						ł	
	REMISES EXTENSION CHANNELS						7 86	7 86								
				UEPRG	20 1111	10.01	105.75				ļ					
	al Channel Voice grade, per termination	ļ		UEPRG	P2JHX P2JHX	12 24	135 75	82 47	63 53	12 01						
	al Channel Voice grade, per termination			UEPRG		17 40 30 87	135 75	82 47	63 53	12 01						
	al Channel Voice grade, per termination				P2JHX		135 75	82 47	63 53	12 01						
	n-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	12 92	120 38	43 56	95 00	10 54						
	n-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18 36	120 38	43 56	95 00	10 54						
	n-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32 58	120 38	43 56	95 00	10 54						
	ICE TRANSPORT															
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility								İ							
	mination			UEPRG	U1TV2	25 32	47 35	31 78								
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1 1											
	raction Mile			UEPRG	U1TVM	0 0091	0 00	0 00								
	ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	oop Combination Rates															
	/ire VG Loop/Port Combo - Zone 1		_ 1			10 94										
	/ire VG Loop/Port Combo - Zone 2		2			15 05										
	/ire VG Loop/Port Combo - Zone 3		3			25 80										
UNE Loop !																
2-W	/ire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9 77										
2-W	/ire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13 88	ĺ									
	/ire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24 63										
2-Wire Voic	ce Grade Line Port Rates (BUS - PBX)															-
	"															
	e Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 17	174 81	100 65	75 88	12 73			l			
Line	Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 17	174 81	100 65	75 88	12 73						
Line	e Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 17	174 81	100 65	75 88	12 73		-				
2-W	/ire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 17	174 81	100 65	75 88	12 73		•				
	/ire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 17	174 81	100 65	75 88	12 73						
2-W	/ire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 17	174 81	100 65	75 88	12 73						
2-W	/ire Voice Unbundled PBX LD DDD Terminals Port		- "	UEPPX	UEPXC	1 17	174 81	100 65	75 88	12 73						
2-W	/ire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 17	174 81	100 65	75 88	12 73						
	/ire Voice Unbundled PBX LD Terminal Switchboard IDD															
Сар	pable Port			UEPPX	UEPXE	1 17	174 81	100 65	75 88	12 73		1				
	/ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								1 2 3 5							
	ninistrative Calling Port			UEPPX	UEPXL	1 17	174 81	100 65	75 88	12 73						
	/ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				· · · -			, 55 56								
	om Calling Port			UEPPX	UEPXM	1 17	174 81	100 65	75 88	12 73		ļ				
	/ire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital						.1701	100 00	7000	12 / 3						
	count Room Calling Port			UEPPX	UEPXO	1 17	174 81	100 65	75 88	12 73						
	/ire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 17	174 81	100 65	75 88	12 73						
	MBER PORTABILITY			VELLY.	ULF AO	1 17	174 01	100 05	/3 08	12 73						

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
		ļ			+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	OSS	Rates(\$)	SÓMÁN	SOMAN
	Local Number Portability (1 per port)	 		UEPPX	LNPCP	3 15	0 00	0 00	FIISL	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
FEATU		1			- I								-			
	All Features Offered			UEPPX	UEPVF	2 26	0 00	0 00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	ł														
_	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	ļ	UEPPX	USAC2		8 45	1 91							ļ	
	Conversion - Switch with Change	1		UEPPX	USACC		8 45	1 91			1				i	1
ADDIT	ONAL NRCs	l		OLIT X	100,000		040	191			 					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
1	Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00							Ì	1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group	ļ					7 86	7 86								
OFF/O	PREMISES EXTENSION CHANNELS	ļ		LEBBY												
_	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	l		UEPPX UEPPX	P2JHX P2JHX	12 24 17 40	135 75 135 75	82 47 82 47	63 53	12 01 12 01						
	Local Channel Voice grade, per termination	-		UEPPX	P2JHX	30 87	135 75	82 47	63 53 63 53	12 01						
	Non-Wire Direct Serve Channel Voice Grade	1	1	UEPPX	SDD2X	12 92	120 38	43 56	95 00	10 54	-				-	
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	18 36	120 38	43 56	95 00	10 54						
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	32 58	120 38	43 56	95 00	10 54						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	25 32	47 35	31 78								1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					1										1
O MILES	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	<u> </u>		UEPPX	U1TVM	0 0091	0 00	0 00								
	ort/Loop Combination Rates	<u> </u>			+											
	2-Wire VG Coin Port/Loop Combo – Zone 1	<u> </u>	1		+ +	10 94										
_	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15 05										
	2-Wire VG Coin Port/Loop Combo - Zone 3		3			25 80					1					
UNE L	oop Rates													· · · · · · · · · · · · · · · · · · ·		
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	9 77		_								
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPÇO	UEPLX	13 88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24 63										
2-Wire	Voice Grade Line Ports (COIN)	-	ļ							-				ļ		-
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	1 17	53 31	26 46	27 50	8 37						1
-	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	 	 	02700	OEF ZI		3331	20 40	27 30	837					 	
	(FL)			UEPCO	UEPFA	1 17	53 31	26 46	27 50	8 37				[1
	2-Wire Coin 2-Way with Operator Screening and Blocking															
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1 17	53 31	26 46	27 50	8 37						
ŀ	2-Wire Coin Outward with Operator Screening and 011 Blocking					1					1					i
	(AL, FL)	ļ		UEPCO	UEPRK	1 17	53 31	26 46	27 50	8 37						——
	2-Wire Coin Outward with Operator Screening and Blocking			UEDOO	LEDGE	4.47	50.04	20.40	27.50	2.27	1					i
	900/976, 1+DDD, 011+ (FL) 2-Wire Coin Outward with Operator Screening and Blocking			UEPCO	UEPOF	1 17	53 31	26 46	27 50	8 37					 	
	900/976, 1+DDD, 011+, and Local (FL, GA)	1		UEPCO	UEPCQ	1 17	53 31	26 46	27 50	8 37					1	1
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	ÜEPCK	1 17	53 31	26 46	27 50	8 37					 	
	2-Wire Coin Outward Smartline with 900/976 (all states except				1	/		20 -0	2. 50	3 31				 	1	·
	LA)		<u>L</u>	UEPCO	UEPCR	1 17	53 31	26 46	27 50	8 37				<u></u>	<u> </u>	
	ONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)		L	UEPCO	URECU	1 86	0 00	0 00	0 00	0 00						
	NUMBER PORTABILITY				1						ļ			L	ļ	<u> </u>
NONDE	Local Number Portability (1 per port) CURRING CHARGES - CURRENTLY COMBINED	ļ	-	UEPCO	LNPCX	0 35					ļ				-	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										-				-	
	Switch-as-is			UEPCO	USAC2		0 102	0 102			1				I	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			<u>01,00</u>	100A02		0 102	0 102								
	Switch with change	[UEPCO	USACC		0 102	0 102			1			1		1

NBUNDLED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
TEGORY RATE ELEMENTS	Inter: m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
					Rec	Nonrec		Nonrecurring					Rates(\$)		
		ļ. <u>.</u> .	ļ <u>. </u>		1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONAL NRCs														l	1
2-Wire Voice Grade Loop/Line Port Combination - Subse	quent										1				l
Activity			UEPCO	USAS2		0 00	0 00								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT	2-WIRE LINE	PORT	(RES)											ļ. <u></u>	
UNE Port/Loop Combination Rates		-			40.04										
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	ļ		13 64 18 80										
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32 27						ļ				ļ
UNE Loop Rates		3			32 27										ļ
2-Wire Voice Grade Loop (SL2) - Zone 1		-	UEPFR	UECF2	12 24										-
		+ +	UEPFR		17 40	-				-					
2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2 UECF2	17 40 30 87				ļ	+				1	1
2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87					ļ	ļ			 	ļ
2-Wire Voice Grade Line Port Rates (Res)			LIEBER	UEPRL	1 40	474.04	100 65	75.00	40.70	ļ <u></u> -					-
2-Wire voice unbundled port - residence		+	UEPFR UEPFR	UEPRE	1 40	174 81 174 81	100 65	75 88 75 88	12 73 12 73	-				1	
2-Wire voice unbundled port with Caller ID - res		+		UEPRO	1 40									 	
2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 40	174 81	100 65	75 88	12 73						
	_														i
2-Wire voice unbundled Florida Area Calling with Caller		_	UEPFR	UEPAF	1 40	174 81	100 65	75 88	12 73					ļ	ļ
2-Wire voice unbundles res, low usage line port with Cal	ler ID										-				
(LUM)			UEPFR	UEPAP	1 40	174 81	100 65	75 88	12 73						
INTEROFFICE TRANSPORT															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - I	acility									1					
Termination			UEPFR	U1TV2	25 32	47 35	31 78			1					
Interoffice Transport - Dedicated - 2 Wire Voice Grade - F	Per Mile														
or Fraction Mile			UEPFR	1L5XX	0 0091										
FEATURES															
All Features Offered			UEPFR	UEPVF	2 26	0 00	0 00			<u> </u>					<u> </u>
LOCAL NUMBER PORTABILITY		1					_								ļ
Local Number Portability (1 per port)			UEPFR	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINE	D														
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1													
Combination - Conversion - Switch-as-is			UEPFR	USAC2		16 97	3 73								
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1													
Combination - Conversion - Switch-With-Change			UEPFR	USACC		16 97	3 73								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT	2-WIRE LINE	PORT ((BUS)												
UNE Port/Loop Combination Rates	i														
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13 64					L					
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80										
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32 27										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12 24										<u> </u>
2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17 40										
2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30 87										l .
2-Wire Voice Grade Line Port (Bus)															-
2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 40	174 81	100 65	75 88	12 73						
2-Wire voice unbundled port with Caller + E484 ID - bus		T	UEPFB	UEPBC	1 40	174 81	100 65	75 88	12 73						
2-Wire voice unbundled port outgoing only - bus		F	UEPFB	ÜEPBO	1 40	174 81	100 65	75 88	12 73						
2-Wire voice unbundled incoming only port with Caller ID	- Bus	ŀ	UEPFB	UEPB1	1 40	174 81	100 65	75 88	12 73						
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPFB	LNPCX	0 35										
INTEROFFICE TRANSPORT		1													
Interoffice Transport - Dedicated - 2 Wire Voice Grade - I	acility			"											
Termination	.		UEPFB	U1TV2	25 32	47 35	31 78							1	1
Interoffice Transport - Dedicated - 2 Wire Voice Grade - F	Per Mile														
or Fraction Mile	1		UEPFB	1L5XX	0 0091									1	
FEATURES		1								1					T
All Features Offered		1	UEPFB	UEPVF	2 26	0 00	0 00			1					1
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINE	D .	1	T												

NBUNULEL	NETWORK ELEMENTS - Florida												Attachment.	2	Exhibit. B	
TEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge -	Incremental Charge -	Charge Manual S Order ve Electron
													<u></u>		DISC 1St	Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	İ	1 1											
	Combination - Conversion - Switch-as-is		1	UEPFB	USAC2	ŀ	16 97	3 73]		1				1	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	UŞAÇC	į	16 97	3 73	1						i	1
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (PBX)							1		-		t	
	ort/Loop Combination Rates		1	1						_	1		+			
1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13 64										+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80							 		-	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			32 27			<u> </u>							
			3			32.27										
	pop Rates		1													
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12 24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17 40			l i		1					
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30 87							1			
2-Wire	Voice Grade Line Port Rates (BUS - PBX)			1		İ			[1				T	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPFP	UEPPC	1 40	174 81	100 65	75 88	12 73	i					1
	Line Side Unbundled Outward PBX Trunk Port - Bus		 	UEPFP	UEPPO	1 40	174 81	100 65	75 88	12 73	 	- 	-			+
	Line Side Unbundled Incoming PBX Trunk Port - Bus		_	UEPFP	UEPP1	1 40	174 81	100 65	75 88	12 73	 				-	+
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 40	174 81	100 65	75 88			ļ				
			-	UEPFP	UEPLD					12 73		<u> </u>				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port					1 40	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 40	174 81	100 65	75 88	12 73					1	1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1 40	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 40	174 81	100 65	75 88	12 73					1	1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1 40	174 81	100 65	75 88	12 73					1	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				T										† — — — — — — — — — — — — — — — — — — —	
	Administrative Calling Port			UEPFP	UEPXL	1 40	174 81	100 65	75 88	12 73					1	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	DEITT.	OLI AL	1 70	177 01	100 00	73.00	12 13	 				1	
	Room Calling Port			UEPFP	UEPXM	1 40	174 81	100 65	75 88	12 73					i	
				UEPPP	UEPAIVI	140	174 01	100 65	/5 66	12 /3		-			ļ	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			l	I I]				1	
	Discount Room Calling Port			UEPFP	UEPXO	1 40	174 81	100 65	75 88	12 73	l					<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 40	174 81	100 65	75 88	12 73						
LOCAL	NUMBER PORTABILITY			1	1 1	ŀ										
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0.00	0 00	· I							1
	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															†
	Termination			UEPFP	U1TV2	25 32	47 35	31 78	l i						İ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		_	02,11	- 011172	20 02		3170			 	-				+
	or Fraction Mile			UEPFP	1L5XX	0 0091]		1				l	
				UEPFF	ILOXX	0.0091										
FEATU															 	.
	All Features Offered			UEPFP	UEPVF	2 26	0.00	0 00								
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	l	L_	1 .												
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1										1			
	Combination - Conversion - Switch-as-is		1	UEPFP	USAC2		16 97	3 73					1			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port									•						1
	Combination - Conversion - Switch with change			UEPFP	USACC	İ	16 97	3 73			1				1	
	ORT/LOOP COMBINATIONS - COST BASED RATES		1													+
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PART	!										 	_	 	+
	ort/Loop Combination Rates	roki	-									ļ	 			+
ONE FO	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	 	+ +	20 95			 			-			1	+
-+					\rightarrow						 	ļ	+		1	+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	 		26 11			<u> </u>				-			+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			39 58						ļ			ļ	
	oop Rates	<u> </u>									<u> </u>				1	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12 24]					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17 40										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30 87						Ì				
			T -		-						1			1		1
UNE Po											1	1	1		1	1
	Exchange Ports - 2-Wire DID Port		 	UEPPX	UEPD1	8 71	214 16	98 29								1

UNBUNDLED NETWORK	CELEMENTS - Florida		,											Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	TO THE TAX A STATE OF THE PARTY							First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Switch-as-is	Grade Loop / 2-Wire DID Trunk Port Combination -			UEPPX		USAC1		7 85	1 87								
	Grade Loop / 2-Wire DID Trunk Port Conversion			DEFFA		USACI		7 00	107								
	Allowable Changes			UEPPX		USA1C		7 85	1 87								
ADDITIONAL NRCs			†									l					
	bsequent Activity - Add Trunks, Per Trunk		†	UEPPX		USAS1		32 26	32 26	_							
	runk Group Establisment Charges							-									
	mination (One Per Port)			UEPPX		NDT	0 00	0 00	0 00								
	Establish Trunk Group and Provide First Group		l														
of 20 DID Num				UEPPX		NDZ	0 00	0 00	0 00								
	Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0 00	0 00	0 00								
	Non- consecutive DID Numbers , Per Number		-	UEPPX		ND5	0 00	0 00	0 00								
Reserve Non-C	Consecutive DID numbers		ļ	UEPPX		ND6 NDV	0 00	0 00	0 00			ļ			ļ		
LOCAL NUMBER PO		 		UEPPX		INDA	0 00	0.00	0.00								
	Portability (1 per port)	-	<u> </u>	UEPPX		LNPCP	3 15	0 00	0 00			-					
2-WIRE ISDN DIGITAL	GRADE LOOP WITH 2-WIRE ISON DIGITAL LI	NE SIDE					3 13	0 00	0.00					-			
UNE Port/Loop Comb		T. 0.01				1											
	al Grade Loop/2W ISDN Digital Line Side Port -																
UNE Zone 1	, 3		1	UEPPB	UEPPR	:	22 63										
2W ISDN Digit	al Grade Loop/2W ISDN Digital Line Side Port -																
UNE Zone 2		l	2	UEPPB	UEPPR		29 05										
2W ISDN Digit	al Grade Loop/2W ISDN Digital Line Side Port -			ļ													
UNE Zone 3			3	UEPPB	UEPPR		45 84										
UNE Loop Rates																	
2-Wire ISDN D	igital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15 25										
		1															
	igital Grade Loop - UNE Zone 2		2	UEPP8	UEPPR	USL2X	21 67										
UNE Port Rate	igital Grade Loop - UNE Zone 3		3	UEPP8	UEPPR	USL2X	38 46										
	- 2-Wire ISDN Line Side Port		-	UEPPB	UEPPR	UEPPB	7 38	194 52	145 09								
	ARGES - CURRENTLY COMBINED	 	-	UCFFB	UEFFR	UEFFD	1 38	194 02	145 09								
	igital Grade Loop / 2-Wire ISDN Line Side Port		H	 		 		-									
Combination -				UEPPB	UEPPR	USACB	0 00	25 22	17 00								
ADDITIONAL NRCs						12000	0 00	20 44	17 00								
LOCAL NUMBER POR	RTABILITY								•								
Local Number	Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0.00						-		
B-CHANNEL USER PI	ROFILE ACCESS:																
CVS/CSD (DM				UEPPB	UEPPR	U1UCA	0 00	0 00	0 00								
CVS (EWSD)				UEPPB	UEPPR	U1UCB	0 00	0 00	0 00								
CSD		L		UEPPB	UEPPR	U1UCC	0 00	0 00	0.00								
	US USER PROFILE ACCESS. (AL,KY,LA,MS SO	C,MS, &	TN)														
USER TERMINAL PRO		ļ				1											
	Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0 00	0 00	0 00								
VERTICAL FEATURE:	stures - One per Channel B User Profile	ļ	 	LIEDDO	HEBBS	UEDIE	2.00		2.22								
INTEROFFICE CHANN		-		UEPPB	UEPPR	UEPVF	2 26	0 00	0 00								
	nnel mileage each including first mile and					1		-									
facilities termin				LIEPPR	UEPPR	M1GNC	25 3291	47 35	31 78	18 31	7 03						
	nnel mileage each, additional mile					M1GNM	0 0091	0 00	0 00	1031	, 03						
	LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT					3 3331	9 9 9	0.00					-			
UNE Port/Loop Comb						1				 					-		
	Loop/4W ISDN DS1 Digital Trunk Port - UNE																
Zone 1			1	UEPPP			153 48										
	Loop/4W ISDN DS1 Digital Trunk Port - UNE																
Zone 2			2	UEPPP			183 28										
	Loop/4W ISDN DS1 Digital Trunk Port - UNE																
Zone 3			3	UEPPP		<u> </u>	261 12										
UNE Loop Rates																	

ONROND	LEI	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: 🖪	
ATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP	USL4P	70 74	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		1 2	UEPPP	USL4P USL4P	100 54					<u> </u>					
		4-Wire DS1 Digital Loop - UNE Zone 3	ļ	3	UEPPP	USL4P	178 38						—		-		
UN		ort Rate			OLI I I	IOOE-II	170 30					 			-	ł	
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	82 74	488 36	276 65							· · ·	
NO		CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
		Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	84 17	61 38								L
AD	DITI	ONAL NRCs		!													ļ
		4-Wire DS1 Loop/4-W ISDN Digft Trk Port - Subsqt Actvy-		l		DDTTE		0.5440			1	1					1
	_	Inward/two way Tel Nos (except NC)			UEPPP	PR7TF		0 5412									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12 71	12 71								ĺ
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITE	1.10		12/1	12 / 1		ļ	 			l		
		Subsequent Inward Tel Numbers	1	1	UEPPP	PR7ZT	I	25 42	25 42								1
LO	CAL	NUMBER PORTABILITY				1											
		Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										
INT	TERF	ACE (Provsioning Only)														· ·	
		Voice/Data			UEPPP	PR71V	0 00	0 00	0.00								
		Digital Data			UEPPP	PR71D	0 00	0 00	0 00								Ĺ
		Inward Data			UEPPP	PR71E	0 00	0 00	0 00								
Ne	w or	Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0 00	15 48									
		New or Additional - Digital Data B Channel New or Additional Inward Data B Channel			UEPPP	PR7BF PR7BD	0 00	15 48									+
CA	117	YPES		1	UEPPP	PR/BU	0 00	15 48				-					—
CA		Inward			UEPPP	PR7C1	0 00	0 00	0 00								<u> </u>
		Outward			UEPPP	PR7CO	0 00	0 00	0 00			 					
		Two-way			UEPPP	PR7CC	0 00	0 00	0 00								
Inte	eroff	ice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	88 6256	105 54	98 47	21 47	19 05						
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 1856										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UN		ort/Loop Combination Rates		<u> </u>													——
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	 	125 69										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC UEPDC	+	155 49 233 33				_	ļ ——			ļ		
LIM		op Rates		3	OLFDC	+	203 03										
JIN		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70 74		-			 			-		r
		4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	100 54										
		4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	178 38										
UN	E Po	rt Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	54 95	464 86	259 23								
NO		CURRING CHARGES - CURRENTLY COMBINED															
	1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				ΙΤ											
		- Switch-as-is			UEPDC	USAC4		95 31	46 71								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			LIEDDO	1,150,000	l	05.00	10.71								ı
-	\dashv	Conversion with DS1 Changes Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAWA		95 31	46 71				 				
	1	- Conversion with Change - Trunk			UEPDC	USAWB	l	95 31	46 71								ı
AD.	DITIO	ONAL NRCs				1-5/11-2		. 55 31	70 / 1				- 1				
T		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				1											
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA	l	15 69	15 69								l
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15 69	15 69								
1		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel					- !										ı
\rightarrow		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15 69	15 69								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID]	UEPDC	UDTTD	ļ	15 69	15 69				i				1

NBUNDLE	D NETWORK ELEMENTS - Florida	т			-						Ta a	100.1	Attachment ¹		Exhibit. B	The second of
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge
			ļ			Rec	Nonrec		Nonrecurring		201150			Rates(\$)	COMAN	COMAI
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	ļ	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Activation / Chan - 2-Way DID w User Trans			UEPDĊ	UDITE		15 69	15 69								
BIBOL	AR 8 ZERO SUBSTITUTION	 		OEF DC	- ODITE		15 05	13 05	···		+					
BIT OL	B8ZS -Superframe Format	 	+	UEPDC	CCOSF	1	0 00	655 00			+					
	B8ZS - Extended Superframe Format		_	UEPDC	CCOEF		0.00	655 00								<u> </u>
Alterna	ate Mark Inversion	<u> </u>	1	OLI DO	10001		0.00	000 00	t		 					
7.11.01111	AMI -Superframe Format			UEPDC	MCOSE		0 00	0.00			1					
	AMI - Extended SuperFrame Format	<u> </u>	† ·	UEPDC	мсоро		0.00	0 00	· · · · · · · · · · · · · · · · · · ·							1
Teleph	none Number/Trunk Group Establisment Charges		1								1					
	Telephone Number for 2-Way Trunk Group		1	UEPDC	UDTGX	0 00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00					I					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00										
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers		<u> </u>	UEPDC	NDZ	0 00	0 00	0 00			ļ					1
	DID Numbers for each Group of 20 DID Numbers	L	<u> </u>	UEPDC	ND4	0 00										
	DID Numbers, Non- consecutive DID Numbers . Per Number			UEPDC	ND5	0 00					ļ					
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0.00	0 00			-					
	Reserve DID Numbers	<u> </u>	<u> </u>	UEPDC	NDV	0 00	0 00	0 00			ļ					ļ
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	Digita	Loop	with 4-Wire DDITS	Trunk Port						ļ					
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	88 44	105 54	98 47	21 47	19 05						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 1856	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	-	 	OLF DC	TENOA	0 1000	0 00	0 00			-					
	Termination)			UEPDC	1LNO2	0.00	0 00	0.00			1					
	Interoffice Channel Mileage - Additional rate per mile - 9-25	1	i –	021 00	72.102	0.00	0.00	0.00								
	miles	1	1	UEPDC	1LNOB	0 1856	0 00	0.00			ĺ					
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		i -		1			·					.,			
	Termination)			UEPDC	1LNO3	0 00	0 00	0 00	0 00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 1856	0 00	0 00								1
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0 00	0 00							<u> </u>
	Central Office Termininating Point			UEPDC	CTG	0 00										L
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	L	<u> </u>								L					Ļ
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			<u> </u>												-
	System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
UNE D	St Loop			UEPMG	LIGI DO	70 74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2	_	1	UEPMG	USLDC USLDC	100 54	0 00	0 00	-				-			
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178 38	0 00	0 00								
LINE D	SO Channelization Capacities (D4 Channel Bank Configuration	l	3-	UEPING	USLDC	170 30		0 00								-
UNED	24 DSO Channel Capacity - 1 per DS1	1	ļ	UEPMG	VUM24	118 06	0 00	0 00								
_	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236 12	0 00	0 00								-
+	96 DSO Channel Capacity -1per 4 DS1s		 	UEPMG	VUM96	472 24	0 00	0 00	-							
<u> </u>	144 DS0 Channel Capacity - 1 per 6 DS1s		-	UEPMG	VUM14	708 36	0 00	0 00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944 48	0 00	0 00								
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180 60	0 00	0 00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416 72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s		L	UEPMG	VUM38	1,888 96	0 00	0.00	···						ļ	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361 20	0.00	0 00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833 44	0 00	0 00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305 68	0 00	0 00								
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						tem									
	mum System configuration is One (1) DS1, One (1) D4 Channe															
Multipl	les of this configuration functioning as one are considered Ac	id'i afte	r the m	ınimum system co	nfiguration is	counted										
	NRC - Conversion (Currently Combined) with or without															1
	BellSouth Allowed Changes		Щ	UEPMG	USAC4	0 00	96 77	4 24								
ISystem	n Additions at End User Locations Where 4-Wire DS1 Loop will to Currently Combined) in all states, except in Density Zone 1	n Chan	nelizat	on with Port Com	bination Currei	ntly Exists and					l					

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonre			g Disconnect				Rates(\$)		1
 	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			 			First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and Assoc Fea Activation			UEPMG	VUMD4	0 00	726 11	468 21	145 32	17 24						
	8 Zero Substitution				1				1							-
(Clear Channel Capability Format, superframe - Subsequent		1		1											
	Activity Only	1		UEPMG	CCOSF	0 00	0.00	655 00	<u> </u>							
	Clear Channel Capability Format - Extended Superframe -							255.00]					
	Subsequent Activity Only e Mark Inversion (AMI)	 		UEPMG	CCOEF	0 00	0 00	655 00								
	e mark inversion (AMI) Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00	-							
	Extended Superframe Format			UEPMG	MCOPO	0 00	0.00	0.00	+							
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		-				-							
	ge Ports		L_													
									1							
	Line Side Combination Channelized PBX Trunk Port - Business	ļ	ļ	UEPPX	UEPCX	1 40	0 00	0 00	0 00	0 00						ļ
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 40	0 00	0 00	0.00	0 00						
,	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 40	0.00	0.00	0 00	0 00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 71	0 00	0 00	0.00	0 00						
	Activations - Unbundled Loop Concentration		 	OL/ / /	102.014	· · · · · ·				- 000						-
	Feature (Service) Activation for each Line Port Terminated in D4					-04										
	Bank			UEPPX	1PQWM	0 6402	25 40	13 41	3 96	3 93						
	Feature (Service) Activation for each Trunk Port Terminated in															
	D4 Bank		ļ	UEPPX	1PQWU	0 6402	78 16	18 42	56 03	10 95						
	ne Number! Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)	.	-	UEPPX	NDT	0 00	0 00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)	<u> </u>		UEPPX	NDZ	0.00	0 00	0 00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0 00	0 00	-					- · · ·		
1	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00								
F	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00								
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00								
	umber Portability	<u> </u>	<u> </u>													
	ocal Number Portability - 1 per port IES - Vertical and Optional		<u> </u>	UEPPX	LNPCP	3 15	0 00	0 00								
	witching Features Offered with Line Side Ports Only		-		+											
	All Features Available			UEPPX	UEPVF	2 26	0 00	0 00								
	ORT LOOP COMBINATIONS - MARKET RATES			OLI I X	02.1 41	220		0 00								
	Rates shall apply where BellSouth is not required to provide	unbund	led lo	cal switching or swi	tch ports per	FCC and/or St	ate Commission	n rules				-				
This incl																
	led port/loop combinations that are Currently Combined or N															
The Top	8 MSAs in BellSouth's region are. FL (Orlando, Ft Lauderda	ale, M∗a	mı); GA	A (Atlanta); LA (New	Orleans); NO	(Greensboro-V	Minston Salem	-Highpoint/Ch	arlotte-Gaston	ıa-Rock Hıll); T	N (Nashville	2).				
	th currently is developing the billing capability to mechanica								ng charges for	not currently o	ombined in	FL and NC	. In the interi	m where Bell	South cannot	bill Market
	ellSouth shall bill the rates in the Cost-Based section preced ket Rate for unbundled ports includes all available features i			the Market Rates an	a reserves th	e right to true-	up the billing o	Interence		г					1	
	ce and Tandem Switching Usage and Common Transport Us			i no Bod costion of th	is rate subibi	t chall apply to	all combination	na of loon/no	et notwork alon		ing LIME Cou	Dodil oon	Cambination	a which have	a flat rate un	
(USOC: I	DRECHI	ayerat	es III li	ie Port Section of th	is late exilibi	t shan apply to	an combination	nis or roop/po	et network elen	nents except i	OF UNE COIL	POINTOOP	Combination	is which have	a nat rate us	age charge
	Currently Combined scenarios the Nonrecurring charges are	listed	in the F	First and Additional	NRC column	s for each Port	USOC For Cu	rrently Comb	ned scenarios	the Nonrecur	nna charao	are listed	n the NPC - C	Currently Com	hinad cachar	•
Addition	ial NRCs may apply also and are categorized accordingly	113100		natana Adamona	WING COIGINI	a for each i on	0000 10100	mently comb	ined scenarios,	, the Nomecun	ing charges	are noteu	in the Mico-C	arrently con	onieu secuoi	'
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		T		T		-		1		· · · · · · · · · · · · · · · · · · ·					
UNE Por	t/Loop Combination Rates															
[2	2-Wire VG Loop/Port Combo - Zone 1		1			23 77										
2	2-Wire VG Loop/Port Combo - Zone 2		2			27 88										
	2-Wire VG Loop/Port Combo - Zone 3		3			38 63										
	op Rates		<u> </u>	HEDDY	i i marini											
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX UEPRX	UEPLX	13 88										
		l	J	DEFKA	UEPLX	24 63			1	l	I					
	orce Grade Line Port (Res)						-								I	
2-Wire V	Orce Grade Line Port (Res) 2-Wire voice unbundled port - residence			UEPRX	UEPRL	14 00	90 00	90 00								

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	D NETWORK ELEMENTS - Florida										1		Attachment:		Exhibit: B	1.
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		201150			Rates(\$)	CONTAN	
	2 Wire vision unbundled and outgoing only too			UEPRX	UEPRO	14 00	First 90 00	Add'l 90 00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port outgoing only - res	 	 	UEPRA	UEFRU	14 00	90 00	90 00								+
	2-Wire voice unbundled Florida Area Calling with Caller ID - res		1	UEPRX	UEPAF	14 00	90 00	90 00								
	2-Wire voice unbundles res, low usage line port with Caller ID		1													
	(LUM)		ļ	UEPRX	UEPAP	14 00	90 00	90 00								
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	14 00	90 00	90 00								
	2-Wire voice unbundled Florida extended dialing port for use															
	with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use		<u> </u>	UEPRX	UEPA1	14 00	90 00	90 00								
	with CREX7, without Caller ID capability	İ	1	UEPRX	UEPA8	14 00	90 00	90 00								
	2-Wire voice unbundled Florida Area Calling Port without Caller		<u>† </u>		52.70	14 55	30 33	50 50								<u> </u>
	ID Capability	<u></u>	<u></u>	UEPRX	UEPA9	14 00	90 00	90 00								
LOCA	NUMBER PORTABILITY															
	Local Number Portability (1 per port)		1	UEPRX	LNPCX	0 35										
FEAT			ļ	UEPRX	UEPVF	0.00	0 00	0 00								+
NONE	All Features Offered ECURRING CHARGES - CURRENTLY COMBINED	-	 	UEPRX	DEPVF	0 00	0 00	0 00			-					+
NONK	ECORRING CHARGES - CORRENTET COMBINED		-													
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	ĺ		UEPRX	USAC2		41 50	41 50				l i				
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change	ĺ		UEPRX	USACC		41 50	41 50								
ADDIT	IONAL NRCs		Ţ													
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -		1									l '				
OFFIC	Subsequent N PREMISES EXTENSION CHANNELS		1	UEPRX	USAS2		0 00	0 00								+
OFFIC	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10 69	49 57	22 83	25 62	6 57	-					+
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	15 20	49 57	22 83		6 57						
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	26 97	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12 24	135 75	82 47		12 01						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	17 40	135 75	82 47		12 01						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30 87	135 75	82 47	63 53	12 01						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	25 32	47 35	31 78							1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		+	OLF IOX	01102	2002	47 55	3170			 					
	or Fraction Mile			UEPRX	U1TVM	0 0091	0 00	0 00								
2-WIR	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1													
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			23 77										
	2-Wire VG Loop/Port Combo - Zone 2		2			27 88										-
11415	2-Wire VG Loop/Port Combo - Zone 3		3			38 63										+
UNEL	oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9 77					-	-				+
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	13 88	-									
<u> </u>	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	24 63			İ							1
2-Wire	Voice Grade Line Port (Bus)		Ť		1											
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14 00	90 00	90 00								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90 00	90 00								
	2-Wire voice unbundled port outgoing only - bus		<u> </u>	UEPBX	UEPBO	14 00	90 00	90 00								
	2-Wire voice unbundled incoming Only Port without Caller ID			LIEDBY	UEDDE	14.00	90 00	90 00							I	
LOCA	Capability NUMBER PORTABILITY	ļ		UEPBX	UEPBE	14 00	90 00	90 00	 		-			-		+
LUCA	Local Number Portability (1 per port)	 	+	UEPBX	LNPCX	0 35	+			l						
NONR	ECURRING CHARGES - CURRENTLY COMBINED				Liii 5^	0.55										T
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	L		UEPBX	USAC2		41 50	41 50							L	
	2-Wire Voice Grade Loop / Line Port Combination - Switch with					- 1										
	change	<u></u>		UEPBX	USACC		41 50	41 50								

JNBUNDLED NETWORK EL	EMENTS - Florida												Attachment	2	Exhibit. B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonrec	RATES (\$)				Svc Örder Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Charge -
				_		Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
ADDITIONAL NRCs															001117411	COMPAN
	Grade Loop/Line Port Combination -															
Subsequent		<u> </u>	L	UEPBX	USAS2		0 00	0 00								
OFF/ON PREMISES EXTE		ļ	.													
2 Wire Analog Voice	Grade Extension Loop - Non-Design	<u> </u>	1	UEPBX	UEAEN	10 69	49 57	22 83	25 62	6 57						
2 Wire Analog Voice	Grade Extension Loop Non-Design	 	. 2	UEPBX	UEAEN	15 20	49 57	22 83	25 62	6 57						
	e Grade Extension Loop – Non-Design	<u> </u>	3	UEPBX	UEAEN	26 97	49 57	22 83	25 62	6 57						
2 Wire Analog Voice	e Grade Extension Loop – Design	1	1	UEPBX	UEAED	12 24	135 75	82 47	63 53	12 01						
2 Wire Analog Voice	e Grade Extension Loop - Design	<u> </u>	2	UEPBX	UEAED	17 40	135 75	82 47	63 53	12 01				. ,		
	e Grade Extension Loop – Design	<u> </u>	3	UEPBX	UEAED	30 87	135 75	82 47	63 53	12 01						<u> </u>
INTEROFFICE TRANSPOR	t - Dedicated - 2 Wire Voice Grade - Facility	 	├													
Termination	·		<u> </u>	UEPBX	U1TV2	25 32	47 35	31 78								
or Fraction Mile	t - Dedicated - 2 Wire Voice Grade - Per Mile	-	ŀ													
	OP WITH 2-WIRE LINE PORT (RES - PBX)	 	-	UEPBX	U1TVM	0 0091	0 00	0 00								
UNE Port/Loop Combinate		 														
2-Wire VG Loop/Po		-	-			23 77										ļ
2-Wire VG Loop/Po		 	1 2			27 88										
2-Wire VG Loop/Po			3			38 63							•			ļ
UNE Loop Rates	it Combo - Zone 3	-	<u> </u>			30 03										
	Loop (SL1) - Zone 1		1	UEPRG	UEPLX	9 77										
	Loop (SL1) - Zone 1		2	UEPRG	UEPLX	13.88										ļ
	Loop (SL1) - Zone 2		3	UEPRG	UEPLX	24 63										
2-Wire Voice Grade Line F		├	1-3-	UEPRO	UEPLX	24 63										
	led Combination 2-Way PBX Trunk Port -	 	 												-	<u> </u>
Res LOCAL NUMBER PORTAE	•			UEPRG	UEPRD	14 00	90 00	90 00								
Local Number Porta			 	UEPRG	LNPCP	3 15	0 00	0 00							-	
FEATURES	ibility (1 per port)	 	l	ULFRO	LINECE	3 15	0 00	0.00	ļ							├
All Features Offere		<u> </u>	ļ	UEPRG	UEPVF	0.00	0 00	0 00	+				-			
	ES - CURRENTLY COMBINED	 		OL ING	OLI VI	0.00	0.00	. 000								-
	20 CONNENTER COMBINED	<u> </u>			-						-					
2-Wire Voice Grade	Loop/ Line Port Combination - Switch-As-ts			UEPRG	USAC2		41 50	41 50								
	Loop/ Line Port Combination - Switch with	 	t		100,102			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				-				
Change				UEPRG	USACC		41 50	41 50								Į.
ADDITIONAL NRCs	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			02	100/100		., 00	1100								
	de Port Combination - Non feature -															
Subsequent Activity							0 00	0 00								İ
PBX Subsequent A	ctivity - Change/Rearrange Multiline Hunt	†	T			i										
Group					i 1	İ	7 09	7 09				ì				l
OFF/ON PREMISES EXTE	NSION CHANNELS															
Local Channel Voic	e grade, per termination		1	UEPRG	P2JHX	12 24	135 75	82 47	63 53	12 01						
Local Channel Voic	e grade, per termination		2	UEPRG	P2JHX	17 40	135 75	82 47	63 53	12 01						
	e grade, per termination		3	UEPRG	P2JHX	30 87	135 75	82 47	63 53	12 01						
	rve Channel Voice Grade	<u> </u>	1	UEPRG	SDD2X	12 92	120 38	43 56	95 00	10 54					<u> </u>	
Non-Wire Direct Se	rve Channel Voice Grade		2	UEPRG	SDD2X	18 36	120 38	43 56	95 00	10 54						
Non-Wire Direct Se	rve Channel Voice Grade	1	3	UEPRG	SDD2X	32 58	120 38	43 56	95 00	10 54			•			
INTEROFFICE TRANSPOR		1														
Termination	t - Dedicated - 2 Wire Voice Grade - Facility			UEPRG	U1TV2	25 32	47 35	31 78								
or Fraction Mile	t - Dedicated - 2 Wire Voice Grade - Per Mile			UEPRG	U1TVM	0 0091	0 00	0 00								
	OP WITH 2-WIRE LINE PORT (BUS - PBX)						-									
UNE Port/Loop Combinati																
2-Wire VG Loop/Po			1			23 77		***********								
2-Wire VG Loop/Po			2			27 88										
2-Wire VG Loop/Po			3			38 63										
UNE Loop Rates																

INBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: 8	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
			ļ			Rec	Nonrec			Disconnect				Rates(\$)		
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	9 77	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPPX	UEPLX	13 88								1		
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPPX	UEPLX	24 63	•		1		-					
	Voice Grade Line Port Rates (BUS - PBX)		<u> </u>	OLITA .	- OLI EX	24 03			 							
											-					
- - -	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90 00	90 00								
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14 00	90 00	90 00								
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14 00	90 00	90 00							1	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14 00	90 00	90 00							1	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14 00	90 00	90 00						T		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14 00	90 00	90 00								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14 00	90 00	90 00								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14 00	90 00	90 00								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				1 1					ĺ]		
	Capable Port			UEPPX	UEPXE	14 00	90 00	90 00								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		ł		1							1		i		
	Administrative Calling Port			UEPPX	UEPXL	14 00	90 00	90 00								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	44.00	20.00	20.00	1			!				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXIVI	14 00	90 00	90 00	<u> </u>			-			ļ	
	Discount Room Calling Port			UEPPX	UEPXO	14 00	90.00	90 00]				1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14 00	90 00	90 00							ļ	
	NUMBER PORTABILITY		-	OLFFX	UEFAS	14 00	90 00	90 00		i				-		
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00								
FEATUR					-	0.10	- 000	- 000								
1/	Al! Features Offered			UEPPX	UEPVF	0.00	0 00	0.00							+	
NONREC	CURRING CHARGES - CURRENTLY COMBINED	_														
													-			
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 50	41 50						ļ		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with									Ī	1					
	Change			UEPPX	USACC		41 50	41 50							L	
ADDITIO	DNAL NRCs															
						ŀ										
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0 00	0.00								
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		i								ŀ					
	Group PREMISES EXTENSION CHANNELS						7 09	7 09					-			
	Local Channel Voice grade, per termination			UEPPX	P2JHX	12 24	135 75	82 47	63 53	12 01						
- 1	Local Channel Voice grade, per termination			UEPPX	P2JHX	17 40	135 75	82 47	63 53	12 01						
	Local Channel Voice grade, per termination			UEPPX	P2JHX	30 87	135 75	82 47	63 53	12 01						
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	12 92	120 38	43 56	95 00	10 54				ļ		
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18 36	120 38	43 56	95 00	10 54				ļ		
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32 58	120 38	43 56	95 00	10 54						
	FFICE TRANSPORT			32	JOBBEA	52.00	120 00	10 00	30 00	10.54	l ———					
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					į									·	
17	Termination			UEPPX	U1TV2	25 32	47 35	31 78			1	1				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						• 1									
	or Fraction Mile		Ĺ	UEPPX	U1TVM	0 0091	0 00	0 00							[
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	tT T														
	rt/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			23 77										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			27 88										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			38 63								_		
UNE Loc			ابا	UEPCO	- Luca	9 77										
16				H INCO	UEPLX	0.77	1		. 1		. ,					
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	13 88					ļ					

JNBUNDLED NETV	ORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES (\$)	Management	Disconnect		Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual So Order vs Electronic Disc Add
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Gr	ade Line Port Rates (Coin)		T .						1	7.22.			001117-111	COMPAN	· OOMAN	COMPAN
2-Wire C	oin 2-Way with Operator Screening, and Blocking, 011,								 							
	1+DDD (FL)			UEPCO	UEP2F	14 00	90 00	90 00								
	oin 2-Way with Operator Screening and 011 Blocking										Į					
(FL)		ļ		UEPCO	UEPFA	14 00	90 00	90 00			ļ					
	oin 2-Way with Operator Screening, and Blocking 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	14 00	00.00	00.00		İ	i	1				
	oin Outward with Operator Screening and 011 Blocking		 	DEPCO	UEPCG	14 00	90 00	90 00	+							
(AL. FL)	on Outward with Operator Screening and 011 Blocking			UEPCO	UEPRK	14 00	90 00	90 00	1							
	oin Outward with Operator Screening and Blocking			OLI GO	- OLI NIK	14 00	30 00	. 30 00								
	1+DDD, 011+ (FL)			UEPCO	UEPOF	14 00	90 00	90 00								
	on Outward with Operator Screening and Blocking				1						1					
900/976,	1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14 00	90 00	90 00							1	
LOCAL NUMBER			-								i					
	mber Portability (1 per port)			UEPCO	LNPCX	0 35									i	
NONRECURRIN	CHARGES - CURRENTLY COMBINED															
l l			Į.		1											
	pice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 50	41 50								
	oice Grade Loop/ Line Port Combination - Switch with		1													
Change				UEPCO	USACC		41 50	41 50								
ADDITIONAL NE	Cs															
2 M/ro M	oice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0 00	0 00					i			
2-WIRE VOICE	OOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INE E	OPT (USASZ		0.00	0.00	1							
	Combination Rates	LINE	I NO	l l	- 											
	G Loop/IO Tranport/Port Combo - Zone 1		1			26 24			-		1					
	G Loop/IO Tranport/Port Combo - Zone 2		2			31 40			-					-		
	3 Loop/IO Tranport/Port Combo - Zone 3		3			44 87										
UNE Loop Rates							7									
	oice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12 24										
	oice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	17 40										
	ice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30 87										
	ide Line Port Rates (Res)				-											
	ice unbundled port - residence			UEPFR	UEPRL	14 00	180 00	110 00		20 00						
	ice unbundled port with Caller ID - res			UEPFR	UEPRC	14 00	180 00	110 00	85 00	20 00						
2-vviie vo	ice unbundled port outgoing only - res	-		UEPFR	UEPRO	14 00	180 00	110 00	85 00	20 00						
2-M/100 vm	ice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	14 00	180 00	110 00	85 00	20 00						
	ice unbundles res, low usage line port with Caller ID			OLITIK	OEF AI	14 00	100 00	110 00	65 00	20 00						
(LUM)	and an action too, not accept the port with corner to			UEPFR	UEPAP	14 00	180 00	110 00	85 00	20 00						
INTEROFFICE T	RANSPORT						100 00	1.0 00	00 00	20 00						
Interoffice	Transport - Dedicated - 2 Wire Voice Grade - Facility				1 1									-		
Terminat	on			UEPFR	U1TV2	25 32	47 35	31 78	1		1	ŀ				
	Transport - Dedicated - 2 Wire Voice Grade - Per Mile										1					
or Fractio	n Mile			UEPFR	1L5XX	0 0091					[
FEATURES																
	es Offered			UEPFR	UEPVF	0 00	0 00	0 00								
LOCAL NUMBER																
	mber Portability (1 per port) CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR	LNPCX	0 35										
	op / Dedicated IO Transport / 2 Wire Line Port										 					
	op / Dedicated 10 Transport / 2 Wire Line Port ion - Conversion - Switch-as-is			UÉPFR	USAC2		16 97	3 73								
	op / Dedicated IO Transport / 2 Wire Line Port			OLFIN	USACZ		10 9/	313			 			:		
	ion - Conversion - Switch-With-Change			UEPFR	USACC		16 97	3 73					[
	OOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (15550		10.07	373			- - - - -	— 				ļ
UNE Port/Loop (Combination Rates		, i													
2-Wire V	Loop/IO Tranport/Port Combo - Zone 1		1		1	26 24										
	Loop/IO Tranport/Port Combo - Zone 2		2			31 40							-			
2 18/100 1/	Loop/IO Tranport/Port Combo - Zone 3		3			44 87	_									

UNBUNDLE	D NETWORK ELEMENTS - Florida				_			***************************************					Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	1		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE L	oop Rates		ļ.,	<u> </u>											<u> </u>	
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12 24					 					
<u> </u>	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	ÜECF2	17 40							Ļ			
0 185	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30 87					<u> </u>					
2-Wife	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14 00	180 00	110 00	DE 00	20 00						
	2-Wire voice unbundled port with Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14 00	180 00	110 00	85 00 85 00	20 00						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14 00	180 00	110 00	85 00	20 00						
	2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPFB	UEPB0	14 00	180 00	110 00	85 00	20 00	-			-		
LOCA	L NUMBER PORTABILITY		-	OEFFB	UEFBI	14 00	100 00	110 00	65 00	20 00						
LOCA	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35					 					
INTER	OFFICE TRANSPORT		+	DE. 10	LINI OA	0.00			 			-			 	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			 	+				 		 		<u> </u>	 	 	
	Termination	l		UEPFB	U1TV2	25 32	47 35	31 78	[
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	-	OLI I D	102		17.00	0170	 -	_						
]	or Fraction Mile			UEPFB	1L5XX	0 0091										1
FEAT			t		1.2											
	All Features Offered		1	UEPFB	UEPVF	0.00	0 00	0 00	- 1				-			
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		\vdash													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	l		7-44										
	Combination - Conversion - Switch-as-is	ĺ	l	UEPFB	USAC2		16 97	3 73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
l	Combination - Conversion - Switch with change	L .	1	UEPFB	USACC		16 97	3 73	!							
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (BUS)												
UNE F	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			26 24										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			31 40										
L	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44 87										ļ
UNE L	oop Rates				-1	40.04										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12 24			-							
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17 40							_		ļ	
10.101	2-Wire Voice Grade Loop (SL2) - Zone 3 Voice Grade Line Port Rates (BUS - PBX)		3	UEPFP	UECF2	30 87									ļ	
2-99176	Voice Grade Line Port Rates (BUS - PBX)	-	-						<u> </u>	_					<u> </u>	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPFP	UEPPC	14 00	180 00	110 00	85 00	20 00	ļ					
			├	UEPFP	UEPPO	14 00	180 00	110 00	85 00	20 00						
	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP0	14 00	180 00	110 00	85 00	20 00						1
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14 00	180 00	110 00	85 00	20 00						!
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-		UEPFP	UEPXA	14 00	180 00	110 00	85 00	20 00						—
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14 00	180 00	110 00	85 00	20 00					_	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		 	UEPFP	UEPXC	14 00	180 00	110 00	85 00	20 00						†
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14 00	180 00	110 00		20 00						<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		l —	ULT TT	OLI AB	14 00	100 00	110 00	00 00		h					1
	Capable Port			UEPFP	UEPXE	14 00	180 00	110 00	85 00	20 00	ŀ	1			Ì	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	 	1		150 50		22.00							
	Administrative Calling Port		l	UEPFP	UEPXL	14 00	180 00	110 00	85 00	20 00						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		T	 												
[F	Room Calling Port			UEPFP	UEPXM	14 00	180 00	110 00	85 00	20 00					1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		T													
	Discount Room Calling Port			UEPFP	UEPXÓ	14 00	180 00	110 00	85 00	20 00	l _	L			i	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14 00	180 00	110 00	85 00	20 00						
LOCA	L NUMBER PORTABILITY															ļ. · ·
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00							l	1
INTER	OFFICE TRANSPORT			ļ												ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					1		_			1			l		
	Termination	ļ <u> </u>		UEPFP	U1TV2	25 32	47 35	31 78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			Lucasa			!									
	or Fraction Mile			UEPFP	1L5XX	0 0091			ļ						_	
FEAT	JRES		<u>L </u>	L							L			L		

ONRONDLED	NETWORK ELEMENTS - Florida													Attachment:		Exhibit. B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	ecs	usoc			RATES (\$)		•••		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
	1 - 1/4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -						Rec	Nonrec			g Disconnect				Rates(\$)		
	All Features Offered	<u> </u>	ļ	UEPFP		LIED (E	i	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPFP		UEPVF	0 00	0 00	0 00		ļ						
	P-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	 								<u> </u>	-					
	Combination - Conversion - Switch-as-is	Į.		UEPFP		USAC2		16 97	3 73							l	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-		OLFIF		USAC2		16 91	3/3								
	Combination - Conversion - Switch with change			UEPFP		USACC	1	16 97	3 73					i			
BUNDLED PO	DRT/LOOP COMBINATIONS - MARKET BASED RATES			02		1007,00		10 51	0.70		†	1					
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT									1	1					
UNE Port	t/Loop Combination Rates					·						1					
	-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				67 24										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				72 40										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				85 87										
UNE Loop																1	
	-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12 24									L	
2-	-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17 40										
2-	-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30 87										
UNE Port						ļ											
	xchange Ports - 2-Wire DID Port			UEPPX		UEPD1	55 00	850 00	75 00								
	CURRING CHARGES - CURRENTLY COMBINED Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -											1					
	Switch-As-Is Top 8 MSAs only	1		UEPPX		USAC1		252.00	75.00			1					ĺ
	!-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1	UEPPX		USACT		850 00	75 00		ļ						
	with BellSouth Allowable Changes Top 8 MSAs only	ł	1	UEPPX		USA1C		850 00	75 00			ì	l i				ĺ
	NAL NRCs	 	 	ULFFA		USAIC		630 00	75 00		 						1
	-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32 26	32 26			ļ					
	ne Number/Trunk Group Establisment Charges			OLI I X		OUNCT		32 20	32 20	-					•		
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0 00	0 00		-		-				-
	DID Numbers, Establish Trunk Group and Provide First Group					1	0.00		2 00			 		•			
of	f 20 DID Numbers			UEPPX		NDZ	0 00	0 00	0 00								l
Ac	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0 00	0.00	0 00			1					
DI	DID Numbers, Non-consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0 00	0 00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0 00	0 00	0 00					•			
	Reserve DID Numbers			UEPPX		NDV	0 00	0 00	0 00	-						-	
	NUMBER PORTABILITY																
	ocal Number Portability (1 per port)			UEPPX		LNPCP	3 15	0 00	0 00	<u>-</u>							
	SDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT														
UNE Port	t/Loop Combination Rates																
2V	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			l		1 7					1						
	JNE Zone 1	-	1_	UEPPB	UEPPR	1	85 25				ļ						
	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	i i			uranc									\neg	_		
	INE Zone 2 W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		2	UEPPB	UEPPR		91 67						i i				
	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - INE Zone 3		3			1	400.40						ŀ				i
UNE Loop			3	UEPPB	UEPPR		108 46										
	-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	UCLAY	15 25										
	-Wile 130N Digital Grade 200p - ONE Zone 1		'	UEPPB	UEPPR	USLZX	15 25					1					
2.1	-Wire ISDN Digital Grade Loop - UNE Zone 2	į į	2	UEPPB	UEPPR	USL2X	21 67	i				1					ı
	-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38 46										
UNE Port			Ů	02:10	- OCI III	OCEA	30 40										
	xchange Port - 2-Wire ISDN Line Side Port	-		UEPPB	UEPPR	UEPPB	70 00	525 00	400 00		 	 					
NONRECL	URRING CHARGES - CURRENTLY COMBINED					 		320 00	.00 00		†	· · · · · ·					
	-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port								-		-						
Co	combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0 00	215 00	215 00		1						l
ADDITION	NAL NRCs					 										-	
	IUMBER PORTABILITY												1				
	ocal Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0 00		<u> </u>						
	NEL USER PROFILE ACCESS:											1				-	
	VS/CSD (DMS/5ESS)			UEPPB	UEPPR		0 00	0 00	0.00								
I ICV	VS (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0.00	0 00		1						

UNBUNDLE	NETWORK ELEMENTS - Florida													Attachment	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Charge -
		<u> </u>	 	<u> </u>			Rec	Nonrec		Nonrecurreng		L			Rates(\$)		
	202	-	1					First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D CHA	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C **C *	TNI	DEPPB	UEPPR	01000	0.00	0 00	0 00		ļ	·····			ļ		
	REMINAL PROFILE	C,MS, 6	1 (N)	-													
USER	User Terminal Profile (EWSD only)	 	-	UEPPB	UEPPR	LIILIMA	0 00	0 00	0.00			 					
VERTIC	CAL FEATURES	+	+	CEI LE	OL. T.	0 10.001	000	0.00	0 00			1					
	All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF		0 00	0 00								
INTER	OFFICE CHANNEL MILEAGE	I															
	Interoffice Channel mileage each, including first mile and															i	
	facilities termination	-			UEPPR	M1GNC	18 4491	47 35	31 78	18 31	7 03	ļ				ļ	
	Interoffice Channel mileage each, additional mile	/ DODT	+	DEPPE	UEPPR	M1GNM	0 0091	0 00	0 00			-					ļ
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK ort/Loop Combination Rates	PURI	+									 				<u> </u>	-
UNEF	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	 	+	 						•••		 			-		
	Zone 1		1	UEPPP			970 74									1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		 				51511										
	Zone 2	L.	2	UEPPP			1,000 54			L		<u> </u>					
	4W D\$1 Digital Loop/4W ISDN D\$1 Digital Trunk Port - UNE															1	
	Zone 3		3	UEPPP			1,078 39										
UNE Lo	oop Rates			1												ļ	
\vdash	4-Wire DS1 Digital Loop - UNE Zone 1	-	1	UEPPP		USL4P	70 74	-				ļ					
	4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPPP		USL4P USL4P	100 54 178 39					-	ļ				-
	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate	+	13	UEPPP		USL4P	1/6 39					 			 		
UNEF	Exchange Ports - 4-Wire ISDN DS1 Port	 	+	UEPPP		ÜEPPP	900 00	1,150 00	1,150 00						 		
NONRE	CURRING CHARGES - CURRENTLY COMBINED		+	02		02	000 00	1,100 00	1,100 00								
1107111	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1									1			-		1
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0 00	925 00	925 00								
ADDITI	ONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-									·							
	Inward/two way Telephone Numbers (except NC)	-	-	UEPPP		PR7TF		0 5412				·}	<u> </u>		-	 	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12 71	12 71			i					
 	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	 	+	UEFFF		FRAIO		12 / 1	12 7 1			 -	 				
	Subsequent Inward Telephone Numbers			UEPPP		PR7ZT		25 42	25 42			1					
LOCAL	NUMBER PORTABILITY		+	-	•							†					
	Local Number Portability (1 per port)			UEPPP		LNPCN	1 75										
INTER	ACE (Provsioning Only)									-		·					
ļ	Voice/Data			UEPPP		PR71V	0 00	0 00	0.00		<u> </u>	 			ļ	ļ	
 	Digital Data	-	1	UEPPP		PR71D	0.00	0 00	0 00		 				-	ļ	
Non	Inward Data Additional "B" Channel	-	+	UEPPP		PR71E	0.00	0 00	0.00			-	 		 		
New or	New or Additional - Voice/Data B Channel	+	+	UEPPP		PR7BV	0.00	20 00				 	 		<u> </u>	<u> </u>	
	New or Additional - Voice/Data B Channel	+		UEPPP		PR7BF	0 00	20 00				1				1	
	New or Additional Inward Data B Channel	†	—	UEPPP		PR7BD	0 00	20 00						· · · · · · · · · · · · · · · · · · ·	† · ·		
CALL 1																	
	Inward			UEPPP		PR7C1	0 00	0.00	0.00								
	Outward		1	UEPPP		PR7CO	0.00	0 00	0 00								ļ
بببلب	Two-way	1	1	UEPPP		PR7CC	0 00	0.00	0 00			ļ			ļ		
Interof	ice Channel Mileage	<u> </u>	+	LIEBOE		41 1/4 6	00.0050	105.51	00.47	24.4-	10.00	1			 	ļ	
 	Fixed Each Including First Mile Each Airline-Fractional Additional Mile	1	+	UEPPP		1LN1A 1LN1B	88 6256 0 1856	105 54	98 47	21 47	19 05	-		 	 	-	
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	+-	+	JULIPP		LEIVID	0 1000				1	 			 	†	
	ort/Loop Combination Rates	_	+	1						-		t			1	†	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			820 74						†			<u> </u>	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC			850 54										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC			928 39										
UNE Lo	oop Rates														L		<u> </u>
<u> </u>	4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC		USLDC	70 74				ļ				1	<u> </u>	1
L.	4-Wire DS1 Digital Loop - UNE Zone 2	l	2	UEPDC		USLDC	100 54			L.,		l	L	<u> </u>	1	L	

IBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Charge
		├	 -			Rec	Nonrec		Nonrecurring					Rates(\$)		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178 39	First	Add'I	First	Add't	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	ort Rate		3	UEPDC	USLUC	178 39										
OIVE F	4-Wire DDITS Digital Trunk Port		-	UEPDC	UDD1T	750 00	1,019 56	479 87	204 92	20 10	1					
NONRE	CURRING CHARGES - CURRENTLY COMBINED		1	DEFDC	GDD11	750 00	1,019 56	4/9 8/	204 92	20 10						-
11.5	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		 		 						 	-				
	- Switch-As-is Top 8 MSAs only			UEPDC	USAC4		95 31	46 71								
\neg			†	02.00	100,101		30 01	4011								<u> </u>
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination											!				i
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		95 31	46 71								ĺ
			1													
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					1	[1
	- Conversion with Change - Trunk Top 8 MSAs only		l	UEPDC	USAWB	I	95 31	46 71								1
ADDIT	ONAL NRCs															T
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		I													
	Subsequent Channel Activation/Chan - 2-Way Trunk		l	UEPDC	UDTTA		15 69	15 69				1				1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTIB		15 69	15 69		_	i	l i				Ì
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15 6 9	15 69			,					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1				I									
	Activation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTD		15 69	15 69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1													
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15 69	15 69								
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0 00	655 00								L
411	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 00	655 00								
Aiterna	te Mark Inversion	-		UEPDC	MCOSF						<u> </u>					ļ
	AMI - Superframe Format AMI - Extended SuperFrame Format			UEPDC	MCOPO	-	0 00	0 00								-
Tolonh	one Number/Trunk Group Establisment Charges		-	DEPDC	MCOPO		0 00	0.00			<u> </u>		_			-
relepii	Telephone Number for 2-Way Trunk Group		-	UEPDC	UDTGX	0 00		-								—
	Telephone Number for 1-Way Outward Trunk Group		 	UEPDC	UDTGY	0 00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00										
	DID Numbers, Establish Trunk Group and Provide First Group	-		OLI DO	100102	0 00										├──
	of 20 DID Numbers	ĺ	l	UEPDC	NDZ	0 00	0 00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00	0.00	0 00			-					
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00										· ·
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0.00	0 00								i
	Reserve DID Numbers			UEPDC	NDV	0 00	0.00	0.00								
Dedica	ted DS1 (Interoffice Channel Mileage) -		1													
FX/FC0) for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port													-		
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities						i									
	Termination)			UEPDC	1LNO1	88 44	105 54	98 47	21 47	19 05						ĺ
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 1856	0 00	0 00								1
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		İ		1											1
	Termination)			UEPDC	1LNO2	0 00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			l <u>.</u>	1											1
	miles			UEPDC	1LNOB	0.1856	0 00	0 00								Щ.
1	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			LIEDDO	1,,,,,,,		[1
	Termination)			UEPDC	1LNO3	0 00	0 00	0 00	0 00							
	Intereffice Channel Milesee Additional and a second and a			UEDDO	11,1100	0.1222	[1
+	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated		<u> </u>	UEPDC	1LNOC	0 1856	0 00	0 00								
+	Central Office Termininating Point		<u> </u>	UEPDC	LNPCP	3 15	0 00	0 00	0 00			L				
	DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CTG	0 00										—
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	rende	-		+ +											
A system	m can have various rate combinations based on type and nur	vacions	Dode:	L	+						 					
	sun nuve various rate combinations pased on type and nur	muer of	PORTS	useu					1			· •			l	1

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment	2	Exhibit B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge -	Increment Charge - Manual So Order vs Electronic Disc Add
	, au	-					Name		I Manager	- Di					<u> </u>	
	-				-	Rec	Nonred First		First	g Disconnect	COME	COMAN		Rates(\$)		
1 4	1-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70 74	0.00	Add'l 0 00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100 54	0.00	0.00								
	1-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	178 39	0 00	0.00								
	O Channelization Capacities (D4 Channel Bank Configuratio	ns)	1-	50,110	COLDO	170 00	0.00	0 00								
	24 DSO Channel Capacity - 1 per DS1	T T		UEPMG	VUM24	118 06	0 00	0 00								
	18 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236 12	0 00	0 00	-						-	
	96 DSO Channel Capacity -1per 4 DS1s		_	UEPMG	VUM96	472 24	0 00	0 00								
	144 DS0 Channel Capacity - 1 per 6 DS1s	 		UEPMG	VUM14	708 36	0 00	0 00	 	 	<u> </u>				<u> </u>	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944 48	0 00	0 00								
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1.180 60	0 00	0 00							-	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416 72	0 00	0 00				I	-			
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888 96	0 00	0 00								
	180 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361 20	0 00	0 00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833 44	0 00	0 00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305 68	0 00	0 00							-	
Non-Rec	turning Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann														
A Minimi	um System configuration is One (1) DS1, One (1) D4 Channe	Dank	and He	To 24 DEC Posts	with English A	cased on a sys	stem									
	s of this configuration functioning as one are considered Ac								ļ _				_			
	NRC - Conversion (Currently Combined) with or without	iu i aite	ole III	illilliulli system co	miguration is t	counted										
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0 00	450 00	F0.00	l :							
	Additions Where Currently Combined and New (Not Currently	Camb		UEFING	USAC4	0.00	450 00	50 00				-				
	ty Zone 1 Top 8 MSAs	y Comb	ineu ;		+											
	DS1/D4 Channel Bank - Add NRC for each Port and Assoc											ļ				
	ea Activation -			UEPMG	VIII.4D4	0.00	250.00				j		1			
	Zero Substitution			UEPNIG	VUMD4	0 00	950 00	600 00	200 00	30 00						
	Clear Channel Capability Format, superframe - Subsequent					-										
	octivity Only			UEDNO	22225							1				
				UEPMG	CCOSF	0 00	0.00	655 00								
	Clear Channel Capability Format - Extended Superframe -										ŀ		İ		l i	
	Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0 00	655 00							l	
	uperframe Format								-nn-							
			\Box	UEPMG	MCOSF	0 00	0 00	0 00								
	xtended Superframe Format			UEPMG	MCOPO	0 00	0 00	0 00								
	e Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exchange	e Ports															
l I.	Colo Control Character DRVT LO B				[]		1									
	ine Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14 00	0 00	0 00	0 00	0 00						
	ine Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14 00	0 00	0 00	0 00	0 00						
		l			1 7	T										
	ine Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14 00	0 00	0 00	0 00	0 00			1		1	
	-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55 00	0 00	0.00	0 00	0.00						
	Activations - Unbundled Loop Concentration		I			T										
	eature (Service) Activation for each Line Port Terminated in D4		Ţ													
	ank			UEPPX	1PQWM	0 66	40 00	20 00	6 00	5 00			l			
	eature (Service) Activation for each Trunk Port Terminated in		$\neg \neg$									-				
	4 Bank			UEPPX	1PQWU	0 66	110 00	30 00	65 00	20 00		1	į			
	ne Number/ Group Establishment Charges for DID Service															
	ID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0 00	0 00								
E	stab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)		T	UEPPX	NDZ	0.00	0 00	0 00								
	ID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0 00	0 00								
	on-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00							+	
	eserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00						-	· · · · · · · · · · · · · · · · · · ·	
	eserve DID Numbers			UEPPX	NDV	0.00	0 00	0 00								
	mber Portability				T											
Lo	ocal Number Portability - 1 per port			UEPPX	LNPCP	3 15	0.00	0 00							+	
FEATURE	ES - Vertical and Optional								1		+					
	itching Features Offered with Line Side Ports Only				1											
	Il Features Available		- 1	UEPPX	UEPVF	0 00	0 00	0 00						-		
3UNDLED CE	NTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	ased Rates are applied where BellSouth is required by FCC		****				4.6 0									

JNBUNDLE	D NETWORK ELEMENTS - Florida				••								Attachment:	2	Exhibit B	
						1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs	Order vs	Order vs	Order vs
		I III		ŀ							por con	Pu. 2011	Electronic-	Electronic-	Electronic-	Electronic-
			l										1st	Add'I	Disc 1st	Disc Add'l
				l									751	Auu	Disc ist	DISC AGG I
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 Fea	tures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	te section in the sam	ne manner as	they are applic	ed to the Stan	d-Alone Unbun	dled Port secti	on of this Rate	Exhibit					
3 End	Office and Tandem Switching Usage and Common Transport	Usage i	rates ir	the Port section of	this rate exi	nibit shall apply	to all combin	nations of loop/	port network e	lements excep	t for UNE C	оіп Port/Lo	op Combinat	ions		
4 The	first and additional Port nonrecurring charges apply to Not Cu	irrently	Comb	ined Combos For	Currently Co	mbined Comb	os, the nonred	curring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ntly Combine	d sections	Additional NR	Cs may
appiy	also and are categorized accordingly											•	•			•
5 Ma	rket Rates for Unbundled Centrex Port/Loop Combination will	be nego	tiated	on an Individual Ca	ise Basis, un	til further notic	e									
UNE-F	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only))														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo										i -					
UNE F	ort/Loop Combination Rates (Non-Design)		Ī													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					1										
	Non-Design		1	UEP91		10 94	i	1								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						1	T					-			
	Non-Design		2	UEP91	<u> </u>	15 05	l	.[[.							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		25 80	l									
UNE F	ort/Loop Combination Rates (Design)								•							
"	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		_ 1	UEP91		13 41										L
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		18 57							i			
!	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		32 04										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	9 77									·	
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	24 63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	12 24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	17 40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30 87										
UNE P																
Afl Sta	ites (Except North Carolina and Sout Carolina)				<u> </u>											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local														l i	
	Area			UEP91	UEPYB	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic							1								
	Local Area		_	UEP91	UEPYH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1 17	139 49	86 10	65 41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				l	_										
	Term - Basic Local Area			UEP91	UEPYZ	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			LIEDO	LUEDVO	1	Fa ~ .									
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY9	1 17	53 31	26 46	27 50	8 37						
1	Basic Local Area			UEP91	UEPY2	1 17	F0 0 .	20.10								
Gacra	ia and Florida Only			UCF91	UCPY2	1 17	53 31	26 46	27 50	8 37						
Georg	2-Wire Voice Grade Port (Centrex.)			UEP91	UEPHA	1 17	E0 04	26 46	27 50							
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHA	1 17	53 31 53 31	26 46 26 46	27 50	8 37 8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1 17	53 31	26 46	27 50							
	2-Wire Voice Grade Port (Centrex With Carlet 19)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	-		SE(0)	OLF IIII	 '''	23.31	20 46	2/ 50	8 37						
	Center)2,3			UEP91	UEPHM	1 17	139 49	86 10	65 41	13 81			I			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			94, 91	CEPHIN	 '' 	138 49	00 10	63.41	13.81					<u> </u>	
	Service Term			UEP91	UEPHZ	1 17	139 49	86 10	65 41	13 81			Ī			
					JEINZ	'''	138 48	00 10	65 41	13 01						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP91	UEPH9	1 17	53 31	26 46	27 50	8 37			Ī			
	2-Wire Voice Grade Port Terminated in 61 Meganink of Equivalent			UEP91	UEPH2	1 17	53 31	26 46	27 50	8 37						
Local	Switching			OE1 01	OLF FIZ	· ' '	JJ 31	20 46		0.31		-				
	Centrex Intercom Funtionality, per port			UEP91	URECS	0 7384		 								
													1		1	
		-		OLI OI	0.1200	0 1004		 								
	Number Portability Local Number Portability (1 per port)			UEP91	LNPCC	0 35		_								

NADONDEED NE	ETWORK ELEMENTS - Florida			T	_								Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring		20450	001111		Rates(\$)		
All S	Standard Features Offered, per port			UEP91	UEPVF	2 26	First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Select Features Offered, per port			UEP91	UEPVS	0 00	370 70									
	Centrex Control Features Offered, per port			UEP91	UEPVC	2 26	370 70									
NARS	on and services i address officion, per port		-	OCT OT	1021 40				 							-
	undled Network Access Register - Combination		·	UEP91	UARCX	0 00	0 00	0.00	0 00	0 00						<u> </u>
Unb	undled Network Access Register - Indial			UEP91	UAR1X	0 00	0 00	0 00	0 00	0 00						
	undled Network Access Register - Outdial			UEP91	UAROX	0.00	0 00	0 00	0 00	0 00						
	ous Terminations															
2-Wire Trun	k Side															
	nk Side Terminations, each			UEP91	CENA6	8 73										
	Channel Mileage - 2-Wire															
	roffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25 32										
	office Channel mileage, per mile or fraction of mile	L		UEP91	M1GBM	0 0091										
	ivations (DS0) Centrex Loops on Channelized DS1 Service	e														
	Bank Feature Activations				1											
Feat	ture Activation on D-4 Channel Bank Centrex Loop Slot		 	UEP91	1PQWS	0 66			ļ							
							l									
	ture Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 66										
	ture Activation on D-4 Channel Bank FX Trunk Side Loop				1				!							
Slot				UEP91	1PQW7	0 66										
	ture Activation on D-4 Channel Bank Centrex Loop Slot -															
Diffe	erent Wire Center		<u> </u>	UEP91	1PQWP	0 66			ļl							ļ
-	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			LUEBOA					1							
	ture Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP91	1PQWV	0 66									ļl	
Feat	ture Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWQ	0 66	I			İ						
	ure Activation on D-4 Channel Bank WATS Loop Slot		-	UEP91	1PQWQ	0 66										
			-	DEP91	TPQWA	0.66										
	ing Charges (NRC) Associated with UNE-P Centrex version - Currently Combined Switch-As-Is with allowed		!		+				-							
	nges, per port		1	UEP91	USAC2		21 50	8 42								
	version of Existing Centrex Common Block	-	1	UEP91	USACN		5 17	8 32								
	Centrex Standard Common Block			UEP91	MIACS	0 00	618 82	0.32	l						-	
	Centrex Customized Common Block			UEP91	MIACC	0 00	618 82		-		-					
	ondary Block, per Block			UEP91	M2CC1	0 00	71 31									
	Establishment Charge, Per Occasion			UEP91	URECA	0 00	66 48								1	
	TREX - 5ESS (Valid in All States)			52,07	- GINE GIN	- 0 00	00 10						····			
	.oop/2-Wire Voice Grade Port (Centrex) Combo					i										
	pop Combination Rates (Non-Design)					-									1	
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	-Design		1	UEP95		10 94	-									
	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Non-	-Design		2	UEP95		15 05	ļ									
2-Wi	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Non-	-Design		3	UEP95		25 80										
UNE Port/Lo	oop Combination Rates (Design)															
2-W1	re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -									·						
Dese			1	UEP95		13 41						i				
2-Wi	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		[
Desi			2	UEP95		18 57									ł l	
	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Desi			3	UEP95		32 04										
UNE Loop R																
	re Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	9 77										
	re Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13 88		-								
	re Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	24 63										
	re Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	12 24										
	re Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17 40			1		1					
	re Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	30 87					1					
UNE Port Ra	ate .															

DUROUDLE	D NETWORK ELEMENTS - Florida				, 								Attachment:		Exhibit: B	·
ATEGORY	RATE ELEMENTS	Interi m	Z оле	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonre		Nonrecurring					Rates(\$)		
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ail Sta										L						
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				1											
	Area		<u> </u>	UEP95	UEPYH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire													1		
	Center)2,3 Basic Local Area			UEP95	UEPYM	1 17	139 49	86 10	65 41	13 81		ļ		ļ		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				1 i											
_	Service Term - Basic Local Area		_	UEP95	UEPYZ	1 17	139 49	86 10	65 41	13 81						<u> </u>
- 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1										l	-
 -	- Basic Local Area	-		UEP95	UEPY9	1 17	53 31	26 46	27 50	8 37						<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term -	İ	1	l	1						1				ĺ	
	Basic Local Area			UEP95	UEPY2	1 17	53 31	26 46	27 50	8 37	<u> </u>					
	, LA, MS, SC, & TN Only				ļ											L
FL & G					1						ļ					ļ
	2-Wire Voice Grade Port (Centrex.)			UEP95	UEPHA	1 17	53 31	26 46	27 50	8 37						L
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1 17	53 31	26 46	27 50	8 37						ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPHM	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1 1											
	Term 2,3			UEP95	UEPHZ	1 17	139 49	86 10	65 41	13 81						
					1											
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1 17	53 31	26 46	27 50	8 37						L
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0 7384										1
Local I	lumber Portability		1.													
	Local Number Portability (1 per port)			UEP95	LNPCC	0 35										İ
Feature																
	All Standard Features Offered, per port			UEP95	UEPVF	2 26										
	All Select Features Offered, per port		1	UEP95	UEPVS	0 00	370 70									
	All Centrex Control Features Offered, per port		1	UEP95	UEPVC	2 26										
NARS																
	Unbundled Network Access Register - Combination		I	UEP95	UARCX	0 00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Indial	İ		UEP95	UAR1X	0 00	0.00	0 00	0 00	0 00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0 00	0 00	0 00		•				
	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8 73										
	Digital (1.544 Megabits)										· · · · · · · · · · · · · · · · · · ·					
	DS1 Circuit Terminations, each			UEP95	M1HD1	54 95										
	DS0 Channels Activated, each			UEP95	M1HDO	0 00	15 69									
Interof	ice Channel Mileage - 2-Wire		1													
	Interoffice Channel Facilities Termination			UEP95	M1GBC	25 32	-									
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP95	M1GBM	0 0091										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0 66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 66										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop								·							
	Slot		1	UEP95	1PQW7	0 66		j								1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -												··· 			
	Different Wire Center			UEP95	1PQWP	0 66										1
					 										-	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 66		1								1
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop				T									•	<u> </u>	
1	Slot		1	UEP95	1PQWQ	0 66						'				1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
						Rec -	Nonrec		Nonrecurring					Rates(\$)		
	Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP95	1PQWA	0 66	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex		-	UEF95	IFGWA	0.00										
House	NRC Conversion Currently Combined Switch-As-Is with allowed		 		1 1		+									
	changes, per port			UEP95	USAC2	0 00	21 50	8 42								[
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5 17	8 32								
	New Centrex Standard Common Block		1	UEP95	M1ACS	0 00	618 82	0.02								[
_	New Centrex Customized Common Block		 	UEP95	M1ACC	0 00	618 82									
	NAR Establishment Charge, Per Occasion	t	i –	UEP95	URECA	0 00	66 48									
UNE-P	CENTREX - DMS100 (Valid in All States)			02.00	0112011	0.00	55 .5									
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1											
	ort/Loop Combination Rates (Non-Design)	†														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		1											
	Non-Design		1	UEP9D		10 94										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	1	-												
	Non-Design	1	2	UEP9D		15 05					l					ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1	Non-Design	1	3	UEP9D	1	25 80					l					[
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															ĺ
1	Design	1	1	UEP9D		13 41					ļ					ſ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	1	2	UEP9D		18 57					ļ					ſ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	i	3	UEP9D		32 04										ſ
UNE L	oop Rate											-				[
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9 77										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	13 88						- '				Í
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	24 63										ı
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12 24										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17 40										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30 87										1
UNE P	ort Rate	Î	1						. 1							i Total
ALL S	TATES		T													i Total
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1 17										i
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	1 17	53 31	26 46	27 50	8 37						ı
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															1
	Area			UEP9D	UEPYC	1 17	53 31	26 46	27 50	8 37		1				f
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															i
	Area			UEP9D	UEPYD	1 17	53 31	26 46	27 50	8 37						1
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															[
	Area			UEP9D	UEPYE	1 17	53 31	26 46	27 50	8 37						L
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1 17	53 31	26 46	27 50	8 37						1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															4
	Area			UEP9D	UEPYG	1 17	53 31	26 46	27 50	8 37						1
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															1
	Area			UEP9D	UEPYT	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															1
	Area		L	UEP9D	UEPYU	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		"]	ĺ
	Area			UEP9D	UEPYV	1 17	53 31	26 46	27 50	8 37						
1	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				Ι Τ	Т	7									ĺ
	Area			UEP9D	UEPY3	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	1														Í
	Area	L	1	UEP9D	UEPYH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp						i									ĺ
ı	Indication))4 Basic Local Area			UEP9D	UEPYW	1 17	53 31	26 46	27 50	8 37	<u> </u>					1

INRONDE	ED NETWORK ELEMENTS - Florida												Attachment;	2	Exhibit B	
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l		Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec			Disconnect		•		Rates(\$)		
						Nec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4										1					
_	Basic Local Area			UEP9D	UEPYJ	1 17	53 31	26 46	27 50	8 37	ļ					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1 17	E2 24	26.46	27.50	0.27					İ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPTIVI	1 17	53 31	26 46	27 50	8.37						
	Basic Local Area		1	UEP9D	UEPYO	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			32.03	102		- 55 51	20 10	2.00	00.	 					
Ì	Basic Local Area			UEP9D	UEPYP	1 17	53 31	26 46	27 50	8 37	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4					-								-		
	Basic Local Area		<u> </u>	UEP9D	UEPYR	1 17	139 49	86 10	65 41	13 81						
- 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area		l i	UEP9D	UEPYS	1 17	400.40	00.40	05.44	40.04	ŀ		1		[
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		-	UEP9D	UEPTS	1 17	139 49	86 10	65 41	13.81	-	-				
	Basic Local Area			UEP9D	UEPY4	1 17	139 49	86 10	65 41	13.81	l					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			02.00	102		100 10	- 00.10		1001						
	Basic Local Area	ł		UEP9D	UEPY5	1 17	139 49	86 10	65 41	13.81	l					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4														i i	·
	Basic Local Area			UEP9D	UEPY6	1 17	139 49	86 10	65 41	13 81						
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPTS	1.17	33 31	26 46	27 50	837	<u> </u>					
	Local Area	ļ		UEP9D	UEPY2	1 17	53 31	26 46	27 50	8 37				1		
FL &	GA Only			04.00	100.12		00 01	20 10	27.00	001						
	2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP9D	UEPHA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1 17	53 31	26 46	27 50	8 37				_		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4	L	ļ <u> </u>	UEP9D	UEPHT	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4	ļ		UEP9D	UEPHU	1 17	53 31	26 46		8 37	<u> </u>					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4	ļ		UEP9D	UEPHV	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4	-	ļ	UEP9D	UEPH3	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	 		UEP9D	UEPHH	1 17	53 31	26 46	27 50	8 37	ļ <u>.</u>					
	Indication)4	ŀ	1	UEP9D	UEPHW	1 17	53 31	26 46	27 50	8 37	l					
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			02.00	100.110			20 10	2, 00							
	2.3	1		UEP9D	UEPHM	1 17	139 49	86 10	65 41	13 81	l					
			<u> </u>		1 - 1	· · · · · · · · · · · · · · · · · · ·			1							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1 17	139 49	86 10	65 41	13 81	_					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	ļ	ļ	UEP9D	UEPHP	1 17	139 49	86 10	65 41	13 81						
	0.14.0.14.0.00.1.00.1.00.1.00.1.00.1.00					[}	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	ļ	<u> </u>	UEP9D	UEPHQ	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1 17	139 49	86 10	65 41	13 81					1	
	2-vviid voice Grade Port (Centiex/differ SVVC /EBS-M5112)2,3,4			UEP9D	DEPTIK	1 17	139 49	86 10	03 41	1381					!	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4		ŀ	UEP9D	UEPHS	1 17	139 49	86 10	65 41	13.81					1	
-		 		J_1 J_	JOE 110		100 40	30 10	- 03 41	1331					t	
ĺ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2.3.4	l		UEP9D	UEPH4	1 17	139 49	86 10	65 41	13.81	1					

	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		N	RATES (\$)			Submitted Elec	Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge -	Increment Charge Manual St Order vs Electronic Disc Add
			1			Rec	Nonrec First	Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	· · · · · · · · · · · · · · · · ·						First	Auu	riist	Audi	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1 17	139 49	86 10	65 41	13 81	1					
									••	-						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1 17	139 49	86 10	65 41	13 81						
	10 Was News Oasts Day (Oasts July a ONO (EDO MENTO) 0.0			urnen		!										
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPH7	1 17	139 49	86 10	65 41	13 81					!	<u> </u>
	Term 2.3			UEP9D	UEPHZ	1 17	139 49	86 10	65 41	13 81					1	
	70111 210			OLI OD	OLITIZ		105 45	00 10	0541	1301					 	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1 17	53 31	26 46	27 50	8 37						
Local	Switching				"				L							
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0 7384										
Local	Number Portability															
	Local Number Portability (1 per port)		ļ	UEP9D	LNPCC	0 35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	2 26										<u> </u>
	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D UEP9D	UEPVS UEPVC	0 00	370 70									
NARS				UEP9U	UEPVC	2 26					j					
ITARS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00	0 00	0 00						
 	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0 00	0 00	0.00				 		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0 00	0 00	0 00						
Miscel	laneous Terminations		-		0,110,1	- 000	0.00	0.00	0.00	0.00						
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8 73				-						
4-Wire	Digital (1 544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	54 95										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	15 69									
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	25 32										
Footur	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	M1GBM	0 0091										
	annel Bank Feature Activations	e .			_											
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9D	1PQWS	0 66			-		-	+			_	
	Todal of State of District Dank Conflict Ecop Clot		1	OLI DD		0.00						-				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		[[UEP9D	1PQW6	0 66						- 1				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		l l	UEP9D	1PQW7	0 66						-				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0 66										
					1		ļ					[
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 66										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop		1				1		1							
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot		\vdash	UEP9D	1PQWQ	0 66										
Non-Pr	ecurring Charges (NRC) Associated with UNE-P Centrex			UEP9D	1PQWA	0 66										
14011-14	NRC Conversion Currently Combined Switch-As-Is with allowed	-														
	changes, per port			UEP9D	USAC2		21 50	8 42	i							
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5 17	8 32								
	New Centrex Standard Common Block			UEP9D	MIACS	0 00	618 82	3.32								
\perp	New Centrex Customized Common Block			UEP9D	M1ACC	0 00	618 82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00	66 48									
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
10.186	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
Z-VVIPE																
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															

NURUNDLED NETWO	ORK ELEMENTS - Florida												Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									•	1					
Non-Desig	n Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E	-	15 05										
Non-Desig			3	UEP9E	i	25 80										
	ombination Rates (Design)	1	۱Ť	OCI OL		25 00			-		<u> </u>				-	
	Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 						 		 				-	
Design		l	1	UEP9E		13 41			1	Ì	1					
	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design			. 2	UEP9E		18 57										
	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		l .													
Design			3	UEP9E		32 04			1							
UNE Loop Rate	ce Grade Loop (SL 1) - Zone 1	 	1	UEP9E	UECC1	9 77			1							
	ce Grade Loop (SL 1) - Zone 2			UEP9E	UECS1 UECS1	13 88						ļ				
	ce Grade Loop (SL 1) - Zone 2	 		UEP9E	UECS1	24 63									 	
	ce Grade Loop (SL 2) - Zone 1	-	1	UEP9E	UECS2	12 24					-					
2-Wire Void	ce Grade Loop (St. 2) - Zone 2			UÉP9É	UECS2	17 40										
2-Wire Void	ce Grade Loop (St. 2) - Zone 3			UEP9E	UECS2	30 87			-						-	
UNE Port Rate									1							
AL, FL, KY, LA, M			1.													
2-Wire Voic	ce Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1 17	53 31	26 46	27 50	8 37						
	ce Grade Port (Centrex 800 termination)Basic Local															
Area				UEP9E	UEPYB	1 17	53 31	26 46	27 50	8 37						
	ce Grade Port (Centrex with Catler ID)1Basic Local				1											
Area	ce Grade Port (Centrex from diff Serving Wire		-	UEP9E	UEPYH	1 17	53 31	26 46	27 50	8 37						
	Basic Local Area			UEP9E	UEPYM	1 17	139 49	86 10	65.44	42.04		į				
	be Grade Port, Diff Serving Wire Center 2,3 - 800	-		DEPSE	UEPTIVI	1 17	139 49	01 08	65 41	13 81	 					
	rm - Basic Local Area			UEP9E	UEPYZ	1 17	139 49	86 10	65 41	13 81						
	ce Grade Port terminated in on Megalink or equivalent			02.02	<u> </u>		700 45	00 10	0541	10 01						
- Basic Loc				UEP9E	UEPY9	1 17	53 31	26 46	27 50	8 37	i I				1	
2-Wire Voic	ce Grade Port Terminated on 800 Service Term -						•									
Basic Loca	J Area		<u>L</u>	UEP9E	UEPY2	1 17	53 31	26 46	27 50	8 37						
Florida Only																
	ce Grade Port (Centrex)			UEP9E	UEPHA	1 17	53 31	26 46	27 50	8 37						
	ce Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1 17	53 31	26 46	27 50	8 37						
	e Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1 17	53 31	26 46	27 50	8 37						
Center)2,3	ce Grade Port (Centrex from diff Serving Wire			UEP9E	UEPHM	1 17	139 49	00.40		40.04						
	ce Grade Port, Diff Serving Wire Center - 800 Service			UEPSE	UEPHIN	11/	139 49	86 10	65 41	13 81						
Term 2,3	college fort, bill derving wife deriver - 000 dervice			UEP9E	UEPHZ	1 17	139 49	86 10	65 41	13 81						
			· · · · · ·	021 02	OCI TIZ		105 45	00.10	0341	1301						
2-Wire Voic	e Grade Port terminated in on Megalink or equivalent		ŀ	UEP9E	UEPH9	1 17	53 31	26 46	27 50	8 37	1					
	e Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1 17	53 31	26 46	27 50	8 37						
Local Switching																
	ercom Funtionality, per port			UEP9E	URECS	0 7384										
Local Number Por																
	ber Portability (1 per port)			UEP9E	LNPCC	0 35										
Features	d Factoria Official accord			UEDOE	1,50,5											
All Standar	d Features Offered, per port eatures Offered, per port	-		ÜEP9E	UEPVF	2 26	270 7-									
All Centrey	Control Features Offered, per port			UEP9E UEP9E	UEPVS UEPVC	0 00 2 26	370 70									
NARS	control catales offsied, per port			OEF 9E	UEPVC	2 26					ļ					
	Network Access Register - Combination	-	-	UEP9E	UARCX	0 00	0 00	0 00	0.00	0 00						
	Network Access Register - Indial	-		UEP9E	UAR1X	0 00	0 00	0 00	0.00	0 00						
	Network Access Register - Outdial			UEP9E	UAROX	0 00	0 00	0 00	0 00	0 00		 				
Miscellaneous Ter	minations			-	1											-
2-Wire Trunk Side							1						•			
Trunk Side	Terminations, each			UEP9E	CEND6	8 73							-			

JNBUNDLED NETV	VORK ELEMENTS - Florida												Attachment	2	Exhibit. B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Incremen Charge Manual S Order vi Electron Disc Add
						Rec	Nonrec	curring	Nonrecurring	g Disconnect				Rates(\$)		
						l Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire Digital (1	544 Megabits)															
DS1 Circ	cuit Terminations, each			UEP9E	M1HD1	54 95										
DS0 Cha	annel Activated Per Channel			UEP9E	M1HDO	0 00	15 69									
Interoffice Char	inel Mileage - 2-Wire						· · · · · · ·									
	e Channel Facilities Termination			UEP9E	M1GBC	25 32			1							
	e Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0 0091										
	ons (DS0) Centrex Loops on Channelized DS1 Service	e							·							
	k Feature Activations							-	-						1	
	Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 66									1	
T Contains	Autorian are a creamor parm common good crea			102, 02	- 11 0110											
Feature	Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 66				ı			1		1	
	Activation on D-4 Channel Bank FX Trunk Side Loop		 	Jan 102	11. 2000	0.00			 	-	_	 				
Slot	Authorition on 12-4 Chairles Dalik FA Hullk Side Loop	1	1	UEP9E	1PQW7	0 66				F			1			
	Activation on D-4 Channel Bank Centrex Loop Slot -	-	 	OLI-9E	IFQW/	0.00				ļ					 	
		1		LIEBOE	4DOMD	0.55				İ	i		1			
υmerent	Wire Center	 		UEP9E	1PQWP	0 66			-	-		-				
	And of the D. A. Charles I. Break Break I. Charles	1		UEP9E	1.0000	0 66							I			
Feature	Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1				1			1	1			
Slot				UEP9E	1PQWQ	0 66										
	Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0 66										
	Charges (NRC) Associated with UNE-P Centrex		L .									ĺ				
NRC Co	nversion Currently Combined Switch-As-ls with allowed															
changes	, per port			UEP9E	USAC2	1	21 50	8 42	1							
Conversi	on of Existing Centrex Common Block, each			UEP9E	USACN		5 17	8 32		1						
New Cer	trex Standard Common Block			UEP9E	M1ACS	0 00	618 82									
	ntrex Customized Common Block			UEP9E	M1ACC	0 00	618 82									
	ablishment Charge, Per Occasion			UEP9E	URECA	0 00	66 48									
	ed Port for Centrex Control in 1AESS, 5ESS & EWSD			02,02	- OTTLOT		- 00 10				 		1			
	es Interoffice Channel Mileage									 	<u> </u>					
	tion is combination of Installation charge for SL2 Lo	on and	Port		+											
	es Specific Customer Premises Equipment	l and	UIL												-	
	PORT/LOOP COMBINATIONS - MARKET RATES															
	are applied where BellSouth is not required by FCC:	andiar (tota C		a massada Hisbaa	ndiad Lasal Co.	dala an as Cont	Ash Dards	ļ		-					
	arges for all Standard Centrex and Centrex Conrol Fe					ndied Local Sw	ntening or Swi	ten Ports								
2 Recurring on	d Tandem Switching Usage and Common Transport	licana	are inc	the Destruction	et Rate	hat aball anala	411				4 . f = = 11N/F . C	D				
	additional Port nonrecurring charges apply to Not Ci														•	
		arrentiy	Combi	inea Combos F	or currently col	mbinea Combo	s, trie nonrecu	irring charges	snall be those	identified in ti	ne Nonrecur	rring - Curre	entily Combine	a sections.	Additional NK	cs may
apply also and a	are categorized accordingly		·												, ,	
	X - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	-									_					
	/2-Wire Voice Grade Port (Centrex) Combo															
	Combination Rates (Non-Design)															
	G Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ĺ														
Non-Des			1	UEP91		26 94							·			
	G Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1														
Non-Des			2	UEP91		31 06										
	G Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Non-Des			3	UEP91		45 87										
UNE Port/Loop	Combination Rates (Design)															
2-Wire V	G Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Design		[1	UEP91		29 36	I						İ			
	G Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design		1	2	UEP91		34 43	I									
	G Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l		l		<u> </u>										
Design		1	3	UEP91		50 68	I						ı			
UNE Loop Rate		<u> </u>				30 00	-						—			
	oice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.94										
12-M/res M		-		UEP91	UECS1	17.94									-	
										i						1
2-Wire V	oice Grade Loop (SL 1) - Zone 2															
2-Wire V	oice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31 87										
2-Wire V 2-Wire V 2-Wire V			3							-						

UNBUN	DLE	D NETWORK ELEMENTS - Florida												Attachment.	2	Exhibit [,] B	
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
				ļ			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36 68	FIISL	Auu	First	Addi	SOME	SOMAN	JUNAN	JOHAN	SUMAN	JUNIAN
U	NE Po			†–Ť–		+							l				i e
Ā	II Stat	es (Except North Carolina and Sout Carolina)		†		1											
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	14 00	70 00	35 00	35 00	10 00						
$\overline{}$		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		†								_					
		Area			UEP91	UEPYB	14 00	70 00	35 00	35 00	10 00						
T		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1													ŀ
		Area			UEP91	UEPYH	14 00	70 00	35 00	35 00	10 00				ļ		
i		2-Wire Voice Grade Port (Centrex from diff Serving Wire		İ		1						!				1	
		Center)2 Basic Local Area		ļ	UEP91	UEPYM	14 00	180 00	110 00	85 00	20 00	ļ					
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UE DOA		44.00	400.00	440.00	25.00	00.00	İ				1	
		Term - Basic Local Area		ļ	UEP91	UEPYZ	14 00	180 00	110 00	85 00	20 00						-
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPY9	14 00	70 00	35 00	35 00	10 00					ŀ	
		- Basic Local Area		 	UEP91	DEPTS	14 00	70 00	35 00	35 00	10 00						1
		2-Wire Voice Grade Port Terminated on 800 Service Term -	1		UEP91	UEPY2	14 00	70 00	35 00	35 00	10 00						
		Basic Local Area a and Florida Only		 	UEF91	UEF12	19 00	70 00	33 00	33 00	10 00						
- 0		2-Wire Voice Grade Port (Centrex.)		 	UEP91	UEPHA	14 00	70 00	35 00	35 00	10 00						
		2-Wire Voice Grade Port (Centrex 800 fermination)		1	UEP91	UEPHB	14 00	70 00	35 00	35 00	10 00						
		2-Wire Voice Grade Port (Centrex with Caller ID)1		 	UEP91	UEPHH	14 00	70 00	35 00	35 00	10 00						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire		 	02.0.	JOET THE		10 00	00 00	35.00						_	
		Center)2		1	UEP91	UEPHM	14 00	180 00	110 00	85 00	20 00	ŀ					
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		†		1											
		Term		1	UEP91	UEPHZ	14 00	180 00	110 00	85 00	20 00						
											,						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		ł	UEP91	UEPH9	14 00	70 00	35 00	35 00	10 00	!					
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	14 00	70 00	35 00	35 00	10 00						
L		witching														<u> </u>	
		Centrex Intercom Funtionality, per port			UEP91	URECS	0 7384										
L		lumber Portability				1											<u> </u>
		Local Number Portability (1 per port)		ļ	UEP91	LNPCC	0 35										-
F	eature			-	LIE BOA	LUEDVE											
		All Standard Features Offered, per port		1	UEP91	UEPVF	0 00	070 70									-
		All Select Features Offered, per port		<u> </u>	UEP91	UEPVS	0 00	370 70					-				
- Ki	ARS	All Centrex Control Features Offered, per port		 	UEP91	UEPVC	0.00										
IN.	AKO	Unbundled Network Access Register - Combination		 	UEP91	UARCX	0.00	0 00	0 00	0 00	0.00					 	-
-		Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		!	UEP91	UAR1X	0 00	0 00	0 00	0 00	0 00						
-		Unbundled Network Access Register - Outdial		 	UEP91	UAROX	0 00	0 00	0 00		0 00	<u> </u>				1	
M		aneous Terminations			1	1							i				
		Trunk Side		i		1											
		Trunk Side Terminations, each			UEP91	CENA6	8 81										
In		ice Channel Mileage - 2-Wire		L													
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25 32									ļ	
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 0091										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D	4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 66					ļ					
		Early Add Alexand Bard Evil a St. 1		ļ	LIEBBA	I POWE	0.00					1				1	1
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot		 	UEP91	1PQW6	0 66			-			-		ļ		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0 66	ļ				1	1		l	I	
		Feature Activation on D-4 Channel Bank Centrex Loop Stot -		+	ULPSI	I PUVV	0 00			+						 	
		Different Wire Center			UEP91	1PQWP	0 66						[I	1
-		Direction this ocition		 	GEI 81	II GWI	0.00			<u> </u>		<u> </u>				<u> </u>	† · · · · · · · · · · · · · · · · · · ·
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 66	ļ					1			1	
-+		Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop		 	1	1 3	2 30							•			
		Slot			UEP91	1PQWQ	0 66	j								I	1
		Feature Activation on D-4 Channel Bank WATS Loop Slot		+	UEP91	1PQWA	0 66										1

BUNDLED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
EGORY RATE ELEMENTS	Inter:	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i		Incremer Charge Manual S Order v Electron Disc Ad
					Rec	Nonrec		Nonrecurring					Rates(\$)		
N- D- Alban Alban Alban Alban Ba				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
Conversion - Currently Combined Switch-As-Is with allowed															
changes, per port			UEP91	USAC2		21 50	8 42			1					
Conversion of Existing Centrex Common Block			UEP91	USACN		5 17	8 32								
New Centrex Standard Common Block			UEP91	M1ACS	0 00	618 82				† - :		_			
New Centrex Customized Common Block			UEP91	M1ACC	0.00	618 82							l	-	
Secondary Block, per Block			UEP91	M2CC1	0.00	71 31				· · · · · · · · · · · · · · · · · · ·					
NAR Establishment Charge, Per Occasion			UEP91	URECA	0 00	66 48				 			<u> </u>		
UNE-P CENTREX - 5ESS (Valid in All States)			OLI UI	- ONLON	0 00 1										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	\vdash							_							
UNE Port/Loop Combination Rates (Non-Design)															
	├			\rightarrow											
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		,									[
Non-Design	\sqcup	1	UEP95		26 94						I		<u> </u>		L
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Non-Design	[2	UEP95		31 06								l		1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Non-Design		3	UEP95	1 1	45 87										ļ
UNE Port/Loop Combination Rates (Design)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo										 					
Design		1	UEP95		29 36	1		1		1 1					
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95		29 36										
	1 1	!						1							
Design		2	UEP95		34 43										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1							į.		1		
Design		3	UEP95		50 68					l	ļ				
UNE Loop Rate															
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12 94										
2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	17 06										
2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31 87					t					
2-Wire Voice Grade Loop (St. 2) - Zone 1		1	UEP95	UECS2	15 36					-					
2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	20 43										
2-Wire Voice Grade Loop (SL 2) - Zone 3	- 1		UEP95	UECS2	36 68					-					
UNE Port Rate		-3	OLI 33	02032	30 06				-						
All States															
2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	14 00	70 00	35 00	35 00	10 00						
2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14 00	70 00	35 00	35 00	10 00						
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	T	I													
Area			UEP95	UEPYH	14 00	70 00	35 00	35 00	10 00						
2-Wire Voice Grade Port (Centrex from diff Serving Wire				1											
Center)2 Basic Local Area		F	UEP95	UEPYM	14 00	180 00	110 00	85 00	20 00		l				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			50	125,	1.7.50	100 00	110 00	55 50	20 00	 					
Term - Basic Local Area	1		UEP95	UEPYZ	14 00	180 00	110 00	85 00	20 00						
2-Wire Voice Grade Port terminated in on Megalink or equivalent		\rightarrow	UL1 33	UEFIZ	14 00	100 00	110 00	85 00	20 00	 					
			LIEBOE				!								
- Basic Local Area			UEP95	UEPY9	14 00	70 00	35 00	35 00	10 00						
2-Wire Voice Grade Port Terminated on 800 Service Term -		1						- 1							
Basic Local Area			UEP95	UEPY2	14 00	70 00	35 00	35 00	10 00	<u> </u>					
AL, KY, LA, MS, SC, & TN Only															
FL & GA Only		T													
2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	14 00	70 00	35 00	35 00	10 00		-				
2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	14 00	70 00	35 00	35 00	10 00						
2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	14 00	70 00	35 00	35 00	10 00						
2-Wire Voice Grade Port (Centrex from diff Serving Wire				+			55 50	33 30	10 00						
Center)2		l.	UEP95	UEPHM	14 00	100.00	110.00	05.00	20.00		į				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			ULF 80	DEPTIN	14 00	180 00	110 00	85 00	20 00	ļ					
	- 1	- 1.	IEDOS.	=n.:-				1			- 1				
Term			JEP95	UEPHZ	14 00	180 00	110 00	85 00	20 00						
l low u a call	Į			1											
2-Wire Voice Grade Port terminated in on Megalink or equivalent			JEP95	UEPH9	14 00	70 00	35 00	35 00	10 00	l I	- 1				
2-Wire Voice Grade Port Terminated on 800 Service Term			JEP95	UEPH2	14 00	70 00	35 00	35 00	10 00						
Local Switching	1			-1						-					
Centrex Intercom Funtionality, per port	$\overline{}$		JEP95	URECS	0 7384										

JUB	PNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge -	Charge -
							Rec	Nonred			Disconnect	<u> </u>			Rates(\$)		
							1140	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local	Number Portability		L													
		Local Number Portability (1 per port)			UEP95	LNPCC	0 35										
	Featur	es															†
		All Standard Features Offered, per port			UEP95	UEPVF	0.00						-	_			
		All Select Features Offered, per port			UEP95	UEPVS	0 00	370 70									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	0 00	0,010							+		
	NARS	To define definer t datates energe, per per	-	_	OLI 33	IOLI VO							-		-		-
	10.00	Unbundled Network Access Register - Combination		1	UEP95	UARCX	0 00	0 00	0 00	0.00	0.00						
	+	Unbundled Network Access Register - Indial			UEP95	UAR1X	0 00	0 00	0.00	0 00	0 00					 	
	+	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00								ļ	 	
	80			\vdash	UEP95	UARUX	0.00	0 00	0 00	0.00	0 00					ļ.	
		laneous Terminations	-	\vdash		+						 				-	-
	- ∠-AAile	Trunk Side	-	—	LIEBAE	- CENES											
	4 100	Trunk Side Terminations, each	ļ	1	UEP95	CEND6	8 81				L					ļ	
	4-Wire	Digital (1 544 Megabits)	ļ	\vdash													ļ
		DS1 Circuit Terminations, each			UEP95	M1HD1	54 95									l	
		DS0 Channels Activated, each			UEP95	M1HDO	0 00	15 69									
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP95	M1GBC	25 32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0 0091								*		
	Featur	e Activations (DSI) Centrex Loops on Channelized DS1 Service	e								-						
		annel Bank Feature Activations	1														· · · · · · · · · · · · · · · · · · ·
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		1 1	UEP95	1PQWS	0 66										
		T datare / Bit values for B T direction Barne Contract Ecop Gro			<u> </u>		- 000									·	
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 66					i I					
					UEP95	IPUVV6	0 00										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1 1									1				
	.	Slot			UEP95	1PQW7	0 66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		l i								l				ļ	
		Different Wire Center			UEP95	1PQWP	0 66										
		1	1														
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 66										
		Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop										1				<u> </u>	
		Slot		1 3	UEP95	1PQWQ	0.66										
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP95	1PQWA	0 66					· · · · · · · · · · · · · · · · · · ·		•			1
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex		_	02.700							-	• • • • • • • • • • • • • • • • • • • •	•			
	1	NRC Conversion Currently Combined Switch-As-Is with allowed										<u> </u>					†
		changes, per port	1		UEP95	USAC2	0 00	21 50	8 42	[j l				l	1
	+	Conversion of Existing Centrex Common Block, each			UEP95	USACN	0 00	5 17	8 32	 						 	-
	+	New Centrex Standard Common Block	 						0.32								
	+		₩		UEP95	M1ACS	0 00	618 82									
	+	New Centrex Customized Common Block	-		UEP95	M1ACC	0.00	618 82		ļ						ļ	ļ
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66 48									
		CENTREX - DMS100 (Valid in All States)	—	\sqcup													
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		\perp													
	UNE P	ort/Loop Combination Rates (Non-Design)															
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
		Non-Design	L	<u> 1 </u>	UEP9D		26 94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design	l	2	UEP9D		31 06							:			I
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							**								
	1	Non-Design	l	3	UEP9D		45 87			1]
	UNE P	ort/Loop Combination Rates (Design)				1 1											1
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo														†	t
		Design		1 1	UEP9D		29,36										
	 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	- ' -	00,00	+	25,50			ļ							
		Design		ا ۾ ا	UEDOD.	l	24.42										
	1			2	UEP9D		34 43										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	ارا													I
	 	Design		3	UEP9D	i	50 68										
	UNE L	oop Rate	L	$oldsymbol{\square}$													
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12 94										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	17 06									1	

UNBUNDLE	D NETWORK ELEMENTS - Florida	,		,	<u> </u>								Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonred		Nonrecurring	Disconnect				Rates(\$)	<u> </u>	
							First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	31 87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9D	UECS2	15 36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	20 43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36 68										l
	ort Rate															
ALL S				LIEDOD	1											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	14 00									_	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UÉP9D	UEPYC	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14 00	70 00	35 00	35 00	10 00			-			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2. 3 Basic Local Area			UEP9D	UEPYO	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14 00	180 00	110 00	85 00	20 00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14 00	180 00	110 00	85 00	20 00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14 00	180 00	110 00	85 00	20 00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14 00	180 00	110 00		·						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3								85 00	20.00						-
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	14 00	180 00	110 00	85 00	20 00						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	14 00	180 00	110 00	85 00	20 00						
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	14 00	180 00	110 00	85 00	20 00						
	Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	14 00	180 00	110 00	85 00	20 00						
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	14 00	70 00	35 00	35 00	10 00						

NBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
												Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Increment Charge
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR		Manual Svc Order vs Electronic-			Manual Se Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FL & GA									l							
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	14 00	70 00	35 00	35 00	10 00						ł
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPHB	14 00 14 00	70 00 70 00	35 00	35 00 35 00	10 00						ļ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D UEP9D	UEPHD	14 00	70 00	35 00 35 00	35 00	10 00			_			ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3	-		UEP9D	UEPHF	14 00	70 00	35 00	35 00	10 00					_	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3	 		UEP9D	UEPHG	14 00	70 00	35 00	35 00	10 00	ļ				-	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3		1	UEP9D	UEPHU	14 00	70 00	35 00	35 00	10 00	 					+
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	14 00	70 00	35 00	35 00	10 00					 	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	14 00	70 00	35 00	35 00	10 00	_					
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	14 00	70 00	35 00	35 00	10 00	 			 		t
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp						1000				t					
	ndication)3			UEP9D	UEPHW	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				+											
2	2			UEP9D	UEPHM	14 00	180 00	110 00	85 00	20 00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14 00	180 00	110 00	85 00	20 00						
		·	1				.,,		-						†	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14 00	180 00	110 00	85 00	20 00				ļ		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	14 00	180 00	110 00	85 00	20 00						
	77						-			-						
2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	14 00	180 00	110 00	85 00	20 00					l	
2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	ĺ	1 1	UEP9D	UEPHS	14 00	180 00	110 00	85 00	20 00				Į.	Į.	1
2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14 00	180 00	110 00	85 00	20 00						•
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14 00	180 00	110 00	85 00	20 00						
							1									ĺ
2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14 00	180 00	110 00	85 00	20 00						ļ
														}		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14 00	180 00	110 00	85 00	20 00						ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPHZ	14 00	180 00	110 00	85 00	20 00					_	
				urnen	lu-sus	4400	70.00	05.00	0=00	40.00				i		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9 UEPH2	14 00	70 00 70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPHZ	14 00	70 00	35 00	35 00	10 00						
Local Sv				UC DOD	URECS	0 7384									 	
	Centrex Intercom Funtionality, per port			UEP9D	UREUS	0.7364										
	umber Portability Local Number Portability (1 per port)	_	-	UEP9D	LNPCC	0 35				_			_			<u> </u>
Features				UEP9D	LNPCC	0.35				_	-					
	All Standard Features Offered, per port			UEP9D	UEPVF	0 00 1										
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	370 70		 	_			_			—
	Alf Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	370.70			_						
NARS	or control Calares Official, per part	 		GC. 65	102, 10			_	 						 	
	Inbundled Network Access Register - Combination		-	UEP9D	UARCX	0 00	0 00	0 00	0 00	0 00						
	Inbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0 00	0 00	0 00						
- i	Inbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0 00	0 00	0 00						
Miscella	neous Terminations				1		- 3.50	2 30	1				-	-		
	runk Side													-	<u> </u>	
	runk Side Terminations, each		\vdash	UEP9D	CEND6	8 81			 						1	
	igital (1 544 Megabits)				1									T		
	OS1 Circuit Terminations, each		<u> </u>	UEP9D	M1HD1	54 95									1	
	OSO Channels Activiated per Channel			UEP9D	M1HDO	0 00	15 69									
	ce Channel Mileage - 2-Wire				1			*	 					ľ		
	nteroffice Channel Facilities Termination			UEP9D	M1GBC	25 32		• • • • • • • • • • • • • • • • • • • •			i			T	1	

DIADOIADE	ED NETWORK ELEMENTS - Florida												Attachment	2	Exhibit B	
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)		,	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic-		incremental Charge -	Charge -
													1st	Add'l	Disc 1st	Disc Add
						Rec		urring	Nonrecurring					Rates(\$)		
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0 0091	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	L		UEP9D	IVITGBIVI	0 0091										
	hannel Bank Feature Activations	1	-								 	-				ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 66					 					
					11					-	1		-			
	Feature Activation on D-4 Channel Bank FX line Side Loop Stot			UEP9D	1PQW6	0 66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l				I		·								
	Slot			UEP9D	1PQW7	0 66										_
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.00										1
	Different Wife Center			UEP9D	TPOWP	0 66										
	Feature Activation on D-4 Channel Bank Private Line Loop Stot			UEP9D	1PQWV	0 66										1
<u> </u>	Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop				II GEVYV	0.00					 					
	Slot			UEP9D	1PQWQ	0 66										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															· · · · · · · · · · · · · · · · · · ·
	NRC Conversion Currently Combined Switch-As-Is with allowed															$\overline{}$
	changes, per port			UEP9D	USAC2		21 50	8 42								L
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5 17	8 32								
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP9D UEP9D	M1ACS M1ACC	0 00	618 82									
	NAR Establishment Charge, Per Occasion		-	UEP9D	URECA	0.00	618 82 66 48									
UNF-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEFBD	URECA	0.00	00 40									
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	_			1						 					
UNE F	Port/Loop Combination Rates (Non-Design)				7											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
	Non-Design		1	UEP9E		26 94					ļ l					i
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	İ					-									i T
	Non-Design		2	UEP9E		31 06										İ
	2-Wire VG Loop/2-Wire Vaice Grade Port (Centrex)Port Combo - Non-Design			HEDOE												i
LINE	Port/Loop Combination Rates (Design)		3	UEP9E		45 87										
UNC I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		29 36			i							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					25 55					-					
	Design		2	UEP9E		34 43					i l					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								·							
	Design		3	UEP9E		50 68										L
UNE	Loop Rate				<u> </u>											
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-		UEP9E	UECS1	12 94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E UEP9E	UECS1 UECS1	17 06 31 87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	15 36				_						
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	20 43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	36 68						-				
	Port Rate				1		-									
AL, FI	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LEDDE												
	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP9E	UEPYB	14 00	70 00	35 00	35 00	10 00						
	Area	İ		UEP9E	UEPYH	14.00	70.00	25.00	25.55	40.00		1		[
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OFLAE	UEPTH	14 00	70 00	35 00	35 00	10 00						
	Center)2 Basic Local Area			UÉP9E	UEPYM	14 00	180 00	110 00	85 00	20 00		ŀ	ļ			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				J.C. 1141	14 00	100 00	110 00	85 00	20 00						
	Term - Basic Local Area		- 1	UEP9E	UEPYZ	14 00	180 00	110 00	85 00	20 00					- 1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		$\neg \neg$							20 00						
1	- Basic Local Area	1		UEP9E	UEPY9	14 00	70 00	35 00	35 00	10 00			[

INRONDEFI	NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	2-Wire Voice Grade Port Terminated on 800 Service Term -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area			UEP9E	UEPY2	14 00	70 00	35 00	35 00	10 00						
Florida			1	OLI SL	OLI 12	14 00	70 00	33 00	33 60	10 00	 					
	2-Wire Voice Grade Port (Centrex)		-	UEP9E	UEPHA	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	14 00	70 00	35 00	35 00	10 00						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	14 00	70 00	35 00	35 00	10 00	_					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	İ	1	1												
	Center)2		_	UEP9E	UEPHM	14 00	180 00	110 00	85 00	20 00			ļ			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPHZ	14 00	180 00	110 00	85 00	20 00						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	14 00	70 00	35 00	35 00	10 00						
\dashv	2-Wire Voice Grade Port Terminated in oil Megallik of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		\vdash	UEP9E	UEPH2	14 00	70 00	35 00	35 00	10 00						
	witching	l	\vdash	1				35 00	33 00	10 00						
	Centrex Intercom Funtionality, per port			UEP9É	URECS	0 7384										
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0 35										
Feature																
	All Standard Features Offered, per port			UEP9E	UEPVF	0 00										
	All Select Features Offered, per port		1	UEP9E	UEPVS	0 00	370 70									
NARS	All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	0 00					ļ					
NAKS	Unbundled Network Access Register - Combination		1	UEP9E	UARCX	0 00	0 00	0 00	0 00	0 00			ļ			
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		-	UEP9E	UAR1X	0 00	0 00	0 00	0 00	0 00			ļ			
	Unbundled Network Access Register - Outdial		 	UEP9E	UAROX	0 00	0 00	0 00	0 00	0 00	 		<u> </u>			
	aneous Terminations		1	OLI SE	DAILOX	0 00	0 00	0 00	0.00	0 00						
	Trunk Side				1 1								·			
	Trunk Side Terminations, each			UEP9E	CEND6	8 81										
	Digital (1 544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54 95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0 00	15 69									
Interoff	ice Channel Mileage - 2-Wire		ļ													
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	25 32										
Eastura	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	M1GBM	0 0091										
	nnel Bank Feature Activations	e		-	1		-									
D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9E	1PQWS	0.66										
	. 55.5.5 . Simulation on big official paint defines book stol		 	021 02	11 2110	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot	ļ		UEP9E	1PQW7	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0 66										
	Facture Actuation on D.4 Channel Best Best Live I.			LIEDOE	4000477											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9E	1PQWV	0 66						-				
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot			UEP9E	1PQWQ	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0 66										
	curring Charges (NRC) Associated with UNE-P Centrex			J = , J =		2 00										
	NRC Conversion Currently Combined Switch-As-Is with allowed				1							-				· · · · · · -
	changes, per port			UEP9E	USAC2		21 50	8 42								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5 17	8 32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0 00	618 82									
	New Centrex Customized Common Block			UEP9E	M1ACC	0 00	618 82									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0 00	66 48									
Note 1	Required Port for Centrex Control in 1AESS, 5ESS & EWSD		<u> </u>	ļ	1											
80.1			1 1	I .	1 1				1 I		1		1			1
	- Requres Interoffice Channel Mileage Requires Specific Customer Premises Equipment		-													

LOCAL INTE	RCONNECTION - Florida	,											Attachment:	3	Exhibit A	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	•	•
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0041 11755			ļ								<u> </u>					
	CONNECTION (CALL TRANSPORT AND TERMINATION)	11 1	1	1		l							***************************************			
TANDE	"bk" beside a rate indicates that the Parties have agreed to bi M SWITCHING	ili and K	eep to	r triat element purs	uant to the ter	rms and conditi	ons in Attachn	nent 3								
IAIVOL	Tandem Switching Function Per MOU	+	 	OHD	+	0 0006019bk									ļ	
	Multiple Tandem Switching, per MOU (applies to initial tandem	+	 	OTID		0 0000019DK		_								<u> </u>
	only)	l	1	OHD	ļ	0 0006019					i I					
	Tandem Intermediary Charge, per MOU*	—		OHD	+	0 0015									-	
	charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching an	d/or interconr											
TRUNK	CHARGE		T	1		II						-				
	Installation Trunk Side Service - per DS0			OHD	TPP++		21 73	8 19								
	Dedicated End Office Trunk Port Service-per DS0**	L		OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0 00									<u> </u>	
	Dedicated Tandem Trunk Port Service-per DS0**		ļ	OHD	TDWOP	0 00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0 00										
This	rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swif	ching, per MOL	rate elements									
COMM	ON TRANSPORT (Shared)		ļ													
	Common Transport - Per Mile, Per MOU			OHD		0 0000035bk										
OCAL INTERO	Common Transport - Facilities Termination Per MOU CONNECTION (DEDICATED TRANSPORT)		-	OHD		0 0004372bk										
	OFFICE CHANNEL - DEDICATED TRANSPORT	-	-													
- INTERC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	 			+											
	Per Mile per month			OHL, OHM	1L5NF	0 0091							į			
- 1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		<u> </u>	OTIL, OTIV	1,0111	0 0001										
	Facility Termination per month			OHL, OHM	1L5NF	25 32	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1		1			0	- 1001							
	per month			OHL, OHM	1L5NK	0 0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		1											-		
	Termination per month	i	l .	OHL, OHM	1L5NK	18 44	47 35	31 78	18 31	7 03		i				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0 0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month		-	OHL, OHM	1L5NK	18 44	47 35	31 78	18 31	7 03						_
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		1	OLIA OLIANO	41.5511	0.4050						i				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	 		OH1, OH1MS	1L5NL	0 1856			·							
	Termination per month			OH1, OH1MS	1L5NL	88 44	105 54	98 47	21 47	10.05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<u> </u>		O. II, OTTINO	TEOTAL	00 44	100 04	90 47	2147	19 05						
	month			онз, онзмѕ	1L5NM	3 87	ļ									
	Interoffice Channel - Dedicated Transport - DS3 - Facility					-										
	Termination per month		l i	онз, онзмѕ	1L5NM	1,071 00	335 46	219 28	72 03	70 56						
	CHANNEL - DEDICATED TRANSPORT					, i										
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	19 66	265 84	46 97	37 63	4 00						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20 45	266 54	47 67	44 22	5 33						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36 49	216 65	183 54	24 30	16 95						
	1 1 25															
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	531 91	556 37	343 01	139 13	96 84						
	INTERCONNECTION MID-SPAN MEET		ليبا	<u> </u>	<u>.l.</u>											
	f Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo				6.65										
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0 00	0 00									
	Local Channel - Dedicated - DS3 per month PLEXERS			OH3MS	TEFHJ	0 00	0 00									
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146 77	101.40	74.00	44.00	40.40						·
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	211 19	101 42 199 28	71 62 118 64	11 09 40 34	10 49						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	13.76	10 07	7 08	40 34	39 07						
				ne specific service of	INVIOR		10 07 1	1 00 1	1	- 1)				1	

COLLOCAI	ION - Florida												Attachment	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC		Management	RATES (\$)	I. Names			Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs	Charge -
			<u> </u>			Rec	Nonred First	Add'l	First	g Disconnect Add'i	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
					 	·	rirst	Auu	First	Adul	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
PHYSICAL CO	LLOCATION		<u> </u>		1 1					1	 				 	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1		1				· · · ·						<u> </u>	
	Wire Analog - Res	ĺ		UEPSR	PE1R2	0 0276	8 22	7 22							ŀ	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1											
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 0276	8 22	7 22								
,	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-								į							
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 0276	8 22	7 22								
}	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEDOD	DE4DO	0.0070	0.00									1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		 	UEPSB	PE1R2	0 0276	8 22	7 22								
	Wire ISDN		1	UEPSX	PE1R2	0 0276	8 22	7 22							į l	1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		 	OLF OX	FLINZ	0 0210	0 22	1 22		 	 					
	Wire ISDN		i	UEPTX	PE1R2	0 0276	8 22	7 22								1
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-					-										
	Wire ISDN DS1			UEPEX	PE1R4	0 0552	8 42	7 36								1
PHYSICAL CO																
	Physical Collocation - Initial Application Fee			CLO	PE1BA		2.597 00									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,236 00									
	Physical Collocation Administrative Only - Application Fee	-		CLO	PE1BL		742 00									
	Physical Collocation - Space Preparation - Firm Order Processing			01.0	DE40.		000.00				1 1				1	i .
	Physical Collocation - Space Preparation - C O Modification per		-	CLO	PE1SJ		288 93									ļ
	square ft			CLO	PE1SK	2 38										l .
	Physical Collocation - Space Preparation - Common Systems		 	CLO	PEISK	2 30										t
	Modifications-Caged, per cage		1	CLO	PE1SM	92 55	İ								i l	l .
	Physical Collocation - Cable Installation, Pricing, non-recurring			<u></u> -	1.2.0	02.00			-						-	
	charge, per Entrance Cable		1	cro	PE1BD		1,750 00		45 16		l					l .
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	7 86	-									
	Physical Collocation - Cable Support Structure, per Entrance															
	Cable			CLO	PE1PM	18 96										I
	Di col Collegio Di col Do Di col				l l			İ								1
	Physical Collocation - Power, -48V DC Power - per Fused Amp Physical Collocation - Power Reduction Only, Application Fee			CLO	PE1PL	7 80										
	Physical Collocation - Power Reduction Only, Application Fee Physical Collocation - Power, 120V AC Power, Single Phase,	!-		CLO	PE1PR		399 43									ļ
	per Breaker Amp			CLO	PE1FB	5 38					1			İ		l
	Physical Collocation - Power, 240V AC Power, Single Phase			CLO	FCIFB	0.36										
	per Breaker Amp			CLO	PE1FD	10 77	1				1				1	l .
	Physical Collocation - Power, 120V AC Power, Three Phase, per				1											
	Breaker Amp			CLO	PE1FE	16 15	1				1]				l .
	Physical Collocation - Power, 277V AC Power, Three Phase, per				1											i
	Breaker Amp			CLO	PE1FG	37 30										l .
	5			UEANL,UEQ,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNLDX, UNCNX	PE1P2	0 0276	8 22	7 22	5 74	4 58					L	1
	Physical Collegeton Assessment Inc.			UEA, UHL, UNCVX,												ı
	Physical Collocation - 4-wire cross-connect, loop, provisioning		-	UNCDX, UCL, UDL UEANL, UEQ, WDS1	PE1P4	0 0552	8 42	7 36	5 90	4 66	ļ					
	Physical Collocation -DS1 Cross-Connect for Physical			L,WD\$1S, UXTD1, ULDD1, USLEL, UNLD1, UDL,												
	Collocation, provisioning			UEPEX, UEPDX	PE1P1	1 32	27 77	15 52	5 93	4 77		j				i
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3,		. 32		10 02	2 30	711						
] [U1TS1,ULDS1,	1	!	1				1	1				

COLLOCAT	ION - Florida												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
	- V town		<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>	CLO, ULDO3.	1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12 U1T48, UDLO3, UDL12, UDF ULDO3, ULD12,	PE1F2	3 34	41 94	30 52	13 91	11 16						
	Physical Collocation - 4-Fiber Cross-Connect			ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5 92	51 30	39 87	18 29	15 54						
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet		<u> </u>	CLO	PE1BW	189 45					<u> </u>					
	Physical Collocation - Space enclosure, welded wire, each		1	CLO	 	40.50										
	additional 50 square feet Physical Collocation - Security Access System - Security System oer Central Office			CLO	PE1CW PE1AY	18 58 0 0105										
	Physical Collocation -Security Access System - New Card		 -	CLO	1 2 1/31	0.0100										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0 0577	55 80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15 65									
	Physical Collocation - Security Access System - Replace Lost or			020	1											
	Stolen Card, per Card			CLO	PE1AR		45 75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26 30									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26 30									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		2,159 00									
	Physical Collocation - CFA Information Resend Request, per premises, per request			CLO	PE1C9		77 54									ĺ
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1,525 00	980 22	267 08							ĺ
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		656 50		379 78	· <u>-</u>						
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair		i	CLÓ	PE1CO		9 66		11 84		İ					ĺ
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		4 52		5 54							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		15 82		19 40							
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records) Physical Collocation - Security Escort for Basic Time - normally		ļ	CLÓ	PE1CB		169 67		154 89							
	scheduled work, per half hour			CLO	PE1BT		16 52	10 83								
1	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day.															ĺ
	per half hour			CLO	PE1OT	İ	21 92	14 19								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27 31	17 55								i
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	FEIFI	.	21 31	17 55								·
———	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	- 1		CLO	PE1BV		33 00				_					
	per DSO Circuit	ļ	<u></u>	CLO	PE1BO		33 00									<u> </u>
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit	!		CLO	PE1B1		52 00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52 00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit	1		CLO	PE1BR		23 00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit	ı		CLO	PE1BP		23 00									

COLLOCAT	ION - Florida												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually		Incremental Charge -	Incremental Charge -	Charge -
			1								1		l		1	L
						Rec	Nonred			g Disconnect		·		Rates (\$)	,	
		ļ	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation In-Place,				1					1	1					
	Per DS1 Circuit	- 1		CLO	PE1BS		33 00				ļ					
	Physical Collocation - Virtual to Physical Collocation In-Place	l	l							1	1	l .				
	per DS3 Circuit	1		CLO	PE1BE		37 00		1							
i	Physical Collocation - Virtual to Physical Collocation In-													ļ.		1
i	Place/Relocation, space cable facilities assigned to Colfocation				1				1					l		1
	Space, per 700 cable pairs or fraction thereof	1		CLO	PE187		592 00									ļ
	Physical Collocation - Co-Carrier Cross Connects/Direct		l							l						
	Connect - Fiber Cable Support Structure, per linear fl		ļ	CLO	PE1ES	0 001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect		ł								1					
	Copper/Coax Cable Support Structure, per lin ft			CLO	PE1DS	0 0014										
	Physical Collocation - Co-Carrier Cross Connects/Direct												-			
	Connect, Application Fee, per application			CLO	PE1DT		584 11				L			ł		
1	Physical Collocation - Copper Entrance Cable per Cable (CO								1							
	manhole to vault splice)			CLO	PE1EA		1,169 133	42 712				i				1
1	Physical Collocation - Copper Entrance Cable Installation, per				T .						1					
1	100 Pairs			CLO	PE1EB		18 009				i				i	
	Physical Collocation - Fiber Entrance Cable per Cable (CO		1		1				1							
	manhole to vault splice)		1	CLO	PE1EC		973 661	42 712			Į					
	Physical Collocation - Fiber Entrance Cable Installation, per										<u> </u>					
	Fiber		ĺ	CLO	PE1ED		7 24			İ	l					
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			020							· · · · · ·				 	
	Fiber Cable Support Structure, per cable			CLO	PE1DU		535 54									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		-	OLO	1 2100		333 34		1							
	Copper/Coax Cable Support Structure, per cable	1	Ì	CLO	PE1DV		535 54					l i				
AD IACENT C	OLLOCATION			OLO	FEIDV		. 000 04		<u> </u>	-						-
ADSAGENTO	Adjacent Collocation - Space Charge per Sq. Ft		-	CLOAC	PE1JA	0 1635		_	1		-				-	
	Adjacent Collocation - Space Charge per Sq. Ft Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	5 11			ļ	-	l					
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0 0213	24 69	23 69	11 77	10 62					1	+
	Adjacent Collocation - 2-vvire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0 0426	24 69	23 83	12 04							
	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects		 	UEA,UHL,UDL,UCL							ļ				-	-
						1 22	44 24	31 98		10 91						
	Adjacent Collocation - DS3 Cross-Connects		-	UEA,UHL,UDL,UCL		16 56	41 94	30 52		11 15	ļ					
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 81	41 94	30 52		11 16						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5 36	51 30	39 87	18 29	15 54						
	Adjacent Collocation - Application Fee		_	CLOAC	PE1JB		2,785 00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate				1											
	per AC Breaker Amp		_	CLOAC	PE1FB	5 38			ļ <u>.</u>							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															1
	per AC Breaker Amp			CLOAC	PE1FD	10 77			1							L
	Adjacent Collocation - 120V, Three Phase Standby Power Rate								1							1
	per AC Breaker Amp			CLOAC	PE1FE	16 15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate								1							1
	per AC Breaker Amp			CLOAC	PE1FG	37 30	1									ĺ
1	Adjacent Collocation - Cable Support Structure per Entrance						I		I				_			
	Cable	1		CLOAC	PE1PM	18 96				ļ	i					1
	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation.	the Parties w	ull negotrate an	propriate rate	5								
VIRTUAL COL					1	• 1	• •		<u> </u>							
	Virtual Collocation - Application Fee			AMTFS	EAF		4,122 00	1,249 00	1 -						l	
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX	12 45	965 00	.,2.10.00	1		1					
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	4 25			†		† <u>-</u>					
-	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	6 95]		t					
	Virtual Collocation - Cable Support Structure, per entrance		t				+									
	cable			AMTES	ESPSX	13 35			1							1
			 	UEANL,UEA,UDN,U	120100	10 33		•••	-	-						t
				DC UAL,UHL,UCL,U		!	į		1			ļ				1
				EQ. UNCVX.		ŀ	Į		i		[1
	Virtual Collocation - 2-wire Cross Connects (toop)		j i		LIEAGO	0.0500			İ							1
	I virtual Collocation - 2-wire Cross Connects (loop)		<u> </u>	UNCDX, UNCNX	UEAC2	0 0502	11 57		I	l	1				l	L

COLLOCAT	ION - Florida												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
			ļ		1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			İ	UEA,UHL,UCL,UDL, UAL, UDN, UNCVX,	!											
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCOX	UEAC4	0 0502	11 57				1					1
	Virtual Collocation - 4-wire Cross Collinects (100p)	1		DIVODA	OLAO4	0 0302	1137				+					
				UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,												
L. I	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	6 7 1	2,431 00									
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDL03 U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1,	CNC4F	671	2,431 00									
	Virtual collocation - Special Access & UNE, cross-connect per			USLEL, UNLD1.							1				İ	
	DS1			UEPEX, UEPDX	CNC1X	7 50	155 00	14 00			ļ					
	Virtual collocation - Special Access & UNE, cross-connect per			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1 ULDS1, UDLSX,						:						
	DS3			UNLD3	CND3X	56 25	151 90	11 83								
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per linear foot	ļ		AMTES	VE1CB	0 0028										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0 0041										
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535 54									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535 54									
	Virtual Collocation Cable Records - per request		-	AMTES	VE1BA		1,525 00		267 08							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			Pawillo	VEIDA		1,323 00		207 00		-					
	record			AMTFS	VE1BB		656 50		379 78							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9 66		11 84							
	Virtual Collocation Cable Records - DS1, per T1TIE		_	AMTES	VE1BC VE1BD		4 52		5 54							
	Virtual Collocation Cable Records - DS3, per T3T/E			AMTES	VE1BE		15 82		19 40		1					
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber				12.02		10 02		15 16							
	records			AMTFS	VE1BF		169 67		154 89		ì	1				
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ		10 89									
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13 64									
	Virtual collocation - Security Escort - Premium, per quarter hour	ļ		AMTES	SPTPQ	- 125	16 40	<u>-</u>								
	Virtual Collocation - 2-wire Cross Connects (loop), per ckts Virtual Collocation - 4-wire Cross Connects (loop), per ckts			AMTES AMTES	VE1R2	0 05	11 57			.	ļ					
 	Virtual Collocation - 4-wire Cross Connects (roop), per ckts Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS	 		AMITS AMITES	VE1R4 VE11S	0 05 8 09	11 57 69 64									
 	Virtual Collocation - DS-1 DSX Cross Connects, PER CKTS	 		AMTES	VE11X	0 41	69 64		-		 					
-	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTES	VE13S	59 67	528 00				-					
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT	 		AMTES	VE13X	10 06	528 00									
	Virtual collocation - Maintenance in CO - Basic, per quarter hour			AMTFS	SPTRE		10 89									
	Virtual collocation - Maintenance in CO - Overtime, per quarter hour			AMTFS	SPTOE		13 64		-							
	Virtual collocation - Maintenance in CO - Premium per quarter hour		_	AMTFS	SPTPE		16 40				<u> </u>					
VIDTUAL COL	LOCATION	— —					10 40		 							

COLLOCAT	ON - Florida											Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs.
1							Nonrec	urring	Nonrecurring Disconnect			oss	Rates (\$)	1	
			†			Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0 0502	11 57	11 57							
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 0502	11 57	11 57							
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 0502	11 57	11 57							
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 0502	11 57	11 57							
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 0502	11 57	11 57							
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 0502	11 57	11 57							
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 0502	11 57	11 57							

ODUF/ADUF	CMDS - Florida							-					Attachment:	6	Exhibit: A	
													Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Inter	Zone	ne BCS	usoc	usoc		RATES(\$)				Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs	Manual Svc Order vs	Manual Svc Order vs
		""									per LSR	,	Electronic-	Electronic-	Electronic-	Electronic-
												1	1st	Add'l	Disc 1st	Disc Add'l
<u> </u>						Rec		curring	Nonrecurring					Rates(\$)		
	· · · · · · · · · · · · · · · · · · ·					1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
												1				
ODUF/ADUF/C			\vdash													
	S DAILY USAGE FILE (ADUF)								1			1				
	ADUF Message Processing, per message				N/A	0 001656			<u> </u>							
	ADUF Data Transmission (CONNECT DIRECT), per message				N/A	0 0001245										
	IAL DAILY USAGE FILE (ODUF)						•							1		
	ODUF Recording, per message				N/A	0 0000071										
	ODUF Message Processing, per message				N/A	0 002146								1		
	ODUF Message Processing, per Magnetic Tape provisioned				N/A	35 91										
	ODUF Data Transmission (CONNECT DIRECT), per message		1		N/A	0 00010375										1
CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)			···											-	·
	CMDS Message Processing, per message				N/A	0 004										
	CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fund	ction will be as set	forth in appl	icable BellSout	n tariff or as n	egotiated by t	he Parties upon	request by e	ther Party.					[

AMENDMENT TO THE ADOPTION AGREEMENT BETWEEN

Midwestern Telecommunications, Inc.
AND

BELLSOUTH TELECOMMUNICATIONS, INC. DATED November 28, 2003

Pursuant to this Amendment, (the "Amendment"), Midwestern Telecommunications, Inc. ("Midwestern"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated November 28, 2003, ("Agreement"). This Amendment will become effective thirty (30) days following the date of the last signature of both Parties.

WHEREAS, BellSouth and Midwestern entered into the Agreement on November 28, 2003, and;

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, Midwestern and BellSouth hereby agree as follows:

- 1. The Parties agree to delete Section 9.3 in the General Terms and Conditions and replace with the following:
 - 9.3 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Midwestern or BellSouth to perform any material terms of this Agreement, Midwestern or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

- 2. The Parties agree to delete Section 4.6.2.3 of Attachment 1 in its entirety and replace with the following:
 - 4.6.2.3 Customer branding and self branding require Midwestern order dedicated trunking from each BellSouth end office identified by Midwestern, to either the BellSouth Traffic Operator Position System (TOPS) or Midwestern's operator service provider. Rates for trunks as set forth in applicable BellSouth tariffs.
- 3. The Parties agree to delete Attachment 2, Network Elements and Other Services, and the associated rates in their entirety and replace with Attachment 2 and rates reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- The Parties agree that the adopted provision will be added to Attachment 2, Section 5 of AT&T's Interconnection Agreement as follows:
 - 5.3.6 Where a BellSouth voice customer who is subscribing to BellSouth FastAccess Internet Service converts its voice service to AT&T utilizing a UNE-P line, BellSouth will continue to provide FastAccess service to that end user.
- 5. The Parties agree to delete Attachment 7, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 7 reflected as Amendment Exhibit 3, attached hereto and by reference incorporated into this Amendment.
- 6. All of the other provisions of the Agreement, dated November 28, 2003, shall remain in full force and effect.
- 7. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Midwestern Telecommunications, Inc.
By: Am Allm	By: / 21/2/ 1/2 / 1/2 / 1/2
Name: Patrick C. Finlen Kisker Elouse	Name: Jerry E. Holt
Title: Assistant Director	Title: CEO
Date: 1/15/04	Date:1/12/2004

Version 1Q03: 05/09/03

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2 .	UNBUNDLED LOOPS	5
3 ,	LINE SHARING	27
4	LOCAL SWITCHING	34
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	42
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	45
7	DATABASES	50
8 SEF	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREE	
9	LINE INFORMATION DATABASE (LIDB)	51
10	SIGNALING	54
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	60
12	CALLING NAME (CNAM) DATABASE SERVICE	60
13 AD	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SM VANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	62
Ra	ates Exhi	ibit A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Midwestern in accordance with its obligations under Section 251(c)(3) of the Act.

 Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Midwestern (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Midwestern to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Midwestern used in the provision of a qualifying service, as defined by the FCC. Midwestern may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Midwestern, and to the extent technically feasible, provide to Midwestern access to its Network Elements for the provision of Midwestern's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Midwestern may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Midwestern under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered

termination for purposes of any volume and/or term commitments and/or grandfathered status between Midwestern and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Midwestern will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Agreement. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Agreement, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Midwestern will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Midwestern may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Midwestern may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Midwestern, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

services or facilities that Midwestern has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Midwestern reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Midwestern for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

1.11 Rates

- 1.11.1 The prices that Midwestern shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Midwestern purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Midwestern modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Midwestern in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 <u>Unbundled Loops</u>

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Midwestern shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Midwestern on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Midwestern. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Midwestern seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Midwestern with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.

- 2.1.1.6 Midwestern may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Midwestern's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Midwestern in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Midwestern wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Midwestern may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Midwestern (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Midwestern for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 **Loop Testing/Trouble Reporting**

2.1.6.1 Midwestern will be responsible for testing and isolating troubles on the Loops. Midwestern must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1,

UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Midwestern will be required to provide the results of the Midwestern test which indicate a problem on the BellSouth provided Loop.

- Once Midwestern has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Midwestern reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Midwestern for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Midwestern (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Midwestern for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and Midwestern to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Midwestern's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows Midwestern to order a specific time for OC to take place. BellSouth will make every effort to accommodate Midwestern's specific conversion time request. However, BellSouth reserves the right to negotiate with Midwestern a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Midwestern may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Midwestern specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime

charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 **CLEC to CLEC Conversions for Unbundled Loops**

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Midwestern when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Midwestern's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Midwestern pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found		
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office		
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office		
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office		
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office		
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office		

For UVL-SL1 and UCLs, Midwestern must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 **Bulk Migration**

2.1.9.1 If Midwestern requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Midwestern must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Midwestern should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Midwestern will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Midwestern. Midwestern may also order OC-TS when a

specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Midwestern may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Midwestern. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Midwestern to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Midwestern will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Midwestern or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Midwestern may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport

for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Midwestern may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Midwestern, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Midwestern may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

2.4 Unbundled Copper Loops (UCL)

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Midwestern.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Midwestern to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Midwestern or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Midwestern can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Midwestern may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Midwestern to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Midwestern may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCLND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Midwestern which has over 6,000 feet of combined bridged tap will be modified, upon request from Midwestern, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Midwestern. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Midwestern may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Midwestern requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Midwestern will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Midwestern shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Midwestern desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Midwestern, Midwestern will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Midwestern is available at the location for which the ULM was requested, Midwestern will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Midwestern will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Midwestern has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Midwestern. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Midwestern (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.

- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Midwestern, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities.

 Midwestern will then have the option of paying the one-time SC rates to place the Loop.

2.7 **Network Interface Device**

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Midwestern to connect Midwestern's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Midwestern may access the End User's customer premises wiring by any of the following means and Midwestern shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Midwestern to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Midwestern may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Midwestern's responsibility to ensure there is no safety hazard, and Midwestern will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Midwestern shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Midwestern shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Midwestern to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Midwestern's NID.

2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Midwestern may request BellSouth to do additional work to the NID on a time and material basis. When Midwestern deploys its own local Loops in a multiple-line termination device, Midwestern shall specify the quantity of NID connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Midwestern requests a UCSL and it is not available, Midwestern may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

- 2.8.2.4.1 Upon request for USLD-INC from Midwestern, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Midwestern's use on this cross-connect panel. Midwestern will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Midwestern shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Midwestern's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Midwestern is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Midwestern's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Midwestern can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Midwestern's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Midwestern will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Midwestern requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Midwestern for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that

in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Midwestern will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Midwestern for each pair activated commensurate to the price specified in Midwestern's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.

- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.8.4 Unbundled Sub-Loop Feeder

2.8.4.1 Upon the Effective Date of this Agreement, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Agreement, Midwestern will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Midwestern has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Midwestern any applicable disconnect charges.

2.8.5 <u>Unbundled Loop Concentration</u>

2.8.5.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Midwestern, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Midwestern to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Midwestern may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Midwestern, BellSouth shall perform the routine network modifications.

2.8.6.3 Requirements

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or

- (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 Midwestern is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Midwestern information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Midwestern.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Midwestern within twenty (20) business days after Midwestern submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Midwestern to connect Midwestern provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 Loop Makeup

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Midwestern LMU information so that Midwestern can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Midwestern intends to install and the services Midwestern wishes to provide. This section addresses LMU as a preordering transaction, distinct from Midwestern ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Midwestern LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Midwestern as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth

receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

2.9.1.5 Midwestern may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Midwestern and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Midwestern's ability to provide advanced data services over the ordered Loop type. Further, if Midwestern orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Midwestern is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 Submitting Loop Makeup Service Inquiries

- 2.9.2.1 Midwestern may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Midwestern needs further Loop information in order to determine Loop service capability, Midwestern may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

 http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Midwestern may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Midwestern may reserve up to three (3) Loop facilities.
- 2.9.3.2 Midwestern may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Midwestern. During and prior to Midwestern placing an LSR, the reserved

facilities are rendered unavailable to other customers, including BellSouth. If Midwestern does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Midwestern will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Midwestern does not reserve facilities upon an initial LMUSI, Midwestern's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Midwestern has reserved multiple Loop facilities on a single reservation, Midwestern may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Midwestern, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Midwestern.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Midwestern provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Midwestern using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Midwestern. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- For the period from October 2, 2003, through October 1, 2004, Midwestern may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Midwestern may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.

- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Midwestern, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Midwestern the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Midwestern shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Midwestern on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Midwestern requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Midwestern shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Midwestern desires to continue providing xDSL service on such Loop, Midwestern shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Midwestern notice in a reasonable time prior to disconnect, which notice shall give Midwestern an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Midwestern purchases the full stand-alone Loop, Midwestern may elect the type of Loop it will purchase. Midwestern will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit

A to this Attachment. In the event Midwestern purchases a voice grade Loop, Midwestern acknowledges that such Loop may not remain xDSL compatible.

- 3.1.10 If Midwestern reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Midwestern for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Midwestern with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Midwestern must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Midwestern may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Midwestern's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Midwestern in a central office in which Midwestern is located, Midwestern shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Midwestern shall pay the electronic or manual ordering charges as applicable when Midwestern orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Midwestern's data.

3.3 BellSouth Provided Splitter – Line Sharing

3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Midwestern access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Midwestern's xDSL equipment in Midwestern's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Midwestern with a carrier notification letter, informing Midwestern of change. Midwestern shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North

Carolina and South Carolina. Midwestern shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.

3.3.2 BellSouth will install the splitter in (i) a common area close to Midwestern's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Midwestern's DS0 termination point as possible. Midwestern shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Midwestern on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Midwestern DS0 at such time that a Midwestern End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Midwestern may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Midwestern may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Midwestern in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Midwestern may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering – Line Sharing**

- 3.5.1 Midwestern shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Midwestern the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Midwestern access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Midwestern shall pay the rates for such services, as described in Exhibit A.

3.6 Maintenance and Repair – Line Sharing

- 3.6.1 Midwestern shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Midwestern is using a BellSouth owned splitter, Midwestern may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Midwestern provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point.

 Midwestern will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Midwestern shall inform its End Users to direct data problems to Midwestern, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Midwestern, BellSouth will notify Midwestern. Midwestern will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Midwestern will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Midwestern's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Midwestern provides its own switching or obtains switching from a third party, Midwestern may engage in line splitting arrangements with another CLEC using a splitter, provided by Midwestern, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.

- 3.7.3 Where Midwestern is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Midwestern shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Midwestern will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Midwestern or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Midwestern for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Midwestern or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Midwestern or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Midwestern or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 Provisioning Line Splitting and Splitter Space

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Midwestern or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering – Line Splitting

- 3.9.1 Midwestern shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Midwestern the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Midwestern access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Midwestern shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Midwestern on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point.

 Midwestern will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Midwestern shall inform its End Users to direct all problems to Midwestern or its authorized agent.
- 3.10.3 If Midwestern is not the data provider, Midwestern shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of

action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Midwestern for the provision of a telecommunications service.

4.2 <u>Local Circuit Switching Capability, including Tandem Switching Capability</u>

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Midwestern when Midwestern: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Midwestern is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Midwestern or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Agreement shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.

- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Midwestern's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Midwestern purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Midwestern local End User, or originated by a BellSouth local End User and terminated to a Midwestern local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Midwestern the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Midwestern shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.8 Where Midwestern purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Midwestern End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Midwestern the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Midwestern shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Midwestern the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 <u>Unbundled Port Features</u>

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

4.2.10.4 BellSouth will provide to Midwestern selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Midwestern will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 Remote Call Forwarding

- 4.2.11.1 As an option, BellSouth shall make available to Midwestern an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Midwestern will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Midwestern the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 Provision for Local Switching

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and

signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.

- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Midwestern all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Midwestern.
- 4.2.13 Local Switching Interfaces.
- 4.2.13.1 Midwestern shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Midwestern who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.

- 4.2.15 Midwestern shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Midwestern shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Midwestern will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

4.3 Tandem Switching

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Midwestern utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 Technical Requirements

4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:

- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Midwestern and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Midwestern.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Midwestern's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Midwestern's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Midwestern's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to Midwestern, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Midwestern. AIN SCR will provide Midwestern with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.

- 4.4.2 Midwestern shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- Where AIN SCR is utilized by Midwestern, the routing of Midwestern's End User calls shall be pursuant to information provided by Midwestern and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Midwestern shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Midwestern End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Midwestern shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Midwestern's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Midwestern, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Midwestern following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Midwestern following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Midwestern following the normal billing cycle for per query charges.

4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>

- 4.5.1 Where Midwestern purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Midwestern's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Midwestern to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Midwestern specific and unique LCCs are programmed in each BellSouth end office switch where Midwestern intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Midwestern's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Midwestern intends to provide Midwestern -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Midwestern to order dedicated trunking from each BellSouth end office identified by Midwestern, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Midwestern Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Midwestern to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary

to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 <u>Unbundled Network Element Combinations</u>

- For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Midwestern are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Midwestern are not already combined by BellSouth in the location requested by Midwestern but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Midwestern are not elements that BellSouth combines for its use in its network.
- Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Midwestern with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Midwestern thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Midwestern's high-capacity EELs as specified below.

- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Midwestern may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Midwestern, BellSouth shall perform the routine network modifications.
- 5.2.5 <u>Service Eligibility Criteria</u>
- 5.2.5.1 Midwestern must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Midwestern has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Midwestern will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Midwestern will have at least one (1) active DS1 local service interconnection trunk over which Midwestern will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Midwestern's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in

accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Midwestern failed to comply with the service eligibility criteria, Midwestern must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that, Midwestern did not comply in any material respect with the service eligibility criteria, Midwestern shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Midwestern did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Midwestern for its reasonable and demonstrable costs associated with the audit. Midwestern will maintain appropriate documentation to support its certifications.

5.2.7 In the event Midwestern converts special access services to UNEs, Midwestern shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Midwestern if Midwestern's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Midwestern is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Midwestern or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with

the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Midwestern's UNE port/Loop combinations. BellSouth will not bill Midwestern for 911 surcharges. Midwestern is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Midwestern in addition to those specifically referenced in this Section 5 above, where available. To the extent Midwestern requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Midwestern for the provision of a qualifying service, as set forth herein.

- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Midwestern uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Midwestern.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Midwestern exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Midwestern to connect such interoffice facilities to equipment designated by Midwestern, including but not limited to, Midwestern's collocated facilities; and
- Permit, to the extent technically feasible, Midwestern to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Midwestern.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Midwestern may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Midwestern may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Midwestern, BellSouth shall perform the routine network modifications.
- 6.2.6 <u>Technical Requirements</u>
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Midwestern designated traffic.
- For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer

Interface to Central Office (CI to CO) connections in the applicable industry standards.

- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Midwestern shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 Unbundled Channelization (Multiplexing)

Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Midwestern may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 <u>Technical Requirements</u>

- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Midwestern's channelization equipment must adhere strictly to form and protocol standards. Midwestern must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 Dark Fiber Transport

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Midwestern to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Midwestern may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Midwestern, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by

BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

- 6.4.3.2 Midwestern is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Midwestern information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Midwestern. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Midwestern within twenty (20) business days after Midwestern submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Midwestern to connect Midwestern provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 <u>Databases</u>

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Midwestern.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

8 BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Midwestern's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Midwestern.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 <u>Line Information Database</u>

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Midwestern must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

9.2 <u>Technical Requirements</u>

- 9.2.1 BellSouth will offer to Midwestern any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Midwestern's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions.
 BellSouth shall indicate to Midwestern what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Midwestern, BellSouth shall provide Midwestern with a list of the customer data items, which Midwestern would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to

support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Midwestern data to the LIDB shall be solely at the direction of Midwestern. Such direction from Midwestern will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Midwestern data upon Midwestern's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Midwestern customer records will be missing from LIDB, as measured by Midwestern audits. BellSouth will audit Midwestern records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Midwestern contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Midwestern within one (1) business day of audit. Once reconciled records are received back from Midwestern, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Midwestern to negotiate a time frame for the updates, not to exceed three business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of Midwestern's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Midwestern with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Midwestern and BellSouth.

- 9.2.12 BellSouth shall prevent any access to or use of Midwestern data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Midwestern in writing.
- 9.2.13 BellSouth shall provide Midwestern performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Midwestern at least at parity with BellSouth Customer Data. BellSouth shall obtain from Midwestern the screening information associated with LIDB Data Screening of Midwestern data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Midwestern under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Midwestern customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 Interface Requirements
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Midwestern shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Midwestern shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months

ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 Signaling

- BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.
- 10.2 Signaling Link Transport
- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Midwestern designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and

- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 <u>Interface Requirements</u>
- There shall be a DS1 (1.544 Mbps) interface at Midwestern's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

10.3 **Signaling Transfer Points**

- A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 <u>Technical Requirements</u>
- STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Midwestern local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Midwestern local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Midwestern or third party local or tandem switching system directly connected to

BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Midwestern database, then Midwestern agrees to provide BellSouth with the Destination Point Code for Midwestern database.

- STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Midwestern or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 SS7

- 10.4.1 When technically feasible and upon request by Midwestern, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Midwestern's SS7 network to exchange TCAP queries and responses with a Midwestern SCP.
- 10.4.2 SS7 AIN Access shall provide Midwestern SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Midwestern SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Midwestern SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 <u>Interface Requirements</u>

- 10.4.3.1 BellSouth shall provide the following STP options to connect Midwestern or Midwestern-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Midwestern local switching systems; and,

- 10.4.3.1.2 A B-link interface from Midwestern local STPs.
- 10.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 <u>Message Screening</u>
- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Midwestern local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Midwestern switching system has a valid signaling relationship.
- BellSouth shall set message screening parameters so as to pass valid messages from Midwestern local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Midwestern switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Midwestern from any signaling point or network interconnected through BellSouth's SS7 network where the Midwestern SCP has a valid signaling relationship.

10.5 Service Control Points (SCP)/Databases

- Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for

provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

- 10.5.3 Technical Requirements for SCPs/Databases
- BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 <u>Local Number Portability Database</u>

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

- 10.7.1 SS7 Network Interconnection is the interconnection of Midwestern local signaling transfer point switches or Midwestern local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Midwestern local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Midwestern or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Midwestern local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Midwestern local signaling transfer point switches and BellSouth or other third-party local switch.

10.7.4 SS7 Network Interconnection shall provide: 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2: 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4. 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Midwestern local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Midwestern local STPs and shall not include SCCP Subsystem Management of the destination. 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113. 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114. 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP. 10.7.9 Interface Requirements 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Midwestern or Midwestern-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network: 10.7.9.1.1 A-link interface from Midwestern local or tandem switching systems; and 10.7.9.1.2 B-link interface from Midwestern STPs. 10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-

or higher rate interface.

connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1

- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Midwestern local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Midwestern switching system has a valid signaling relationship.

11 Automatic Location Identification/Data Management System (ALI/DMS)

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Midwestern will be required to provide BellSouth daily updates to E911 database. Midwestern shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 <u>Technical Requirements</u>

- BellSouth shall provide Midwestern the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Midwestern after Midwestern provides End User information for input into the ALI/DMS database.
- 11.2.2 Midwestern shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Midwestern the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 Midwestern shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Midwestern's access to BellSouth's CNAM

Database Services and shall be addressed to Midwestern's Local Contract Manager.

- 12.3 BellSouth's provision of CNAM Database Services to Midwestern requires interconnection from Midwestern to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Midwestern shall provide its own CNAM SSP. Midwestern's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Midwestern elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Midwestern desires to query.
- 12.6 If Midwestern queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Midwestern for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Midwestern in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Midwestern to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 Midwestern CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u> Advanced Intelligent Network Access

- BellSouth's SCE/SMS AIN Access shall provide Midwestern the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Midwestern. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Midwestern service logic and data from unauthorized access.
- When Midwestern selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Midwestern to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Midwestern access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow Midwestern to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which Midwestern may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

14.3 Denial/Restoral OSS Charge

- 14.3.1 In the event Midwestern provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Midwestern will incur an OSS charge for an accepted LSR that is later canceled.

Attachment 2 Page 63

- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

JNBUN	IDLE	NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
CATEGO	DRY	RATE ELEMENTS	Intera m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electron Disc Add
							Rec	Nonre First	curring Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMA
						l											
r	ttp://w	one" shown in the sections for stand-alone loops or loops as nww.interconnection bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				ographically	/ Deaveraged U	INE Zones To	view Geograp	hically Deavera	nged UNE Zon	e Designatio	ons by Cent	ral Office, refe	er to internet	Website	
		(1) CLEC should contact its contract negotiator if it prefers th															
		ther the state specific Commission ordered rates for the servi	ce orde	ring ch	iarges, or CLEC may	elect the re	gional service	ordering charg	je, however, Cl	LEC can not ob	tain a mixture	of the two i	egardless i	f CLEC has a	interconnect	ion contract e	stablishe
		the 9 states (2) Any element that can be ordered electronically will be bill	ed acco	ordina :	to the SOMEC rate lu	sted in this i	category Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	f a product	can be order	ed electronica	ally Forthos	e elemen
		anot be ordered electronically at present per the LOH, the list															
5	AMO	I, will be applied to a CLECs bill when it submits an LSR to B	BellSout	h							• .						
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only OSS - Manual Service Order Charge Per Local Service Request				SOMEC		3 50	0 00	3 50	0 00						
		(LSR) - UNE Only		i		SOMAN		11 90	0 00	1 83	0 00						
NE SEF	RVICE	DATE ADVANCEMENT CHARGE	 			OCIVICAL		11.50	0 00	1 00	000				-		
		The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No 1 Tanff, Section	n 5 as appli	cable										
			i	1	UAL UEANL, UCL,				Į.					1			
			İ		UEF, UDF, UEQ,				l .		ļ	ŀ				İ	
				1	UDL, UENTW, UDN,							ŀ				1	
				1	UEA, UHL, ULC,		1				i						
				-	USL, U1T12, U1T48,						ļ					1	}
				ļ	U1TD1, U1TD3,				į.			ŀ				1	
			1		U1TDX, U1TO3, U1TS1, U1TVX,												
- 1			l	1	UC1BC, UC1BL						Ì					ļ	Ì
				1	UC1CC, UC1CL		Ì				ł						İ
				i	UC1DC UC1DL											1	İ
- i				1	UC1EC, UC1EL,						İ					1	
				1	UC1FC, UC1FL												
					UC1GC, UC1GL,		1				i						
					UC1HC, UC1HL,												
- 1]		UDL12, UDL48,												i
			1		UDLO3, UDLSX						į						
					UE3, ULD12,		ļ			i							
			1	ļ	ULD48, ULDD1,						i						
			1		ULDD3, ULDDX,		1		!								
- !			i	ļ	ULDO3, ULDS1,					i	1						1
			i	1	ULDVX, UNC1X												
- 1			1	1	UNC3X, UNCDX,		1				ł						i
			1		UNCNX, UNCSX, UNCVX, UNLD1,					1							ĺ
- 1			1		UNLO3, UXTD1		1								į		l
			1		UXTD3, UXTS1.		-			1					}		l
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD.					1							
- 1		Day			U1TUB, U1TUA	SDASP		200 00									
		XCHANGE ACCESS LOOP												l			
		ANALOG VOICE GRADE LOOP		L .													<u> </u>
-+		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10 69	49 57			6 57					-	ļ
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	3	UEANL UEANL	UEAL2 UEAL2	15 20 26 97	49 57 49 57	22 83 22 83	25 62 25 62	6 57 6 57				-	ļ	
\dashv		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEALZ	10 69	49 57	22 83		6 57			l	1	 	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEASL	15 20	49 57	22 83	25 62	6 57			l	 		
$\neg \uparrow$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	26 97	49 57	22 83	25 62	6 57						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		T -				12.0			1		·		<u> </u>		
		Premise			UEANL	URETL		8 33	0 83		<u> </u>	l				1	<u></u>
		Loop Testing - Basic 1st Half Hour	L		UEANL	URET1		48 65	48 65								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23 95	23 95				l	L			

Version 3Q03 11/12/2003

UNBUNDLED	NETWORK ELEMENTS - Florida				_,						,			ment. 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l .	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'I	Charge -	Increment Charge Manual S Order vs Electronic Disc Add
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LEC to CLEC Conversion Charge Without Outside Dispatch				LIBELLIA											
	JVL-SL1)			UEANL	UREWO		15 78	8 94								
	nbundled Voice Loop, Non-Design Voice Loop, billing for BST roviding make-up (Engineering Information - E I)		1	UEANL	UEANM		13 49									ļ
	lanual Order Coordination for UVL-SL1s (per loop)	-		UEANL	UEANC		9 00	9 00								
	irder Coordination for Specified Conversion Time for UVL-SL1	-	 	OLANE	ULANO		300	9 00								
	per LSR)			UEANL	OCOSL		23 02									
2-WIRE U	Inbundled COPPER LOOP								-							
2-	-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7 69	44 98	20 90	24 88	6 45						
	Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10 92	44 98	20 90	24 88	6 45						
	Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19 38	44 98	20 90	24 88	6 45						
	nbundled Miscellaneous Rate Element Tag Loop at End User															
	remise	ļ		UEQ	URETL		8 33	0 83								
	lanual Order Coordination 2 Wire Unbundled Copper Loop -	l	l						ľ							
	on-Designed (per loop) nbundled Copper Loop Non-Design Cooper Loop, billing for			UEQ	USBMC		9 00									ļ. <u></u>
	ST providing make-up (Engineering Information - ET)			UEQ	UEQMU		13 49									
	pop Testing - Basic 1st Half Hour			UEQ	URET1		48 65	48 65								
	pop Testing - Basic Additional Half Hour		—	UEQ	URETA		23 95	23 95								
	LEC to CLEC Conversion Charge Without Outside Dispatch		_	OLW.	OKETA		25 55	23 33								
	JCL-ND)		1	UEQ	UREWO		14 27	7 43								
BUNDLED EXC	CHANGE ACCESS LOOP				1			0								
2-WIRE A	NALOG VOICE GRADE LOOP							-								
2 '	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-												•			
	one 1		1	UEPSR UEPSB	UEALS	10 69	49 57	22 83	25 62	6 57						
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	one 1		1	UEPSR UEPSB	UEABS	10 69	49 57	22 83	25 62	6 57						
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-					İ										
	one 2		2	UEPSR UEPSB	UEALS	15 20	49 57	22 83	25 62	6 57						
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		ا ہا	HEROD HEROD	LIEADO I	45.00	40.57		05.00	0.57						
	one 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	15 20	49 57	22 83	25 62	6 57						
	one 3		3	UEPŠR UEPŠB	UEALS	26 97	49 57	22 83	25 62	6 57				}		
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-3	ULFOR ULFOB	UEAL3	20 97	49 37	22 63	25 62	007						
	one 3		3	UEPSR UEPSB	UEABS	26 97	49 57	22 83	25 62	6 57						
	CHANGE ACCESS LOOP			52. 5. 52. 52	102,00	2007			20 02	0.31						
2-WIRE A	NALOG VOICE GRADE LOOP				1		• •									
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											
	round Start Signaling - Zone 1		1	UEA	UEAL2	12 24	135 75	82 47	63 53	12 01			ļ			
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	round Start Signaling - Zone 2		2	UEA	UEAL2	17 40	135 75	82 47	63 53	12 01				i		
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		ایا		1											
Gr	round Start Signaling - Zone 3 rder Coordination for Specified Conversion Time (per LSR)			UEA	UEAL2	30 87	135 75	82 47	63 53	12 01						
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	OCOSL	-	23 02									
	attery Signaling - Zone 1		1	UEA	UEAR2	12 24	135 75	82 47	63 53	12 01		ļ	i			
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	JUENNZ	12 24	130 / 5	82 47	63 53	12 01						
Ba	attery Signaling - Zone 2		2	UEA	UEAR2	17 40	135 75	82 47	63 53	12 01						
2-1	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			:			.00,10	<u> </u>	00 03	12.01						
	attery Signaling - Zone 3		3	UEA	UEAR2	30 87	135 75	82 47	63 53	12 01			ļ	-	l	
Or	rder Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02									
	LEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 71	36 35								
Lo	oop Tagging - Service Level 2 (SL2)			UEA	URETL		11 21	1 10								
	NALOG VOICE GRADE LOOP															
	Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18 89	167 86	115 15	67 08	15 56						
	Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26 84	167 86	115 15	67 08	15 56						
	Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	47 62	167 86	115 15	67 08	15 56						
	rder Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02									
I ICL	EC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 71	36 35	l					1		

NRONDLE	D NETWORK ELEMENTS - Florida		,											ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs, Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec First	urnng Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
2-WIR	E ISDN DIGITAL GRADE LOOP						- 1181	Addi	FIISL	Addi	SOMEC	SOMAN	SOMAN	SOWAN	SOMAN	JONAN
2-1111	2-Wire ISDN Digital Grade Loop - Zone 1	_	1	UDN	U1L2X	19 28	147 69	94 41	62 23	10.71	 -					
	2-Wire ISDN Digital Grade Loop - Zone 2	<u> </u>		UDN	U1L2X	27 40	147 69	94 41	62 23	10.71	 					
	2-Wire ISDN Digital Grade Loop - Zone 3	-		UDN	U1L2X	48 62	147 69	94 41	62 23	10 71				-		
	Order Coordination For Specified Conversion Time (per LSR)		— <u> </u>	UDN	OCOSL		23 02		02.20				_			
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 61	44 15								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIRI E	LOOP		UNLIVO		5101	44 15								
	2 Wire Unbundled ADSL Loop including manual service inquiry		1	Γ	 +										 	
	& facility reservation - Zone 1		1	UAL	UAL2X	8 30	149 53	103 85	75 05	15 63					İ	
	2 Wire Unbundled ADSL Loop including manual service inquiry		 '		UNLEA	- 0.00	143 00	100 00	10 00	10 00					<u> </u>	
1	& facility reservation - Zone 2	1	2	UAL	UAL2X	11 80	149 53	103 85	75 05	15 63	i	1)]	1
	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	11.00	143 00	103 03	13 03	15 05	ļ					-
	& facility reservation - Zone 3		3	UAL	UAL2X	20 94	149 53	103 85	75 05	15 63				i		
	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	20 94	23 02	103 63	75 05	13 63	-					
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	OCOSE		23 02		ļ							
	facility reservation - Zone 1		1	UAL	UAL2W	8 30	124 83	71 12	60 64	9 12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u>'</u>	UAL	UALZYV	8 30	124 63	. /1 12	50 64	9 12	<u> </u>					
ı			2	UAL	UAL2W	11 80	124 83	71 12	60 64	9 12						
_	facility reservation - Zone 2		2	UAL	UALZW	11 80	124 83	/1 12	5U 64	9 12	1					
	2 Wire Unbundled ADSL Loop without manual service inquiry &	ŀ	_	l	1						1					
	facility reservation - Zone 3		3	UAL	UAL2W	20 94	124 83	71 12	60 64	9 12						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23 02									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86 19	40 39								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													L
-	2 Wire Unbundled HDSL Loop including manual service inquiry			l											1	1
	& facility reservation - Zone 1		1	UHL	UHL2X	7 22	159 09	113 41	75 05	15 63					İ	
1	2 Wire Unbundled HDSL Loop including manual service inquiry		ł		1 1						1				Į	l
	& facility reservation - Zone 2		2	UHL	UHL2X	10 26	159 09	113 41	75 05	15 63						
	2 Wire Unbundled HDSL Loop including manual service inquiry				1							i				ł
	& facility reservation - Zone 3		3	UHL	UHL2X	18 21	159 09	113 41	75 05	15 63						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02				ļ <u> </u>					
	2 Wire Unbundled HDSL Loop without manual service inquiry		1		1 1										1	1
	and facility reservation - Zone 1		11	UHL	UHL2W	7 22	134 40	80 69	60 64	9 12						
	2 Wire Unbundled HDSL Loop without manual service inquiry		Ì		1 !										ŀ	
	and facility reservation - Zone 2		2	UHL	UHL2W	10 26	134 40	80 69	60 64	9 12						
1	2 Wire Unbundled HDSL Loop without manual service inquiry		\	1	1 1	1	1		1		1 1	i			}	ì
	and facility reservation - Zone 3		3	UHL	UHL2W	18 21	134 40	80 69	60 64	9 12						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02									<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 12	40 39								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP													
T	4 Wire Unbundled HDSL Loop including manual service inquiry				1 1											
	and facility reservation - Zone 1		1	UHL	UHL4X	10 86	193 31	138 98	77 15	12 61						1
	4-Wire Unbundled HDSL Loop including manual service inquiry				1											
	and facility reservation - Zone 2		2	UHL	UHL4X	15 44	193 31	138 98	77 15	12 61		Į į				(
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	27 39	193 31	138 98	77 15	12 61		i				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02									
1 -	4-Wire Unbundled HDSL Loop without manual service inquiry				+											
	and facility reservation - Zone 1		1	luhl	UHL4W	10 86	168 62	115 47	62 74	11 22						i
+	4-Wire Unbundled HDSL Loop without manual service inquiry				157.12.11	- 10 00	100 02	110 11								
j	and facility reservation - Zone 2		2	UHL	UHL4W	15 44	168 62	115 47	62 74	11 22						1
	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>		1				== 1.1							
	and facility reservation - Zone 3		3	luhl	UHL4W	27 39	168 62	115 47	62 74	11 22]	
$\overline{}$	Order Coordination for Specified Conversion Time (per LSR)		┝┷	UHL	OCOSL	2, 03	23 02	110 71	- UL 14	11.22	 					
+	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 12	40 39			 					
4-WIR	E DS1 DIGITAL LOOP				- C, (E-710		00 12								 	
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70 74	313 75	181 48	61 22	13 53						
	4-Wire DS1 Digital Loop - Zone 2	_		USL	USLXX	100 54	313 75	181 48	61 22	13 53	 					
1					IDGEAN	100 34	31373		1 0124		1 :	1		1		
-	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	178 39	313 75	181 48	61 22	13 53						

UNBUNDLE	D NETWORK ELEMENTS - Florida				.,.						,			ment; 2		bit A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs Electronic Disc Add
T			-		1		Nonrec	urana	Nonrecurring	Disconnect			OSS	Rates (\$)		
			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch	 	 	USL	UREWO		101 07	43 04								
4-WIR	E 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	22 20	161 56	108 85	67 08	15 56						
	4 Wire Unbundled Digital 19 2 Kbps	1	2	UDL	UDL19	31 56	161 56	108 85	67 08	15 56						
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL.	UDL19	55 99	161 56	108 85	67 08	15 56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL.	UDL56	22 20	161 56	108 85		15 56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31 56	161 56	108 85		15 56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55 99	161 56	108 85	67 08	15 56						L
	Order Coordination for Specified Conversion Time (per LSR)		l	UDL	OCOSL		23 02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	22 20	161 56	108 85		15 56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	L		UDL	UDL64	31 56	161 56	108 85		15 56						<u> </u>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55 99	161 56	108 85	67 08	15 56				ļ		
ļ	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL	OCOSL		23 02		ļ							
	CLEC to CLEC Conversion Charge without outside dispatch	-	<u> </u>	UDL	UREWO		102 11	49 74	_		-			-	-	—
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual		1	UCL	UCLPB	8 30	148 50	102 82	75 05	15 63						ĺ
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8 30	148 50	102 82	/5 05	15 63				_		
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11 80	148 50	102 82	75 05	15 63						1
	2 Wire Unbundled Copper Loop-Designed including manual	-		UCL	OCLEB	11 00	146 30	102 02	75 05	13 63	-					· · · · · · · · · · · · · · · · · · ·
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20 94	148 50	102 82	75 05	15 63					ł	l .
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	20 54	9 00	9 00		15 00	-				-	
	2-Wire Unbundled Copper Loop-Designed without manual	 	 -	DOL	COLIVIO		3 00	3 00								
1	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8 30	123 81	70 09	60 64	9 12					ĺ	l .
	2-Wire Unbundled Copper Loop-Designed without manual										1					
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11 80	123 81	70 09	60 64	9 12						l .
	2-Wire Unbundled Copper Loop-Designed without manual												1			
	service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	20 94	123 81	70 09	60 64	9 12	}					l .
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00			1					ſ
i	CLEC to CLEC Conversion Charge without outside dispatch		1] "		
	(UCL -Des)			UCL	UREWO	•	97 21	42 47								l
4-WIR	E COPPER LOOP															í
	4-Wire Copper Loop-Designed including manual service inquiry														}	l .
	and facility reservation - Zone 1		1	UCL	UCL4S	11 83	177 87	132 76	77 15	17 73	1		l			1
	4-Wire Copper Loop-Designed including manual service inquiry	Ì									1 .					l .
	and facility reservation - Zone 2		2	UCL	UCL4S	16 81	177 87	132 76	77 15	17 73						
	4-Wire Copper Loop-Designed including manual service inquiry			l	1								l	1		ĺ.
	and facility reservation - Zone 3	-	3	UCL	UCL4S	29 82	177 87	132 76	77 15	17 73			ļ		-	
	Order Coordination for Unbundled Copper Loops (per loop)		 	UCL	UCLMC		9 00	9 00					ļ			
	4-Wire Copper Loop-Designed without manual service inquiry		١.	Lici	Luci divi	44.00	450.40	400.00	00-1	44.00	i			1		1
	and facility reservation - Zone 1	<u> </u>	1	UCL	UCL4W	11 83	153 18	100 03	62 74	11 22						
	4-Wire Copper Loop-Designed without manual service inquiry		2	luci	Lucian	10.04	150 10	100.00	60.74	11 00	i		l	1		1
	and facility reservation - Zone 2	-	2	UCL	UCL4W	16 81	153 18	100 03	62 74	11 22						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	29 82	153 18	100 03	62 74	11 22			1			1
	Order Coordination for Unbundled Copper Loops (per loop)		"	UCL	UCLMC	23 02	9 00	9 00	02 74	11 22				 		
	CLEC to CLEC Conversion Charge without outside dispatch	 	1	UCL	UREWO		97 21	42 47	1						 	
LOOP MODIF		-			3		01 21	72 47								
1				UAL, UHL, UCL,		-										
		ļ	İ	UEQ, ULS, UEA,					1							į.
I	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1	1	UEANL, UEPSR,					į				1			1
	pair less than or equal to 18k ft, per Unbundled Loop	!	1	UEPSB	ULM2L		0 00	0 00	(1			1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	· ·			1								1			
I	less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		0 00	0 00	} I					l		i
				UAL, UHL, UCL,												
		1	1	UEQ, ULS, UEA,					1			i				1
	Unbundled Loop Modification Removal of Bridged Tap Removal,	ĺ	ļ	UEANL, UEPSR,] [1	l		1
	per unbundled loop	L	<u>L</u>	UEPSB	ULMBT		10 52	10 52					L			
SUB-LOOPS		!	1													1

	D NETWORK ELEMENTS - Florida													ment: 2		bit. A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring	Disconnect				Rates (\$)		•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-Lo	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				ł l										1	
	Uρ	-	ļ	UEANL	USBSA		487 23	•			L					
					i I						1			1		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-1		UEANL	USBSB		6 25							1		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1			Lugge		400.05				l .]		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- 1		UEANL	USBSC		169 25									
	Set-Up			UEANL	USBSD	1	38 65							ļ		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-	-	UEANL	USBSD		38 65									
	Zone 1		1	UEANL	USBN2	6 46	60 19	21 78	47 50	5 26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		 '		200112	040	00 19	2110	47.50	3 20				l	 	
	Zone 2		2	UEANL	USBN2	9 18	60 19	21 78	47 50	5 26				Ì		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		† -						50	0.20				 		
+	Zone 3		3	UEANL	USBN2	16 29	60 19	21 78	47 50	5 26				İ		1
						i		-								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	ŀ	9 00	9 00						ļ.		1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	7 37	68 83	30 42	49 71	6 60						İ
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	10 47	68 83	30 42	49 71	6 60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -												-			
	Zone 3		3	UEANL	USBN4	18 58	68 83	30 42	49 71	6 60						
					ļ [
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00								L
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		L	UEANL	USBR2	3 96	51 84	13 44	47 50	5 26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	9 37	55 91	17 51	49 71	6 60						
						1										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48 65	48 65								
	Loop Testing - Basic Additional Half Hour	- 1	.	UEANL UEF	URETA UCS2X	5 15	23 95	23 95	47.50	F 00						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	+	1		UCS2X UCS2X		60 19 60 19	21 78 21 78	47 50	5 26 5 26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	2	UEF UEF	UCS2X	7 31 12 98	60 19	21 78	47 50 47 50	5 26						-
	2 Wife Copper Oribunaled Sub-Loop Distribution - Zone 3		3	UEF	00324	12 90	60 19	21 70	47 50	3 20				-		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		000	9 00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5 36	68 83	30 42	49 71	6 60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS4X	7 61	68 83	30 42		6 60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	— ;		UEF	UCS4X	13 51	68 83	30 42	49 71	6 60						
	The opportunities are assessed and action	•	Ť	02.	000.1	1001	50 00		7071	0.00		-				
ŀ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		9 00	9 00	1							
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48 65	48 65								1
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23 95	23 95								
Unbun	dled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 4572	18 02		-							
	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71 49	48 87								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113 89	89 07								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7 63	7 63								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7 63	7 63								
	ROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation		L	UENTW	UNDBX	0 00	0 00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00	0 00									
1 '				UEANL,UEF,UEQ U ENTW	UNECN	0 00	0 00									1
	Unbundled Contract Name, Provisioning Only - No Rate															

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment. 2	Exhi	bit: A
CATEGORY	RATE ÉLEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increments Charge - Manual Sv Order vs Electronic
													1st	Add'I	Disc 1st	Disc Add'l
						Rec		curring	Nonrecurring				oss	Rates (\$)		
			_				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL UDC,UDL,	LINEON	0.00	2.22									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		-	UDN UEA,UHL,ULC	UNECN	0 00	0 00									
ļ	rate			UEA,UDN UCL,UDC	USBFQ	0 00	0 00				İ					
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			-												
<u> </u>	rate			UEA USL,UCL,UDL		0 00	0.00									
 -	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0 00	0 00							 		
	no rate			USL	CCOEF	0 00	0 00							1		
HIGH CAPACI	ITY UNBUNDLED LOCAL LOOP		1	GOL		0.00	0.00									
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month		<u> </u>	UE3	1L5ND	10 92						_				
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	386 88	556 37	343 01	139 13	96 84						ļ
	month			UDLSX	1L5ND	10 92										l
	High Capacity Unbundled Local Loop - STS-1 - Facility		-	ODEOX	TESTAB	10 82										
	Termination per month			UDLSX	UDLS1	426 60	556 37	343 01	139 13	96 84						1
LOOP MAKE-									İ.							
1	Loop Makeup - Preordering Without Reservation, per working or						·									
	spare facility queried (Manual) Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		52 17	52 17								L
	quened (Manual)			UMK	UMKLP		55 07	55 07								
·	Loop MakeupWith or Without Reservation, per working or		-	OWIK	OWNER	 	33 07	33 01						-		
	spare facility queried (Mechanized)			UMK	UMKMQ		0 6784	0 6784						1		
	G AND LINE SPLITTING															
NOTE	1: The Line Sharing monthly recurring rates for all installation	is comp	oleted (rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	l be billed as t	follows:							
	1: 10/02/2003 - 10/01/2004 25% of the rate for an unbundled co	pper lo	ор пог	n-designed ("UCLND	<u>"") </u>											
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND					· · · - · · · -										
	1. Above will apply to USOCS, ULSDT and ULSCT								 					.		
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03							-
LINE	SHARING		L		i -	J		-	Τ							-
SPLIT	TERS-CENTRAL OFFICE BASED															
<u> </u>	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119 72	379 13	0 00		0,00						
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		-	ULS ULS	ULSDB ULSD8	29 93 8 33	379 13 379 13	0 00	347 90 347 90	0 00						
	Line Sharing Splitter, Fer System, 6 Brie Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-			ULO	ULSDO	0 33	3/9/3		347 90	0 00						$\overline{}$
	deactivation (per LSOD)			ULS	ULSDG		173 66	0 00	97 42	0 00						1
END U	ISER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) -															
	OBSOLETE see "NOTE 2		<u> </u>	ULS	ULSDC	0 61	29 68	21 28	19 57	9 61			_			ļ
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															1
	(E 10/2/2003)			ULS	ULSDT	1 99	29 68	21 28	19 57	9 61						1
<u> </u>	Line Share Service, TRO per line activation, BST owned splitter -				02001	1 39	25 05	2120	15 37	501				 		
	Central Office Located (50% of UCLND) - please see NOTE 1															ĺ
	(E 10/2/2004)			ULS	ULSDT	3 98	29 68	21 28	19 57	9 61						L
1	Line Share Service, TRO per line activation, BST owned splitter -		1													1
[Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	5 97	29 68	21 28	19 57	9 61						1
	Line Sharing - per Subsequent Activity per Line Rearrangement			ULO	กรอบไ	59/	29 68	21 28	19.5/	961						
	- (BST Owned Splitter)			ULS	ULSDS	1	21 68	16 44								1
	Line Sharing - per Subsequent Activity per Line Rearrangement						2.30					-				
	- (DLEC Owned Splitter)			ULS	ULSCS		21 68	16 44								
	Line Sharing - per Line Activation (DLEC owned Splitter) -															
	OBSOLETE see **NOTE 2		l	ULS	ULSCC	0 61	47 44	19 31	20 67	12 74						L

PIADOIADE	ED NETWORK ELEMENTS - Florida			,								T		ment; 2		ibit: A
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge - Manual St Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see				i l											
	NOTE 1 (E 10/2/2003)			ULS	ULSCT	1 99	47 44	19 31	20.07	12 74						i
	Line Share Service, TRO per line activation, CLEC owned		 	ULS	ULSCI	199	47 44	19 31	20 67	12 /4						
	splitter - Central Office Located (50% of UCLND) - please see		1		1 1				1 1							ŀ
	NOTE 1 (E 10/2/2004)			ULS	ULSCT	3 98	47 44	19 31	20 67	12 74					İ	
	Line Share Service, TRO per line activation, CLEC owned				0200.	0.00			2007	1274	1					
	splitter - Central Office Located (75% of UCLND) - please see				!											
	NOTE 1 (E 10/2/2005)			ULS	ULSCT	5 97	47 44	19 31	20 67	12 74	1					
	SPLITTING															
END	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBP	0 61 1 134	29 68	21 28	19 57	9 61						ļ
Nº AIN	TENANCE			UEPSR UEPSB	UKEBV	1 134	29 68	21 28	19 57	9 61						
IMAIN	No Trouble Found - per 1/2 hour increments - Basic						80 00	55 00								ļ
-	No Trouble Found - per 1/2 hour increments - Overtime						120 00	82 50								
	No Trouble Found - per 1/2 hour increments - Premium						160 00	110 00								
INBUNDLED	DEDICATED TRANSPORT		†**				.00 00	110 00		-						
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT													-		
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0 0091										
1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV2	25 32	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade				l						i i					
	Rev Bat - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -			U1TVX	1L5XX	0 0091										ļ
	Facility Termination			U1TVX	U1TR2	25 32	47 35	31 78	10.21	7 03						i
-	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		-	UIIVA	UTIKZ	25 32	47.35	3178	18 31	7 03						
l	Per Mile per month		i	U1TVX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade				1.25,01	0 0001							-			
ĺ	- Facility Termination			U1TVX	U1TV4	22 58	47 35	31 78	18 31	7 03	: I					
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile				1											
	per month			U1TDX	1L5XX	0 0091					l i					
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			7.00												
	Termination			U1TDX	U1TD5	18 44	47 35	31 78	18 31	7 03						1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile				1	[
	per month			U1TDX	1L5XX	0 0091			<u> </u>							<u> </u>
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18 44	47 35	31 78	18 31	7.00						İ
-	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U I I DA	ויוטן -	10 44	47 35	31 /8	18 31	7 03	<u> </u>					
	month			U1TD1	1L5XX	0 1856										Í
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1	3 1000			- 							
	Termination			U1TD1	U1TF1	88 44	105 54	98 47	21 47	19 05						1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				1											
	month			U1TD3	1L5XX	3 87										l .
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	1,071 00	335 46	219 28	72 03	70 56						1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			114-04	1,500	0.5-										1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	3 87										
	Termination			U1TS1	U1TFS	1,056 00	335 46	219 28	72 03	70.50						1
ARK FIBER				01131	UIIFS	1,056 00	335 46	2 19 28	72 03	70 56			-			
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		-	-	 	+										—
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26 85										1
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		751 34	193 88	356 21	230 11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												-			
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	55 04	- 1		1		İ					1
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		751 34	193 88	356 21	230 11						

UNBUNDLE	D NETWORK ELEMENTS - Florida			,										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	всs	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring			F		Rates (\$)		T
1	TEN DIGIT CORFERING						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SXX ACCESS	TEN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call	-		OHD		0 0006252										
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX	-	 	UND		0 0006232					-					
	Number Reserved			OHD	N8R1X	l	4 15	0 70								
	8XX Access Ten Digit Screening, Per 8XX No Established W/O		 	OTID	HOINIX		7.0								-	
	POTS Translations			ОНД			8 78	1 18	5 77	0 70						1
	8XX Access Ten Digit Screening, Per 8XX No. Established With				· · · · · · · ·											
1	POTS Translations	l	1	OHD	N8FTX		8 78	1 18	5 77	0.70						
	8XX Access Ten Digit Screening, Customized Area of Service		l													
	Per 8XX Number		L	OHD	N8FCX		4 15	2 07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR		i													
	Routing Per CXR Requested Per 8XX No			OHD	N8FMX		4 85	2 78								
	8XX Access Ten Digit Screening, Change Charge Per Request	<u> </u>	-	OHD	N8FAX		4 85	0 70								
	8XX Access Ten Digit Screening, Call Handling and Destination			AUD.	Necov		4.45	4.45								
	Features		-	OHD	N8FDX		4 15	4 15								
	8XX Access Ten Digit Screening w/ 8FL No Delivery, per query			OHD		0 0006252										1
_	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query			Onb		0 0000232		· · ·								ł
	query			OHD		0 0006252										1
LINE INFORM	ATION DATA BASE ACCESS (LIDB)		1	-	· ·	0 0000202										
	LIDB Common Transport Per Query			OQT		0 0000203										
	LIDB Validation Per Query			oqu		0 0136959										
	LIDB Originating Point Code Establishment or Change			оат, оаи	NRBPX		55 13	55 13	55 13	55 13						
SIGNALING (C									1							
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135 05										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 0000607										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17 93	43 57	43 57	18 31	18 31						
	CCS7 Signaling Connection, Per link (B link) (also known as D				Ī											
	link)			UDB	TPP++	17 93	43 57	43 57	18 31	18 31	_		_			
	CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA			UDB UDB	STU56	0 0000152 694 32										├
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			UDB	51000	694 32			-							-
	Establishment or Change, per STP affected			UDB	CCAPO		46 03	46 03	46 03	46 03						ĺ
E911 SERVICE		-	-	000	COAFO		40 03	40 03	40.03	40.03						——
COTTOLITION	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				<u> </u>	21 94	265 84	46 97	37 63	4 00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	_		-		29 62	265 84	46 97	37 63	4 00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57 22	265 84	46 97	37 63	4 00						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					25 32	47 35	31 78	18 31	7 03						
	Local Channel - Dedicated - D\$1 - Zone 1					35 28	216 65	183 54	21 47	19 05						
	Local Channel - Dedicated - DS1 - Zone 2					47 63	216 65	183 54	21 47	19 05						⊢—
	Local Channel - Dedicated - DS1 - Zone 3					92 01	216 65	183 54	21 47	19 05						ļ
	Interoffice Transport - Dedicated - DS1 Per Mile					0 1856										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		,			88 44	105 54	98 47	21 47	19 05						1
CALLING NAM	ME (CNAM) SERVICE		_			68 44	105 54	98 47	2141	19 05						
JALLING IIAII	CNAM For DB Owners - Service Establishment			OQV			25 35	25 35	19 01	19 01						
	CNAM For Non DB Owners - Service Establishment			ogv	-	-	25 35	25 35	19 01	19 01	 					
•	CNAM For DB Owners - Service Provisioning With Point Code				1			20 00								
	Establishment			oqv			1 592 00	1,177 00	352 36	259 09						1
	CNAM For Non DB Owners - Service Provisioning With Point							''								
	Code Establishment			OQV			546 51	393 82	358 06	259 09						1
	CNAM for DB Owners, Per Query			OQV		0 001024			I							
	CNAM for Non DB Owners, Per Query			QQV		0 001024										
ELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						93 55	93 55	12 71	12 71						
IRTUAL COL	LOCATION															i

CHECHADLE	D NETWORK ELEMENTS - Florida	1	_									l = = :		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs
			<u> </u>			Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)	l	
			<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0 0502	11 57	11 57	0 00	0 00						
PHYSICAL CO				ULF SK OLF GB	VEILS	0 0302	1137	1137	0.00	0.00			-			
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				+	† · · · - · · · · · · · · · · · · · · · 									<u> </u>	
	Splitting			UEPSR UEPSB	PE1LS	0 0276	8 22	7 22	5 74	4 58						
AIN SELECTIV	/E CARRIER ROUTING															
	Regional Service Establishment		ļ	SRC	SRCEC		193,444 00		7,737 00							
	End Office Establishment Query NRC, per guery			SRC SRC	SRCEO	0 0031868	187 36	187 36	0.69	0 69						
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE	-	-	SRC	-	0.0031868										
AIN - BEEE30	AIN SMS Access Service - Service Establishment, Per State,	-			 						ļ					
	Initial Setup			A1N	CAMSE		43 56	43 56	44 93	44 93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMPR											
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	-	-	AIN	CAMDP CAM1P		8 64 8 64	8 64 8 64	10 03	10 03 10 03						-
	AIN SMS Access Service - User Identification Codes - Per User			AIN	CAMIL		0 04	0 04	10 03	10 03						-
	ID Code			A1N	CAMAU		38 66	38 66	29 88	29 88						
	AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMRC		75.10	75.40								
	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			ATN	CAMRC	0.0028	75 10	75 10	12 93	12 93						-
	AIN SMS Access Service - Storage, Per Clift (100 Kilobytes)		 		+	0 7809									1	-
	AIN SMS Access Service - Company Performed Session, Per				+	0,7003										
	Minute					0 4609										1
AIN - BELLSO	UTH AIN TOOLKIT SERVICE					1										
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43 56	43 56	44 93	44 93						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439 00	8,439 00								
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTT.		0.04	204	40.00	40.00						
	DN, Term Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<u> </u>			BAPTT		8 64	8 64	10 03	10 03						
	DN, Off-Hook Delay			=	BAPTD		8 64	8 64	10 03	10 03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				0,410		007		10 03	10 03				<u> </u>	<u> </u>	·
	DN, Off-Hook Immediate				ВАРТМ		8 64	8 64	10 03	10 03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		38 06	38 06	15 86	15 86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		20.00	20.00	45.00	45.00						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		 		BAPIC		38 06	38 06	15 86	15 86						
	DN, Feature Code				BAPTE	l i	38 06	38 06	15 86	15 86						
	AIN Toolkit Service - Query Charge, Per Query					0 0535927		00 00	10 00	10 00						
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit													-		
	Subscription, Per Node, Per Query					0 0063698										<u> </u>
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		-			0.06										
	Subscription			CAM	BAPMS	8 34	8 64	8 64	6 08	6 08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAW	DAFIVIS	0.34	0.04	0 04	6 08	6 06						
l	Subscription			CAM	BAPLS	3 73	9 56	9 56								
	AIN Toolkil Service - Call Event Report - Per AIN Toolkil Service	-		-	T	1	2 00	2 00							-	
	Subscription			CAM	BAPDS	4 73	8 64	8 64	6 08	6 08						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
NUANCES 5	Service Subscription			CAM	BAPES	0 12	9 56	9 56								
	The monthly required and an account of the second of the s			C. tab As to C.	<u> </u>	1			Ļļ		L					!
NOTE:	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not the	apply at	ia the	owitch-As-Is Charg	e will not app	UNE com	pinations pro	visioned as 'C	rainarily Comb	ined Network	Liements					
EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS1	INTE	ROFFICE TRANSPO	en apply for	Cite Combination	ans provisione	u as Current	iy combined N	IELWOTK EIEME	11.5					
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54		2 81			•			

Page 10 of 38

CUITULL	D NETWORK ELEMENTS - Florida		-			•					Svc Order	Svc Order		ment 2 Incremental	Incremental	bit: A
EGORY	RATE ELEMENTS	Inter		BCS	USOC			RATES (\$)			Submitted Elec	Submitted		Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs	Charge
-				1		Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			l												!
-	per month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	l					
	1/0 Channelization System in combination Per Month		1	UNC1X	MQ1	146 77	101 42	71 62	10.01							
_	Voice Grade COCI - Per Month			UNCVX	1D1VG	1 38	10 07	7 08	0.00	0 00	· -				1	
							1								1	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
]		1									
_	Each Additional 2-Wire VG Loop (St. 2) in Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81	ļ				ļ	
1	 Each Additional 2-Wire VG Loop (St 2) in Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81	ł	h				ì
	Voice Grade COCI - Per Month		-3	UNCVX	1D1VG	1 38	10 07	7 08	0.00	0.00					 · · · · · · · · · · · · · · · · · · ·	+
+	Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>		514547	1.0140	. 36	10.07	, 06	0.00	- 000					 	
ĺ	Is Charge			UNC1X	UNCCC]	8 98	8 98	8 98	8 98						
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	INTE	ROFFICE TRANSP	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						
						1						!				
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81					Ļ <u> </u>	
	5l 4 W 4l W 0l			LINOLOG		47.00	407.50	00.54	40.70	0.04						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81	 				1	-
	Per Month			UNC1X	1L5XX	0 1856									ļ	ł
_	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ON OTA	125500	0 1000									1	1
	Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	l	()			1	
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42 (71 62								
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1		1				}						1	
ļ	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1						407.50	00.54	40.70							
1	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81					-	-
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81		:				
+	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00					 	
	Nonrecurring Currently Combined Network Elements Switch -As-			OI TO VX	15113	100	10 07	7 00	- 000							
	Is Charge		1	UNC1X	JNCCC	ſ	8 98	8 98	8 98	8 98		[İ	
EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRAN	SPORT										-	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1_	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81						<u> </u>
	5		_			04.50	407.50	20.54								
_	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		. 2	UNCDX	UDL56	<u>31 56</u>	127 59	60 54	42 79	2 81				_		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL30	55 99)	127 39	6U 34	42 /9	201						
	Per Month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility			DITO IX	ILGAU	.0, 10.50			-				****			
1	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								
<u> </u>	OCU-DP COCI (data) per month (2 4-64kbs)	Li	ļ	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															1
+	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1_	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81						ļ
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81					1	1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDA	ODES	3130	127 09	00 54	42 /9	281					 	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						1
	Additional OCU-DP COCI (data) - in combination per month (2.4-				1	55 55	.2. 95								1	1
1	64kbs)		l	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0.00						1

INBUNDLE	D NETWORK ELEMENTS - Florida		т —											ment: 2		bit A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring		201150	201141		Rates (\$)		
	Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNC1X	UNCCC	l l	8 98	8 98	8 98	8 98						
EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN													
] "- [
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81					1	
			-	5115511		5,00	12. 00	0001								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LANDAY	41.577	0.4850			}							
-+	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0 1856										
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62	10 01	1, 50						
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
-	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			DINCEX	ODEO4	31 30	121 38	60 34	42 / 8	201		-				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	281						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2 4-64kbs)		ļ	UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	FD DŠ1	INTER				0 90	0 90	0 90	0 90						
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0 1856										
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	-					
 	Nonrecurring Currently Combined Network Elements Switch -As-			OI4G IX	1011111	00 44	174 40	122 40	4301	17 93						
	Is Charge			UNC1X	UNCCC	i	8 98	8 98	8 98	8 98						
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	ED DS3	INTER													
	First DS1Loop in Combination - Zone 1		. 1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	First DS1Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	Per Month			UNC3X	1L5XX	3 87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			0110071	1,20,01	0.01		_								
	month			UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18 23						
	3/1Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	Additional DS1Loop in DS3 Interoffice Transport Combination -			DNCIX	USLAA	70 74	217 73	121 02	51 44	14 45						
	Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	Additional DS1Loop in DS3 Interoffice Transport Combination -											-				
	Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	Additional DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-	_		UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Is Charge			UNC3X	UNCCC		8 98	8 98	8 98	8 98						
EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI	INTE		ORT		0.36	0 90	0.90	030						
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	17 40	127 59	60 54	42 79	281						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2.81						

	D NETWORK ELEMENTS - Florida													ment: 2	Exhi	ibit A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
			-			Rec	Nonrec		Nonrecurring					Rates (\$)		
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
1	Month			UNCVX	1L5XX	0 0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility			DIVOVA	ILOXX	0 0031										
l	Termination per month	i		UNCVX	U1TV2	25 32	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-				1		37.10	32 35	- 55 15	2.00						
	Is Charge	1		UNCVX	UNCCC	İ	8 98	8 98 9	8 98	8 98						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD														T
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						
	4-WireVG Loop in combination - Zone 2	-		UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						1
	4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						
	Month	1	Ì	UNCVX	1L5XX	0 0091									ļ	
	Interoffice Transport - 4-wire VG - Dedicated - Facility			CHOVA	112000	0.0091								1		
	Termination per month	1		UNCVX	U1TV4	22 58	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-															<u> </u>
	is Charge			UNCVX	UNCCC		8 98	8 98	8 98	8 98	1			1		
EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10 92										
					I	1										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386 88	249 97	162 05	67 10	26 82						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	1L5XX	3 87										
	Termination per month			UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18 23						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCOX	UTIFS	1,07 00	314 45	130 00	30 00	10 23						
	Is Charge			UNC3X	UNCCC		8 98	8 98	8 98	8 98						
EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT	- 1000			2 00	0.50	0.00						
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10 92									İ	<u> </u>
	STS-1 Local Loop in combination - Facility Termination per									-						
	month			UNCSX	UDLS1	426 60	249 97	162 05	67 10	26 82						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	3 87										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			LINGOV	U1TES	4 050 00	04445	400.00	00.00	10.00						i .
+	Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	01115	1,056 00	314 45	130 88	38 60	18 23						
	Is Charge			UNCSX	UNCCC		8 98	8 98	8 98	8 98						1
EXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS		UNCUX	0,4000		0 30	0 90	0 30 1	0 90						+
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNÇNX	U1L2X	27 40	127 59	60 60	42 79	281						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility				l i											
_	Termination per month 1/0 Channel System in combination - per month			UNC1X UNC1X	U1TF1 MO1	88 44	174 46 101 42	122 46 71 62	45 61	17 95						
	2-wire ISDN COCI (BRITE) - in combination - per month	ļ		UNCNX	UC1CA	146 77 3 66	101 42	71 62	0 00	0 00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	OCICA	3 00	10 07	7 00	0.00	0.00						
	Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	281		l i				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				- \·			00.00								
	Combination - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	281						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	281					<u></u>	
	Additional 2-wire ISDN COCI (BRITE) - in combination- per					1										
	month			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAV	LINGS	l	200									
EYTEN	Is Charge IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	En ere	.1 INT	UNC1X	UNCCC		8 98	8 98	8 98	8 98						
LAILI	First DS1 Loop Combination - Zone 1	1 212		UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
\rightarrow	First DS1 Loop Combination - Zone 2	-		UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45				 		-
	First DS1 Loop Combination - Zone 3			UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						

ONBOND	LED NETWORK ELEMENTS - Florida												Attach	ment, 2	Exhi	ıbıt: A
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Increment Charge -
-+		ļ	<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)	,	
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	 	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Per Month	!		LINIOON	11.5101											
		ļ	 	UNCSX	1L5XX	3 87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility		F		1						1					
	Termination per month	-		UNCSX	U1TFS	1,056 00	314 45	130 88	38 60	18 23						
	3/1 Channel System in combination per month			UNCSX	MQ3	211 19	199 28	118 64	40 34	39 07						
	DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Additional DS1Loop in the same STS-1 Interoffice Transport					i						[
	Combination - Zone 1	1	1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
1	Additional DS1Loop in the same STS-1 Interoffice Transport	1							1 1							
	Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45					ļ	
	DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
- 1	Nonrecurring Currently Combined Network Elements Switch -As	-	1										-			
	Is Charge			UNCSX	UNCCC		8 98	8 98	8 98	8 98						ŀ
EXT	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KI	BPS INT	EROFF	ICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81		T .			1	
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1									i	1				1
	Per Mile per month	1	ļ	UNCDX	1L5XX	0 0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1														1
1	Facility Termination per month	1	ŀ	UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53					İ	
	Nonrecurring Currently Combined Network Elements Switch -As														-	
i	Is Charge	1		UNCDX	UNCCC		8 98	8 98	8 98	8 98						
EX1	FENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KI	SPS INT	EROFF	ICE TRANSPORT					1							1
	4-wire 64 kbps Local Loop in Combination - Zone 1	I	1 1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81		-				
	4-wire 64 kbps Looal Loop in Combination - Zone 2	1	2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						<u> </u>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	ÜNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1				12.10							+
	Per Mile per month			UNCDX	1L5XX	0 0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			O.KODA	1.20/01	0 0001		_					•			
	Facility Termination per month			UNCDX	U1TD6	18 44	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As	_		ONCEX	01100	10 77	3470	32 33	30 45	2135						
1	Is Charge		Į.	UNCDX	UNCCC		8 98	8 98	8 98	8 98						1
EX1	FENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE 1	RANSP	ORT w		UNOUG		0.50	0 30	0 30	0.50						
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1011101		UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
	First 2-wire VG Loop (SL2) in Combination - Zone 2	 		UNCVX	UEAL2	17 40	127 59	60 54	42 79	2.81		-				
	First 2-wire VG Loop (SL2) in Combination - Zone 3	—		UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81						
	First Interoffice Transport - Dedicated - DS1 combination - Per	-	-	ONCVA	JOLALZ	30 07	127 38	00 34	42 /9	201						
	Mile			UNC1X	1L5XX	0 1856										
	First Interoffice Transport - Dedicated - DS1 combination -	\vdash	-	011017	1125//	U 1656			 							
	Facility Termination per month			UNC1X	U1TF1	88 44	474.40	400.40	45.54	47.05						
							174 46	122 46	45 61	17 95						
- + -	Per each DS1 Channelization System Per Month	ļ		UNC1X	MQ1	146 77	101 42	71 62								ļ <u>.</u>
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	Per each DS1 COCI in combination per month	<u> </u>		UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		١		1						i]					
	Interoffice Transport Combination - Zone 1	ļ	1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						L
j	Each Additional 2-Wire VG Loop(SL2) in the same DS1				[į l					
	Interoffice Transport Combination - Zone 2	_	2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1				1			Ι Τ							
	Interoffice Transport Combination - Zone 3	L	3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81						
	Each Additional Voice Grade COCI in combination - per month	L		UNCVX	1D1VG	1 38	10 07	7 08	0.00	0 00						
ı	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0 1856			<u> </u>		i					
. 1	Each Additional DS1 Interoffice Channel Facility Termination in		1													
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	[l					
1	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00	· · · · · · · · ·					

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
				ļ		Rec	Nonrec		Nonrecurring		00450			Rates (\$)		
	Nonrecurring Currently Combined Network Elements Switch -As-					-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNC1X	UNCCC		898	8 98	8 98	8 98				ļ		
EXTEN	IDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	EROFF	ICE TE	ANSPORT w/ 3/1 I					T							
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						,
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	281						
	First 4-Wire Analog Voice Grade Local Loop in Combination -	 		BNOVA	ULAL4	20 04	121 33	00 34	42.79							
	Zone 3	1	3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month	ļ	1	UNC1X	1L5XX	0 1856										
1	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Per each 1/0 Channel System in combination Per Month	 	-	UNC1X	MQ1	146 77	101 42	71 62	45 61	11, 82		ļ	ļ <u></u>			
	Per each Voice Grade COCI in combination - per month	i -		UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00				-		
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64		39 07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
Į.	Additional 4-Wire Analog Voice Grade Loop in same DS1				1											
-	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						ļ
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81				ļ		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_	J. C. C. C. C. C. C. C. C. C. C. C. C. C.	02.51	2001	121 00		72.70					<u> </u>		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1													•		
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	-		UNC1X	1L5XX	0 1856				-	<u> </u>		-			ļ
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Additional Voice Grade COCI - in combination - per month	l	 	UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1											
	ls Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE	TRANSPORT w/ 3	/1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	ł	١	l	1 1											
	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	UNCĐX	UDL56	22 20	127 59	60 54	42 79	2 81						
	Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination +		<u> </u>		00200	0.00	12. 00									
	Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													
	Mile Per Month First Interoffice Transport - Dedicated - DS1 - combination	 		UNC1X	1L5XX	0 1856								-		-
	Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62		17 33						
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08		0 00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		l .	LINODY.			,									
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81						-
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		Ĺ		00200	31 33	121 33	00.34	72.13	2.01				 		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
-	OCU-DP COCI (data) COCI in combination per month (2 4-															
	64kbs)	-	-	UNCDX	1D1DD	2 10	10 07	7 08	0.00	0 00					ļ	
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1856										
	Each Additional DS1 Interoffice Channel Facility Termination in			2.101/	120,00	5 1000										
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95					L	
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month		<u> </u>	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0.00	l	L			l	l

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)	-		1	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Drsc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'l
			\vdash				Nonrec	urring	Nonrecurring	Disconnect			000	Rates (\$)	<u> </u>	l
_					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		†				.,,,,,	Addi	1,113	Auu	JOHILO	OUNAI	JOHIAN	SOMAN	SOMAN	SUMAN
	Is Charge			UNC1X	UNGCC		8 98	8 98	8 98	8 98						
EXTE	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	NTERC	FFICE	TRANSPORT w/ 3/	1 MUX						-					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	281						
i	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	LINODY	1101.04	24.50	107.50									
-+	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
Į.	Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81	1					
	First Interoffice Transport - Dedicated - DS1 combination - Per		ٿ	DIVEDA	UDE04	33 89	127 39	00 54	42 /9	201						
	Mile Per Month			UNC1X	1L5XX	0 1856										
	First Interoffice Transport - Dedicated - DS1 combination -		l			2 .230				-				-		
	Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								
	Per each OCU-DP COCI (data) in combination - per month (2 4-															
	64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		-	UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		├	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
ŀ	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	O140DX	- ODEO4	22 20	127 35	00 34	42 / 5	201						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				1					20.						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		1	-	1											
	combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0 1856										
į	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			LINIOAN	1											
	Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As-			DINGTA	UCIDI	13 76	10 07	7 08	0 00	0.00						
	Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98	İ					
EXTE	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	T w/ 3/	MUX		1			- 0 00	0.00	0 00		-				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		!										-			-
	Transport - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81				į		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination						Ĭ									
	Transport - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		ا ا								1					
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81						
	Mile per month			UNC1X	1L5XX	0 1856	ĺ				Ĭ					
	First Interoffice Transport - Dedicated - DS1 combination -			ONCIA	ILJAA	0 1636										
	Facility Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95			ļ	l		
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146 77	101 42	71 62	7001	17 50		-				
					1		12.77									
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0 00						
<u> </u>	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		,	LINICNIV	LALOV	40.55	407.5-		40.5-							
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
	Combination - Zone 2	- 1	2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2.4			ļ			
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		-	UNUNA	12,124	21 40	127 09	00 00	42 /9	2 81						
	Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81						
1	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel					70 02	12, 09	50 00	74.13	201						
	system combination- per month	- 1		UNCNX	UC1CA	3 66	10 07	7 08	0.00	0 00						

RATE ELEMENTS Inten m Zone BCS USOC RATES (\$) BCS USOC RATES (\$) Elec Manually Per LSR Order vs Electronic-List Add'I Disconnect Sec Nonrecurring Disconnect OSS Rates (\$)	Exhibit A		ment: 2													LED NETWORK ELEMENTS - Florida	NECHDIE
Early Additional Distriction Channel Spirit Channel S	arge - Charge ual Svc Manual ! er vs Order v tronic- Electron	Charge -	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic- 1st	Submitted Manually	Submitted Elec						USOC	BCS	Zone		Y RATE ELEMENTS	ATEGORY
Eith Additional Dist Interesting Promote prime in area 241 ONCTX TLDXX D 1866		SOMAN			SOMAN !	COMEC					Rec		-		 		
Charied System or morns Lear National DS I Interdisco Charied Facility Termination in Lear National DS Interdisco Charied Facility Termination in Lear Advanced DSI COCI in the same of 1 shanned system commission, per morns Lear Advanced DSI COCI in the same of 1 shanned system UNCIX UICTI 1378 1107 7.08 0.00 0.00 Lear Advanced DSI COCI in the same of 1 shanned system UNCIX UICTI 1378 1107 7.08 0.00 0.00 Lear Advanced DSI COCI in the same of 1 shanned system UNCIX UICTI 1378 1107 7.08 0.00 0.00 Lear Advanced DSI Local Extra DSI COCI II IN STATE UICTI 1378 1107 7.08 0.00 0.00 Lear Advanced DSI Local Extra DSI COCI II IN STATE UICTI 1378 1107 7.08 0.00 0.00 Lear Advanced DSI Local Extra DSI Coci II IN STATE UICTI 1378 1107 17.00 1344 1445 1.00 Lear Advanced DSI Local Extra DSI Coci II IN STATE UICTI 1378 1779 1770	MAN SOMA	SUMAN	SUMAN	SUMAN	SUMAN	SUMEC	Auu i	First	Auu	11131			-			Each Additional DS1 Interoffice Channel per mile in same 3/1	
Simple 37 Chammer System per monin UNCIX UTIT 89.44 174.46 122.46 45.81 17.96 UNCIX UTIT 89.44 174.46 122.46 45.81 17.96 UNCIX UTIT UNCIX UTIT UNCIX UTIT UNCIX UTIT UNCIX UTIT UNCIX UTIT UNCIX UTIT UNCIX UTIT UTIT UNCIX UTIT UTIT	1		1								0 1856	1L5XX	UNC1X	li	1		
Sean Additional Distriction for same 31 Valential system Combination per month											_						
Combendation per month Noncampa Currently Combine Newark Elements Switch - 46 Noncampa Currently Combi		L					17 95	45 61	122 46	174 46	88 44	U1TF1	UNC1X		<u> </u>		
Nonsecuring Contents Network Sciences Switch Ag NOTE											40.70	LIG4D4	LINICAN		,	Each Additional DS1 COCI in the same 3/1 channel system	
Inchigan Inchigan			ļ				0 00	0 00	7 08	10 07	13 76	UC1D1	UNC1X		├ ──		
EXTENDED LAWINE DST LOOP WITH DEFICATED OST INTEROPTICE TRANSPORT M 31 MUX		ŀ					0.00	0.00	9.09	909		UNCCC	UNC1X				ŀ
First 4-web DST Option Local Loop in Cambration - Zone 1 1 UNCIX	-+	 	\vdash				0 30	0.50	0 50	0.80		1011000			TRANS		EXTE
First News 261 Depted Local Loop on Combination - Zone 2 2 UNC IX							14 45	51 44	121 62	217 75	70 74	USLXX					
Feat Levern DST Digital Local Loop on Combination - Zone 3		1														First 4-wire DS1 Digital Looal Loop in Combination - Zone 2	
Frost Interoffice Transport - Decidated - DSI combination - Per Number Per Month Transport - Decidated - DSI combination - Per Number Per Month Transport - Decidated - DSI combination - Number Number Per Month Transport - Decidated - DSI combination - Number Nu											178 39	USLXX	UNC1X	3		First 4-wire DS1 Digital Local Loop in Combination - Zone 3	
Frat Interoffice Transport - Depoted OSI Combination - Facility Termination Per Month UNCIX UTFT 88 44 174 46 122 46 45 51 17 95 31 Channel System in contribution per month UNCIX WR33 211 10 1992 28 118 64 40 34 39 07 12																	
Facility Termination Fer Month											0 1856	1L5XX	UNC1X		<u></u>		
3/1 Channel System or combination per month]		1		
Per seich DST COCI combination per motin UNCIX UCID1 13 76 10 07 7 68 0 00 0 00			$oxed{oxed}$												<u> </u>		
Each Additional DST Interoffice Channel per mole in same 3rd Channel System per month UNCIX 1L50X 0.1856															 '		
Channel System per month		ļ		-			0 00	0 00	7 08	10 07	13 /6	UCIDI	UNCIX		 -'		
Each Additional DST Interoffice Channel Facility Termination in same JT Channel System per month UNCIX UTF1 88.44 174.48 122.46 45.61 17.55			1					į.		ļ	0.1856	11.5XX	UNC1X		, ,		
Same 3/1 Channel System per month			 							i	0 1030	120701	ONG IX				
Each Additional DST COCL in the same 3/1 channel system UNC1X			[į		17 95	45 61	122 46	174 46	88 44	U1TF1	UNC1X		1		
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1 UNCIX USLXX 70.74 217.75 121.62 51.44 14.45			· · · · · · · · · · · · · · · · · · ·		-			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
1			(0 00	0 00	7 08	10 07	13 76	UC1D1	UNC1X				
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2 UNC1X USLXX 100 54 217 75 121 62 51 44 14 45 3			[i					Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	
2			\vdash				14 45	51 44	121 62	217 75	70 74	USLXX	UNC1X	1	\vdash	11 Partition of Allino DOAD and the second of the second o	
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3 UNC1X USLXX 178 39 217 75 121 62 51 44 14 45 Nonrecuring Currently Combined Network Elements Switch -Asis UNC1X UNCCC							44.45		404.60	047.75	100 54	LIEL VV	LINGIV	2		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	
Sample							14 45	51 44	121 62	217 /5	100 54	USLXX	UNCIX	- 4	\vdash	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	
Nonrecuring Currently Combined Network Elements Switch -As- STENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 56 KBPS Local Loop in combination - Zone 2 2 UNCDX UDL56 31 56 127 59 60 54 42 79 2 81 First 4-wire 56 KBPS Local Loop in combination - Zone 2 2 UNCDX UDL56 31 56 127 59 60 54 42 79 2 81 First 4-wire 56 Kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 55 99 127 59 60 54 42 79 2 81 First 4-wire 56 Kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 55 99 127 59 60 54 42 79 2 81 First 4-wire 56 Kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 55 99 127 59 60 54 42 79 2 81 First 4-wire 56 Kbps Interoffice Transport - Dedicated - Pacifity UNCDX							14 45	51 44	121 62	217.75	178.39	USLXX	UNC1X	3		3	
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 56 kbps Local Loop in combination - Zone 1							14 43	31 44	121 02	211 70	110 00	BOLOC	0110111	-	\vdash	Nonrecurning Currently Combined Network Elements Switch -A	
First 4-wire 56 kbps Local Loop in combination - Zone 1							8 98	8 98	8 98	8 98	ľ	UNCCC	UNC1X	1:		Is Charge	
First 4-wire 56 kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 31 56 127 59 60 54 42 79 2 81													TRANSPORT	FICE T	NTEROF	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DSC	EXTE
First 4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81																	
First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month																	
Der month		<u> </u>					2 81	42 79	60 54	127 59	55 99	UDL56	UNCDX	3			
First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED 4-WIRE 64 kBpS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 64 kbps Local Loop in combination - Zone 1 1 UNCDX UDL64 22 20 127 59 60 54 42 79 2 81 First 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 31 56 127 59 60 54 42 79 2 81 First 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 31 56 127 59 60 54 42 79 2 81 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 55 59 127 59 60 54 42 79 2 81 First 4-wire 66 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX 1L5XX 0 0091 First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX UTD6 18 44 94 70 52 59 50 49 21 53 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCDX UNCDC 8 98 8 98 8 98 B		1	1 1								0.0004	11.500	LINODY	l.	i 1		
Termination per month	-		\vdash								0 0091	ILDAX	GINODA				
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCCC 8 98 8 98 8 98 8 98			1 1		l		21 53	50.49	52 59	94.70	18 44	U1TD5	UNCDX	l,	1 1		
Scharge UNCDX UNCCC 8 98 8							2.00	00 10	- 02 00	5.1.5							
First 4-wire 64 kbps Local Loop in combination - Zone 1	1		i				8 98	8 98	8 98	8 98		UNCCC				Is Charge	
First 4-wire 64 kbps Local Loop in combination - Zone 2					Ì										NTEROF		EXTEN
First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 55 99 127 59 60 54 42 79 2 81 First H-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX 1L5XX 0 0091 First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 18 44 94 70 52 59 50 49 21 53 Nonrecurring Currently Combined Network Elements Switch -As- is Charge UNCDX UNCCC 8 98 8 8 98 8 98 8 98 UNCDX UNCCC 8 99 8 8 98 8 98 8 98 8 98 8 98 8 9			1														
First I4-wire 65 ktps Interoffice Transport - Dedicated - Per Mile per month DINCDX States DINCDX DINC																	
per month			ı				2 81	42 79	60 54	127 59	55 99	UDL64	UNCDX	3			
First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 18 44 94 70 52 59 50 49 21 53 Nonrecurring Currently Combined Network Elements Switch -As- is Charge UNCDX UNCDX UNCCC 8 98 8 98 8 98 8 98 8 98 8 98 8 98 8	ł	i	. 1								2 2224	41.500	LINGS	l.	, ,		
Termination per month UNCDX	-+										0 0091	1L5XX	UNCDX				
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX UNCCC 8.98 8.98 8.98 8.98 8.98 9.98 9.99		ĺ	, J		ł		21.53	50.40	52 50	94 70	18.41	Justne	UNCDX	l,	, 1		
Is Charge	$\overline{}$		$\overline{}$				2 33	30 49	32 39	37 10	10 44	31100	0.100/		$\overline{}$		
DDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As is" Charge (One applies to each combination)		1	, ,		1		8 98	8 98	8 98	8 98		UNCCC	UNCDX	Į,	, ,	Is Charge	
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																	
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As is" Charge (One applies to each combination)										у.	arge does appl	Switch As Is cl	not apply, but a	ges do	ng char	en used as a part of a currently combined facility, the non-recu	When
										oes not.	As Is Charge d	and the Switch	ng charges apply a	ecurrin	he non-r	en used as ordinarily combined network elements in All States,	When
		<u> </u>	,I									nbination)	pplies to each cor	(One ap			Nonre
Is Charge - 2 wire/4-Vire VG UNCVX UNCCC 8 98 8 98 8 98		1	₁ 1	1		ļ					!	LINGS	LINGVA	I.	, 1		

NBUNDLE	D NETWORK ELEMENTS - Florida										T			ment 2	L	bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge
						Rec		curring		g Disconnect		,		Rates (\$)		
			L			1160	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurning Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps			UNCDX	UNCCC		8 98	8 98	8 98	8 98						
	Nonrecurning Currently Combined Network Elements Switch -As- is Charge - DS1			UNC1X	UNCCC		8 98	8 98	8 98	8 98						ļ
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS3		ļ	UNC3X	UNCCC		8 98	8 98	8 98	8 98	_					
	Nonrecuring Currently Combined Network Elements Switch -As- is Charge - STS1 ial Features & Functions:			UNCSX	UNCCC		8 98	8 98	8 98	8 98						
Option	nal Features & Functions:		 	U1TD1.	+			ļ		-	-					-
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X U1TD1.	CCOEF		OI	оі	OI	01						
	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	!		ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		OF	01	01	OI						
	Activity - per DS1	I		UNC1X, USL U1TD3, ULDD3	NRCCC		184 92S	23 82\$	2 07 S	0.88	_					<u> </u>
MILLE	C-bit Parity Option - Subsequent Activity - per DS3	1		UE3, UNC3X	NRCC3		219 09S	7 67\$	0 773S	0\$						
WIGET	DS1 to DS0 Channel System per month		<u> </u>	UNC1X	MQ1	146 77	101 42	71 62			 					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	2 10	10 07	7 08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation		<u> </u>	U1TUD	1D1DD	2 10	10 07	7 08	0 00	0 00	<u> </u>					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	3 66	10 07	7 08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3 66	10 07	7 08	0 00	0 00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1 38	10 07	7 08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1 38	10 07	7 08	0 00	0 00						
	DS3 to DS1 Channel System per month			UNC3X	MQ3_	211 19	199 28	118 64	40 34	39 07						
	STS-1 to DS1 Channel System per month			UNXCS	MQ3	211 19		118 64	40 34	39 07	ļ					
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	UC1D1	13 76	10 07	7 08							<u> </u>	-
	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month			U1TUA U1TD1	UC1D1 UC1D1	13 76 13 76	10 07 10 07	7 08 7 08	0 00	0 00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per imonth			ULDD1	UC1D1	13 76	10 07	7 08	0 00	0 00						
	nge Ports			OCDD1	100181	13 70	1007	7 00	0.00	0.00						-
	Although the Port Rate includes all available features in GA, I	KY, LA	8 TN, t	he desired features	will need to b	e ordered usi	ng retail USOC	5			 					
	E VOICE GRADE LINE PORT RATES (RES)						Ι									
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 40	3 74	3 63	1 88	1 80						-
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 40	3 74	3 63	1 88	1 80	ļ					ļ
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res			UEPSR	UEPAF	1 40	3 74	3 63	1 88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG unbundled Florida extended			UEPSR	UEPA9	1 40	3 74	3 63	1.88	1 80						-
	Laxinange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Catter ID Exchange Ports - 2-Wire VG unbundled Florida extended			UEPSR	UEPA1	1 40	3 74	3 63	1 88	1 80	<u> </u>					-
	dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1 40	374	3 63	1 88	1 80						

NBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs	Charge -	Charge -	Charge -
		m									per zon	por Lott	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
					1	_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 40	3 74	3 63	1 88	1 80						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPSR	UEPRT	1 40	3 74	3 63	1 88	1 80						
	Subsequent Activity		I	UEPSR	USASC	0 00	0 00	0.00	L							
FEAT	TURES	L	ļ													
	All Available Vertical Features			UEPSR	UEPVF	2 26	0 00	0.00							ļ	
2-WII	RE VOICE GRADE LINE PORT RATES (BUS)		ļ													ļ
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus	1		UEPSB	UEPBC	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 40	3 74	3 63	1 88	1 80						
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1		374	3 63	1 88	1 80	1					
	2-Wire voice unbundled Incoming Only Port without Caller ID		 			1 40										-
	Capability			UEPSB	UEPBE	1 40	3 74	3 63	1 88	1 80	ļ					ļ
	Subsequent Activity			UEPSB	USASC	0 00	0 00	0 00							 	
FEAT	TURES		<u> </u>		-		0.00		 					ļ	ļ	
EVO	All Available Vertical Features			UEP\$B	UEPVF	2 26	0 00	0 00								+
EXC	HANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 40	39 06	18 18	12 35	0 7187					ļ	
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 40	39 06	18 18	12 35	0 7187			-			
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		 	UEPSP	UEPPO	1 40	39 06	18 18		0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	_	1	UEPSP	UEPP1	1 40	39 06	18 18	12 35	0 7187				1		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 40	39 06	18 18	12 35	0.7187				i	-	
	2-Wire Voice Unbundled PBX LD Terminal Ports		†	UEPSP	UEPLD	1 40	39 06	18 18	12 35	0 7187						
_	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 40	39 06	18 18	12 35	0 7187						1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		Ī	UEPSP	UEPXB	1 40	39 06	18 18	12 35	0 7187						l
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 40	39 06	18 18		0 7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 40	39 06	18 18	12 35	0 7187				ļ		1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		+	OLF OF	OLI AIVI	1 40	33 00	70 10	12 33	0,10,					 	
	Discount Room Calling Port			UEPSP	UEPXÓ	1 40	39 06	18 18	12 35	0.7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		_	UEPSP	UEPXS	1 40	39 06	18 18		0 7187						İ
	Subsequent Activity		!	UEPSP	USASC	0 00	0 00	0 00			 					
FEAT	TURES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2 26	0 00	0 00								l
EXC	HANGE PORT RATES (COIN)		1													T
	Exchange Ports - Coin Port					1 40			1 88	1 80						
	. Transmission/usage charges associated with POTS circuit s															
NOTE	: Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	y through BFR/New	Business Re	quest Process	Rates for the	packet capabi	litres will be de	termined via t	he Bona Fid	le Request/I	New Business	s Request Pro	cess.	<u> </u>
	LOCAL EXCHANGE SWITCHING(PORTS)													ļ	 	
	HANGE PORT RATES	DALCO	1 m 45.	rote aubilité anni	1	dad base :::	40/P-0	2 mad 4/4/01	A 54 a w 4/4/0.4 4*			iff unto			 	ļ
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											m rates or a	a separate ag	reement.	 	<u> </u>
Requ	Exchange Ports - 2-Wire DID Port	arter the	errect	UEPEX	UEPP2	be provided pi	ursuant to a se	parate agreen 15 82	ent or tariff at					 	 	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	_		JULI EX	DEFFE	0 /3	/041	10 02	41 94	4 20					 	
	capability (E 4/1/2004)	1		UEPDD	UEPDD	54 95	151 11	77 75	48 81	3 10					1	
_					U1PMA			50.68	27 64	11.93						
	Exchange Ports - 2-Wire ISDN Port (See Notes below) All Features Offered			UEPTX, UEPSX UEPTX, UEPSX		8 83 2 26	46 83 0 00	50 68 0 00	27 64	11 93						

Page 18 of 38 Version 3Q03 11/12/2003 CCCS 205 of 232

RONDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exh	bit: A
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Increme Charge Manual Order v Electror Disc Ad
					 	0	Nonrec	urnng	Nonrecurring	g Disconnect			oss	Rates (\$)	i	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMA
NOTE	Access to B Channel or D Channel Packet capabilities will be	availat	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	e Request/I	New Business	Request Pro	cess	
[EXCHAN	NGE PORT RATES (continued)											· · · · · ·		· · · · ·	T	1
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911														-	
	Locator Capability (E 4/1/2004)		1 1	UEPEX	UEPEX	82 74	174 61	95 17	49 80	18 23					1	
1	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPDX	UEPDX	82 74	174 61	95 17	49 80	18 23		-				
1	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1 32	27 77	15 52	5 93	4 77						
,	Virtual coflocation - Special Access & UNE, cross-connect per														1	
	DS1	ĺ		UEPEX UEPDX	CNC1X	7 50	155 00	14 00		f	1					
Detailed	E911 with Locator Capability (required with UEPEX port)														† ·-	
1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911														 	
	Locator Capability - Initial Profile Establishment per CLEC per													1	1	
	State	1		UEPEX	UEP1A	0 00	1,809 00		151 12					I		1
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		\vdash		+	5 55	.,505 00		10112	 	 			l	 	
	Locator Capability - Subsequent Profile Changes, Additions,	1				ľ								1		
i	Deletions			UÉPEX	UEP1B	0 00	175 66								1	
	Additional PRI Telephone Numbers		 		55. 15	0.00	173 00	_		-		-		· ·	+	1
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		\vdash		+ -	 					h				-	
	Locator Capability 2-way Telephone Numbers, per number in				1											
1 6	E911 profile [New or Additional]			UEPEX	UEP1C	0 0699	0 5412							ĺ		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		-	OLFLX	OEF 10	0 0099	0.3412							 		
	Locator Capability - Outdial Telephone Numbers, per number in					i								1		
	E911 profile [New or Additional]			UEDEV	LIEDAD	0.0000	40.74	40.74								
				UEPEX	UEP1D	0 0699	12 71	12 71		-						
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or													i		
	Additional]			UEPDX	UEP1E	0 00	0 5412								ļ	<u> </u>
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	nward Tel Numbers [Customer Testing Purposes]		\vdash	UEPEX	PR7ZT	0 00	25 42	25 42								
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1 75										
	ACE (Provsioning Only)															
	Voice/Data		L	UEPEX	PR71V	0 00	0 00	0 00								
	Digital Data			UEPEX	PR71D	0 00	0 00	0 00								
	nward Data		<u> </u>	UEPDX	PR71E	0 00	0 00	0 00								<u> </u>
	Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0 00	15 48									1
	New or Additional - Digital Data "B" Channel		ota	UEPEX	PR7BF	0 00	15 48									
	New or Additional Inward Data "B" Channel		ļ	UEPDX	PR7BD	0 00	15 48									
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0 00										
1!	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0 00										
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0 00	15 48									
CALL T		L	L.]													
	nward			UEPEX UEPDX	PR7C1	0 00	0 00	0 00					···			
	Outward			UEPEX	PR7CO	0 00	0 00	0 00								
	Two-way			UEPEX	PR7CC	0 00	0 00	0.00								
	DLED PORT with REMOTE CALL FORWARDING CAPABILITY														L	
	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
I	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 40	3 74	3 63	1 88	1 80						
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 40	3 74	3 63	1 88	1 80						L
i	Unbundled Remote Call Forwarding Service, InterLATA - Res		L	UEPVR	UERTE	1 40	3 74	3 63	1 88	1 80						
	Inbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 40	3 74	3 63	1 88	1 80					1	
Non-Rec	curning				1						i					
] [Jnbundled Remote Call Forwarding Service - Conversion -				†										1	
	Switch-as-is			UEPVR	USAC2		0 102	0 102		1	1				1	l
T	Unbundled Remote Call Forwarding Service - Conversion, with				1						1				 	i
	allowed change (PIC and LPIC)			UEPVR	USACC		0 102	0 102		1					1	
	DLED REMOTE CALL FORWARDING - Bus		t- 1		1		5 .52	0 .52								
					1									·		
1 1	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1	1	UEPVB	UERAC	1 40	3 74	3 63	1 88	1 80	I			1		1

	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit. A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			i .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring			,		Rates (\$)		
1						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ŀ		LUEDU E	lumpi o			0.00					i		į	
	Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus	1	<u> </u>	UEPVB UEPVB	UERLC	1 40	3 74 3 74	3 63 3 63	1 88	1 80						
	Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus		1	UEPVB	UERTR	1 40	3 74	3 63	1 88 1 88	1 80 1 80						
	Unbundled Remote Call Forwarding Service Expanded and		 	UEPVB	UERIR	140	3 /4	3 63	166	1 80					 	
	Exception Local Calling			UEPVB	UERVJ	1 40	3 74	3 63	1 88	1 80						
Non-R	Recurring		1	05,40	TOLIKUS .	170	917	0 00	100	100						
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0 102	0 102						1		
	Unbundled Remote Call Forwarding Service - Conversion with															
LL	alfowed change (PIC and LPIC)			UEPVB	USACC		0 102	0 102								
	LOCAL SWITCHING, PORT USAGE				I											
End O	ffice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0 0007662										
<u> </u>	End Office Trunk Port - Shared, Per MOU			ļ		0 000164										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
L	Tandem Switching Function Per MOU	<u> </u>	1			0 0001319										
ļ	Tandem Trunk Port - Shared, Per MOU		1			0 000235										
	Tandem Switching Function Per MOU (Melded)	ļ	1		+	0 000027185										
	Tandem Trunk Port - Shared, Per MOU (Melded) Melded Factor 20 61% of the Tandem Rate	1	1			0.000048434									ļ	
Comm	non Transport	-	 						<u> </u>							
Commi	Common Transport - Per Mile, Per MQU				+	0 0000035										
	Common Transport - Facilities Termination Per MOU	-			+	0 0004372										
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES					0 000 1012										
	Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	h Ports								
	res shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Rate E	xhibit					
	ffice and Tandem Switching Usage and Common Transport Us															
			.00 111 1	ne Port section of ti	nis rate exhib	it shall apply to	all combination	ns of loop/po	rt network eler	nents except	or UNE Cor	n Port/Loop	Combination	15		
	rst and additional Port nonrecurring charges apply to Not Curr															
2-WIRE	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
2-WIRE	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates		ombin			ined Combos ti										
2-WIRE	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		ombini 1			ned Combos to										
2-WIRE	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) on/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2			10 94 15 05										
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ont/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		ombini 1			ned Combos to										
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates		1 2 3	ed Combos For Cu	rrently Comb	10 94 15 05 25 80										
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ONLINE OF COMBINISTICS OF COMB		1 2 3	ed Combos For Cu	UEPLX	10 94 15 05 25 80										
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ont/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2 3 1 1 2	UEPRX	UEPLX UEPLX	10 94 15 05 25 80 9 77 13 88										
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2 3	ed Combos For Cu	UEPLX	10 94 15 05 25 80										
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	10 94 15 05 25 80 9 77 13 88 24 63	he nonrecurrin	g charges sha	Il be those idei	tufied in the N						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) On/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		1 2 3 1 1 2	UEPRX	UEPLX UEPLX	10 94 15 05 25 80 9 77 13 88	he nonrecurrin	g charges sha	Il be those idei	ntified in the N						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	10 94 15 05 25 80 9 77 13 88 24 63	he nonrecurrin	g charges sha	Il be those idei	tufied in the N						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port virith Caller ID - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL	10 94 15 05 25 60 9 77 13 88 24 63	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL	10 94 15 05 25 60 9 77 13 88 24 63	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 - Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Fionda Area Calling with Caller ID - res 2-Wire voice unbundled Fionda Area Calling with Caller ID - res 2-Wire voice unbundled Fionda Area Calling with Caller ID - res 2-Wire voice unbundled Fionda Area Calling with Caller ID - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC UEPRC UEPAF	10 94 15 05 25 60 9 77 13 88 24 63 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAF	10 94 15 05 25 80 24 63 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC UEPRC UEPAF	10 94 15 05 25 60 9 77 13 88 24 63 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing with Caller ID - Res 2-Wire voice unbundled Flonda extended dialing with Caller ID - Res 2-Wire voice unbundled Flonda extended dialing with Caller ID - Res 2-Wire voice unbundled Flonda extended dialing with Caller ID - Res 2-Wire voice unbundled Flonda extended dialing with Caller ID - Res 2-Wire voice unbundled Flonda extended dialing port without		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF	9 77 13 88 24 63 117 117 117 117	53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/ILoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled Pionda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAF	10 94 15 05 25 80 24 63 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID Caller ID - Res 2-Wire voice unbundled Flonda extended dialing with Caller ID - Res 2-Wire voice unbundled Flonda extended dialing port without Caller ID caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPAB	9 77 13 88 24 63 117 117 117 117 117 117 117	53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/ILoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF	9 77 13 88 24 63 117 117 117 117	53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/ILoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAP UEPAB	10 94 15 05 25 80 24 63 17 17 17 17 17 17 17 17 17 17 17 17 17	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-WIRE UNE L	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 - Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPAB	9 77 13 88 24 63 117 117 117 117 117 117 117	53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-WIRE UNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/ILoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAB UEPAB UEPAB	9 10 94 15 05 25 80 9 77 13 88 24 63 117 117 117 117 117 117 117 117 117 11	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-WIRE UNE L	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 - Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda extended dialing with Caller ID 2-Wire voice unbundled Flonda extended dialing port without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Flonda Area Calling Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAP	10 94 15 05 25 80 24 63 17 17 17 17 17 17 17 17 17 17 17 17 17	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-WIRE UNE L	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Dont/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAB UEPAB UEPAB	9 10 94 15 05 25 80 9 77 13 88 24 63 117 117 117 117 117 117 117 117 117 11	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37 8 37						

Version 3Q03 11/12/2003 Page 20 of 38

CCCS 207 of 232 [CCCS Amendment 86 of 111]

MOUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Add
						Rec		curring	Nonrecurring					Rates (\$)		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	-		_ i		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	Switch-as-is	ļ		UEPRX	USAC2		0 102	0 102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<u> </u>	GELLIX	JUGAUE		0 102	0 102								
	Switch with change			UEPRX	USACC		0 102	0 102								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		<u> </u>	UEPRX	USAS2	0 00	0 00	0 00								
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise		1	UEPRX	URETL		8 33									l
OFF/O	DN PREMISES EXTENSION CHANNELS	-	 	UEPRX	UREIL	_	8 33	0.83								!
OFF/O	2 Wire Analog Voice Grade Extension Loop - Non-Design	 	1	UEPRX	UEAEN	10 69	49 57	22 83	25 62	6 57						ļ
	2 Wire Analog Voice Grade Extension Loop – Non-Design	\vdash		UEPRX	UEAEN	15 20	49 57	22 83	25 62	6 57				-		<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	26 97	49 57	22 83	25 62	6 57				-		
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	12 24	135 75	82 47	63 53	12 01						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	17 40	135 75	82 47	63 53	12 01						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	30 87	135 75	82 47	63 53	12 01						
INTER	OFFICE TRANSPORT													-		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	25 32	47 35	31 78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			IOLF IX	UTIVE	23 32	47 33	3170								
	or Fraction Mile			UEPRX	U1TVM	0 0091	0 00	0 00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10 94										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2	_		15 05										
IINÉ I	oop Rates		3			25 80										
ONLL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13 88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24 63										
2-Wire	Voice Grade Line Port (Bus)		ا ت		102,2	2100		_								
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX	UEPBC	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1 17	53 31	26 46	27 50	8 37						
	2-Wire voice unbundled incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1 17	53 31	26 46	27 50	8 37						
LOCAL	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)		-	UEPBX	LNPCX	0 35										
FEATU	All Features Offered		<u> </u>	HEODY	LIED) #	0.00		2.00								
NONDI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	2 26	0 00	0 00			ļ					
NONKI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-		+ +							-				
	Switch-as-is			UEPBX	USAC2	1	0 102	0 102				}		ļ		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			<u> </u>	30002		0 102	0 102						-		
Ì	Switch with change			UEPBX	USACC	j	0 102	0 102	.							
ADDIT	IONAL NRCs					-		2 702				-				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent					~										
	Activity			UEPBX	USAS2		0 00	0 00						J		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise		L	UEPBX	URETL		8 33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS		L.,													
-	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	10 69	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPBX	UEAEN	15 20	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Extension Loop - Non-Design 2 Wire Analog Voice Grade Extension Loop - Design			UEPBX	UEAEN	26 97	49 57	22 83	25 62	6 57						
-+	2 Wire Arialog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design			UEPBX UEPBX	UEAED	12 24 17 40	135 75 135 75	82 47	63 53	12 01						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	30 87	135 75	82 47 82 47	63 53 63 53	12 01 12 01						
	OFFICE TRANSPORT		J	CEFDA	UEALU	30 07	135 / 5	6Z 4/	03 03	12 01						l

Termination Interoffice Transport - Dedicated - 2' or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIR UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone [2-Wire VG Loop/Port Combo - Zone [2-Wire VG Loop/Port Combo - Zone [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (St. 1) - Zo [2-Wire Voice Grade Loop (Line Port (Conversion - Switch-As-is [2-Wire Voice Grade Loop (Line Port (Conversion - Switch-As-is [2-Wire Voice Grade Loop (Line Port (Conversion - Switch-As-is [2-Wire Voice Grade Loop (Line Port (Conversion - Switch With Change [2-Wire Voice Grade Loop (Line Port (Conversion - Switch With Change [2-Wire Voice Grade Loop (Line Port (Conversion - Switch With Change) [2-Wire Voice Grade Loop (Line Port (Conversion - Switch With Change) [2-Wire Voice Grade Loop (Line Port (Conversion - Switch With Change) [2-Wire Voice Grade Loop (Channel Voice Price Channel Voice Price Channel Voice Price Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Voice Grade Loop Wirt 2-Wire Voice Grade Loop (St. 1) - Zone (2-Wire Voice Grade Loop (St. 1) - Zone (2-Wire Voice Grade Loop (St. 1	D NETWORK ELEMENTS - Florida												Attach	Hent Z	E AIII	bit, A
Interoffice Transport - Dedicated - 21 Termination Interoffice Transport - Dedicated - 21 or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIR UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop/ Line Port (St. 1) - Zo 3-Wire Voice Grade Loop Wirth 2-Wire Voice Grade Loop Port Loop 3-Wire Voice Grade Loop Wirth 2-Wire Voice Granel Voice 3-Wire Voice Granel Loop Wirth 2-Wire Voice Grade Loop Wirth 2-Wire Voice Grade Loop Wirth 2-Wire Voice Grade Loop St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) -		Intern										Submitted	Incremental Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc	Increment Charge - Manual Sv
Termination Interoffice Transport - Dedicated - 2' or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIR UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 12-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 1-Wire Voice Grade Loop (St. 1) - Zo 1-Wire Voice Grade Loop (St. 1) - Zo 1-Wire Voice Grade Loop (St. 1) - Zo 1-Wire Voice Grade Loop (Line Port (Conversion) - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion) - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion) - Switch With Change ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity) - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNET Local Channel Voice grade, per term Local Channel Voice grade, pe	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs Electronic- Disc 1st	Order vs Electronic Disc Add
Termination Interoffice Transport - Dedicated - 2' or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIR UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 12-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 12-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (Line Port (St. 1) - Zo 3-Wire Voice Grade Loop (Line Port (Conversion - Switch-As-Is 3-Wire Voice Grade Loop/ Line Port (Conversion - Switch With Change 3-Wire Voice Grade Loop (Line Port (Subsequent Activity - Change/R Group 3-Wire Voice Grade Loop (Line Port (Subsequent Activity - Change/R Group 3-Wire Voice Grade Loop (Line Port (Subsequent Activity - Change/R Group 3-Wire Voice Grade Loop (St. 1) - Zo		<u> </u>				Rec	Nonrec		Nonrecurring					Rates (\$)		
Termination Interoffice Transport - Dedicated - 2' or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIR UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 12-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 1-Wire Voice Grade Loop (St. 1) - Zo 1-Wire Voice Grade Loop (St. 1) - Zo 1-Wire Voice Grade Loop (St. 1) - Zo 1-Wire Voice Grade Loop (Line Port (Conversion) - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion) - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion) - Switch With Change ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity) - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNET Local Channel Voice grade, per term Local Channel Voice grade, pe	h					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIR UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone UNE Loop Rates 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (St. 1) - Zo 4-Wire Voice Grade Loop/ Line Port (Sonersion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Sonersion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Sonersion - Switch With Change ADDITIONAL NRC'S 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNET Local Channel Voice grade, per term Loca				UEPBX	U1TV2	25 32	47 35	31 78								
2-WIRE VOICE GRADE LOOP WITH 2-WIR UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Line Port Rates (RES- 2-Wire VG Unbundled Combination Res LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-Mith Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEL Local Channel Voice grade, per term Local Channe	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	'		UEPBX	U1TVM	0 0091	0 00	0 00								
UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Liop (SL 1) - Zo 2-Wire Voice Grade Liop (SL 1) - Zo 2-Wire Voice Grade Liop Port Rates (RES 2-Wire VG Unbundled Combination Res LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity) PBX Subsequent Activity PBX Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEI Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice Grade Loop With 2-Wire Voice Grade Loop With 2-Wire Voice Grade Loop With 2-Wire Voice Grade Loop With 2-Wire Voice Grade Loop With 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	+	 	CLIBA	01111111	0 0031	- 000	0 00				-				
2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone UNE Loop Rates 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 3-Wire Voice Grade Loop (Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-Mith Change ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch with Change ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch With Change ADDITIONAL NRCS 3-Wire Voice Grade Loop/ Line Port (Conversion - Switch With Change ADDITIONAL NRCS 4-Wire Voice Grade Loop/ Line Port (Conversion - Switch With Change ADDITIONAL NRCS 5-Wire Voice Grade Loop (Line Port (Conversion - Switch With Change ADDITIONAL NRCS) 4-Wire Voice Grade Loop (Line Port (Conversion - Switch With Change ADDITIONAL NRCS) 4-Wire Voice Grade Loop (Line Port (Conversion - Switch With Change ADDITIONAL NRCS) 5-Wire Voice Grade Loop (Line Port (Conversion - Switch With Change ADDITIONAL NRCS) 6-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Voice Grade Loop With 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Vo		1	 													
2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Loop (St. 1) - Zo 2-Wire Voice Grade Line Port Rates (RES 2-Wire Voice Grade Line Port Rates (RES) Local Number Portability Local Number Portability Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-Marie (Conversion - Switch with Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEL Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice Grade Loop With 1 Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transp			1			10 94					1					
UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (Line Port (Subsequent Activity - Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNET Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice Grade Loop Port Combo - Zone 2-Wire Voice Grade Loop (SL 1) - Zone 2-Wire Voice Grade Loop (SL 1) - Zone 2-Wire Voice Grade Loop (SL 1) - Zone 2-Wire Voice Grade Loop (SL 1) -	2-Wire VG Loop/Port Combo - Zone 2		2			15 05										
UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (Line Port (Subsequent Activity - Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNET Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice Grade Loop Port Combo - Zone 2-Wire Voice Grade Loop (SL 1) - Zone 2-Wire Voice Grade Loop (SL 1) - Zone 2-Wire Voice Grade Loop (SL 1) - Zone 2-Wire Voice Grade Loop (SL 1) -	2-Wire VG Loop/Port Combo - Zone 3		3			25 80										
2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Loop Port Rates (RES- 2-Wire Voice Unbundled Combination Res LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-is) 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch With Change ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity) PBX Subsequent Activity PBX Subsequent Activity PBX Subsequent Activity Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEI Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice Grade Loop Fer Longel Voice Interoffice Transport - Dedicated - 2 Viermenton Interoffice Transport - Dedicated - 2 Vierme VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Zon 2-Wire Voice Grade Loop (SL 1) - Z	op Rates		T													
2-Wire Voice Grade Loop (SL 1) - Zo 2-Wire Voice Grade Line Port Rates (RES - 2-Wire VG Unbundled Combination Res LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9 77										
2-Wire Voice Grade Line Port Rates (RES 2-Wire VG Unbundled Combination Res LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-Marille Port (Conversion - Switch-Mar	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	13 88										ſ
2-Wire VG Unbundled Combination	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24 63										1
Res LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch with Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEI Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 \(\) Termination Interoffice														·		i Total
Local Number Portability (1 per port) FEATURES				UEPRG	UEPRD	1 17	174 81	100 65	75 88	12 73						1
FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch Loop/ Line Port (Conversion - Switch with Change (ADDITIONAL NRCs) 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEL Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V Termination	NUMBER PORTABILITY															<i></i>
All Features Offered NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch with Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity PBX Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEI Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Non-Wire Direct Non-Wire Direct Non-Wire Direct Non-Wire Direct				UEPRG	LNPCP	3 15	0 00	0 00								1
NONRECURRING CHARGES (NRCs) - CUR 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch with Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFFON PREMISES EXTENSION CHANNEI Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedic																i
2-Wire Voice Grade Loop/ Line Port of Conversion - Switch-As-is 2-Wire Voice Grade Loop/ Line Port of Conversion - Switch with Change ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port of Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEL Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 View Termination Interoffice Transport - Dedicated - 2 View Termination Interoffice GRADE LOOP WITH 2-WIRE VOICE GRADE LOOP WITH 2-WIRE VOICE GRADE LOOP WITH 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2 View VG Loop/Port Combo - Zone 2 View VG Loop/Port Combo - Zone 2 View VG Loop/Port Combo - Zone 2 View VG Loop/Port Combo - Zone 3 VIII VIII VIII VIII VIII VIII VIII V		1		UEPRG	UEPVF	2 26	0 00	0.00								(
Conversion - Switch-As-is 2-Wire Voice Grade Loop/ Line Port (Conversion - Switch with Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEL Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-Wire Voice GRADE LOOP WITH 2-WIRE UNE POrt/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 2 - Wire VG Loop/Port Combo - Zone 3 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 6 - Wire VG Loop/Port Combo - Zone 7 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zone 9 - Wire VG Loop/Port Combo - Zo																i
2-Wire Voice Grade Loop/ Line Port (Conversion - Switch with Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNE! Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 \(\) Termination	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	t l		1											i
Conversion - Switch with Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port C Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNE! Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-Wire Voice GRADE LOOP WITH 2-WIRE UNE PORT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zon 2		ļ		UEPRG	USAC2		8 45	1 91								ı
ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port of Subsequent Activity PBX Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEL Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-Wire VGLOGE GRADE LOOP WITH 2-WIRE VOICE GRADE LOOP WITH 2-WIRE VIEWE VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 2 V-Wire VG Loop/Port Combo - Zone 3 V-Wire VG Loop/Port Combo - Zone																i
2-Wire Voice Grade Loop/ Line Port (Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNE! Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-Wire Volce GRADE LOOP WITH 2-WIRE UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone		-		UEPRĠ	USACC		8 45	1 91								
Subsequent Activity PBX Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEI Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-Wire Voice GRADE LOOP WITH 2-WIRE UNE POPULOOP Combin - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zon 2		-			-											
PBX Subsequent Activity - Change/R Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEI Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3			li	UEPRG	USAS2	0 00	0 00	0 00								i
Group Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEI Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-Wire Volce GRADE LOOP WITH 2-WIRE UNE PORT/Loop Combination Rates 12-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	 		OLI NO	03/32	0.00	000	0 00								
Unbundled Miscellaneous Rate Elem Premise OFF/ON PREMISES EXTENSION CHANNEI Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-Wire Voice GRADE LOOP WITH 2-WIRE VOICE GRADE LOOP WITH 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE POPULOOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loo			1 1		1 1		7 86	7 86								i
Premise OFF/ON PREMISES EXTENSION CHANNEL Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE POrt/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		, 55									
Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-Wire Voice GRADE LOOP WITH 2-WIRE UNE PORT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (St. 1) - Zone 2 2-Wire Voice Grade Loop (St. 1) - Zone 2 2-Wire Voice Grade Loop (St. 1) - Zone 2 2-Wire Voice Grade Loop (St. 1) - Zone 2 2-Wire Voice Grade Loop (St. 1) - Zone 2 2-Wire Voice Grade Loop (St. 1) - Zone 2 3-Wire Voice Grade Loop (St. 1) - Zone 2 3-Wire Voice Grade Loop (St. 1) - Zone 2 3-Wire Voice Grade Loop (St. 1) - Zone 2 3-Wire Voice Grade Loop (St. 1) - Zone 2 3-Wire Voice Grade Loop (St. 1) - Zone 2 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3 3-Wire Voice Grade Loop (St. 1) - Zone 3				UEPRG	URETL		8 33	0.83					i			i
Local Channel Voice grade, per term Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE PORT/LOOP Combination Rates [2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 3-Wire VG Loop/Port Combo - Zone 3 3-Wire VG Loop/Port Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3 3-Wire VG Loop Grade Loop (SL 1) - Zone 3	PREMISES EXTENSION CHANNELS		T .													
Local Channel Voice grade, per term Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone : 2-Wire VG Loop/Port Combo - Zone : UNE Loop Rates 12-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone 2-Wire Voice Grade Loop (St. 1) - Zone	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12 24	135 75	82 47	63 53	12 01						
Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-Wire VOICE GRADE LOOP WITH 2-WIRE UNE PORT/LOOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3	Local Channel Voice grade, per termination			UEPRG	P2JHX	17 40	135 75	82 47	63 53	12 01						
Non-Wire Direct Serve Channel Voice Non-Wire Direct Serve Channel Voice INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE PORT/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 3-Wire Voice Grade Loop (SL 1) - Zone 3	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30 87	135 75	82 47	63 53	12 01						
Non-Wire Direct Serve Channel Voice	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	12 92	120 38	43 56	95 00	10 54				-		
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE PORT/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone - 2-Wire VG Loop/Port Combo - Zone - 2-Wire VG Loop/Port Combo - Zone - 2-Wire VG Loop/Port Combo - Zone - 2-Wire VG Loop/Port Combo - Zone - 2-Wire VG Loop/Port Combo - Zone - 2-Wire VG Loop Grade Loop (SL 1) - Zone - 2-Wire Voice Grade Loop (SL 1) - Zone - 2-Wire Voice Grade Loop (SL 1) - Zone		 		UEPRG	SDD2X	18 36	120 38	43 56	95 00	10 54						
Interoffice Transport - Dedicated - 2 V Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 2-Wire VG Loop Grade Loop (St. 1) - Zone 3-Wire VG Loop Grade Loop (St. 1) - Zone 3-Wire VG Loop Grade Loop (St. 1) - Zone 3-Wire VG Loop Grade Loop (St. 1) - Zone 3-Wire VG Loop Grade Loop (St. 1) - Zone 3-Wire VG Loop Grade Loop (St. 1) - Zone 3-Wire VG Loop Grade Loop (St. 1) - Zone 3-Wire VG Loop Grade Loop (St. 1) - Zone 3-Wire VG Loop Grade Loop (St. 1) - Zone 3-Wire VG Loop Grade Loop (St. 1) - Zone		1	3	UEPRG	SDD2X	32 58	120 38	43 56	95 00	10 54						
Termination Interoffice Transport - Dedicated - 2 V or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE PortLoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2 -Wire VG Loop/Port Combo - Zone 2 -Wire VG Loop/Port Combo - Zone 2 -Wire VG Loop/Port Combo - Zone 2 -Wire VG Loop/Port Combo - Zone 2 -Wire VG Loop (St. 1) - Zone 2 -Wire Voice Grade Loop (St. 1) - Zone 2 -Wire Voice G																
Interoffice Transport - Dedicated - 2 v or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRI UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone / 2-Wire VG Loop/Port Combo - Zone / 2-Wire VG Loop/Port Combo - Zone / UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zone / 2-Wire Voice Grade Loop (SL 1) - Zone / 2-Wire Voice Grade Loop (SL 1) - Zone /	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPRG	U1TV2	05.00	47 35	04 - 0						I		
or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone :				UEPRG	UTIVZ	25 32	47 35	31 78								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 2-Wire Voice Grade Loop (SL 1) - Zone 2-Wire Voice Grade Loop (SL 1) - Zone 2-Wire Voice Grade Loop (SL 1) - Zone	or Fraction Mile			UEPRG	U1TVM	0 0091	0 00	0 00								
UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone (2-Wire VG Loop/Port Combo - Zone (3-Wire VG Loop/Port Combo - Zone (3-Wire Voice Grade Loop (SL 1) - Zone (3-Wire	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	 	- 1	OLFRG		0.0091	0 00	0.00								
2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone 2-Wire VG Loop/Port Combo - Zone (UNE Loop Rates 2-Wire Voice Grade Loop (SL.1) - Zor 2-Wire Voice Grade Loop (SL.1) - Zor						-										
2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL. 1) - Zor 2-Wire Voice Grade Loop (SL. 1) - Zor			1		 	10 94								-		
UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zor 2-Wire Voice Grade Loop (SL 1) - Zor	2-Wire VG Loop/Port Combo - Zone 2		2			15 05										
UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zor 2-Wire Voice Grade Loop (SL 1) - Zor	2-Wire VG Loop/Port Combo - Zone 3		3		1	25 80										
2-Wire Voice Grade Loop (SL 1) - Zor	op Rates				1			-								
2-Wire Voice Grade Loop (SL 1) - Zor	2-Wire Voice Grade Loop (Sl. 1) - Zone 1		1	UEPPX	UEPLX	9 77										
2-Wire Voice Grade Loop (SI 1) - 7 or	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24 63							1			
2-Wire Voice Grade Line Port Rates (BUS -	orce Grade Line Port Rates (BUS - PBX)															
														i	1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 17	174 81	100 65	75 88	12 73						
	Line Side Unbundled Outward PBX Trunk Port - Bus		\Box	UEPPX	UEPPO	1 17	174 81	100 65	75 88	12 73						
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports	 		UEPPX UEPPX	UEPP1 UEPLD	1 17 1 17	174 81 174 81	100 65 100 65	75 88 75 88	12 73 12 73						

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
			<u> </u>			Rec	Nonrec			g Disconnect				Rates (\$)		
		<u> </u>	<u> </u>				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 17	174 81	100 65	75 88	12 73				l		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 17	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	ļ	 	UEPPX	UEPXC	1 17	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<u> </u>	├	UEPPX	UEPXD	1 17	174 81	100 65	75 88	12 73						
l	Capable Port			UEPPX	UEPXE	1 17	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 17	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			SEL TA	102.712	7.11		100 00	1000	12.10						
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXM	1 17	174 81	100 65	75 88	12 73						
	Discount Room Calling Port			UEPPX	UEPXO	1 17	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 17	174 81	100 65	75 88	12 73						
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0.00	0 00								
FEATL																
	All Features Offered			UEPPX	UEPVF	2 26	0 00	0 00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	ļ													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		8 45	1 91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			HEDDY												
ADDIT	Conversion - Switch with Change		.	UEPPX	USACC		8 45	1 91								
AUUII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 													
	Subsequent Activity			UEPPX	USAS2	0 00	0 00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI 1 X	UGAGZ	0 00										
	Group						7 86	7 86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	ŀ								1						
000	Premise			UEPPX	URETL		8 33	0 83								
OFF/O	N PREMISES EXTENSION CHANNELS		-	HEDDA	P2JHX	12 24	135 75	82 47	63 53	12 01						
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination		2	UEPPX	P2JHX P2JHX	17 40	135 75	82 47	63 53	12 01	ļ					
	Local Channel Voice grade, per termination	ļ	3	UEPPX	P2JHX	30 87	135 75	82 47	63 53	12 01						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12 92	120 38	43 56	95 00	10 54						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18 36	120 38	43 56	95 00	10 54						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32 58	120 38	43 56	95 00							
INTER	OFFICE TRANSPORT															
T	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	25 32	47 35	31 78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0 0091	0 00	0 00								
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	रा														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10 94				l						
	2-Wire VG Coin Port/Loop Combo – Zone 2	L	2		1	15 05										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			25 80			 							
UNEL	oop Rates	 	-	LIEDCO	UEDLY											
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPCO UEPCO	UEPLX	9 77 13 88										
	2-Wire Voice Grade Loop (SE1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	l		UEPCO	UEPLX	24 63				 						
2-Wire	Voice Grade Line Ports (COIN)	l —	-	OLI GO	ULFLA	24 03				 				·-		
e	2-Wire Coin 2-Way with Operator Screening and Blocking 011. 900/976, 1+DDD (FL)		ļ —	UEPCO	UEP2F	1 17	53 31	26 46	27 50	8 37						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				1	/	3001	20.40	2, 30	53,						
	(FL)		<u> </u>	UEPCO	UEPFA	1 17	53 31	26 46	27 50	8 37	_					
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1 17	53 31	26 46	27 50	8 37						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1 17	53 31	26 46	27 50	8 37						

NRONDLE	D NETWORK ELEMENTS - Florida													ment: 2		ıbıt: A
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)	r -	
			L		_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1 17	53 31	26 46	27 50	8 37						
	2-Wire Coin Outward with Operator Screening and Blocking			LIEBOO	UEPCQ	4.47	50.04									
	900/976, 1+DDD, 011+, and Local (FL_GA) 2-Wire 2-Way Smartline with 900/976 (all states except LA)		-	UEPCO UEPCO	UEPCK	1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37	-					+
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 17	53.31	20 40	27 50	8 37						+
	LA)			UEPCO	UEPCR	1 17	53 31	26 46	27 50	8 37						
ADDIT	ONAL UNE COIN PORT/LOOP (RC)															+
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 86	0 00	0 00	0 00	0 00						
LOCAL	NUMBER PORTABILITY										·					
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
NONR	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is		ļ	UEPCO	USAC2		0 102	0 102	ļ.					1		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			l							1					
	Switch with change			UEPCO	USACC		0 102	0 102								
ADDIT	ONAL NRCs															4
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	ļ		UEPCO	USAS2		0 00	0 00			1				1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		 	OEFGO	103/32		0.00	0.00				-			1	+
	Premise	ĺ		UEPCO	URETL		8 33	0.83	1 1		1					
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (0.00				 					1
	ort/Loop Combination Rates	T	,	1							 					1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	l	1			13 64				-						
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32 27										
UNE L	pop Rates										1					
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12 24										
-	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR UEPFR	UECF2	17 40 30 87									 	+
2 186.00	2-Wire Voice Grade Loop (SL2) - Zone 3 Voice Grade Line Port Rates (Res)		3	UEPFR	UEGFZ	30.87					-				ļ	+
2-44116	2-Wire voice unbundled port - residence	-		UEPFR	UEPRL	1 40	174 81	100 65	75 88	12 73					<u> </u>	
	2-Wire voice unbundled port with Caller ID - res		 	UEPFR	UEPRC	1 40	174 81	100 65	75 88	12 73					 	+
	2-Wire voice unbundled port with Caller 15 - res			UEPFR	UEPRO	1 40	174 81	100 65	75 88	12 73					 	
	2 This told and all and port dargoning and the			02	02.710			100 00								
1	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1 40	174 81	100 65	75 88	12 73	1					
	2-Wire voice unbundles res, low usage line port with Caller ID		1													
	(LUM)			UEPFR	UEPAP	1 40	174 81	100 65	75 88	12 73	Į.					
INTER	DEFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				i i						į.					
	Termination			UEPFR	U1TV2	25 32	47 35	31 78								+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	ŀ	i		1		ŀ				Ì				1	
	or Fraction Mile			UEPFR	1L5XX	0 0091										
FEATU				UEDED.	LIEBUE I	0.00	0.00	0.00							 	+
1.004	All Features Offered NUMBER PORTABILITY	<u> </u>	ļ	UEPFR	UEPVF	2 26	0 00	0 00			-					
LUCAL	Local Number Portability (1 per port)	-	-	UEPFR	LNPCX	0.35					ļ				1	+
NONDE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>		UEFFR	LINFOX	0.55					 					+
HOMA	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<u> </u>													+
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16 97	3 73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															—
	Combination - Conversion - Switch-With-Change			UEPFR	USACC	1	16 97	3 73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			T												
	End User Premise	L		UEPFR	URETN		11 21	1 10	<u> </u>		L				L	
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (BUS)												
UNE P	ort/Loop Combination Rates															
1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13 64										4
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80										

NDUNDELL	NETWORK ELEMENTS - Florida			,	.				_					ment 2		ıbıt: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)						Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge - Manual Svc Order vs	Charge -
		-	-			Rec	Nonrec		Nonrecurring					Rates (\$)		
HNE Lo	pop Rates				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ONE EC	2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFB	UECF2	12 24				_						
	2-Wire Voice Grade Loop (SL2) - Zone 1	-		UEPFB	UECF2	17 40										4
+	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	30 87										ļ
2-18/250	Voice Grade Line Port (Bus)		1 3	UEPFB	UECF2	30.87										
2-11116	2-Wire voice unbundled port without Caller ID - bus		├	UEPFB	UEPBL	1 40	174 81	100 65	75.00	10.70						
	2-Wire voice unbundled port with Caller + E484 ID - bus		├	UEPFB	UEPBC	1 40	174 81		75 88	12 73						1
-		 	 					100 65	75 88	12 73						
-	2-Wire voice unbundled port outgoing only - bus		<u> </u>	UEPFB	UEPBO	1 40	174 81	100 65	75 88	12 73						
	2-Wire voice unbundled incoming only port with Caller ID - Bus		<u> </u>	UEPFB	UEPB1	1 40	174 81	100 65	75 88	12 73						
LOCAL	NUMBER PORTABILITY	<u> </u>	ļ												!	
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35									<u> </u>	
INTERC	OFFICE TRANSPORT															
l l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination		L	UEPFB	U1TV2	25 32	47 35	31 78							L	L
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		į .													
	or Fraction Mile			UEPFB	1L5XX	0 0091										
FEATU																
	All Features Offered			UEPFB	UEPVF	2 26	0.00	0.00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED														T	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is	ŀ		UEPFB	USAC2		16 97	3 73			1					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		T										-			1
	Combination - Conversion - Switch with change			UEPFB	USACC		16 97	3 73							i .	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11 21	1 10			i				ļ	
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (10.1.2.11			1 10							 	
	ort/Loop Combination Rates		T	1										-	-	
10.1.2.1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+ +	13 64		_								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2		+ +	18 80										+
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3		+ +	32 27										+
LINE L	pop Rates		-			32 21					-					
ONE EC	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12 24										
_	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	ļ														
			2	UEPFP	UECF2	17 40					L					_
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30 87										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
											i					
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 40	174 81	100 65	75 88	12 73						<u> </u>
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 40	174 81	100 65	75 88	12 73						<u> </u>
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 40	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 40	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 40	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 40	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1 40	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 40	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port		i	UEPFP	UEPXE	1 40	174 81	100 65	75 88	12 73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1 40	174 81	100 65	75 88	12 73						1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				 											†
	Room Calling Port	l	Ì	UEPFP	UEPXM	1 40	174 81	100 65	75 88	12 73						1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			T	1				10 00	.2.0		-		 	 	t
	Discount Room Calling Port			UEPFP	UEPXO	1 40	174 81	100 65	75 88	12 73	j				1	1
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 40	174.81	100 65	75 88	12 73	 			-	-	
LOCAL	NUMBER PORTABILITY			UEFFF.	UCF AS	1 40	174 81	20 001	69.67	12 /3	-			 	 	
	Local Number Portability (1 per port)			UEPFP	LNDOD		0.00							-		
	DEFICE TRANSPORT		—	UCPFP	LNPCP	3 15	0 00	0 00						ļ		
HINLERU	TRICE INANGRUKI													ļ	<u> </u>	—
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															

UNBUNDL	ED NETWORK ELEMENTS - Florida										,			ment: 2		bit. V
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usod	;	RATES (\$)					Submitted	Charge -	Order vs	Charge - Manual Svc Order vs.	Charge -
						Rec	Nonre			Disconnect				Rates (\$)		
						- Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		ł													1
	or Fraction Mile	<u> </u>		UEPFP	1L5XX	0 0091										
FEA	TURES		1					2.00								
	All Features Offered		-	UEPFP	UEPVF	2 26	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	-							 					
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16 97	3 73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEFFF	USACZ		1091	373	<u> </u>		 					
	Combination - Conversion - Switch with change			UEPFP	USACC		16 97	3 73	-							1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		i –	OCI II	OUAGO	-	10 31	0.70							 	
	End User Premise		i	UEPFP	URETN		11 21	1 10							ĺ	
UNBUNDLE	PORT/LOOP COMBINATIONS - COST BASED RATES				1			. 10						 		
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	 						 					1		
	Port/Loop Combination Rates								·	· · · · · · · · · · · · · · · · · · ·				1		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20 95										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26 11								1		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			39 58										
UNE	Loop Rates										1					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12 24										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17 40										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30 87										
UNE	Port Rate									Î						
ļ	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8 71	214 16	98 29								
NON	RECURRING CHARGES - CURRENTLY COMBINED		L													
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			}		i										
	Switch-as-is			UEPPX	USAC1		7 85	1 87			L					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion				1						1					
	with BellSouth Allowable Changes			UEPPX	USA1C		7 85	1 87								
ADDI	TIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32 26	32 26								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			LIEBBY					1							
	phone Number/Trunk Group Establisment Charges		-	UEPPX	URETN		11 21	1 10								
1 elet	DID Trunk Termination (One Per Port)		<u> </u>	UEPPX	NDT	0 00	0 00	0 00								
	DID Numbers, Establish Trunk Group and Provide First Group		_	UEPPX	- INDI	0 00	0.00	0.00								
	of 20 DID Numbers			UEPPX	NDZ	0 00	0 00	0 00								
+	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0 00								
	DID Numbers, Non- consecutive DID Numbers , Per Number		-	UEPPX	ND5	0 00	0.00	0.00			 			 		
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0 00	0 00	0 00	ļ						ļi	
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00						-		
LOCA	AL NUMBER PORTABILITY		_		1	3 30	0.00									
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0.00								-
2-WIF	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	E SIDE	PORT										-			
	Port/Loop Combination Rates														-	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -				1	-		•								
	UNE Zone 1		1	UEPPB UEP	PR	22 63										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 2		2	UEPPB UEPI	PR	29 05										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -												••			
	UNE Zone 3		3	UEPPB UEPI	PR	45 84	1									
UNE	Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPF	R USL2X	15 25								-		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPI		21 67										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPP	R USL2X	38 46										
UNE	Port Rate															
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPI	R UEPPB	7 38	194 52	145 09								
NONE	RECURRING CHARGES - CURRENTLY COMBINED															

NURONDE	ED NETWORK ELEMENTS - Florida			,											ment 2		bit, A
ATEGORY	RATE ELEMENTS	Interi m	Zone	ne BCS		usoc				Submitted	Manual Svc Order vs Electronic- 1st	Charge - c Manual Svc Order vs	Charge - Manual Svc Order vs	Charge - Manual Svo Order vs.			
		ļ					Rec	Nonrec			Disconnect	201150			Rates (\$)		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	+		-				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Conversion		1	UEPPB	UEPPR	USACB	0 00	25 22	17 00								
ADD	ITIONAL NRCs	1										1					
	Unbundled Miscellaneous Rate Element, Tag Designed Loop a			T													
	End User Premise		_	UEPPB	UEPPR	URETN		11 21	1 10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise				HEDDO									1			
1.00	AL NUMBER PORTABILITY	+	1	UEPPB	UEPPR	URETL		8 33	0 83			1					
100,	Local Number Portability (1 per port)	+	1	UEPPB	UEPPR	LNPCX	0.35	0 00	0 00		· · · · · · · · · · · · · · · · · · ·	ļ					
В-СН	ANNEL USER PROFILE ACCESS:	+	t -	102111	OLITIK	LINI OX	0 33	0.00	0 00								
1	CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0.00	0.00	0 00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0 00	0 00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0 00	0 00	·							
	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	LTN)						-			1					
USE	R TERMINAL PROFILE		L														
	User Terminal Profile (EWSD only)	ļ	<u> </u>	UEPPB	UEPPR	U1UMA	0 00	0 00	0 00								
VER	TICAL FEATURES	ļ	ļ														
INITE	All Vertical Features - One per Channel 8 User Profile ROFFICE CHANNEL MILEAGE		1	UEPPB	UEPPR	UEPVF	2 26	0 00	0 00								
INIE	Interoffice Channel mileage each, including first mile and	-	-	ļ		 											
	facilities termination		1	LIEDDE	UEPPR	M1GNC	25 3291	47 35	31 78	18 31	7 03						
	Interoffice Channel mileage each, additional mile	+	1			M1GNM	0 0091	0 00	0.00	10 31	7 03						-
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT	 	OL: I B	OLITIK	WITGHWI	0 0031	0.00	0.00			1					
	UNE-P DS1 combination rates below for in this rate exhibit app			dded base	e in place a	s of 10/2/03 u	ntil 4/1/04. Aft	er 4/1/04 these	rates shall rev	ert to tariff rat	es or a separa	te commerci	al agreeme	nt.			
	iests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital													i			
UNE	Port/Loop Combination Rates										· · · · · · · · · · · · · · · · · · ·						
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1 1	UEPPP			153 48										
ł	Zone 2	1	2	UEPPP			183 28	1									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	+	OEFFF			103 20			-							
1	Zone 3		3	UEPPP			261 12			ĺ							
UNE	Loop Rates	\vdash	 				201.2										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70 74										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100 54										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178 38										
UNE	Port Rate		<u> </u>			<u> </u>											
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPPP		UEPPP	82 74	488 36	276 65								
NON	RECURRING CHARGES - CURRENTLY COMBINED		-	 								L					
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E 4/1/2004)			UEPPP		USACP	0 00	84 17	61 38								
ADDI	TIONAL NRCs	-		UEPPP		USACP	0 00	84 17	61 38			 					
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	+	1														
	Inward/two way Tel Nos (except NC)	1	1	UEPPP		PR7TF	l l	0 5412									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	-	OLF				0 3 7 12									
- 1	Outward Tel Numbers (All States except NC)	ļ	l	UEPPP		PR7TO		12 71	12 71							i	İ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1															
	Subsequent Inward Tel Numbers	<u> </u>		UEPPP		PR7ZT		25 42	25 42			1					1
LOCA	AL NUMBER PORTABILITY		ļ														
	Local Number Portability (1 per port)	ļ		UEPPP		LNPCN	1 75										
INTE	RFACE (Provisioning Only)	-	<u> </u>														
	Voice/Data Digital Data	-	Ь.	UEPPP		PR71V	0 00	0 00	0 00								
_	Inward Data	 	-	UEPPP		PR71D	0 00	0 00	0 00					L			ļ
	or Additional "B" Channel	1	-	UEPPP		PR71E	0 00	0 00	0 00			 					
Now.	New or Additional - Voice/Data B Channel	 	 	UEPPP		PR7BV	0 00	15 48	•••			 					ļ
New																	I
New																	
New	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel			UEPPP		PR7BF PR7BD	0 00	15 48 15 48									

DIADE	LED NETWORK ELEMENTS - Florida	, -	,											ment 2		ibit: A
GORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc	RATES (\$)						Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs	Order vs	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'l
					1	Rec	Nonrec		Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Inward			UEPPP	PR7C1	0.00	0.00	0.00			1					†
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0 00	0 00	0.00			 					+
Inter	office Channel Mileage		 	02	1.100		0.00	0.00			-			 		
1	Fixed Each Including First Mile	+	1	UEPPP	1LN1A	88 6256	105 54	98 47	21 47	19 05				.		
+	Each Airline-Fractional Additional Mile	+	+	UEPPP	1LN1B	0 1856	103.34	90 47	2147	19 05						——
4 18/11	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	+	1 -	UEPPP	ILNID	0 1836										<u> </u>
		٠	<u> </u>	<u> </u>												
The	UNE-P DS1 combination rates below for in this rate exhibit app	ly to the	embed	ded base in place a	is of 10/2/03 u	intil 4/1/04. Aft	er 4/1/04 these	rates shall rev	ert to tariff rate	es or a separa	te commerci	ıal agreemer	<u>1t</u>			1
Requ	uests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the e	ffective of	late of	this amendment sha	all be provide	d pursuant to a	a separate agre	ement or tariff	at BellSouth's	discretion	I					
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		125 69										1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		155 49										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	T	3	UEPDC	T	233 33										T
UNE	Loop Rates	1			 										_	t
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	70 74										
	4-Wire DS1 Digital Loop - UNE Zone 2	 		UEPDC	USLDC	100 54								l		t
+	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	178 38										1
LIMIE	Port Rate	+	1 3	OEFDC	USLUC	170 30								· · · · · · · · · · · · · · · · · · ·		
UNE			-		I											
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC	UDD1T	54 95	464 86	259 23								<u> </u>
NON	RECURRING CHARGES - CURRENTLY COMBINED		i.													
ŀ	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	۱ .														
Ì	- Switch-as-is (E 4/1/2004)	1		UEPDC	USAC4		95 31	46 71				1				
1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	T		T											†
	- Conversion with DS1 Changes (E 4/1/2004)			UEPDC	USAWA		95 31	46 71								
_	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	· · · · · ·	+	02, 00	CONTIN		33 01	7071								
	- Conversion with Change - Trunk (E 4/1/2004)	' l		UEPDC	USAWB		95 31	46 71			l :					
ADDI	ITIONAL NRCs	_	_	UEFDC	USAVVB		95 31	46 / 1								
ADDI		-	_													
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -					l l										
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15 69	15 69								
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	İ	j i													
1	Channel Activation/Chan - 1-Way Outward Trunk		ľ	UEPDC	UDTTB		15 69	15 69								1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Channel				1 1						-					
	Activation/Chan Inward Trunk w/out DID	1		UEPDC	UDTTC		15 69	15 69								1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan	 			100		10 00	10 00				-				-
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15 69	15 69								1
+	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	+	-	UEPDC	100110		10 09	15 69								
				LIEBBO	i											1
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15 69	15 69								1
RIPO	DLAR 8 ZERO SUBSTITUTION	+			1											L
	B8ZS -Superframe Format		L	UEPDC	CCOSF			655 00s								
1	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 001	655 00s								
Alteri	nate Mark Inversion														- 1	
	AMI -Superframe Format		i –	UEPDC	MCOSF		0 00	0 00				-				t
1	AMI - Extended SuperFrame Format	1	†	UEPDC	MCOPO		0 00	0 00				-				
Telen	phone Number/Trunk Group Establisment Charges	 	 		1.2.001.0		0.00	0.00								
	Telephone Number for 2-Way Trunk Group	+	 	ÜEPDC	UDTGX	0 00							_			
+	Telephone Number for 1-Way Outward Trunk Group	-		UEPDC	UDTGY	0 00										
+		1	 -													
	Telephone Number for 1-Way Inward Trunk Group Without DID		<u> </u>	UEPDC	UDTGZ	0 00						I				
1	DID Numbers, Establish Trunk Group and Provide First Group	1				i										1
1	of 20 DID Numbers	1	L :	UEPDC	NDZ	0 00	0 00	0 00				l				1
1	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00						t				
	DID Numbers, Non- consecutive DID Numbers, Per Number	1		UEPDC	ND5	0.00						<u> </u>				T
T	Reserve Non-Consecutive DID Nos		1 —	UEPDC	ND6	0 00	0 00	0.00								
	Reserve DID Numbers	1		UEPDC	NDV	0 00	0 00	0 00								
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digutal	Loop			0 00		0.00								
1 2000	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	- Digital	2000		Talle FOIL											
		1	1		1,1,104	20.44				40		I				i
-	Termination)		-	UEPDC	1LNO1	88 44	105 54	98 47	21 47	19 05						<u> </u>

Version 3Q03 11/12/2003 Page 28 of 38

CCCS 215 of 232 [CCCS Amendment 94 of 111]

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															Diac iai	L Disc Add I
						Rec		curring	Nonrecurring			2221		Rates (\$)		
			↓				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEBDO	11.1100	0 00	0 00	0 00								
	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0 00	0.00	0.00			 				 	
	Interoffice Channel Mileage - Additional rate per fille - 9-25		ł	UEPDC	1LNOB	0 1856	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		 	OLI DO	121102	0 ,500					-			-		
	Termination)			UEPDC	1LNO3	0 00	0.00	0.00	0 00	İ						
1											,					
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 1856	0 00	0.00			<u>į </u>					
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0.00	0 00							
	Central Office Termininating Point		4	ÜEPDC	CTG	0 00		ļ								
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	L	ļ		+	-					 				ļ	+
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act					-					-					
Each	System can have up to 24 combinations of rates depending on NE-P DS1 combination rates below for 4-Wire DS1 Loop with C	type a	na num	with Port in this r	to exhibit and	ly to the ember	ddad basa in I	niace as of 10/2	/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement	+
Pogue	ests for 4-Wire DS1 Loop with Channelization with Port after th	e offect	ive det	of this amendmen	t shall he nr	vided nursuan	t to a senarate	agreement or	tariff at BellSo	uth's discretic	on	1	10 101111 70100	0. 2 00pa.u.	T	
	OS1 Loop		I	c or tills amendine	It small be pro	T T	r to a separate	I agreement or	lariir ar Boilea		1					1
0.02	4-Wire DS1 Loop - UNE Zone 1		1 1	UEPMG	USLDC	70 74	0 00	0.00							1	
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100 54	0 00	0 00								Ī
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	178 38	0 00	0 00								
UNE D	ISO Channelization Capacities (D4 Channel Bank Configuration	ns)	1													
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118 06	0 00	0 00								
	48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	236 12	0 00	0.00								1
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472 24	0 00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708 36	0 00	0 00						ļ	ļ	
	192 DS0 Channel Capacity -1 per 8 DS1s		1	UEPMG	VUM19	944 48	0 00	0 00								
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180 60	0 00	0 00						 		+
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28 VUM38	1,416 72 1,888 96	0 00	0 00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG UEPMG	VUM4O	2,361 20	0 00	0 00		<u> </u>					ł	+
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM57	2,833 44	0 00	0 00			-			<u> </u>	 -	
	576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s	<u> </u>	 	LIEPMG	VUM67	3,305 68	0.00	0 00			-			 	†	
Non B	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan	neliztio					0.00			1				-	
A Min	imum System configuration is One (1) DS1, One (1) D4 Channe	Bank	and U	To 24 DSO Ports	with Feature	Activations										
Multir	oles of this configuration functioning as one are considered Ac	id'i afte	r the m	inimum system co	nfiguration is	counted.								T		
	NRC - Conversion (Currently Combined) with or without	l	T		Ť											
	BellSouth Allowed Changes			UEPMG	USAC4	0 00	96 77	4 24			<u> </u>					
Syster	m Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nelizat	ion with Port Com	ination Curre	ently Exists and	1							ļ. <u></u>	ļ	
New (Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's				L						ļ <u>.</u>		+
}	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port)	1	LEDITO			700									
	and Assoc Fea Activation (E 4/1/2004)	ļ	-	UEPMG	VUMD4	0 00	726 11	468 21	145 32	17 24	 			 	 	+
Bipola	ar 8 Zero Substitution	ļ	-		 						 					+
ľ	Clear Channel Capability Format, superframe - Subsequent Activity Only	Į.	1	UEPMG	CCOSF	0 00	0.00	655 00s		i					1	
_	Clear Channel Capability Format - Extended Superframe -		1	OLI MG	100001	0 00	0 001	055 005		·						
	Subsequent Activity Only	Ì		UEPMG	CCOEF	0 00	0.00	655 00s		!						i
Altern	ate Mark Inversion (AMI)		1	02.1110	10000						† · · · · · ·					
	Superframe Format		1	UEPMG	MCOSF	0.00	0.00	0 00		· · · · · ·					l	
	Extended Superframe Format			UEPMG	MCOPO	0 00	0 00	0 00								
	inge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													<u> </u>
Excha	inge Ports	<u> </u>	<u> </u>									ļ			-	<u> </u>
	Line Side Combination Channelized PBX Trunk Port - Business				l	1					1	l	l	ı		
	(E 4/1/2004)	ļ	-	UEPPX	UEPCX	1 40	0 00	0 00	0 00	0 00	 		ļ	1	-	
	Line Side Outward Channelized PBX Trunk Port - Business	ĺ	1		LIEBOY			0.00		0 00		1	ŀ			
	(E 4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID	-	+	UEPPX	UEPOX	1 40	0 00	0 00	0 00	0 00	1	-		1		+
	(E 4/1/2004)	1	1	UEPPX	UEP1X	1 40	0 00	0 00	0.00	0 00		1			1	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	 	┼	ULFFA	OEF IX	1 40	0.00	1.000		0.00				1	l "	+
	IE THE HOLD CHARACTER CHARACTER AND THE REST	1	1	l	1	1	1	1	1	1	1	1	I	1	1	l .
)	(E 4/1/2004)		1	UEPPX	UEPDM	8 71	0 00	0 00	0 00	0 00					1	i

	,		,	1	ı								ment: 2	Exhi	
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
				-	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
Feature (Service) Activation for each Line Port Terminated in D4							,,,,,,,	7.101	7.44	GGMIEG	- COmmun	00	00.00	00,	00.1,7.11
Bank Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	1PQWM	0 6402	25 40	13 41	3 96	3 93						
D4 Bank			UEPPX	1PQWU	0 6402	78 16	18 42	56 03	10 95						
Telephone Number/ Group Establishment Charges for DID Service		1						00 00	,,,,,						
DID Trunk Termination (1 per Port)	1		UEPPX	NDT	0 00	0.00	0.00	-				-			
Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA NC,& SC)	1	1	UEPPX	NDZ	0 00	0 00	0 00								
DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0 00	0 00	0 00								
Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00								
Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0 00	0 00								
Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00								
Local Number Portability															
Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00								
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
All Features Available	<u> </u>		UEPPX	UEPVF	2 26	0 00	0 00								
INBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE											L				
1 Cost Based Rates are applied where BellSouth is required by FCC															
2 Features shall apply to the Unbundled Port/Loop Combination - C	Cost Bas	sed Raf	le section in the s	ame manner as	they are applie	d to the Stand-	Alone Unbun	dled Port section	on of this Rate	Exhibit					
3. End Office and Tandem Switching Usage and Common Transport	t Usage	rates 17	n the Port section	of this rate exh	ibit shall apply	to all combina	tions of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
4 The first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos F	or Currently Co	mbined Combo	s, the nonrecu	rring charges	shall be those	identified in t	ne Nonrecur	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
apply also and are categorized accordingly															
5. Market Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual	Case Basis, unt	til further notic	e									
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	y)														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo													,		
UNE Port/Loop Combination Rates (Non-Design)	1														
UNE Port/Loop Combination Rates (Non-Design)		1	UEP91		10 94										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1	UEP91		10 94							- Marine Trans			
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design		1 2	UEP91		10 94 15 05										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 2													
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design		1 2 3													
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo			UEP91		15 05										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design			UEP91		15 05										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design)			UEP91		15 05										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		3	UEP91		15 05 25 80										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		3	UEP91 UEP91		15 05 25 80 13 41										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design		3	UEP91		15 05 25 80										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design		1 2	UEP91 UEP91 UEP91 UEP91		15 05 25 80 13 41 18 57										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VC Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design		3	UEP91 UEP91		15 05 25 80 13 41										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	IIEOS1	15 05 25 80 13 41 18 57 32 04										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	15 05 25 80 13 41 18 57 32 04 9 77										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	15 05 25 80 13 41 18 57 32 04 9 77 13 88										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3		3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2		3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40										
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina)		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40 30 87	52.20	26.46	27.50	0.07						
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports UNE Ports All States (Except North Carolina and Sout Carolina) [2-Wire Voice Grade Loof (Centrex) Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40	53 31	26 46	27 50	837						
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40 30 87 1 17	-	•								
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40 30 87	53 31 53 31	26 46 26 46	27 50 27 50	837						
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex Bosic Local Area 2-Wire Voice Grade Port (Centrex Bosic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)Note1 Basic		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40 30 87 1 17 1 17	53 31	26 46	27 50	8 37						
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40 30 87 1 17	-	•								
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 440 30 87 1 17 1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37						
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Callier ID)Note 1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Callier ID)Note 1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2 3 Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40 30 87 1 17 1 17	53 31	26 46	27 50	8 37						
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYH	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 40 30 87 1 17 1 17 1 17	53 31 53 31 139 49	26 46 26 46 86 10	27 50 27 50 65 41	8 37 8 37 13 81						
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Callier ID)Note 1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Callier ID)Note 1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2 3 Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24 17 440 30 87 1 17 1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37						

Version 3Q03 11/12/2003 Page 30 of 38 CCCS 217 of 232

	NETWORK ELEMENTS - Florida			1										ment 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates (\$)		
-	-Wire Voice Grade Port Terminated on 800 Service Term -		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	asic Local Area		1	UEP91	UEPY2	1 17	53 31	26 46	27 50	8 37						
	and Flonda Only		1	OEF91	OEF 12	- ' ' '	03 31	20 40	27 50	8 37						
	-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1 17	53 31	26 46	27 50	8 37						
	-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1 17	53 31	26 46	27 50	8 37						
	-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1 17	53 31	26 46	27 50	8 37	1				 	-
	-Wire Voice Grade Port (Centrex from diff Serving Wire				-1	· · ·			27.00					-		
	enter)2,3			UEP91	UEPHM	1 17	139 49	86 10	65 41	13 81						
	-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
s	ervice Term			UEP91	UEPHZ	1 17	139 49	86 10	65 41	13 81						
	-															
	-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP91	UEPH9	1 17	53 31	26 46	27 50	8 37			L			
	-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1 17	53 31	26 46	27 50	8 37						
Local Sw					_											
	entrex Intercom Funtionality, per port			UEP91	URECS	0 7384										
	mber Portability				1											
Features	ocal Number Portability (1 per port)			UEP91	LNPCC	0 35					ļ					
	Il Standard Features Offered, per port			UEP91	UEPVF	2.00					<u> </u>					
	Il Select Features Offered, per port			UEP91	UEPVS	2 26 0 00	370 70				·					
	Il Centrex Control Features Offered, per port			UEP91	UEPVS	2 26	370 70									
NARS	Tochtex Control Features Officied, per port			ULF 91	IDEFVC	2 20										
	nbundled Network Access Register - Combination		_	UEP91	UARCX	0 00	0.00	0.00	0 00	0 00						
	nbundled Network Access Register - Indial	-		UEP91	UAR1X	0 00	0 00	0 00	0 00	0 00	-					
	nbundled Network Access Register - Outdial			UEP91	UAROX	0 00	0 00	0 00	0 00	0 00					-	
	eous Terminations															
2-Wire Tr																
	runk Side Terminations, each			UEP91	CENA6	8 73										
	e Channel Mileage - 2-Wire															
	teroffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25 32										
	teroffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 0091										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nel Bank Feature Activations eature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	LIEBOA	400,140	2.00										
- I	eature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP91	1PQWS	0 66										
F	eature Activation on D-4 Channel Bank FX line Side Loop Stot			UEP91	1PQW6	0 66										
	eature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF91	IFQVIO	0 00										
	lot			UEP91	1PQW7	0 66										
	eature Activation on D-4 Channel Bank Centrex Loop Slot -			02.0.	1 4	- 500				_						
	ifferent Wire Center			UEP91	1PQWP	0 66										
							-									
. Fe	eature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP91	1PQWV	0 66	1									
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop								-							
	lot		-	UEP91	1PQWQ	0 66	i		1							
Fe	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 66	_									
	irring Charges (NRC) Associated with UNE-P Centrex							,								
C	onversion - Currently Combined Switch-As-Is with allowed															
	nanges, per port			UEP91	USAC2		21 50	8 42								
	onversion of Existing Centrex Common Block			UEP91	USACN		5 17	8 32								
	ew Centrex Standard Common Block ew Centrex Customized Common Block			UEP91	M1ACS	0.00	618 82									
	ew Centrex Customized Common Block econdary Block, per Block			UEP91	M1ACC	0 00	618 82									
	AR Establishment Charge, Per Occasion			UEP91 UEP91	M2CC1 URECA	0 00	71 31									
UNE-P CE	ENTREX - 5ESS (Valid in All States)		\vdash	OEPSI	URECA	0 00	66 48							ļ <u>.</u>		
	G Loop/2-Wire Voice Grade Port (Centrex) Combo				1											
UNE Port/	/Loop Combination Rates (Non-Design)				+ +			-		_						
12-	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				 											
	on-Design		1	UEP95		10 94	i									

ONRONDE	ED NETWORK ELEMENTS - Florida		,	· · · · · · · · · · · · · · · · · · ·										ment: 2		bit A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (S)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sy Order vs Electronic Disc Add
						Rec		urring	Nonrecurring			· ·		Rates (\$)		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Design		2	UEP95		15 05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		25 80										
UNE	Port/Loop Combination Rates (Design)		+ -	OLI 55		25 00			 							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP95		13 41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		18 57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		32 04										
UNE	Loop Rate						_									
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ. <u></u>	1	UEP95	UECS1	9 77										L
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13 88					ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	24 63								<u> </u>		
	2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ		UEP95	UECS2	12 24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	 		UEP95	UECS2	17 40 30 87					<u> </u>					
LIME	2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate	.	_3	UEP95	UECS2	30 87										-
	States	 			+				 							
	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	1	UEP95	ŰEPYA	1 17	53 31	26 46	27 50	8 37	 					-
	2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP95	UEPYB	1 17	53 31	26 46		8 37						!
	2-Wire Voice Grade Port (Centrex with Caller ID)18asic Local						55.51		2, 50							
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPYH	1 17	53 31	26 46	27 50	8 37						
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP95	UEPYM	1 17	139 49	86 10	65 41	13 81						
	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPYZ	1 17	139 49	86 10	65 41	13 81						
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY9	1 17	53 31	26 46	27 50	8 37	1					
AL.	Basic Local Area KY, LA, MS, SC, & TN Only		-	UEP95	UEPY2	1 17	53 31	26 46	27 50	8 37						<u> </u>
	GA Only															_
	2-Wire Voice Grade Port (Centrex.)			UEP95	UEPHA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPHB	1 17	53 31	26 46		8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPHM	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3		ļ	UEP95	UEPHZ	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	ļ	UEP95	UEPH2	1 17	53 31	26 46	27 50	8 37	ļ					
Loca	al Switching	<u> </u>	<u> </u>	LIEBOS.	UDEGG	0 70			ļ		ļ					
	Centrex Intercom Funtionality, per port	 		UEP95	URECS	0 7384										-
Loca	At Number Portability Local Number Portability (1 per port)	—		UEP95	LNPCC	0 35			ļ l							
Feat		 	 	OLFBO	LINFOL	U 35			 							
,	All Standard Features Offered, per port		\vdash	UEP95	UEPVF	2 26	•		 							· · · · · · · · · · · · · · · · · · ·
	All Select Features Offered, per port	 	t	UEP95	UEPVS	0 00	370 70		 							
_	All Centrex Control Features Offered, per port			UEP95	UEPVC	2 26	2.2.0									
NAR				•	1			•								
	Unbundled Network Access Register - Combination		<u> </u>	UEP95	UARCX	0 00	0 00	0 00	0 00	0 00	1					· ·
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0 00	0 00	0.00	0 00						
	ellaneous Terminations		1													
2-Wi	re Trunk Side															
1	Trunk Side Terminations, each		<u> </u>	UEP95	CEND6	8 73										L

CHDONDLED	NETWORK ELEMENTS - Florida		1								14	T = -		ment: 2		ibit· A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order vs
			<u> </u>			Rec	Nonrec	urring	Nonrecurrin	g Disconnect		l	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire D	Digital (1.544 Megabits)		<u> </u>										Ĩ			
	DS1 Circuit Terminations each		1	UEP95	M1HD1	54 95										
	DS0 Channels Activated, each		<u> </u>	UEP95	M1HDO	0 00	15 69									
	ce Channel Mileage - 2-Wire		<u> </u>								ļ					ļ
	Interoffice Channel Facilities Termination		ļ	UEP95	M1GBC M1GBM	25 32 0 0091			-							
	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service		-	UEP95	MIGBM	0.0091										
	inel Bank Feature Activations	e	 		-											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	 	UEP95	1PQWS	0 66					 					
	Calaire Activation on D-4 Orlanner Bank Centrex Edop Glot		 	OLI 33	ii Qws	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 66			1							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		 		11 2110	3 30			 							
	Slot	1	1	UEP95	1PQW7	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		T							†					 	
	Different Wire Center			UEP95	1PQWP	0 66										
									-	1						
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 66]	
F	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 66										
	curring Charges (NRC) Associated with UNE-P Centrex														I	
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2	0 00	21 50	8 42		.						
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5 17	8 32								
	New Centrex Standard Common Block		-	UEP95	M1ACS	0 00	618 82									
	New Centrex Customized Common Block			UEP95	M1ACC	0 00	618 82									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	66 48									
Addition	nal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		- -													
	Premise	1		UEP95	URETL		8 33	0 83		1						1
	Unbundled Miscellaneous Rate Element Tag Design Loop at			OEF 93	UKETE		0 33	0 03							-	-
	End Use Premise	l		UEP95	URETN		11 21	1 10							l	ĺ
	ENTREX - DMS100 (Valid in All States)		1	02.00				1 10								†
	G Loop/2-Wire Voice Grade Port (Centrex) Combo				-						-					
	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -									-						
	Non-Design		1	UEP9D		10 94										
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		15 05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		25 80										
	t/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1													
	Design		1	UEP9D		13 41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					1						1				
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		18 57										
				UEP9D		22.04	l		İ							
UNE Loo	Design On Rate		3	UEP9U	+	32 04			·	 	<u> </u>			·····		-
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9 77					-					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	13 88				-	 					
5	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	24 63				 						
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS2	12 24				 	 	-				
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	17 40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	30 87										
UNE Por					7-00-											
ALL STA					1	1		_		1						
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1 17			r							

Page 34 of 38

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYB	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1 17	53 31	26 46	27 50	8 37			70.77			
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															-
+	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	+		UEP9D	UEPYG	1 17	53 31	26 46	27 50	8 37						-
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1 17	53 31	26 46	27 50	8 37						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1 17	53 31	26 46	27 50	8 37						
	Area			UEP9D	UEPYV	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1 17	53 31	26 46	27 50	8 37				-		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2 3,4 Basic Local Area			UEP9D	UEPYQ	1 17	139 49	86 10	65 41	13 81				,		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1 17	139 49	86 10	65 41	13.81		-				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1 17	139 49	-								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4				1 1			86 10	65 41	13 81		-				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1 17	139 49	86 10	65 41	13.81						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY5	1 17	139 49	86 10	65 41	13 81						
-	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	1 17	139 49	86 10	65 41	13 81						
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1 17	139 49	86 10	65 41	13 81						
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent			ŲEP9D	UEPYZ	1 17	139 49	86 10	65 41	13 81						
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1 17	53 31	26 46	27 50	8 37						-
FI & G	Local Area			UEP9D	UEPY2	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex)		-	UEP9D	UEPHA	1 17	53 31	26 46	27 50	8 37						<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)	- 1		UEP9D	UEPHB	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	1 17	53 31	26 46	27 50	8 37						

אסטאטדרן	D NETWORK ELEMENTS - Florida		, ,											ment. 2		bit: A
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring		L			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1 17	53 31	26 46		8 37	1					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPHW	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		L	UEP9D	UEPHJ	1 17	53 31	26 46	27 50	8 37						-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					1										
	2,3		L	UEP9D	UEPHM	1 17	139 49	86 10	65 41	13 81						
														1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1 17	139 49	86 10	65 41	13 81						
							- 1	1								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1 17	139 49	86 10	65 41	13 81						
ŀ	<u> </u>]		1				1							1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1 17	139 49	86 10	65 41	13 81						
					1										1	ſ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2 3,4			UEP9D	UEPHS	1 17	139 49	86 10	65 41	13 81						
					1 1											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1 17	139 49	86 10	65 41	13 81						
					1											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4		\Box	UEP9D	UEPH6	1 17	139 49	86 10	65 41	13 81						
					1	!										
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1 17	139 49	86 10	65 41	13 81			_			
					I I											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1 17	139 49	86 10	65 41	13 81						
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								_							
	Term 2,3			UEP9D	UEP∺Z	1 17	139 49	86 10	65 41	13 81						
1					1 1											
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1 17	53 31	26 46	27 50	8 37						
Local S	Switching Centrex Intercom Funtionality, per port			UEBOO	UDEOD	0.7004										
114	lumber Portability			UEP9D	URECS	0 7384										
	Local Number Portability (1 per port)		- 1	UEP9D	LNPCC	0 35										
Feature			\vdash	UEP9D	LINPOO	0.35										
	All Standard Features Offered, per port			UEP9D	UEPVF	2 26		-								
	All Select Features Offered, per port		-	UEP9D	UEPVS	0 00	370 70								-	
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2 26	3/0/0								-	
NARS	An Centrex Control Features Offered, per port			OFLAD	ULFVC	2 20			-						-	
THAILO.	Unbundled Network Access Register - Combination		\vdash	UEP9D	UARCX	0 00	0 00	0 00	0 00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0.00	0.00	0.00					_	
	Unbundled Network Access Register - Outdial		-	UEP9D	UAROX	0 00	0 00	0 00	0.00	0.00						
	aneous Terminations			OLI 9D	IOANOX	0.00	0.00		0.00	0.00						
	Trunk Side				+											
	Trunk Side Terminations, each			UEP9D	CEND6	8 73					1					
	Digital (1,544 Megabits)		1												†	
	DS1 Circuit Terminations, each		 	UEP9D	M1HD1	54 95	-				 			-	 	
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	15 69				 				·	
	ice Channel Mileage - 2-Wire				1	2 30	.5 55									
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	25 32			 						 	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0 0091	i							<u> </u>		
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	9	t		1		+								<u> </u>	
	nnel Bank Feature Activations		- +		 		•		·						· · · · - · · · · · · · · · · · · · · ·	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		\vdash	UEP9D	1PQWS	0 66					-					

Version 3Q03 11/12/2003 Page 35 of 38

CCCS 222 of 232 [CCCS Amendment 101 of 111]

MDUMBEL	D NETWORK ELEMENTS - Florida	,											Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental			Incremer Charge
	· · · · · · · · · · · · · · · · · · ·		ļ										1st	Add'l	Disc 1st	Disc Ad
		<u> </u>	 	 		Rec	Nonrec First	urring Add'I	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAI
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP9D	1PQW6	0 66										
	ISlot			UEP9D	1PQW7	0 66					ļ					ĺ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OD	111 04111			_			 					
	Different Wire Center			UEP9D	1PQWP	0 66					i					ĺ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9D	1PQWV	0.66			!							
_	Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop		 	UEF9D	IPQWV	0.66										
	Slot			UEP9D	1PQWQ	0 66								i		1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 66										í
Non-R	ocurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed			ļ												
	changes, per port			UEP9D	USAC2		21 50	8 42								i
	Conversion of existing Centrex Common Block, each		 	UEP9D	USACN		5 17	8 32						-		-
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618 82									i
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618 82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66 48									
Additio	onal Non-Recurring Charges (NRC)							_								
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		0.00	0.00								İ
-	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP9D	UREIL		8 33	0 83								
	End Use Premise			UEP9D	URETN		11 21	1 10								İ
UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	-		02130	OKETA		1121									
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEBAE	1 1		-	1								
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		10 94		_								
	Non-Design		2	UEP9E		15 05								•		l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02.02		10 00							-			
	Non-Design		3	UEP9E		25 80										l
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		13 41										
	Design		2	UEP9E	- -	18 57	1									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI JL		10.37							-			
	Design		3	UEP9E		32 04						1		i		
UNE L	oop Rate			-												
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	9 77										
_	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	13 88										
+	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E UEP9E	UECS1 UECS2	24 63 12 24										
-	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	17 40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	30 87										
	ort Rate															
AL, FL	, KY, LA, MS, & TN only													-		
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			HEDOE	LIEDVD		50.5	00.10				T				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		-	UEP9E	UEPYB	1 17	53 31	26 46	27 50	8 37						
	Area			UEP9E	UEPYH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				132. 111		33.57	20 40	2, 50	0.37						
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPYZ	1 17	139 49	86 10	65 41	13 81						

UNBL	INDLE	D NETWORK ELEMENTS - Florida													ment. 2		bit: A
ATEC	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							5	Nonrec	urring	Nonrecurring	g Disconnect	· · · · · ·	l	OSS	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2-Wire Voice Grade Port Terminated on 800 Service Term -				1				1							
	F1	Basic Local Area			UEP9E	UEPY2	1 17	53 31	26 46	27 50	8 37					_	
	Florida	2-Wire Voice Grade Port (Centrex.)		├	UEP9E	UEPHA	1 17	53 31	26 46	27 50	8 37	ļ					ļ
	1	2-Wire Voice Grade Port (Centrex 800 termination)		 -	UEP9E	UEPHB	1 17	53 31	26 46	27 50	8 37	· · · · · · · · · · · · · · · · · · ·		_		ł	
	+	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1 17	53 31	26 46								
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1						İ					<u> </u>
		Center)2,3			UEP9E	UEPHM	1 17	139 49	86 10	65 41	13 81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9E	UEPHZ	1 17	139 49	86 10	65 41	13.81						
		2 Was Vers Code Bad Lawrence			LIEBOE	luen.						1					
	+	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E UEP9E	UEPH9 UEPH2	1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37	 			1		
	Local	22-Wire Voice Grade Port Terminated on 800 Service Term Switching			OCPSE	UEPHZ	1 1/	53 31	26 46	27 50	8 37				-	-	-
	LUCAI	Centrex Intercom Funtionality, per port			UEP9E	URECS	0 7384										
	Local I	Number Portability			GE1 5E	- CALCO	0.1004										
		Local Number Portability (1 per port)			UEP9E	LNPCC	0 35							-			
	Featur	es															
		All Standard Features Offered, per port			UEP9É	UEPVF	2 26								-		
		All Select Features Offered, per port			UEP9E	UEPVS	0 00	370 70									
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	2 26										
	NARS	Note and a district of the control o		1	LIEDOE	LIADOV	0.00	2.00				ļ					
	 	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP9E UEP9E	UARCX UAR1X	0 00	0 00	0 00	0 00	0 00						
-		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0 00	0 00	0.00			-					
	Miscel	laneous Terminations			02, 02	- Gritteri	0.00		- 000	0.00	0.00	 					<u> </u>
		Trunk Side		i i		1			***								
		Trunk Side Terminations, each			UEP9E	CEND6	8 73										
	4-Wire	Digital (1 544 Megabits)															
		DS1 Circuit Terminations, each		<u> </u>	UEP9E	M1HD1	54 95										
	Interes	DS0 Channel Activated Per Channel fice Channel Mileage - 2-Wire			UEP9E	M1HDO	0 00	15 69				ļ <u> </u>					
	interor	Interoffice Channel Facilities Termination			UEP9E	M1GBC	25 32					ļ					
		Interoffice Channel mileage, per mile or fraction of mile		 	UEP9E	M1GBM	0 0091					-					
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	-	02.02	1	5 5551			-		t					
		annel Bank Feature Activations		T						†- -							
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot		ļ	UEP9E	1PQW6	0 66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop														i	
		Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-	UEP9E	1PQW7	0 66					ļ					
		Different Wire Center			UEP9E	1PQWP	0 66									l	
	1	Different Wife Center		 	OLF 3L	IFQWF	0.00					-				1	
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0 66						i				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1											
		Slot		L.	UEP9E	1PQWQ	0 66			L	L						
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0 66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex				1											
		NRC Conversion Currently Combined Switch-As-Is with allowed		1	UEP9E	LIGAGO	l	04.50	0.40							1	
	1	changes, per port Conversion of Existing Centrex Common Block, each		1	UEP9E UEP9E	USAC2 USACN		21 50 5 17	8 42 8 32	-						 	
	<u> </u>	New Centrex Standard Common Block		 	UEP9E	MIACS	0 00	618 82	8 32							 	
	† · · · · ·	New Centrex Customized Common Block		1	UEP9E	M1ACC	0 00	618 82		 		 				 	
	1	NAR Establishment Charge, Per Occasion		\vdash	UEP9E	URECA	0 00	66 48								<u> </u>	
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	1	Premise			UEP9E	URETL		8 33	0 83				<u> </u>				

UNBUNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit· A
					1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inter	l_		l						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs.
			ļ.									ľ	Electronic-	Electronic-	Electronic-	Electronic-
												}	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urnng	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		l													
	End Use Premise	_		UEP9E	URETN		11 21	1 10	i i							i
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	- Requres Interoffice Channel Mileage										1					
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
Note 4	- Requires Specific Customer Premises Equipment														· · · · ·	
Note: F	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Term	s and Condition	ons				 					

Attachment 7

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR. ACCESS TO OPERATIONS SUPPORT SYSTEMS	
1	MISCELLANEOUS	

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide to Midwestern nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Midwestern can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Midwestern with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Midwestern and other CLECs in the aggregate.
- BellSouth shall provision services during its regular working hours. To the extent Midwestern requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Midwestern, BellSouth will not assess Midwestern additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Midwestern nondiscriminatory access to its OSS and the necessary information contained therein in order that Midwestern can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Midwestern to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Midwestern's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Midwestern can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information

and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Midwestern will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Midwestern shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Midwestern shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Midwestern shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission.

 Midwestern will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Midwestern's access to customer record information. If a BellSouth audit of Midwestern's access to customer record information reveals that Midwestern is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Midwestern may take corrective action, including but not limited to suspending or terminating Midwestern's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Midwestern electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Midwestern will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Midwestern electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Midwestern will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.

Version 3Q03: 11/12/2003

Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Midwestern agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Midwestern nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- Change Management. BellSouth and Midwestern agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Midwestern agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Midwestern at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by Midwestern will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Midwestern shall be required to submit a new service request. Incorrect or invalid requests returned to Midwestern for correction or clarification will be held for thirty (30) calendar days. If Midwestern does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- Single Point of Contact. Midwestern will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Midwestern to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Midwestern and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Midwestern to provide service to that End User and may reuse such network elements or facilities

to enable such other carrier to provide service to the End User. BellSouth will notify Midwestern that such a request has been processed but will not be required to notify Midwestern in advance of such processing.

- 3.2.1 Neither BellSouth nor Midwestern shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Midwestern shall return a FOC to BellSouth within thirty-six (36) hours after Midwestern's receipt from BellSouth of a valid LSR.
- 3.2.4 Midwestern shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Midwestern elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Midwestern by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Midwestern that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Midwestern's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Midwestern, which has the billing relationship with that End User, and Midwestern may pass such charge to the End User.

- 3.6 Cancellation Charges. If Midwestern cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Midwestern places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Midwestern places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Midwestern may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Midwestern elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Midwestern, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.