ORIGINAL

BELLSOUTH

040641-TF

BellSouth Telecommunications, Inc. Regulatory & External Affairs 150 South Monroe Street Suite 400 Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III Vice President Regulatory & External Affairs

840 224 7798 Fax 850 224 5073

June 29, 2004

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399 COMMISSION

COMMISSION

COMMISSION

Re: Approval of Amendment to the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and UNICOM Communications, LLC

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, Unbundling, Resale and Collocation Agreement with UNICOM Communications, LLC

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Regulatory Vice President

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

O7105 JUN 29 &
FPSC-COMMISSION CLERK

Amendment to the Agreement Between Unicom Communications, LLC and BellSouth Telecommunications, Inc. Dated 11/26/2001

Pursuant to this Amendment, (the "Amendment"), Unicom Communications, LLC (Unicom), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated 11/26/2001("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Unicom entered into the Agreement on 11/26/2001, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement, dated 11/26/2001, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Unicom Communications, LLC

Name: Knsten E Kowe

Title: Wilector

Date: 2/5/04

Name: CHARLES D. D'ASCEL

Title: MANAGING PARTNER

Date: 02/02/04

AMENDMENT EXHIBIT 1
Attachment 2
Page 1

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

Rai	tes Exhibit	A
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	62
ADV	'ANCED INTELLIGENT NETWORK (AIN) ACCESS	
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS)	
12	CALLING NAME (CNAM) DATABASE SERVICE	60
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	59
10	SIGNALING	53
9	LINE INFORMATION DATABASE (LIDB)	
8 SER	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENIN VICE	50
7 7	DATABASES	
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	45
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	41
4	LOCAL SWITCHING	33
3	LINE SHARING	27
2	UNBUNDLED LOOPS	. 5
1	INTRODUCTION	. 3

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Unicom in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Unicom (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Unicom to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Unicom used in the provision of a qualifying service, as defined by the FCC. Unicom may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Unicom, and to the extent technically feasible, provide to Unicom access to its Network Elements for the provision of Unicom's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Unicom may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Unicom under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered

termination for purposes of any volume and/or term commitments and/or grandfathered status between Unicom and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Unicom will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Unicom will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Unicom may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Unicom may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Unicom, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

Attachment 2

Page 5

services or facilities that Unicom has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Unicom reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Unicom for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

1.11 <u>Rates</u>

- 1.11.1 The prices that Unicom shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Unicom purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Unicom modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Unicom in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 <u>Unbundled Loops</u>

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site. Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Unicom shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Unicom on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Unicom. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Unicom seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Unicom with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.

- 2.1.1.6 Unicom may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Unicom's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Unicom in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Unicom wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Unicom may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Unicom (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Unicom for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 Loop Testing/Trouble Reporting

2.1.6.1 Unicom will be responsible for testing and isolating troubles on the Loops.

Unicom must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.)

before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Unicom will be required to provide the results of the Unicom test which indicate a problem on the BellSouth provided Loop.

- Once Unicom has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Unicom reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Unicom for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Unicom (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Unicom for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and Unicom to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Unicom's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows Unicom to order a specific time for OC to take place. BellSouth will make every effort to accommodate Unicom's specific conversion time request. However, BellSouth reserves the right to negotiate with Unicom a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Unicom may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Unicom specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in

Attachment 2

Page 9 ..

the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Unicom when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Unicom's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Unicom pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

·	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as, Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Unicom must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 **Bulk Migration**

2.1.9.1 If Unicom requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Unicom must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10:1 For information regarding Ordering Guidelines and Processes for various UNEs,
 Unicom should refer to the "Guides" section of the BellSouth Interconnection
 website, which is incorporated herein by reference, as amended from time to time.
 The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Unicom will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Unicom. Unicom may also order OC-TS when a specified

Attachment 2

Page 12

conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Unicom may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Unicom. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Unicom to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Unicom will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Unicom or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Unicom may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport

for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Unicom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Unicom, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®]Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Unicom may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

2.4 <u>Unbundled Copper Loops (UCL)</u>

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Unicom.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Unicom to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Unicom or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Unicom can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Unicom may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Unicom to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Unicom may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 **Unbundled Loop Modifications (Line Conditioning)**

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Unicom which has over 6,000 feet of combined bridged tap will be modified, upon request from Unicom, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Unicom. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Unicom may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Unicom requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Unicom will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Unicom shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Unicom desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Unicom, Unicom will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Unicom is available at the location for which the ULM was requested, Unicom will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Unicom will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Unicom has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Unicom. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Unicom (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.

- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Unicom, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Unicom will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Unicom to connect Unicom's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Unicom may access the End User's customer premises wiring by any of the following means and Unicom shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Unicom to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Unicom may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Unicom's responsibility to ensure there is no safety hazard, and Unicom will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Unicom shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Unicom shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments,
 BellSouth will work with Unicom to develop specific procedures to establish the
 most effective means of implementing this section if the procedures set forth herein
 do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Unicom's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Unicom may request BellSouth to do additional work to the NID on a time and material basis.

When Unicom deploys its own local Loops in a multiple-line termination device, Unicom shall specify the quantity of NID connections that it requires within such device.

2.8 Sub-loop Elements

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Unicom requests a UCSL and it is not available, Unicom may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Unicom, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC

Attachment 2

Page 21

pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Unicom's use on this cross-connect panel. Unicom will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Unicom shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Unicom's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Unicom is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Unicom's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Unicom can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Unicom's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Unicom will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Unicom requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Unicom for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Unicom will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Unicom for each pair activated commensurate to the price specified in Unicom's Agreement.
- Upon receipt of the UNTW SI requesting access to the Provisioning Party's 2.8.3.3.5 UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Unicom will either negotiate market-based rates for these elements or will issue orders to have these

Attachment 2

Page 24

elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Unicom has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Unicom any applicable disconnect charges.

2.8.5 Unbundled Loop Concentration

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Unicom, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Unicom to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Unicom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Unicom, BellSouth shall perform the routine network modifications.

2.8.6.3 Requirements

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.6.3.2 Unicom is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Unicom information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Unicom.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Unicom within twenty (20) business days after Unicom submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Unicom to connect Unicom provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 Loop Makeup

- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to Unicom LMU information so that Unicom can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Unicom intends to install and the services Unicom wishes to provide. This section addresses LMU as a preordering transaction, distinct from Unicom ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Unicom LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Unicom as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

2.9.1.5 Unicom may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Unicom and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Unicom's ability to provide advanced data services over the ordered Loop type. Further, if Unicom orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Unicom is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Unicom may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Unicom needs further Loop information in order to determine Loop service capability, Unicom may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

 http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Unicom may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Unicom may reserve up to three (3) Loop facilities.
- 2.9.3.2 Unicom may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Unicom. During and prior to Unicom placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Unicom does not submit an LSR for a UNE service on a reserved facility within the four (4)-day

reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Unicom will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Unicom does not reserve facilities upon an initial LMUSI, Unicom's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Unicom has reserved multiple Loop facilities on a single reservation, Unicom may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Unicom, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Unicom.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Unicom provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Unicom using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Unicom. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Unicom may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Unicom may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Unicom, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.

- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Unicom the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Unicom shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Unicom on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment.

 BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Unicom requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Unicom shall pay for the Loop to be restored to its original state.
- Line Sharing shall only be available on Loops on which BellSouth is also 3.1.9 providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Unicom desires to continue providing xDSL service on such Loop, Unicom shall be required to purchase a full standalone Loop UNE. To the extent commercially practicable, BellSouth shall give Unicom notice in a reasonable time prior to disconnect, which notice shall give Unicom an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Unicom purchases the full stand-alone Loop, Unicom may elect the type of Loop it will purchase. Unicom will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Unicom purchases a voice grade Loop, Unicom acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Unicom reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Unicom for

Attachment 2

Page 29

any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.

- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 Provisioning of Line Sharing and Splitter Space
- 3.2.1 BellSouth will provide Unicom with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Unicom must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Unicom may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Unicom's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Unicom in a central office in which Unicom is located, Unicom shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Unicom shall pay the electronic or manual ordering charges as applicable when Unicom orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Unicom's data.
- 3.3 BellSouth Provided Splitter Line Sharing
- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Unicom access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Unicom's xDSL equipment in Unicom's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Unicom with a carrier notification letter, informing Unicom of change. Unicom shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Unicom shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Unicom's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Unicom's

Attachment 2

Page 30

DS0 termination point as possible. Unicom shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Unicom on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Unicom DS0 at such time that a Unicom End User's service is established.

3.4 CLEC Provided Splitter – Line Sharing

- 3.4.1 Unicom may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Unicom may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Unicom in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Unicom may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Ordering – Line Sharing

- 3.5.1 Unicom shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Unicom the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Unicom access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Unicom shall pay the rates for such services, as described in Exhibit A.

3.6 Maintenance and Repair – Line Sharing

3.6.1 Unicom shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Unicom is using a BellSouth owned splitter, Unicom may access the Loop at the point where the

Attachment 2

Page 31

combined voice and data signal exits the central office splitter via a bantam test jack. If Unicom provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Unicom will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Unicom shall inform its End Users to direct data problems to Unicom, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Unicom, BellSouth will notify Unicom. Unicom will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Unicom will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Unicom's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Unicom provides its own switching or obtains switching from a third party, Unicom may engage in line splitting arrangements with another CLEC using a splitter, provided by Unicom, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Unicom is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.

- 3.7.4 Unicom shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Unicom will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Unicom or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Unicom for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Unicom or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Unicom or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Unicom or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 Provisioning Line Splitting and Splitter Space

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Unicom or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.

AMENDMENT EXHIBIT 1 Attachment 2

Page 33

3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering – Line Splitting

- 3.9.1 Unicom shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Unicom the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Unicom access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Unicom shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Unicom on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 Maintenance – Line Splitting

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Unicom will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Unicom shall inform its End Users to direct all problems to Unicom or its authorized agent.
- 3.10.3 If Unicom is not the data provider, Unicom shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Unicom for the provision of a telecommunications service.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Unicom when Unicom: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Unicom is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Unicom or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Unicom's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

- 4.2.7 Provided that Unicom purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Unicom local End User, or originated by a BellSouth local End User and terminated to a Unicom local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Unicom the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Unicom shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- Where Unicom purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Unicom End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Unicom the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Unicom shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Unicom the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 <u>Unbundled Port Features</u>

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Unicom selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Unicom will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 Remote Call Forwarding

- 4.2.11.1 As an option, BellSouth shall make available to Unicom an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Unicom will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Unicom the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.

Attachment 2

Page 37 ...

- BellSouth shall provide interfaces to adjuncts through Telcordia standard 4.2.12.4 interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Unicom all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering. BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency 4.2.12.5
- trunking if requested by Unicom.

4.2.13 Local Switching Interfaces.

- Unicom shall order ports and associated interfaces compatible with the services it 4.2.13.1 wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling 4.2.13.1.1 (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- Basic Rate Interface ISDN adhering to appropriate Telcordia Technical 4.2.13.1.3 Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to 4.2.13.1.9 interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Unicom who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Unicom shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.

- 4.2.16 Unicom shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Unicom will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

4.3 <u>Tandem Switching</u>

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Unicom utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Unicom and BellSouth;

Attachment 2

Page 39

- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Unicom.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Unicom's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Unicom's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Unicom's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to Unicom, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Unicom. AIN SCR will provide Unicom with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Unicom shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.

- 4.4.4 Where AIN SCR is utilized by Unicom, the routing of Unicom's End User calls shall be pursuant to information provided by Unicom and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Unicom shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Unicom End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Unicom shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Unicom's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Unicom, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Unicom following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Unicom following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Unicom following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.
- 4.5 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 4.5.1 Where Unicom purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Unicom's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Unicom to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Unicom specific and unique LCCs are programmed in each BellSouth end office switch where Unicom intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Unicom's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Unicom intends to provide Unicom -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Unicom to order dedicated trunking from each BellSouth end office identified by Unicom, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Unicom Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Unicom to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

AMENDMENT EXHIBIT 1 Attachment 2

Page 42

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Unicom are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Unicom are not already combined by BellSouth in the location requested by Unicom but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Unicom are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Unicom with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Unicom thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Unicom's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Unicom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Unicom, BellSouth shall perform the routine network modifications.

5.2.5 Service Eligibility Criteria

- 5.2.5.1 Unicom must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Unicom has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Unicom will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Unicom will have at least one (1) active DS1 local service interconnection trunk over which Unicom will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Unicom's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Unicom failed to comply with the service eligibility criteria, Unicom must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that, Unicom did not comply in any material respect with the service eligibility criteria, Unicom shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Unicom did comply in all material respects with the service

eligibility criteria, BellSouth will reimburse Unicom for its reasonable and demonstrable costs associated with the audit. Unicom will maintain appropriate documentation to support its certifications.

5.2.7 In the event Unicom converts special access services to UNEs, Unicom shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Unicom if Unicom's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Unicom is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Unicom or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Unicom's UNE port/Loop combinations. BellSouth will not bill Unicom for 911 surcharges. Unicom is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Unicom in addition to those specifically referenced in this Section 5 above, where available. To the extent Unicom requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 Transport

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Unicom for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Unicom uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 6.1.1.2 Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's

Attachment 2

Page 46

network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Unicom.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Unicom exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Unicom to connect such interoffice facilities to equipment designated by Unicom, including but not limited to, Unicom's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Unicom to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Unicom.

- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Onicom may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.2.4 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Unicom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Unicom, BellSouth shall perform the routine network modifications.
- 6.2.6 <u>Technical Requirements</u>
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Unicom designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (Cl to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and

Attachment 2

Page 48

- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Unicom shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 Unbundled Channelization (Multiplexing)

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps)

 UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Unicom may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- 6.3.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

Page 49

- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- In order to assure proper operation with BellSouth provided central office multiplexing functionality, Unicom's channelization equipment must adhere strictly to form and protocol standards. Unicom must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995
- 6.4 **Dark Fiber Transport**
- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Unicom to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Unicom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Unicom, BellSouth shall perform the routine network modifications.
- 6.4.3 Requirements
- 6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 Unicom is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Unicom information regarding the location, availability and performance of Dark Fiber Transport within ten (10)

AMENDMENT EXHIBIT 1
Attachment 2

Page 50

business days after receiving a request from Unicom. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Unicom within twenty (20) business days after Unicom submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Unicom to connect Unicom provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 <u>Databases</u>

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Unicom.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> Screening Service

8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Unicom's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Unicom.

8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 <u>Line Information Database</u>

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Unicom must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

9.2 Technical Requirements

- 9.2.1 BellSouth will offer to Unicom any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Unicom's customer records in L1DB at least at parity with BellSouth customer records, with respect to other L1DB functions. BellSouth shall indicate to Unicom what additional functions (if any) are performed by L1DB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Unicom, BellSouth shall provide Unicom with a list of the customer data items, which Unicom would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Unicom data to the LIDB shall be solely at the direction of Unicom. Such direction from Unicom will not be required where

the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

- 9.2.8 BellSouth shall provide priority updates to LIDB for Unicom data upon Unicom's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Unicom customer records will be missing from LIDB, as measured by Unicom audits. BellSouth will audit Unicom records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Unicom contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Unicom within one (1) business day of audit. Once reconciled records are received back from Unicom, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Unicom to negotiate a time frame for the updates, not to exceed three business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of Unicom's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Unicom with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Unicom and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Unicom data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Unicom in writing.
- 9.2.13 BellSouth shall provide Unicom performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Unicom at least at parity with BellSouth Customer Data. BellSouth shall obtain from Unicom the screening information associated with LIDB Data Screening of Unicom data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Unicom under the BFR/NBR process as set forth in Attachment 11.

Attachment 2

Page 53 ...

- 9.2.14 BellSouth shall accept queries to LIDB associated with Unicom customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Unicom shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Unicom shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 Signaling

- 10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.
- 10.2 <u>Signaling Link Transport</u>

AMENDMENT EXHIBIT 1 Attachment 2

Page 54

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Unicom designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 <u>Technical Requirements</u>
- Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.3 An A-link layer shall consist of two (2) links.
- 10.2.4.4 A B-link layer shall consist of four (4) links.
- 10.2.4.5 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.4.6 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.7 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 Interface Requirements
- There shall be a DS1 (1.544 Mbps) interface at Unicom's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 10.3 <u>Signaling Transfer Points</u>
- A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 <u>Technical Requirements</u>

- 10.3.2.9 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.11 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Unicom local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Unicom local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Unicom or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Unicom database, then Unicom agrees to provide BellSouth with the Destination Point Code for Unicom database.
- 10.3.2.13 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.14 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Unicom or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the

Attachment 2

Page 56

specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 **SS7**

- 10.4.1 When technically feasible and upon request by Unicom, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Unicom's SS7 network to exchange TCAP queries and responses with a Unicom SCP.
- SS7 AIN Access shall provide Unicom SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Unicom SS7 Networks.

 BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Unicom SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 <u>Interface Requirements</u>

- 10.4.3.15 BellSouth shall provide the following STP options to connect Unicom or Unicomdesignated local switching systems to the BellSouth SS7 network:
- 10.4.3.15.1 An A-link interface from Unicom local switching systems; and,
- 10.4.3.15.2 A B-link interface from Unicom local STPs.
- 10.4.3.16 Each type of interface shall be provided by one or more layers of signaling links.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.18 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

10.4.4 Message Screening

10.4.4.20 BellSouth shall set message screening parameters so as to accept valid messages from Unicom local or tandem switching systems destined to any signaling point

within BellSouth's SS7 network where the Unicom switching system has a valid signaling relationship.

- 10.4.4.21 BellSouth shall set message screening parameters so as to pass valid messages from Unicom local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Unicom switching system has a valid signaling relationship.
- BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Unicom from any signaling point or network interconnected through BellSouth's SS7 network where the Unicom SCP has a valid signaling relationship.

10.5 Service Control Points (SCP)/Databases

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.25 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 Local Number Portability Database

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms

and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 SS7 Network Interconnection

- 10.7.1 SS7 Network Interconnection is the interconnection of Unicom local signaling transfer point switches or Unicom local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Unicom local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Unicom or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Unicom local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Unicom local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Unicom local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Unicom local STPs and shall not include SCCP Subsystem Management of the destination.

AMENDMENT EXHIBIT 1 Attachment 2

Page 59 ...

- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 <u>Interface Requirements</u>
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Unicom or Unicom-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Unicom local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Unicom STPs.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Unicom local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Unicom switching system has a valid signaling relationship.
- 11 Automatic Location Identification/Data Management System (ALI/DMS)
- The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Unicom will be required to provide BellSouth daily updates to E911 database.

Unicom shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 <u>Technical Requirements</u>

- 11.2.1 BellSouth shall provide Unicom the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Unicom after Unicom provides End User information for input into the ALI/DMS database.
- Unicom shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Unicom the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Unicom shall submit to BellSouth a notice of its intent to access and utilize
 BellSouth CNAM Database Services. Said notice shall be in writing no less than
 sixty (60) calendar days prior to Unicom's access to BellSouth's CNAM Database
 Services and shall be addressed to Unicom's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Unicom requires interconnection from Unicom to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Unicom shall provide its own CNAM SSP. Unicom's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Unicom elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Unicom desires to query.
- 12.6 If Unicom queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the

Attachment 2

Page 61

BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- The mechanism to be used by Unicom for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Unicom in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Unicom to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 Unicom CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- 13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u>
 Advanced Intelligent Network Access
- 13.1 BellSouth's SCE/SMS AIN Access shall provide Unicom the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Unicom. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Unicom service logic and data from unauthorized access.
- When Unicom selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Unicom to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Unicom access will be provided via remote data connection (e.g., dial-in, ISDN).

Attachment 2

Page 62

13.6 BellSouth shall allow Unicom to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which Unicom may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

14.3 <u>Denial/Restoral OSS Charge</u>

- In the event Unicom provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Unicom will incur an OSS charge for an accepted LSR that is later canceled.
- 14.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

INBUNDLED	NETWORK ELEMENTS - Florida											·		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		٠	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
·		m						Electronic- Add*l	Electronic- Disc 1st	Electronic Disc Add						
						Rec		curring		g Disconnect				Rates (\$)		1
							First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zoi	ne" shown in the sections for stand-alone loops or loops as	part of	a comi	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designatio	ons by Cent	ral Office, refe	er to internet	Website:	<u> </u>
http://ww	ww.interconnection.belisouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion,ht	<u>m</u>		1		<u> </u>	<u> </u>	[1					
	1) CLEC should contact its contract negotiator if it prefers th															
	her the state specific Commission ordered rates for the servi the 9 states.	ce orde	nng ch	arges, or CLEC may	elect the re	gional service (ordening charg	je, nowever, C	LEC can not o	otain a mixture	or the two	regardiess i	T CLEC Has a	interconnecti	on contract e	stablished
NOTE: (2	the 9 states. 2) Any element that can be ordered electronically will be bill	ed acco	rding (o the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	illy. For thos	e elements
that can	not be ordered electronically at present per the LOH, the list	ed SOM	EC rate	in this category ref	lects the ch	arge that would	l be billed to a	CLEC once el	ectronic order	ing capabilitie	s come on-l	ine for that	element. Oth	erwise, the ma	enual orderin	g charge,
	, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.						r		т					
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request			-			-			ĺ						<u> </u>
	(LSR) - UNE Only				SOMAN		11,90	0.00	1.83	0.00						
	DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	BallSon	th'e EC	C No 1 Tariff Saction	n 5 se snnii	cable				· · · · · ·	├ ──	 				
NOTE	The Expedite Charge will be maintained commensurate with	5611500	1	o no. i rami, occas	и о ва врри	T				· · · · · · · · · · · · · · · · · · ·	 					\vdash
				UAL, UEANL, UCL,								l				
				UEF, UDF, UEQ,								1		ļ		
				UDL, UENTW, UDN,					ł					1		
1 1				UEA, UHL, ULC, USL, U1T12, U1T48,										Ì		
1 1				U1TD1, U1TD3,							1		ŀ	1		l .
			1	UITDX, UITO3,					1		1		1	i		1
				UITSI, UITVX.									i			
			1	UC1BC, UC1BL,												
		ļ		UC1CC, UC1CL,							1		ļ			
				UC1DC, UC1DL,												1
				UC1EC, UC1EL,							1		İ			
				UC1FC, UC1FL,									}			
				UC1GC, UC1GL,						i						1
				UC1HC, UC1HL, UDL12, UDL48.						ŧ			i		l	
				UDLO3, UDLSX,					İ						ŀ	١.
		ŀ		UE3. ULD12.						ļ.		ļ	1			1
		l		ULD48, ULDD1,						i		i				ł
		ŀ		ULDD3, ULDDX,				l		Į.		Ì				
		l		ULDO3, ULDS1,				1			1	ł			1	Į.
1 1				ULDVX, UNC1X,		j						l			l	1
l l				UNC3X, UNCDX,								l			İ	1
1 1				UNCNX, UNCSX, UNCVX, UNLD1,				1		1					l	
1 1			ł	UNLD3. UXTD1.								1				
1 1				UXTD3, UXTS1,				ļ							ł	
_ h	UNE Expedite Charge per Circuit or Line Assignable USOC, per			UITUC, UITUD,								1		l.	ł	
	Day		<u> </u>	U1TUB, U1TUA	SDASP		200.00									
	XCHANGE ACCESS LOOP		├						<u> </u>	 				 		
	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<u> </u>	1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57	 	 				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57					<u> </u>	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.97	49.57	22.83	25.62							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.69	49.57	22.83	25.62				<u> </u>			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<u> </u>		UEANL UEANL	UEASL UEASL	15.20 26.97	49.57 49.57	22.83 22.83	25.62 25.62			 	 		ļ	+
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	—	1	CEANL	JOEAGL	20.91	49.37	22.63	20.02	0.57	+;-	 		 	 	
	Premise			UEANL	URETL		8.33	0.83]							
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
	Loop Testing - Basic Additional Half Hour	I	I	UEANL.	URETA	L	23.95	23.95		1	1	L	L	l	l	l .

IINBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exh	ibit: A
SHOUNDL	LO ITE I TOTAL ELEMENTO - I MINU		Г								Svc Order	Svc Order	Incremental	·	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	1	Interi			ļ.						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									l *	i '	Electronic-	Electronic-	Electronic-	Electronic-
İ					1								1st	Add'I	Disc 1st	Disc Add'i
					 						ļ	l		D 1 2 (6)		
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
					-		First	Add'I	First	Add'I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
1	CLEC to CLEC Conversion Charge Without Outside Dispatch				Luciuo		15.78	8.94								
	(UML-SL1)			UEANL	UREWO		15.78	6.94	-		 			 		
1 1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UEANM		13.49					i I	İ	l		
\vdash	providing make-up (Engineering Information - E.I.)		-	UEANL	UEAMC		9.00	9.00				-		 		
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	DEAWC		5.00	9.00			 			 		
				UEANL	OCOSL		23.02						l	l		
0.1017	(per LSR) RE Unbundled COPPER LOOP		-	DEANL	OCCUSE		20.02				t					
2-99()	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45	i e					
	2 Wire Unbundled Copper Loop - Non-Designed 2 the 1	÷		UEQ	UEQ2X	10.92	44.98	20.90	24,88	6.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45		i		<u> </u>		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		ᡰ᠊ᢆ		1	.000		25,50			T		l	1	1	f
1 1	Premise	l		UEQ	URETL	ł l	8.33	0.83	; l				1		1	1
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	 	1		1				[]			Ī			T	
	Non-Designed (per loop)	l	1	UEQ	USBMC		9.00		<u> </u>		L	 i	L			L
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for															
1 1	BST providing make-up (Engineering Information - E.I.)	I	1	UEQ	UEQMU	l Ì	13.49		<u> </u>					<u> </u>	<u> </u>	L
h	Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		48.65	48.65			1					
	Loop Testing - Basic Additional Half Hour		1	UEQ	URETA		23.95	23.95								
	CLEC to CLEC Conversion Charge Without Outside Dispatch		1								1				1	
i l	(UCL-ND)			UEQ	UREWO		14.27	7.43			ļ	<u> </u>			<u> </u>	<u> </u>
	EXCHANGE ACCESS LOOP										<u> </u>			ļ	<u> </u>	↓
2-W(RE ANALOG VOICE GRADE LOOP				L							<u> </u>		<u> </u>		↓
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	l					ll					1		1
	Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57	ļ			ļ		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ι.		1		40.57	~~ ~~	0.50	6.57						
	Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57		-		 	 	+
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	١.		UEALS	15.20	49.57	22.83	25.62	6.57				i		
 	Zone 2		1 2	UEPSR UEPSB	UEALS	15.20	49,57	22.03	25.62	0.57				-	 	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	ŧ	2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57				ł		
\vdash	Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-	+-	UEFOR UEFOB	UEABS	13.20	45.57	22.00	25.02	0.0.	 					
	Zone 3	1	3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57				1		
\vdash	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<u> </u>	+	OCI DIVOLI OD	OL/CO	20.01	40.07	22.00	20.02					 	 	<u> </u>
	Zone 3	ĺ	1 3	UEPSR VEPSB	UEABS	26.97	49.57	22.83	25.62	6.57				1		
UNBUNDIE	EXCHANGE ACCESS LOOP		1 -	02: 0.1 02: 02	1						1		<u> </u>			
	RE ANALOG VOICE GRADE LOOP	\vdash	t-		 							Ì	Ī	1		1
12-7411	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	· · · · · · · · · · · · · · · · · · ·	1	1					-		I	1	I	
1 1	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01	<u></u>	<u></u>	L	J	L	L
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	1												
1 1	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17,40	135.75	82.47	63.53	12.01				<u> </u>		<u></u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		\Box													1
1	Ground Start Signaling - Zone 3	L	3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01				1		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02							ļ	ļ	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												i	1		
	Battery Signaling - Zone 1		11	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01	<u> </u>	<u> </u>			<u> </u>	4
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	L	l	l l			ll		l		I	1		
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01	 	ļ	├──	 		+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1 .	l	l	!		l					I	1		
 	Battery Signaling - Zone 3	<u> </u>	3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01	 		 	 	 	+
	Order Coordination for Specified Conversion Time (per LSR)	Ь—	↓	UEA	OCOSL	<u> </u>	23.02	20.05			 	-		 	 	+
\vdash	CLEC to CLEC Conversion Charge without outside dispatch	┞—	₩	UEA	UREWO		87.71	36.35		ļ	 		-	 	 	+
	Loop Tagging - Service Level 2 (SL2)		₩-	UEA	URETL		11.21	1,10			+	 	 	 	1	+
4-WI	RE ANALOG VOICE GRADE LOOP		+-	1154	UEAL4	18.89	167.86	115,15	67.08	15.56	+		 	 	 	+
\vdash	4-Wire Analog Voice Grade Loop - Zone 1	-		UEA	UEAL4	18.89	167.86	115.15		15.56		 	 	 	 	+
\vdash	4-Wire Analog Voice Grade Loop - Zone 2	\vdash		UEA UEA	UEAL4	47.62	167.86	115.15		15.56				 	 	+
\vdash	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		1 3	UEA	OCOSL	47.02	23.02	113.15	07.08	13.30	+			t —	 	
\vdash	CLEC to CLEC Conversion Charge without outside dispatch	-	+	UEA	UREWO		87.71	36.35			+		i e	 	t	
	JULEO to ULEO Conversion Unarge without outside dispatch			TORY	TOVERSO	1	U1./1									

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	_	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
					†	Rec	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Kec	First	Add'I	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE	ISDN DIGITAL GRADE LOOP				L											
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.28	147.69	94,41	62.23	10.71			ļ	ļ		
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94,41 94,41	62.23	10.71 10.71						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94,41	62.23	10.71	-			 		
	Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	⊢	UDN	OCOSL UREWO		23.02 91.61	44.15			 					
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI E	LOOP		IDREWO	_	91,01	44,15			 			 		
2-WINE	2 Wire Unbundled ADSL Loop including manual service inquiry	A I IDEL	1	· · · · ·	 						1		· · · · · ·			
	& facility reservation - Zone 1	l	1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63		ł	1		l	1
	2 Wire Unbundled ADSL Loop including manual service inquiry		1												i	
	& facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		L		L		
	2 Wire Unbundled ADSL Loop including manual service inquiry		Ī	1		[-								[i
	& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	Order Coordination for Specified Conversion Time (per LSR)		1	UAL	OCOSL		23.02							ļ		
	2 Wire Unbundled ADSL Loop without manual service inquiry &		١,	l	UAL2W	8.30	124.83	71.12	60.64	9.12				i		1
	facility reservation - Zone 1		<u> </u>	UAL	UALZW	8.30	124.83	/1.12	60.64	9.12	 	 				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 2		2	UAL	UAL2W	11.80	124.83	71,12	60.64	9.12				1		
	2 Wire Unbundled ADSL Loop without manual service inquiry &		 -* -	UAL	UALZVI	11.00	124.00	71.12	V0.04	- J. FE		 				
	Ifacility reservation - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12				1		
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UAL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch		†	UAL.	UREWO		86.19	40.39								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP								ļ	L				
	2 Wire Unbundled HDSL Loop including manual service inquiry										Ì	!	1		1	
	& facility reservation - Zone 1	L	1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63	_	<u> </u>				
	2 Wire Unbundled HDSL Loop including manual service inquiry		۱ ـ	l	1		400.00		75.05	15.63	1	ļ.				
	& facility reservation - Zone 2	 	2	UHL	UHL2X	10.26	159.09	113,41	75.05	15.63	.	 	<u> </u>			
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	l	3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63	1	l	1		1	
	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	10.21	23.02	113,41	75.05	13.03	1	 		-		t
	2 Wire Unbundled HDSL Loop without manual service inquiry	\vdash		0,1,2	100002		20.02		<u> </u>		<u> </u>					
l I	and facility reservation - Zone 1	l	1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12	1	1		ļ		
	2 Wire Unbundled HDSL Loop without manual service inquiry										-	1				
	and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12		L	l			
	2 Wire Unbundled HDSL Loop without manual service inquiry										1			l .		ł
	and facility reservation - Zone 3		3	UKL	UHL2W	18.21	134.40	80.69	60.64	9.12		ļ				
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		23.02	40.00				 				
	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TID: F	i oce	UHL	UREWO		86.12	40.39			1	 	 	 	 	
4-WIRE	4 Wire Unbundled HDSL Loop including manual service inquiry	HBLE	LOOP	-	+			-	-		 		 			
	and facility reservation - Zone 1		١.	UHL	UHL4X	10.86	193,31	138.98	77.15	12.61		ł				
 	4-Wire Unbundled HDSL Loop including manual service inquiry	_	l '	Unit.	10	10.00	100.01	100.00			t	t				
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61			į			
	4-Wire Unbundled HDSL Loop including manual service inquiry		1		1				1		1	1	-			
	and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02		<u> </u>		1	<u> </u>				ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry	Į.			l				l			1	1		}	ļ
	and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22			 			
	4-Wire Unbundled HDSt, Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22			1		ł	ŀ
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	 	+-	UNL	UNLAVV	15.44	100.02	113.47	02.74	11.22	† 	 	† ·	 	l	
	and facility reservation - Zone 3	ļ	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22	I	1	1			1
	Order Coordination for Specified Conversion Time (per LSR)		†-Ŭ	UHL	OCOSL	2	23.02	1	1	· · · · · · ·	t					1
	CLEC to CLEC Conversion Charge without outside dispatch		t T	UHL	UREWO		86.12	40.39								
	DS1 DIGITAL LOOP	L													-	
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	70.74	313,75	181,48		13.53		<u> </u>	ļ		<u> </u>	ļ
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	100.54	313.75			13.53		 	 	 	-	
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75		61.22	13.53	 	├	 	 		
	Order Coordination for Specified Conversion Time (per LSR)	ь		USL	OCOSL		23.02		1	L	ــــــــــــــــــــــــــــــــــــــ		1		1	

UNBUNDLE	D NETWORK ELEMENTS - Florida								<u> </u>					ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
$\neg \top$						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			<u> </u>						48.80						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL 19	31.56	161.56	108.85	67.08	15.56			ļ			
	4 Wire Unbundled Digital 19.2 Kbps	-	3	UDL	UDL19 UDL56	55.99 22.20	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56					-	-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	55.99	161.56	108.85	67.08	15.56	-					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	33.89	23.02	100.00	67.00	13.30						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56	 					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	<u> </u>		UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)		 	UDL	OCOSL	- 00.00	23.02	100.00	5.,55	10.00						
	CLEC to CLEC Conversion Charge without outside dispatch		 	UDL	UREWO		102.11	49.74								
2-WIRE	Unbundled COPPER LOOP			1	10.10.11.0											
2-11.11	2-Wire Unbundled Copper Loop-Designed including manual				1											
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63			İ			
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63			L			
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63			<u> </u>			
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop-Designed without manual		İ								1	1	ł			
	service inquiry and facility reservation - Zone 1		1 1	ncr	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual		l _		1				ll				1			
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual		3		UCLPW	20.94	123.81	70.09	60.64	9.12]		İ		1	
	service inquiry and facility reservation - Zone 3		3	UCL	UCLMC	20.94	9.00	9.00	60.64	9.12	 	.	 	 		
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch		 	UCL	UCEMC		9.00	9.00			1					
		ŀ	1	UCL	UREWO		97.21	42.47			1			ľ	ł	l
A WITES	(UCL -Des)		├─	1002	UNEWO		37.21	72.71			 			 	1	
4-44160	4-Wire Copper Loop-Designed including manual service inquiry		┢		 					·	 					
l l	and facility reservation - Zone 1	ŀ	۱,	UCL	UCL4S	11.83	177,87	132.76	77.15	17.73	ł		l]	ļ
	4-Wire Copper Loop-Designed including manual service inquiry		÷	-	1002.0	11.00			11119							
	and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73	1		ŀ	l		į
	4-Wire Copper Loop-Designed including manual service inquiry		Ť	· · · · · · · · · · · · · · · · · · ·	†											
	and facility reservation - Zone 3	l	3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73	-		<u> </u>	L		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop-Designed without manual service inquiry	I	1											1		
	and facility reservation - Zone 1	L	1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
1	4-Wire Copper Loop-Designed without manual service inquiry							·				l				
	and facility reservation - Zone 2	L	2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22	<u> </u>	Ļ	<u> </u>		ļ	
	4-Wire Copper Loop-Designed without manual service inquiry											l		1	1	
	and facility reservation - Zone 3	L	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22	ļ	<u> </u>	ļ			
	Order Coordination for Unbundled Copper Loops (per loop)		Ь—	UCL	UCLMC		9.00	9.00			ļ	ļ	ļ	_	 	
	CLEC to CLEC Conversion Charge without outside dispatch		Ь—	UCL	UREWO		97.21	42.47	-			<u> </u>			 	
OOP MODIFIE	CATION	<u> </u>	-	1141 100 1101	├ ───				 	<u> </u>				 	 	
1		1		UAL, UHL, UCL, UEQ, ULS, UEA,			1		<u> </u>		1	1	ł		I	I
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l	l	UEANL, UEPSR,					1 1			l	1	1		
		l	l	UEPSB	ULM2L		0.00	0.00				1	1	1		
	pair less than or equal to 18k fl, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire	 	-	UEFOB	JULIWEL	-	0.00	0.00	 	-	 	 	 	 	 	
	less than or equal to 18K ft, per Unbundled Loop	l	1	UHL UCL UEA	ULM4L		0.00	0.00			1	1	I	1	I	1
	ress than or equal to Ton It, per Unbundled Loop	 	1	UAL, UHL, UCL,	OUVER		0.00	0.00	 		 	 	1	t	i	
		ŀ	l	UEQ, ULS, UEA	1 1						1	1	I		1	1
l	Unbundled Loop Modification Removal of Bridged Tap Removal,	l	I	UEANL, UEPSR.	1						1	1	l		1	1
i	per unbundled loop	l	1	UEPSB	ULMBT		10.52	10.52				1	l .	<u></u>	1	1
SUB-LOOPS			1								T		I		ľ	1

UNBUNDL	ED NETWORK ELEMENTS - Florida										-			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	USOC		٠	RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge -
		<u> </u>	↓			Rec		zurring Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	oop Distribution	 	├				First	Addi	First	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
Sub-t	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			-											-	
	Up	ı	_	UEANL	USBSA		487.23		<u> </u>							<u> </u>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		_	UEANL	USBSB		6.25									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	١,	1	UEANL	USBSC		169.25				ŀ		ĺ			
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		1									İ				ì –
	Set-Up		1	UEANL	USBSD		38.65		 							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -												1			
	Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26	-					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	<u> </u>	3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26		ļ				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		Ι.	UEANL	USBN4	7.37	68.83	30,42	49.71	6.60						
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	LEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										 					l
	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	+	UEANL	USBR2	3.96	51.84	13.44	47.50	5.26	<u> </u>	-				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-	-	UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65		İ						
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95		ļ <u>.</u>	<u> </u>					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1_1_	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26	ļ	ļ				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	! !	2	UEF	UCS2X	7.31	60.19	21.78	47.50 47.50	5.26 5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 '	1 3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26	 		 			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	_		UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00		l	İ					
\vdash	Loop Testing - Basic 1st Half Hour		1	ÜEF	URET1		48.65	48.65			i _		•			
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
Unbu	indled Network Terminating Wire (UNTW)		Τ													
<u> </u>	Unbundled Network Terminating Wire (UNTW) per Pair	<u> </u>	-	UENTW	UENPP	0.4572	18.02		ļ				 		ļ	
Netw	ork Interface Device (NID)	\vdash	₩	UENTW	UND12	<u> </u>	71,49	48.87	 	 	-		 	ļ	ļ	
	Network Interface Device (NID) - 1-2 lines	├	+	UENTW	UND16	 	113.89	89.07	l · · · · · · · · · · ·	 	l —		\vdash	 	 	
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	 	+	UENTW	UNDC2	 	7.63	7.63	 	l				l		
 	Network Interface Device Cross Connect - 2 W	 	+	UENTW	UNDC4	 	7.63	7.63	 	 			-	 		
UNE OTHER	PROVISIONING ONLY - NO RATE	 	+-	1						i	— —			l	i	
	NID - Dispatch and Service Order for NID installation	i –	1	UENTW	UNDBX	0.00	0.00									
l	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U	UNECN	0.00	0.00									
LINE OTHER	PROVISIONING ONLY - NO RATE		+		T	1			ľ		i	i	i .			

UNBUNDLEC	NETWORK ELEMENTS - Florida								•					ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Etectronic- Disc 1st	Charge -
		<u> </u>	 			Rec	First	curring Add'l	First	Disconnect Add'I	SOMEC	6014411	SOMAN	Rates (\$)	SOMAN	SOMAN
		-	1-				FIFE	AGGI	FIRE	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
			1	UAL,UCL,UDC,UDL,		1								ł		
	Unbundled Contact Name, Provisioning Only - no rate		1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00	!						Į.		
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		l											i i		ſ
	rate		↓	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									↓
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		1	UEA,USL,UCL,UDL	HEBER	0.00	0.00									ł
	rate Unbundled DS1 Loop - Superframe Format Option - no rate	 	╁	USL	CCOSF	0.00	0.00	-			 					
	Unbundled DS1 Loop - Expanded Superframe Format option -		\vdash	<u> </u>	0000	0.00	0.00		 							
	no rate		l	USL	CCOEF	0.00	0.00		1							ŀ
	Y UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1	1						İ	i						1
	month High Capacity Unbundled Local Loop - DS3 - Facility		 —	UE3	1L5ND	10.92										
	Termination per month		<u> </u>	UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility		1							i e						
	Termination per month		<u> </u>	UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84				<u></u>		L
LOOP MAKE-U			 					ļ								└
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).		ł	UMK	UMKLW		52.17	52.17								i
	Loop Makeup - Preordering With Reservation, per spare facility		1	DIVIN	CHINEY		32.17	32.17		1						
	queried (Manual).			UMK	UMKLP		55.07	55.07	1							l
	Loop Makeup-With or Without Reservation, per working or															
	spare facility queried (Mechanized)		ļ	UMIK	UMKMQ		0.6784	0.6784								ļ
	AND LINE SPLITTING The Line Sharing monthly recurring rates for all installation		l slotod (ion m October 02, 200	2 Abrasian -	l Cataba	- 01 2004 aba	l be billed on f	iettewer							├──
	: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					I Close	1 01, 2004 BIIA	De Omed as i	lonows.							
NOTE 1	: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND	1													·	
	: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
NOTE 1	: Above will apply to USOCS: ULSDT and ULSCT	<u> </u>	<u> </u>	<u> </u>		لِــــبِـل		l <u> </u>	<u> </u>							<u> </u>
	2: The Line Sharing monthly recurring rates with USOCs ULS	SDC an	d ULSC	C applies only to cit	cuits install	ed and inservice	e on or before	October 1, 20	03						ļ	
	ERS-CENTRAL OFFICE BASED		+											 	 	
	Line Sharing Splitter, per System 96 Line Capacity	<u> </u>		uls	ULSDA	119.72	379.13	0.00	347.90	0.00				t		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00	-					
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			ULS	ULSDG		173,66	0.00	97.42	0.00	1				ļ	i
	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	_	┼	ULS	ULSUG		173,00	0.00	91.42	0.00						
LIND OF	Line Sharing - per Line Activation (BST Owned splitter) -															
1 1	OBSOLETE see "NOTE 2			uls	ULSDC	0.61	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter -															[
	Central Office Located (25% of UCLND) - please see NOTE 1				ULSDT	1,99	29.68	21,28	19.57	9.61			ľ			1 '
	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -	_	1	ULS	ULSUI	1.99	29.68	21.28	19.57	9.61				 		
	Central Office Located (50% of UCLND) - please see NOTE 1	ĺ	ł			1			j					1	1	1 '
	(E:10/2/2004)		<u> </u>	ULS	ULSDT	3.98	29.68	21.28	19.57	9.61	l			L	L	 '
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1	l	1		00-		الممما				.			1	1	l
	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement	_	₩	ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
	Line Sharing - per Subsequent Activity per Line Rearrangement - (BST Owned Splitter)	l		ULS	ULSDS		21.68	16.44							1	l '
	Line Sharing - per Subsequent Activity per Line Rearrangement		t —				200		i							
	- (DLEC Owned Splitter)		L	ULS	ULSCS		21.68	16.44								$ldsymbol{ldsymbol{eta}}$
	Line Sharing - per Line Activation (DLEC owned Splitter) -							40.00		45					l	1
	OBSOLETE see "NOTE 2	Щ.		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	L			L	L	Ь

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
			ĺ								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
			1		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	1				1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
					1								1st	Add'I	Disc 1st	Disc Add'I
			1		1										5.55 .5.	
			1			Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned														1	
	splitter - Central Office Located (25% of UCLND) - please see			ł	1						1					
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned				1									ł		
	splitter - Central Office Located (50% of UCLND) - please see			ŀ	1						1					
	NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74	<u> </u>					
	Line Share Service, TRO per line activation, CLEC owned				1 1					ŀ	1			1		l .
	splitter - Central Office Located (75% of UCLND) - please see				1						ł	i	i	1		
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74					<u> </u>	ļ
	SPLITTING															<u> </u>
END	USER ORDERING-CENTRAL OFFICE BASED		<u> </u>						ļ	ļ	—	├	ļ			
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61		21'	ļ	ļ					-	ļ
	Line Splitting - per line activation BST owned - physical		↓	UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61		 		-		
	Line Splitting - per line activation BST owned - virtual		_	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61				-		
MAIN	TENANCE		_		_				<u> </u>	 	 				 	
	No Trouble Found - per 1/2 hour increments - Basic	<u> </u>	₩				80.00	55.00			 	 	 		 	
	No Trouble Found - per 1/2 hour increments - Overtime		ļ				120.00	82.50			+					
	No Trouble Found - per 1/2 hour increments - Premium		—		+		160.00	110.00	_						ł	1
	DEDICATED TRANSPORT	<u> </u>	<u> </u>		 				 	ļ	1			 		-
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	\vdash	-							 		 				-
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		l l	UITVX	1L5XX	0.0091			1		1					
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVA	11.500	0.0091					}					
1	Facility Termination		i	UITVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	_	! 	01147	01172	20.52	47.55	31,70	10.01	1	 	 	 			
	Rev Bat Per Mile per month		1	UITVX	1L5XX	0.0091				1	İ		1	1		
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		+	01117	1,20,01	0.0001			_		1	i e				i
	Facility Termination		1	UITVX	U1TR2	25.32	47.35	31.78	18.31	7.03		1	ł	1		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		 		10							1	1	1		1
	Per Mile per month		l	UITVX	1L5XX	0.0091						i	ļ	1		İ
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	i -	1								1	1			I	T
	- Facility Termination		1	U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03	1	1	l]	1	1
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1								1	1		Ì		
	per month			U1TDX	1L5XX	0.0091	:					l				
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		1											Ĩ		
	Termination			U1TOX	U1TD5	18.44	47.35	31.78	18.31	7.03				L		l
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile				1						i					
	per month			U1TDX	1L5XX	0.0091					<u>i</u>	l				
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility											1	Į.			
	Termination		<u> </u>	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03	1	<u> </u>	ļ	ļ	L	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per												l	Ī	1	
	month		<u> </u>	U1TD1	1L5XX	0.1856			L			ļ	 	 	ļ	ļ
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	l			1						1	1	1	l	l	1
	Termination		<u> </u>	U1TD1	U1TF1	88.44	105.54	98,47	21.47	19.05	<u> </u>		 -	<u> </u>		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			1	1					i		i	1	ł	l	
	month	<u> </u>	ļ	U1TD3	1L5XX	3.87			ļ		 		 	-	 	
1	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	1	l	l					30.50	.1	1	1	1	l	
	Termination per month	┞——	₩	U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56	' 	+	1	∤·	-	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	I	1		1L5XX	3.87			1		ļ		1	1	ı	1
	month	<u> </u>	+-	U1TS1	ILDAX	3.87			 	 	+	 	 	 	 	+
i	Interoffice Channel - Dedicated Transport - STS-1 - Facility		1	UITSI	U1TFS	1,056.00	335.46	219.28	72.03	70.56			1	1	I	1
DARK FIBER	Termination		+	U1131	Ulira	1,030.00	333,46	219.20	12.03	70.50	+	 	 	 	 	+
DAKK PIDEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	\vdash	+		 	 			1		+		1	 	1	
l	Thereof per month - Interoffice Channel		1	UDF, UDFCX	1L5DF	26.85			1				1	l	:	1
	NRC Dark Fiber - Interoffice Channel	\vdash	+	UDF, UDFCX	UDF14	20.03	751.34	193.88	356.21	230.11	 	 	1	i		1
	HAVE DOIN I MODERATE CHARMED		-	100. , 00. 0A	1301 13		.0	,,,,,,,,,,			+	 	t	t	1	
			1	I .					l .	1	1		1	1		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	55.04										

IINBUNDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
UNBUNDLE	NETWORK ELEMENTS - Florida					T					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		١				1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	ļ		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m		1		Ì		•••			per core	PC: CO:	Electronic-	Electronic-	Electronic-	Electronic-
					1	i						i	1st	Add'I	Disc 1st	Disc Add'I
						l						<u> </u>			D130 131	1 5.55 7.55
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call	L	<u> </u>	OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			1											ł	
	Number Reserved		-	OHD	N8R1X		4.15	0.70			 					-
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O	l		ОНО	1	1	8.78	1.18	5.77	0.70	1				i	•
	POTS Translations		┼	IOND	-		0.70	1.10	3.77	0.70	 					-
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Customized Area of Service	 	+	UND	NOFIA		0.70	1.10	3.11	0.70	 					
	Per 8XX Number			ОНД	N8FCX		4,15	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR	-	+	Onb	INDI OX		4.10	2.01			 					
	Routing Per CXR Requested Per 8XX No.		1	ОНД	N8FMX		4.85	2.78			1	l	l	i	1	
	8XX Access Ten Digit Screening, Change Charge Per Request	_	\vdash	OHD	N8FAX		4.85	0.70			· · · · · ·				ĺ	
	8XX Access Ten Digit Screening, Call Handling and Destination		1	1												
1	Features			ОНО	N8FDX		4.15	4.15							L	
											i					
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252			i							
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per				1		,						Ĭ		1	
	query		<u></u>	OHD	<u> </u>	0.0006252										
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)										ļ					
	LIDB Common Transport Per Query			OQT		0.0000203										
	LIDB Validation Per Query		_	oou	-	0.0136959	55.40	56.43	55.43	55.13	 				-	
0.0	LtDB Originating Point Code Establishment or Change	<u> </u>	↓	OQT, OQU	NRBPX		55.13	55.13	55.13	33.13		-		 		
SIGNALING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05			 		+			1		
	CCS7 Signaling Usage, Per TCAP Message		 	UDB	F103A	0.0000607					 					
	CCS7 Signaling Connection, Per link (A link)		+	UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per link (B link) (also known as D		 	1000	1	11.00						i				
	link)	l .		UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message	1.		UDB		0.0000152										L
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32					<u> </u>		<u> </u>			ļ
	CCS7 Signaling Point Code, per Originating Point Code		Ī			}					1]	Ì
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03	<u> </u>	<u> </u>				
E911 SERVICE			↓						ļ		.	ļ	<u> </u>	ļ	 	
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		<u> </u>			21.94	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	_	+			29.62	265.84	46.97 46.97	37.63 37.63	4.00		 		 	 	
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	-	-			57.22 0.0091	265.84	46.97	37.63	4.00			-	 	 	
-	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	_	+-			1,0091			 	 	 	 		 	 	1
	Termination		1	1	1	25.32	47.35	31.78	18.31	7.03	.1	1			1	
	Local Channel - Dedicated - DS1 - Zone 1	 	+		+	35.28	216.65	183.54	21.47	19.05		<u> </u>		i	-	1
-	Local Channel - Dedicated - DS1 - Zone 1		+	 	+	47.63	216.65	183.54	21.47	19.05		†			<u> </u>	
	Local Channel - Dedicated - DS1 - Zone 3		+		1	92.01	216.65	183.54		19.05			i			
	Interoffice Transport - Dedicated - DS1 Per Mile		1		 	0.1856	2.2.732									
				 	1						T	1				
1	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			88.44	105.54	98.47	21.47	19.05	1	1				l
CALLING NAM	E (CNAM) SERVICE	L	L^-													
	CNAM For DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01					L	 _
	CNAM For Non DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01	 			<u> </u>	<u> </u>	
1	CNAM For DB Owners - Service Provisioning With Point Code		1	I	1						.1	1	1	I	I	I
	Establishment		↓	oav			1,592.00	1,177.00	352.36	259.09	 	├		 	 	
1	CNAM For Non DB Owners - Service Provisioning With Point		1	l	1	į l			200.00	250.00	J	l .		Ī	1	Į.
	Code Establishment	┞—	╄	oov	+	0.004654	546.51	393.82	358.06	259.09	' 	├──	 	1	 	
	CNAM for DB Owners, Per Query		↓	OQV	+	0.001024			 	ļ	+		 	 	+	
SELECTIVE RO	CNAM for Non DB Owners, Per Query	 	+	oov		0.001024		 	 		+	 	 	† 	 	
SELECTIVE RO	Selective Routing Per Unique Line Class Code Per Request Per	-	+	 		 			 	 		 	 	 	 	†
				ı	1			ı	1		1	1	l .	1	1	1
	Switch	i					93.55	93.55	12.71	12.71	1		1	1	1	1

INBUNDLE	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
			 	İ			Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
			 	i	i	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11,57	11.57	0.00	0.00	[
HYSICAL CO	DLLOCATION		1													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0,0276	8.22	7,22	5.74	4,58						
N SELECTI	VE CARRIER ROUTING		t		f = = =											
	Regional Service Establishment		1	SRC	SRCEC		193,444.00		7,737.00							
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						
	Query NRC, per query			SRC		0.0031868							L			<u> </u>
IN - BELLSC	OUTH AIN SMS ACCESS SERVICE		Ī													<u> </u>
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access	<u> </u>	t	A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		75,10	75.10	12.93	12.93						
-	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		 	1	10	0.0028							i			
	AIN SMS Access Service - Session, Per Minute		 			0,7809				-	i					
	AIN SMS Access Service - Company Performed Session, Per Minute					0.4609										
N - BELLSC	OUTH AIN TOOLKIT SERVICE		 		Ì	7,					i					1
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer		 	<u> </u>	BAPVX		8,439.00	8,439.00								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term, Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			-	ВАРТМ		8.64	8.64	10.03	10.03	-					
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		38.06	38.06	15.86	15.86						
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code		<u> </u>		BAPTF		38.06	38.06	15.86	15.86						
-	AIN Toolkit Service - Query Charge, Per Query	 	 	-	15,11	0.0535927		1 22.30	1.2.30	1	1					
	AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit Subscription, Per Node, Per Query					0.0063698					İ					
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06		<u> </u>								1
_	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		一	CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						1
-	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service		-						0.00	0.00						\vdash
+	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		\vdash	CAM	BAPLS	3.73	9.56	9.56			 					1
+-	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	-	-	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08	<u> </u>					
	Service Subscription	<u> </u>	1	CAM	BAPES	0.12	9.56	9.56			 			1	<u> </u>	+-
HANCED E	XTENDED LINK (EELs) : The monthly recurring and non-recurring charges below will	<u> </u>		Cuitab As Is Chara	o will not an	aby for LIME	hinatione	udelened as 1 f	Indiandly Com	hinad' Nahuar	k Flomente	-	 	 	 	+
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurr	ing charges below v	vill apply for	UNE combinat	ions provision	ed as ' Curren	tly Combined'	Network Element	nts.				-	#
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	red DS				40.04	107.50	60.54	42.79	2.81	+	 	-	+	!	+
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	<u> </u>	1 2	UNCVX	UEAL2	12.24 17.40	127.59 127.59	60.54 60.54				$\vdash \vdash$	 	 	 	+
	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3	1		UNCVX	UEAL2	1 17.40	127.59	60.54						+		+

. •-

UNBUNDLE	D NETWORK ELEMENTS - Florida								•					ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Etectronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					1		Nonrec	urring	Nonrecurring	Disconnect	'		oss	Rates (\$)		
			 	-	1	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856				-						
	Interoffice Transport - Dedicated - DS1 combination - Facility															
- 1	Termination per month		l	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					l	
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62						<u> </u>		
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00					ļ	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
					1											
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81					ļ	
	Voice Grade COCI - Per Month		<u> </u>	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00				ļ	 	├
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	DRT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						ļ
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						ļ
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		<u> </u>	UNC1X	1L5XX	0.1856		00.54	72.70	2.01						
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	UITFI	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month		 	UNC1X	MQ1	146.77	101.42	71.62	40.01							
	Voice Grade COCI in combination - per month		1	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00				-		$\overline{}$
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60,54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81					ļ	
	Additional Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00		ļ				
	Nonrecurring Currently Combined Network Elements Switch -As-		1		1		!						1			
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	AIED	DSTIN	TERUFFICE TRANS	SPURI									 		┼
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						<u> </u>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2_	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						<u> </u>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										<u> </u>
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						<u> </u>
	1/0 Channel System in combination Per Month		⊢	UNC1X UNCDX	MQ1 1D1DD	146.77	101.42	71.62 7.08	0.00	0.00		 		-	 	+
	OCU-DP COCI (data) per month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		 	UNCUX	טטוטון	2.10	10.07	1.08	0.00	0.00	 				 	
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1_	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCOX	UDL56	31.56	127.59	60.54	42.79	2.81		<u> </u>				_
	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCt (data) - in combination per month (2.4-		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81					-	
	Additional OCU-DP COCI (data) - in combination per month (2.4-			UNCDX	10100	2.10	10.07	7.08	0.00	0.00						

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
				Ι								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		i		1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEC	004	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEG	OKT	RATE ELEMENTS	m	20,10	DC3	0300			104120 (0)			perLak	perLSK				
		i											1	Electronic-	Electronic-	Electronic-	Electronic-
		}		1		1						1	1	1st	Addʻi	Disc 1st	Disc Add'i
				┝			 	Nonrec		Nonrecurring	Discourses	 	<u> </u>	000	Rates (\$)		
				_			Rec					COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				Ь—				First	Add'I	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	1	Nonrecurring Currently Combined Network Elements Switch -As-										ı	l				1
		Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	PORT	ll					<u> </u>					
						1				l i		1	1			l	1
	i	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81			l			
	···-					1											
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2	UNCOX	UDL64	31.56	127.59	60.54	42.79	2.81	1	l		l		Í.,
-	├──	That would be the property of the contract of		 												T	
I	I	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	l	3	UNCDX	UDL64	55.99	127.59	60.54	42,79	2.81	1	I	l	1	l	1
	⊢	Interoffice Transport - Dedicated - DS1 combination - Per Mile	_	 		1	1 00.03			·		† — —	-			i	
I	I			l	UNC1X	1L5XX	0.1856					I	I	l	l	1	1
<u> </u>	—	Per Month	—	-	U140 IA	1.00	0.1000					 	 	 	 	 	
1	I	interoffice Transport - Dedicated - DS1 combination - Facility		ì	l. II.			474.40	422.40	ا معمدا	17.95	I	I	I	I	I	1
ـــــــ	ــــــ	Termination Per Month		 	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		 	 	_	 	
		1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62			 	—	<u> </u>			
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		↓	UNCDX	10100	2.10	_10.07	7.08	0.00	0.00						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	l	1		1					_	1	l	ŀ	l	l	1
	l	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1													1		l
	1	Interoffice Transport Combination - Zone 2	l	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						l
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1					1								1		f
	ł	Interoffice Transport Combination - Zone 3	1	lз	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81	ı		ľ			(
	 	Additional OCU-DP COCI (data) - in combination - per month		Ť	-	1											
	ł	(2.4-64kbs)	1		UNCDX	10100	2.10	10.07	7.08	0.00	0.00			1			l
	 	Nonrecurring Currently Combined Network Elements Switch -As-	_	 	<u> </u>	1.5.155											
	l	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98			1	l		1
-	EVYEL	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DO	INTER				0.00			0.00		-				
	EXIEN	4-Wire DS1 Digital Loop in Combination - Zone 1	EU U31	IN I GF	UNC1X	TUSLXX	70.74	217.75	121.62	51.44	14.45						
	-		<u> </u>		UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	 	 		 	 	
	<u> </u>	4-Wire DS1 Digital Loop in Combination - Zone 2	<u> </u>		UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	-					
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNCIX	USLAA	1/0.39	217.75	121.02	31,44	14,43	-				-	
	ł	Interoffice Transport - Dedicated - DS1 combination - Per Mile			l <u>-</u>							1	i				1
		Per Month			UNC1X	1L5XX	0.1856								<u> </u>		
	İ	Interoffice Transport - Dedicated - DS1 combination - Facility										ŀ	l				1
	l	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	-					
		Nonrecurring Currently Combined Network Elements Switch -As-				1						1	l	1	l	l	1 -
	i	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		L	L			
	EXTER	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPO	रा											
	1	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217,75	121.62	51.44	14.45						
-	 	First DS1Loop in Combination - Zone 2	\vdash		UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
1	 	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	1					
	 	Interoffice Transport - Dedicated - DS3 combination - Per Mile		┰	1	1	1							1	<u> </u>	i .	
1	l	Per Month	l	1	UNC3X	1L5XX	3.87			[i	1	I	1	I	1
	—	Interoffice Transport - Dedicated - DS3 - Facility Termination per	\vdash	+		1.00.00	5.07				-	i –	1	<u> </u>	 	†	
I	I		l	i i	UNC3X	U1TF3	1.071.00	314,45	130.88	38.60	18.23			1	1	l	1
	ļ	month	ļ	 		MQ3	211.19	199.28	118,64	40.34	39.07	+	-			 	
<u> </u>	\vdash	3/1Channel System in combination per month	 	+	UNC3X				7.08	0.00	0.00	 	 		 		
	<u> </u>	DS1 COCI in combination per month	ļ	-	UNC1X	UC1D1	13.76	10,07	7.08	0.00	0.00	-	ļ	ļ		 	
1	1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	1.	l	l	I		484		ا			I		I	1
		Zone 1	<u> </u>	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	 				ļ	
1	1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	1	I	l								l	1	l	1
1		Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	L					
	Γ	Additional DS1Loop in DS3 Interoffice Transport Combination -									1		l	I	1	l	1
1	1	Zone 3	I	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45					<u> </u>	
	$\overline{}$	Additoinal DS1 COCI in combination per month		$\overline{}$	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					L	
	1	Nonrecurring Currently Combined Network Elements Switch -As-		1													
I	1	Is Charge	l	1	UNC3X	UNCCC		8.98	8.98	8.98	8.98	L		<u> </u>	<u> </u>	<u> </u>	L
$\overline{}$	EXTER	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAI	È INTE			1					1	1	I	l		
\vdash		2-WireVG Loop in combination - Zone 1	1		IUNCVX	IUEAL2	12.24	127.59	60.54	42.79	2.81	1	1	l	1	 	
-	-	2-WireVG Loop in combination - Zone 2	 		UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81	 		i e			
—	+		 		UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	1	t	 	i	—	·
1	1	2-WireVG Loop in combination - Zone 3	L		TOMOAY	10EMLE	JU.07	121,09	UU.34	44.78	2.01			L	L		

. ••

UNBUNDLE	D NETWORK ELEMENTS - Florida								•					ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)	r	
						1,00	First	Add1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53	·					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXTER	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	RT											
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81					L	
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EYTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		10000			4,122								1
- LATE	DS3 Local Loop in combination - per mile per month	1	T	UNC3X	1L5ND	10.92								1		
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1	+	UNC3X	1L5XX	3.87			07,770							
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1,071.00	314,45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFI		10.11000						1					
	STS-1 Local Lolp in combination - per mile per month		T	UNCSX	1L5ND	10.92					Î					
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3.87					ļ				_	
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCSX	UNCCC	, , , , , ,	8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		1						1					
- LA 161	First 2-Wire ISDN Loop in Combination - Zone 1	1	1 1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	First 2-Wire ISBN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	· •					
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	68,44	174.46	122,46	45.61	17.95						
\longrightarrow	Termination per month 1/0 Channel System in combination - per month	 	+	UNC1X	MQ1	146.77	101.42	71.62		,,,,,,	 			 		-
	2-wire ISDN COCI (BRITE) - in combination - per month	\vdash	+	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	T	$\overline{}$	1		l	1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60,60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	\vdash	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00					1	
	month Nonrecurring Currently Combined Network Elements Switch -As-	-	1			3.06	8.98	8.98	8.98	8.98			<u> </u>	i	 	†
	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED OT	2.4 157**	UNC1X	UNCCC	-	8.88	8.98	8.98	6.98	 	 	1 	 		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT First DS1 Loop Combination - Zone 1	ED 915		UNC1X	TUSLXX	70.74	217,75	121,62	51.44	14,45	 	t	t	-		
	First DS1 Loop Combination - Zone 1	-		UNC1X	USLXX	100.54	217.75	121.62		14.45		-				†
	First DS1 Loop Combination - Zone 2	_		UNC1X	USLXX	178.39	217.75	121.62		14.45		 	1	 	-	+

UNBUNDLE	D NETWORK ELEMENTS - Florida								•				Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec First	urring Add'I	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile		├		+		First	Add I	First	AGG I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Per Month		L.	UNCSX	1L5XX	3.87										
1	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITES	1,056.00	314.45	130.88	38.60	18.23						
	3/1 Channel System in combination per month		\vdash	UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07	İ					
	DS1 COCI in combination per month		t e	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217,75	121.62	51.44	14,45						
 	Additional DS1Loop in the same STS-1 Interoffice Transport					100.54										i
	Combination - Zone 3		3	UNC1X	USLXX UC1D1	178.39 13.76	217.75 10.07	121.62 7.08	51.44 0.00	14.45						
	DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-		├—	UNC1X	UCIDI	13.76	10.07	7.08	0.00	0.00						
	Is Charge		<u> </u>	UNCSX	UNCCC		8.98	8.98	8.98	8.98			ļ			
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT														ļ
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81	ļ	ļ				ļ. ———
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81 2.81						-
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0091						<u> </u>	· · · · · · · ·			<u> </u>
\vdash	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Is Charge		<u> </u>	UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS IN									L					ļ
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	<u> </u>		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81 2.81	ļ					<u> </u>
\longrightarrow	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56 55.99	127.59 127.59	60.54	42.79 42.79	2.81						
igwdown	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.01	 		-			
l L	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		ļ	UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	18,44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-					10.44										
	Is Charge	L	<u> </u>	UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSE			LIEALO	45.5-	402.60		42.79	2.81	 					<u> </u>
	First 2-wire VG Loop (SL2) in Combination - Zone 1	<u> </u>		UNCVX	UEAL2 UEAL2	12.24 17.40	127.59 127.59	60.54 60.54	42.79	2.81	+					-
	First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	 					
	First Interoffice Transport - Dedicated - DS1 combination - Per		٦				127.55	00,54	42.75	2.01						
	Mile First Interoffice Transport - Dedicated - DS1 combination -		 	UNC1X	1L5XX	0.1856			├		+					
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	146.77	101.42	71.62	<u> </u>				L	ļ. —		<u> </u>
	Per each Voice Grade COCI - Per Month per month		<u> </u>	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00	 		 			—
\vdash	3/1 Channel System in combination per month		 	UNC3X	MQ3	211,19 13,76	199.28 10.07	118.64 7.08	40.34	39.07 0.00				-		<u> </u>
	Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1	<u> </u>	┼	UNC1X	UC1D1	13./6	10.07	7.08	1 0.00	0.00	 					
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						ļ
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
\vdash	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
1 1			T	1 -												
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month	l	l	UNC1X	1L5XX	0.1856						l	l	<u></u>		
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X UNC1X	1L5XX U1TF1	0.1856 88.44	174.46	122.46	45.61	17.95						

JNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
			L			Rec	Nonrec		Nonrecurring					Rates (\$)		
		L	ļ		<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	l		UNC1X	UNCCC		8.98	8.98	8.98	8.98					i	
CVTC	Is Charge NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EDOEE	ICE TO				0.50	0.80	0.50	0.50						
EXIE	First 4-Wire Analog Voice Grade Local Loop in Combination -	EKUFF	ICE IN	ANSPORTWISTIM	^											1
- 1	Zone 1		1 1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		 	<u> </u>		13,100	12.100									i
1	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -				}									i		
	Zone 3	L	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per				1	ll									ŀ	
	Mile Per Month	├	—	UNC1X	1L5XX	0.1856									<u> </u>	
- 1	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month	l		UNC1X	U1TF1	88,44	174,46	122.46	45.61	17.95					i]
	Per each 1/0 Channel System in combination Per Month		1	UNC1X	MQ1	146.77	101,42	71.62	43.01	17.55						
	Per each Voice Grade COCI in combination - per month	\vdash	1	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						-
-+	3/1 Channel System in combination per month		 	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					ì	
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1													
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81	l					
	Additional 4-Wire Analog Voice Grade Loop in same DS1										1				1	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		١.	l			407.50	60.54	40.70	2.04						
_	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81	<u> </u>				 	
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1	UNC1X	1L5XX	0,1856					1					
_	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	┝	╌	UNCIX	ILSAA	0.1030									1	-
	same 3/1 Channel System per month		!	UNC1X	U1TF1	88,44	174,46	122.46	45.61	17.95	1					
	Additional Voice Grade COCI - in combination - per month			UNCVX	101VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-		1													
	Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		١.	l <u></u>			407.50									
	Zone 1	_	<u> </u>	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81				ļ	 	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	-				ł	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		-	ONCOX	0000	31.50	127.00	50.54	720	2.01					 	
	Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per	 	 													
	Mile Per Month		1	UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 - combination														1	
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each 1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	146.77	101.42	71.62								
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		Ь	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month		┼	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
_	Per each DS1 COCI in combination per month	<u> </u>	₩-	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
ľ	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	ŀ	١.	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<u> </u>	 -	BITODA	100100		127.00	00.04	720						 	
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	ļ					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1		1											
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81					L	
	OCU-DP COCI (data) COCI in combination per month (2.4-				l											
	64kbs)			UNCDX	10100	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	l			41 500				[:	
	Channel System per month	⊢	\vdash	UNC1X	1L5XX	0.1856			ļ						 	
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month	l	1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	1			1		
+	Each Additional DS1 COCI in the same 3/1 channel system		\vdash		15		177.70	122.40	75.51	17.33					 	
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	ı	I		I	1	I

<u>Jnbundl</u>	LED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	_		RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual St Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1160	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Nonrecurring Currently Combined Network Elements Switch -A	s-			l											
	Is Charge	4 111255		UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTER	T	TRANSPURT W/ 3/	IMUX									-		
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81	İ					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	+	<u> </u>	UNCOX	10000		127.55	00.04	120	2.0.						
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	 	一		10000											
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per		T								1				i	
	Mile Per Month			UNC1X	1L5XX	0.1856					<u> </u>				<u> </u>	
	First Interoffice Transport - Dedicated - DS1 combination -		1	l	l					47.05						1
	Facility Termination Per Month		 	UNC1X	U1TF1	88.44 146.77	174.46 101.42	122.46 71.62	45.61	17.95	!					
	Per each Channel System 1/0 in combination Per Month	+	 	UNC1X	MQ1	146.77	101.42	71.02			1					+
	Per each OCU-DP COCI (data) in combination - per month (2.4 64kbs)	-	1	UNCDX	1D10D	2.10	10.07	7.08	0.00	0.00					1	
	3/1 Channel System in combination per month	+	-	UNC3X	MQ3	211,19	199.28	118.64		39.07		-				†
	Per each DS1 COCI in combination per month		\vdash	UNC1X	UC1D1	13.76	10.07	7.08		0.00						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	+	+	UNGIA	100.0.	10.10	10.01	7.00		0.00	t				1	1
	Interoffice Transport Combination - Zone 1	1	1 1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81	l	l .				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1 -									ĺ					
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81	L					<u>i</u>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	1													1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81	ļ				<u> </u>	<u> </u>
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1			1	Ì			1			l	ł		l	1
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00	ļ		ļ	1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1					0.4050					1		}			1
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.1856					 			 	ł	+
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	1		i			1
	Each Additional DS1 COCI in the same 3/1 channel system	+	+	UNCIA	101111	00.44	174.40	122.40	43.01	- 11.50	<u> </u>		·	<u> </u>		
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						1
	Nonrecurring Currently Combined Network Elements Switch -A	S-	+	UNU IX	100.0.	10			· · · · · · · · · · · · · · · · · · ·							1
	Is Charge	-		UNC1X	UNCCC		8.98	8.98	8.98	8.98		ļ				
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	ORT W/ 3	/1 MUX						Ī							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination				Ĭ .						1		ĺ	1	1	
	Transport - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81				ļ	<u> </u>	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		i .			!			l	۱	-		l	1	ł	
	Transport - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		 	 		 	+
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1 -			40.00	407.50	60.60	42.79	2.81	1		-	1	1	
	Transport - Zone 3	-	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	+			 	 	+
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		1	UNC1X	1L5XX	0.1856				İ	1			1	1	
	First Interoffice Transport - Dedicated - DS1 combination -	+	+	UNCIA	1165	0.1030					 			<u> </u>	1	
	Facility Termination per month	1	1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95			1			
	Per each Channel System 1/0 in combination - per month	+-	+-	UNC1X	MQ1	146.77	101,42	71.62			1					
	Volume of the months of the months of the months		1		1											
- 1	Per each 2-wire ISDN COCI (BRITE) in combination - per mont	h I		UNCNX	UC1CA	3.66	10.07	7.08		0.00					<u> </u>	
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64		39.07				ļ		_
	Per each DS1 COCI in combination per month			UNC1X_	UC1D1	13.76	10.07	7.08	0.00	0.00	1			<u> </u>	 	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1 .							J		1]	1	1
	Combination - Zone 1	↓	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81			-	 	1	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	1	1	1	1	1	1
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		+-	UNCHA	TO ILEX	21.40	127.39	60.60	44.78	<u>. 2.01</u>	 	†	 	 		
	Combination - Zone 3	i i	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	1	1		l	1	I
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	Ť		1	1		23,00					1			T
1	system combination- per month	1	1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	1	ı				L

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -
													Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic Disc Add'i
						Rec	Nonrec		Nonrecurring					Rates (\$)		T = ====
							First	Add'i	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		<u> </u>	UNC1X	1L5XX	0.1856										
1 .	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174,46	122.46	45.61	17.95						1
	Each Additional DS1 COCI in the same 3/1 channel system		 													
	combination per month Nonrecurring Currently Combined Network Elements Switch -As-		_	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	 	<u> </u>				
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						<u> </u>
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		ļ	ļ	ļ		└
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856						ļ				
	First Interoffice Transport - Dedicated - DS1 combination -										1		1		1	
	Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07					<u> </u>	├ ──
	Per each DS1 COCI combination per month Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in		╁	UNC1X	1L5XX	0.1856								<u> </u>		-
	same 3/1 Channel System per month		ļ	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	70,74	217.75	121.62	51.44	14,45		·				
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14,45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	178.39	217.75	121.62	51,44	14.45					V	
	Nonrecurring Currently Combined Network Elements Switch -As-		╁			170.33										1
	Is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 (I			UNC1X	UNCCC		8,98	8.98	8.98	8.98	<u> </u>		ļ		 	
	First 4-wire 56 kbps Local Loop in combination - Zone 1	NIERO		TUNCDX	UDL56	22,20	127.59	60.54	42.79	2.81				-		
	First 4-wire 56 kbps Local Loop in combination - Zone 2		1 2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						—
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81				İ		
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091	-									
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		1													<u> </u>
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		┿	UNCDX	U1TD5	18,44	94.70	52.59	50.49	21.53	 	 				
	ts Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98	ļ					<u> </u>
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO									<u> </u>					_
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81 2.81	<u> </u>				<u> </u>	
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64 UDL64	31.56 55.99	127.59 127.59	60.54 60.54	42.79 42.79	2.81			 			
	First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		1 3	UNCDX			127.59	60.54	42.79	2.01	 				<u> </u>	
	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		 	UNCDX	1L5XX	0,0091							-			
	Termination per month		<u> </u>	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53		ļ		<u> </u>		
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	ETWORK ELEMENTS										<u> </u>	_				
When t	used as a part of a currently combined facility, the non-recurr	ng cha	rges d	o not apply, but a	Switch As Is cl	narge does app	oly.				 _	ļ	-			
When u	used as ordinarily combined network elements in All States, ti	ne non	-recurr	ing charges apply a	and the Switch	As is Charge	oes not.				1	 	 	 		
INORREC	surring Currently Combined Network Elements "Switch As Is"		(One	applies to each con	numation)						-	 	 	 		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														

	ED NETWORK ELEMENTS - Florida		1								12 2 .					
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
JAILGON	RATE ELLINEITO	m		000	5555						percan	perLak				
				l									Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add1	Disc 1st	Disc Add'I
							Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		1							I						
- 1	Is Charge - 56/64 kbps		l .	UNCDX	UNCCC		8.98	8.98	8.98	8.98					l	
	Nonrecurring Currently Combined Network Elements Switch -As-															l
	Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98			_			
	Nonrecurring Currently Combined Network Elements Switch -As-									1	1					İ
	ls Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As-										1			!		ĺ
	Is Charge - STS1			UNCSX	UNCCC		8.98	8,98	8.98	8.98				L		
Optio	nal Features & Functions:						l						<u> </u>			
				U1TD1,				ł		L.				l		ĺ
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		01	01	ОІ	01	ļ			ļ		Ь——
ſ		,		U1TD1,	I		l	l	l	l	1		I		l	1
	Clear Channel Capability Super FrameOption - per DS1	1	lacksquare	ULDD1,UNC1X	CCOSF	ļ	01	01	01	Ot	ļ	<u> </u>	ļ			──
I	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	l		l	l		l			1		I	1
	Activity - per DS1	ı		UNC1X, USL	NRCCC		184.92S	23.82S	2.075	0.85	ļ	<u> </u>		 	 	
	I i			U1TD3, ULDD3,	l	1	l	l			1					i
	C-bit Parity Option - Subsequent Activity - per DS3	!		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	os				-		
MULT	TPLEXERS						457.75		Ļ						<u> </u>	
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62		<u> </u>	 				-	├
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				101DD	240	10,07	7.08				1				l
	month (2.4-64kbs) used for a Local Loop			UDL	טטוטון	2.10	10.07	7.08			 			 	-	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per							i							İ	l .
	month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			טודעס	1010D	2.10	10.07	7.08	0.00	0.00	1				ŀ	ł
$-\!$	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	01100	10.00	2.10	10.07	7.00	0.00	0.00	 	1				
	month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08					i	1		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per				100105	5.00	10.07	7.00			†	 				
	month used for connection to a channelized DS1 Local Channel						1						1	1	i	
	in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00				i		
	Voice Grade COCI - DS1 to DS0 Channel System - per month			-	100:00:	- V:50	10.07	1,100			t			·	1	
	used for a Local Loop		1	UEA	1D1VG	1.38	10.07	7.08				i		ļ		
	Voice Grade COCI - DS1 to DS0 Channel System - per month										1			ì		
	used for connection to a channelized DS1 Local Channel in the						i					İ		i		
	same SWC as collocation			UITUC	1D1VG	1.38	10.07	7.08	0.00	0.00	1	ì		L		
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	STS-1 to DS1 Channel System per month			UNXCS	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08								
	DS1 COCI (used for connection to a channelized DS1 Local									1	-					1
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00				↓	Ļ	<u> </u>
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.76	10,07	7.08	0.00	0.00	<u> </u>	<u> </u>		ļ		ـــــــ
	DS3 Interface Unit (DS1 COCI) used with Local Channel per								_			1	1		İ	I
	month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00	<u> </u>		<u> </u>	ļ	ļ	↓
	LOCAL EXCHANGE SWITCHING(PORTS)		$ldsymbol{ldsymbol{\sqcup}}$		ļ	ļ	ļ	<u> </u>	ļ	ļ	 	<u> </u>	 	ļ	ļ	₩
Exchi	inge Ports			<u> </u>	<u> </u>	<u> </u>	L		<u> </u>	<u> </u>	 	 	<u> </u>	ļ		—
	: Although the Port Rate includes all available features in GA, I	Y, LA	TN, t	ne desired features	will need to b	oe ordered usi	ng retail USOC	8	ļ	L			-	 		
2-WiF	E VOICE GRADE LINE PORT RAYES (RES)			. renon	1		 	—	1.88	1.80	+	ļ	 		 	
$-\!\!+\!\!\!-$	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		\vdash	 	 		
i	Funkasian Bada - D. Millan Anadar 13 Bada - W. Gallania - San			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80			ł		l	1
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		\vdash	UEFOR	UEPRU	1.40	3.74	3.63	1.00	1.80	 	 				
	Suphanas Bada 2 Wiles Apples Lies Bad autorics acts: Bas			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80	1	1	I	1	Į.	1
\longrightarrow	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEFOR	JUEPRU	1.40	3.74	3.63	1.00	1.80		\vdash	 	 	 	
1	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80	1	Ī	I	1	1	1
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area		\vdash	UEFOR	UEFAF	1,40	3.74	3.63	1.00	1.80	<u> </u>	 	 	 		†
	Calling Plan, without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80			1	I		I
	Exchange Ports - 2-Wire VG unbundled Florida extended			ULFOR	JUEFRE	1.40	3.74	3.63	1.00	1.00	 	 	†	 	 	
			1	l	1	مه ا	3.74	3.63	1.88	1.80		1		1	1	1
I	Idiation and for use with CREX7 and Calter ID															
	dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended			UEPSR	UEPA1	1,40	3.74	3.00	1.00	1.50	† 			1		

INDIINDI F	ED NETWORK ELEMENTS - Florida									 			Attach	ment: 2	Exhi	bit: A
JABOADEE	ED NETWORK ELEMENTS - Florida	$\overline{}$	1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		1		ļ								Submitted		Charge -	Charge -	Charge -
		l					•				Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
	DATE EL CALEATO	Interi		BCS	usoc			RATES (\$)								
CATEGORY	RATE ELEMENTS	l m	Zone	BCS	USUC			KATES (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				Į.								1	Electronic-	Electronic-	Electronic-	Electronic-
		ı										l	1st	Add1	Disc 1st	Disc Add'i
		<u> </u>							T			L		D-1 (6)		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
]					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1							1			1				
	with Caller ID (LUM)	l		UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80			_			
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability	ł		UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80	l	l				
	Subsequent Activity	1		UEPSR	USASC	0.00	0.00	0.00			1					
FEAT		t	_				-									I
- 100	All Available Vertical Features	-	+	UEPSR	UEPVF	2.26	0.00	0.00	i		1					
2 1477	E VOICE GRADE LINE PORT RATES (BUS)	 	+	OCT OIL	102, 1.	2.20	0.00		 		1	\vdash	-			i i
2-4414	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	╁	+		-						1					
		1		uccen	UEPBL	1,40	3.74	3.63	1.88	1.80	l .	l	!			{
	Bus	-	-	UEPSB	UEPBL	1.40	3.74	3.63	1.00	1.00	+			1		
1	Exchange Ports - 2-Wire VG unbundled Line Port with	I	1			ا ـ ـ ـ ا			1.88	1.80	1	I	l	l	I	1
	unbundled port with Caller+E484 ID - Bus.	-	╄	UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80	 	— —			 	├──
1		I	i	1	l]		l	1	l	l	1	l	1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80	_		ļ		ļ	
	Exhange Ports - 2-Wire VG unbundled incoming only port with	I	1		1				1	l .	1	l	l	1	I	1
1	Caller ID - Bus	<u></u>	<u>L</u>	UEPSB	UEPB1	1,40	3.74	3.63	1.88	1.80	<u> </u>			L	Ļ	Ļ
	2-Wire voice unbundled Incoming Only Port without Caller ID										1				Į.	1
l	Capability	1	1	UEPSB	UEPBE	1.40	3.74	3.63		1.80					(
	Subsequent Activity		1	UEPSB	USASC	0.00	0.00	0.00		_						l
FEAT		-	1		 											
	All Available Vertical Features	 	1	UEPSB	UEPVF	2.26	0.00	0.00	İ		1			1		1
EVCH	ANGE PORT RATES (DID & PBX)	†	+	00.00	J					l	1		1		T -	
EXCH	2-Wire VG Unbundled 2-Way PBX Trunk - Res	 	+-	UEPSE	UEPRD	1.40	39.06	18.18	12.35	0,7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	 	+	UEPSP	UEPPC	1.40	39.06	18.18		0.7187						<u> </u>
$\!\!\!+\!\!\!-$	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		+	UEPSP	UEPPO	1,40	39.06	18.18		0,7187	 			f		
		├	+-	UEPSP	UEPP1	1.40	39.06	18.18		0.7187	1			 		1
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	-	+	UEPSP	UEPLD	1.40	39.06	18.18		0.7187	1			 	 	†
$\!\!+\!\!-\!\!-$	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	-	┼		UEPLD	1.40	39.06	18.18		0.7187					 	1
	2-Wire Voice Unbundled PBX LD Terminal Ports	ļ	—	UEPSP						0.7187	+	-		· · · · · · · · · · · · · · · · · · ·	<u> </u>	
	2-Wire Vice Unbundled 2-Way PBX Usage Port	<u> </u>	↓	UEPSP	UEPXA	1.40	39.06	18.18			-			 	 -	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>		UEPSP	UEPXB	1.40	39.06	18.18		0.7187				 	<u> </u>	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18		0.7187	ļ					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<u> </u>		UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187				ļ		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1		i l	1	1		1							
	Capable Port	i	1 _	UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187	1			ļ <u>.</u>		ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										1		ŀ		1	
	Administrative Calling Port	i	1	UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187	1			l		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1		†		ĺ		T T							•
	Room Calling Port	1	1	UEPSP	UEPXM	1.40	39.06	18,18	12.35	0.7187			1	l		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	+-	1	† *****	t	1 25.35	1	 	1	1		1	Γ	1	1
1		1	1	UEPSP	UEPXO	1.40	39.06	18.18	12.35	0,7187	1		1	i	1	1
\longrightarrow	Discount Room Calling Port	+	+	UEPSP	UEPXS	1,40	39.06	18.18		0.7187	 		 			1
$-\!\!\!\!-\!\!\!\!\!-$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	+	+-			0.00	0.00	0.00			+		 -	 	†	
	Subsequent Activity	-	-	UEPSP	USASC	0.00	0.00	0.00		 	+		 		 	
FEAT		₩	-		1	L			+	 	+	 		+	 	
	All Available Vertical Features	ــــــ	-	UEPSP UEPSE	UEPVF	2.26	0.00	0.00			 	 		 	├ ──	+
EXCH	ANGE PORT RATES (COIN)				Ь——	<u> </u>	L		 	L	 	 		 		
	Exchange Ports - Coin Port		1	1		1.40	3.74	3.63	1.88			L			 	+
NOTE	: Transmission/usage charges associated with POTS circuit s	witched	d usage	will also apply to c	ircuit switche	ed voice and/or	r circuit switch	ed data transr	mission by B-C	hannels assoc	iated with 2	-wire ISDN	ports.		<u> </u>	+
NOTE	: Access to B Channel or D Channel Packet capabilities will be	e availa	ble on	y through BFR/New	Business Re	quest Process	. Rates for the	packet capab	ilities will be d	etermined via	the Bona Fi	de Request	New Busines	s Request Pr	DCESS.	
JNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)	I									1			ļ	<u> </u>	1
EXCH	ANCE DODY DATES	T	T		I					1	1			L		
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	t in thi	s rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shal	revert to ta	riff rates or	a separate a	reement.		
The D		after th	e effec	tive date of this ame	ndment shall	be provided n	ursuant to a se	eparate agreer	nent or tariff at	BellSouth's	discretion.					
The D	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports			Incorr.	UEPP2	8.73	78,41	15.82	41.94	4.26	1					
The D	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports [Exchange Ports - 2-Wire DID Port	T	1	IUEPEX					+	1						1
The D	Exchange Ports - 2-Wire DID Port		┼	UEPEX	102112				1	1	1		1		1	
The D	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DiD		 			54.05	151 11	77 75	48.81	3.10			1		:	1
The D	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	54.95	151.11 46.83	77.75 50.68		3.10 11.93					:	
The D	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DiD capability (E:441/2004) Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPDD UEPTX, UEPSX	UEPDD U1PMA	8.83	46.83	50.68	27.64						:	
The D	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD				27.64						:	

NBU	NDLE	D NETWORK ELEMENTS - Florida								•					ment: 2		bit: A
			Interi		200				RATES (\$)	-		Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc		Charge Manual S
ATEG	ORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (3)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electroni Disc Add
		• • •		—			9	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fic	le Request/	New Busines	s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)			•	1											I
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911										· ·					
	ŀ	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23	ļ					L
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	82.74	174.61	95.17	49.80	18.23						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77	L					1
		Virtual collocation - Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	7.50	155.00	14,00								
	Detaile	d E911 with Locator Capability (required with UEPEX port)														ļ	——
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911													Į	1	
		Locator Capability - Initial Profile Establishment per CLEC per	l	1													
		State	!	<u> </u>	UEPEX	UEP1A	0.00	1,809.00		151,12		ļ			<u> </u>	 	₩
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1						ł		l						1
		Locator Capability - Subsequent Profile Changes, Additions,	Ī	1	l	l			1								1
		Detetions	L	<u> </u>	UEPEX	UEP1B	0.00	175.66				ļ			ļ		
_		Additional PRI Telephone Numbers	<u> </u>	<u> </u>							ļ	ļ					—
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	ł									ł					i
		Locator Capability 2-way Telephone Numbers, per number in										i					i
_		E911 profile [New or Additional]	<u> </u>	├	UEPEX	UEP1C	0.0699	0.5412						-	 	 	
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	İ	1			ŀ						ł				1
		Locator Capability - Outdial Telephone Numbers, per number in	l					12.71	12.71			ł					1
_		E911 profile [New or Additional]		<u> </u>	UEPEX	UEP1D	0.0699	12.71	12.71			<u> </u>			 		+
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	ŀ	i									1		1	1	
		Telephone Numbers - Inward Data Only Option [New or	!	ł	LIEDOV	UEDIE	0.00	0.5412					l		1		
		Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	 		UEPDX	UEP1E	0.00	0.5412		-		<u> </u>			 	 	
ļ		Inward Tel Numbers [Customer Testing Purposes]	1	l .	UEPEX	PR7ZT	0.00	25.42	25.42		ļ	1	l	ĺ			l
-	LOCAL	NUMBER PORTABILITY	_	! 	OEFEX	FRIZI	0.00	20.72	20.42		-	 				<u> </u>	$\overline{}$
_		Local Number Portability (1 per port)	_	 	UEPEX UEPDX	LNPCN	1,75					1	i	· · · · · · · · · · · · · · · · · · ·		Ť .	<u> </u>
		ACE (Provisioning Only)		 	DEI CK DEI DK							İ			1		
-		Voice/Data		 	UEPEX	PR71V	0.00	0.00	0.00								1
-		Digital Data	 	t	UEPEX	PR71D	0.00	0.00	0.00			i			i		
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
\neg		Additional Channel	 	$\overline{}$									1		I	1	
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48									
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	15.48							1		Ι
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48									
\neg		New or Additional Useage Sensitive Voice Data "B" Channel		1	UEPEX	PR7BS	0.00										
		New or Additional Useage Sensitive Digital Data "B" Channel		1	UEPEX	PR7BU	0.00										
		New or Additional PRI "D" Channel		1	UEPEX	PR7EX	0.00	15.48									
	CALL 1																\perp
		Inward	L		UEPEX UEPOX	PR7C1	0.00	0.00	0.00								1
П		Outward			UEPEX	PR7CO	0.00	0.00	0.00						<u> </u>	ļ	
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00						<u> </u>	<u> </u>	↓
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY													<u> </u>		1
	UNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE								<u> </u>		<u> </u>		<u> </u>	<u> </u>		
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80		ļ		 	<u> </u>	₩
						l						1	l		1		1
		Unbundled Remote Call Forwarding Service, Local Calling - Res	L	Ь	UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80		-			 	+
_		Unbundled Remote Call Forwarding Service, InterLATA - Res		—	UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80			 	+		+
_		Unbundled Remote Call Forwarding Service, IntraLATA - Res	<u> </u>	₩	UEPVR	UERTR	1,40	3.74	3.63	1.88	1.80				+		+
_	Non-Re	curring	<u> </u>	₩-	<u> </u>		ļ		ļ			 			+	-	+
- 1		Unbundled Remote Call Forwarding Service - Conversion -	ļ	1						Į.	1			l		1	1
_		Switch-as-is			UEPVR	USAC2		0.102	0.102	1	 -	+	 	 	 	+	+
		Unbundled Remote Call Forwarding Service - Conversion with	1	I	lucas e	USACC	l	0.102	0.102	1				1	l .		1
	111/2011	allowed change (PIC and LPIC)			UEPVR	USACC	 	0.102	0.102	 	1	 	 	 	 		+
_	UNBUN	DLED REMOTE CALL FORWARDING - Bus	⊢	1-	 	 	 	 	 	1	 	+		 	 	 	+
			ı	i	UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80	1	I	I	1	ı	1

	ETWORK ELEMENTS - Florida				.,									ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
		-	-		+		Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
			_		+	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		 	 			 	1,,,,,	Aug I	1	- Auu /	0020		- COMPAN		- OGMIZAR	00.117.11
Lian	undled Remote Call Forwarding Service, Local Calling - Bus		l	UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80						
	undled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1,40	3.74	3.63	1.88	1.80						
	undled Remote Call Forwarding Service, IntraLATA - Bus	-	_	UEPV8	UERTR	1.40	3.74	3.63		1.80						
	undled Remote Call Forwarding Service Expanded and		_	OCI VO			<u> </u>									
	eption Local Calling		l	UEPVB	UERVJ	1,40	3.74	3.63	1.88	1,80						
Non-Recurri					+											
	undled Remote Call Forwarding Service - Conversion -				 											
	ch-as-is	i	l	UEPVB	USAC2		0.102	0.102								
	undled Remote Call Forwarding Service - Conversion with				1											
	wed change (PIC and LPIC)		Į.	UEPVB	USACC		0.102	0.102	1		l					
	AL SWITCHING, PORT USAGE	-	1		T	· · · · · · · · · · · · · · · · · · ·										
	Switching (Port Usage)	-	 				-									
	Office Switching Function, Per MOU	 	\vdash			0.0007662					ì					
	Office Trunk Port - Shared, Per MOU	t				0.000164			i		i					
	vitching (Port Usage) (Local or Access Tandem)		\vdash													
	dem Switching Function Per MOU				+	0.0001319	i i					i .				
	dem Trunk Port - Shared, Per MOU		 		 	0.000235			<u> </u>							
	dem Switching Function Per MOU (Melded)	_	 		+	0.000027185					<u> </u>					
	dem Trunk Port - Shared, Per MOU (Melded)	\vdash			1	0.000048434										
	ded Factor: 20.61% of the Tandem Rate	_			1	0.0000										
Common Tr						t										
	nmon Transport - Per Mile, Per MOU		 		 	0.0000035			t							
	nmon Transport - Facilities Termination Per MOU	_	1		+	0.0004372										
UNDUNDI ED BORT	T/LOOP COMBINATIONS - COST BASED RATES		 		+	0.000 1012										
Cost Bread	Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to p	rovide Unbun	dled Local Swi	tching or Swite	h Ports.								
Eastures sh	nall apply to the Unbundled Port/Loop Combination - Cos	t Basec	Rate	ection in the same	manner as th	ev are applied	to the Stand-A	one Unbundi	ed Port section	of this Rate E	xhibit.					
Fod Office 6	and Tandem Switching Usage and Common Transport Us	sage rat	es in t	e Port section of t	his rate exhib	it shall apply to	all combination	ons of loop/po	rt network ele	nents except	or UNE Col	n Port/Loop	Combination	15.		
The first and	d additional Port nonrecurring charges apply to Not Curr	rently C	ombin	d Combos. For Cu	rrently Comb	ined Combos t	he nonrecurrin	o charges sha	l) be those ide	tified in the N	onrecurring	- Currently	Combined a	ections.		
	ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1	1		1	T			1							
	oop Combination Rates	 	t													
	fire VG Loop/Port Combo - Zone 1		1			10.94			i							
	fire VG Loop/Port Combo - Zone 2		2													
	fire VG Loop/Port Combo - Zone 3	\vdash				15.05										
			3			15.05 25.80					-					
I IINE Loop E	Betas	-	3			15.05 25.80										•
UNE Loop F				LIEPRY	LIFPLX	25.80					-					•
2-W	fire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	25.80 9.77										
2-W	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2		1 2	UEPRX	UEPLX	25.80 9.77 13.88					-					•
2-Wi 2-Wi 2-Wi	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3		1 2			25.80 9.77					-					
2-Wi 2-Wi 2-Wire Voice	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 se Grade Line Port Rates (Res)		1 2	UEPRX UEPRX	UEPLX UEPLX	9.77 13.88 24.63	53.31	26.46	27.50	8 37	-					
2-Wire Volc 2-Wire 2-Wire 2-Wire Volc	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 se Grade Line Port Rates (Res) fire voice unbundled port - residence		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	9.77 13.88 24.63	53.31	26.46 26.46	27.50	8.37	-					
2-Wire Voic 2-Wire 2-Wi	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 se Grade Line Port Rates (Res) fire voice unbundled port - residence fire voice unbundled port with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	25.80 9.77 13.88 24.63 1.17	53.31	26.46	27.50	8.37	-					•
2-Wire Volc 2-Wire 2-Wi	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 se Grade Line Port Rates (Res) fire voice unbundled port - residence		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	9.77 13.88 24.63					-					
2-W 2-W 2-W 2-W re Volc 2-W 2-W	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 se Grade Line Port Rates (Res) fire voice unbundled port - residence fire voice unbundled port with Caller ID - res fire voice unbundled port outgoing only - res		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	25.80 9.77 13.88 24.63 1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	-					
2-Wi 2-Wi 2-Wire Voic 2-Wi 2-Wi 2-Wi 2-Wi	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 se Grade Line Port Rates (Res) fire voice unbundled port - residence fire voice unbundled port outgoing only - res fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	25.80 9.77 13.88 24.63 1.17	53.31	26.46	27.50	8.37						
2-Wine Voic 2-Wine	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice unbundled port - residence fire voice unbundled port with Caller ID - res fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundles Florida Area Calling with Caller ID - res fire voice unbundles res, low usage line port with Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37			•			
2-Wi 2-Wi 2-Wire Volc 2-Wire Volc 2-Wi 2-Wi 2-Wi 2-Wi 2-Wi (LU	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Grade Loop (SL1) - Zone 3 fire voice unbundled port - residence fire voice unbundled port with Caller ID - res fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundles res, low usage line port with Caller ID M)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37	-		-			
2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc.	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Unbundled porl - residence fire voice unbundled porl - residence fire voice unbundled porl outgoing only - res fire voice unbundled porl outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida Area Calling with Caller ID my fire voice unbundled Florida extended dialing with Caller ID fire voice unbundled Florida extended dialing with Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Unbundled port - residence fire voice unbundled port outgoing only - res fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida extended dialing with Caller ID M) fire voice unbundled Florida extended dialing with Caller ID fire voice unbundled Florida extended dialing with Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37			-			•
2-Wire Voic 3-Wire Voic 3-Wire Voic 4-Wire	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Grade Loop (SL1) - Zone 3 fire voice unbundled port - residence fire voice unbundled port with Caller ID - res fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida axea Calling with Caller ID M) fire voice unbundled Florida extended dialing with Caller ID fire voice unbundled Florida extended dialing port without ler ID capability		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37			•			
2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc. 2-Wire Volc.	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Unbundled port - residence fire voice unbundled port - residence fire voice unbundled port outgoing only - res fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida Area Calling with Caller ID my fire voice unbundled Florida extended dialing with Caller ID fire voice unbundled Florida extended dialing port without fire voice unbundled Florida extended dialing port without fire voice unbundled Florida Area Calling Port without Caller fire voice unbundled Florida Area Calling Port without Caller		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAF UEPAB	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2-Wire Voic 2-Wire	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Unbundled port of the Voice Unbundled port of the Voice Unbundled port of the Voice Unbundled port of the Voice Unbundled port of Unbundled port of Unbundled Florida Area Calling with Caller ID - res fire voice Unbundled Florida Area Calling with Caller ID - res fire voice Unbundled Florida extended dialing with Caller ID fire voice Unbundled Florida extended dialing port without for Unbundled Florida Area Calling Port without Caller Lapability		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37			-			•
2-Wire Voice 2-Wir	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Description of the Voice of the Voice Unbundled port - residence fire voice unbundled port outgoing only - res fire voice unbundled Forda Area Calling with Caller ID - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida extended dialing with Caller ID M) fire voice unbundled Florida extended dialing port without fire Voice unbundled Florida Area Calling Port without Caller ID capability fire voice unbundled Florida Area Calling Port without Caller Capability fire voice unbundled Low Usage Line Port without Caller ID fire voice unbundled Low Usage Line Port without Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPAB UEPA8	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37			-			
2-W 2-Wire Voice 2-Wire Voice 2-W 2-W 2-W 2-W 2-W 2-W 2-W 1-D 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W 2-W	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Unbundled port - residence fire voice unbundled port - residence fire voice unbundled port outgoing only - res fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida extended dialing with Caller ID M) fire voice unbundled Florida extended dialing with Caller ID fire voice unbundled Florida extended dialing port without ler ID capability fire voice unbundled Florida Area Calling Port without Caller Capability fire voice unbundled Florida Area Calling Port without Caller Capability		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAF UEPAB	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2-Wire Voic 3-Wire Voic 4-Battures	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Orade Loop (SL1) - Zone 3 fire voice unbundled port - restdence fire voice unbundled port outgoing only - res fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida Area Calling with Caller ID fire voice unbundled Florida extended dialing with Caller ID fire voice unbundled Florida extended dialing port without fer ID capability fire voice unbundled Florida Area Calling Port without Caller Capability fire voice unbundled Florida Area Calling Port without Caller Capability fire voice unbundled Low Usage Line Port without Caller ID sability		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAF UEPAB UEPAB UEPAB UEPAB	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37			-			•
2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wir	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Unbundled port Rates (Res) fire voice unbundled port - residence fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida extended dialing with Caller ID M) fire voice unbundled Florida extended dialing port without fer ID capability fire voice unbundled Florida Area Calling Port without Caller Capability fire voice unbundled Low Usage Line Port without Caller ID sability Features Offered		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAF UEPAB UEPA8 UEPA9	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37			-			
2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 3-Wir	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Unbundled port - residence fire voice unbundled port - residence fire voice unbundled port outgoing only - res fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida extended dialing with Caller ID M) fire voice unbundled Florida extended dialing with Caller ID fire voice unbundled Florida extended dialing port without fer ID capability fire voice unbundled Florida Area Calling Port without Caller Capability fire voice unbundled Florida Area Calling Port without Caller Capability fire voice unbundled Low Usage Line Port without Caller ID sability Features Offered MBER PORTABILITY		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAB UEPAB UEPAB UEPAB UEPAB UEPAB	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2-Wire Voic 2-Wire	fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 2 fire Voice Grade Loop (SL1) - Zone 3 fire Voice Unbundled port Rates (Res) fire voice unbundled port - residence fire voice unbundled port outgoing only - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida Area Calling with Caller ID - res fire voice unbundled Florida extended dialing with Caller ID M) fire voice unbundled Florida extended dialing port without fer ID capability fire voice unbundled Florida Area Calling Port without Caller Capability fire voice unbundled Low Usage Line Port without Caller ID sability Features Offered		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAF UEPAB UEPAB UEPAB UEPAB	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37			-			

IINBLIND	ED NETWORK ELEMENTS - Florida								•				Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zone	BCS	usoc		Nonrec	RATES (\$)	Nonrecurring	Discount		Submitted	Manual Svc Order vs. Electronici- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge -	Charge -
			-			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The second secon	├──	_				rirat	AGGT	FHSt	Augi	SOMEC	JUMAN	JUMAN	JOMAN	JOHAN	JOHAN
i I	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	ľ		UEPRX	USAC2	1	0.102	0.102								
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	├	UEFRA	USACZ		0.102	0.102								
i 1	Switch with change	Ì		UEPRX	USACC	l i	0.102	0.102			1					
- 485	NTIONAL NRCs		 	OLI TOX	100,100		002	0.102								†
AUU	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		-		i					-	i					
i I	Activity	1	1	UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		t —		-	1										
1 1	Premise		i	UEPRX	URETL		8.33	0.83			i					
OFF	ON PREMISES EXTENSION CHANNELS															
- 10:1:	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop - Design			UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01		L				
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop - Design			ÜEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
INTE	EROFFICE TRANSPORT			i												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1														
1 1	Termination	l		UEPRX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		$\overline{}$								1					
4 I	or Fraction Mile	l	i	UEPRX	U1TVM	0.0091	0.00	0.00		_	l					
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1		1	10.94					L					
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05									ļ	ļ
	2-Wire VG Loop/Port Combo - Zone 3		3		L	25.80										<u> </u>
UNE	E Loop Rates				<u> </u>							ļ				<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPBX	UEPLX	9.77			ļi			L				└
	2-Wire Voice Grade Loop (SL1) - Zone 2	L		UEPBX	UEPLX	13.88					ļ <u> </u>					├
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63					ļ				<u> </u>	
2-W	fire Voice Grade Line Port (Bus)		L			L					 					├ ──
	2-Wire voice unbundled port without Caller ID - bus	<u> </u>	Ļ	UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37 8.37						
	2-Wire voice unbundled port with Caller + E484 ID - bus		⊢	UEPBX	UEPBC	1.17	53.31	26.46	27.50			1				├
	2-Wire voice unbundled port outgoing only - bus		<u> </u>	UEPBX	UEPBO	1.17	53.31	26.46	27.50 27.50	8.37 8.37						
	2-Wire voice unbundled incoming only port with Caller ID - Bus		 	UEPBX	UEPB1	1,17	53.31	26.46	27.50	8.37					 	+
	2-Wire voice unbundled Incoming Only Port without Caller ID	İ			L.EDDE	1.17	53.31	26.46	27.50	8.37						
\bot	Capability	1	—	UEPBX	UEPBE	1.17	33.31	20.40	27.50	0.37						
LOC	CAL NUMBER PORTABILITY	-	├ ─	LICORY	LIDOY	0.35			-							†
	Local Number Portability (1 per port)	₩	\vdash	UEPBX	LNPCX	U.35					 				 	
FEA	ATURES	├	\vdash	UEPBX	UEPVF	2.26	0.00	0.00	 		 			<u> </u>	 	
	All Features Offered	₩	\vdash	JUCFOX	DEF VP	2.20	0.00	0.00			 			.	 	
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	+		 						1			 	 	
1 1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	UEPBX	USAC2		0.102	0.102	}	l	1		ľ	ŀ		
\vdash	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	-	OEF BA	JOSHUE	 	0.102	5,102		-	1			 	 	
1 1		1	1	UEPBX	USACC	1	0.102	0.102		l	1					1
 	Switch with change	 	+-	Julius	30,000		0.102	0.102	i —					 	· · · · · · · · · · · · · · · · · · ·	
ACE	DITIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 	+	 	 	1			 		1	-		1		<u> </u>
1 1	Activity	i	1	UEPBX	USAS2		0.00	0.00		l	1		l			I
 	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	+-	1	† -									1	1	1
1	Premise	1	1	UEPBX	URETL		8.33	0.83		l						
L CEI	F/ON PREMISES EXTENSION CHANNELS	 	T		1				1						I	
	2 Wire Analog Voice Grade Extension Loop - Non-Design	 	1 1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
 	2 Wire Analog Voice Grade Extension Loop - Non-Design	\vdash		UEPBX	UEAEN	15.20	49.57	22.83		6.57						
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						
 	2 Wire Analog Voice Grade Extension Loop - Design			UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
		1		UEPBX	UEAED	17,40	135.75	82.47	63.53	12.01						
\vdash	12 Wire Anglog Voice Grace Extension Loop - Design															
F	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Charge -
													1st	Add'i	Disc 1st	Disc Add'l
						Rec		curring		g Disconnect				Rates (\$)		
			<u> </u>	ļ <u>-</u>	+		First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								ĺ
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)				1						1					
	ort/Loop Combination Rates				1						1					
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94					i					
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										Í
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63	•									
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73		1				
LOCA	L NUMBER PORTABILITY				Ì					1		İ				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT				_									İ			ĺ
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00								ĺ
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															Ĺ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		8.45	1,91								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
OFFIC	ON PREMISES EXTENSION CHANNELS	 	+	-	- OKETE		0.00	0.00								
- OFFIC	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01				 		-
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47		12.01						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47		12.01						
	Non-Wire Direct Serve Channel Voice Grade	_	1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54	ì					
-	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54	1					$\overline{}$
INTER	ROFFICE TRANSPORT		1													$\overline{}$
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	25.32	47,35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	UITVM	0.0091	0.00	0.00					_			
2 14/11	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	\vdash	 	<u> </u>	1	0.0001	V.50	5.50		 			_ <u> </u>			
	Port/Loop Combination Rates	_	1		 				<u> </u>							
OILE I	2-Wire VG Loop/Port Combo - Zone 1	—	1 1		<u> </u>	10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2		1	15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3		1	25.80				1						
UNE	Loop Rates	 	1	1	T											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77								[
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88										
 	2-Wire Voice Grade Loop (St. 1) - Zone 3		3	UEPPX	UEPLX	24.63				L						
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)									L						
1 1 1 1 1							. 474.54	400.55		40	1				:	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	₩	UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73				ļ		
	Line Side Unbundled Outward PBX Trunk Port - Bus		₩-	UEPPX	UEPPO UEPP1	1.17	174.81 174.81	100.65 100.65	75.88	12.73						
	Line Side Unbundled Incoming PBX Trunk Port - Bus	L-	↓	UEPPX		1.17				12.73						
: I	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73	1		L	L	L	

UNBUNDLED NETW	VORK ELEMENTS - Florida								•			<u>, </u>		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Etectronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'i
												L			0130 131	Disc Add I
					ļ	Rec	Nonrec			Disconnect				Rates (\$)		
					112514		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire V	oice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81 174.81	100.65 100.65		12.73					<u> </u>	
2-Wire Vo	oice Unbundled PBX Toll Terminal Hotel Ports		L	UEPPX	UEPXB	1.17				12.73			ļ			
2-Wire Vi	oice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65		12.73			<u> </u>			—
	oice Unbundled PBX LO Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						
Capable				UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
	oice Unbundled 2-Way PBX Hotel/Hospital Economy trative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73				_		l
	oice Unbundled 2-Way PBX Hotel/Hospital Economy alling Port			UEPPX	UEPXM	1,17	174,81	100.65	75.88	12.73						
2-Wire V	oice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	t Room Calling Port		<u> </u>	UEPPX UEPPX	UEPXO	1.17	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73	 					
	roice Unbundled 1-Way Outgoing PBX Measured Port R PORTABILITY			UEFPA	UEPAS	1.17	174.81	100.00	/3.88	12.73	-					\vdash
	umber Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES	The state of the s															
All Featu	ires Offered			UEPPX	UEPVF	2.26	0.00	0.00								
NONRECURRING	G CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire V	/oice Grade Loop/ Line Port Combination (PBX) - ion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	/oice Grade Loop/ Line Port Combination (PBX) - ion - Switch with Change			UEPPX	USACC		8.45	1.91								
ADDITIONAL NE					1					l						
2-Wire V	/oice Grade Loop/ Line Port Combination (PBX) - uent Activity			UEPPX	USAS2	0.00	0.00	0.00								
PBX Sub Group	bsequent Activity - Change/Rearrange Multiline Hunt						7.86	7.66								
	led Miscellaneous Rate Element, Tag Loop at End User			UEPPX	URETL		8.33	0.83								
	SES EXTENSION CHANNELS		 					-								
	hannel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
	hannel Voice grade, per termination			UEPPX	P2JHX	17,40	135.75	82.47	63.53	12.01						(
Local Ch	hannel Voice grade, per termination			UEPPX	P2JHX	30.87	135.75	82.47		12.01						
	re Direct Serve Channel Voice Grade			UEPPX	SDD2X	12.92	120.38	43.56		10.54		_				
	re Direct Serve Channel Voice Grade			UEPPX	SDD2X	18.36	120.38	43.56		10.54						
	re Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
INTEROFFICE 1		L	 		_				ļ	ļ	 	L				
Termina			<u></u>	UEPPX	U1TV2	25.32	47.35	31.78			<u> </u>					
or Fracti				UEPPX	U1TVM	0.0091	0.00	0.00								
	GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	₹Т	\perp		<u> </u>				L		<u> </u>					
	Combination Rates	L	ļ		1				 _	ļ						
2-Wire V	/G Coin Port/Loop Combo - Zone 1		1		4	10.94				ļ						
	/G Coin Port/Loop Combo - Zone 2	L	2		 	15.05				ļ	<u> </u>					
	/G Coin Port/Loop Combo - Zone 3	├	3		+	25.80				 	 					
UNE Loop Rate		├	+-	UEPCO	UEPLX	9,77			\vdash	-	 					
	Voice Grade Loop (SL1) - Zone 1	\vdash	1 2	UEPCO	UEPLX	13.88					 					
	Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3	\vdash		UEPCO	UEPLX	24.63		-			 					\vdash
	rade Line Ports (COIN)	\vdash	+ *	00,00	70.0	24.03					 					
2-Wire C	Coin 2-Way with Operator Screening and Blocking: 011, i, 1+DDD (FL)			UEPCO	UEP2F	1,17	53.31	26.46	27.50	8.37						· · · · · · · · · · · · · · · · · · ·
2-Wire C	coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPFA	1,17	53.31	26.46	27.50	8.37						
	Coin 2-Way with Operator Screening and Blocking:	\vdash	\vdash		1											
900/976 2-Wire 0	6, 1+DDD, 011+, and Local (FL) Coin Outward with Operator Screening and 011 Blocking	\vdash	\vdash	UEPCO	UEPCG	1.17	53.31	26.48	27.50	8.37						— —
(AL, FL))		<u> </u>	UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37						

UNBUNDLE	D NETWORK ELEMENTS - Florida										,			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec		curring	Nonrecurring					Rates (\$)		
			<u> </u>		\bot		First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPCO	1.17	53.31	26.46	27.50	8.37						
	900/976, 1+DDD, 011+, and Local (FL, GA) 2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37	 	 				
	2-Wire Coin Outward Smartline with 900/976 (all states except	-	 	I DEF CO	OCT OR		35.51	20.40	21.50	0.07	 					
	LA)		i	UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37		ļ				ļ
Appit	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
LOCAL	NUMBER PORTABILITY										T					
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRI	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						•									
	Switch-as-is			UEPCO	USAC2		0,102	0.102			ļ					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		l _	l											ì	1
	Switch with change			UEPCO	USACC		0.102	0.102			ļ					
ADDIY	IONAL NRCs			ļ												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00				ł				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEBOO	URETL		8.33	0.83								
	Premise	1	L COT	UEPCO	UKEIL		6.33	0.83			 					
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKI	KES)							ļ					
UNEP	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+ 1	13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	2		+ +	18.80					 			-		
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3		 	32.27										
UNE	oop Rates		Ť													
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24					ĺ					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3	I	3	UEPFR	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (Res)															<u> </u>
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						ļ
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						<u> </u>
	2-Wire voice unbundled port autgoing only - res		_	UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundles res, low usage line port with Caller ID										1	1				
	(LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
1 1	Termination			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	i									1	1				1
	or Fraction Mile			UEPFR	1L5XX	0.0091										
FEAT											<u> </u>		•			
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0,00								
LOCA	L NUMBER PORTABILITY	-	Ь—	UEPFR	LNPCX	0.35										
	Local Number Portability (1 per port)	-		UEPFR	LNPUX	0.33										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	⊢	 -	+											
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73								1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		T													
<u> </u>	End User Premise	E I INE *	I CODY 4	UEPFR	URETN		11.21	1.10			1					
Z-WiR	E VOICE LOOP/ ZWIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	S LINE !	-UKI	(BU3)			-									
UNEF	Port/Loop Combination Rates [2-Wire VG Loop/iO Tranport/Port Combo - Zone 1	 	1	 	+	13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										

NBUNDLE	D NETWORK ELEMENTS - Florida								•		14	1 :		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vi Electron
													1st	Addi	Disc 1st	Disc Ade
			Ľ			Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE L	pop Rates															└
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24					ļ					ـــــــ
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40					<u>. </u>					└
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87									<u> </u>	<u> </u>
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.40	174.81	100.65		12.73						<u> </u>
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1,40	174.81	100.65		12.73						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.40	174.81	100.65		12.73	l					<u> </u>
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73					L	<u> </u>
LOCAL	NUMBER PORTABILITY										J					<u></u>
	Local Number Portability (1 per port)	L		UEPFB	LNPCX	0.35									L	
	OFFICE TRANSPORT	I														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFB	U1TV2	25.32	47.35	31,78								
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						47.55	31.70								
	or Fraction Mile	ļ	<u> </u>	UEPFB	1L5XX	0.0091								<u> </u>		├
FEATU											Ļ					↓
	All Features Offered		<u> </u>	UEPFB	UEPVF	2.26	0.00	0.00								<u> </u>
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>													ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at				URETN		11,21	1,10			1			·		
	End User Premise	1	<u> </u>	UEPFB	UREIN		11.21	1.10			<u> </u>			-	1	
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKI ((PBX)							<u> </u>					
UNE P	ort/Loop Combination Rates		٠.		+	13.64					 					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	⊢—	2		+	18.80					 					├──
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<u></u>	3	ł	+	32.27					 				-	
			۲,			JZ.27					†				 	├
UNEL	oop Rates		١.	UEPFP	UECF2	12,24					 				 	
	2-Wire Voice Grade Loop (SL2) - Zone 1	├─		UEPFP	UECF2	17.40					 				 	
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	30.87			-		 					
— la				OEFFF	ULC: 2	30.07			 		 				 	
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	-	 						—		 				 	
	A STATE OF THE STA	j	i	UEPFP	UEPPC	1,40	174.81	100,65	75.88	12.73	1					1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		├	UEPFP	UEPPO	1.40	174.81	100.65		12.73	 -				 	
	Line Side Unbundled Outward PBX Trunk Port - Bus		!	UEPFP	UEPP1	1.40	174.81	100.65		12.73						
	Line Side Unbundled Incoming PBX Trunk Port - Bus		├	UEPFP	UEPLD	1.40	174.81	100.65		12.73					 	
	2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPFP	UEPXA	1.40	174.81	100.65		12.73					 	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		—	UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73						₩
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports				UEPXB	1.40	174.81	100.65	75.88	12.73		<u> </u>			 	├
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	<u> </u>	—	UEPFP	UEPXD	1,40	174.81	100.65		12.73		<u> </u>			-	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		—	UEPFP	UEPAU	1.40	1/4.81	100.65	/5.66	12.73	 					-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXM	1,40	174,81	100.65	75.88	12.73	1					
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital										 					\vdash
	Discount Room Calling Port	<u> </u>	L	UEPFP	UEPXO	1,40	174.81	100.65	75.68	12.73				<u> </u>		₩
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	—		UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73	├					┼
LOCA	L NUMBER PORTABILITY Local Number Portability (1 per port)	├	\vdash	UEPFP	LNPCP	3.15	0.00	0.00	-		\vdash		 		 	-
INTER	(Local Number Portability (1 per port)	 	+	JOEFFF .	LINE OF	3,13	0,00	0.00	 		 	 		 	t	
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 	\vdash	 						_	†					
1	Termination	1	1	UEPFP	U1TV2	25.32	47.35	31.78	1 1		1	1	i	I	1	

IINBII	NDI F	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
UNBO	110CL	THE THORN THE PARTY OF THE PART			<u> </u>									Incremental		Incremental	Incremental
1			l					•				Submitted	Submitted	, -	Charge -	Charge -	Charge -
			Interi	l	BCS	uso	.		RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	050	~		KA153 (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l	Į.	1									Electronic-	Electronic-	Electronic-	Electronic-
			l	ı	ļ							1		1st	Add'l	Disc 1st	Disc Add'l
				\vdash				Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
1		or Fraction Mile			UEPFP	1L5XX	0.0091										
	FEATU			ļ													
		All Features Offered	ļ		UEPFP	UEPVE	2.26	0.00	0.00				<u> </u>			-	
\vdash	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		├	 					-							
		Combination - Conversion - Switch-as-is			UEPFP	USAC	,	16.97	3.73								
-		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		\vdash	02	- 0000	·	70.07	55	1				i			
1		Combination - Conversion - Switch with change	1		UEPFP	USACC	;	16.97	3.73					ł	}		
\vdash		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
L!		End User Premise			UEPFP	URETN	<u> </u>	11.21	1.10	ļ							
UNBUN	DLED	PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>				ļ		ļ -				ļ			
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	\vdash	 		-	ļ		 				 			
\vdash	UNE P	ort/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	1		+	20.95			 		 		l			
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	 	2	 	_	26.11			 		·					
\vdash	-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		\neg	39.58			 			1	i			
—	UNE L	pop Rates		L													
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1											
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1											
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87			-				ļ			
<u> </u>	UNE P	ort Rate		├	UEPPX	UEPD1	8.71	214,16	98.29								
		Exchange Ports - 2-Wire DID Port ECURRING CHARGES - CURRENTLY COMBINED		┼	UEFFA	UEFU	0.71	214.10	30.25	-							
	NUNK	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		+		-	- 	-									
		Switch-as-is			UEPPX	USAC1		7.85	1.87			l i	i				!
—	†	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	l	with BellSouth Allowable Changes	ļ	ļ	UEPPX	USA10		7.85	1.87								
	ADDIT	IONAL NRCs		-				32.26									i
	ļ	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		-	UEPPX	USAS1		32.26	32.26								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPX	URETN	.	11.21	1,10								
<u> </u>	Teleni	one Number/Trunk Group Establisment Charges	 	\vdash	<u> </u>			· · · · · ·	7.10								
	10.00	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
—		DID Numbers, Establish Trunk Group and Provide First Group															
L		of 20 DID Numbers	<u> </u>	<u> </u>	UEPPX	NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers	_	₩	UEPPX	ND4	0.00	0.00	0.00			<u> </u>					
<u> </u>		DID Numbers, Non- consecutive DID Numbers , Per Number		├ -	UEPPX	ND5 ND6	0.00	0.00	0.00	-							
 	1	Reserve Non-Consecutive DID numbers Reserve DID Numbers	 	1	UEPPX	NDV	0.00	0.00	0.00	+		 	 	-			
	LOCA	L NUMBER PORTABILITY		\vdash	 		<u> </u>	J.30	 	1							
—		Local Number Portability (1 per port)			UEPPX	LNPCF	3.15	0.00	0.00								
		E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E PORT													
	UNE P	ort/Loop Combination Rates															
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port •	1	١.						1							
	ļ	UNE Zone 1		1 1	UEPPB UEP	7K	22.63										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPI	PR	29.05			1							
—	 	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	 	Ť													
1		UNE Zone 3	L	3	UEPPB UEPI	PR	45.84			L							
—	UNE L	oop Rates															
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPP	R USL2X	15.25										
				_	LIEBBB	nn											
<u> </u>		2-Wire ISDN Digital Grade Loop - UNE Zone 2	 	3	UEPPB UEPP	PR USL2X	21.67 38.46	<u> </u>								=	
	INE	2-Wire ISDN Digital Grade Loop - UNE Zone 3	\vdash	+ *	DEPPE DEPP	n JUSILZA	30.46	-		 							
\vdash	JONE	Exchange Port - 2-Wire ISDN Line Side Port	\vdash	\vdash	UEPPB UEPP	R UEPPE	7.38	194.52	145.09	1				-			
-	NONR	ECURRING CHARGES - CURRENTLY COMBINED															

Version 3Q03: 11/12/2003

UNB	UNDLE	NETWORK ELEMENTS - Florida									<u> </u>					ment: 2		bit: A
	GORY	RATE ELEMENTS	Interi m	Zone	E	acs	usoc		N	RATES (\$)	Name	Discount		Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (5)	Charge -	Order vs.
							ļ. ———	Rec	Nonrec First	erning Add'i	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		101111111111111111111111111111111111111	⊢—	├ ─					Ftrat	AGG I	FIIBL	AUGT	SOMEC	SUMAN	SUMAN	JUMAN	JOMAN	SOMAN
1		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1	LICEDO	UEPPR	USACB	0.00	25.22	17,00				l				
		Combination - Conversion	 	├	UEPPB	UEFFR	USACB	0.00	25.22	17,00			 	 				
	ADDITI	CNAL NRCs Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	├			 						 -	 		 	-	
		End User Premise		1	UEPPB	UEPPR	URETN		11.21	1,10			1	1				
	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User		t —	1000		9.39.77						1	f				
		Premise		1	UEPPB	UEPPR	URETL	1	8.33	0.83			1	1				
	LOCAL	NUMBER PORTABILITY		†									1	1	İ			
	ECONE	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		l		l				
	B-CHA	NNEL USER PROFILE ACCESS:										_		i				
	-	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR		0.00	0.00	0.00				L				
_		CVS (EWSD)			UEPPB			0.00	0.00	0.00				<u> </u>		<u> </u>		
		CSD		Ī	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1	<u> </u>		<u> </u>		
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)								ļ	1				ļ	
	USER	TERMINAL PROFILE		<u> </u>			<u> </u>								ļ			ļ
		User Terminal Profile (EWSD only)		\vdash	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			 	<u> </u>		├──		!
	VERTI	CAL FEATURES	L	ـــــ			 						ļ	ļ				
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00			 	ł				
	INTER	OFFICE CHANNEL MILEAGE		ļ	<u> </u>								1	.	-			·
[Interoffice Channel mileage each, including first mile and				UEPPR	M1GNC	25,3291	47.35	31.78	18.31	7,03	1	i	1			
		facilities termination	<u> </u>	 		UEPPR		0.0091	0.00	0.00	10.31	7.03	+	 				1
		Interoffice Channel mileage each, additional mile	COORT		UEPPB	UEPPR	MIGNM _	0.0091	0.00	0.00			 	 				i
	4-WIRI	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK IE-P DS1 combination rates below for in this rate exhibit appl	Y PURI	comba	ddod base	a in piace a	e of 10/2/03 :	neil 4/1/04 AR	or AITIMA those	rates shall re-	rest to tariff sat	es or a senara	te commerc	ial agreeme	nt.	-		
	The U	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	nunk P	ort afte	r the effe	ctive date c	f this amend	ment shall be	provided pursu	ant to a separ	ate agreement	or tariff at Bel	South's di	scretion.	ï			
		ort/Loop Combination Rates	I	T	T	Ciivo Gaio C	T title billeng	I	J. C. L. C. Parol			1	1	T				
\vdash	UNEF	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					 						i i	1				
		Zone 1	1	1	UEPPP			153.48				i	1	1				I
_	+	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1									ĺ					
	1	Zone 2		2	UEPPP		<u>ا</u>	183.28										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		ľ				ł								1		
		Zone 3		3	UEPPP		ļ	261.12					. ļ	↓		ļ		<u> </u>
	UNE L	oop Rates					ļ					ļ	.ļ	ļ				
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74					.	<u> </u>		ļ		
		4-Wire DS1 Digital Loop - UNE Zone 2	ļ		UEPPP		USL4P	100.54					 	ļ				
		4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPPP		USL4P	178.38			ļ	 	 	 	 	 	 	
	UNE P	ort Rate	!	₩	Lucanos		LICEDOD	02.74	400.20	276.65	 	 		1	-	+	-	
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	⊢ —	-	UEPPP		UEPPP	82.74	488.36	2/0.65	 	 	+ -	 	1	 	 	
	NONR	ECURRING CHARGES - CURRENTLY COMBINED	⊢	\vdash			 	 			 		+	1	 	 	 	
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	I	1	UEPPP		USACP	0.00	84.17	61.38	l	I		1	1			1
<u> </u>		Combination - Conversion -Switch-as-is (E:4/1/2004)		┿	UEPPP		USACE	0.00	04,17	01.30			 	 	<u> </u>			
	ADDIT	IONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	 -	+	+		1	-					† 	†	†	1	†	
		Inward/two way Tel Nos. (except NC)		1	UEPPP		PR7TF	ļ	0.5412				1	ļ				
<u> </u>	_	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		+	100111		1		0.0412				† -	i e				
1		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71			1	1				ł
-		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		+	-		1											
1	1	Subsequent Inward Tel Numbers	1	1	UEPPP		PR7ZT	1	25.42	25.42	L		<u> </u>	<u> </u>		L		
\vdash	LOCA	L NUMBER PORTABILITY		1				I										
	1-7-0	Local Number Portability (1 per port)	1		UEPPP		LNPCN	1.75								L		
	INTER	FACE (Provsioning Only)														ļ	 _	<u> </u>
		Voice/Data			UEPPP		PR71V	0.00	0.00	0.00			<u> </u>	<u> </u>	ļ			_
		Digital Data			UEPPP		PR71D	0.00	0.00	0.00			 	 	-	ļ	ļ	
		Inward Data		ļ	UEPPP		PR71E	0.00	0.00	0.00	ļ		 	 	-			+
	New o	r Additional "B" Channel	ļ	-					45.45				+	\vdash	-	 		+
		New or Additional - Voice/Data B Channel	_	₩	UEPPP		PR7BV	0.00	15.48		ļ	 	+	 	 	 		
<u> </u>		New or Additional - Digital Data B Channel		+	UEPPP		PR7BF PR7BD	0.00	15.48 15.48		 	 	+	 	 	 	 	+
1		New or Additional Inward Data B Channel TYPES	┼─	+-	10EPPP		PRIBU	0.00	13.48		 		+	 	1	 		
-														1				

UNBUI	NDLE	NETWORK ELEMENTS - Florida													ment: 2	Exhi	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
														1st	Add1	Disc 1st	Disc Add
				_		1		Nonre	curring	Nonrecurring	Disconnect	<u> </u>		oss	Rates (\$)	<u> </u>	
					-	Ť	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
		ice Channel Mileage															L
		Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05			L			ļ
		Each Airline-Fractional Additional Mile		ـــــ	UEPPP	1LN1B	0.1856					.					
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L				L	L	L.,	L		<u></u>	L	l			
		E-P DS1 combination rates below for in this rate exhibit apply										te commerc	ial agreeme	กเ.			
		ts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	tate of	this amendment shi	all be provide	d pursuant to	a separate agn	ement or tarif	at BeliSouth's	discretion.						
		ht/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	-	UEPDC	 	125.69				 		 		 	 	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 		UEPDC	 	155.49	-	 	ļ	ļ	 	ļ			 	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	\vdash		UEPDC	+	233.33					 	-			-	
₁		op Rates	 	<u> </u>	00.00	+	255.55					 	\vdash	 			t
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74				i					· ·	
		4-Wire DS1 Digital Loop - UNE Zone 2	-		UEPDC	USLDC	100.54					1			1		
		4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	178.38					i e		_			
<u> </u>	UNE Po		l	1		1											
		4-Wire ODITS Digital Trunk Port (E:4/1/2004)		1	UEPDC	UDD1T	54.95	464.86	259.23								L
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										l					
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71			i		ļ			
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l .				1				1				l	1	
		- Conversion with DS1 Changes (E:4/1/2004)		<u> </u>	UEPDC	USAWA		95.31	46.71			1			L		
	- 1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		l		1								į .	i	
	ليبيب	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71			ļ					+
		ONAL NRCs	ļ									 				ļ	 -
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk	l		UEPDC	UDTTA	ł	15.69	15.69	1							
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	-		UEPUC	DUTTA	-	15.09	15.09			-		1		 	
		Channel Activation/Chan - 1-Way Outward Trunk	1		UEPDC	UDTTB		15.69	15.69		1			1			1
-	_	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	<u> </u>		DEFDC	100118		13.05	15.05					 	+	 	
		Activation/Chan Inward Trunk w/out DID	ŀ		UEPDC	UDTTC		15.69	15.69		ľ		İ	i		l	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsant Chan		_	00.00	100110	i	10.00	10.00			 		1		i	
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69		1		İ	ł		ŀ	1
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Chan		 			i					†		1			
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE	1	15.69	15.69]			
	BIPOLA	AR 8 ZERO SUBSTITUTION														<u> </u>	
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	655.00s								
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	655.00s					ļ		ļ <u> </u>	
		te Mark Inversion										<u> </u>			<u> </u>	 	
		AMI -Superframe Format		\perp	UEPDC	MCOSF		0.00	0.00		ļ			<u> </u>		ļ	
		AMI - Extended SuperFrame Format		<u> </u>	UEPDC	мсоро		0.00	0.00		L	↓	ļ	<u> </u>	 	 	
		one Number/Trunk Group Establisment Charges		<u> </u>	ļ	<u> </u>	<u> </u>				 	<u> </u>	ļ	 -	_	 	_
		Telephone Number for 2-Way Trunk Group		 	UEPDC	UDTGX	0.00					 		-	 	 	
		Telephone Number for 1-Way Outward Trunk Group	<u> </u>	-	UEPDC	UDTGY	0.00					 	 	 	 	1	
		Telephone Number for 1-Way Inward Trunk Group Without DID	ļ	├ ─	UEPDC	UDTGZ	0.00				<u> </u>	 	 	 		┼──	
		DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		l	UEPDC	NDZ	0.00	0.00	0.00		ĺ			1	Ī	1	
		DID Numbers for each Group of 20 DID Numbers		\vdash	UEPDC	ND4	0.00	0.00	0.00		 	-	 	 	 	 	
		DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number		\vdash	UEPDC	ND5	0.00					 -	 	 	 	t	
		Reserve Non-Consecutive DID Nos.		-	UEPDC	ND6	0.00	0.00	0.00		 	 		†	 	 	
- +		Reserve DID Numbers		 	UEPDC	NDV	0.00	0.00	0.00			†	 	†		\vdash	
		ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop				<u> </u>	0.00		 	†				† 	1
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			17110 00110	T						٠.		1			
		Termination)		$ldsymbol{ld}}}}}}$	UEPDC	1LNO1	88,44	105.54	98.47	21.47	19.05	ļ				<u> </u>	↓
-			1	1	UEPDC	1LNOA	0.1856	0.00	0.00	·	ł	1	1	1	1		1

. ••

UNBUNDLED NET	WORK ELEMENTS - Florida								-				Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
			<u> </u>		ļ				I Managaran	- Discount		L			DISC 181	DISC AGG I
			 			Rec	First	curring Add'i	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
Interoffi	ice Channel Mileage - Fixed rate 9-25 miles (Facilities							7.22	1							
Termina				UEPDC	1LNO2	0.00	0.00	0.00			ļ			ļ		
	ice Channel Mileage - Additional rate per mile - 9-25					0.1856	0.00	0.00			1 .					
miles	ice Channel Mileage - Fixed rate 25+ miles (Facilities		 	UEPDC	1LNO8	0.1836	0.00	0.00			 			ļ		
Termina				UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	,															
	ice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00						ļ		<u> </u>
	lumber Portability, per DS0 Activated Office Termininating Point		<u> </u>	UEPDC UEPDC	LNPCP CTG	3.15		0.00	0.00		 			 		
	DOP WITH CHANNELIZATION WITH PORT			UEPUC	CiG	0.00	 				 			-		
	51 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations	 			 	 				 					
Each System o	an have up to 24 combinations of rates depending on	type at	d nun	ber of ports used		1	 				†					
The UNE-P DS	1 combination rates below for 4-Wire DS1 Loop with C	hannel	zation	with Port in this rat	e exhibit app	oly to the embe	edded base in I	lace as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
Requests for 4	-Wire DS1 Loop with Channelization with Port after the	e effect	ve dat	e of this amendment	shall be pro	ovided pursual	nt to a separate	agreement or	tariff at BellSo	uth's discretic	on.				[
UNE DS1 Loop																
4-Wire	DS1 Loop - UNE Zone 1			UEPMG	USLDC	70.74	0.00	0.00								
	DS1 Loop - UNE Zone 2			UEPMG	USLDC	100.54	0.00	0.00						<u> </u>		
	DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00	ļ		ļ					<u> </u>
	nnelization Capacities (D4 Channel Bank Configuration	18)					ļ				 					
	Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06		0.00			<u> </u>				ļ	├
	Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48 VUM96	236.12 472.24		0.00		ļ				ļ	ļ	
	Channel Capacity -1per 4 DS1s		├	UEPMG UEPMG	VUM96	708.36		0.00						-		
	0 Channel Capacity - 1 per 6 DS1s 0 Channel Capacity -1 per 8 DS1s		 	UEPMG	VUM19	944.48		0.00			 					
	O Channel Capacity - 1 per 10 DS1s		 	UEPMG	VUM2O	1,180.60		0.00								
	O Channel Capacity - 1 per 12 DS1s		†	UEPMG	VUM28	1,416.72		0.00						·	ĺ	
	O Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96		0.00								
	0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361.20										
576 DS	0 Channel Capacity -1 per 24 DS1s		L	UEPMG	VUM57	2,833.44					<u> </u>					ļ
	0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68		0.00								<u> </u>
	Charges (NRC) Associated with 4-Wire DS1 Loop with						ystem		ļ	<u> </u>	ļ					
	stem configuration is One (1) DS1, One (1) D4 Channel						<u> </u>									
	is configuration functioning as one are considered Ad	d'i afte	r the n	ilnimum system con	figuration is	counted.	<u> </u>				ļ				<u> </u>	├
	Conversion (Currently Combined) with or without		1	UEPMG	USAC4	0.00	96.77	4.24			1					
BellSou	ons at End User Locations Where 4-Wire DS1 Loop wit	- Char	!!					4.24	 	-	1					
System Addition	ently Combined) in all states, except in Density Zone 1	n Chan	OME	ion with Port Comb	Tation Curri	Emily Exists an	1				 					
NEW (NOT COM	D4 Channel Bank - Additionally Add NRC for each Port	01 100	1 1 1 3 2	ì	1	 					 -			· · · · · · · · · · · · · · · · · · ·		
and Ac	soc Fea Activation (E:4/1/2004)		j	UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24				1	l	İ
Bipolar 8 Zero			 -	T	1	1	1	† 								
	hannel Capability Format, superframe - Subsequent			i												
Activity	Only		<u> </u>	UEPMG	CCOSF	0.00	0.00i	655.00s							<u> </u>	L
Clear C	channel Capability Format - Extended Superframe -					T	1		1					1	l	1
	quent Activity Only			UEPMG	CCOEF	0.00	0.00i	655.00s		ļ	├					├
	Inversion (AMI)			l	ļ	L		0.00		ļ				ļ	ļ	
	rame Format		 	UEPMG	MCOSF	0.00		4,			!	-		ļ	 	
Extend	ed Superframe Format Is Associated with 4-Wire DS1 Loop with Channelization	- under	Bort.	UEPMG	мсоро	0.00	0.00	0.00			 	 			 	
Exchange Port		m with	ron	· · · · · · · · · · · · · · · · · · ·	 	 	 	 	 	l ··	 		·	 	-	
	de Combination Channelized PBX Trunk Port - Business	_		 	 	1	 	l			 				i –	
(E:4/1/2				UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00	1 .			<u> </u>		
Line Sie	de Outward Channelized PBX Trunk Port - Business	_	t			1	1	1								
(E:4/1/2			1	UEPPX	UEPOX	1,40	0.00	0.00	0.00	0.00	<u></u>					
	de Inward Only Channelized PBX Trunk Port without DID														I	1
(E:4/1/2				UEPPX	UEP1X	1,40	0.00	0.00	0.00	0.00				ļ	ļ	
	Trunk Side Unbundled Channelized DID Trunk Port					1	1					1		I	l	1
(E:4/1/2			<u> </u>	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00	-					
Festure Activa	tions - Unbundled Loop Concentration			L		<u> </u>		L	I		<u> </u>				L	

	DLED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhit	oit: A
ONDOND	DEED RETWORK ELEMENTO - Honds	T	$\overline{}$	·	7	T				-	Svc Order	Svc Order			Incremental	
			1	ľ	1	į.					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1	1 '	1							Elec	Manually	Manual Svc		Manual Svc	
CATEGOR	RY RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEGOR	Note deciments	m				Į.					per COR	per con	Electronic-	Electronic-	Electronic-	Electronic
		1	'	Ì							ļ			Add'i		
		1	'	i	1	1					ĺ		1st	Addi	Disc 1st	Disc Add'
		+	+	<u> </u>	 	 	Nonrec	umina	Nonrecurring	Disconnect			OSS	Rates (\$)	·	
		+-			 	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Contract (Contract Activation for each Line Ded Terminated in Co	_	+				11/84		11701	A001	00		- JOMIAN			
	Feature (Service) Activation for each Line Port Terminated in De			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						
	1007	—	—	UEPPX	IPOVVM	0.0402	25.40	13.41	3.50	3.93						
, l	Feature (Service) Activation for each Trunk Port Terminated in	ł				0.6402	7040	18.42	56.03	10.95	i					
	D4 Bank	—	—	UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						
Tel	elephone Numberi Group Establishment Charges for DID Service	—	—													
	DID Trunk Termination (1 per Port)	┷		UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00	<u> </u>							
	Non-Consecutive DID Numbers - per number		l	UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers	T		UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers		$\overline{}$	UEPPX	NDV	0.00	0.00	0.00								
Loc	ocal Number Portability	T														
	Local Number Portability - 1 per port	1	$\overline{}$	UEPPX	LNPCP	3.15	0.00	0.00								
FE	EATURES - Vertical and Optional	1	\vdash		T	1			i		1					
	ocal Switching Features Offered with Line Side Ports Only	+-	-		+											
-	All Features Available	+-	-	UEPPX	UEPVF	2.26	0.00	0.00								
IIVOI IVOI I	LED CENTREX PORT/LOOP COMBINATIONS - COST BASED RAT	=	+-	OCITA .	- C VI											
	Cost Based Rates are applied where BellSouth is required by FC		State /	Commission sule to	provide Hab	undled Local S	witching or Su	itch Ports								
1.0	. Cost based Rates are applied where belisouth is required by PC . Features shall apply to the Unbundled Port/Loop Combination -	Cook Do	Sizie (commission fute to	Diovide Olio	they see emplis	d to the Stand	Alone Unbur	dled Bod secti	on of this Date	Eshibit					
2. 1	. Festures snall apply to the Unburidled PortCoop Combination End Office and Tandom Switching Usage and Common Transpo	COST BUS	AG Kat	o section in the sair	ALL	bilitaball applic	As all samples	Mana of lace!	area ron secu	lamanta aveas	A for UNE	ole Bestil e	on Combinet	ione		
3, E	, End Office and Tandom Switching Usage and Common Transpo . The first and additional Port nonrecurring charges apply to Not	t Usage	rates in	the Port Section of	Cumonily Co	nibit snall apply	to all combina	mons of loops	ebeli be those	identified in t	he Nonrecu	ring - Curr	op Combine	nd sections	Additional NR	Ce may
		Jurrentity	Comp	inea Combos. For	Currently Ct	ombined Comp	a, me nomec	ming charges	SHAII DO IIIOSC	identineo in t	10 110111000	ining - Carr		d sections.	~uoou	y
app	pply also and are categorized accordingly.								,							
	. Market Rates for Unbundled Centrex Port/Loop Combination wi		otiated	on an Individual Ca	ase Basis, un	itil further notic	e.				ļ		_		ļ	
	NE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN on	<u>y)</u>														
	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		L													
UN	NE Port/Loop Combination Rates (Non-Design)		1			L										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	,-	I						1							
	Non-Design		1 1	UEP91	1 .	10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design		2	UEP91		15.05			1							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		†		1											
	Non-Design		3	UEP91		25.80										
LIM	NE Port/Loop Combination Rates (Design)	+-	+-								-					
- ON	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combi														1	
	Design			1	 	1										
		'1	١.	LISBO1	1	13.41										
			1	UEP91		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	-	1 2	UEP91 UEP91		13.41 18.57					·					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-		UEP91		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	-	2													
אט	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate	-	3	UEP91 UEP91		18.57										
UN	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	-	3	UEP91 UEP91 UEP91	UECS1	18.57 32.04 9.77										
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate	-	3	UEP91 UEP91	UECS1	18.57 32.04 9.77 13.88										
אט	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	-	3	UEP91 UEP91 UEP91		18.57 32.04 9.77										
אט	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	18.57 32.04 9.77 13.88				A-11.						
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	18.57 32.04 9.77 13.88 24.63 12.24										
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	9.77 13.88 24.63 12.24 17.40										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	18.57 32.04 9.77 13.88 24.63 12.24							•			
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 3-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	9.77 13.88 24.63 12.24 17.40							•			
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 3-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina)	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.24	26.45	27.50	9 37			•			
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	9.77 13.88 24.63 12.24 17.40	53.31	26.46	27.50	8.37			-			
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87							•			
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports If States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46 26.46	27.50 27.50	8.37 8.37						
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46	27.50	8.37						
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)Note1 Basic Local Area	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87							•			
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	-	3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center Note 2, 3 Basic Local Area		3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46	27.50	8.37	1					
UN	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center Note 2, 3 Basic Local Area		3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
עא	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center Note 2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center Voice Grade Port, Diff Serving Wire Center - 800 Service		3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
אט	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center Note 2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center Note 2, 3 Basic Local Area		3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYB UEPYH	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17 1.17	53.31 53.31 139.49	26.46 26.46 86.10	27.50 27.50 65.41	8.37 8.37 13.81						
אט	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design INE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 INE Ports II States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center Note 2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center Voice Grade Port, Diff Serving Wire Center - 800 Service		3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYB UEPYH	18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17 1.17	53.31 53.31 139.49	26.46 26.46 86.10	27.50 27.50 65.41	8.37 8.37 13.81	1					

NBUNDLED	NETWORK ELEMENTS - Florida								•					ment: 2		bit: A
													Incremental	Incremental	Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	NATE ELEMENTO	m		500	1 0000						per Lak	bei cox				
					i						ł		Electronic-	Electronic-	Electronic-	Electronic-
											l		1st	Add'i	Disc 1st	Disc Add'i
					ļ					. 61		<u> </u>		Datas (E)		L
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	-Wire Voice Grade Port Terminated on 800 Service Term -										ļ	l				l
l jB	lasic Local Area			UEP91	UEPY2	1,17	53.31	26.46	27.50	8.37					l	
Georgia a	and Florida Only															
12	-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1,17	53.31	26.46	27.50	8.37	i					
	-Wire Voice Grade Port (Centrex 800 termination)		-	UEP91	UEPHB	1,17	53.31	26,46	27.50	8.37						
	-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP91	UEPHH	1,17	53.31	26.46	27.50	8.37						ĺ
	-Wire Voice Grade Port (Centrex from diff Serving Wire				1000		55,51									
	Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81		1				ł
			_	OEF81	OCFTIN	1.77	133.43	50.10	00.41	10.01		-				
	-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		l				400.40	00.40	65.41	13.81		ł				
S	Service Term			UEP91	UEPHZ	1.17	139.49	86.10	05.41	13.61						
	_ _		I		l		{			l		l	I	l		I
2	-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1,17	53.31	26.46	27.50	8.37	ļ	<u> </u>		ļ	L	
2	-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1,17	53.31	26.46	27.50	8.37				L		L
Local Sw	vitchina														l	
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
	Imber Portability		i —		1 7-					T						
	ocal Number Portability (1 per port)		—	UEP91	LNPCC	0.35				i						
Features				06, 31	LIW GG	0.00				†	1					
			├	UEP91	UEPVF	2.26					1			1		
	VI Standard Features Offered, per port						070 70									
	VI Select Features Offered, per port		L	UEP91	UEPVS	0.00	370.70				 					
	Il Centrex Control Features Offered, per port			UEP91	UEPVC	2.26					↓					
NARS										<u> </u>						
U	Inbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	<u> </u>					
1 10	Inbundled Network Access Register - Indial	_		UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Inbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	neous Terminations										ĺ					
	runk Side		\vdash		†					-						
	runk Side Terminations, each			UEP91	CENA6	8.73			 		+				 	
			├	UEFSI	CENAO	0.73						 			 	
Interomic	ce Channel Mileage - 2-Wire		├	ucpo4	M1GBC	25.32			1	_			1			
	nteroffice Channel Facilities Termination - Voice Grade		├	UEP91							 					
	nteroffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091					-					
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e									ļ		ļ			<u> </u>
	nel Bank Feature Activations															L
F	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66					l		1	<u> </u>		
\neg											1			1		
j le	eature Activation on D-4 Channel Bank FX line Side Loop Slot		ı	UEP91	1PQW6	0.66			1	1	1	I	I	1	I _	
	eature Activation on D-4 Channel Bank FX Trunk Side Loop		1							T	Ī			1	T	
	Slot		I	UEP91	1PQW7	0.66							I	ł	I	
	eature Activation on D-4 Channel Bank Centrex Loop Slot -		 	02.01	1	0.00			 	<u> </u>	<u> </u>		t	t		1
			ı	UEP91	1PQWP	0.66			1	ŀ	1	I	I	1	1	1
	Different Wire Center		—	ופרשו	IPUWP	U.00				 	 	 	 	 	 	
			I		1						1		I	I	ŀ	
	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66			<u> </u>		ļ	ļ				ļ
F	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1						1	ļ	l	I	I	1	l	1
l İs	Slot		Ш.	UEP91	1PQWQ	0.66			l	l			L	L		
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	urring Charges (NRC) Associated with UNE-P Centrex		1								1					
1	Conversion - Currently Combined Switch-As-Is with allowed				i				_	f				T	Γ	
			I	UEP91	USAC2		21.50	8.42			1	l	I	I .	I	I
	changes, per port		├──	UEP91	USACN		5.17	8.32	ł	· ·		 	 	 	 	
	Conversion of Existing Centrex Common Block		 	UEP91	MIACS	0.00	618.82	6.32	-	-	 		 	 	 	
	lew Centrex Standard Common Block		—								├	 	 			
	lew Centrex Customized Common Block		L	UEP91	MIACC	0.00	618.82			ļ	-	 _				
S	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31		L		ļ		<u> </u>			
ÍN	IAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					L				
	ENTREX - 5ESS (Valid in All States)				1											
	G Loop/2-Wire Voice Grade Port (Centrex) Combo		1							1						
	t/Loop Combination Rates (Non-Design)										1					
In In	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		_		 					†	 	<u> </u>	1	1	1	
			١.	UEBOE	I	40.01					1		I	I	I	I
ı IN	lon-Design		1	UEP95		10.94	L		J			L			<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec		Nonrecurring		SOMEC	COMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	23 Miles VC Leas /2 Miles Vales Conds Bod (Control/Bod Combs	ļ			-		First	Add'I	First	Add'I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP95		25.80										
UNE P	ort/Loop Combination Rates (Design)		 													1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		13,41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95		18.57										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	2	DEP95	 	10.57	-									
	Design		3	UEP95		32.04										
UNE L	oop Rate	<u> </u>	 	LUCTOF	115001						<u> </u>		_		 	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	 		UEP95	UECS1	9.77 13.88			 							
	2-Wire Voice Grade Loop (SL 1) - Zone 2	 		UEP95 UEP95	UECS1 UECS1	24.63			 							
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP95	UECS2	12.24									t	
	2-Wire Voice Grade Loop (St. 2) - Zone 1			UEP95	UECS2	17.40										†
	2-Wire Voice Grade Loop (SL 2) - Zone 3	_		UEP95	UECS2	30.87										
UNE P	ort Rate		+-	02. 30	102002	00.07										
All Sta			 													
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)		L	UEP95	UEPYB	1,17	53.31	26.46	27.50	8.37						L
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3 Basic Local Area			UEP95	UEPYM	1,17	139.49	86.10	65.41	13.81		-				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYŻ	1.17	139.49	86.10	65.41	13.81				,		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		 	UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1,17	53.31	26.46	27.50	8.37						
A1 16	/, LA, MS, SC, & TN Only	 	+	UEF 85	OLF 12		33.31	20.40	27.50	0.07	-					
	SA Only		1								i e				†	t.
<u> `````</u> `	2-Wire Voice Grade Port (Centrex)		1	UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37	·					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP95	UEPHZ	1,17	139.49	86.10	65.41	13.81						
				UEP95	UEPH9	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	 	 	UEP95	UEPH2	1,17	53.31	26.46	27.50	8.37	1			 	 	
l ocel	Switching			1		1.17	55.51	20.30	27.55	<u> </u>	1				1	
	Centrex Intercom Funtionality, per port		1	UEP95	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35								ļ	<u> </u>	L
Featur			$ldsymbol{oxed}$												 	<u> </u>
	All Standard Features Offered, per port		 	UEP95	UEPVF	2.26									ļ	
	All Select Features Offered, per port	—		UEP95	UEPVS	0.00 2.26	370.70									
	All Centrex Control Features Offered, per port	⊢—		UEP95	UEPVC	2.26			 		 			 -	 	+
NARS	Unbundled Network Access Register - Combination	 	+	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	 		<u> </u>	ļ	 	
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	\vdash	\vdash	UEP95	UARIX	0.00	0.00	0.00	0.00	0.00					 	
	Unbundled Network Access Register - Outdial	\vdash	+	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	Isneous Terminations	\vdash	t —	1				2.00							<u> </u>	
	Trunk Side		1													
				UEP95	CEND6	8.73										

NBUNDI FO	NETWORK ELEMENTS - Florida								-					ment: 2	Exhi	bit: A
		Γ					-		·		Svc Order		Incremental		Incremental	
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		١									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Малиа! S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
AIEGURT	RATE ELEMENTS	m	20	000	5555						per con			Electronic-	Electronic-	Electroni
		i			1 1							1	Electronic-			
					1 1						1		1st	Add'I	Disc 1st	Disc Add
			1		_		Nonrec	urring	Nonrecurrin	g Disconnect	1			Rates (\$)		
			1		1 "	Rec	First	Add'l	First	Add*I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95							1	<u> </u>		
	DS0 Channels Activated, each		1	UEP95	M1HDO	0.00	15.69									1
	ice Channel Mileage - 2-Wire		$\overline{}$													
	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32				1						
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP95	M1GBM	0.0091										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	.e	1													ļ
	nnel Bank Feature Activations		1						Ì							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	l	1	UEP95	1PQWS	0.66										↓
		1	1								1		I -		_	1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	I	1	UEP95	1PQW6	0.66			L					<u></u>		ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1	<u> </u>												
	Slot	I	1	UEP95	1PQW7	0.66			L	L				L		ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	Ι	\vdash										1	1		1
	Different Wire Center	l		UEP95	1PQWP	0.66					İ		ł			1
-	District Tric Collies	 	 													
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	I	1	UEP95	1PQWV	0.66			1	1	1	l	L	L		<u></u>
	Feature Activation on D-4 Channel Bank Title Line/Trunk Loop	\vdash	-	00.750	1	9.55				1			1			
1 1	Slot	l		UEP95	1PQWQ	0.66				i	1				1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot	 	-	UEP95	1PQWA	0.66			 	<u> </u>	+					1
		 	 	OEF 93	III GUA	0.00				 			 		1	
	curring Charges (NRC) Associated with UNE-P Centrex	-	+		_		_		·	 	1		†			
	NRC Conversion Currently Combined Switch-As-Is with allowed	l		UEP95	USAC2	0.00	21.50	8.42	1		1	ŀ				
	changes, per port	├	┼	UEP95	USACN	0.00	5.17	8.32		1			·	†		
	Conversion of Existing Centrex Common Block, each	├ ─	 	UEP95	MIACS	0.00	618.82	0.02	+	 		1	 	†		
	New Centrex Standard Common Block	├ ──	+	UEP95	MIACC	0.00	618.82		-	 	 	 	†			
	New Centrex Customized Common Block	├	┼	UEP95	URECA	0.00	66.48		1		1		 		<u> </u>	1
	NAR Establishment Charge, Per Occasion	-	+	UEPSS	UNECA	0.00	00.46		 	+		†	 		1	+
Additio	nal Non-Recurring Charges (NRC)	₩	+						 	 		 	 		 	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83		<u> </u>			ļ			
	Unbundled Miscellaneous Rate Element, Tag Design Loop at							1		1		ŀ			1	
	End Use Premise		1	UEP95	URETN		11.21	1.10		1		ļ		<u> </u>		↓
UNE-P	CENTREX - DMS100 (Valid in All States)	I							<u> </u>	<u> </u>		 	ļ	 		+
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Ĺ							ļ				ļ		ļ	├ ──
UNE Po	ort/Loop Combination Rates (Non-Design)									<u> </u>		1	ļ	ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_	T		1						i		1		1	ł
	Non-Design	i	1_1_	UEP9D		10.94						Ļ				↓
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									ı	-				1	1
	Non-Design	1	2	UEP9D		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	T					I		1					i	
	Non-Design	1	3	UEP9D		25.80						J			<u> </u>	
UNE Po	ort/Loop Combination Rates (Design)	1								1		<u> </u>	1			
U.V.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1							1		1	1				
ı	Design		1 1	UEP9D		13.41				1		L	1			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1		1				i	1						
	Design	1	2	UEP9D	i	18.57	L		J						↓	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	·									1	1	I	1
	Design		3	UEP9D	I	32.04	l									↓
	pop Rate	1	1											1		
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	17	UEP9D	UECS1	9.77										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP9D	UECS1	13.88									<u> </u>	1
	2-Wire Voice Grade Loop (SL 1) - Zone 3	t	3	UEP9D	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 1) - Zurie 3		1 1	UEP9D	UECS2	12.24		1	1	1			i			
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP9D	UECS2	17.40	i	Ì	1							
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	+		UEP9D	UECS2	30.87			 			T				
		1-	+ -		1	- 55.57		<u> </u>			T		1			
ALL ST	ort Rate	+-	+	 	+	 				1		1		1		T
ALLSI	2-Wire Voice Grade Port (Centrex) Basic Local Area	-		UEP9D	UEPYA	1,17		 	 	1		 			T	$\overline{}$

<u>UNBUNDLE</u>	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manuel Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec		Nonrecurring					Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		├		1		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	Area			UEP9D	UEPYB	1,17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local					1,17		26,46	27.50	8.37						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		\vdash	UEP9D	UEPYD	1.17	53.31							-		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		Ь—	UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
	Area			UEP9D	UEPYF	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1,17	53.31	26.46	27.50	8.37				1		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37		-				
	Area		_	UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37				ļ		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1,17	53.31	26.46	27.50	8.37	1					
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		-	UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
	Indication))4 Basic Local Area			UEP9D	UEPYW	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area			UEP9D	UEPYM	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		t													
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		┝	UEP9D	UEPYO	1,17	53.31	26.46	27.50	8.37		<u> </u>		-		
	Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37	ļ					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area		1	UEP9D	UEPYQ	1.17	139.49	86.10	65,41	13.81	· .					<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1,17	139.49	86.10	65.41	13,81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		\vdash			·										
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		├	UEP9D	UEPYS	1,17	139.49	86.10	65.41	13.81						
	Basic Local Area		<u> </u>	UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1,17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY6	1,17	139,49	86.10	65.41	13.81						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3.4		┢╌	UEPSU	UEPTO	1,17	139.48	00.10				 	•			
	Basic Local Area		┝	UEP9D	UEPY7	1,17	139.49	86.10	65.41	13.81	ļ	ļ				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic		i –													
E1 8 G	Local Area		1	UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37	-	 		 	<u> </u>	+
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37	-					
	2-Wire Voice Grade Port (Centrex 800 termination)		├	UEP9D	UEPHB	1,17 1,17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		ļ			├ ─∸	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4		 	UEP9D UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37	 	 		 	 	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4		+-	UEP9D	UEPHE	1,17	53.31	26.46	27.50	8.37	 					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4		-	UEP9D	UEPHF	1,17	53.31	26.46	27.50	8.37						1

NBUNDLE	D NETWORK ELEMENTS - Florida								•					ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increments Charge - Manual Sv Order vs. Electronic
													1st	Add'I	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					- 		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		 	UEP9D UEP9D	UEPHG UEPHT	1,17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		-			-	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1,17	53.31	26.46	27.50	8.37	 					1
	2-Wire Voice Grade Port (Centrex / EBS-M5206)4	_		UEP9D	UEPHV	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1,17	53.31	26.46	27.50	8.37				 		
	2-Wire Voice Grade Port (Centrex / Eds-W3316)4	<u> </u>		UEP9D	UEPHH	1,17	53.31	26.46	27.50	8.37	i			 		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		-	02.00	102, , , , , ,					0,0.						
	Indication)4			UEP9D	UEPHW	1,17	53.31	26.46	27.50	8.37	1					
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1,17	53.31	26.46	27.50	8.37				1		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				1											
	2,3			UEP9D	UEPHM	1,17	139.49	86.10	65.41	13.81						
											l					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81			ļ		ļ	<u> </u>
			i		1						l				i	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		<u> </u>	UEP9D	UEPHP	1,17	139.49	86.10	65.41	13.81	<u> </u>	ļ	ļ			
									أيمما	40.04	1		l		1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1,17	139.49	86.10	65.41	13.81	 		<u> </u>			
			1	UEP9D	UEPHR	1,17	139.49	86.10	65.41	13,81	l		ĺ			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		1	UEPSU	UZPAK	1,17	139.49	60.10	65.41	13.61						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4		ı	UEP9D	UEPHS	1,17	139.49	86.10	65.41	13.81	l	l i	!		ļ	
-	2-wire voice Grade Port (Centrevollier SWC /EBS-W5512)2, 5,4			UEF80	UEFRS	1.17	135.45		03.41	10.01			-	_		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		l	UEP9D	UEPH4	1,17	139.49	86.10	65.41	13.81	i	1	İ		l	
-+	2-true voice diabet of (demonstrate overland model)2,0,4		t	02: 00	102							i '				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	l	l	UEP9D	UEPH5	1,17	139.49	86.10	65.41	13.81		1	!		1	
			<u> </u>	··	1											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2.3,4		į .	UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						<u> </u>
	<u> </u>		i –		1 1						1					[
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D_	UEPH7	1.17	139.49	86.10	65.41	13.81						<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	İ	1	1	1 1	_								l		Į.
	Term 2,3		└	UEP9D	UEPHZ	1,17	139.49	86.10	65.41	13.81				ļ		<u> </u>
					1					8.37						l
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37				-		
	2-Wire Voice Grade Port Terminated on 800 Service Term	-	├ ──	UEP9D	UEPH2	1.17	53.31	26.46	27.50	6.37			-	 		
Local :	Switching Centrex Intercom Funtionality, per port	├	├	UEP9D	URECS	0.7384							ł			
1	Number Portability		-	UEFBU	JUNEUS	0.7304								 	 	
Local	Local Number Portability (1 per port)		\vdash	UEP9D	LNPCC	0.35								1		<u> </u>
Feature		—	 		12 55	0.00								1		
(Catal	All Standard Features Offered, per port		 	UEP9D	UEPVF	2.26								 		
	All Select Features Offered, per port		1	UEP9D	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS			1													
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00				L		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00					<u> </u>	Ļ
Miscel	laneous Terminations													ļ		
2-Wire	Trunk Side		↓	l	1								<u> </u>		ļ	
	Trunk Side Terminations, each	L	Ь	UEP9D	CEND6	8.73						<u> </u>		 		├
4-Wire	Digital (1.544 Megabits)		Ь—	LIEBOD.	1,441/23									 	 	
	DS1 Circuit Terminations, each	L	 -	UEP9D	M1HD1	54.95	45.65					 		ļ		
 _	DS0 Channels Activiated per Channel		├	UEP9D	M1HDO	0.00	15.69					 	 	 	 	
Interof	fice Channel Mileage - 2-Wire	<u> </u>	—	UEP9D	M1GBC	25.32					+	 		 	 	
•	Interoffice Channel Facilities Termination	Ь—	├	UEP9D	MIGBO	0.0091	-					-	-	 	 	
-										1						
Foot	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	 												l	
	Interoffice Channel mileage, per mile of traction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e	!											-		-

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
			_			Rec	Nonrec First	Add'i	Nonrecurring First	Add'i	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
<u> </u>			 		 		11104	Add I	, ,,,							
l	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP9D	1PQW6	0.66		_								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66										
					i	(l	1		
 	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.66										
1.	Slot		<u> </u>	UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	\vdash	ļ	UEP9D	1PQWA	0.66					 			 		
Non-I	Recurring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	+-	<u> </u>		 					 					
j	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port	l	1	UEP9D	USAC2	ļ l	21.50	8.42								<u></u>
\vdash	Conversion of existing Centrex Common Block, each	 	\vdash	UEP9D	USACN		5.17	8.32								
	New Centrex Standard Common Block	 	t	UEP9D	M1ACS	0.00	618.82								ļ	— —
	New Centrex Customized Common Block			UEP9D	MIACC	0.00	618.82						ļ			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48				ļ			 _		├ ──
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83		_	ļ					
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise		<u> </u>	UEP9D	URETN		11.21	1.10							_	
UNE-	P CENTREX - EWSD (Valid In AL, FL, KY, LA, MS & TN)		—			 					 		-			
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		┼		 	 		-			 				i	
UNE	Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		╁──											1	I	
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ	1	UEP9E	 	10.94							-			
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		15.05					-					
- Inte	Non-Design Port/Loop Combination Rates (Design)	<u> </u>	3	UEP9E	ļ	25.80					- -					
UNE	[2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_	+-													
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		13.41			ļ		 			 		
1 1	Design	l	2	UEP9E	1	18.57							<u> </u>	ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E		32.04										
UNF	Loop Rate	<u> </u>									L		 	ļ		+
 	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	9.77				ļ	 	<u> </u>	 		 	+
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	13.88						-	 		 	+
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	24.63				L	+	├──		 	 	+
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	12.24			<u> </u>	 	+	 	 	 	† 	+
	2-Wire Voice Grade Loop (SL 2) - Zone 2	—		UEP9E	UECS2 UECS2	17.40 30.87			 	l	 	1	 		1	1
	2-Wire Voice Grade Loop (SL 2) - Zone 3	₩	3	UEP9E	UEUSZ	30.67		-		 	 	1	 	T -	1	
	Port Rate	 	+	-	+	 			 			1	1		T	
HAL, F	L, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area	t	+	UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37				ļ		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37				ļ		<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP9E	UEPYM	1.17	139,49	86.10	65.41	13.81	\ \			ļ	:	<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1,17	139.49	86.10	65.41	13.81			<u> </u>			<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area	i I		UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37					<u> </u>	<u> </u>

JNBUNDLI	ED NETWORK ELEMENTS - Florida								•					ment: 2		bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
AIEGORI	RATE ELEMENTS	m	20116		0000						per Lak	percon				Electronic
		l	1										Electronic-	Electronic-	Electronic-	
		1									i	l	1st	Add'l	Disc 1st	Disc Add'i
			├				Nonrec		Managarada	Disconnect	 		000	Rates (\$)		
			<u> </u>			Rec				Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			└				First	Add'I	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	JUMAN	SUMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1									1				
	Basic Local Area		1	UEP9E	UEPY2	1,17	53.31	26.46	27.50	8.37	<u> </u>					
Florid	da Only				1						<u> </u>					
	2-Wire Voice Grade Port (Centrex)		l .	UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37	<u> </u>					
	2-Wire Voice Grade Port (Centrex 800 termination)		T	UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1								1		i			
	Center)2,3		1	UEP9E	UEPHM	1,17	139.49	86.10	65.41	13.81						1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	00.00	102. 1						<u> </u>				<u> </u>	<u> </u>
			1	UEP9E	UEPHZ	1,17	139.49	86.10	65,41	13.81						
	Term 2,3		-	ULFBE	ULFAL	1.17	139,48	00.10	05.41	13.81	 		 	i		t
i	L.,	1	1		Luzzus	,	F2 24	20.40	27.50	0.07	I				!	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		—	UEP9E	UEPH9	1,17	53.31	26.46	27.50	8.37	 				 	
	2-Wire Voice Grade Port Terminated on 800 Service Term		Ь	UEP9E	UEPH2	1,17	53.31	26.46	27.50	8.37	ļ	<u> </u>		—		l ———
Local	Switching									<u> </u>	ļ				<u> </u>	
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384				L	L			L	ļ	
Local	Number Portability										L			ļ		
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35			I]	
Featu								_								
1	All Standard Features Offered, per port	_	1	UEP9E	UEPVF	2.26				1						
	All Select Features Offered, per port		1-	UEP9E	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	2.26			 	t			i e	i		1
NARS		├	+	OLF 32	OCT VO	220			İ		 		1			
NARS		├	+	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	 	†		 	t	
	Unbundled Network Access Register - Combination	——	┼		UAR1X	0.00	0.00	0.00	0.00	0.00			 	t		
	Unbundled Network Access Register - Indial		↓	UEP9E		0.00	0.00	0.00						<u> </u>		
	Unbundled Network Access Register - Outdial	.—	╀	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	 		-			
	ellaneous Terminations	ļ							ļ	ļ						
2-Wir	re Trunk Side															
	Trunk Side Terminations, each		<u> </u>	UEP9E	CEND6	8.73			<u></u>						<u> </u>	
4-Wir	e Digital (1.544 Megabits)		L													
	DS1 Circuit Terminations, each	1	1	UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					L				l .
Interd	office Channel Mileage - 2-Wire	1							Ī		1					
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile	 	+	UEP9E	M1GBM	0.0091			† ·· · · · · · · · · · · · · · · · · ·		1		i			1
	re Activations (DS0) Centrex Loops on Channelized DS1 Service		+	00.00		5,555.	-		 			i	<u> </u>			
	hannel Bank Feature Activations	1	+	 	+				 	1	—		 	1	1	
U4 CI			+-	UEP9E	1PQWS	0.66			 	<u> </u>	 	 	 	1	 	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	₩-		I DELAE	iruwa	0.00				 	 		 	 	 	
ļ	L	1	1	1	400000	ا ـــا			1	}	1 -	1	1	1	1	1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ		UEP9E	1PQW6	0.66			ļ		 	-		 	 	
1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	!	1	l	1	!			i			1	I	1	1	1
<u> </u>	Slot			UEP9E	1PQW7	0.66			ļ		_			 	└	<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1				1		1	1	1	1	1	1
- 1	Different Wire Center		1	UEP9E	1PQWP	0.66				L			L			L
1																
- 1	Feature Activation on D-4 Channel Bank Private Line Loop Stot	1	1	UEP9E	1PQWV	0.66			1	1		1	1	1	L	<u> </u>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	†	\vdash		T		-		i e		T	i e		T		
ļ	Slot		1	UEP9E	1PQWQ	0.66			1	1		1		I		1
	Feature Activation on D-4 Channel Bank WATS Loop Slot	t	+-	UEP9E	1PQWA	0.66			1			1	i	t	i	1
		+	-		1	V00			 	 	+	t	t		† 	
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	├	+-		+	_			 	 	+	 	 	 	<u> </u>	†
- 1	NRC Conversion Currently Combined Switch-As-Is with allowed		1	LUEDOE	lucaca		21.50	0.40		1		1	I	I	1	1
	changes, per port	ļ	-	UEP9E	USAC2			8.42	 	 	 	 	 	 	+	
i	Conversion of Existing Centrex Common Block, each	<u> </u>	↓	UEP9E	USACN		5,17	8.32	 			 		 		
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82		Ļ		 	↓			↓	<u> </u>
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82		<u> </u>			Ļ				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48							<u> </u>		
Addi	tional Non-Recurring Charges (NRC)	1	1													
17001	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	—	1	i	1						T		1			
1	Premise		í	UEP9E	URETL		8.33	0.83	1	1	1	1	1	1	1	I

UNBU	NDLE	D NETWORK ELEMENTS - Florida			-									Attach	ment: 2	Exhi	bit: A
		T 1										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1							ľ					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1			Interi				1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC	ł		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			•••									i		Electronic-	Electronic-	Electronic-	Electronic-
]							1st	Add'I	Disc 1st	Disc Add'l
							0	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at		i								ì		·			
	l	End Use Premise			UEP9E	URETN		11.21	1.10			<u> </u>					
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note	2 - Requres Interoffice Channel Mileage															
	Note 3	- Installation is combination of Installation charge for SL2 Loc	p and	Port													
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ect to	rate tru	e-up as set forth in	General Terri	ns and Condition	ons.				1	I				I

<u>UNBUNDLED NE</u>	TWORK ELEMENTS - North Carolina								•		Cup Cade	Cup Cada		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Sy Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electroni Disc Add
			-			Rec	Nonrec	urring	Nonrecurring	Disconnect		l		Rates (\$)	<u> </u>	
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone"	shown in the sections for stand-alone loops or loops as	part of	a comi	Ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograpi	ically Deavers	ged UNE Zon	e Designatio	ns by Cent	ral Office, refe	r to internet	l Website:	L
http://www.i	interconnection.belisouth.com/become_a_clec/html/inter													,		
DEPATIONAL SUP	PPORT SYSTEMS (OSS) - "REGIONAL RATES" LEC should contact its contract negotiator if it prefers th	ľ				ha Stata Comm	issiana Tha	366 ahamaa a	remethi contoi	nad in this ent	a evhibit za	the BellSo	uth "regional	" service orde	ring champs	CLECTO
elect either	the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the req	gional service (ordering charg	e, however, CL	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished
NOTE: (2) A	Any element that can be ordered electronically will be bill be ordered electronically at present per the LOH, the list	ed acco	ording (to the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local (Ordering Hand	book (LOH) to	determine i	f a product	can be orden	ed electronica	illy. For thos	e element:
	be ordered electronically at present per the LOM, the list il be applied to a CLECs bill when it submits an LSR to B			e in this category rei	ects the ch	inge that would	o de dilled to a	CLEC UNCE GI	cuonic orden	iig capasiiiles	COINE ON-	ne ioi uiai i	nement. Our		andar Gruenni	y calange,
NOTE: (3) O	SS - Manual Service Order Charge, Per Element - UNE Or	ily "Pl	ease se	e applicable rate ele	ment for SO	MAN charge**										
oss	5 - Electronic Service Order Charge, Per Local Service				SOMEC		3.50	0.00	3.50	0.00]			1	
	uest (LSR) - UNE Only E ADVANCEMENT CHARGE	<u> </u>	\vdash		SOMEC		3.30	0.00	3.30	0.00	l					
NOTE: The	Expedite charge will be maintained commensurate with	Bel1Sou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
	E Expedite Charge per Circuit or Line Assignable USOG, per			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T03, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, UC1CC, UC1DC, UC1DC, UC1DC, UC1EC, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1HL, UDL12, UDL48, UDL03, UDL5X, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDDX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UXTS1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UTUC, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, UI							-					
Day		<u> </u>		U1TUB, U1TUA	SDASP	<u> </u>	200.00			<u> </u>	-			ļ —	-	
	HANGE ACCESS LOOP ALOG VOICE GRADE LOOP	\vdash	+													
2-W	/ire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.11	57.99	42.37					26.94 26.94	12.76 12.76	0.00	0
	/ire Analog Voice Grade Loop - Service Level 1- Zone 2 /ire Analog Voice Grade Loop - Service Level 1- Zone 3	\vdash		UEANL UEANL	UEAL2	21.24 33.65	57.99 57.99	42.37 42.37		 	 	 	26.94	12.76		0
	/ire Analog Voice Grade Loop - Service Level 1- Zurie 3 /ire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37					26.94	12.76	0.00	0.
2-W	/ire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL.	21.24 33.65		42.37 42.37					26.94 26.94	12.76 12.76		00
2-W	/ire Analog Voice Grade Loop - Service Level 1- Zone 3 oundled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	33.65	57.99	42.37		<u> </u>	 	 	20.94	12.76	0.00	۳
Pres		L		UEANL	URETL		8.33	0.83					26,94	12.76	0.00	0
Loo	p Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24					26.94 26.94	12.76 12.76	0.00	0
Loo	p Testing - Basic Additional Half Hour C to CLEC Conversion Charge Without Outside Dispatch	 	+	UEANL	URETA	 	39.51	39.51		 	 	 	20.94	12.76	0.00	0.
I ICLE	L-SL1)	1	1	UEANL	UREWO		15.76	8.93		Ī			26.94	12.76	0.00	۱ (

UNBUNDL	ED NETWORK ELEMENTS - North Carolina					T					100	100-2		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		•	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					1	Rec	Nonrec		Nonrecurring					Rates (\$)		
		1	<u> </u>	<u>.</u>			First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UEANM	1	28.74	28.74								ľ
	providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per loop)	┼		UEANL	UEAMC	-	61.38	61.38			·					
	Order Coordination for Specified Conversion Time for UVL-SL1	 	 	-	10000		0	51.50			·		·			
	(per LSR)	.		UEANL	OCOSL]	45.34	45.34						L	l	
2-WI	RE Unbundled COPPER LOOP										<u> </u>					
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	10.16	35.27	15.60			-		26.94	12.76	0.00	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X UEQ2X	17.55 27.58	35.27 35.27	15.60 15.60					26.94 26.94	12.76 12.76	0.00	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	+	1 3	UEQ	UEUZA	21.50	35.21	15.60			 		20.54	12.10	0.00	0.00
	Premise	1	(UEQ	URETL		8.33	0.83			1		26.94	12.76	0.00	0.00
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	1			1						ĺ					
LL	Non-Designed (per loop)		<u> </u>	UEQ	USBMC		61.38	61.38			<u> </u>	<u> </u>	ļ		ļ	
	Unbundled Copper Loop, Non-Design Copper Loop, billing for						28.74	28.74		l	1		26.94	12.76	0.00	0.00
	BST providing make-up (Engineering Information - E.I.)	┼──	 	UEQ	UEQMU URET1	ļ	76.24	76.24			 	 	26.94	12.76	0.00	
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	 	+	UEQ	URETA	1	39.51	39.51			 		26.94	12.76	0.00	
	CLEC to CLEC Conversion Charge Without Outside Dispatch	+		024						i	1					
	(UCL-ND)			UEQ	UREWO	i	14.26	7.42					26.94	12.76	0.00	0.00
UNBUNDLED	EXCHANGE ACCESS LOOP										<u> </u>				<u> </u>	
2-Wil	RE ANALOG VOICE GRADE LOOP	ļ	↓	ļ	_	ļ										 -
i	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		١.	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+	+	DEFOR DEFOR	UEALS	12.11	31.88	42.01	0.00	0.00	†		20.57	12.10		
1	Zone 1		1 1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2	↓	2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00	 	ļ	26.94	12.76		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
	Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	╂──	 	UEPSK UEFSB	UEABS	21.24	37.55	42.57	0.00	0.00	 		20.54	12.70		
	Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
<u> </u>	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1			1											
	Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00	<u> </u>		26.94	12.76		
	D EXCHANGE ACCESS LOOP	-	╄		- -	 					 					
2-101	RE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	+	┼		+									· · · · · · · · · · · · · · · · · · ·		
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	T							[
	Ground Start Signating - Zone 2	1	2	UEA	UEAL2	25.93	142.97	106.56		ļ			26.94	12.76	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	3	UEA	UEAL2	40.81	142.97	106.56		ĺ	1		26.94	12.76	0.00	0.00
	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+	1 3	UEA	OCOSL	40.01	45.34	100.50			 		20.54	12.70	- 0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1-	\vdash		100002		.0.0				 		1	i		
l i	Battery Signaling - Zone 1	1	1_1	UEA	UEAR2	14.97	142.97	106.56	1				. 26.94	12.76	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
	Battery Signaling - Zone 2	1	2	UEA	UEAR2	25.93	142.97	106.56		 	-		26.94	12.76	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAR2	40.81	142.97	106.56	}	1	1		26.94	12.76	0.00	0.00
	Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+	+ 3	UEA	IOCOSL	40.01	45.34	100.30		 	 	<u> </u>		12.70	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch	1	 	UEA	UREWO		87.64	36.33					26.94	12.76	0.00	
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1,10					26.94	12.76	0.00	0.00
4-WI	RE ANALOG VOICE GRADE LOOP					ļ <u> </u>				 			20.51	40 ==		L
	4-Wire Analog Voice Grade Loop - Zone 1	+		UEA	UEAL4 UEAL4	21.32 36.27	288.47 288.47	237.45 237.45	<u> </u>	 	 		26.94 26.94	12.76 12.76	0.00	
	4-Wire Analog Voice Grade Loop - Zone 2	+		UEA	UEAL4	36.27 56.57	288.47	237.45			 .	 	26.94	12.76	0.00	
	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+	╁	UEA	OCOSL	30.57	45.34	207,40	 	1	1	1				1
	CLEC to CLEC Conversion Charge without outside dispatch	1	t	UEA	UREWO	1	87.64	36.33			L		26.94	12.76	0.00	0.00
2-WI	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		<u> 1 </u>	אסט	U1L2X	19.42	325.91	251.31	L	L			26.94	12.76	0.00	0.00

UNBU	NDLE	NETWORK ELEMENTS - North Carolina			,							T		ment: 2		bit: A
													Incremental		Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -
			Interi	l_		1			DATES (8)		Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC	l		RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l ""	l		1						i	Electronic-	Electronic-	Electronic-	Electronic-
				1		1	1				1		1st	Add'I	Disc 1st	Disc Add'l
								••		Nonrecurring Discon		1		Rates (\$)	<u> </u>	L
			├	-			Rec	Nonrec First	Add'l	First Add		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Miles 100M Dicited Conda Lana Tana 2		 	UDN	U1L2X	32.88	325.91	251.31	First Au	SOMEC	SUMAN	26.94	12.76	0.00	0.00
		2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	-		UDN	U1L2X	51.14	325.91	251.31			+	26.94	12.76		
		Order Coordination For Specified Conversion Time (per LSR)	├	١,	UDN	OCOSL	- 31.14	45.34	201.01			 	20.04	<u> </u>		9.00
		CLEC to CLEC Conversion Charge without outside dispatch	1	-	UDN	UREWO		91.55	44.12			 	26.94	12.76	0.00	0.00
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF			· · · · · ·					1			i	
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	1	I										i e	
- 1		& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60			<u> </u>	26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop including manual service inquiry								i						
1		& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264,71	145.60			<u> </u>	26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop including manual service inquiry				1	li			l i						
l		& facility reservation - Zone 3	ļ	3	UAL	UAL2X	28.42	264.71	145.60	 			26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UAL	OCOSL	├	45.34		 		 	 			
		2 Wire Unbundled ADSL Loop without manual service inquiry &		١.	lua <u>l</u>		11.00	190.25	114.82				26.94	12.76	0.00	0.00
		facility reservator - Zone 1	<u> </u>	1	UAL	UAL2W	11.00	190.25	114.82			 	20.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	18.39	190.25	114.82		l		26.94	12.76	0.00	0.00
		facility reservator - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZW	10.39	190.25	114.02		_	 	20.54	12.70	0.00	0.00
		facility reservation - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82			1	26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)	+	+-	UAL	OCOSL	20.72	45.34	111.02						3.55	1
		CLEC to CLEC Conversion Charge without outside dispatch	 	+	UAL	UREWO		86.12	40.36			 	26.94	12.76	0.00	0.00
		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP												
-		2 Wire Unbundled HDSL Loop including manual service inquiry	1	T				1						•		
		& facility reservation - Zone 1	1	1	UHL	UHL2X	9.01	284.74	163.54				26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop including manual service inquiry														
		& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54				26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop including manual service inquiry	1										l	l	l	1
		& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54			ļ	26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)		1	UHL	OCOSL		45.34				 	<u> </u>			_
		2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	9.01	207.48	132.05		l l		26.94	12.76	0.00	0.00
	ļ	and facility reservation - Zone 1	├	+-	Uni	UNLZW	9.01	207.46	132.03			 	20.54	12.70	0.00	0.00
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		1 2	UHL	UHL2W	14.87	207.48	132.05		ŀ		26.94	12.76	0.00	0.00
	<u> </u>	2 Wire Unbundled HDSL Loop without manual service inquiry	_	+-	UII.	0112211	14.01	207,40	102.00	 		 		1	5.55	0.00
		and facility reservation - Zone 3		1 3	UHL	UHL2W	22.82	207.48	132.05	l l		ŀ	26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)	1	1	UHL	OCOSL		45.34				1				
	†	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UHL	UREWO		88.06	40.36			1	26.94	12.76	0.00	0.00
_	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP												
	T	4 Wire Unbundled HDSL Loop including manual service inquiry	I								-					
		and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	10.62	341.65	220.45				26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop including manual service inquiry		_		L										
		and facility reservation - Zone 2	—	2	UHL	UHL4X	17.67	341.65	220.45			-	26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop including manual service inquiry	1	_	l	UHL4X	27,24	341.65	220.45				26,94	12.76	0.00	0.00
	<u> </u>	and facility reservation - Zone 3		3	UHL		21.24	341.65 45.34	220.45	 		-	20.94	12.76	0.00	0.00
	Ь——	Order Coordination for Specified Conversion Time (per LSR)	 	+-	UHL	OCOSL	-	45.34		 		+	├──	 	 	
	i	4-Wire Unbundled HDSL Loop without manual service inquiry	1	١,	UHL	UHL4W	10.62	264.39	188.96		I	1	26.94	12.76	0.00	0.00
		and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry	 	+-	UNL	UNLAVY	10.02	204.39	100.90	 		 	20.54	12.70	0.00	0.00
	ł	land facility reservation - Zone 2	1	١,	UHL	UHL4W	17.67	264.39	188.96		I	1	26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop without manual service inquiry	 	+	<u>-</u>		 	207.00	.00.00			1	1	·	1 2.50	1 2.30
		and facility reservation - Zone 3	1	3	UHL	UHL4W	27.24	264.39	188.96				26.94	12.76	0.00	0.00
	t	Order Coordination for Specified Conversion Time (per LSR)	 	ΤŤ	UHL	OCOSL		45.34					1			
_		CLEC to CLEC Conversion Charge without outside dispatch	$\overline{}$		UHL	UREWO		86.06	40.36				26.94	12.76	0.00	0.00
_	4-WIRE	DS1 DIGITAL LOOP	L									L				
	T	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	47.60	714.84	421.47				42.19	12.76	0.00	0.00
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84.36	714.84	421.47			ļ	42.19	12.76	0.00	0.00
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	134.29	714.84	421.47				42.19	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	_	USL	OCOSL		48.31						10-10-		
		CLEC to CLEC Conversion Charge without outside dispatch	—	_	USL	UREWO	L	100.99	43.00			 	26.94	12.76	0.00	0.00
		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1	1	1	1	I			I				L.	L	L

UNBUNDLE	D NETWORK ELEMENTS - North Carolina									16 -	12		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Increments Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec First		Nonrecurring Disconnec		SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	Add'l 337,51	PIRE AGOI	SUMEC	SUMAN	26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51				26.94	12.76		
	4 Wire Unbundled Digital 19,2 Kbps			NDF	UDL19	67.26	489.04	337.51			1	26.94	12.76	0.00	0.0
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25.32	489.04	337.51				26.94	12.76	0.00	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43.11	489.04	337.51				26.94	12.76	0.00	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	67.26	489.04	337.51			<u> </u>	26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)		 _	UDL	OCOSL		45.34	227.54			<u> </u>	26.94	12.76	0.00	L
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64 UDL64	25.32 43.11	489.04 489.04	337.51 337.51	<u> </u>		-	26.94	12.76	0.00	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL.	UDL64	43.11 67.26	489.04	337.51		+	 	26.94	12.76	0.00	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		 	UDL	OCOSL	07.20	45.34	337.31			 	20.54	12.70	0.00	 "
	CLEC to CLEC Conversion Charge without outside dispatch		 	UDL	UREWO		102.03	49,70			†	26.94	12.76	0.00	0.0
2-WIR	LE Unbundled COPPER LOOP		\vdash		1							1	1	1	
<u></u>	2-Wire Unbundled Copper Loop-Designed including manual				1										
į į	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75			<u> </u>	26.94	12.76	0.00	0.0
	2-Wire Unbundled Copper Loop-Designed including manual										i	l		l	i
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75			 	26.94	12.76	0.00	0.0
	2 Wire Unbundled Copper Loop-Designed including manual		۱ ـ			34.80	262.86	143.75			Ì	26.94	12.76	0.00	0.0
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	61.38	61.38			 	20.94	12.76	0.00	0.0
	Order Coordination for Unbundled Copper Loops (per loop)		├	UCL	UCEMC		01.30	61.36			1	ł			
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	۱,	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.0
	2-Wire Unbundled Copper Loop-Designed without manual	 	┼ ╌	000	1000. 11	,,,,,,		112,00			i e				
	service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	22.39	188.39	112.96			l .	26.94	12.76	0.00	0.0
-	2-Wire Unbundled Copper Loop-Designed without manual														
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96	L			26.94	12.76	0.00	0.0
	Order Coordination for Unbundled Copper Loops (per loop)		$ldsymbol{ldsymbol{eta}}$	UCL	UCLMC		61.38	61.38				!		ļ	<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch		1	l . .			07.44	40.44				26.94	12.76	0.00	0.0
	(UCL-Des)		-	UCL	UREWO		97.14	42.44	 	+	 	20.94	12.76	0.00	0.0
4-WIR	RE COPPER LOOP 4-Wire Copper Loop including manual service inquiry and facility	-	+		 	-					 				-
l	reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191,93	l i		1	26.94	12.76	0.00	0.0
	4-Wire Copper Loop including manual service inquiry and facility		ا		100210						<u> </u>			1	
į į	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93	l			26.94	12.76	0.00	0.0
	4-Wire Copper Loop including manual service inquiry and facility		1		1										
	reservation - Zone 3	L	3	UCL	UCL4S	46.26	311.03	191.93	L			26.94	12.76	0.00	0.0
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38			<u> </u>	ļ		_	
	4-Wire Copper Loop without manual service inquiry and facility	1	١.	l . .	l			404.44		ļ		26.94	12.76	0.00	0.0
	reservation - Zone 1	 	1	UCL_	UCL4W	17.36	236,57	161.14	ļ		 	26.94	12.76	0.00	0.0
	4-Wire Copper Loop without manual service inquiry and facility	i	2	UCL	UCL4W	29.61	236.57	161.14				26.94	12.76	0.00	0.0
	reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility	 	 	1001	JOCK4VV	25.01	230.37	101.14		1	†	20.54	12.70	1	-
1	reservation - Zone 3	l	3	UCL	UCL4W	46.26	236.57	161.14			1	26.94	12.76	0.00	0.0
	Order Coordination for Unbundled Copper Loops (per loop)	\vdash	Ť	UCL	UCLMC		61.38	61.38				<u>. </u>			
	CLEC to CLEC Conversion Charge without outside dispatch		T												
	(UCL-Des)		L	UCL	UREWO	L	97.14	42.44			<u> </u>				
LOOP MODIF			I								<u> </u>		L		
				UAL, UHL, UCL, UEQ, ULS, UEA,										ĺ	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l	1	UEANL, UEPSR, UEPSB	ULMZL		21,24	21,24			1	26.94	12.76	0.00	0.0
	pair less than or equal to 18k fi, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire		1	UEFOD	ULINZL		21.24	21.24	 		 	20.54	12.70	0.00	0.0
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21,24	21.24			1	26.94	12.76	0.00	0.0
	less man or equal to low it, per unbunuled coop	 	 	UAL, UHL, UCL,	1	<u> </u>	27.27				 		1		
		l	1	UEQ. ULS. UEA	i	[1	2	1	l	l	:	1
ı	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,			•				1	l	ĺ	l	
	per unbundled loop	<u> </u>	<u></u>	UEPSB	ULMBT		24.84	24.84			<u> </u>	26.94	12.76	0.00	0.0
SUB-LOOPS														<u> </u>	
	oop Distribution								l			<u> </u>	i	l	Щ_

INBUNDLE	D NETWORK ELEMENTS - North Carolina								•		,			ment: 2		bit: A
											Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremer
			1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
		m		Ī							`	, '	Electronic-	Electronic-	Electronic-	Electron
													1st	Add'I	Disc 1st	Disc Ad
			├				Nonrec	unino	Nonrecurrin	g Disconnect	 		OSS	Rates (\$)		
-	·					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		_								<u> </u>					
İ	Up	- 1		UEANL	USBSA		373.57						26.94	12.76	0.00	
													26.94	12.76	0.00	١,
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1	-	UEANL	USBSB		33.78			 	 		20.54	12.76	0.00	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		234.76			1			26.94	12.76	0.00	
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		†							Ì						
1	Set-Up	I		UEANL	USBSD		81.05			1	<u> </u>		26.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		١.				126.03	54.54					26.94	12.76	0.00	
	Zone 1		1-1-	UEANL	USBN2	7.31	126.03	54.54		-	<u> </u>		20.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	
_	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		 	00112						i –						Ì
	Zone 3	1	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76	0.00	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		_	UEANL	USBMC		61.38	61.38		_	 			-	-	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	l	١,	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	 	+-	DEATE	000.44	0.44	100.02	10.00						†		
i	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66		l .			26.94	12.76	0.00	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -									į				40.70	٠	1
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66		 	-		26.94	12.76	0.00	-
			1	UEANL	USBMC	Ť	61.38	61.38		1	1				ŀ	i
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		┼	UEANL	USBR2	2.79	114.05	37.20		<u> </u>	 		26.94	12.76	0.00	†
_	Sub-coop 2-11the intrabanding fection Gastic (into)	Ť	1	-												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		61.38	61.38								<u> </u>
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	_		UEANL	USBR4	3.74	127.67	50.82	<u> </u>		-		26.94	12.76	0.00	
				UEANL	USBMC		61.38	61.38		l		İ				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour		┼	UEANL	URET1		76.24	76.24		1				1		
	Loop Testing - Basic Additional Half Hour	\vdash	_	UEANL	URETA		39.51	39.51		1						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	6.10	137.10	60.24		1			26.94	12.76	0.00	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	_		UEF	UCS2X	9.70	137.10	60.24		.			26.94 26.94	12.76 12.76	0.00	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	-
	a to a contraction for the boundled Color to an annual local pair	l		UEF	USBMC		61.38	61.38	i							
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	1	UEF	UCS4X	6.58	162.24	85.38			٠.		26.94	12.76	0.00	
-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i		UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ī		UEF	UCS4X	15.84	162.24	85.38					26.94	12.76	0.00	<u> </u>
												i	1			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEF	USBMC URET1	 	61.38 76.24	61.38 76.24		_	 		į	 	 	-
	Loop Testing - Basic 1st Half Hour	├ ──	╁	UEF	URETA		39.51	39.51		1	 		 -	 	 	
Unbu	Loop Testing - Basic Additional Half Hour ndled Network Terminating Wire (UNTW)	-	+	UCF	OKLIK		00.01			i -			İ	1		1
- 000	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.4351	64.98						26.94	12.76	0.00	
Netwo	ork Interface Device (NID)									ļ	ļ		ļ			├
	Network Interface Device (NID) - 1-2 lines	L	↓	UENTW	UND12	<u> </u>	86.37	56.69		ļ	 		26.94 26.94	12.76 12.76	0.00	
	Network Interface Device (NID) - 1-6 lines	 !	+	UENTW	UND16 UNDC2	 	127.93 11.68	98.21 11.68		+	+		26.94		0.00	
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	⊢⊹	+-	UENTW	UNDC4	 	11.68	11.68		1	 	 	26.94		0.00	
NE OTHER	PROVISIONING ONLY - NO RATE	┿	+-													
	NID - Dispatch and Service Order for NID installation		L	UENTW	UNDBX	0.00	0.00									Ļ
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0,00	0.00				ļ	<u> </u>	ļ	_		
			1	UEANL,UEF,UEQ,U		۱ ۵		ŀ	1		1	1	I	1	1	
i	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE	<u> </u>	↓	ENTW	UNECN	0.00	0.00			+	+	 	 			-

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			-									Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			i		l	i					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		4-4-4	ł		[ľ					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m			l	ŀ							Electronic-	Electronic-	Electronic-	Electronic-
]		1								1st	Add'l	Disc 1st	Disc Add'l
					L											
						Rec	Nonre			g Disconnect				Rates (\$)		
						1100	First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						i			1							
				UAL,UCL,UDC,UDL,	ļ	[1	1					i	ı
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00			1						
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			l	i											1
	rate		Ь—	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00			Ļ						
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no					0.00	0.00			1						
	rate		-		USBFR	0.00	0.00				 					-
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00				 					
į.	Unbundled DS1 Loop - Expanded Superframe Format option -				0000	ا مما	0.00									ł
WCU CARA	no rate		\vdash	USL	CCOEF	0.00	0.00				 		-		-	
nigh CAPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per	├	 			 			 		 					
ĺ	month	l		UE3	1L5ND	13.33			1		1		1	ŀ	l	1
	High Capacity Unbundled Local Loop - DS3 - Facility	 	\vdash	000	1.0000	13.33			 	 	 					
ı	Termination per month	l		UE3	UE3PX	450.69	1.071.00	646.12	1		1		53.48	53,48	l	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	 	 	1		130.09	.,07 1.00	040.12	 		 		1			T
ı	month	1		UDLSX	1L5ND	13.33			1		1			1	l	
	High Capacity Unbundled Local Loop - STS-1 - Facility								i e		1					
	Termination per month	l		UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAKE-													i			
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).	1	1	UMK	UMKLW		55.44	55.44			1		19.99	19.99	19.99	19.99
	Loop Makeup - Preordering With Reservation, per spare facility		1								1					
1	queried (Manual).			UMK	UMKLP		55.73	55.73			L		19.99	19.99	19.99	19.99
l l	Loop MakeupWith or Without Reservation, per working or		i										1	1		
	spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821			ļ		<u> </u>			
LINE SHARIN	G AND LINE SPLITTING			<u></u>					<u> </u>							
NOTE	1: The Line Sharing monthly recurring rates for all installation	is com	oleted (from October 02, 200	3 through m	idnight Octobe	7 01, 2004 sha	l be billed as i	follows:		<u> </u>					ļ
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	OP NO	n-designed ("UÇLND	<u>") </u>								_	-		
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		—								 					
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND		.							 	 					
NOTE	1: Above will apply to USOCS: ULSDT and ULSCT	200	1	Complies only to al		1	balam	Ortobout 20	02				 	 		
-NOI	E 2: The Line Sharing monthly recurring rates with USOCs ULS SHARING	T BUC BIT	i orac	I applies only to ci	Teures matem	ed and inservic	e on or belore	October 1, 20	1		 		 		-	
ENE :	TERS-CENTRAL OFFICE BASED	_	_							 	 -			†		· -
SFLII	Line Sharing Splitter, per System 96 Line Capacity	-	 	ULS	ULSDA	181,18	631.54	0,00			 		26.94	12.76		
	Line Sharing Splitter, per System 30 Line Capacity	_	+	ULS	ULSDB	38.99	631.54	0.00	 	 	† 		26.94	12.76		†———
	Line Sharing Splitter, Per System, 8 Line Capacity	_	 	ULS	ULSD8	12.73	424.61	0.00					26.94	12.76		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	<u> </u>	\vdash					2,00	 	 					1	
I	deactivation (per LSOD)	l	1	ULS	ULSDG		146.32	31.27		I	1		26.94	12.76	l	
END	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING	<u> </u>			1										j	
- 1	Line Sharing - per Line Activation (BST Owned splitter) -	T	T	T .	1						T					
	OBSOLETE see "NOTE 2			ULS	ULSDC	0.61	54.71	28.77			L		26.94	12.76		<u> </u>
	Line Share Service, TRO per line activation, BST owned splitter -		Ι'''		1											
	Central Office Located (25% of UCLND) - please see NOTE 1				l					ŧ			1		l	
	(E:10/2/2003)	l _	l .	ULS	ULSDT	3.49	54.71	28.77	l							
	Line Share Service, TRO per line activation, BST owned splitter -				1								l			1
ı	Central Office Located (50% of UCLND) - please see NOTE 1	l	1	l .						1	1		l			
	(E:10/2/2004)			ULS	ULSDT	6.99	54.71	28.77	ļ				ļ	L	L	ļ
	Line Share Service, TRO per line activation, BST owned splitter -								1	1			I			
ı	Central Office Located (75% of UCLND) - please see NOTE 1	l	1	l	l					1	1		l		i	
	(E:10/2/2005)			ULS	ULSDT	10.48	54.71	28.77		<u> </u>	1		ļ		 	
	Line Sharing - per Subsequent Activity per Line			l]	/-			1	i					1
	Rearrangement(BST Owned Splitter	Ь—	└	urs	ULSDS	ļ	35.42	16.57			— —		26.94	12.76	ļ	
ı	Line Sharing - per Subsequent Activity per Line			lin c	lin ecc	j	. 25.4	16,29		1	1 '		26.94	12.76		1
	Rearrangement(DLEC Owned Splitter		-	ULS	ULSCS		35.14	16,29	 	 	+		20.94	12.78	 	
ı	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see "NOTE 2	l	l	urs	ULSCC	0.61	47.44	19.31		I	1		26.94	12.76	I	1
			1	IULD	JULDUL	, U.61	41.44	19.31	1	1	1	ı	ı ∠10.94	1 12./0		1

. ••

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
\vdash	·		-			Rec	Nonrec First		Nonrecurring Dis		SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
\vdash	Line Share Service, TRO per line activation, CLEC owned	 			+	 	F118K	Addi	FIIBI	AUU I	JUMEL	DUMAN	JOHAN	JUMAN	SUMAN	COMM
	splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			urs	ULSCT	6,99	47,44	19.31				1				
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see															
LINE	NOTE 1 (E:10/2/2005) SPLITTING		├─-	ULS	ULSCT	10.48	47.44	19.31					<u> </u>			
	USER ORDERING-CENTRAL OFFICE BASED		 										<u> </u>			
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					_					
\vdash	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94 26.94	12.76 12.76		ļ
MAIN	Line Splitting - per line activation BST owned - virtual	_	\vdash	UEPSR UEPSB	UREBV	0.61	56.92	28.59		+			20.94	12.76		
main	No Trouble Found - per 1/2 hour increments - Basic		\vdash				80.00	55.00					<u> </u>			
	No Trouble Found - per 1/2 hour increments - Overtime				j		120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT	<u> </u>	├	.	ļ	ļ	160.00	110.00								
	ROFFICE CHANNEL - DEDICATED TRANSPORT	_	 		+					-						 -
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0125										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Rev Bat Per Mile per month	ł		U1TVX	1L5XX	0.0125	1									ł
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0125										
	- Facility Termination	ļ		U1TVX	U1TV4	22,16	106.11	65.95		1			22.32	22.32		ļ
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UITOX	U1TD6	17.40	137.48	52.58					38.07	38.07		
 	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.5753							-			
$\vdash \vdash$	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	71.29	217.17	163.75				_	38.07	38.07		
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	12.98										
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		+
\vdash	month Interoffice Channel - Dedicated Transport - STS-1 - Facility		_	U1TS1	1L5XX	6.14								-		
<u> </u>	Termination	<u> </u>	<u> </u>	U1TS1	U1TFS	790.37	642.23	408.89			-		53.48	53.48		
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	27,71							-			
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF 14		1,807.00	562.96	1	†]			$oxed{oxed}$
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	64.04		aua								
	NRC Dark Fiber - Local Loop		<u> </u>	UDF, UDFCX	UDFL4		1,347.00	279.87				L	<u> </u>		L	——

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach			bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		-	RATES (\$)			Submitted Elec		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		******
BXX AC	CESS	I TEN DIGIT SCREENING		├				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	OE GG	8XX Access Ten Digit Screening, Per Call	 -	\vdash	OHD	1	0.0005										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X	0.0000	7.05	0.96					26.94			
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			23.82	2.73					41.35			
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			ОНО	N8FTX	i I	23.82	2.73					41,35			l '
		BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		ļ	ОНО	N8FCX	-	5.63	2.73					41.35			
\neg		8XX Access Ten Digit Screening, Multiple InterLATA CXR		-	OIID			5.05	2.02								
		Routing Per CXR Requested Per 8XX No.		<u> </u>	OHD	N8FMX		6.59	3.77							_	<u> </u>
		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination		\vdash	OHD	N8FAX		8.01	0.96		ļ		<u> </u>	26.94			<u>'</u>
INED	EODM/	TION DATA BASE ACCESS (LIDB)			OHD	N8FDX		5.63									
CINE IX	Cities	LIDB Common Transport Per Query			ΟΩΤ	 	0.00003										
		LIDB Validation Per Query			οου		0.0134					 	 				
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		62.26						26.94	26.94		
SIGNAL																	└─ ─
\longrightarrow		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		_	UDB	TPP++	18.22	278.02	278.02				ļ	41.35	41.35		
		CCS7 Signaling Termination, Per STP Port			UDB UDB	TPP++ PT8SX	18.22 132.83	278.02	278.02					41.35	41.35		
\dashv		CCS7 Signaling Usage, Per ISUP Message			UDB	PIBSX	0.00004					 	 				
		CCS7 Signaling Usage, Per TCAP Message			UDB	1	0.00009							 	·		
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98				<u> </u>						
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					19.99	19,99		
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB										19.99		
E911 SE				\vdash	008	CCAPD		8.00	8.00					19.99	19.99		
1		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1		 	11.24	553.80	89.69			 		42.17	12.76		
\dashv		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2		1	19.91	553.80	89.69				_	42.17	12.76		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3		1	31.70	553.80	89.69			· · ·		42.17	12.76		
\Box		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0282										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination				1	18.00	137,48	52.58		1			38.07	38.07		1
\longrightarrow		Local Channel - Dedicated - DS1 - Zone 1		1			27.05	534,48	462.69		 	 		86.15	1.77		
\dashv		Local Channel - Dedicated - DS1 - Zone 2		2		 	47.94	534.48	462.69		 	 		86.15	1.77		
		Local Channel - Dedicated - DS1 - Zone 3		3			76.32	534.48	462.69		İ			86.15	1.77		
		Interoffice Transport - Dedicated - DS1 Per Mile					0.5753										
	O NACC	Interoffice Transport - Dedicated - DS1 Per Facility Termination					71.29	217.17	163.75					_ 38.07	38.07		<u> </u>
CALLIN		E (CNAM) SERVICE CNAM For DB Owners - Service Establishment		$\vdash \vdash$	OQV			75.62				 		 			
-+		CNAM For Non DB Owners - Service Establishment			OQV	 	 	75.62					+	<u> </u>	 -		
\neg		CNAM For DB Owners - Service Provisioning With Point Code Establishment (Initial)			ogv			2,354.00	2,354.00								
		CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent)			ogv			1,739.00	1,739.00								
		CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial)			ogv			1,072.00	1,072.00								
		CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)			ogv			768.44	768.44							:	
		CNAM for DB & Non DB Owners, Per Query			oov		0.0009592		. 55, .7	-			<u> </u>				
SELECT																	
		Selective Routing Per Unique Line Class Code Per Request Per Switch						188.59						26.94	12.76		

UNBUI	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
						1								Incremental		Incremental	Incremental
			ļ										Submitted		Charge -	Charge -	Charge - Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Order vs.
		Total Comments	m	20.10	500	5555			101120 (4)			perLSR	perLSR	Electronic-	Electronic-	Electronic-	Electronic-
			İ											1st	Add'I	Disc 1st	Disc Add'l
\vdash				_							8'	ļ	L				
\vdash				-		1	Rec	First	curring Add'I	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
VIRTUA	L COL	LOCATION	-	+		 	-	First	AGG1	FITSL	Auui	SOMEC	SUMAN	SUMAN	JOMAN	JOHAN	00
1		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			1	1					1						
		Splitting		1	UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		
PHYSIC	AL CO	LLOCATION		L													
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Solitting			UEPSR UEPSB	PEILS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99	l	
AIN SEI	FCTIV	E CARRIER ROUTING	_	1	UEPSK UEPSB	PEILS	0.0309	33.53	31.65	0.00	0.00	-		19.99	19,99		
		Regional Service Establishment		 	SRC	SRCEC		215,597.00			-			 	†		
		End Office Establishment			SRC	SRCEO		347.27							İ		
		Query NRC, per query			SRC		0.0053758										
AIN - BE	LLSO	UTH AIN SMS ACCESS SERVICE															ļ
		AIN SMS Access Service - Service Establishment, Per State,			l			l		1	1	1	I	1		1	1
		Initial Setup	<u> </u>	\vdash	A1N	CAMSE		294.77	 	 	 	-		 	-	 	
1		AIN SMS Access Service - Port Connection - Dial/Shared Access			AIN	CAMDP		86.94	i		1			ļ			
\vdash		AIN SMS Access Service - Port Connection - ISDN Access	 	 	A1N	CAM1P		86.94				 		1			
		AIN SMS Access Service - User Identification Codes - Per User														i	
		ID Code			A1N	CAMAU		200.83	<u> </u>								
		AIN SMS Access Service - Security Card, Per User ID Code,														i	
		Initial or Replacement		ļ	A1N	CAMRC		172.05									
\vdash		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute		 		 	0.0023 0.0791	 			 			 	 	-	
\vdash		AIN SMS Access Service - Gession, Fer Mindle AIN SMS Access Service - Company Performed Session, Per		 			0.0791				 	 			 		
1 1		Minute		1		1	2.08	· -]						l .
AIN - BE	LLSO	UTH AIN TOOLKIT SERVICE														_	
		AIN Toolkit Service - Service Establishment Charge, Per State,		Π												_	
\vdash		Initial Setup			CAM	BAPSC		290.05				ļ			ļ		
-		AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<u> </u>		BAPVX		8,363.00				<u> </u>			ļ		
		DN, Term. Altempt				BAPTT		72.76			ł				i		ŀ
-		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		 		DA 11		12.70				 		1			-
		DN, Off-Hook Delay				BAPTD		72,76]		1		ļ	1	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				ВАРТМ		72.76									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														1	
\vdash		DN, 10-Digit PODP		-		BAPTO		149.95		<u> </u>	—	<u> </u>			 		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				ВАРТС		149.95		l	1			l	1		
\vdash		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		 		DAT IC		145.55		 	 	 -		 	†	 	
		DN, Feature Code		l		BAPTF		149.95		1	I	1	1		l		<u> </u>
		AIN Toolkit Service - Query Charge, Per Query					0.02					<u> </u>					
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
\vdash		Subscription, Per Node, Per Query		Ь_	ļ		0.005			ļ	L	ļ		ļ			
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1				l	1			ł	1	l	
\vdash		Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		├	-	-	1.45			 	 	 -		 	 	 	
1 1		Subscription		l	CAM	BAPMS	15.98	71.80		l	l			1		l .	
\vdash		AIN Toolkit Service - Special Study - Per AIN Toolkit Service		_			.0.50					<u> </u>		i	1	l	
		Subscription		L_	CAM	BAPLS	0.08	47.20				<u> </u>			L		
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service														1	
\vdash		Subscription		Ь	CAM	BAPDS	15.90	71.80				ļ <u>.</u>		 		.	
1 1		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		l	CAM	DARCO I		ا محجد		I	l	1				i	1
ENDANG	'CD C'	Service Subscription (TENDED LINK (EELs)	-		CAM	BAPES	0.003	47.20		 		 	 	 	 	 	
		The monthly recurring and non-recurring charges below will a	ייי עוממ	nd the	Switch-As-Is Chem	e will not ann	ly for UNF con	nbinations on	visioned se ' C	i Irdinarily Com	bined' Network	Elemente	 	 	 	 	
		The monthly recurring and the Switch-As-Is Charge and not ti													t		t
		TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT													l		
		First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07			
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142,97	106,56	L	l			38.07	38.07	<u> 1 </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svi Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'i
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)	0011411	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	First 142,97	Add'l 106.56	First	Add'l	SOMEC	SOMAN	SOMAN 38.07	SOMAN 38.07	SOMAN	SUMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	UNCVA	UEALZ	40.01	142.87	100.30	 				30.07	30.01		
1	per month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	71.29	217,17	163.75	 				38.07	38.07		
	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month	_	├	UNC1X UNCVX	MQ1 1D1VG	146.69 1,27	197.78 13.09	140.06 9.38	 							
	Voice Grade COCI - Per Month			UNCVX	IUIVG	1.27	13.08	9.36								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		<u> </u>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Voice Grade COCI - Per Month	<u> </u>	<u> </u>	UNCVX	1D1VG	1.27	13.09	9.38	·							İ
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge	<u> </u> _	L	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		ļ <u>.</u>
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	red ds	INTE	ROFFICE TRANSPO	RT										<u> </u>	<u> </u>
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38 <u>.07</u>	38.07]
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753								_		
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	71,29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month	\vdash		UNC1X	MQ1	146.69	197.78	140.06					30.01	55.57		
	Voice Grade COCI in combination - per month		_	UNCVX	1D1VG	1.27	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCVX	UEAL4	21.32	288.47	237,45					38.07	38.07		<u> </u>
ı	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		1
	Additional 4-Wire Analog Voice Grade Loop in same DS1									·						· -
	Interoffice Transport Combination - Zone 3	ļ	_3	UNCVX	UEAL4	56.57	288.47	237.45	ļ				38.07	38.07		
-+	Additional Voice Grade COCI in combination - per month Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>		UNCVX	1D1VG	1.27	13.09	9.38								
1	Is Charge]		UNC1X	UNCCC	j	21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN			1								1		
															Ì	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month		\vdash	UNC1X	U1TF1	71.29	217.17	163.75			 _	 	38.07	38.07		
_	1/0 Channel System in combination Per Month OCU-DP COCI (data) per month (2.4-64kbs)			UNC1X UNCDX	MQ1 1D1DD	146.69 2.00	197.78 15.76	140.06 11.28	 		-				 	+
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1			UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				35555	20.02	105.04	337.31					ì			
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51			`-	ļ	38.07	38.07	:	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		<u> </u>
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								

UNBUNDLE	D NETWORK ELEMENTS - North Carolina								-				Attach	ment: 2	Exhi	bit: A
	T										Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
			1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	1		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
AILOOK!	NATE ELEMENTS	m	20110	500	0000			101120 (0)			perLSK	per LSR				
			1										Electronic-	Electronic-	Electronic-	Electronic
			١.	}								1	1st	Add'l	Disc 1st	Disc Add
					 		Nonrec	···mina	Nonrecurring	Disconnect		L	088	Rates (\$)		
			 	 		Rec	First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		+-		+		FIIDL	AGG	rust	Auu	SOMEO	JOHAN	JOHAN	00111111		
	Is Charge	1	1	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	i	
CVEC	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC		004 11				21.75	21.73	32.20	10.50			30.07	30.07		+
EATE	NDED 4-WIKE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	US1 IN	TERUTFICE TRANS	TOKI				-							
	First & Miles CAYbox Biolist Condo Lana in Combination . Zono 1		١,	LINCOV	UDL64	ا محمدا	489.04	337.51				ł	38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		⊢ '	UNCDX	UUL64	25.32	469.04	337.51				_	30.07	30,07	 	
ı			۱ ـ			ا ا						1	20.07	20.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43,11	489.04	337.51					38.07	38.07		
			ł	i								1		1		ŀ
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	I -			1						1	1	1	1	I	1
	Per Month	L		UNC1X	1L5XX	0.5753						ļ	L	Ļ	L	1
	interoffice Transport - Dedicated - DS1 combination - Facility	I			1							l				1
	Termination Per Month			UNC1X	U1TF1	71.29	217,17	163.75			l	l	38.07	38.07	L	<u></u>
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06				l	1			
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11,28					l		1	T
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	— —	t	<u> </u>	1						Ì	i	1	1		1
ı	Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL64	25.32	489.04	337.51	[I	38.07	38.07	I	1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		i -	0110071	10000	20.02	100.01			-	1				†	
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51			l	l	38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	DINCEX	UDEU	43.11	405.04	337.31				ł — — —	30.07	30.01	 	+
	Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL64	67.26	489.04	337.51				l	38.07	38.07		Į.
			3	UNCUX	UUL64	67.20	489.04	337.51				 	30.07	36.07	-	+
i	Additional OCU-DP COCI (data) - in combination - per month	l			40400	ا مما	45.50	44.00				ł		}		l
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28							 	+
l l	Nonrecurring Currently Combined Network Elements Switch -As-	1			1							i				1
	Is Charge			UNC1X	UNCCC	ļi	21.75	21.75	32.28	10.96		<u> </u>	38.07	38.07	ļ	
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1							<u> </u>						ļ	
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47			<u></u>		38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421,47			1		38.07	38.07	<u> </u>	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07	L	<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										}		f		1	1
1	Per Month		l	UNC1X	1L5XX	0.5753			}	ļ	1]			
1	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	l	l	UNC1X	U1TF1	71.29	217,17	163.75	ł				38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-				1								1			
i i	Is Charge			UNC1X	UNCCC		21.75	21.75	32,28	10.96			38.07	38.07		1
EYTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	FD DS3	INTER							141-	i		1			1
- - -	First DS1Loop in Combination - Zone 1	<u> </u>	1	UNC1X	TUSLXX	47.60	714.84	421.47					38.07	38.07	 	+
	First DS1Loop in Combination - Zone 1	_	1 2	UNC1X	USLXX	84.36	714.84	421.47		 		$\vdash \vdash \vdash$	38.07			$\overline{}$
	First DS1Loop in Combination - Zone 2	 	3	UNC1X	USLXX	134,29	714.84	421.47			 	 	38.07	38.07		+
		-	٠,	ONO IA	TOOLS.	134.29	7 14.04	421,47			1	 	50.01	1 20.07		+
- 1	Interoffice Transport - Dedicated - DS3 combination - Per Mile	l	1	LINION	4.500	ا ممما				l	i		ì	ŀ	1	1
	Per Month	<u> </u>	_	UNC3X	1L5XX	12.98					+	 		 	 	+
- 1	Interoffice Transport - Dedicated - DS3 - Facility Termination per		l	l		1				l	l		l		1	
	month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		——
	3/1Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38			ļ		<u> </u>	<u> </u>		——
	Additional DS1Loop in DS3 Interoffice Transport Combination -									l	1			1		i
1	Zone 1	L	1	UNC1X	USLXX	47.60	714.84	421.47		L			38.07	38.07	<u> </u>	
	Additional DS1Loop in DS3 Interoffice Transport Combination -												I			1
- 1	Zone 2	l	2	UNC1X	USLXX	84.36	714.84	421.47	j l	I	1		38.07	38.07	<u> </u>	L_
-	Additional DS1Loop in DS3 Interoffice Transport Combination -		 	<u> </u>	T					i -	1		1	1		T
1	Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47		I	1		38.07	38.07	1	1
	Additional DS1 COCI in combination per month		<u> </u>	UNCIX	UC1D1	16.07	13.09	9.38			1		1	1	1	
	Nonrecurring Currently Combined Network Elements Switch -As-		+		100101	10.07	15.08	2.30		 	 		 	 	 	+-
- 1		i	1	UNC3X	UNCCC		21.75	21.75	32.28	10.96	1		38.07	38.07	1	1
	Is Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAS	CINT			 	21./5	∠1./5	32.28	10.90	 	 	30.07	35.07	+	+
EXTE		GKAD				44.55	440.00	400.00	l		 		 	 	+	+
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56			-		 	+	+	+
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106,56		ļ	<u> </u>		+		1	+
i -	2-WireVG Loop in combination - Zone 3		_ 3	UNCVX	UEAL2	40.81	142.97	106.56	<u> </u>	L	L	<u> </u>	1	L		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Increments Charge - Manual Sv Order vs.
		m										po. 20	Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			L			NOC .	First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		ļ	UNCVX	1L5XX	0.0282										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTER	IDED 4-WIRE VOICE GRADE EXTENDED LOOP! 4 WIRE VOICE	GRAD														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	21.32	288.47	237.45					ļ			
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	36.27	288.47	237.45						.		
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45	-					 -		
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		ļ
EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE									ļ				ļ
	DS3 Local Loop in combination - per mile per month		L	UNC3X	1L5ND	13.33					ļ					
	DS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	450.69	1,071.00	646.12	1 1		İ	1	ļ	i]
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		 	UNC3X	1L5XX	12.98	- 1,511155	0.02			 			 		
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	720.38	794,94	579.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC	. 20.00	21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		0.1000		21	21.10	V2.15		 		¥3.5.	†	1	
	STS-1 Local Lolp in combination - per mile per month		T	UNCSX	1L5ND	13.33					† 					
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	464.26	1.071.00	646,12								
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	UNCCC	130.51	21.75	21.75	32.28	10.96			38.07	38.07		
EVTEL	Is Charge IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TOAN	TONGS		UNCCC		21.75	21.75	32.20	10.50	 		30.07	30.07	 	
EXTER	First 2-Wire ISDN Loop in Combination - Zone 1	1100111		UNCNX	U1L2X	19.42	325.91	251.31	1		 		38.07	38.07	 	
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.88	325.91	251.31					38.07		l	
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination - per month		-	UNCIX	MQ1	146.69	197.78	140.06	 		1			1 23.01	 	T -
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.59	15.76	11.28			 		1	1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07			
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	51,14	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN COCI (BRITE) - in combination- per			UNCNX	UC1CA	3,59		11.28					33.07	33.07		
-	month Nonrecurring Currently Combined Network Elements Switch -As-		\vdash		1	3.59	15.76		 			_	 	 	 	
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96	٠.		38.07	38.07	:	
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED STS		EROFFICE TRANSPO	DRT TUSLXX	47.60	714,84	421,47	_		 		38.07	38.07	+	+
	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2			UNC1X UNC1X	USLXX	84.36	714.84	421.47			 	 	38.07			
	ITHE DO LOOD COMDINATION - LONG Z	1		UNC1X	USLXX	134.29	714.84	421.47					38.07			

UNBUND	LED NETWORK ELEMENTS - North Carolina								· · · · · · · · · · · · · · · · · · ·					ment: 2		bit: A
						-						Svc Order		Incremental		
		1	ł		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	r RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			perLSR		Order vs.	Order vs.	Order vs.	Order vs.
04.200	19112 222.1121119	m			1 3333						per con	per con	Electronic-	Electronic-	Electronic-	Electronic-
		1														
		1									1	l	1st	PbbA	Disc 1st	Disc Add'i
		+	├		+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
		-			_	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	 	 		 		7 (1 5)	Auut	, ,,,,,,	- Aug I	- COMILE					
- 1	Per Month	1		UNCSX	1L5XX	6.14						l			1	
		₩	├	UNCSX	ILSAA	0.14					 					
	Interoffice Transport - Dedicated - STS-1 combination - Facility	1					0.40.00	408.89				l	38.07	38.07		
	Termination per month	↓	ļ	UNCSX	U1TFS	790.37	642.23						30.07	36.07		
	3/1 Channel System in combination per month		<u> </u>	UNCSX	MQ3	233.10	403.97	234.40			ļ					
	DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38			Ļ					
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	1		1 1	1					1	1				
	Combination - Zone 1	l	1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in the same STS-1 Interoffice Transport		Ī								1	i				
	Combination - Zone 2	1	2	UNC1X	USLXX	84.36	714.84	421.47	i l		l		38.07	38.07		
	Additional DS1Loop in the same STS-1 Interoffice Transport		1													
l	Combination - Zone 3	1	3	UNC1X	USLXX	134.29	714.84	421.47			1	i	38.07	38.07	[
-+-	DS1 COCI in combination per month	1	 -	UNC1X	UC1D1	16.07	13.09	9.38			T		1	1		
	Nonrecurring Currently Combined Network Elements Switch -As	1	t		+						†		1		i	
l	Is Charge	1	1	UNCSX	UNCCC	1	21.75	21.75	32.28	10.96	I		38.07	38.07		1
EVT	FENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KI	RDS INT	EDOE		3.1000				U2.20	.0.50	t	\vdash	1	1	i	†
EXI	4-wire 56 kbps Local Loop in combination - Zone 1	Dra INI		UNCDX	UDL56	25.32	489.04	337.51			 		 -	 	 	
		!									 			 		
	4-wire 56 kbps Local Loop in combination - Zone 2	-		UNCDX	UDL56	43.11	489.04	337.51						 		
	4-wire 56 kbps Local Loop in combination - Zone 3	!	3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	1		1											
	Per Mile per month		<u> </u>	UNCDX	1L5XX	0.0282					<u> </u>					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	1		1											l
	Facility Termination per month	1	<u> </u>	UNCDX	U1TD5	17.40	137.48	52.58			l		38.07	38.07		ļ
	Nonrecurring Currently Combined Network Elements Switch -As	4			1		•				1					1
	Is Charge	1		UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	FENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KI	BPS INT	EROFF	ICE TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1	1	UNCDX	UDL64	25.32	489.04	337.51			Ĭ.					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	1	3	UNCDX	UDL64	67.26	489.04	337.51					l .	1		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	_	-													1
	Per Mile per month	1	1	UNCDX	1L5XX	0.0282			i l					ì		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	+	-	DIVOUX.	1.00,01	0.0202					1	i				
	Facility Termination per month	1	ł	UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As		┿	DINCOX	01100	17,-0	107.40	52.50			 	t			<u> </u>	
l l		1	ì	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	1	
	Is Charge				UNCCC		21./5	21./5	32.20	10.90		<u> </u>	30.07	30.07	 	
EXT	TENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE	KANSP			1,5415	44.5-		100 52			 	-	38.07	38.07	+	
	First 2-wire VG Loop (SL2) in Combination - Zone 1	-		UNCVX	UEAL2	14.97	142.97	106.56			+		38.07	38.07	 	
	First 2-wire VG Loop (SL2) in Combination - Zone 2	1		UNCVX	UEAL2	25.93	142.97	106.56			<u> </u>	 _				
	First 2-wire VG Loop (SL2) in Combination - Zone 3	!	3	UNCVX	UEAL2	40.81	142.97	106.56				<u> </u>	38.07	38.07	ļ	⊢
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	l l								l		I	l .	I	1
	Mile			UNC1X	1L5XX	0.5753					1	<u> </u>			ļ	<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -										1	1			I	1
	Facility Termination per month	1	1	UNC1X	U1TF1	71.29	217.17	163.75			1	<u>i</u>	38.07	38.07	<u> </u>	L
	Per each DS1 Channelization System Per Month	T	1	UNC1X	MQ1	146.69	197.78	140.06								
	Per each Voice Grade COCI - Per Month per month	 	_	UNCVX	1D1VG	1.27	13.09	9.38			T		1			
	3/1 Channel System in combination per month	+	t	UNC3X	MQ3	233.10	403.97	234.40	i e		T				1	
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16,07	13.09	9.38				i	1	1	l	
 	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	+	+		155.5.	10.01	10.05	5.50			† · · · · ·	 	i		i	i
	Interoffice Transport Combination - Zone 1	1	1 4	UNCVX	UEAL2	14,97	142.97	106.56	Į	l	1	1	38.07	38.07	1	1
		-	 -	U.104A	1000	14.57	142.31	100.30	 		 	 	1 55.57	1	t	1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	2	UNCVX	UEAL2	25.93	142.97	106.56	.	l	1	1	38.07	38.07	ł	1
\vdash	Interoffice Transport Combination - Zone 2	+	 "	UNCVX	UEALZ	23.93	142.97	100.56	ļ	 	+	 	30.07	30.07	1	
1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	l .	l <u>.</u>	I	l			1	I	1	l	20.00	20.00	I	1
<u></u>	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56		ļ	↓	 	38.07	38.07	!	
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38					L	<u> </u>	ļ	L
	Each Additional DS1 Interoffice Channel per mile in same 3/1										1		1		1	1
	Channel System per month	L	<u></u>	UNC1X	1L5XX	0.5753				L	<u> </u>	L	<u></u>	↓	1	
	Each Additional DS1 Interoffice Channel Facility Termination in	Т			1						1		I		1	
	same 3/1 Channel System per month	1	1	UNC1X	UITF1	71.29	217.17	163.75	,	I	1	L	38.07	38.07	L	l

CAREOGY RATE ELEMENTS IN INC. RATE ELEMENTS IN INC. RATE ELEMENTS IN INC. RATE ELEMENTS IN INC. RATE ELEMENTS IN INC. RATE ELEMENTS IN INC. RATE ELEMENTS IN INC. REC.	BUNDLED	NETWORK ELEMENTS - North Carolina									-			Attach	ment: 2	Exhi	bit: A
Rec				Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
No. No.																Disc 1st	Disc Add'l
Noncounting Currently Combined Netheric Elements Sentich - Apr Sent Combination - Sent		-		├—			Rec					SOMEC	SOMAN			SOMAN	SOMAN
## REPUBLIC AWARE VARIES (VICE GRADE LOCAL LOOP) IN TREBUSER OF THANSPORT WITH VIX. Fig. 14 May Analog Vice Grade Local Loop in Combination -				<u> </u>										20.07	20.07		
Fig. 4-Wire, Analog Voce Grafe Local Loop in Combination - 1 UNCX	EXTENDS	S Charge	FROFE	ICE TR				21.75	21.75	32.28	10.96	-		36.07	30.07		
Zone 1	F	irst 4-Wire Analog Voice Grade Local Loop in Combination -	LICOLL	1	ANOFOR WORTH	î	-					1	<u> </u>				
Zone 2	z	Cone 1	L	1	UNCVX	UEAL4	21.32	288.47	237.45			ļ	ļ	38.07	38.07		
First A-Wire Analogy Votes Grade Local Loop in Combination - Part Interface. Present Processing Present Interface. Present Processing Present Interface. Present Processing Present Interface. Present Prese			ļ	١,	UNCVX	LIFAL4	36.27	288 47	237.45					38.07	38.07		
First Interoffice Transport - Dedicated - OST - Combination - Per Mile No.			<u> </u>														
Mile Per Month Mile Per Month Mile Per Month Mile Per Month Mile Per Month Mile Per Month Mile Mile Medical Per Month Mile Mile Mile Mile Mile Mile Mile Mile			ļ	3_	UNCVX	UEAL4	56.57	288.47	237.45			ļ		38.07	38.07		
Termination Per Month	M	Alle Per Month			UNC1X	1L5XX	0.5753										
Per sach 10 Channel System in combination per Month UNCIX MOI 14666 197.76 140.06					INCIV		74.00	24777	160 75					29.07	32 07	1	
Per early Votor Grade COCCI in combination - per month UNICYX 10 Vic 127 13.09 9.38				├						 		 	 	30.07	30.07	 	
No. St. Channel System in combination per month UNCXX UNCX UCID11 16.07 13.09 9.38				\vdash						·		†					
Per each DST COCI in combination per month UNCIX UCID1 16.07 13.09 9.38			<u> </u>		UNC3X	MQ3	233.10	403.97	234.40								
Interdifice Transport Combination - Zone 1					UNC1X	UC1D1	16.07	13.09	9.38								
MACIBIONE 4 Viver, National				Γ.	LINCLO	LIEAL A	21 22	288 47	237.45				!	38.07	38.07		
Additional AVVier Analogy Voice Grade Loop in same 0S1 Interoffice Transport Combination - Zone 3 3 UNCX	I A	Additional 4-Wire Analog Voice Grade Loop in same DS1															
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 56.57 288.47 237.45 38.07 38.	ln	nteroffice Transport Combination - Zone 2	ļ	2	UNCVX	UEAL4	36.27	288.47	237.45			ļ		38.07	38.07		
Each Additional DS1 Interoffice Channel per mels in same 3/1 UNCIX 1L5XX 0.5753 UNCIX 1				3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
Sab Additional USI Interdiffice Channel Facility Termination in same 3/1 Channel System per month UNCIX UTTF1 71.29 217.17 163.75 33.07 33.07	E	ach Additional DS1 Interoffice Channel per mile in same 3/1															
Same 31 Channel System per month		Channel System per month	<u> </u>	_	UNC1X	1L5XX	0.5753			-		 					
Nonrecurring Currently Combined Network Elements Switch -As UNCIX UNCCC 21.75 21.75 32.28 10.98 38.07 38.07 38.07				l		U1TF1								38.07	38.07		
SCHarge UNCIX UNCCC 21.75 21.75 32.28 10.96 38.07 38.07					UNCVX	1D1VG	1.27	13.09	9.38			ļ			}	ļ	ļ
EXTENDED 4-WIRE 58 KBPS Digital Grade Local LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT wil 3/1 MUX First 4-Wire 56Kbps Digital Grade Local Loop in Combination - 1 UNCDX UDL56 25.32 489.04 337.51 38.07 38.07 38.07 2.0ne 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination - 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07 38.07 2.0ne 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination - 2 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07 38.07 38.07 2.0ne 3 First Interoffice Transport - Dedicated - DS1 combination - Per Molth Per Month In Septiment of the Combination - Per Molth Per Month In Septiment Of Combination - Per Molth Per Month In Septiment Of Combination - Per Month UNC1X UTF1 71.29 217.17 163.75 38.07			1		LINCTY	INCCC	1	21.75	21 75	32.28	10.96			38.07	38.07		
First 4-Wre 56Kbps Digital Grade Local Loop in Combination	EXTEND	ED 4-WIRE 56 KRPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE				210		-					1	-	
Zone 1	F	irst 4-Wire 56Kbps Digital Grade Local Loop in Combination -	<u> </u>	T		T T											
Zone 2	z	Ione 1		1	UNCDX	UDL56	25.32	489.04	337.51		ļ	<u> </u>		38.07	38.07		
First A-Wire 56Kbps Digital Grade Local Loop in Combination - 2			İ	2	UNCDX	UDL56	43.11	489.04	337.51				_	38.07	38.07		
First InterOffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X USX 0.5753 UNC1X UTTF1 71.29 217.17 163.75 UNC1X USX 0.5753 UNC1X UTTF1 71.29 217.17 163.75 UNC1X USX 0.5753	F	irst 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
Mile Per Month				3	UNCDX	UDL56	67.26	489.04	337.51	 		 		38.07	38.07		
Facility Termination Per Month	l IM	file Per Month	l		UNC1X	1L5XX	0.5753										
Per each 1/10 Channel System in combination Per Month UNC1X MQ1 146.69 197.78 140.06	F	irst Interoffice Transport - Dedicated - DS1 - combination										Ĭ		20.07	20.07		
Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)				<u> </u>						-		 	-	38.07	38.07	-	
3/1 Channel System in combination per month UNC3X MQ3 233.10 403.97 234.40			\vdash	\vdash						-	 	 				†	
Per each DST COCI in combination per month				 							-	 		i .			
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 25.32 489.04 337.51 38.07			_	 										1			
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07	I A	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		١.					227 51					39.07	38.07		
Interoffice Transport Combination - Zone 2	In In	Interomice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	\vdash								<u> </u>	†					
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07	l In	nteroffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	43.11	489.04	337.51			ļ		38.07	38.07		
OCU-DP COCI (data) COCI in combination per month (2.4-64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 71.29 217.17 163.75 38.07 38.07				3	UNCDX	UDL56	67.26	489.04	337.51			<u> </u>	L	38.07	38.07	L	
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X UNC1X UNC1X UNC1X 1L5XX 0.5753 163.75 38.07 38.07		OCU-DP COCI (data) COCI in combination per month (2.4-						46 70									
Channel System per month			\vdash	\vdash	UNCDX	מטוטון	2.00	15./6	11.28	 	 	 	 	 	 		
same 3/1 Channel System per month UNC1X U1TF1 71.29 217.17 163.75 38.07 38.07	l lo	Channel System per month			UNC1X	1L5XX	0.5753				<u> </u>	<u> </u>				:	
					UNC1X	U1TF1	71.29	217.17	163.75				j	38.07	38.07		
leach Additional DST COULIN die same 3 i channel system Combination per month UNC1X UCID1 16.07 13.09 9.38	E	ach Additional DS1 COCI in the same 3/1 channel system				1											

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina								<u> </u>					ment: 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring	Disconnect				Rates (\$)		
	-					Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		 		 											
	is Charge		<u> </u>	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	NTERC	FFICE	TRANSPORT w/ 3/1	MUX						· ·		· · · · · · · · · · · · · · · · · · ·			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38,07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489,04	337.51					38.07	38.07		
l l	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per		 	UNCUA	10000	07.20	403,04	307.01			-					
1	Mile Per Month		L	UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination -		Γ												<u> </u>	
	Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75	_			<u> </u>	38.07	38.07	ļ	
	Per each Channel System 1/0 in combination Per Month		<u> </u>	UNC1X	MQ1	146.69	197,78	140.06			 	-		 	 	
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)		1	UNCDX	1D1DD	2.00	15.76	11.28				1		1		
-+	3/1 Channel System in combination per month		 	UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1					-						l				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51			ļ		38.07	38.07		
<u> </u>	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51				<u> </u>	38.07	38.07		
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.5753							-	 	 	
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75	ļ		ļ	ļ	38.07	38.07	_	
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-	i		l	UNCCC		21.75	21.75	32.28	10.96	ł		38.07	38.07		
FUT	Is Charge NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	T iii 2	4 MILLY	UNC1X	DNCCC		21.75	21.75	32.20	10.90	 		30.07	30.07		
EXTE	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	\ \ \ \	- mox		 				_		†					
	Transport - Zone 1	L	1	UNCNX	U1L2X	19.42	325.91	251.31			<u> </u>		38.07	38.07		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination										-					
	Transport - Zone 2	<u> </u>	2	UNCNX	U1L2X	32.88	325.91	251.31	 	ļ		ļ—	38.07	38.07		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination -			LINGAY		71.29	217.17	163.75		1		I	38.07	38.07		
\vdash	Facility Termination per month	├	+-	UNC1X UNC1X	MQ1	71.29 146.69	217.17 197.78	163.75	 		 	 	30.07	30.07	 	
	Per each Channel System 1/0 in combination - per month		T				15.76	11.28								
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u> </u>		UNCNX	MQ3	3.59 233.10	15.76 403.97	234,40	 		 	 		 	<u> </u>	
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		+-	UNC1X	UC1D1	16.07	13.09	9.38		 	†	t —	 	<u> </u>		
	Additional 2-wire ISON Loop in same DS1Interoffice Transport	\vdash	t						T		Ϊ.			1		
	Combination - Zone 1		11	UNCNX	U1L2X	19.42	325.91	251.31			<u> </u>		38.07	38.07	<u> </u>	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31	_			<u></u> .	38.07	38.07		·
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U11.2X	51.14	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month		Ī	UNCNX	UC1CA	3.59	15.76	11.28								

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
					T						Svc Order	Svc Order	Incremental	Incremental	incremental	Incrementa
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEGORY	RATE ELEMENTS	m	200	500	5555						per con	per con	Electronic-	Electronic-	Electronic-	Electronic-
			l												1	
			i										1st	Add'I	Disc 1st	Disc Add'i
			<u> </u>				N		Nonrecurring	Discourage			000	Rates (\$)	<u> </u>	J
						Rec	Nonrec				SOMEC	6011411		SOMAN	SOMAN	SOMAN
			<u> </u>		1		First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SUMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1	l			1									ľ		
1	Channel System per month	ĺ		UNC1X	1L5XX	0.5753										<u> </u>
-	Each Additional DS1 Interoffice Channel Facility Termination in														1	ł
1	same 3/1 Channel System per month	1		UNC1X	U1TF1 I	71,29	217,17	163.75					38.07	38.07		1
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month	l		UNC1X	UC1D1	16.07	13.09	9.38			1			ľ		İ
		├	-	UNCIA	100.0.	10.07	10.00	- 0.00							i	
	Nonrecurring Currently Combined Network Elements Switch -As-	1	l				21.75	21.75	32,28	10.96			38.07	38.07		
	Is Charge		<u> </u>	UNC1X	UNCCC		21.75	21.73	32.20	10.50			30.07	30.07		
EXT	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX							ļ					
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421,47					38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2			UNC1X	USLXX	84.36	714.84	421,47					38.07	38.07		
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47			L		38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per	i i	 		1											
	Mile Per Month	l	1	UNC1X	1L5XX	0.5753					l		l	1	1	1
	First Interoffice Transport - Dedicated - DS1 combination -	-	 	5.10.10	1.00.01	3.0.00					i			1	1	T .
i i		ł	I	linicav	UITEI	71,29	217,17	163.75			l		38.07	38.07	1	1
	Facility Termination Per Month	-	-	UNC1X	MQ3	233.10	403.97	234.40	\vdash		 		30.07	33.07		
	3/1 Channel System in combination per month		<u> </u>	UNC3X							 					
	Per each DS1 COCI combination per month		L .	UNC1X	UC1D1	16.07	13.09	9.38								ļ
	Each Additional DS1 Interoffice Channel per mile in same 3/1			Ì							1					1
	Channel System per month			UNC1X	1L5XX	0.5753									L	
———	Each Additional DS1 Interoffice Channel Facility Termination in		\vdash													i
	same 3/1 Channel System per month		i	UNC1X	U1TF1	71.29	217,17	163.75			l .		38.07	38.07		l
	Each Additional DS1 COCI in the same 3/1 channel system		+								1		i			i
				UNC1X	UC1D1	16.07	13.09	9.38					l			ł
	combination per month	_	-	UNCIA	100.01	10.07	10.05				1			 		
1 1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.		USLXX	47.60	714.84	421.47			L		38.07	38.07		1
	1	Ь—	1	UNC1X	USLAX	47.60	714.64	421.47					30.07	30.07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	ļ									I	1				i
l I	2	i	2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		ļ
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	Ì							i l		I	Į.				1
l I	3		3	UNC1X	USLXX	134.29	714.84	421.47				L	38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-										1					1
	Is Charge		1	UNC1X	UNCCC		21.75	21.75	32.28	10.96	I	1	38.07	38.07		l
	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DSO	NTERO	FEICE		1577,555											
EXII		T	TA	UNCDX	UDL56	25.32	489.04	337.51		_						
	First 4-wire 56 kbps Local Loop in combination - Zone 1	├				43.11	489.04	337.51	-		 				 	
	First 4-wire 56 kbps Local Loop in combination - Zone 2	<u> </u>	2	UNCDX	UDL56						<u> </u>					
	First 4-wire 56 kbps Local Loop in combination - Zone 3	ļ	1 3	UNCDX	UDL56	67.26	489.04	337.51			 	 	 			
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	l	1	I	l						I	I	l .	I		1
	per month			UNCDX	1L5XX	0.0282						ļ				<u> </u>
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility										1	1	1	1	1	l
1 1	Termination per month	1	1	UNCDX	U1TD5	17.40	137.48	52.58			L	L	38.07	38.07		<u></u>
 	Nonrecurring Currently Combined Network Elements Switch -As-	1	 		1						1		1			
1 1		1	1	UNCDX	UNCCC		21.75	21,75	32.28	10.96	1	I	38.07	38.07		i
	Is Charge	NITERA	EEICE		0.1000			2.,,,	<u> </u>			 		1		i
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0	HICKU	FFICE	TINOPE	1151.64	25.32	489.04	337.51			 	\vdash		 		
	First 4-wire 64 kbps Local Loop in combination - Zone 1	ļ		UNCDX	UDL64					-		 				
	First 4-wire 64 kbps Local Loop in combination - Zone 2	<u> </u>		UNCDX	UDL64	43.11	489.04	337.51			-	 		 		
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51			1	L				
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		1								i	I	ł	1		I
	per month	1	1	UNCDX	1L5XX	0.0282						L		L		
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	T	1		T							l	l			1
1 1	Termination per month	1	ł	UNCDX	U1TD6	17,40	137.48	52.58			1	1	38.07	38.07	I	I
		_	+		155							i		1		T
1 1	Nonrecurring Currently Combined Network Elements Switch -As	1	1	LINCOV	UNCCC		21.75	21.75	32.28	10,96	1	i	38.07	38.07	I	I
	Is Charge	1	₩	UNCDX	UNCCC		21./5	21./3	32.20	10.90	+	—	30.07	35.07		-
ADDITIONAL	NETWORK ELEMENTS		ــــــــــــــــــــــــــــــــــــــ				•				+		 	 		
Whe	n used as a part of a currently combined facility, the non-recur	mg cha	rges d	o not apply, but a	Switch As Is c	harge does ap	oly.				 	└		ļ		
Whe	n used as ordinarily combined network elements in All States, t	he non-	-recurr	ing charges apply a	ind the Switch	As Is Charge	does not.				- , 	L		1		<u> </u>
Non	recurring Currently Combined Network Elements "Switch As Is"	Charge	(One	applies to each con	nbination)							L	L			
⊢ 	Nonrecurring Currently Combined Network Elements Switch -As	 	1	T								1				
	Is Charge - 2 wire/4-Wire VG	1	1	UNCVX	UNCCC	l .	21.75	21.75	32.28	10.96	1	ŀ	26.94	12.76	I	i .

JNBUI	NDLEC	NETWORK ELEMENTS - North Carolina								•				Attach			bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		·	RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
				<u> </u>			Rec		urring	Nonrecurring First	Disconnect Add'i	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	COMAN
						-		First	l'bbA	rinst	Addi	SUMEC	SUMAN	SOMAN	SUMAN	SUMAN	SOMAN
-		Nonrecurring Currently Combined Network Elements Switch -As- is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96	!		26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96	·		26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-	i		INICEV	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Is Charge - STS1			UNCSX	UNCCC		21.75	21./3	32.20	10.96			20.94	12.76		 -
	Optiona	il Features & Functions:		 	U1TD1.	 									-		
		Clear Channel Capability Extended Frame Option - per DS1	1_	ļ	ULDD1,UNC1X	CCOEF		01	01	01	01						
		Clear Channel Capability Super FrameOption - per DS1	1	<u> </u>	U1TD1, ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		01	01	OI	01						
		Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			UNC1X, USL U1TD3, ULDD3,	NRCCC		184.76S	23.8S	1.99\$	0.78S			26.94	12.76		
- 1		C-bit Parity Option - Subsequent Activity - per DS3	١.	1	UE3, UNC3X	NRCC3		218.925	7.66S	.7576S	os			26.94	12.76		
		PLEXERS		1	025, 611667	1		210.020	1.000		-			20.0			
_		DS1 to DS0 Channel System per month			UNC1X	MQ1	146.69	197.78	140,06	İ				26.94	12.76		
\neg		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per								1							
		month (2.4-64kbs) used for connection to a channelized DS1		1	l												
		Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	<u> </u>	-	UITUD	1D1DD	2.00	13.09	9.38		 -		L			<u></u>	
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38	1							
\exists		Towns of a Local Coop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel			-	155.5.	2.03	13.00									
		in the same SWC as collocation		l	U1TUB	UC1CA	3.59	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38								
		DS3 to DS1 Channel System per month			UNC3X	MQ3	233.10		234.40					26.94	12.76		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	233.10		234.40		 			26.94	12.76		
		DS1 COCI used with Loop per month			USL	UC1D1	16.07	13.09	9.38							<u> </u>	
		DS1 COCI (used for connection to a channelized DS1 Local	1	1	U1TUA	UC1D1	16.07	13.09	9.38			-					
		Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month	 	+	U1TD1	UC1D1	16.07	13.09	9.38	ŧ	-	 				-	
		DS3 Interface Unit (DS1 COCI) used with Local Channel per		1		155.5.				1							
		month			ULDD1	UC1D1	16.07	13.09	9.38								
				1		<u> </u>		ļ		 				26.94 26.94	12.76 12.76		
		AND THE CHARTON BUILDING TO THE	Н—	+		 	 	 	 	 		-		26.94	12./6		
NBUN		OCAL EXCHANGE SWITCHING(PORTS)	├	+-	 	 	 	 		 	-	 					
	NOTE	ge Ports Although the Port Rate includes all available features in GA,	KY, LA	& TN.	the desired features	will need to I	be ordered usi	ng retail USOC	8								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)	L <u></u> ,	L		1											
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		ļ	UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		_	UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	<u></u>		UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		
		2-Wire Voice Grade Unbundled Port without Caller ID capability. North Carolina		<u>L</u> .	UEPSR	UEPRZ	2.19	21.60	21,60		<u> </u>						

INBUNDLED N	ETWORK ELEMENTS - North Carolina													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		•	RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge Manual : Order v
													Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electron Disc Ad
						Rec	Nonrec First	uning Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMA
1 2 14	/ire Voice Grade Unbundled Port with Caller ID capability.		├				PITSI	Addi	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMA
	th Carolina			UEPSR	UEPRY	2.19	21.60	21,60								
	psequent Activity		+	UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
FEATURES																
All /	Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0,00					26.94	12.76		
	ICE GRADE LINE PORT RATES (BUS)								ļ	ļ						
	hange Ports - 2-Wire Analog Line Port without Caller ID -	l			l	ا ـ ـ ـ ا					ł			40.70		
Bus			<u> </u>	UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	thange Ports - 2-Wire VG unbundled Line Port with	1					24.50	21.60					26.94	12.76		
սոե	oundled port with Caller+E484 ID - Bus.	├	\vdash	UEPSB	UEPBC	2.19	21.60	21.60	 	 			20.94	12.76		\vdash
₀	thange Ports - 2-Wire Analog Line Port outgoing only - Bus.	I		UEPSB	UEPBO	2.19	21.60	21.60		l			26.94	12.76		i
	nange Ports - 2-Wire VG unbundled incoming only port with	 	\vdash	02.00	<u> </u>	2.,9	21.00	2,1.50	 				20.57	1		
	ler ID - Bus	I	1	UEPSB	UEPB1	2.19	21.60	21.60	I	l			26.94	12.76		1
	Vire voice unbundled Incoming Only Port without Caller ID		1							1						
	pability	I	ļ	UEPSB	UEPBE	2.19	21.60	21.60	l				26.94	12.76		
	osequent Activity	I		UEPSB	USASC	0.00	0.00	0.00								
FEATURES	3															
All A	Available Vertical Features		l	UEPSB	UEPVF	3.40	0.00	0.00			<u> </u>		26.94	12.76		
	E PORT RATES (DID & PBX)										ļ					
	Vire VG Unbundled 2-Way PBX Trunk - Res	<u> </u>	ـــــ	UEPSE	UEPRD	2.18	21.60	21.60	ļ				26.94	12.76		
	Vire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60 21.60					26.94 26.94	12.76 12.76		
2-W	Vire VG Line Side Unbundled Outward PBX Trunk - Bus		-	UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	Vire VG Line Side Unbundled Incoming PBX Trunk - Bus	├	₩	UEPSP UEPSP	UEPP1 UEPLD	2.18 2.18	21.60 21.60	21.60					26.94	12.76		
	Vire Analog Long Distance Terminal PBX Trunk - Bus Vire Voice Unbundled PBX LD Terminal Ports	 	-	UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	Vire Vice Unbundled 2-Way PBX Usage Port	├	+	UEPSP	UEPXA	2.18	21.60	21.60			 		26.94	12.76		_
	Vire Voice Unbundled PBX Toll Terminal Hotel Ports	├	+-	UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	Vire Voice Unbundled PBX LD DDD Terminals Port	 	\vdash	UEPSP	UEPXC	2.18	21.60	21.60			1		26.94	12.76		
	Vire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60	i		i		26.94	12.76		
	Vire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1													
	pable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1		ĺ				}							
Adr	ministrative Calling Port	l		UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		<u> </u>
2-W	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1				i							
Roc	om Calling Port	<u> </u>	1	UEPSP	UEPXM	2.18	21.60	21.60		ļ	ļ		26.94	12.76		<u> </u>
	Vire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1							I						1
	count Room Calling Port	Ļ	₩	UEPSP	UEPXO	2.18	21.60	21.60					26.94 26.94	12.76		-
	Vire Voice Unbundled 1-Way Outgoing PBX Measured Port	├	┼	UEPSP	UEPXS	2.18 0.00	21.60	21.60 0.00		<u> </u>	-		26.94	12.76 12.76	-	
	bsequent Activity	 	+	UEPSP	USASC	0.00	0.00	0.00	 		 		20.94	12.76		-
FEATURES		-	┼	UEPSP UEPSE	UEPVF	3,40	0.00	0.00	 		 		26.94	12.76		
	Available Vertical Features		+	GEFSF GEFSE	DEFVE	3.40	0.00	0.00	 		 		20.54	12.10		_
	E PORT RATES (COIN) change Ports - Coin Port	1	 -		 	2.59	21.60	21.60	 				- 26.94	12.76		
NOTE: Tee	nemission/usage charges associated with POTS circuit a	witched	usage	will also apply to c	rcuit switche	d voice and/or	circuit switch	ed data transn	nission by B-CI	hannels assoc	ated with 2-	wire ISDN r	orts.			
NOTE: Ac	cess to B Channel or D Channel Packet capabilities will be	e availa	ble on	v through BFR/New	Business Re	quest Process.	Rates for the	packet capab	lities will be de	etermined via	he Bona Fic	e Request/	New Busines	s Request Pro	cess.	
	AL EXCHANGE SWITCHING(PORTS)	1	T	1												
EVCHANCE	E BOOT DATES															
The DS1 P	ort rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	t in thi	s rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shall	revert to tar	iff rates or	a separate ag	reement.		
Requests f	for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after th	e effect	ive date of this ame	ndment shall	be provided p	ursuant to a se	parate agreen	nent or tariff at	BellSouth's d	iscretion.					
Exc	change Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36	81.84	81.84	<u> </u>	ļ			26.94	12.76		
	change Ports - DDITS Port - 4-Wire DS1 Port with DID		1	l	l					I						l
	pability (E:4/1/2004)	_	↓	UEPDD	UEPDD	123.65	116.59	69.92	_				26.94	12.76		Ь——
	change Ports - 2-Wire ISDN Port (See Notes below.)	—	ļ	UEPTX, UEPSX	U1PMA	24.50	62.29	62.29		 			55.30	55.30		
All	Features Offered		+	UEPTX, UEPSX	UEPVF	3.40 0.00	0.00	0.00		-	<u> </u>				•	-
Exc	change Ports - 2-Wire ISDN Port - Channel Profiles insmission/usage charges associated with POTS circuit s	L	1	UEPTX, UEPSX	JUTUMA	U.UU	U.UU	ed data transco	niesion by P.C	l honnole secon	isted with 2	wire ISDN r	orte			
NOTE: Tra	ensmission/usage charges associated with POTS circuit a cess to B Channel or D Channel Packet capabilities will be	WITCHE	n usage	will also apply to c	Duelnese Pa	avest Deserve	Potos for the	nacket conch	ilities will be d	neminat da	he Bone Fie	a Reguest	New Busines	Reguest Des	COSS	
	cess to H Channel of D Channel Packet Capabilities will be	. avz::18	וננם פורי	y umough Brickew	שמשווופטם אל	quest riocess.	cates for the	Packer Cahab	WIII DA G		Jona Pit	in Lindanasa	TOTAL PROPERTY.	wywesi P10	···	L

NRONDLE	D NETWORK ELEMENTS - North Carolina				 						Gue Ouden	Suc Carles		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order va Electroni Disc Ado
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		l			179,75	241.63	241.63				1	53.89	53.89		
	Locator Capability (E:4/1/2004)	<u> </u>	┞	UEPEX	UEPEX	179.75	241.63	241.63	_		-		53.89	53.89		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	١.		UEPEX UEPDX	PE1P1	2.34	71.02	51.08					26.94	12.76		
	Physical Collocation - DS1 Cross-Connects	├ ' -		DEPEN DEPUN	172371	2.04	71.02	31.00		1	+		20.54	12.10		
	Virtual collocation - Special Access & UNE, cross-connect per DS1	l	1	UEPEX UEPDX	CNC1X	0.97	71.02	51.08		l		l	26.94	12.76		
Dataile	d E911 with Locator Capability (required with UEPEX port)	 	├	DEFEK OLI DA	0.00.0								20,01			
Detaile	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	\vdash	 				-						**			
	Locator Capability - Initial Profile Establishment per CLEC per			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions			UEPEX	UEP18	0.00	174.99						26.94	12.76		
Now o	Additional PRI Telephone Numbers	 	†		1					1						
New O	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	t	1		1											
i	Locator Capability 2-way Telephone Numbers, per number in		ì								1					
- 1	E911 profile (New or Additional)			UEPEX	UEP1C		1.17	1,17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in	1	1		1											
	E911 profile [New or Additional]	<u> </u>		UEPEX	UEP1D		28.17	28.17		<u> </u>	 		26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	1	1	1	1											
	Telephone Numbers - Inward Data Only Option [New or	l	1	LUCEBRA		ا مما	1.17	1,17					26.94	12.76		ŀ
	Additional]		 	UEPDX	UEP1E	0.00	1.17	1.17		-	 		20.94	12.76		
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY	_	<u> </u>	UEPEX	PR7ZT	0.00	56.33	56.33		ļ			26.94	12.76		ļ
LOCA	Local Number Portability (1 per port)	+	+	UEPEX UEPDX	LNPCN	1.75				1	1					
INTER	FACE (Provisioning Only)	 	+	DEFEN DEFEN	12771 2011	****										
- INTER	Voice/Data	 	1	UEPEX	PR71V	0.00	0.00	0.00					26.94	12.76		<u> </u>
_	Digital Data	1	1	UEPEX	PR71D	0.00	0.00	0.00					26.94	12.76		
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00			<u> </u>		26.94	12.76		
New o	r Additional Channel					<u></u>										
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92				ļ		26.94	12.76		<u> </u>
	New or Additional - Digital Data "B" Channel	ļ	ــــــ	UEPEX	PR7BF	0.00	36.92				·		26.94	12.76		
	New or Additional Inward Data "B" Channel	↓	₩	UEPDX	PR7BD	0.00	36.92				-		26.94 26.94	12.76 12.76		ļ
	New or Additional Useage Sensitive Voice Data "B" Channel	4	-	UEPEX	PR7BS	0.00				1	 	-	26.94	12.76		
	New or Additional Useage Sensitive Digital Data "B" Channel		₩—	UEPEX	PR78U PR7EX	0.00	36.92			 			26.94	12.76		<u> </u>
	New or Additional PRI "D" Channel	↓	+	UEPEX	PRIEX	0.00	30.92			 			20.54	12.76		<u> </u>
CALL	TYPES	+	+-	UEPEX UEPDX	PR7C1	0.00	0.00	0.00		 	+		26,94	12.76		
	Inward	+	+	UEPEX	PR7CO	0.00	0.00	0.00		 	 	-	26.94	12.76		
-	Outward Two-way	+	+	UEPEX	PR7CC	0.00	0.00	0.00			1		26.94	12.76		_
	NOLED PORT with REMOTE CALL FORWARDING CAPABILIT	ᡧ	+-	OLI LX	1.1.700	3.55				1	<u> </u>	i		1,51,10		
UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	<u> </u>	+			· -				1		i				
UNBU	Unbundled Remote Call Forwarding Service, Area Calling, Res	1	+-	ÜEPVR	UERAC	2.19	21.60	21.60			Ì		26.94	12.76		
- -	Unbundled Remote Call Forwarding Service, Local Calling - Res		\top	UEPVR	UERLC	2.19	21.60	21.60					26.94	12.76		
-	Unbundled Remote Call Forwarding Service, InterLATA - Res	1		UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
-	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
Non-f	lecurring										L					
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2.77	0.40			· .		26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPiC)			UEPVR	USACC		2.77	0.40	<u> </u>	ļ						
UNBU	NDLED REMOTE CALL FORWARDING - Bus	+	+	 		 			 	+	+					
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	4_	<u> </u>	UEPVB	UERAC	2.19	21.60	21.60					26,94	12.76		
		1	1	UEPVB	UERLC	2.19	21.60	21.60	I	1	1	l	26.94	12.76		I

OUBOURFER	NETWORK ELEMENTS - North Carolina													ment: 2	Exhil	
1					1							Svc Order			Incremental	
1			1		i		•					Submitted	Charge -	Charge -	Charge -	Charge -
-		Interi	1	l							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic
l			1		i						ì		1st	Addi	Disc 1st	Disc Add'I
			ļ		ļ	<u> </u>	Nonrec		Managarata	g Disconnect	 		000	Rates (\$)		
		<u> </u>				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ļ		LIFOTE	2.19	21.60	21.60	FIJBL	Addi	SOMEC	SUMAN	26.94	12.76	SUMAN	SUMAN
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		<u> </u>	UEPVB UEPVB	UERTE	2.19	21.60	21.60	 	 			26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	<u> </u>		UEPVB	UERIR	2.19	21.60	21.00		ł	 		20.54	12.76		
	Unbundled Remote Call Forwarding Service Expanded and		1	UEPVB	UERVJ	2.19	21,60	21.60					26.94	12.76		
	Exception Local Calling		+	OEFVB	DERVS	2.10	21.00			t	 		20.07	12.10		
Non-Re	Curring Unbundled Remote Call Forwarding Service - Conversion -	_	+		 					1	†		-			
				UEPVB	USAC2		2.77	0.40					26.94	12.76		
	Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with	_	+	UEFVO	USAUE				-	ł			20.01			
				UEPVB	USACC	1	2.77	0.40		1						
	allowed change (PIC and LPIC) OCAL SWITCHING, PORT USAGE		+	UZF VB	- Journal - I			0.10		i	1					
			+		 					1						
	ice Switching (Port Usage) End Office Switching Function, Per MOU	 	1		 	0.0015			t	†	1		i	1		
 	End Office Trunk Port - Shared, Per MOU	 	\vdash	t	†	0.00023				i ·····			1			
	Switching (Port Usage) (Local or Access Tandem)	_	1		1					1						
	Tandem Switching Function Per MOU	\vdash	1			0.0006	•			i						
	Tandem Trunk Port - Shared, Per MOU		1		1	0.0003										
	Tandem Switching Function Per MOU (Melded)	-	1			0.00024618										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00012309					Ĭ					
	Melded Factor: 41,03% of the Tandem Rate									<u> </u>						
	n Transport		T^{-}													
- -	Common Transport - Per Mile, Per MOU					0.00001										
	Common Transport - Facilities Termination Per MOU		1			0.00034										
**********	ORT/LOOP COMBINATIONS - COST BASED RATES	-			1					1				1		
TUNBUNDLED P	OKI/LOOP COMBINATIONS - COST DAGLE MATEC	1														
10	and Dates are conflict where BollCouth is required by ECC a	nd/or S	tate Co	mmission rule to p	ovide Unbur	dled Local Swi	tching or Switch	h Ports.		L						
Cost Ba	ased Rates are applied where BellSouth is required by FCC a	rt Boson	d Date	section in the same	manner as ti	Deilaas ens ver	to the Stand-A	one Unbundi	ed Port section	of this Rate E	xhibit.					
Cost Ba	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Co.	st Base	d Rate	section in the same	manner as ti	ey are applied	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop	Combination	ns.		
Cost Ba Feature End Off	used Rates are applied where BellSouth is required by FCC a is shall apply to the Unbundled Port/Loop Combination - Col fice and Tandem Switching Usage and Common Transport U it and additional Port nonrecurring charges apply to Not Cun	st Base	d Rate	section in the same	manner as ti	ey are applied	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination	ns. ections.		
Cost Ba Feature End Off The firs 2-WIRE	used Rates are applied where BellSouth is required by FCC a is shall apply to the Unbundled Port/Loop Combination - Col- lice and Tandem Switching Usage and Common Transport Ut at and additional Port nonrecurring charges apply to Not Cun VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st Base	d Rate	section in the same	manner as ti	ey are applied	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination Combined se	ns. ections.		
Cost Ba Feature End Off The firs 2-WIRE UNE Po	used Rates are applied where BellSouth is required by FCC a is shall apply to the Unbundled Port/Loop Combination - Con fice and Tandem Switching Usage and Common Transport Ut and additional Port nonrecurring charges apply to Not Cun VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) int/Loop Combination Rates	st Base	d Rate tes in t	section in the same	manner as ti	it shall applied ined Combos t	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination Combined so	ns. ections.		
Cost Ba Feature End Off The firs 2-WIRE UNE Po	ased Rates are applied where BellSouth is required by FCC as a shall apply to the Unbundled Port/Loop Combination - Colinge and Tandern Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curvoice GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	st Base	d Rate tes in t combin	section in the same	manner as ti	it shall apply to ined Combos to 13.03	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination Combined se	ns. ections.		
Cost Ba Feature End Off The firs 2-WIRE UNE Po	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Colifice and Tendem Switching Usage and Common Transport Util and additional Port nonrecurring charges apply to Not Curl VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	st Base	d Rate tes in t combin	section in the same	manner as ti	ney are applied lit shall apply to lined Combos to 13.03 21.33	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination Combined se	ns. ections.		
Cost Ba Feature End Off The firs 2-WIRE UNE Po	sed Rates are applied where BellSouth is required by FCC a s shall apply to the Unbundled Port/Loop Combination - Cor fice and Tandem Switching Usage and Common Transport Ut and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) irt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2	st Base	d Rate tes in t combin	section in the same	manner as ti	it shall apply to ined Combos to 13.03	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination Combined se	ns. ections.		
Cost Ba Feature End Off The firs 2-WIRE UNE Po	ased Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Cotince and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH Z-WIRE LINE PORT (RES) int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates	st Base	d Rate tes in t Combin	section in the same he Port section of the ded Combos. For Cu	manner as ti nis rate exhib rrently Comb	it shall applied ined Combos to 13.03 21.33 32.61	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination Combined se	ns. ections.		
Cost Ba Feature End Off The firs 2-WIRE UNE Po	ased Rates are applied where BellSouth is required by FCC as a shall apply to the Unbundled Port/Loop Combination - Coi fice and Tandem Switching Usage and Common Transport Usage and Gombine Port on onrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	st Base	d Rate tes in to combin	section in the same he Port section of ti ed Combos. For Cu	manner as ti nis rate exhib rrently Comb	it shall applied intend Combos to 13.03 21.33 32.61	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination	ns. ections.		
Cost Ba Feature End Off The firs 2-WIRE UNE Po	sed Rates are applied where BellSouth is required by FCC a s shall apply to the Unbundled Port/Loop Combination - Cor fice and Tandem Switching Usage and Common Transport Ut and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) irt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	st Base	d Rate tes in t combin	section in the same he Port section of ti ed Combos. For Cu UEPRX UEPRX	manner as ti nis rate exhit rrently Comb	13.03 21.33 32.61 19.05	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination	ns. ections.		
Cost Ba Feature End Off The firs 2-WIRE UNE Po	ased Rates are applied where BellSouth is required by FCC as a shall apply to the Unbundled Port/Loop Combination - Colince and Tandern Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH Z-WIRE LINE PORT (RES) int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	st Base	d Rate tes in to combin	section in the same he Port section of ti ed Combos. For Cu	manner as ti nis rate exhib rrently Comb	it shall applied intend Combos to 13.03 21.33 32.61	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combination	ns. ections.		
Cost Be Festure End Off The firs 2-WIRE UNE PC UNE LC	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Coi fice and Tandern Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)	st Base	d Rate tes in t combin	ueprx UEPRX UEPRX UEPRX UEPRX	manner as ti his rate exhib prently Comb	13.03 13.03 21.33 32.61 10.75 19.05 30.33	to the Stand-A	one of loop/pc g charges sha	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	Combined se	ections.		
Cost Ba Feature End Off The firs 2-WIRE UNE Po UNE Lo	sed Rates are applied where BellSouth is required by FCC a s shall apply to the Unbundled Port/Loop Combination - Cor fice and Tandem Switching Usage and Common Transport Ut and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rtfLoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Volce Grade Line Port Rates (Res) 2-Wire voice Grade Loop (SL1) - Zone 3 Volce Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	st Base	d Rate tes in t combin	ueprx UEPRX UEPRX UEPRX UEPRX UEPRX	manner as tilis rate exhibitorrently Comb UEPLX UEPLX UEPLX UEPLX UEPLX	ney are applied to it shall apply to ined Combos to 13.03 21.33 22.61 10.75 19.05 30.33	to the Stand-A	one Unbung	of network eld	ments except	tor UNE Co	n Port/Loop	Combination Combined set	9.45 9.45		
Cost Ba Feature End Off The firs 2-WIRE UNE Po UNE Lo	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Cot lice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH Z-WIRE LINE PORT (RES) mit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence	st Base	d Rate tes in t combin	ueprx UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	rey are applied it shall apply to ined Combos to 13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28	to the Stand-A all combination nonrecurrin 79.59 79.59	one of loop/pc g charges sha 63.97 63.97	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	40.18 40.18	9,45 9,45		
Cost Be Feature Feature End off The firs 2-WIRE UNE Po UNE Lo	sed Rates are applied where BellSouth is required by FCC as a shall apply to the Unbundled Port/Loop Combination - Coi fice and Tandern Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Volce Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	st Base	d Rate tes in t combin	ueprx UEPRX UEPRX UEPRX UEPRX UEPRX	manner as tilis rate exhibitorrently Comb UEPLX UEPLX UEPLX UEPLX UEPLX	ney are applied to it shall apply to ined Combos to 13.03 21.33 22.61 10.75 19.05 30.33	to the Stand-A	one unbundi g charges sha	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	40.18	9.45		
Cost Be Festure End Off The firs 2-WIRE UNE PO UNE LO	sed Rates are applied where BellSouth is required by FCC a s shall apply to the Unbundled Port/Loop Combination - Cor fice and Tandern Switching Usage and Common Transport Ut and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rtfLoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port says eline port with Caller ID	st Base	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC	13.03 13.03 21.33 32.61 10.75 19.05 30.33	79.59 79.59 79.59	one unbundi ons of loop/pc g charges sha 63.97 63.97	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	40.18 40.18 40.18	9.45 9.45		
Cost Ba Feature End Off The firs 2-WIRE UNE Po UNE Lo	ased Rates are applied where BellSouth is required by FCC as a shall apply to the Unbundled Port/Loop Combination - Cotice and Tandern Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH Z-WIRE LINE PORT (RES) int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res	st Base	d Rate tes in t combin	ueprx UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	rey are applied it shall apply to ined Combos to 13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28	to the Stand-A all combination nonrecurrin 79.59 79.59	one of loop/pc g charges sha 63.97 63.97	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	40.18 40.18	9,45 9,45		
Cost Ba Feature End Off The firs 2-WIRE UNE Po	sed Rates are applied where BellSouth is required by FCC as a shall apply to the Unbundled Port/Loop Combination - Cotince and Tandern Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH Z-WIRE LINE PORT (RES) until Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res	st Base	d Rate tes in t combin	ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx	Manner as it in a rate exhibitories with the results of the result	ney are applied it shall apply to ined Combos to 13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28	79.59 79.59	63.97 63.97	of network eld	ments except	tor UNE Co	n Port/Loop	40.18 40.18 40.18	9.45 9.45		
Cost Ba Feature End Off The firs 2-WIRE UNE Po UNE Lo	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Cer lice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 sep Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port desidence 2-Wire voice unbundled port outsidence 2-Wire voice unbundled port outsidence 2-Wire voice unbundled port outsidence 1-Wire voice unbundled port outsidence 1-Wire voice unbundled port outsidence in port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID (LOB)	st Basecs sage ra rently C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC	13.03 13.03 21.33 32.61 10.75 19.05 30.33	79.59 79.59 79.59	one unbundi ons of loop/pc g charges sha 63.97 63.97	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	40.18 40.18 40.18 40.18	9.45 9.45 9.45		
Cost Ba Feature End Off The firs 2-WIRE UNE PC UNE LC	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Cor lice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) mit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port units Caller ID - res 2-Wire voice unbundled port units Caller ID - res 2-Wire voice unbundled port units Caller ID - res 2-Wire voice unbundled port units Caller ID - res (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM) 2-Wire Voice Grade Unbundled Port without Caller ID Capability.	st Basecs sage ra rently C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Manner as it in its rate exhit- mently Comb UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	13.03 21.33 32.61 10.75 19.05 2.28 2.28	79.59 79.59	63.97 63.97	of network eld	ments except	tor UNE Co	n Port/Loop	40.18 40.18 40.18 40.18	9.45 9.45 9.45		
Cost Ba Feature End Off The first 2-WIRE UNE PO UNE LO	seed Rates are applied where BellSouth is required by FCC a s shall apply to the Unbundled Port/Loop Combination - Cor fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability Carrier Car	st Base- sage ra rantly C	d Rate tes in t combin	ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx	Manner as it in a rate exhibitories with the results of the result	ney are applied it shall apply to ined Combos to 13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28	79.59 79.59	63.97 63.97	of network eld	ments except	tor UNE Co	n Port/Loop	40.18 40.18 40.18 40.18	9.45 9.45 9.45		
Cost Ba Feature End Off The firs 2-Wire UNE Po UNE Lo	sed Rates are applied where BellSouth is required by FCC a s shall apply to the Unbundled Port/Loop Combination - Cor fice and Tandern Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rtfLoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Grade Unbundled Port without Caller ID 2-Wire Voice Grade Unbundled Port without Caller ID 2-Wire Voice Grade Unbundled Port without Caller ID 2-Wire Voice Grade Unbundled Port without Caller ID 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability.	st Base- sage ra rantly C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Manner as it in its rate exhit- mently Comb UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	13.03 21.33 32.61 10.75 19.05 2.28 2.28	79.59 79.59	63.97 63.97	of network eld	ments except	tor UNE Co	n Port/Loop - Currently	40.18 40.18 40.18 40.18	9.45 9.45 9.45		
Cost Ba Feature End Off The firs 2-WIRE UNE PC UNE LC	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Corice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) mit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	st Base- sage ra rantly C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC	13.03 21.33 32.61 10.75 19.05 2.28 2.28 2.28 2.28	79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	of network eld	ments except	tor UNE Co	n Port/Loop	40.18 40.18 40.18 40.18	9.45 9.45 9.45		
Cost Ba Feature End Off The firs 2-WIRE UNE Po UNE Lo	seed Rates are applied where BellSouth is required by FCC as a shall apply to the Unbundled Port/Loop Combination - Cotice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH Z-WIRE LINE PORT (RES) int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID capability 2-Wire voice Grade Unbundled Port without Caller ID capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina	st Base- sage ra rantly C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC	13.03 21.33 32.61 10.75 19.05 2.28 2.28 2.28 2.28	79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	If network etc.	ments except	tor UNE Co	n Port/Loop	40.18 40.18 40.18 40.18	9.45 9.45 9.45		
Cost Ba Feature End Off The firs 2-WIRE UNE PO UNE Lo	sed Rates are applied where BellSouth is required by FCC a s shall apply to the Unbundled Port/Loop Combination - Cor lice and Tandern Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port voice unbundled port with Caller ID - res 2-Wire voice unbundled port voice unbundled port with Caller ID - res 2-Wire voice unbundled port voice unbundled Port with Caller ID - res 2-Wire voice unbundled Port voice unbundled Low Usage Line Port with Caller ID (LUM) 2-Wire voice Grade Unbundled Port without Caller ID capability, North Carolina RES All Features Offered	st Base- sage ra rantly C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Manner as it in its rate exhit- mentily Comb UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPRT UEPRZ UEPRZ	13.03	79.59 79.59 79.59 79.59	63.97 63.97 63.97	If network etc.	ments except	tor UNE Co	n Port/Loop - Currently	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Ba Feature End Off The firs 2-WIRE UNE PC UNE LO 2-Wire FEATU	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Corice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) mit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	st Base- sage ra rantly C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Manner as it in its rate exhit- mentily Comb UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPRT UEPRZ UEPRZ	13.03	79.59 79.59 79.59 79.59	63.97 63.97 63.97	If network etc.	ments except	tor UNE Co	n Port/Loop	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Ba Feature End Off The first 2-Wire UNE Po UNE Lo 2-Wire FEATU	sed Rates are applied where BellSouth is required by FCC a s shall apply to the Unbundled Port/Loop Combination - Cor lice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) "IT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Port without Caller ID Capability 2-Wire voice unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port)	st Base- sage ra rantly C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Manner as it in its rate exhit- mentily Comb UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRT UEPRT UEPRZ UEPRY	ety are applied it shall apply to ined Combos to in	79.59 79.59 79.59 79.59	63.97 63.97 63.97	If network etc.	ments except	tor UNE Co	n Port/Loop	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Ba Feature End Off The firs 2-Wire UNE Po UNE Lo 2-Wire FEATU LOCAL NONRE	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Cer lice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rift/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 sop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 volce Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port with Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM) 2-Wire Voice Grade Unbundled Port without Caller ID capability 2-Wire Voice Grade Unbundled Port without Caller ID capability North Carolina RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRIENTLY COMBINED	st Base- sage ra rantly C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Manner as it in its rate exhit- mentily Comb UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRT UEPRT UEPRZ UEPRY	ety are applied it shall apply to ined Combos to in	79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97 63.97	If network etc.	ments except	or one colonecuring	n Port/Loop - Currently	40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Ba Feature End Off The firs 2-Wire UNE Po UNE Lo 2-Wire FEATU LOCAL NONRE	sed Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - Corice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port unsidence 2-Wire voice unbundled port unsidence 2-Wire voice unbundled port unsidence 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Port with Caller ID capability 2-Wire voice unbundled Port without Caller ID capability 2-Wire Voice Grade Unbundled Port without Caller ID capability North Carolina RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) [st Base- sage ra rantly C	d Rate tes in t combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Manner as it in its rate exhit- mentily Comb UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRT UEPRT UEPRZ UEPRY	ety are applied it shall apply to ined Combos to in	79.59 79.59 79.59 79.59	63.97 63.97 63.97	If network etc.	ments except	tor UNE Co	n Port/Loop	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Ba Feature End Off The firs 2-Wire UNE Po UNE Lo 2-Wire FEATU LOCAL NONRE	sed Rates are applied where BellSouth is required by FCC a shall apply to the Unbundled Port/Loop Combination - Cor lice and Tandem Switching Usage and Common Transport Ut and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rtf/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Port without Caller ID Capability 2-Wire voice unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCe) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-15.	st Basion	d Rate tes in t combin	UEPRX UEPRX	Manner as it is rate exhiting rate exhiting rate exhiting the rate of the rate	ety are applied it shall apply to ined Combos to in	79.59 79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97 63.97 63.97 63.97	If network etc.	ments except	or one colonecuring	n Port/Loop	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45	:	
Cost Ba Feature End Off The firs 2-Wire UNE Po UNE Lo 2-Wire FEATU LOCAL NONRE	seed Rates are applied where BellSouth is required by FCC as a shall apply to the Unbundled Port/Loop Combination - Corice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) myt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	st Baseva	d Rate tes in t combin	UEPRX UEPRX	Manner as it in its rate exhit- mentily Comb UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRT UEPRZ UEPRZ UEPRZ UEPRZ UEPRZ UEPRY	ety are applied it shall apply to ined Combos to in	79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97 63.97	If network etc.	ments except	or one colonecuring	n Port/Loop - Currently	40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45	:	
Cost Ba Feature End Off The firs 2-Wire UNE Po UNE Lo 2-Wire FEATU LOCAL NONRE	sed Rates are applied where BellSouth is required by FCC a shall apply to the Unbundled Port/Loop Combination - Cor lice and Tandem Switching Usage and Common Transport Ut and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rtf/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Port without Caller ID Capability 2-Wire voice unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCe) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-15.	st Baseva	d Rate tes in t combin	UEPRX UEPRX	Manner as it is rate exhiting rate exhiting rate exhiting the rate of the rate	ety are applied it shall apply to ined Combos to in	79.59 79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97 63.97 63.97 63.97	If network etc.	ments except	or one colonecuring	n Port/Loop	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45	:	

IINBIINDI	LED	NETWORK ELEMENTS - North Carolina								•				Attach	ment: 2	Exhi	bit: A
ONBONDE		NETWORK ELEMENTS - NOTHI GETOING				Ĭ						Svc Order	Svc Order	Incremental			Incrementa
			l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	, I	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	. !		m									•		Electronic-	Electronic-	Electronic-	Electronic-
	- 1			l l										1st	Add'I	Disc 1st	Disc Add'I
	- í			<u> </u>								<u> </u>				0.00 .01	0.007.001
	\neg						Rec	Nonrec			g Disconnect	J			Rates (\$)		
	\neg						1,00	First	Add'l	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADD	DITIO	NAL NRCs										ļ					<u> </u>
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		1	I						İ		l	l		
lL		Activity			UEPRX	USAS2	0.00	0.00	0.00			· ·		40.18	9,45		
		Inbundled Miscellaneous Rate Element, Tag Loop at End User	1			I					i	i		l	l	l	
		Premise	L	!	UEPRX	URETL		8.33	0.83		<u> </u>	ļ		26.94	12.76	0.00	0.00
OFF		PREMISES EXTENSION CHANNELS		↓					40.07		ļ	<u> </u>		26,94	40.70		
		2 Wire Analog Voice Grade Extension Loop - Non-Design	<u> </u>		UEPRX	UEAEN	12.11	57.99	42.37		<u> </u>	<u> </u>		26.94	12.76	0.00	0.00
	2	2 Wire Analog Voice Grade Extension Loop - Non-Design	<u> </u>		UEPRX	UEAEN	21.24	57.99	42.37 42.37		<u> </u>	 			12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPRX	UEAEN	33.65 14.97	57.99 142.97	106.56		-	 	 	26.94 26.94	12.76 12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop - Design	╙		ÜEPRX	UEAED	25.93	142.97	106.56		ļ			26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop - Design	₩-		UEPRX	UEAED	25.93 40.81	142.97	106.56	 	l		ļ — —	26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop - Design	\vdash	3	UEPRX	UEAEU	40.61	142.97	100.30	 	1	 	 	20.84	12.78	0.00	0.00
INT		FFICE TRANSPORT	\vdash	1		+				 	 	 		 		 	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	UEPRX	U1TV2	18.00	137,48	52.58	l		1	l	38.07	38.07	1	į.
\vdash		Termination	\vdash	+	OLF-RA	51142	10.00	101.40	52.50	<u> </u>	 	1		55.01			
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	UEPRX	U1TVM	0.0125	0.00	0.00	1		1	1	l	l	l	I
		or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		+	DEFRA	10111111	0.0120	0.00			 		 			i	
			 	\vdash		 						 				 	
UNE		rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	 	1		 	13.03			-		i e					
		2-Wire VG Loop/Port Combo - Zone 2	 	1 2			21.33				i e	†			 		
		2-Wire VG Loop/Port Combo - Zone 3	 	1 3		1	32.61					İ					_
11315		op Rates	 	 ~		 											
1000	1	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	19.05			l		i					
		2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPBX	UEPLX	30.33					l			1		
2-W		/oice Grade Line Port (Bus)		1								l					
- F	1	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.28	79.59	63.97		L	<u> </u>		40.18	9.45		
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.28	79.59	63.97			<u> </u>		40.18	9.45		
		2-Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPBX	UEPB1	2.28	79.59	63.97			<u> </u>		40.18	9.45		
		2-Wire voice unbundled Incoming Only Port without Caller ID					'			ł		1			i		ľ
		Capability			UEPBX	UEP8E	2.28	79.59	63.97			<u> </u>		40.18	9.45		
LOC		NUMBER PORTABILITY								ļ		ļ					<u> </u>
		Local Number Portability (1 per port)	⊥		UEPBX	LNPCX	0.35										
FE/	ATUF			<u> </u>							ļ	}		40.40			
		All Features Offered	—	 	UEPBX	UEPVF	3.40	0.00	0.00			<u> </u>		40.18	9.45		
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	—	↓—										<u> </u>			
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	UEBBY	USAC2	l	2.77	0.40	İ				40.18	9.45		I
oxdot		Switch-as-is	₩	+-	UEPBX	USAUZ		2.11	0.40	⊢	 	 	-	40.18	9.45		
1		2-Wire Voice Grade Loop / Line Port Combination - Conversion	1	1	UEPBX	USACC		2.77	0.40	!		1		40.18	9.45		I
\vdash		Switch with change	+	+-	UEFBA	Juanuc	 	2.11	0,40		 	 	 	40.10	3.43		
	ŀ	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1	1		1		1.42		1		1	l	10.27	I		l
		Subsequent Database Update	+	1-		+		1.42			 	 		10.27			
ADI		ONAL NRCs	+	+		+	 				 	l	 	 -			
1 1		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1	UEPBX	USAS2		0.00	0.00		ł	1	l	40.18	9.45		1
		Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User	+	+	102, 50	100.00	 	5.50	0.50		1		l				
1 1		Unbundled Miscellaneous Rate Element, 12g Loop at End Oser Premise	1	1	UEPBX	URETL		8.33	0.83		1		1	26.94	12.76	0.00	0.00
100		PREMISES EXTENSION CHANNELS	 	+-	- <u></u> -	1	· · · · · ·			i .	1	1	····				
OF	701	2 Wire Analog Voice Grade Extension Loop - Non-Design	+-	1	UEPBX	UEAEN	12.11	57.99	42.37	1	1 '	i		26.94	12.76	0.00	0.00
$\vdash \vdash$	\dashv	2 Wire Analog Voice Grade Extension Loop - Non-Design	 	1 2	UEPBX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
$\vdash \vdash$		2 Wire Analog Voice Grade Extension Loop - Non-Design	-	1 3	UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
\vdash	\dashv	2 Wire Analog Voice Grade Extension Loop - Design	 	1	UEPBX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
\vdash		2 Wire Analog Voice Grade Extension Loop - Design	1	1 2		UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	\dashv	2 Wire Analog Voice Grade Extension Loop - Design	T-		UEPBX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.00
ÎNT		FFICE TRANSPORT	1.														
1 1 1 1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1						52.58	1				38.07			
						U1TV2	18.00	137,48							38.07		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
				1								Svc Order			Incremental	
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1-1-1			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1-11-2	m			1						P 0. 20.1		Electronic-	Electronic-	Electronic-	Electronic
												l	1st	Add'I	Disc 1st	Disc Add'l
											i i	1	131	AGG	DISC 1St	DISC Add I
		 	 				Nonrec	urring	Nonrecurring	Disconnect		•	OSS	Rates (\$)		·
_		 	† 			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	+	\vdash													
l	or Fraction Mile	1	1	UEPBX	U1TVM	0.0125	0.00	0.00			i	l			1	i
		+-	-	UEFBA	011411	0.0123	0.00	0.00			-	<u> </u>	-			
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	4—	-		+											<u> </u>
UNE	Port/Loop Combination Rates	_	<u> </u>													
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03				ļ	ļ					ļ
	2-Wire VG Loop/Port Combo - Zone 2	1	2			21.33										
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	19.05				l	1	1	l Total			
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	30.33				i	1			î .		
2 40.	re Voice Grade Line Port Rates (RES - PBX)	-	۱Ť	 	1						i	· · · · · · · · · · · · · · · · · · ·		1		
- AA11	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	+	+	 	+					—	1			 		
I		1	1	UEPRG	UEPRD	2.28	164.57	128.16	l	I	l	1	40.18	9.45		1
	Res	┧──	₩	UEPRO	UEFRU	2.20	104.57	120, 10		····	 	 	**V. 16	9.43		
LOCA	AL NUMBER PORTABILITY	+	₩	urno.	LUBCE					 		 				
	Local Number Portability (1 per port)		-	UEPRG	LNPCP	3.15	0.00	0.00			 	 		 		
FEAT	TURES	↓		L	1					ļ		ļ. ——		 	 	
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00			L	L	40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										l					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	T	Ī								1	1	ŀ		1	
	Conversion - Switch-As-Is	1		UEPRG	USAC2		2.77	0,40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	\top														
	Conversion - Switch with Change	1	l	UEPRG	USACC		2.77	0.40				l	40.18	9.45		ŀ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1	 	33	1											
	Subsequent Database Update		1				1.42						10.27		i .	
400	ITIONAL NRCs	 	+				1,74				 		10.27			—
AUUI		+		 	+											
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	usono		0.00	0.00	0.00				1	40.18	9.45	1	1
	Subsequent Activity	↓ -	₩	UEPRG	USAS2	0.00	0.00	0.00			-		40,10	9.45		
- 1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	l								1	٠	40.70		۰
	Premise			UEPRG	URETL		8.33	0.83				ļ <u>-</u>	26.94	12.76	0.00	0.00
OFF	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56			<u> </u>	l	26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade	1	1 1	UEPRG	SDD2X	14.62	252.06	109.08			-		26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade	1	1 2	UEPRG	SDD2X	23.86	126.03	54.54		Ī	l	I	26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X	36.40	126.03	54.54		i	i	<u> </u>	26.94	12.76	0.00	0.00
	ROFFICE TRANSPORT	+	+ Ŭ	100.110	1-2	55.40					1	i	1	1	2.00	1 3.50
INTE		+	+								†	l	-			
ı	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	UEPRG	U1TV2	18.00	137.48	52.58		l	1	I	38.07	38.07		Ī
	Termination	-	 	UEPRO	01172	10.00	137.40	32.30			 	 	30.07	30.07		-
ı	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	'	1							I	l	1	l	l		l
L.	or Fraction Mile			UEPRG	U1TVM	0.0125	0.00	0.00		ļ	 	 	ļ	 		— —
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) [L		
UNE	Port/Loop Combination Rates										L					ļ
	2-Wire VG Loop/Port Combo - Zone 1	1	1			13.03						l				L
	2-Wire VG Loop/Port Combo - Zone 2		2	T		21.33				L						
	2-Wire VG Loop/Port Combo - Zone 3	1	1 3	T	1	32.61				l						
LINE	Loop Rates	+-	† Ť							1	i	1				
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1	+	1	UEPPX	UEPLX	10.75				i — —			i	i		
		+	1 2	UEPPX	UEPLX	19.05				 	 		 	 		
	2-Wire Voice Grade Loop (SL 1) - Zone 2	+		UEPPX	UEPLX	30.33							 			
	2-Wire Voice Grade Loop (SL 1) - Zone 3	+	3	UCPPA	UEPLA	30.33			L	 	 	 		 		\vdash
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)			↓						<u> </u>			-			
T		1	1	l	I					I	l	1				l
I	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u>:</u>	L	UEPPX	UEPPC	2.28	164.57	128.16		ļ		ļ	40.18	9.45		
1	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	164.57	128.16					40.18	9.45		L
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	164.57	128.16					40.18	9.45		
-+	2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPPX	UEPLD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	+	1	UEPPX	UEPXA	2.28	164.57	128.16		i	i		40.18	9.45		

<u>JNBUNDL</u>	LED	NETWORK ELEMENTS - North Carolina								•					ment: 2		bit: A
													Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Increment Charge - Manual Sv
ATEGORY	۲	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs. Electronic- 1st	Order vs. Electronic- Add'i	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
	-					+		Nonrec	urrino	Nonrecurring	Disconnect	-	L	OSS	Rates (\$)	l	<u> </u>
-+	\dashv					†	Rec	First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16			ļ	ļ	40.18	9.45		
	d	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	- 1/	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
_ _	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.28	164.57	128,16					40.18	9.45		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16			L		40.18	9.45		
roc		NUMBER PORTABILITY		Ь	LIFERY	1,055						 	L	40.40	2.5	ļ	
-	i <u>i</u> ATUR	Local Number Portability (1 per port)		\vdash	UEPPX	LNPCP	3.15	0.00	0.00			 	<u> </u>	40.18	9.45		
PEA		RES All Features Offered		\vdash	UEPPX	UEPVF	3.40	0.00	0.00		 	 	<u> </u>	40.18	9,45	 	
NON		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			DEFFA	OEF Vr	3.40	0.00	0.00			 		40.10	3.40		
	;	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9,45		
	- 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9,45		
	- 12	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update			<u></u>	100.100		1.42						10,27			
ADD		NAL NRCs						1.772				 			_		t
	12	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Ti-	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83					26,94	12.76	0.00	0.
OFF		PREMISES EXTENSION CHANNELS		 													
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.97	142.97	106.56	İ		<u> </u>		26.94	12.76	0.00	
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56			<u> </u>		26.94	12.76		
_		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08		ļ	ļ		26.94 26.94	12.76 12.76	0.00	
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X SDD2X	23.86 36.40	126.03 126.03	54.54 54.54			ļ		26.94	12.76	0.00	0.
- INTE		Non-Wire Direct Serve Channel Voice Grade FFICE TRANSPORT		13	UEPPA	3002	30.40	120.03	34,34			+		20.54	12.70	0.00	—— <u> </u>
INTE		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 								 					
	7	Termination		<u> </u>	UEPPX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	- Id	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0125	0.00	0.00			ļ <u> </u>				ļ	
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	т			 					 	 				-	
UNE		rt/Loop Combination Rates 2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.03			-				 			1
		2-Wire VG Coin Port/Loop Combo - Zone 2		2		+	21.33			 	 	1	l		 	·	i
+		2-Wire VG Coin Port/Loop Combo – Zone 3		3		 	32.61						 				
UNE		op Rates		Ť	i	1				İ	1		Ī				I
1		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10.75					L					
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19.05										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33			ļ	<u> </u>	!		.	<u> </u>	 	
2-Wi		Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way without Operator Screening and without										 					
		Blocking (NC)		ļ	UEPCO	UEPND	2.28	79.59	63.97	ļ			ļ	40.18	9.45		├
		2-Wire Coin 2-Way with Operator Screening (NC) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011.		\vdash	UEPCO	UEPNC	2.28	79.59	63.97		 			40.18	9.45		
+	-	900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking		\vdash	UEPCO	UEPRP	2.28	79.59	63.97			 	 	40.18	9.45		
	4	(NC) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking:		\vdash	UEPCO	UEPNB	2.28	79.59	63.97		 			40.18	9.45	<u> </u>	
	- 13	900/976, 1+DDD, 011+, and Local (NC, TN)		I	UEPCO	UEPCA	2.28	79.59	63.97	i .	I	1	1	40.18	9.45	I	1

UNBUND	LEC	NETWORK ELEMENTS - North Carolina												Attach			bit: A
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Addʻi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPNE	2.28	79.59	63.97			1		40.18	9,45		
		(NC) 2-Wire Coin Outward with Operator Screening and Blocking:	-		DEPCO	UEPNE	2.26	79.59	63.97				-	40.16	9,45		
		900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		ł
	\neg	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		LA)		ļ	UEPCO	UEPCR	2.28	79.59	63.97			<u> </u>		40.18	9.45		
AD		ONAL UNE COIN PORT/LOOP (RC)		₩	UEPCO	URECU	3,70	0.00	0.00	0.00	0.00			40.18	9.45		
10		UNE Coin Port/Loop Combo Usage (Flat Rate) NUMBER PORTABILITY	 	\vdash	DEPCO	UKECU	3.70	0.00	0.00	0.00	0.00			40.16	9.43		
		Local Number Portability (1 per port)		†	UEPCO	LNPCX	0.35										
NO		CURRING CHARGES - CURRENTLY COMBINED				1											
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
$-\!\!\!+$		Switch-as-is		₩	UEPCO	USAC2		2.77	0.40			ļ	<u></u>	40.18	9.45		
	i	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	\dashv	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	\vdash	\vdash	02100	JOSHOC		2.,,	0.40					40,10	5.40		
	- 1	Subsequent Database Update						1.42									
AD		ONAL NRCs		ĺ													
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity		_	UEPCO	USAS2		0.00	0.00			-		40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83			į		26.94	12.76	0.00	0.00
2-V		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (UNETE		0.33	0.00					20.54	12.70	0.00	0.00
		rt/Loop Combination Rates		T	1	1		i				T					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										ļ
1100		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 op Rates		3			43.00					 					-
UN		2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFR	UECF2	14,97							·			
	\dashv	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	25.93					·					
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	40.81										
2-V	Vire \	Voice Grade Line Port Rates (Res)		<u> </u>								-					ļ
	_	2-Wire voice unbundled port - residence	<u> </u>		UEPFR	UEPRL	2.19	225.00 225.00	225.00 225.00			 		40.18 40.18	9.45 9.45		-
	\dashv	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	-		UEPFR UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		-
	\dashv	2-Wire voice unbundles res, low usage line port with Caller ID			JOCK TIK	OCI INO	2.13	220.00	220.00					10.10	0.10		
		(LUM)			UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
INT		FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l	l 1											ŀ
-+		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		├	UEPFR	U1TV2	18.00	140.00	71,00								
		or Fraction Mile			UEPFR	1L5XX	0.0125										
FE	ATU			\vdash	-	1.20.01	3,0,00										
		All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00					40.18	9.45		
LO		NUMBER PORTABILITY															
		Local Number Portability (1 per port)	<u> </u>	 	UEPFR	LNPCX	0.35	!			L						
INO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	<u> </u>	 		+						 					
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87					40.18	9.45		
-	\dashv	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	\vdash	t	1	1						† 					
		Combination - Conversion - Switch-With-Change	L	Щ.	UEPFR	USACC		9.03	1.87					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at				l									40.55		
		End User Premise	1 11/15	DOCT '	UEPFR	URETN		11.20	1.10			-		26.94	12.76	0.00	0.00
		VOICE LOOP/ ZWIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	TOKI (Buaj	+						 					
1172	c ro		\vdash	1	+	+	17,16					 					
UN	Ī	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1															
UN		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12 43.00										

<u>NBUNDL</u>	LED	NETWORK ELEMENTS - North Carolina								٠					ment: 2		bit: A
ATEGORY	v	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
	_												L	1st	Add'I	DISC 18t	DISC Add
	-					<u> </u>	Rec	Nonrec		Nonrecurrin First	g Disconnect Add'l	CONEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
119/25	<u> </u>	op Rates	 	├				First	Add'l	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
טאב		2-Wire Voice Grade Loop (SL2) - Zone 1		1	ÜEPFB	UECF2	14,97				 	 					
		2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	25.93					 			<u> </u>		
	- 1	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	40.81					<u> </u>					
2-W		/oice Grade Line Port (Bus)		۲	52.72	10000	10.01				<u> </u>	<u> </u>					
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.19	225.00	225.00		i			40.18	9.45		
\neg		2-Wire voice unbundled port with Caller + E484 ID - bus		 	UEPFB	UEPBC	2.19	225.00	225.00		i	i e		40.18	9.45		
		2-Wire voice unbundled port outgoing only - bus		i	UEPFB	UEPBO	2.19	225.00	225.00					40.18	9.45		
	- 1:	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
LOC	CAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE		FFICE TRANSPORT			l					L							
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											
		Termination	<u> </u>	<u> </u>	UEPFB	U1TV2	18.00	140.00	71.00	ļ		<u> </u>		<u> </u>	ļ		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	I			I				I	1			ŀ	1		
		or Fraction Mile	<u> </u>	_	UEPFB	1L5XX	0.0125					1			<u> </u>		
FEA	ATUF			ــــــ		1						ļ		L			——
		All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00			-		40.18	9.45		├
NON		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		├										1	<u> </u>		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	LIFEE	USAC2		9.03	1,87			ł		40.18	9.45		
		Combination - Conversion - Switch-as-is		-	UEPFB	USACZ		9.03	1.87			-		40.16	9.45		├
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	UEPFB	USACC		9.03	1.87			1		40.18	9.45		
		Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at		-	UEPFB	USACC		9.03	1.07			 		40.10	3.43		
		End User Premise		1	UEPFB	URETN		11,20	1,10					26.94	12.76	0.00	0.
2.14		VOICE LOOP! 2WIRE VOICE GRADE IO TRANSPORT! 2-WIRE	IINE	OPT A		DKEIN		11.20	1.10				-	20.84	12.70	0.00	
		rt/Loop Combination Rates	LINE	1	1							1					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	 	 	17.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	—	2		1	28.12					i	·				<u> </u>
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00					1	1			-	
UNE		op Rates			·	1						1					
-		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14,97					1					
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.93		-				1				
	_	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	40.81										
2-W	fire V	/oice Grade Line Port Rates (BUS - PBX)															
\neg	П																
	ļ:	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
		Line Side Unbundled Incoming PBX Trunk Port - Bus		l	UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		I	UEPFP	UEPXA	2.18	225.00	225.00					40.18	9,45		<u> </u>
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.18	225.00	225.00				ļ	40.18	9.45		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00		1			40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00			<u> </u>		40.18	9.45		<u> </u>
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		ŀ						1	1						
		Capable Port		<u> </u>	UEPFP	UEPXE	2.18	225.00	225.00	ļ <u> </u>	ļ	1		40.18	9.45		ļ
	ŀ	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	ĺ	l	l	1	1				1	1			۔۔۔	I	
		Administrative Calling Port	<u> </u>	ļ	UEPFP	UEPXL	2.18	225.00	225.00		+	-	-	40.18	9.45	<u> </u>	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	l	l						1			1	۔ ۔ ا	I	1
		Room Calling Port	Н—		UEPFP	UEPXM	2.18	225.00	225.00			 	 	40.18	9.45	 	+
- 1		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	I	1	Lucaca	LIEBYS	ا ـــــا	***	***				1	40.00		I	1
		Discount Room Calling Port		-	UEPFP	UEPXO	2.18	225.00	225.00		 	+	ļ	40.18 40.18	9.45 9.45		+
- 1.5-		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	⊢—		UEPFP	UEPXS	2.18	225.00	225.00	 	+	+	 	40.18	9.45	 	+
LOC		NUMBER PORTABILITY	Н—		UEPFP	LNPCP	3.15	0.00	0.00	 	+	 	 	40.18	9,45	 	
		Local Number Portability (1 per port)		├	105777	LINPUP	3.15	0.00	0.00	-	+	1	 	40.10	5.43	-	
INTE		FFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	├	├		+					+	+	-	 		 	
	- 11	interolines manaport - Dedicated • & viris voice Grade • Facility	l l	1	UEPFP	U1TV2	18.00	140.00	71.00	1	1	1	l .	1	ı	ı	ı

INBUNDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
NBUNDLE	D NETWORK ELLINERTO - NOTHI CATOMIA		$\neg \neg$								Svc Order	Svc Order	Incremental			Increment
			l I				_					Submitted		Charge -	Charge -	Charge -
			i I		ŀ		·				Elec		Manual Svc	Manual Svc		Manual Sy
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	lu	soc		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
LAIEGURT	RATE ELEMENTS	m									per con	pui Con	Electronic-	Electronic-	Electronic-	Electronic
						i i										
		l				1							1st	Add1	Disc 1st	Disc Add'i
	<u> </u>		-		_		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
			\vdash		-	Rec	First	Add'1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Later Was Transport Dedicated Diffice Vision Condo Doc Miles		\vdash				 									
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	UEPFP	1L5>	CX 0.0125										i
	or Fraction Mile	\vdash	-	ULFTT	1,00	0.0120										
FEAT		-	-	UEPFP	UEP	VF 3.40	0.00	0.00			 		40.18	9.45		
	All Features Offered	_		UEFFF	UEF	VI 3.40	0.00	0.00				-	10.10	5.40		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED				_		+		<u> </u>							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l			USA	c a	9.03	1.87		1			40.18	9.45		
	Combination - Conversion - Switch-as-is	┡	<u> </u>	UEPFP	USA	UZ	9.03	1.07			 		40,10	8,43		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		USA	~~	9.03	1.87		l			40.18	9.45		
	Combination - Conversion - Switch with change			UEPFP	USA	.00	9.03	1.67			ļ		40.10	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	l			l	 .	44.55			ŀ	1		20.4	1 49	۰	۰. ا
	End User Premise		ļ	UEPFP	URE	IN I	11.20	1.10	ļ	ļ	 		26.94	12.76	0.00	0.00
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES						-		ļ	 _	 					ļ
2-WIF	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates														Ļ	-
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	1			20.97				<u> </u>						
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			27.80								L		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			37.08	<u> </u>									
UNE	Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1 1	UEPPX	UEC											
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UEC											1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UEC	CD1 24.96										L
HNE	Port Rate															
- 10112	Exchange Ports - 2-Wire DID Port			UEPPX	UEF	D1 12.12	224.81	188.40					40.18	9.45		
NONT	RECURRING CHARGES - CURRENTLY COMBINED		-													
110.11	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		\vdash				T								-	
	Switch-as-is	1		UEPPX	USA	vC1	13.26	8.39	ľ		ĺ		53.69	11.34	1	į
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		+											1		i
ı I	with BellSouth Allowable Changes		1	UEPPX	USA	uc I	13.26	8.39			}		53.89	11.34	1	ł
1000	TIONAL NRCs	 	-	<u> </u>					·							
AUUI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	\vdash	┼─	UEPPX	USA	S1	53.49		· · · · · · · · · · · · · · · · · · ·				40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	┼	02	- 100									i e		
ı l				UEPPX	URE	:TN	11.20	1.10					26,94	12.76	0.00	0.00
	End User Premise	-	┼	OCT X			+						-			
Telep	phone Number/Trunk Group Establisment Charges	├─-		UEPPX	דסא <u>דסא</u>	0.00	0.00	0.00						 	—	
	DID Trunk Termination (One Per Port)	├		UEFFA	- 1,01	0.00	0.00	0.00								
1	DID Numbers, Establish Trunk Group and Provide First Group	1	ļ	UEPPX	NDZ	2 0.00	0.00	0.00	1						ľ	
	of 20 DID Numbers	├			ND4			0.00		 				 		
	Additional DID Numbers for each Group of 20 DID Numbers		-	UEPPX						 						
	DID Numbers, Non- consecutive DID Numbers, Per Number	↓	—	UEPPX	ND5			0.00		 	 					
	Reserve Non-Consecutive DID numbers		┼	UEPPX	NDE			0.00	-	-	-	<u> </u>	l	ł	-	-
	Reserve DID Numbers		+	UEPPX	NDV	/ 0.00	<u> </u>	0.00	 						-	
LOC/	AL NUMBER PORTABILITY	L	4	<u> </u>			. +		 	-				 	-	—
	Local Number Portability (1 per port)			UEPPX	LNF	PCP 3.15	0.00	0.00	ļ							——
2-WII	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E POR	<u> </u>			↓		<u> </u>	!	-	-	ļ		ļ	
	Port/Loop Combination Rates						1						· ·			
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1				1		I	1	l	l		1		1
(I	UNE Zone 1		1	UEPPB UE	PPR	38.84	<u> </u>				ļ					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						1		I		l	l		1		1
1 1	UNE Zone 2	1	2	UEPPB UEF	PR	50.01	!.L	L								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	T .	T				1			1						
i I	UNE Zone 3	1	3	UEPPB UEF	PR	65.18	3			l						
IIVE	Loop Rates	T														
- IONE	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	17	UEPPB UEP	PR USI	2X 14.47	7									
⊢	Z-1186 ISSN SIGNAL GIBBS COOP - GNZ ZONE 1	-	1	1 2 2										Î		1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEF	PR USI	2X 25.64	ı	Į.			1		1	l		1
\ I	IZ-YYDE IQUN DIGITAL GRADE LOOP - UNE ZONE Z	1								 	٠.				· •	-
	10 Mary 100M Digital Conde Lear Libra Zone 2		1 2	HIEDDB HED	ואוו אם	2X 40 K	11									
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	 	3	UEPPB UEP	PR USI	2X 40.8	'									
UNE	2-Wire ISDN Digital Grade Loop - UNE Zone 3 Port Rate Exchange Port - 2-Wire ISDN Line Side Port		3	UEPPB UEP				302.77					19.99	19.99		

JNBUNDLI	ED NETWORK ELEMENTS - North Carolina									<u> </u>					ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	ics	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Si Order vs
		↓	_	<u> </u>			Rec	Nonrec First	umng Add'i	Nonrecurring First	Add'I	COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		 	-	⊢ —			l	First	A00 I	FIISL	Audi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1	LICODD	UEPPR	USACB	0.00	174.35	174.35								
	Combination - Conversion	╄	 	UEPPB	UEFFR	USACB	0.00	174.55	114.55	-	-	 					+
AUUI	TIONAL NRCs Unbundled Miscellaneous Rate Element, Tag Designed Loop at	+		 		 	 					╁					+
	End User Premise	'	1	UEPPB	UEPPR	URETN		11.20	1.10			1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	+	+	ULTTU	OLI I IX	U.L.	· -					 					
- 1	Premise		1	UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.0
1.000	AL NUMBER PORTABILITY	-	+	102	02	9.12.12						†					†
LUCA	Local Number Portability (1 per port)	+-	+	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			†					†
B CU	ANNEL USER PROFILE ACCESS:	+	 	02	02		5.55					i -					+
B-Cn	CVS/CSD (DMS/5ESS)	+	+	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			<u> </u>					1
-+-	CVS (EWSD)	+-	1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			 	i			-	1
	CSD (EWSD)	+	+	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			 	· · · · · ·	 			T
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS	CNS	L TN1	155.15	<u> </u>	1			5.55				 				†
	TERMINAL PROFILE	1	T,	 		 		_									<u> </u>
USER	User Terminal Profile (EWSD only)	+	+-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00					·			
NED?	CICAL FEATURES	+	+	100110	OLITIC	10.10.1						i e					
VERI	All Vertical Features - One per Channel B User Profile	+	+-	UEPPB	UEPPR	LIEPVE	3,40	0.00	0.00			†					
13175	ROFFICE CHANNEL MILEAGE	+	+-	OLFFB	OLFTIN	OLI VI	3.70	- 0.00	0.00			<u> </u>	· · · · · ·				
ואוצו		+	+	_		1						† · · · · · · · · · · · · · · · · · · ·	-				
	Interoffice Channel mileage each, including first mile and		1	LIEDDO	UEPPR	MIGNO	18.0282	137.48	52.58					19.99	19.99		1
	facilities termination Interoffice Channel mileage each, additional mile		+		UEPPR	MIGNM	0.0282	0.00	0.00			1		10.00	10.00		
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	W DODT	+	UEFFB	ULFFR	IVI G.V.	0.0202	0.00	0.00			1					
	the same and the same and the same and the same and the same	des des dies		ddad bas	n in place s	e of 10/2/03	until AITIDA Aff	or 4/1/04 those	rates shall re	ent to tariff rat	es or a senara	te commerc	at agreeme	nt			1
The	JNE-P DS1 combination rates below for in this rate exhibit appliests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Touch B	ort ofte	uded bas	ctive date o	f this amend	iment shall be	mylded nursu	ant to a senar	ate someoment	or tariff at Bel	South's di	scretion.	'''''			
Kequ	ests for 4-wire DS1 Digital Loop with 4-wire ISDN DS1 Digital	THURKE	T	1	COTO CEIC C	1	1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			I	1	T				-
UNE	Port/Loop Combination Rates [4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+	+-	+													
1			1	UEPPP			226.55				[
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+	+	IOCT T			220.00					 					
			2	UEPPP		}	263.28				1						
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+	+-	OC. T.		+	200.20					 					
		1	3	UEPPP		1	313.15				1						
	Zone 3	+	٠,	OCFFF		 	0.0.10					 					
UNE	Loop Rates	+	1	UEPPP		USL4P	47.54					i					
	4-Wire DS1 Digital Loop - UNE Zone 1	+	1 2	UEPPP		USL4P	84.27					1				· · · · · · · · · · · · · · · · · · ·	+
	4-Wire DS1 Digital Loop - UNE Zone 2	+-	1 2	UEPPP		USL4P	134.14					 					+
	4-Wire DS1 Digital Loop - UNE Zone 3	+	ᡰᡥ	UEFFF		USCAF	154,14					 -				_	†
UNE	Port Rate	+	┿	UEPPP		UEPPP	179.01	956.47	663.10		_	 		19.99	19.99		+
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	+	+	UEPPP		UEFFF	179.01	330.41	003.10		-	 -		13.83	15.55		
NON	RECURRING CHARGES - CURRENTLY COMBINED	+	+	 		 	 				 	 	-	-			
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	ŀ	1	UEPPP		USACP	0.00	481.51	481.51			1					
	Combination - Conversion -Switch-as-is (E:4/1/2004)	-	+	UEPPP		USACP	0.00	401.51	401.31			 					
ADD:	TIONAL NRCs	-	+			 					-	\					
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	1			00770	1	1,17	1,17								
	Subsequent Inward/2-Way Tel Nos - (NC Only)		_	UEPPP	_	PR7TG	ļ	1.17	1.17		-	 					
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent	1				l	1		00.47		ŀ	ì					
	Activity Outward tel nos. (NC only)			UEPPP		PR7TP	 	28.17	28.17		ļ	<u> </u>			ļ		ļ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	1	İ					ee		i	l					1
	Subsequent Inward Tel Numbers		+	UEPPP		PR7ZT		56.33	56.33			 		.			
LOC	AL NUMBER PORTABILITY					1						 					
	Local Number Portability (1 per port)		-	UEPPP		LNPCN	1.75										├ ──
INTE	RFACE (Provisioning Only)		-			I	ļ				<u> </u>						
	Voice/Data		4_	UEPPP		PR71V	0.00	0.00	0.00		<u> </u>						─
	Digital Data	Д—	1	UEPPP	_	PR71D	0.00	0.00	0.00			<u> </u>					
	Inward Data		\bot	UEPPP		PR71E	0.00	0.00	0.00		<u> </u>	├					↓
	or Additional "B" Channel					 	ļ				ļ	ļ	<u> </u>	L			
New	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	36.92				<u> </u>		19.99	19.99		<u> </u>
New			_														1
New		士		UEPPP		PR7BF	0.00	36.92				<u> </u>		19.99	19.99		
New	New or Additional - Voice/Data B Channel New or Additional Inward Data B Channel					PR7BF PR7BD	0.00	36.92 36.92				<u> </u>		19.99 19.99	19.99 19.99		

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
			 			 	Nonre	curring	Nonrecurring	Disconnect		L	OSS	Rates (\$)		
		 				Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward	ļ	<u> </u>	UEPPP	PR7CO	0.00	0.00	0.00	<u> </u>	 						
	Two-way ffice Channel Mileage		-	UEPPP	PR7CC	0.00	0.00	0.00	<u> </u>	 	 					
Intero	Fixed Each Including First Mão		 	UEPPP	1LN1A	71.8653	217,17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile	t		UEPPP	1LN1B	0.5753		1000			 			10.00		
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The U	NE-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	ided base in place a	s of 10/2/03	until 4/1/04. Af	ter 4/1/04 thes	rates shall rev	vert to tariff rat	es or a separa	te commerc	al agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective d	late of	this amendment sha	l) be provide	d pursuant to	a separate agr	eement or tarifi	at BellSouth's	discretion.	 					
UNE	Port/Loop Combination Rates [4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	├	1	UEPDC	-	171.06					ļ <u>.</u>					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	\vdash		UEPDC	 	207.79	_	 			 					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 		UEPDC	 	257.66		 	 	 	 					
UNE L	Loop Rates	<u> </u>														
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	47.54										
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	84.27										
	4-Wire DS1 Digital Loop - UNE Zone 3	↓	3	UEPDC	USLDC	134.14		ļ			<u> </u>					ļ
UNE	Port Rate		├	UEPDC	UDD1T	123.52	831.43	491,39			 		19.99	19.99		
NOVE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED	├		UEPUC	וועטטן	123.52	831.43	491.39		—			19.99	19.99		
NONA	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	┢	 						-	 					
	- Switch-as-is (E:4/1/2004)	1	l	UEPDC	USAC4	1	490.38	490.38		į						1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		\vdash		-					i						
ı	- Conversion with DS1 Changes (E:4/1/2004)		İ	UEPDC	USAWA		490.38	490.38		L	l					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1						ŀ	ŀ	1					
	- Conversion with Change - Trunk (E:4/1/2004)	<u> </u>	ļ	UEPDC	USAWB		490.38	490.38			 					
ADDIT	IONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	├				ļ					 					
	Service Activity Per Service Order		ł	UEPOC	USAS4		127.63	127.63		•						1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	 	 		00/04		127.00	121.00								
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								Į.
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1													
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81			<u> </u>					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel				l			l			1					١.
	Activation/Chan Inward Trunk w/out DID	ļ		UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DtD			UEPDC	OTTQU		28.81	28.81	l	l			19.99	19.99		1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Chan	 	\vdash	I DEFEC	100110	 	20.01	20.01		 	 		10.03	10,08		· · · · · · · · · · · · · · · · · · ·
- 1	Activation / Chan - 2-Way DID w User Trans	1	1	UEPDC	UDTTE		28.81	28.81	l	l						
BiPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	615.00s								
	B8ZS - Extended Superframe Format		ļ	UEPDC	CCOEF		0.00i	615.00s	 							ļ
Altern	nate Mark Inversion	_	—	LIEDOC	MCOSF	-	0.00	0.00	 	 						ļ
	AMI -Superframe Format	1	-	UEPDC UEPDC	MCOSF		0.00	0.00		 	 		•			-
Talcal	AMI - Extended SuperFrame Format hone Number/Trunk Group Establisment Charges	 	\vdash	06-00	INCOPU	 	J.00	0.00		 						
1 eleb	Telephone Number for 2-Way Trunk Group	t		UEPDC	UDTGX	0.00					-		19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group	†		UEPDC	UDTGY	0.00		1					19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID	I		UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers, Establish Trunk Group and Provide First Group								I							
	of 20 DID Numbers	ļ	₩	UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers	<u> </u>	-	UEPDC UEPDC	ND4 ND5	0.00		 	 	 						
-+-	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.	 	 	UEPDC	ND6	0.00	0.00	0.00		 	 					
	Reserve DID Numbers	+	\vdash	UEPDC	NDV	0.00	0.00	0.00	 	 					•	
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop				3.50	1								
100010	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	T	T					I	I .	I						
	Termination)	1	1	UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00	1		19.99	19.99		i

UNBU	NDLE	NETWORK ELEMENTS - North Carolina					-			-				Attach	ment: 2	Exhi	bit: A
				Г										Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi			i						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	men	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			"											Electronic-	Electronic-	Electronic-	Electronic-
					İ	1	i					1		1st	Add'I	Disc 1st	Disc Add'i
					ĺ							l				Diac ist	DISC AUG I
							Rec	Nonre	uning	Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPOC	1LNOA	0.5753	0.00	0.00		l	1					
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
		Termination)	1	ļ.	UEPDC	1LNO2	0.00	0.00	0.00		ŀ	1	}		1		
		Interoffice Channel Mileage - Additional rate per mile - 9-25		1													
İ		miles	l	1	UEPDC	1LNOB	0.5753	0.00	0.00			1					
$\overline{}$		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00		1	l				
				1		1						1					
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	I	1	UEPDC	1LNOC	0.5753	0.00	0.00	l	1	1	l	l	I		1
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00	1		Ε	T			İ
		Central Office Termininating Point	 	 	UEPDC	CTG	0.00					 					
	4.WIPF	DS1 LOOP WITH CHANNELIZATION WITH PORT		1	 	1	1				i	 		 			
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	1-	 -	 	 		l		 	†					
		ystem can have up to 24 combinations of rates depending on			pher of ports used	 	t —				i			—	 		
	The III	IE-P DS1 combination rates below for 4-Wire DS1 Loop with (hannel	Ization	with Port in this est	e exhibit and	oly to the embe	dded base in :	lace as of the	203 until 4/1/04	. After 4/1/04	these rates	shall rever	to tariff rates	Or a senarate	agreement	
	Pegua	sts for 4-Wire DS1 Loop with Channelization with Port after th	o offert	ive det	o of this amendmen	t chall he see	wided nureus	t to a senarate	agreement or	tariff at Religo	uth's discreti	nn			o. a acpurate	agreement.	
		St Loop	l emeci	T Car	T The state of the	I shah be pre	I	t to a soperate	I agreement or	Tarir at bando	I CINCICAL	T			-		
	UNE D	4-Wire DS1 Loop - UNE Zone 1	 	-	UEPMG	USLDC	47.54	0.00	0.00			 		<u> </u>			
\rightarrow			├		UEPMG	USLDC	84.27	0.00	0.00			 	-	-			
\vdash		4-Wire DS1 Loop - UNE Zone 2	 		UEPMG	USLDC	134.14	0.00	0.00			1					
ll		4-Wire DS1 Loop - UNE Zone 3	Ц.	1 3	UEPMG	USLUC	134.14	0.00	0.00			<u> </u>					
		SO Channelization Capacities (D4 Channel Bank Configuration	กร)		UEPMG	VUM24	123.06	0.00	0.00	ļ		ļ		19.99	19.99		
\vdash		24 DSO Channel Capacity - 1 per DS1	├	1	UEPMG	VUM24 VUM48	246.12	0.00	0.00			 		19.99	19.99		
\vdash		48 DSO Channel Capacity - 1 per 2 DS1s	ļ							<u> </u>		<u> </u>					
		96 DSO Channel Capacity -1per 4 DS1s	├	-	UEPMG UEPMG	VUM96 VUM14	492.24	0.00	0.00			 		19.99	19.99 19.99		<u> </u>
igsquare		144 DS0 Channel Capacity - 1 per 6 DS1s	<u> </u>				738.36										
		192 DS0 Channel Capacity -1 per 8 DS1s	└		UEPMG	VUM19	984.48	0.00	0.00			ļ		19.99	19.99		<u> </u>
		240 DS0 Channel Capacity - 1 per 10 DS1s	Ļ	ļ	UEPMG	VUM2O	1,230.60	0.00	0.00	_				19.99	19.99		
oxdot		288 DS0 Channel Capacity - 1 per 12 DS1s	<u> </u>	<u> </u>	UEPMG	VUM28	1,476.72	0.00	0.00	ļ		!		19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s	L		UEPMG	VUM38	1,968.96	0.00	0.00			ļ		19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s	L		UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
		672 DS0 Channel Capacity - 1 per 28 DS1s		}	UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		l
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						stem									
	A Mini:	mum System configuration is One (1) DS1, One (1) D4 Channe	d Bank,	and U	p To 24 DSO Ports w	ith Feature A	Activations.										
	Multipl	es of this configuration functioning as one are considered A	dd'I afte	r the n	ninimum system con	figuration is	counted.										
-		NRC - Conversion (Currently Combined) with or without	T	T		1			1								
ı		BellSouth Allowed Changes	I	1	UEPMG	USAC4	0.00	330.61	16.64	<u> </u>	L			19.99	19.99		l
	System	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	neliza	tion with Port Comb	ination Curre	ently Exists and	1									
		ot Currently Combined) in all states, except in Density Zone				1			1	l		1	1				
1		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	T	1	T T	1									i		·
		and Assoc Fea Activation (E:4/1/2004)	l	1	UEPMG	VUMD4	0.00	743,74	326.22	149.02	17.68	1	1	19.99	19.99		1
 	Ripole	r 8 Zero Substitution	—	1		1	1			T		†		1			
\vdash	-,poid	Clear Channel Capability Format, superframe - Subsequent	 	1	•	 						1					
l		Activity Only	l	1	UEPMG	CCOSF	0 00	0.00i	615.00s	l		I	l	l			1
├		Clear Channel Capability Format - Extended Superframe -	 	-	100	15555	1- 0.00		- 10.000	 	†	 	\vdash	— —			
		Subsequent Activity Only	1	ı	UEPMG	CCOEF	0.00	0.00i	615.00s	l		I	1	ĺ			I
┝╾╾┥	Alac-	te Mark Inversion (AMI)	 	+	OC. ING	10000	1- 0.00	0.00	0.0.000	 		 	-	 	 		
┝──┼	MISTI			+	UEPMG	MCOSF	0,00	0.00	0.00		 	 			 		
╙		Superframe Format	 	+	UEPMG	MCOPO	0.00	0.00	0.00	 	 	+		 			
┷		Extended Superframe Format	1	Bod.	UCFING	INCOPO	0.00	0.00	0.00			 			ļ		
		nge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	POR	 	 	 		 	-		 	 				
oxdot	Exchar	ige Ports		+	-		 		-		 	 	 	_			
		Line Side Combination Channelized PBX Trunk Port - Business	1	1		luspe:			l <u>.</u>	٠		I	1				
		(E:4/1/2004)	↓	-	UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00	ļ	ļ	40.18	9.45		
		Line Side Outward Channelized PBX Trunk Port - Business	1	1	l	l	1		l	l	l	1	1		l		
I		(E:4/1/2004)		_	UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00	 		40.18	9.45		
		Line Side Inward Only Channelized PBX Trunk Port without DID		1	l	I	1					I	l		l		
1		(E:4/1/2004)			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00		i	40.18	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	
													Incremental		Incremental	
			1	i			•				Submitted	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	RATES (\$)							Order vs.		Order vs.	Order vs.
CATEGORT	NATE ELEMENTS	m	200									per LSR		Order vs. Electronic-	Electronic-	Electronic-
			1										Electronic-	Add'i	Disc 1st	Disc Add'i
			1										151	Addi	DISC 181	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port				1											
	(E:4/1/2004)			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
Featu	re Activations - Unbundled Loop Concentration		_		1	į										
	Feature (Service) Activation for each Line Port Terminated in D4	1			1			40.04			1	Į.	40.18	9.45	İ	
	Bank	<u> </u>		UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45	ļ	
	Feature (Service) Activation for each Trunk Port Terminated in	1		UEPPX	1POWU	0.65	77.75	18.33	58.74	11.48	l	l	40.18	9.45		
	D4 Bank hone Number/ Group Establishment Charges for DID Service	!		UEPPX	IPUWU	0.65	11.13	10.33	50.74	11,40	-		40.16	9.43		
relepi	DID Trunk Termination (1 per Port)	 	-	UEPPX	NDT	0.00	0.00	0.00			1		·			-
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	 	+	UEPPX	NDZ	0.00	0.00	0.00			 					
	DID Numbers - groups of 20 - Valid all States	├──		UEPPX	ND4	0.00	0.00	0.00	-		1					
	Non-Consecutive DID Numbers - per number	 	+	UEPPX	ND5	0.00	0.00	0.00			1	 	<u> </u>	· ·		
	Reserve Non-Consecutive DID Numbers	 	+	UEPPX	ND6	0.00	0.00	0.00				t	i	Ì	İ	
- 1 -	Reserve DID Numbers	t	1	UEPPX	NDV	0.00	0.00	0.00					Ī			
Locat	Number Portability	1	1		1											
1	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only										L					
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE			<u> </u>	<u> </u>	L										
1. Cos	t Based Rates are applied where BellSouth is required by FCC	and/or	State	Commission rule to	provide Unb	undled Local S	witching or Sw	ritch Ports.			<u> </u>					
		'net Ba	sed Rat	te section in the san	ne manner as	they are applic	ed to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.	L	<u></u>	<u> </u>		
2. Fea	tures shall apply to the Unbundled Port/Loop Combination - C	7081 Da		44 - 65 - 4 41 1	44.			41								
3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates i	n the Port section of	this rate ext	nibit shall apply	to all combina	tions of loop	port network e	lements excep	for UNE	OIN POTULO	op Combinat	ions.	A 4 4 14 1 1 1 1 1	
3. End 4. The	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C	Usage	rates i	n the Port section of	this rate ext	nibit shall apply	to all combinates, the nonrecu	tions of loop	port network e shall be those	lements exception in the state of the state	he Nonrecu	rring - Cum	ently Combinat	ons. ed sections.	Additional NR	Cs may
3. End 4. The apply	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly.	Usage urrently	rates in	n the Port section of lined Combos. For	this rate ext Currently Co	nibit shall apply ombined Combo	os, the nonrecu	tions of loop	port network e shall be those	lements excep identified in t	he Nonrecu	ming - Cum	ently Combinat	ons. ed sections.	Additional NR	Cs may
3. End 4. The apply 5. Ma	I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will	Usage urrently	rates in	n the Port section of lined Combos. For	this rate ext Currently Co	nibit shall apply ombined Combo	os, the nonrecu	tions of loop	port network e shall be those	lements excep identified in t	he Nonrecu	rring - Cum	ently Combinat	ed sections.	Additional NR	Cs may
3. End 4. The apply 5. Ma UNE-F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States)	Usage urrently	rates in	n the Port section of lined Combos. For	this rate ext Currently Co	nibit shall apply ombined Combo	os, the nonrecu	tions of loop	port network e shall be those	lements excep identified in t	he Nonrecu	rring - Cum	ently Combinat	ed sections.	Additional NR	Cs may
3. End 4. The apply 5. Ma UNE-F	I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/Z-Wire Voice Grade Port (Centrex) Combo	Usage urrently	rates in	n the Port section of lined Combos. For	this rate ext Currently Co	nibit shall apply ombined Combo	os, the nonrecu	tions of loop	port network e shall be those	lements excep identified in t	he Nonrecu	rring - Cum	ently Combinate	ed sections.	Additional NF	Cs may
3. End 4. The apply 5. Ma UNE-F	I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) b VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	Usage urrently be neg	rates in	n the Port section of lined Combos. For	this rate ext Currently Co	nibit shall apply ombined Combo	os, the nonrecu	tions of loop	port network e shall be those	lements excep identified in t	he Nonrecu	ring - Cum	oop Combinatently Combine	od sections.	Additional NF	Cs may
3. End 4. The apply 5. Ma UNE-F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	Usage urrently be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Co	this rate ext Currently Co	nibit shall apply mbined Combo	os, the nonrecu	tions of loop	port network e shall be those	lements excep identified in t	he Nonrecu	ring - Cum	op Combinatently Combine	od sections.	Additional NR	Cs may
3. End 4. The apply 5. Ma UNE-F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	Usage urrently be neg	rates in	n the Port section of lined Combos. For	this rate ext Currently Co	nibit shall apply ombined Combo	os, the nonrecu	tions of loop	port network e shall be those	lements excep identified in t	he Nonrecu	ring - Cum	op Combinatently Combine	od sections.	Additional NR	Cs may
3. End 4. The apply 5. Ma UNE-F	I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 9 VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	Usage urrently be neg	rates in Comb	n the Port section of lined Combos. For lon an Individual Combos.	this rate ext Currently Co	nibit shall apply imbined Combo til further notic	os, the nonrecu	tions of loop	port network e shall be those	lements excep identified in t	t for UNE C	oin Portice	op Combinatently Combine	ons.	Additional NF	Cs may
3. End 4. The apply 5. Ma UNE-F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) O'G Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design	urrently be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Co	this rate ext Currently Co	nibit shall apply mbined Combo	os, the nonrecu	tions of loop	port network e shall be those	lements excep	tor UNE Che Nonrecu	ming - Cum	op Combinatently Combine	ons.	Additional NR	Cs may
3. End 4. The apply 5. Ma UNE-F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	urrently be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Coupens	this rate ext Currently Co	hibit shall apply ombined Combo till further notic 13.03 21.33	os, the nonrecu	tions of loop	port network e shall be those	ements exception identified in t	tor UNE Che Nonrecu	ming - Cum	op Combinatently Combin	ons.	Additional NF	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) O'G Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	urrently be neg	rates in Comb	n the Port section of lined Combos. For lon an Individual Combos.	this rate ext Currently Co	nibit shall apply imbined Combo til further notic	os, the nonrecu	tions of loop	port network e	ements exception identified in t	tor UNE Che Nonrecu	in Portice	op Combinatently Combin	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) O'G Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design Ort/Loop Combination Rates (Design)	urrently be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Coupens	this rate ext Currently Co	hibit shall apply ombined Combo till further notic 13.03 21.33	os, the nonrecu	tions of loop	port network e	lements exception to the second secon	tor UNE C	oin Portice	op Combinatently Combin	ons.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Port/Loop Combination Rates (Design)	urrently be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Coupens. UEP95 UEP95	this rate ext Currently Co	nibit shall apply ombined Combo till further notic 13.03 21.33 32.61	os, the nonrecu	tions of loop	port network e	lements exception in the state of the state	tor UNE Che Nonrecu	ioin Portice	op Combinatently Combin	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire	I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - SESS (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Coupens	this rate ext Currently Co	hibit shall apply ombined Combo till further notic 13.03 21.33	os, the nonrecu	tions of loop	port network e shall be those	lements exception to the second secon	i for UNE (oin Portice	op Combinatently Combin	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) O'G Loop/2-Wire Voice Grade Port (Centrex) Comboonor-Vort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboosign	be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Coupens. UEP95 UEP95	this rate ext Currently Co	nibit shall apply ombined Combo till further notic 13.03 21.33 32.61	os, the nonrecu	tions of loop	port network e shall be those	lements exception to the second secon	tor UNE C	ming - Cum	op Combinatently Combin	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire	I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Coupers UEP95 UEP95 UEP95	this rate ext Currently Co	tibit shall apply ombined Combo till further notice 13.03 21.33 32.61	os, the nonrecu	tions of loop	port network e	lements exception to the second secon	tor UNE C	on Port Cum	op Combinatently Combin	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) O'G Loop/2-Wire Voice Grade Port (Centrex) Comboonor-Vort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboono-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboosign	be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Coupers UEP95 UEP95 UEP95	this rate ext Currently Co	tibit shall apply ombined Combo till further notice 13.03 21.33 32.61	os, the nonrecu	tions of loop	port network e shall be those	lements exception to the second secon	tor UNE C	ning - Cum	op Combinatently Combin	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Ci UEP95 UEP95 UEP95 UEP95	this rate ext	tibit shall apply ombined Combe till further notice 13.03 21.33 32.61 17.25 28.21	os, the nonrecu	tions of loop	port network e shall be those	lements exception to the second secon	tor UNE C	on Povice	op Combinatently Combin	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) O'G Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Ci UEP95 UEP95 UEP95 UEP95	this rate ext Currently Co ase Basis, un	13.03 21.33 32.61 17.25 28.21 43.09	os, the nonrecu	tions of loop	port network e	lements exception to the second secon	tor UNE C	oin Povice	op Combinatently Combin	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	1 Office and Tandem Switching Usage and Common Transport offirst and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. riket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	be neg	rates in y Comb	n the Port section of lined Combos. For on an Individual Combos. For UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	13.03 13.03 21.33 32.61 17.25 28.21 43.09	os, the nonrecu	tions of loop	port network e shall be those	lements exception to the state of the state	N FOR UNE C	oin PortLC	ently Combination	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	be neg	rates in y Combinated in the c	n the Port section of lined Combos. For on an Individual Coupens. UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1	13.03 17.25 28.21 43.09 10.75 19.05 30.33	os, the nonrecu	tions of loop	port network e shall be those	ements exception to	tor UNE C	on Povice	ently Combination	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	be neg	rates it y Combinated and the control of the contro	ueps Ueps Ueps Ueps Ueps Ueps Ueps Ueps U	UECS1 UECS1 UECS2	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97	os, the nonrecu	tions of loop	port network e shall be those	ements exception to the second	tor UNE C	on Povice	ently Combination	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	I Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not Calso and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	be neg	rates it y Combination of the control of the contro	n the Port section of lined Combos. For on an Individual Combos. For on an Individual Combos. For one of the Post	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 13.03 21.33 22.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	os, the nonrecu	tions of loop	port network e shall be those	ements exception to the second	tor UNE C	on Povice	ently Combination	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Calso and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire VG Loop (SL 2) - Zone 2 2-Wire VG Loop Grade Loop (SL 2) - Zone 2 2-Wire VG Loop Grade Loop (SL 2) - Zone 2	be neg	rates it y Combinated and the control of the contro	ueps Ueps Ueps Ueps Ueps Ueps Ueps Ueps U	UECS1 UECS1 UECS2	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97	os, the nonrecu	tions of loop	port network e shall be those	lements exception to the second secon	tor ONE C	on Povice	ently Combination	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	d Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	be neg	rates it y Combination of the control of the contro	n the Port section of lined Combos. For on an Individual Combos. For on an Individual Combos. For one of the Post	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 13.03 21.33 22.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	os, the nonrecu	tions of loop	port network e shall be those	ements exception to the second	tor UNE C	on Povice	ently Combination	ions.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	I Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not Calso and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate stee	be neg	rates it y Combination of the control of the contro	n the Port section of lined Combos. For on an Individual Combos. For on an Individual Combos. For one of the Post	UECS1 UECS1 UECS2 UECS2	13.03 13.03 21.33 2.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	e.	ations of loop	port network e shall be those	ements exception to the second	tor UNE C	on Povice	ently Combination	ed sections.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	d Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rivet Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 2 VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	be neg	rates it y Combination of the control of the contro	n the Port section of lined Combos. For on an Individual Coupers. UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	13.03 13.03 21.33 22.33 32.61 17.25 28.21 43.09 10.75 19.06 30.33 14.97 25.93 40.81	79.59	tions of loopluring charges	port network e shall be those	lements exception to the second secon	to ONE C	on Povice		ed sections.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	d Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. Inter Rates for Unbundled Centrex Port/Loop Combination will Port Rates for Unbundled Centrex Port/Loop Combination will Port Centrex Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonesign 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	be neg	rates it y Combination of the control of the contro	n the Port section of lined Combos. For on an Individual Combos. For on an Individual Combos. For one of the Post	UECS1 UECS1 UECS2 UECS2	13.03 13.03 21.33 2.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	e.	ations of loop	port network e shall be those	ements exception to	tor UNE C	on Povice	ently Combination	ed sections.	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	1 Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will O CENTREX - SESS (Valid in All States) 9 VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex 800 termination)	be neg	rates it y Combinated and the control of the contro	n the Port section of lined Combos. For on an Individual Combos. For on an Individual Combos. For one of the Post	UECS1 UECS1 UECS1 UECS2 UECS2 UEPYA UEPYB	13.03 13.03 21.33 2.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59	63.97	port network e shall be those	lements exception to the second secon	he Nonrecu	on Povice	40.18	9.45	Additional NR	Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	d Office and Tandem Switching Usage and Common Transport offirst and additional Port nonrecurring charges apply to Not Calso and are categorized accordingly. riket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 2 VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID) 1Basic Local Area	be neg	rates it y Combinated and the control of the contro	n the Port section of lined Combos. For on an Individual Coupers. UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	13.03 13.03 21.33 22.33 32.61 17.25 28.21 43.09 10.75 19.06 30.33 14.97 25.93 40.81	79.59	tions of loopluring charges	port network e shall be those	ements exception to the second	to ONE C	on Povice		ed sections.		Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	10 Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ricet Rates for Unbundled Centrex Port/Loop Combination will OENTREX - SESS (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex Form diff Serving Wire	be neg	rates it y Combinated and the control of the contro	n the Port section of lined Combos. For on an Individual Combos. For on an Individual Combos. For one of the Post	UECS1 UECS2 UECS2 UEPYA UEPYH	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81 2.28 2.28	79.59 79.59	63.97 63.97	port network e shall be those	ements exception to the second	he Nonrecu	on Povice	40.18 40.18	9.45 9.45		Cs may
3. Enc 4. The apply 5. Ma UNE-F 2-Wire UNE F	d Office and Tandem Switching Usage and Common Transport offirst and additional Port nonrecurring charges apply to Not Calso and are categorized accordingly. riket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) 2 VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID) 1Basic Local Area	be neg	rates it y Combinated and the control of the contro	n the Port section of lined Combos. For on an Individual Combos. For on an Individual Combos. For one of the Post	UECS1 UECS1 UECS1 UECS2 UECS2 UEPYA UEPYB	13.03 13.03 21.33 2.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59	63.97	port network e shall be those	lements exception to the second secon	he Nonrecu	on Povice	40.18	9.45		Cs may

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) RATE SLEMENTS Svc Order Submitted Submitted Charge -	UNBUNDLED NETWORK ELEMENTS - North Carolina														Attach	ment: 2	Exhi	bit: A
ATECOTY RATE GLEMENTS INITIAL COLOR PROCESS RECONSTRUCTION RATE GLEMENTS INITIAL COLOR PROCESS RECONSTRUCTION RECONSTRU	MOUNE	JEL	3 HET TOTAL ELEMENTO - NOTAL CUITA		1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY RATE ELEMENTS Man Date Color No. Date Color													Submitted	Submitted	Charge -			Charge -
CATEGORY RATE ELBRIATS Size Scot Size S				۱				l					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Part Part	'ATEGOE	97	RATE FLEMENTS		Zone	BCS	usoc			RATES (\$)				per LSR	Order vs.			Order vs.
Total Part March	,	••		m										P 0. C 0. 1.				Electronic-
Rec					l									l				Disc Add'i
Salve Votes Conduct Part Internated in an Magnitist or equivalent UEPPS UEPPS 226 73.99 0.337				!													Diac ist	Disc Add I
SWN, Visco Clark Prot Internated in on Magnitis or equivalent UEP96 UEPV2 2.28 73.59 0.3.07 0.0.18 0.4.08 0.4.0 0.	$\overline{}$				1		ļ	<u></u>	Nonrec	urring	Nonrecurring	Disconnect						
Basic Local Area Depth D				1			1	1 800	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Basic Local Area Depth D	-		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1													
2-We Visco Grafe Port Formation of 60 Service Term UEP95 UEP12 226 79.56 30.37 40.18 9.45 40.18					1	UEP95	UEPY9	2.28	79.59	63.97			L		40.18	9.45		
Regist Local Faces ULPPS ULPPS ULPPS ULPPS C. 220 73.95 C.3.37 40.18 9.45	-						 											
NO Only 12 New Yorks Clerate Part Centure 12 New York Clerate Part Centure 12					1	UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
2.WW Vice Grafe Prd (Centres SQ termination) USPPG USPPLM 2.20 79.50 65.97 40.10 6.45 6.4	- INC				1								l					
2-We View Grafte Prof. Centres 800 Immatter) UEPP6 UEPV1 2-20 79-59 63-97 40-10 6-55	- 	<u> </u>			 	UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		
2-West Votes Grade Prof. (Centries with of Serving With ULPPS ULPPU 2:0 79:59 6.937 6.018 9.45	-				1	UEP95	UEPUB	2.28	79.59				T					
2-Wes Vote Crained Prof. Centres from off Serving Wise Centres (50 Se				i	1	UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
Ceantry 23	-			i	1		1											
2-Wise Voted Grode Port, Diff Sevring Visit Center - 800 Service UEP95 UEPU2 2.28 164.57 128.16 40.18 9.45				I	1	UEP95	UEPUM	2.28	164,57	128.16			<u> </u>		40.18	9.45		
Tem 2.3	-		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	1							1					1
2-Web Voca Grade Part termosted in on Mogalish or equivalent UEP96 UEPU2 2.28 78.59 63.97 40.18 8.45	- 1			I	1	UEP95	UEPUZ	2.28	164.57	128.16			<u> </u>	<u> </u>	40.18	9.45		
2799 2799 27	-															1		l
2, New Voca Crede Port Terminated on 800 Service Term			2-Wire Voice Grade Port terminated in on Megalink or equivalent	ı	l													
Control Intercon Funionality, per port	-		2-Wire Voice Grade Port Terminated on 800 Service Term	i –	1	ÜEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Coord Number Persibility per port UEPPS UPPCC 0.35	Le	ocal S			T										1			
Cocal Number Portability per port)						UEP95	URECS	0.903								L	L	
County C	LC	ocal I	lumber Portability													L		<u> </u>
All Standard Features Offered, per port UEP95 UEPVS 0.00 457.83	-			T		UEP95	LNPCC	0.35					<u> </u>		ļ			
All Select Features Offered, per port	Fe	eature	3\$				l						<u> </u>			ļ		
All Centres Control Features Offered, per port UEP95 UEPVC 3.40			All Standard Features Offered, per port													<u> </u>		
NARS			All Select Features Offered, per port						457.83							<u> </u>		
Unbundled Network Accoss Register - Combination UEP95 UARCX 0.00			All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40					ļ			ļ		
Unbundled Network Access Register - Indial UEP95 UARIX 0.00 0.	N/	ARS					<u> </u>		•				<u> </u>		<u> </u>			
Unbound Name Access Register - Outdail					Ь													
Miscellura Mis					<u> </u>													
2-Wire Trunk Side				<u> </u>		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	ļ	0.00	40.18	9.45		
Trunk Side Terminations, each				<u> </u>	↓			<u> </u>				ļ						——
CAVITED Giglied 1,544 Megabitis UEP95 MIHD1 123.65	2-	Wire	Trunk Side	<u> </u>	↓		ļ				ļ		ļ			<u> </u>		
D\$1 Cruzil Terminations, each					ـــــ	UEP95	CENDS	12.36					 			 		· -
DSD Channel Sachsted, each	4-1	Wire			1	<u> </u>		400.05					-		40.10	0.45		 -
Interoffice Channel Mileage - 2-Mire Interoffice Channel Mileage - 2-Mire Interoffice Channel Mileage - 2-Mire Interoffice Channel Mileage - 2-Mire Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel Bank Centrex Loops of them interoffice Channel Bank Centrex Loops of them interoffice Channel Bank Centrex Loop Slot Interoffice Channel Bank FX line Side Loop Slot Interoffice Channel Bank FX line Side Loop Slot Interoffice Channel Bank FX line Side Loop Slot Interoffice Channel Bank FX line Side Loop Slot Interoffice Channel Bank FX line Side Loop Slot Interoffice Channel Bank Centrex Loop Slot Interoffice Channel Bank Centrex Loop Slot Interoffice Channel Bank Centrex Loop Slot Interoffice Channel Bank Private Line Loop Slot Interoffice Channel Bank Private Cha				 	╀				20.04		 	-	 					
Interoffice Channel Facilities Termination UEP95 M1GBC 18.00 Interoffice Channel Misagin, per mile of fraction of mile UEP95 M1GBM 0.0282 Feature Activetions (DS0) Centrer Loops on Channelized DS1 Service				—	_	UEP95	MIHDO	0.00	28.81					-	40.18	9.43		
Interoffice Channel mitegge, per mite or fraction of mile UEP95 MIGBM 0.0282	ln'	terof		├	↓—							-	 					
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D4 Channel Bank FX line Side Loop Slot Feature Activation on D4 Channel Bank FX line Side Loop Slot Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D4 Channel Bank Frivate Line Loop Slot LEP95 IPOWP 0.65 Feature Activation on D4 Channel Bank Frivate Line Loop Slot UEP95 IPOWV 0.65 Feature Activation on D4 Channel Bank Frivate Line Loop Slot UEP95 IPOWV 0.65 Feature Activation on D4 Channel Bank Tricute Loop Slot Feature Activation on D4 Channel Bank Tricute Line Loop Slot UEP95 IPOWV 0.65 Feature Activation on D4 Channel Bank Tricute Line Loop Slot UEP95 IPOWV 0.65 Feature Activation on D4 Channel Bank Tricute Line Loop Slot UEP95 IPOWV 0.65 Feature Activation on D4 Channel Bank Tricute Line Loop Slot UEP95 IPOWV 0.65 Feature Activation on D4 Channel Bank Tricute Line Loop Slot UEP95 IPOWV 0.65 Feature Activation On D4 Channel Bank Tricute Line Loop Slot UEP95 IPOWV 0.65 IPOWV 0.65 IUEP95 IPOWA 0.65 IPOWA 0.65 IUEP95 IPOWA 0.65				↓	+								 					
D4 Channel Bank Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 IPQWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 IPQWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 IPQWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 IPQWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 IPQWP 0.65 IPQWP 0.65	—⊢		Interoffice Channel mileage, per mile or fraction of mile		+-	UEP95	MIGBM	0.0282			 		+	 	 	1		
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 IPQW6 0.65				Ce	+		+	 					 -	 	 	+		
Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Different Wire Center UEP95 Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP95 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 IPOWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 IPOWP 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPOWO 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPOWO 0.6	P	4 Cha		+	+-	LIEDOS	1DOME	0.00				1	+	 	 	 		
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Dif			Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	+	וטברשט	IFUVVS	0.03					+			 	-	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center LEP95 IPOWP Different Wire Center Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank WATS Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Different Activation on D-4 Channel Bank Private Line Loop Slot LEP95 IPOWP Dif			Back Evilla Old Charles Back Evilla Old Charles	1	1	HEDOS	1DOWS	0.00			I	I	1		I	1		1
Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot Different Wire Centre Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 IPOWV 0.65 Feature Activation on D-4 Channel Bank Warts Loop Slot UEP95 IPOWO 0.65 Feature Activation on D-4 Channel Bank Warts Loop Slot UEP95 IPOWO 0.65 Feature Activation on D-4 Channel Bank Warts Loop Slot UEP95 IPOWO 0.65 Feature Activation on D-4 Channel Bank Warts Loop Slot UEP95 IPOWO 0.65 Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP95 USAC2 2.77 0.40 40.18 9.45 New Centrex Standard Common Block UEP95 MIACS 0.00 695.11 WeP95 MIACS 0.00 695.11 UEP95 MIACS 0.00 695.11 WeP95 MIACS 0.00 72.73 MIACS 0.00 MIACS	\longrightarrow			-	+	OELA9	IFUWO	0.65	_			 	 		t e			
Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop UEP95 IPQWQ 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.65 IPQWQ 0.65 IPQWA 0.65 I				1	1	HEDOS	1POW7	0.66				1				1		1
Different Wire Center	$-\!+$			+	+-	UEF 50	11.011	0.05			 	 	 		i	 	i	
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 IPQWV 0.65	- 1			1		LIEDOS	1BOWB	0.65			1	I		l	1	1	1	1
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP95 1PQWQ 0.65	$-\!\!+$		Uniterent vyire Center	+	+	OLP 50	TIP CWIF	0.05					 	 	 	1		
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP95 1PQWQ 0.65			Seature Autimation on D.4 Channel Book Brigate Line Long State	1		I IEDOS	1 ₁ POWV	0.65			1	I	1	1	1	I	l	1
Slot UEPS IPQWQ 0.65 UEPS IPQWQ 0.65 UEPS IPQWQ 0.65 UEPS IPQWA 0.65 UEPS IPQWA 0.65 UEPS IPQWA 0.65 UEPS IPQWA UEPS IPQWA UEPS USAC2 2.77 0.40 UEPS USAC2 2.77 0.40 UEPS USAC2 USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 UEPS USAC2 USAC2 UEPS USAC2 UEPS USAC2 USAC2 UEPS USAC2 USAC				+	+-	100100	1" 2"	9.05			<u> </u>	 	†	 	1	1		
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWA 0.65	- 1					UEP95	1POWO	0.65			1			l	1	1	1	1
Non-Recurring Charges (NRC) Associated with UNE-P Centrex UEP95				+	+-						t	-	 	<u> </u>	1	i		
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP95	- 		Pressure Activation on the Charles Bank WATS LOOP Stor	+	+-	00.00	1.1 547.11	1 - 5.00	_		1		1	†	1	İ		
Changes, per port		OH-K	INDC Commiss Currently Combined Switch As is with attended	+	+	 	+	—			1		 	· ·		1		
New Centrex Standard Common Block UEP95 M1ACS 0.00 695.11 40.18 9.45	- 1			1	1	HEP95	USAC2	1	2.77	0.40		I		I	40.18	9.45		1
New Centrex Customized Common Block	$-\!\!\!\!+$		New Control Standard Common Block	+	+			0.00										
NAR Establishment Charge, Per Occasion UEP95 URECA 0.00 72.73 40.18 9.45 Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	$-\!\!\!\!+$		New Centrex Standard Common Block	+	+-							1					•	
Additional Non-Recurring Charges (RRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	$-\!\!\!\!+$		NAD Selablishment Charge Per Occasion	t	+						·	· -						
Unbundied Miscellaneous Rate Element, Tag Loop at End Use	 	elel:01		1	+		1	1			1	1	T			1		
		ouid!		 	+		+				i	1				1		
				1	1	UEP95	URETL		8.33	0.83				L		<u> </u>	1	L
	——		II rumou		-						-							

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	· RATES (\$)						Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	<u> </u>	_		+		First	Addʻl	FIIBL	A001	SOMEC	SUMAN	SUMAR	SUMAN	SUMAN	SOMAN
i	End Use Premise			UEP95	URETN		11.20	1.10								1
UNE-	P CENTREX - DMS100 (Valid in All States)		 		1											
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)								L							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.		1	ا ۔۔ ۔ ا										ĺ
	Non-Design		1_1_	UEP9D	ļ	13.03										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	2	UEP9D	i	21.33				ļ						1
 	Non-Design	 		UEPSU		21.33			-	1	 					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	l	3	UEP9D		32.61			l							1
IINE	Port/Loop Combination Rates (Design)	 	۳		 	02.01					 					
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		\vdash								1					
- 1	Design		1_	UEP9D		17.25			L							
i	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								1							(
	Design		2	UEP9D		28.21			<u> </u>	<u> </u>						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١.	l												ĺ
	Design		3	UEP9D		43.09										⊢—
UNE	Loop Rate		+	UEP9D	UECS1	10.75			-							
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	_	3	UEP9D	UECS1	30.33										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	-		UEP9D	UECS2	14,97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	25.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	\vdash		UEP9D	UECS2	40.81						•				
UNE	Port Rate															
	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1	1	1						l			40.18	9.45		i
	Area		ļ. —	UEP9D	UEPYC	2.28	79.59	63.97		 			40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		1	UEP9D	UEPYD	2.28	79.59	63.97		1			40.18	9.45		i
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		-	UEPSU	DEPTO	2.20	75.35	05.57		 			40.10	3.43		·
1	Area			UEP9D	UEPYE	2.28	79.59	63.97		ì			40.18	9.45		i
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1	1						i						
1	Area			UEP9D	UEPYF	2.28	79.59	63.97		L			40.18	9.45		l
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															í
	Area			UEP9D	UEPYG	2.28	79.59	63.97		<u> </u>			40.18	9.45		
ľ	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	Ī	1	l	1						1			ا ـ ـ ـ ا		i
	Area		—	UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	l	1	LIEDOD	UEPYU	2.28	79.59	63.97		Į.	1		- 40.18	9.45		i
	Area		-	UEP9D	DEPTU	2.20	79.59	63.97		 -	 		- 40.16	9.43		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area	1	1	UEP9D	UEPYV	2.28	79.59	63.97	I				40.18	9.45		l
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	 	-	1	1			- 55.57	i		· · · · · ·					
	Area	1	1	UEP9D	UEPY3	2.28	79.59	63.97		<u></u>	L		40.18	9.45		L
-+-	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	1	1													
	Area	<u></u>	<u> </u>	UEP9D	UEPYH	2.28	79.59	63.97		ļ		<u> </u>	40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		[l		l			I		1 .			ا ۔۔ ا		i
	Indication))4 Basic Local Area	<u> </u>	↓	UEP9D_	UEPYW	2.28	79.59	63.97	 	1			40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	ĺ	1	LIEBOD.	luenvi	2.28	79.59	63.97	l	1			40.18	9.45	. 1	i
	Basic Local Area	\vdash	+	UEP9D	UEPYJ	2.28	18.39	63.97	 	 	 . 		40.10	5.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area	1	1	UEP9D	UEPYM	2.28	164.57	128.16	I				40.18	9.45		i
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	 	+-						i .	<u> </u>						i
	Basic Local Area	1	1	UEP9D	UEPYO	2.28	164.57	128.16	1	1	ì	l i	40.18	9.45	'	1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina								•				Attach	ment: 2	Exhi	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrox/differ SWC /EBS-M5009)2,3,4	<u> </u>	-				First	Add'l	First	Add'I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16			•		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	2.28	164.57	128,16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		†	UEP9D	UEPYS	2.28	164.57	128,16					40.18	9.45	-	
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	\vdash	1						-							
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		 	UEP9D	UEPY4	2.28	164.57	128.16				<u> </u>	40.18	9.45	-	
	Basic Local Area		<u> </u>	UEP9D	UEPY5	2.28	164.57	128.16			<u> </u>		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	2.28	164.57	128,16					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9,45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic		T	UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC Or	Local Area		\vdash	DEP9D	UEP12	2.20	79.39	63.97					40.10	3.43		
100	2-Wire Voice Grade Port (Centrex)		 	UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4		↓	UEP9D	UEPUC	2.28 2.28	79.59 79.59	63.97 63.97				-	40.18 40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4	_	+	UEP9D UEP9D	UEPUE	2.28	79.59	63.97			 		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	_	+	UEP9D	UEPUF	2.28	79.59	63.97			†		40.18	9.45		i
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		+	UEP9D	UEPUG	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		i i
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97			ļ		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		1	UEP9D	UEPU3	2.28	79.59	63.97			<u> </u>		40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)	┞		UEP9D	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	l		UEP9D	UEPUW	2.28	79.59	63.97					40.18	9.45		i
	Indication)4	-	+-	UEP9D	UEPUJ	2.28	79.59	63.97			 		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	├	-	UEPBD	UCF US	2.20	75.55	05.81			 -		70.10	- 5:70		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3		_	UEP9D	UEPUM	2.28	164.57	128.16			ļ		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16			<u> </u>		40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	2.28	164.57	128.16					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPUR	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPUS	2.28	164.57	128.16					40.18	9.45		
_			\top	UEP9D	UEPU4	2.28	164.57	128.16			<u> </u>		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4												40.18	9.45		
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4		\vdash	UEP9D	UEPU5	2,28	164.57	128.16			 					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	-	\vdash	UEP9D	UEPU6	2.28	164.57	128.16			 		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16		1	1	<u> </u>	40.18	9.45		

NBUNDLED	NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)					Submitted Elec		Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Svc Order vs.
						Rec		urring		Disconnect				Rates (\$)		1 227777
							First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3	<u> </u>		UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
.	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP9D	UEPU9	2.28	79.59	63.97	1			ļ	40.18	9.45		
	2-Wire Voice Grade Port Terminated in 611 Megalink of Equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	1		UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local Sv		 		02.00	02.02											
	Centrex Intercom Funtionality, per port	†	 	UEP9D	URECS	0.903										
	umber Portability	 	1	-							i					
	Local Number Portability (1 per port)	i		UEP9D	LNPCC	0.35										
Features		1	<u> </u>			i					1	i .				
	All Standard Features Offered, per port				UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
1 /	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00		9.45		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00		9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	<u> </u>	0.00	40.18	9.45		<u> </u>
	neous Terminations				<u> </u>				ļ							
	runk Side	<u> </u>	<u> </u>						<u> </u>		.					
	Trunk Side Terminations, each		<u> </u>	UEP9D	CEND6	12.36						L	ļ			
	Pigital (1.544 Megabits)		ļ									<u> </u>	10.10			
	DS1 Circuit Terminations, each	<u> </u>	↓		M1HD1	123.65	00.04						40.18 40.18	9.45 9.45		<u> </u>
	DS0 Channels Activiated per Channel	ļ		UEP9D	M1HDO	0.00	28.81					 	40.18	9.45		
	ce Channel Mileage - 2-Wire	ļ	_			40.00										
	nteroffice Channel Facilities Termination	├		UEP9D	M1GBC	18.00 0.0282						 		-		-
	nteroffice Channel mileage, per mile or fraction of mile	<u>. </u>	-	UEP9D	M1GBM	0.0262						 				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	C0			 						+	 				
	nnel Bank Feature Activations			UEP9D	1PQWS	0.65					+					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	├	+-	UEPBU	IFOVS	0.65			 		1	 	 			
l i.	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP9D	1PQW6	0.65							i		1	ł
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 	-	OEF 30	11 4110	0.00						 				
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<u> </u>	ļ	UEP9D	1PQW7	0.65										
	Different Wire Center	<u> </u>		UEP9D	1PQWP	0.65					-					<u> </u>
l.	Francisco Auticulian en D. A. Channel Benk Britale I fan I ann Slat	1		UEP9D	1PQWV	0.65			ŀ		1	1	l	I	1	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop	 	 	טברשט	IPQWV	0.65					 	 	-			-
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot	1		UEP9D	1PQWQ	0.65			l		1	l	I			
	Feature Activation on D-4 Channel Bank WATS Loop Slot	+	 	UEP9D	1PQWA	0.65					 					
	curring Charges (NRC) Associated with UNE-P Centrex	+	┼	JE. 80					 		 					
	NRC Conversion Currently Combined Switch-As-Is with allowed	+-	 	 	t	 			i		 					
	changes, per port	1	1	UEP9D	USAC2	į	2.77	0.40	l				40.18	9.45	ļ	
- }	New Centrex Standard Common Block	 	†	UEP9D	MIACS	0.00	695.11				T	1	- 40.18	9.45		
	New Centrex Customized Common Block	1	\vdash	UEP9D	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion	1	1	UEP9D	URECA	0.00	72.73						40.18	9.45		
	nal Non-Recurring Charges (NRC)	1		[
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.20	1,10								
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD				1											
Note 2	Requies Interoffice Channel Mileage															
Note 3 -	Installation is combination of Installation charge for SL2 Lo	op and	Port													L
Note 4 -	Requires Specific Customer Premises Equipment		1								<u> </u>	ļ				
	ates displaying an "R" in Interim column are interim and sul	hiect to	rate to	ie-up as set forth in	General Terr	ns and Condition	ons.	l	I	i	1	I	I	1		1

AMENDMENT EXHIBIT 2
Attachment 6
Page 1

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

AMENDMENT EXHIBIT 2

Attachment 6

Page 2

TABLE OF CONTENTS

3.	MISCELLANEOUS	. 5
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	. 3
1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	. 3

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide to Unicom nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Unicom can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Unicom with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Unicom and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent Unicom requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Unicom, BellSouth will not assess Unicom additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Unicom nondiscriminatory access to its OSS and the necessary information contained therein in order that Unicom can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Unicom to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Unicom's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 Pre-Ordering. BellSouth will provide electronic access to its OSS and the information contained therein in order that Unicom can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces

Page 4

whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Unicom will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Unicom shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Unicom shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Unicom shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Unicom will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Unicom's access to customer record information. If a BellSouth audit of Unicom's access to customer record information reveals that Unicom is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Unicom may take corrective action, including but not limited to suspending or terminating Unicom's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Unicom electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Unicom will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Unicom electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Unicom will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Unicom agree to adhere to BellSouth's Operational

Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Unicom nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Unicom agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Unicom agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Unicom at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 Pending Orders. Orders placed in the hold or pending status by Unicom will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Unicom shall be required to submit a new service request. Incorrect or invalid requests returned to Unicom for correction or clarification will be held for thirty (30) calendar days. If Unicom does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- Single Point of Contact. Unicom will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Unicom to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Unicom and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Unicom to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify

Unicom that such a request has been processed but will not be required to notify Unicom in advance of such processing.

- 3.2.1 Neither BellSouth nor Unicom shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Unicom shall return a FOC to BellSouth within thirty-six (36) hours after Unicom's receipt from BellSouth of a valid LSR.
- 3.2.4 Unicom shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Unicom elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Unicom by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Unicom that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Unicom's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Unicom, which has the billing relationship with that End User, and Unicom may pass such charge to the End User.
- 3.6 <u>Cancellation Charges</u>. If Unicom cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of

AMENDMENT EXHIBIT 2

Attachment 6

Page 7

that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Unicom places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Unicom places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Unicom may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Unicom elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Unicom, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.