ORICINAL

BELLSOUTH

BellSouth Telecommunications, Inc.
Regulatory & External Affairs

150 South Monroe Street 400 Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III
Vice President

Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

VORTHISSION

August 24, 2004

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of two Amendments to the interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and NewSouth Communications, Corp.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s two Amendments to interconnection, unbundling, resale and collocation Agreement with NewSouth Communications, Corp.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

MM Crusr III /RN
Regulatory Vice President

RECEIVED & FILED

EPSC-BUREAU OF RECORDS

DOCUMENT NUMBER - DATE

09276 AUG 24 8

FPSC-COMMISSION CLERK

Amendment to the Agreement Between NewSouth Communications, Corp. and BellSouth Telecommunications, Inc. Dated May 18, 2001

Pursuant to this Amendment, (the "Amendment"), NewSouth Communications, Corp. (NewSouth), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated May 18, 2001 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and NewSouth entered into the Agreement on May 18, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to add the rate elements and USOCs contained in Exhibit 1 to Exhibit A of Attachment 4.
- 2. The Parties agree to the following as new Sections 3.5 and 3.6 to Attachment 4:
 - 3.5 Co-Carrier Cross Connect (CCXC). CCXCs are cross connects between NewSouth and another collocated telecommunications carrier other than BellSouth in the same Premises. Where technically feasible, BellSouth will permit NewSouth to interconnect directly between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises via CCXCs and the associated cabling necessary to complete the interconnection consistent with FCC Rule 51.323. Both NewSouth's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXCs. BellSouth applicable charges will be imposed on the requesting telecommunications carrier. NewSouth is prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
 - 3.5.1 NewSouth may provision the CCXC using its own technicians, if certified as a BellSouth Certified Supplier, or contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned or leased by NewSouth. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities (lit or dark). In cases where NewSouth's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, NewSouth may use its own technicians to install CCXCs using either electrical or optical facilities (and associated patch cords, jumper cables, tie-pairs,

- etc.) between the equipment of both collocated telecommunication carriers and construct a dedicated cable support structure, if needed, between the two (2) contiguous cages. NewSouth shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. NewSouth shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross Connect), or LGX (Light Guide Cross Connect). NewSouth is responsible for ensuring the integrity of the signal.
- 3.5.2 The CCXC fees provided for in this Agreement shall not apply when BellSouth has installed fiber or copper/coax cable support structure prior to July 28, 2004 that has been paid in full by NewSouth via nonrecurring CCXC charges. If NewSouth has ordered a service that originates from its collocation space and terminates to another collocator's space in the same BellSouth Premises, which caused a BellSouth technician to jumper the two (2) collocation spaces together using NewSouth specific connecting facility assignments (CFAs) provided by NewSouth and the other collocator at a BellSouth frame, panel or existing POT bay (wherever the point of demarcation resides), then BellSouth will permit these cross connections to remain in-service as provisioned and at the rates at which they were provisioned ("grandfathered").
- 3.5.3 NewSouth shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting NewSouth provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two (2) contiguous caged collocation arrangements, NewSouth may use its own technicians to construct the dedicated support structure between the two (2) collocation arrangements.
- 3.5.4 To request or self-provision CCXCs, NewSouth must submit a Remote Site Application, an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Co-Carrier Cross Connect/Direct Connect Only Application Fee for CCXCs, as set forth in Exhibit A, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply as appropriate. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to NewSouth. If the CCXC is requested as part of an Initial Application, only the Initial Application Fee shall apply, plus any other applicable charges.
- 3.5.5 If requested by NewSouth, BellSouth will provision additional cable racking, if insufficient capacity is available to support NewSouth's request to provision a CCXC itself.

- 3.6 Direct Connect (DC). BellSouth will permit NewSouth to interconnect directly between NewSouth's virtual and/or physical collocation arrangements within the same Premises by utilizing a DC. NewSouth must use a BellSouth Certified Supplier to place the DC. The DC shall be provisioned through facilities owned by NewSouth. In those cases where NewSouth's virtual and/or physical collocation space is contiguous in the central office, NewSouth will have the option of using NewSouth's own technicians to deploy DC's using either electrical or optical facilities between the collocation spaces and constructing its own dedicated cable support structure. NewSouth will deploy such optical or electrical connections directly between its own facilities without being routed through BellSouth equipment. NewSouth may not self-provision DC's on any BellSouth distribution frame, POT, DSX (Digital System Crossconnect) or LGX (Light Guide Cross-connect).
- 3.6.1 NewSouth is responsible for ensuring the integrity of the signal. NewSouth-provisioned DC's shall utilize common cable support structure. There will be a recurring charge per linear foot, and a nonrecurring charge per cable, of the actual common cable support structure used. In the case of two (2) contiguous collocation arrangements, NewSouth will have the option of using NewSouth's own technicians to construct its own dedicated support structure.
- 3.6.2 To request or self-provision DCs, NewSouth must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of DC's, the Co-Carrier Cross Connect/Direct Connect Only Application Fee for DC, as defined in Exhibit A, will apply. If modifications in addition to the placement of DC's are requested, the Initial Application or Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 3. All of the other provisions of the Agreement, dated May 18, 2001, shall remain in full force and effect.
- 4 Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

NewSouth Communications, Corp.

Name: KAISTED E, ROWE

Title: 1 NECTON

Date: 8/11/04

Name: Jake E. Jennings

Title: VP, Regulatory Affairs

Date: August 9, 2004

UNBUI	NDLED	NETWORK ELEMENTS - Alabama	-									-				ment: 2	Exhi	ibit: A
CATEG	ORY	RATE ELEMENTS	Interim	Zone	В	acs	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs.
								Rec		urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
			-	-			_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HAGIC	A1 COI	LOCATION	1	1				_			-							
TH TSIC	AL COL	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -	+	-	_	_							-					
		Fiber Cable Support Structure, per linear ft.	1		CLO		PE1ES	0 0011										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	_		020		LILO	0 0011					-					
		Copper/Coax Cable Support Structure, per in. ft.			CLO		PE1DS	0.0016				1] [
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect,	_	1	020		1 2 100	0.0010				_		_	_			
		Application Fee, per application			CLO		PE1DT		584.22									
_		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			020				304.22							-		
1		Fiber Cable Support Structure, per cable	l i		CLO		PE1DU		535 37									
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -												_				
		Copper/Coax Cable Support Structure, per cable	1		CLO		PE1DV		535.37									
																_		
	_																	
				_														
			-															
			_															
	_		-	-														
			-	-														
	_																	
_	_		-	-														
			+	_				- +										-
_	-		_	-														
			_	_							1					_		
			_					-						-				
			_			_							-					
				+										-				
			_	1					-									
-			_					- (-		-					
			-													_		
																	_	
			1					V										
									-									
													,					

	ED NETWORK ELEMENTS - Florida	-	1	Т —								13	Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs.
						0	Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
						Rec	First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																- COMPAN
HYSICAL	OLLOCATION		1													
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable	1		CLO	PE1DU		535.54									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per cable			cro	PE1DV		535.54									
		1														
-		+	-													
_		+	_									_				
			_						_	1						
						-				+						
															_	
															17	
			-									1				
_		+	-							1						
-		+	-						-							
_		-	_	<u> </u>												
-					-				-							
	 			 						1			-			
									-	-			_	_		
										1						
			└													
		_														
_		-	-		+											
-		+														
_		-	-		_					-						
				1			1	-		-						
													- 1			
									,							
-		+			-											
			-		-											17-1-
-		+														
_		_														
									1							
+		+			+				+							
		_														

INBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
									The state of	D: .					Disc 1st	DISC Addi
		-	-			Rec	Nonrec First	urring Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		-	-				rirst	Auu	FIISt	Addi	SOMEC	SUMAN	SOMAN	SUMAN	SOMAN	SUMAN
		+	1											-		
HYSICAL CO	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -	-	+		_											
	Fiber Cable Support Structure, per linear ft			CLO	PE1ES	0 001			1						ĺ	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	+	_	010											_	
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015				İ						
-	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,	_														
1	Application Fee, per application			CLO	PE1DT		583.18									i
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
- 1	Fiber Cable Support Structure, per cable	1		CLO	PE1DU		553.43									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -												-			
	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		553.43									
	000000000000000000000000000000000000000		21												7.5	
-																C
								L,								
							_									
		_														
100		-						_	-	1	-					
			_	-	_				+	-						
			-						-	-						
		-	-	-					+				_			
		1	-						-	-						
		-	-		_				_	-	_		-			
		+	+						_	_	_					
		-	-							-	-					
			+		_					_						
		+-	+						+						_	-
		+	+		_				-			_				_
		_	+	_	_					+	_		-			
		_	+						+							
		_	+								-	_	2			
_			+-													
			+											_		
		+	-					_			_					
	+															
-																
_																
															_	
														Name of the same of		
		_		T						1						
		1														
		-	1	1	-1	1					1					

DIADOIAL	DLED	NETWORK ELEMENTS - Kentucky				_								Attach	ment: 2	Exhi	bit: A
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs.
_	-		-				Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	201120		OSS	Rates(\$)		
-+			1					Filst	Addi	FIISL	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICA	L COL	OCATION								_							$\overline{}$
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect -						_						-			
	1	Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0012										1
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
		Copper/Coax Cable Support Structure, per lin ft.			CLO	PE1DS	0 0018										i .
1		Physical Collocation - Co-Carrier Cross Connects/Direct Connect,			01.0	25127											
\rightarrow	-	Application Fee, per application	-		CLO	PE1DT		584.20									
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable	1 .		CLO	PE1DU		535.55									
-		Physical Coflocation - Co-Carrier Cross Connect/Direct Connect -			CLO	I LIDO		333.33	_		-						
		Copper/Coax Cable Support Structure, per cable	1 1		CLO	PE1DV		535.55									
		aspharater and adharr an actor of hor same						555.55									
				-													
		2777															
\rightarrow																	
\rightarrow			-	_		-				-		-				_	
\rightarrow			-			1						-		_			
-					-	+					_	-	-				
\rightarrow	_				_					_					-		
-	$\overline{}$					1											
														_			
																_	
\rightarrow			-														
\rightarrow			-			-				-							
\rightarrow	-		-	-		-				-		_			W		
_	_		-			-				-							
-																	
-	_									-		— i			-	_	
-+														_			
															-	_	
										2000							
	_		-														
-+	_		-						_								
			+				-										
-+	_		-				-										
\rightarrow									_			-	-				
							_										
												1200			-		
$\overline{}$																	
			_														
_			-			-						-					
-			+			-											
	_		-				-			_							

UNBUND	LED	NETWORK ELEMENTS - Louisiana										10.		Attach	ment: 2	Fyhi	bit: A
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Syl Order vs.
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
							Nec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL	COL	LOCATION	1														
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect -	1														
	_	Fiber Cable Support Structure, per linear ft	-		CLO	PE1ES	0.001										(
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -											A				
-	-	Copper/Coax Cable Support Structure, per lin ft	-		CLO	PE1DS	0.0015			_	<u> </u>						
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect,			CLO	OCADT		500.00				1 1					
	-	Application Fee, per application Physical Co-location - Co-Carrier Cross Connect/Direct Connect -	_		CLO	PE1DT		583.30			-						
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	7		CLO	PE1DU		534.79									
_	-	Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	- 1:		CLO	FEIDO		334.79		_		+	_				
		Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		534.79		İ							
_		Copport Color Culport Colorida per Casia	1				-	334.13		1	_						
										1							
	-																
										1							
																_	
															-		
														_			
																	21
																-	
									_								
			-														
	\rightarrow		-								-						
	_																
	_																
-				_		_											
	- 1		-			+	-			-		-					
	-									-							
	-	HALL CO.	10							-		-					
	-		1										_				
	-			_		_	-					-					Page 1
	-						_										
	\neg									-							
											-						
	-1		12														
																	1 115
																	_
																_	
					- J												
									_								
			-			_											
	_		-						-	-							
	_		_			-				-							
_	_		1	-		+											
	-		1		_												
_	_		+														
				Щ.	L				_	-							

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
			-			Ţ	Rec	Nonred First	urring Add'l	Nonrecurrin	Disconnect	201152	*******	oss	Rates(\$)		
			+			+		FIISL	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSIC	AL CO	LLOCATION	_	1				-		 		 					
	1	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -									-	1	_		_		
		Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -										†					
		Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect,												_			
		Application Fee, per application			CLO	PE1DT		583.13									
	-	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			0 75												
		Fiber Cable Support Structure, per cable	1		CLO	PE1DU		534 65				1					
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	l .					July July									
		Copper/Coax Cable Support Structure, per cable	1	-	CLO	PE1DV	0.1 19	534.65			A LOUIS OF						
	_		-	-		_											
			-	_		_											
				_									-				
			-	1		-					-						
				_					_								
												-					
	-			-													
							1										
			100														
				-		_											
			-	-													
										-							
			_	_		_			_								
			+	_				_		_							
										-		<u> </u>					
-											_						
																+	
															_		
										-							
		1 (2 - 1)															
			-	-													
				-													
			+	+-						3							
			-	-				-									
	_		+							-							
_										1							
			1	-													
							 					-		_			
												-					
												 	+				
										1						I	

OURON	DEFD	NETWORK ELEMENTS - North Carolina	T	T	1	1						Svc Order	Svc Order	Attach		Incremental	hit: A
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
				+				Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
	-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			+	1													
		CONTINU	_														
PHYSICA	IL COL	OCATION Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	1	-													
	i i	Files Cable Cused Structure, per cable	i i		CLO	PE1DU		532 72									i
-	_	Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect Copper/Coax Cable Support Structure, per cable	_	_													
		Copper(Copy Cable Support Structure, per Cable	1		CLO	PE1DV		532.72									
-	_	Copper/Coax Cable Support Structure, per cable															
-																	
	_														0,000		
-									7								
_																	
- +																	
-																	
_	_																
_																	
-																	
-																	
-				+-													
-																	
							,										
_																	
\vdash																	
_											4						
								1									
\vdash																	
-																	
\vdash																	
	_															N =	
	_																
	-																
	_																
						-											
												1					
	-			1													
					1												
	-										1						
-			1														
				1													
-		-									152						
			_	_													

UNBUNDLE	D NETWORK ELEMENTS - South Carolina		77									U.S.		Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	В	acs	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge -	Incrementa Charge - Manual Sv Order vs.
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
	45						1100	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8 (S)																-
PHYSICAL CO	LLOCATION	1							_								
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -																
	Fiber Cable Support Structure, per linear ft.			CLO	PE	1ES	0 001										1
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -														-		
	Copper/Coax Cable Support Structure, per lin ft.			CLO	PE	1DS	0 0015					1					1
	Physical Collocation - Co-Carner Cross Connects/Direct Connect,			NOV													
	Application Fee, per application			CFO	PE	1DT		584.42					L 1			1	1
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -																
	Fiber Cable Support Structure, per cable	l I		CLO	PE	100		536.56					1				(
	Physical Collocation - Co-Carner Cross Connect/Direct Connect -																
	Copper/Coax Cable Support Structure, per cable	1		CLO	PE	1DV		536.56									i
															1		
											,						
									·								
																_	
									and the				N.				
									-								
																	-
																	$\overline{}$
																	-
															-	_	
					-												
																_	
													1			-	
											_					-	
															\rightarrow		
										C							
		T									_						
			-														

														ment: 2	EXIII	bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge -	Increment
		-	-			Rec	Nonrecurring First	Add'l		Disconnect			OSS	Rates(\$)		
		_				_	First	Addi	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
YSICAL CO	LLOCATION		\vdash			+										
OIGAL GG	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -										+ -					
	Copper/Coax Cable Support Structure, per In ft	1		CLO	PE1DS	0 0019					1 1					1
	Physical Colocation - Co-Carrier Cross Connects/Direct Connect -					1								_		
	Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0013										l .
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,				1											
	Application Fee, per application			CLO	PE1DT		585 09									
100000000000000000000000000000000000000	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -				200											
_	Fiber Cable Support Structure, per cable	-		CLO	PE1DU		555.03					- 1				i i
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
_	Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		555.03									
-		-	-													
_																
		_							+							
_	-	-						_			1					
						_										
				-											_	
				1.05												
						110										
_																
		_				1										
	<u> </u>					1										
-		-		-												
+			-			1					-					
		-									-					
						+			1	-						
							_		+		1					
				5						-	_	_				
						111					1					
											-					
No.																
												1				
									NE CONTRACTOR							
-															_	
						+										
_		-	-			1										
+-		-				-										
						+										
-																
-					_					0	-					
_																
_					-						-					

Amendment to the Agreement Between NewSouth Communications, Corp. and BellSouth Telecommunications, Inc. Dated May 18, 2001

Pursuant to this Amendment, (the "Amendment"), NewSouth Communications, Corp. ("NewSouth"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated May 18, 2001, ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and NewSouth entered into the Agreement on May 18, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The parties agree to add the following provision to Attachment 2, Section 3.3 and the associated rates as set forth in Exhibit 1 of this Amendment, attached hereto and incorporated herein by this reference.
 - 3.3.1.1 Where NewSouth utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows applicable to UNE-P set forth on BellSouth's website

http://interconnection.bellsouth.com/guides/unedocs/2wireGrdULPSComb.pdf illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

- 2. All of the other provisions of the Agreement, dated May 18, 2001, shall remain in full force and effect.
- 3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

NewSouth Communications, Corp.

. . .

Name: KRISTEN E, ROWE

Title: VIRECTOR

Date: 8/18/04

Name: Jake E. Jennings

Title: VP, Regulatory Affairs

Date: August 13, 2004

	D NETWORK ELEMENTS - Alabama					_						/100	Attach	ment: 2	Exh	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually per LSR	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Manual Svc	Charge - Manual Svo Order vs.
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED L	LOCAL SWITCHING, PORT USAGE										_					
Tander	m Switching (Port Usage) (Local or Access Tandem)											U-2			_	_
3100,4874	Tandem Switching Function Per MOU (Melded)					0.000040993										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086947										-
	Melded Factor: 43.15% of the Tandem Rate															-

DUROUDLE	D NETWORK ELEMENTS - Florida				_	_					4.1.			ment: 2		ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted	Charge - Manual Svc Order vs.	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svi Order vs.
						Rec	Nonre	curring	Nonrecurri	ng Disconnect			OSS	Rates (\$)		- m Andrew
		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED I	OCAL SWITCHING, PORT USAGE		-							+						
Tander	m Switching (Port Usage) (Local or Access Tandem)								1000			-				
	Tandem Switching Function Per MOU (Melded)					0.000027185										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000048434										
	Melded Factor: 20.61% of the Tandem Rate															
		-						-	-							
			-		+			-	-	-						
								-								
										-						

UNBUNDLE	D NETWORK ELEMENTS - Georgia					_								ment: 2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED	LOCAL SWITCHING, PORT USAGE										_					
Tande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU (Melded)					0.000017904										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00002868										
	Melded Factor. 18.42% of the Tandem Rate	-			-											
1		_														

UNBUNDLE	NETWORK ELEMENTS - Kentucky					-								ment: 2		ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone BCS	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS	Rates (\$)		
					Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
UNBUNDLED L	OCAL SWITCHING, PORT USAGE										-					
Tander	Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU (Melded)					0.000094381								_		
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000117538										
	Melded Factor: 48.65% of the Tandem Rate.												_			
											-					
					-											
									1		-					

ONBONDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES (\$)				Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
3						Rec	Nonrecurring		Nonrecurring Disconnect				OSS	Rates (\$)		
					_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED	OCAL SWITCHING, PORT USAGE									4		_		-		
Tande	n Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU (Melded)					0.000035296										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000073438										
	Melded Factor: 33.08% of the Tandem Rate															
		-			_											
					_											

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge -				
						Rec	Nonrecurring		Nonrecurring Disconnect		1		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDI ED	LOCAL SWITCHING, PORT USAGE															
	m Switching (Port Usage) (Local or Access Tandem)					- 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1										
Turido	Tandem Switching Function Per MOU (Melded)					0.000063441									-	
	Tandern Trunk Port - Shared, Per MOU (Melded)					0.000067307										
	Melded Factor: 36.82% of the Tandem Rate															
		_														

UNBUNDLED NETWORK ELEMENTS - North Carolina														ment: 2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)					Submitted Elec	Submitted	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Charge - Manual Svi Order vs.
			-			Rec	Nonrecurring		Nonrecurring Disconnect				oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INDUSTRIES ED I	DOAL CHUTCHING DORT HEACE										-					
ONBONDLED I	OCAL SWITCHING, PORT USAGE	_														
Tander	n Switching (Port Usage) (Local or Access Tandem)		-		_	0.00024618					_					
	Tandem Switching Function Per MOU (Melded)											_				
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00012309										
	Melded Factor: 41.03% of the Tandem Rate															
					-				-		-					-

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exh	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	usoc	RATES (Submitted Elec	Submitted	Charge - Manual Svc Order vs.	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
						Rec	Nonrecurring		Nonrecurring Disconnect			-	oss	Rates (\$)		
							First	Add'I	First	Add'i	SOMEC SOMAN	SOMAN	SOMAN	SOMAN	nic- Electronic- E Disc 1st	SOMAN
UNBUNDLED I	LOCAL SWITCHING, PORT USAGE															
Tander	m Switching (Port Usage) (Local or Access Tandem)										-					
	Tandem Switching Function Per MOU (Melded) Tandem Trunk Port - Shared, Per MOU (Melded)					0.00004951 0.000086749										
	Melded Factor: 30.30% of the Tandem Rate			_												
		_						-			-	-				

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: C
CATEGORY	RY RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES (\$)					Submitted		Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svi Order vs.
		_					Nonrecurring		Nonrecurring Disconnect				OSS	Rates (\$)		
						Rec	First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED	OCAL SWITCHING, PORT USAGE															
	m Switching (Port Usage) (Local or Access Tandem)															
1	Tandem Switching Function Per MOU					0.0009778										
	Tandem Switching Function Per MOU (Melded)					0.000380364										
	Melded Factor: 38.90% of the Tandem Rate								-	-						
										-						