

Commercial	Low Flow Shower Head	Healthcare	New	7.76	0.68	11.42	0	0	0
Commercial	Low Flow Shower Head	Hospitals	New	7.76	0.68	11.42	0	0	0
Commercial	Low Flow Shower Head	Institutional	New	6.65	0.58	11.42	0	0	0
Commercial	Low Flow Shower Head	Lodging/Hospitality	New	11.76	1.03	11.42	0	0	0
Commercial	Low Flow Shower Head	Miscellaneous	New	6.65	0.58	11.42	0	0	0
Commercial	Low Flow Shower Head	Offices	New	6.65	0.58	11.42	0	0	0
Commercial	Low Flow Shower Head	Restaurants	New	10.18	0.89	11.42	0	0	0
Commercial	Low Flow Shower Head	Retail	New	10.18	0.89	11.42	0	0	0
Commercial	Low Flow Shower Head	Schools K-12	New	6.65	0.58	11.42	0	0	0
Commercial	Low Flow Shower Head	Warehouse	New	6.65	0.58	11.42	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Assembly	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	College and University	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Grocery	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Healthcare	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Hospitals	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Institutional	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Lodging/Hospitality	Existing	4.34	0.84	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Miscellaneous	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Offices	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Restaurants	Existing	2.45	0.48	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Retail	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Schools K-12	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Warehouse	Existing	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Assembly	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	College and University	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Grocery	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Healthcare	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Hospitals	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Institutional	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Lodging/Hospitality	New	4.34	0.84	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Miscellaneous	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Offices	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Restaurants	New	2.45	0.48	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Retail	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Schools K-12	New	2.93	0.57	5.15	0	0	0
Commercial	Low-Flow Pre-Rinse Sprayers	Warehouse	New	2.93	0.57	5.15	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Assembly	Existing	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	College and University	Existing	20.12	0.89	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Grocery	Existing	20.12	0.89	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Healthcare	Existing	15.34	0.68	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Hospitals	Existing	15.34	0.68	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Institutional	Existing	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Lodging/Hospitality	Existing	23.26	1.03	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Miscellaneous	Existing	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Offices	Existing	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Restaurants	Existing	20.12	0.89	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Retail	Existing	20.12	0.89	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Schools K-12	Existing	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Warehouse	Existing	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Assembly	New	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	College and University	New	20.12	0.89	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Grocery	New	20.12	0.89	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Healthcare	New	15.34	0.68	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Hospitals	New	15.34	0.68	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Institutional	New	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Lodging/Hospitality	New	23.26	1.03	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Miscellaneous	New	13.15	0.58	22.58	0	0	0

Commercial	Thermostatic Shower Restriction Valve	Offices	New	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Restaurants	New	20.12	0.89	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Retail	New	20.12	0.89	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Schools K-12	New	13.15	0.58	22.58	0	0	0
Commercial	Thermostatic Shower Restriction Valve	Warehouse	New	13.15	0.58	22.58	0	0	0
Commercial	Airside Economizer	Assembly	Existing	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	College and University	Existing	15.94	0.50	31.84	0	0	0
Commercial	Airside Economizer	Grocery	Existing	9.20	0.29	31.84	0	0	0
Commercial	Airside Economizer	Healthcare	Existing	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Hospitals	Existing	15.94	0.50	31.84	0	0	0
Commercial	Airside Economizer	Institutional	Existing	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Lodging/Hospitality	Existing	9.20	0.29	31.84	0	0	0
Commercial	Airside Economizer	Miscellaneous	Existing	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Offices	Existing	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Restaurants	Existing	9.20	0.29	31.84	0	0	0
Commercial	Airside Economizer	Retail	Existing	9.20	0.29	31.84	0	0	0
Commercial	Airside Economizer	Schools K-12	Existing	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Warehouse	Existing	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Assembly	New	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	College and University	New	15.94	0.50	31.84	0	0	0
Commercial	Airside Economizer	Grocery	New	9.20	0.29	31.84	0	0	0
Commercial	Airside Economizer	Healthcare	New	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Hospitals	New	15.94	0.50	31.84	0	0	0
Commercial	Airside Economizer	Institutional	New	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Lodging/Hospitality	New	9.20	0.29	31.84	0	0	0
Commercial	Airside Economizer	Miscellaneous	New	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Offices	New	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Restaurants	New	9.20	0.29	31.84	0	0	0
Commercial	Airside Economizer	Retail	New	9.20	0.29	31.84	0	0	0
Commercial	Airside Economizer	Schools K-12	New	8.84	0.28	31.84	0	0	0
Commercial	Airside Economizer	Warehouse	New	8.84	0.28	31.84	0	0	0
Commercial	Chilled Water Controls Optimization	Assembly	Existing	17.50	1.01	17.35	0	0	0
Commercial	Chilled Water Controls Optimization	College and University	Existing	38.95	0.70	55.53	0	0	0
Commercial	Chilled Water Controls Optimization	Healthcare	Existing	26.72	1.01	26.48	0	0	0
Commercial	Chilled Water Controls Optimization	Hospitals	Existing	107.89	0.70	153.80	0	0	0
Commercial	Chilled Water Controls Optimization	Institutional	Existing	9.46	1.01	9.37	0	0	0
Commercial	Chilled Water Controls Optimization	Lodging/Hospitality	Existing	72.73	1.01	72.08	0	0	0
Commercial	Chilled Water Controls Optimization	Miscellaneous	Existing	22.52	1.01	22.32	0	0	0
Commercial	Chilled Water Controls Optimization	Offices	Existing	23.07	1.01	22.86	0	0	0
Commercial	Chilled Water Controls Optimization	Restaurants	Existing	28.37	1.01	28.11	0	0	0
Commercial	Chilled Water Controls Optimization	Retail	Existing	20.76	1.01	20.57	0	0	0
Commercial	Chilled Water Controls Optimization	Schools K-12	Existing	15.92	1.01	15.78	0	0	0
Commercial	Chilled Water Controls Optimization	Warehouse	Existing	6.15	1.01	6.10	0	0	0
Commercial	Chilled Water Controls Optimization	Assembly	New	17.50	1.01	17.35	0	0	0
Commercial	Chilled Water Controls Optimization	College and University	New	38.95	0.70	55.53	0	0	0
Commercial	Chilled Water Controls Optimization	Healthcare	New	26.72	1.01	26.48	0	0	0
Commercial	Chilled Water Controls Optimization	Hospitals	New	107.89	0.70	153.80	0	0	0
Commercial	Chilled Water Controls Optimization	Institutional	New	9.46	1.01	9.37	0	0	0
Commercial	Chilled Water Controls Optimization	Lodging/Hospitality	New	72.73	1.01	72.08	0	0	0
Commercial	Chilled Water Controls Optimization	Miscellaneous	New	22.52	1.01	22.32	0	0	0
Commercial	Chilled Water Controls Optimization	Offices	New	23.07	1.01	22.86	0	0	0
Commercial	Chilled Water Controls Optimization	Restaurants	New	28.37	1.01	28.11	0	0	0
Commercial	Chilled Water Controls Optimization	Retail	New	20.76	1.01	20.57	0	0	0
Commercial	Chilled Water Controls Optimization	Schools K-12	New	15.92	1.01	15.78	0	0	0
Commercial	Chilled Water Controls Optimization	Warehouse	New	6.15	1.01	6.10	0	0	0
Commercial	Duct Sealing Repair	Grocery	Existing	48.67	1.64	29.68	0	0	0
Commercial	Duct Sealing Repair	Healthcare	Existing	19.89	1.64	12.13	0	0	0
Commercial	Duct Sealing Repair	Hospitals	Existing	19.89	1.64	12.13	0	0	0

Commercial	Duct Sealing Repair	Institutional	Existing	22.43	1.64	13.68	0	0	0
Commercial	Duct Sealing Repair	Lodging/Hospitality	Existing	11.23	1.64	6.85	0	0	0
Commercial	Duct Sealing Repair	Miscellaneous	Existing	15.28	1.64	9.32	0	0	0
Commercial	Duct Sealing Repair	Offices	Existing	20.53	1.64	12.52	0	0	0
Commercial	Duct Sealing Repair	Restaurants	Existing	47.04	1.64	28.69	0	0	0
Commercial	Duct Sealing Repair	Grocery	New	48.67	1.64	29.68	0	0	0
Commercial	Duct Sealing Repair	Healthcare	New	19.89	1.64	12.13	0	0	0
Commercial	Duct Sealing Repair	Hospitals	New	19.89	1.64	12.13	0	0	0
Commercial	Duct Sealing Repair	Institutional	New	22.43	1.64	13.68	0	0	0
Commercial	Duct Sealing Repair	Lodging/Hospitality	New	11.23	1.64	6.85	0	0	0
Commercial	Duct Sealing Repair	Miscellaneous	New	15.28	1.64	9.32	0	0	0
Commercial	Duct Sealing Repair	Offices	New	20.53	1.64	12.52	0	0	0
Commercial	Duct Sealing Repair	Restaurants	New	47.04	1.64	28.69	0	0	0
Commercial	ECM Motors on Furnaces	Restaurants	Existing	3.90	0.48	8.07	0	0	0
Commercial	ECM Motors on Furnaces	Restaurants	New	3.90	0.48	8.07	0	0	0
Commercial	Facility Energy Management System	Grocery	Existing	11.62	0.84	13.88	0	0	0
Commercial	Facility Energy Management System	Institutional	Existing	4.67	0.73	6.40	0	0	0
Commercial	Facility Energy Management System	Restaurants	Existing	11.23	0.84	13.42	0	0	0
Commercial	Facility Energy Management System	Grocery	New	11.62	0.84	13.88	0	0	0
Commercial	Facility Energy Management System	Institutional	New	4.67	0.73	6.40	0	0	0
Commercial	Facility Energy Management System	Restaurants	New	11.23	0.84	13.42	0	0	0
Commercial	HVAC tune-up	Healthcare	Existing	2.62	0.95	2.75	0	0	0
Commercial	HVAC tune-up	Hospitals	Existing	1.71	0.66	2.60	0	0	0
Commercial	HVAC tune-up	Healthcare	New	2.62	0.95	2.75	0	0	0
Commercial	HVAC tune-up	Hospitals	New	1.71	0.66	2.60	0	0	0
Commercial	Programmable Thermostat	Grocery	Existing	5.04	0.99	5.10	0	0	0
Commercial	Programmable Thermostat	Grocery	New	5.04	0.99	5.10	0	0	0
Commercial	Smart Thermostat	Grocery	Existing	8.94	0.99	9.05	0	0	0
Commercial	Smart Thermostat	Restaurants	Existing	7.45	0.99	7.54	0	0	0
Commercial	Smart Thermostat	Grocery	New	8.94	0.99	9.05	0	0	0
Commercial	Smart Thermostat	Restaurants	New	7.45	0.99	7.54	0	0	0
Commercial	Interior Lighting Controls	Hospitals	Existing	1.07	0.27	3.94	0	0	0
Commercial	Interior Lighting Controls	Hospitals	New	1.07	0.27	3.94	0	0	0
Commercial	Smart Strip Plug Outlet	College and University	Existing	1.17	0.46	2.54	0	0	0
Commercial	Smart Strip Plug Outlet	Grocery	Existing	1.14	0.46	2.46	0	0	0
Commercial	Smart Strip Plug Outlet	Healthcare	Existing	1.60	0.46	3.46	0	0	0
Commercial	Smart Strip Plug Outlet	Hospitals	Existing	1.75	0.46	3.79	0	0	0
Commercial	Smart Strip Plug Outlet	Institutional	Existing	1.46	0.46	3.16	0	0	0
Commercial	Smart Strip Plug Outlet	Lodging/Hospitality	Existing	1.31	0.46	2.84	0	0	0
Commercial	Smart Strip Plug Outlet	Miscellaneous	Existing	1.78	0.46	3.85	0	0	0
Commercial	Smart Strip Plug Outlet	Offices	Existing	1.11	0.46	2.40	0	0	0
Commercial	Smart Strip Plug Outlet	Restaurants	Existing	1.07	0.46	2.31	0	0	0
Commercial	Smart Strip Plug Outlet	Schools K-12	Existing	1.61	0.46	3.48	0	0	0
Commercial	Smart Strip Plug Outlet	College and University	New	1.17	0.46	2.54	0	0	0
Commercial	Smart Strip Plug Outlet	Grocery	New	1.14	0.46	2.46	0	0	0
Commercial	Smart Strip Plug Outlet	Healthcare	New	1.60	0.46	3.46	0	0	0
Commercial	Smart Strip Plug Outlet	Hospitals	New	1.75	0.46	3.79	0	0	0
Commercial	Smart Strip Plug Outlet	Institutional	New	1.46	0.46	3.16	0	0	0
Commercial	Smart Strip Plug Outlet	Lodging/Hospitality	New	1.31	0.46	2.84	0	0	0
Commercial	Smart Strip Plug Outlet	Miscellaneous	New	1.78	0.46	3.85	0	0	0
Commercial	Smart Strip Plug Outlet	Offices	New	1.11	0.46	2.40	0	0	0
Commercial	Smart Strip Plug Outlet	Restaurants	New	1.07	0.46	2.31	0	0	0
Commercial	Smart Strip Plug Outlet	Schools K-12	New	1.61	0.46	3.48	0	0	0
Commercial	Anti-Sweat Controls	Assembly	Existing	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	College and University	Existing	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Grocery	Existing	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Healthcare	Existing	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Hospitals	Existing	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Institutional	Existing	1.49	0.39	3.87	0	0	0

Commercial	Anti-Sweat Controls	Lodging/Hospitality	Existing	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Miscellaneous	Existing	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Offices	Existing	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Restaurants	Existing	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Retail	Existing	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Schools K-12	Existing	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Warehouse	Existing	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Assembly	New	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	College and University	New	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Grocery	New	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Healthcare	New	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Hospitals	New	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Institutional	New	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Lodging/Hospitality	New	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Miscellaneous	New	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Offices	New	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Restaurants	New	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Retail	New	1.49	0.39	3.87	0	0	0
Commercial	Anti-Sweat Controls	Schools K-12	New	1.82	0.47	3.87	0	0	0
Commercial	Anti-Sweat Controls	Warehouse	New	1.49	0.39	3.87	0	0	0
Commercial	Floating Head Pressure Controls	Assembly	Existing	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	College and University	Existing	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Grocery	Existing	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Healthcare	Existing	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Hospitals	Existing	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Institutional	Existing	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Lodging/Hospitality	Existing	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Miscellaneous	Existing	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Offices	Existing	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Restaurants	Existing	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Retail	Existing	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Schools K-12	Existing	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Warehouse	Existing	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Assembly	New	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	College and University	New	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Grocery	New	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Healthcare	New	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Hospitals	New	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Institutional	New	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Lodging/Hospitality	New	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Miscellaneous	New	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Offices	New	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Restaurants	New	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Retail	New	5.53	0.61	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Schools K-12	New	5.12	0.56	9.10	0	0	0
Commercial	Floating Head Pressure Controls	Warehouse	New	5.53	0.61	9.10	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Assembly	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	College and University	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Grocery	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Healthcare	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Hospitals	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Institutional	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Lodging/Hospitality	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Miscellaneous	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Offices	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Restaurants	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Retail	Existing	3.42	0.38	9.09	0	0	0

Commercial	CO Sensors for Parking Garage Exhaust	Schools K-12	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Warehouse	Existing	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Assembly	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	College and University	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Grocery	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Healthcare	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Hospitals	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Institutional	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Lodging/Hospitality	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Miscellaneous	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Offices	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Restaurants	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Retail	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Schools K-12	New	3.42	0.38	9.09	0	0	0
Commercial	CO Sensors for Parking Garage Exhaust	Warehouse	New	3.42	0.38	9.09	0	0	0
Commercial	Demand Controlled Ventilation	College and University	Existing	6.14	1.25	4.90	0	0	0
Commercial	Demand Controlled Ventilation	Healthcare	Existing	5.99	1.25	4.77	0	0	0
Commercial	Demand Controlled Ventilation	Hospitals	Existing	8.91	1.25	7.10	0	0	0
Commercial	Demand Controlled Ventilation	Institutional	Existing	6.14	1.25	4.89	0	0	0
Commercial	Demand Controlled Ventilation	Schools K-12	Existing	6.32	1.25	5.04	0	0	0
Commercial	Demand Controlled Ventilation	College and University	New	6.14	1.25	4.90	0	0	0
Commercial	Demand Controlled Ventilation	Healthcare	New	5.99	1.25	4.77	0	0	0
Commercial	Demand Controlled Ventilation	Hospitals	New	8.91	1.25	7.10	0	0	0
Commercial	Demand Controlled Ventilation	Institutional	New	6.14	1.25	4.89	0	0	0
Commercial	Demand Controlled Ventilation	Schools K-12	New	6.32	1.25	5.04	0	0	0
Commercial	VAV System	Assembly	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	College and University	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Grocery	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Healthcare	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Hospitals	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Institutional	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Lodging/Hospitality	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Miscellaneous	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Offices	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Restaurants	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Retail	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Schools K-12	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Warehouse	Existing	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Assembly	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	College and University	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Grocery	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Healthcare	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Hospitals	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Institutional	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Lodging/Hospitality	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Miscellaneous	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Offices	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Restaurants	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Retail	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Schools K-12	New	8.28	0.76	10.91	0	0	0
Commercial	VAV System	Warehouse	New	8.28	0.76	10.91	0	0	0
Commercial	Retro-Commissioning	Grocery	Existing	14.41	1.03	13.97	0	0	0
Commercial	Retro-Commissioning	Healthcare	Existing	5.30	0.93	5.71	0	0	0
Commercial	Retro-Commissioning	Hospitals	Existing	4.84	0.85	5.71	0	0	0
Commercial	Retro-Commissioning	Institutional	Existing	5.97	0.93	6.44	0	0	0
Commercial	Retro-Commissioning	Lodging/Hospitality	Existing	3.32	1.03	3.22	0	0	0
Commercial	Retro-Commissioning	Miscellaneous	Existing	4.08	0.93	4.40	0	0	0

Commercial	Retro-Commissioning	Offices	Existing	5.47	0.93	5.89	0	0	0
Commercial	Retro-Commissioning	Restaurants	Existing	13.92	1.03	13.50	0	0	0
Commercial	Retro-Commissioning	Retail	Existing	2.70	1.03	2.62	0	0	0
Commercial	Retro-Commissioning	Grocery	New	14.41	1.03	13.97	0	0	0
Commercial	Retro-Commissioning	Healthcare	New	5.30	0.93	5.71	0	0	0
Commercial	Retro-Commissioning	Hospitals	New	4.84	0.85	5.71	0	0	0
Commercial	Retro-Commissioning	Institutional	New	5.97	0.93	6.44	0	0	0
Commercial	Retro-Commissioning	Lodging/Hospitality	New	3.32	1.03	3.22	0	0	0
Commercial	Retro-Commissioning	Miscellaneous	New	4.08	0.93	4.40	0	0	0
Commercial	Retro-Commissioning	Offices	New	5.47	0.93	5.89	0	0	0
Commercial	Retro-Commissioning	Restaurants	New	13.92	1.03	13.50	0	0	0
Commercial	Retro-Commissioning	Retail	New	2.70	1.03	2.62	0	0	0
Industrial	Process Other Systems Optimization	Agriculture and Assembly		8.19	0.45	18.24	0	0	0
Industrial	Plant Energy Management	Agriculture and Assembly		3.85	0.54	7.09	0	0	0
Industrial	Process Refrig Equipment Upgrade	Agriculture and Assembly		2.26	0.53	4.29	0	0	0
Industrial	Pump System Optimization	Agriculture and Assembly		7.41	0.52	14.23	0	0	0
Industrial	Pump Improved Controls	Agriculture and Assembly		9.95	0.57	17.36	0	0	0
Industrial	Motor Optimization	Agriculture and Assembly		3.19	0.52	6.14	0	0	0
Industrial	Motor Improved Controls	Agriculture and Assembly		9.95	0.57	17.36	0	0	0
Industrial	Motor Equipment Upgrades	Agriculture and Assembly		2.59	0.52	4.98	0	0	0
Industrial	Fan Improved Controls	Agriculture and Assembly		25.81	0.57	45.01	0	0	0
Industrial	Lighting Controls	Agriculture and Assembly		3.34	0.53	6.24	0	0	0
Industrial	HVAC Recommissioning	Agriculture and Assembly		5.22	0.53	9.77	0	0	0
Industrial	HVAC Improved Controls	Agriculture and Assembly		73.89	0.59	125.33	0	0	0
Industrial	Building Envelope Improvements	Agriculture and Assembly		4.05	0.59	6.87	0	0	0
Industrial	HVAC Equipment Upgrades	Agriculture and Assembly		6.18	0.61	10.19	0	0	0
Industrial	Lighting Controls - Exterior	Agriculture and Assembly		1.73	0.28	6.24	0	0	0
Industrial	Efficient Lighting - Exterior	Agriculture and Assembly		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Agriculture and Assembly		8.27	0.52	15.89	0	0	0
Industrial	Process Other Systems Optimization	Chemicals and Plastics		8.19	0.45	18.24	0	0	0
Industrial	Plant Energy Management	Chemicals and Plastics		19.98	0.54	36.96	0	0	0
Industrial	Process Refrig System Optimization	Chemicals and Plastics		9.09	0.45	20.24	0	0	0
Industrial	Process Refrig Equipment Upgrade	Chemicals and Plastics		2.49	0.53	4.73	0	0	0
Industrial	Pump System Optimization	Chemicals and Plastics		4.24	0.52	8.16	0	0	0
Industrial	Pump Improved Controls	Chemicals and Plastics		9.95	0.57	17.36	0	0	0
Industrial	Motor Optimization	Chemicals and Plastics		4.40	0.52	8.45	0	0	0
Industrial	Motor Improved Controls	Chemicals and Plastics		5.99	0.57	10.45	0	0	0
Industrial	Fan System Optimization	Chemicals and Plastics		5.00	0.52	9.61	0	0	0
Industrial	Fan Improved Controls	Chemicals and Plastics		25.81	0.57	45.01	0	0	0

Industrial	Lighting Controls	Chemicals and Plastics		2.98	0.53	5.57	0	0	0
Industrial	HVAC Improved Controls	Chemicals and Plastics		37.71	0.59	63.97	0	0	0
Industrial	Building Envelope Improvements	Chemicals and Plastics		5.84	0.59	9.91	0	0	0
Industrial	HVAC Equipment Upgrades	Chemicals and Plastics		8.08	0.61	13.33	0	0	0
Industrial	Lighting Controls - Exterior	Chemicals and Plastics		1.55	0.28	5.57	0	0	0
Industrial	Efficient Lighting - Exterior	Chemicals and Plastics		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Chemicals and Plastics		7.74	0.52	14.87	0	0	0
Industrial	Compressed Air Controls	Chemicals and Plastics		3.03	0.56	5.42	0	0	0
Industrial	Compressed Air Equipment	Chemicals and Plastics		4.71	0.57	8.21	0	0	0
Industrial	Process Other Systems Optimization	Construction		5.80	0.45	12.92	0	0	0
Industrial	Plant Energy Management	Construction		20.00	0.54	36.96	0	0	0
Industrial	Process Refrig System Optimization	Construction		1.68	0.45	3.74	0	0	0
Industrial	Process Refrig Controls	Construction		9.68	0.58	16.70	0	0	0
Industrial	Pump System Optimization	Construction		6.18	0.52	11.88	0	0	0
Industrial	Pump Improved Controls	Construction		9.95	0.57	17.36	0	0	0
Industrial	Motor Improved Controls	Construction		6.12	0.57	10.68	0	0	0
Industrial	Pump Equipment Upgrade	Construction		4.77	0.57	8.32	0	0	0
Industrial	Motor Equipment Upgrades	Construction		2.46	0.52	4.73	0	0	0
Industrial	Fan System Optimization	Construction		11.62	0.52	22.33	0	0	0
Industrial	Fan Improved Controls	Construction		19.05	0.57	33.23	0	0	0
Industrial	Fan Equipment Upgrades	Construction		3.48	0.57	6.07	0	0	0
Industrial	Lighting Controls	Construction		3.01	0.53	5.64	0	0	0
Industrial	HVAC Improved Controls	Construction		12.93	0.59	21.93	0	0	0
Industrial	Building Envelope Improvements	Construction		4.52	0.59	7.67	0	0	0
Industrial	HVAC Equipment Upgrades	Construction		5.60	0.61	9.24	0	0	0
Industrial	Lighting Controls - Exterior	Construction		1.57	0.28	5.64	0	0	0
Industrial	Efficient Lighting - Exterior	Construction		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Construction		7.60	0.52	14.61	0	0	0
Industrial	Compressed Air Controls	Construction		9.98	0.56	17.83	0	0	0
Industrial	Compressed Air Equipment	Construction		6.13	0.57	10.70	0	0	0
Industrial	Process Other Systems Optimization	Electrical and Electronic Equip.		1.58	0.45	3.53	0	0	0
Industrial	Plant Energy Management	Electrical and Electronic Equip.		20.04	0.54	36.96	0	0	0
Industrial	Process Heat System Optimization	Electrical and Electronic Equip.		1.94	0.45	4.29	0	0	0
Industrial	Process Refrig System Optimization	Electrical and Electronic Equip.		26.43	0.45	58.84	0	0	0
Industrial	Process Refrig Equipment Upgrade	Electrical and Electronic Equip.		4.60	0.53	8.74	0	0	0
Industrial	Pump Improved Controls	Electrical and Electronic Equip.		9.95	0.57	17.36	0	0	0
Industrial	Motor Optimization	Electrical and Electronic Equip.		5.78	0.52	11.11	0	0	0
Industrial	Motor Improved Controls	Electrical and Electronic Equip.		9.95	0.57	17.36	0	0	0
Industrial	Motor Equipment Upgrades	Electrical and Electronic Equip.		2.50	0.52	4.80	0	0	0
Industrial	Fan Improved Controls	Electrical and Electronic Equip.		25.81	0.57	45.01	0	0	0
Industrial	Lighting Controls	Electrical and Electronic Equip.		2.92	0.53	5.46	0	0	0
Industrial	HVAC Recommissioning	Electrical and Electronic Equip.		11.73	0.53	21.95	0	0	0
Industrial	HVAC Improved Controls	Electrical and Electronic Equip.		4.80	0.59	8.14	0	0	0

Industrial	Building Envelope Improvements	Electrical and Electronic Equip.		3.75	0.59	6.37	0	0	0
Industrial	HVAC Equipment Upgrades	Electrical and Electronic Equip.		6.18	0.61	10.19	0	0	0
Industrial	Lighting Controls - Exterior	Electrical and Electronic Equip.		1.52	0.28	5.46	0	0	0
Industrial	Efficient Lighting - Exterior	Electrical and Electronic Equip.		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Electrical and Electronic Equip.		8.51	0.52	16.35	0	0	0
Industrial	Compressed Air Controls	Electrical and Electronic Equip.		18.00	0.56	32.15	0	0	0
Industrial	Compressed Air Equipment	Electrical and Electronic Equip.		16.61	0.57	28.97	0	0	0
Industrial	Process Other Systems Optimization	Lumber/Furniture/Pulp/Paper		1.61	0.45	3.59	0	0	0
Industrial	Plant Energy Management	Lumber/Furniture/Pulp/Paper		3.83	0.54	7.09	0	0	0
Industrial	Process Other Equipment Upgrades	Lumber/Furniture/Pulp/Paper		4.74	0.53	9.01	0	0	0
Industrial	Pump Improved Controls	Lumber/Furniture/Pulp/Paper		9.95	0.57	17.36	0	0	0
Industrial	Motor Optimization	Lumber/Furniture/Pulp/Paper		5.21	0.52	10.01	0	0	0
Industrial	Motor Improved Controls	Lumber/Furniture/Pulp/Paper		12.90	0.57	22.50	0	0	0
Industrial	Motor Equipment Upgrades	Lumber/Furniture/Pulp/Paper		6.25	0.52	12.02	0	0	0
Industrial	Fan System Optimization	Lumber/Furniture/Pulp/Paper		11.70	0.52	22.49	0	0	0
Industrial	Fan Improved Controls	Lumber/Furniture/Pulp/Paper		25.81	0.57	45.01	0	0	0
Industrial	Lighting Controls	Lumber/Furniture/Pulp/Paper		2.42	0.53	4.52	0	0	0
Industrial	HVAC Improved Controls	Lumber/Furniture/Pulp/Paper		37.99	0.59	64.43	0	0	0
Industrial	HVAC Equipment Upgrades	Lumber/Furniture/Pulp/Paper		6.18	0.61	10.19	0	0	0
Industrial	Lighting Controls - Exterior	Lumber/Furniture/Pulp/Paper		1.25	0.28	4.52	0	0	0
Industrial	Efficient Lighting - Exterior	Lumber/Furniture/Pulp/Paper		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Lumber/Furniture/Pulp/Paper		8.36	0.52	16.07	0	0	0
Industrial	Compressed Air Controls	Lumber/Furniture/Pulp/Paper		16.20	0.56	28.93	0	0	0
Industrial	Compressed Air Equipment	Lumber/Furniture/Pulp/Paper		4.36	0.57	7.61	0	0	0
Industrial	Process Other Systems Optimization	Metal Products and Machinery		1.07	0.45	2.38	0	0	0
Industrial	Plant Energy Management	Metal Products and Machinery		4.90	0.54	9.06	0	0	0
Industrial	Process Heat Equipment Upgrade	Metal Products and Machinery		4.06	0.53	7.71	0	0	0
Industrial	Process Refrig System Optimization	Metal Products and Machinery		34.13	0.45	75.97	0	0	0
Industrial	Pump System Optimization	Metal Products and Machinery		14.05	0.52	27.00	0	0	0
Industrial	Pump Improved Controls	Metal Products and Machinery		9.95	0.57	17.36	0	0	0
Industrial	Motor Optimization	Metal Products and Machinery		5.06	0.52	9.72	0	0	0
Industrial	Motor Improved Controls	Metal Products and Machinery		14.00	0.57	24.43	0	0	0
Industrial	Pump Equipment Upgrade	Metal Products and Machinery		4.32	0.57	7.54	0	0	0

Industrial	Motor Equipment Upgrades	Metal Products and Machinery		2.24	0.52	4.30	0	0	0
Industrial	Fan System Optimization	Metal Products and Machinery		19.91	0.52	38.25	0	0	0
Industrial	Fan Improved Controls	Metal Products and Machinery		25.81	0.57	45.01	0	0	0
Industrial	Fan Equipment Upgrades	Metal Products and Machinery		4.32	0.57	7.54	0	0	0
Industrial	Lighting Controls	Metal Products and Machinery		2.65	0.53	4.95	0	0	0
Industrial	HVAC Improved Controls	Metal Products and Machinery		11.14	0.59	18.90	0	0	0
Industrial	Building Envelope Improvements	Metal Products and Machinery		5.06	0.59	8.59	0	0	0
Industrial	HVAC Equipment Upgrades	Metal Products and Machinery		5.18	0.61	8.53	0	0	0
Industrial	Lighting Controls - Exterior	Metal Products and Machinery		1.38	0.28	4.95	0	0	0
Industrial	Efficient Lighting - Exterior	Metal Products and Machinery		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Metal Products and Machinery		8.62	0.52	16.56	0	0	0
Industrial	Compressed Air Controls	Metal Products and Machinery		10.97	0.56	19.60	0	0	0
Industrial	Compressed Air Equipment	Metal Products and Machinery		6.43	0.57	11.22	0	0	0
Industrial	Process Other Systems Optimization	Miscellaneous Manufacturing		8.19	0.45	18.24	0	0	0
Industrial	Plant Energy Management	Miscellaneous Manufacturing		20.05	0.54	36.96	0	0	0
Industrial	Pump System Optimization	Miscellaneous Manufacturing		2.92	0.52	5.61	0	0	0
Industrial	Pump Improved Controls	Miscellaneous Manufacturing		9.95	0.57	17.36	0	0	0
Industrial	Motor Improved Controls	Miscellaneous Manufacturing		9.95	0.57	17.36	0	0	0
Industrial	Pump Equipment Upgrade	Miscellaneous Manufacturing		4.77	0.57	8.32	0	0	0
Industrial	Fan Improved Controls	Miscellaneous Manufacturing		25.81	0.57	45.01	0	0	0
Industrial	Fan Equipment Upgrades	Miscellaneous Manufacturing		3.48	0.57	6.07	0	0	0
Industrial	Lighting Controls	Miscellaneous Manufacturing		3.74	0.53	6.98	0	0	0
Industrial	HVAC Improved Controls	Miscellaneous Manufacturing		104.66	0.59	177.51	0	0	0
Industrial	Building Envelope Improvements	Miscellaneous Manufacturing		6.54	0.59	11.09	0	0	0
Industrial	Lighting Controls - Exterior	Miscellaneous Manufacturing		1.94	0.28	6.98	0	0	0
Industrial	Efficient Lighting - Exterior	Miscellaneous Manufacturing		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Miscellaneous Manufacturing		5.55	0.52	10.67	0	0	0
Industrial	Compressed Air Controls	Miscellaneous Manufacturing		84.97	0.56	151.77	0	0	0
Industrial	Compressed Air Equipment	Miscellaneous Manufacturing		44.04	0.57	76.83	0	0	0
Industrial	Plant Energy Management	Primary Resources Industries		20.06	0.54	36.96	0	0	0
Industrial	Process Refrig System Optimization	Primary Resources Industries		34.13	0.45	75.97	0	0	0
Industrial	Process Refrig Equipment Upgrade	Primary Resources Industries		2.82	0.53	5.36	0	0	0

Industrial	Pump System Optimization	Primary Resources Industries		48.99	0.52	94.13	0	0	0
Industrial	Pump Improved Controls	Primary Resources Industries		9.95	0.57	17.36	0	0	0
Industrial	Motor Optimization	Primary Resources Industries		6.67	0.52	12.82	0	0	0
Industrial	Motor Improved Controls	Primary Resources Industries		9.95	0.57	17.36	0	0	0
Industrial	Pump Equipment Upgrade	Primary Resources Industries		5.71	0.57	9.96	0	0	0
Industrial	Motor Equipment Upgrades	Primary Resources Industries		2.38	0.52	4.56	0	0	0
Industrial	Fan System Optimization	Primary Resources Industries		126.06	0.52	242.22	0	0	0
Industrial	Fan Improved Controls	Primary Resources Industries		25.81	0.57	45.01	0	0	0
Industrial	Fan Equipment Upgrades	Primary Resources Industries		5.71	0.57	9.96	0	0	0
Industrial	Lighting Controls	Primary Resources Industries		2.87	0.53	5.36	0	0	0
Industrial	HVAC Improved Controls	Primary Resources Industries		20.96	0.59	35.54	0	0	0
Industrial	Building Envelope Improvements	Primary Resources Industries		5.02	0.59	8.52	0	0	0
Industrial	Lighting Controls - Exterior	Primary Resources Industries		1.49	0.28	5.36	0	0	0
Industrial	Efficient Lighting - Exterior	Primary Resources Industries		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Primary Resources Industries		8.97	0.52	17.24	0	0	0
Industrial	Compressed Air Controls	Primary Resources Industries		12.13	0.56	21.66	0	0	0
Industrial	Compressed Air Equipment	Primary Resources Industries		5.25	0.57	9.16	0	0	0
Industrial	Process Other Systems Optimization	Stone/Clay/Glass/Concrete		8.19	0.45	18.24	0	0	0
Industrial	Plant Energy Management	Stone/Clay/Glass/Concrete		19.99	0.54	36.96	0	0	0
Industrial	Pump Improved Controls	Stone/Clay/Glass/Concrete		9.95	0.57	17.36	0	0	0
Industrial	Motor Optimization	Stone/Clay/Glass/Concrete		6.28	0.52	12.07	0	0	0
Industrial	Motor Improved Controls	Stone/Clay/Glass/Concrete		9.95	0.57	17.36	0	0	0
Industrial	Pump Equipment Upgrade	Stone/Clay/Glass/Concrete		3.48	0.57	6.07	0	0	0
Industrial	Motor Equipment Upgrades	Stone/Clay/Glass/Concrete		6.70	0.52	12.88	0	0	0
Industrial	Fan Improved Controls	Stone/Clay/Glass/Concrete		25.81	0.57	45.01	0	0	0

Industrial	Fan Equipment Upgrades	Stone/Clay/Glass/Concrete	3.48	0.57	6.07	0	0	0
Industrial	Lighting Controls	Stone/Clay/Glass/Concrete	2.81	0.53	5.26	0	0	0
Industrial	HVAC Improved Controls	Stone/Clay/Glass/Concrete	16.03	0.59	27.20	0	0	0
Industrial	Building Envelope Improvements	Stone/Clay/Glass/Concrete	4.22	0.59	7.15	0	0	0
Industrial	HVAC Equipment Upgrades	Stone/Clay/Glass/Concrete	6.18	0.61	10.19	0	0	0
Industrial	Lighting Controls - Exterior	Stone/Clay/Glass/Concrete	1.46	0.28	5.26	0	0	0
Industrial	Efficient Lighting - Exterior	Stone/Clay/Glass/Concrete	2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Stone/Clay/Glass/Concrete	6.66	0.52	12.81	0	0	0
Industrial	Compressed Air Controls	Stone/Clay/Glass/Concrete	10.34	0.56	18.46	0	0	0
Industrial	Process Other Systems Optimization	Textiles and Leather	3.48	0.45	7.74	0	0	0
Industrial	Process Heat Equipment Upgrade	Textiles and Leather	11.10	0.53	21.11	0	0	0
Industrial	Process Refrig Equipment Upgrade	Textiles and Leather	2.52	0.53	4.79	0	0	0
Industrial	Pump Improved Controls	Textiles and Leather	9.95	0.57	17.36	0	0	0
Industrial	Motor Improved Controls	Textiles and Leather	9.95	0.57	17.36	0	0	0
Industrial	Pump Equipment Upgrade	Textiles and Leather	4.96	0.57	8.66	0	0	0
Industrial	Motor Equipment Upgrades	Textiles and Leather	2.92	0.52	5.60	0	0	0
Industrial	Fan Improved Controls	Textiles and Leather	25.81	0.57	45.01	0	0	0
Industrial	Fan Equipment Upgrades	Textiles and Leather	4.96	0.57	8.66	0	0	0
Industrial	Lighting Controls	Textiles and Leather	3.29	0.53	6.14	0	0	0
Industrial	HVAC Recommissioning	Textiles and Leather	7.10	0.53	13.28	0	0	0
Industrial	HVAC Improved Controls	Textiles and Leather	199.40	0.59	338.20	0	0	0
Industrial	HVAC Equipment Upgrades	Textiles and Leather	6.02	0.61	9.93	0	0	0
Industrial	Lighting Controls - Exterior	Textiles and Leather	1.71	0.28	6.14	0	0	0
Industrial	Efficient Lighting - Exterior	Textiles and Leather	2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Textiles and Leather	8.21	0.52	15.78	0	0	0
Industrial	Compressed Air Controls	Textiles and Leather	10.06	0.56	17.97	0	0	0
Industrial	Compressed Air Equipment	Textiles and Leather	5.04	0.57	8.80	0	0	0
Industrial	Process Other Systems Optimization	Transportation Equipment	8.19	0.45	18.24	0	0	0
Industrial	Plant Energy Management	Transportation Equipment	20.06	0.54	36.96	0	0	0
Industrial	Process Refrig Equipment Upgrade	Transportation Equipment	3.39	0.53	6.44	0	0	0
Industrial	Pump System Optimization	Transportation Equipment	5.24	0.52	10.07	0	0	0
Industrial	Pump Improved Controls	Transportation Equipment	9.95	0.57	17.36	0	0	0
Industrial	Motor Optimization	Transportation Equipment	4.90	0.52	9.41	0	0	0

Industrial	Motor Improved Controls	Transportation Equipment		9.95	0.57	17.36	0	0	0
Industrial	Motor Equipment Upgrades	Transportation Equipment		13.05	0.52	25.07	0	0	0
Industrial	Fan System Optimization	Transportation Equipment		11.70	0.52	22.49	0	0	0
Industrial	Fan Improved Controls	Transportation Equipment		64.40	0.57	112.34	0	0	0
Industrial	Lighting Controls	Transportation Equipment		3.21	0.53	6.00	0	0	0
Industrial	HVAC Improved Controls	Transportation Equipment		43.37	0.59	73.56	0	0	0
Industrial	Building Envelope Improvements	Transportation Equipment		4.82	0.59	8.17	0	0	0
Industrial	HVAC Equipment Upgrades	Transportation Equipment		6.18	0.61	10.19	0	0	0
Industrial	Lighting Controls - Exterior	Transportation Equipment		1.67	0.28	6.00	0	0	0
Industrial	Efficient Lighting - Exterior	Transportation Equipment		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Transportation Equipment		6.72	0.52	12.91	0	0	0
Industrial	Compressed Air Controls	Transportation Equipment		8.11	0.56	14.49	0	0	0
Industrial	Compressed Air Equipment	Transportation Equipment		7.33	0.57	12.78	0	0	0
Industrial	Process Other Systems Optimization	Water and Wastewater		5.80	0.45	12.92	0	0	0
Industrial	Plant Energy Management	Water and Wastewater		20.01	0.54	36.96	0	0	0
Industrial	Process Refrig System Optimization	Water and Wastewater		1.68	0.45	3.74	0	0	0
Industrial	Process Refrig Controls	Water and Wastewater		9.68	0.58	16.70	0	0	0
Industrial	Pump System Optimization	Water and Wastewater		6.18	0.52	11.88	0	0	0
Industrial	Pump Improved Controls	Water and Wastewater		9.95	0.57	17.36	0	0	0
Industrial	Motor Improved Controls	Water and Wastewater		6.12	0.57	10.68	0	0	0
Industrial	Pump Equipment Upgrade	Water and Wastewater		4.77	0.57	8.32	0	0	0
Industrial	Motor Equipment Upgrades	Water and Wastewater		2.46	0.52	4.73	0	0	0
Industrial	Fan System Optimization	Water and Wastewater		11.62	0.52	22.33	0	0	0
Industrial	Fan Improved Controls	Water and Wastewater		19.05	0.57	33.23	0	0	0
Industrial	Fan Equipment Upgrades	Water and Wastewater		3.48	0.57	6.07	0	0	0
Industrial	Lighting Controls	Water and Wastewater		3.01	0.53	5.64	0	0	0
Industrial	HVAC Improved Controls	Water and Wastewater		12.93	0.59	21.93	0	0	0
Industrial	Building Envelope Improvements	Water and Wastewater		4.52	0.59	7.67	0	0	0
Industrial	HVAC Equipment Upgrades	Water and Wastewater		5.60	0.61	9.24	0	0	0
Industrial	Lighting Controls - Exterior	Water and Wastewater		1.57	0.28	5.64	0	0	0
Industrial	Efficient Lighting - Exterior	Water and Wastewater		2.65	0.29	9.16	0	0	0
Industrial	Compressed Air System Optimization	Water and Wastewater		7.60	0.52	14.61	0	0	0
Industrial	Compressed Air Controls	Water and Wastewater		9.98	0.56	17.83	0	0	0

Industrial	Compressed Air Equipment	Water and Wastewater		6.13	0.57	10.70	0	0	0
------------	--------------------------	----------------------	--	------	------	-------	---	---	---