Exhibit 2-2 Ceiling Insulation Program 2021 Market Penetration

Usage Segment**	FPL Analysis	Unique Participants
	Region	2021
	FPL System	
SYS	TEM	1,503
Si	ingle-Family Detach	ed
	SYSTEM	1,186
	Dade	727
ALL	Broward	364
ALL	East	28
	West	56
	North	11
	SYSTEM	495
	Dade	335
High	Broward	133
	East	14
	West	8
	North	5
	SYSTEM	401
	Dade	244
Medium	Broward	122
	East	6
	West	25
	North	4
	SYSTEM	290
_	Dade	148
Low	Broward	109
	East	8
	West	23
	North	2
<u> </u>	ingle-Family Attache	
	SYSTEM	316
	Dade	244
ALL	Broward	53
	East	13
	West North	6
		0
	Mobile Homes	4
	SYSTEM	1
	Dade	0
ALL	Broward	0
	East	0
	West North	0
	NORTH	U


^{**} SFD High, Medium and Low are those SFD customers in the top, middle and bottom third of annual usage, respectively. The SFD High segment includes customers with average monthly usage over 1,613 kWh. The SFD Medium segment has customers with average monthly usage of between 1,067 and 1,613 kWh. SFD Low segment customers use less than 1,067 kWh per month.

Exhibit 2-3 Residential BuildSmart® Program 2021 Market Penetration nt of Total Residential New Constru

FPL Analysis Region	BuildSmart [®] Participants 2021	
FPL S	ystem	
Total	4,036	
Single-Fami	ly Detached	
SYSTEM	3,817	
North	553	
East	2,534	
Broward	0	
West	730	
Dade	0	
Single-Fam	ily Attached	
SYSTEM	219	
North	53	
East	90	
Broward	0	
West	76	
Dade	0	

^{**} This column is left blank because a similar "2021 eligible population" was not available.

Exhibit 2-4
Average Per-Participant Dollar Savings and Impacts for 2021 Ceiling Insulation Participants
with a Resultant Insulation Level in Excess of R-19






Exhibit 2-5 Residential AC Program - CAC and CHP Components Participation and Gross Impacts 2021

a. Total CAC and CHP

		Participation	AC and Cin	Gross Impacts	;
Segment		Number of	Peak Den	Annual Energy	
		Units	Summer	Winter	(MWh)
FPL	SYSTEM	18,418	5,737	0	11,331
		Percei	nt of Total		
	SFD Total	100.0%	100.0%	-	100.0%
	SFD - High	51.9%	59.0%	-	59.7%
House Type and	SFD - Medium	29.1%	27.5%	-	25.7%
Usage*	SFD - Low	18.9%	13.5%	-	14.7%
	SFA	0.0%	0.0%	-	0.0%
	Mobile Home	0.0%	0.0%	-	0.0%
	North	4.8%	3.4%	-	3.4%
	East	48.4%	48.8%	-	47.7%
Analysis Region	Broward	26.3%	29.5%	-	30.2%
3.0	West	10.6%	7.8%	-	7.3%
	Dade	10.0%	10.5%	-	11.4%

b. Central Air Conditioners - Percent of Total

Segment		Participation	Gross Impacts		
		Number of	Peak Dem	nand (kW)	Annual Energy
		Units	Summer	Winter	(MWh)
FPL	SYSTEM	18,418	5,737	-	11,331
		Percei	nt of Total		
	SFD Total	100.0%	100.0%	-	100.0%
	SFD - High	51.9%	59.0%	-	59.7%
House	SFD - Medium	29.1%	27.5%	-	25.7%
Type and Usage*	SFD - Low	18.9%	13.5%	-	14.7%
	SFA	0.0%	0.0%	-	0.0%
	Mobile Home	0.0%	0.0%	-	0.0%
	North	4.8%	3.4%	-	3.4%
	East	48.4%	48.8%	-	47.7%
Analysis Region	Broward	26.3%	29.5%	-	30.2%
	West	10.6%	7.8%	-	7.3%
	Dade	10.0%	10.5%	-	11.4%

c. Central Heat Pumps - Percent of Total

C. Central neat Fullips - Fercent of Total							
Segment		Number of	Peak Den	nand (kW)	Annual Energy		
		Units	Summer	Winter	(MWh)		
FPL	SYSTEM	0	0	0	0		
		Percei	nt of Total				
	SFD Total	-	-	-	-		
	SFD - High	-	-	-	-		
House	SFD - Medium	-	-	-	-		
Type and Usage*	SFD - Low	-	-	-	-		
	SFA	-	-	-	-		
	Mobile Home	-	-	-	-		
	North	-	-	-	-		
	East	-	-	-	-		
Analysis Region	Broward	-	-	-	-		
	West	-	-	-	-		
	Dade	-	-	-	-		

^{*} SFD High, Medium and Low are those SFD customers in the top, middle and bottom third of annual usage, respectively. The SFD High segment includes customers with average monthly usage over 1,613 kWh. The SFD Medium segment has customers with average monthly usage of between 1,067 and 1,613 kWh. SFD Low segment customers use less than 1,067 kWh per month.

Exhibit 2-6 Residential AC Program - CAC and CHP Components Gross Summer Demand Impacts 2021

a. Total CAC and CHP

di rotal ono and on						
		Air-cool	Air-cooled Units			
	Segment	<=65,000 Bt	uh, by SEER	Installed		
	_	16 - 16.99	17 - 17.99	in 2021		
	FPL SYSTEM	4,729	1,007	5,737		
		Percent of	Total			
	SFD Total	100.0%	100.0%	100.0%		
House	SFD - High	59.0%	59.3%	59.0%		
Type and	SFD - Medium	27.4%	27.9%	27.5%		
Usage*	SFD - Low	13.6%	12.7%	13.5%		
Usage	SFA	0.0%	0.0%	0.0%		
	Mobile Home	0.0%	0.0%	0.0%		
	North	3.5%	3.1%	3.4%		
Analysis	East	49.3%	46.1%	48.8%		
Region	Broward	28.8%	32.9%	29.5%		
Region	West	7.4%	9.6%	7.8%		
	Dade	11.0%	8.2%	10.5%		

b. Central Air Conditioners - Percent of Total

Segment			Air-cooled Units <=65,000 Btuh, by SEER		
		<=65,000 Bt			
		16 - 16.99	17 - 17.99	in 2021	
	FPL SYSTEM	4,729	1,007	5,737	
		Percent of	Total	-	
	SFD Total	100.0%	100.0%	100.0%	
House	SFD - High	59.0%	59.3%	59.0%	
	SFD - Medium	27.4%	27.9%	27.5%	
Type and Usage*	SFD - Low	13.6%	12.7%	13.5%	
Usage	SFA	0.0%	0.0%	0.0%	
	Mobile Home	0.0%	0.0%	0.0%	
	North	3.5%	3.1%	3.4%	
Analysis	East	49.3%	46.1%	48.8%	
Analysis	Broward	28.8%	32.9%	29.5%	
Region	West	7.4%	9.6%	7.8%	
	Dade	11.0%	8.2%	10.5%	

c. Central Heat Pumps - Percent of Total

Segment		Air-cool	Total	
		<=65,000 Bt	uh, by SEER	Installed
		16 - 16.99	17 - 17.99	in 2021
	FPL SYSTEM	0.0	0.0	0.0
		Percent of 1	Total	
	SFD Total	-	-	-
House	SFD - High	-	-	-
Type and	SFD - Medium	-	-	-
Usage*	SFD - Low	-	-	-
Usage	SFA	-	-	-
	Mobile Home	-	-	-
	North	-	-	-
Analysis	East	-	-	-
Region	Broward	-	-	-
Kegion	West	-	-	-
	Dade	-	-	-

^{*} SFD High, Medium and Low are those SFD customers in the top, middle and bottom third of annual usage, respectively. The SFD High segment includes customers with average monthly usage over 1,613 kWh. The SFD Medium segment has customers with average monthly usage of between 1,067 and 1,613 kWh. SFD Low segment customers use less than 1,067 kWh per month.

Exhibit 2-7 Residential AC Program Percent of 2021 Summer kW Impacts (Total Summer Impacts = 5.7 MW)

Usage Segment*	FPL Analysis	Air-cool <=65,000 Bto		Total Units Installed
	Region –	16 - 16.99	17 - 17.99	in 2021
		00.40/	47.00/	400.00/
Tot	aı	82.4%	17.6%	100.0%
		Single-Family Detac		T
<u> </u>	North	1.3%	0.2%	1.5%
	East	23.4%	4.5%	28.0%
High	Broward	15.2%	3.8%	19.0%
_	West	2.9%	0.8%	3.7%
L	Dade	5.8%	1.0%	6.8%
	SYSTEM	48.6%	10.4%	59.0%
	North	1.0%	0.2%	1.3%
	East	11.1%	2.4%	13.4%
Medium	Broward	6.3%	1.4%	7.7%
	West	1.8%	0.6%	2.4%
	Dade	2.4%	0.3%	2.7%
	SYSTEM	22.6%	4.9%	27.5%
	North	0.6%	0.1%	0.7%
	East	6.2%	1.2%	7.4%
Low	Broward	2.3%	0.5%	2.8%
	West	1.3%	0.3%	1.6%
	Dade	0.8%	0.1%	0.9%
ľ	SYSTEM	11.2%	2.2%	13.5%
İ	North	2.9%	0.5%	3.4%
<u> </u>	East	40.7%	8.1%	48.8%
All	Broward	23.8%	5.8%	29.5%
<u> </u>	West	6.1%	1.7%	7.8%
<u> </u>	Dade	9.0%	1.4%	10.5%
ļ l	SYSTEM	82.4%	17.6%	100.0%
•		Single-Family Attac	hed	<u>'</u>
I	North	<u> </u>		
ţ	East			
All	Broward			
ţ	West			
ţ	Dade			
t	SYSTEM			
<u> </u>	<u> </u>	Mobile Homes		<u> </u>
I	North			
ţ	East			
All	Broward			
, 	West			
ţ	Dade			
<u>}</u>	SYSTEM			

^{*} SFD High, Medium and Low are those SFD customers in the top, middle and bottom third of annual usage, respectively. The SFD High segment includes customers with average monthly usage over 1,613 kWh. The SFD Medium segment has customers with average monthly usage of between 1,067 and 1,613 kWh. SFD Low segment customers use less than 1,067 kWh per month.

Note: All "0.0%" values are less than 0.05% (rounded to 0.0%). All blank cells have 0 impacts.

Exhibit 2-8 Residential Ceiling Insulation Program Participation and Gross Impacts 2021

			ipants	Gross Impacts		
Segment		Number of	Square Feet		nand (kW)	Annual Energy
		Installations	Installed	Summer	Winter	(MWh)
FPL	. SYSTEM	1,503	1,764,108	517	1,086	1,330
			Percent of Total	al		
	SFD Total	78.9%	88.1%	87.1%	88.1%	87.5%
	SFD - High	32.9%	43.0%	46.4%	42.4%	46.5%
House	SFD - Medium	26.7%	26.6%	26.5%	27.1%	26.7%
Type and Usage*	SFD - Low	19.3%	18.5%	14.3%	18.7%	14.4%
	SFA	21.0%	11.8%	12.8%	11.8%	12.4%
	Mobile Home	0.1%	0.0%	0.0%	0.0%	0.0%
	North	0.7%	1.0%	0.8%	1.5%	0.8%
	East	2.7%	3.1%	2.4%	5.1%	3.4%
Analysis Region	Broward	27.7%	28.0%	25.8%	24.1%	24.3%
	West	4.2%	4.6%	2.7%	5.1%	2.8%
	Dade	64.6%	63.3%	68.3%	64.3%	68.7%

^{*} SFD High, Medium and Low are those SFD customers in the top, middle and bottom third of annual usage, respectively. The SFD High segment includes customers with average monthly usage over 1,613 kWh. The SFD Medium segment has customers with average monthly usage of between 1,067 and 1,613 kWh. SFD Low segment customers use less than 1,067 kWh per month.

Exhibit 2-9
Residential Ceiling Insulation Program
Percent of 2021 Summer kW Impacts
(Total Summer Impacts = 0.5 MW)

	EDI Anakasia	Accessible Attics (R		
Usage Segment*	FPL Analysis Region	None to R-2 Existing	R-3 to R-8 Existing	Total
		FPL System	·	
То	tal	96.5%	3.5%	100.0%
		Single-Family Detache	ed	
	North	0.4%		0.4%
	East	1.0%	0.1%	1.1%
High	Broward	9.7%	1.0%	10.7%
	West	0.4%	0.1%	0.5%
	Dade	33.1%	0.5%	33.7%
	SYSTEM	44.6%	1.8%	46.4%
	North	0.2%	0.0%	0.3%
	East	0.4%	0.0%	0.4%
Medium	Broward	6.8%	0.4%	7.2%
	West	0.8%	0.3%	1.1%
	Dade	17.3%	0.2%	17.5%
	SYSTEM	25.5%	1.0%	26.5%
	North	0.1%	0.0%	0.1%
	East	0.3%	0.0%	0.3%
Low	Broward	5.1%	0.2%	5.4%
	West	0.7%	0.2%	0.8%
	Dade	7.7%	0.1%	7.7%
	SYSTEM	13.8%	0.5%	14.3%
	North	0.7%	0.1%	0.8%
	East	1.7%	0.2%	1.9%
All	Broward	21.6%	1.7%	23.3%
	West	1.8%	0.6%	2.4%
	Dade	58.1%	0.8%	58.8%
	SYSTEM	83.9%	3.3%	87.1%
		Single-Family Attache	ed	
	North			
	East	0.5%	0.0%	0.5%
AII	Broward	2.4%	0.1%	2.5%
	West	0.3%	0.0%	0.3%
	Dade	9.5%	0.0%	9.5%
	SYSTEM	12.7%	0.2%	12.8%
		Mobile Homes		
	North			
	East			
AII	Broward			
	West	0.0%		0.0%
	Dade	3.3,3		
	SYSTEM	0.0%		0.0%

^{*} SFD High, Medium and Low are those SFD customers in the top, middle and bottom third of annual usage, respectively. The SFD High segment includes customers with average monthly usage over 1,613 kWh. The SFD Medium segment has customers with average monthly usage of between 1,067 and 1,613 kWh. SFD Low segment customers use less than 1,067 kWh per month.

Note: All "0.0%" values are less than 0.05% (rounded to 0.0%). All blank cells have 0 impacts.

Exhibit 2-10 Residential BuildSmart® Program Participation and Gross Impacts 2021

Segment		Participation	Gross Impacts			
		Number of	Peak Den	nand (kW)	Annual Energy	
		Homes	Summer	Winter	(MWh)	
FPL	SYSTEM	4,036	1,333	397	3,930	
		Perce	nt of Total			
	SFD Total	94.6%	96.6%	95.1%	95.3%	
House	SFD - Large	31.2%	43.3%	41.8%	42.7%	
Type and	SFD - Medium	21.3%	20.8%	20.1%	20.6%	
Size*	SFD - Small	42.1%	32.5%	33.2%	32.0%	
	SFA	5.4%	3.4%	4.9%	4.7%	
	North	15.0%	20.1%	22.5%	20.0%	
	East	65.0%	62.3%	69.6%	62.0%	
Analysis Region	Broward	0.0%	0.0%	0.0%	0.0%	
	West	20.0%	17.5%	7.9%	18.0%	
	Dade	0.0%	0.0%	0.0%	0.0%	

^{*} SFD Large, Medium and Small are those SFD BuildSmart® homes in the top, middle and bottom third of home size, respectively. The SFD Large segment includes BuildSmart® homes larger than 2,262 sqft. The SFD Medium segment has homes between 1,916 and 2,262 sqft. SFD Small segment has homes that are less than 1,916 sqft.

Exhibit 2-11 Residential BuildSmart® Program Percent of 2021 Summer kW Impacts (Total Summer Impacts = 1.3 MW)

Home Size*	FPL Analysis Region	Summer kW Impacts						Summer kW Impacts per Home					
		by e-Ratio Score						by e-Ratio Score					1
			0.61 -	0.71 -	0.81 -	Total	Total		0.61 -		0.81 -	Total	Total
		< 0.61	0.70	0.80	0.90			< 0.61	0.70	0.80	0.90		
		I <u> </u>				FPL Sys	tem	I <u> </u>		<u>. </u>		<u> </u>	I <u> </u>
Total		0.7%	13.4%	37.0%	48.9%	100.0%	100.0%	0.59	0.54	0.43	0.26	0.33	0.33
					Singl	e-Family	Detached	l					
Large	North		4.0%	5.9%	0.6%	10.4%	10.4%		0.69	0.56	0.33	0.58	0.58
	East	0.1%	2.6%	16.9%	4.4%	24.1%	24.1%	1.04	0.75	0.50	0.29	0.46	0.46
	Broward												
	West			1.7%	7.1%	8.8%	8.8%			0.50	0.35	0.37	0.37
	Dade												
	SYSTEM	0.1%	6.6%	24.5%	12.1%	43.3%	43.3%	1.04	0.71	0.51	0.32	0.46	0.46
Medium	North	0.1%	2.3%	2.6%	0.4%	5.4%	5.4%	0.60	0.52	0.41	0.24	0.43	0.43
	East	0.0%	1.0%	3.0%	7.0%	11.0%	11.0%	0.64	0.53	0.36	0.26	0.30	0.30
	Broward												
	West			1.3%	3.1%	4.4%	4.4%			0.39	0.27	0.30	0.30
	Dade												
	SYSTEM	0.1%	3.3%	6.9%	10.5%	20.8%	20.8%	0.62	0.52	0.38	0.26	0.32	0.32
Small	North	0.2%	1.5%	1.3%	0.6%	3.6%	3.6%	0.54	0.43	0.33	0.22	0.34	0.34
	East	0.3%	0.9%	3.3%	20.8%	25.3%	25.3%	0.55	0.44	0.28	0.24	0.25	0.25
	Broward												
	West			0.1%	3.4%	3.5%	3.5%			0.27	0.22	0.22	0.22
	Dade												
	SYSTEM	0.5%	2.3%	4.8%	24.9%	32.5%	32.5%	0.54	0.43	0.29	0.24	0.25	0.25
AII	North	0.3%	7.7%	9.8%	1.6%	19.5%	19.5%	0.56	0.57	0.47	0.26	0.47	0.47
	East	0.5%	4.5%	23.3%	32.2%	60.4%	60.4%	0.61	0.61	0.43	0.25	0.32	0.32
	Broward												
	West			3.2%	13.5%	16.7%	16.7%			0.44	0.28	0.30	0.30
	Dade												
	SYSTEM	0.7%	12.2%	36.3%	47.4%	96.6%	96.6%	0.59	0.58	0.44	0.26	0.34	0.34
					Singl	e-Family	Attached						
AII	North		0.1%	0.0%	0.6%	0.7%	0.7%		0.36	0.20	0.16	0.17	0.17
	East		1.1%	0.7%	0.1%	1.9%	1.9%		0.31	0.26	0.17	0.28	0.28
	Broward												
	West				0.9%	0.9%	0.9%				0.15	0.15	0.15
	Dade												
	SYSTEM		1.2%	0.8%	1.5%	3.4%	3.4%		0.31	0.26	0.15	0.21	0.21

^{*} SFD Large, Medium and Small are those SFD BuildSmart® homes in the top, middle and bottom third of home size, respectively. The SFD Large segment includes BuildSmart® homes larger than 2,262 sqft. The SFD Medium segment has homes between 1,916 and 2,262 sqft. SFD Small segment has homes that are less than 1,916 sqft.

Note: All "0.0%" values are less than 0.05% (rounded to 0.0%). All blank cells have 0 impacts.