Beecher's Pt / Putnam

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	442		21	421	430
February	509		26	483	379
March	391		20	371	430
April	456		23	433	454
May	375		19	356	307
June	457		23	434	418
July	476		24	452	428
August	415		21	394	276
September	362		18	344	332
October	579		29	550	347
November	310		16	294	277
December	309		16	293	209
Total for year	5,081	N/A	256	4,825	4,287
	Town of Welaka 6" Rockwell Meter a		names of such		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnected with town of Welaka			

UTILITY NAME: Florida Water Services Corpo
--

Carlton Village / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		1,549	77	1,472	1,158
February		1,616	81	1,535	1,287
March		1,980	99	1,881	1,156
April		1,578	79	1,499	1,311
May		1,676	84	1,592	1,883
June		1,416	71	1,345	1,184
July		1,701	85	1,616	1,215
August		1,488	74	1,414	1,477
September		1,464	73	1,391	1,216
October		1,598	80	1,518	1,181
November		1,565	78	1,487	1,336
December		1,454	73	1,381	1,053
Total for year		19,085	954	18,131	15,457
If water is purchase Vendor Point of delivery  If Water is sold to or utilities below: N/A	N/A N/A	e the following:	names of such		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	288,000 288,000	21 21	Deep Well Deep Well

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Chuluota / Semi

Chuluota / Seminole

YEAR OF REPORT **December 31, 2005** 

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November		11,840 11,048 10,212 13,785 15,214 10,904 12,639 12,250 10,662 10,822 12,112	792 598 556 884 936 545 833 786 768 837	11,048 10,450 9,656 12,901 14,278 10,359 11,806 11,464 9,894 9,985 11,427	9,929 11,072 8,605 10,987 10,296 14,728 11,282 11,586 9,671 11,366 11,123
December Total for year	N/A	11,381 142,869	789 9,009	10,592 133,860	10,065
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A					

CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
432,000	27	Deep Well
		Deep Well Deep Well
720,000	46	Deep Well
	OF WELL  432,000  720,000  720,000	CAPACITY OF WELL         PER DAY FROM SOURCE           432,000         27           720,000         46           720,000         46

UTILITY NAME:	Florida Water Services Corporation
---------------	------------------------------------

East Lake HarrisEst / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	N/A	801		801	460
February	-	556	6	550	639
March		480		480	462
April		624		624	427
May		496		496	465
June		417	25	392	300
July		492		492	371
August		278		278	294
September		435	4	431	330
October		33		33	487
November		. 12		12	441
December		290		290	377
Total for year		4,914	35	4,879	5,053
Vendor Point of delivery		e the following:	names of such		
				,	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	288,000	14	Deep Well

SYSTEM NAME / COUNTY:

Fern Terrace (Park) / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		1,066	53	1,013	944
ebruary		983	49	934	758
March		1,042	52	990	820
April		1,490	75	1,415	772
May		1,316	66	1,250	1,532
June		1,004	50	954	1,070
July		1,113	56	1,057	937
August		1,172	59	1,113	950
September		1,016	51	965	1,135
October		937	47	890	829
November		954	48	906	835
December		1,022	51	971	900
Total for year		13,115	657	12,458	11,482
f water is purchase Vendor Point of delivery	d for resale, indicat N/A N/A	e the following:			
utilities below:	ther water utilities fo	or redistribution, list r	names of such		
			· · · · · · · · · · · · · · · · · · ·	· ····································	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	259,200	31	Deep Well

Fill I NAME. Florida Valer Services Corporation	JTIL	.ITY	NAME:	Florida Water Services Corporation
---	------	------	-------	------------------------------------

Friendly Center / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January		110	6	104	104	
February		80	11	69	125	
March		187	9	178	124	
April		9	4	5	113	
May		63	9	54	177	
June		47	7	40	139	
July		56	3	53	102	
August		273	14	259	95	
September		134	7	127	136	
October		648	32	616	125	
November		680	34	646	190	
December		326	16	310	123	
Total for year		2,613	152	2,461	1,553	
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such						
utilities below:  N/A						
*****						

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	144,000	4	Deep Well

SYSTEM NAME / COUNTY:

Gibsonia Estates / Polk

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January		1,409	445	964	1,349	
February		1,402	57	1,345	1,023	
March		1,351	78	1,273	1,273	
April		1,730	152	1,578	1,334	
May		1,633	151	1,482	1,615	
June		1,523	41	1,482	1,333	
July		1,554	41	1,513	1,233	
August		1,644	41	1,603	1,695	
September		1,513	78	1,435	1,573	
October		1,564	41	1,523	1,206	
November		1,485	41	1,444	1,541	
December		1,364	40	1,324	590	
Total for year		18,172	1,206	16,966	15,765	
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A						
		17-11-2-Lib 74 - JT-24				

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Wel #2	288,000 100,800	32 11	Deep Well Deep Well

JTILITY NA	ME: Flo	rida Water	Services C	Corporation

Grand Terrace / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January		850	21	829	669	
February		816	41	775	738	
March		932	52	880	666	
April		1,069	55	1,014	826	
May		1,097	56	1,041	1,409	
June		878	50	828	530	
July		953	57	896	739	
August		867	43	824	782	
September		826	41	785	827	
October		787	39	748	726	
November		748	37	711	622	
December		677	36	641	695	
Total for year		10,500	528	9,972	9,229	
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such utilities below:						
	N/A					
			7-14-14-14-14-14-14-14-14-14-14-14-14-14-			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	864,000	25	Deep Well

SYSTEM NAME / COUNTY:

Harmony Homes / Seminole

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January		410	20	390	337	
February		323	23	300	327	
March		385	19	366	318	
April		451	27	424	384	
May		540	27	513	558	
June		456	23	433	500	
July		437	23	317	364	
August		419	21	507	329	
September		379	19	370	317	
October		318	16	376	311	
November		354	19	466	321	
December		358	18	400	308	
Total for year		4,830	255	4,862	4,374	
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A						
	. IV/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	432,000		Deep Well

ITH ITS/ NIABE	e. elektri	- 141-4 0		
JTILITY NAM	<b>E:</b> Florida	a vvater Ser	vices Coi	poration

Hermts Cove / Putnam

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		79	4	75	844
February		68	3	65	582
March		187	9	178	565
April		708	35	673	737
May		705	35	670	602
June		574	29	545	713
July		714	36	414	625
August		826	41	561	691
September		648	32	446	669
October		588	29	252	545
November		626	31	592	592
December		563	28	680	622
Total for year	N/A	6,286	312	5,152	7,787
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A					
1 11 1					
		<del></del>			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	216,000	21	Deep Well

YEAR Decem	OF	REF	PORT
Decem	hbei	r 31.	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Hobby Hills / Lake

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		716	36	680	585
February		666	33	633	602
March		830	44	786	505
April		977	49	928	610
May		832	42	790	639
June		704	35	669	480
July		849	43	806	522
August		1,086	54	1,032	576
September		810	41	769	695
October		747	38	709	541
November		740	37	703	438
December		586	29	557	618
Total for year		9,543	481	9,062	6,811
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	252,000 216,000	9	Deep Well Deep Well

UTILITY NAME:	Florida Water Services Corporation

Holiday Haven / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		358	18	340	446
February		424	21	403	376
March		504	25	479	338
April		574	29	545	394
May		123	6	117	442
June		149	7	142	452
July		300	30	270	499
August		575	29	546	416
September		540	27	513	434
October		489	24	465	386
November		514	26	488	401
December		569	29	540	402
Total for year	N/A	5,119	271	4,848	4,986
If water is purchased for resale, indicate the following:  Vendor  Aston Park Water Association  Point of delivery 4" Compund Meter at 55802 Fern Road  If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnected with Astor			

SYSTEM NAME / COUNTY:

Imperial MobileTerr / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	N/A	102		102	632
ebruary		180	****	180	758
Vlarch .		96		96	834
April		109		109	598
Иay		31		31	753
lune		9		9	492
July		6		6	469
August		17		17	406
September		91		91	426
October	<del>,</del>	201		201	418
November		79		79	511
December		37		37	574
Total for year		958		958	6,87
f water is purchase Vendor Point of delivery	d for resale, indicate N/A N/A	e the following:			
utilities below:		or redistribution, list r	names of such		
	N/A				

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	576,000 132,480	15	Deep Well Deep Well

SYSTEM NAME / COUNTY:

Interlachen/Park Manor / Putnam

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January		1,994	100	1,894	1,045	
February		1,909	95	1,814	802	
March		2,493	125	2,368	914	
April		1,904	95	1,809	1,001	
May		2,144	107	2,037	983	
June		1,957	98	1,859	945	
July		2,108	105	2,003	1,032	
August		1,959	98	1,861	848	
September		1,964	98	1,866	1,268	
October		1,873	94	1,779	441	
November		1,835	92	1,743	794	
December		1,752	128	1,624	756	
Total for year		23,892	1,235	22,657	10,829	
If water is purchase Vendor Point of delivery	N/A	e the following:				
If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A						

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	259,200 230,400	16 14	Deep Well Deep Well

SYSTEM NAME / COUNTY:

Jungle Den / Volusia

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	226	N/A		226	237
February	207			207	225
March	226			226	210
April	166			166	180
May	131			131	153
June	162			162	148
July	187			187	178
August	152			152	147
September	121			121	121
October	151			151	134
November	152			152	154
December	186			186	156
Total for year	2,067			2,067	2,043
Vendor	ed for resale, indicate Astor-Astor Park W 4" Kent Meter at Ju	e the following: ater Association no Trail and alice Dr	•		
utilities below:	ther water utilities fo	or redistribution, list r	names of such		
N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnected with Astor			

UTILITY NAME:	Florida Water	Services Corporation	
SYSTEM NAME /	COUNTY:	Kingswood / Brevard	

YEAR OF REPORT December 31, 2005

#### **PUMPING AND PURCHASED WATER STATISTICS**

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	288	N/A		288	285
February	255	PMA-Water		255	323
March	232			232	238
April	252			252	276
May	262			262	256
June	306			306	347
July	369			369	250
August	396			396	345
September	313			313	288
October	278			278	252
November	287			287	239
December	268			268	225
Total for year	3,506			3,506	3,324
Vendor Point of delivery	ed for resale, indicate Town of Welaka 6" Rockwell Meter a other water utilities fo	at 400 Front Street	names of such		
				***************************************	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnected with Town of Welaka			

Note: This data included Group 22, Western Shores

SYSTEM NAME / COUNTY:

Lake Gibson Estates / Polk

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		7,026	707	6,319	1,471
February		6,694	675	6,019	1,649
March		7,131	649	6,482	1,625
April		7,899	654	7,245	1,624
May		8,353	723	7,630	1,787
June		6,848	509	6,339	1,713
July		7,314	828	6,486	1,720
August		7,272	780	6,492	1,626
September		7,385	839	6,546	1,548
October		6,977	707	6,270	1,647
November		6,831	508	6,323	1,554
December		6,738	458	6,280	1,008
Total for year	(mlane)West - Francisco - Fran	86,468	7,579	72,151	18,972
If water is purchased for resale, indicate the following:  Vendor  Point of delivery  N/A					
If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	1,008,000 576,000		Deep Well Deep Well

ı	ITII	ITY	NAME	<ul> <li>Florida</li> </ul>	: Water	Services	Corporation
٤,	) I IL	. 1 1 1	INWINE	. Fiblius	i vvalei	Services	Corporation

Leisure Lakes / Highlands

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		1,017	113	904	759
February		985	133	852	893
March		1,110	122	988	804
April		1,169	149	1,020	607
May		921	108	813	512
June		1,039	245	794	542
July		624	31	593	347
August		650	33	617	326
September		856	43	813	518
October		1,246	62	1,184	359
November		1,042	52	990	599
December		1,046	52	994	536
Total for year		11,705	1,143	10,562	6,802
If water is purchas Vendor Point of deliven	sed for resale, indicat N/A N/A	e the following:			
If Water is sold to utilities below:	other water utilities fo	or redistribution, list r	names of such		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	432,000 72,000	<u>16</u> <u>3</u>	Deep Well Deep Well

Water	Services Corporation	YEAR OF REPO	ORT
<u>′:</u>	Morningview / Lake	 December 31, 2	:005

UTILITY NAME: Florida W SYSTEM NAME / COUNTY: Morningview / Lake

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	N/A	252	13	239	284
Eebruary		200	10	190	188
March		211	29	182	159
April		248	13	235	185
May		238	12	226	230
June		155	8	147	174
July		267	14	253	130
August		224	11	213	209
September		225	18	207	155
October		181	9	172	171
Vovember		187	9	178	151
December		193	10	183	142
Total for year		2,581	156	2,425	2,178
Vendor Point of delivery	other water utilities for		names of such		
	N/A				
					4.11.10

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	612,000	6	Deep Well

UTILITY NAME:	Florida Water	Services Corporation	
SYSTEM NAME / C	COUNTY:	Oakwood / Brevard	

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	1,287	N/A	64	1,223	1,267
February	1,008		50	958	953
March	3,824		1,191	2,633	715
April	806		40	766	901
May	824		41	783	715
June	728		36	692	727
July	868		43	825	624
August	888		44	844	765
September	880		44	836	794
October	987		49	938	653
November	938		67	871	812
December	659		33	626	618
Total for year	13,697	N/A	1,702	11,995	9,544
Vendor Point of delivery  If Water is sold to o utilities below:					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnected with Brevard County Utilities			
***************************************			

SYSTEM NAME / COUNTY:

OrangeHill / SugarCrk / Polk

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	N/A	1,606	234	1,372	1,393
February		1,646	178	1,468	1,368
March		1,525	173	1,352	1,449
April		1,737	128	1,609	1,460
May		2,103	148	1,955	1,563
June		645	79	566	1,806
July		1,547	125	1,422	1,667
August		1,901	213	1,688	1,368
September		1,925	159	1,766	1,677
October		1,763	135	1,628	1,575
November	:	1,683	120	1,563	976
December		1,770	125	1,645	1,095
Total for year		19,851	1,817	18,034	17,397
If water is purchase Vendor Point of delivery	ed for resale, indicat N/A N/A	e the following:			
If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Orange Hill Well #2 Sugar Creek	244,800 80,640	36 12 	Deep Well Deep Well

UTILITY NAME:	Florida Water	r Services Corporation	
SYSTEM NAME /	COUNTY:	Palm Port / Putnam	

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		511	26	485	471
February		449	23	426	498
March		448	22	426	425
April		453	23	430	409
May		458	23	435	438
June		420	21	399	387
July		468	23	445	417
August		471	24	447	363
September		478	24	454	336
October		422	21	401	387
November		487	24	463	332
December		429	22	407	427
Total for year	N/A	5,494	276	5,218	4,890
Vendor Point of delivery	sed for resale, indicate N/A N/A other water utilities for		names of such		
utilities below:				1 - 9: 9	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	14,400	13	Deep Well

SYSTEM NAME / COUNTY: Palm Terrace / Pasco

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
	3,840	1,646	18	5,468	4,323
January	3,329	1,744	224	4,849	4,928
February March	5,265	698	4	5,959	5,236
	5,389	561	22	5,928	5,417
April Mov	6,697	301	336	6,361	6,192
May June	5,972	1,700	31	7,641	5,240
July	4,980	1,107	188	5,899	5,384
July August	6,112	1,107	331	5,781	5,641
September	5,719		1,374	4,345	4,920
October	5,610		2,338	3,272	5,633
November	6,730		2,338	4,392	4,889
December	4,870	856	2,338	3,388	3,431
Total for year	64,513	8,312	9,542	63,283	61,234
If water is purchase Vendor Point of delivery	ed for resale, indicat N/A N/A			100000	11,570
If Water is sold to outilities below:	other water utilities fo	or redistribution, list	names of such		
				· <del>***</del>	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	230,400	168	Deep Well

SYSTEM NAME / COUNTY:

Palms Mobile HomePk / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	N/A	325	63	262	177
February		301	32	269	85
March		339	34	305	133
April		289	28	261	157
May		249	18	231	78
June		268	13	255	72
July		294	27	272	62
August		283	29	379	53
September		289	34	480	43
October		315	37	672	53
November		347	39	<u>574</u>	72
December		398	52	909	97
Total for year		3,697	406	4,869	1,082
If water is purchas Vendor Point of delivery	sed for resale, indicate N/A N/A	e the following:			
If Water is sold to utilities below:	other water utilities fo	or redistribution, list r	ames of such		
					1970 A. C.

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	187,200	3	Deep Well

	YEAR OF REPORT
-	December 31, 2005

UTILITY NAME: Florida Water Services Corporation

SYSTEM NAME / COUNTY: Picciola Island / Lake

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)		
January		904	45	859	800		
February		794	40	754	758		
March		862	43	819	699		
April		1,009	51	958	861		
May		1,289	65	1,224	1,016		
June		829	41	788	961		
July		923	46	877	706		
August		1,055	53	1,002	775		
September		982	49	933	867		
October		933	47	886	825		
November		1,020	51	969	778		
December		961	48	913	741		
Total for year		11,561	579	10,982	9,787		
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A							
If Water is sold to other water utilities for redistribution, list names of such utilities below:							
					4.3		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	<u>252,000</u> 144,000	7 4	Deep Well Deep Well

UTILITY NAME:	Florida Water Services Corporation

SYSTEM NAME / COUNTY: Piney Woods / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January		1,253	63	1,190	1,083	
February		1,195	60	1,135	1,201	
March		1,249	63	1,186	1,103	
April		1,416	71	1,345	1,007	
May		1,666	83	1,583	1,528	
June		1,279	64	1,215	1,447	
July		1,464	73	1,391	1,180	
August		1,406	70	1,336	1,099	
September		1,513	76	1,437	1,374	
October		1,608	80	1,528	1,254	
November		1,536	<u>77</u>	1,459	1,340	
December		1,328	66	1,262	1,337	
Total for year		16,913	846	16,067	14,953	
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such						
utilities below:	N/A					
				· · · · · · · · · · · · · · · · · · ·		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	432,000 201,600		Deep Well Deep Well

SYSTEM NAME / COUNTY:

Pomona Park / Putnam

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)		
January		970	49	921	1,069		
February		898	45	853	896		
March		1,009	51	958	743		
April		1,157	58	1,099	839		
May		1,347	67	1,280	1,341		
June		1,204	60	1,144	1,043		
July		1,307	65	1,242	1,128		
August		1,227	61	1,166	1,076		
September		968	48	920	838		
October		944	47	897	856		
November		1,034	52	982	826		
December		924	46	878	817		
Total for year		12,989	649	12,340	11,472		
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A							
If Water is sold to other water utilities for redistribution, list names of such utilities below:  N/A							
					•		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	86,400 50,400		Deep Well Deep Well

UTILITY NAME:	Florida Water Services Corporation

Quail Ridge / Lake

YEAR OF REPORT December 31, 2005

Vendor N/A Point of delivery N/A		SED ALE	FINISHED WATER PUMI FROM WEL (Omit 000's (c)	PED LS	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WA PUMPED A PURCHAS (Omit 000 [(b)+(c)-(c) (e)	ND ED 's)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
February       365       18         March       449       23         April       539       27         May       657       33         June       474       35         July       451       23         August       480       24         September       512       26         October       437       22         November       413       21         Total for year       5,629       298    If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A	/A		;	397	23		374	334
March       449       23         April       539       27         May       657       33         June       474       35         July       451       23         August       480       24         September       512       26         October       455       23         November       437       22         December       413       21         Total for year       5,629       298         If water is purchased for resale, indicate the following:       Vendor         Vendor       N/A         Point of delivery       N/A							347	385
April       539       27         May       657       33         June       474       35         July       451       23         August       480       24         September       512       26         October       455       23         November       437       22         December       413       21         Total for year       5,629       298    If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A							426	332
May       657       33         June       474       35         July       451       23         August       480       24         September       512       26         October       455       23         November       437       22         December       413       21         Total for year       5,629       298    If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A				539			512	435
July         451         23           August         480         24           September         512         26           October         455         23           November         437         22           December         413         21           Total for year         5,629         298   If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A				657			624	655
August       480       24         September       512       26         October       455       23         November       437       22         December       413       21         Total for year       5,629       298         If water is purchased for resale, indicate the following:       Vendor         Vendor       N/A         Point of delivery       N/A				474	35		439	499
September         512         26           October         455         23           November         437         22           December         413         21           Total for year         5,629         298           If water is purchased for resale, indicate the following:         Vendor         N/A           Point of delivery         N/A				451	23		428	369
October 455 23 November 437 22 December 413 21  Total for year 5,629 298  If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A				480	24		456	421
November 437 22 December 413 21  Total for year 5,629 298  If water is purchased for resale, indicate the following:  Vendor N/A Point of delivery N/A				512	26		486	517
December 413 21  Total for year 5,629 298  If water is purchased for resale, indicate the following:  Vendor N/A Point of delivery N/A				455	23		432	414
Total for year				437	22		415	389
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A				413	21		392	418
Vendor N/A Point of delivery N/A	<del></del>		5,6	<u> 629</u>	298		<u>5,331</u>	5,168
If Water is sold to other water utilities for redistribution, list names of such utilities below:		N/A N/A		, list n	names of such			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	936,000	14	Deep Well

UTILITY NAME:	Florida Water Services Corporation				
SYSTEM NAME / C	COUNTY:	River Grove / Putnam			

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January		591	30	561	500	
February		532	27	505	468	
March		582	29	553	457	
April		588	29	559	495	
May		710	36	674	601	
June		534	27	507	644	
July		619	31	588	485	
August	<u></u>	648	32	616	575	
September		671	34	637	547	
October		562	28	534	536	
November		581	29	552	417	
December		517	26	491	540	
Total for year	N/A	7,135	358	6,777	6,265	
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such						
utilities below:						

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	194,400	17	Deep Well

SYSTEM NAME / COUNTY:

Silver Lake Estates / Western Shores / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		23,891 23,522 21,088 23,075 28,498 18,337 19,274 23,505 24,278 22,478 25,595 18,532	1,196 1,178 1,057 1,305 1,427 940 964 1,177 1,216 1,126 1,280 927	22,695 22,344 20,031 21,770 27,071 17,397 18,310 22,328 23,062 21,352 24,315 17,605	16,879 19,601 17,274 19,184 26,318 19,233 12,580 20,296 18,820 19,445 21,526 16,186
Total for year		272,073	13,793	258,280	227,342
Vendor Point of delivery	sed for resale, indicate  N/A  N/A  other water utilities fo		names of such		

257 257 108	Deep Well Deep Well Deep Well

SYSTEM NAME / COUNTY:

Silver Lake Oaks / Putnam

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		140	7	133	130
February		138	7	131	128
March		123	6	117	121
April		130	7	123	118
May		161	8	153	144
June		179	9	170	167
July		162	8	154	149
August		154	8	146	150
September		154	8	146	134
October		169	8	161	142
November		<u>156</u>	8	148	138
December		161	8	153	165
Total for year	N/A	1,827	92	1,735	1,686
Vendor Point of delivery			names of such		
	N/A		2.01-2.01		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #2	108,000	5	Deep Well

UTILITY NAME:	Florida Water	Services Corporation	
SYSTEM NAME /	COUNTY:	Skycrest / Lake	

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	N/A	576	29	547	466
February		729	36	693	495
March		688	34	654	690
April		614	31	583	540
May		744	37	707	725
June		673	34	639	616
July		608	30	578	541
August		727	36	691	522
September		633	39	594	639
October		684	36	648	493
November		800	40	760	571
December		688	34	654	697
Total for year	<u> </u>	8,164	416	7,748	6,995
Vendor Point of delivery	other water utilities fo	e the following:	names of such		
	N/A				

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #2	108,000	19	Deep Well

SYSTEM NAME / COUNTY:

St Johns Highlands / Putnam

YEAR OF REPORT December 31, 2005

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE

SYSTEM NAME / COUNTY:

Stone Mountain / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		61	3 :	58	66
February		50	4	46	41
March		51	2	49	45
April		62	3	59	56
May		55	3	52	21
June		39	2	37	50
July		60	3	57	27
August		104	5	99	40
September		89	4	85	48
October		78	4	74	40
November		76	4	72	36
December		57	3	54	31
Total for year		782	40	742	501
Vendor Point of delivery  If Water is sold to o utilities below:		e the following:	ames of such		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	144,000	1	Deep Well

SYSTEM NAME / COUNTY: Sunny Hills / Washington

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		3,896	274	3,622	520
ebruary		3,431	338	3,093	480
March		3,955	821	3,134	472
April		4,331	1,068	3,263	551
May		4,970	1,498	3,472	475
June		5,820	1,570	4,250	520
July		5,705	1,838	3,867	501
August		6,235	312	5,923	491
September		6,355	1,816	4,539	499
October		11,974	599	11,375	486
November		4,867	243	4,624	558
December		4,587	1,167	3,420	500
Total for year		66,126	11,544	54,582	6,053
	N/A N/A	e the following:	names of such		
utilities below:	N/A				

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #4 Well #5	432,000 504,000 288,000	6 7 4	Deep Well Deep Well Deep Well

UTILITY NAME:	Florida Water Services Corporation

SYSTEM NAME / COUNTY:

Tangerine / Orange

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		3,567	178	3,389	2,578
February	· · · · · · · · · · · · · · · · · · ·	3,223	252	2,971	2,752
March		3,012	229	2,783	2,003
April		4,054	211	3,843	3,176
May		4,154	675	3,479	2,592
June		3,064	203	2,861	2,895
July		3,879	294	3,585	2,322
August		3,665	193	3,472	2,195
September		3,727	186	3,541	2,708
October		3,613	202	3,411	3,383
November		3,553	178	3,375	1,947
December		3,259	163	3,096	1,727
Total for year		42,770	2,964	39,806	30,278
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such utilities below:					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	468,000 360,000	47 36	Deep Well Deep Well

UTILITY NAME:	Florida Water	Services Cor	poration	
EVETERA NIARAE /	COUNTY	Tomoka	/ Volusia	

YEAR OF REPORT December 31, 2005

## **PUMPING AND PURCHASED WATER STATISTICS**

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		1,945	97	1,848	2,025
February		1,696	85	1,611	1,555
March		1,265	63	1,202	1,579
April		1,566	78	1,488	1,824
May		1,567	78	1,489	2,190
June		1,226	61	1,165	1,789
July		1,951	98	1,853	1,842
August		2,523	126	2,397	2,307
September		1,968	98	1,870	2,085
October		1,762	88	1,674	1,495
November		1,758	88	1,670	1,469
December		1,759	88	1,671	1,559
Total for year		20,986	1,048	19,938	21,719
If water is purchase Vendor Point of delivery	N/A				
If Water is sold to o utilities below:	ther water utilities fo	or redistribution, list r	names of such		

List for each	source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	Tomoka View	144,000	14	Deep Well
Well #2	Tomoka View	288,000	28	Deep Well
Well #1	Twin Rivers	180,000	18	Deep Well

Note: Data included in Group 31 Hermits Cove

UTILITY NAME: Florida Wate	er Services Corporation
----------------------------	-------------------------

SYSTEM NAME / COUNTY:

Valencia Terrace / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		2,491	286	2,205	1,443
February		2,174	192	1,982	1,848
March		2,096	216	1,880	1,903
April		2,494	293	2,201	1,774
May		2,561	289	2,272	2,324
June		2,046	372	1,674	1,809
July		1,768	190	1,578	1,457
August		2,039	185	1,854	1,332
September		2,025	245	1,780	1,580
October		2,046	181	1,865	1,688
November		2,079	184	1,895	1,517
December		1,917	152	1,765	1,783
Total for year		25,736	2,785	22,951	20,458
utilities below:	N/A N/A	e the following: or redistribution, list r	names of such		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	1,080,000 504,000	38 18	Deep Well Deep Well

UTILITY NAME: Florida Water Services Corporation

SYSTEM NAME / COUNTY:

Venetian Village / Lake

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		1,084	94	990	718
February		918	50	868	1,043
March		889	45	844	636
April		1,071	63	1,008	691
May		1,129	62	1,067	854
June		902	45	857	838
July		964	83	881	718
August		936	58	878	733
September		945	51	894	770
October		941	47	894	913
November		871	44	827	848
December		858	43	815	695
Total for year	N/A	11,508	685	10,823	9,457
If water is purchase Vendor Point of delivery	N/A	e the following:			
utilities below:	ther water utilities fo	or redistribution, list i	names of such		
			and the state of t		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	345,600 144,000	18 8	Deep Well Deep Well

UTILITY NAME: Florida Water Services Corporation

SYSTEM NAME / COUNTY:

Welaka / Saratoga Harbor / Putnam

YEAR OF REPORT **December 31, 2005** 

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		583	29	554	634
February		498	25	473	470
March		548	27	521	450
April		560	28	532	487
Мау		675	34	641	561
June		574	29	545	505
July		564	28	536	517
August		928	47	881	480
September		800	40	760	461
October		596	30	566	683
November		552	28	524	466
December		548	28	520	475
Total for year		7,426	373	7,053	6,189
Vendor Point of delivery  If Water is sold to o	ed for resale, indicate N/A N/A other water utilities fo		names of such		
utilities below:	N/A	,			
		11-12-12-12-12-12-12-12-12-12-12-12-12-1			

List for each	source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	Saratoga Harbour	158,400	10	Deep Well Deep Well
Well #2	Welaka	109,440		

UTILITY NAME:	Florida Water	Services Corporation	
SYSTEM NAME /	COUNTY:	Wooten / Putnam	

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January		84	4	80	69	
February		78	4	74	59	
March		76	4	72	52	
April		120	6	114	103	
May		77	4	73	48	
June		73	4	69	65	
July		101	5	96	65	
August		99	5	94	71	
September		82	4	78	73	
October		79	4	75	52	
November		76	4	72	46	
December		77	4	73	57	
Total for year	N/A	1,022	52	970	760	
If water is purchase Vendor Point of delivery	ed for resale, indicat N/A N/A					
If Water is sold to other water utilities for redistribution, list names of such utilities below:						
		A STATE OF THE STA				

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #2	36,000	2	Deep Well

JTILITY NAME:	Florida Water Services Co	orporation

SYSTEM NAME / COUNTY:

Zephyr Shores / Pasco

YEAR OF REPORT December 31, 2005

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January	N/A	1,151	120	1,031	809	
February		1,043	175	868	1,071	
March		639	179	460	973	
April		442	82	360	1,077	
May		248	72	176	614	
June		148	67	81	477	
July		195	69	126	351	
August		483	115	368	384	
September		619	91	528	444	
October		684	94	590	451	
November		966	108	858	689	
December		901	105	796	33	
Total for year		7,519	1,277	6,242	7,373	
If water is purchased for resale, indicate the following:  Vendor  N/A  Point of delivery  N/A  If Water is sold to other water utilities for redistribution, list names of such utilities below:						

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	172,800	20	Deep Well

WTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Beecher's Pt / Putnam

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Interconnected with Town of Welaka				
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	e sagrana pagament y Calabine anagament an ong manakan an anagament an	N/A			
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	N/A				
LIME TREATMENT					
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A		
	FILTRA	ATION			
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A		

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Carlton Village / Lake

YEAR OF REPORT December 31, 2005

#### WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	288,000					
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution					
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	c): Chlorination					
Unit rating (i.e., GPM, pounds	LIME TREATMENT					
per gallon):	N/A	Manufacturer				
	FILTR	ATION				
Type and size of area:						
Pressure (in square feet):	N/A	Manufacturer	N/A			
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A			

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	2,808,000						
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution						
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	): Chlorination						
	LIME TREATMENT						
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A				
	FILTRA	ATION					
Type and size of area:							
Pressure (in square feet):	N/A	Manufacturer	N/A				
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A				

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: East Lake HarrisEst / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	288,000				
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution				
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	c): Chlorination				
LIME TREATMENT Unit rating (i.e., GPM, pounds					
per gallon):	N/A	Manufacturer			
	FILTR	ATION			
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer			
Gravity (in GPM/square feet):	N/A	Manufacturer			

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Fern Terrace (Park) / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	259,200				
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Well/Head and/od Distribution				
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination				
Hait reting (i.e. CDM, pounds	LIME TRE	EATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A		
	FILTR	ATION			
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A		

UTILITY NAME:	Florida Water Services Corporation	
SYSTEM NAME /	COUNTY: Friendly Center / Lake	

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		144,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution			
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chloriation		
LIME TREATMENT				
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Gibsonia Estates / Polk

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

	100,800		
WellHead and/or Distribution			
Chlorination			
LIME TREATMENT			
N/A	Manufacturer	N/A	
FILTRA	ATION		
N/A	Manufacturer	N/A	
N/A	Manufacturer	N/A	
	LIME TRE N/A FILTRA	Chlorination  LIME TREATMENT  N/A Manufacturer  FILTRATION  N/A Manufacturer	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Grand Terrace / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	864,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution		
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination		
LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A
	FILTRA	ATION	
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Harmony Homes / Seminole

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		432,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution		
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination	
LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A
FILTRATION			
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME:	Florida Wa		
SYSTEM NAME /	COUNTY:	Hermts Cove / Putnam	

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		230,400		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution		
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination		
Unit rating (i.e., GPM, pounds	LIME TREATMENT			
per gallon):	N/A	Manufacturer	N/A	
	FILTRATION			
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Hobby Hills / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		216,000		
Location of measurement of capacitive (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution		
Type of treatment (reverse osmosis sedimentation, chemical, aerated, e		Chlorination		
	LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Holiday Haven / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPE	): Interconnected wit	h Astor		
Location of measurement of capa (i.e. Wellhead, Storage Tank):	acity	····		
Type of treatment (reverse osmosedimentation, chemical, aerated				
Unit rating (i.e. CDM naunda	LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
	FILTRA	ATION		
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet): _	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Imperial MobileTerr / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	132,480		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution	
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination	
	LIME TRI	EATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A
	FILTR	ATION	
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Interlachen/Park Manor / Putnam

YEAR OF REPORT December 31, 2005

#### WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	273,600		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution		
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination		
LIME TREATMENT Unit rating (i.e., GPM, pounds			
per gallon):	N/A	Manufacturer	N/A
	FILTRA	ATION	
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Jungle Den / Volusia

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Interconnected with Astor	-	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		N/A	
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		N/A	
LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A
	FILTRATION		
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Kingswood / Brevard

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Provide a separate sheet for each water treatment facility

Permitted Capacity of Plant (GPD):	Interconnected with Brevard County Utilities				
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		N/A			
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		N/A			
LIME TREATMENT					
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A		
FILTRATION					
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A		

Note: This data included Group 22, Western Shores

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Lake Gibson Estates / Polk

YEAR OF REPORT December 31, 2005

#### WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	576,000				
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution			
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc)	:	Chlorination			
LIME TREATMENT					
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A		
FILTRATION					
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A		

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Leisure Lakes / Highlands

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		72,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution	
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination and Aeration	1
Unit rating (i.e., GPM, pounds	LIME TRE	EATMENT	
per gallon):	N/A	Manufacturer	N/A
	FILTR	ATION	
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Morningview / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		612,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution			
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination		
LIME TREATMENT				
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Oakwood / Brevard

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Interconnected with	Interconnected with Brevard County Utilities			
Location of measurement of capacity (i.e. Wellhead, Storage Tank):			AL-IF-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-		
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):					
LIME TREATMENT					
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A		
FILTRATION					
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A		

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: OrangeHill / SugarCrk / Polk

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		244,800		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Orange Hill WellHead and/or Distribution			
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination		
	LIME TR	EATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
	FILTR	ATION		
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	
Permitted Capacity of Plant (GPD):		80,640		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Suga	r Creek WellHead and/or Distributio	n	
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination		
	LIME TRI	EATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Palm Port / Putnam

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		86,400			
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution				
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination	A 4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (		
LIME TREATMENT					
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A		
FILTRATION					
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A		

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Palm Terrace / Pasco

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPI	D):	230,400			
Location of measurement of cap (i.e. Wellhead, Storage Tank): _		WellHead and/or Distribution			
Type of treatment (reverse osmo sedimentation, chemical, aerated		Chlorination			
	LIME TRE	ATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A		
	FILTRA	ATION			
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet): _	N/A	Manufacturer	N/A		

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Palms Mobile HomePk / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

PD):	187,200				
9	WellHead and/or Distribution				
	Chlorination				
LIME TREATMENT					
N/A	Manufacturer	N/A			
FILTRATION					
N/A	Manufacturer	N/A			
N/A	Manufacturer	N/A			
	N/A FILTRA N/A	wellHead and/or Distribution  osis, ed, etc):  Chlorination  LIME TREATMENT  N/A  Manufacturer  FILTRATION  N/A  Manufacturer			

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Picciola Island / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GP	D):	144,000		
Location of measurement of cap (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution		
Type of treatment (reverse osmosedimentation, chemical, aerate		<u>Chlorination</u>		
	LIME TRE	ATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
	FILTRA	ATION		
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Piney Woods / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	201,600			
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution			
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination			
Unit rating (i.e., GPM, pounds	LIME TRE			
per gallon):	N/A	Manufacturer	N/A	
	FILTR	ATION		
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Pomona Park / Putnam

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		50,400		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution		
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination			
LIME TREATMENT				
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Quail Ridge / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	936,000					
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution					
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination					
LIME TREATMENT Unit rating (i.e., GPM, pounds						
per gallon):	N/A	Manufacturer	N/A			
	FILTRA	ATION				
Type and size of area:						
Pressure (in square feet):	N/A	Manufacturer	N/A			
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A			

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: River Grove / Putnam

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		194,400				
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution					
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination					
LIME TREATMENT						
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A			
FILTRATION						
Type and size of area:						
Pressure (in square feet):	N/A	Manufacturer	N/A			
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A			

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Silver Lake Estates / Western Shores / Lake

YEAR OF REPORT **December 31, 2005** 

## WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	2	,916,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution	
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination	
LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A
FILTRATION			
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Silver Lake Oaks / Putnam

YEAR OF REPORT December 31, 2005

# WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		100,800	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution	
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	i de de sego de	Chlorination	
LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A
	FILTR	ATION	
Type and size of area:	,		
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Skycrest / Lake

YEAR OF REPORT December 31, 2005

# WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	-	100,800	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution	
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination	
Unit rating (i.e., GPM, pounds per gallon):	LIME TRE	EATMENT  Manufacturer	N/A
	FILTR	ATION	
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: St Johns Highlands / Putnam

YEAR OF REPORT December 31, 2005

# WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Interconnected with H	ermits Cove	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		N/A	
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		N/A	
Hait ration (i.e. CDM nounds	LIME TREA	TMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A
	FILTRAT	TION	
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Stone Mountain / Lake

YEAR OF REPORT December 31, 2005

# WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		144,000			
Location of measurement of capac (i.e. Wellhead, Storage Tank):	ty	WellHead and/or Distribution			
Type of treatment (reverse osmosis sedimentation, chemical, aerated, ε		Chlorination			
Unit rating (i.e., GPM, pounds	LIME TRE	ATMENT			
per gallon):	N/A	Manufacturer	N/A		
	FILTRATION				
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A		

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Sunny Hills / Washington

YEAR OF REPORT December 31, 2005

# WATER TREATMENT PLANT INFORMATION

Provide a separate sheet for each water treatment facility

Permitted Capacity of Plant (GPD):	Unknown				
Location of measurement of capac (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution			
Type of treatment (reverse osmosis sedimentation, chemical, aerated, e		Chlorination			
	LIME TRE	ATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A		
	FILTRATION				
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A		

Note: This information is included in Group 40 Welaka

UTILITY NAME:	Florida Water Services Corporation
SYSTEM NAME /	COLINTY: Tangerine / Orange

# WATER TREATMENT PLANT INFORMATION

Provide a separate sheet for each water treatment facility

Permitted Capacity of Plant (GPD):		360,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution	
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination	
LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A
	FILTRA	ATION	
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

Note: This data includes Group 40, Welaka

UTILITY NAME:	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Tomoka / Volusia	_

# WATER TREATMENT PLANT INFORMATION

Provide a separate sheet for each water treatment facility

Permitted Capacity of Plant (GPD)	:	288,000	•
Location of measurement of capac (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution	
Type of treatment (reverse osmos sedimentation, chemical, aerated,		Chlorination	
	LIME TRE	ATMENT	
Unit rating (i.e., GPM, pounds			
per gallon):	N/A	Manufacturer	N/A
	FILTRA	ATION	
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A

Note: Data is included in Group 31, Hermits Cove

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Valencia Terrace / Lake

YEAR OF REPORT December 31, 2005

## WATER TREATMENT PLANT INFORMATION

and the second s				
Permitted Capacity of Plant (GPD):		504,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution		
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination		
11 1	LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
	FILTRA	ATION		
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	
·				

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Venetian Village / Lake

YEAR OF REPORT December 31, 2005

# WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		144,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution		
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):		Chlorination		
III ii a liaa ii a QDM maaada	LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A	
	FILTRA	ATION		
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A	

UTILITY NAME: Florida Water Services Corporation

SYSTEM NAME / COUNTY: Welaka / Saratoga Harbor / Putnam

YEAR OF REPORT December 31, 2005

# WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	109,440				
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution			
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination				
Unit rating (i.e., GPM, pounds	LIME TREATMENT				
per gallon):	N/A	Manufacturer	N/A		
	FILTRA	ATION			
Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A		

UTILITY NAME:	Florida Wa	ater Services Corporation	
SYSTEM NAME /	COLINTY	Wooten / Putnam	

# WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	36,000					
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	WellHead and/or Distribution					
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination					
U. W. attack (Co. ODM manuala	LIME TREATMENT					
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer	N/A			
	FILTRA	ATION				
Type and size of area:						
Pressure (in square feet):	N/A	Manufacturer	N/A			
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A			

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Zephyr Shores / Pasco

YEAR OF REPORT December 31, 2005

# WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	432,000					
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		WellHead and/or Distribution				
Type of treatment (reverse osmosis, sedimentation, chemical, aerated, etc):	Chlorination					
Unit rating (i.e., GPM, pounds	LIME TREATMENT					
per gallon):	N/A	Manufacturer	N/A			
	FILTR	ATION				
Type and size of area:						
Pressure (in square feet):	N/A	Manufacturer	N/A			
Gravity (in GPM/square feet):	N/A	Manufacturer	N/A			

UTILITY NAME:	Florida Wate	r Services Corporation	
SYSTEM NAME	/ COUNTY:	Beecher's Pt / Putnam	

#### CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	47	47
5/8"	Displacement	1.0	2	2
3/4"	Displacement	1.5		
1"	Displacement	2.5	,	
1 1/2"	Displacement or Turbine	5.0	2	10
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	59

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

35	7 gallons, divided by D gallons per day 5 days
34.	ERC's

YEAR	OF	REF	PORT
Decem	nbei	r 31.	2005

UTILITY NAME: Florida Water Services Corporation

SYSTEM NAME / COUNTY: Carlton Village / Lake

## **CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS**

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	213	213
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	213

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
	457 gallons, divided by
	350 gallons per day
<u> </u>	<u>365</u> days
12	21.0 ERC's

UTILITY	NAME:	Florida	Water	Ser	vices	Cor	pora	tion
						_		

SYSTEM NAME / COUNTY: Chuluota / Seminole

YEAR OF REPORT December 31, 2005

# CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	1,259	1,259
5/8"	Displacement	1.0	8	8
3/4"	Displacement	1.5		
1"	Displacement	2.5	12	30
1 1/2"	Displacement or Turbine	5.0	2	10
2"	Displacement, Compound or Turbine	8.0	4	32
3"	Displacement	15.0		
3"	Compound	16.0	1	16
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	1,355

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation: ERC =		gallons, divided by gallons per day		
		days		
_	1,023.0	ERC's		

JTILITY NAME: Florida Water Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY: East Lake HarrisEst / Lake	December 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	173	173
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	173

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:		
ERC =	5,053	gallons, divided by
	350	gallons per day
	365	days
	40.0	ERC's
		ERC = 5,053 350 365

YEAR	OF	REF	ORT
Decen	nbei	r 31,	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Fern Terrace (Park) / Lake

#### CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	123	123
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	131

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:			
ERC =	11,482	gallons, divided by	,
	350	gallons per day	
<u></u>	365	days	
-			
	90.0	ERC's	
<del></del>			

UTILITY NAME: Florida Water Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY: Friendly Center / Lake	December 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	25	25
5/8"	Displacement	1.0	5	5
3/4"	Displacement	1.5		<u> </u>
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System	m Meter Equivalent	30

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

Γ	ERC Calculation:				
ı	ERC =	1,553	gallons, divided by		ļ
ı			gallons per day		
I		365	days		
I					
١		12.0	ERC's		
ı					

YEAR	OF	REP	ORT
Decem	ber	· 31.	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Gibsonia Estates / Polk

#### **CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS**

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	160	160
5/8"	Displacement	1.0	21	21
3/4"	Displacement	1.5		
1"	Displacement	2.5	3	8
1 1/2"	Displacement or Turbine	5.0		<del></del>
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0	<del></del>	
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	189

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation	•	
ERC =	15,765 gallons, divided by	
	350 gallons per day	
_	<u>365</u> days	
	123.0 ERC's	
-		

UTILITY NAME: Florida Wat	er Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY:	Grand Terrace / Lake	December 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	109	109
5/8"	Displacement	1.0	103	109
3/4"	Displacement	1.5		
1"	Displacement	2.5	-	
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		-
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	109

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

350	gallons, divided by gallons per day days
72.0	ERC's

YEAR	OF	REP	ORT
Decem	rbei	· 31.	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Harmony Homes / Seminole

## CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	57	57
5/8"	Displacement	1.0		
3/4"	Displacement	1.5	· · · · · · · · · · · · · · · · · · ·	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	57

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 4,374	gallons, divided by
350	gallons per day
	days
	-
34.0	ERC's
	<u>_</u>

<b>UTILITY NAME:</b>	Florida Water Services Corporation
SYSTEM NAME	/ COUNTY: Hermts Cove / Putnam

# CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	171	171
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5	<del></del>	<u> </u>
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		The strike state of the state o
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5	-	
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	172

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation: ERC =		gallons, divided by gallons per day days	
	61.0	ERC's	

UTILITY NAME: Florida Water Services Corporation			
SYSTEM NAME / COUNTY	: Hobby Hills / Lake		

## CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	95	95
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	103

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation: ERC =	350	gallons, divided by gallons per day days	
	53.0	ERC's	

UTILITY NAME: Florida Water Services Corporation	YEAR OF REPORT	
SYSTEM NAME / COUNTY: Holiday Haven / Lake	December 31, 2005	

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	118	118
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		45.0
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	122

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

986 gallons, divided by 350 gallons per day
365 days
 89.0 ERC's

UTILITY NAME: Florida Wate	er Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY:	Imperial MobileTerr / Lake	 December 31, 2005

# CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	244	244
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		· · · · · · · · · · · · · · · · · · ·
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0	<u> </u>	
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	244

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation: ERC =	350	gallons, divided by gallons per day days		
	54.0	ERC's		

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Interlachen/Park Manor / Putnam

# CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	240	240
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	241

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 10,829	gallons, divided by
350	gallons per day
	days
	·
85.0	ERC's

<b>UTILITY NAME:</b> Florida Wate	r Services Corporation	
SYSTEM NAME / COUNTY:	Jungle Den / Volusia	

#### CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	112	112
5/8"	Displacement	1.0	3	3
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	115

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:			
ERC =	2,043	gallons, divided by	
		gallons per day	
	365	-	
		<b>,</b> -	
	16.0	ERC's	
		2.100	

UTILITY NAME: Florida Water Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY: Kingswood / Brevard	December 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	60	60
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		***************************************
1 1/2"	Displacement or Turbine	5.0		******
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syster	n Meter Equivalent	60

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 3,324	gallons, divided by
350	gallons per day
	days
	,-
26.0	ERC's
L	

YEAR	OF	REF	ORT
Decem	bei	r 31.	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Lake Gibson Estates / Polk

#### **CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS**

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	797	797
5/8"	Displacement	1.0	8	8
3/4"	Displacement	1.5		
1"	Displacement	2.5	3	8
1 1/2"	Displacement or Turbine	5.0	1	5
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	826

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

Γ	ERC Calculation:				
İ	ERC =	18,972	gallons, divided by		
ı		350	gallons per day		
ı		365	days		
l					
l			ERC's		
l	<del>*************************************</del>				
•					 

UTILITY NAME: Florida Wate	er Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY:	Leisure Lakes / Highlands	December 31, 2005
		The second secon

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	281	281
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		2 E 11, 4, 7, 15 L L L L L L L L L L L L L L L L L L
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		. ———
10"	Turbine	145.0		
12"	Turbine	215.0		- <del></del> -
			m Meter Equivalent	281

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation: ERC =	350	gallons, divided by gallons per day days		
	53.0	ERC's		

YEAR	OF	REF	ORT
Decen	nbe	r 31,	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Morningview / Lake

#### CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	33	33
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		18 TH 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	33

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation: ERC = 2	350	gallons, divided by gallons per day days	
		ERC's	

UTILITY NAME: Florida Wate	r Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY:	Oakwood / Brevard	December 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	199	199
5/8"	Displacement	1.0	100	
3/4"	Displacement	1.5	· · · · · ·	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		<del></del>
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	199

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 9,544	gallons, divided by
350	gallons per day
	days
	<b>-</b>
75.0	ERC's
10.0	m1.14.4

<b>UTILITY NAME:</b> Florida Water	er Services Corporation
SYSTEM NAME / COUNTY:	OrangeHill / SugarCrk / Polk

# CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	231	231
5/8"	 Displacement	1.0		
3/4"	Displacement	1.5	-	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	·	
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		,
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	231

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation: ERC =	350	gallons, divided by gallons per day days
	136.0	ERC's

UTILITY NAME: Florida Water Servi	ices Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY: Palm	Port / Putnam	December 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	105	105
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0	<del>,,</del>	
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	105

## CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:		
	890 gallons, divided by	
	350 gallons per day	
	<u>365</u> days	
3	38.0 ERC's	

YEAR O	F REP	ORT
Decembe	er 31,	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Palm Terrace / Pasco

#### CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	1,154	1,154
5/8"	Displacement	1.0	3	3
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0	-	
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	1,165

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:  ERC = 6		gallons, divided by gallons per day days
	479.0	ERC's

YEAR	OF	REF	ORT
Docon	hai	- 21	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Palms Mobile HomePk / Lake

### **CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS**

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential	·	1.0	60	60
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	60

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

	ERC Calculation:			
ı	ERC =	1,082	gallons, divided by	
ı		350	gallons per day	
ı		365	days	
ŀ				
ı		8.0	ERC's	
Ì				
ı				

UTILITY NAME: Florida Wate	er Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY:	Picciola Island / Lake	December 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	138	138
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	138

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

3	7 gallons, divided by 0 gallons per day <u>5</u> days	
77	0 ERC's	

UTILITY NAME: Florida Water Services Corporation	YEAR OF REPORT	
SYSTEM NAME / COUNTY: Piney Woods / Lake	December 31, 2005	

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	171	171
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	172

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation: ERC =	350	gallons, divided by gallons per day days		
	117.0	ERC's		

UTILITY NAME: Florida Wate	r Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY:	Pomona Park / Putnam	December 31, 2005

REPORT

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	145	145
5/8"	Displacement	1.0	8	8
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	164

### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 11,	,472 gallons, divided by
	350 gallons per day
	365 days
	90.0 ERC's
*	

JTILITY NAME: Florida Water Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY: Quail Ridge / Lake	December 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	90	90
5/8"	Displacement	1.0		30
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		·
4"	Displacement or Compound	25.0		
4"	Turbine	30.0	· · · · · · · · · · · · · · · · · · ·	
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	90

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

350	gallons, divided by gallons per day days
40.0	ERC's

YE	AR	OF	REF	ORT
De	cen	nbei	r 31,	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: River Grove / Putnam

#### CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	106	106 :
5/8"	 Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5	-	
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	106

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation: ERC =	350	gallons, divided by gallons per day days		
na n	49.0	ERC's		

#### CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	1,573	1,573
5/8"	Displacement	1.0	2	2
3/4"	Displacement	1.5		<del> =</del>
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0	3	15
2"	Displacement, Compound or Turbine	8.0		:
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syster	m Meter Equivalent	1,593

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 227,342	gallons, divided by
350	gallons per day
	days
1,780.0	FRC's

UTILITY NAME: Florida Wate	er Services Corporation
SYSTEM NAME / COUNTY:	Silver Lake Oaks / Putnam

### **CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS**

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	38	38
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	38

### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ŀ
ŀ

UTILITY NAME: Florida Wate	r Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY:	Skycrest / Lake	<b>December 31, 2005</b>

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	114	114
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	1	5
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	<u>62.5</u>		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System	m Meter Equivalent	120

### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 6,995	gallons, divided by
350	gallons per day
	days
	•
0.1	ERC's

<b>UTILITY NAME:</b>	Flo	ri	da	Water	Se	ervic	es	C	orp	orati	on	
		_										

SYSTEM NAME / COUNTY: St Johns Highlands / Putnam

YEAR OF REPORT December 31, 2005

### **CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS**

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	93	93
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	-	
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	93

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

350	gallons, divided by gallons per day days
-	ERC's

JTILITY NAME: Florida Water Services	Corporation YEAR OF REPORT
SYSTEM NAME / COUNTY: Stone Mou	ntain / Lake December 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	10	10
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	10

### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 50	1 gallons, divided by
35	O gallons per day
	5 days
	D ERC's

YEAR	OF	REF	ORT
Decen	nbei	r 31,	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Sunny Hills / Washington

#### **CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS**

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	486	486
5/8"	Displacement	1.0	7	7
3/4"	Displacement	1.5		
1"	Displacement	2.5	4	10
1 1/2"	Displacement or Turbine	5.0	2	10
2"	Displacement, Compound or Turbine	8.0	3	24
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	537

### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 6,	053 gallons, divided by
	350 gailons per day
	365 days
	7.0 ERC's

UTILITY NAME: Florida Wate	r Services Corporation	YEA	AR OF REPORT
SYSTEM NAME / COUNTY:	Tangerine / Orange	Dec	ember 31, 2005

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	238	238
5/8"	Displacement	1.0	5	5
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System	m Meter Equivalent	246

### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

  ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 30,278	gallons, divided by
350	gallons per day
365	days
237.0	ERC's
-	

YEAR	OF	REF	ORT
Decen	nbei	r <b>31</b> ,	2005

UTILITY NAME: Florida Water Services Corporation

SYSTEM NAME / COUNTY: Tomoka / Volusia

# CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	262	262
5/8"	Displacement	1.0	4	4
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	274

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation: ERC =	350	gallons, divided by gallons per day days		
	0.1	ERC's		

UTILITY NAME: Florida Water Services Corporation	YEAR OF REPO
SYSTEM NAME / COUNTY: Valencia Terrace / Lake	December 31, 20

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	319	319
5/8"	Displacement	1.0	5	5
3/4"	Displacement	1.5		
1"	Displacement	2.5	6	15
1 1/2"	Displacement or Turbine	5.0	3	15
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	362

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = 20,4	458 gallons, divided by
3	350 gallons per day
3	365 days
	·
160	0.0 ERC's
l .	

<b>UTILITY NAME:</b> Florida Water	er Services Corporation	
SYSTEM NAME / COUNTY:	Venetian Village / Lake	

#### **CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS**

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	148	148
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	149

# CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
	9,457 gallons, divided by 350 gallons per day 365 days
·	74.0 ERC's

UTILITY NAME: Florida Water Services Corporation
--

SYSTEM NAME / COUNTY: Welaka / Saratoga Harbor / Putnam

YEAR OF REPORT December 31, 2005

### CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	141	141
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		<u> </u>
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	<u> 17.5</u>		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System	m Meter Equivalent	142

#### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

_				
ſ	ERC Calculation:			
I	ERC =	6,189	gallons, divided by	
ı		350	gallons per day	
ı		365	days	
ı				
l		48.0	ERC's	
ı				

YEAR	OF	REF	ORT
Decen	nbei	r 31,	2005

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Wooten / Putnam

# CALCULATION OF THE WATER SYSTEMS EQUIVALENT RESIDENTIAL UNITS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	28	28
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5	·	
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water Syste	m Meter Equivalent	28

### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC = 760 gallons, divided by	
350 gallons per day	
<u>365</u> days	
<del></del> ,	
- ERC's	

UTILITY NAME: Florida Wate	r Services Corporation	YEAR OF REPORT
SYSTEM NAME / COUNTY:	Zephyr Shores / Pasco	December 31, 2005


METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	491	491
5/8"	Displacement	1.0	2	2
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0	1	5
2"	Displacement, Compound or Turbine	8.0	2	16
3"	Displacement	15.0		1000.00
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System	m Meter Equivalent	517

### CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = ( Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day )

ERC Calculation:	
ERC = $7,373$	gallons, divided by
	gallons per day
	days
· · · · · · · · · · · · · · · · · · ·	
58.0	ERC's
***	

UTILITY NAME:	Florida Wate	er Services Corporation	
SYSTEM NAME	COUNTY:	Beecher's Pt / Putnam	



Furnish information below for each system. A separate page sh	ould be supplied where necessary.
Present ERC's * that system can efficiently serve59	
Maximum number of ERC's * which can be served59	
3. Present system connection capacity (in ERC's *) using existing lines.	59
Future system connection capacity (in ERC's *) upon service area buildo	out. 59
5. Estimated annual increase in ERC's * . None	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  500 gpm	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlargement     None	s or improvements of this system.
When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DE	P rules
b. Have these plans been approved by DEP?	
c. When will construction begin?	
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order of the DEP?	
11. Department of Environmental Protection ID # 2540070	
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME:	Florida Water Services Corporation		
SYSTEM NAME	COUNTY:	Carlton Village / Lake	

Furnish information below for each system. A separate page sho	ould be supplied where necessary.		
Present ERC's * that system can efficiently serve	3		
2. Maximum number of ERC's * which can be served. 213			
Present system connection capacity (in ERC's *) using existing lines.	213		
4. Future system connection capacity (in ERC's *) upon service area buildou	ut. 213		
5. Estimated annual increase i None			
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  N/A			
<ol> <li>Describe any plans and estimated completion dates for any enlargements</li> <li>Main replacement program, 2005; Meter replacement program, 2005</li> </ol>	or improvements of this system.		
9. When did the company last file a capacity analysis report with the DEP?	N/A		
10. If the present system does not meet the requirements of DEP rules:	N/A		
a. Attach a description of the plant upgrade necessary to meet the DEP	' rules.		
b. Have these plans been approved by DEP?	N/A		
c. When will construction begin? N/A			
d. Attach plans for funding the required upgrading.	N/A		
e. Is this system under any Consent Order of the DEP?	N/A		
11. Department of Environmental Protection ID #	3350152		
12. Water Management District Consumptive Use Permit #	2605		
a. Is the system in compliance with the requirements of the CUP?	Yes		
b. If not, what are the utility's plans to gain compliance?	N/A		

 $<sup>^{\</sup>star}\,$  An ERC is determined based on the calculation on the bottom of Page W-13

		er Services Corporation	
SYSTEM NAME	COUNTY:	Chuluota / Seminole	

YEAR	OF R	EPO!	RT
Decem	ber 3	1, 20	05

Furnish information below for each system. A separate page shou	ıld be supplied where necessary.
1. Present ERC's * that system can efficiently serve	
2. Maximum number of ERC's * which can be served	
3. Present system connection capacity (in ERC's *) using existing lines.	1,355
4. Future system connection capacity (in ERC's *) upon service area buildout	t. <u>1,355</u>
5. Estimated annual increase in ERC's * . None	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  600 gpm	
7. Attach a description of the fire fighting facilities.	
8. Describe any plans and estimated completion dates for any enlargements on None	or improvements of this system.
, , , , , , , , , , , , , , , , , , ,	ALIA
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
Attach a description of the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary to meet the DEP in the plant upgrade necessary upgrade neces	rules.
b. Have these plans been approved by DEP? N/A	
c. When will construction N/A	
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order of the DEP?	No
11. Department of Environmental Protection ID# 3590186	
12. Water Management District Consumptive Use Permit #	8362
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A


<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

JTILITY NAME:	Florida Water Services Corporation
SYSTEM NAME	/ COUNTY: East Lake HarrisEst / Lake

Furnish information below for each system. A s	separate page should be supplied where necessary.
Present ERC's * that system can efficiently serve	173
2. Maximum number of ERC's * which can be served.	173
3. Present system connection capacity (in ERC's *) using (	existing lines. 173
Future system connection capacity (in ERC's *) upon set	ervice area buildout. 173
Estimated annual increase in ERC's * . No	ne
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  N//	1
7. Attach a description of the fire fighting facilities. No	ne
Describe any plans and estimated completion dates for None	any enlargements or improvements of this system.
When did the company last file a capacity analysis repo	rt with the DEP? N/A
10. If the present system does not meet the requirements	
a. Attach a description of the plant upgrade necessar	
· · · · · · · · ·	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	\
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DE	P? <u>N/A</u>
11. Department of Environmental Protection ID# 335	50322
12. Water Management District Consumptive Use Permit	¥ 2607
a. Is the system in compliance with the requirements	
b. If not, what are the utility's plans to gain compliance	2: <u>IV</u> A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

<b>UTILITY NAME:</b>	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Fern Terrace (Park) / Lake	



Furnish information below for each system. A separate page sho	uld be supplied where necessary.	
Present ERC's * that system can efficiently serve		
2. Maximum number of ERC's * which can be served131		
Present system connection capacity (in ERC's *) using existing lines.		
Future system connection capacity (in ERC's *) upon service area buildout.		
5. Estimated annual increase in ERC's * . 5		
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  None		
7. Attach a description of the fire fighting facilities. Hydrants		
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.	
None		
When did the company last file a capacity analysis report with the DEP?	N/A	
10. If the present system does not meet the requirements of DEP rules:	N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin? N/A		
d. Attach plans for funding the required upgrading.	N/A	
e. Is this system under any Consent Order of the DEP?	N/A	
11. Department of Environmental Protection ID #	3350370	
12. Water Management District Consumptive Use Permit #	3611	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?	N/A	

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

JTILITY NAME:	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Friendly Center / Lake	

Furnish information below for each system. A separate page should be supplied where necessary.		
Present ERC's * that system can efficiently serve		
2. Maximum number of ERC's * which can be served30		
Present system connection capacity (in ERC's *) using existing lines.	30	
Future system connection capacity (in ERC's *) upon service area buildou	ıt. 30	
5. Estimated annual increase in ERC's * . 200		
6. Is the utility required to have fire flow capacity?  No  If so, how much capacity is required?		
7. Attach a description of the fire fighting facilities.		
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.	
None	NA	
When did the company last file a capacity analysis report with the DEP?	N/A	
10. If the present system does not meet the requirements of DEP rules:	N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin? N/A		
d. Attach plans for funding the required upgrading.	N/A	
e. Is this system under any Consent Order of the DEP?	N/A	
11. Department of Environmental Protection ID #	3350426	
12. Water Management District Consumptive Use Permit #	N/A	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?		

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Gibsonia Estates / Polk	

YEAR OF	REPORT
December	· 31, 2005

Furnish information below for each system. A separate page shou	uld be supplied where necessary.
Present ERC's * that system can efficiently serve	
2. Maximum number of ERC's * which can be served 189	
3. Present system connection capacity (in ERC's *) using existing lines.	189
4. Future system connection capacity (in ERC's *) upon service area buildou	t. 189
5. Estimated annual increase in ERC's * . 5	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  500 pgm	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.
When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID #	6530079
12. Water Management District Consumptive Use Permit #	209336.01
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A


<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13 **W-14** 

JTILITY NAME:	Florida Water Services Corporation
SYSTEM NAME	/ COUNTY: Grand Terrace / Lake

Furnish information below for each system.	. A separate page should	d be supplied where necessary.
Present ERC's * that system can efficiently serve.	109	
2. Maximum number of ERC's * which can be served.	109	
<ol> <li>Present system connection capacity (in ERC's *) us</li> </ol>	sing existing lines.	109
Future system connection capacity (in ERC's *) upon	on service area buildout.	109
5. Estimated annual increase in ERC's * .	200	
Is the utility required to have fire flow capacity?  If so, how much capacity is required?	Yes 500 GPM	
7. Attach a description of the fire fighting facilities.		
Describe any plans and estimated completion dates     None	s for any enlargements o	r improvements of this system.
And the second s		
When did the company last file a capacity analysis	report with the DEP?	N/A
10. If the present system does not meet the requirement	ents of DEP rules:	N/A
<ul> <li>a. Attach a description of the plant upgrade nece</li> </ul>	ssary to meet the DEP r	ules.
b. Have these plans been approved by DEP?		N/A
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading	α.	N/A
e. Is this system under any Consent Order of the		N/A
11. Department of Environmental Protection ID #	•	3354697
12. Water Management District Consumptive Use Per		2488
a. Is the system in compliance with the requirement	ents of the CUP?	Yes
b. If not, what are the utility's plans to gain compl	iance?	
	, , , , , , , , , , , , , , , , , , ,	American

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME:	Florida Water Services Corporation	
SYSTEM NAME	/ COUNTY: Harmony Homes / Seminole	



Furnish information below for each system. A separate page sho	uld be supplied where necessary.
Present ERC's * that system can efficiently serve57	
Maximum number of ERC's * which can be served 57	
Present system connection capacity (in ERC's *) using existing lines.	57
4. Future system connection capacity (in ERC's *) upon service area buildoυ	ut. 57
5. Estimated annual increase i None	·
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  NO  N/A	
7. Attach a description of the fire fighting facilities. None	
Describe any plans and estimated completion dates for any enlargements     Main replacement program, 2005; Meter replacement program, 2005	or improvements of this system.
When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID #	3590497
12. Water Management District Consumptive Use Permit #	8357
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

JTILITY NAME:	Florida Wate	er Services Corporation	
SYSTEM NAME.	COUNTY:	Hermts Cove / Putnam	

Furnish information below for each system. A separate page should be supplied where necessary.
Present ERC's * that system can efficiently serve172
2. Maximum number of ERC's * which can be served172
Present system connection capacity (in ERC's *) using existing lines.
4. Future system connection capacity (in ERC's *) upon service area buildout.  172
5. Estimated annual increase in ERC's * . None
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  N/A
7. Attach a description of the fire fighting facilities. None
Describe any plans and estimated completion dates for any enlargements or improvements of this system.  None
Notice
9. When did the company last file a capacity analysis report with the DEP?  N/A  10. If the present system does not meet the requirements of DEP rules:
a. Attach a description of the plant upgrade necessary to meet the DEP rules.
c. When will construction N/A
d. Attach plans for funding the required upgrading.
e. Is this system under any Consent Order of the DEP?  No
11. Department of Environmental Protection ID # 2540482
12. Water Management District Consumptive Use Permit # N/A
a. Is the system in compliance with the requirements of the CUP?  Yes
b. If not, what are the utility's plans to gain compliance?  N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13 **W-14** 

UTILITY NAME:	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Hobby Hills / Lake	

YEAR OF REPORT	
December 31, 2005	ļ

Furnish information below for each system. A separate page sho	uld be supplied where necessary.
Present ERC's * that system can efficiently serve	3
Maximum number of ERC's * which can be served	3
3. Present system connection capacity (in ERC's *) using existing lines.	103
4. Future system connection capacity (in ERC's *) upon service area buildou	ut. 103
5. Estimated annual increase in ERC's * .	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  NO  N/A	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.
When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
Attach a description of the plant upgrade necessary to meet the DEP	rules.
b. Have these plans been approved by DEP?	
c. When will construction begin?	
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order of the DEP?	
11. Department of Environmental Protection ID # 3350544	
12. Water Management District Consumptive Use Permit #	2613
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A


<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME:	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Holiday Haven / Lake	

Furnish information below for each system.	. A separate page shou	ald be supplied where necessary.
Present ERC's * that system can efficiently serve.	122	
2. Maximum number of ERC's * which can be served.	122	
3. Present system connection capacity (in ERC's *) us	sing existing lines.	122
4. Future system connection capacity (in ERC's *) upo	on service area buildout	. 122
5. Estimated annual increase in ERC's * .	200	
Is the utility required to have fire flow capacity?  If so, how much capacity is required?	No N/A	
7. Attach a description of the fire fighting facilities.		
Describe any plans and estimated completion dates     None	s for any enlargements o	or improvements of this system.
9. When did the company last file a capacity analysis।	report with the DEP?	N/A
10. If the present system does not meet the requireme	ents of DEP rules:	N/A
Attach a description of the plant upgrade neces	ssary to meet the DEP i	rules.
b. Have these plans been approved by DEP?		N/A
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading	g.	N/A
e. Is this system under any Consent Order of the	e DEP?	N/A
11. Department of Environmental Protection ID #		3350981
12. Water Management District Consumptive Use Per	·mit #	2612
a. Is the system in compliance with the requireme		Yes
b. If not, what are the utility's plans to gain compli		
b. If not, what are the dulity's plans to gain compi		

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME:	Florida Water Services Corporation	
SYSTEM NAME	/ COUNTY: Imperial MobileTerr / Lake	



Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERC's * that system can efficiently serve. 244	
2. Maximum number of ERC's * which can be served. 244	
Present system connection capacity (in ERC's *) using existing lines	244
4. Future system connection capacity (in ERC's *) upon service area buildout.	244
5. Estimated annual increase in ERC's * . None	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  N/A	
7. Attach a description of the fire fighting facilities. None	
8. Describe any plans and estimated completion dates for any enlargements or None	improvements of this system.
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rul	les.
b. Have these plans been approved by DEP? N/A	
c. When will construction N/A	
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order of the DEP?	No
11. Department of Environmental Protection ID # 3350584	
12. Water Management District Consumptive Use Permit #	4493
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

JTILITY NAME: Florida Water Services Corporation		
SYSTEM NAME	/ COUNTY: Interlachen/Park Manor / Putnam	

Furnish information below for each system.	A separate page should	d be supplied where necessary.
Present ERC's * that system can efficiently serve.	241	
2. Maximum number of ERC's * which can be served.	241	
3. Present system connection capacity (in ERC's *) usi	ing existing lines.	241
Future system connection capacity (in ERC's *) upc	on service area buildout.	241
5. Estimated annual increase in ERC's * .	None	
Is the utility required to have fire flow capacity?  If so, how much capacity is required?	No N/A	· · · · · · · · · · · · · · · · · · ·
7. Attach a description of the fire fighting facilities.	None	
Describe any plans and estimated completion dates     None	for any enlargements or	r improvements of this system.
9. When did the company last file a capacity analysis r  10. If the present system does not meet the requireme  a. Attach a description of the plant upgrade neces  b. Have these plans been approved by DEP?  c. When will construction N/A  d. Attach plans for funding the required upgrading  e. Is this system under any Consent Order of the  11. Department of Environmental Protection ID #	ents of DEP rules: ssary to meet the DEP ru  N/A  DEP?  2540545	No
12. Water Management District Consumptive Use Peri	mit#	7986
<ul> <li>a. Is the system in compliance with the requirement</li> </ul>	ents of the CUP?	Yes
b. If not, what are the utility's plans to gain compli	ance?	N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Wa	ter Services Corporation
SYSTEM NAME / COUNTY:	Jungle Den / Volusia

YEAR OF REPORT	
December 31, 2005	

Furnish information below for each system. A sepa	arate page should be supplied where necessary.
Present ERC's * that system can efficiently serve	115
2. Maximum number of ERC's * which can be served.	115
<ol><li>Present system connection capacity (in ERC's *) using exis</li></ol>	ting lines. 115
4. Future system connection capacity (in ERC's *) upon servi	ce area buildout. 115
5. Estimated annual increase in ERC's * . None	
6. Is the utility required to have fire flow capacity?  No  N/A	
7. Attach a description of the fire fighting facilities. None	
Describe any plans and estimated completion dates for any     None	enlargements or improvements of this system.
9. When did the company last file a capacity analysis report w	ith the DEP? N/A
10. If the present system does not meet the requirements of D	DEP rules: N/A
a. Attach a description of the plant upgrade necessary to	meet the DEP rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID # 364412	27
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the system in compliance with the requirements of the system is a system of the system.	ne CUP? Yes
b. If not, what are the utility's plans to gain compliance?	N/A
	· · · · · · · · · · · · · · · · · · ·

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13 W-14

JTILITY NAME:	: Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Kingswood / Brevard	

# OTHER WATER SYSTEM INFORMATION


Furnish information below for each system. A separate page should	ld be supplied where necessary.	
Present ERC's * that system can efficiently serve60		
2. Maximum number of ERC's * which can be served60		
Present system connection capacity (in ERC's *) using existing lines.	60	
4. Future system connection capacity (in ERC's *) upon service area buildout	. 60	
5. Estimated annual increase in ERC's * . None		
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  N/A		
7. Attach a description of the fire fighting facilities. None		
Describe any plans and estimated completion dates for any enlargements of the completion dates.	or improvements of this system.	
None		
9. When did the company last file a capacity analysis report with the DEP? N/A		
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP r	ules.	
b. Have these plans been approved by DEP? N/A		
c. When will construction N/A		
d. Attach plans for funding the required upgrading.		
e. Is this system under any Consent Order of the DEP?	No	
11. Department of Environmental Protection ID # 3054101		
12. Water Management District Consumptive Use Permit #	N/A	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?	N/A	

Note: This data included Group 22, Western Shores

W-14 GROUP 17 SYSTEM Kingswood

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Water Services Corporation	
SYSTEM NAME / COUNTY:	Lake Gibson Estates / Polk



Furnish information below for each system. A separate page shou	ıld be supplied where necessary.	
Present ERC's * that system can efficiently serve826		
2. Maximum number of ERC's * which can be served. 826		
Present system connection capacity (in ERC's *) using existing lines.      826		
4. Future system connection capacity (in ERC's *) upon service area buildout	t. 826	
5. Estimated annual increase in ERC's * . 200		
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  500 GPM		
7. Attach a description of the fire fighting facilities. Hydrants		
8. Describe any plans and estimated completion dates for any enlargements or improvements of thi <u>s system.</u> None		
9. When did the company last file a capacity analysis report with the DEP?  10. If the present system does not meet the requirements of DEP rules:	N/A N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin? N/A		
d. Attach plans for funding the required upgrading.	N/A	
e. Is this system under any Consent Order of the DEP?	N/A	
11. Department of Environmental Protection ID #	6532347	
12. Water Management District Consumptive Use Permit #	207878.02	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?	N/A	

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

JTILITY NAME:	Florida Water Services Corporation
SYSTEM NAME	COUNTY: Leisure Lakes / Highlands

Furnish information below for each system. A separate page	e should be supplied where necessary.	
Present ERC's * that system can efficiently serve	281	
2. Maximum number of ERC's * which can be served.	281	
3. Present system connection capacity (in ERC's *) using existing lines.	281	
4. Future system connection capacity (in ERC's *) upon service area bu	uildout. 281	
5. Estimated annual increase in ERC's * . None		
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  250 gpm		
7. Attach a description of the fire fighting facilities.		
Describe any plans and estimated completion dates for any enlargem     None	ents or improvements of this system.	
None	AND	
When did the company last file a capacity analysis report with the DEI	P? N/A	
10. If the present system does not meet the requirements of DEP rules:	N/A	
a. Attach a description of the plant upgrade necessary to meet the	DEP rules.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin? N/A		
d. Attach plans for funding the required upgrading.	N/A	
e. Is this system under any Consent Order of the DEP?	N/A	
11. Department of Environmental Protection ID #	6280064	
12. Water Management District Consumptive Use Permit #	26456.004	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?		

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Wat	ter Services Corporation	
SYSTEM NAME / COUNTY:	Morningview / Lake	

YEAR OF REPORT	_
December 31, 2005	
	•

Furnish information below for each system. A separate page should be supplied where necessary.
Present ERC's * that system can efficiently serve
2. Maximum number of ERC's * which can be served. 33
Present system connection capacity (in ERC's *) using existing lines.
Future system connection capacity (in ERC's *) upon service area buildout.
5. Estimated annual increase in ERC's * . None
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  500 gpm
7. Attach a description of the fire fighting facilities. None
8. Describe any plans and estimated completion dates for any enlargements or improvements of this system.  None
9. When did the company last file a capacity analysis report with the DEP? N/A
10. If the present system does not meet the requirements of DEP rules:
a. Attach a description of the plant upgrade necessary to meet the DEP rules.
b. Have these plans been approved by DEP? N/A
c. When will construction N/A
d. Attach plans for funding the required upgrading.
e. Is this system under any Consent Order of the DEP?  No
11. Department of Environmental Protection ID # 3350852
12. Water Management District Consumptive Use Permit #2610
a. Is the system in compliance with the requirements of the CUP?  Yes
b. If not, what are the utility's plans to gain compliance?  N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13 W-14

UTILITY NAME:	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Oakwood / Brevard	

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERC's * that system can efficiently serve199	
Maximum number of ERC's * which can be served199	
Present system connection capacity (in ERC's *) using existing lines	199
Future system connection capacity (in ERC's *) upon service area buildout.	199
5. Estimated annual increase in ERC's * . None	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  N/A	
7. Attach a description of the fire fighting facilities. None	
8. Describe any plans and estimated completion dates for any enlargements or None	improvements of this system.
When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
<ul> <li>a. Attach a description of the plant upgrade necessary to meet the DEP rul</li> </ul>	les.
b. Have these plans been approved by DEP? N/A	
c. When will construction N/A	
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order of the DEP?	No
11. Department of Environmental Protection ID # 3054100	
12. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Water	
SYSTEM NAME / COUNTY:	OrangeHill / SugarCrk / Polk

Furnish information below for each system. A separate page sho	ould be supplied where necessary.	
Present ERC's * that system can efficiently serve	1	
2. Maximum number of ERC's * which can be served. 23	1	
<ol> <li>Present system connection capacity (in ERC's *) using existing lines.</li> </ol>	231	
<ol> <li>Future system connection capacity (in ERC's *) upon service area buildon</li> </ol>	out. 231	
5. Estimated annual increase in ERC's * . 200	0	
6. Is the utility required to have fire flow capacity?  Yes		
If so, how much capacity is required? 500 GPM		
7. Attach a description of the fire fighting facilities. Hydrants		
Describe any plans and estimated completion dates for any enlargements	s or improvements of this system.	
None		
9. When did the company last file a capacity analysis report with the DEP?	N/A	
10. If the present system does not meet the requirements of DEP rules:	N/A	
Attach a description of the plant upgrade necessary to meet the DEF	rules.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin? N/A		
d. Attach plans for funding the required upgrading.	N/A	
e. Is this system under any Consent Order of the DEP?	N/A	
11. Department of Environmental Protection ID#	6532347	
12. Water Management District Consumptive Use Permit #	207878.02	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?		

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

ITILITY NAME:	Florida Water Services Corporation	
YSTEM NAME.	COUNTY:	Palm Port / Putnam

Furnish information below for each system. A separate page show	uld be supplied where necessary.
Present ERC's * that system can efficiently serve	
Maximum number of ERC's * which can be served105	j
Present system connection capacity (in ERC's *) using existing lines.	105
4. Future system connection capacity (in ERC's *) upon service area buildou	ıt. 105
5. Estimated annual increase in ERC's * . 200	1
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlargements	or improvements of this system.
None	
When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID#	2540865
12. Water Management District Consumptive Use Permit #	8127
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

<b>UTILITY NAME:</b>	Florida Water Services Corporation
SYSTEM NAME	/ COUNTY: Palm Terrace / Pasco

Furnish information below for each system. A separate page sho	ould be supplied where necessary.
1. Present ERC's * that system can efficiently serve1,165	5
2. Maximum number of ERC's * which can be served1,165	5
3. Present system connection capacity (in ERC's *) using existing lines.	1,165
4. Future system connection capacity (in ERC's *) upon service area buildon	ut. 1,165
5. Estimated annual increase i None	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  500 gpm	
7. Attach a description of the fire fighting facilities. None	
8. Describe any plans and estimated completion dates for any enlargements None	s or improvements of this system.
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID #	6511331
12. Water Management District Consumptive Use Permit #	20003759.003
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

JTILITY NAME:	: Florida Water Services Corporation	
VOTEM NAME	COLINTY: Palms Mobile HomePk / Lake	

Furnish information below for each system. A separate page shou	uld be supplied where necessary.
Present ERC's * that system can efficiently serve60	
Maximum number of ERC's * which can be served.	
Present system connection capacity (in ERC's *) using existing lines.	60
4. Future system connection capacity (in ERC's *) upon service area buildou	t. <u>60</u>
5. Estimated annual increase in ERC's * . 200	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  NO  N/A	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.
When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID #	3350981
12. Water Management District Consumptive Use Permit #	2612
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A
2	2000 2

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Picciola Island / Lake	

YEAR OF	REP	ORT	
December	r 31,	2005	

Furnish information below for each system. A separate page should be supplied where necessary.		
Present ERC's * that system can efficiently serve	38	
2. Maximum number of ERC's * which can be served13	38	
<ol><li>Present system connection capacity (in ERC's *) using existing lines.</li></ol>	138	
4. Future system connection capacity (in ERC's *) upon service area build	out138	
5. Estimated annual increase i None		
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  N/A		
7. Attach a description of the fire fighting facilities. None	A CONTRACTOR OF THE CONTRACTOR	
Describe any plans and estimated completion dates for any enlargements or improvements of this system.     Main replacement program, 2005; Meter replacement program, 2005		
When did the company last file a capacity analysis report with the DEP?	N/A	
10. If the present system does not meet the requirements of DEP rules:	N/A	
<ul> <li>a. Attach a description of the plant upgrade necessary to meet the DE</li> </ul>	EP rules.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin? N/A	And the second s	
d. Attach plans for funding the required upgrading.	N/A	
e. Is this system under any Consent Order of the DEP?	N/A	
11. Department of Environmental Protection ID #	3351009	
12. Water Management District Consumptive Use Permit #	2609	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?	N/A	

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

JTILITY NAME:	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Piney Woods / Lake	

#### OTHER WATER SYSTEM INFORMATION

Furnish information below for each system	n. A separate page shou	uld be supplied where necessary.
Present ERC's * that system can efficiently serve.	172	
2. Maximum number of ERC's * which can be served	172	
3. Present system connection capacity (in ERC's *) u	sing existing lines.	172
4. Future system connection capacity (in ERC's *) up	oon service area buildou	t. 172
5. Estimated annual increase in ERC's * .	None	
Is the utility required to have fire flow capacity?  If so, how much capacity is required?	No N/A	
7. Attach a description of the fire fighting facilities.	None	
Describe any plans and estimated completion date	es for any enlargements	or improvements of this system.
None		
When did the company last file a capacity analysis	report with the DEP?	N/A
10. If the present system does not meet the requirem		N/A
a. Attach a description of the plant upgrade nece		rules
b. Have these plans been approved by DEP?	occary to most are DEI	N/A
	N1/A	IN/A
c. When will construction begin?	N/A	
<li>d. Attach plans for funding the required upgrading</li>	ng.	N/A
e. Is this system under any Consent Order of th	e DEP?	N/A
11. Department of Environmental Protection ID #	3351021	
12. Water Management District Consumptive Use Pe	ermit #	2604
a. Is the system in compliance with the requirem	ents of the CUP?	Yes
b. If not, what are the utility's plans to gain comp	liance?	N/A
		· · · · · · · · · · · · · · · · · · ·

Note: Data includes Group 29 Sugar Creek

W-14 GROUP 28 SYSTEM Piney Woods

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

	Florida Water Services Corporation	
SYSTEM NAME	COUNTY: Pomona Park / Putnam	

# OTHER WATER SYSTEM INFORMATION

Furnish information below for each system. A separate page should be supplied where necessary.		
Present ERC's * that system can efficiently serve.	164	
2. Maximum number of ERC's * which can be served.	164	
3. Present system connection capacity (in ERC's *) us	sing existing lines.	164
4. Future system connection capacity (in ERC's *) upo	on service area buildou	t. 164
5. Estimated annual increase in ERC's * .	None	
Is the utility required to have fire flow capacity?  If so, how much capacity is required?	No N/A	
7. Attach a description of the fire fighting facilities.	None	
Describe any plans and estimated completion dates     None	s for any enlargements	or improvements of this system.
9. When did the company last file a capacity analysis i	report with the DEP?	N/A
10. If the present system does not meet the requireme	ents of DEP rules:	N/A
a. Attach a description of the plant upgrade neces	ssary to meet the DEP	rules.
b. Have these plans been approved by DEP?	-	N/A
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading.		N/A
e. Is this system under any Consent Order of the	DEP?	N/A
11. Department of Environmental Protection ID #	2540905	
12. Water Management District Consumptive Use Per	mit#	N/A
a. Is the system in compliance with the requirement	ents of the CUP?	Yes
b. If not, what are the utility's plans to gain compli	iance?	N/A
		, and the second

Note: Data is combined with Group 28 Orange Hill

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

JTILITY NAME: Florida Wa	ter Services Corporation	
SYSTEM NAME / COUNTY:	Quail Ridge / Lake	

Furnish information below for each system. A separate page s	should be supplied where necessary.
Present ERC's * that system can efficiently serve	90
Maximum number of ERC's * which can be served	90
3. Present system connection capacity (in ERC's *) using existing lines.	90
Future system connection capacity (in ERC's *) upon service area buil	ldout90
5. Estimated annual increase in ERC's * .	5
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  500 gpm	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlargeme	ents or improvements of this system.
None	
When did the company last file a capacity analysis report with the DEP	? <u>N/A</u>
10. If the present system does not meet the requirements of DEP rules:	N/A
Attach a description of the plant upgrade necessary to meet the D	DEP rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID #	3354867
12. Water Management District Consumptive Use Permit #	4545
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

<b>UTILITY NAME:</b> Florida Wat	er Services Corporation
SYSTEM NAME / COUNTY:	River Grove / Putnam

Furnish information below for each system. A separate page should be supplied where necessary.			
Present ERC's * that system can efficiently serve106			
Maximum number of ERC's * which can be served106			
3. Present system connection capacity (in ERC's *) using existing lines.	106		
<ol> <li>Future system connection capacity (in ERC's *) upon service area buildou</li> </ol>	t. <u>106</u>		
5. Estimated annual increase in ERC's * . 5			
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  None			
7. Attach a description of the fire fighting facilities. Hydrants			
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.		
When did the company last file a capacity analysis report with the DEP?	N/A		
	N/A		
To. If the present system does not most allo requirements of 2.2.			
Attach a description of the plant upgrade necessary to meet the DEP rules.			
b. Have these plans been approved by DEP?	N/A		
c. When will construction begin? N/A			
d. Attach plans for funding the required upgrading.	N/A		
e. Is this system under any Consent Order of the DEP?	N/A		
11. Department of Environmental Protection ID #	2540959		
12. Water Management District Consumptive Use Permit #	N/A		
a. Is the system in compliance with the requirements of the CUP?	Yes		
b. If not, what are the utility's plans to gain compliance?	N/A		

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Silver Lake Estates / Western Shores / Lake

YEAR OF REPORT December 31, 2005

Furnish information below for each system. A separate page shou	ıld be supplied where necessary.	
Present ERC's * that system can efficiently serve		
2. Maximum number of ERC's * which can be served. 1,593		
3. Present system connection capacity (in ERC's *) using existing lines.	1,593	
4. Future system connection capacity (in ERC's *) upon service area buildout.  1,593		
5. Estimated annual increase in ERC's * . 200		
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  750 GPM		
7. Attach a description of the fire fighting facilities.		
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.	
When did the company last file a capacity analysis report with the DEP?	N/A	
10. If the present system does not meet the requirements of DEP rules:  N/A		
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin?  N/A		
d. Attach plans for funding the required upgrading.	N/A	
e. Is this system under any Consent Order of the DEP?	N/A	
	3351182	
11. Department of Environmental Protection ID #	5551102	
12. Water Management District Consumptive Use Permit #	2644	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?	N/A	

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Water	
SYSTEM NAME / COUNTY:	Silver Lake Oaks / Putnam

YEAR OF REPORT	
December 31, 2005	

Furnish information below for each system. A separate page shou	uld be supplied where necessary.
Present ERC's * that system can efficiently serve. 38	
2. Maximum number of ERC's * which can be served38	
3. Present system connection capacity (in ERC's *) using existing lines.	38
<ol> <li>Future system connection capacity (in ERC's *) upon service area buildou</li> </ol>	nt. 38
5. Estimated annual increase in ERC's * . 200	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  N/A	
7. Attach a description of the fire fighting facilities. Hydrants	
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.
None	
When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:  N/A	
Attach a description of the plant upgrade necessary to meet the DEP	rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID #	2544258
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A
	1000

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

FILITY NAME: Florida Water Services Corporation			
SYSTEM NAME /	COUNTY:	Skycrest / Lake	

Furnish information below for each system. A separate p	page should be supplied where necessary.
Present ERC's * that system can efficiently serve	120
Maximum number of ERC's * which can be served.	120
3. Present system connection capacity (in ERC's *) using existing lin	nes. <u>120</u>
4. Future system connection capacity (in ERC's *) upon service are	ea buildout. 120
5. Estimated annual increase in ERC's * .	200
6. Is the utility required to have fire flow capacity?  Yes  To GPM	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlar     None	gements or improvements of this system.
None	
9. When did the company last file a capacity analysis report with the	e DEP? N/A
10. If the present system does not meet the requirements of DEP ru	ules: N/A
Attach a description of the plant upgrade necessary to meet	the DEP rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID#	3351205
12. Water Management District Consumptive Use Permit #	2614
a. Is the system in compliance with the requirements of the CU	JP? Yes
b. If not, what are the utility's plans to gain compliance?	N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

<b>UTILITY NAME:</b>	Florida Water Services Corporation
SYSTEM NAME	COUNTY: St Johns Highlands / Putnam

Furnish information below for each system. A separate page should be supplied where necessary.
Present ERC's * that system can efficiently serve. 93
2. Maximum number of ERC's * which can be served. 93
Present system connection capacity (in ERC's *) using existing lines.  93
Future system connection capacity (in ERC's *) upon service area buildout.
5. Estimated annual increase in ERC's * .
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?
7. Attach a description of the fire fighting facilities.
8. Describe any plans and estimated completion dates for any enlargements or improvements of this system.
When did the company last file a capacity analysis report with the DEP?
10. If the present system does not meet the requirements of DEP rules:
a. Attach a description of the plant upgrade necessary to meet the DEP rules.
b. Have these plans been approved by DEP?
c. When will construction begin?
d. Attach plans for funding the required upgrading.
e. Is this system under any Consent Order of the DEP?
11. Department of Environmental Protection ID #
12. Water Management District Consumptive Use Permit #
a. Is the system in compliance with the requirements of the CUP?
b. If not, what are the utility's plans to gain compliance?

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

<b>UTILITY NAME:</b>	Florida Wate	er Services Corporation	
SYSTEM NAME	COUNTY:	Stone Mountain / Lake	

Furnish information below for each system. A separate page shou	lid be supplied where necessary.		
Present ERC's * that system can efficiently serve			
2. Maximum number of ERC's * which can be served10			
3. Present system connection capacity (in ERC's *) using existing lines.	10		
Future system connection capacity (in ERC's *) upon service area buildout.			
5. Estimated annual increase in ERC's * .			
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  N/A			
7. Attach a description of the fire fighting facilities.			
Describe any plans and estimated completion dates for any enlargements of None	or improvements of this system.		
When did the company last file a capacity analysis report with the DEP?	N/A		
10. If the present system does not meet the requirements of DEP rules:	N/A		
a. Attach a description of the plant upgrade necessary to meet the DEP r	rules.		
b. Have these plans been approved by DEP?			
c. When will construction begin?			
d. Attach plans for funding the required upgrading.			
e. Is this system under any Consent Order of the DEP?			
11. Department of Environmental Protection ID#	3351282		
12. Water Management District Consumptive Use Permit #	2606		
a. Is the system in compliance with the requirements of the CUP?			
b. If not, what are the utility's plans to gain compliance?	N/A		

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME:	Florida Water Services Corporation
SYSTEM NAME	/ COUNTY: Sunny Hills / Washington

YEAR OF	REPORT
December	r 31, 2005

Furnish information below for each system. A separate page shou	uld be supplied where necessary.
Present ERC's * that system can efficiently serve	
2. Maximum number of ERC's * which can be served537	
3. Present system connection capacity (in ERC's *) using existing lines.	537
4. Future system connection capacity (in ERC's *) upon service area buildou	t. 537
5. Estimated annual increase in ERC's * . 200	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  Yes  500 GPM	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlargements     None	or improvements of thi <u>s system.</u>
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	the state of the s
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID#	1670647
12. Water Management District Consumptive Use Permit #	19842730
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	

Note: This information is included in Group 40 Welaka

W-14 GROUP 37 SYSTEM Sunny Hills


<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME:	Florida Water Services Corporation		
SYSTEM NAME	COUNTY:	Tangerine / Orange	

Furnish information below for each system. A separate page sho	uld be supplied where necessary.
Present ERC's * that system can efficiently serve	
2. Maximum number of ERC's * which can be served246	
Present system connection capacity (in ERC's *) using existing lines.	246
Future system connection capacity (in ERC's *) upon service area buildout	ıt. 246
5. Estimated annual increase in ERC's * . 200	
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.
None	
When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID #	3481329
12. Water Management District Consumptive Use Permit #	51073
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Water	er Services Corporation
SYSTEM NAME / COUNTY:	Tomoka / Volusia



Furnish information below for each system. A separate page sho	uld be supplied where necessary.
Present ERC's * that system can efficiently serve 274	
2. Maximum number of ERC's * which can be served. 274	
3. Present system connection capacity (in ERC's *) using existing lines.	274
4. Future system connection capacity (in ERC's *) upon service area buildou	ut. 274
5. Estimated annual increase in ERC's * . 5	j .
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  None	
7. Attach a description of the fire fighting facilities.	
Describe any plans and estimated completion dates for any enlargements     None	or improvements of this system.
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
<ul> <li>a. Attach a description of the plant upgrade necessary to meet the DEP</li> </ul>	rules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin? N/A	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order of the DEP?	N/A
11. Department of Environmental Protection ID #	3641373
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME:	Florida Water Services Corporation		
SYSTEM NAME	COUNTY: Valencia Terrace / Lake		

# OTHER WATER SYSTEM INFORMATION

Furnish info	ormation below for each system.	. A separate page sho	uld be supplied where necessary.
1. Present ERC's * th	nat system can efficiently serve.	362	2
2. Maximum number o	of ERC's * which can be served.	362	
3. Present system con	nection capacity (in ERC's *) us	ing existing lines.	362
4. Future system coni	nection capacity (in ERC's *) upo	on service area buildou	ut. 362
5. Estimated annual in	crease in ERC's * .		
	I to have fire flow capacity? h capacity is required?	Yes 750 gpm	
7. Attach a description	n of the fire fighting facilities.	N/A	
8. Describe any plans None	and estimated completion dates	for any enlargements	or improvements of this system.
140110			
9. When did the compa	any last file a capacity analysis r	eport with the DEP?	N/A
10. If the present syste	em does not meet the requireme	ents of DEP rules:	N/A
a. Attach a descri	ption of the plant upgrade neces	ssary to meet the DEP	rules.
b. Have these pla	ns been approved by DEP?		
c. When will cons	truction begin?		
d. Attach plans fo	r funding the required upgrading	J.	
e. Is this system u	under any Consent Order of the	DEP?	-
11. Department of Env	ironmental Protection ID#	P	3351421
12. Water Managemer	nt District Consumptive Use Peri	mit#	2632
a. Is the system in	n compliance with the requireme	nts of the CUP?	Yes
b. If not, what are	the utility's plans to gain complia	ance?	
	tww.	11 11 11 W 12 1 1 1 1 1 1 1 1 1 1 1 1 1	
· · · · · · · · · · · · · · · · · · ·			- W.W.

W-14 **GROUP 40** SYSTEM Valencia Terrace

Note: This data includes Group 37 Saratoga Hoarbour

\* An ERC is determined based on the calculation on the bottom of Page W-13

Motor Services Corporation
UTILITY NAME: Florida Water Services Corporation SYSTEM NAME / COUNTY: Venetian Village / Lake
SYSTEM NAME / COUNTY. Venedan vary

Furnish information below for each system.		
Present ERC's * that system can efficiently serve.	149	
Maximum number of ERC's * which can be served.	149	
Maximum number of ERCs Willow ERC's *) usi	na existing lines.	149
Present system connection capacity (in ERC's *) using	en convice area buildout.	149
Present system connection capacity (in ERC's *) upo	OH Selvice area a a	
Estimated annual increase in ERC's * .	None	
to have fire flow capacity?	No	
If so, now much ser	None	
7. Attach a description of the fire fighting facilities.	None enlargements 0	r improvements of this system.
<ol> <li>Describe any plans and estimated completion date</li> </ol>	es for any emargemente s	
None	DED2	N/A
<ol> <li>When did the company last file a capacity analysis</li> <li>If the present system does not meet the requiren</li> <li>Attach a description of the plant upgrade necessity</li> </ol>	nents of DEI Talos.	rules.
b. Have these plans been approved by DEP?	N/A	
c. When will construction N/A		
s. funding the required upgrad	ding.	No
d. Attach plans for funding the required upgrad	the DEP!	
e. Is this system under any Consent Order of	3351426	
e. Is this system under any Consent Order of	3351426	2608
e. Is this system under any Consent Order of  11. Department of Environmental Protection ID #	3351426 Permit #	2608 Yes
e. Is this system under any Consent Order of	3351426 Permit #	

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Wa	ater Services Corporation
SYSTEM NAME / COUNTY	Welaka / Saratoga Harbor / Putnam

Furnish information below for each system. A separate page should be supplied where necessary.				
Present ERC's * that system can efficiently serve	2			
Maximum number of ERC's * which can be served142				
Present system connection capacity (in ERC's *) using existing lines.  142				
4. Future system connection capacity (in ERC's *) upon service area buildout.  142				
5. Estimated annual increase in ERC's * . None				
6. Is the utility required to have fire flow capacity?  If so, how much capacity is required?  No  N/A				
7. Attach a description of the fire fighting facilities.				
Describe any plans and estimated completion dates for any enlargements or improvements of this system.  None				
Teorie				
When did the company last file a capacity analysis report with the DEP?	N/A			
10. If the present system does not meet the requirements of DEP rules:	N/A			
Attach a description of the plant upgrade necessary to meet the DEP rules.				
b. Have these plans been approved by DEP?				
c. When will construction begin?				
d. Attach plans for funding the required upgrading.				
e. Is this system under any Consent Order of the DEP?				
11. Department of Environmental Protection ID #	2541242			
12. Water Management District Consumptive Use Permit #	N/A			
a. Is the system in compliance with the requirements of the CUP?	Yes			
b. If not, what are the utility's plans to gain compliance?	N/A			

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Water Services Corporation
SYSTEM NAME / COUNTY: Wooten / Putnam

# OTHER WATER SYSTEM INFORMATION

	OTHER WATER			1
		A senarate page should be	supplied where necessary.	4
Furnish informati	on below for each system.	A separati	28	4
	- the conve		26	1
Present ERC's * that s)	stem can efficiently serve.		28	$\neg$
			28	7
To and system connect	tion capacity (in ERC's *) us	sing existing in a puildout.	28	
Present system connec	tion capacity (in ERC's *) up	oon service area ban-		
. Future system 65.  5. Estimated annual incre	ease in ERC's *.	None		
	fire tiny capacity	No		$\neg$
6. Is the utility required to find the first of the first	capacity is required?	None		
7. Attach a description	of the fire fighting facilities.	ates for any enlargements o	r improvements of thi <u>s</u> system.	
8. Describe any plans a	nd estimated completion as			
None		with the DEP?	N/A	
did the comp	any last file a capacity analy	rsis report with an		
9. When did an	em does not meet the requi	rements of DEF Tules.	rules.	
10. If the present of	ription of the plant upgrade	necessary to meet the DEP		
a. Attach a desc	lans been approved by DEF	? <u>N/A</u>		
b. Have these p	Ians been appro-			
c. When will co	nstruction N/A	grading.		
d. Attach plans	for funding the required up	or of the DEP?	No	
, this syste	m under any Consent Olde			
	Environmental Protection 12		N/A	
•	- Lit Constitutive	<del>-</del> -	Yes	
1	m in compliance With the h		N/A	
a. Is the syst	t are the utility's plans to ga	in compliance?		
h If not, wha	tale me amy - '			

SYSTEM Wooten

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13

UTILITY NAME: Florida Wat	er Services Corporation	
SYSTEM NAME / COUNTY:	Zephyr Shores / Pasco	

Furnish information below for each system.	A separate page should be supplied where nec	essary.		
Present ERC's * that system can efficiently serve	517			
2. Maximum number of ERC's * which can be served	517			
Present system connection capacity (in ERC's *) using existing lines.      517				
4. Future system connection capacity (in ERC's *) upon service area buildout.  517				
5. Estimated annual increase in ERC's * .	None			
	es 500 gpm			
7. Attach a description of the fire fighting facilities.	None			
Describe any plans and estimated completion dates for any enlargements or improvements of this system.  None				
	and with the DEDO AVA			
<ol><li>When did the company last file a capacity analysis re</li></ol>				
10. If the present system does not meet the requiremer	ts of DEP rules: N/A	· · · · · · · · · · · · · · · · · · ·		
a. Attach a description of the plant upgrade necess	ary to meet the DEP rules.			
b. Have these plans been approved by DEP?	N/A			
c. When will construction begin?	N/A			
d. Attach plans for funding the required upgrading.	N/A			
e. Is this system under any Consent Order of the	DEP? N/A			
,	8512018			
12. Water Management District Consumptive Use Pern				
a. Is the system in compliance with the requiremen				
b. If not, what are the utility's plans to gain complia	IICE! IN/A			

<sup>\*</sup> An ERC is determined based on the calculation on the bottom of Page W-13