WATER OPERATION SECTION

AQUA UTILITES FLORIDA, INC.

December 31, 2006

WATER LISTING OF SYSTEM GROUPS

List below the name of each reporting system and its certificate number. Those systems which have been consolidated under the same tariff should be assigned a group number. Each individual system which has not been consolidated should be assigned its own group number.

The water financial schedules (W-2 through W-10) should be filed for the group in total.

The water engineering schedules (W-11 through W-14) must be filed for each system in the group.

All of the following water pages (W-2 through W-14) should be completed for each group and arranged by group number.

SYSTEM NAME / C	COUNTY	CERTIFICATE NUMBER	GROUP NUMBER
Arredondo Estates	/ Alachua	549-W	1-1
Arredondo Farms	/ Alachua	549-W	1-2
Kingswood	/ Brevard	2-W	2-1
Oakwood	/ Brevard	2-W	2-2
Lake Josephine	/ Highlands	422-W	3-1
Leisure Lakes	/ Highlands	422-W	3-2
Sebring Lakes	/ Highlands	422-W	3-3
48 Estates	/ Lake	106-W	4-1
Carlton Village	/ Lake	106-W	4-2
East Lake Harris Estates	/ Lake	106-W	4-3
Fern Terrace	/ Lake	106-W	4-4
Friendly Center	/ Lake	106-W	4-5
Grand Terrace	/ Lake	106-W	4-6
Haines Creek	/ Lake	106-W	4-7
Hobby Hills	/ Lake	106-W	4-8
Holiday Haven/Imperial Mobil Terrace	/ Lake	106-W	4-9
Imperial	/ Lake	106-W	4-10
Kings Cove	/ Lake	106-W	4-11
Morningview	/ Lake	106-W	4-12
Palms Mobile Home Park	/ Lake	106-W	4-13

NOTE: There are no Group 5 numbers within the Water section of this filing.

WATER LISTING OF SYSTEM GROUPS

List below the name of each reporting system and its certificate number. Those systems which have been consolidated under the same tariff should be assigned a group number. Each individual system which has not been consolidated should be assigned its own group number.

The water financial schedules (W-2 through W-10) should be filed for the group in total.

The water engineering schedules (W-11 through W-14) must be filed for each system in the group.

All of the following water pages (W-2 through W-14) should be completed for each group and arranged by group number.

SYSTEM NAME / COUNTY		CERTIFICATE NUMBER	GROUP NUMBER
Picciola Island	/ Lake	106-W	4-14
Piney Woods/Spring Lake	/ Lake	106-W	4-15
Quail Ridge	/ Lake	106-W	4-16
Ravenswood	/ Lake	106-W	4-17
Silver Lake/Western Shores	/ Lake	106-W	4-18
Skycrest	/ Lake	106-W	4-19
Stone Mountain	/ Lake	106-W	4-20
Summit Chase	/ Lake	106-W	4-21
Valencia Terrace	/ Lake	106-W	4-22
Venetian Village	/ Lake	106-W	4-23
Ocala Oaks	/ Marion	346-W	6-1
Tangerine	/ Orange	84-W	7-1
Lake Osborne Estates	/ Palm Beach	53-W	8-1
Jasmine Lakes	/ Pasco	209-W	9-1
Palm Terrace	/ Pasco	209-W	9-2
Zephyr Shores	/ Pasco	209-W	9-3
Gibsonia Estates	/ Polk	587-W	10-1
Lake Gibson Estates	/ Polk	587-W	10-2
Orange Hill/Sugar Creek	/ Polk	587-W	10-3
Rosalie Oaks	/ Polk	587-W	10-4

NOTE: There are no Group 5 numbers within the Water section of this filing.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

WATER LISTING OF SYSTEM GROUPS

List below the name of each reporting system and its certificate number. Those systems which have been consolidated under the same tariff should be assigned a group number. Each individual system which has not been consolidated should be assigned its own group number.

The water financial schedules (W-2 through W-10) should be filed for the group in total.

The water engineering schedules (W-11 through W-14) must be filed for each system in the group.

All of the following water pages (W-2 through W-14) should be completed for each group and arranged by group number.

SYSTEM NAM	E / COUNTY	CERTIFICATE NUMBER	GROUP NUMBER
Village Water	/ Polk	587-W	10-5
Beecher's Point	/ Putnam	76-W	11-1
Hermits Cove	/ Putnam	76-W	11-2
Interlachen Lake/Park Manor	/ Putnam	76-W	11-3
Palm Port	/ Putnam	76-W	11-4
Pomona Park	/ Putnam	76-W	11-5
River Grove	/ Putnam	76-W	11-6
Silver Lake Oaks	/ Putnam	76-W	11-7
St. John's Highlands	/ Putnam	76-W	11-8
Welaka/Saratoga Harbour	/ Putnam	76-W	11-9
Wooten	/ Putnam	76-W	11-10
Chuluota	/ Seminole	279-W	12-1
Harmony Homes	/ Seminole	279-W	12-2
The Woods	/ Sumter	507-W	13-1
Jungle Den	/ Volusia	238-W	14-1
Tomoka/Twin Rivers	/ Volusia	238-W	14-2
	/ Washington	501-W	15-1

NOTE: There are no Group 5 numbers within the Water section of this filing.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ARREDONDO ESTATES / ALACHUA

PUMPING AND PURCHASED WATER STATISTICS

	WATER PURCHASED FOR RESALE	FINISHED WATER PUMPED FROM WELLS	WATER USED FOR LINE FLUSHING, FIGHTING	TOTAL WATER PUMPED AND PURCHASED (Omit 000's)	WATER SOLD TO CUSTOMERS
MONTH	(Omit 000's)	(Omit 000's)	FIRES, ETC.	[(b)+(c)-(d)]	(Omit 000's)
(a)	(b)	(c)	(d)	(e)	(f)
January		1,459	73	1,386	1,039
February		1,229	62	1,167	1,199
March		1,441	90	1,351	996
April		1,649	82	1,567	921
May		2,319	116	2,203	952
June		1,853	93	1,760	931
July		1,645	82	1,563	1,023
August		1,702	85	1,617	829
September		1,713	86	1,627	954
October		1,613	80	1,533	803
November		1,491	132	1,359	489
December		1,569	79	1,490	2,178
Total for Year	N/A	19,683	1,060	18,623	12,314
Vendor		N/A			
Point of del	ivery .	N/A			
If water is sold		for redistribution, list r N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	172,800 172,800	Unknown Unknown	Aquifer Aquifer

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: ARREDONDO FARMS / ALACHUA

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 2,094 1,577 1,869 1,629 1,893 1,534 1,913 1,739 1,917 1,846	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 105 79 93 90 95 77 95 87 96	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,989 1,498 1,776 1,539 1,798 1,457 1,818 1,652 1,821 1,754	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 1,716 2,235 1,174 1,793 1,156 1,491 1,760 1,419 1,755 1,811
November December		2,034 2,165	102 108	1,932 2,057	806 2,291
Total for Year	N/A	22,210	1,119	21,091	19,407
If water is pure Vendor Point of deli		nte the following: N/A N/A			
	to other water utilities	for redistribution, list r N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	417,600	Unknown Unknown	Aquifer Aquifer

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

KINGSWOOD / BREVARD

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	344		17_	327	269
February	286		14	272	321
March	274		14	260	268
April	277		14	263	252
May	350		18	332	281
June	327		17	310	366
July	342		27	315	278
August	306 349		20	286	291
September October	303		18 15	331 288	262 281
November	344		17	327	330
December	218		17	207	236
Total for Year	3,720	N/A	202	3,518	3,435
If water is pure	hased for resale, indica	te the following: Brevard County Utilitie	es		
Point of deli	ivery 4	" Compound meter at	the entrance to Kingswoo	d subdivision	
If water is sold		for redistribution, list r	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with Brevard County Utilities			Purchase

December 31, 2006

SYSTEM NAME / COUNTY: OAI

OAKWOOD / BREVARD

PUMPING AND PURCHASED WATER STATISTICS

MONTH	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC.	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)]	WATER SOLD TO CUSTOMERS (Omit 000's)
January February March April May June July August September October November December	1,037 746 815 987 987 1,096 1,527 1,229 979 1,087 1,043	(c)	(d) 52 37 41 49 49 55 77 118 99 54 52 42	(e) 985 709 774 938 938 1,041 1,450 1,111 880 1,033 991 795	(f) 795 741 863 784 896 930 905 861 876 794 1,045
Total for Year	12,370	N/A	725	11,645	10,217
Vendor Point of deli	to other water utilities	Brevard County Utilitie " Compound meter at	es the entrance to Oakwood names of such utilities bel		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with Brevard County Utilities			Purchase

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

LAKE JOSEPHINE / HIGHLANDS

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	WATER PUMPED FROM WELLS (Omit 000's) (c)	FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		2,264	833	1,431	3,329
February		2,113	826	1,287	4,588
March		3,092	875	2,217	2,509
April		2,730	856	1,874	4,708
May		3,444	892	2,552	3,667
June		3,056	873	2,183	4,142
July		1,739	807	932	3,271
August		2,467	843	1,624	2,752
September		2,555	874	1,681	3,673
October		3,972	919	3,053	3,961
November		3,237	502	2,735	43,725
December		3,123	516	2,607	(35,794)
Total for Year		33,792	9,616	24,176	44,531
If water is purch Vendor Point of deliv		ate the following: N/A N/A			

Sebring Lakes system (Group 3-3) through that interconnect.

providing water to Lake Josephine customers. Data in column (f) above includes water received from the

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	272,000 36,000	88,000 12,000	Ground Ground

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

December 31, 2006

SYSTEM NAME / COUNTY: LEISURE LAKES / HIGHLANDS

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,135 1,070 1,517 1,804	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 57 53 76 210	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,078 1,017 1,441 1,594 645	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 624 829 663 683 551
May June July August September October November December		810 566 576 698 807 745 1,101 818	165 28 29 35 40 37 88 103	538 547 663 767 708 1,013 715	351 419 457 437 370 548 10,868 (9,334)
Total for Year	N/A	11,647	921	10,726	7,115
Vendor Point of del	to other water utilities	N/A N/A	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	432,000 72,000	16,000 3,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: SEBRING LAKES / HIGHLANDS

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 4,332 2,304 2,921 3,901 2,714 1,763 3,017	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 1,296 1,195 1,226 1,275 1,216 1,168 1,231	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 244 304 284 341 611 493 401
August September October November December		2,552 2,593 2,142 1,176 1,273	1,207 1,274 1,187 559 64	1,345 1,319 955 617 1,209	316 261 379 1,230 341
Total for Year	N/A	30,688	12,898	17,790	5,205
Vendor Point of del	ivery	N/A N/A	names of such utilities bel	OW.	

Note: In October 2002, the Sebring Lakes system was interconnected with the Lake Josephine system and began

providing water to Lake Josephine customers. Data in column (e) includes water delivered to Lake Josephine

(Group 3-1) through that interconnect.

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	140,000	21,000 21,000	Ground Ground

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

48 ESTATES / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 678 513 756 850 995 839 897 911 713	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 34 26 38 42 50 42 45 45 45	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 644 487 718 808 945 797 852 866 677	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 504 438 467 618 620 875 604 717 710
September October November December		713 824 701 685	36 41 35 34	783 666 651	580 651 491
Total for Year	N/A	9,362	468	8,894	7,275
Vendor Point of deli	veryto other water utilities	N/A N/A for redistribution, list n	names of such utilities belo	ow:	
		N/A			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Wells	Unknown	25,000	Ground

AQUA UTILITES FLORIDA, INC.

N VII I ACE / I AKE

SYSTEM NAME / COUNTY: CARLTON VILLAGE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,461 1,318 1,921 2,427 2,369 1,795 1,738 1,946 1,653	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 73 66 96 121 119 90 87 97 83	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,388 1,252 1,825 2,306 2,250 1,705 1,651 1,849 1,570	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 1,260 1,733 1,356 2,031 1,764 2,083 1,407 1,548 1,513
November December		2,282 2,023 1,490	114 101 74	2,168 1,922 1,416	1,570 1,630 1,322
Total for Year	N/A	22,423	1,121	21,302	19,217
Vendor Point of deli	very	N/A N/A	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	288,000 288,000	21,000	Deep Well Deep Well

SYSTEM NAME / COUNTY: EAST LAKE HARRIS ESTATES / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 118 171 345 5 6 660 395 374	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 112 162 328 4 1 627 375 355	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 473 485 520 574 428 419 352 328 448
October November December		530 466 513	26 23 33	504 443 480	446 442 526 476
Total for Year	N/A	3,586	193	3,393	5,471
Vendor Point of deli	to other water utilities	N/A N/A for redistribution, list r	names of such utilities belo	ow:	
		N/A			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	288,000	14,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: FERN TERRACE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 917 846 1,244 1,306 1,339 1,138 1,157 1,063 950	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 46 42 62 65 67 57 58 53 48	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 871 804 1,182 1,241 1,272 1,081 1,099 1,010 902	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 810 778 815 1,191 1,110 1,317 998 931 968
October November December		1,217 991 1,031	61 50 51	1,156 941 980	959 963
Total for Year	N/A	13,199	660	12,539	11,655
Vendor Point of deli	very	N/A N/A for redistribution, list n	names of such utilities belo	ow:	
	1	N/A			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	259,200	31,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

FRIENDLY CENTER / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		646 521 617 766 756 23 227 226 737 250 172 152	32 26 34 38 38 1 11 11 37 13 9	614 495 583 728 718 22 216 215 700 237 163 144	160 125 173 174 189 243 159 168 260 197 155
Total for Year	N/A	5,093	258	4,835	2,111
Vendor Point of del	to other water utilities	N/A N/A	ames of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	144,000	4,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

GRAND TERRACE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		779 918 977 1,138 1,222 1,035 1,076 972 789 966 752 656	39 46 49 57 61 52 54 49 39 48 37	740 872 928 1,081 1,161 983 1,022 923 750 918 715 623	641 636 826 1,035 963 1,216 780 945 849 790 791
Total for Year	N/A	11,280	564	10,716	10,140
Vendor Point of del	to other water utilities	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	864,000	25,000	Deep Well

December 31, 2006

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: HAIN

HAINES CREEK / LAKE

PUMPING AND PURCHASED WATER STATISTICS

December 558 28 530 57 Total for Year N/A 7,934 399 7,535 7,1 If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A	MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 519 501 809 953 899 660 590 593 593 550 692	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 26 25 40 48 45 33 30 30 27	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 493 476 769 905 854 627 560 563 523	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 437 469 547 858 702 808 508 506 557
for Year N/A 7,934 399 7,535 7,1 If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A						634 573
Vendor N/A Point of delivery N/A		N/A	7,934	399	7,535	7,111
	Vendor		N/A			
If water is sold to other water utilities for redistribution, list names of such utilities below: N/A	If water is sold			names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well	20,000	15,000	Aquifer

SYSTEM NAME / COUNTY:

HOBBY HILLS / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		614	31	583	465
February		742	37	705	435
March		685	34	651	544
April		802	40	762	589
May		879	44	835	637
June		653	33	620	639
July		62	3	59	461
August		715	36	679	458
September		636	32	604	572
October		721	36	685	519
November		672	33	639	600
December		657	33	624	459
Total for Year	N/A	7,838	392	7,446	6,378
Vendor		N/A			
Point of deli	very	N/A			
f water is sold		for redistribution, list n	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	252,000 216,000	9,000	Deep Well Deep Well

SYSTEM NAME / COUNTY:

HOLIDAY HAVEN/IMPERIAL MOBIL TERRACE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	641		32	609	387
February	517		26	491	360
March	564		28	536	333
April	563			535	465
May	635		32	603	451
June	684		34	650	438
July	531		27	504	382
August	819		41	778	372
September	757		38	719	458
October	460		23	437	348
November	515		26	489	402
December	563		28	535	427
Total for Year	7,249 *	N/A	363	6,886	4,823
If water is pure Vendor Point of del		te the following: Astor - Astor Park Wat " Compound Meter at			
If water is sold		for redistribution, list r N/A	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with Astor		**************************************	Purchase

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

IMPERIAL / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 147 98 174 133 77 182 61 38 22 40	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 62 78 164 124 73 169 56 31 18	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 639 693 727 923 710 662 505 494 496 493
November December Total for Year	N/A	44 43	4 2	40 41	733 639
		1,059 Ite the following: N/A N/A	167	<u>892</u>	7,714
If water is sold		for redistribution, list n N/A	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	576,000 132,480	15,000 4,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

KINGS COVE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October		2,674 2,089 3,670 4,275 4,467 3,381 3,573 3,502 3,183 4,441	134 104 184 214 223 169 179 175 159	2,540 1,985 3,486 4,061 4,244 3,212 3,394 3,327 3,024 4,219	2,084 2,468 2,280 4,019 4,068 3,846 3,267 3,364 3,311 3,119
November December Total for Year	N/A	3,035 2,669 40,959	152 133 2,048	2,883 2,536 38,911	3,690 2,930 38,446
Vendor Point of del	to other water utilities	N/A N/A	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well	Unknown	115,000	Ground

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

MORNINGVIEW / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 227 251 341 417 342 300 251 212 208 289 239 281	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 13 12 90 21 17 15 13 11 10 14 12 14	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 214 239 251 396 325 285 285 238 201 198 275 227	WATER SOLD TO CUSTOMERS (Omit 000's) (t) 156 200 234 297 342 317 210 182 187 176 219
Total for Year	N/A	3,358	242	3,116	2,701
Vendor Point of deli	very 1	N/A N/A	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	612,000	6,000	Deep Well

December 31, 2006

SYSTEM NAME / COUNTY:

PALM MOBILE HOME PARK / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		480 470 526 444 453 485 532 615 520 554 454	44 48 52 39 37 50 47 52 43 55 35 43	436 422 474 405 416 435 485 563 477 499 419 492	106 136 145 148 88 98 140 83 86 60 57
Total for Year	N/A	6,068	545	5,523	1,253
Vendor Point of del	to other water utilities	N/A N/A	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	187,200	3,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: PICCIOLA ISLAND / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,338 1,137 1,304 1,364 1,667 1,265 1,300 1,232	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 67 57 65 68 83 63 63 65	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,271 1,080 1,239 1,296 1,584 1,202 1,235 1,170	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 758 1,025 862 1,153 1,038 1,416 966 1,080
September October November December		1,042 1,506 1,135 1,030	52 75 57 52	990 1,431 1,078 978	1,018 805 876 1,245
Total for Year	N/A	15,320	<u>766</u>	14,554	12,242
Vendor Point of deli	very	N/A N/A for redistribution, list n	names of such utilities belo	ow:	
	1	N/A			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	252,000 144,000	7,000 4,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: PINEY WOODS/SPRING LAKE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,300 1,250 1,678 1,977 2,187 1,647 1,560 1,757	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 65 63 84 99 109 82 78 88	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,235 1,187 1,594 1,878 2,078 1,565 1,482 1,669	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 1,282 1,105 1,221 1,665 1,736 1,998 1,617 1,320
September October November December Total		1,556 1,886 1,701 1,540	78 94 85 77	1,478 1,792 1,616 1,463	1,541 1,614 1,595 1,534
Vendor Point of del	ivery	N/A N/A	1,002	19,037	18,228
If water is sold		for redistribution, list r	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	432,000 201,600	28,000 13,000	Deep Well Deep Well

December 31, 2006

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: QUAIL RIDGE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August Sentember	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 461 401 615 710 720 517 579 63 489	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 23 20 31 35 36 26 29 3 25	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 438 381 584 675 684 491 550 60 464	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 416 384 531 659 588 647 469 568
September October November December		588 500 481	25 29 27 24	464 559 473 457	581 521 532 485
Total for Year	N/A	6,124	308	5,816	6,381
Vendor Point of deli	to other water utilities	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	936,000	14,000	Deep Well

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: RAVENSWOOD / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 316 265 385 431 512 376 386 457 413 458	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 16 13 20 23 28 19 19 19 23 20 24	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 300 252 365 408 484 357 367 434 393 434	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 225 312 285 406 418 471 360 340 440 340
November December		364 314	18 16	346 298	$\frac{340}{420}$
Total for Year	N/A	4,677	239	4,438	4,017
Vendor Point of deli	to other water utilities	N/A N/A	names of such utilities belo	ow:	
	1	V/A			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Wells	100,000	13,000	Aquifer

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

SILVER LAKE/WESTERN SHORES / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 22,375 20,507 33,971 36,149 38,459	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 1,122 1,027 1,700 1,809 1,923	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 21,253 19,480 32,271 34,340 36,536	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 17,611 18,782 23,407 42,182 19,404
June July August September October November December Total for Year	N/A	30,806 29,303 29,823 27,353 36,734 28,968 24,844	1,540 1,468 1,491 1,370 1,839 1,453 1,245	29,266 27,835 28,332 25,983 34,895 27,515 23,599	33,856 22,172 26,500 33,892 22,225 24,306 21,359
Vendor Point of deli	to other water utilities	N/A N/A	names of such utilities belo		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Silver Lake Estates Well #2 Silver Lake Estates Well #1 Western Shores	2,052,000 2,052,000 864,000	257,000 257,000 108,000	Deep Well Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

SKYCREST / LAKE

PUMPING AND PURCHASED WATER STATISTICS

October 678 34 644 November 668 33 635 December 556 28 528 Total for Year N/A 9,041 452 8,589 If water is purchased for resale, indicate the following: Vendor Vendor N/A	MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 690 592 883 1,032 1,131 901 730 646 534	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 34 30 44 52 57 45 36 32 27	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 656 562 839 980 1,074 856 694 614 507	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 670 531 519 820 895 1,028 759 594 589
Total for Year N/A 9,041 452 8,589 If water is purchased for resale, indicate the following: Vendor N/A	October		678	34	644	476
for Year N/A 9,041 452 8,589 If water is purchased for resale, indicate the following: Vendor N/A						555 589
Vendor N/A		N/A	9,041	452	8,589	8,025
	Vendor		N/A			
Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A		to other water utilities	for redistribution, list r	names of such utilities belo	ow:	MATERIAL STATE OF THE STATE OF

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #2	108,000	19,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

STONE MOUNTAIN / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	PURCHASED FOR RESALE (Omit 000's) (b)	PUMPED FROM WELLS (Omit 000's) (c)	FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		66 61 81 71 102 102 85 62 45 51 108	3 3 4 4 5 8 4 3 2 3 5 7	63 58 77 67 97 94 81 59 43 48 103 133	40 58 49 38 60 116 56 58 41 21 48
Total for Year	N/A	974	51	923	607
Vendor Point of delive	other water utilities	N/A N/A	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	144,000	1,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

SUMMIT CHASE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November		894 1,117 1,485 1,652 1,609 1,546 1,441 1,473 1,508 1,619 1,539	45 56 74 83 81 77 72 74 75 81 77	849 1,061 1,411 1,569 1,528 1,469 1,369 1,399 1,433 1,538 1,462	846 863 929 869 945 954 927 884 1,056 913 848
December Total for Year	N/A	1,806	90 885	1,716	10,746
Vendor Point of del	to other water utilities	N/A N/A	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well	Unknown	38,000	Ground

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: VALENCE

VALENCIA TERRACE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

October November December Total for Year		2,652 2,271 3,068	136 133 114 153	2,331 2,592 2,519 2,157 2,915	2,223 2,069 1,980 2,182 2,058
2		2,797 2,449	140 122	2,657 2,327	2,537 2,580
	N/A	30,926	1,606	29,320	25,055
If water is purchased fo Vendor Point of delivery If water is sold to other	<u> </u>	N/A N/A	names of such utilities belo	ow:	
		N/A			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	1,080,000	38,000 18,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: VENETIAN VILLAGE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		902 838 937 1,031 1,100 880 934 664 644 949 820 827	45 42 47 52 55 44 47 33 32 48 41	857 796 890 979 1,045 836 887 631 612 901 779 786	850 727 757 949 927 799 821 748 765 749 940 789
Total for Year		10,526	527	9,999	9,821
Vendor Point of deli	very to other water utilities	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	1,080,000	38,000 18,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 13,352 11,579 17,752 21,758 24,243 17,343 16,366	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 706 580 980 1,100 1,211 868 859	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 12,646 10,999 16,772 20,658 23,032 16,475 15,507	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 11,593 11,400 12,083 21,641 19,587 16,938 11,178
August September October November December Total for Year	N/A	17,937 15,257 18,657 13,905 12,916	982 892 1,063 710 740	16,955 14,365 17,594 13,195 12,176	15,604 11,488 15,736 16,120 9,903
Vendor Point of deli	hased for resale, indica	ate the following:	DATA BY SYSTEM of such utilities belo	ONLY	1/3,2/1
			DATA BY SYSTEM	ONLY	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
DATA BY SYSTEM ONLY			

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November		613 574 794 812 935 807 927 829 918 948 618	31 29 40 40 47 40 46 42 46 47 31	582 545 754 772 888 767 881 787 872 901 587	1,079 326 362 992 743 839 571 634 588 759
December Total for Year	N/A	9,354		8,886	8,057
Vendor Point of del	ivery]	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	70 GPM 70 GPM	100,800	Ground Ground

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

	WATER PURCHASED FOR RESALE	FINISHED WATER PUMPED FROM WELLS	WATER USED FOR LINE FLUSHING, FIGHTING	TOTAL WATER PUMPED AND PURCHASED (Omit 000's)	WATER SOLD TO CUSTOMERS
MONTH	(Omit 000's)	(Omit 000's)	FIRES, ETC.	[(b)+(c)-(d)	(Omit 000's)
(a)	(b)	(c)	(d)	(e)	(f)
January		202	10	192	174
February		182	9	173	139
March		222	11	211	121
April		279	14	265	159
May		356	18	338	237
June	-	292	15	277	193
July		266	13	253	28
August		358	36	322	287
September		332	19	313	206
October		396	20	376	180
November		295	15	280	342
December		228	11	217	176
Total for Year	N/A	3,408	191	3,217	2,242
Vendor		N/A			
Point of dela	ivery	N/A			
If water is sold	to other water utilities N/A	for redistribution, list n	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	70 GPM	100,800	Ground

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		297 250 337 342 410 327 328 361 345 416 252 300	15 13 70 17 20 16 19 18 19 21 21 13	282 237 267 325 390 311 309 343 326 395 239	236 194 152 352 285 35 236 315 232 420 292 232
Total for Year	N/A	3,965	256	3,709	2,981
Vendor Point of deli	ivery 1	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	70 GPM	100,800	Ground

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		709 647 1,028 1,330 1,196 971 790 903 796 864 724	36 32 51 67 60 49 39 45 40 43 36	673 615 977 1,263 1,136 922 751 858 756 821 688	626 600 492 1,404 1,109 720 43 1,461 974 845 841 438
Total for Year	N/A	10,525	526	9,999	9,553
Vendor Point of del	ivery	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	70 GPM 70 GPM	100,800	Ground Ground

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d) (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		239 200 309 296 309 203 165 207 168 191 154 149	12 10 16 15 15 10 8 10 8 10 8 8	227 190 293 281 294 193 157 197 160 181 146 141	253 352 132 404 421 266 165 170 221 212 178
Total for Year	N/A	2,590	130	2,460	2,889
Vendor Point of del	ivery	N/A N/A	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	50 GPM	72,000	Ground

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	70 GPM	100,800	Ground

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 5,083 4,372 7,276 9,316 10,424 6,805 6,290	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 254 219 364 477 521 340 315	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 4,829 4,153 6,912 8,839 9,903 6,465 5,975	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 4,593 4,605 3,938 10,535 9,530 5,139 4,652
August September October November December		7,403 5,850 7,818 5,569 5,050	313 389 308 466 278 323	7,014 5,542 7,352 5,291 4,727	6,486 4,412 6,696 6,464 3,845
Total for Year	N/A	81,256	4,254	77,002	70,895
Vendor Point of deli	ivery]	N/A N/A	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2 Well #3	220 GPM 300 GPM 440 GPM	316,800 342,000 633,600	Ground Ground Ground

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH	WATER PURCHASED FOR RESALE (Omit 000's)	FINISHED WATER PUMPED FROM WELLS (Omit 000's)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC.	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)]	WATER SOLD TO CUSTOMERS (Omit 000's)
(a)	(b)	(c)	(d)	(e)	(f)
January		1,693	85	1,608	461
February		1,417	71	1,346	1,231
March		2,025	101	1,924	2,122
April		2,513	126	2,387	1,865
May		2,806	140	2,666	1,611
June		2,436	122	2,314	3,596
July		2,270	113	2,157	1,595
August		2,317	116	2,201	2,393
September		2,017	101	1,916	1,798
October		2,235	112	2,123	1,898
November		1,721	86	1,635	1,997
December		1,744	87	1,657	1,348
Total for Year	N/A	25,194	1,260	23,934	21,915
If water is pure	hased for resale, indica	ate the following:			
Point of delivery N/A					
If water is sold to other water utilities for redistribution, list names of such utilities below: N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	200 GPM 200 GPM	288,000 288,000	Ground Ground

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

September 430 65 365 October 384 19 365 November 303 15 288 December 311 16 295	MONTH (a) January February March April May June July	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 490 390 409 492 442 355 403	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 24 19 20 25 22 18 29	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 466 371 389 467 420 337 374	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 513 412 480 440 239 562 323
for Year N/A 4,780 307 4,473 4, If water is purchased for resale, indicate the following: Vendor N/A	October November		384 303	19 15	365 288	299 277 249 352 240
Vendor N/A		N/A	4,780	307	4,473	4,386
If water is sold to other water utilities for redistribution, list names of such utilities below: N/A	Vendor Point of deli	iveryto other water utilities	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	70 GPM 70 GPM	100,800	Ground Ground

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 758	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		914 1,174 1,321 1,139 971 917 971 988 823 689	38 34 46 59 66 57 79 64 114 104 56 43	720 648 868 1,115 1,255 1,082 892 853 857 884 767 646	450 815 452 1,335 1,127 1,214 748 853 487 736 937 525
Total for Year	N/A	11,347	760	10,587	9,679
Vendor Point of deli	ivery 1	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Unknown			

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,057 823 1,101 1,321 1,402 1,007 1,005 1,300 981 1,303	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 90 41 55 66 70 51 50 65 49	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 967 782 1,046 1,255 1,332 956 955 1,235 932 1,238	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 951 797 919 1,015 940 1,652 655 242 578 996
November		1,040	52	988	1,207
December		1,034	52	982	799
Total for Year	N/A	13,374	706	12,668	10,751
If water is pure Vendor Point of del		nte the following: N/A N/A			
If water is sold	to other water utilities N/A	for redistribution, list r	names of such utilities bel	ow:	
		SOIII	RCE OF SUPPLY		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Unknown			

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November		1,817 1,655 2,844 3,306 4,085 2,461 2,374 2,512 2,131 2,752 2,079	91 83 182 165 204 123 119 125 107 138	1,726 1,572 2,662 3,141 3,881 2,338 2,255 2,387 2,024 2,614 1,975	1,955 1,556 2,691 2,696 2,981 2,425 1,861 2,188 1,510 2,450
December Total for Year	N/A	1,944 29,960	1,553	1,973 1,832	2,413 1,490 26,216
Vendor Point of del	ivery]	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Unknown			

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

TANGERINE / ORANGE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 4,091 4,028 5,065 4,833 5,199 4,683 3,685 4,244	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 205 201 253 242 260 334 184 212	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 3,886 3,827 4,812 4,591 4,939 4,349 3,501 4,032	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 2,857 2,600 2,989 4,327 3,192 3,350 2,348 2,907
September October November December		4,067 4,104 3,319 3,019	204 205 166 151	3,863 3,899 3,153 2,868	2,585 2,662 2,874 1,945
Total for Year	N/A	50,337	2,617	47,720	34,636
If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	468,000 360,000	47,000 36,000	Deep Well Deep Well

December 31, 2006

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY:

LAKE OSBORNE ESTATES / PALM BEACH

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July	WATER PURCHASED FOR RESALE (Omit 000's) (b) 4,677 4,037 4,773 4,822 4,692 4,854 3,708	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 234 202 239 241 234 243 185	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 3,827 4,877 3,497 4,270 4,747 4,395 7,685
August September October November December	4,855 3,475 5,015 5,197 3,970		243 174 251 260 198	4,612 3,301 4,764 4,937 3,772	1,550 4,277 1,897 5,148 2,765
for Year If water is pure Vendor		City of Lake Worth	2,704	51,371	48,935
Point of dela	to other water utilities	Michigan Drive for redistribution, list r	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Purchased from City of Lake Worth	N/A	139,000	Purchased

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: JASMINE LAKES / PASCO

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 10,551 8,287 10,426 10,833 10,918 9,876 9,519 9,972 8,363	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 1,382 1,261 930 231 423 343 343 318 326 274	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 9,169 7,026 9,496 10,602 10,495 9,533 9,201 9,646 8,089	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 13,258 8,634 8,834 11,101 10,005 7,145 7,832 6,946 7,896
October November December		9,378 8,967 8,725	340 323 352	9,038 8,644 8,373	8,190 8,337 16,814
Total for Year	N/A	115,815	6,503	109,312	114,992
If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A					
		VA			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Wells	500,000	289,000	Aquifer

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

PALM TERRACE / PASCO

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	6,809		2,388	4,421	4,564
February	5,717		2,253	3,464	8,393
March	5,751	1,194	1,039	5,906	5,731
April	6,950		1,135	5,815	6,451
May	6,993	546	1,309	6,230	6,650
June	5,741	842	1,235	5,348	4,930
July	6,559		1,137	5,422	6,215
August	5,827		262	5,565	5,007
September	6,027		203	5,824	5,202
October	6,805	113	1,194	5,724	5,500
November	6,687		1,170	5,517	17,409
December	5,237		1,083	4,154	-2,596
Total for Year	75,103 *	2,695	14,408	63,390	73,456
-	chased for resale, indica	U			
Vendor		Pasco County Utilities			
Point of del	ivery <u>F</u>	Palm Terrace Interconn	ect		
If water is sold		for redistribution, list n N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	230,400	168,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ZEPHYR SHORES / PASCO

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b) 0 155 220 413 334 484 420 350 357 468	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,179 1,493 2,084 460 297 439 392 438 17 361 903	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 65 142 575 113 91 74 100 99 135 98 109	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,114 1,506 1,729 760 540 849 712 689 239 731 957	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 2,000 1,053 1,210 536 481 867 680 407 497 667 698
December Total for Year	3,686	8,520	1,682	10,524	9,772
Vendor Point of deli	to other water utilities	Pasco County Utilities Zephyr Shroes Intercon	nnect names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	172,800	20,000	Deep Well

December 31, 2006

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: GIBSONIA ESTATES / POLK

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		1,518 1,435 1,869 1,721 2,012 1,724 1,394 1,389 1,340 1,543 1,435 1,476	40 279 189 126 140 126 110 109 50 126 121 123	1,478 1,156 1,680 1,595 1,872 1,598 1,284 1,280 1,290 1,417 1,314 1,353	1,929 1,450 1,664 1,349 1,356 1,574 2,598 1,154 1,377 1,376 1,393 12,052
Total for Year	N/A	18,856	1,539	17,317	29,272
Vendor Point of del	to other water utilities	N/A N/A	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	288,000 100,800	32,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: LAKE GIBSON ESTATES / POLK

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August	WATER PURCHASED FOR RESALE (Omit 000's) (b)	WATER PUMPED FROM WELLS (Omit 000's) (c) 7,337 6,464 8,590 10,033 9,959 8,419 7,295 7,479	FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 236 545 560 713 609 754 568 511	PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 7,101 5,919 8,030 9,320 9,350 7,665 6,727 6,968	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 4,309 9,710 5,643 7,488 8,417 7,082 6,164 6,383
September October November December		7,204 8,493 7,258 6,457	536 548 674 458	6,668 7,945 6,584 5,999	5,922 6,727 6,290 10,044
Total for Year	N/A	94,988	6,712	88,276	84,179
If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below:					
II water is sold		N/A	taines of such diffices ber	JW.	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	1,008,000 576,000	33,000 19,000	Deep Well Deep Well

December 31, 2006

SYSTEM NAME / COUNTY:

ORANGE HILL/SUGAR CREEK / POLK

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,649 1,403 1,986 2,073	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 36 106 135 139	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,613 1,297 1,851 1,934	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 1,560 2,323 1,602 2,109
June July August September October November December		2,484 1,894 1,661 1,713 1,482 1,975 1,758 1,536	165 136 119 131 130 417 148 144	2,319 1,758 1,542 1,582 1,352 1,558 1,610 1,392	2,000 1,743 1,942 1,338 1,477 1,118 1,836 1,148
for Year		ate the following: N/A N/A	1,806	19,808	20,196
If water is sold		for redistribution, list n N/A	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Orange Hill Well #2 Sugar Creek	244,800 80,640	36,000 12,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ROSALIE OAKS / POLK

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		264 295 403 344 317 279 212 276 197 244 229	23 38 43 40 39 37 34 37 33 33 32 27	241 257 360 304 278 242 178 239 164 211 197 196	374 362 418 219 325 181 223 196 230 0
Total for Year	N/A	3,283	416	2,867	3,267
Vendor Point of del	ivery to other water utilities	N/A N/A	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well	20,000	11,000	Aquifer

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

VILLAGE WATER / POLK

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	3,926		161	3,765	4,170
February	3,759		238	3,521	2,329
March	4,400	· · · · · · · · · · · · · · · · · · ·	365	4,035	2,588
April	3,797		1,604	2,193	2,422
May	4,006		550	3,456	2,660
June	4,381		1,183	3,198	2,204
July	4,103		532	3,571	2,877
August	3,963		423	3,540	2,487
September	4,094		365	3,729	3,771
October	4,818		516	4,302	2,697
November	3,931		1,547	2,384	2,786
December	3,187		1,809	1,378	2,722
Total for Year	48,365	N/A	9,293	39,072	33,713
Vendor		te the following: City of Lakeland			
Point of del	ivery <u>F</u>	Reynolds Dr. & Lisa La	ane		
If water is sold to other water utilities for redistribution, list names of such utilities below: N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Purchased	N/A	87,611	Purchased

December 31, 2006

SYSTEM NAME / COUNTY: BEECI

BEECHER'S POINT / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b) 469 379 408 428 484 432 376 455 412	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 24 19 20 21 24 22 19 23 21 16	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 445 360 388 407 460 410 357 432 391 314	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 336 310 239 497 431 349 272 281 286 161
November December	367 329		18 17	349	286 212
Total for Year	4,869	N/A	244	4,625	3,660
If water is purchased for resale, indicate the following: Vendor Town of Welaka Point of delivery 6" Rockwell Meter at 400 Front Street If water is sold to other water utilities for redistribution, list names of such utilities below: N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with the Town of Welaka			Purchase
			•

December 31, 2006

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: HERMITS COVE / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 616 575 715 704 796 553 626 634 596 691 696	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 31 29 36 35 40 27 31 32 30 34 35 35	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 585 546 679 669 756 526 595 602 566 657 661	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 562 593 481 975 993 663 671 711 681 567 995
Total for Year	N/A	7,859	393	7,466	8,587
Vendor Point of deli	to other water utilities This system is intere	N/A N/A for redistribution, list ronnected with and prov	names of such utilities belovides water to St. John's H John's Highlands system	lighlands, Group 11-8.	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	216,000	21,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

INTERLACHEN LAKE/PARK MANOR / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

		FINISHED	WATER USED	TOTAL WATER	
:	WATER	WATER	FOR LINE	PUMPED AND	WATER SOLD
	PURCHASED	PUMPED	FLUSHING,	PURCHASED	TO
	FOR RESALE	FROM WELLS	FIGHTING	(Omit 000's)	CUSTOMERS
MONTH	(Omit 000's)	(Omit 000's)	FIRES, ETC.	[(b)+(c)-(d)]	(Omit 000's)
(a)	(b)	(c)	(d)	(e)	(f)
January		1,885	94	1,791	1,055
February		1,628	81	1,547	864
March		2,017	119	1,898	719
April		2,093	105	1,988	1,269
May		2,196	110	2,086	1,313
June		1,974	99	1,875	1,147
July		2,009	101	1,908	986
August		1,941	97	1,844	972
September		1,749	88	1,661	1,052
October		1,967	98	1,869	850
November		1,846	92	1,754	1,166
December		1,845	92	1,753	881
Total					
for Year	N/A	23,150	1,176	21,974	12,274
If water is pure Vendor Point of del		ate the following: N/A N/A			
If water is sold		for redistribution, list r N/A	names of such utilities bel	ow:	
			DCE OF SUDDI V		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	259,200 230,400	16,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

PALM PORT / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

November 575 29 546 389 December 472 24 448 583 Total for Year N/A 5,560 346 5,214 4,987 If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A	MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 462 379 478 475 560 392 434 411 414 508	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 23 19 24 24 24 88 20 22 20 28 25	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 439 360 454 451 472 372 412 391 386 483	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 424 353 336 475 397 481 447 332 422 348
for Year N/A 5,560 346 5,214 4,987 If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below:						
Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below:		N/A	5,560	346	5,214	4,987
If water is sold to other water utilities for redistribution, list names of such utilities below:	Vendor		N/A		***************************************	
		to other water utilities	for redistribution, list n	ames of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	14,400	13,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

POMONA PARK / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,246 1,033 1,059 1,095 1,207 1,087 1,139	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 62 52 53 55 60 54 57	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,184 981 1,006 1,040 1,147 1,033 1,082	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 915 926 758 1,121 1,052 938 902
August September October November December		1,183 1,092 1,115 868 922	59 55 56 43 46	1,124 1,037 1,059 825 876	1,549 1,960 958 1,059 748
Total for Year	N/A	13,046	652	12,394	12,886
Vendor Point of deli	to other water utilities	N/A N/A for redistribution, list r	names of such utilities belo	ow:	
]	N/A			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	86,400 50,400	20,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

RIVER GROVE / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January		603	30	573	469
February		502	25	477	584
March		612	31	581	403
April		715	36	679	658
May		941	47	894	574
June		708	35	673	855
July		645	32	613	758
August		667	33	634	497
September		524	26	498	703
October		631	32	599	472
November		594	30	564	549
December		577	29	548	584
Total for Year	N/A	7,719	386	7,333	7,106
f water is purc	hased for resale, indica	ate the following:			
Point of deli		N/A			
	to other water utilities		names of such utilities belo	ow:	100 to 110 to 100 to

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	194,400	17,000	Deep Well

December 31, 2006

SYSTEM NAME / COUNTY:

SILVER LAKE OAKS / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		153 135 141 154 141 136 178 141 133 149 153 161	8 7 7 8 7 7 7 16 7 7 7 7	145 128 134 146 134 129 162 134 126 142 145 153	143 158 131 145 145 133 161 139 158 122 144 174
Total for Year	N/A	1,775	97	1,678	1,753
Vendor Point of del	to other water utilities	N/A N/A	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #2	108,000	5,000	Deep Well

SYSTEM NAME / COUNTY:

ST. JOHN'S HIGHLANDS / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)		
December Total for Year	N/A	Note (1)	Note (1)	Note (1)	Note (1)		
Vendor Point of del	If water is purchased for resale, indicate the following: Vendor Note (1): This system is interconnected with Hermits Cove, Group 11-2, and all data above is included therein. Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A						

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnection with Hermits Cove, Group 11-2			

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

WELAKA/SARATOGA HARBOUR / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February		646 524	<u> 32</u> 27	614 497	464 427
March April		666 596	33 30	633 566	413 606
May June		708 607	35	673 577	528 446
July August		671 641	34 32	637 609	589 531
September October November		555 660 639	$ \begin{array}{r} 28 \\ \hline 33 \\ \hline 32 \end{array} $	527 627 607	501 442 648
December		643	32	611	553
Total for Year	N/A	7,556	378	7,178	6,148
If water is purc	hased for resale, indica	ate the following:			
Point of deli		N/A			
If water is sold		for redistribution, list r	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Saratoga Harbour Well #2 Welaka	158,400 109,440	7,000 7,000	Deep Well Deep Well

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: WOOTEN / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 99 107 101 115 129 108 118 118 83 106	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 5 5 6 7 5 6 6 6 7 5 6 6 5 5 5 6 7	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 94 102 96 109 122 103 112 112 78 101	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 55 50 45 88 87 78 89 65 79 46
November December		112 111	6 6	106 105	92
Total for Year	N/A	1,307	67	1,240	829
If water is purc Vendor Point of deli		ate the following: N/A N/A			
If water is sold		for redistribution, list n	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #2	36,000	2,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

CHULUOTA / SEMINOLE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 13,265 11,722	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 180 188	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 13,085 11,534	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 13,055 11,532	
March April May June July August September October November December		15,219 17,908 17,119 13,633 12,905 14,613 12,270 14,170 13,082 11,552	1,051 1,206 984 836 849 825 797 844 875 724	14,168 16,702 16,135 12,797 12,056 13,788 11,473 13,326 12,207 10,828	11,686 15,674 14,972 14,340 11,894 15,153 12,571 12,326 13,190 11,479	
Total for Year	N/A	167,458	9,359	158,099	157,872	
If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A						

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	432,000	27,000	Deep Well
Well #2	720,000	46,000	Deep Well
Well #3	720,000	46,000	Deep Well
Well #5	720,000	46,000	Deep Well

December 31, 2006

SYSTEM NAME / COUNTY:

HARMONY HOMES / SEMINOLE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	27	367	20	374	347
February		355	18	337	331
March		523	26	497	419
April		567	28	539	551
May		569	29	540	461
June		498	25	473	524
July	84	378	32	430	430
August		517	26	491	418
September	4	518	26	496	517
October		503	25	478	430
November		407	20	387	540
December		302	15	287	301
Total for Year	115	5,504	290	5,329	5,269
Vendor		City of Altamonte Sprin			
Point of deli	ivery <u>I</u>	nterconnect at Harmon	ny Homes sub division		
If water is sold		for redistribution, list n	names of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Interconnect with the City of Altamonte Springs	432,000		Deep Well Purchase

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

THE WOODS / SUMTER

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November		199 170 206 204 217 198 207 212 168 199 140	10 9 10 10 11 10 10 11 8 10 7	189 161 196 194 206 188 197 201 160 189	277 254 291 249 267 344 233 282 519 308
Total for Year	N/A	2,192	110	2,082	3,400
Vendor Point of deli	ivery to other water utilities	N/A N/A	ames of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well	15,000		Aquifer

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

JUNGLE DEN / VOLUSIA

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December	210 212 202 177 171 184 141 322 149 138 161 207		11 11 10 9 9 9 7 16 7 7 8	199 201 192 168 162 175 134 306 142 131 153	176 190 183 224 152 137 117 136 123 123 186 159
Total for Year	2,274	N/A	114	2,160	1,906
Vendor Point of deli	to other water utilities	Astor - Astor Park Wate "Kent Meter at Juno		ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with Astor			Purchase

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: TOMOKA/TWIN RIVERS / VOLUSIA

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 2,091	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,985	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 2,034
February March April May June July August September October November December		1,748 2,336 2,934 3,251 2,313 2,429 3,081 2,327 2,577 2,290 2,369	87 117 147 162 116 164 154 116 129 114 119	1,661 2,219 2,787 3,089 2,197 2,265 2,927 2,211 2,448 2,176 2,250	1,646 1,423 2,754 3,068 2,223 1,705 2,407 2,350 1,972 2,030 2,213
Total for Year	N/A	29,746	1,531	28,215	25,825
Vendor Point of del	to other water utilities	N/A N/A	ames of such utilities belo	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Tomoka View Well #2 Tomoka View	144,000 288,000	14,000 28,000	Deep Well Deep Well
Well #1 Twin Riviers	180,000	18,000	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

SUNNY HILLS / WASHINGTON

PUMPING AND PURCHASED WATER STATISTICS

October 7,532 5,082 2,450 4,0 November 6,027 4,301 1,726 4,2 December 5,672 2,534 3,138 2,3 Total Total 7,532 7,000 <th>MONTH (a) January February March April May June July August September</th> <th>WATER PURCHASED FOR RESALE (Omit 000's) (b)</th> <th>FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 5,389 6,775 7,879 8,235 8,050 8,047 8,268 7,341 7,100</th> <th>WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 1,884 3,082 4,157 4,642 3,167 2,984 3,845 4,487</th> <th>TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 3,505 3,693 3,722 3,593 4,883 5,063 4,423 2,854</th> <th>WATER SOLD TO CUSTOMERS (Omit 000's) (f) 1,814 2,053 2,286 4,237 3,268 5,025 5,401 5,077</th>	MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 5,389 6,775 7,879 8,235 8,050 8,047 8,268 7,341 7,100	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 1,884 3,082 4,157 4,642 3,167 2,984 3,845 4,487	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 3,505 3,693 3,722 3,593 4,883 5,063 4,423 2,854	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 1,814 2,053 2,286 4,237 3,268 5,025 5,401 5,077
for Year N/A 86,324 44,800 41,524 42,2 If water is purchased for resale, indicate the following: Vendor N/A	October November		7,532 6,027	5,082 4,301	2,450 1,726	2,510 4,005 4,225 2,319
Vendor N/A		N/A	86,324	44,800	41,524	42,220
If water is sold to other water utilities for redistribution, list names of such utilities below: N/A	Vendor Point of del	ivery to other water utilities	N/A N/A for redistribution, list n	names of such utilities bel	ow:	

SOURCE OF SUPPLY

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	432,000	6,000	Deep Well
Well #4	504,000	7,000	Deep Well
Well #5	288,000	4,000	Deep Well

THIS PAGE LEFT BLANK INTENTIONALLY

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: ARREDONDO ESTATES / ALACHUA

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plan	t (GPD):	.230 MGD		
Location of measurement o (i.e. Wellhead, Storage Tan		Wellhead		
Type of treatment (revers (sedimentation, chemical, a		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pound per gallon):	ls N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet)	: <u>N/A</u>	Manufacturer:	N/A	

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: ARREDONDO FARMS / ALACHUA

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	.240 MGD		
Location of measurement of continuous (i.e. Wellhead, Storage Tank):		Wellhead		
Type of treatment (reverse (sedimentation, chemical, aer		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

KINGSWOOD / BREVARD

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Interconnected with l	Brevard County Utilities
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	N/A	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	N/A	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OAKWOOD / BREVARD

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Pla	nt (GPD):	Interconnected with	Brevard County Utilities
Location of measurement (i.e. Wellhead, Storage Ta	• •	N/A	
Type of treatment (rever (sedimentation, chemical,		N/A	
		LIME TREATMENT	
Unit rating (i.e., GPM, poun per gallon):	ds N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): <u>N/A</u>	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

LAKE JOSEPHINE / HIGHLANDS

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	300,000		
Location of measurement of continuous (i.e. Wellhead, Storage Tank):		Wellhead		
Type of treatment (reverse (sedimentation, chemical, aer		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: LEISURE LAKES / HIGHLANDS

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant	(GPD):	72,000		
Location of measurement of (i.e. Wellhead, Storage Tank		Wellhead and/or Di	stribution	
Type of treatment (reverse (sedimentation, chemical, ae		Chlorination and Ac	eration	
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SEBRING LAKES / HIGHLANDS

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant	(GPD):	N/A		
Location of measurement of (i.e. Wellhead, Storage Tank		NI/A		
(i.e. Wennead, Storage Tank	.):	N/A		
Type of treatment (reverse (sedimentation, chemical, ac	· ·	N/A		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds				
per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

48 ESTATES / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (G	PD):	57,600		
Location of measurement of cap (i.e. Wellhead, Storage Tank):	pacity	Wellhead		
Type of treatment (reverse os (sedimentation, chemical, aerat	· ·	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

CARLTON VILLAGE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		288,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	y	Wellhead and/or Di	etribution	
Type of treatment (reverse osmosi (sedimentation, chemical, aerated, e	•	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet): N	/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N	/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

EAST LAKE HARRIS ESTATES / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	288,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead and/or Dis	tribution	***
Type of treatment (reverse osmo (sedimentation, chemical, aerated		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

FERN TERRACE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	259,200	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distr	ribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: FRIENDLY CENTER / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	144,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dis	tribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination		
	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY:

GRAND TERRACE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant	(GPD):	864,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead and/or Dis	tribution	
Type of treatment (reverse (sedimentation, chemical, as		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: HAINES CREEK / LAKE

WATER TREATMENT PLANT INFORMATION

20,000	
Wellhead	
Chlorination	
LIME TREATMENT	
Manufacturer:	N/A
Manufacturer:	N/A
Manufacturer:	N/A
	Chlorination LIME TREATMENT Manufacturer: Manufacturer:

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

HOBBY HILLS / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	216,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead and/or Dis	stribution	
Type of treatment (reverse (sedimentation, chemical, aer		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds				
per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Turns and size of area:				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY:

HOLIDAY HAVEN/IMPERIAL MOBIL TERRACE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GP	'D):	Interconnected with A	Astor
Location of measurement of capa (i.e. Wellhead, Storage Tank):	acity		
Type of treatment (reverse osmotion, chemical, aerate	-		
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

IMPERIAL / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	132,480	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer: N/A	
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer: N/A	
Gravity (in GPM/square feet): N/A	Manufacturer: N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

KINGS COVE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	378,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

MORNINGVIEW / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	612,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dis	tribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

PALM MOBILE HOME PARK / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	187,200		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dis	tribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination		_
	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

PICCIOLA ISLAND / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		144,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhea	d and/or Distribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.)		ntion	
	LIME TREAT	MENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufac	cturer: N/A	
FILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufac	eturer: N/A	
Gravity (in GPM/square feet): N/A	Manufac Manufac	eturer: N/A	

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: PINEY WOODS/SPRING LAKE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD)):	201,600		
Location of measurement of capaci (i.e. Wellhead, Storage Tank):	ity	Wellhead and/or Dist	ribution	
Type of treatment (reverse osmo (sedimentation, chemical, aerated,		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

QUAIL RIDGE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	936,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distr	ibution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: RAVENSWOOD / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	100,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

SILVER LAKE/WESTERN SHORES / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	2,916,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Di	istribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION		
Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: SKYCREST / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	100,800		
Location of measurement of c (i.e. Wellhead, Storage Tank):		Wellhead and/or Dis	tribution	
Type of treatment (reverse (sedimentation, chemical, aer	•	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: STONE MOUNTAIN / LAKE

WATER TREATMENT PLANT INFORMATION

I/or Distribution
T
: N/A
: N/A
: N/A

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: SUMMIT CHASE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	489,600	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

VALENCIA TERRACE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (G	PD):	504,000		
Location of measurement of cap (i.e. Wellhead, Storage Tank):	oacity	Wellhead and/or Dist	ribution	
Type of treatment (reverse os (sedimentation, chemical, aerat		Chlorination		***************************************
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

VENETIAN VILLAGE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	144,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dist	ribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		DATA BY SYSTEM ONLY
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	•	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	**************************************	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	Manufacturer:	
FILTRATION Type and size of area:		
Pressure (in square feet):	Manufacturer:	
Gravity (in GPM/square feet):	Manufacturer:	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Unknown		
Location of measurement of continuous (i.e. Wellhead, Storage Tank):		Wellhead		
Type of treatment (reverse of (sedimentation, chemical, aer		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant	(GPD):	Unknown		
Location of measurement of (i.e. Wellhead, Storage Tank)	- •	Wellhead		
Type of treatment (reverse (sedimentation, chemical, ae		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Unknown	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION		
Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

December 31, 2006

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant ((GPD):	Unknown		
Location of measurement of (i.e. Wellhead, Storage Tank)		Wellhead		
Type of treatment (reverse (sedimentation, chemical, ae	•	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Unknown	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Unknown	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis (sedimentation, chemical, aerated, et): Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/.	Manufacturer:	N/A
FILTRATION		
Type and size of area:		
Pressure (in square feet): $N/2$	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Unknown		
Location of measurement of c (i.e. Wellhead, Storage Tank)		Wellhead		
Type of treatment (reverse (sedimentation, chemical, aer		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	14-31-34-44-4-4-14-14-1
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Unknown		
Wellhead		
Chlorination		
LIME TREATMENT		
	27/4	
Manufacturer:	N/A	
Manufacturer:	N/A	
Manufacturer:	N/A	
	Wellhead Chlorination LIME TREATMENT Manufacturer: Manufacturer:	Wellhead Chlorination LIME TREATMENT Manufacturer: N/A Manufacturer: N/A

December 31, 2006

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Unknown	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Unknown		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead		
Type of treatment (reverse of (sedimentation, chemical, aer		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

December 31, 2006

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Unknown	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION		
Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Unknown	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

TANGERINE / ORANGE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	360,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dist	tribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

LAKE OSBORNE ESTATES / PALM BEACH

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Purchased	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Lake Worth Meter	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	N/A	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: JASMINE LAKES / PASCO

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	500,000 and purchased water - Pasco County	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and Pasco	County Meter
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.): Aeration/Chlorination		n
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION		
Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

PALM TERRACE / PASCO

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant ((GPD):	230,400		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead and/or Di	stribution	
Type of treatment (reverse (sedimentation, chemical, ae	•	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

December 31, 2006

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: ZEPHYR SHORES / PASCO

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		432,000		
Location of measurement of		W W 1 1/ 2:		
(i.e. Wellhead, Storage Tank)	:	Wellhead and/or Di	stribution	
Type of treatment (reverse (sedimentation, chemical, ae		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds				
per gallon):	N/A	Manufacturer:	N/A	
ILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: GIBSONIA ESTATES / POLK

December 31, 2006

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	100,800	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or D	istribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc	: Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

LAKE GIBSON ESTATES / POLK

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	576,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dis	tribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination		
	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	
ILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ORANGE HILL/SUGAR CREEK / POLK

WATER TREATMENT PLANT INFORMATION

4				
Permitted Capacity of Plant (GPD):	244,800	Principal Control	
Location of measurement of capacity (i.e. Wellhead, Storage Tank): Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Wellhead and/or Dis	tribution	
		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	·
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ROSALIE OAKS / POLK

WATER TREATMENT PLANT INFORMATION

):	20,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank): Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Wellhead	
	LIME TREATMENT		
N/A	Manufacturer:	N/A	
N/A	Manufacturer:	N/A	
N/A	Manufacturer:	N/A	
	osis,	wellhead Sis, etc.): Chlorination LIME TREATMENT N/A Manufacturer:	Wellhead Sis, etc.): Chlorination LIME TREATMENT N/A Manufacturer: N/A Manufacturer: N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: VILLAGE WATER / POLK

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant	(GPD):	N/A		
Location of measurement of (i.e. Wellhead, Storage Tank		Purchased from the	City of Lakeland	
Type of treatment (reverse (sedimentation, chemical, ae	•	Treated by the vendo	or	
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

.....

SYSTEM NAME / COUNTY:

BEECHER'S POINT / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GP	D):	Interconnected with	the Town of Welaka
Location of measurement of capa (i.e. Wellhead, Storage Tank):	acity	N/A	
Type of treatment (reverse osm (sedimentation, chemical, aerate		N/A	
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION			
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

HERMITS COVE / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	230,400	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dist	ribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

INTERLACHEN LAKE/PARK MANOR / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	273,600	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distribu	tion
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

PALM PORT / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	86,400
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination
	LIME TREATMENT
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer: N/A
FILTRATION Type and size of area:	
Pressure (in square feet): N/A	Manufacturer: N/A
Gravity (in GPM/square feet): N/A	Manufacturer: N/A

December 31, 2006

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: POMONA PARK / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	50,400		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dist	ribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination		
	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: RIVER GROVE / PUTNAM

December 31, 2006

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	194,400
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination
·	LIME TREATMENT
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer: N/A
FILTRATION Type and size of area:	
Pressure (in square feet): N/A	Manufacturer: N/A
Gravity (in GPM/square feet): N/A	Manufacturer: N/A

December 31, 2006

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: SILVER LAKE OAKS / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (G.	PD):	100,800		
Location of measurement of cap (i.e. Wellhead, Storage Tank):	pacity	Wellhead and/or Dis	tribution	
Type of treatment (reverse os (sedimentation, chemical, aerat		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ST. JOHN'S HIGHLANDS / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		Interconnected with Hermits Cove (Group 11-2)	
Location of measurement of ca (i.e. Wellhead, Storage Tank):	• •	N/A	
Type of treatment (reverse of (sedimentation, chemical, aero		N/A	
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION			
Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

December 31, 2006

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

WELAKA/SARATOGA HARBOUR / PUTNAM

WATER TREATMENT PLANT INFORMATION

109,440	·	
Wellhead and/or Dis	tribution	
Chlorination		
LIME TREATMENT		
Manufacturer:	N/A	
Manufacturer:	N/A	
Manufacturer:	N/A	
	Wellhead and/or Dis Chlorination LIME TREATMENT Manufacturer: Manufacturer:	Wellhead and/or Distribution Chlorination LIME TREATMENT Manufacturer: N/A Manufacturer: N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

WOOTEN / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	36,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dist	tribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

CHULUOTA / SEMINOLE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	2,808,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dis	tribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination		
	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

HARMONY HOMES / SEMINOLE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (C	GPD):	432,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead and/or Di	stribution	
Type of treatment (reverse of (sedimentation, chemical, aera	•	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

THE WOODS / SUMTER

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	15,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Aeration	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

JUNGLE DEN / VOLUSIA

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GP	'D):	Interconnect with As	tor	
Location of measurement of caps (i.e. Wellhead, Storage Tank):	acity	N/A		
Type of treatment (reverse osn (sedimentation, chemical, aerate		N/A		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

TOMOKA/TWIN RIVERS / VOLUSIA

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	288,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dis	stribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: SUNNY HILLS / WASHINGTON

December 31, 2006

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant ((GPD):	Unknown		
Location of measurement of (i.e. Wellhead, Storage Tank)	- •	Wellhead and/or Dis	stribution	
Type of treatment (reverse (sedimentation, chemical, ae	•	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ARREDONDO ESTATES / ALACHUA

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	211	211
5/8"	Displacement	1.0	2	2
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0	-	
10"	Compound	115.0		
10"	Turbine	145.0	-	
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	213

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

Provide a calculation used to determine the value of one water equivalent residential connection (ERC). Use one of the following methods:

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		
	ERC= 12,314 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	96	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ARREDONDO FARMS / ALACHUA

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	321	321
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		16
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	338

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	19,407 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	=	152	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: KINGSWOOD / BREVARD

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	62	62
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	62

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		
J	ERC= 3,435 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	27	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OAKWOOD / BREVARD

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	211	211
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5	•	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6" .	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	212

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	10,217 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		80	ERC's

December 31, 2006

SYSTEM NAME / COUNTY:

LAKE JOSEPHINE / HIGHLANDS

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	549	549
5/8"	Displacement	1.0	8	8
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	ter Equivalents	557

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	44,531 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		349	ERC's

December 31, 2006

SYSTEM NAME / COUNTY: LEISURE LAKES / HIGHLANDS

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	284	284
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	284

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	7,115 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		56	ERC's

December 31, 2006

SYSTEM NAME / COUNTY:

SEBRING LAKES / HIGHLANDS

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	73	73
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	73

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:	
ERC= 5,205 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
41	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

48 ESTATES / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	81	81
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	81

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	7,275 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		57	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

CARLTON VILLAGE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	231	231
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	231

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	19,217 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		150	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: EAST LAKE HARRIS ESTATES / LAKE

UTILITY NAME:

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	174	174
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	175

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		
1	ERC= 5,471 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	43	ERC's

December 31, 2006

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: FERN TERRACE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	123	123
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		****
1"	Displacement	2.5		***************************************
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		4.1.1
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0	-	
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		····
		Total Water System Mo	eter Equivalents	131

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	11,655 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
	-	91	ERC's	

SYSTEM NAME / COUNTY: FRIENDLY CENTER / LAKE

December 31, 2006

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	24	24
5/8"	Displacement	1.0	5	5
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	****	
2"	Displacement, Compound or Turbine	8.0		***************************************
3"	Displacement	15.0		***************************************
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	29

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	2,111 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
		17	ERC's	

SYSTEM NAME / COUNTY: GRAND TERRACE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	108	108
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		*****
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		***************************************
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		***************************************
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	108

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	10,140 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		79	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

HAINES CREEK / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	109	109
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	109

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	7,111 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		56	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

HOBBY HILLS / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	94	94
5/8"	Displacement	1.0		
3/4"	Displacement	1.5	**************************************	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	•	
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0	· · · · · · · · · · · · · · · · · · ·	
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		• • • • • • • • • • • • • • • • • • • •
6"	Turbine	62.5	-	
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	ter Equivalents	102

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:	
ERC= 6,37 36 35	days, divided by
5	ERC's

December 31, 2006

SYSTEM NAME / COUNTY: HOLIDAY HAVEN/IMPERIAL MOBIL TERRACE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	119	119
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
24-24-24-24-24-24-24-24-24-24-24-24-24-2		Total Water System Me	ter Equivalents	123

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	4,823 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	2	38	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

IMPERIAL / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	245	245
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		-
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	245

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	7,714 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		60	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

KINGS COVE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	206	206
5/8"	Displacement	1.0	•	
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine			
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	206

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	38,446 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		301	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

MORNINGVIEW / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	.1	1.0	34	34
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5	•	
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	34

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	2,701 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		21	ERC's

SYSTEM NAME / COUNTY: PALM MOBILE HOME PARK / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	58	58
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	· · · · · · · · · · · · · · · · · · ·	
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		****
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	58

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	1,253 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		10	ERC's

December 31, 2006

SYSTEM NAME / COUNTY:

PICCIOLA ISLAND / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ւ	1.0	141	141
5/8"	Displacement	1.0		
3/4"	Displacement	1.5	***************************************	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
	·	Total Water System Met	ter Equivalents	141

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	12,242 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	-	96	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: PINEY WOODS/SPRING LAKE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	172	172
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5	1 TO THE RESERVE TO T	
1 1/2"	Displacement or Turbine	5.0		***************************************
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	173

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	18,228 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	name and	143	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

QUAIL RIDGE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	94	94
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		******
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	94

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	6,381 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		50	ERC's

December 31, 2006

SYSTEM NAME / COUNTY: RA

RAVENSWOOD / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	45	45
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	45

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	4,017 365 350 31	gallons sold (omit 000), divided by days, divided by gallons per day ERC's

SYSTEM NAME / COUNTY:

SILVER LAKE/WESTERN SHORES / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	1,594	1,594
5/8"	Displacement	1.0		2
3/4"	Displacement	1.5	•	
1"	Displacement	2.5	•	
1 1/2"	Displacement or Turbine	5.0	1	5
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0	3	45
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0	•	
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	1,646

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	305,696 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		2,393	ERC's

SYSTEM NAME / COUNTY:

AQUA UTILITES FLORIDA, INC.

SKYCREST / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	117	117
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5	*	
1 1/2"	Displacement or Turbine	5.0	1	5
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	123

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		
	ERC= 8,025 365 350	days, divided by
	63	ERC's

SYSTEM NAME / COUNTY: STONE MOUNTAIN / LAKE

December 31, 2006

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	10	10
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	***************************************	
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		•
		Total Water System Me	eter Equivalents	10

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	607 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		5	ERC's

SYSTEM NAME / COUNTY: SUMMIT CHASE / LAKE

December 31, 2006

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	216	216
5/8"	Displacement	1.0	2	2
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	218

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		
ERC=	10,746 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	84	ERC's

SYSTEM NAME / COUNTY: VALENCIA TERRACE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	332	332
5/8"	Displacement	1.0	5	5
3/4"	Displacement	1.5		
1"	Displacement	2.5	7	18
1 1/2"	Displacement or Turbine	5.0	3	15
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0	***	
3"	Turbine	17.5		***************************************
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0	•	
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	378

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	25,055 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		196	ERC's

December 31, 2006

SYSTEM NAME / COUNTY: VENETIAN VILLAGE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	155	155
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	156

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	9,821 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		77	ERC's

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	1,771	1,771
5/8"	Displacement	1.0	0	
3/4"	Displacement	1.5	0	***************************************
1"	Displacement	2.5	0	
1 1/2"	Displacement or Turbine	5.0	0	
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0	0	**************************************
3"	Compound	16.0	0	
3"	Turbine	17.5	0	
4"	Displacement or Compound	25.0	0	
4"	Turbine	30.0	0	
6"	Displacement or Compound	50.0	0	
6"	Turbine	62.5	0	
8"	Compound	80.0	0	
8"	Turbine	90.0	0	-
10"	Compound	115.0	0	
10"	Turbine	145.0	0	
12"	Turbine	215.0	0	
		Total Water System Me	eter Equivalents	1,779

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	173,271 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		1,356	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	83	83
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	83

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	8,057 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		63	ERC's

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	29	29
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0	-	
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	ter Equivalents	29

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	2,242 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	-	18	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	39	39
5/8"	Displacement	1.0	·	
3/4"	Displacement	1.5	***************************************	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	39

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	2,981 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		23	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	. TYPE OF METER . (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	108	108
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		***************************************
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5	_	
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		***************************************
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		***************************************
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	ter Equivalents	108

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	9,553 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		75	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	29	29
5/8"	Displacement	1.0		
3/4"	Displacement	1.5	·	
1"	Displacement	2.5	<u> </u>	
1 1/2"	Displacement or Turbine	5.0	<u> </u>	
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	29

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	2,889 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		23	ERC's

December 31, 2006

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

OCALA OAKS / MARION

SYSTEM NAME / COUNTY:

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	51	51
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
	£	Total Water System Me	eter Equivalents	51

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	3,707 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		29	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	644	644
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	652

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	70,895 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	-	555	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	286	286
5/8"	Displacement	1.0		200
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		***************************************
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		· · · · · · · · · · · · · · · · · · ·
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	286

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:
 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	21,915 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		172	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	63	63
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5	The second secon	
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	63

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	4,386 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		34	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	d	1.0	96	96
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	96

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	9,679 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		76	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	129	129
5/8"	Displacement	1.0	Quantum	
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	129

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	10,751 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		84	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	214	214
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		-
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	214

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:
 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	26,216 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		205	ERC's

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: TANGERINE / ORANGE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	251	251
5/8"	Displacement	1.0	9	9
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	263

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	34,636 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		271	ERC's

December 31, 2006

SYSTEM NAME / COUNTY:

LAKE OSBORNE ESTATES / PALM BEACH

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	463	463
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	<u>471</u>

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	48,935 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	-	383	ERC's

December 31, 2006

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY:

JASMINE LAKES / PASCO

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	1,498	1,498
5/8"	Displacement	1.0	18	18
3/4"	Displacement	1.5		
1"	Displacement	2.5	2	5
1 1/2"	Displacement or Turbine	5.0	3	15
2"	Displacement, Compound or Turbine	8.0	2	16
3"	Displacement	15.0	1	15
3"	Compound	16.0	the state of the s	
3"	Turbine	17.5	•	
4"	Displacement or Compound	25.0		Activity of the second
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0	-	***************************************
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	1,567

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	114,992 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		900	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

PALM TERRACE / PASCO

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	1,125	1,125
5/8"	Displacement	1.0	3	3
3/4"	Displacement	1.5	**************************************	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	1	5
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		******
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		***
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	1,133

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:
 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	73,456 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		575	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ZEPHYR SHORES / PASCO

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	492	492
5/8"	Displacement	1.0	3	3
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0	1	5
2"	Displacement, Compound or Turbine	8.0	2	16
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	519

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	9,772 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		76	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

GIBSONIA ESTATES / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	165	165
5/8"	Displacement	1.0	22	22
3/4"	Displacement	1.5		
1"	Displacement	2.5	4	10
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	197

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:
 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	29,272 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		229	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: LAKE GIBSON ESTATES / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia		1.0	812	812
5/8"	Displacement	1.0	7	7
3/4"	Displacement	1.5		
1"	Displacement	2.5	3	8
1 1/2"	Displacement or Turbine	5.0	1	5
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	840

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	84,179 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	-	659	ERC's

December 31, 2006

SYSTEM NAME / COUNTY:

ORANGE HILL/SUGAR CREEK / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	232	232
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		H-10-10-10-10-10-10-10-10-10-10-10-10-10-
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	232

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	20,196 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		158	ERC's

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

December 31, 2006

SYSTEM NAME / COUNTY: ROSALIE OAKS / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	95	95
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5	-	
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	95

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	3,267 365	gallons sold (omit 000), divided by days, divided by	
		350	gallons per day	
	-	26	ERC's	

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

VILLAGE WATER / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	129	129
5/8"	Displacement	1.0	25	25
3/4"	Displacement	1.5		
1"	Displacement	2.5	2	5
1 1/2"	Displacement or Turbine	5.0	3	15
2"	Displacement, Compound or Turbine	8.0	3	24
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0	1	25
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0	1	80
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	ter Equivalents	303

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	33,713 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		264	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

BEECHER'S POINT / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	46	46
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	2	16
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	63

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	3,660 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	-	29	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

HERMITS COVE / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	171	171
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	172

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:	
	gallons sold (omit 000), divided by days, divided by gallons per day
	67 ERC's
	Please see Note (1) on page W-11

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

INTERLACHEN LAKE/PARK MANOR / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	.1	1.0	264	264
5/8"	Displacement	1.0	4	4
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	271

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	12,274 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
		96	ERC's	

SYSTEM NAME / COUNTY:

AQUA UTILITES FLORIDA, INC.

PALM PORT / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ત	1.0	104	104
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0	***************************************	
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	104

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	4,987 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
ı		39	ERC's

December 31, 2006

SYSTEM NAME / COUNTY: POMONA PARK / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	143	143
5/8"	Displacement	1.0	14	14
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	168

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	12,886 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		101	ERC's

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: RIVER GROVE / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	107	107
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	107

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC= 7	7,106 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		56	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SILVER LAKE OAKS / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	37	37
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	37

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	1,753 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	-	14	ERC's

SYSTEM NAME / COUNTY: ST. JOHN'S HIGHLANDS / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	95	95
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	95

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		
ERC=	0 365	gallons sold (omit 000), divided by days, divided by
_	350	gallons per day ERC's
=	<u> </u>	Please see Note (1) on page W-11
		Treme see trote (1) on page 11

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: WELAKA/SARATOGA HARBOUR / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	142	142
5/8"	Displacement	1.0		2
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	144

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	6,148 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		48	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

WOOTEN / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

ETER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
Residential		1.0	28	28
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
8" 8" 10"	Compound Turbine Compound Turbine	80.0 90.0 115.0 145.0	eter Equivalents	

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:
 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	829 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	******	6	ERC's

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

December 31, 2006

SYSTEM NAME / COUNTY: CHULUOTA / SEMINOLE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al .	1.0	1,347	1,347
5/8"	Displacement	1.0	9	9
3/4"	Displacement	1.5		
1"	Displacement	2.5	6	15
1 1/2"	Displacement or Turbine	5.0	2	10
2"	Displacement, Compound or Turbine	8.0	4	32
3"	Displacement	15.0	1	15
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	1,428

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	157,872 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		1,236	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

HARMONY HOMES / SEMINOLE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	61	61
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	61

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	5,269 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		41	ERC's

December 31, 2006

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY: THE WO

THE WOODS / SUMTER

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	69	69
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		***************************************
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		•
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0	***	
12"	Turbine	215.0		***************************************
10" 10"	Turbine Compound Turbine	90.0 115.0 145.0	eter Equivalents	

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	3,400 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		27	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

JUNGLE DEN / VOLUSIA

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	.1	1.0	111	111
5/8"	Displacement	1.0	3	3
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	114

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	1,906 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		15	ERC's

December 31, 2006

SYSTEM NAME / COUNTY:

TOMOKA/TWIN RIVERS / VOLUSIA

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	262	262
5/8"	Displacement	1.0	2	2
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	•	
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	272

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	25,825 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		202	ERC's

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY:

SUNNY HILLS / WASHINGTON

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	544	544
5/8"	Displacement	1.0	5	5
3/4"	Displacement	1.5		
1"	Displacement	2.5	5	13
1 1/2"	Displacement or Turbine	5.0	2	10
2"	Displacement, Compound or Turbine	8.0	3	24
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		•
12"	Turbine	215.0		
			eter Equivalents	596

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	42,220 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		330	ERC's

THIS PAGE LEFT BLANK INTENTIONALLY

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ARREDONDO ESTATES / ALACHUA

OTHER WATER SYSTEM INFORMATION

Furnish information below for each system. A separate page sho	ould be supplied where necessary.
Present ERCs * the system can efficiently serve	213
2. Maximum number of ERCs * which can be served.	246
3. Present system connection capacity (in ERCs *) using existing lines.	246
4. Future connection capacity (in ERCs *) upon service area buildout.	246
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	Unknown Unknown
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or impr	None None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP ru	ales.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
d. Attach plans for funding the required upgrading.e. Is this system under any Consent Order with DEP?	N/A
e. Is this system under any Consent Order with DEP?	2010041
e. Is this system under any Consent Order with DEP?	2010041 2001-0116

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ARREDONDO FARMS / ALACHUA

OTHER WATER SYSTEM INFORMATION

Turmon microscom tot cuch cyclem. It separate page shou	ld be supplied where necessary.
Present ERCs * the system can efficiently serve	338
2. Maximum number of ERCs * which can be served.	385
3. Present system connection capacity (in ERCs *) using existing lines.	385
4. Future connection capacity (in ERCs *) upon service area buildout.	385
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	Unknown Unknown
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or impro	Ţ.
9. When did the company last file a capacity analysis report with the DEP?	None
9. When did the company last file a capacity analysis report with the DEP?10. If the present system does not meet the requirements of DEP rules:	None
10. If the present system does not meet the requirements of DEP rules:	es.
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rule	es. N/A
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP ruleb. Have these plans been approved by DEP?	es. N/A
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? 	es. N/A N/A
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	es N/A N/A N/A N/A
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID # 	es N/A N/A N/A N/A 2010041
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	es. N/A N/A N/A N/A N/A 2010041 2001-0117

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

KINGSWOOD / BREVARD

OTHER WATER SYSTEM INFORMATION

Furnish information below for each system. A separate page shou	ıld be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	62
2. Maximum number of ERCs * which can be served.	64
3. Present system connection capacity (in ERCs *) using existing lines.	64
4. Future connection capacity (in ERCs *) upon service area buildout.	64
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rul	es.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
d. Attach plans for funding the required upgrading.	
d. Attach plans for funding the required upgrading.e. Is this system under any Consent Order with DEP?	No 3054101
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	No 3054101 N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OAKWOOD / BREVARD

Furnish information below for each system. A separate page should	1 be supplied where necessary.
Present ERCs * the system can efficiently serve	212
2. Maximum number of ERCs * which can be served.	235
3. Present system connection capacity (in ERCs *) using existing lines.	235
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	•
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	S.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
11. Department of Environmental Protection ID #	3054100
11. Department of Diffeontial Flowering 12	
12. Water Management District Consumptive Use Permit #	Unknown

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

LAKE JOSEPHINE / HIGHLANDS

Furnish information below for each system. A separate page should be	e supplied where necessary.
1. Present ERCs * the system can efficiently serve.	557
2. Maximum number of ERCs * which can be served.	571
3. Present system connection capacity (in ERCs *) using existing lines	571
4. Future connection capacity (in ERCs *) upon service area buildout.	571
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improvements.	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	FL 5280162
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

LEISURE LAKES / HIGHLANDS

Furnish information below for each system. A separate page should	d be supplied where necessary.	
Present ERCs * the system can efficiently serve	284	
2. Maximum number of ERCs * which can be served.		
3. Present system connection capacity (in ERCs *) using existing lines.		
4. Future connection capacity (in ERCs *) upon service area buildout.	_ 292	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 250 GPM	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or improv		
9. When did the company last file a capacity analysis report with the DEP?		
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP rule	S.	
b. Have these plans been approved by DEP?		
c. When will construction begin?		
d. Attach plans for funding the required upgrading.		
e. Is this system under any Consent Order with DEP?		
11. Department of Environmental Protection ID#		
12. Water Management District Consumptive Use Permit #		
a. Is the system in compliance with the requirements of the CUP?		
b. If not, what are the utility's plans to gain compliance?		

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

SEBRING LAKES / HIGHLANDS

Furnish information below for each system. A separate page show	uld be supplied where necessary.
Present ERCs * the system can efficiently serve	73
2. Maximum number of ERCs * which can be served.	74
3. Present system connection capacity (in ERCs *) using existing lines.	74
4. Future connection capacity (in ERCs *) upon service area buildout.	74
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro-	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rule	les. N/A
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	FL 5284137
Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: 48 ESTATES / LAKE

Furnish information below for each system. A separate page should	be supplied where necessary.	
1. Present ERCs * the system can efficiently serve.	81	
2. Maximum number of ERCs * which can be served.	81	
3. Present system connection capacity (in ERCs *) using existing lines.	81	
4. Future connection capacity (in ERCs *) upon service area buildout.	. 81	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity?	No N/A	
7. Attach a description of the fire fighting facilities.	None	
8. Describe any plans and estimated completion dates for any enlargements or improve	None	
9. When did the company last file a capacity analysis report with the DEP?		
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP rules.		
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading.		
e. Is this system under any Consent Order with DEP?	No	
11. Department of Environmental Protection ID #	FL 3350005	
12. Water Management District Consumptive Use Permit #	N/A	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?	N/A	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

CARLTON VILLAGE / LAKE

Furnish information below for each system. A separate page shou	ıld be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	231
2. Maximum number of ERCs * which can be served.	237
3. Present system connection capacity (in ERCs *) using existing lines.	237
4. Future connection capacity (in ERCs *) upon service area buildout.	237
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or impro	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.
a. Attach a description of the plant upgrade necessary to meet the DEP rul	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rul b. Have these plans been approved by DEP?	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rulb. Have these plans been approved by DEP?c. When will construction begin?	N/A N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A N/A 3350152
 a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID # 	N/A N/A N/A N/A 3350152 2605

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: EAST LAKE HARRIS ESTATES / LAKE

Furnish information below for each system. A separate page shoul	ld be supplied where necessary.
Present ERCs * the system can efficiently serve	175
2. Maximum number of ERCs * which can be served.	177
3. Present system connection capacity (in ERCs *) using existing lines	177
4. Future connection capacity (in ERCs *) upon service area buildout.	177
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3350322
12. Water Management District Consumptive Use Permit #	
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

December 31, 2006

SYSTEM NAME / COUNTY:

FERN TERRACE / LAKE

Furnish information below for each system. A separate page shou	ld be supplied where necessary.
Present ERCs * the system can efficiently serve	131
2. Maximum number of ERCs * which can be served.	132
3. Present system connection capacity (in ERCs *) using existing lines.	132
4. Future connection capacity (in ERCs *) upon service area buildout.	132
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro	-
9. When did the company last file a capacity analysis report with the DEP?	N/A
	N/A
10. If the present system does not meet the requirements of DEP rules:	es.
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rule	es. N/A
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP ruleb. Have these plans been approved by DEP?	es. N/A
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? 	es. N/A N/A
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	es. N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	es N/A N/A N/A 3350370
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	esN/AN/AN/A33503703611

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

FRIENDLY CENTER / LAKE

Furnish information below for each system. A separate page shou	ald be supplied where necessary.
Present ERCs * the system can efficiently serve	29
2. Maximum number of ERCs * which can be served.	31
3. Present system connection capacity (in ERCs *) using existing lines.	31
4. Future connection capacity (in ERCs *) upon service area buildout.	31
5. Estimated annual increase in ERCs *	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A
e. Is this system under any Consent Order with DEP?	N/A 3350426
e. Is this system under any Consent Order with DEP?	3350426
	3350426 N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

GRAND TERRACE / LAKE

Furnish information below for each system. A separate page shou	ld be supplied where necessary.
Present ERCs * the system can efficiently serve	108
2. Maximum number of ERCs * which can be served.	111
3. Present system connection capacity (in ERCs *) using existing lines.	111
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	Yes 500 GPM
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or impro	
9. When did the company last file a capacity analysis report with the DEP?	N/A
	N/A
10. If the present system does not meet the requirements of DEP rules:	es.
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rule	es. N/A
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP ruleb. Have these plans been approved by DEP?	es. N/A
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? 	es. N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	es. N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	es N/A N/A N/A 3354697
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	esN/AN/AN/AN/A33546972488

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HAINES CREEK / LAKE

Furnish information below for each system. A separate page shou	ald be supplied where necessary.
Present ERCs * the system can efficiently serve	109
2. Maximum number of ERCs * which can be served.	111
3. Present system connection capacity (in ERCs *) using existing lines.	111
4. Future connection capacity (in ERCs *) upon service area buildout.	111
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro	NT
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rul	les.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
	FL 3350481
11. Department of Environmental Protection ID #	
 11. Department of Environmental Protection ID # 12. Water Management District Consumptive Use Permit # 	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

HOBBY HILLS / LAKE

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve	102
2. Maximum number of ERCs * which can be served.	113
3. Present system connection capacity (in ERCs *) using existing lines.	113
4. Future connection capacity (in ERCs *) upon service area buildout.	113
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improver	
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3350544
12. Water Management District Consumptive Use Permit #	2613
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

December 31, 2006

SYSTEM NAME / COUNTY:

HOLIDAY HAVEN/IMPERIAL MOBIL TERRACE / LAKE

Furnish information below for each system. A separate page shoul	ld be supplied where necessary.	
Present ERCs * the system can efficiently serve	123	
2. Maximum number of ERCs * which can be served.	128	
3. Present system connection capacity (in ERCs *) using existing lines.	128	
4. Future connection capacity (in ERCs *) upon service area buildout.	128	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity?	No N/A	
7. Attach a description of the fire fighting facilities.	None	
8. Describe any plans and estimated completion dates for any enlargements or improve	2.7	
9. When did the company last file a capacity analysis report with the DEP?	N/A	
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules:	N/A	
- · · · · · · · · · · · · · · · · · · ·	_	
10. If the present system does not meet the requirements of DEP rules:	es.	
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rule	es. N/A	
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? 	es. N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin?	es. N/A N/A	
10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	es. N/A N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A N/A N/A 3350981	
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	esN/AN/AN/A33509812612	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

IMPERIAL / LAKE

Furnish information below for each system. A separate page should	d be supplied where necessary.
Present ERCs * the system can efficiently serve	245
2. Maximum number of ERCs * which can be served.	247
3. Present system connection capacity (in ERCs *) using existing lines	
4. Future connection capacity (in ERCs *) upon service area buildout.	247
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improv	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	S.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
11. Department of Environmental Protection ID #	3350584
Department of Environmental Protection ID # Water Management District Consumptive Use Permit #	_
	4493

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

KINGS COVE / LAKE

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve	
2. Maximum number of ERCs * which can be served.	208
3. Present system connection capacity (in ERCs *) using existing lines.	208
4. Future connection capacity (in ERCs *) upon service area buildout.	208
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	N.Y.
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	
c. When will construction begin?	
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	FL 3350655
12. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

MORNINGVIEW / LAKE

Furnish information below for each system. A separate page should	ld be supplied where necessary.
Present ERCs * the system can efficiently serve	34
2. Maximum number of ERCs * which can be served.	39
3. Present system connection capacity (in ERCs *) using existing lines.	39
4. Future connection capacity (in ERCs *) upon service area buildout.	39
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	Yes 500 GPM
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
<u> </u>	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	≥s.
•	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP ruleb. Have these plans been approved by DEP?	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP ruleb. Have these plans been approved by DEP?c. When will construction begin?	N/A N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A No 3350852
 a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID # 	N/A N/A No 3350852 2610

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

PALM MOBILE HOME PARK / LAKE

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve	58
2. Maximum number of ERCs * which can be served.	63
3. Present system connection capacity (in ERCs *) using existing lines	63
4. Future connection capacity (in ERCs *) upon service area buildout.	63
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improver	ments of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3350981
12. Water Management District Consumptive Use Permit #	2612
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

PICCIOLA ISLAND / LAKE

Furnish information below for each system. A separate page shou	ld be supplied where necessary.
Present ERCs * the system can efficiently serve	141
2. Maximum number of ERCs * which can be served.	151
3. Present system connection capacity (in ERCs *) using existing lines.	151
4. Future connection capacity (in ERCs *) upon service area buildout.	151
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro-	
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.
b. Have these plans been approved by DEP?	
	N/A
c. When will construction begin?	
c. When will construction begin?	N/A
c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A
c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	N/A N/A 3351009
d. Attach plans for funding the required upgrading.	N/A N/A 3351009 2609

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

PINEY WOODS/SPRING LAKE / LAKE

Furnish information below for each system. A separate page should	d be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	173
2. Maximum number of ERCs * which can be served.	179
3. Present system connection capacity (in ERCs *) using existing lines.	179
4. Future connection capacity (in ERCs *) upon service area buildout.	179
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	NT.
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	S.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3351021
12. Water Management District Consumptive Use Permit #	2604
12. Hatel Hamingement Dioniet Company 1. C Co. C.	-
a. Is the system in compliance with the requirements of the CUP?	_

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

QUAIL RIDGE / LAKE

Furnish information below for each system. A separate page sho	uld be supplied where necessary.	
Present ERCs * the system can efficiently serve	94	
2. Maximum number of ERCs * which can be served.	96	
3. Present system connection capacity (in ERCs *) using existing lines.	96	
4. Future connection capacity (in ERCs *) upon service area buildout.	96	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 500 GPM	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or impro	None	
9. When did the company last file a capacity analysis report with the DEP?		
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP rule	les.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading.		
e. Is this system under any Consent Order with DEP?	N/A	
11 Department of Environmental Protection ID #	3354867	
11. Department of Environmental Protection ID #	3334607	
Department of Environmental Protection ID # Water Management District Consumptive Use Permit #		
	4545	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

RAVENSWOOD / LAKE

Present ERCs * the system can efficiently serve.	45
Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	45
4. Future connection capacity (in ERCs *) upon service area buildout.	45
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro-	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rul	les.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	FL 3351062
	Unknown
12. Water Management District Consumptive Use Permit #	Olikilowii
a. Is the system in compliance with the requirements of the CUP?	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SILVER LAKE/WESTERN SHORES / LAKE

Furnish information below for each system. A separate page sho	ould be supplied where necessary.
Present ERCs * the system can efficiently serve	1,646
2. Maximum number of ERCs * which can be served.	1,656
3. Present system connection capacity (in ERCs *) using existing lines	1,656
4. Future connection capacity (in ERCs *) upon service area buildout.	1,656
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 750 GPM
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or impr	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
9. When did the company last file a capacity analysis report with the DEP?10. If the present system does not meet the requirements of DEP rules:	N/A
10. If the present system does not meet the requirements of DEP rules:	ules.
10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules.	ules. N/A
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules.b. Have these plans been approved by DEP?	ules. N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin?	ules. N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	ules. N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A N/A N/A 3351182
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A N/A N/A 3351182

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SKYCREST / LAKE

SYSTEM NAME / COUNTY:

Furnish information below for each system. A separate page shou	ıld be supplied where necessary.	
1. Present ERCs * the system can efficiently serve.	123	
2. Maximum number of ERCs * which can be served.	127	
3. Present system connection capacity (in ERCs *) using existing lines.	127	
4. Future connection capacity (in ERCs *) upon service area buildout.	127	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 500 GPM	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or impro	None	
9. When did the company last file a capacity analysis report with the DEP?		
10. If the present system does not meet the requirements of DEP rules:		
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.	
a. Attach a description of the plant upgrade necessary to meet the DEP rul	N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rulb. Have these plans been approved by DEP?	N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rulb. Have these plans been approved by DEP?c. When will construction begin?	N/A N/A	
 a. Attach a description of the plant upgrade necessary to meet the DEP rule. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rul b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A N/A 3351205	
 a. Attach a description of the plant upgrade necessary to meet the DEP rule. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A N/A 3351205 2614	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

STONE MOUNTAIN / LAKE

Furnish information below for each system. A separate page sho	ould be supplied where necessary.
Present ERCs * the system can efficiently serve.	10
2. Maximum number of ERCs * which can be served.	10
3. Present system connection capacity (in ERCs *) using existing lines.	10
4. Future connection capacity (in ERCs *) upon service area buildout.	10
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impre-	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP ru	ıles.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3351282
12. Water Management District Consumptive Use Permit #	2606
a. Is the system in compliance with the requirements of the CUP?	
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: SUMMIT CHASE / LAKE

Furnish information below for each system. A separate page should be	be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	218
2. Maximum number of ERCs * which can be served.	220
3. Present system connection capacity (in ERCs *) using existing lines.	220
4. Future connection capacity (in ERCs *) upon service area buildout.	220
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improver	ments of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A No
e. Is this system under any Consent Order with DEP?	
e. Is this system under any Consent Order with DEP?	No
e. Is this system under any Consent Order with DEP?	No FL 3354112

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

VALENCIA TERRACE / LAKE

Furnish information below for each system. A separate page sho	ould be supplied where necessary.	
Present ERCs * the system can efficiently serve	378	
2. Maximum number of ERCs * which can be served.	386	
3. Present system connection capacity (in ERCs *) using existing lines	386	
4. Future connection capacity (in ERCs *) upon service area buildout.	386	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 750 GPM	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or impre-	None	
9. When did the company last file a capacity analysis report with the DEP?		
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP ru	ıles.	
b. Have these plans been approved by DEP?	N/A	
• • • • • • • • • • • • • • • • • • • •		
c. When will construction begin?		
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading.	N/A	
c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A 3351421	
c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A 3351421 2632	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

December 31, 2006

UTILITY NAME: AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

VENETIAN VILLAGE / LAKE

Furnish information below for each system. A separate page should	d be supplied where necessary.
Present ERCs * the system can efficiently serve	156
2. Maximum number of ERCs * which can be served.	167
3. Present system connection capacity (in ERCs *) using existing lines.	167
4. Future connection capacity (in ERCs *) upon service area buildout.	167
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improv	3.7
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	S.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
	_ No
e. Is this system under any Consent Order with DEP?	
	3351426
11. Department of Environmental Protection ID #	_
e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID # 12. Water Management District Consumptive Use Permit # a. Is the system in compliance with the requirements of the CUP?	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page should be supplied where necessary.
1. Present ERCs * the system can efficiently serve. DATA BY SYSTEM ONLY
2. Maximum number of ERCs * which can be served.
3. Present system connection capacity (in ERCs *) using existing lines.
4. Future connection capacity (in ERCs *) upon service area buildout.
5. Estimated annual increase in ERCs *
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?
7. Attach a description of the fire fighting facilities.
8. Describe any plans and estimated completion dates for any enlargements or improvements of this system:
9. When did the company last file a capacity analysis report with the DEP?
10. If the present system does not meet the requirements of DEP rules:
a. Attach a description of the plant upgrade necessary to meet the DEP rules.
b. Have these plans been approved by DEP?
c. When will construction begin?
d. Attach plans for funding the required upgrading.
e. Is this system under any Consent Order with DEP?
11. Department of Environmental Protection ID #
12. Water Management District Consumptive Use Permit #
a. Is the system in compliance with the requirements of the CUP?
b. If not, what are the utility's plans to gain compliance?

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

UTILITY NAME:

OCALA OAKS / MARION

Furnish information below for each system. A separate page should	d be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	83
2. Maximum number of ERCs * which can be served.	85
3. Present system connection capacity (in ERCs *) using existing lines.	85
4. Future connection capacity (in ERCs *) upon service area buildout.	85
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
11. Department of Environmental Protection ID #	_ 3424042
	_
11. Department of Environmental Protection ID #	Unknown

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

. Present ERCs * the system can efficiently serve.	29
2. Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No
If so, how much capacity is required?	N/A None
8. Describe any plans and estimated completion dates for any enlargements or improv	
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	;s.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
11. Department of Environmental Protection ID #	3424036
12. Water Management District Consumptive Use Permit #	_ Unknown
	Van
a. Is the system in compliance with the requirements of the CUP?	_ Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

Furnish information below for each system. A separate page should be	e supplied where necessary.
1. Present ERCs * the system can efficiently serve.	39
2. Maximum number of ERCs * which can be served.	40
3. Present system connection capacity (in ERCs *) using existing lines.	40
4. Future connection capacity (in ERCs *) upon service area buildout.	40
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improvem	nents of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	3424029
12. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page shou	ıld be supplied where necessary.
Present ERCs * the system can efficiently serve	108
2. Maximum number of ERCs * which can be served.	110
3. Present system connection capacity (in ERCs *) using existing lines.	110
4. Future connection capacity (in ERCs *) upon service area buildout.	110
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rul	les.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	3424839
12. Water Management District Consumptive Use Permit #	4582
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: OCALA OAKS / MARION

Furnish information below for each system. A separate page shou	ıld be supplied where necessary.
Present ERCs * the system can efficiently serve	29
2. Maximum number of ERCs * which can be served.	29
3. Present system connection capacity (in ERCs *) using existing lines.	29
4. Future connection capacity (in ERCs *) upon service area buildout.	29
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	ies.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
-	
d. Attach plans for funding the required upgrading.	
	No
d. Attach plans for funding the required upgrading.	No 3424001
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	3424001
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	3424001 Unknown

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page shoul	ld be supplied where necessary.
Present ERCs * the system can efficiently serve	51
2. Maximum number of ERCs * which can be served.	55
3. Present system connection capacity (in ERCs *) using existing lines.	55
4. Future connection capacity (in ERCs *) upon service area buildout.	55
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	· ·
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
11. Department of Environmental Protection ID #	_ 3424646
12. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page	should be supplied where necessary.
Present ERCs * the system can efficiently serve	652
2. Maximum number of ERCs * which can be served.	657
3. Present system connection capacity (in ERCs *) using existing lines	657
4. Future connection capacity (in ERCs *) upon service area buildout.	657
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or in	- ·
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEF	Prules.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	3421560
12. Water Management District Consumptive Use Permit #	3043
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page should	be supplied where necessary.	
Present ERCs * the system can efficiently serve	286	
2. Maximum number of ERCs * which can be served.	307	
3. Present system connection capacity (in ERCs *) using existing lines.	_ 307	
4. Future connection capacity (in ERCs *) upon service area buildout.	_ 307	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity?	_ No N/A	
7. Attach a description of the fire fighting facilities.	None	
8. Describe any plans and estimated completion dates for any enlargements or improve	None	
9. When did the company last file a capacity analysis report with the DEP?	N/A	
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP rules		
b. Have these plans been approved by DEP?		
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading.		
e. Is this system under any Consent Order with DEP?	No	
11. Department of Environmental Protection ID #	3424030	
12. Water Management District Consumptive Use Permit #	Unknown	
a. Is the system in compliance with the requirements of the CUP?	Yes	
b. If not, what are the utility's plans to gain compliance?	N/A	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page shoul	ald be supplied where necessary.	
Present ERCs * the system can efficiently serve	63	
2. Maximum number of ERCs * which can be served.	66	
3. Present system connection capacity (in ERCs *) using existing lines.	66	
4. Future connection capacity (in ERCs *) upon service area buildout.	66	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity?	No N/A	
7. Attach a description of the fire fighting facilities.	None	
8. Describe any plans and estimated completion dates for any enlargements or improve	None	
9. When did the company last file a capacity analysis report with the DEP?		
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP rule		
b. Have these plans been approved by DEP?	N/A	
a Whan will construction beging	N/A	
c. When will construction begin?		
d. Attach plans for funding the required upgrading.	IVA	
d. Attach plans for funding the required upgrading.		
d. Attach plans for funding the required upgrading.e. Is this system under any Consent Order with DEP?	No 6424591	
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	No 6424591 Unknown	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page shou	uld be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	96
2. Maximum number of ERCs * which can be served.	99
3. Present system connection capacity (in ERCs *) using existing lines.	99
4. Future connection capacity (in ERCs *) upon service area buildout.	99
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rul	les.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	3424030
12. Water Management District Consumptive Use Permit #	Unknown

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page shows	uld be supplied where necessary.
Present ERCs * the system can efficiently serve	129
2. Maximum number of ERCs * which can be served.	130
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	130
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro	-
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP ru	ıles.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	6424591
12. Water Management District Consumptive Use Permit #	Unknown
12. Water Management District Combampary Coo I stant "	
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page show	uld be supplied where necessary.
Present ERCs * the system can efficiently serve	214
2. Maximum number of ERCs * which can be served.	217
3. Present system connection capacity (in ERCs *) using existing lines.	217
4. Future connection capacity (in ERCs *) upon service area buildout.	217
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro-	NT
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP ru	ıles.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	Unknown
2. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

TANGERINE / ORANGE

Furnish information below for each system. A separate page should below for each system.	be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	263
2. Maximum number of ERCs * which can be served.	280
3. Present system connection capacity (in ERCs *) using existing lines.	280
4. Future connection capacity (in ERCs *) upon service area buildout.	280
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	N/A N/A
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improver	nents of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3481329
12. Water Management District Consumptive Use Permit #	51073
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

LAKE OSBORNE ESTATES / PALM BEACH

Furnish information below for each system. A separate page should	be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	471
2. Maximum number of ERCs * which can be served.	476
3. Present system connection capacity (in ERCs *) using existing lines.	476
4. Future connection capacity (in ERCs *) upon service area buildout.	476
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improven	ments of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	FL 4500768
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

JASMINE LAKES / PASCO

Furnish information below for each system. A separate page si	hould be supplied where necessary.
Present ERCs * the system can efficiently serve	1,567
2. Maximum number of ERCs * which can be served.	1,615
3. Present system connection capacity (in ERCs *) using existing lines.	1,615
4. Future connection capacity (in ERCs *) upon service area buildout.	1,615
5. Estimated annual increase in ERCs *.	Built out
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or im-	None None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP	rules.
a. Attach a description of the plant upgrade necessary to meet the DEPb. Have these plans been approved by DEP?	
	N/A
b. Have these plans been approved by DEP?	N/A
b. Have these plans been approved by DEP? c. When will construction begin?	N/A N/A
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	N/A N/A No
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A No FL 6512070
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A No FL 6512070 Unknown

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: PALM TERRACE / PASCO

Furnish information below for each system. A separate page sho	ould be supplied where necessary.
Present ERCs * the system can efficiently serve.	1,133
2. Maximum number of ERCs * which can be served.	1,201
3. Present system connection capacity (in ERCs *) using existing lines	1,201
4. Future connection capacity (in ERCs *) upon service area buildout.	1,201
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 500 GPM
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or important and estimated completion dates for any enlargements or important and estimated completion dates for any enlargements or important and estimated completion dates for any enlargements or important and estimated completion dates for any enlargements or important and estimated completion dates for any enlargements or important and estimated completion dates for any enlargements or important and estimated completion dates.	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP r	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	
o. When will constitution organ.	N/A
d. Attach plans for funding the required upgrading.	N/A
d. Attach plans for funding the required upgrading.	N/A
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A 6511331
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A 6511331 20003759.003

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ZEPHYR SHORES / PASCO

Furnish information below for each system. A separate page should l	be supplied where necessary.
Present ERCs * the system can efficiently serve	519
2. Maximum number of ERCs * which can be served.	546
3. Present system connection capacity (in ERCs *) using existing lines	546
4. Future connection capacity (in ERCs *) upon service area buildout.	546
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	Yes 500 GPM
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improver	None
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3512018
12. Water Management District Consumptive Use Permit #	2011082.00
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

GIBSONIA ESTATES / POLK

Furnish information below for each system. A separate page sho	uld be supplied where necessary.	
1. Present ERCs * the system can efficiently serve.	197	
2. Maximum number of ERCs * which can be served.	203	
3. Present system connection capacity (in ERCs *) using existing lines.	203	
4. Future connection capacity (in ERCs *) upon service area buildout.	203	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity?	Yes 500 GPM	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or impro-	None	
9. When did the company last file a capacity analysis report with the DEP?		
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP ru	iles.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin?	N/A	
-		
d. Attach plans for funding the required upgrading.		
	N/A	
d. Attach plans for funding the required upgrading.		
d. Attach plans for funding the required upgrading.e. Is this system under any Consent Order with DEP?	6530079	
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	6530079 209336.01	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

LAKE GIBSON ESTATES / POLK

Furnish information below for each system. A separate page should b	e supplied where necessary.
Present ERCs * the system can efficiently serve	840
2. Maximum number of ERCs * which can be served.	863
3. Present system connection capacity (in ERCs *) using existing lines	863
4. Future connection capacity (in ERCs *) upon service area buildout.	863
5. Estimated annual increase in ERCs *	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 500 GPM
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improvem	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	6532347
12. Water Management District Consumptive Use Permit #	207878.02
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ORANGE HILL/SUGAR CREEK / POLK

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve	232
2. Maximum number of ERCs * which can be served.	246
3. Present system connection capacity (in ERCs *) using existing lines.	246
4. Future connection capacity (in ERCs *) upon service area buildout.	246
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 500 GPM
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	6532347
12. Water Management District Consumptive Use Permit #	207878.02
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ROSALIE OAKS / POLK

Furnish information below for each system. A separate page sho	ould be supplied where necessary.	
Present ERCs * the system can efficiently serve	95	
2. Maximum number of ERCs * which can be served.	97	
3. Present system connection capacity (in ERCs *) using existing lines.	97	
4. Future connection capacity (in ERCs *) upon service area buildout.	97	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or impr	None	
9. When did the company last file a capacity analysis report with the DEP?	N/A	
	N/A	
10. If the present system does not meet the requirements of DEP rules:	ıles.	
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules.	ıles. N/A	
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules.b. Have these plans been approved by DEP?	ıles. N/A	
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? 	ules. N/A N/A	
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	ules. N/A N/A	
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID # 	N/A N/A N/O NO FL 5080239	
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A N/A No FL 5080239 Unknown	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

VILLAGE WATER / POLK

Furnish information below for each system. A separate page should	be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	303
2. Maximum number of ERCs * which can be served.	324
3. Present system connection capacity (in ERCs *) using existing lines.	324
4. Future connection capacity (in ERCs *) upon service area buildout.	324
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improved	-
9. When did the company last file a capacity analysis report with the DEP?	N/A
9. When did the company last file a capacity analysis report with the DEP?10. If the present system does not meet the requirements of DEP rules:	N/A N/A
	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A N/A
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? 	N/A N/A
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? 	N/A N/A N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	N/A N/A N/A N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A N/A N/A N/A N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A N/A N/A N/A N/A NO FL 5280162

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

BEECHER'S POINT / PUTNAM

Furnish information below for each system. A separate page should	ld be supplied where necessary.	
1. Present ERCs * the system can efficiently serve.	63	
2. Maximum number of ERCs * which can be served.	67	
3. Present system connection capacity (in ERCs *) using existing lines.	67	
4. Future connection capacity (in ERCs *) upon service area buildout.	67	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity?	Yes 500 GPM	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or impro-	None	
9. When did the company last file a capacity analysis report with the DEP?		
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading.		
d. Attach plans for funding the required upgrading.e. Is this system under any Consent Order with DEP?	N/A	
	N/A 2540070	
e. Is this system under any Consent Order with DEP?	2540070	
e. Is this system under any Consent Order with DEP?	2540070 N/A	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

HERMITS COVE / PUTNAM

Furnish information below for each system. A separate page should	d be supplied where necessary.
Present ERCs * the system can efficiently serve	172
2. Maximum number of ERCs * which can be served.	184
3. Present system connection capacity (in ERCs *) using existing lines.	184
4. Future connection capacity (in ERCs *) upon service area buildout.	_ 184
5. Estimated annual increase in ERCs *.	_ None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	_ No _ N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	S.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3590497
12. Water Management District Consumptive Use Permit #	8357
a. Is the system in compliance with the requirements of the CUP?	Yes
	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

INTERLACHEN LAKE/PARK MANOR / PUTNAM

Furnish information below for each system. A separate page should be a system of the system.	ould be supplied where necessary.
Present ERCs * the system can efficiently serve	271
2. Maximum number of ERCs * which can be served.	291
3. Present system connection capacity (in ERCs *) using existing lines.	291
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or imp	None None
9. When did the company last file a capacity analysis report with the DEP?	
9. When did the company last file a capacity analysis report with the DEP?	
9. When did the company last file a capacity analysis report with the DEP?	N/A
9. When did the company last file a capacity analysis report with the DEP?	N/A rules.
9. When did the company last file a capacity analysis report with the DEP?10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP r	N/A rules N/A
 9. When did the company last file a capacity analysis report with the DEP?	N/A rules N/A
 9. When did the company last file a capacity analysis report with the DEP?	N/A rules N/A N/A
 9. When did the company last file a capacity analysis report with the DEP?	N/A rules N/A N/A N/O
 9. When did the company last file a capacity analysis report with the DEP?	N/A rules N/A N/A No 2540545
 9. When did the company last file a capacity analysis report with the DEP?	N/A Prules. N/A N/A N/A No 2540545 7986

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

PALM PORT / PUTNAM

	Furnish information below for each system. A separate page should	be supplied where necessary.
1. Pre	esent ERCs * the system can efficiently serve.	104
2. Ma	aximum number of ERCs * which can be served.	108
3. Pre	esent system connection capacity (in ERCs *) using existing lines.	108
4. Fut	ture connection capacity (in ERCs *) upon service area buildout.	108
5. Est	timated annual increase in ERCs *.	None
6. Is the	the utility required to have fire flow capacity?	
7. Att	each a description of the fire fighting facilities.	None
8. Des	scribe any plans and estimated completion dates for any enlargements or improver	· ·
9. Wh	en did the company last file a capacity analysis report with the DEP?	N/A
10. If th	he present system does not meet the requirements of DEP rules:	
	a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
	b. Have these plans been approved by DEP?	N/A
	c. When will construction begin?	N/A
	d. Attach plans for funding the required upgrading.	
	e. Is this system under any Consent Order with DEP?	N/A
11. Dep	e. Is this system under any Consent Order with DEP?	N/A 2540865
	•	
	partment of Environmental Protection ID #	2540865

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

POMONA PARK / PUTNAM

a armon micrimation colon for each system. At separate page should	be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	168
2. Maximum number of ERCs * which can be served.	190
3. Present system connection capacity (in ERCs *) using existing lines.	190
4. Future connection capacity (in ERCs *) upon service area buildout.	190
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	2540905
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

RIVER GROVE / PUTNAM

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve	107
2. Maximum number of ERCs * which can be served.	107
3. Present system connection capacity (in ERCs *) using existing lines.	107
4. Future connection capacity (in ERCs *) upon service area buildout.	107
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	2540959
Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

December 31, 2006

SYSTEM NAME / COUNTY:

SILVER LAKE OAKS / PUTNAM

	be supplied where necessary.
Present ERCs * the system can efficiently serve	37
2. Maximum number of ERCs * which can be served.	46
3. Present system connection capacity (in ERCs *) using existing lines	46
4. Future connection capacity (in ERCs *) upon service area buildout.	46
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improver	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	2544258
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

ST. JOHN'S HIGHLANDS / PUTNAM

Furnish information below for each system. A separate page should be	supplied where necessary.	
1. Present ERCs * the system can efficiently serve.	95	
2. Maximum number of ERCs * which can be served.	100	
3. Present system connection capacity (in ERCs *) using existing lines.	100	
4. Future connection capacity (in ERCs *) upon service area buildout.	100	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?		
7. Attach a description of the fire fighting facilities.	None	
8. Describe any plans and estimated completion dates for any enlargements or improvement	ents of this system: None	
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP rules.		
b. Have these plans been approved by DEP?		
c. When will construction begin?		
d. Attach plans for funding the required upgrading.		
e. Is this system under any Consent Order with DEP?		
11. Department of Environmental Protection ID#		
12. Water Management District Consumptive Use Permit #		
a. Is the system in compliance with the requirements of the CUP?		
b. If not, what are the utility's plans to gain compliance?		

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

WELAKA/SARATOGA HARBOUR / PUTNAM

Furnish information below for each system. A separate page should b	oe supplied where necessary.
1. Present ERCs * the system can efficiently serve.	144
2. Maximum number of ERCs * which can be served.	158
3. Present system connection capacity (in ERCs *) using existing lines.	158
4. Future connection capacity (in ERCs *) upon service area buildout.	158
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improvem-	nents of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	2541242
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

WOOTEN / PUTNAM

Furnish information below for each system. A separate page should	l be supplied where necessary.
Present ERCs * the system can efficiently serve	_ 28
2. Maximum number of ERCs * which can be served.	29
3. Present system connection capacity (in ERCs *) using existing lines.	_ 29
4. Future connection capacity (in ERCs *) upon service area buildout.	29
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
	2541290
11. Department of Environmental Protection ID #	2541280
 11. Department of Environmental Protection ID # 12. Water Management District Consumptive Use Permit # 	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

CHULUOTA / SEMINOLE

Turnish information below for each system. A separate page sho	ould be supplied where necessary.	
Present ERCs * the system can efficiently serve	1,428	
2. Maximum number of ERCs * which can be served.	1,445	
3. Present system connection capacity (in ERCs *) using existing lines.	1,445	
4. Future connection capacity (in ERCs *) upon service area buildout.	1,445	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 600 GPM	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or impr	None	
9. When did the company last file a capacity analysis report with the DEP?	N/A	
9. When did the company last file a capacity analysis report with the DEP?10. If the present system does not meet the requirements of DEP rules:	N/A	
10. If the present system does not meet the requirements of DEP rules:	ıles.	
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules.	nlesN/A	
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules.b. Have these plans been approved by DEP?	nlesN/A	
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? 	ules. N/A N/A	
 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	ules. N/A N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A No 3590186	
a. Attach a description of the plant upgrade necessary to meet the DEP rules: b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A No 3590186 8362	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: HARMONY HOMES / SEMINOLE

Furnish information below for each system. A separate page should	1 be supplied where necessary.
Present ERCs * the system can efficiently serve	61
2. Maximum number of ERCs * which can be served.	65
3. Present system connection capacity (in ERCs *) using existing lines.	65
4. Future connection capacity (in ERCs *) upon service area buildout.	65
5. Estimated annual increase in ERCs *	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	3.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
	3590497
11. Department of Environmental Protection ID #	-
	8357

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

December 31, 2006

SYSTEM NAME / COUNTY:

THE WOODS / SUMTER

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve	69
2. Maximum number of ERCs * which can be served.	_ 78
3. Present system connection capacity (in ERCs *) using existing lines.	78
4. Future connection capacity (in ERCs *) upon service area buildout.	78
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	FL 6600347
12. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: J

JUNGLE DEN / VOLUSIA

Furnish information below for each system. A separate page should	d be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	114
2. Maximum number of ERCs * which can be served.	115
3. Present system connection capacity (in ERCs *) using existing lines.	115
4. Future connection capacity (in ERCs *) upon service area buildout.	115
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improv	None
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	s.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3644127
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A
b. If not, what are the utility's plans to gain compliance:	IV/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

December 31, 2006

SYSTEM NAME / COUNTY:

TOMOKA/TWIN RIVERS / VOLUSIA

Present ERCs * the system can efficiently serve	272
2. Maximum number of ERCs * which can be served.	
Present system connection capacity (in ERCs *) using existing lines.	
Future connection capacity (in ERCs *) upon service area buildout.	_
	_
5. Estimated annual increase in ERCs *.	
6. Is the utility required to have fire flow capacity?	_ No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improv	N
9. When did the company last file a capacity analysis report with the DEP?	_ N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	S.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
Department of Environmental Protection ID #	3641373
2. Water Management District Consumptive Use Permit #	N/A
	Yes
a. Is the system in compliance with the requirements of the CUP?	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SUNNY HILLS / WASHINGTON

Furnish information below for each system. A separate page should	the supplied where necessary.	
Present ERCs * the system can efficiently serve	_ 596	
2. Maximum number of ERCs * which can be served.	621	
3. Present system connection capacity (in ERCs *) using existing lines.	621	
4. Future connection capacity (in ERCs *) upon service area buildout.	621	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 500 GPM	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or improve		
9. When did the company last file a capacity analysis report with the DEP?	N/A	
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP rules	S.	
a. Attach a description of the plant upgrade necessary to meet the DEP rulesb. Have these plans been approved by DEP?		
	N/A	
b. Have these plans been approved by DEP?	N/A	
b. Have these plans been approved by DEP? c. When will construction begin?	N/A	
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	N/A N/A	
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A N/A 1670647	
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A N/A 1670647	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.