SYSTEM NAME / COUNTY:

ARREDONDO ESTATES / ALACHUA

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		1,661 1,819 2,206 1,773 1,962 1,667 1,650 2,164 2,101 1,827 2,027 2,025	90 102 358 92 173 218 33 24 8 7 7	1,571 1,717 1,848 1,681 1,789 1,449 1,617 2,140 2,093 1,820 2,024 2,021	1,486 1,290 1,039 1,315 1,088 1,403 1,003 1,312 1,009 1,079 753 818
Total for Year	N/A	22,882	1,112	21,770	13,595
Vendor Point of de		N/A N/A	names of such utilities b	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	172,800 172,800		Aquifer Aquifer
Total production from wells		62,690	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ARREDONDO ESTATES / ALACHUA

December 31, 2007

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		1,661 1,819 2,206 1,773 1,962 1,667 1,650 2,164 2,101 1,827 2,027 2,025	90 102 358 92 173 218 33 24 8 7	1,571 1,717 1,848 1,681 1,789 1,449 1,617 2,140 2,093 1,820 2,024 2,021	1,486 1,290 1,039 1,315 1,088 1,403 1,003 1,312 1,009 1,079 753 818
Total for Year	N/A	22,882	1,112	21,770	13,595
Vendor Point of del	ivery to other water utilities	N/A N/A	names of such utilities be	low:	,

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	172,800 172,800		Aquifer Aquifer
Total production from wells		62,690	

December 31, 2007

SYSTEM NAME / COUNTY:

ARREDONDO FARMS / ALACHUA

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	(4)	1,954	233	1,721	1,939
February		1,881	157	1,724	1,722
March	·	2,141	148	1,993	1,194
April		2,094	174	1,920	357
May		2,203	163	2,040	12,866
June		2,281	152	2,129	-8,404
July		2,208	328	1,880	581
August		2,458	225	2,233	1,267
September		2,194	244	1,950	1,403
October		2,328	188	2,140	1,523
November		2,300	234	2,066	1,717
December		2,410	215	2,195	2,469
Total for Year	N/A	26,452	2,461	23,991	18,634
If water is pure Vendor Point of del		ate the following: N/A N/A			
If water is sold		s for redistribution, list N/A	names of such utilities be	low:	
		·			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	360,000 432,000		Aquifer Aquifer
Total production from wells		72,471	

SYSTEM NAME / COUNTY:

KINGSWOOD / BREVARD

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
January February March April May June July August September October November December	258 215 214 214 201 221 245 251 310 334 279 219		0 0 0 0 0 0 0 8 0 0 0 0 0	258 215 214 214 201 221 237 251 310 334 279 219	266 254 212 221 214 287 231 237 275 266 224 300	
Total for Year	2,961		8	2,953	2,987	
If water is purchased for resale, indicate the following: Vendor Point of delivery 4" Compound meter at the entrance to Kingswood subdivision If water is sold to other water utilities for redistribution, list names of such utilities below: N/A						

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with Brevard County Utilities		8,112	Purchase
	_		

December 31, 2007

SYSTEM NAME / COUNTY:

OAKWOOD / BREVARD

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February	WATER PURCHASED FOR RESALE (Omit 000's) (b) 900 1,045	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 2 3	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 898	WATER SOLD TO CUSTOMERS (Omit 000's) (f)	
March April May June July August September October November December	916 1,001 1,098 1,000 951 869 1,132 256 1,526 1,087		3 6 2 6 2 3 3 2 3 2	1,042 914 995 1,096 994 949 866 1,130 253 1,524 1,084	946 722 1,010 920 987 878 561 844 729 982	
Total for Year	11,781	N/A	36	11,745	10,547	
If water is purchased for resale, indicate the following: Vendor Brevard County Utilities Point of delivery 4" Compound meter at the entrance to Oakwood subdivision If water is sold to other water utilities for redistribution, list names of such utilities below: N/A						

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with Brevard County Utilities		32,277	Purchase

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: LAKE JOSEPHINE / HIGHLANDS

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 3,844 3,603 4,537	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 350 350 350	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 3,494 3,253 4,187	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 3,874 3,880 3,383	
April May June July August September October November December		4,181 4,427 2,496 3,195 3,447 2,548 4,001 3,418 3,049	670 542 143 250 1,000 0 1,000 1,000 0	3,511 3,885 2,353 2,945 2,447 2,548 3,001 2,418 3,049	5,094 3,132 3,899 3,347 1,971 3,082 2,844 2,246 3,177	
Total for Year		42,746	5,655	37,091	39,929	
Vendor Point of do If water is so Note: In Oct provid	If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: Note: In October 2002, the Sebring Lakes system was interconnected with the Lake Josephine system, and began providing water to Lake Josephine customers. Data in column (f) above includes water received from the Sebring Lakes system (Group 3-3) through that interconnect.					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	360,000 576,000		Ground Ground
Total production from wells		117,112	

SYSTEM NAME / COUNTY:

LEISURE LAKES / HIGHLANDS

December 31, 2007

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		1,039 823 927 656 645 571 720 622 1,662 836 590 594	62 62 0 0 0 0 0 0 0 24 66 43	977 761 927 656 645 571 720 622 1,638 770 547	609 796 706 615 568 485 360 312 457 374 504
Total for Year	N/A	9,685	285	9,400	6,706
Vendor Point of de	livery I to other water utilities	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	288,000 72,000		Deep Well Deep Well
Total production from wells		26,534	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SEBRING LAKES / HIGHLANDS

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		1,352 1,100 949 757 1,241 1,852 1,257 1,907 2,166 1,536 1,899 838	810 280 580 130 580 230 630 1,280 280 1,030 1,364 280	542 820 369 627 661 1,622 627 627 1,886 506 535 558	336 323 347 518 640 307 312 464 250 273 451 427
Total for Year	N/A	16,854	7,474	9,380	4,648
Vendor Point of de If water is so Note: In Oct provid	ld to other water utilitie	N/A N/A es for redistribution, list Lakes system was inte phine customers. Data	t names of such utilities b rconnected with the Lake in column (e) includes w	elow: Josephine system and beg ater delivered to Lake Jose	an ephine

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	1,195,200 1,195,200		Ground Ground
Total production from wells		46,175	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

48 ESTATES / LAKE

PUMPING AND PURCHASED WATER STATISTICS

August	MONTH (a) January February March April May June July	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 744 614 844 939 1,179 940 870	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 128 10 256 4 400 400 4	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 616 604 588 935 779 936 787	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 504 505 454 838 737 943
for Year N/A 9,893 1,415 8,478 7,699 If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A	August September October November		1,004 741 594 749	224 3 4 295	780 738 590 454	772 527 506
Vendor N/A Point of delivery N/A		N/A	9,893	1,415	8,478	7,699
N/A	Vendor Point of del	ivery to other water utilities	N/A N/A s for redistribution, list s	names of such utilities be	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	115,200	27,104	Ground

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

CARLTON VILLAGE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		1,431 1,404 1,839 2,005 2,198 1,697 1,511 1,590 1,532 1,363 1,363 1,476	18 139 340 4 34 4 3 274 106 83 3	1,413 1,265 1,499 2,001 2,164 1,693 1,508 1,316 1,426 1,280 1,360 1,472	1,215 1,186 1,210 1,897 1,940 1,808 1,524 1,259 1,432 1,170 1,680 1,507
Total for Year	N/A	19,409	1,012	18,397	17,828
Vendor Point of de	•	N/A N/A	t names of such utilities b	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	288,000 288,000		Deep Well Deep Well
Total production from wells		53,175	

SYSTEM NAME / COUNTY:

EAST LAKE HARRIS ESTATES / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		655 645 743 678 727 581 523 540 491 661 877 714	5 85 24 97 5 17 5 15 223 5 100	650 640 658 654 630 576 506 535 476 438 872	768 567 595 622 572 708 505 485 481 408 716
Total for Year	N/A	7,835	586	7,249	6,944
Vendor Point of del If water is solo Note: The Eas	livery I to other water utilities st Lake Harris system i	N/A N/A s for redistribution, list	names of such utilities bei ne Friendly Center system 5.	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	288,000	14,311	Deep Well
			,
-			

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

FAIRWAYS @ MT. PLYMOUTH / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		0 0 0 2,877 5,909 2,439 5,733 4,165 4,431 5,028 4,297	0 0 0 0 0 0 0 0 0 0 0 0	2,877 5,909 2,439 5,733 4,165 4,431 5,028 4,297	0 0 0 0 0 15,067 8,178 4,148 5,866 5,301 4,261 5,019
Total for Year	N/A	34,879		34,879	47,840
Vendor Point of de	•	N/A N/A	names of such utilities b	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	648,000 648,000		Aquifer Aquifer
Total production from wells		140,076	

SYSTEM NAME / COUNTY:

FERN TERRACE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		969 895 1,163 1,273 1,446 1,395 969 1,165 1,019 926 840 845	18 49 241 84 333 10 10 332 3 19 3 4	951 846 922 1,189 1,113 1,385 959 833 1,016 907 837 841	792 798 767 1,070 1,092 1,251 948 760 947 677 963
Total for Year	<u>N/A</u>	12,905	1,106	11,799	10,840
Vendor Point of del	ivery to other water utilities	N/A N/A	names of such utilities bel	ow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	259,200	35,356	Deep Well

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: FRIENDLY CENTER / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December					
Total for Year	N/A				
Vendor Point of de If water is sol Note: The Ea	ld to other water utilitie ast Lake Harris system	N/A N/A s for redistribution, list	t names of such utilities be the Friendly Center syster Harris - Group 4-3.	elow: n.	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	144,000	7,155	Deep Well
	_		

SYSTEM NAME / COUNTY:

GRAND TERRACE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 654 610 944 1,194 1,326 958 761 948 924 734 696 763	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 3 4 13 4 28 19 48 48 63 48 63 4	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 651 606 931 1,190 1,298 939 713 900 861 730 693 759	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 541 603 658 1,001 1,259 1,037 755 647 988 640 625
Total for Year	N/A	10,512	241	10,271	9,571
Vendor Point of de	livery	N/A N/A	names of such utilities bel	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	864,000	28,800	Deep Well

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HAINES CREEK / LAKE

PUMPING AND PURCHASED WATER STATISTICS

List for each source of supply:	ACITY WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well	129,600	21,964	Aquifer
			<u> </u>

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HOBBY HILLS / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 643 551 626 682 803 690 705 783 780 780 627 724	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 219 4 83 15 304 8 270 271 3 4	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 424 547 543 667 499 682 435 512 777 776 624 720	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 397 407 393 475 477 723 480 555 621 639 593
Total for Year	N/A	8,394	1,188	7,206	6,488
Vendor Point of de	livery I to other water utilities	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	216,000 252,000		Deep Well Deep Well
Total production from wells		22,997	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HOLIDAY HAVEN / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b) 506 613 685 558 693 571 527 519 663	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 18 4 3 4 3 7 29 4 8 19	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 488 609 682 554 690 564 498 515 655	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 354 555 294 624 425 472 359 263 376 322
October November December Total for Year	602 803 816 7,556	N/A	19 3 34	7,420	322 375 410 4,829
Vendor Point of de	·	Astor - Astor Park Wa 4" Compound Meter		elow:	

CAPACITY OF WELL	PER DAY FROM SOURCE	TYPE OF SOURCE
	20,701	Purchase
	OF WELL	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

IMPERIAL MOBILE TERRACE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 91 64 181 106 45 292 555 552 489 513	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 3 4 12 6 86 3 4 4 7 83	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 88 60 169 100 -41 289 551 548 482 430	WATER SOLD TO CUSTOMERS (Omit 000's) (1) 745 862 656 980 652 599 476 449 498 373
November December Total		661 700	3 4	658 696	600 676
If water is pure Vendor Point of del		4,249 eate the following: N/A N/A	219	4,030	7,566
If water is sold		s for redistribution, list N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	<u>576,000</u> 144,000		Deep Well Deep Well
Total production from wells		11,641	

SYSTEM NAME / COUNTY:

KINGS COVE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		2,475 2,130 3,616 3,673 4,042 3,124 2,479 3,196 2,743 2,376 2,749 2,964	3 59 1,062 4 54 4 12 777 3 84 3	2,472 2,071 2,554 3,669 3,988 3,120 2,467 2,419 2,740 2,292 2,746 2,960	2,457 2,029 2,225 3,290 3,279 3,793 2,795 2,379 3,152 2,025 2,369 2,616
Total for Year	N/A	35,567	2,069	33,498	32,409
Vendor Point of de	·	N/A N/A	t names of such utilities bo	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	432,000 324,000		Ground Ground
Total production from wells		97,444	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

MORNINGVIEW / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 233 210 287 279 351 261 264 231 229 208 226	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 83 4 114 4 83 33 17 18 4 3 83	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)]	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 202 168 158 209 235 250 169 182 204 163
Total for Year	N/A	2,976	450	2,526	2,258
Vendor Point of del	ivery I to other water utilities	N/A N/A	names of such utilities bel	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	612,000	8,153	Deep Well

December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: PALMS MOBILE HOME PARK / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 669 563 553 485 534 491 478	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 410 436 401 412 413 99 303	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 259 127 152 73 121 392 175	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 125 125 123 191 97 110 84
August September October November December		361 340	226 195 378 191 202	283 302 109 170 138	93 91 95 90
Total for Year	N/A	5,967	3,666	2,301	1,289
Vendor Point of de	•	N/A N/A	t names of such utilities b	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	187,200	16,348	Deep Well

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

PICCIOLA ISLAND / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,070 972 1,305 1,247 1,485 1,297 1,028 1,145 1,070 1,030 1,095 1,062	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 3 4 83 4 242 10 4 101 3 4 101 3 4	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,067 968 1,222 1,243 1,243 1,243 1,287 1,024 1,007 1,026 1,092 1,058	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 879 879 1,244 1,071 1,342 1,203 856 991 828 1,001
Total for Year	N/A	13,806	465	13,341	1,012
Vendor Point of del	livery I to other water utilities	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	216,000 252,000		Deep Well Deep Well
Total production from wells		37,825	

AQUA UTILITES FLORIDA, INC.

PINEY WOODS / LAKE

SYSTEM NAME / COUNTY:

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		1,441 1,404 1,971 2,042 2,485 1,991 1,349 1,521 1,490 1,277 1,266 1,289	6 21 325 5 405 5 6 31 5 6 5 6	1,435 1,383 1,646 2,037 2,080 1,986 1,343 1,490 1,485 1,271 1,261 1,283	1,294 1,138 1,203 1,660 1,796 2,044 1,681 1,222 1,486 1,130 1,294 1,346
Total for Year	N/A	19,526	826	18,700	17,294
Vendor Point of de	•	N/A N/A	t names of such utilities b	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	432,000 201,600		Deep Well Deep Well
Total production from wells		53,496	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

QUAIL RIDGE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 482 459 669 604 724 618 625 608 563	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 3 4 83 4 3 10 9 4 3	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 479 455 586 600 721 608 616 604 560	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 419 430 523 627 582 639 528 449
October November December		645 530 473	109 3 4	536 527 469	414 514 525
Total for Year	N/A	7,000	239	6,761	6,158
If water is pure Vendor Point of del		ate the following: N/A N/A			
If water is sold		for redistribution, list N/A	names of such utilities be	low:	
·					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	936,000	19,178	Deep Well

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY: RAVENSWOOD / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 313 258 359 310 544 361 309 340 306 248 301	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 310 255 355 306 541 357 306 303 244 298 280	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 543 238 239 374 370 439 278 256 290 195 390 249
Total for Year	N/A	3,933	42	3,891	3,861
Vendor Point of de	•	N/A N/A	t names of such utilities b	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	93,600	10,775	Aquifer
	_		
		<u> </u>	

December 31, 2007

SYSTEM NAME / COUNTY:

SILVER LAKE/WESTERN SHORES / LAKE

PUMPING AND PURCHASED WATER STATISTICS

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Silver Lake Estates	2,052,000		Deep Well
Well #2 Silver Lake Estates	2,052,000		Deep Well
Well #2 Western Shores	864,000		Deep Well
Total production from wells		954,770	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SKYCREST / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 594 704 995 1,284 1,339 779 669 811 697 731 773	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 19 83 506 333 337 37 252 3 257 4	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 575 621 489 951 1,002 776 662 559 694 474 769 775	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 513 498 461 633 792 969 685 539 657 504 718
Total for Year	N/A	1,131	2,160	8,347	7,444
Vendor Point of de		N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	252,000 720,000		Deep Well Deep Well
Total production from wells		28,786	

December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

STONE MOUNTAIN / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		76 57 59 63 72 79 71 74 52 77 63	6 19 19 20 19 19 20 6 6 17 6	70 38 40 43 53 60 51 68 46 60 57 42	56 36 34 46 43 58 41 71 49 34 69 42
Total for Year	N/A	791	163	628	579
Vendor Point of de	•	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	144,000	2,167	Deep Well
		-	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SUMMIT CHASE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,679 1,434 1,635 1,740 1,981 1,955 1,977 2,125 1,804 2,118 1,624 1,662	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 83 29 4 16 11 732 75 957 8 83 3 4	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,596 1,405 1,631 1,724 1,970 1,223 1,902 1,168 1,796 2,035 1,621 1,658	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 975 776 973 881 1,244 573 1,286 734 1,206 1,594 157 1,167
December Total for Year	N/A	21,734	2,005	19,729	11,566
Vendor Point of de	•	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	864,000 115,200		Ground Ground
Total production from wells		59,545	

SYSTEM NAME / COUNTY: VALENCIA TERRACE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 2,530 2,167 2,843 2,855 2,969 2,358 2,089 2,714 1,948 1,609	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 70 127 527 95 350 15 142 947 15 253	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 2,460 2,040 2,316 2,760 2,619 2,343 1,947 1,767 1,933 1,356	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 2,322 2,197 1,965 2,452 2,330 2,679 1,889 1,622 1,981 1,341
November December Total for Year	N/A	1,845 1,814 27,741	2,706	1,775 1,719 25,035	1,794 1,603 24,175
Vendor Point of de	·	N/A N/A	names of such utilities be	clow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	1,080,000 360,000		Deep Well Deep Well
Total production from wells		76,003	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

VENETIAN VILLAGE / LAKE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 897 833 1,087 951 1,144 910 856 925 813	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 894 750 978 942 1,137 901 850 921	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 802 689 772 1,017 898 1,053 937 764 848
October November December		804 883 954	242 3 83	562 880 871	522 991 749
Total for Year		11,057	565	10,492	10,042
Vendor Point of de	livery	N/A N/A s for redistribution, list	names of such utilities be	low:	
		N/A			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	345,600 144,000		Deep Well Deep Well
Total production from wells		30,293	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 13,164 11,308 15,215 16,084 20,704 15,700 13,828 17,810 12,237 11,880	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 52 116 156 26 86 119 223 41 41 90	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 13,112 11,192 15,059 16,058 20,618 15,581 13,605 17,769 12,196 11,790	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 15,820 11,924 11,021 19,034 19,675 6,003 23,115 12,566 13,307 11,796	
November December Total for Year	N/A	12,644 12,038	81 115	12,563 11,923 171,466	15,742 20,126	
for Year N/A 172,612 1,146 171,466 180,129 If water is purchased for resale, indicate the following: Vendor Point of delivery DATA BY SUB SYSTEM ONLY						
If water is sole	d to other water utilitie	s for redistribution, list	DATA BY SUB SYS			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
DATA BY SUB SYSTEM ONLY		472,910	
Par Parameter		-	
Total production from wells			
		<u> </u>	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS/MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 651 662 706 734 840 723 681 633 604 590 629 630	### WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 649 660 704 732 838 721 679 631 602 588 627 628	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
Total for Year	N/A	8,083	24	8,059	(A)
Vendor Point of de If water is solo	d to other water utilitie N/A	N/A N/A	names of such utilities be	ilow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	100,800		Ground Ground
Total production from wells		22,145	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS/MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		238 228 272 254 309 225 251 288 358 236 181 224	2 2 2 2 2 2 2 2 12 12 17 17 28 27 47	236 226 270 252 287 213 239 271 341 208 154	
Total for Year	N/A	3,064	190	2,874	(A)
Vendor Point of de	•	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	100,800	8,395	Ground

December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 310 221 254 253 305 233 330 287 260 330 290	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 2 2 2 2 2 2 2 40 2 2 2 2 2 2 2 2 2 2 2	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 308 219 252 251 303 231 328 285 285 290 288	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
Total for Year	N/A	3,315	62	3,253	(A)
Vendor Point of de	•	N/A N/A	names of such utilities be	olow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	100,800	9,082	Ground
			

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

(a) January	(b)	(Omit 000's) (c)	FIGHTING FIRES, ETC. (d)	(Omit 000's) [(b)+(c)-(d)] (e)	CUSTOMERS (Omit 000's) (f)
		383	2 2	381	
February		527		525	
March		715	$\frac{2}{2}$	713 764	
April		766	2	1,354	
May		1,356 921	2 2	919	
June July		836		834	
August		920	2	918	
September		716	2	714	
October		680		678	
November		733	2	731	
December		718	2	716	
Total for Year	N/A	9,271	24	9,247	(A)
Vendor		cate the following: N/A N/A			
Point of deli	ivery	IV/A			
If water is sold	to other water utilitie	s for redistribution, list	names of such utilities be	elow:	
		ABLE AT THE SUB			

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	100,800 100,800		Ground Ground
Total production from wells		25,400	·

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		172 160 201 169 216 203 162 149 123 109 119 124	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	170 158 199 167 214 201 160 147 121 107 117	
Total for Year	N/A	1,907	24	1,883	(A)
Vendor Point of de	•	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	72,000	5,225	Ground

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS/MARION

PUMPING AND PURCHASED WATER STATISTICS

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	100,800	12,430	Ground

YEAR OF REPORT
December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		5,593 4,122 5,871 5,844 7,487 5,252 4,775 7,792 4,012 4,447 5,123 4,771	30 4 94 4 72 96 4 4 4 34 39	5,563 4,118 5,777 5,840 7,483 5,180 4,679 7,788 4,008 4,443 5,089 4,732	
Total for Year	N/A	65,089	389	64,700	(A)
Vendor Point of de If water is sold	livery	N/A N/A s for redistribution, list	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	633,600		Ground
Well #2	316,800		Ground
Well #3	475,200		Ground
Total production from wells		178,326	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,648 1,490 2,023 2,364 2,801 2,222 2,207 1,961 1,820 1,737 1,696 1,622	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,646 1,488 2,021 2,362 2,799 2,220 2,205 1,959 1,818 1,735 1,694 1,620	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
Total for Year	N/A	23,591	24	23,567	(A)
Vendor Point of del	livery	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	288,000 288,000		Ground Ground
Total production from wells		64,633	

YEAR OF REPORT

December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 316 303 386 402 467 477 557 1,252 633 324 338 353	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 2 2 2 37 2 82 82 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 314 211 384 400 475 475 475 1,250 631 322 336 351	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
Total for Year	N/A	5,808	229	5,579	(A)
Vendor Point of de	d to other water utilitie N/A	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	129,600 129,600		Ground Ground
Total production from wells		15,912	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS/MARION

PUMPING AND PURCHASED WATER STATISTICS

November 654 2 652 December 639 11 628 Total for Year N/A 9,619 108 9,511 (A) If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below:	MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 671 644 868 826 1,214 1,178 694 834 742	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 2 2 42 2 7 17 17 17 2 2	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 669 642 826 824 1,207 1,161 677 832 740	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
for Year N/A 9,619 108 9,511 (A) If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below:	October November		655 654		653 652	
Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below:		N/A	9,619	108	9,511	(A)
IN C	Vendor Point of de	livery	N/A N/A	names of such utilities be	clow:	

List for each source of supply:	CAPACITY OF WELL	PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	108,000	26,353	Ground
		· · · · · · · · · · · · · · · · · · ·	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,045 962 1,181 1,276 1,530 1,221 918 912 828 809 878 881	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,043 960 1,179 1,274 1,528 1,219 916 910 826 807 876 879	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
Total for Year	N/A	12,441	24	12,417	(A)
Vendor Point of de	livery I to other water utilities N/A	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	266,400 266,400		Ground Ground
Total production from wells		34,085	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,799 1,658 2,359 2,762	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 2 2 2 2 2	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,797 1,656 2,357 2,760	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
May June July August September October November December		3,718 2,532 2,092 2,429 1,678 1,579 1,713 1,568	2 2 2 2 2 2 2 2 2	3,716 2,530 2,090 2,427 1,676 1,577 1,711 1,566	
Total for Year	N/A	25,887	24	25,863	(A)
Vendor Point of de	•	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	132,480		Ground
Well #2	132,480		Ground
Total production from wells		70,923	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

TANGERINE / ORANGE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 2,940 2,650 3,999 4,222 5,119 4,332 3,276 4,592 3,275 3,026 3,455	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 1,009 300 1,113 892 1,037 1,108 513 1,247 1,046 397 743	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,931 2,350 2,886 3,330 4,082 3,224 2,763 3,345 2,229 2,629 2,629 2,712	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 1,912 2,168 2,645 3,170 3,286 3,046 2,470 2,559 2,449 2,416 2,290
December Total for Year	N/A	3,367 44,253	10,269	2,503	30,452
Vendor Point of de	•	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	360,000 360,000		Deep Well Deep Well
Total production from wells		121,241	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

LAKE OSBORNE ESTATES / PALM BEACH

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b) 2,894 3,876 5,261 4,139 4,197 3,261 3,496 3,993 3,463 3,499 3,071 3,828	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 0 0 0 0 0 0 0 0 0 0 0 0	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 2,894 3,876 5,261 4,139 4,197 3,261 3,496 3,993 3,463 3,499 3,071 3,828	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 4,074 3,615 4,211 5,158 3,666 3,910 2,192 3,743 3,515 3,023 3,168 4,066
Total for Year	44,978 *	N/A		44,978	44,341
Veridor Point of de	livery I to other water utilities	City of Lake Worth Michigan Drive	names of such utilities be	low:	

OF WELL	FROM SOURCE	SOURCE
	123,227	Purchased
		123,227

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

JASMINE LAKES / PASCO

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 8,108 7,430 8,956 9,755 10,826 9,462 11,019 10,165 9,839	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 284 461 414 392 406 397 365 392 359	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 7,824 6,969 8,542 9,363 10,420 9,065 10,654 9,773 9,480	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 8,266 7,601 7,832 8,698 8,696 9,587 7,498 7,698 8,558
October November December Total		9,635 8,887 8,545	370 297 181	9,265 8,590 8,364	9,516 8,121 98,541
for Year If water is pur Vendor Point of de	N/A chased for resale, indi	ate the following: N/A N/A	4,318	108,309	70,341
If water is sol	d to other water utilitie	s for redistribution, list N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	374,400		Aquifer
Well #2	374,400		Aquifer
Well #3	374,400		Aquifer
Well #4	374,400		Aquifer
Total production from wells		308,567	

SYSTEM NAME / COUNTY:

PALM TERRACE / PASCO

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	7,372	· · · · · · · · · · · · · · · · · · ·	1,191	6,181	4,390
February	5,282		1,377	3,905	5,207
March	5,853		1,147	4,706	5,205
April	7,041		468	6,573	5,835
May	6,279		468	5,811	5,047
June	6,764		480	6,284	6,608
July	5,858	·	459	5,399	4,690
August	4,825		489	4,336	5,090
September	5,872		420	5,452	5,527
October	5,572		430	5,142	3,370
November	5,035		404	4,631	6,348
December	5,197		400	4,797	5,566
Total for Year	70,950		7,733	63,217	62,883
If water is pur Vendor Point of de		ate the following: Pasco County Utilities Palm Terrace Intercon			
If water is solo		for redistribution, list N/A	names of such utilities be	low:	
• • •					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with Pasco County Utilities		194,384	Purchase

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ZEPHYR SHORES / PASCO

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,458 1,216 1,436 1,165 822 657 623 707	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 36 1 11 11 26 46	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,422 1,215 1,425 1,164 821 646 597 661	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 1,490 1,033 1,076 871 560 719 329 379
August September October November December		707 702 1,462 924 1,044	26 26 26 26 26	676 1,436 898 1,018	3173 384 721 990 713
Total for Year	*	12,216	237	11,979	9,265
If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	763,200	33,468	Deep Well
		1	<u> </u>

December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

BREEZE HILL / POLK

PUMPING AND PURCHASED WATER STATISTICS

MONTH	WATER PURCHASED FOR RESALE (Omit 000's)	FINISHED WATER PUMPED FROM WELLS (Omit 000's)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC.	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)]	WATER SOLD TO CUSTOMERS (Omit 000's)
(a)	(b)	(c)	(d)	(e)	(f)
January		<u> </u>			·
February		· · · · · · · · · · · · · · · · · · ·	·····		
March					
April May					
June		··· ··· · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
July					
August				-	
September		424	0	424	3,169
October		314	0	314	1,462
November		372	0	372	615
December		335	0	335	383
Total for Year	N/A	1,445		1,445	5,629
If water is pur	chased for resale, indic	ate the following:			
Vendor		N/A			
Point of de	livery	N/A			·
If water is solo		s for redistribution, list	names of such utilities be	low:	
	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	254,880	11,844	Deep Well
			

SYSTEM NAME / COUNTY: GIBSONIA ESTATES / POLK

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,658 1,449 1,640 1,820 1,852 1,737 1,704 1,795 1,387	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 102 49 99 49 49 49 49 49 49 49	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,556 1,400 1,541 1,771 1,803 1,688 1,655 1,696 1,338	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 1,639 1,460 1,393 1,808 1,714 1,674 1,573 1,498 1,426
September October November December		1,387 1,801 1,717 1,746	99 49 49	1,702 1,668 1,697	1,207 2,560 2,158
Total for Year	N/A	20,306	791	19,515	20,110
Vendor Point of de	•	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	259,200 79,200		Deep Well Deep Well
Total production from wells		55,633	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: LAKE GIBS

LAKE GIBSON ESTATES / POŁK

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 6,691 5,640 7,559 7,746 8,781 7,001 6,643 7,282 6,019 6,989 6,845	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 6,557 5,529 7,451 7,581 8,673 6,883 6,485 6,884 5,911 6,761 6,642	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 4,991 7,049 5,135 7,390 6,579 7,871 6,279 5,380 6,676 5,035 7,249
Total for Year	N/A	6,873 84,069	1,992	6,750 82,077	77,805
Vendor Point of de	•	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	576,000 1,008,000		Deep Well Deep Well
Total production from wells		230,326	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: ORANGE HILL/SUGAR CREEK / POLK

December 31, 2007

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 1,541 1,302 1,798 2,019 2,288 1,066 1,146 2,017 1,580 1,989 1,733	### WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 67 69 69 69 61 61 61 61 61 61 61 61 61 61 61 61 61	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 1,474 1,233 1,729 1,958 2,227 1,005 1,085 1,956 1,519 1,926 1,672	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 874 1,266 1,190 1,718 1,624 1,826 2,329 1,399 1,864 1,330 1,660
Total for Year	N/A	20,189	756	1,649	1,707
Vendor Point of de	-	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	204,480 154,080		Deep Well Deep Well
Total production from wells		55,312	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ROSALIE OAKS / POLK

PUMPING AND PURCHASED WATER STATISTICS

October 304 14 290 188 November 276 16 260 205 December 259 16 243 225 Total for Year N/A If water is purchased for resale, indicate the following: Vendor N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A	MONTH (a) January February March April May June July August September	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 234 188 113 200 200 200 200 215 192	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 26 16 19 14 14 20 14 14	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 208 172 94 186 186 186 206 201	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 237 239 247 265 235 190 126 164 141
for Year N/A 2,607 217 2,390 2,462 If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below:	October November		304 276	14 16	290 260	
Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below:		N/A	2,607	217	2,390	2,462
	Vendor Point of de	livery	N/A N/A s for redistribution, list	names of such utilities be	olow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	360,000	7,142	Aquifer
			
			

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

VILLAGE WATER / POLK

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	3,227	(-)	270	2,957	2,341
February	2,834		260	2,574	3,203
March	3,108		215	2,893	2,700
April	3,623		50	3,573	2,012
May	1,839	· · · ·	475	1,364	924
June	1,977		160	1,817	2,694
July	6,464		60	6,404	2,118
August	2,644		70	2,574	1,702
September	3,220		60	3,160	1,818
October	2,892		60	2,832	2,811
November	2,997		60	2,937	3,772
December	2,799		60	2,739	1,381
Total for Year	37,624	N/A	1,800	35,824	27,476
If water is pure Vendor Point of de		ate the following: City of Lakeland Reynolds Dr. & Lisa I	ane		
If water is solo		for redistribution, list	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with City of Lakeland		103,079	Purchase

AQUA UTILITES FLORIDA, INC.

BEECHER'S POINT / PUTNAM

SYSTEM NAME / COUNTY:

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August	WATER PURCHASED FOR RESALE (Omit 000's) (b) 380 383 426 400 405 694 319 240	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 5 4 3 4 8 284 3 4	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 375 379 423 396 397 410 316 236	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 184 239 373 450 245 273 259 209
September October November December	255 175 407 225		13 24 33 4	242 151 374 221	200 162 305 222
Total for Year	4,309	N/A	389	3,920	3,121
Vendor Point of de	livery I to other water utilities	Town of Welaka 6" Rockwell Meter at	400 Front Street names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with the Town of Welaka		11,805	Purchase
			<u> </u>
,	 .		
			

YEAR OF REPORT
December 31, 2007

SYSTEM NAME / COUNTY:

HERMITS COVE / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 759 984 789 736 826 696 619 619	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 3 4 3 4 3 4 3 4 3 4	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 756 980 786 732 823 692 616 615	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 625 948 739 986 663 765 732 485
September October November December		511 487 531 559	3 4 3 4	508 483 528 555	678 420 702 879
Total for Year	N/A	8,116	42.	8,074	8,622
Vendor Point of de	d to other water utilitie This system is inter	N/A N/A s for redistribution, list connected with and pro-	names of such utilities be ovides water to St. John's t. John's Highlands syster	Highlands, Group 11-8.	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	216,000 216,000		Deep Well Deep Well
Total production from wells		22,236	

December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

INTERLACHEN LAKE/PARK MANOR / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		1,859 1,798 2,002 2,110 2,205 2,052 2,472 1,950 1,733 1,870 1,691 1,715	3 69 3 104 133 504 3 4 58 139 3	1,856 1,729 1,999 2,006 2,072 1,548 2,469 1,946 1,675 1,731 1,688 1,711	882 872 894 1,404 1,035 970 994 775 942 689 1,070 979
Total for Year	N/A	23,457	1,027	22,430	11,506
Vendor Point of de	•	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Well #2	259,200 259,200		Deep Well Deep Well
7701772			
Total production from wells		64,266	

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

PALM PORT / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 422 414 453 479 471 461 440 405 345 344 407	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(e)-(d)] (e) 419 410 450 475 468 457 437 401 342 340 404	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 393 372 408 504 280 485 368 354 312 332 432
Total for Year	N/A	5,128	42	5,086	4,755
Vendor Point of de	livery	N/A N/A	names of such utilities be	low:	

SOURCE OF SUPPLY

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1		14,049	Deep Well

 $(e_{i}, \dots, e_{i}) = (e_{i}, \dots, e_{i}) \in \mathcal{A}$

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

POMONA PARK / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 903 880 1,071 1,018 1,012 441 1,046 869 857 1,109 1,037	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 3 4 13 4 3 4 3 4 3 59	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 900 876 1,058 1,014 1,009 437 1,043 865 854 1,050 1,034	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 671 1,083 712 1,108 814 801 802 730 785 721 764
December Total for Year	N/A	1,033	107	1,029	9,861
Vendor Point of de	•	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	227,520	30,893	Deep Well
			<u> </u>

AQUA UTILITES FLORIDA, INC.

RIVER GROVE / PUTNAM

SYSTEM NAME / COUNTY:

PUMPING AND PURCHASED WATER STATISTICS

September		587 577 629 470	3 4 3 4 8	625 683 583 574 625 462	675 443 611 571 480 539
October November December Total for Year	N/A	450 485 531 6,602	47	446 482 527 6,555	372 528 486 6,162
Vendor Point of delive	гу	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	180,000	18,088	Deep Well

SYSTEM NAME / COUNTY:

SILVER LAKE OAKS / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		140 125 128 145 168 145 153 141 146 177 244 148	3 4 3 4 3 4 3 4 3 4 3 4	137 121 125 141 165 141 150 137 143 173 241 144	170 135 125 175 108 153 136 117 101 97 263
Total for Year	N/A	1,860	42	1,818	1,697
If water is purchased for resale, indicate the following: Vendor N/A Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	108,000	5,096	Deep Well

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ST. JOHN'S HIGHLANDS / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH	WATER PURCHASED FOR RESALE (Omit 000's)	FINISHED WATER PUMPED FROM WELLS (Omit 000's)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC.	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)]	WATER SOLD TO CUSTOMERS (Omit 000's)
January February March April May June July August September October November December	(b)	(c)	(d)	(e)	(f)
Total for Year	N/A				
If water is purchased for resale, indicate the following: Vendor Note: This system is interconnected with Hermits Cove, Group 11-2, and all data above is included therein. Point of delivery N/A If water is sold to other water utilities for redistribution, list names of such utilities below: N/A					

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnection with Hermits Cove, Group 11-2			

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

WELAKA/SARATOGA HARBOUR / PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		656 646 1,023 874 667 597 602 733 446 489 466 508	7 7 37 307 92 7 13 62 9 7 7	649 639 986 567 575 590 589 671 437 482 459 501	466 599 329 655 458 522 545 486 686 289 850 389
Total for Year If water is pur	N/A chased for resale, indic	7,707	562	7,145	6,274
Vendor Point of de	lívery	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Saratoga Harbour Well #1 Welaka	158,400 109,440		Deep Well Deep Well
Total production from wells		21,115	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

WOOTENS/PUTNAM

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November December	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 105 111 117 140 122 143 128 148 109 93 88	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 3 4 48 48 4 9 4 5 4 3 4 9 4 3 4	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 102 107 69 136 119 139 119 144 104 89 85	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 68 79 63 95 61 65 80 50 70 47 75
Total for Year	N/A	1,403	95	1,308	815
Vendor Point of de	livery	N/A N/A	names of such utilities be	low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	28,800	3,844	Deep Well
			
			
]	· ·

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

CHULUOTA / SEMINOLE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 12,490 11,431 17,243 15,789 19,104 13,570 11,878 21,024 16,845 16,290	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 290 380 1,235 356 240 430 230 2,235 195 335	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 12,200 11,051 16,008 15,433 18,864 13,140 11,648 18,789 16,650 15,955	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 12,239 11,368 11,709 15,179 16,610 15,943 10,615 12,530 14,334 11,400
November December Total		9,437 17,248	274 305	9,163 16,943	15,655 13,465 161,047
for Year If water is pur Vendor Point of de	N/A chased for resale, indicately	182,349 cate the following: N/A N/A	6,505	175,844	101,047
	•		names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Chuluota #1 - Well #1	360,000	, , , , , , , , , , , , , , , , , , , ,	Deep Well
Chuluota #1 - Well #2	720,000		Deep Well
Chuluota #2 - Well #1	720,000		Deep Well
Chuluota #2 - Well #2	720,000		Deep Well
Total production from wells		499,586	

December 31, 2007

SYSTEM NAME / COUNTY:

HARMONY HOMES / SEMINOLE

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 471	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 471	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 326
February March April May June July August September October November December		352 426 430 462 690 464 491 449 568 381	0 0 0 0 0 0 0 0 0	352 426 430 462 690 464 491 449 568 381	369 325 644 368 421 416 358 351 365 435 445
Total for Year	*	5,564		5,564	4,823
Vendor Point of de	d to other water utilities	City of Altamonte Spr Interconnect at Harmo	ings - backup water suppy my Homes sub division names of such utilities be		

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Interconnect with the City of Altamonte Springs	216,000	15,244	Deep Well Purchase

SYSTEM NAME / COUNTY:

THE WOODS / SUMTER

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March April May June July August September October November	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c) 596 344 341 327 358 311 325 373 366 351 339	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 52 40 40 46 40 62 202 120 119 120 40	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 544 304 301 281 318 249 123 253 247 231 299	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 593 320 280 265 305 284 105 195 193 136 302
December Total for Year	N/A	4,393	921	3,472	3,355
Vendor Point of de	·	N/A N/A	names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	144,000	12,036	Aquifer

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

JUNGLE DEN / VOLUSIA

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a) January February March	WATER PURCHASED FOR RESALE (Omit 000's) (b) 187 170 249	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d) 3 4 8	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e) 184 166 241	WATER SOLD TO CUSTOMERS (Omit 000's) (f) 142 246 138
April May June July August September October November December	191 162 131 140 136 149 111 142 151		24 3 4 3 4 3 4 3 4 3 12	167 159 127 137 132 146 107 139	262 126 117 115 111 108 90 124 129
Total for Year	1,919	N/A	75	1,844	1,708
Vendor Point of de	livery I to other water utilities	Astor - Astor Park Wa 4" Kent Meter at Juno		low:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Interconnect with Astor		5,258	Purchase
		<u> </u>	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

TOMOKA/TWIN RIVERS / VOLUSIA

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January February March April May June July August September October November December		2,191 1,902 2,483 2,579 3,106 2,541 2,290 2,605 2,275 2,391 2,416 2,107	127 115 141 128 192 128 132 127 148 163 243	2,064 1,787 2,342 2,451 2,914 2,413 2,158 2,478 2,127 2,228 2,173 1,970	1,761 2,047 1,237 2,875 2,201 2,065 1,738 1,565 1,873 1,562 2,410 1,820
Total for Year	N/A	28,886	1,781	27,105	23,154
Vendor Point of de	•	N/A N/A	t names of such utilities be	elow:	

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1 Tomoka View	108,000		Deep Well
Well #2 Tomoka View	288,000		Deep Well
Well #1 Twin Rivers	385,920		Deep Well
Total production from wells		79,140	-

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

SUNNY HILLS / WASHINGTON

PUMPING AND PURCHASED WATER STATISTICS

MONTH (a)	WATER PURCHASED FOR RESALE (Omit 000's) (b)	FINISHED WATER PUMPED FROM WELLS (Omit 000's) (c)	WATER USED FOR LINE FLUSHING, FIGHTING FIRES, ETC. (d)	TOTAL WATER PUMPED AND PURCHASED (Omit 000's) [(b)+(c)-(d)] (e)	WATER SOLD TO CUSTOMERS (Omit 000's) (f)
January	· · · · · · · · · · · · · · · · · · ·	4,494	1,115	3,379	2,395
February		4,136	1,240	2,896	2,142
March		6,088	2,760	3,328	2,261
April	· · · · · · · · · · · · · · · · · · ·	6,734	3,650	3,084	5,204
May		7,597	1,990	5,607	4,760
June		8,013	2,240	5,773	5,766
July		6,364	3,200	3,164	3,365
August	_	7,679	3,050	4,629	3,672
September		7,377	2,430	4,947	3,766
October		7,562	1,880	5,682	3,406
November		5,953	1,580	4,373	5,099
December		6,345	1,810	4,535	3,077
Total for Year	N/A	78,342	26,945	51,397	44,913
If water is pur Vendor Point of de		ate the following: N/A N/A			
If water is solo		s for redistribution, list N/A	names of such utilities be	low:	
	d to other water utilities	s for redistribution, list	names of such utilities be	low:	_

SOURCE OF SUPPLY

List for each source of supply:	CAPACITY OF WELL	GALLONS PER DAY FROM SOURCE	TYPE OF SOURCE
Well #1	734,400		Deep Well
Well #2	744,480		Deep Well
Well #3	288,000		Deep Well
Total production from wells		214,636	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ARREDONDO ESTATES / ALACHUA

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		68,494		
		Wellhead		
Type of treatment (reverse os (sedimentation, chemical, aerat		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

Tī	TI	LI	TY	ΖN	Δ	M	ĤE:

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

ARREDONDO FARMS / ALACHUA

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		95,891			
		Wellhead			
Type of treatment (reverse (sedimentation, chemical, ae	•	Chlorination			
		LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A		· · · · · · · · · · · · · · · · · · ·
FILTRATION Type and size of area:					
Pressure (in square feet):	N/A	Manufacturer:	N/A		
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	····	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

KINGSWOOD / BREVARD

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Interconnected with Brevard County Utilities		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	N/A		
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	N/A		
	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

••				
U	$\mathbf{I}\mathbf{I}\mathbf{L}$	JTY	NA	MIE

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OAKWOOD / BREVARD

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank): Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Interconnected with Brevard County Utilities		
		N/A		· · · · · · · · · · · · · · · · · · ·
		N/A		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
ILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

LAKE JOSEPHINE / HIGHLANDS

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		300,000	
		Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

LEISURE LAKES / HIGHLANDS

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank): Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		72,000		
		Wellhead and/or Distribution		
		Chlorination and Ae	ration	
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	· · · · · · · · · · · · · · · · · · ·
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	
i				

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SEBRING LAKES / HIGHLANDS

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		280,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

IITII.	ITY	NA	ME:

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

48 ESTATES / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plan	t (GPD):	57,600		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead		
Type of treatment (revers (sedimentation, chemical, a	•	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pound per gallon):	s N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet)	N/A	Manufacturer:	N/A	

YEAR OF REPORT December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

CARLTON VILLAGE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		288,000	·	
		Wellhead and/or Dist	ribution	
	Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):			
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	s N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	: <u>N/A</u>	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

EAST LAKE HARRIS ESTATES / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		144,000		
		Wellhead and/or Dis	tribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				·
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

FAIRWAYS @ MT. PLYMOUTH / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):			
-	Wellhead and/or Di	stribution	
	Chlorination		
	LIME TREATMENT		
N/A	Manufacturer:	N/A	
N/A	Manufacturer:	N/A	
N/A	Manufacturer:	N/A	
	capacity): osmosis, rated, etc.): N/A	capacity): Wellhead and/or Dis osmosis, rated, etc.): Chlorination LIME TREATMENT N/A Manufacturer: N/A Manufacturer:	capacity): Wellhead and/or Distribution osmosis, rated, etc.): Chlorination LIME TREATMENT N/A Manufacturer: N/A N/A Manufacturer: N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

FERN TERRACE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		129,600	<u> </u>	
		Wellhead and/or Dis	tribution	
Type of treatment (reverse (sedimentation, chemical, aera		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
TLTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	-
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	•

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

FRIENDLY CENTER / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		72,000	
		Wellhead and/or Dis	stribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

Ţ	JT1	FT.1	ITV	NΔ	ME

YEAR OF REPORT
December 31, 2007

SYSTEM NAME / COUNTY:

GRAND TERRACE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	432,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dist	ribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination		
	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HAINES CREEK / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	64,800	_
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	: Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION		
Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

ľ	T	TT	TT.	v	N	Δ	М	F:
ı		ВL	íl l		1.4	~	171	

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

HOBBY HILLS / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	234,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.)	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer: N/A	
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer: N/A	
Gravity (in GPM/square feet): N/A	Manufacturer: N/A	

YEAR OF REPORT December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HOLIDAY HAVEN / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Interconnected with	Astor	
Type of treatment (reverse of (sedimentation, chemical, aera				
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

IMPERIAL MOBILE TERRACE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		288,000			
		Wellhead and/or Di	stribution	·	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.		Chlorination			
		LIME TREATMENT			
Unit rating (i.e., GPM, pounds per gallon): N/2	A	Manufacturer:	N/A		
FILTRATION Type and size of area:					
Pressure (in square feet): N/A	4	Manufacturer:	N/A		···
Gravity (in GPM/square feet): N/A	4	Manufacturer:	N/A		

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

KINGS COVE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	378,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	<u> </u>
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

UTIL	ITY	NA	ME:
------	-----	----	-----

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

MORNINGVIEW / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		306,000		
		Welihead and/or Di	stribution	
Type of treatment (rever (sedimentation, chemical,		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, poun per gallon):	ds N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): <u>N/A</u>	Manufacturer:	N/A	

December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

PALMS MOBILE HOME PARK / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plat	Permitted Capacity of Plant (GPD):			
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead and/or Dis	stribution	
Type of treatment (rever (sedimentation, chemical,		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, poun per gallon):	nds N/A	Manufacturer:	N/A	· · · · · · · · · · · · · · · · · · ·
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square fee	et): <u>N/A</u>	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

PICCIOLA ISLAND / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		198,000	<u> </u>	
		Wellhead and/or Di	stribution	
Type of treatment (reverse (sedimentation, chemical, ae		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	
· · · · · · · · · · · · · · · · · · ·				

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

PINEY WOODS / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		216,000		
		Wellhead and/or Dis	stribution	
Type of treatment (reverse (sedimentation, chemical, ae		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

QUAIL RIDGE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		468,000		 -
		Wellhead and/or Dist	ribution	
Type of treatment (reverse osmo (sedimentation, chemical, aerated		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

RAVENSWOOD / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (G	PD):	56,160	
Location of measurement of cap (i.e. Wellhead, Storage Tank):	pacity	Wellhead	
Type of treatment (reverse os (sedimentation, chemical, aera		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

SILVER LAKE/WESTERN SHORES / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		SLE Plant - 2,202,000 / WS Plant - 432,000		
		Wellhead and/or Dis	stribution	
Type of treatment (reverse osmo (sedimentation, chemical, aerated		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	<u> </u>
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SKYCREST / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	126,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dis	tribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

STONE MOUNTAIN / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		144,000		
		Wellhead and/or Di	stribution	
Type of treatment (reverse o (sedimentation, chemical, aera	•	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
ILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

YEAR OF REPORT

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

SUMMIT CHASE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		489,600	<u> </u>
		Wellhead	
Type of treatment (revers (sedimentation, chemical, a		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pound per gallon):	s N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet)	: <u>N/A</u>	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

VALENCIA TERRACE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	720,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dis	stribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

YEAR OF REPORT December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

VENETIAN VILLAGE / LAKE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		216,000	
		Wellhead and/or Dist	tribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pour per gallon):	nds N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square fee	et): <u>N/A</u>	Manufacturer:	N/A

T	TTI	.ITY	NI A	MIT.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		DATA BY SUB SYSTEM ONLY
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	Manufacturer:	
ILTRATION Type and size of area:		
Pressure (in square feet):	Manufacturer:	
Gravity (in GPM/square feet):	Manufacturer:	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank): Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		100,000		
		Wellhead		
		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	·

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA QAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		20,000		
		Wellhead		
Type of treatment (reverse osme (sedimentation, chemical, aerated		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		65,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Wellhead	
W Officad	
Chlorination	
IME TREATMENT	
Manufacturer:	N/A
Manufacturer:	N/A
Manufacturer:	N/A
	IME TREATMENT Manufacturer: Manufacturer:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		36,000	
		Wellhead	
Type of treatment (reverse of (sedimentation, chemical, aera		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		* *	
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		54,000	. 	
		Wellhead		
Type of treatment (reverse (sedimentation, chemical, a	•	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

December 31, 2007

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	712,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

				_
Permitted Capacity of Plant (GPD)		288,000		
Location of measurement of capacition (i.e. Wellhead, Storage Tank):	ty	Wellhead		
Type of treatment (reverse osmos (sedimentation, chemical, aerated,		Chlorination		•
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	√A	Manufacturer:	N/A	,
FILTRATION Type and size of area:				
Pressure (in square feet):	V/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	V/A	Manufacturer:	N/A	

UTILITY NAME: AQUA UTILITES FLORIDA, INC. YEAR OF REPORT
December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		259,000		
Location of measurement (i.e. Wellhead, Storage Ta		Wellhead		
Type of treatment (rever (sedimentation, chemical,		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pour per gallon):	nds N/A	Manufacturer:	N/A	
TLTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square fee	t): <u>N/A</u>	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (G	PD):	109,000		
Location of measurement of ca (i.e. Wellhead, Storage Tank):	pacity	Wellhead		
Type of treatment (reverse of (sedimentation, chemical, aera)		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
ILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		273,000	
Location of measurement of ca (i.e. Wellhead, Storage Tank):		Wellhead	
Type of treatment (reverse of (sedimentation, chemical, aera		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

Y	T	TT I	T	Z N	T A 1	ME:
Ł	<i>1</i> I I	LLI	111	ľ	. A	VIII.

AQUA UTILITES FLORIDA, INC.

YEAR	OF	REP	ORT
Dece	mbe	er 31,	2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD)):	132,000		
Location of measurement of capaci (i.e. Wellhead, Storage Tank):	ity	Wellhead		
Type of treatment (reverse osmo (sedimentation, chemical, aerated,		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	<u></u>
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	_

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

TANGERINE / ORANGE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	360,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dist	ribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	•
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

LAKE OSBORNE ESTATES / PALM BEACH

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Purchased		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Lake Worth Meter		
Type of treatment (reverse (sedimentation, chemical, aer		N/A		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	·

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

JASMINE LAKES / PASCO

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	600,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Aeration/Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

PALM TERRACE / PASCO

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		NA - Purchased from Pasco County Utilities	
		NA	
Type of treatment (reverse o (sedimentation, chemical, aera		Treated by Vendor	· .
		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
ILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

ZEPHYR SHORES / PASCO

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		200,000		
		Wellhead and/or Di	stribution	
Type of treatment (reverse o (sedimentation, chemical, aera	-	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
TLTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

BREEZE HILL / POLK

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant	t (GPD):	256,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank): Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Wellhead and/or Dis	tribution	
		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pound per gallon):	ds N/A	Manufacturer:	N/A	
FILTRATION			·	
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet)	:): <u>N/A</u>	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

GIBSONIA ESTATES / POLK

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	100,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distribution		
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination		
•	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	·
TILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

LAKE GIBSON ESTATES / POLK

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		900,000		
		Wellhead and/or Dis	tribution	
Type of treatment (reverse osmo (sedimentation, chemical, aerated		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

ORANGE HILL/SUGAR CREEK / POLK

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank): Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		79,400		
		Wellhead and/or Dis	stribution	
		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	4	Manufacturer:	N/A	·
ILTRATION				
Type and size of area:				
Pressure (in square feet): N/2	4	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	A	Manufacturer:	N/A	

YEAR OF REPORT

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

ROSALIE OAKS / POLK

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	100,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.)): Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

VILLAGE WATER / POLK

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):		N/A	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	y	Purchased from the C	City of Lakeland
Type of treatment (reverse osmosiants) (sedimentation, chemical, aerated, etc.)	•	Treated by the vendo	r
		LIME TREATMENT	e e e e e e e e e e e e e e e e e e e
Unit rating (i.e., GPM, pounds per gallon): N	//A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet): N	//A	Manufacturer:	N/A
Gravity (in GPM/square feet): N	/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

BEECHER'S POINT / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	Interconnected with the Town of Welaka	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	N/A	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	N/A	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer: N/A	•
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer: N/A	
Gravity (in GPM/square feet): N/A	Manufacturer: N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HERMITS COVE / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	187,000	<u> </u>	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dist	ibution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination		
	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	
TILTRATION Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

INTERLACHEN LAKE/PARK MANOR / PUTNAM

WATER TREATMENT PLANT INFORMATION

Location of measurement of capacity (i.e. Wellhead, Storage Tank): Wellhead and/or Distribution Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.): Chlorination	
(sedimentation, chemical, aerated, etc.): Chlorination	
LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A Manufacturer: N/A	
FILTRATION Type and size of area:	
Pressure (in square feet): N/A Manufacturer: N/A	····
Gravity (in GPM/square feet): N/A Manufacturer: N/A	<u> </u>

HT	ri.Ti	'Y N	AN	ЛF.

AQUA UTILITES FLORIDA, INC.

LAK	OF	KEP	OKI
Dece	mbe	er 31.	2007

SYSTEM NAME / COUNTY:

PALM PORT / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	170,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Dist	ribution
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION		
Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

YEAR OF REPORT December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

POMONA PARK / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		187,000		
		Wellhead and/or Dis	tribution	
Type of treatment (reverse of (sedimentation, chemical, aera		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

YEAR OF REPORT

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

RIVER GROVE / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		200,000		
		Wellhead and/or Dis	tribution	
Type of treatment (reverse (sedimentation, chemical, ae	-	Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SILVER LAKE OAKS / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	100,800	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distribution	
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination	
	LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A
FILTRATION Type and size of area:		
Pressure (in square feet): N/A	Manufacturer:	N/A
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

ST. JOHN'S HIGHLANDS / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant	(GPD):	Interconnected with	Hermits Cove (Group 11-2)
Location of measurement of (i.e. Wellhead, Storage Tank)	- •	N/A	
Type of treatment (reverse (sedimentation, chemical, ae		N/A	
•		LIME TREATMENT	
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

WELAKA/SARATOGA HARBOUR / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Pla	nt (GPD):	Welaka 108,000 / Saratoga	Harbour 200,000
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead and/or Dist	tribution
Type of treatment (rever (sedimentation, chemical,		Chlorination	
		LIME TREATMENT	
Unit rating (i.e., GPM, pour per gallon):	nds N/A	Manufacturer:	N/A
FILTRATION Type and size of area:			
Pressure (in square feet):	N/A	Manufacturer:	N/A
Gravity (in GPM/square fee	eet): N/A	Manufacturer:	N/A

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

WOOTENS / PUTNAM

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD); Location of measurement of capacity (i.e. Wellhead, Storage Tank):		60,000	·	
		Wellhead and/or Di	stribution	
Type of treatment (reverse (sedimentation, chemical, ae		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

CHULUOTA / SEMINOLE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (G	PD):	Plant #1 - 720,000 / Plant	<u>#2 -</u> 1,080,000	
Location of measurement of capacity (i.e. Wellhead, Storage Tank):		Wellhead and/or Dist	tribution	
Type of treatment (reverse of sedimentation, chemical, aera		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

HARMONY HOMES / SEMINOLE

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		216,000	<u> </u>	
		Wellhead and/or Di	stribution	
Type of treatment (reverse (sedimentation, chemical, aer	•	Chlorination		2222
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

THE WOODS / SUMTER

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank): Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		7,200 Wellhead Aeration		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

JUNGLE DEN / VOLUSIA

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank):		N/A Interconnect with Astor		
		N/A		
Type of treatment (reverse (sedimentation, chemical, aer		Treated by Vendor		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

YEAR OF REPORT December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

TOMOKA/TWIN RIVERS / VOLUSIA

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD): Location of measurement of capacity (i.e. Wellhead, Storage Tank): Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):		Tomoka View - 193,000 / Twin Rivers - 180,000		
		Wellhead and/or Distribution		
		Chlorination		
		LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon):	N/A	Manufacturer:	N/A	
FILTRATION Type and size of area:				
Type and size of area:				
Pressure (in square feet):	N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet):	N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

SUNNY HILLS / WASHINGTON

WATER TREATMENT PLANT INFORMATION

Permitted Capacity of Plant (GPD):	1,224,000		
Location of measurement of capacity (i.e. Wellhead, Storage Tank):	Wellhead and/or Distribution		
Type of treatment (reverse osmosis, (sedimentation, chemical, aerated, etc.):	Chlorination		
	LIME TREATMENT		
Unit rating (i.e., GPM, pounds per gallon): N/A	Manufacturer:	N/A	
FILTRATION			
Type and size of area:			
Pressure (in square feet): N/A	Manufacturer:	N/A	
Gravity (in GPM/square feet): N/A	Manufacturer:	N/A	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ARREDONDO ESTATES / ALACHUA

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
		1.0	195	195
All Residentia		1.0	2	- 123
5/8"	Displacement	1.0	<u></u>	
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		,
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		<u> </u>
		Total Water System N	Meter Equivalents	197

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	13,595 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		106	ERC's

308

6"

8"

8"

10"

10"

12"

AQUA UTILITES FLORIDA, INC.

ARREDONDO FARMS / ALACHUA

SYSTEM NAME / COUNTY:

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	291	291
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	2	16
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		

62.5

80.0

90.0 115.0

145.0

215.0

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

Total Water System Meter Equivalents

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

Provide a calculation used to determine the value of one water equivalent residential connection (ERC). Use one of the following methods:

Turbine

Compound

Turbine

Compound

Turbine

Turbine

- If actual flow data are available from the preceding 12 months, divide the total annual single family (a) residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- If no historical flow data are available, use: (b) ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:					
	ERC=	18,634 365 350	gallons sold (omit 000), divided by days, divided by gallons per day		
		146	ERC's		

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

KINGSWOOD / BREVARD

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
	•	1.0	57	57
All Residentia		1.0		
5/8"	Displacement	1.5		
3/4"	Displacement	2.5		
1"	Displacement	5.0		
1 1/2"	Displacement or Turbine	8.0		
2"	Displacement, Compound or Turbine			
3"	Displacement	15.0	·	
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		<u> </u>
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		<u> </u>
8"	Turbine	90.0		
10"	Compound	115.0		<u> </u>
10"	Turbine	145.0		
12"	Turbine	215.0		ļ
		Total Water System N	Meter Equivalents	57

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR galions sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC= 	2,987 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
	-	23	ERC's	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OAKWOOD / BREVARD

December 31, 2007

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	199	199
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		-, .
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		_

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	10,547 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		83	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

LAKE JOSEPHINE / HIGHLANDS

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
A 11 D = -11 = -4'-		1.0	539	539
All Residentia	Displacement	1.0	7	7
5/8" 3/4"	Displacement	1.5	`	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	Aeter Equivalents	554

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	39,929 365	gallons sold (omit 000), divided by days, divided by
	·	350	gallons per day
	-	313	ERC's

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

LEISURE LAKES / HIGHLANDS

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
	1.0	265	265
Displacement			
Displacement	1.5		
Displacement	2.5		
	5.0		·
	8.0		
Displacement	15.0		
Compound	16.0		
Turbine	17.5		
Displacement or Compound	25.0		
Turbine	30.0		
Displacement or Compound	50.0		
Turbine	62.5		
Compound	80.0		
Turbine	90.0		
Compound	115.0		
Turbine	145.0		
Turbine	215.0		
	Displacement Displacement Displacement Displacement or Turbine Displacement, Compound or Turbine Displacement Compound Turbine Displacement or Compound Turbine Displacement or Compound Turbine Compound Turbine Compound Turbine Compound Turbine	TYPE OF METER (b) FACTOR (c) (b) 1.0 1.0 1.0 Displacement 1.5 Displacement 2.5 Displacement or Turbine 5.0 Displacement, Compound or Turbine 8.0 Displacement 15.0 Compound 16.0 Turbine 17.5 Displacement or Compound 25.0 Turbine 30.0 Displacement or Compound 50.0 Turbine 62.5 Compound 80.0 Turbine 90.0 Compound 115.0 Turbine 145.0	TYPE OF METER (b) EQUIVALENT FACTOR (c) OF METERS (d) Displacement 1.0 265 Displacement 1.5 0 Displacement 2.5 0 Displacement or Turbine 5.0 0 Displacement, Compound or Turbine 8.0 0 Displacement 15.0 0 Compound 16.0 0 Turbine 17.5 0 Displacement or Compound 25.0 0 Turbine 30.0 0 Displacement or Compound 50.0 0 Turbine 62.5 0 Compound 80.0 0 Turbine 90.0 0 Compound 115.0 0 Turbine 145.0 0

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		
	ERC= 6,706 365 350	gallons sold (omit 000), divided by days, divided by gailons per day
	52	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SEBRING LAKES / HIGHLANDS

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia		1.0	66	66
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
12]	Total Water System M	feter Equivalents	6

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	4,648 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	 : 100 - 10	36	ERC's

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

48 ESTATES / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
,	1.0	85	85
Displacement			
<u>*</u>			
			
	8.0		
	15.0		
Compound	16.0		
Turbine	17.5		
Displacement or Compound	25.0		
Turbine	30.0		
Displacement or Compound	50.0		
Turbine	62.5		
Compound	80.0		
Turbine	90.0		
Compound	115.0		
Turbine	145.0		
Turbine	215.0		
	Displacement Displacement Displacement Displacement Displacement or Turbine Displacement, Compound or Turbine Displacement Compound Turbine Displacement or Compound Turbine Displacement or Compound Turbine Displacement or Compound Turbine Compound Turbine Compound Turbine Compound	TYPE OF METER FACTOR (b) (c) 1.0 1.0 Displacement 1.5 Displacement 2.5 Displacement or Turbine 5.0 Displacement, Compound or Turbine 8.0 Displacement 15.0 Compound 16.0 Turbine 17.5 Displacement or Compound 25.0 Turbine 30.0 Displacement or Compound 50.0 Turbine 62.5 Compound 80.0 Turbine 90.0 Compound 115.0 Turbine 145.0	TYPE OF METER (b) EQUIVALENT FACTOR (c) OF METERS (d) (b) 1.0 85 1.0 85 Displacement 1.0 Displacement 1.5 Displacement 2.5 Displacement or Turbine 8.0 Displacement, Compound or Turbine 8.0 Compound 16.0 Turbine 17.5 Displacement or Compound 25.0 Turbine 30.0 Displacement or Compound 50.0 Turbine 62.5 Compound 80.0 Turbine 90.0 Compound 115.0 Turbine 145.0

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	7,699 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
		60	ERC's	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

CARLTON VILLAGE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	-1	1.0	242	242
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0	 	
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		1
·· · · · · · · · · · · · · · · · · · ·		Total Water System M	eter Equivalents	24

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:	"" · · · · ·			
	ERC=	17,828 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
	. :	140	ERC's	

December 31, 2007

SYSTEM NAME / COUNTY:

EAST LAKE HARRIS ESTATES / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	172	172
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	173

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	6,944	gallons sold (omit 000), divided by
i		365	days, divided by
		350	gallons per day
		54	ERC's
			•

SYSTEM NAME / COUNTY:

FAIRWAYS @ MT. PLYMOUTH / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
A 11 D : -1 4:-	.1	1.0	233	233
All Residentia	Displacement	1.0		
3/4"	Displacement Displacement	1.5		
3/4 1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
· · · · · · · · · · · · · · · · · · ·		Total Water System N	leter Equivalents	233

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	47,840 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		374	ERC's

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

FERN TERRACE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	122	122
5/8"	Displacement	1.0	122	124
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	
3"	Displacement	15.0		•
3"	Compound	16.0		
3"	Turbine	17.5	•	
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6 ^H	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0	<u> </u>	
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	10,840 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	***************************************	85	ERC's

AQUA UTILITES FLORIDA, INC.

FRIENDLY CENTER / LAKE

SYSTEM NAME / COUNTY:

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
A II Danislausia	1	1.0	25	25
All Residentia	Displacement	1.0	4	
3/4"	Displacement	1.5		
1"	Displacement Displacement	2.5		<u> </u>
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5	•	
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	29

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	0	gallons sold (omit 000), divided by
	ERC-	365	days, divided by
		350	gallons per day
		0	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

GRAND TERRACE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	108	108
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		·
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		`
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	108

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		···	
	ERC=	9,571 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		75	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HAINES CREEK / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
	•	1.0	105	105
All Residentia			100	
5/8"	Displacement	1.0		
3/4"	Displacement			
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0	·	
4 ⁿ	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	Meter Equivalents	10:

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:	-		
·	ERC=	5,914 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		46	ERC's

AQUA UTILITES FLORIDA, INC.

HOBBY HILLS / LAKE

SYSTEM NAME / COUNTY:

TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
	10	97	97
Displacement	4		ļ ————————————————————————————————————
		· · · · · · · · · · · · · · · · · · ·	
			
		1	
	15.0		
Compound	16.0		
Turbine	17.5		
Displacement or Compound	25.0		
Turbine	30.0		
Displacement or Compound	50.0		
Turbine	62.5		
Compound	80.0		
Turbine	90.0		
Compound	115.0		
Turbine	145.0		
Turbine	215.0	,	
	Displacement Displacement Displacement Displacement or Turbine Displacement, Compound or Turbine Displacement Compound Turbine Displacement or Compound Turbine Displacement or Compound Turbine Compound Turbine Compound Turbine Compound Turbine	TYPE OF METER (b) FACTOR (c) (b) 1.0 Displacement 1.0 Displacement 1.5 Displacement or Turbine 5.0 Displacement or Turbine 8.0 Displacement, Compound or Turbine 15.0 Compound 16.0 Turbine 17.5 Displacement or Compound 25.0 Turbine 30.0 Displacement or Compound 50.0 Turbine 62.5 Compound 80.0 Turbine 90.0 Compound 115.0 Turbine 145.0	TYPE OF METER (b) EQUIVALENT FACTOR (c) OF METERS (d) (b) 1.0 97 Displacement 1.0 97 Displacement 1.5 97 Displacement 2.5 97 Displacement 2.5 97 Displacement or Turbine 5.0 97 Displacement or Turbine 5.0 9 Compound 15.0 90 Turbine 62.5 90.0 Turbine 90.0 90.0 Compound 115.0 90.0 Turbine 115.0 90.0 Turbine 145.0 90.0

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		•		
	ERC=	6,488 365	gallons sold (omit 000), divided by days, divided by	
		350	gallons per day	
	-	51	ERC's	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HOLIDAY HAVEN / LAKE

.

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	117	117
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0	•	

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	4,829 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
!	-	38	ERC's

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

IMPERIAL MOBILE TERRACE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	240	240
5/8"	Displacement	1.0	240	
3/4"	Displacement	1.5		
1"	Displacement	2.5		 ,
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		<u> </u>
3"	Displacement	15.0	•	
3"	Compound	16.0		<u> </u>
3"	Turbine	17.5		· · · · · · · · · · · · · · · · · · ·
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0	<u>-</u>	
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	7,566 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		59	ERC's
·			

SYSTEM NAME / COUNTY:

KINGS COVE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	.1	1.0	203	203
5/8"	Displacement	1.0		
3/4"	Displacement Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement Displacement	15.0		
3"	Compound	16.0		<u> </u>
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	leter Equivalents	203

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	32,409 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		254	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

MORNINGVIEW / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	34	34
5/8"	Displacement	1.0		
3/4"	Displacement	1.5	····	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	· · · · · · · · · · · · · · · · · · ·	
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0	•	
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	leter Equivalents	34

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	2,258 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
		18	ERC's	
				,

December 31, 2007

SYSTEM NAME / COUNTY:

PALMS MOBILE HOME PARK / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia		1.0	57	57
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
3/4 1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	·	
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8 ^{ri}	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
1.20	1	Total Water System M	eter Equivalents	57

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:
 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	1,289 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		10	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

PICCIOLA ISLAND / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al .	1,0	141	141
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16,0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		l
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	leter Equivalents	141

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	12,185 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		95	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

PINEY WOODS / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	-1	1.0	171	171
5/8"	Displacement	1.0	1/1	
3/4"	Displacement	1.5		
3/4]"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		<u> </u>
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8" .	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	172

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	17,294 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		135	ERC's

AQUA UTILITES FLORIDA, INC.

QUAIL RIDGE / LAKE

SYSTEM NAME / COUNTY:

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	91	91
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		······································
3"	Displacement	15.0		- ,
3"	Compound	16.0	<u> </u>	
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		·	ter Equivalents	

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	6,158 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		48	ERC's

AQUA UTILITES FLORIDA, INC.

RAVENSWOOD / LAKE

SYSTEM NAME / COUNTY:

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

Displacement Displacement	1.0	44	44
Displacement	1.0		
Displacement			
	1.5		
	2.5		
Displacement	5.0		
Displacement or Turbine			1
			
			
Turbine	215.0		
	Displacement, Compound or Turbine Displacement Compound Turbine Displacement or Compound Turbine Displacement or Compound Turbine Compound Turbine Compound Turbine Compound Turbine Compound Turbine	Displacement, Compound or Turbine S.0	Displacement, Compound or Turbine 15.0

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				··
	ERC=	3,861 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
		30	ERC's	

SYSTEM NAME / COUNTY:

SILVER LAKE/WESTERN SHORES / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
4 11 D1341-	1	1.0	1,589	1,589
All Residentia	Displacement	1.0	$\frac{1}{2}$	2
3/4"	Displacement Displacement	1.5		
1"	Displacement Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		5
2"	Displacement, Compound or Turbine	8.0	2	16
3"	Displacement Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6 ^H	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0	•	
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System N	Meter Equivalents	1,612

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:	ERC= 282,185 365	gallons sold (omit 000), divided by days, divided by
	2,209	gallons per day ERC's

SYSTEM NAME / COUNTY:

SKYCREST / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	†EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	116	116
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	I	5
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	122

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	7,444 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		58	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

STONE MOUNTAIN / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	.1	1.0	10	10
5/8"	Displacement	1.0		
3/4"	Displacement Displacement	1.5		
3/4 1 ^{tr}	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	1eter Equivalents	10

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:
 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	579 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
			ERC's

YEAR OF REPORT

December 31, 2007

SYSTEM NAME / COUNTY:

SUMMIT CHASE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıł	1.0	208	208
5/8"	Displacement	1.0	2	2
3/4"	Displacement	1.5	· · · · · · · · · · · · · · · · · · ·	
1"	Displacement	2.5		<u></u>
1 1/2"	Displacement or Turbine	5.0		——————————————————————————————————————
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0	 	· · · · · · · · · · · · · · · · · · ·
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	210

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	11,566 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		91	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

VALENCIA TERRACE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
	1.0	219	318
			6
			<u> </u>
		7	18
			15
		<u> </u>	8
			
	4		
		·	
	215.0		
		TYPE OF METER	TYPE OF METER (b)

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	24,175 365	gallons sold (omit 000), divided by days, divided by	
		350	gallons per day	
		189	ERC's	

YEAR OF REPORT

December 31, 2007

SYSTEM NAME / COUNTY:

VENETIAN VILLAGE / LAKE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	158	158
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		· · ·
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0	·	
8"	Turbine `	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	159

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	10,042 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
		79	ERC's	

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia		1.0	1,754	1,754
5/8"	Displacement	1.0	0	
3/4"	Displacement	1.5	0	
1"	Displacement	2.5	0	
1 1/2"	Displacement or Turbine	5.0	0	
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0	0	
3"	Compound	16.0	0	
3"	Turbine	17.5	0	·
4"	Displacement or Compound	25.0	0	
4"	Turbine	30.0	0	
6"	Displacement or Compound	50.0	0	
6"	Turbine	62.5	0	
8"	Compound	80.0	0	
8"	Turbine	90.0	0	
10"	Compound	115.0	0	
10"	Turbine	145.0	0	
12"	Turbine	215.0	0	
		Total Water System N	Meter Equivalents	1,762

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

Provide a calculation used to determine the value of one water equivalent residential connection (ERC). Use one of the following methods:

- If actual flow data are available from the preceding 12 months, divide the total annual single family (a) residence (SFR) gailons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- If no historical flow data are available, use: (b) ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:	ERC=	180,129	gallons sold (omit 000), divided by	
	<u></u>	365 350	days, divided by gallons per day	
		1,410	ERC's	

DATA PROVIDED ON THIS PAGE IS NOT AVAILIABLE AT THE SUB SYSTEM LEVEL.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

TANGERINE / ORANGE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	245	245
5/8"	Displacement	1.0	9	9
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0	***	
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	257

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	30,452 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		238	ERC's

SYSTEM NAME / COUNTY:

LAKE OSBORNE ESTATES / PALM BEACH

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia		1.0	451	451
5/8"	Displacement	1.0	701	
3/4"	Displacement Displacement	1.5	***	
1"	Displacement Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	<u> </u>	
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement Displacement	15.0		·
3"	Compound	16.0	<u></u>	
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	1eter Equivalents	459

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	44,341 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		347	ERC's

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

JASMINE LAKES / PASCO

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	1,438	1,438
5/8"	Displacement	1.0	16	16
3/4"	Displacement	1.5		
1"	Displacement	2.5		5
1 1/2"	Displacement or Turbine	5.0	3	15
2"	Displacement, Compound or Turbine	8.0	2	16
3"	Displacement	15.0	<u> </u>	15
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0	·	
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	1,505

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	98,541 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		771	ERC's
		•	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

PALM TERRACE / PASCO

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	.i	1.0	1,102	1,102
5/8"	Displacement	1.0	3	3,7,0
3/4"	Displacement	1.5	<u></u>	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	I	
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0	<u> </u>	
10"	Turbine	145.0		
12"	Turbine	215.0		
12"	Turbine	Total Water System M	leter Equivalents	1,

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

Γ	ERC Calculation:				
		ERC=	62,883 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
			492	ERC's	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

ZEPHYR SHORES / PASCO

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

(b)	FACTOR (c)	METERS (d)	(c x d) (e)
	1.0	425	425
Displacement			3
	·	1	
		1	
		2	10
		· · · · · · · · · · · · · · · · · · ·	
	16.0		<u> </u>
Turbine	17.5		
Displacement or Compound	25.0		
Turbine	30.0		
Displacement or Compound	50.0		
Turbine	62.5		
Compound	80.0		
Turbine	90.0		
Compound	115.0		
Turbine	145.0		
Turbine	215.0		
	Displacement or Compound Turbine Displacement or Compound Turbine Compound Turbine Compound Turbine Turbine Compound Turbine	Displacement 1.0 Displacement 1.5 Displacement 2.5 Displacement or Turbine 5.0 isplacement, Compound or Turbine 8.0 Displacement 15.0 Compound 16.0 Turbine 17.5 Displacement or Compound 25.0 Turbine 30.0 Displacement or Compound 50.0 Turbine 62.5 Compound 80.0 Turbine 90.0 Compound 115.0 Turbine 145.0	Displacement 1.0 3 Displacement 1.5 1 Displacement or Turbine 5.0 1 isplacement, Compound or Turbine 8.0 2 Displacement 15.0 2 Compound 16.0 17.5 Displacement or Compound 25.0 2 Turbine 30.0 30.0 Displacement or Compound 50.0 50.0 Turbine 62.5 62.5 Compound 80.0 80.0 Turbine 90.0 115.0 Compound 115.0 145.0

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	9,265 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
	<u></u>	73	ERC's	,

SYSTEM NAME / COUNTY:

BREEZE HILL / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residential		1.0	133	133
5/8"	Displacement	1.0		<u> </u>
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		<u> </u>
10"	Turbine	145.0		
12"	Turbine	215.0		<u> </u>
		Total Water System N	Meter Equivalents	133

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			•	,
	ERC=	5,629 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
		44	ERC's	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

GIBSONIA ESTATES / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	163	163
5/8"	Displacement	1.0	21	21
3/4"	Displacement	1.5		
1"	Displacement	2.5	4	10
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	leter Equivalents	194

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		•	
	ERC=	20,110 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		157	ERC's

SYSTEM NAME / COUNTY:

LAKE GIBSON ESTATES / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	784	784
5/8"	Displacement	1.0	7	7
3/4"	Displacement	1.5	· · · · · · · · · · · · · · · · · · ·	
1"	Displacement	2.5	3	8
1 1/2"	Displacement or Turbine	5.0	1	5
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0	- "-	
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0	,	
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	812

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	77,805 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		609	ERC's

December 31, 2007

SYSTEM NAME / COUNTY:

ORANGE HILL/SUGAR CREEK / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	231	231
5/8"	Displacement	1.0		
3/4"	Displacement	1.5	····	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	leter Equivalents	231

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:	-		
	ERC=	18,787 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		147	ERC's
		4	

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

ROSALIE OAKS / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
A 11 D: -1	1	1.0	85	85
All Residentia	Displacement	1.0		ļ
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	2,462 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		19	ERC's

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY: VILLAGE WATER / POLK

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	122	122
5/8"	Displacement	1,0	26	26
3/4"	Displacement	1.5		
1"	Displacement	2.5	2	5
1 1/2"	Displacement or Turbine	5.0	3	15
2"	Displacement, Compound or Turbine	8.0	3	24
3"	Displacement	15.0	. "	
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0	1	25
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0	1	80
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	297

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	27,476 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		215	ERC's

SYSTEM NAME / COUNTY:

BEECHER'S POINT / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	d.	1.0	43	43
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0	1	25
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
12	Tuomo	Total Water System M	eter Equivalents	69

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- If actual flow data are available from the preceding 12 months, divide the total annual single family (a) residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:		<u>.</u>	
	ERC= 	3,121 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		24	ERC's

December 31, 2007

SYSTEM NAME / COUNTY:

HERMITS COVE / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	168	168
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		
1"	Displacement	2.5		***************************************
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3" -	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	169

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	8,622 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		67	ERC's
			Please see Note (1) on page W-11

SYSTEM NAME / COUNTY:

INTERLACHEN LAKE/PARK MANOR / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	254	254
5/8"	Displacement	1.0	4	4
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0°		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
10"	Turbine	145.0	eter Equivalents	

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	11,506 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		90	ERC's

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

PALM PORT / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	,ł	1.0	105	105
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	105

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:	
	gallons sold (omit 000), divided by days, divided by gallons per day
	 ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

POMONA PARK / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl.	1.0	138	138
5/8"	Displacement	1.0	14	14
3/4"	Displacement	1.5		
1"	Displacement	2.5	1	3
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	163

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

			· · · · · · · · · · · · · · · · · · ·
ERC Calculation:			
	ERC=	9,861 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		77	ERC's
			•

December 31, 2007

UTILITY NAME:

AQUA UTILITES FLORIDA, INC.

RIVER GROVE / PUTNAM

SYSTEM NAME / COUNTY:

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1,0	107	107
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		l
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
12"	<u>i urbine</u>	Total Water System M	eter Equivalents	10

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	6,162 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
		48	ERC's	

December 31, 2007

SYSTEM NAME / COUNTY:

SILVER LAKE OAKS / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	d	1.0	26	26
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
I 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	26

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	1,697 365	gallons sold (omit 000), divided by days, divided by
		350	gallons per day
	<u> </u>	13	ERC's

AQUA UTILITES FLORIDA, INC.

December 31, 2007

SYSTEM NAME / COUNTY:

ST. JOHN'S HIGHLANDS / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	3)	1.0	96	96
5/8"	Displacement	1.0		
3/4"	Displacement	1.5	<u> </u>	
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
	Turbine Turbine	145.0 215.0 Total Water System Me	eter Equivalents	

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	0 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		0	ERC's
			Please see Note (1) on page W-11

SYSTEM NAME / COUNTY:

WELAKA/SARATOGA HARBOUR / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	143	143
5/8"	Displacement	1.0	2	2
3/4"	Displacement	1.5		
] "	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		<u> </u>
		Total Water System M	leter Equivalents	145

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	6,274 365	gallons sold (omit 000), divided by days, divided by
		350	gallons per day
		49	ERC's
			·

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

WOOTENS / PUTNAM

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBEI OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	28	28
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0	-	
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	28

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	815 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	**************************************	6	ERC's
			·

SYSTEM NAME / COUNTY:

CHULUOTA / SEMINOLE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

Displacement Displacement	1.0	1,363	1,363
			4 1.303
		7	7
	1.5		
Displacement	2.5	6	15
Displacement or Turbine	5.0	2	10
	8.0	4	32
Displacement	15.0	1	15
Compound	16.0		
Turbine	17.5		
isplacement or Compound	25.0		
Turbine	30.0		
isplacement or Compound	50.0		
Turbine	62.5		
Compound	80.0		
Turbine	90.0		
Compound	115.0		<u> </u>
Turbine	145.0		
Turbine	215.0		
	Displacement Compound Turbine isplacement or Compound Turbine isplacement or Compound Turbine compound Turbine Compound Turbine Compound Turbine Compound Turbine	Displacement	Displacement 15.0

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:
 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	161,047 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	l
		1,261	ERC's	ļ

SYSTEM NAME / COUNTY:

HARMONY HOMES / SEMINOLE

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	ıl	1.0	59	59
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		•
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0	 	
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Me	eter Equivalents	- 59

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	4,823 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
	£	38	ERC's

SYSTEM NAME / COUNTY:

THE WOODS / SUMTER

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	1	1.0	55	55
5/8"	Displacement	1.0		
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0	<u> </u>	
10"	Compound	115.0	· · · · · · · · · · · · · · · · · · ·	
10"	Turbine	145.0	·	
12"	Turbine	215.0		
		Total Water System M	leter Equivalents	55

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use: ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:				
	ERC=	3,355 365 350	gallons sold (omit 000), divided by days, divided by gallons per day	
	=	26	ERC's	

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

JUNGLE DEN / VOLUSIA

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	110	110
5/8"	Displacement	1,0	3	3
3/4"	Displacement	1.5		
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0	· · · · · · · · · · · · · · · · · · ·	
2"	Displacement, Compound or Turbine	8.0		
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System Mo	eter Equivalents	113

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC= 	1,708 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		13	ERC's

SYSTEM NAME / COUNTY:

TOMOKA/TWIN RIVERS / VOLUSIA

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	.1	1.0	262	262
5/8"	Displacement	1.0	1	1
3/4"	Displacement	1.5		- · · · · · · · · · · · · · · · · · · ·
1"	Displacement	2.5		
1 1/2"	Displacement or Turbine	5.0		
2 ⁿ	Displacement, Compound or Turbine	8.0	1	8
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		<u> </u>
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	leter Equivalents	271

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			·
	ERC=	23,154 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		181	ERC's

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

SUNNY HILLS / WASHINGTON

CALCULATION OF THE WATER SYSTEM METER EQUIVALENTS

METER SIZE (a)	TYPE OF METER (b)	EQUIVALENT FACTOR (c)	NUMBER OF METERS (d)	TOTAL NUMBER OF METER EQUIVALENTS (c x d) (e)
All Residentia	al	1.0	542	542
5/8"	Displacement	1.0	3	3
3/4"	Displacement	1.5		
1"	Displacement	2.5	5	13
1 1/2"	Displacement or Turbine	5.0	2	10
2"	Displacement, Compound or Turbine	8.0	3	24
3"	Displacement	15.0		
3"	Compound	16.0		
3"	Turbine	17.5		
4"	Displacement or Compound	25.0		
4"	Turbine	30.0		
6"	Displacement or Compound	50.0		
6"	Turbine	62.5		
8"	Compound	80.0		
8"	Turbine	90.0		
10"	Compound	115.0		
10"	Turbine	145.0		
12"	Turbine	215.0		
		Total Water System M	eter Equivalents	592

CALCULATION OF THE WATER SYSTEM EQUIVALENT RESIDENTIAL CONNECTIONS

- (a) If actual flow data are available from the preceding 12 months, divide the total annual single family residence (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days.
- (b) If no historical flow data are available, use:

 ERC = (Total SFR gallons sold (Omit 000) / 365 days / 350 gallons per day)

ERC Calculation:			
	ERC=	44,913 365 350	gallons sold (omit 000), divided by days, divided by gallons per day
		352	ERC's

December 31, 2007

SYSTEM NAME / COUNTY:

ARREDONDO ESTATES / ALACHUA

1. Present ERCs * the system can efficiently serve.	197
2. Maximum number of ERCs * which can be served.	247
Present system connection capacity (in ERCs *) using existing lines	247
Future connection capacity (in ERCs *) upon service area buildout.	247
5. Estimated annual increase in ERCs *.	None
5. Is the utility required to have fire flow capacity?	No
If so, how much capacity is required?	N/A
7. Attach a description of the fire fighting facilities.	· N/A
3. Describe any plans and estimated completion dates for any enlargements or improve	nents of this system: None
When did the company last file a capacity analysis report with the DEP?	None
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	•
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
I. Department of Environmental Protection ID #	2010041
Water Management District Consumptive Use Permit #	11364
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

ARREDONDO FARMS / ALACHUA

1. Present ERCs * the system can efficiently serve.	308
2. Maximum number of ERCs * which can be served.	399
3. Present system connection capacity (in ERCs *) using existing lines.	399
4. Future connection capacity (in ERCs *) upon service area buildout.	399
5. Estimated annual increase in ERCs *.	None
5. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
3. Describe any plans and estimated completion dates for any enlargements or improve	None
. When did the company last file a capacity analysis report with the DEP?	None
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
- 337t	N/A
c. When will construction begin?	
d. Attach plans for funding the required upgrading.	N/A
	N/A N/A
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	N/A
d. Attach plans for funding the required upgrading.	N/A 2010042

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

KINGSWOOD / BREVARD

Present ERCs * the system can efficiently serve	57
2. Maximum number of ERCs * which can be served.	64
3. Present system connection capacity (in ERCs *) using existing lines.	64
4. Future connection capacity (in ERCs *) upon service area buildout.	64
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improvement	nts of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	3054101
12. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OAKWOOD / BREVARD

. Present ERCs * the system can efficiently serve.	199
. Maximum number of ERCs * which can be served.	238
. Present system connection capacity (in ERCs *) using existing lines.	238
. Future connection capacity (in ERCs *) upon service area buildout.	238
. Estimated annual increase in ERCs *.	None
Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
. Attach a description of the fire fighting facilities.	N/A
. Describe any plans and estimated completion dates for any enlargements or improve	None
. When did the company last file a capacity analysis report with the DEP?	_ N/A
0. If the present system does not meet the requirements of DEP rules:	
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules	ì.
	- ***
a. Attach a description of the plant upgrade necessary to meet the DEP rules	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP?	N/A
b. Have these plans been approved by DEP? c. When will construction begin?	N/A N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	N/A N/A No 3054100
 a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A No 3054100 Unknown

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

LAKE JOSEPHINE / HIGHLANDS

Furnish information below for each system. A separate page should be	be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	554
2. Maximum number of ERCs * which can be served.	586
3. Present system connection capacity (in ERCs *) using existing lines.	586
4. Future connection capacity (in ERCs *) upon service area buildout.	586
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improven	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	6280162
12. Water Management District Consumptive Use Permit #	204167.003
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

LEISURE LAKES / HIGHLANDS

1. Present ERCs * the system can efficiently serve.	265
2. Maximum number of ERCs * which can be served.	_ 293
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	_ None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	N/A
Describe any plans and estimated completion dates for any enlargements or improv	ements of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.
	N/A
b. Have these plans been approved by DEP?	
b. Have these plans been approved by DEP? c. When will construction begin?	
·	
c. When will construction begin?	N/A
c. When will construction begin? d. Attach plans for funding the required upgrading.	N/A N/A
c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A No 6280064
c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A No 6280064 206456.004

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

SEBRING LAKES / HIGHLANDS

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve.	66
2. Maximum number of ERCs * which can be served.	. 82
3. Present system connection capacity (in ERCs *) using existing lines.	82
4. Future connection capacity (in ERCs *) upon service area buildout.	82
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules	. N/A
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order with DEP?	No
Department of Environmental Protection ID #	5284137
Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

. Present ERCs * the system can efficiently serve.	85
2. Maximum number of ERCs * which can be served.	87
3. Present system connection capacity (in ERCs *) using existing lines.	87
. Future connection capacity (in ERCs *) upon service area buildout.	87
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improven	nents of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	No
	No 3350005
e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	
e. Is this system under any Consent Order with DEP?	3350005

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

CARLTON VILLAGE / LAKE

1. Present ERCs * the system can efficiently serve.	242
2. Maximum number of ERCs * which can be served.	257
3. Present system connection capacity (in ERCs *) using existing lines.	257
4. Future connection capacity (in ERCs *) upon service area buildout.	257
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	
9. When did the company last file a capacity analysis report with the DEP?	_ N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	s.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
d. Attach plans for funding the required approaches.	N/A
e. Is this system under any Consent Order with DEP?	- 10/A
	3350152
e. Is this system under any Consent Order with DEP?	_ 3350152
e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

EAST LAKE HARRIS ESTATES / LAKE

Present ERCs * the system can efficiently serve.	173
. Maximum number of ERCs * which can be served.	177
. Present system connection capacity (in ERCs *) using existing lines.	177
. Future connection capacity (in ERCs *) upon service area buildout.	177
. Estimated annual increase in ERCs *	None
Is the utility required to have fire flow capacity?	No N/A
. Attach a description of the fire fighting facilities.	N/A
. Describe any plans and estimated completion dates for any enlargements or improven	None
. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
Department of Environmental Protection ID #	3350322
Water Management District Consumptive Use Permit #	2607
a. Is the system in compliance with the requirements of the CUP?	Yes
·	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

FAIRWAYS @ MT. PLYMOUTH / LAKE

Furnish information below for each system. A separate page should	d be supplied where necessary.
Present ERCs * the system can efficiently serve	233
2. Maximum number of ERCs * which can be served.	_ 241
3. Present system connection capacity (in ERCs *) using existing lines.	241
4. Future connection capacity (in ERCs *) upon service area buildout.	_ 241
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	_ No _ N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improv	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	s.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
	_ N/A _ 3354945
11. Department of Environmental Protection ID #	_ 3354945
11. Department of Emilian months Duranting ID #	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

FERN TERRACE / LAKE

Present ERCs * the system can efficiently serve.	130
. Maximum number of ERCs * which can be served.	132
Present system connection capacity (in ERCs *) using existing lines.	132
Future connection capacity (in ERCs *) upon service area buildout.	132
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	No
If so, how much capacity is required?	N/A
7. Attach a description of the fire fighting facilities.	N/A
Describe any plans and estimated completion dates for any enlargements or improven	ents of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
*	
0. If the present system does not meet the requirements of DEP rules:	N/A
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A N/A
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? 	
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin?	
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	N/A N/A 3350370

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

FRIENDLY CENTER / LAKE

Present ERCs * the system can efficiently serve	_ 29
2. Maximum number of ERCs * which can be served.	31
3. Present system connection capacity (in ERCs *) using existing lines.	31
4. Future connection capacity (in ERCs *) upon service area buildout.	31
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	5.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
	27/4
e. Is this system under any Consent Order with DEP?	N/A
e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	3350426
11. Department of Environmental Protection ID #	3350426
	3350426 N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

GRAND TERRACE / LAKE

Present ERCs * the system can efficiently serve.	108
2. Maximum number of ERCs * which can be served.	111
3. Present system connection capacity (in ERCs *) using existing lines.	111
4. Future connection capacity (in ERCs *) upon service area buildout.	111
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	ments of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	77/4
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	. N/A
•	. N/A . 3354697
e. Is this system under any Consent Order with DEP?	3354697
e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	2488

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

HAINES CREEK / LAKE

Furnish information below for each system. A separate page should	l be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	105
2. Maximum number of ERCs * which can be served.	_ 111
3. Present system connection capacity (in ERCs *) using existing lines.	_ 111
4. Future connection capacity (in ERCs *) upon service area buildout.	_ 111
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	Nama
9. When did the company last file a capacity analysis report with the DEP?	_ N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	s.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ N/A
e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A 3350481
	3350481
11. Department of Environmental Protection ID #	3350481 N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY:

HOBBY HILLS / LAKE

. Present ERCs * the system can efficiently serve.	105
. Maximum number of ERCs * which can be served.	113
. Present system connection capacity (in ERCs *) using existing lines.	113
Future connection capacity (in ERCs *) upon service area buildout.	113
. Estimated annual increase in ERCs *.	None
Is the utility required to have fire flow capacity?	No N/A
Attach a description of the fire fighting facilities.	N/A
. Describe any plans and estimated completion dates for any enlargements or improver	ments of this system: None
When did the company last file a capacity analysis report with the DEP?	N/A
). If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
	3350544
. Department of Environmental Protection ID #	
Department of Environmental Protection ID # Water Management District Consumptive Use Permit #	2613
	•

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

December 31, 2007

SYSTEM NAME / COUNTY:

HOLIDAY HAVEN / LAKE

Present ERCs * the system can efficiently serve.	121
2. Maximum number of ERCs * which can be served.	128
3. Present system connection capacity (in ERCs *) using existing lines.	128
4. Future connection capacity (in ERCs *) upon service area buildout.	128
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3354886
2. Water Management District Consumptive Use Permit #	2612
•	
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

IMPERIAL MOBILE TERRACE / LAKE

1. Present ERCs * the system can efficiently serve.	240
2. Maximum number of ERCs * which can be served.	248
3. Present system connection capacity (in ERCs *) using existing lines.	248
4. Future connection capacity (in ERCs *) upon service area buildout.	248
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
Describe any plans and estimated completion dates for any enlargements or improver	None
When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
0. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.b. Have these plans been approved by DEP?	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.b. Have these plans been approved by DEP?c. When will construction begin?	
 a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A No
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	N/A No 3350584

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

.... December 31, 2007_

SYSTEM NAME / COUNTY:

KINGS COVE / LAKE

1. Present ERCs * the system can efficiently serve.	203
2. Maximum number of ERCs * which can be served.	209
Present system connection capacity (in ERCs *) using existing lines.	209
4. Future connection capacity (in ERCs *) upon service area buildout.	209
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improve	
9. When did the company last file a capacity analysis report with the DEP?	. N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	•
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	
d. Attach plans for funding the required upgrading,	N/A
e. Is this system under any Consent Order with DEP?	No
Department of Environmental Protection ID #	3350655
Water Management District Consumptive Use Permit #	2701
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

____ UTILITY NAME; _____<u>AQUA UTILITES FLORIDA, INC.</u>

SYSTEM NAME / COUNTY:

MORNINGVIEW / LAKE

Present ERCs * the system can efficiently serve.	34
2. Maximum number of ERCs * which can be served.	39
3. Present system connection capacity (in ERCs *) using existing lines.	39
4. Future connection capacity (in ERCs *) upon service area buildout.	39
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	
If so, how much capacity is required?	N/A
7. Attach a description of the fire fighting facilities.	N/A
3. Describe any plans and estimated completion dates for any enlargements or improve	
	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
O. When did the company last file a capacity analysis report with the DEP? O. If the present system does not meet the requirements of DEP rules:	N/A
0. If the present system does not meet the requirements of DEP rules:	
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? 	N/A
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin?	N/A
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	N/A N/A No 3350852 2610

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

December 31, 2007

SYSTEM NAME / COUNTY:

PALMS MOBILE HOME PARK / LAKE

Present ERCs * the system can efficiently serve.	57
Maximum number of ERCs * which can be served.	63
Present system connection capacity (in ERCs *) using existing lines.	63
Future connection capacity (in ERCs *) upon service area buildout.	63
Estimated annual increase in ERCs *.	None
Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
Attach a description of the fire fighting facilities.	N/A
Describe any plans and estimated completion dates for any enlargements or improve	ments of this system: None
When did the company last file a capacity analysis report with the DEP?	N/A
If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
. Department of Environmental Protection ID #	3350981
Water Management District Consumptive Use Permit #	2612
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

December 31, 2007

SYSTEM NAME / COUNTY:

PICCIOLA ISLAND / LAKE

. Present ERCs * the system can efficiently serve.	141
2. Maximum number of ERCs * which can be served.	155
Present system connection capacity (in ERCs *) using existing lines.	155
Future connection capacity (in ERCs *) upon service area buildout.	155
5. Estimated annual increase in ERCs *.	None
5. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
Describe any plans and estimated completion dates for any enlargements or improve	None
When did the company last file a capacity analysis report with the DEP?	
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
·	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP?	N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? 	N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A N/A 3351009
 a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID # 	N/A N/A N/A 3351009 2609

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

UTILITY NAME: <u>AQUA UTILITES FLORIDA, INC.</u>

December 31, 2007

SYSTEM NAME / COUNTY:

PINEY WOODS / LAKE

1. Present ERCs * the system can efficiently serve.	172
2. Maximum number of ERCs * which can be served.	180
3. Present system connection capacity (in ERCs *) using existing lines.	180
4. Future connection capacity (in ERCs *) upon service area buildout.	180
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	nents of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
10. If the present system does not meet the requirements of DDI Tales.	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
•	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP?	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin?	N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A N/A 3351021

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

QUAIL RIDGE / LAKE

. Present ERCs * the system can efficiently serve.	91
2. Maximum number of ERCs * which can be served.	96
3. Present system connection capacity (in ERCs *) using existing lines.	96
4. Future connection capacity (in ERCs *) upon service area buildout	96
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improve	Nī
When did the common lest file a compair, analysis report with the DED?	N/A
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules:	. N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules	3.
b. Have these plans been approved by DEP?	
c. When will construction begin?	N /A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ N/A
Department of Environmental Protection ID #	3354867
	4545
Water Management District Consumptive Use Permit #	_
Water Management District Consumptive Use Permit # a. Is the system in compliance with the requirements of the CUP?	_

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

RAVENSWOOD / LAKE

Furnish information below for each system. A separate page should be	pe supplied where necessary.
Present ERCs * the system can efficiently serve	44
2. Maximum number of ERCs * which can be served.	46
3. Present system connection capacity (in ERCs *) using existing lines.	46
4. Future connection capacity (in ERCs *) upon service area buildout.	46
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improven	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	3351062
12. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

SILVER LAKE/WESTERN SHORES / LAKE

1. Present ERCs * the system can efficiently serve.	1,612	
2. Maximum number of ERCs * which can be served.	1,643	
Present system connection capacity (in ERCs *) using existing lines.	1,643	
4. Future connection capacity (in ERCs *) upon service area buildout.	1,643	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?		
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or impro	ovements of this system: None	
9. When did the company last file a capacity analysis report with the DEP?	N/A	
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP ru	•	
b. Have these plans been approved by DEP?		
c. When will construction begin?	IV/A.	
d. Attach plans for funding the required upgrading.	37/4	
e. Is this system under any Consent Order with DEP?		
11. Department of Environmental Protection ID #	SLE - 3351182	WS - 3351464
12. Water Management District Consumptive Use Permit #	2644	
a. Is the system in compliance with the requirements of the CUP?	Yes	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SKYCREST / LAKE

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve.	122
2. Maximum number of ERCs * which can be served.	127
3. Present system connection capacity (in ERCs *) using existing lines.	127
4. Future connection capacity (in ERCs *) upon service area buildout.	127
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 500 GPM
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improve	ments of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	•
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	. N/A
11. Department of Environmental Protection ID #	3351205
12. Water Management District Consumptive Use Permit #	2614
Water Management District Consumptive Use Permit # a. Is the system in compliance with the requirements of the CUP?	-

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

STONE MOUNTAIN / LAKE

Present ERCs * the system can efficiently serve.	10
2. Maximum number of ERCs * which can be served.	10
3. Present system connection capacity (in ERCs *) using existing lines.	10
4. Future connection capacity (in ERCs *) upon service area buildout.	10
5. Estimated annual increase in ERCs *.	None
5. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	N/A
B. Describe any plans and estimated completion dates for any enlargements or improv	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
. , . ,	_ IVA
. , . ,	
0. If the present system does not meet the requirements of DEP rules:	es.
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules.	es. N/A
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP?	es. N/A
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin?	es. N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	es. N/A N/A
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	N/A N/A N/A N/A 3351282
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A N/A N/A 3351282 2606

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

SUMMIT CHASE / LAKE

. Present ERCs * the system can efficiently serve.	210
2. Maximum number of ERCs * which can be served.	221
B. Present system connection capacity (in ERCs *) using existing lines.	221
Future connection capacity (in ERCs *) upon service area buildout.	221
5. Estimated annual increase in ERCs *.	None
If so, how much capacity is required?	Yes 500 GPM
7. Attach a description of the fire fighting facilities.	Hydrants
Describe any plans and estimated completion dates for any enlargements or improvement	None
When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order with DEP?	No
Department of Environmental Protection ID #	3354112
	4555
Water Management District Consumptive Use Permit #	
Water Management District Consumptive Use Permit # a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

VALENCIA TERRACE / LAKE

1. Present ERCs * the system can efficiently serve.	365
2. Maximum number of ERCs * which can be served.	387
3. Present system connection capacity (in ERCs *) using existing lines.	387
4. Future connection capacity (in ERCs *) upon service area buildout.	387
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improve	ments of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
0. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP?	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rulesb. Have these plans been approved by DEP?c. When will construction begin?	N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	N/A N/A N/A 3351421
 a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A N/A 3351421 2632

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

VENETIAN VILLAGE / LAKE

Furnish information below for each system. A separate page should be	be supplied where necessary.
Present ERCs * the system can efficiently serve.	159
2. Maximum number of ERCs * which can be served.	171
3. Present system connection capacity (in ERCs *) using existing lines.	171
4. Future connection capacity (in ERCs *) upon service area buildout.	171
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improver	Mono
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	\.
b. Have these plans been approved by DEP?	
c. When will construction begin?	
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
11. Department of Environmental Protection ID #	3351426
12. Water Management District Consumptive Use Permit #	_ 2608
a. Is the system in compliance with the requirements of the CUP?	_ Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page shou	ıld be supplied where necessary.
. Present ERCs * the system can efficiently serve.	1,762
. Maximum number of ERCs * which can be served.	1,844
. Present system connection capacity (in ERCs *) using existing lines.	1,844
. Future connection capacity (in ERCs *) upon service area buildout.	1,844
. Estimated annual increase in ERCs *. DATA BY SUB SYSTI	EM ONLY FOR BALANCE OF THIS PAC
If so, how much capacity is required?	
. Attach a description of the fire fighting facilities.	N/A
. Describe any plans and estimated completion dates for any enlargements or impro	ovements of this system:
. When did the company last file a capacity analysis report with the DEP? D. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	lles.

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCATA	OAKE	MARION	
UCALA	UAND /	MARGUR	

1. Present ERCs * the system can efficiently serve ERC DATA NOT AVA	ILABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
Present system connection capacity (in ERCs *) using existing lines.	
Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
Is the utility required to have fire flow capacity? If so, how much capacity is required?	
. Attach a description of the fire fighting facilities.	None
3. Describe any plans and estimated completion dates for any enlargements or improve	None
. When did the company last file a capacity analysis report with the DEP?	
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
Department of Environmental Protection ID #	3424042
2. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	_ Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Present ERCs * the system can efficiently serveERC DATA NOT AVA	AILABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
Present system connection capacity (in ERCs *) using existing lines.	
Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
5. Is the utility required to have fire flow capacity?	_ No
If so, how much capacity is required?	_
7. Attach a description of the fire fighting facilities.	None
B. Describe any plans and estimated completion dates for any enlargements or improve	ements of this system: None
. When did the company last file a capacity analysis report with the DEP?	_ N/A
D. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	s.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
Department of Environmental Protection ID #	3424036
2. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

1. Present ERCs * the system can efficiently serve ERC DATA NOT AVA	ILABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	X T
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	3.
b. Have these plans been approved by DEP?	. N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	3424029
2. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Present ERCs * the system can efficiently serve ERC DATA NOT AVA	AILABLE BY SUB SYSTEM
Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	ements of this system: _ None
9. When did the company last file a capacity analysis report with the DEP?	_ N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	s .
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
11. Department of Environmental Protection ID #	3424030
12. Water Management District Consumptive Use Permit #	4582
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

1. Present ERCs * the system can efficiently serve ERC DATA NOT AVAI	LABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
Present system connection capacity (in ERCs *) using existing lines.	
Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	
. Attach a description of the fire fighting facilities.	None
B. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
Department of Environmental Protection ID #	3424001
Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	
b. If not, what are the utility's plans to gain compliance?	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page shou	ld be supplied where necessary.
1. Present ERCs * the system can efficiently serveERC DATA NOT AV	/AILABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or impro	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rul	les.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	3424646
12. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

. Present ERCs * the system can efficiently serve ERC DATA NOT AVAI	ILABLE BY SUB SYSTEM
. Maximum number of ERCs * which can be served.	
B. Present system connection capacity (in ERCs *) using existing lines.	
. Puture connection capacity (in ERCs *) upon service area buildout.	
. Estimated annual increase in ERCs *.	None
. Is the utility required to have fire flow capacity?	No
If so, how much capacity is required?	N/A
. Attach a description of the fire fighting facilities.	None
Describe any plans and estimated completion dates for any enlargements or improver	ments of this system:
	None
. When did the company last file a capacity analysis report with the DEP?	N/A
). If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	t.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
Department of Environmental Protection ID #	3421560
. Water Management District Consumptive Use Permit #	_ 3043
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

1. Present ERCs * the system can efficiently serve ERC DATA NOT AVA	ILABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	
If so, how much capacity is required?	_ N/A
7. Attach a description of the fire fighting facilities.	None
3. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	5.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
1. Department of Environmental Protection ID #	3424839
2. Water Management District Consumptive Use Permit #	_ Unknown
a. Is the system in compliance with the requirements of the CUP?	_ Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

1. Present ERCs * the system can efficiently serve ERC DATA NOT AVAI	(LABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
i. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
. Attach a description of the fire fighting facilities.	None
3. Describe any plans and estimated completion dates for any enlargements or improver	None
When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	i.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
Department of Environmental Protection ID #	6424591
Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	_ Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

Furnish information below for each system. A separate page should	d be supplied where necessary.
Present ERCs * the system can efficiently serveERC DATA NOT AV.	AILABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	_ No
If so, how much capacity is required?	N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improv	vements of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	3 S.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	3424631
12. Water Management District Consumptive Use Permit #	
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

1. Present ERCs * the system can efficiently serve ERC DATA NOT AVA	ILABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	None
Describe any plans and estimated completion dates for any enlargements or improve	None
When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	•
e. Is this system under any Consent Order with DEP?	No
Department of Environmental Protection ID #	3424685
Water Management District Consumptive Use Permit #	3095
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

OCALA OAKS / MARION

1. Present ERCs * the system can efficiently serve ERC DATA NOT AVA	ILABLE BY SUB SYSTEM
2. Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	
If so, how much capacity is required?	N/A
7. Attach a description of the fire fighting facilities.	None
8. Describe any plans and estimated completion dates for any enlargements or improve	ements of this system:
	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	3.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
	No
e. Is this system under any Consent Order with DEP?	
	3424000
11. Department of Environmental Protection ID #	_
e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID # 12. Water Management District Consumptive Use Permit # a. Is the system in compliance with the requirements of the CUP?	Unknown

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

TANGERINE / ORANGE

I. Present ERCs * the system can efficiently serve.	_ 257
2. Maximum number of ERCs * which can be served.	301
3. Present system connection capacity (in ERCs *) using existing lines.	301
4. Future connection capacity (in ERCs *) upon service area buildout.	301
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improve	ements of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
9. When did the company last file a capacity analysis report with the DEP? 1. If the present system does not meet the requirements of DEP rules:	N/A
0. If the present system does not meet the requirements of DEP rules:	5.
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules.	s. N/A
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP?	s. N/A
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin?	s. N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID # 	N/A N/A N/A N/A 3481329
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A N/A N/A 3481329 51073

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

LAKE OSBORNE ESTATES / PALM BEACH

1. Present ERCs * the system can efficiently serve.	459
2. Maximum number of ERCs * which can be served.	477
3. Present system connection capacity (in ERCs *) using existing lines.	477
4. Future connection capacity (in ERCs *) upon service area buildout.	477
5. Estimated annual increase in ERCs *.	None
5. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	N/A
. Describe any plans and estimated completion dates for any enlargements or improve	3 T
When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order with DEP?	N/A
Department of Environmental Protection ID #	4500768
·	N/A
12. Water Management District Consumptive Use Permit #	
	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

JASMINE LAKES / PASCO

Furnish information below for each system. A separate page shou	ald be supplied where necessary.
Present ERCs * the system can efficiently serve.	1,505
2. Maximum number of ERCs * which can be served.	1,613
3. Present system connection capacity (in ERCs *) using existing lines.	1,613
4. Future connection capacity (in ERCs *) upon service area buildout.	1,613
5. Estimated annual increase in ERCs *.	Built out
6. Is the utility required to have fire flow capacity? If so, how much capacity is required? 500 to	Yes 0 1,000 GPM x 2 hours
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or impro	ovements of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP ru	les.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	6512070
12. Water Management District Consumptive Use Permit #	20000279.01
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

PALM TERRACE / PASCO

1. Present ERCs * the system can efficiently serve.	1,110
. Maximum number of ERCs * which can be served.	1,201
Present system connection capacity (in ERCs *) using existing lines.	1,201
Future connection capacity (in ERCs *) upon service area buildout.	1,201
Estimated annual increase in ERCs *.	None
If so, how much capacity is required? 500 to	Yes > 1,000 GPM x 2 hours
. Attach a description of the fire fighting facilities.	Hydrants
. Describe any plans and estimated completion dates for any enlargements or impr	3. T
. When did the company last file a capacity analysis report with the DEP?	N/A
). If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP re	ules.
a. Attach a description of the plant upgrade necessary to meet the DEP re b. Have these plans been approved by DEP?	
	N/A
b. Have these plans been approved by DEP?	N/A
b. Have these plans been approved by DEP? c. When will construction begin?	N/A N/A
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? Department of Environmental Protection ID #	N/A N/A N/A 6511331
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	N/A N/A N/A N/A 20003759.003

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

ZEPHYR SHORES / PASCO

Furnish information below for each system. A separate page should be supplied where necessary.		
Present ERCs * the system can efficiently serve.	452	
2. Maximum number of ERCs * which can be served.	546	
3. Present system connection capacity (in ERCs *) using existing lines.	546	
4. Future connection capacity (in ERCs *) upon service area buildout.	546	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required? 500 to	Yes 1,000 GPM x 2 hours	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or improve	<u> </u>	
9. When did the company last file a capacity analysis report with the DEP?	N/A	
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules:	N/A	
10. If the present system does not meet the requirements of DEP rules:	es.	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	es. N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP?	es. N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin?	es. N/A N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	es. N/A N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	es N/A N/A N/A 6512018	
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A N/A N/A 2011082.001	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

BREEZE HILL / POLK

. Present ERCs * the system can efficiently serve.	133
2. Maximum number of ERCs * which can be served.	143
Present system connection capacity (in ERCs *) using existing lines.	143
4. Future connection capacity (in ERCs *) upon service area buildout.	143
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	_ N/A
10. If the present system does not meet the requirements of DEP rules:	2
a. Attach a description of the plant upgrade necessary to meet the DEP rulesb. Have these plans been approved by DEP?	
c. When will construction begin?	
d. Attach plans for funding the required upgrading.	_
e. Is this system under any Consent Order with DEP?	N/A
	3532355
11. Department of Environmental Protection ID #	
Department of Environmental Protection ID # Water Management District Consumptive Use Permit #	_ OHMIOWII
11. Department of Environmental Protection ID # 12. Water Management District Consumptive Use Permit # a. Is the system in compliance with the requirements of the CUP?	-

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

GIBSONIA ESTATES / POLK

1. Present ERCs * the system can efficiently serve.	194
2. Maximum number of ERCs * which can be served.	
3. Present system connection capacity (in ERCs *) using existing lines.	203
4. Future connection capacity (in ERCs *) upon service area buildout.	203
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	
9. When did the company last file a capacity analysis report with the DEP?	
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11 December of Floring and add December 11 H	6530079
11. Department of Environmental Protection ID #	
	209336.01
a. Is the system in compliance with the requirements of the CUP?	_

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

LAKE GIBSON ESTATES / POLK

1. Present ERCs * the system can efficiently serve.	812
2. Maximum number of ERCs * which can be served.	864
3. Present system connection capacity (in ERCs *) using existing lines.	864
4. Future connection capacity (in ERCs *) upon service area buildout.	864
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	N/A
	None
When did the company last file a capacity analysis report with the DEP?	
0. If the present system does not meet the requirements of DEP rules:	
and the state of t	•
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP?	
	N/A
b. Have these plans been approved by DEP?	N/A
b. Have these plans been approved by DEP? c. When will construction begin?	N/A N/A
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	N/A N/A N/A 6532347
b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A N/A 6532347 207878.02

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ORANGE HILL/SUGAR CREEK / POLK

1. Present ERCs * the system can efficiently serve.	_ 231
2. Maximum number of ERCs * which can be served.	_ 246
3. Present system connection capacity (in ERCs *) using existing lines.	_ 246
4. Future connection capacity (in ERCs *) upon service area buildout.	_ 246
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	_ No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	3.7
9. When did the company last file a capacity analysis report with the DEP?	_ N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	s.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ N/A
	6531305
11. Department of Environmental Protection ID #	
	_ 2076502
11. Department of Environmental Protection ID # 12. Water Management District Consumptive Use Permit # a. Is the system in compliance with the requirements of the CUP?	_

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

. Present ERCs * the system can efficiently serve.	85
2. Maximum number of ERCs * which can be served.	97
3. Present system connection capacity (in ERCs *) using existing lines.	97
4. Future connection capacity (in ERCs *) upon service area buildout.	. 97
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
3. Describe any plans and estimated completion dates for any enlargements or improve	
9. When did the company last file a capacity analysis report with the DEP? 0. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules	t.
b. Have these plans been approved by DEP?	
c. When will construction begin?	
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ No
	_ 3531546
11. Department of Environmental Protection ID #	
	Unknown
Department of Environmental Protection ID #	_

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

VILLAGE WATER / POLK

Furnish information below for each system. A separate page should be	supplied where necessary.
Present ERCs * the system can efficiently serve	297
2. Maximum number of ERCs * which can be served.	327
3. Present system connection capacity (in ERCs *) using existing lines.	327
4. Future connection capacity (in ERCs *) upon service area buildout.	327
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 500 GPM
7. Attach a description of the fire fighting facilities.	Hydrants
8. Describe any plans and estimated completion dates for any enlargements or improvements.	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	N/A
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	6532779
12. Water Management District Consumptive Use Permit #	N/A
a. Is the system in compliance with the requirements of the CUP?	Yes
b. If not, what are the utility's plans to gain compliance?	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

BEECHER'S POINT / PUTNAM

Present ERCs * the system can efficiently serve.	69
. Maximum number of ERCs * which can be served.	92
. Present system connection capacity (in ERCs *) using existing lines.	92
Future connection capacity (in ERCs *) upon service area buildout.	92
. Estimated annual increase in ERCs *.	None
Is the utility required to have fire flow capacity? If so, how much capacity is required?	
. Attach a description of the fire fighting facilities.	N/A
B. Describe any plans and estimated completion dates for any enlargements or improver	ments of this system: None
When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP?	N/A
b. Have these plans been approved by DEP? c. When will construction begin?	N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A
 a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A N/A 2540070
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	N/A N/A N/A 2540070 N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

HERMITS COVE / PUTNAM

1. Present ERCs * the system can efficiently serve.	169
2. Maximum number of ERCs * which can be served.	_ 185
3. Present system connection capacity (in ERCs *) using existing lines.	_ 185
4. Future connection capacity (in ERCs *) upon service area buildout.	_ 185
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	3.7
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	I.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	. N/A
Department of Environmental Protection ID #	2540482
Water Management District Consumptive Use Permit #	8357
	Yes
a. Is the system in compliance with the requirements of the CUP?	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

INTERLACHEN LAKE/PARK MANOR / PUTNAM

1. Present ERCs * the system can efficiently serve.	261
2. Maximum number of ERCs * which can be served.	296
3. Present system connection capacity (in ERCs *) using existing lines.	296
4. Future connection capacity (in ERCs *) upon service area buildout.	296
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	ments of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	•
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
11. Department of Environmental Protection ID #	2540545
12. Water Management District Consumptive Use Permit #	7986
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

PALM PORT / PUTNAM

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve	_ 105
2. Maximum number of ERCs * which can be served.	111
3. Present system connection capacity (in ERCs *) using existing lines.	
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	ements of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	3.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	N/A
11. Department of Environmental Protection ID #	2540865
12. Water Management District Consumptive Use Permit #	8127
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

POMONA PARK / PUTNAM

. Present ERCs * the system can efficiently serve.	163	
2. Maximum number of ERCs * which can be served.	190	
3. Present system connection capacity (in ERCs *) using existing lines.	190	
4. Future connection capacity (in ERCs *) upon service area buildout.	•	
5. Estimated annual increase in ERCs *.		
If so, how much capacity is required?	No	
7. Attach a description of the fire fighting facilities.	N/A	
3. Describe any plans and estimated completion dates for any enlargements or improver	ments of this system: None	
9. When did the company last file a capacity analysis report with the DEP?	N/A	
0. If the present system does not meet the requirements of DEP rules:	•	
	•	
0. If the present system does not meet the requirements of DEP rules:	- i.	
0. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules.	s. N/A	
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? 	s. N/A	
O. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin?	N/A N/A	
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A	
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A N/A N/A 2540905	
 0. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID # 	N/A N/A N/A N/A 2540905 N/A	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

RIVER GROVE / PUTNAM

Furnish information below for each system. A separate page should	be supplied where necessary.
Present ERCs * the system can efficiently serve.	107
2. Maximum number of ERCs * which can be served.	_ 108
3. Present system connection capacity (in ERCs *) using existing lines.	_ 108
4. Future connection capacity (in ERCs *) upon service area buildout.	_ 108
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	_ No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	NT
9. When did the company last file a capacity analysis report with the DEP?	_ N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	3.
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
	-
d. Attach plans for funding the required upgrading.	
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A
e. Is this system under any Consent Order with DEP?	
	_ N/A _ 2540959
e. Is this system under any Consent Order with DEP? 1. Department of Environmental Protection ID #	N/A 2540959 N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

SILVER LAKE OAKS / PUTNAM

1. Present ERCs * the system can efficiently serve.	26
2. Maximum number of ERCs * which can be served.	46
3. Present system connection capacity (in ERCs *) using existing lines.	46
4. Future connection capacity (in ERCs *) upon service area buildout.	46
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improver	nents of this system: None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
10. If the present system does not meet the requirements of DEP rules:	
10. If the present system does not meet the requirements of DEP rules:a. Attach a description of the plant upgrade necessary to meet the DEP rules.	
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP?	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin?	N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A N/A
a. Attach a description of the plant upgrade necessary to meet the DEP rules. b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	N/A N/A N/A 2544258

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

ST. JOHN'S HIGHLANDS / PUTNAM

Furnish information below for each system. A separate page sho	ould be supplied where necessary.
Present ERCs * the system can efficiently serve.	96
2. Maximum number of ERCs * which can be served.	100
3. Present system connection capacity (in ERCs *) using existing lines.	100
4. Future connection capacity (in ERCs *) upon service area buildout.	
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or impr	
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP re	ules.
b. Have these plans been approved by DEP?	***************************************
c. When will construction begin?	
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	
11. Department of Environmental Protection ID #	
12. Water Management District Consumptive Use Permit #	
a. Is the system in compliance with the requirements of the CUP?	
b. If not, what are the utility's plans to gain compliance?	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY: WELAKA/SARATOGA HARBOUR / PUTNAM

December 31, 2007

1. Present ERCs * the system can efficiently serve.	145	
2. Maximum number of ERCs * which can be served.	159	
3. Present system connection capacity (in ERCs *) using existing lines.	159	
4. Future connection capacity (in ERCs *) upon service area buildout.	159	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity?	No N/A	
7. Attach a description of the fire fighting facilities.	N/A	
8. Describe any plans and estimated completion dates for any enlargements or improvem	nents of this system: None	
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules:	N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rules.		
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading.		
e. Is this system under any Consent Order with DEP?	N/A	
11. Department of Environmental Protection ID #	W - 2541242	SH - 2541008
12. Water Management District Consumptive Use Permit #	N/A	
a. Is the system in compliance with the requirements of the CUP?	Yes	

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

WOOTENS / PUTNAM

Description of the second of t	
1. Present ERCs * the system can efficiently serve.	_ 28
2. Maximum number of ERCs * which can be served.	29
3. Present system connection capacity (in ERCs *) using existing lines.	29
4. Future connection capacity (in ERCs *) upon service area buildout.	29
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity?	
If so, how much capacity is required?	N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improv	rements of this system:
•	_ None
	N/A
9. When did the company last file a capacity analysis report with the DEP?	_ · N/A
9. When did the company last file a capacity analysis report with the DEP?	
9. When did the company last file a capacity analysis report with the DEP? 0. If the present system does not meet the requirements of DEP rules:	es.
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rules	es. N/A
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP?	es. N/A
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin?	es. N/A
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules: a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading.	n/A N/A
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules: 11. a. Attach a description of the plant upgrade necessary to meet the DEP rules 12. b. Have these plans been approved by DEP? 13. c. When will construction begin? 14. Attach plans for funding the required upgrading. 15. e. Is this system under any Consent Order with DEP?	N/A N/A No 2541280
9. When did the company last file a capacity analysis report with the DEP? 10. If the present system does not meet the requirements of DEP rules: 11. a. Attach a description of the plant upgrade necessary to meet the DEP rules b. Have these plans been approved by DEP? 12. c. When will construction begin? 13. d. Attach plans for funding the required upgrading. 14. d. attach plans for funding the required upgrading. 15. d. Department of Environmental Protection ID #	N/A N/A No 2541280 N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

CHULUOTA / SEMINOLE

. Present ERCs * the system can efficiently serve.	1,442
. Maximum number of ERCs * which can be served.	1,508
. Present system connection capacity (in ERCs *) using existing lines.	1,508
Future connection capacity (in ERCs *) upon service area buildout.	1,508
5. Estimated annual increase in ERCs *.	None
5. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 750 GPM
7. Attach a description of the fire fighting facilities.	Hydrants
3. Describe any plans and estimated completion dates for any enlargements or improve	
When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	•
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	. N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	No
Department of Environmental Protection ID #	3590186
2. Water Management District Consumptive Use Permit #	. 8362
a. Is the system in compliance with the requirements of the CUP?	Yes

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

HARMONY HOMES / SEMINOLE

Furnish information below for each system. A separate page should	l be supplied where necessary.
1. Present ERCs * the system can efficiently serve.	59
2. Maximum number of ERCs * which can be served.	_ 65
3. Present system connection capacity (in ERCs *) using existing lines.	_ 65
4. Future connection capacity (in ERCs *) upon service area buildout.	_ 65
5. Estimated annual increase in ERCs *.	_ None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	_ No _ N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	_ None
9. When did the company last file a capacity analysis report with the DEP?	•
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	s.
b. Have these plans been approved by DEP?	_ N/A
c. When will construction begin?	_ N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	_ N/A
11. Department of Environmental Protection ID #	_ 3590497
	00.55
12. Water Management District Consumptive Use Permit #	_ 8357
a. Is the system in compliance with the requirements of the CUP?	_

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

AQUA UTILITES FLORIDA, INC.

SYSTEM NAME / COUNTY:

THE WOODS / SUMTER_____

. Present ERCs * the system can efficiently serve.	55
2. Maximum number of ERCs * which can be served.	78
3. Present system connection capacity (in ERCs *) using existing lines.	78
4. Future connection capacity (in ERCs *) upon service area buildout.	78
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	2.7
9. When did the company last file a capacity analysis report with the DEP?	N/A
0. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	N/A
d. Attach plans for funding the required upgrading.	
e. Is this system under any Consent Order with DEP?	. No
11. Department of Environmental Protection ID #	6600347
12. Water Management District Consumptive Use Permit #	Unknown
a. Is the system in compliance with the requirements of the CUP?	Yes
	N/A

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

JUNGLE DEN / VOLUSIA

Present ERCs * the system can efficiently serve.	113
2. Maximum number of ERCs * which can be served.	115
3. Present system connection capacity (in ERCs *) using existing lines.	115
4. Future connection capacity (in ERCs *) upon service area buildout.	115
5. Estimated annual increase in ERCs *.	None
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	
7. Attach a description of the fire fighting facilities.	N/A
8. Describe any plans and estimated completion dates for any enlargements or improve	None
9. When did the company last file a capacity analysis report with the DEP?	N/A
10. If the present system does not meet the requirements of DEP rules:	
a. Attach a description of the plant upgrade necessary to meet the DEP rules	
b. Have these plans been approved by DEP?	N/A
c. When will construction begin?	· N/A
d. Attach plans for funding the required upgrading.	
	N/A
d. Attach plans for funding the required upgrading.	N/A 3644127
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP?	3644127
d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	3644127

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

SYSTEM NAME / COUNTY:

TOMOKA/TWIN RIVERS / VOLUSIA

Present ERCs * the system can efficiently serve.	271	
2. Maximum number of ERCs * which can be served.	279	
3. Present system connection capacity (in ERCs *) using existing lines.	279	
4. Future connection capacity (in ERCs *) upon service area buildout.		
5. Estimated annual increase in ERCs *.		
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	No N/A	
7. Attach a description of the fire fighting facilities.	N/A	
8. Describe any plans and estimated completion dates for any enlargements or impro	3.7	
9. When did the company last file a capacity analysis report with the DEP?	N/A	-
10. If the present system does not meet the requirements of DEP rules:		
	les.	
a. Attach a description of the plant upgrade necessary to meet the DEP rule		
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP?	N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rule	N/A	
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin?	N/A N/A	
 a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 	N/A N/A	TR - 3641399
 a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. 	N/A N/A N/A TV - 3641373	TR - 3641399
a. Attach a description of the plant upgrade necessary to meet the DEP rule b. Have these plans been approved by DEP? c. When will construction begin? d. Attach plans for funding the required upgrading. e. Is this system under any Consent Order with DEP? 11. Department of Environmental Protection ID #	N/A N/A N/A TV - 3641373 N/A	TR - 3641399

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.

YEAR OF REPORT December 31, 2007

SYSTEM NAME / COUNTY:

SUNNY HILLS / WASHINGTON

Furnish information below for each system. A separate page shou	eld be supplied where necessary.	
Present ERCs * the system can efficiently serve	592	
2. Maximum number of ERCs * which can be served.	643	
3. Present system connection capacity (in ERCs *) using existing lines.	643	
4. Future connection capacity (in ERCs *) upon service area buildout.	643	
5. Estimated annual increase in ERCs *.	None	
6. Is the utility required to have fire flow capacity? If so, how much capacity is required?	Yes 700 GPM	
7. Attach a description of the fire fighting facilities.	Hydrants	
8. Describe any plans and estimated completion dates for any enlargements or impro-	None	
9. When did the company last file a capacity analysis report with the DEP?	N/A	
10. If the present system does not meet the requirements of DEP rules:		
a. Attach a description of the plant upgrade necessary to meet the DEP rule	es.	
b. Have these plans been approved by DEP?	N/A	
c. When will construction begin?	N/A	
d. Attach plans for funding the required upgrading.		
e. Is this system under any Consent Order with DEP?	N/A	
11. Department of Environmental Protection ID#	1670647	
12. Water Management District Consumptive Use Permit #	19842730	
To the quater in annullance with the manifest of the CUIDO	Yes	
a. Is the system in compliance with the requirements of the CUP?		

^{*} An ERC is determined based on the calculation on the bottom of Page W-13.