OFFICIAL COPY
Public Service Commission
Do Not Remove from this Office

CLASS "C"

WATER AND/OR WASTEWATER UTILITIES

(Gross Revenue of Less Than \$200,000 Each)

ANNUAL REPORT

OF

WU865-04-AR
Gary A. Deremer
Dixie Groves Utility Company a Division of Community Utili
P. O. Box 398
New Port Richey, FL 34656-0398

Submitted To The

STATE OF FLORIDA



PUBLIC SERVICE COMMISSION

FOR THE

YEAR ENDED DECEMBER 31, 2004

Form PSC/ECR 006-W (Rev. 12/99)

J. S. BAILLIE, JR.

CERTIFIED PUBLIC ACCOUNTANT 2153 GRAND BLVD. HOLIDAY, FL 34690 (727) 937-6650

April 27, 2005

Board of Directors Dixie Groves Utility Company New Port Richey, Florida

We have compiled the comparative Balance Sheet as of December 31, 2003 and 2004 of Dixie Groves Utility Company and the related detail schedules and the Statement of Income and related detail schedules for the year ended December 31, 2004, included in the accompanying prescribed form in accordance with Statements on Standards for Accounting and Review Services issued by the American Institute of Certified Public Accountants.

Our compilation was limited to presenting in the form prescribed by the Florida Public Service Commission information that is the representation of the management of the company. We have not audited or reviewed the financial statements referred to above, and accordingly, do not express an opinion or any other form of assurance on them.

These financial statements including related disclosures are presented in accordance with the requirements of the Florida Public Service Commission, which differ from generally accepted accounting principles. Accordingly, these financial statements are not designed for those who are not informed about such differences.

Respectfully submitted,

J. S. Baillie, Jr.

Certified Public Accountant

TABLE OF CONTENTS

FINANCIAL SECTION	PAGE
Identification Income Statement Balance Sheet Net Utility Plant Accumulated Depreciation and Amortization of Utility Plant Capital Stock Retained Earnings Proprietary Capital Long Term Debt Taxes Accrued Payment for Services Rendered by Other Than Employees Contributions in Aid of Construction Cost of Capital Used for AFUDC Calculation AFUDC Capital Structure Adjustments	F-2 F-3 F-4 F-5 F-6 F-6 F-6 F-7 F-7 F-8 F-9 F-10
WATER OPERATING SECTION	PAGE
Water Utility Plant Accounts Analysis of Accumulated Depreciation by Primary Account - Water Water Operation and Maintenance Expense Water Customers Pumping and Purchased Water Statistics and Mains Wells and Well Pumps, Reservoirs, and High Service Pumping Sources of Supply and Water Treatment Facilities General Water System Information	W-1 W-2 W-3 W-3 W-4 W-5 W-6 W-7
WASTEWATER OPERATING SECTION	PAGE
Wastewater Utility Plant Accounts Analysis of Accumulated Depreciation by Primary Account - Wastewater Wastewater Operation and Maintenance Expense Wastewater Customers Pumping Equipment, Collecting and Force Mains and Manholes Treatment Plant, Pumps and Pumping Wastewater Statistics General Wastewater System Information	S-1 S-2 S-3 S-3 S-4 S-5 S-6
VERIFICATION SECTION	PAGE
Verification	V-1

FINANCIAL SECTION

REPORT OF

DIXIE GROVES UT	TILITY COMPANY			^		
D.O. DOV 000		(EXACT NAME	OF UTILITY)		
P.O. BOX 398	EV EL 34652					ASCO
NEW PORT RICHEY, FL 34652 Mailing Address			Street Address County		ounty	
Telephone Number	(727) 815-0737		Date Ut	tility First Organized		7/11/1972
Fax Number	(727) 848-7701		E-mail	Address		
Sunshine State One-C	Call of Florida, Inc. M	lember No.				
Check the business e	ntity of the utility as f	filed with the Internal R	evenue Servi	ce:		
Individual	Sub Chapter S	S Corporation	X	1120 Corporation	Ш	Partnership
Name, Address and p	hone where records		RIA PENICK 315-0737			
Name of subdivisions	where services are	provided: DIXIE	GROVES, KN	OLLWOOD VILLAG	E	
		CONTAC	CTS:			
						Salary
Nam	e	Title	Pi	rinciple Business Ad	dress	Charged Utility
Person to send correspondence: GARY DEREMER		PRESIDENT	SAME			
Person who prepared J. S. BAILLIE, JR		(SEE ACCOUNTA	NT'S COMPI	LATION REPORT)		,
VICTORIA PENICK ADMIN. SE		PRESIDENT ADMIN. SERVICE DIRECTOR	S	SAME SAME		\$12,000 \$ \$ \$ \$
Report every corpora securities of the repo	ation or person owning utility:	ng or holding directly o	r indirectly 5	percent or more of th	e voting	
Nar	ne	Percent Ownership ir Utility) F	Principle Business Ac	ddress	Salary Charged Utility
COMMUNITY UT FLORIDA, INC.	ILITIES OF	100%		SAME		\$
						\$ \$ \$

UTILITY NAME: DIXIE GROVES UTILITY COMPANY

YEAR OF REPORT DECEMBER 31, 2004

INCOME STATEMENT

Account Name	Ref.	Matar	\A_{\alpha} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Total
Account Name	Page	Water	Wastewater	Other	Company
Gross Revenue: Residential Commercial Industrial Multiple Family Guaranteed Revenues		\$ <u>50,590</u> 597	\$ <u>N/A</u>	\$	\$ <u>50,590</u> 597
Other (Specify)		1,125			1,125
Total Gross Revenue		\$52,312_	N/A	! . ————	<u>52,312</u>
Operation Expense (Must tie to pages W-3 and S-3)	W-3 S-3	\$65,351_	\$	\$	\$ <u>65,351</u>
Depreciation Expense	F-5	4,346			4,346
CIAC Amortization Expense_	F-8				
Taxes Other Than Income	F-7	3,980			3,980_
Income Taxes	F-7				
Total Operating Expense		\$73,677	N/A		\$73,677_
Net Operating Income (Loss)		\$ (21,365)	\$ <u>N/A</u>	\$	\$ <u>(21,365)</u>
Other Income: Nonutility Income		\$ <u>-</u> _	\$ <u>N/A</u>	\$(691)	\$ <u>(691)</u>
Other Deductions: Miscellaneous Nonutility Expenses Interest Expense Amortization of Acquisition Adjustment		\$	\$ 	5,721	\$ 5,721
Net Income (Loss)		\$ <u>(21,365)</u>	\$ <u>N/A</u>	\$(6,412)	\$ <u>(27,777)</u>

YEAR OF REPORT DECEMBER 31, 2004

COMPARATIVE BALANCE SHEET

ACCOUNT NAME	Reference	Current	Previous
ACCOUNT NAME	Page	Year	Year
Assets:			
Utility Plant in Service (101-105)	F-5,W-1,S-1	\$130,551_	\$88,808
Accumulated Depreciation and	EEWACA	60,000	50.040
Amortization (108)	F-5,W-2,S-2	62,986	58,640
Net Utility Plant		\$67,565_	\$30,168_
CashCustomer Accounts Receivable (141)		3,487	6,611
Other Assets (Specify):		1	5,716
Unamortized Acquisition Adjustment		85,814	85,814
Accumulated Amortization		(11,442)	(5,721)
Total Assets		\$ <u>145,425</u>	\$122,588
Liabilities and Capital:			
Common Stock Issued (201)	F-6	1,000	1,000
Preferred Stock Issued (204)	F-6		
Other Paid in Capital (211)	= 0	114,000	114,000
Retained Earnings (215) Propietary Capital (Proprietary and	F-6	(47,746)	(19,969)
partnership only) (218)	F-6		
Total Capital		\$ 67,254	\$ 95,031
Long Term Debt (224)	F-6	\$	\$
Accounts Payable (231)	1-0	70,599	20,464
Notes Payable (232)			
Customer Deposits (235)		5,218	4,773
Accrued Taxes (236) Other Liabilities (Specify)		2,354	2,320
Advances for Construction			
Contributions in Aid of Construction - Net (271-272)	F-8		<u>-</u> _
Total Liabilities and Capital		\$145,425	\$122,588

UTILITY NAME DIXIE GROVES UTILITY COMPANY

YEAR OF REPORT DECEMBER 31, 2004

GROSS UTILITY PLANT

	GROSS	UTILITY PLANT		
Plant Accounts: (101 - 107) inclusive	Water	Wastewater	Plant other Than Reporting Systems	Total
Utility Plant in Service (101) Construction Work in Progress	\$ <u>130,551</u>	\$ <u>N/A</u>	\$ <u>N/A</u>	\$130,551_
(105) Other (Specify)				
Total Utility Plant	\$ <u>130,551</u>	\$ <u>N/A</u>	\$ <u>N/A</u>	\$ <u>130,551</u>

ACCUMULATED DEPRECIATION (A/D) AND AMORTIZATION OF UTILITY PLANT

Account 108	Water	Wastewater	Other Than Reporting Systems	Total
Balance First of Year	\$58,640_	\$ <u>N/A</u>	\$N/A	\$58,640_
Add Credits During Year: Accruals charged to depreciation account Salvage Other Credits (specify)	\$4,346	\$	\$	\$ <u>4,346</u>
Total Credits	\$	\$ <u>N/A</u>	\$ <u>N/A</u>	\$
Deduct Debits During Year: Book cost of plant retired Cost of removal Other debits (specify)	\$ 	\$	\$	\$
Total Debits	\$ <u>-</u>	\$ <u>N/A</u>	\$ <u>N/A</u>	\$
Balance End of Year	\$ 62,986	\$ <u>N/A</u>	\$ <u>N/A</u>	\$ <u>62,986</u>

UTILITY NAME: DIXIE GROVES UTILITY COMPANY

YEAR OF REPORT DECEMBER 31, 2004

CAPITAL STOCK (201 - 204)

	Common Stock	Preferred Stock
Par or stated value per share		N/A

RETAINED EARNINGS (215)

	Appropriated	Un- Appropriated
Balance first of year	\$ <u>N/A</u>	\$(19,969)
Changes during the year (Specify): Net Loss for the Year		(27,777)
Balance end of year	\$ <u>N/A</u>	\$(47,746)

PROPRIETARY CAPITAL (218)

	Proprietor Or Partner	Partner
Balance first of yearChanges during the year (Specify):	\$N/A	\$ <u>N/A</u>
Balance end of year	\$ <u>N/A</u>	\$ <u>N/A</u>

LONG TERM DEBT (224)

Description of Obligation (Including Date of Issue and Date of Maturity):	Interest Rate # of Pymts	Principal per Balance Sheet Date
		\$
Total	N/A	\$ <u>N/A</u>

YEAR OF REPORT DECEMBER 31, 2004

TAX EXPENSE

(a)	Water	Wastewater	Other	Total
	(b)	(c)	(d)	(e)
Income Taxes: Federal income tax State income Tax Taxes Other Than Income: State ad valorem tax Local property tax Regulatory assessment fee Other (Specify) Total Tax Expense	\$ 	\$ \$ \$	\$	\$

PAYMENTS FOR SERVICES RENDERED BY OTHER THAN EMPLOYEES

Report all information concerning outside rate, management, construction, advertising, labor relations, public relations, or other similiar professional services rendered the respondent for which aggregate payments during the year to any corporation, partnership, individual, or organization of any kind whatever amounting to \$500 or more.

Name of Recipient	Water Amount	Wastewater Amount	Description of Service
U.S. WATER U.S. WATER U.S. WATER GARY DEREMER	\$ 33,807 \$ 4,988 \$ 5,196 \$ 12,000 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ N/A N/	PROFESSIONAL SERVICES TESTING OTHER MANAGEMENT FEES

YEAR OF REPORT DECEMBER 31, 2004

CONTRIBUTIONS IN AID OF CONSTRUCTION (271)

	(a)	Water (b)	Wastewater (c)	Total (d)
1) 2)	Balance first of yearAdd credits during year	\$ <u>10,330</u>	\$ <u>N/A</u>	\$ <u>10,330</u>
3) 4)	Total Deduct charges during the year	10,330		10,330
5) 6)	Balance end of year Less Accumulated Amortization	10,330 10,330		10,330 10,330
7)	Net CIAC	\$	\$ <u>N/A</u>	\$

ADDITIONS TO CONTRIBUTIONS IN AID OF CONSTRUCTION DURING YEAR (CREDITS)

Report below all developers or agreements from which cash or received during the year.	contractors property was	Indicate "Cash" or "Property"	Water	Wastewater
received during the year.		Floperty		
			<u> </u>	

7.1				
Sub total			, N/A	
Sub-total			\$ <u>N/A</u>	\$ <u>N/A</u>
Report below all ca	pacity charges, mair		†	
extension charges	and customer conne	ction		
charges received d			1	
Description of Observe	Number of	Charge per		
Description of Charge	Connections	Connection		
		\$	d s	l _s
l Credits During Year (Must agr	ee with line # 2 abov	re)	\$ N/A	s _{N/A}
Croate During rear (Must agr	CC WILLI IIIIC # Z dDUV	G./	\$N/A	\$N/A

ACCUMULATED AMORTIZATION OF CIAC (272)

Balance First of YearAdd Debits During Year:	<u>Water</u> \$10,330	Wastewater N/A	*
Deduct Credits During Year:			
Balance End of Year (Must agree with line #6 above.)	\$10,330	\$ <u>N/A</u>	\$10,330

** COMPLETION OF SCHEDULE REQUIRED ONLY IF AFUDC WAS CHARGED DURING YEAR **

UTILITY NAME DIXIE GROVES UTILITY COMPANY

YEAR OF REPORT DECEMBER 31, 2004

N/A SCHEDULE "A"

SCHEDULE OF COST OF CAPITAL USED FOR AFUDC CALCULATION (1)

Class of Capital (a)	Dollar Amount (b)	Percentage of Capital (c)	Actual Cost Rates (d)	Weighted Cost [c x d] (e)
Common Equity	\$N/A	%	%	N/A%
Preferred Stock		%	%	%
Long Term Debt		%	%	%
Customer Deposits		%	%	%
Tax Credits - Zero Cost		%	0.00 %	%
Tax Credits - Weighted Cost		%	%	%
Deferred Income Taxes		%	%	%
Other (Explain)		%	%	%
Total	\$N/A	<u>100.00</u> %		<u>N/A</u> %

(1) Must be calculated using the same methodology used to calculate AFUDC rate approved by the Commission.

APPROVED AFUDC RATE

Current Commission approved AFUDC rate:	%
Commission Order Number approving AFUDC rate:	

** COMPLETION OF SCHEDULE REQUIRED ONLY IF AFUDC WAS CHARGED DURING YEAR **

UTILITY NAME DIXIE GROVES UTILITY COMPANY

YEAR OF REPORT DECEMBER 31, 2004

N/A SCHEDULE "B"

SCHEDULE OF CAPITAL STRUCTURE ADJUSTMENTS

Class of Capital (a)	Per Book Balance (b)	Non-utility Adjustments (c)	Non-juris. Adjustments (d)	Other (1) Adjustments (e)	Capital Structure Used for AFUDC Calculation (f)
Common Equity Preferred Stock Long Term Debt Customer Deposits Tax Credits-Zero Cost Tax Credits-Weighted Cost of Capital Deferred Income Taxes Other (Explain) Total	\$ = = \$	\$ = = \$	\$	\$ \$	\$

(1) Explain below all adjustments made in Column (e):

WATER OPERATING SECTION

YEAR OF REPORT DECEMBER 31, 2004

WATER UTILITY PLANT ACCOUNTS

Acct. No. (a)	Account Name (b)	Previous Year (c)	Additions (d)	Retirements (e)	Current Year (f)
301	Organization	\$	\$	\$	\$
302	Franchises				
303	Land and Land Rights	1,211			1,211
304	Structures and Improvements_	3,811	5,068		8,879
305	Collecting and Impounding Reservoirs				
306	Lake, River and Other Intakes				
307	Wells and Springs	7,713	1,351		9,064
308	Infiltration Galleries and Tunnels				
309	Supply Mains				-
310	Power Generation Equipment				
311	Pumping Equipment	13,469	3,880		17,349
320	Water Treatment Equipment	2,770			2,770
330	Distribution Reservoirs and				
	Standpipes	11,709			11,709
331	Transmission and Distribution				
	Lines	16,299	30,266		46,565
333	Services				
334	Meters and Meter				
	Installations	23,761_	1,178		24,939_
335	Hydrants	6,933			6,933
336	Backflow Prevention Devices_				
339	Other Plant and Miscellaneous Equipment_				_
340	Office Furniture and Equipment	1,132			1,132
341	Transportation Equipment				1,102
342	Stores Equipment				
343	Tools, Shop and Garage Equipment				-
344	Laboratory Equipment				
345	Power Operated Equipment				
346	Communication Equipment				
347	Miscellaneous Equipment				
348	Other Tangible Plant				-
	Total Water Plant	\$88,808_	41,743		<u>130,551</u>

DIXIE GROVES UTILITY COMPANY UTILITY NAME:

YEAR OF REPORT DECEMBER 31, 2004

ANALYSIS OF ACCUMULATED DEPRECIATION BY PRIMARY ACCOUNT - WATER

Accum. Depr. Balance End of Year (f-g+h=i)	\$ 3,118 6,834 6,447 16,254 4,201 1,132 1,132
Credits (h)	\$ 226 310 310 906 906 1,432 173 173 4,346
Debits (g)	
Accumulated Depreciation Balance Previous Year (f)	\$ 2,892 6,524 6,727 2,319 6,092 14,058 14,058 1,178 1,178
Depr. Rate Applied (e)	3.57 % 3.70 % 3.03 % 5.88 % 5.88 % 2.63 % 7.50 % 8.00 % 16.67 % 8.00 % 8.00 % 9.00
Average Salvage in Percent	% %
Average Service Life in Years	28 33 33 10 10 10 10 10 10 10 10 10 10 10 10 10
Account (b)	Structures and Improvements Collecting and Impounding Reservoirs Lake, River and Other Intakes Wells and Springs Infiltration Galleries & Tunnels Supply Mains Power Generating Equipment Pumping Equipment Pumping Equipment Distribution Reservoirs & Standpipes Trans. & Dist. Mains Services Meter & Meter Installations Hydrants Backflow Prevention Devices Other Plant and Miscellaneous Equipment Office Furniture and Equipment Transportation Equipment Stores Equipment Tools, Shop and Garage Equipment Tools, Shop and Garage Equipment Communication Equipment Communication Equipment Other Tangible Plant
Acct.	304 304 305 306 307 308 331 331 333 333 334 345 347 348 348

* This amount should tie to Sheet F-5.

YEAR OF REPORT DECEMBER 31, 2004

WATER OPERATION AND MAINTENANCE EXPENSE

Acct.		
No.	Account Name	Amount
601	Salaries and Wages - Employees	\$
603	Salaries and Wages - Officers, Directors, and Majority Stockholders	12,000
604	Employee Pensions and Benefits	
610	Purchased Water	<u></u>
615	Purchased Power	1,627
616	Fuel for Power Production	
618	Chemicals	2,704
620	Materials and Supplies	1,336
630	Contractual Services:	
	Billing	
	Professional	33,807
	Testing	4,988
	Other	5,196
640	Rents	
650	Transportation Expense	
655	Insurance Expense	724
665	Regulatory Commission Expenses (Amortized Rate Case Expense)	
670	Bad Debt Expense	108
675	Miscellaneous Expenses	2,861
1 ""		2,001
	Total Water Operation And Maintenance Expense	\$ <u>65,351</u> *
	* This amount should tie to Sheet F-3.	

WATER CUSTOMERS

Description (a)	Type of Meter ** (b)	Equivalent Factor (c)	Number of Ac Start of Year (d)	tive Customers End of Year (e)	Total Number of Meter Equivalents (c x e) (f)
Residential Service 5/8" 3/4" 1" 1 1/2" General Service 5/8" 3/4" 1" 1 1/2" 2" 3" 3" 3" 3" Unmetered Customers Other (Specify)	D D D,T D,C,T D C T	1.0 1.5 2.5 5.0 1.0 1.5 2.5 5.0 8.0 15.0 16.0 17.5	336	336 1	336 1.5
** D = Displacement C = Compound T = Turbine		Total	337	337	337.5

UTILITY N	AME:_	DIXIE	GROVES	UTILITY	COMPANY
	_				

YEAR OF REPORT DECEMBER 31, 2004

SY	STEM	NAME:	

PUMPING AND PURCHASED WATER STATISTICS

(a)	Water Purchased For Resale (Omit 000's) (b)	Finished Water From Wells (Omit 000's) (c)	Recorded Accounted For Loss Through Line Flushing Etc. (Omit 000's) (d)	Total Water Pumped And Purchased (Omit 000's) [(b)+(c)-(d)] (e)	Water Sold To Customers (Omit 000's) (f)
January February March April May June July August September October November December Total for Year	0 0 0 0 0 0 0 0	1,633 1,552 1,548 1,615 1,527 1,405 1,365 1,351 1,123 1,127 1,150 1,250	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,633 1,552 1,548 1,615 1,527 1,405 1,365 1,351 1,123 1,127 1,150 1,250 <i>Iy, 43</i> 3 16,646	868 922 1,099 1,281 1,024 1,162 994 1,228 882 1,084 1,159 1,070
If water is purchased for VendorPoint of delivery If water is sold to other	NA-			elow:	

MAINS (FEET)

Kind of Pipe	Diameter			Removed	End
(PVC, Cast Iron,	of	First of	Added	or	of
Coated Steel, etc.)	Pipe	Year		Abandoned	Year
AC GALVANIZED GALVANIZED	3" 2"	3,170 210 7,940		0 0 0	3,170 210 7,940
					
					
					
					
					<u> </u>

UTILITY NAME: DIXIE GROVES UTILITY COMPANY	YEAR OF REPORT
	DECEMBER 31, 2004
SYSTEM NAME:	

WELLS AND WELL PUMPS

(a)	(b)	(c)	(d)	(e)
Year Constructed Types of Well Construction and Casing	1957 STEEL	1960 STEEL	1965 STEEL	
Depth of Wells Diameters of Wells Pump - GPM Motor - HP Motor Type * Yields of Wells in GPD Auxiliary Power	56' 4" NONE NONE NONE NONE NONE	65' 6" 150 7.5 SUBMERSIBLE 216,000 NONE	71' 4" 50 3 SUBMERSIBLE 72,000 NONE	
* Submersible, centrifugal, etc.				

RESERVOIRS

(a)	(b)	(c)	(d)	(e)
Description (steel, concrete) Capacity of Tank Ground or Elevated	NONE NONE NONE	HYDROPNEUMATIC 1000 GAL GROUND	HYDROPNEUMATIC 4000 GAL GROUND	

HIGH SERVICE PUMPING

(a)	(b)	(c)	(d)	(e)
Motors Manufacturer Type Rated Horsepower	N/A	N/A	N/A	
Pumps Manufacturer Type Capacity in GPM Average Number of Hours Operated Per Day Auxiliary Power	N/A	N/A	N/A	

UTILITY NAME: DIXIE GROVES UTILITY COMPANY

YEAR OF REPORT DECEMBER 31, 2004

SOURCE OF SUPPLY

Permitted Gals. per day Type of Source	75,000 AVG 150,000 PEAK 2 WELLS	
		1

WATER TREATMENT FACILITIES

	WAILN INLAIML	TI TAGILITIES	
List for each Water Treatment	Facility:		
Type	PRIMARY TREATMENT	PRIMARY TREATMENT	
Make	DISINFECT/STABILIZATION	DISINFECT/STABILIZATION	
Permitted Capacity (GPD)	75,000	75,000	
High service pumping	NONE	NONE	
Gallons per minute	NONE	NONE	
Reverse Osmosis	NONE	NONE	
Lime Treatment			
Unit Rating	NONE	NONE	
Filtration			
Pressure Sq. Ft	NONE	NONE	
Gravity GPD/Sq.Ft	NONE	NONE	
Disinfection			
Chlorinator	STENNER (LIQUID)	STENNER (LIQUID)	
Ozone	N/A	N/A	
Other	N/A	N/A	
Auxiliary Power	NONE	NONE	

UTILITY NAME:_	DIXIE	GROVES	UTILITY	COMPANY	
SYSTEM NAME:					

YEAR OF REPORT DECEMBER 31, 2004

GENERAL WATER SYSTEM INFORMATION

	Furnish information below for each system. A separate page should be supplied where necessary.
1.	Present ERC's * the system can efficiently serve100
2.	. Maximum number of ERCs* which can be served100
3.	Present system connection capacity (in ERCs *) using existing lines100
4.	Future connection capacity (in ERCs *) upon service area buildout.
5.	Estimated annual increase in ERCs *0
6.	Is the utility required to have fire flow capacity? If so, how much capacity is required? N/A
7.	Attach a description of the fire fighting facilities.
8.	Describe any plans and estimated completion dates for any enlargements or improvements of this system. CURRENTLY UNDER CONSTRUCTION/REPLACEMENT. SEE ENGINEERING REPORT.
0	
	When did the company last file a capacity analysis report with the DEP?UNKNOWN
10.	If the present system does not meet the requirements of DEP rules, submit the following:
	a. Attach a description of the plant upgrade necessary to meet the DEP rules. SEE ENGINEERING REPORT
	b. Have these plans been approved by DEP?NO
	c. When will construction begin?UNDER CONSTRUCTION CURRENTLY
	d. Attach plans for funding the required upgrading. SEE ENGINEERING REPORT
	e. Is this system under any Consent Order with DEP?NO
11.	Department of Environmental Protection ID#6510461
12.	Water Management District Consumptive Use Permit #20007718.002
	a. Is the system in compliance with the requirements of the CUP?NO
	b. If not, what are the utility's plans to gain compliance? SEE ENGINEERING REPORT
	* An ERC is determined based on one of the following methods: (a) If actual flow data are available from the proceding 12 months: Divide the total annual single family residence (SFR) gallons sold by the average number of single family residents (SFR) gallons sold by the average number of single family residence customers for the same period and divide the result by 365 days. (b) If no historical flow data are available use: ERC = (Total SFR gallons sold (omit 000/365 days/350 gallons per day).

WASTEWATER OPERATING SECTION

N/A WATER UTILITY ONLY

CERTIFICATION OF ANNUAL REPORT

I HEREBY CERTIFY, to the best of my knowledge and belief:

YES	NO	1.	of Accounts	in substantial compliance with the Uniform System prescribed by the Florida Public Service Commission 0.115 (1), Florida Administrative Code.
YES	NO	2.		in substantial compliance with all applicable rules and Florida Public Service Commission.
YES X	NO	3.	concerning n	peen no communications from regulatory agencies oncompliance with, or deficiencies in, financial reporting t could have a material effect on the financial statement
YES	NO	4.	results of ope other informa business affa	eport fairly represents the financial condition and erations of the respondent for the period presented and ation and statements presented in the report as to the hirs of the respondent are true, correct, and complete for which it represents.
Items C	ertified			
1. X	2. X	3. X	4. X	
			Date:	(signature of chief executive officer of the utility)
1. X	2. X	3. X	4. X	(signature of chief financial officer of the utility)
			Date:	

* Each of the four items must be certified YES or NO. Each item need not be certified by both officers. The items being certified by the officer should be indicated in the appropriate area to the left of the signature.

Notice: Section 837.06, Florida Statutes, provides that any person who knowingly makes a false statement in writing with the intent to mislead a public servant in the performance of his duty shall be guilty of a misdemeanor of the second degree.

Reconciliation of Revenue to Regulatory Assessment Fee Revenue

Water Operations
Class C

Company: DIXIE GROVES UTILITY COMPANY

For the Year Ended December 31, 2004

(a)		(b)		(c)		(d)
		Gross Water		Gross Water		
		Revenues Per		Revenues Per		Difference
Accounts		Sch. F-3		RAF Return		(b) - (c)
Gross Revenue:						
Residential	\$	50,590	. \$_	50,590	\$	0
Commercial		597	- -	597	-	0
Industrial			- -		-	
Multiple Family			. _		-	
Guaranteed Revenues			. _		- -	
Other		1,125	-	1,125	- -	0
Total Water Operating Revenue	\$	52,312	\$	52,312	\$	0
LESS: Expense for Purchased Water from FPSC-Regulated Utility	_		-		-	
Net Water Operating Revenues	\$	52,312	\$	52,312	\$	0.

Expl	lanations:	

Instructions:

For the current year, reconcile the gross water revenues reported on Schedule F-3 with the gross water revenues reported on the company's regulatory assessment fee return. Explain any differences reported in column (d).

WATER DISTRIBUTION SYSTEM EVALUATION

Engineering Services

DIXIE GROVES UTILITY COMPANY PASCO COUNTY, FLORIDA

PROJECT I.D. NO. 1004-20.01

Prepared by U.S. Water Services Corporation 4939 Cross Bayou Boulevard New Port Richey, Florida 34652



For

Dixie Groves Utility Company 4821 U.S. Highway 19, Suite 2 New Port Richey, Florida 34652

> (Revised) March 9, 2005




TABLE OF CONTENTS

1.0	INTRODUCTION	Page No.
	1.1 Purpose1.2 Background1.3 Water Use Caution Areas	1 1 2
2.0	EXISTING WATER SUPPLY	3
	2.1 Water Supply2.2 Production Wells	3 4
3.0	WATER DISTRIBUTION SYSTEM EVALUATION	4
	3.1 Permitting and Compliance Background3.2 Current Water Distribution System Conditions3.3 Unaccounted-for Water	4 6 7
4.0	CURRENT AND PROJECTED WATER DEMAND	7
	4.1 Water Conservation Policy	8
5.0	WATER DISTRIBUTION REPLACEMENT OPTIONS WITH COST ESTIMATES	9
6.0	ROAD RESURFACING	10
7.0	SUMMARY AND RECOMMENDATIONS	12
Apj Apj Apj	pendix A (Site Location Maps) pendix B (Boundaries of Water Use Caution Areas) pendix C (Summary of Monthly Flow Data) pendix D (Water Use Permit) pendix E (Engineer's Cost Estimate) pendix F (Preliminary Engineering Plans and Details)	

1.0 INTRODUCTION

1.1 Purpose

The purpose of this report is to present an evaluation of the water distribution system at Dixie Groves Utility Company along with recommendations for remedial measures with engineering cost estimates for implementation of two corrective action alternatives.

1.2 Background

Dixie Groves Utility Company is a privately-owned utility located in western Pasco County, Florida. The limits of the service area and the lots that are included within the boundary are depicted on the attached Figures under Appendices A and F. It is located in Section 32 of Township 26 and Range 16 within the boundaries of Northern Tampa Bay Water Use Caution Area (WUCA). The boundaries of the water use caution areas are depicted on the figure under Appendix B.

The potable water service area for Dixie Groves Utility covers an area of approximately 42 acres. A total of 411 lots comprised the original system service area. The present customer service area includes 338 customers. This is due to the fact that several of the smaller residential parcels have been combined under common ownership while other parcels have been combined as light commercial and professional office spaces. A summary of the users, based on land use type, is given below.

Table 1-1
Summary of Water Users

LAND USE	NUMBER OF UNITS
Single Family Residential	219
Single Family Seasonal/Retirement	110
Residential	
Light Commercial (Strip Centers, Churches,	6
Restaurants, etc.)	
Professional Offices (Doctors, Dentists, etc.)	3
TOTAL:	338

Most of the existing single family residential and mobile homes are older units dating back to the mid 1950's. The current demographics within the limits of the Dixie Groves' service area include a mixture of retirees, seasonal residents, and younger family groups. A limited number of multi-family structures, professional office spaces and light commercial properties also exist along the south side of Mile Stretch Drive. Based on the past twenty three (23)-month period of record ending January 2005, the average daily water usage is approximately 34,000 gpd. The monthly water demand and withdrawal records are summarized in a tabular format under Appendix C. It is clear from the general trends of the data that the monthly amounts of unaccounted-for water continue to decrease while corrective actions to the water distribution system are implemented.

1.3 Water Use Caution Area

Dixie Groves Utility Company is also located within the boundaries of the Northern Tampa Bay Water Use Caution Area (WUCA) as indicated in the figure under Appendix B. Water Use Caution Areas are defined by State law and Chapter 40D-2, F.A.C., as areas where water resources are, or expected to, become critical within the next twenty years. The Northern Tampa Bay WUCA is one

of several water use caution areas within the jurisdictions of the Southwest Florida Water Management District (SWFWMD). These areas have been declared as necessary to address cumulative water withdrawals which are causing or may cause adverse impacts to water resources, land resources or the public interest.

2.0 EXISTING WATER SUPPLY

2.1 Water Supply

Dixie Groves Utility Company currently has a wellfield with two production wells known as Well #2 and Well #3. The locations of the wells are shown on the attached plans under Appendix G, which also depicts the layout of the existing water distribution system. The SWFWMD regulates the total allotted withdrawal quantity from the wellfield under SWFWMD Water Use Permit No. 20007718. A copy of the permit is attached under Appendix D. The water use permit allows a peak monthly daily withdrawal of 150,000 gallons per day from the wellfield with an annual average daily withdrawal of 75,000 gallons per day.

Special Condition No. 3 of the SWFWMD Water Use Permit requires the permittee to implement the approved water conservation plan in order to reduce the percentage of the unaccounted-for water through the water distribution system to acceptable levels below 12%. The condition also requires submission of progress reports to the SWFWMD concerning the implementation of the plan.

Dixie Groves wellfield is located near the Gulf Coast in western Pasco County. This location is coincident with the thinner portions of the potable zone underlying peninsular Florida. The potable water zone in this area consists of a thin lens of fresh water that is underlain by denser saline water. As fresh water is withdrawn from this zone, the saltwater interface rises at a greater percent than the potable water drawdown due to the density difference between the two aqueous layers. This action may cause degradation of the potable aquifer water quality because of increasing mineral concentrations within the raw water supply.

2.2 Production Wells

The main production well for Dixie Groves Utility Company is Well #2. Well #3 is considered as a standby well. Each well is permitted for a total withdrawal quantities of 75,000 gpd (annual average) and 150,000 gpd (peak monthly). However, the total withdrawal from the wellfield is limited to 75,000 gpd (annual average) and 150,000 gpd (peak monthly) by the SWFWMD Water Use Permit.

Well No. 2

This well has a diameter of 6 inches with a total depth of 65 feet and cased to 47 feet. The SWFWMD water use permit allows a peak monthly and annual average withdrawals of 150,000 gpd and 75,000 gpd, respectively.

Well No. 3 (Standby)

This well has a diameter of 4 inches with a total depth of 72 feet and cased to 42 feet. The SWFWMD water use permit allows a peak monthly and annual average withdrawals of 150,000 gpd and 75,000 gpd, respectively.

3.0 WATER DISTRIBUTION SYSTEM EVALUATION

3.1 Permitting and Compliance Background

A notice of non-compliance was generated by the SWFWMD on February 8, 2001, as a result of apparent discrepancies between the permitted daily average withdrawal amounts and the actual withdrawals reported to the District. As a result, the District requested a complete evaluation of

these discrepancies and the water distribution system followed by remedial measures to reduce pumpage rates to acceptable levels below the maximum allowable permitted limits.

Consequently, an assessment of the water distribution system was performed by the operating company at that time to determine the cause(s) of water losses through the water distribution system and recommend certain corrective actions to remedy the problem. The initial tests of the water distribution system revealed that significant amounts of water had been lost between the meters at the wells and the meters at the individual service connections. Also, pumpage data from the wells as compared to the amounts sold to the customers, indicated that large and variable amounts of water are not accounted for between the well meters and the individual meters.

Following these results, the former operating company assessed the site on March 3, 2001, and determined that numerous small leaks existed at a significant percentage of service connections. A random check of approximately 50 individual service connections was performed. Of the number of meters checked, approximately 30 percent of the meters indicated small to significant leaks between the distribution line and the service connection meter. Most leaks were observed to be at the cutoff valves between the meters and the distribution line and also as a result of minor leaks associated with the fittings and couplings in the meter box.

The original evaluation also revealed that 33 water meters recorded zero usage during a 12-month period indicating that they were not functioning. In addition, 42 meters had recorded greater than 700,000 gallons of total accumulated flow. The useful life of a residential water meter is considered to be 1,000,000 gallons. Following these findings, based on recommendations by the operating company, the following remedial measures were implemented:

- All residential water meters recording zero flow were replaced.
- All residential water meters that had total accumulated readings of 900,000 gallons or greater were replaced.
- A program was initiated to inspect and repair all leaks at water meters on a regular basis.

Following completion of the above system improvements, Dixie Groves requested a modification to the water use permit to increase the annual average withdrawal limit from 39,000 to 75,000 gpd. The request was approved by the SWFWMD and, accordingly, a permit modification was issued on February 14, 2002.

3.2 Current Water Distribution System Conditions

As mentioned above, the water distribution system at Dixie Groves Utility Company was built in the 1950's along with the two water supply wells. The water distribution system consists of a combination of both 4-inch asbestos cement piping and 2-inch galvanized iron piping. Over the past fifty years, this piping has deteriorated significantly and is currently in a poor condition. See attached site plan under Appendix F for more details about the layout of the existing piping.

Asbestos cement piping was commonly used in water distribution systems built before 1980. However, its use in water distribution systems was discontinued following the enactment of legislation by the U.S. Congress in 1984 to control asbestos hazards in building materials, and following the USEPA proposed nationwide standard for asbestos in drinking water.

The condition of the piping at Dixie Groves, based on our most recent inspections, is considered very poor. The 2-inch galvanized iron piping has deteriorated substantially and contains significant number of cracks and leaks throughout the distribution system. The high degree of corrosion in the piping has also resulted in significantly reducing the inside diameter of the piping due to the deposition and accumulation of iron oxides on the inside surfaces of the pipes. Also, the walls of the existing hydropneumaic tanks (pressrue tanks) for Well #2 and Well #3 are highly corroded with obvious water leaks through the external surfaces of the walls.

3.3 Unaccounted-for Water

Historical water quantity withdrawal data from the two wells has shown an increasing trend of water loss through the water distribution system with an average of 40%. See the attached table and graph under Appendix C. However, following the most recent repairs to the system over the past several months, the water losses have dropped to acceptable levels.

Public water supply utilities that are located in Water Use Caution Areas are required by the SWFWMD to perform periodic water audits to ascertain that the total amount of the unaccouted-for water does not exceed 12% of the total withdrawal amounts. Water Auditing is performed in accordance with the guidelines given in the American Water Works Association's (AWWA) Manual #36, entitled Water Audits and Leak Detection.

Based on the most recent well withdrawal flow data and the total amounts of water sold, the average of the total amount of water that is unaccounted-for through the water distribution system over the past six (6) months is about 11%. This amount continues to decrease as shown by the trends on the figure under Appendix C. This percentage is considered acceptable in comparison with the maximum allowable rate of 12%. It is apparent that the remedial measures that have been undertaken in the past, including piping and water meter replacement, have contributed significantly to the reduction of the total amounts of unaccounted-for water. However, due to the age of the water system, water is still leaking through the cracks in the water distribution system piping which has extensively deteriorated.

With that said, it has become strategic and prudent for Dixie Groves Utility Company to pursue and consider an effective and permanent solution to this problem for years to come.

4.0 CURRENT AND PROJECTED WATER DEMAND

Dixie Grove Utility Company provides water services to a total population of approximately 877. As shown above, the current annual average potable water demand is approximately 34,000

gallons per day (equivalent to 39 gpcd) which is significantly lower than the standard average per capita consumption rates between 85-135 gpd. The utility service area is nearly built-out. Little to no growth is anticipated in the future. Also, the water consumption rate is not expected to change.

4.1 Water Conservation Policy

The following water conservation policies are established for Dixie Grove Utility Company:

A. Full compliance with Pasco County Emergency Ordinance No. 01-016 regarding water use in Pasco County. The ordinance limits lawn watering times during the week to only one day per week to conserve water.

B. Conservation Devices - In designing any building for which a building permit is required, the owner, architect or developer shall include the following water conservation devices in any plans submitted for approval and permitting:

- Slope control devices
- Reduced flow showerheads
- Reduced water use appliances, where feasible

In addition, any such owner, developer or architect shall utilize only those heating and cooling systems which are designed to minimize water usage. Ornamental water features such as exterior fountains and reflection pools shall be permitted only if they re-circulate water.

C. Shallow Wells – Private shallow wells for irrigation purposes must be permitted by the utility. No private shallow well shall be approved by the utility which may adversely affect or promote salt water intrusion of utility-owned potable water wells.

- **D.** Catch Basins The developers of proposed residential, industrial and commercial projects shall design catchment basins for use, where feasible, for the storage of rainwater for later use in irrigation. The design and use of such catchment basins shall conform to all applicable local, state, and federal regulations.
- E. Xeriscaping Any new or re-landscaped utility owner property shall incorporate a landscape plan which utilizes the concept of xeriscaping.
- **F.** Prohibition Within the Dixie Groves Utility service area, in connection with any new development or substantial redevelopment, the use of high volume irrigation equipment shall be prohibited. The installation of any automatic sprinkling system which is not equipped with moisture sensors or other devices designed to keep the sprinkling system from operating during periods of rain or high water content in the soil, shall be prohibited.

5.0 WATER DISTRIBUTION SYSTEM REPLCEMENT WITH COST ESTIMATES

The following alternatives are recommended for replacement of the water distribution system:

Alternative I (Replacement of the System with Fire Protection Capability):

Under the proposed upgrades, the entire water distribution system will be replaced with 4-inch and 8-inch C-900 DR-18 PVC piping with design considerations to fire protection and storage. The details of the proposed layout of the water distribution system are depicted on the attached site plans under Appendix F. The raw water from Well #2 and Well #3 will be transferred to the proposed 110,000-gallon above-ground storage tank at Well #3 using the well pumps which will be activated through a mercury floating switch in the storage tank. The water in the storage tank will then be pumped to the water distribution system via the new hydropneumatic tank. All piping from the hydropneumatic tank to the proposed fire hydrants will have a minimum diameter of 8 inches. This size is necessary to accommodate flows during fire flow demand of a minimum of 1,000 gallons per minute for two hours.

In addition, two new 15 h.p. high service pumps will be installed to pump the water from the storage tank to the hydropneumatic tank. An additional 40 h.p. high service pump will be installed to supply the additional fire flow demand from the storage tank to the water distribution system. The total pumping capacity of the system, with all of these pumps under operation, will be approximately 1,200 gallons per minute. See the attached plans for more details under Appendix G.

Furnishing and installation of the 110,000-gallon above-ground storage tank would also contribute to compliance with Rule 62-555, F.A.C., which require providing a storage capacity of at least 25% of the system's maximum day water demand.

An itemized list of the proposed modifications along with their respective cost estimates are provided in the spreadsheet under Appendix E. The total estimated cost for the project including road resurfacing is approximately \$1,434,407.10.

Alternative II (Replacement of the System without Fire Protection Capability):

Under the proposed upgrades, the entire water distribution system will be replaced with 4-inch C-900 DR-18 PVC piping without design considerations to fire protection and storage. The details of the proposed layout of the water distribution system are depicted on the attached site plans under Appendix F. Also, the hydropneumatic tanks for Well #2 and Well #3 will be replaced with new tanks with all necessary supply piping, bypass valves and air compressors. An itemized list of the proposed modifications along with their respective cost estimates are provided in the spreadsheet under Appendix E. The total estimated cost for the project including road resurfacing is approximately \$1,090,583.84.

6.0 ROAD RESURFACING

The exising roads at Dixie Groves area are in a poor condition and need resurfacing. To accomplish this task, Pasco County, under the Pasco County Paving Assessment Program, initiated a plan to resurface the roads around the middle of October 2003. As part of this plan, Pasco County requested a schedule from U.S. Water Services Corporation regarding the proposed upgareds to the water distribution system. Based on the County's estimates, a one time fee of \$1,059.00 will be charged to each homeowner at Dixie Groves Estates to recover the cost of paving, which will consist of a 1-inch Type S-III asphalt leveling course including, filling all the pot holes, and a top 1-inch Type S-III asphalt wearing course.

In response to the County's letter, dated September 19, 2003, U.S. Water Services Corporation requested, in a letter, dated September 25, 2003, that the County put the project on hold until the layout of the water distribution system is complete. U.S. Water indicated that deferral of the road resurfacing project would be in the best interest of the public due to the fact that the roads will be repaired only once with resulting cost savings to the homeowners of more than 50 percent. Consequently, Pasco County responded to the request, in a letter, dated September 30, 2003, with the consent to put the project on hold until the water distribution system design, permitting and constrution are complete. In addition, Pasco County did not have any objections to incorporating the proposed road resurfacing project under the overall water distribution system repalcement project.

Under the proposed road resurfacing project, a total area of approximately 20,138 square yards will be paved which includes the following roads (see attached plans under Appendix G for more details):

- Lake Ridge Lane
- Briar Hill Lane
- Rosedale Lane
- Knollwood Lane

- Arcadia Drive
- Mary Lane
- Dixie Lane
- Patriot Lane
- Viceroy Lane
- Sparkle Lane

The proposed procedure for the road resufacing plan include the following:

- All open road cuts will be filled with a minimum of 8 inches of limerock base which will be compacted with vibratory plate compactor to a minimum of 98% density.
- Fill all open road cuts with Type S-III Asphalt and compact thoroughly.
- Clean road surfaces to be overlaid from dirt and debris and haul off-site.
- Apply asphalt emulsion tack coat for proper bonding of asphalt.
- Fill and compact all pot holes with Type-III asphalt.
- Overlay with 1-inch leveling course of Type S-III asphalt.
- Compact leveling course.
- Furnish and install a 1-inch finish wearing course of Type S-III asphalt.
- Compact to a smooth finish with a vibratory steel wheel roller.

7.0 SUMMARY AND RECOMMENDATIONS

As mentioned above, the existing water distribution system at Dixie Groves is in a very poor condition and has extensive amounts of deterioration. This deterioration has resulted in substantial losses of water through the water distribution system for many years. Based on the current trends of the total amounts of unaccounted-for water, the water losses are expected to continue to increase in the future with further and more excessive deterioration in the piping.

Based on the foregoing, replacing the existing water distribution system with a new one is the most viable option at this time. Replacing the system is highly recommended and has several advantages including:


- Elimination of potential risks to public health by improving the water quality. The existing piping of the water distribution system was built in the 1950's of a combination of both 4-inch asbestos cement piping and 2-inch galvanized iron piping. These types of pipes are no longer used in the construction of underground utilities, especially in water distribution systems. Most States have banned installation of new asbestos pipes due to health-related issues attributed to cancer. Also, galvanized iron piping is not recommended for underground utilities because it decays very fast as a result of corrosion which consequently causes clogging of the piping and deterioration of water quality.
- Water conservation. Based on current water withdrawal and consumption rates, the
 percentage of the unaccounted-for water that is lost through the water distribution
 system is about 11% (based on the past 6 months). This rate is close to the maximum
 allowable rate of 12% (as given by the guidelines of the Southwest Florida Water
 Management District). Therefore, replacing the water distribution system would result in
 conserving more water and elimination of water losses through the water distribution
 system.
- Achieve the goals of the Southwest Florida Water Management District. Since the facility is located in a Water Use Caution Area as outlined by the permitting rules of the Southwest Florida Water Management District, it would be imperative for the Utility to aggressively tackle these issues and replace the water distribution system to achieve the goals and policies of the SWFWMD Water Management Plan for water conservation in such sensitive areas. According to the recent updates to the 1992 SWFWMD Needs and Sources Water Supply Planning Study, the water demand in the District would increase from 1.5 billion in 1994 to 1.8 billion gallons per day by 2020. In addition, the study concludes that unless greater than anticipated conservation occurs, it is unlikely that all projected demands will be met.


In summary, by pursuing this project, the Utility will be able to contribute positively to addressing the cumulative water withdrawals which are causing or may cause adverse impacts to water resources in the region, land resources or the public interest.

Appendix A

(Site Location Maps)

Site Location Map Dixie Grove Utility Company






©2003 MapQuest.com, Inc.; ©2003 Navigation Technologies~

Appendix B

(Boundaries of Water Use Caution Areas)

Figure 1. Water Use Caution Areas (WUCAs) within the Southwest Florida Water Management District.




Appendix C

(Summary of Monthly Flow Data)

Summary of Total Monthly Water Withdrawal and Consumption Dixie Groves Utility Company

MONTH	TOTAL WELL WITHDRAWAL (GALLONS)	AMOUNT SOLD (GALLONS)	AMOUNT UNACCOUNTED FOR (GALLONS)	PERCENTAGE OF WATER UNACCOUNTED FOR (%)	
Mar-03	1,434,000.00	847,000.00	587,000.00	40.93	
Apr-03	1,538,000.00	924,000.00	614,000.00	39.92	
May-03	1,902,000.00	1,133,000.00	769,000.00	40.43	
Jun-03	1,383,000.00	1,122,000.00	261,000.00	18.87	
Jul-03	1,481,000.00	870,000.00	611,000.00	41.26	
Aug-03	1,617,400.00	881,000.00	736,400.00	45.53	
Sep-03	1,533,000.00	918,000.00	615,000.00	40.12	
Oct-03	1,562,000.00	874,000.00	688,000.00	44.05	
Nov-03	1,649,000.00	1,406,000.00	243,000.00	14.74	
Dec-03	1,744,000.00	597,000.00	1,147,000.00	65.77	
Jan-04	1,633,000.00	868,000.00	765,000.00	46.85	
Feb-04	1,552,000.00	922,000.00	630,000.00	40.59	
Mar-04	1,547,600.00	1,099,000.00	448,600.00	28.99	
Apr-04	1,614,500.00	1,281,000.00	333,500.00	20.66	
May-04	1,527,000.00	1,024,000.00	503,000.00	32.94	
Jun-04	1,404,800.00	1,162,000.00	242,800.00	17.28	
Jul-04	1,365,000.00	994,000.00	371,000.00	27.18	
Aug-04	1,351,000.00	1,228,000.00	123,000.00	9.10	
Sep-04	1,123,000.00	882,000.00	241,000.00	21.46	
Oct-04	1,127,000.00	1,084,000.00	43,000.00	3.82	
Nov-04	1,173,090.00	1,159,000.00	14,090.00	1.20	
Dec-04	1,250,000.00	1,070,000.00	180,000.00	14.40	
Jan-05	1,164,000.00	1,020,000.00	144,000.00	12.37	
Average:	1,464,147.39	1,015,869.57	448,277.83	29.06	

Summary of Total Monthly Water Withdrawal and Consumption Dixie Groves Utility Company



Appendix D

(Water Use Permit)

SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT WATER USE GENERAL PERMIT NO. 20007718.002

EXPIRATION DATE:

October 19, 2013

PERMIT ISSUE DATE: February 14, 2002

HE PERMITTEE IS RESPONSIBLE FOR APPLYING FOR A RENEWAL OF THIS PERMIT PRIOR TO HE EXPIRATION DATE WHETHER OR NOT THE PERMITTEE RECEIVES PRIOR NOTIFICATION BY MAIL. FAILURE TO DO SO AND CONTINUED USE OF WATER AFTER EXPIRATION DATE IS A VIOLATION OF DISTRICT RULES AND MAY RESULT IN A MONETARY PENALTY AND/OR LOSS OF WATER, APPLICATION FOR RENEWAL PRIOR TO THE EXPIRATION DATE IS SUBJECT TO DISTRICT EVALUATION AND APPROVAL.

his permit, issued under the provision of Chapter 373, Florida Statutes and Florida Administrative Code 40D-2, authorizes the Permittee to withdraw the quantities outlined herein, and may require various activities to be performed by the Permittee as outlined by the Special Conditions. This permit, subject to all terms and conditions, meets all District permitting criteria.

GRANTED TO:

Dixie Groves Estates, Inc.

PO Box 845

New Port Richey, FL 34656

PROJECT NAME:

Not Specified

TYPE OF APPLICATION:

Modification

WATER USE CAUTION AREA:

Northern Tampa Bay

APPLICATION FILED:

November 16, 2001

APPLICATION AMENDED:

N/A

ACRES:

0.26 Owned

41.57 Serviced

41.83 Total

PROPERTY LOCATION:

Pasco County, approximately 3 miles south of New Port Richey, and one mile east of the intersection of US Highway 19 and County

Road 595.

TOTAL QUANTITIES AUTHORIZED UNDER THIS PERMIT (in gpd)

AVERAGE:

75,000

PEAK MONTHLY: 150,000

Use

Average

Peak Monthly

Agricultural:

75,000 gpd

150,000 gpd

see Withdrawal Table for quantities permitted for each withdrawal point.

Permittee: Dixie Groves Estates, Inc.

Page

WATER USE: PUBLIC SUPPLY

SERVICE AREA NAME

Dixie Groves Estates

POPULATION PER CAPITA **USE TYPE** SERVED RATE

Residential Single Family Other Metered Uses

Total Public Supply

877

Gross 85 gpd/person Compliance 150 gpd/person

I.D. NO. PERMITTEE/ DISTRICT	DIAM. (IN.)	DEPTH TTL./CSD.	USE	GALLONS AVERAGE	PER DAY PEAK MONTHLY	
DISTRICT	1114.7	11L./00D.	<u>UJL</u>	AVLINAGE	MONTHLI	
2/2	6	65 / 47	В	75,000	150,000	
3/3	4	72 / 42	В	75,000	150,000	Standby

B = Public Supply

DISTRICT LOCATION I.D. NO. LAT./LONG.

SECTION/TOWNSHIP/RANGE

2

281115.24/824346.57

32/26/16

SPECIAL CONDITIONS:

1. All reports required by the permit shall be submitted to the District on or before the tenth day of the month following data collection and shall be addressed to:

Permit Data Section, Records and Data Department Southwest Florida Water Management District 2379 Broad Street Brooksville, Florida 34604-6899

Unless otherwise indicated, three copies of each plan or report, with the exception of pumpage, rainfall, evapotranspiration, water level or water quality data which require one copy, are required by the permit.

- 2. Any wells not in use, District ID No. 1, Permittee ID No. 1, and in which pumping equipment is not installed shall be capped or valved in a water-tight manner in accordance with Chapter 62-532.500(3)(a)4, F.A.C.
- 3. The Permittee shall begin carrying out the provisions of its District approved conservation plan dated June 7, 2001, upon receipt of this permit. The Permittee shall submit progress reports to the Permit Data Section, Records and Data Department, concerning implementation of the plan on February 1, 2007.

Permittee: Dixie Groves Estates, Inc.

Page

3

STANDARD CONDITIONS:

The Permittee shall comply with the Standard Conditions attached hereto, incorporated herein by reference as Exhibit "A" and made a part hereof.

Authorized Signature SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT

Permittee: Dixie Groves Estates, Inc.

Page

40D-2 Exhibit "A" WATER USE PERMIT CONDITIONS

STANDARD CONDITIONS

- 1. If any of the statements in the application and in the supporting data are found to be untrue and inaccurate, or if the Permittee fails to comply with all of the provisions of Chapter 373, F.S., Chapter 40D, or the conditions set forth herein, the Governing Board shall revoke this permit in accordance with Rule 40D-2.341, following notice and hearing.
- 2. This permit is issued based on information provided by the Permittee demonstrating that the use of water is reasonable and beneficial, consistent with the public interest, and will not interfere with any existing legal use of water. If, during the term of the permit, it is determined by the District that the use is not reasonable and beneficial, in the public interest, or does impact an existing legal use of water, the Governing Board shall modify this permit or shall revoke this permit following notice and hearing.
- 3. The Permittee shall not deviate from any of the terms or conditions of this permit without written approval by the District.
- 4. In the event the District declares that a Water Shortage exists pursuant to Chapter 40D-21, the District shall alter, modify, or declare inactive all or parts of this permit as necessary to address the water shortage.
- 5. The District shall collect water samples from any withdrawal point listed in the permit or shall require the Permittee to submit water samples when the District determines there is a potential for adverse impacts to water quality.
- 6. The Permittee shall provide access to an authorized District representative to enter the property at any reasonable time to inspect the facility and make environmental or hydrologic assessments. The Permittee shall either accompany District staff onto the property or make provision for access onto the property.
- 7. Issuance of this permit does not exempt the Permittee from any other District permitting requirements.
- 8. The Permittee shall cease or reduce surface water withdrawal as directed by the District if water levels in lakes fall below applicable minimum water level established in Chapter 40D-8 or rates of flow in streams fall below the minimum levels established in Chapter 40D-8.
- 9. The Permittee shall cease or reduce withdrawal as directed by the District if water levels in aquifers fall below the minimum levels established by the Governing Board.
- 10. The Permittee shall practice water conservation to increase the efficiency of transport, application, and use, as well as to decrease waste and to minimize runoff from the property. At such time as the Governing Board adopts specific conservation requirements for the Permittee's water use classification, this permit shall be subject to those requirements upon notice and after a reasonable period for compliance.
- 11. The District may establish special regulations for Water Use Caution Areas. At such time as the Governing Board adopts such provisions, this permit shall be subject to them upon notice and after a reasonable period for compliance.

Dixie Groves Estates, Inc. Permittee:

Page

- 12. When necessary to analyze impacts to the water resource or existing users, the District shall require the Permittee to install flow metering or other measuring devices to record withdrawal quantities and submit the data to the District.
- 13. A District identification tag shall be prominently displayed at each withdrawal point by permanently affixing the tag to the withdrawal facility.
- 14. The Permittee shall notify the District within 30 days of the sale or conveyance of permitted water withdrawal facilities or the land on which the facilities are located.
- 45. All permits issued pursuant to these Rules are contingent upon continued ownership or legal control of all property on which pumps, wells, diversions or other water withdrawal facilities are located.
- 16. The annual average daily withdrawal quantity is determined by calculating the total quantity of water to be withdrawn over a 1-year period, divided by 365 days, which results in a gallons per day (gpd) quantity pursuant to Basis of Review, Section 3.2, Permitted Withdrawal Quantities. This is a running 12-month average, whereby each month the annual average daily quantity is recalculated based on the previous 12-month pumpage.

R. 02/20/2001

PART II HEARINGS INVOLVING DISPUTED ISSUES OF MATERIAL FACT

28-106.201 Initiation of Proceedings.

(Unless otherwise provided by statute, initiation of proceedings shall be made by written petition to the agency responsible for rendering final agency action. The tom 'petition' includes any document that requests an exidentiary proceeding and asserts the existence of a disputed issue of material fact. Each petition shall be legible and on 81/2 by 11 inch white paper. Unless proceed, the impression shall be on one side of the paper only and lines shall be double-spaced.

(2) All petitions filed under these rules shall contain:

(a) The name and address of each agency affected a deach agency's file or identification number, if known;

(b) The name, address, and telephone number of the lititioner; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's stantial interests will be affected by the agency cotermination;

(c) A statement of when and how the petitioner ceived notice of the agency decision;

(d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate:

(e) A concise statement of the ultimate facts alleged, it luding the specific facts the petitioner contends warrantreversal or modification of the agency's proposed action;

(f) A statement of the specific rules or statutes the stitutioner contends require reversal or modification of the agency's proposed action; and

(g) A statement of the relief sought by the petitioner, sting precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

(3) Upon receipt of a petition involving disputed issues of ruterial fact, the agency shall grant or deny the petition, and if granted shall, unless otherwise provided by law, refer the matter to the Division of Administrative Hearings with a request that an administrative law judge be assigned to conduct the hearing. The request shall be accomplanied by a copy of the petition and a copy of the notice of agency action.

(A petition shall be dismissed if it is not in substantial compliance with subsection (2) of this rule or it has been untimely filed. Dismissal of a petition shall, at least once, to without prejudice to petitioner's filing a timely sended petition curing the defect, unless it conclusively appears from the face of the petition that the defect cannot be cured.

The agency shall promptly give written notice to all parties of the action taken on the petition, shall state with particularity its reasons if the petition is not granted, and all state the deadline for filing an amended petition if plicable.

Specific Authority 120.54(3), (5) FS. Law Implemented 170.54(5), 120.569, 120.57 FS. History-New 4-1-97, Amended 17-98.

PART III PROCEEDINGS AND HEARINGS NOT INVOLVING DISPUTED ISSUES OF MATERIAL FACT

28-106.301 Initiation of Proceedings.

- (1) Initiation of a proceeding shall be made by written petition to the agency responsible for rendering final agency action. The term "petition" includes any document which requests a proceeding. Each petition shall be legible and on 81/2 by 11 inch white paper or on a form provided by the agency. Unless printed, the impression shall be on one side of the paper only and lines shall be doubled-spaced.
- (2) All petitions filed under these rules shall contain:
- (a) The name and address of each agency affected and each agency's file or identification number, if known;
- (b) The name, address, and telephone number of the petitioner; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination;
- (c) A statement of when and how the petitioner received notice of the agency decision;
- (d) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action;
- (e) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and

(f) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

- (3) If the petition does not set forth disputed issues of material fact, the agency shall refer the matter to the presiding officer designated by the agency with a request that the matter be scheduled for a proceeding not involving disputed issues of material fact. The request shall be accompanied by a copy of the petition and a copy of the notice of agency action.
- (4) A petition shall be dismissed if it is not in substantial compliance with subsection (2) of this Rule or it has been untimely filed. Dismissal of a petition shall, at least once, be without prejudice to petitioner's filing a timely amended petition curing the defect, unless it conclusively appears from the face of the petition that the defect cannot be cured.
- (5) The agency shall promptly give written notice to all parties of the action taken on the petition, shall state with particularity its reasons if the petition is not granted, and shall state the deadline for filing an amended petition if applicable.

Specific Authority 120.54(5) FS. Law Implemented 120.54(5), 120.569, 120.57 FS. History-New 4-1-97, Amended 9-17-98.



nployer

Ronnie E. Duncan Chair, Pinellas

√atson L. Haynes, II

Treasurer, Pinellas

Edward W. Chance Manatee

"lonroe "Al" Coogler

aggie N. Dominguez

Pamela L. Fentress

Ronald C. Johnson

Heidi B. McCree

John K. Renke, III

E. D. "Sonny" Vergara

\s...tant Executive Director William S. Bilenky

Executive Director

Gene A. Heath

General Counsel

Hillsborough

Hillsborough

Highlands

Polk

Pasco

Citrus

Southwest Florida Water Management District

Tampa Service Office 7601 Highway 301 North Tampa, Florida 33637-6759 (813) 985-7481 or 1-800-836-0797 (FL only) SUNCOM 578-2070

Bartow Service Office 170 Century Boulevard Bartow, Florida 33830-7700 (863) 534-1448 or 1-800-492-7862 (FL only) SUNCOM 572-6200

2379 Broad Street, Brooksville, Florida 34604-6899 (352) 796-7211 or 1-800-423-1476 (FL only) SUNCOM 628-4150 TDD only 1-800-231-6103 (FL only)

On the Internet at: WaterMatters.org

Sarasota Service Office 6750 Fruitville Road Sarasota, Florida 34240-9711 (941) 377-3722 or 1-800-320-3503 (FL only) SUNCOM 531-6900

Lecanto Service Office 3600 West Sovereign Path Suite 226 Lecanto, Florida 34461-8070 (352) 527-8131 SUNCOM 667-3271

February 14, 2002

Inomas G. Dabney, Il Dixie Groves Estates, Inc. Vice Chair, Sarasota PO Box 845 Janet D. Kovach New Port Richey, FL 34656 cretary, Hillsborough

Subject:

Final Agency Action Transmittal Letter General Water Use Permit No. 20007718.002

Your Water Use Permit has been approved. Final approval is contingent upon no objection to the District's action being received by the District within the time frames described below.

You or any person whose substantial interests are affected by the District's action regarding a permit may request an administrative hearing in accordance with Sections 120.569 and 120.57, Florida Statutes (F.S.), and Chapter 28-106, Florida Administrative Code (F.A.C.), of the Uniform Rules of Procedure. A request for hearing must (1) explain how the substantial interests of each person requesting the hearing will be affected by the District's action, or proposed action; (2) state all material facts disputed by the person requesting the hearing or state that there are no disputed facts; and (3) otherwise comply with Chapter 28-106, F.A.C. Copies of Sections 28-106.201 and 28-106.301, F.A.C., are enclosed for your reference. A request for hearing must be filed with (received by) the Agency Clerk of the District at the District's Brooksville address within 21 days of receipt of this notice. Receipt is deemed to be the fifth day after the date on which this notice is deposited in the United States mail. Failure to file a request for hearing within this time period shall constitute a waiver of any right you or such person may have to request a hearing under Sections 120.569 and 120.57, F.S. Mediation pursuant to Section 120.573, F.S. to settle an administrative dispute regarding the District's action in this matter is not available prior to the filing of a request for hearing.

Enclosed is a 'Noticing Packet' that provides information regarding District Rule, 40D-1.1010, F.A.C. which addresses the notification of persons having substantial interests that may be affected by the District's action in this matter. The packet contains guidelines on how to provide notice of the District's action, and a notice that you may use.

Please be advised that the Governing Board has formulated a water shortage plan as referenced in Condition 4 of the Standard Water Use Permit Conditions (Exhibit A), and will implement such a plan during periods of water shortage. You will be notified during a declared water shortage of any change in the conditions of your Permit or any suspension of your Permit, or of any restriction on your use of water for the duration of any declared water shortage. Please further note that water conservation is a condition of your Permit and should be practiced at all times.

The ID tags for your withdrawals shall be installed by a District representative. This representative will attempt to contact you within 30 days to discuss placement of your tags. If you have any questions or concerns regarding your tags, please contact Sandy Semegen at extension 4349 in the Brooksville Regulation Department. If you have any questions or concerns regarding your permit or any other information, please contact this office at extension 4338.

Sincerely,

BJ Jarvis, Director

Records and Data Department

BJJ:ta

Approved Permit, Rules 28-106.201 and 28-106.301, F.A.C., and Noticing Packet Enclosures: cc: Donald Fenderson

Protecting Your

Appendix E

(Engineer's Cost Estimate)



ENGINEER'S COST ESTIMATE DIXIE GROVES UTILITY COMPANY

REPLACEMENT OF ENTIRE WATER DISTRIBUTION SYSTEM WITH 4" DR-18 C-900 PVC

	ITEM DESCRIPTION	QUANTITY	UNITS	*UNIT PRICE (\$)	TOTAL PRICE (\$)
Pipin	g	T			
1)	4" DR-18 C-900 PVC	14,182	, _	40.77	405 000 44
2)	4" M/J 90° Bend	8	L.F. EA	13.77	195,286.14
3)	4" M/J Tee	21	EA	111.72	893.76
4)	4" M/J R/W G/V w/ Box	28	EA	159.60 339.15	3,351.60
5)	4" M/J 45°	20	EA	111.72	9,496.20
6)	4"x2" Blowoff Assembly w/ 4" G/V	2	EA	478.80	223.44 957.60
7)	4" P/V Mega w/ Acc.	136	EA	63.84	8,682.24 _.
Mete	rs & Service Connections				
8)	Double Service Meter Assembly (Two 3/4") - Long Side	85	EA	526.68	44 707 00
9)	Double Service Meter Assembly (Two 3/4") - Short Side	109	EA	380.00	44,767.80
	3/4" Sch 40 PVC on customer side	29,000	L.F.	2.95	41,420.00
•	and the second state of th	29,000	L.F.	2.95	85,550.00
Direc	tional Drilling				
11)	_	598	L.F.	16.00	0.560.00
12)	Directional Drill 4" DR-18 C900	80	L.F.	35.91	9,568.00 2,872.80
Evan	vation			55.51	2,072.00
13)	,	822	S.Y.	22.34	18,363.48
14) 15)	SOD Silt Foncing	13,526	S.Y.	2.59	35,032.34
_	Silt Fencing	7,000	L.F.	1.60	11,200.00
16)	Abandon Existing Piping	1	L.S.	5000	5,000.00
17)	Road Crossing Excavation for Service Connections	1,534	L.F.	9.98	15,309.32
18) 19)	Disposal of Unsuitable Material	1,370	C.Y.	4.79	6,562.30
19)	Miscellaneous Restoration (Gravel Loans, Fence Repair, etc.)	1 1	L.S.	10,000	10,000.00
	sure Tanks				
20)	3000-gal Horizontal Hydropneumatic Tanks w/ Accessories	2	EA	20,000.00	40,000.00
_	w/ Tank Supply Piping, Bypass Valves, and Air Compressors.				
Fence					
21)	6-Foot High Chainlink Fence	360	L.F.	8.00	2,880.00
Aspha	alt Paving				
22)	8" Limerock Base for Road Crossings	3,181	S.Y.	11.17	35,531.77
23)	2" Asphalt, Type S-III	20,138	S.Y.	9.78	196,949.64
24)	Density & two Proctors	3	EA	251.37	754.11
25)	Density	100	EA	19.95	1,995.00
26)	Security and Telemetry	1	EA	15000	15,000.00
		Page 1 of 2			
		Page 1 of 2	1	i	



ENGINEER'S COST ESTIMATE DIXIE GROVES UTILITY COMPANY

REPLACEMENT OF ENTIRE WATER DISTRIBUTION SYSTEM WITH 4" DR-18 C-900 PVC

ITEM DESCRIPTION QUANTITY UNITS *UNIT PRICE (\$) TOTAL PRICE									
Disin	Disinfection and Pressure Testing								
27)	Disinfection and Pressure Testing	1	EA	3500	3,500.00				
Pump	oing System								
	Propane generator with automatic transfer switch	1	EA	35000	55,000.00				
Surve	eying								
29)	Survey work for the whole system	1	EA	20000	20,000.00				
	SUBTOTAL:				876,147.54				
30)	Mobilization (3% of Subtotal)				26,284.43				
31)	Maintenance of Traffic (3% of Subtotal)				26,284.43				
	TOTAL:				928,716.39				
32)	Design & Permitting (8%)				74,297.31				
33)	Project Management (PM) (4%)				37,148.66				
,	TOTAL PLUS DESIGN AND PM:				1,040,162.36				
	,								
34)	Contingencies (5%)				52,008.12				
٠.,	Commigation (CT)								
					4 000 470 40				
	TOTAL				1,092,170.48				
*NOTE: These are preliminary cost estimates that are subject to change as a result of price/design adjustments.									
	Page 2 of 2								



ENGINEER'S COST ESTIMATE

DIXIE GROVES UTILITY COMPANY

REPLACEMENT OF ENTIRE WATER DISTRIBUTION SYSTEM CONSIDERING FIRE PROTECTION AND STORAGE

WITH 4" and 8" DR-18 C-900 PVC

	ITEM DESCRIPTION	QUANTITY	UNITS	*UNIT PRICE (\$)	TOTAL PRICE (\$)
Piping	7		1		
1)	8" DR-18 C-900 PVC	7,357	L.F.	17.56	129,192.78
2)	8" M/J 90° Bend	4	EA	167.58	670.32
3)	8" M/J Tee	4	EA	319.20	1,276.80
4)	8" M/J R/W G/V w/ Box	9	EA	518.70	4,668.30
5)	8" P/V Mega w/ Acc.	60	EA	95.76	5,745.60
6)	8" D/I Mega w/ Acc.	0	EA	95.76	0.00
7)	F.H.A. Perpendicular Installation	12	EA	3,500.00	42,000.00
''	This is of postal calculation			0,000.00	.2,000.00
8)	6" DR-18 C-900 PVC	0	L.F.	14.36	0.00
9)	6" M/J R/W G/V w/ Box	0	EA	399.00	0.00
10)	6" M/J Tee	0	EA	239.40	0.00
11)	6" M/J 90° Bend	0	EA	127.68	0.00
12)	6" P/V Mega w/ Acc.	0	EA	79.80	0.00
13)	6" D/I Mega w/ Acc.	0	EA	79.80	0.00
14)	4" DR-18 C-900 PVC	7,196	L.F.	12.77	91,890.62
15)	4" M/J R/W G/V w/ Box	15	EA	339.15	5087.25
,	4" Blowoff Assembly	1 1	EA	478.80	478.8
17)	4" P/V Mega w/ Acc.	52	EA	63.84	3,319.68
18)	8"x4" Reducer	4	EA	143.64	574.56
19)	6"x4" Reducer	0	EA EA	103.74	0.00
20)	8"x6" M/J Tee (FH)	12	EA	287.28	3,447.36
1	8"x4" M/J Tee	12	EA	271.32	3,255.84
21)	6"x4" M/J Tee	0	EA	223.44	0.00
22)	o x4 W/J Tee	0		223.44	0.00
Raw \	Water Transmission Line				•
23)	3" DR-18 C-900 PVC Piping	1,035	L.F.	12.77	13,216.95
24)	3" M/J 90° Bend	5	EA	111.72	558.60
25)	3" M/J R/W G/V w/ Box	1	EA	339.15	339.15
26)	3" P/V Mega w/ Acc.	10	EA	63.84	638.40
Meter	rs & Service Connections				
27)		85	EA	526.68	44,767.80
28)	Double Service Meter Assembly (Two 3/4") - Short Side	109	EA	380.00	41,420.00
29)	3/4" Sch 40 PVC on customer side	29,000	L.F.	2.95	85,550.00
Direc	tional Drilling				
30)	Directional Drill 2" (Water Service Casing - Sch 26 PVC)	598	L.F.	16.00	9,568.00
31)	Directional Drill 8" DR-18 C900	80	L.F.	47.88	3,830.40
""	Directional Diff. to Cooc	00	L.F.	77.00	5,000.40
		Dono de fa			
		Page 1 of 3	.l	<u>L</u>	1



ENGINEER'S COST ESTIMATE

DIXIE GROVES UTILITY COMPANY REPLACEMENT OF ENTIRE WATER DISTRIBUTION SYSTEM CONSIDERING FIRE PROTECTION AND STORAGE WITH 4" and 8" DP 18 C-900 PVC

	WITH 4" and 8" DR-18 C-900 PVC							
ITEM DESCRIPTION QUANTITY UNITS *UNIT PRICE (\$)								
Fxcav	vation							
32)	Driveway Replacement	822	S.Y.	22.34	18,363.48			
•	SOD	13,526	S.Y.	2.59	35,032.34			
34)	Silt Fencing	7,000	L.F.	1.60	11,200.00			
35)	Abandon Existing Piping	1	L.S.	5,000.00	5,000.00			
36)	Road Crossing Excavation for Service Connections	1,534	L.F.	9.98	15,309.32			
37)	Disposal of Unsuitable Material	1,370	C.Y.	4.79	6,562.30			
38)	Miscellaneous Restoration (Gravel Loans, Fence Repair, etc.)	1	L.S.	10,000.00	10,000.00			
Press	eure Tank							
39)	3000-gallon Horizontal Hydropneumatic Tank w/ Accessories w/ Tank Support Piping, Bypass Valves, Air Compressor	1	EA	20,000.00	20,000.00			
Abov	e Ground Storage Tank							
40)	110,000-gal glass-fused-to-steel water storage tank	1	EA	140,721	140,721.00			
41)	Soil Investigations and site preparation	1	EA	15,000.00	15,000.00			
Pump	oing System							
42)	15-h.p. 200-gpm High Service Pumps	2	EA	5,500.00	11000			
43)	40-h.p. 800-gpm High Service Pump	1	EA	9,500.00	9,500.00			
44)	Electrical Control Panel	1	EA	19,000.00	19,000.00			
45)	Flow metering, yard piping, valves for pumping equipment	1	EA	15,556.00	15,556.00			
46)	Propane generator with automatic transfer switch	1	EA	55,000.00	55,000.00			
47)	Plant lighting	1	EA	5,000.00	5,000.00			
48)	Security and Telemetry	1	EA	15,000.00	15,000.00			
Disin	fection and Pressure Testing							
49)	Disinfection and Pressure Testing	1	EA	3,500.00	3,500.00			
Fenc	e							
50)	6-Foot High Chainlink Fence	360	L.F.	8.00	2,880.00			
•	alt Paving							
51)	8" Limerock Base for Road Crossings	3,181	S.Y.	11.17	35,531.77			
52)	2" Asphalt, Type S-III	20,138	S.Y.	9.78	196,949.64			
53)	Density & two Proctors	3	EA	251.37	754.11			
54)	Density	100	EA	19.95	1,995.00			
		D 6 . 63						
		Page 2 of 3	1	<u></u>				



ENGINEER'S COST ESTIMATE

DIXIE GROVES UTILITY COMPANY REPLACEMENT OF ENTIRE WATER DISTRIBUTION SYSTEM CONSIDERING FIRE PROTECTION AND STORAGE

WITH 4" and 8" DR-18 C-900 PVC

	ITEM DESCRIPTION	QUANTITY	UNITS	*UNIT PRICE (\$)	TOTAL PRICE (\$)
Surve	Surveying			(4)	TOTAL TRIOL (#)
55)	Survey work for the whole system	1	EA	20,000.00	20,000.00
56)	Mobilization (3% of Subtotal)		į		1,160,352.17
57)	,				34,810.57
31)	Maintenance of Traffic (M.O.T.) (3% of Subtotal)				34,810.57
	TOTAL:				1,229,973.31
58)	Design & Permitting (8% of Total)				98,397.86
59)	Project Management (PM) (4% of Total)				,
	· · · · · · · · · · · · · · · · · · ·				49,198.93
	TOTAL PLUS DESIGN AND PM:				1,377,570.10
60)	Contingencies (5%)				68,878.51
····	GRAND TOTAL:				1,446,448.61

Page 3 of 3

*NOTE: These are preliminary cost estimates that are subject to change as a result of price/design adjustments.

Appendix F

(Preliminary Engineering Plans and Details)